

LORP Synopsis for March 2025

Compliance Comments

Flows were above the minimum flow for the month.

Maintenance

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.

Operations

Below are flow changes that occurred during the month:

- Diversions to Thibaut, Winterton, and Waggoner BWMA units were set to 0 cfs on March 1, 2025.
- LORPS Langemann from 6 cfs to 10 cfs on March 1, 2025.

Waterfowl Area Monthly Report

Synopsis (for Runoff Year 2024-2025)

Implementation of the Interim Management and Monitoring Plan continued, which includes the seasonal flooding regime and a fixed waterfowl acreage goal of 500 acres.

On March 1, 2024 (RY 2023-24) flows to all units were set to 0 cfs.

On September 15, 2024, flows for the Fall season were set as follow: Thibaut Unit – 7.5 cfs, Winterton Unit – 2.5 cfs, and Waggoner Unit – 7.5 cfs.

Wetted acreage surveys were completed for the Fall season. Thibaut measured 226 acres on November 3, 2024, Winterton measured 138 acres on November 6, 2024, and Waggoner measured 145 acres on November 3, 2024, for a combined total of 509 acres.

On November 1, 2024 flows for the 2024-25 Winter season were set. Flow to Thibaut Unit was set to 2.5 cfs. Flow to Winterton Unit was set to 3.0 cfs. Flow to Waggoner Unit was set to 3.0 cfs.

On March 1, 2025, wetted acreage surveys were completed for the Winter Season. Thibaut measured 249 acres, Winterton measured 237 acres, and Waggoner measured 185 acres for a combined total of 671 acres.

On March 1, 2025, flow to all units were set to 0 cfs.

Flow Rates and Wetted Acreage Summary (for Runoff Year 2024-25)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of Survey
Drew Unit	off	4/16/2021		
Waggoner Unit	off	3/1/2024		
	7.5	9/15/2024	145	11/3/2024
	3.0	11/1/2024	185	3/1/2025
	off	3/1/2025		
Winterton Unit	off	3/1/2024		
	2.5	9/15/2024	138	11/6/2024
	3.0	11/1/2024	237	3/1/2025
	off	3/1/2025		
Thibaut Unit	off	3/1/2024		
	7.5	9/15/2024	226	11/3/2024
	2.5	11/1/2024	249	3/1/2025
	off	3/1/2025		

MARCH 2025 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	3/17/2025	44.10	43.20	43.80	0	gage height	3.02
At Mazourka Canyon Road	3/17/2025	45.07	41.60	43.50	3	gage height	3.19
At Reinhackle Springs	3/17/2025	48.62	49.30	53.00	-3	gage height	3.79

Month: March
Year: 2025

Date	Intake			Blackrock Ditch Return		Billy Lake Return		Mazourka Canyon Road			Locust Ditch Return		Georges Ditch Return		Reinhackle Springs			Alabama Gates Release		Above Pumpstation			Pumpback Discharge		Lange-mann Release to Delta	Weir to Delta	River Daily Avg
	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Flow	Avg Month to Date		
03/01/25	43	42	15	1	1	1	1	50	51	15	0	0	0	0	61	63	15	0	0	52	54	15	43	43	9	0	52
03/02/25	42	42	15	1	1	1	1	51	51	15	0	0	0	0	62	62	15	0	0	49	53	15	39	41	10	0	51
03/03/25	43	42	15	2	1	1	1	50	50	15	0	0	0	0	51	61	15	0	0	50	53	15	40	41	10	0	49
03/04/25	42	42	15	2	1	2	1	51	50	15	0	0	0	0	52	60	15	0	0	49	52	15	39	40	10	0	49
03/05/25	43	42	15	1	1	2	1	53	50	15	0	0	1	1	54	60	15	0	0	49	52	15	39	40	10	0	50
03/06/25	42	42	15	1	1	2	1	52	50	15	0	0	1	1	55	59	15	0	0	49	51	15	39	40	10	0	50
03/07/25	42	42	15	1	1	2	1	51	51	15	0	0	1	1	53	59	15	0	0	49	51	15	39	40	10	0	49
03/08/25	43	42	15	1	1	2	1	49	50	15	0	0	0	1	51	58	15	0	0	48	50	15	38	40	10	0	48
03/09/25	42	42	15	1	1	2	1	50	50	15	0	0	0	1	52	57	15	0	0	49	50	15	39	39	10	0	48
03/10/25	42	42	15	1	1	2	1	50	50	15	0	0	0	1	53	57	15	0	0	49	50	15	39	39	10	0	49
03/11/25	42	42	15	1	1	1	1	50	50	15	0	0	0	1	51	56	15	0	0	49	50	15	39	39	10	0	48
03/12/25	42	42	15	1	1	1	1	50	50	15	0	0	0	0	51	55	15	0	0	49	49	15	39	39	10	0	48
03/13/25	42	42	15	1	1	1	1	51	50	15	0	0	0	0	53	55	15	0	0	48	49	15	38	39	10	0	49
03/14/25	42	42	15	1	1	1	1	51	51	15	0	0	0	0	54	54	15	0	0	48	49	15	38	39	10	0	49
03/15/25	42	42	15	1	1	1	1	50	51	15	0	0	0	0	54	54	15	0	0	48	49	15	38	39	10	0	49
03/16/25	43	42	15	1	1	1	1	49	51	15	0	0	0	0	53	53	15	0	0	48	49	15	38	39	10	0	48
03/17/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	49	52	15	0	0	48	49	15	38	39	10	0	47
03/18/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	48	49	15	38	39	10	0	48
03/19/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	48	48	15	38	39	10	0	48
03/20/25	43	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	48	48	15	38	39	10	0	48
03/21/25	43	42	15	1	1	1	1	49	50	15	0	0	0	0	50	52	15	0	0	48	48	15	38	39	10	0	48
03/22/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	47	48	15	37	39	10	0	47
03/23/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	47	48	15	37	39	10	0	47
03/24/25	42	42	15	1	1	1	1	49	50	15	0	0	0	0	51	52	15	0	0	47	48	15	37	39	10	0	47
03/25/25	43	42	15	1	1	1	1	50	50	15	0	0	0	0	52	52	15	0	0	47	48	15	37	38	10	0	48
03/26/25	43	42	15	1	1	1	1	50	50	15	0	0	0	0	51	52	15	0	0	47	48	15	37	38	10	0	48
03/27/25	43	42	15	1	1	1	1	50	50	15	0	0	0	0	51	52	15	0	0	47	48	15	37	38	10	0	48
03/28/25	43	42	15	1	1	1	1	50	49	15	0	0	1	0	52	51	15	0	0	48	48	15	38	38	10	0	48
03/29/25	42	42	15	1	1	1	1	50	49	15	0	0	1	0	51	51	15	0	0	50	48	15	40	38	10	0	48
03/30/25	42	42	15	1	1	2	1	50	49	15	0	0	0	0	51	51	15	0	0	50	48	15	40	38	10	0	48
03/31/25	42	42	15	1	1	2	1	50	49	15	0	0	0	0	51	51	15	0	0	47	48	15	37	38	10	0	48
Monthly Avg	42							50							52					48							48

Lower Owens River Project Flow Report for 03/01/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			50	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			61	63	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			52	54	15
Pump Station			43	47	
Langemann Gate to Delta			9	6	
Weir to Delta			0	1	
LORP In Channel Average Flow ²			52	52	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	226 Acres	11/03/2024	0 cfs	03/01/2025
Winterton	138 Acres	11/06/2024	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	145 Acres	11/03/2024	0 cfs	03/01/2025
Total Flooded Area	509 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.10 ft	(Last Collected: 02/11/2025)
Lower Twin Lake Gage Read	2.44 ft	
Goose Lake Gage Read	2.81 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/02/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			51	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			62	62	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	53	15
Pump Station			39	46	
Langemann Gate to Delta			10	6	
Weir to Delta			0	1	
LORP In Channel Average Flow ²			51	52	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	226 Acres	11/03/2024	0 cfs	03/01/2025
Winterton	138 Acres	11/06/2024	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	145 Acres	11/03/2024	0 cfs	03/01/2025
Total Flooded Area	509 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.10 ft	(Last Collected: 02/11/2025)
Lower Twin Lake Gage Read	2.44 ft	
Goose Lake Gage Read	2.81 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/03/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	61	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	53	15
Pump Station			40	45	
Langemann Gate to Delta			10	7	
Weir to Delta			0	1	
LORP In Channel Average Flow ²			48	52	

Pump Station Month-to-Date Average Flow 41 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	226 Acres	11/03/2024	0 cfs	03/01/2025
Winterton	138 Acres	11/06/2024	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	145 Acres	11/03/2024	0 cfs	03/01/2025
Total Flooded Area	509 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.10 ft	(Last Collected: 02/11/2025)
Lower Twin Lake Gage Read	2.44 ft	
Goose Lake Gage Read	2.81 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/04/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.8	1			
Mazourka Canyon Road			51	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			52	60	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	52	15
Pump Station			39	45	
Langemann Gate to Delta			10	7	
Weir to Delta			0	1	
LORP In Channel Average Flow ²			48	51	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	226 Acres	11/03/2024	0 cfs	03/01/2025
Winterton	138 Acres	11/06/2024	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	145 Acres	11/03/2024	0 cfs	03/01/2025
Total Flooded Area	509 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.10 ft	(Last Collected: 02/11/2025)
Lower Twin Lake Gage Read	2.44 ft	
Goose Lake Gage Read	2.81 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 11/03/2024)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/05/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	2	1			
Mazourka Canyon Road			53	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			54	60	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	52	15
Pump Station			39	44	
Langemann Gate to Delta			10	7	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	51	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/06/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.7	1			
Mazourka Canyon Road			52	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			55	59	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	51	15
Pump Station			39	44	
Langemann Gate to Delta			10	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	51	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/07/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			51	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	59	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	51	15
Pump Station			39	43	
Langemann Gate to Delta			10	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	51	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/08/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	58	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	50	15
Pump Station			38	42	
Langemann Gate to Delta			10	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 40 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/09/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.7	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			52	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	50	15
Pump Station			39	42	
Langemann Gate to Delta			10	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/10/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	50	15
Pump Station			39	41	
Langemann Gate to Delta			10	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/11/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	56	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	50	15
Pump Station			39	41	
Langemann Gate to Delta			10	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/12/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			49	49	15
Pump Station			39	40	
Langemann Gate to Delta			10	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/13/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			51	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	40	
Langemann Gate to Delta			10	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/14/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			51	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			54	54	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	39	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	49	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/15/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			50	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			54	54	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	39	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/16/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			49	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			53	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	39	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/17/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			49	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	39	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/18/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	2			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	49	15
Pump Station			38	39	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/19/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	48	15
Pump Station			38	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/20/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	48	15
Pump Station			38	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/21/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			50	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	48	15
Pump Station			38	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/22/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/23/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.47 ft	(Last Collected: 03/05/2025)
Lower Twin Lake Gage Read	2.24 ft	
Goose Lake Gage Read	2.65 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/24/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	48	

Pump Station Month-to-Date Average Flow 39 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.38 ft	(Last Collected: 03/12/2025)
Lower Twin Lake Gage Read	2.14 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/25/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			52	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.38 ft	(Last Collected: 03/12/2025)
Lower Twin Lake Gage Read	2.14 ft	
Goose Lake Gage Read	2.58 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/26/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/27/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.4	1			
Mazourka Canyon Road			50	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/28/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			43	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			52	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	48	15
Pump Station			38	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/29/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	48	15
Pump Station			40	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/30/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	48	15
Pump Station			40	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 03/31/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			42	42	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	2.1	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	48	15
Pump Station			37	38	
Langemann Gate to Delta			10	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	48	

Pump Station Month-to-Date Average Flow 38 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 03/26/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.40 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Ian Keller/Jason Olin

DATE: February 28, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **Langemann Gate at Pumpstation**

START DATE: Saturday, March 1, 2025 **TIME:** anytime

CHANGE FLOW: FROM: 6 cfs TO: 10 cfs at LORPS Langemann

C: Adam Perez
Eric Tillemans
Chad Lamacchia
Ben Arcularius

Ben Butler
Jason Olin
Gary Reiser
Bruce Peterson

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Joseph McGuire/Courtnie Cappello

DATE: February 28, 2025

REQUESTED BY: Tony Tillemans x32259

START DATE: Saturday, March 1, 2025 **TIME:** morning

Spring 2025 – Interim BWMA	
Location	Set flows to (cfs)
Thibaut Spillgate East (MS 0006)	0
Winterton Div #2 (MS 0194)	0
Waggoner Div #8 (MS 0200)	0

C: Adam Perez
Eric Tillemans
Ben Butler
Jason Olin
Lori Dermody
Bruce Peterson
Chad Lamacchia

Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.

Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.

Augmentation Flows

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)

The current export settings are:

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics

[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD

Discharge Measurement Summary

Date Generated: Thu Sep 27 2007

File Information

File Name 070706.0RABR.LOR.WAD
Start Date and Time 2007/07/06 07:48:17

Site Details

Site Name ORABR
Operator(s) DJT

System Information

Sensor Type FlowTracker
Serial # P1685
CPU Firmware Version 3.2
Software Ver 2.11

Units

(English Units)

Distance ft
Velocity ft/s
Area ft²
Discharge cfs

Discharge Uncertainty

Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
Overall	2.1%	1.8%

Summary

Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		Total Discharge	44.3025

Measurement Results

St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	08:12	40.00	0.2/0.8	1.490	0.2	1.192	0.8245	1.00	0.6321	2.980	1.8837	4.3
13	08:13	40.00	0.2/0.8	1.490	0.8	0.298	0.4396					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD




Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)

Fri Jul 6 07:47:10 PDT 2007



SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company


070706.0RABR.LOR.WAD





Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)



System **Argonaut-SW**
Frequency **3000 kHz**

File **BROR_070801_a**
File Size **65.18 kB**

Sample No **1**
Sample Date **02/07/2007**
Sample Time **13:28:38**
Time Interval **180**

Velocity Data:
V1/X/E(cm/s) **27.8**
V2/Y/N(cm/s) **2.4**
V3/Z/U(cm/s) **--**
Speed (cm/s) **27.9**
Direction(deg) **85.1**

Discharge Summary:
V Beam (m) **0.426**
Stage (m) **1.304** V
VMean (cm/s) **22.7**
Flow (cfs) **50.21**
Area (m2) **6.26**
Vol (acre-ft) **0.7**

Diagnostic Data:
SNR1 (dB) **61**
SNR2 (dB) **61**
SNR3 (dB) **--**
StErr1 (cm/s) **0.9**
StErr2 (cm/s) **0.8**
StErr3 (cm/s) **--**
Mean StDev **0.9**
Battery (V) **12.4**

Blackrock Return Ditch

Station 0208

Date	Flow (cfs)
3/1/2025	1.13
3/2/2025	1.44
3/3/2025	1.89
3/4/2025	2.09
3/5/2025	1.37
3/6/2025	1.45
3/7/2025	1.40
3/8/2025	1.35
3/9/2025	1.31
3/10/2025	1.26
3/11/2025	1.22
3/12/2025	1.14
3/13/2025	1.16
3/14/2025	1.27
3/15/2025	0.90
3/16/2025	0.74
3/17/2025	0.92
3/18/2025	1.10
3/19/2025	1.00
3/20/2025	0.79
3/21/2025	0.62
3/22/2025	0.73
3/23/2025	0.67
3/24/2025	0.89
3/25/2025	1.33
3/26/2025	1.38
3/27/2025	1.30
3/28/2025	0.99
3/29/2025	1.05
3/30/2025	1.18
3/31/2025	0.78

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/1/2025	12:00:00 AM	0.49
3/1/2025	12:15:00 AM	0.48
3/1/2025	12:30:00 AM	0.49
3/1/2025	12:45:00 AM	0.49
3/1/2025	1:00:00 AM	0.49
3/1/2025	1:15:00 AM	0.48
3/1/2025	1:30:00 AM	0.48
3/1/2025	1:45:00 AM	0.48
3/1/2025	2:00:00 AM	0.48
3/1/2025	2:15:00 AM	0.48
3/1/2025	2:30:00 AM	0.48
3/1/2025	2:45:00 AM	0.48
3/1/2025	3:00:00 AM	0.48
3/1/2025	3:15:00 AM	0.48
3/1/2025	3:30:00 AM	0.48
3/1/2025	3:45:00 AM	0.48
3/1/2025	4:00:00 AM	0.48
3/1/2025	4:15:00 AM	0.48
3/1/2025	4:30:00 AM	0.48
3/1/2025	4:45:00 AM	0.48
3/1/2025	5:00:00 AM	0.48
3/1/2025	5:15:00 AM	0.48
3/1/2025	5:30:00 AM	0.48
3/1/2025	5:45:00 AM	0.48
3/1/2025	6:00:00 AM	0.48
3/1/2025	6:15:00 AM	0.48
3/1/2025	6:30:00 AM	0.48
3/1/2025	6:45:00 AM	0.48
3/1/2025	7:00:00 AM	0.48
3/1/2025	7:15:00 AM	0.48
3/1/2025	7:30:00 AM	0.48
3/1/2025	7:45:00 AM	0.48
3/1/2025	8:00:00 AM	0.48
3/1/2025	8:15:00 AM	0.48
3/1/2025	8:30:00 AM	0.48
3/1/2025	8:45:00 AM	0.48
3/1/2025	9:00:00 AM	0.48
3/1/2025	9:15:00 AM	0.48
3/1/2025	9:30:00 AM	0.48
3/1/2025	9:45:00 AM	0.48
3/1/2025	10:00:00 AM	0.47
3/1/2025	10:15:00 AM	0.47
3/1/2025	10:30:00 AM	0.47
3/1/2025	10:45:00 AM	0.47
3/1/2025	11:00:00 AM	0.47
3/1/2025	11:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/1/2025	11:30:00 AM	0.47
3/1/2025	11:45:00 AM	0.47
3/1/2025	12:00:00 PM	0.47
3/1/2025	12:15:00 PM	0.47
3/1/2025	12:30:00 PM	0.47
3/1/2025	12:45:00 PM	0.47
3/1/2025	1:00:00 PM	0.46
3/1/2025	1:15:00 PM	0.46
3/1/2025	1:30:00 PM	0.46
3/1/2025	1:45:00 PM	0.46
3/1/2025	2:00:00 PM	0.46
3/1/2025	2:15:00 PM	0.46
3/1/2025	2:30:00 PM	0.46
3/1/2025	2:45:00 PM	0.46
3/1/2025	3:00:00 PM	0.46
3/1/2025	3:15:00 PM	0.47
3/1/2025	3:30:00 PM	0.47
3/1/2025	3:45:00 PM	0.48
3/1/2025	4:00:00 PM	0.48
3/1/2025	4:15:00 PM	0.49
3/1/2025	4:30:00 PM	0.49
3/1/2025	4:45:00 PM	0.49
3/1/2025	5:00:00 PM	0.49
3/1/2025	5:15:00 PM	0.49
3/1/2025	5:30:00 PM	0.49
3/1/2025	5:45:00 PM	0.49
3/1/2025	6:00:00 PM	0.49
3/1/2025	6:15:00 PM	0.5
3/1/2025	6:30:00 PM	0.49
3/1/2025	6:45:00 PM	0.5
3/1/2025	7:00:00 PM	0.5
3/1/2025	7:15:00 PM	0.5
3/1/2025	7:30:00 PM	0.5
3/1/2025	7:45:00 PM	0.5
3/1/2025	8:00:00 PM	0.5
3/1/2025	8:15:00 PM	0.49
3/1/2025	8:30:00 PM	0.5
3/1/2025	8:45:00 PM	0.49
3/1/2025	9:00:00 PM	0.49
3/1/2025	9:15:00 PM	0.49
3/1/2025	9:30:00 PM	0.5
3/1/2025	9:45:00 PM	0.5
3/1/2025	10:00:00 PM	0.49
3/1/2025	10:15:00 PM	0.5
3/1/2025	10:30:00 PM	0.49
3/1/2025	10:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/1/2025	11:00:00 PM	0.49
3/1/2025	11:15:00 PM	0.5
3/1/2025	11:30:00 PM	0.5
3/1/2025	11:45:00 PM	0.5
3/2/2025	12:00:00 AM	0.5
3/2/2025	12:15:00 AM	0.5
3/2/2025	12:30:00 AM	0.5
3/2/2025	12:45:00 AM	0.49
3/2/2025	1:00:00 AM	0.5
3/2/2025	1:15:00 AM	0.5
3/2/2025	1:30:00 AM	0.5
3/2/2025	1:45:00 AM	0.5
3/2/2025	2:00:00 AM	0.5
3/2/2025	2:15:00 AM	0.5
3/2/2025	2:30:00 AM	0.5
3/2/2025	2:45:00 AM	0.5
3/2/2025	3:00:00 AM	0.5
3/2/2025	3:15:00 AM	0.5
3/2/2025	3:30:00 AM	0.5
3/2/2025	3:45:00 AM	0.5
3/2/2025	4:00:00 AM	0.5
3/2/2025	4:15:00 AM	0.5
3/2/2025	4:30:00 AM	0.5
3/2/2025	4:45:00 AM	0.5
3/2/2025	5:00:00 AM	0.5
3/2/2025	5:15:00 AM	0.5
3/2/2025	5:30:00 AM	0.5
3/2/2025	5:45:00 AM	0.5
3/2/2025	6:00:00 AM	0.5
3/2/2025	6:15:00 AM	0.5
3/2/2025	6:30:00 AM	0.5
3/2/2025	6:45:00 AM	0.5
3/2/2025	7:00:00 AM	0.5
3/2/2025	7:15:00 AM	0.5
3/2/2025	7:30:00 AM	0.5
3/2/2025	7:45:00 AM	0.49
3/2/2025	8:00:00 AM	0.49
3/2/2025	8:15:00 AM	0.49
3/2/2025	8:30:00 AM	0.49
3/2/2025	8:45:00 AM	0.49
3/2/2025	9:00:00 AM	0.49
3/2/2025	9:15:00 AM	0.5
3/2/2025	9:30:00 AM	0.52
3/2/2025	9:45:00 AM	0.54
3/2/2025	10:00:00 AM	0.55
3/2/2025	10:15:00 AM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/2/2025	10:30:00 AM	0.58
3/2/2025	10:45:00 AM	0.58
3/2/2025	11:00:00 AM	0.59
3/2/2025	11:15:00 AM	0.6
3/2/2025	11:30:00 AM	0.61
3/2/2025	11:45:00 AM	0.6
3/2/2025	12:00:00 PM	0.61
3/2/2025	12:15:00 PM	0.61
3/2/2025	12:30:00 PM	0.61
3/2/2025	12:45:00 PM	0.61
3/2/2025	1:00:00 PM	0.61
3/2/2025	1:15:00 PM	0.61
3/2/2025	1:30:00 PM	0.61
3/2/2025	1:45:00 PM	0.61
3/2/2025	2:00:00 PM	0.62
3/2/2025	2:15:00 PM	0.63
3/2/2025	2:30:00 PM	0.65
3/2/2025	2:45:00 PM	0.67
3/2/2025	3:00:00 PM	0.69
3/2/2025	3:15:00 PM	0.7
3/2/2025	3:30:00 PM	0.72
3/2/2025	3:45:00 PM	0.71
3/2/2025	4:00:00 PM	0.71
3/2/2025	4:15:00 PM	0.71
3/2/2025	4:30:00 PM	0.7
3/2/2025	4:45:00 PM	0.7
3/2/2025	5:00:00 PM	0.69
3/2/2025	5:15:00 PM	0.68
3/2/2025	5:30:00 PM	0.67
3/2/2025	5:45:00 PM	0.66
3/2/2025	6:00:00 PM	0.65
3/2/2025	6:15:00 PM	0.65
3/2/2025	6:30:00 PM	0.64
3/2/2025	6:45:00 PM	0.63
3/2/2025	7:00:00 PM	0.63
3/2/2025	7:15:00 PM	0.62
3/2/2025	7:30:00 PM	0.61
3/2/2025	7:45:00 PM	0.6
3/2/2025	8:00:00 PM	0.59
3/2/2025	8:15:00 PM	0.59
3/2/2025	8:30:00 PM	0.58
3/2/2025	8:45:00 PM	0.57
3/2/2025	9:00:00 PM	0.57
3/2/2025	9:15:00 PM	0.56
3/2/2025	9:30:00 PM	0.56
3/2/2025	9:45:00 PM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/2/2025	10:00:00 PM	0.55
3/2/2025	10:15:00 PM	0.54
3/2/2025	10:30:00 PM	0.54
3/2/2025	10:45:00 PM	0.53
3/2/2025	11:00:00 PM	0.53
3/2/2025	11:15:00 PM	0.53
3/2/2025	11:30:00 PM	0.52
3/2/2025	11:45:00 PM	0.52
3/3/2025	12:00:00 AM	0.51
3/3/2025	12:15:00 AM	0.51
3/3/2025	12:30:00 AM	0.51
3/3/2025	12:45:00 AM	0.5
3/3/2025	1:00:00 AM	0.5
3/3/2025	1:15:00 AM	0.5
3/3/2025	1:30:00 AM	0.5
3/3/2025	1:45:00 AM	0.49
3/3/2025	2:00:00 AM	0.49
3/3/2025	2:15:00 AM	0.49
3/3/2025	2:30:00 AM	0.49
3/3/2025	2:45:00 AM	0.48
3/3/2025	3:00:00 AM	0.48
3/3/2025	3:15:00 AM	0.48
3/3/2025	3:30:00 AM	0.48
3/3/2025	3:45:00 AM	0.48
3/3/2025	4:00:00 AM	0.48
3/3/2025	4:15:00 AM	0.47
3/3/2025	4:30:00 AM	0.47
3/3/2025	4:45:00 AM	0.47
3/3/2025	5:00:00 AM	0.47
3/3/2025	5:15:00 AM	0.47
3/3/2025	5:30:00 AM	0.47
3/3/2025	5:45:00 AM	0.47
3/3/2025	6:00:00 AM	0.46
3/3/2025	6:15:00 AM	0.46
3/3/2025	6:30:00 AM	0.46
3/3/2025	6:45:00 AM	0.46
3/3/2025	7:00:00 AM	0.46
3/3/2025	7:15:00 AM	0.46
3/3/2025	7:30:00 AM	0.45
3/3/2025	7:45:00 AM	0.44
3/3/2025	8:00:00 AM	0.44
3/3/2025	8:15:00 AM	0.44
3/3/2025	8:30:00 AM	0.45
3/3/2025	8:45:00 AM	0.46
3/3/2025	9:00:00 AM	0.49
3/3/2025	9:15:00 AM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/3/2025	9:30:00 AM	0.58
3/3/2025	9:45:00 AM	0.63
3/3/2025	10:00:00 AM	0.69
3/3/2025	10:15:00 AM	0.74
3/3/2025	10:30:00 AM	0.78
3/3/2025	10:45:00 AM	0.79
3/3/2025	11:00:00 AM	0.81
3/3/2025	11:15:00 AM	0.82
3/3/2025	11:30:00 AM	0.82
3/3/2025	11:45:00 AM	0.83
3/3/2025	12:00:00 PM	0.83
3/3/2025	12:15:00 PM	0.83
3/3/2025	12:30:00 PM	0.82
3/3/2025	12:45:00 PM	0.82
3/3/2025	1:00:00 PM	0.82
3/3/2025	1:15:00 PM	0.82
3/3/2025	1:30:00 PM	0.82
3/3/2025	1:45:00 PM	0.81
3/3/2025	2:00:00 PM	0.8
3/3/2025	2:15:00 PM	0.79
3/3/2025	2:30:00 PM	0.79
3/3/2025	2:45:00 PM	0.79
3/3/2025	3:00:00 PM	0.79
3/3/2025	3:15:00 PM	0.78
3/3/2025	3:30:00 PM	0.78
3/3/2025	3:45:00 PM	0.79
3/3/2025	4:00:00 PM	0.79
3/3/2025	4:15:00 PM	0.78
3/3/2025	4:30:00 PM	0.79
3/3/2025	4:45:00 PM	0.79
3/3/2025	5:00:00 PM	0.79
3/3/2025	5:15:00 PM	0.79
3/3/2025	5:30:00 PM	0.79
3/3/2025	5:45:00 PM	0.79
3/3/2025	6:00:00 PM	0.8
3/3/2025	6:15:00 PM	0.8
3/3/2025	6:30:00 PM	0.8
3/3/2025	6:45:00 PM	0.8
3/3/2025	7:00:00 PM	0.8
3/3/2025	7:15:00 PM	0.8
3/3/2025	7:30:00 PM	0.8
3/3/2025	7:45:00 PM	0.8
3/3/2025	8:00:00 PM	0.81
3/3/2025	8:15:00 PM	0.81
3/3/2025	8:30:00 PM	0.81
3/3/2025	8:45:00 PM	0.81

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/3/2025	9:00:00 PM	0.81
3/3/2025	9:15:00 PM	0.81
3/3/2025	9:30:00 PM	0.81
3/3/2025	9:45:00 PM	0.81
3/3/2025	10:00:00 PM	0.81
3/3/2025	10:15:00 PM	0.81
3/3/2025	10:30:00 PM	0.81
3/3/2025	10:45:00 PM	0.81
3/3/2025	11:00:00 PM	0.81
3/3/2025	11:15:00 PM	0.81
3/3/2025	11:30:00 PM	0.81
3/3/2025	11:45:00 PM	0.81
3/4/2025	12:00:00 AM	0.81
3/4/2025	12:15:00 AM	0.81
3/4/2025	12:30:00 AM	0.81
3/4/2025	12:45:00 AM	0.81
3/4/2025	1:00:00 AM	0.81
3/4/2025	1:15:00 AM	0.81
3/4/2025	1:30:00 AM	0.81
3/4/2025	1:45:00 AM	0.81
3/4/2025	2:00:00 AM	0.81
3/4/2025	2:15:00 AM	0.81
3/4/2025	2:30:00 AM	0.81
3/4/2025	2:45:00 AM	0.81
3/4/2025	3:00:00 AM	0.81
3/4/2025	3:15:00 AM	0.81
3/4/2025	3:30:00 AM	0.81
3/4/2025	3:45:00 AM	0.81
3/4/2025	4:00:00 AM	0.81
3/4/2025	4:15:00 AM	0.81
3/4/2025	4:30:00 AM	0.81
3/4/2025	4:45:00 AM	0.81
3/4/2025	5:00:00 AM	0.81
3/4/2025	5:15:00 AM	0.81
3/4/2025	5:30:00 AM	0.81
3/4/2025	5:45:00 AM	0.81
3/4/2025	6:00:00 AM	0.81
3/4/2025	6:15:00 AM	0.81
3/4/2025	6:30:00 AM	0.81
3/4/2025	6:45:00 AM	0.81
3/4/2025	7:00:00 AM	0.81
3/4/2025	7:15:00 AM	0.81
3/4/2025	7:30:00 AM	0.81
3/4/2025	7:45:00 AM	0.8
3/4/2025	8:00:00 AM	0.81
3/4/2025	8:15:00 AM	0.82

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/4/2025	8:30:00 AM	0.82
3/4/2025	8:45:00 AM	0.83
3/4/2025	9:00:00 AM	0.83
3/4/2025	9:15:00 AM	0.84
3/4/2025	9:30:00 AM	0.84
3/4/2025	9:45:00 AM	0.83
3/4/2025	10:00:00 AM	0.83
3/4/2025	10:15:00 AM	0.83
3/4/2025	10:30:00 AM	0.82
3/4/2025	10:45:00 AM	0.82
3/4/2025	11:00:00 AM	0.8
3/4/2025	11:15:00 AM	0.79
3/4/2025	11:30:00 AM	0.79
3/4/2025	11:45:00 AM	0.78
3/4/2025	12:00:00 PM	0.78
3/4/2025	12:15:00 PM	0.77
3/4/2025	12:30:00 PM	0.76
3/4/2025	12:45:00 PM	0.74
3/4/2025	1:00:00 PM	0.74
3/4/2025	1:15:00 PM	0.73
3/4/2025	1:30:00 PM	0.72
3/4/2025	1:45:00 PM	0.72
3/4/2025	2:00:00 PM	0.71
3/4/2025	2:15:00 PM	0.7
3/4/2025	2:30:00 PM	0.69
3/4/2025	2:45:00 PM	0.69
3/4/2025	3:00:00 PM	0.68
3/4/2025	3:15:00 PM	0.67
3/4/2025	3:30:00 PM	0.67
3/4/2025	3:45:00 PM	0.66
3/4/2025	4:00:00 PM	0.66
3/4/2025	4:15:00 PM	0.65
3/4/2025	4:30:00 PM	0.65
3/4/2025	4:45:00 PM	0.65
3/4/2025	5:00:00 PM	0.64
3/4/2025	5:15:00 PM	0.64
3/4/2025	5:30:00 PM	0.63
3/4/2025	5:45:00 PM	0.63
3/4/2025	6:00:00 PM	0.62
3/4/2025	6:15:00 PM	0.62
3/4/2025	6:30:00 PM	0.61
3/4/2025	6:45:00 PM	0.61
3/4/2025	7:00:00 PM	0.61
3/4/2025	7:15:00 PM	0.6
3/4/2025	7:30:00 PM	0.6
3/4/2025	7:45:00 PM	0.6

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/4/2025	8:00:00 PM	0.59
3/4/2025	8:15:00 PM	0.59
3/4/2025	8:30:00 PM	0.59
3/4/2025	8:45:00 PM	0.59
3/4/2025	9:00:00 PM	0.58
3/4/2025	9:15:00 PM	0.58
3/4/2025	9:30:00 PM	0.58
3/4/2025	9:45:00 PM	0.58
3/4/2025	10:00:00 PM	0.57
3/4/2025	10:15:00 PM	0.57
3/4/2025	10:30:00 PM	0.57
3/4/2025	10:45:00 PM	0.57
3/4/2025	11:00:00 PM	0.57
3/4/2025	11:15:00 PM	0.57
3/4/2025	11:30:00 PM	0.56
3/4/2025	11:45:00 PM	0.56
3/5/2025	12:00:00 AM	0.56
3/5/2025	12:15:00 AM	0.56
3/5/2025	12:30:00 AM	0.56
3/5/2025	12:45:00 AM	0.55
3/5/2025	1:00:00 AM	0.55
3/5/2025	1:15:00 AM	0.55
3/5/2025	1:30:00 AM	0.55
3/5/2025	1:45:00 AM	0.55
3/5/2025	2:00:00 AM	0.55
3/5/2025	2:15:00 AM	0.55
3/5/2025	2:30:00 AM	0.55
3/5/2025	2:45:00 AM	0.54
3/5/2025	3:00:00 AM	0.54
3/5/2025	3:15:00 AM	0.54
3/5/2025	3:30:00 AM	0.54
3/5/2025	3:45:00 AM	0.54
3/5/2025	4:00:00 AM	0.54
3/5/2025	4:15:00 AM	0.54
3/5/2025	4:30:00 AM	0.54
3/5/2025	4:45:00 AM	0.54
3/5/2025	5:00:00 AM	0.54
3/5/2025	5:15:00 AM	0.54
3/5/2025	5:30:00 AM	0.53
3/5/2025	5:45:00 AM	0.53
3/5/2025	6:00:00 AM	0.53
3/5/2025	6:15:00 AM	0.53
3/5/2025	6:30:00 AM	0.53
3/5/2025	6:45:00 AM	0.53
3/5/2025	7:00:00 AM	0.53
3/5/2025	7:15:00 AM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/5/2025	7:30:00 AM	0.52
3/5/2025	7:45:00 AM	0.52
3/5/2025	8:00:00 AM	0.51
3/5/2025	8:15:00 AM	0.51
3/5/2025	8:30:00 AM	0.51
3/5/2025	8:45:00 AM	0.51
3/5/2025	9:00:00 AM	0.51
3/5/2025	9:15:00 AM	0.51
3/5/2025	9:30:00 AM	0.51
3/5/2025	9:45:00 AM	0.51
3/5/2025	10:00:00 AM	0.51
3/5/2025	10:15:00 AM	0.5
3/5/2025	10:30:00 AM	0.5
3/5/2025	10:45:00 AM	0.51
3/5/2025	11:00:00 AM	0.52
3/5/2025	11:15:00 AM	0.52
3/5/2025	11:30:00 AM	0.53
3/5/2025	11:45:00 AM	0.54
3/5/2025	12:00:00 PM	0.54
3/5/2025	12:15:00 PM	0.55
3/5/2025	12:30:00 PM	.
3/5/2025	12:45:00 PM	.
3/5/2025	1:00:00 PM	.
3/5/2025	1:15:00 PM	.
3/5/2025	1:30:00 PM	0.55
3/5/2025	1:45:00 PM	0.55
3/5/2025	2:00:00 PM	0.55
3/5/2025	2:15:00 PM	0.56
3/5/2025	2:30:00 PM	0.56
3/5/2025	2:45:00 PM	0.56
3/5/2025	3:00:00 PM	0.56
3/5/2025	3:15:00 PM	0.56
3/5/2025	3:30:00 PM	0.57
3/5/2025	3:45:00 PM	0.57
3/5/2025	4:00:00 PM	0.57
3/5/2025	4:15:00 PM	0.57
3/5/2025	4:30:00 PM	0.57
3/5/2025	4:45:00 PM	0.57
3/5/2025	5:00:00 PM	0.57
3/5/2025	5:15:00 PM	0.57
3/5/2025	5:30:00 PM	0.57
3/5/2025	5:45:00 PM	0.57
3/5/2025	6:00:00 PM	0.57
3/5/2025	6:15:00 PM	0.57
3/5/2025	6:30:00 PM	0.57
3/5/2025	6:45:00 PM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/5/2025	7:00:00 PM	0.57
3/5/2025	7:15:00 PM	0.57
3/5/2025	7:30:00 PM	0.57
3/5/2025	7:45:00 PM	0.57
3/5/2025	8:00:00 PM	0.57
3/5/2025	8:15:00 PM	0.57
3/5/2025	8:30:00 PM	0.57
3/5/2025	8:45:00 PM	0.57
3/5/2025	9:00:00 PM	0.57
3/5/2025	9:15:00 PM	0.57
3/5/2025	9:30:00 PM	0.57
3/5/2025	9:45:00 PM	0.57
3/5/2025	10:00:00 PM	0.57
3/5/2025	10:15:00 PM	0.57
3/5/2025	10:30:00 PM	0.57
3/5/2025	10:45:00 PM	0.57
3/5/2025	11:00:00 PM	0.57
3/5/2025	11:15:00 PM	0.57
3/5/2025	11:30:00 PM	0.57
3/5/2025	11:45:00 PM	0.57
3/6/2025	12:00:00 AM	0.57
3/6/2025	12:15:00 AM	0.57
3/6/2025	12:30:00 AM	0.57
3/6/2025	12:45:00 AM	0.57
3/6/2025	1:00:00 AM	0.57
3/6/2025	1:15:00 AM	0.57
3/6/2025	1:30:00 AM	0.57
3/6/2025	1:45:00 AM	0.57
3/6/2025	2:00:00 AM	0.57
3/6/2025	2:15:00 AM	0.57
3/6/2025	2:30:00 AM	0.57
3/6/2025	2:45:00 AM	0.57
3/6/2025	3:00:00 AM	0.57
3/6/2025	3:15:00 AM	0.57
3/6/2025	3:30:00 AM	0.57
3/6/2025	3:45:00 AM	0.57
3/6/2025	4:00:00 AM	0.57
3/6/2025	4:15:00 AM	0.57
3/6/2025	4:30:00 AM	0.57
3/6/2025	4:45:00 AM	0.57
3/6/2025	5:00:00 AM	0.57
3/6/2025	5:15:00 AM	0.57
3/6/2025	5:30:00 AM	0.57
3/6/2025	5:45:00 AM	0.57
3/6/2025	6:00:00 AM	0.57
3/6/2025	6:15:00 AM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/6/2025	6:30:00 AM	0.57
3/6/2025	6:45:00 AM	0.57
3/6/2025	7:00:00 AM	0.57
3/6/2025	7:15:00 AM	0.57
3/6/2025	7:30:00 AM	0.57
3/6/2025	7:45:00 AM	0.57
3/6/2025	8:00:00 AM	0.57
3/6/2025	8:15:00 AM	0.57
3/6/2025	8:30:00 AM	0.57
3/6/2025	8:45:00 AM	0.57
3/6/2025	9:00:00 AM	0.56
3/6/2025	9:15:00 AM	0.56
3/6/2025	9:30:00 AM	0.56
3/6/2025	9:45:00 AM	0.57
3/6/2025	10:00:00 AM	0.57
3/6/2025	10:15:00 AM	0.57
3/6/2025	10:30:00 AM	0.57
3/6/2025	10:45:00 AM	0.57
3/6/2025	11:00:00 AM	0.57
3/6/2025	11:15:00 AM	0.57
3/6/2025	11:30:00 AM	0.57
3/6/2025	11:45:00 AM	0.57
3/6/2025	12:00:00 PM	0.57
3/6/2025	12:15:00 PM	0.57
3/6/2025	12:30:00 PM	0.57
3/6/2025	12:45:00 PM	0.57
3/6/2025	1:00:00 PM	0.57
3/6/2025	1:15:00 PM	0.57
3/6/2025	1:30:00 PM	0.57
3/6/2025	1:45:00 PM	0.57
3/6/2025	2:00:00 PM	0.57
3/6/2025	2:15:00 PM	0.57
3/6/2025	2:30:00 PM	0.57
3/6/2025	2:45:00 PM	0.57
3/6/2025	3:00:00 PM	0.57
3/6/2025	3:15:00 PM	0.57
3/6/2025	3:30:00 PM	0.57
3/6/2025	3:45:00 PM	0.57
3/6/2025	4:00:00 PM	0.57
3/6/2025	4:15:00 PM	0.57
3/6/2025	4:30:00 PM	0.57
3/6/2025	4:45:00 PM	0.57
3/6/2025	5:00:00 PM	0.57
3/6/2025	5:15:00 PM	0.57
3/6/2025	5:30:00 PM	0.57
3/6/2025	5:45:00 PM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/6/2025	6:00:00 PM	0.57
3/6/2025	6:15:00 PM	0.57
3/6/2025	6:30:00 PM	0.57
3/6/2025	6:45:00 PM	0.57
3/6/2025	7:00:00 PM	0.57
3/6/2025	7:15:00 PM	0.57
3/6/2025	7:30:00 PM	0.57
3/6/2025	7:45:00 PM	0.57
3/6/2025	8:00:00 PM	0.57
3/6/2025	8:15:00 PM	0.57
3/6/2025	8:30:00 PM	0.57
3/6/2025	8:45:00 PM	0.57
3/6/2025	9:00:00 PM	0.57
3/6/2025	9:15:00 PM	0.57
3/6/2025	9:30:00 PM	0.57
3/6/2025	9:45:00 PM	0.57
3/6/2025	10:00:00 PM	0.57
3/6/2025	10:15:00 PM	0.57
3/6/2025	10:30:00 PM	0.57
3/6/2025	10:45:00 PM	0.57
3/6/2025	11:00:00 PM	0.57
3/6/2025	11:15:00 PM	0.57
3/6/2025	11:30:00 PM	0.57
3/6/2025	11:45:00 PM	0.57
3/7/2025	12:00:00 AM	0.57
3/7/2025	12:15:00 AM	0.57
3/7/2025	12:30:00 AM	0.57
3/7/2025	12:45:00 AM	0.57
3/7/2025	1:00:00 AM	0.57
3/7/2025	1:15:00 AM	0.57
3/7/2025	1:30:00 AM	0.57
3/7/2025	1:45:00 AM	0.57
3/7/2025	2:00:00 AM	0.56
3/7/2025	2:15:00 AM	0.57
3/7/2025	2:30:00 AM	0.57
3/7/2025	2:45:00 AM	0.56
3/7/2025	3:00:00 AM	0.56
3/7/2025	3:15:00 AM	0.56
3/7/2025	3:30:00 AM	0.56
3/7/2025	3:45:00 AM	0.57
3/7/2025	4:00:00 AM	0.56
3/7/2025	4:15:00 AM	0.56
3/7/2025	4:30:00 AM	0.57
3/7/2025	4:45:00 AM	0.56
3/7/2025	5:00:00 AM	0.56
3/7/2025	5:15:00 AM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/7/2025	5:30:00 AM	0.56
3/7/2025	5:45:00 AM	0.56
3/7/2025	6:00:00 AM	0.56
3/7/2025	6:15:00 AM	0.56
3/7/2025	6:30:00 AM	0.56
3/7/2025	6:45:00 AM	0.57
3/7/2025	7:00:00 AM	0.57
3/7/2025	7:15:00 AM	0.56
3/7/2025	7:30:00 AM	0.56
3/7/2025	7:45:00 AM	0.57
3/7/2025	8:00:00 AM	0.57
3/7/2025	8:15:00 AM	0.57
3/7/2025	8:30:00 AM	0.56
3/7/2025	8:45:00 AM	0.56
3/7/2025	9:00:00 AM	0.57
3/7/2025	9:15:00 AM	0.56
3/7/2025	9:30:00 AM	0.56
3/7/2025	9:45:00 AM	0.56
3/7/2025	10:00:00 AM	0.56
3/7/2025	10:15:00 AM	0.55
3/7/2025	10:30:00 AM	0.56
3/7/2025	10:45:00 AM	0.55
3/7/2025	11:00:00 AM	0.55
3/7/2025	11:15:00 AM	0.55
3/7/2025	11:30:00 AM	0.55
3/7/2025	11:45:00 AM	0.55
3/7/2025	12:00:00 PM	0.55
3/7/2025	12:15:00 PM	0.55
3/7/2025	12:30:00 PM	0.55
3/7/2025	12:45:00 PM	0.56
3/7/2025	1:00:00 PM	0.55
3/7/2025	1:15:00 PM	0.55
3/7/2025	1:30:00 PM	0.55
3/7/2025	1:45:00 PM	0.55
3/7/2025	2:00:00 PM	0.56
3/7/2025	2:15:00 PM	0.56
3/7/2025	2:30:00 PM	0.56
3/7/2025	2:45:00 PM	0.55
3/7/2025	3:00:00 PM	0.56
3/7/2025	3:15:00 PM	0.56
3/7/2025	3:30:00 PM	0.56
3/7/2025	3:45:00 PM	0.56
3/7/2025	4:00:00 PM	0.55
3/7/2025	4:15:00 PM	0.56
3/7/2025	4:30:00 PM	0.55
3/7/2025	4:45:00 PM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/7/2025	5:00:00 PM	0.55
3/7/2025	5:15:00 PM	0.55
3/7/2025	5:30:00 PM	0.55
3/7/2025	5:45:00 PM	0.55
3/7/2025	6:00:00 PM	0.55
3/7/2025	6:15:00 PM	0.55
3/7/2025	6:30:00 PM	0.55
3/7/2025	6:45:00 PM	0.55
3/7/2025	7:00:00 PM	0.55
3/7/2025	7:15:00 PM	0.55
3/7/2025	7:30:00 PM	0.55
3/7/2025	7:45:00 PM	0.56
3/7/2025	8:00:00 PM	0.55
3/7/2025	8:15:00 PM	0.56
3/7/2025	8:30:00 PM	0.56
3/7/2025	8:45:00 PM	0.56
3/7/2025	9:00:00 PM	0.56
3/7/2025	9:15:00 PM	0.56
3/7/2025	9:30:00 PM	0.56
3/7/2025	9:45:00 PM	0.55
3/7/2025	10:00:00 PM	0.56
3/7/2025	10:15:00 PM	0.55
3/7/2025	10:30:00 PM	0.55
3/7/2025	10:45:00 PM	0.55
3/7/2025	11:00:00 PM	0.55
3/7/2025	11:15:00 PM	0.55
3/7/2025	11:30:00 PM	0.55
3/7/2025	11:45:00 PM	0.55
3/8/2025	12:00:00 AM	0.55
3/8/2025	12:15:00 AM	0.55
3/8/2025	12:30:00 AM	0.55
3/8/2025	12:45:00 AM	0.55
3/8/2025	1:00:00 AM	0.55
3/8/2025	1:15:00 AM	0.55
3/8/2025	1:30:00 AM	0.55
3/8/2025	1:45:00 AM	0.55
3/8/2025	2:00:00 AM	0.55
3/8/2025	2:15:00 AM	0.55
3/8/2025	2:30:00 AM	0.55
3/8/2025	2:45:00 AM	0.55
3/8/2025	3:00:00 AM	0.55
3/8/2025	3:15:00 AM	0.55
3/8/2025	3:30:00 AM	0.55
3/8/2025	3:45:00 AM	0.55
3/8/2025	4:00:00 AM	0.55
3/8/2025	4:15:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/8/2025	4:30:00 AM	0.55
3/8/2025	4:45:00 AM	0.55
3/8/2025	5:00:00 AM	0.55
3/8/2025	5:15:00 AM	0.55
3/8/2025	5:30:00 AM	0.55
3/8/2025	5:45:00 AM	0.55
3/8/2025	6:00:00 AM	0.55
3/8/2025	6:15:00 AM	0.55
3/8/2025	6:30:00 AM	0.55
3/8/2025	6:45:00 AM	0.55
3/8/2025	7:00:00 AM	0.55
3/8/2025	7:15:00 AM	0.55
3/8/2025	7:30:00 AM	0.55
3/8/2025	7:45:00 AM	0.55
3/8/2025	8:00:00 AM	0.55
3/8/2025	8:15:00 AM	0.55
3/8/2025	8:30:00 AM	0.55
3/8/2025	8:45:00 AM	0.55
3/8/2025	9:00:00 AM	0.55
3/8/2025	9:15:00 AM	0.55
3/8/2025	9:30:00 AM	0.55
3/8/2025	9:45:00 AM	0.55
3/8/2025	10:00:00 AM	0.55
3/8/2025	10:15:00 AM	0.54
3/8/2025	10:30:00 AM	0.54
3/8/2025	10:45:00 AM	0.54
3/8/2025	11:00:00 AM	0.54
3/8/2025	11:15:00 AM	0.55
3/8/2025	11:30:00 AM	0.54
3/8/2025	11:45:00 AM	0.54
3/8/2025	12:00:00 PM	0.54
3/8/2025	12:15:00 PM	0.54
3/8/2025	12:30:00 PM	0.54
3/8/2025	12:45:00 PM	0.54
3/8/2025	1:00:00 PM	0.55
3/8/2025	1:15:00 PM	0.54
3/8/2025	1:30:00 PM	0.55
3/8/2025	1:45:00 PM	0.54
3/8/2025	2:00:00 PM	0.54
3/8/2025	2:15:00 PM	0.54
3/8/2025	2:30:00 PM	0.54
3/8/2025	2:45:00 PM	0.54
3/8/2025	3:00:00 PM	0.54
3/8/2025	3:15:00 PM	0.54
3/8/2025	3:30:00 PM	0.54
3/8/2025	3:45:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/8/2025	4:00:00 PM	0.54
3/8/2025	4:15:00 PM	0.54
3/8/2025	4:30:00 PM	0.55
3/8/2025	4:45:00 PM	0.54
3/8/2025	5:00:00 PM	0.54
3/8/2025	5:15:00 PM	0.54
3/8/2025	5:30:00 PM	0.54
3/8/2025	5:45:00 PM	0.54
3/8/2025	6:00:00 PM	0.54
3/8/2025	6:15:00 PM	0.54
3/8/2025	6:30:00 PM	0.54
3/8/2025	6:45:00 PM	0.54
3/8/2025	7:00:00 PM	0.54
3/8/2025	7:15:00 PM	0.54
3/8/2025	7:30:00 PM	0.54
3/8/2025	7:45:00 PM	0.54
3/8/2025	8:00:00 PM	0.54
3/8/2025	8:15:00 PM	0.54
3/8/2025	8:30:00 PM	0.54
3/8/2025	8:45:00 PM	0.54
3/8/2025	9:00:00 PM	0.54
3/8/2025	9:15:00 PM	0.54
3/8/2025	9:30:00 PM	0.54
3/8/2025	9:45:00 PM	0.54
3/8/2025	10:00:00 PM	0.54
3/8/2025	10:15:00 PM	0.54
3/8/2025	10:30:00 PM	0.54
3/8/2025	10:45:00 PM	0.54
3/8/2025	11:00:00 PM	0.54
3/8/2025	11:15:00 PM	0.54
3/8/2025	11:30:00 PM	0.54
3/8/2025	11:45:00 PM	0.54
3/9/2025	12:00:00 AM	0.54
3/9/2025	12:15:00 AM	0.54
3/9/2025	12:30:00 AM	0.54
3/9/2025	12:45:00 AM	0.54
3/9/2025	1:00:00 AM	0.54
3/9/2025	1:15:00 AM	0.54
3/9/2025	1:30:00 AM	0.54
3/9/2025	1:45:00 AM	0.54
3/9/2025	2:00:00 AM	0.54
3/9/2025	2:15:00 AM	0.54
3/9/2025	2:30:00 AM	0.54
3/9/2025	2:45:00 AM	0.53
3/9/2025	3:00:00 AM	0.54
3/9/2025	3:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/9/2025	3:30:00 AM	0.54
3/9/2025	3:45:00 AM	0.54
3/9/2025	4:00:00 AM	0.54
3/9/2025	4:15:00 AM	0.53
3/9/2025	4:30:00 AM	0.54
3/9/2025	4:45:00 AM	0.54
3/9/2025	5:00:00 AM	0.54
3/9/2025	5:15:00 AM	0.54
3/9/2025	5:30:00 AM	0.54
3/9/2025	5:45:00 AM	0.54
3/9/2025	6:00:00 AM	0.54
3/9/2025	6:15:00 AM	0.54
3/9/2025	6:30:00 AM	0.54
3/9/2025	6:45:00 AM	0.54
3/9/2025	7:00:00 AM	0.54
3/9/2025	7:15:00 AM	0.54
3/9/2025	7:30:00 AM	0.54
3/9/2025	7:45:00 AM	0.54
3/9/2025	8:00:00 AM	0.54
3/9/2025	8:15:00 AM	0.53
3/9/2025	8:30:00 AM	0.53
3/9/2025	8:45:00 AM	0.54
3/9/2025	9:00:00 AM	0.53
3/9/2025	9:15:00 AM	0.54
3/9/2025	9:30:00 AM	0.54
3/9/2025	9:45:00 AM	0.54
3/9/2025	10:00:00 AM	0.54
3/9/2025	10:15:00 AM	0.54
3/9/2025	10:30:00 AM	0.54
3/9/2025	10:45:00 AM	0.54
3/9/2025	11:00:00 AM	0.54
3/9/2025	11:15:00 AM	0.54
3/9/2025	11:30:00 AM	0.54
3/9/2025	11:45:00 AM	0.54
3/9/2025	12:00:00 PM	0.54
3/9/2025	12:15:00 PM	0.54
3/9/2025	12:30:00 PM	0.54
3/9/2025	12:45:00 PM	0.54
3/9/2025	1:00:00 PM	0.54
3/9/2025	1:15:00 PM	0.54
3/9/2025	1:30:00 PM	0.54
3/9/2025	1:45:00 PM	0.54
3/9/2025	2:00:00 PM	0.54
3/9/2025	2:15:00 PM	0.54
3/9/2025	2:30:00 PM	0.54
3/9/2025	2:45:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/9/2025	3:00:00 PM	0.53
3/9/2025	3:15:00 PM	0.53
3/9/2025	3:30:00 PM	0.52
3/9/2025	3:45:00 PM	0.52
3/9/2025	4:00:00 PM	0.52
3/9/2025	4:15:00 PM	0.52
3/9/2025	4:30:00 PM	0.52
3/9/2025	4:45:00 PM	0.52
3/9/2025	5:00:00 PM	0.52
3/9/2025	5:15:00 PM	0.53
3/9/2025	5:30:00 PM	0.53
3/9/2025	5:45:00 PM	0.52
3/9/2025	6:00:00 PM	0.53
3/9/2025	6:15:00 PM	0.52
3/9/2025	6:30:00 PM	0.52
3/9/2025	6:45:00 PM	0.52
3/9/2025	7:00:00 PM	0.52
3/9/2025	7:15:00 PM	0.52
3/9/2025	7:30:00 PM	0.52
3/9/2025	7:45:00 PM	0.52
3/9/2025	8:00:00 PM	0.52
3/9/2025	8:15:00 PM	0.52
3/9/2025	8:30:00 PM	0.52
3/9/2025	8:45:00 PM	0.52
3/9/2025	9:00:00 PM	0.52
3/9/2025	9:15:00 PM	0.52
3/9/2025	9:30:00 PM	0.52
3/9/2025	9:45:00 PM	0.52
3/9/2025	10:00:00 PM	0.52
3/9/2025	10:15:00 PM	0.52
3/9/2025	10:30:00 PM	0.52
3/9/2025	10:45:00 PM	0.52
3/9/2025	11:00:00 PM	0.52
3/9/2025	11:15:00 PM	0.52
3/9/2025	11:30:00 PM	0.52
3/9/2025	11:45:00 PM	0.52
3/10/2025	12:00:00 AM	0.52
3/10/2025	12:15:00 AM	0.52
3/10/2025	12:30:00 AM	0.52
3/10/2025	12:45:00 AM	0.52
3/10/2025	1:00:00 AM	0.52
3/10/2025	1:15:00 AM	0.52
3/10/2025	1:30:00 AM	0.52
3/10/2025	1:45:00 AM	0.52
3/10/2025	2:00:00 AM	0.52
3/10/2025	2:15:00 AM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/10/2025	2:30:00 AM	0.52
3/10/2025	2:45:00 AM	0.52
3/10/2025	3:00:00 AM	0.52
3/10/2025	3:15:00 AM	0.52
3/10/2025	3:30:00 AM	0.52
3/10/2025	3:45:00 AM	0.52
3/10/2025	4:00:00 AM	0.52
3/10/2025	4:15:00 AM	0.52
3/10/2025	4:30:00 AM	0.52
3/10/2025	4:45:00 AM	0.52
3/10/2025	5:00:00 AM	0.52
3/10/2025	5:15:00 AM	0.52
3/10/2025	5:30:00 AM	0.52
3/10/2025	5:45:00 AM	0.52
3/10/2025	6:00:00 AM	0.52
3/10/2025	6:15:00 AM	0.52
3/10/2025	6:30:00 AM	0.52
3/10/2025	6:45:00 AM	0.52
3/10/2025	7:00:00 AM	0.52
3/10/2025	7:15:00 AM	0.52
3/10/2025	7:30:00 AM	0.52
3/10/2025	7:45:00 AM	0.52
3/10/2025	8:00:00 AM	0.52
3/10/2025	8:15:00 AM	0.52
3/10/2025	8:30:00 AM	0.52
3/10/2025	8:45:00 AM	0.52
3/10/2025	9:00:00 AM	0.52
3/10/2025	9:15:00 AM	0.52
3/10/2025	9:30:00 AM	0.52
3/10/2025	9:45:00 AM	0.52
3/10/2025	10:00:00 AM	0.52
3/10/2025	10:15:00 AM	0.52
3/10/2025	10:30:00 AM	0.52
3/10/2025	10:45:00 AM	0.52
3/10/2025	11:00:00 AM	0.52
3/10/2025	11:15:00 AM	0.52
3/10/2025	11:30:00 AM	0.52
3/10/2025	11:45:00 AM	0.52
3/10/2025	12:00:00 PM	0.52
3/10/2025	12:15:00 PM	0.52
3/10/2025	12:30:00 PM	0.52
3/10/2025	12:45:00 PM	0.52
3/10/2025	1:00:00 PM	0.52
3/10/2025	1:15:00 PM	0.52
3/10/2025	1:30:00 PM	0.52
3/10/2025	1:45:00 PM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/10/2025	2:00:00 PM	0.52
3/10/2025	2:15:00 PM	0.52
3/10/2025	2:30:00 PM	0.52
3/10/2025	2:45:00 PM	0.52
3/10/2025	3:00:00 PM	0.52
3/10/2025	3:15:00 PM	0.52
3/10/2025	3:30:00 PM	0.52
3/10/2025	3:45:00 PM	0.52
3/10/2025	4:00:00 PM	0.52
3/10/2025	4:15:00 PM	0.52
3/10/2025	4:30:00 PM	0.52
3/10/2025	4:45:00 PM	0.52
3/10/2025	5:00:00 PM	0.52
3/10/2025	5:15:00 PM	0.52
3/10/2025	5:30:00 PM	0.52
3/10/2025	5:45:00 PM	0.52
3/10/2025	6:00:00 PM	0.52
3/10/2025	6:15:00 PM	0.52
3/10/2025	6:30:00 PM	0.52
3/10/2025	6:45:00 PM	0.52
3/10/2025	7:00:00 PM	0.52
3/10/2025	7:15:00 PM	0.52
3/10/2025	7:30:00 PM	0.51
3/10/2025	7:45:00 PM	0.52
3/10/2025	8:00:00 PM	0.51
3/10/2025	8:15:00 PM	0.51
3/10/2025	8:30:00 PM	0.51
3/10/2025	8:45:00 PM	0.52
3/10/2025	9:00:00 PM	0.52
3/10/2025	9:15:00 PM	0.51
3/10/2025	9:30:00 PM	0.51
3/10/2025	9:45:00 PM	0.51
3/10/2025	10:00:00 PM	0.51
3/10/2025	10:15:00 PM	0.51
3/10/2025	10:30:00 PM	0.51
3/10/2025	10:45:00 PM	0.51
3/10/2025	11:00:00 PM	0.51
3/10/2025	11:15:00 PM	0.51
3/10/2025	11:30:00 PM	0.51
3/10/2025	11:45:00 PM	0.51
3/11/2025	12:00:00 AM	0.51
3/11/2025	12:15:00 AM	0.51
3/11/2025	12:30:00 AM	0.51
3/11/2025	12:45:00 AM	0.51
3/11/2025	1:00:00 AM	0.51
3/11/2025	1:15:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/11/2025	1:30:00 AM	0.51
3/11/2025	1:45:00 AM	0.51
3/11/2025	2:00:00 AM	0.51
3/11/2025	2:15:00 AM	0.51
3/11/2025	2:30:00 AM	0.51
3/11/2025	2:45:00 AM	0.51
3/11/2025	3:00:00 AM	0.51
3/11/2025	3:15:00 AM	0.51
3/11/2025	3:30:00 AM	0.51
3/11/2025	3:45:00 AM	0.51
3/11/2025	4:00:00 AM	0.51
3/11/2025	4:15:00 AM	0.51
3/11/2025	4:30:00 AM	0.51
3/11/2025	4:45:00 AM	0.51
3/11/2025	5:00:00 AM	0.51
3/11/2025	5:15:00 AM	0.51
3/11/2025	5:30:00 AM	0.51
3/11/2025	5:45:00 AM	0.51
3/11/2025	6:00:00 AM	0.51
3/11/2025	6:15:00 AM	0.51
3/11/2025	6:30:00 AM	0.51
3/11/2025	6:45:00 AM	0.51
3/11/2025	7:00:00 AM	0.51
3/11/2025	7:15:00 AM	0.51
3/11/2025	7:30:00 AM	0.51
3/11/2025	7:45:00 AM	0.51
3/11/2025	8:00:00 AM	0.51
3/11/2025	8:15:00 AM	0.51
3/11/2025	8:30:00 AM	0.51
3/11/2025	8:45:00 AM	0.51
3/11/2025	9:00:00 AM	0.51
3/11/2025	9:15:00 AM	0.51
3/11/2025	9:30:00 AM	0.51
3/11/2025	9:45:00 AM	0.51
3/11/2025	10:00:00 AM	0.51
3/11/2025	10:15:00 AM	0.51
3/11/2025	10:30:00 AM	0.51
3/11/2025	10:45:00 AM	0.51
3/11/2025	11:00:00 AM	0.51
3/11/2025	11:15:00 AM	0.51
3/11/2025	11:30:00 AM	0.51
3/11/2025	11:45:00 AM	0.51
3/11/2025	12:00:00 PM	0.51
3/11/2025	12:15:00 PM	0.51
3/11/2025	12:30:00 PM	0.51
3/11/2025	12:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/11/2025	1:00:00 PM	0.51
3/11/2025	1:15:00 PM	0.51
3/11/2025	1:30:00 PM	0.51
3/11/2025	1:45:00 PM	0.51
3/11/2025	2:00:00 PM	0.51
3/11/2025	2:15:00 PM	0.51
3/11/2025	2:30:00 PM	0.51
3/11/2025	2:45:00 PM	0.51
3/11/2025	3:00:00 PM	0.51
3/11/2025	3:15:00 PM	0.51
3/11/2025	3:30:00 PM	0.51
3/11/2025	3:45:00 PM	0.51
3/11/2025	4:00:00 PM	0.51
3/11/2025	4:15:00 PM	0.51
3/11/2025	4:30:00 PM	0.51
3/11/2025	4:45:00 PM	0.51
3/11/2025	5:00:00 PM	0.51
3/11/2025	5:15:00 PM	0.51
3/11/2025	5:30:00 PM	0.51
3/11/2025	5:45:00 PM	0.51
3/11/2025	6:00:00 PM	0.51
3/11/2025	6:15:00 PM	0.51
3/11/2025	6:30:00 PM	0.51
3/11/2025	6:45:00 PM	0.51
3/11/2025	7:00:00 PM	0.51
3/11/2025	7:15:00 PM	0.51
3/11/2025	7:30:00 PM	0.5
3/11/2025	7:45:00 PM	0.5
3/11/2025	8:00:00 PM	0.5
3/11/2025	8:15:00 PM	0.5
3/11/2025	8:30:00 PM	0.5
3/11/2025	8:45:00 PM	0.5
3/11/2025	9:00:00 PM	0.5
3/11/2025	9:15:00 PM	0.5
3/11/2025	9:30:00 PM	0.5
3/11/2025	9:45:00 PM	0.5
3/11/2025	10:00:00 PM	0.5
3/11/2025	10:15:00 PM	0.5
3/11/2025	10:30:00 PM	0.5
3/11/2025	10:45:00 PM	0.5
3/11/2025	11:00:00 PM	0.5
3/11/2025	11:15:00 PM	0.5
3/11/2025	11:30:00 PM	0.5
3/11/2025	11:45:00 PM	0.5
3/12/2025	12:00:00 AM	0.5
3/12/2025	12:15:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/12/2025	12:30:00 AM	0.5
3/12/2025	12:45:00 AM	0.5
3/12/2025	1:00:00 AM	0.5
3/12/2025	1:15:00 AM	0.5
3/12/2025	1:30:00 AM	0.5
3/12/2025	1:45:00 AM	0.5
3/12/2025	2:00:00 AM	0.5
3/12/2025	2:15:00 AM	0.5
3/12/2025	2:30:00 AM	0.5
3/12/2025	2:45:00 AM	0.5
3/12/2025	3:00:00 AM	0.5
3/12/2025	3:15:00 AM	0.5
3/12/2025	3:30:00 AM	0.5
3/12/2025	3:45:00 AM	0.5
3/12/2025	4:00:00 AM	0.5
3/12/2025	4:15:00 AM	0.5
3/12/2025	4:30:00 AM	0.5
3/12/2025	4:45:00 AM	0.5
3/12/2025	5:00:00 AM	0.5
3/12/2025	5:15:00 AM	0.5
3/12/2025	5:30:00 AM	0.5
3/12/2025	5:45:00 AM	0.5
3/12/2025	6:00:00 AM	0.5
3/12/2025	6:15:00 AM	0.5
3/12/2025	6:30:00 AM	0.5
3/12/2025	6:45:00 AM	0.5
3/12/2025	7:00:00 AM	0.5
3/12/2025	7:15:00 AM	0.5
3/12/2025	7:30:00 AM	0.5
3/12/2025	7:45:00 AM	0.5
3/12/2025	8:00:00 AM	0.5
3/12/2025	8:15:00 AM	0.5
3/12/2025	8:30:00 AM	0.5
3/12/2025	8:45:00 AM	0.5
3/12/2025	9:00:00 AM	0.5
3/12/2025	9:15:00 AM	0.5
3/12/2025	9:30:00 AM	0.5
3/12/2025	9:45:00 AM	0.5
3/12/2025	10:00:00 AM	0.5
3/12/2025	10:15:00 AM	0.5
3/12/2025	10:30:00 AM	0.5
3/12/2025	10:45:00 AM	0.5
3/12/2025	11:00:00 AM	0.5
3/12/2025	11:15:00 AM	0.5
3/12/2025	11:30:00 AM	0.5
3/12/2025	11:45:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/12/2025	12:00:00 PM	0.49
3/12/2025	12:15:00 PM	0.49
3/12/2025	12:30:00 PM	0.49
3/12/2025	12:45:00 PM	0.49
3/12/2025	1:00:00 PM	0.49
3/12/2025	1:15:00 PM	0.49
3/12/2025	1:30:00 PM	0.49
3/12/2025	1:45:00 PM	0.5
3/12/2025	2:00:00 PM	0.49
3/12/2025	2:15:00 PM	0.49
3/12/2025	2:30:00 PM	0.49
3/12/2025	2:45:00 PM	0.49
3/12/2025	3:00:00 PM	0.49
3/12/2025	3:15:00 PM	0.48
3/12/2025	3:30:00 PM	0.48
3/12/2025	3:45:00 PM	0.47
3/12/2025	4:00:00 PM	0.48
3/12/2025	4:15:00 PM	0.48
3/12/2025	4:30:00 PM	0.47
3/12/2025	4:45:00 PM	0.47
3/12/2025	5:00:00 PM	0.47
3/12/2025	5:15:00 PM	0.47
3/12/2025	5:30:00 PM	0.47
3/12/2025	5:45:00 PM	0.47
3/12/2025	6:00:00 PM	0.46
3/12/2025	6:15:00 PM	0.46
3/12/2025	6:30:00 PM	0.46
3/12/2025	6:45:00 PM	0.46
3/12/2025	7:00:00 PM	0.46
3/12/2025	7:15:00 PM	0.46
3/12/2025	7:30:00 PM	0.47
3/12/2025	7:45:00 PM	0.46
3/12/2025	8:00:00 PM	0.47
3/12/2025	8:15:00 PM	0.47
3/12/2025	8:30:00 PM	0.47
3/12/2025	8:45:00 PM	0.47
3/12/2025	9:00:00 PM	0.46
3/12/2025	9:15:00 PM	0.47
3/12/2025	9:30:00 PM	0.47
3/12/2025	9:45:00 PM	0.47
3/12/2025	10:00:00 PM	0.46
3/12/2025	10:15:00 PM	0.46
3/12/2025	10:30:00 PM	0.46
3/12/2025	10:45:00 PM	0.45
3/12/2025	11:00:00 PM	0.45
3/12/2025	11:15:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/12/2025	11:30:00 PM	0.43
3/12/2025	11:45:00 PM	0.42
3/13/2025	12:00:00 AM	0.42
3/13/2025	12:15:00 AM	0.42
3/13/2025	12:30:00 AM	0.42
3/13/2025	12:45:00 AM	0.42
3/13/2025	1:00:00 AM	0.42
3/13/2025	1:15:00 AM	0.42
3/13/2025	1:30:00 AM	0.42
3/13/2025	1:45:00 AM	0.42
3/13/2025	2:00:00 AM	0.43
3/13/2025	2:15:00 AM	0.42
3/13/2025	2:30:00 AM	0.42
3/13/2025	2:45:00 AM	0.43
3/13/2025	3:00:00 AM	0.43
3/13/2025	3:15:00 AM	0.43
3/13/2025	3:30:00 AM	0.43
3/13/2025	3:45:00 AM	0.42
3/13/2025	4:00:00 AM	0.42
3/13/2025	4:15:00 AM	0.42
3/13/2025	4:30:00 AM	0.42
3/13/2025	4:45:00 AM	0.42
3/13/2025	5:00:00 AM	0.42
3/13/2025	5:15:00 AM	0.42
3/13/2025	5:30:00 AM	0.42
3/13/2025	5:45:00 AM	0.42
3/13/2025	6:00:00 AM	0.42
3/13/2025	6:15:00 AM	0.42
3/13/2025	6:30:00 AM	0.42
3/13/2025	6:45:00 AM	0.42
3/13/2025	7:00:00 AM	0.42
3/13/2025	7:15:00 AM	0.42
3/13/2025	7:30:00 AM	0.42
3/13/2025	7:45:00 AM	0.42
3/13/2025	8:00:00 AM	0.42
3/13/2025	8:15:00 AM	0.42
3/13/2025	8:30:00 AM	0.42
3/13/2025	8:45:00 AM	0.42
3/13/2025	9:00:00 AM	0.43
3/13/2025	9:15:00 AM	0.43
3/13/2025	9:30:00 AM	0.43
3/13/2025	9:45:00 AM	0.44
3/13/2025	10:00:00 AM	0.44
3/13/2025	10:15:00 AM	0.45
3/13/2025	10:30:00 AM	0.46
3/13/2025	10:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/13/2025	11:00:00 AM	0.47
3/13/2025	11:15:00 AM	0.47
3/13/2025	11:30:00 AM	0.48
3/13/2025	11:45:00 AM	0.49
3/13/2025	12:00:00 PM	0.49
3/13/2025	12:15:00 PM	0.49
3/13/2025	12:30:00 PM	0.49
3/13/2025	12:45:00 PM	0.5
3/13/2025	1:00:00 PM	0.5
3/13/2025	1:15:00 PM	0.51
3/13/2025	1:30:00 PM	0.51
3/13/2025	1:45:00 PM	0.52
3/13/2025	2:00:00 PM	0.52
3/13/2025	2:15:00 PM	0.52
3/13/2025	2:30:00 PM	0.52
3/13/2025	2:45:00 PM	0.52
3/13/2025	3:00:00 PM	0.53
3/13/2025	3:15:00 PM	0.53
3/13/2025	3:30:00 PM	0.53
3/13/2025	3:45:00 PM	0.54
3/13/2025	4:00:00 PM	0.54
3/13/2025	4:15:00 PM	0.54
3/13/2025	4:30:00 PM	0.54
3/13/2025	4:45:00 PM	0.54
3/13/2025	5:00:00 PM	0.55
3/13/2025	5:15:00 PM	0.55
3/13/2025	5:30:00 PM	0.55
3/13/2025	5:45:00 PM	0.55
3/13/2025	6:00:00 PM	0.55
3/13/2025	6:15:00 PM	0.55
3/13/2025	6:30:00 PM	0.55
3/13/2025	6:45:00 PM	0.57
3/13/2025	7:00:00 PM	0.57
3/13/2025	7:15:00 PM	0.57
3/13/2025	7:30:00 PM	0.58
3/13/2025	7:45:00 PM	0.58
3/13/2025	8:00:00 PM	0.57
3/13/2025	8:15:00 PM	0.57
3/13/2025	8:30:00 PM	0.57
3/13/2025	8:45:00 PM	0.57
3/13/2025	9:00:00 PM	0.57
3/13/2025	9:15:00 PM	0.57
3/13/2025	9:30:00 PM	0.57
3/13/2025	9:45:00 PM	0.57
3/13/2025	10:00:00 PM	0.57
3/13/2025	10:15:00 PM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/13/2025	10:30:00 PM	0.57
3/13/2025	10:45:00 PM	0.57
3/13/2025	11:00:00 PM	0.57
3/13/2025	11:15:00 PM	0.57
3/13/2025	11:30:00 PM	0.57
3/13/2025	11:45:00 PM	0.57
3/14/2025	12:00:00 AM	0.57
3/14/2025	12:15:00 AM	0.57
3/14/2025	12:30:00 AM	0.58
3/14/2025	12:45:00 AM	0.57
3/14/2025	1:00:00 AM	0.58
3/14/2025	1:15:00 AM	0.58
3/14/2025	1:30:00 AM	0.58
3/14/2025	1:45:00 AM	0.58
3/14/2025	2:00:00 AM	0.58
3/14/2025	2:15:00 AM	0.58
3/14/2025	2:30:00 AM	0.58
3/14/2025	2:45:00 AM	0.58
3/14/2025	3:00:00 AM	0.58
3/14/2025	3:15:00 AM	0.58
3/14/2025	3:30:00 AM	0.58
3/14/2025	3:45:00 AM	0.58
3/14/2025	4:00:00 AM	0.58
3/14/2025	4:15:00 AM	0.58
3/14/2025	4:30:00 AM	0.58
3/14/2025	4:45:00 AM	0.58
3/14/2025	5:00:00 AM	0.58
3/14/2025	5:15:00 AM	0.58
3/14/2025	5:30:00 AM	0.58
3/14/2025	5:45:00 AM	0.58
3/14/2025	6:00:00 AM	0.58
3/14/2025	6:15:00 AM	0.58
3/14/2025	6:30:00 AM	0.58
3/14/2025	6:45:00 AM	0.58
3/14/2025	7:00:00 AM	0.58
3/14/2025	7:15:00 AM	0.58
3/14/2025	7:30:00 AM	0.58
3/14/2025	7:45:00 AM	0.58
3/14/2025	8:00:00 AM	0.58
3/14/2025	8:15:00 AM	0.58
3/14/2025	8:30:00 AM	0.58
3/14/2025	8:45:00 AM	0.58
3/14/2025	9:00:00 AM	0.58
3/14/2025	9:15:00 AM	0.57
3/14/2025	9:30:00 AM	0.57
3/14/2025	9:45:00 AM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/14/2025	10:00:00 AM	0.56
3/14/2025	10:15:00 AM	0.56
3/14/2025	10:30:00 AM	0.55
3/14/2025	10:45:00 AM	0.55
3/14/2025	11:00:00 AM	0.54
3/14/2025	11:15:00 AM	0.54
3/14/2025	11:30:00 AM	0.53
3/14/2025	11:45:00 AM	0.53
3/14/2025	12:00:00 PM	0.53
3/14/2025	12:15:00 PM	0.53
3/14/2025	12:30:00 PM	0.52
3/14/2025	12:45:00 PM	0.52
3/14/2025	1:00:00 PM	0.52
3/14/2025	1:15:00 PM	0.51
3/14/2025	1:30:00 PM	0.51
3/14/2025	1:45:00 PM	0.51
3/14/2025	2:00:00 PM	0.5
3/14/2025	2:15:00 PM	0.5
3/14/2025	2:30:00 PM	0.5
3/14/2025	2:45:00 PM	0.49
3/14/2025	3:00:00 PM	0.49
3/14/2025	3:15:00 PM	0.49
3/14/2025	3:30:00 PM	0.48
3/14/2025	3:45:00 PM	0.48
3/14/2025	4:00:00 PM	0.48
3/14/2025	4:15:00 PM	0.48
3/14/2025	4:30:00 PM	0.48
3/14/2025	4:45:00 PM	0.47
3/14/2025	5:00:00 PM	0.47
3/14/2025	5:15:00 PM	0.47
3/14/2025	5:30:00 PM	0.47
3/14/2025	5:45:00 PM	0.47
3/14/2025	6:00:00 PM	0.46
3/14/2025	6:15:00 PM	0.46
3/14/2025	6:30:00 PM	0.46
3/14/2025	6:45:00 PM	0.46
3/14/2025	7:00:00 PM	0.46
3/14/2025	7:15:00 PM	0.46
3/14/2025	7:30:00 PM	0.46
3/14/2025	7:45:00 PM	0.45
3/14/2025	8:00:00 PM	0.45
3/14/2025	8:15:00 PM	0.45
3/14/2025	8:30:00 PM	0.45
3/14/2025	8:45:00 PM	0.45
3/14/2025	9:00:00 PM	0.45
3/14/2025	9:15:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/14/2025	9:30:00 PM	0.44
3/14/2025	9:45:00 PM	0.44
3/14/2025	10:00:00 PM	0.44
3/14/2025	10:15:00 PM	0.44
3/14/2025	10:30:00 PM	0.44
3/14/2025	10:45:00 PM	0.44
3/14/2025	11:00:00 PM	0.44
3/14/2025	11:15:00 PM	0.44
3/14/2025	11:30:00 PM	0.44
3/14/2025	11:45:00 PM	0.44
3/15/2025	12:00:00 AM	0.44
3/15/2025	12:15:00 AM	0.43
3/15/2025	12:30:00 AM	0.43
3/15/2025	12:45:00 AM	0.43
3/15/2025	1:00:00 AM	0.43
3/15/2025	1:15:00 AM	0.43
3/15/2025	1:30:00 AM	0.43
3/15/2025	1:45:00 AM	0.43
3/15/2025	2:00:00 AM	0.43
3/15/2025	2:15:00 AM	0.43
3/15/2025	2:30:00 AM	0.43
3/15/2025	2:45:00 AM	0.43
3/15/2025	3:00:00 AM	0.43
3/15/2025	3:15:00 AM	0.43
3/15/2025	3:30:00 AM	0.43
3/15/2025	3:45:00 AM	0.43
3/15/2025	4:00:00 AM	0.43
3/15/2025	4:15:00 AM	0.43
3/15/2025	4:30:00 AM	0.43
3/15/2025	4:45:00 AM	0.43
3/15/2025	5:00:00 AM	0.43
3/15/2025	5:15:00 AM	0.42
3/15/2025	5:30:00 AM	0.42
3/15/2025	5:45:00 AM	0.42
3/15/2025	6:00:00 AM	0.42
3/15/2025	6:15:00 AM	0.42
3/15/2025	6:30:00 AM	0.42
3/15/2025	6:45:00 AM	0.42
3/15/2025	7:00:00 AM	0.42
3/15/2025	7:15:00 AM	0.42
3/15/2025	7:30:00 AM	0.42
3/15/2025	7:45:00 AM	0.42
3/15/2025	8:00:00 AM	0.42
3/15/2025	8:15:00 AM	0.42
3/15/2025	8:30:00 AM	0.42
3/15/2025	8:45:00 AM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/15/2025	9:00:00 AM	0.42
3/15/2025	9:15:00 AM	0.42
3/15/2025	9:30:00 AM	0.42
3/15/2025	9:45:00 AM	0.42
3/15/2025	10:00:00 AM	0.42
3/15/2025	10:15:00 AM	0.42
3/15/2025	10:30:00 AM	0.42
3/15/2025	10:45:00 AM	0.42
3/15/2025	11:00:00 AM	0.42
3/15/2025	11:15:00 AM	0.42
3/15/2025	11:30:00 AM	0.42
3/15/2025	11:45:00 AM	0.42
3/15/2025	12:00:00 PM	0.42
3/15/2025	12:15:00 PM	0.42
3/15/2025	12:30:00 PM	0.42
3/15/2025	12:45:00 PM	0.42
3/15/2025	1:00:00 PM	0.42
3/15/2025	1:15:00 PM	0.42
3/15/2025	1:30:00 PM	0.41
3/15/2025	1:45:00 PM	0.41
3/15/2025	2:00:00 PM	0.41
3/15/2025	2:15:00 PM	0.41
3/15/2025	2:30:00 PM	0.41
3/15/2025	2:45:00 PM	0.41
3/15/2025	3:00:00 PM	0.41
3/15/2025	3:15:00 PM	0.41
3/15/2025	3:30:00 PM	0.41
3/15/2025	3:45:00 PM	0.41
3/15/2025	4:00:00 PM	0.41
3/15/2025	4:15:00 PM	0.41
3/15/2025	4:30:00 PM	0.41
3/15/2025	4:45:00 PM	0.41
3/15/2025	5:00:00 PM	0.41
3/15/2025	5:15:00 PM	0.41
3/15/2025	5:30:00 PM	0.41
3/15/2025	5:45:00 PM	0.41
3/15/2025	6:00:00 PM	0.41
3/15/2025	6:15:00 PM	0.4
3/15/2025	6:30:00 PM	0.4
3/15/2025	6:45:00 PM	0.4
3/15/2025	7:00:00 PM	0.4
3/15/2025	7:15:00 PM	0.4
3/15/2025	7:30:00 PM	0.4
3/15/2025	7:45:00 PM	0.4
3/15/2025	8:00:00 PM	0.4
3/15/2025	8:15:00 PM	0.4

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/15/2025	8:30:00 PM	0.4
3/15/2025	8:45:00 PM	0.4
3/15/2025	9:00:00 PM	0.39
3/15/2025	9:15:00 PM	0.39
3/15/2025	9:30:00 PM	0.39
3/15/2025	9:45:00 PM	0.39
3/15/2025	10:00:00 PM	0.39
3/15/2025	10:15:00 PM	0.39
3/15/2025	10:30:00 PM	0.39
3/15/2025	10:45:00 PM	0.39
3/15/2025	11:00:00 PM	0.38
3/15/2025	11:15:00 PM	0.38
3/15/2025	11:30:00 PM	0.38
3/15/2025	11:45:00 PM	0.38
3/16/2025	12:00:00 AM	0.38
3/16/2025	12:15:00 AM	0.38
3/16/2025	12:30:00 AM	0.38
3/16/2025	12:45:00 AM	0.38
3/16/2025	1:00:00 AM	0.38
3/16/2025	1:15:00 AM	0.38
3/16/2025	1:30:00 AM	0.38
3/16/2025	1:45:00 AM	0.37
3/16/2025	2:00:00 AM	0.37
3/16/2025	2:15:00 AM	0.37
3/16/2025	2:30:00 AM	0.37
3/16/2025	2:45:00 AM	0.37
3/16/2025	3:00:00 AM	0.37
3/16/2025	3:15:00 AM	0.37
3/16/2025	3:30:00 AM	0.37
3/16/2025	3:45:00 AM	0.37
3/16/2025	4:00:00 AM	0.37
3/16/2025	4:15:00 AM	0.37
3/16/2025	4:30:00 AM	0.37
3/16/2025	4:45:00 AM	0.37
3/16/2025	5:00:00 AM	0.37
3/16/2025	5:15:00 AM	0.37
3/16/2025	5:30:00 AM	0.36
3/16/2025	5:45:00 AM	0.37
3/16/2025	6:00:00 AM	0.37
3/16/2025	6:15:00 AM	0.36
3/16/2025	6:30:00 AM	0.36
3/16/2025	6:45:00 AM	0.36
3/16/2025	7:00:00 AM	0.36
3/16/2025	7:15:00 AM	0.36
3/16/2025	7:30:00 AM	0.36
3/16/2025	7:45:00 AM	0.36

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/16/2025	8:00:00 AM	0.36
3/16/2025	8:15:00 AM	0.36
3/16/2025	8:30:00 AM	0.36
3/16/2025	8:45:00 AM	0.36
3/16/2025	9:00:00 AM	0.36
3/16/2025	9:15:00 AM	0.36
3/16/2025	9:30:00 AM	0.36
3/16/2025	9:45:00 AM	0.36
3/16/2025	10:00:00 AM	0.36
3/16/2025	10:15:00 AM	0.36
3/16/2025	10:30:00 AM	0.36
3/16/2025	10:45:00 AM	0.36
3/16/2025	11:00:00 AM	0.36
3/16/2025	11:15:00 AM	0.36
3/16/2025	11:30:00 AM	0.36
3/16/2025	11:45:00 AM	0.36
3/16/2025	12:00:00 PM	0.36
3/16/2025	12:15:00 PM	0.35
3/16/2025	12:30:00 PM	0.35
3/16/2025	12:45:00 PM	0.35
3/16/2025	1:00:00 PM	0.36
3/16/2025	1:15:00 PM	0.35
3/16/2025	1:30:00 PM	0.35
3/16/2025	1:45:00 PM	0.35
3/16/2025	2:00:00 PM	0.35
3/16/2025	2:15:00 PM	0.35
3/16/2025	2:30:00 PM	0.35
3/16/2025	2:45:00 PM	0.36
3/16/2025	3:00:00 PM	0.35
3/16/2025	3:15:00 PM	0.35
3/16/2025	3:30:00 PM	0.35
3/16/2025	3:45:00 PM	0.35
3/16/2025	4:00:00 PM	0.36
3/16/2025	4:15:00 PM	0.36
3/16/2025	4:30:00 PM	0.36
3/16/2025	4:45:00 PM	0.37
3/16/2025	5:00:00 PM	0.36
3/16/2025	5:15:00 PM	0.36
3/16/2025	5:30:00 PM	0.37
3/16/2025	5:45:00 PM	0.37
3/16/2025	6:00:00 PM	0.37
3/16/2025	6:15:00 PM	0.36
3/16/2025	6:30:00 PM	0.36
3/16/2025	6:45:00 PM	0.37
3/16/2025	7:00:00 PM	0.37
3/16/2025	7:15:00 PM	0.36

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/16/2025	7:30:00 PM	0.36
3/16/2025	7:45:00 PM	0.36
3/16/2025	8:00:00 PM	0.36
3/16/2025	8:15:00 PM	0.36
3/16/2025	8:30:00 PM	0.36
3/16/2025	8:45:00 PM	0.36
3/16/2025	9:00:00 PM	0.36
3/16/2025	9:15:00 PM	0.36
3/16/2025	9:30:00 PM	0.37
3/16/2025	9:45:00 PM	0.36
3/16/2025	10:00:00 PM	0.36
3/16/2025	10:15:00 PM	0.36
3/16/2025	10:30:00 PM	0.36
3/16/2025	10:45:00 PM	0.36
3/16/2025	11:00:00 PM	0.37
3/16/2025	11:15:00 PM	0.37
3/16/2025	11:30:00 PM	0.37
3/16/2025	11:45:00 PM	0.36
3/17/2025	12:00:00 AM	0.36
3/17/2025	12:15:00 AM	0.36
3/17/2025	12:30:00 AM	0.36
3/17/2025	12:45:00 AM	0.36
3/17/2025	1:00:00 AM	0.36
3/17/2025	1:15:00 AM	0.36
3/17/2025	1:30:00 AM	0.36
3/17/2025	1:45:00 AM	0.37
3/17/2025	2:00:00 AM	0.36
3/17/2025	2:15:00 AM	0.36
3/17/2025	2:30:00 AM	0.37
3/17/2025	2:45:00 AM	0.36
3/17/2025	3:00:00 AM	0.36
3/17/2025	3:15:00 AM	0.36
3/17/2025	3:30:00 AM	0.36
3/17/2025	3:45:00 AM	0.36
3/17/2025	4:00:00 AM	0.37
3/17/2025	4:15:00 AM	0.37
3/17/2025	4:30:00 AM	0.37
3/17/2025	4:45:00 AM	0.37
3/17/2025	5:00:00 AM	0.37
3/17/2025	5:15:00 AM	0.36
3/17/2025	5:30:00 AM	0.36
3/17/2025	5:45:00 AM	0.37
3/17/2025	6:00:00 AM	0.37
3/17/2025	6:15:00 AM	0.37
3/17/2025	6:30:00 AM	0.37
3/17/2025	6:45:00 AM	0.37

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/17/2025	7:00:00 AM	0.36
3/17/2025	7:15:00 AM	0.37
3/17/2025	7:30:00 AM	0.37
3/17/2025	7:45:00 AM	0.37
3/17/2025	8:00:00 AM	0.37
3/17/2025	8:15:00 AM	0.37
3/17/2025	8:30:00 AM	0.37
3/17/2025	8:45:00 AM	0.37
3/17/2025	9:00:00 AM	0.37
3/17/2025	9:15:00 AM	0.38
3/17/2025	9:30:00 AM	0.38
3/17/2025	9:45:00 AM	0.38
3/17/2025	10:00:00 AM	0.39
3/17/2025	10:15:00 AM	0.39
3/17/2025	10:30:00 AM	0.4
3/17/2025	10:45:00 AM	0.41
3/17/2025	11:00:00 AM	0.41
3/17/2025	11:15:00 AM	0.42
3/17/2025	11:30:00 AM	0.42
3/17/2025	11:45:00 AM	0.42
3/17/2025	12:00:00 PM	0.43
3/17/2025	12:15:00 PM	0.43
3/17/2025	12:30:00 PM	0.44
3/17/2025	12:45:00 PM	0.44
3/17/2025	1:00:00 PM	0.44
3/17/2025	1:15:00 PM	0.44
3/17/2025	1:30:00 PM	0.44
3/17/2025	1:45:00 PM	0.45
3/17/2025	2:00:00 PM	0.45
3/17/2025	2:15:00 PM	0.45
3/17/2025	2:30:00 PM	0.45
3/17/2025	2:45:00 PM	0.46
3/17/2025	3:00:00 PM	0.46
3/17/2025	3:15:00 PM	0.46
3/17/2025	3:30:00 PM	0.46
3/17/2025	3:45:00 PM	0.46
3/17/2025	4:00:00 PM	0.46
3/17/2025	4:15:00 PM	0.46
3/17/2025	4:30:00 PM	0.47
3/17/2025	4:45:00 PM	0.47
3/17/2025	5:00:00 PM	0.47
3/17/2025	5:15:00 PM	0.47
3/17/2025	5:30:00 PM	0.47
3/17/2025	5:45:00 PM	0.47
3/17/2025	6:00:00 PM	0.47
3/17/2025	6:15:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/17/2025	6:30:00 PM	0.47
3/17/2025	6:45:00 PM	0.47
3/17/2025	7:00:00 PM	0.47
3/17/2025	7:15:00 PM	0.47
3/17/2025	7:30:00 PM	0.48
3/17/2025	7:45:00 PM	0.48
3/17/2025	8:00:00 PM	0.48
3/17/2025	8:15:00 PM	0.48
3/17/2025	8:30:00 PM	0.48
3/17/2025	8:45:00 PM	0.48
3/17/2025	9:00:00 PM	0.48
3/17/2025	9:15:00 PM	0.48
3/17/2025	9:30:00 PM	0.48
3/17/2025	9:45:00 PM	0.48
3/17/2025	10:00:00 PM	0.48
3/17/2025	10:15:00 PM	0.48
3/17/2025	10:30:00 PM	0.48
3/17/2025	10:45:00 PM	0.48
3/17/2025	11:00:00 PM	0.48
3/17/2025	11:15:00 PM	0.48
3/17/2025	11:30:00 PM	0.48
3/17/2025	11:45:00 PM	0.48
3/18/2025	12:00:00 AM	0.48
3/18/2025	12:15:00 AM	0.48
3/18/2025	12:30:00 AM	0.48
3/18/2025	12:45:00 AM	0.48
3/18/2025	1:00:00 AM	0.48
3/18/2025	1:15:00 AM	0.48
3/18/2025	1:30:00 AM	0.48
3/18/2025	1:45:00 AM	0.48
3/18/2025	2:00:00 AM	0.48
3/18/2025	2:15:00 AM	0.48
3/18/2025	2:30:00 AM	0.48
3/18/2025	2:45:00 AM	0.48
3/18/2025	3:00:00 AM	0.48
3/18/2025	3:15:00 AM	0.48
3/18/2025	3:30:00 AM	0.48
3/18/2025	3:45:00 AM	0.48
3/18/2025	4:00:00 AM	0.48
3/18/2025	4:15:00 AM	0.48
3/18/2025	4:30:00 AM	0.48
3/18/2025	4:45:00 AM	0.48
3/18/2025	5:00:00 AM	0.48
3/18/2025	5:15:00 AM	0.48
3/18/2025	5:30:00 AM	0.48
3/18/2025	5:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/18/2025	6:00:00 AM	0.48
3/18/2025	6:15:00 AM	0.48
3/18/2025	6:30:00 AM	0.48
3/18/2025	6:45:00 AM	0.48
3/18/2025	7:00:00 AM	0.48
3/18/2025	7:15:00 AM	0.48
3/18/2025	7:30:00 AM	0.48
3/18/2025	7:45:00 AM	0.48
3/18/2025	8:00:00 AM	0.48
3/18/2025	8:15:00 AM	0.48
3/18/2025	8:30:00 AM	0.48
3/18/2025	8:45:00 AM	0.48
3/18/2025	9:00:00 AM	0.48
3/18/2025	9:15:00 AM	0.48
3/18/2025	9:30:00 AM	0.48
3/18/2025	9:45:00 AM	0.48
3/18/2025	10:00:00 AM	0.48
3/18/2025	10:15:00 AM	0.48
3/18/2025	10:30:00 AM	0.48
3/18/2025	10:45:00 AM	0.48
3/18/2025	11:00:00 AM	0.48
3/18/2025	11:15:00 AM	0.48
3/18/2025	11:30:00 AM	0.48
3/18/2025	11:45:00 AM	0.48
3/18/2025	12:00:00 PM	0.48
3/18/2025	12:15:00 PM	0.48
3/18/2025	12:30:00 PM	0.48
3/18/2025	12:45:00 PM	0.48
3/18/2025	1:00:00 PM	0.48
3/18/2025	1:15:00 PM	0.48
3/18/2025	1:30:00 PM	0.48
3/18/2025	1:45:00 PM	0.48
3/18/2025	2:00:00 PM	0.47
3/18/2025	2:15:00 PM	0.48
3/18/2025	2:30:00 PM	0.48
3/18/2025	2:45:00 PM	0.47
3/18/2025	3:00:00 PM	0.48
3/18/2025	3:15:00 PM	0.47
3/18/2025	3:30:00 PM	0.47
3/18/2025	3:45:00 PM	0.47
3/18/2025	4:00:00 PM	0.47
3/18/2025	4:15:00 PM	0.47
3/18/2025	4:30:00 PM	0.47
3/18/2025	4:45:00 PM	0.47
3/18/2025	5:00:00 PM	0.47
3/18/2025	5:15:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/18/2025	5:30:00 PM	0.47
3/18/2025	5:45:00 PM	0.47
3/18/2025	6:00:00 PM	0.47
3/18/2025	6:15:00 PM	0.47
3/18/2025	6:30:00 PM	0.47
3/18/2025	6:45:00 PM	0.47
3/18/2025	7:00:00 PM	0.47
3/18/2025	7:15:00 PM	0.47
3/18/2025	7:30:00 PM	0.47
3/18/2025	7:45:00 PM	0.47
3/18/2025	8:00:00 PM	0.47
3/18/2025	8:15:00 PM	0.47
3/18/2025	8:30:00 PM	0.47
3/18/2025	8:45:00 PM	0.47
3/18/2025	9:00:00 PM	0.47
3/18/2025	9:15:00 PM	0.47
3/18/2025	9:30:00 PM	0.47
3/18/2025	9:45:00 PM	0.47
3/18/2025	10:00:00 PM	0.47
3/18/2025	10:15:00 PM	0.47
3/18/2025	10:30:00 PM	0.47
3/18/2025	10:45:00 PM	0.46
3/18/2025	11:00:00 PM	0.46
3/18/2025	11:15:00 PM	0.46
3/18/2025	11:30:00 PM	0.46
3/18/2025	11:45:00 PM	0.46
3/19/2025	12:00:00 AM	0.46
3/19/2025	12:15:00 AM	0.46
3/19/2025	12:30:00 AM	0.46
3/19/2025	12:45:00 AM	0.46
3/19/2025	1:00:00 AM	0.46
3/19/2025	1:15:00 AM	0.46
3/19/2025	1:30:00 AM	0.46
3/19/2025	1:45:00 AM	0.46
3/19/2025	2:00:00 AM	0.46
3/19/2025	2:15:00 AM	0.46
3/19/2025	2:30:00 AM	0.46
3/19/2025	2:45:00 AM	0.46
3/19/2025	3:00:00 AM	0.46
3/19/2025	3:15:00 AM	0.46
3/19/2025	3:30:00 AM	0.46
3/19/2025	3:45:00 AM	0.46
3/19/2025	4:00:00 AM	0.46
3/19/2025	4:15:00 AM	0.46
3/19/2025	4:30:00 AM	0.46
3/19/2025	4:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/19/2025	5:00:00 AM	0.46
3/19/2025	5:15:00 AM	0.46
3/19/2025	5:30:00 AM	0.46
3/19/2025	5:45:00 AM	0.46
3/19/2025	6:00:00 AM	0.46
3/19/2025	6:15:00 AM	0.46
3/19/2025	6:30:00 AM	0.46
3/19/2025	6:45:00 AM	0.46
3/19/2025	7:00:00 AM	0.46
3/19/2025	7:15:00 AM	0.46
3/19/2025	7:30:00 AM	0.46
3/19/2025	7:45:00 AM	0.46
3/19/2025	8:00:00 AM	0.46
3/19/2025	8:15:00 AM	0.46
3/19/2025	8:30:00 AM	0.46
3/19/2025	8:45:00 AM	0.46
3/19/2025	9:00:00 AM	0.46
3/19/2025	9:15:00 AM	0.46
3/19/2025	9:30:00 AM	0.46
3/19/2025	9:45:00 AM	0.46
3/19/2025	10:00:00 AM	0.46
3/19/2025	10:15:00 AM	0.46
3/19/2025	10:30:00 AM	0.46
3/19/2025	10:45:00 AM	0.46
3/19/2025	11:00:00 AM	0.46
3/19/2025	11:15:00 AM	0.46
3/19/2025	11:30:00 AM	0.46
3/19/2025	11:45:00 AM	0.46
3/19/2025	12:00:00 PM	0.45
3/19/2025	12:15:00 PM	0.45
3/19/2025	12:30:00 PM	0.46
3/19/2025	12:45:00 PM	0.46
3/19/2025	1:00:00 PM	0.46
3/19/2025	1:15:00 PM	0.45
3/19/2025	1:30:00 PM	0.45
3/19/2025	1:45:00 PM	0.46
3/19/2025	2:00:00 PM	0.45
3/19/2025	2:15:00 PM	0.45
3/19/2025	2:30:00 PM	0.45
3/19/2025	2:45:00 PM	0.45
3/19/2025	3:00:00 PM	0.45
3/19/2025	3:15:00 PM	0.45
3/19/2025	3:30:00 PM	0.45
3/19/2025	3:45:00 PM	0.45
3/19/2025	4:00:00 PM	0.44
3/19/2025	4:15:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/19/2025	4:30:00 PM	0.44
3/19/2025	4:45:00 PM	0.44
3/19/2025	5:00:00 PM	0.43
3/19/2025	5:15:00 PM	0.43
3/19/2025	5:30:00 PM	0.43
3/19/2025	5:45:00 PM	0.43
3/19/2025	6:00:00 PM	0.43
3/19/2025	6:15:00 PM	0.43
3/19/2025	6:30:00 PM	0.43
3/19/2025	6:45:00 PM	0.43
3/19/2025	7:00:00 PM	0.42
3/19/2025	7:15:00 PM	0.42
3/19/2025	7:30:00 PM	0.42
3/19/2025	7:45:00 PM	0.42
3/19/2025	8:00:00 PM	0.42
3/19/2025	8:15:00 PM	0.42
3/19/2025	8:30:00 PM	0.42
3/19/2025	8:45:00 PM	0.42
3/19/2025	9:00:00 PM	0.42
3/19/2025	9:15:00 PM	0.42
3/19/2025	9:30:00 PM	0.42
3/19/2025	9:45:00 PM	0.42
3/19/2025	10:00:00 PM	0.41
3/19/2025	10:15:00 PM	0.41
3/19/2025	10:30:00 PM	0.41
3/19/2025	10:45:00 PM	0.41
3/19/2025	11:00:00 PM	0.41
3/19/2025	11:15:00 PM	0.41
3/19/2025	11:30:00 PM	0.41
3/19/2025	11:45:00 PM	0.41
3/20/2025	12:00:00 AM	0.41
3/20/2025	12:15:00 AM	0.41
3/20/2025	12:30:00 AM	0.41
3/20/2025	12:45:00 AM	0.41
3/20/2025	1:00:00 AM	0.41
3/20/2025	1:15:00 AM	0.41
3/20/2025	1:30:00 AM	0.41
3/20/2025	1:45:00 AM	0.41
3/20/2025	2:00:00 AM	0.4
3/20/2025	2:15:00 AM	0.4
3/20/2025	2:30:00 AM	0.41
3/20/2025	2:45:00 AM	0.41
3/20/2025	3:00:00 AM	0.4
3/20/2025	3:15:00 AM	0.4
3/20/2025	3:30:00 AM	0.4
3/20/2025	3:45:00 AM	0.4

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/20/2025	4:00:00 AM	0.4
3/20/2025	4:15:00 AM	0.4
3/20/2025	4:30:00 AM	0.4
3/20/2025	4:45:00 AM	0.4
3/20/2025	5:00:00 AM	0.4
3/20/2025	5:15:00 AM	0.4
3/20/2025	5:30:00 AM	0.4
3/20/2025	5:45:00 AM	0.4
3/20/2025	6:00:00 AM	0.4
3/20/2025	6:15:00 AM	0.4
3/20/2025	6:30:00 AM	0.4
3/20/2025	6:45:00 AM	0.4
3/20/2025	7:00:00 AM	0.4
3/20/2025	7:15:00 AM	0.4
3/20/2025	7:30:00 AM	0.4
3/20/2025	7:45:00 AM	0.4
3/20/2025	8:00:00 AM	0.4
3/20/2025	8:15:00 AM	0.4
3/20/2025	8:30:00 AM	0.4
3/20/2025	8:45:00 AM	0.4
3/20/2025	9:00:00 AM	0.4
3/20/2025	9:15:00 AM	0.4
3/20/2025	9:30:00 AM	0.4
3/20/2025	9:45:00 AM	0.4
3/20/2025	10:00:00 AM	0.4
3/20/2025	10:15:00 AM	0.4
3/20/2025	10:30:00 AM	0.4
3/20/2025	10:45:00 AM	0.4
3/20/2025	11:00:00 AM	0.4
3/20/2025	11:15:00 AM	0.4
3/20/2025	11:30:00 AM	0.4
3/20/2025	11:45:00 AM	0.4
3/20/2025	12:00:00 PM	0.39
3/20/2025	12:15:00 PM	0.4
3/20/2025	12:30:00 PM	0.4
3/20/2025	12:45:00 PM	0.4
3/20/2025	1:00:00 PM	0.4
3/20/2025	1:15:00 PM	0.39
3/20/2025	1:30:00 PM	0.39
3/20/2025	1:45:00 PM	0.39
3/20/2025	2:00:00 PM	0.39
3/20/2025	2:15:00 PM	0.39
3/20/2025	2:30:00 PM	0.38
3/20/2025	2:45:00 PM	0.38
3/20/2025	3:00:00 PM	0.38
3/20/2025	3:15:00 PM	0.38

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/20/2025	3:30:00 PM	0.38
3/20/2025	3:45:00 PM	0.37
3/20/2025	4:00:00 PM	0.37
3/20/2025	4:15:00 PM	0.37
3/20/2025	4:30:00 PM	0.37
3/20/2025	4:45:00 PM	0.37
3/20/2025	5:00:00 PM	0.36
3/20/2025	5:15:00 PM	0.36
3/20/2025	5:30:00 PM	0.36
3/20/2025	5:45:00 PM	0.36
3/20/2025	6:00:00 PM	0.36
3/20/2025	6:15:00 PM	0.35
3/20/2025	6:30:00 PM	0.35
3/20/2025	6:45:00 PM	0.35
3/20/2025	7:00:00 PM	0.35
3/20/2025	7:15:00 PM	0.35
3/20/2025	7:30:00 PM	0.35
3/20/2025	7:45:00 PM	0.34
3/20/2025	8:00:00 PM	0.34
3/20/2025	8:15:00 PM	0.34
3/20/2025	8:30:00 PM	0.34
3/20/2025	8:45:00 PM	0.34
3/20/2025	9:00:00 PM	0.34
3/20/2025	9:15:00 PM	0.34
3/20/2025	9:30:00 PM	0.34
3/20/2025	9:45:00 PM	0.34
3/20/2025	10:00:00 PM	0.33
3/20/2025	10:15:00 PM	0.33
3/20/2025	10:30:00 PM	0.33
3/20/2025	10:45:00 PM	0.33
3/20/2025	11:00:00 PM	0.33
3/20/2025	11:15:00 PM	0.33
3/20/2025	11:30:00 PM	0.33
3/20/2025	11:45:00 PM	0.33
3/21/2025	12:00:00 AM	0.33
3/21/2025	12:15:00 AM	0.33
3/21/2025	12:30:00 AM	0.32
3/21/2025	12:45:00 AM	0.32
3/21/2025	1:00:00 AM	0.32
3/21/2025	1:15:00 AM	0.32
3/21/2025	1:30:00 AM	0.32
3/21/2025	1:45:00 AM	0.32
3/21/2025	2:00:00 AM	0.32
3/21/2025	2:15:00 AM	0.32
3/21/2025	2:30:00 AM	0.32
3/21/2025	2:45:00 AM	0.32

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/21/2025	3:00:00 AM	0.32
3/21/2025	3:15:00 AM	0.32
3/21/2025	3:30:00 AM	0.32
3/21/2025	3:45:00 AM	0.32
3/21/2025	4:00:00 AM	0.32
3/21/2025	4:15:00 AM	0.32
3/21/2025	4:30:00 AM	0.32
3/21/2025	4:45:00 AM	0.32
3/21/2025	5:00:00 AM	0.32
3/21/2025	5:15:00 AM	0.32
3/21/2025	5:30:00 AM	0.32
3/21/2025	5:45:00 AM	0.32
3/21/2025	6:00:00 AM	0.32
3/21/2025	6:15:00 AM	0.32
3/21/2025	6:30:00 AM	0.32
3/21/2025	6:45:00 AM	0.32
3/21/2025	7:00:00 AM	0.32
3/21/2025	7:15:00 AM	0.32
3/21/2025	7:30:00 AM	0.32
3/21/2025	7:45:00 AM	0.31
3/21/2025	8:00:00 AM	0.31
3/21/2025	8:15:00 AM	0.31
3/21/2025	8:30:00 AM	0.31
3/21/2025	8:45:00 AM	0.31
3/21/2025	9:00:00 AM	0.31
3/21/2025	9:15:00 AM	0.31
3/21/2025	9:30:00 AM	0.31
3/21/2025	9:45:00 AM	0.31
3/21/2025	10:00:00 AM	0.31
3/21/2025	10:15:00 AM	0.31
3/21/2025	10:30:00 AM	0.31
3/21/2025	10:45:00 AM	0.31
3/21/2025	11:00:00 AM	0.31
3/21/2025	11:15:00 AM	0.31
3/21/2025	11:30:00 AM	0.31
3/21/2025	11:45:00 AM	0.32
3/21/2025	12:00:00 PM	0.31
3/21/2025	12:15:00 PM	0.32
3/21/2025	12:30:00 PM	0.32
3/21/2025	12:45:00 PM	0.32
3/21/2025	1:00:00 PM	0.32
3/21/2025	1:15:00 PM	0.32
3/21/2025	1:30:00 PM	0.32
3/21/2025	1:45:00 PM	0.32
3/21/2025	2:00:00 PM	0.32
3/21/2025	2:15:00 PM	0.32

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/21/2025	2:30:00 PM	0.33
3/21/2025	2:45:00 PM	0.33
3/21/2025	3:00:00 PM	0.33
3/21/2025	3:15:00 PM	0.33
3/21/2025	3:30:00 PM	0.33
3/21/2025	3:45:00 PM	0.33
3/21/2025	4:00:00 PM	0.33
3/21/2025	4:15:00 PM	0.33
3/21/2025	4:30:00 PM	0.33
3/21/2025	4:45:00 PM	0.33
3/21/2025	5:00:00 PM	0.33
3/21/2025	5:15:00 PM	0.33
3/21/2025	5:30:00 PM	0.33
3/21/2025	5:45:00 PM	0.33
3/21/2025	6:00:00 PM	0.33
3/21/2025	6:15:00 PM	0.33
3/21/2025	6:30:00 PM	0.33
3/21/2025	6:45:00 PM	0.33
3/21/2025	7:00:00 PM	0.33
3/21/2025	7:15:00 PM	0.33
3/21/2025	7:30:00 PM	0.33
3/21/2025	7:45:00 PM	0.33
3/21/2025	8:00:00 PM	0.33
3/21/2025	8:15:00 PM	0.33
3/21/2025	8:30:00 PM	0.33
3/21/2025	8:45:00 PM	0.33
3/21/2025	9:00:00 PM	0.34
3/21/2025	9:15:00 PM	0.34
3/21/2025	9:30:00 PM	0.34
3/21/2025	9:45:00 PM	0.34
3/21/2025	10:00:00 PM	0.34
3/21/2025	10:15:00 PM	0.34
3/21/2025	10:30:00 PM	0.34
3/21/2025	10:45:00 PM	0.34
3/21/2025	11:00:00 PM	0.34
3/21/2025	11:15:00 PM	0.34
3/21/2025	11:30:00 PM	0.34
3/21/2025	11:45:00 PM	0.34
3/22/2025	12:00:00 AM	0.34
3/22/2025	12:15:00 AM	0.34
3/22/2025	12:30:00 AM	0.34
3/22/2025	12:45:00 AM	0.34
3/22/2025	1:00:00 AM	0.34
3/22/2025	1:15:00 AM	0.34
3/22/2025	1:30:00 AM	0.34
3/22/2025	1:45:00 AM	0.34

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/22/2025	2:00:00 AM	0.34
3/22/2025	2:15:00 AM	0.34
3/22/2025	2:30:00 AM	0.34
3/22/2025	2:45:00 AM	0.34
3/22/2025	3:00:00 AM	0.34
3/22/2025	3:15:00 AM	0.34
3/22/2025	3:30:00 AM	0.34
3/22/2025	3:45:00 AM	0.34
3/22/2025	4:00:00 AM	0.34
3/22/2025	4:15:00 AM	0.34
3/22/2025	4:30:00 AM	0.34
3/22/2025	4:45:00 AM	0.34
3/22/2025	5:00:00 AM	0.34
3/22/2025	5:15:00 AM	0.34
3/22/2025	5:30:00 AM	0.34
3/22/2025	5:45:00 AM	0.34
3/22/2025	6:00:00 AM	0.35
3/22/2025	6:15:00 AM	0.34
3/22/2025	6:30:00 AM	0.35
3/22/2025	6:45:00 AM	0.35
3/22/2025	7:00:00 AM	0.35
3/22/2025	7:15:00 AM	0.35
3/22/2025	7:30:00 AM	0.35
3/22/2025	7:45:00 AM	0.35
3/22/2025	8:00:00 AM	0.35
3/22/2025	8:15:00 AM	0.35
3/22/2025	8:30:00 AM	0.35
3/22/2025	8:45:00 AM	0.35
3/22/2025	9:00:00 AM	0.35
3/22/2025	9:15:00 AM	0.35
3/22/2025	9:30:00 AM	0.35
3/22/2025	9:45:00 AM	0.34
3/22/2025	10:00:00 AM	0.35
3/22/2025	10:15:00 AM	0.34
3/22/2025	10:30:00 AM	0.34
3/22/2025	10:45:00 AM	0.35
3/22/2025	11:00:00 AM	0.35
3/22/2025	11:15:00 AM	0.35
3/22/2025	11:30:00 AM	0.35
3/22/2025	11:45:00 AM	0.35
3/22/2025	12:00:00 PM	0.35
3/22/2025	12:15:00 PM	0.35
3/22/2025	12:30:00 PM	0.35
3/22/2025	12:45:00 PM	0.36
3/22/2025	1:00:00 PM	0.36
3/22/2025	1:15:00 PM	0.36

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/22/2025	1:30:00 PM	0.36
3/22/2025	1:45:00 PM	0.37
3/22/2025	2:00:00 PM	0.37
3/22/2025	2:15:00 PM	0.37
3/22/2025	2:30:00 PM	0.37
3/22/2025	2:45:00 PM	0.37
3/22/2025	3:00:00 PM	0.37
3/22/2025	3:15:00 PM	0.37
3/22/2025	3:30:00 PM	0.38
3/22/2025	3:45:00 PM	0.38
3/22/2025	4:00:00 PM	0.38
3/22/2025	4:15:00 PM	0.38
3/22/2025	4:30:00 PM	0.38
3/22/2025	4:45:00 PM	0.38
3/22/2025	5:00:00 PM	0.38
3/22/2025	5:15:00 PM	0.38
3/22/2025	5:30:00 PM	0.38
3/22/2025	5:45:00 PM	0.38
3/22/2025	6:00:00 PM	0.38
3/22/2025	6:15:00 PM	0.38
3/22/2025	6:30:00 PM	0.38
3/22/2025	6:45:00 PM	0.38
3/22/2025	7:00:00 PM	0.38
3/22/2025	7:15:00 PM	0.38
3/22/2025	7:30:00 PM	0.38
3/22/2025	7:45:00 PM	0.38
3/22/2025	8:00:00 PM	0.38
3/22/2025	8:15:00 PM	0.39
3/22/2025	8:30:00 PM	0.39
3/22/2025	8:45:00 PM	0.39
3/22/2025	9:00:00 PM	0.39
3/22/2025	9:15:00 PM	0.39
3/22/2025	9:30:00 PM	0.39
3/22/2025	9:45:00 PM	0.39
3/22/2025	10:00:00 PM	0.39
3/22/2025	10:15:00 PM	0.39
3/22/2025	10:30:00 PM	0.38
3/22/2025	10:45:00 PM	0.38
3/22/2025	11:00:00 PM	0.38
3/22/2025	11:15:00 PM	0.38
3/22/2025	11:30:00 PM	0.38
3/22/2025	11:45:00 PM	0.38
3/23/2025	12:00:00 AM	0.38
3/23/2025	12:15:00 AM	0.38
3/23/2025	12:30:00 AM	0.38
3/23/2025	12:45:00 AM	0.38

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/23/2025	1:00:00 AM	0.38
3/23/2025	1:15:00 AM	0.38
3/23/2025	1:30:00 AM	0.38
3/23/2025	1:45:00 AM	0.38
3/23/2025	2:00:00 AM	0.38
3/23/2025	2:15:00 AM	0.38
3/23/2025	2:30:00 AM	0.37
3/23/2025	2:45:00 AM	0.37
3/23/2025	3:00:00 AM	0.38
3/23/2025	3:15:00 AM	0.37
3/23/2025	3:30:00 AM	0.37
3/23/2025	3:45:00 AM	0.37
3/23/2025	4:00:00 AM	0.37
3/23/2025	4:15:00 AM	0.37
3/23/2025	4:30:00 AM	0.37
3/23/2025	4:45:00 AM	0.37
3/23/2025	5:00:00 AM	0.37
3/23/2025	5:15:00 AM	0.37
3/23/2025	5:30:00 AM	0.36
3/23/2025	5:45:00 AM	0.36
3/23/2025	6:00:00 AM	0.36
3/23/2025	6:15:00 AM	0.36
3/23/2025	6:30:00 AM	0.36
3/23/2025	6:45:00 AM	0.36
3/23/2025	7:00:00 AM	0.36
3/23/2025	7:15:00 AM	0.36
3/23/2025	7:30:00 AM	0.36
3/23/2025	7:45:00 AM	0.35
3/23/2025	8:00:00 AM	0.35
3/23/2025	8:15:00 AM	0.35
3/23/2025	8:30:00 AM	0.35
3/23/2025	8:45:00 AM	0.35
3/23/2025	9:00:00 AM	0.35
3/23/2025	9:15:00 AM	0.34
3/23/2025	9:30:00 AM	0.34
3/23/2025	9:45:00 AM	0.34
3/23/2025	10:00:00 AM	0.34
3/23/2025	10:15:00 AM	0.34
3/23/2025	10:30:00 AM	0.34
3/23/2025	10:45:00 AM	0.34
3/23/2025	11:00:00 AM	0.34
3/23/2025	11:15:00 AM	0.33
3/23/2025	11:30:00 AM	0.33
3/23/2025	11:45:00 AM	0.33
3/23/2025	12:00:00 PM	0.33
3/23/2025	12:15:00 PM	0.33

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/23/2025	12:30:00 PM	0.33
3/23/2025	12:45:00 PM	0.33
3/23/2025	1:00:00 PM	0.33
3/23/2025	1:15:00 PM	0.33
3/23/2025	1:30:00 PM	0.33
3/23/2025	1:45:00 PM	0.33
3/23/2025	2:00:00 PM	0.33
3/23/2025	2:15:00 PM	0.33
3/23/2025	2:30:00 PM	0.32
3/23/2025	2:45:00 PM	0.32
3/23/2025	3:00:00 PM	0.32
3/23/2025	3:15:00 PM	0.32
3/23/2025	3:30:00 PM	0.32
3/23/2025	3:45:00 PM	0.32
3/23/2025	4:00:00 PM	0.32
3/23/2025	4:15:00 PM	0.32
3/23/2025	4:30:00 PM	0.32
3/23/2025	4:45:00 PM	0.32
3/23/2025	5:00:00 PM	0.32
3/23/2025	5:15:00 PM	0.32
3/23/2025	5:30:00 PM	0.32
3/23/2025	5:45:00 PM	0.32
3/23/2025	6:00:00 PM	0.32
3/23/2025	6:15:00 PM	0.32
3/23/2025	6:30:00 PM	0.32
3/23/2025	6:45:00 PM	0.32
3/23/2025	7:00:00 PM	0.32
3/23/2025	7:15:00 PM	0.32
3/23/2025	7:30:00 PM	0.32
3/23/2025	7:45:00 PM	0.32
3/23/2025	8:00:00 PM	0.32
3/23/2025	8:15:00 PM	0.32
3/23/2025	8:30:00 PM	0.32
3/23/2025	8:45:00 PM	0.32
3/23/2025	9:00:00 PM	0.32
3/23/2025	9:15:00 PM	0.32
3/23/2025	9:30:00 PM	0.32
3/23/2025	9:45:00 PM	0.32
3/23/2025	10:00:00 PM	0.33
3/23/2025	10:15:00 PM	0.33
3/23/2025	10:30:00 PM	0.33
3/23/2025	10:45:00 PM	0.33
3/23/2025	11:00:00 PM	0.33
3/23/2025	11:15:00 PM	0.33
3/23/2025	11:30:00 PM	0.33
3/23/2025	11:45:00 PM	0.33

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/24/2025	12:00:00 AM	0.34
3/24/2025	12:15:00 AM	0.34
3/24/2025	12:30:00 AM	0.34
3/24/2025	12:45:00 AM	0.34
3/24/2025	1:00:00 AM	0.34
3/24/2025	1:15:00 AM	0.34
3/24/2025	1:30:00 AM	0.34
3/24/2025	1:45:00 AM	0.34
3/24/2025	2:00:00 AM	0.34
3/24/2025	2:15:00 AM	0.34
3/24/2025	2:30:00 AM	0.35
3/24/2025	2:45:00 AM	0.35
3/24/2025	3:00:00 AM	0.35
3/24/2025	3:15:00 AM	0.35
3/24/2025	3:30:00 AM	0.35
3/24/2025	3:45:00 AM	0.35
3/24/2025	4:00:00 AM	0.35
3/24/2025	4:15:00 AM	0.35
3/24/2025	4:30:00 AM	0.35
3/24/2025	4:45:00 AM	0.35
3/24/2025	5:00:00 AM	0.35
3/24/2025	5:15:00 AM	0.35
3/24/2025	5:30:00 AM	0.35
3/24/2025	5:45:00 AM	0.35
3/24/2025	6:00:00 AM	0.35
3/24/2025	6:15:00 AM	0.35
3/24/2025	6:30:00 AM	0.36
3/24/2025	6:45:00 AM	0.36
3/24/2025	7:00:00 AM	0.36
3/24/2025	7:15:00 AM	0.36
3/24/2025	7:30:00 AM	0.36
3/24/2025	7:45:00 AM	0.36
3/24/2025	8:00:00 AM	0.36
3/24/2025	8:15:00 AM	0.36
3/24/2025	8:30:00 AM	0.36
3/24/2025	8:45:00 AM	0.36
3/24/2025	9:00:00 AM	0.37
3/24/2025	9:15:00 AM	0.37
3/24/2025	9:30:00 AM	0.37
3/24/2025	9:45:00 AM	0.37
3/24/2025	10:00:00 AM	0.37
3/24/2025	10:15:00 AM	0.38
3/24/2025	10:30:00 AM	0.38
3/24/2025	10:45:00 AM	0.38
3/24/2025	11:00:00 AM	0.38
3/24/2025	11:15:00 AM	0.39

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/24/2025	11:30:00 AM	0.39
3/24/2025	11:45:00 AM	0.39
3/24/2025	12:00:00 PM	0.4
3/24/2025	12:15:00 PM	0.4
3/24/2025	12:30:00 PM	0.41
3/24/2025	12:45:00 PM	0.41
3/24/2025	1:00:00 PM	0.41
3/24/2025	1:15:00 PM	0.41
3/24/2025	1:30:00 PM	0.42
3/24/2025	1:45:00 PM	0.43
3/24/2025	2:00:00 PM	0.43
3/24/2025	2:15:00 PM	0.43
3/24/2025	2:30:00 PM	0.44
3/24/2025	2:45:00 PM	0.44
3/24/2025	3:00:00 PM	0.44
3/24/2025	3:15:00 PM	0.44
3/24/2025	3:30:00 PM	0.45
3/24/2025	3:45:00 PM	0.45
3/24/2025	4:00:00 PM	0.45
3/24/2025	4:15:00 PM	0.46
3/24/2025	4:30:00 PM	0.46
3/24/2025	4:45:00 PM	0.46
3/24/2025	5:00:00 PM	0.46
3/24/2025	5:15:00 PM	0.47
3/24/2025	5:30:00 PM	0.47
3/24/2025	5:45:00 PM	0.47
3/24/2025	6:00:00 PM	0.47
3/24/2025	6:15:00 PM	0.47
3/24/2025	6:30:00 PM	0.47
3/24/2025	6:45:00 PM	0.47
3/24/2025	7:00:00 PM	0.47
3/24/2025	7:15:00 PM	0.48
3/24/2025	7:30:00 PM	0.48
3/24/2025	7:45:00 PM	0.48
3/24/2025	8:00:00 PM	0.48
3/24/2025	8:15:00 PM	0.48
3/24/2025	8:30:00 PM	0.48
3/24/2025	8:45:00 PM	0.48
3/24/2025	9:00:00 PM	0.49
3/24/2025	9:15:00 PM	0.49
3/24/2025	9:30:00 PM	0.49
3/24/2025	9:45:00 PM	0.49
3/24/2025	10:00:00 PM	0.49
3/24/2025	10:15:00 PM	0.49
3/24/2025	10:30:00 PM	0.49
3/24/2025	10:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/24/2025	11:00:00 PM	0.5
3/24/2025	11:15:00 PM	0.5
3/24/2025	11:30:00 PM	0.5
3/24/2025	11:45:00 PM	0.5
3/25/2025	12:00:00 AM	0.5
3/25/2025	12:15:00 AM	0.5
3/25/2025	12:30:00 AM	0.5
3/25/2025	12:45:00 AM	0.51
3/25/2025	1:00:00 AM	0.51
3/25/2025	1:15:00 AM	0.51
3/25/2025	1:30:00 AM	0.51
3/25/2025	1:45:00 AM	0.51
3/25/2025	2:00:00 AM	0.52
3/25/2025	2:15:00 AM	0.52
3/25/2025	2:30:00 AM	0.52
3/25/2025	2:45:00 AM	0.52
3/25/2025	3:00:00 AM	0.52
3/25/2025	3:15:00 AM	0.52
3/25/2025	3:30:00 AM	0.52
3/25/2025	3:45:00 AM	0.53
3/25/2025	4:00:00 AM	0.53
3/25/2025	4:15:00 AM	0.53
3/25/2025	4:30:00 AM	0.53
3/25/2025	4:45:00 AM	0.53
3/25/2025	5:00:00 AM	0.53
3/25/2025	5:15:00 AM	0.53
3/25/2025	5:30:00 AM	0.53
3/25/2025	5:45:00 AM	0.53
3/25/2025	6:00:00 AM	0.53
3/25/2025	6:15:00 AM	0.53
3/25/2025	6:30:00 AM	0.53
3/25/2025	6:45:00 AM	0.53
3/25/2025	7:00:00 AM	0.53
3/25/2025	7:15:00 AM	0.53
3/25/2025	7:30:00 AM	0.53
3/25/2025	7:45:00 AM	0.53
3/25/2025	8:00:00 AM	0.53
3/25/2025	8:15:00 AM	0.53
3/25/2025	8:30:00 AM	0.53
3/25/2025	8:45:00 AM	0.53
3/25/2025	9:00:00 AM	0.53
3/25/2025	9:15:00 AM	0.53
3/25/2025	9:30:00 AM	0.53
3/25/2025	9:45:00 AM	0.54
3/25/2025	10:00:00 AM	0.54
3/25/2025	10:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/25/2025	10:30:00 AM	0.54
3/25/2025	10:45:00 AM	0.54
3/25/2025	11:00:00 AM	0.54
3/25/2025	11:15:00 AM	0.54
3/25/2025	11:30:00 AM	0.54
3/25/2025	11:45:00 AM	0.54
3/25/2025	12:00:00 PM	0.54
3/25/2025	12:15:00 PM	0.54
3/25/2025	12:30:00 PM	0.54
3/25/2025	12:45:00 PM	0.54
3/25/2025	1:00:00 PM	0.54
3/25/2025	1:15:00 PM	0.54
3/25/2025	1:30:00 PM	0.54
3/25/2025	1:45:00 PM	0.54
3/25/2025	2:00:00 PM	0.54
3/25/2025	2:15:00 PM	0.54
3/25/2025	2:30:00 PM	0.57
3/25/2025	2:45:00 PM	0.58
3/25/2025	3:00:00 PM	0.57
3/25/2025	3:15:00 PM	0.57
3/25/2025	3:30:00 PM	0.56
3/25/2025	3:45:00 PM	0.56
3/25/2025	4:00:00 PM	0.55
3/25/2025	4:15:00 PM	0.55
3/25/2025	4:30:00 PM	0.55
3/25/2025	4:45:00 PM	0.55
3/25/2025	5:00:00 PM	0.55
3/25/2025	5:15:00 PM	0.55
3/25/2025	5:30:00 PM	0.55
3/25/2025	5:45:00 PM	0.55
3/25/2025	6:00:00 PM	0.55
3/25/2025	6:15:00 PM	0.55
3/25/2025	6:30:00 PM	0.55
3/25/2025	6:45:00 PM	0.55
3/25/2025	7:00:00 PM	0.55
3/25/2025	7:15:00 PM	0.55
3/25/2025	7:30:00 PM	0.55
3/25/2025	7:45:00 PM	0.55
3/25/2025	8:00:00 PM	0.55
3/25/2025	8:15:00 PM	0.55
3/25/2025	8:30:00 PM	0.55
3/25/2025	8:45:00 PM	0.55
3/25/2025	9:00:00 PM	0.55
3/25/2025	9:15:00 PM	0.55
3/25/2025	9:30:00 PM	0.55
3/25/2025	9:45:00 PM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/25/2025	10:00:00 PM	0.56
3/25/2025	10:15:00 PM	0.55
3/25/2025	10:30:00 PM	0.56
3/25/2025	10:45:00 PM	0.55
3/25/2025	11:00:00 PM	0.55
3/25/2025	11:15:00 PM	0.55
3/25/2025	11:30:00 PM	0.55
3/25/2025	11:45:00 PM	0.55
3/26/2025	12:00:00 AM	0.55
3/26/2025	12:15:00 AM	0.55
3/26/2025	12:30:00 AM	0.55
3/26/2025	12:45:00 AM	0.56
3/26/2025	1:00:00 AM	0.56
3/26/2025	1:15:00 AM	0.56
3/26/2025	1:30:00 AM	0.56
3/26/2025	1:45:00 AM	0.56
3/26/2025	2:00:00 AM	0.56
3/26/2025	2:15:00 AM	0.56
3/26/2025	2:30:00 AM	0.57
3/26/2025	2:45:00 AM	0.57
3/26/2025	3:00:00 AM	0.57
3/26/2025	3:15:00 AM	0.57
3/26/2025	3:30:00 AM	0.57
3/26/2025	3:45:00 AM	0.57
3/26/2025	4:00:00 AM	0.57
3/26/2025	4:15:00 AM	0.57
3/26/2025	4:30:00 AM	0.57
3/26/2025	4:45:00 AM	0.57
3/26/2025	5:00:00 AM	0.57
3/26/2025	5:15:00 AM	0.57
3/26/2025	5:30:00 AM	0.57
3/26/2025	5:45:00 AM	0.57
3/26/2025	6:00:00 AM	0.57
3/26/2025	6:15:00 AM	0.57
3/26/2025	6:30:00 AM	0.57
3/26/2025	6:45:00 AM	0.57
3/26/2025	7:00:00 AM	0.56
3/26/2025	7:15:00 AM	0.56
3/26/2025	7:30:00 AM	.
3/26/2025	7:45:00 AM	0.56
3/26/2025	8:00:00 AM	0.56
3/26/2025	8:15:00 AM	0.56
3/26/2025	8:30:00 AM	0.56
3/26/2025	8:45:00 AM	0.56
3/26/2025	9:00:00 AM	0.56
3/26/2025	9:15:00 AM	0.56

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/26/2025	9:30:00 AM	0.56
3/26/2025	9:45:00 AM	0.56
3/26/2025	10:00:00 AM	0.56
3/26/2025	10:15:00 AM	0.56
3/26/2025	10:30:00 AM	0.56
3/26/2025	10:45:00 AM	0.56
3/26/2025	11:00:00 AM	0.56
3/26/2025	11:15:00 AM	0.56
3/26/2025	11:30:00 AM	0.56
3/26/2025	11:45:00 AM	0.56
3/26/2025	12:00:00 PM	0.56
3/26/2025	12:15:00 PM	0.56
3/26/2025	12:30:00 PM	0.56
3/26/2025	12:45:00 PM	0.56
3/26/2025	1:00:00 PM	0.55
3/26/2025	1:15:00 PM	0.56
3/26/2025	1:30:00 PM	0.55
3/26/2025	1:45:00 PM	0.55
3/26/2025	2:00:00 PM	0.55
3/26/2025	2:15:00 PM	0.55
3/26/2025	2:30:00 PM	0.55
3/26/2025	2:45:00 PM	0.55
3/26/2025	3:00:00 PM	0.55
3/26/2025	3:15:00 PM	0.55
3/26/2025	3:30:00 PM	0.55
3/26/2025	3:45:00 PM	0.55
3/26/2025	4:00:00 PM	0.55
3/26/2025	4:15:00 PM	0.54
3/26/2025	4:30:00 PM	0.54
3/26/2025	4:45:00 PM	0.54
3/26/2025	5:00:00 PM	0.54
3/26/2025	5:15:00 PM	0.54
3/26/2025	5:30:00 PM	0.54
3/26/2025	5:45:00 PM	0.53
3/26/2025	6:00:00 PM	0.53
3/26/2025	6:15:00 PM	0.53
3/26/2025	6:30:00 PM	0.53
3/26/2025	6:45:00 PM	0.53
3/26/2025	7:00:00 PM	0.53
3/26/2025	7:15:00 PM	0.53
3/26/2025	7:30:00 PM	0.53
3/26/2025	7:45:00 PM	0.53
3/26/2025	8:00:00 PM	0.53
3/26/2025	8:15:00 PM	0.53
3/26/2025	8:30:00 PM	0.53
3/26/2025	8:45:00 PM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/26/2025	9:00:00 PM	0.53
3/26/2025	9:15:00 PM	0.53
3/26/2025	9:30:00 PM	0.53
3/26/2025	9:45:00 PM	0.54
3/26/2025	10:00:00 PM	0.54
3/26/2025	10:15:00 PM	0.54
3/26/2025	10:30:00 PM	0.54
3/26/2025	10:45:00 PM	0.54
3/26/2025	11:00:00 PM	0.54
3/26/2025	11:15:00 PM	0.54
3/26/2025	11:30:00 PM	0.54
3/26/2025	11:45:00 PM	0.54
3/27/2025	12:00:00 AM	0.54
3/27/2025	12:15:00 AM	0.54
3/27/2025	12:30:00 AM	0.54
3/27/2025	12:45:00 AM	0.54
3/27/2025	1:00:00 AM	0.54
3/27/2025	1:15:00 AM	0.54
3/27/2025	1:30:00 AM	0.54
3/27/2025	1:45:00 AM	0.54
3/27/2025	2:00:00 AM	0.54
3/27/2025	2:15:00 AM	0.54
3/27/2025	2:30:00 AM	0.54
3/27/2025	2:45:00 AM	0.54
3/27/2025	3:00:00 AM	0.54
3/27/2025	3:15:00 AM	0.54
3/27/2025	3:30:00 AM	0.54
3/27/2025	3:45:00 AM	0.54
3/27/2025	4:00:00 AM	0.54
3/27/2025	4:15:00 AM	0.54
3/27/2025	4:30:00 AM	0.54
3/27/2025	4:45:00 AM	0.54
3/27/2025	5:00:00 AM	0.54
3/27/2025	5:15:00 AM	0.54
3/27/2025	5:30:00 AM	0.54
3/27/2025	5:45:00 AM	0.54
3/27/2025	6:00:00 AM	0.54
3/27/2025	6:15:00 AM	0.54
3/27/2025	6:30:00 AM	0.54
3/27/2025	6:45:00 AM	0.54
3/27/2025	7:00:00 AM	0.54
3/27/2025	7:15:00 AM	0.54
3/27/2025	7:30:00 AM	0.54
3/27/2025	7:45:00 AM	0.54
3/27/2025	8:00:00 AM	0.54
3/27/2025	8:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/27/2025	8:30:00 AM	0.54
3/27/2025	8:45:00 AM	0.55
3/27/2025	9:00:00 AM	0.55
3/27/2025	9:15:00 AM	0.55
3/27/2025	9:30:00 AM	0.55
3/27/2025	9:45:00 AM	0.55
3/27/2025	10:00:00 AM	0.55
3/27/2025	10:15:00 AM	0.55
3/27/2025	10:30:00 AM	0.55
3/27/2025	10:45:00 AM	0.55
3/27/2025	11:00:00 AM	0.55
3/27/2025	11:15:00 AM	0.56
3/27/2025	11:30:00 AM	0.56
3/27/2025	11:45:00 AM	0.56
3/27/2025	12:00:00 PM	0.56
3/27/2025	12:15:00 PM	0.56
3/27/2025	12:30:00 PM	0.56
3/27/2025	12:45:00 PM	0.56
3/27/2025	1:00:00 PM	0.56
3/27/2025	1:15:00 PM	0.56
3/27/2025	1:30:00 PM	0.55
3/27/2025	1:45:00 PM	0.56
3/27/2025	2:00:00 PM	0.55
3/27/2025	2:15:00 PM	0.56
3/27/2025	2:30:00 PM	0.55
3/27/2025	2:45:00 PM	0.55
3/27/2025	3:00:00 PM	0.55
3/27/2025	3:15:00 PM	0.54
3/27/2025	3:30:00 PM	0.54
3/27/2025	3:45:00 PM	0.53
3/27/2025	4:00:00 PM	0.53
3/27/2025	4:15:00 PM	0.53
3/27/2025	4:30:00 PM	0.52
3/27/2025	4:45:00 PM	0.52
3/27/2025	5:00:00 PM	0.51
3/27/2025	5:15:00 PM	0.51
3/27/2025	5:30:00 PM	0.51
3/27/2025	5:45:00 PM	0.51
3/27/2025	6:00:00 PM	0.5
3/27/2025	6:15:00 PM	0.5
3/27/2025	6:30:00 PM	0.5
3/27/2025	6:45:00 PM	0.5
3/27/2025	7:00:00 PM	0.5
3/27/2025	7:15:00 PM	0.5
3/27/2025	7:30:00 PM	0.5
3/27/2025	7:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/27/2025	8:00:00 PM	0.49
3/27/2025	8:15:00 PM	0.49
3/27/2025	8:30:00 PM	0.49
3/27/2025	8:45:00 PM	0.49
3/27/2025	9:00:00 PM	0.49
3/27/2025	9:15:00 PM	0.49
3/27/2025	9:30:00 PM	0.49
3/27/2025	9:45:00 PM	0.49
3/27/2025	10:00:00 PM	0.49
3/27/2025	10:15:00 PM	0.49
3/27/2025	10:30:00 PM	0.49
3/27/2025	10:45:00 PM	0.49
3/27/2025	11:00:00 PM	0.49
3/27/2025	11:15:00 PM	0.49
3/27/2025	11:30:00 PM	0.49
3/27/2025	11:45:00 PM	0.49
3/28/2025	12:00:00 AM	0.49
3/28/2025	12:15:00 AM	0.49
3/28/2025	12:30:00 AM	0.49
3/28/2025	12:45:00 AM	0.49
3/28/2025	1:00:00 AM	0.49
3/28/2025	1:15:00 AM	0.49
3/28/2025	1:30:00 AM	0.49
3/28/2025	1:45:00 AM	0.49
3/28/2025	2:00:00 AM	0.49
3/28/2025	2:15:00 AM	0.48
3/28/2025	2:30:00 AM	0.48
3/28/2025	2:45:00 AM	0.48
3/28/2025	3:00:00 AM	0.48
3/28/2025	3:15:00 AM	0.48
3/28/2025	3:30:00 AM	0.48
3/28/2025	3:45:00 AM	0.48
3/28/2025	4:00:00 AM	0.48
3/28/2025	4:15:00 AM	0.48
3/28/2025	4:30:00 AM	0.48
3/28/2025	4:45:00 AM	0.47
3/28/2025	5:00:00 AM	0.47
3/28/2025	5:15:00 AM	0.47
3/28/2025	5:30:00 AM	0.47
3/28/2025	5:45:00 AM	0.47
3/28/2025	6:00:00 AM	0.47
3/28/2025	6:15:00 AM	0.46
3/28/2025	6:30:00 AM	0.46
3/28/2025	6:45:00 AM	0.46
3/28/2025	7:00:00 AM	0.46
3/28/2025	7:15:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/28/2025	7:30:00 AM	0.46
3/28/2025	7:45:00 AM	0.46
3/28/2025	8:00:00 AM	0.46
3/28/2025	8:15:00 AM	0.46
3/28/2025	8:30:00 AM	0.46
3/28/2025	8:45:00 AM	0.45
3/28/2025	9:00:00 AM	0.45
3/28/2025	9:15:00 AM	0.45
3/28/2025	9:30:00 AM	0.45
3/28/2025	9:45:00 AM	0.45
3/28/2025	10:00:00 AM	0.45
3/28/2025	10:15:00 AM	0.45
3/28/2025	10:30:00 AM	0.44
3/28/2025	10:45:00 AM	0.44
3/28/2025	11:00:00 AM	0.44
3/28/2025	11:15:00 AM	0.44
3/28/2025	11:30:00 AM	0.44
3/28/2025	11:45:00 AM	0.44
3/28/2025	12:00:00 PM	0.44
3/28/2025	12:15:00 PM	0.44
3/28/2025	12:30:00 PM	0.44
3/28/2025	12:45:00 PM	0.43
3/28/2025	1:00:00 PM	0.43
3/28/2025	1:15:00 PM	0.43
3/28/2025	1:30:00 PM	0.43
3/28/2025	1:45:00 PM	0.43
3/28/2025	2:00:00 PM	0.43
3/28/2025	2:15:00 PM	0.43
3/28/2025	2:30:00 PM	0.43
3/28/2025	2:45:00 PM	0.43
3/28/2025	3:00:00 PM	0.43
3/28/2025	3:15:00 PM	0.43
3/28/2025	3:30:00 PM	0.43
3/28/2025	3:45:00 PM	0.43
3/28/2025	4:00:00 PM	0.43
3/28/2025	4:15:00 PM	0.43
3/28/2025	4:30:00 PM	0.43
3/28/2025	4:45:00 PM	0.43
3/28/2025	5:00:00 PM	0.43
3/28/2025	5:15:00 PM	0.42
3/28/2025	5:30:00 PM	0.42
3/28/2025	5:45:00 PM	0.42
3/28/2025	6:00:00 PM	0.42
3/28/2025	6:15:00 PM	0.42
3/28/2025	6:30:00 PM	0.42
3/28/2025	6:45:00 PM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/28/2025	7:00:00 PM	0.41
3/28/2025	7:15:00 PM	0.41
3/28/2025	7:30:00 PM	0.41
3/28/2025	7:45:00 PM	0.41
3/28/2025	8:00:00 PM	0.41
3/28/2025	8:15:00 PM	0.41
3/28/2025	8:30:00 PM	0.41
3/28/2025	8:45:00 PM	0.4
3/28/2025	9:00:00 PM	0.4
3/28/2025	9:15:00 PM	0.4
3/28/2025	9:30:00 PM	0.4
3/28/2025	9:45:00 PM	0.4
3/28/2025	10:00:00 PM	0.39
3/28/2025	10:15:00 PM	0.39
3/28/2025	10:30:00 PM	0.39
3/28/2025	10:45:00 PM	0.39
3/28/2025	11:00:00 PM	0.39
3/28/2025	11:15:00 PM	0.39
3/28/2025	11:30:00 PM	0.39
3/28/2025	11:45:00 PM	0.39
3/29/2025	12:00:00 AM	0.39
3/29/2025	12:15:00 AM	0.39
3/29/2025	12:30:00 AM	0.39
3/29/2025	12:45:00 AM	0.39
3/29/2025	1:00:00 AM	0.39
3/29/2025	1:15:00 AM	0.39
3/29/2025	1:30:00 AM	0.39
3/29/2025	1:45:00 AM	0.4
3/29/2025	2:00:00 AM	0.4
3/29/2025	2:15:00 AM	0.4
3/29/2025	2:30:00 AM	0.4
3/29/2025	2:45:00 AM	0.4
3/29/2025	3:00:00 AM	0.4
3/29/2025	3:15:00 AM	0.4
3/29/2025	3:30:00 AM	0.4
3/29/2025	3:45:00 AM	0.4
3/29/2025	4:00:00 AM	0.4
3/29/2025	4:15:00 AM	0.4
3/29/2025	4:30:00 AM	0.41
3/29/2025	4:45:00 AM	0.41
3/29/2025	5:00:00 AM	0.41
3/29/2025	5:15:00 AM	0.41
3/29/2025	5:30:00 AM	0.41
3/29/2025	5:45:00 AM	0.41
3/29/2025	6:00:00 AM	0.41
3/29/2025	6:15:00 AM	0.41

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/29/2025	6:30:00 AM	0.41
3/29/2025	6:45:00 AM	0.41
3/29/2025	7:00:00 AM	0.41
3/29/2025	7:15:00 AM	0.41
3/29/2025	7:30:00 AM	0.41
3/29/2025	7:45:00 AM	0.41
3/29/2025	8:00:00 AM	0.41
3/29/2025	8:15:00 AM	0.41
3/29/2025	8:30:00 AM	0.41
3/29/2025	8:45:00 AM	0.41
3/29/2025	9:00:00 AM	0.41
3/29/2025	9:15:00 AM	0.41
3/29/2025	9:30:00 AM	0.41
3/29/2025	9:45:00 AM	0.41
3/29/2025	10:00:00 AM	0.41
3/29/2025	10:15:00 AM	0.41
3/29/2025	10:30:00 AM	0.42
3/29/2025	10:45:00 AM	0.42
3/29/2025	11:00:00 AM	0.43
3/29/2025	11:15:00 AM	0.43
3/29/2025	11:30:00 AM	0.43
3/29/2025	11:45:00 AM	0.44
3/29/2025	12:00:00 PM	0.44
3/29/2025	12:15:00 PM	0.45
3/29/2025	12:30:00 PM	0.46
3/29/2025	12:45:00 PM	0.46
3/29/2025	1:00:00 PM	0.46
3/29/2025	1:15:00 PM	0.47
3/29/2025	1:30:00 PM	0.47
3/29/2025	1:45:00 PM	0.48
3/29/2025	2:00:00 PM	0.48
3/29/2025	2:15:00 PM	0.48
3/29/2025	2:30:00 PM	0.49
3/29/2025	2:45:00 PM	0.49
3/29/2025	3:00:00 PM	0.49
3/29/2025	3:15:00 PM	0.5
3/29/2025	3:30:00 PM	0.5
3/29/2025	3:45:00 PM	0.5
3/29/2025	4:00:00 PM	0.5
3/29/2025	4:15:00 PM	0.51
3/29/2025	4:30:00 PM	0.51
3/29/2025	4:45:00 PM	0.51
3/29/2025	5:00:00 PM	0.51
3/29/2025	5:15:00 PM	0.51
3/29/2025	5:30:00 PM	0.52
3/29/2025	5:45:00 PM	0.52

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/29/2025	6:00:00 PM	0.52
3/29/2025	6:15:00 PM	0.52
3/29/2025	6:30:00 PM	0.52
3/29/2025	6:45:00 PM	0.52
3/29/2025	7:00:00 PM	0.52
3/29/2025	7:15:00 PM	0.52
3/29/2025	7:30:00 PM	0.52
3/29/2025	7:45:00 PM	0.52
3/29/2025	8:00:00 PM	0.53
3/29/2025	8:15:00 PM	0.53
3/29/2025	8:30:00 PM	0.53
3/29/2025	8:45:00 PM	0.53
3/29/2025	9:00:00 PM	0.53
3/29/2025	9:15:00 PM	0.53
3/29/2025	9:30:00 PM	0.53
3/29/2025	9:45:00 PM	0.53
3/29/2025	10:00:00 PM	0.53
3/29/2025	10:15:00 PM	0.53
3/29/2025	10:30:00 PM	0.53
3/29/2025	10:45:00 PM	0.53
3/29/2025	11:00:00 PM	0.53
3/29/2025	11:15:00 PM	0.53
3/29/2025	11:30:00 PM	0.53
3/29/2025	11:45:00 PM	0.53
3/30/2025	12:00:00 AM	0.53
3/30/2025	12:15:00 AM	0.53
3/30/2025	12:30:00 AM	0.53
3/30/2025	12:45:00 AM	0.53
3/30/2025	1:00:00 AM	0.53
3/30/2025	1:15:00 AM	0.53
3/30/2025	1:30:00 AM	0.53
3/30/2025	1:45:00 AM	0.53
3/30/2025	2:00:00 AM	0.53
3/30/2025	2:15:00 AM	0.53
3/30/2025	2:30:00 AM	0.54
3/30/2025	2:45:00 AM	0.54
3/30/2025	3:00:00 AM	0.54
3/30/2025	3:15:00 AM	0.54
3/30/2025	3:30:00 AM	0.54
3/30/2025	3:45:00 AM	0.54
3/30/2025	4:00:00 AM	0.54
3/30/2025	4:15:00 AM	0.54
3/30/2025	4:30:00 AM	0.54
3/30/2025	4:45:00 AM	0.54
3/30/2025	5:00:00 AM	0.54
3/30/2025	5:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/30/2025	5:30:00 AM	0.54
3/30/2025	5:45:00 AM	0.54
3/30/2025	6:00:00 AM	0.54
3/30/2025	6:15:00 AM	0.54
3/30/2025	6:30:00 AM	0.54
3/30/2025	6:45:00 AM	0.53
3/30/2025	7:00:00 AM	0.53
3/30/2025	7:15:00 AM	0.53
3/30/2025	7:30:00 AM	0.53
3/30/2025	7:45:00 AM	0.53
3/30/2025	8:00:00 AM	0.53
3/30/2025	8:15:00 AM	0.53
3/30/2025	8:30:00 AM	0.53
3/30/2025	8:45:00 AM	0.53
3/30/2025	9:00:00 AM	0.53
3/30/2025	9:15:00 AM	0.53
3/30/2025	9:30:00 AM	0.54
3/30/2025	9:45:00 AM	0.53
3/30/2025	10:00:00 AM	0.53
3/30/2025	10:15:00 AM	0.53
3/30/2025	10:30:00 AM	0.53
3/30/2025	10:45:00 AM	0.53
3/30/2025	11:00:00 AM	0.53
3/30/2025	11:15:00 AM	0.53
3/30/2025	11:30:00 AM	0.52
3/30/2025	11:45:00 AM	0.52
3/30/2025	12:00:00 PM	0.52
3/30/2025	12:15:00 PM	0.52
3/30/2025	12:30:00 PM	0.52
3/30/2025	12:45:00 PM	0.52
3/30/2025	1:00:00 PM	0.51
3/30/2025	1:15:00 PM	0.51
3/30/2025	1:30:00 PM	0.51
3/30/2025	1:45:00 PM	0.5
3/30/2025	2:00:00 PM	0.5
3/30/2025	2:15:00 PM	0.49
3/30/2025	2:30:00 PM	0.49
3/30/2025	2:45:00 PM	0.49
3/30/2025	3:00:00 PM	0.48
3/30/2025	3:15:00 PM	0.48
3/30/2025	3:30:00 PM	0.48
3/30/2025	3:45:00 PM	0.48
3/30/2025	4:00:00 PM	0.47
3/30/2025	4:15:00 PM	0.47
3/30/2025	4:30:00 PM	0.47
3/30/2025	4:45:00 PM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/30/2025	5:00:00 PM	0.46
3/30/2025	5:15:00 PM	0.46
3/30/2025	5:30:00 PM	0.46
3/30/2025	5:45:00 PM	0.45
3/30/2025	6:00:00 PM	0.45
3/30/2025	6:15:00 PM	0.44
3/30/2025	6:30:00 PM	0.44
3/30/2025	6:45:00 PM	0.44
3/30/2025	7:00:00 PM	0.44
3/30/2025	7:15:00 PM	0.44
3/30/2025	7:30:00 PM	0.44
3/30/2025	7:45:00 PM	0.44
3/30/2025	8:00:00 PM	0.43
3/30/2025	8:15:00 PM	0.43
3/30/2025	8:30:00 PM	0.43
3/30/2025	8:45:00 PM	0.43
3/30/2025	9:00:00 PM	0.42
3/30/2025	9:15:00 PM	0.42
3/30/2025	9:30:00 PM	0.42
3/30/2025	9:45:00 PM	0.42
3/30/2025	10:00:00 PM	0.42
3/30/2025	10:15:00 PM	0.42
3/30/2025	10:30:00 PM	0.42
3/30/2025	10:45:00 PM	0.41
3/30/2025	11:00:00 PM	0.41
3/30/2025	11:15:00 PM	0.41
3/30/2025	11:30:00 PM	0.41
3/30/2025	11:45:00 PM	0.41
3/31/2025	12:00:00 AM	0.41
3/31/2025	12:15:00 AM	0.41
3/31/2025	12:30:00 AM	0.41
3/31/2025	12:45:00 AM	0.41
3/31/2025	1:00:00 AM	0.4
3/31/2025	1:15:00 AM	0.41
3/31/2025	1:30:00 AM	0.4
3/31/2025	1:45:00 AM	0.41
3/31/2025	2:00:00 AM	0.4
3/31/2025	2:15:00 AM	0.4
3/31/2025	2:30:00 AM	0.4
3/31/2025	2:45:00 AM	0.4
3/31/2025	3:00:00 AM	0.4
3/31/2025	3:15:00 AM	0.4
3/31/2025	3:30:00 AM	0.4
3/31/2025	3:45:00 AM	0.4
3/31/2025	4:00:00 AM	0.4
3/31/2025	4:15:00 AM	0.4

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/31/2025	4:30:00 AM	0.4
3/31/2025	4:45:00 AM	0.4
3/31/2025	5:00:00 AM	0.4
3/31/2025	5:15:00 AM	0.4
3/31/2025	5:30:00 AM	0.41
3/31/2025	5:45:00 AM	0.41
3/31/2025	6:00:00 AM	0.41
3/31/2025	6:15:00 AM	0.41
3/31/2025	6:30:00 AM	0.42
3/31/2025	6:45:00 AM	0.41
3/31/2025	7:00:00 AM	0.41
3/31/2025	7:15:00 AM	0.41
3/31/2025	7:30:00 AM	0.41
3/31/2025	7:45:00 AM	0.4
3/31/2025	8:00:00 AM	0.4
3/31/2025	8:15:00 AM	0.39
3/31/2025	8:30:00 AM	0.39
3/31/2025	8:45:00 AM	0.4
3/31/2025	9:00:00 AM	0.38
3/31/2025	9:15:00 AM	0.38
3/31/2025	9:30:00 AM	0.37
3/31/2025	9:45:00 AM	0.37
3/31/2025	10:00:00 AM	0.37
3/31/2025	10:15:00 AM	0.37
3/31/2025	10:30:00 AM	0.36
3/31/2025	10:45:00 AM	0.36
3/31/2025	11:00:00 AM	0.36
3/31/2025	11:15:00 AM	0.36
3/31/2025	11:30:00 AM	0.35
3/31/2025	11:45:00 AM	0.35
3/31/2025	12:00:00 PM	0.35
3/31/2025	12:15:00 PM	0.35
3/31/2025	12:30:00 PM	0.34
3/31/2025	12:45:00 PM	0.34
3/31/2025	1:00:00 PM	0.34
3/31/2025	1:15:00 PM	0.34
3/31/2025	1:30:00 PM	0.34
3/31/2025	1:45:00 PM	0.34
3/31/2025	2:00:00 PM	0.33
3/31/2025	2:15:00 PM	0.33
3/31/2025	2:30:00 PM	0.33
3/31/2025	2:45:00 PM	0.33
3/31/2025	3:00:00 PM	0.33
3/31/2025	3:15:00 PM	0.34
3/31/2025	3:30:00 PM	0.34
3/31/2025	3:45:00 PM	0.34

Blackrock Return Ditch Gage

DATE	TIME	GAGE
3/31/2025	4:00:00 PM	0.34
3/31/2025	4:15:00 PM	0.34
3/31/2025	4:30:00 PM	0.34
3/31/2025	4:45:00 PM	0.35
3/31/2025	5:00:00 PM	0.35
3/31/2025	5:15:00 PM	0.35
3/31/2025	5:30:00 PM	0.35
3/31/2025	5:45:00 PM	0.36
3/31/2025	6:00:00 PM	0.36
3/31/2025	6:15:00 PM	0.36
3/31/2025	6:30:00 PM	0.36
3/31/2025	6:45:00 PM	0.36
3/31/2025	7:00:00 PM	0.37
3/31/2025	7:15:00 PM	0.37
3/31/2025	7:30:00 PM	0.37
3/31/2025	7:45:00 PM	0.37
3/31/2025	8:00:00 PM	0.38
3/31/2025	8:15:00 PM	0.38
3/31/2025	8:30:00 PM	0.38
3/31/2025	8:45:00 PM	0.38
3/31/2025	9:00:00 PM	0.38
3/31/2025	9:15:00 PM	0.39
3/31/2025	9:30:00 PM	0.39
3/31/2025	9:45:00 PM	0.39
3/31/2025	10:00:00 PM	0.39
3/31/2025	10:15:00 PM	0.39
3/31/2025	10:30:00 PM	0.39
3/31/2025	10:45:00 PM	0.4
3/31/2025	11:00:00 PM	0.4
3/31/2025	11:15:00 PM	0.4
3/31/2025	11:30:00 PM	0.4
3/31/2025	11:45:00 PM	0.4

Billy Lake Return
Station 0213

Date	Flow (cfs)
3/1/2025	0.95
3/2/2025	1.04
3/3/2025	1.11
3/4/2025	1.72
3/5/2025	1.94
3/6/2025	1.62
3/7/2025	1.60
3/8/2025	1.60
3/9/2025	1.65
3/10/2025	1.53
3/11/2025	1.29
3/12/2025	1.23
3/13/2025	1.21
3/14/2025	1.22
3/15/2025	1.30
3/16/2025	1.32
3/17/2025	1.35
3/18/2025	1.20
3/19/2025	1.22
3/20/2025	1.37
3/21/2025	1.35
3/22/2025	1.23
3/23/2025	1.16
3/24/2025	1.18
3/25/2025	1.17
3/26/2025	1.38
3/27/2025	1.32
3/28/2025	1.02
3/29/2025	0.99
3/30/2025	1.58
3/31/2025	2.01

Billy Lake Return Gage

DATE	TIME	GAGE
3/1/2025	12:00:00 AM	0.18
3/1/2025	12:15:00 AM	0.18
3/1/2025	12:30:00 AM	0.18
3/1/2025	12:45:00 AM	0.18
3/1/2025	1:00:00 AM	0.17
3/1/2025	1:15:00 AM	0.17
3/1/2025	1:30:00 AM	0.17
3/1/2025	1:45:00 AM	0.17
3/1/2025	2:00:00 AM	0.17
3/1/2025	2:15:00 AM	0.17
3/1/2025	2:30:00 AM	0.17
3/1/2025	2:45:00 AM	0.17
3/1/2025	3:00:00 AM	0.17
3/1/2025	3:15:00 AM	0.16
3/1/2025	3:30:00 AM	0.16
3/1/2025	3:45:00 AM	0.16
3/1/2025	4:00:00 AM	0.16
3/1/2025	4:15:00 AM	0.16
3/1/2025	4:30:00 AM	0.16
3/1/2025	4:45:00 AM	0.16
3/1/2025	5:00:00 AM	0.16
3/1/2025	5:15:00 AM	0.16
3/1/2025	5:30:00 AM	0.16
3/1/2025	5:45:00 AM	0.16
3/1/2025	6:00:00 AM	0.16
3/1/2025	6:15:00 AM	0.16
3/1/2025	6:30:00 AM	0.15
3/1/2025	6:45:00 AM	0.15
3/1/2025	7:00:00 AM	0.15
3/1/2025	7:15:00 AM	0.16
3/1/2025	7:30:00 AM	0.16
3/1/2025	7:45:00 AM	0.17
3/1/2025	8:00:00 AM	0.18
3/1/2025	8:15:00 AM	0.19
3/1/2025	8:30:00 AM	0.2
3/1/2025	8:45:00 AM	0.2
3/1/2025	9:00:00 AM	0.21
3/1/2025	9:15:00 AM	0.22
3/1/2025	9:30:00 AM	0.22
3/1/2025	9:45:00 AM	0.23
3/1/2025	10:00:00 AM	0.23
3/1/2025	10:15:00 AM	0.24
3/1/2025	10:30:00 AM	0.25
3/1/2025	10:45:00 AM	0.25
3/1/2025	11:00:00 AM	0.25
3/1/2025	11:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
3/1/2025	11:30:00 AM	0.26
3/1/2025	11:45:00 AM	0.26
3/1/2025	12:00:00 PM	0.27
3/1/2025	12:15:00 PM	0.27
3/1/2025	12:30:00 PM	0.27
3/1/2025	12:45:00 PM	0.28
3/1/2025	1:00:00 PM	0.28
3/1/2025	1:15:00 PM	0.28
3/1/2025	1:30:00 PM	0.29
3/1/2025	1:45:00 PM	0.29
3/1/2025	2:00:00 PM	0.29
3/1/2025	2:15:00 PM	0.29
3/1/2025	2:30:00 PM	0.29
3/1/2025	2:45:00 PM	0.3
3/1/2025	3:00:00 PM	0.3
3/1/2025	3:15:00 PM	0.3
3/1/2025	3:30:00 PM	0.3
3/1/2025	3:45:00 PM	0.3
3/1/2025	4:00:00 PM	0.31
3/1/2025	4:15:00 PM	0.31
3/1/2025	4:30:00 PM	0.31
3/1/2025	4:45:00 PM	0.31
3/1/2025	5:00:00 PM	0.31
3/1/2025	5:15:00 PM	0.31
3/1/2025	5:30:00 PM	0.31
3/1/2025	5:45:00 PM	0.31
3/1/2025	6:00:00 PM	0.31
3/1/2025	6:15:00 PM	0.31
3/1/2025	6:30:00 PM	0.32
3/1/2025	6:45:00 PM	0.32
3/1/2025	7:00:00 PM	0.32
3/1/2025	7:15:00 PM	0.32
3/1/2025	7:30:00 PM	0.32
3/1/2025	7:45:00 PM	0.32
3/1/2025	8:00:00 PM	0.32
3/1/2025	8:15:00 PM	0.32
3/1/2025	8:30:00 PM	0.32
3/1/2025	8:45:00 PM	0.32
3/1/2025	9:00:00 PM	0.32
3/1/2025	9:15:00 PM	0.32
3/1/2025	9:30:00 PM	0.32
3/1/2025	9:45:00 PM	0.32
3/1/2025	10:00:00 PM	0.32
3/1/2025	10:15:00 PM	0.32
3/1/2025	10:30:00 PM	0.32
3/1/2025	10:45:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/1/2025	11:00:00 PM	0.32
3/1/2025	11:15:00 PM	0.32
3/1/2025	11:30:00 PM	0.32
3/1/2025	11:45:00 PM	0.32
3/2/2025	12:00:00 AM	0.32
3/2/2025	12:15:00 AM	0.32
3/2/2025	12:30:00 AM	0.32
3/2/2025	12:45:00 AM	0.32
3/2/2025	1:00:00 AM	0.32
3/2/2025	1:15:00 AM	0.33
3/2/2025	1:30:00 AM	0.33
3/2/2025	1:45:00 AM	0.33
3/2/2025	2:00:00 AM	0.33
3/2/2025	2:15:00 AM	0.33
3/2/2025	2:30:00 AM	0.33
3/2/2025	2:45:00 AM	0.33
3/2/2025	3:00:00 AM	0.33
3/2/2025	3:15:00 AM	0.33
3/2/2025	3:30:00 AM	0.33
3/2/2025	3:45:00 AM	0.33
3/2/2025	4:00:00 AM	0.33
3/2/2025	4:15:00 AM	0.33
3/2/2025	4:30:00 AM	0.33
3/2/2025	4:45:00 AM	0.33
3/2/2025	5:00:00 AM	0.33
3/2/2025	5:15:00 AM	0.33
3/2/2025	5:30:00 AM	0.33
3/2/2025	5:45:00 AM	0.33
3/2/2025	6:00:00 AM	0.33
3/2/2025	6:15:00 AM	0.33
3/2/2025	6:30:00 AM	0.33
3/2/2025	6:45:00 AM	0.33
3/2/2025	7:00:00 AM	0.34
3/2/2025	7:15:00 AM	0.34
3/2/2025	7:30:00 AM	0.34
3/2/2025	7:45:00 AM	0.35
3/2/2025	8:00:00 AM	0.35
3/2/2025	8:15:00 AM	0.35
3/2/2025	8:30:00 AM	0.35
3/2/2025	8:45:00 AM	0.36
3/2/2025	9:00:00 AM	0.36
3/2/2025	9:15:00 AM	0.36
3/2/2025	9:30:00 AM	0.36
3/2/2025	9:45:00 AM	0.35
3/2/2025	10:00:00 AM	0.34
3/2/2025	10:15:00 AM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
3/2/2025	10:30:00 AM	0.33
3/2/2025	10:45:00 AM	0.32
3/2/2025	11:00:00 AM	0.31
3/2/2025	11:15:00 AM	0.31
3/2/2025	11:30:00 AM	0.3
3/2/2025	11:45:00 AM	0.29
3/2/2025	12:00:00 PM	0.28
3/2/2025	12:15:00 PM	0.27
3/2/2025	12:30:00 PM	0.27
3/2/2025	12:45:00 PM	0.26
3/2/2025	1:00:00 PM	0.26
3/2/2025	1:15:00 PM	0.25
3/2/2025	1:30:00 PM	0.25
3/2/2025	1:45:00 PM	0.24
3/2/2025	2:00:00 PM	0.24
3/2/2025	2:15:00 PM	0.23
3/2/2025	2:30:00 PM	0.23
3/2/2025	2:45:00 PM	0.22
3/2/2025	3:00:00 PM	0.22
3/2/2025	3:15:00 PM	0.22
3/2/2025	3:30:00 PM	0.21
3/2/2025	3:45:00 PM	0.21
3/2/2025	4:00:00 PM	0.21
3/2/2025	4:15:00 PM	0.2
3/2/2025	4:30:00 PM	0.2
3/2/2025	4:45:00 PM	0.2
3/2/2025	5:00:00 PM	0.19
3/2/2025	5:15:00 PM	0.19
3/2/2025	5:30:00 PM	0.19
3/2/2025	5:45:00 PM	0.19
3/2/2025	6:00:00 PM	0.18
3/2/2025	6:15:00 PM	0.18
3/2/2025	6:30:00 PM	0.18
3/2/2025	6:45:00 PM	0.18
3/2/2025	7:00:00 PM	0.18
3/2/2025	7:15:00 PM	0.17
3/2/2025	7:30:00 PM	0.17
3/2/2025	7:45:00 PM	0.17
3/2/2025	8:00:00 PM	0.17
3/2/2025	8:15:00 PM	0.17
3/2/2025	8:30:00 PM	0.16
3/2/2025	8:45:00 PM	0.16
3/2/2025	9:00:00 PM	0.16
3/2/2025	9:15:00 PM	0.16
3/2/2025	9:30:00 PM	0.16
3/2/2025	9:45:00 PM	0.16

Billy Lake Return Gage

DATE	TIME	GAGE
3/2/2025	10:00:00 PM	0.16
3/2/2025	10:15:00 PM	0.16
3/2/2025	10:30:00 PM	0.16
3/2/2025	10:45:00 PM	0.15
3/2/2025	11:00:00 PM	0.15
3/2/2025	11:15:00 PM	0.15
3/2/2025	11:30:00 PM	0.15
3/2/2025	11:45:00 PM	0.15
3/3/2025	12:00:00 AM	0.15
3/3/2025	12:15:00 AM	0.15
3/3/2025	12:30:00 AM	0.15
3/3/2025	12:45:00 AM	0.15
3/3/2025	1:00:00 AM	0.15
3/3/2025	1:15:00 AM	0.15
3/3/2025	1:30:00 AM	0.14
3/3/2025	1:45:00 AM	0.14
3/3/2025	2:00:00 AM	0.14
3/3/2025	2:15:00 AM	0.14
3/3/2025	2:30:00 AM	0.14
3/3/2025	2:45:00 AM	0.14
3/3/2025	3:00:00 AM	0.14
3/3/2025	3:15:00 AM	0.14
3/3/2025	3:30:00 AM	0.14
3/3/2025	3:45:00 AM	0.14
3/3/2025	4:00:00 AM	0.14
3/3/2025	4:15:00 AM	0.14
3/3/2025	4:30:00 AM	0.14
3/3/2025	4:45:00 AM	0.14
3/3/2025	5:00:00 AM	0.14
3/3/2025	5:15:00 AM	0.13
3/3/2025	5:30:00 AM	0.13
3/3/2025	5:45:00 AM	0.13
3/3/2025	6:00:00 AM	0.13
3/3/2025	6:15:00 AM	0.13
3/3/2025	6:30:00 AM	0.13
3/3/2025	6:45:00 AM	0.13
3/3/2025	7:00:00 AM	0.15
3/3/2025	7:15:00 AM	0.23
3/3/2025	7:30:00 AM	0.26
3/3/2025	7:45:00 AM	0.28
3/3/2025	8:00:00 AM	0.29
3/3/2025	8:15:00 AM	0.29
3/3/2025	8:30:00 AM	0.3
3/3/2025	8:45:00 AM	0.3
3/3/2025	9:00:00 AM	0.31
3/3/2025	9:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/3/2025	9:30:00 AM	0.31
3/3/2025	9:45:00 AM	0.32
3/3/2025	10:00:00 AM	0.33
3/3/2025	10:15:00 AM	0.35
3/3/2025	10:30:00 AM	0.4
3/3/2025	10:45:00 AM	0.4
3/3/2025	11:00:00 AM	0.39
3/3/2025	11:15:00 AM	0.39
3/3/2025	11:30:00 AM	0.38
3/3/2025	11:45:00 AM	0.38
3/3/2025	12:00:00 PM	0.38
3/3/2025	12:15:00 PM	0.37
3/3/2025	12:30:00 PM	0.37
3/3/2025	12:45:00 PM	0.37
3/3/2025	1:00:00 PM	0.37
3/3/2025	1:15:00 PM	0.36
3/3/2025	1:30:00 PM	0.36
3/3/2025	1:45:00 PM	0.36
3/3/2025	2:00:00 PM	0.36
3/3/2025	2:15:00 PM	0.36
3/3/2025	2:30:00 PM	0.37
3/3/2025	2:45:00 PM	0.35
3/3/2025	3:00:00 PM	0.3
3/3/2025	3:15:00 PM	0.29
3/3/2025	3:30:00 PM	0.3
3/3/2025	3:45:00 PM	0.3
3/3/2025	4:00:00 PM	0.31
3/3/2025	4:15:00 PM	0.32
3/3/2025	4:30:00 PM	0.32
3/3/2025	4:45:00 PM	0.32
3/3/2025	5:00:00 PM	0.32
3/3/2025	5:15:00 PM	0.32
3/3/2025	5:30:00 PM	0.32
3/3/2025	5:45:00 PM	0.32
3/3/2025	6:00:00 PM	0.32
3/3/2025	6:15:00 PM	0.32
3/3/2025	6:30:00 PM	0.32
3/3/2025	6:45:00 PM	0.32
3/3/2025	7:00:00 PM	0.32
3/3/2025	7:15:00 PM	0.32
3/3/2025	7:30:00 PM	0.32
3/3/2025	7:45:00 PM	0.32
3/3/2025	8:00:00 PM	0.32
3/3/2025	8:15:00 PM	0.32
3/3/2025	8:30:00 PM	0.31
3/3/2025	8:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/3/2025	9:00:00 PM	0.31
3/3/2025	9:15:00 PM	0.31
3/3/2025	9:30:00 PM	0.31
3/3/2025	9:45:00 PM	0.31
3/3/2025	10:00:00 PM	0.31
3/3/2025	10:15:00 PM	0.31
3/3/2025	10:30:00 PM	0.31
3/3/2025	10:45:00 PM	0.31
3/3/2025	11:00:00 PM	0.31
3/3/2025	11:15:00 PM	0.31
3/3/2025	11:30:00 PM	0.31
3/3/2025	11:45:00 PM	0.31
3/4/2025	12:00:00 AM	0.31
3/4/2025	12:15:00 AM	0.31
3/4/2025	12:30:00 AM	0.31
3/4/2025	12:45:00 AM	0.31
3/4/2025	1:00:00 AM	0.31
3/4/2025	1:15:00 AM	0.31
3/4/2025	1:30:00 AM	0.31
3/4/2025	1:45:00 AM	0.31
3/4/2025	2:00:00 AM	0.31
3/4/2025	2:15:00 AM	0.31
3/4/2025	2:30:00 AM	0.31
3/4/2025	2:45:00 AM	0.31
3/4/2025	3:00:00 AM	0.31
3/4/2025	3:15:00 AM	0.31
3/4/2025	3:30:00 AM	0.31
3/4/2025	3:45:00 AM	0.31
3/4/2025	4:00:00 AM	0.31
3/4/2025	4:15:00 AM	0.31
3/4/2025	4:30:00 AM	0.31
3/4/2025	4:45:00 AM	0.31
3/4/2025	5:00:00 AM	0.31
3/4/2025	5:15:00 AM	0.31
3/4/2025	5:30:00 AM	0.31
3/4/2025	5:45:00 AM	0.31
3/4/2025	6:00:00 AM	0.31
3/4/2025	6:15:00 AM	0.31
3/4/2025	6:30:00 AM	0.32
3/4/2025	6:45:00 AM	0.32
3/4/2025	7:00:00 AM	0.33
3/4/2025	7:15:00 AM	0.33
3/4/2025	7:30:00 AM	0.34
3/4/2025	7:45:00 AM	0.34
3/4/2025	8:00:00 AM	0.35
3/4/2025	8:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
3/4/2025	8:30:00 AM	0.36
3/4/2025	8:45:00 AM	0.36
3/4/2025	9:00:00 AM	0.36
3/4/2025	9:15:00 AM	0.37
3/4/2025	9:30:00 AM	0.37
3/4/2025	9:45:00 AM	0.37
3/4/2025	10:00:00 AM	0.37
3/4/2025	10:15:00 AM	0.38
3/4/2025	10:30:00 AM	0.38
3/4/2025	10:45:00 AM	0.38
3/4/2025	11:00:00 AM	0.38
3/4/2025	11:15:00 AM	0.38
3/4/2025	11:30:00 AM	0.39
3/4/2025	11:45:00 AM	0.39
3/4/2025	12:00:00 PM	0.39
3/4/2025	12:15:00 PM	0.39
3/4/2025	12:30:00 PM	0.39
3/4/2025	12:45:00 PM	0.39
3/4/2025	1:00:00 PM	0.39
3/4/2025	1:15:00 PM	0.39
3/4/2025	1:30:00 PM	0.4
3/4/2025	1:45:00 PM	0.4
3/4/2025	2:00:00 PM	0.4
3/4/2025	2:15:00 PM	0.4
3/4/2025	2:30:00 PM	0.4
3/4/2025	2:45:00 PM	0.4
3/4/2025	3:00:00 PM	0.4
3/4/2025	3:15:00 PM	0.4
3/4/2025	3:30:00 PM	0.4
3/4/2025	3:45:00 PM	0.4
3/4/2025	4:00:00 PM	0.4
3/4/2025	4:15:00 PM	0.4
3/4/2025	4:30:00 PM	0.4
3/4/2025	4:45:00 PM	0.4
3/4/2025	5:00:00 PM	0.4
3/4/2025	5:15:00 PM	0.4
3/4/2025	5:30:00 PM	0.4
3/4/2025	5:45:00 PM	0.41
3/4/2025	6:00:00 PM	0.41
3/4/2025	6:15:00 PM	0.41
3/4/2025	6:30:00 PM	0.41
3/4/2025	6:45:00 PM	0.41
3/4/2025	7:00:00 PM	0.41
3/4/2025	7:15:00 PM	0.41
3/4/2025	7:30:00 PM	0.41
3/4/2025	7:45:00 PM	0.41

Billy Lake Return Gage

DATE	TIME	GAGE
3/4/2025	8:00:00 PM	0.41
3/4/2025	8:15:00 PM	0.41
3/4/2025	8:30:00 PM	0.41
3/4/2025	8:45:00 PM	0.41
3/4/2025	9:00:00 PM	0.41
3/4/2025	9:15:00 PM	0.41
3/4/2025	9:30:00 PM	0.41
3/4/2025	9:45:00 PM	0.41
3/4/2025	10:00:00 PM	0.41
3/4/2025	10:15:00 PM	0.41
3/4/2025	10:30:00 PM	0.41
3/4/2025	10:45:00 PM	0.41
3/4/2025	11:00:00 PM	0.41
3/4/2025	11:15:00 PM	0.41
3/4/2025	11:30:00 PM	0.41
3/4/2025	11:45:00 PM	0.41
3/5/2025	12:00:00 AM	0.41
3/5/2025	12:15:00 AM	0.41
3/5/2025	12:30:00 AM	0.41
3/5/2025	12:45:00 AM	0.41
3/5/2025	1:00:00 AM	0.41
3/5/2025	1:15:00 AM	0.41
3/5/2025	1:30:00 AM	0.41
3/5/2025	1:45:00 AM	0.41
3/5/2025	2:00:00 AM	0.41
3/5/2025	2:15:00 AM	0.41
3/5/2025	2:30:00 AM	0.41
3/5/2025	2:45:00 AM	0.41
3/5/2025	3:00:00 AM	0.41
3/5/2025	3:15:00 AM	0.41
3/5/2025	3:30:00 AM	0.41
3/5/2025	3:45:00 AM	0.41
3/5/2025	4:00:00 AM	0.41
3/5/2025	4:15:00 AM	0.41
3/5/2025	4:30:00 AM	0.41
3/5/2025	4:45:00 AM	0.41
3/5/2025	5:00:00 AM	0.41
3/5/2025	5:15:00 AM	0.41
3/5/2025	5:30:00 AM	0.41
3/5/2025	5:45:00 AM	0.41
3/5/2025	6:00:00 AM	0.41
3/5/2025	6:15:00 AM	0.41
3/5/2025	6:30:00 AM	0.41
3/5/2025	6:45:00 AM	0.41
3/5/2025	7:00:00 AM	0.41
3/5/2025	7:15:00 AM	0.41

Billy Lake Return Gage

DATE	TIME	GAGE
3/5/2025	7:30:00 AM	0.41
3/5/2025	7:45:00 AM	0.41
3/5/2025	8:00:00 AM	0.41
3/5/2025	8:15:00 AM	0.41
3/5/2025	8:30:00 AM	0.41
3/5/2025	8:45:00 AM	0.41
3/5/2025	9:00:00 AM	0.41
3/5/2025	9:15:00 AM	0.41
3/5/2025	9:30:00 AM	0.41
3/5/2025	9:45:00 AM	0.41
3/5/2025	10:00:00 AM	0.41
3/5/2025	10:15:00 AM	0.41
3/5/2025	10:30:00 AM	0.41
3/5/2025	10:45:00 AM	0.41
3/5/2025	11:00:00 AM	0.41
3/5/2025	11:15:00 AM	0.41
3/5/2025	11:30:00 AM	0.41
3/5/2025	11:45:00 AM	0.41
3/5/2025	12:00:00 PM	0.41
3/5/2025	12:15:00 PM	0.41
3/5/2025	12:30:00 PM	0.41
3/5/2025	12:45:00 PM	0.42
3/5/2025	1:00:00 PM	0.42
3/5/2025	1:15:00 PM	0.42
3/5/2025	1:30:00 PM	0.41
3/5/2025	1:45:00 PM	.
3/5/2025	2:00:00 PM	.
3/5/2025	2:15:00 PM	.
3/5/2025	2:30:00 PM	.
3/5/2025	2:45:00 PM	0.41
3/5/2025	3:00:00 PM	0.41
3/5/2025	3:15:00 PM	0.41
3/5/2025	3:30:00 PM	0.41
3/5/2025	3:45:00 PM	0.4
3/5/2025	4:00:00 PM	0.4
3/5/2025	4:15:00 PM	0.4
3/5/2025	4:30:00 PM	0.4
3/5/2025	4:45:00 PM	0.4
3/5/2025	5:00:00 PM	0.4
3/5/2025	5:15:00 PM	0.39
3/5/2025	5:30:00 PM	0.39
3/5/2025	5:45:00 PM	0.39
3/5/2025	6:00:00 PM	0.39
3/5/2025	6:15:00 PM	0.39
3/5/2025	6:30:00 PM	0.39
3/5/2025	6:45:00 PM	0.39

Billy Lake Return Gage

DATE	TIME	GAGE
3/5/2025	7:00:00 PM	0.38
3/5/2025	7:15:00 PM	0.38
3/5/2025	7:30:00 PM	0.38
3/5/2025	7:45:00 PM	0.38
3/5/2025	8:00:00 PM	0.38
3/5/2025	8:15:00 PM	0.38
3/5/2025	8:30:00 PM	0.38
3/5/2025	8:45:00 PM	0.38
3/5/2025	9:00:00 PM	0.38
3/5/2025	9:15:00 PM	0.38
3/5/2025	9:30:00 PM	0.37
3/5/2025	9:45:00 PM	0.37
3/5/2025	10:00:00 PM	0.37
3/5/2025	10:15:00 PM	0.37
3/5/2025	10:30:00 PM	0.37
3/5/2025	10:45:00 PM	0.37
3/5/2025	11:00:00 PM	0.37
3/5/2025	11:15:00 PM	0.37
3/5/2025	11:30:00 PM	0.37
3/5/2025	11:45:00 PM	0.37
3/6/2025	12:00:00 AM	0.37
3/6/2025	12:15:00 AM	0.36
3/6/2025	12:30:00 AM	0.36
3/6/2025	12:45:00 AM	0.36
3/6/2025	1:00:00 AM	0.36
3/6/2025	1:15:00 AM	0.36
3/6/2025	1:30:00 AM	0.36
3/6/2025	1:45:00 AM	0.36
3/6/2025	2:00:00 AM	0.36
3/6/2025	2:15:00 AM	0.36
3/6/2025	2:30:00 AM	0.36
3/6/2025	2:45:00 AM	0.36
3/6/2025	3:00:00 AM	0.36
3/6/2025	3:15:00 AM	0.36
3/6/2025	3:30:00 AM	0.36
3/6/2025	3:45:00 AM	0.36
3/6/2025	4:00:00 AM	0.36
3/6/2025	4:15:00 AM	0.36
3/6/2025	4:30:00 AM	0.36
3/6/2025	4:45:00 AM	0.36
3/6/2025	5:00:00 AM	0.36
3/6/2025	5:15:00 AM	0.35
3/6/2025	5:30:00 AM	0.35
3/6/2025	5:45:00 AM	0.35
3/6/2025	6:00:00 AM	0.35
3/6/2025	6:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
3/6/2025	6:30:00 AM	0.35
3/6/2025	6:45:00 AM	0.35
3/6/2025	7:00:00 AM	0.35
3/6/2025	7:15:00 AM	0.35
3/6/2025	7:30:00 AM	0.35
3/6/2025	7:45:00 AM	0.35
3/6/2025	8:00:00 AM	0.35
3/6/2025	8:15:00 AM	0.35
3/6/2025	8:30:00 AM	0.35
3/6/2025	8:45:00 AM	0.35
3/6/2025	9:00:00 AM	0.35
3/6/2025	9:15:00 AM	0.35
3/6/2025	9:30:00 AM	0.35
3/6/2025	9:45:00 AM	0.35
3/6/2025	10:00:00 AM	0.35
3/6/2025	10:15:00 AM	0.36
3/6/2025	10:30:00 AM	0.35
3/6/2025	10:45:00 AM	0.36
3/6/2025	11:00:00 AM	0.36
3/6/2025	11:15:00 AM	0.36
3/6/2025	11:30:00 AM	0.36
3/6/2025	11:45:00 AM	0.36
3/6/2025	12:00:00 PM	0.36
3/6/2025	12:15:00 PM	0.36
3/6/2025	12:30:00 PM	0.36
3/6/2025	12:45:00 PM	0.36
3/6/2025	1:00:00 PM	0.36
3/6/2025	1:15:00 PM	0.36
3/6/2025	1:30:00 PM	0.36
3/6/2025	1:45:00 PM	0.36
3/6/2025	2:00:00 PM	0.36
3/6/2025	2:15:00 PM	0.36
3/6/2025	2:30:00 PM	0.36
3/6/2025	2:45:00 PM	0.36
3/6/2025	3:00:00 PM	0.36
3/6/2025	3:15:00 PM	0.36
3/6/2025	3:30:00 PM	0.36
3/6/2025	3:45:00 PM	0.36
3/6/2025	4:00:00 PM	0.36
3/6/2025	4:15:00 PM	0.36
3/6/2025	4:30:00 PM	0.36
3/6/2025	4:45:00 PM	0.36
3/6/2025	5:00:00 PM	0.36
3/6/2025	5:15:00 PM	0.36
3/6/2025	5:30:00 PM	0.36
3/6/2025	5:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
3/6/2025	6:00:00 PM	0.36
3/6/2025	6:15:00 PM	0.36
3/6/2025	6:30:00 PM	0.36
3/6/2025	6:45:00 PM	0.36
3/6/2025	7:00:00 PM	0.36
3/6/2025	7:15:00 PM	0.36
3/6/2025	7:30:00 PM	0.36
3/6/2025	7:45:00 PM	0.36
3/6/2025	8:00:00 PM	0.35
3/6/2025	8:15:00 PM	0.35
3/6/2025	8:30:00 PM	0.35
3/6/2025	8:45:00 PM	0.35
3/6/2025	9:00:00 PM	0.35
3/6/2025	9:15:00 PM	0.35
3/6/2025	9:30:00 PM	0.35
3/6/2025	9:45:00 PM	0.35
3/6/2025	10:00:00 PM	0.35
3/6/2025	10:15:00 PM	0.35
3/6/2025	10:30:00 PM	0.35
3/6/2025	10:45:00 PM	0.35
3/6/2025	11:00:00 PM	0.35
3/6/2025	11:15:00 PM	0.35
3/6/2025	11:30:00 PM	0.35
3/6/2025	11:45:00 PM	0.35
3/7/2025	12:00:00 AM	0.35
3/7/2025	12:15:00 AM	0.35
3/7/2025	12:30:00 AM	0.35
3/7/2025	12:45:00 AM	0.35
3/7/2025	1:00:00 AM	0.35
3/7/2025	1:15:00 AM	0.35
3/7/2025	1:30:00 AM	0.35
3/7/2025	1:45:00 AM	0.35
3/7/2025	2:00:00 AM	0.35
3/7/2025	2:15:00 AM	0.35
3/7/2025	2:30:00 AM	0.35
3/7/2025	2:45:00 AM	0.35
3/7/2025	3:00:00 AM	0.35
3/7/2025	3:15:00 AM	0.35
3/7/2025	3:30:00 AM	0.35
3/7/2025	3:45:00 AM	0.35
3/7/2025	4:00:00 AM	0.35
3/7/2025	4:15:00 AM	0.35
3/7/2025	4:30:00 AM	0.35
3/7/2025	4:45:00 AM	0.35
3/7/2025	5:00:00 AM	0.35
3/7/2025	5:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
3/7/2025	5:30:00 AM	0.35
3/7/2025	5:45:00 AM	0.35
3/7/2025	6:00:00 AM	0.35
3/7/2025	6:15:00 AM	0.35
3/7/2025	6:30:00 AM	0.35
3/7/2025	6:45:00 AM	0.35
3/7/2025	7:00:00 AM	0.35
3/7/2025	7:15:00 AM	0.35
3/7/2025	7:30:00 AM	0.35
3/7/2025	7:45:00 AM	0.35
3/7/2025	8:00:00 AM	0.35
3/7/2025	8:15:00 AM	0.36
3/7/2025	8:30:00 AM	0.36
3/7/2025	8:45:00 AM	0.36
3/7/2025	9:00:00 AM	0.36
3/7/2025	9:15:00 AM	0.36
3/7/2025	9:30:00 AM	0.36
3/7/2025	9:45:00 AM	0.36
3/7/2025	10:00:00 AM	0.36
3/7/2025	10:15:00 AM	0.36
3/7/2025	10:30:00 AM	0.36
3/7/2025	10:45:00 AM	0.36
3/7/2025	11:00:00 AM	0.36
3/7/2025	11:15:00 AM	0.36
3/7/2025	11:30:00 AM	0.36
3/7/2025	11:45:00 AM	0.36
3/7/2025	12:00:00 PM	0.36
3/7/2025	12:15:00 PM	0.36
3/7/2025	12:30:00 PM	0.36
3/7/2025	12:45:00 PM	0.36
3/7/2025	1:00:00 PM	0.36
3/7/2025	1:15:00 PM	0.36
3/7/2025	1:30:00 PM	0.36
3/7/2025	1:45:00 PM	0.36
3/7/2025	2:00:00 PM	0.36
3/7/2025	2:15:00 PM	0.36
3/7/2025	2:30:00 PM	0.36
3/7/2025	2:45:00 PM	0.36
3/7/2025	3:00:00 PM	0.36
3/7/2025	3:15:00 PM	0.36
3/7/2025	3:30:00 PM	0.36
3/7/2025	3:45:00 PM	0.36
3/7/2025	4:00:00 PM	0.36
3/7/2025	4:15:00 PM	0.36
3/7/2025	4:30:00 PM	0.36
3/7/2025	4:45:00 PM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
3/7/2025	5:00:00 PM	0.35
3/7/2025	5:15:00 PM	0.35
3/7/2025	5:30:00 PM	0.35
3/7/2025	5:45:00 PM	0.35
3/7/2025	6:00:00 PM	0.35
3/7/2025	6:15:00 PM	0.35
3/7/2025	6:30:00 PM	0.35
3/7/2025	6:45:00 PM	0.35
3/7/2025	7:00:00 PM	0.35
3/7/2025	7:15:00 PM	0.35
3/7/2025	7:30:00 PM	0.35
3/7/2025	7:45:00 PM	0.35
3/7/2025	8:00:00 PM	0.35
3/7/2025	8:15:00 PM	0.35
3/7/2025	8:30:00 PM	0.35
3/7/2025	8:45:00 PM	0.35
3/7/2025	9:00:00 PM	0.35
3/7/2025	9:15:00 PM	0.35
3/7/2025	9:30:00 PM	0.35
3/7/2025	9:45:00 PM	0.35
3/7/2025	10:00:00 PM	0.35
3/7/2025	10:15:00 PM	0.35
3/7/2025	10:30:00 PM	0.35
3/7/2025	10:45:00 PM	0.35
3/7/2025	11:00:00 PM	0.35
3/7/2025	11:15:00 PM	0.35
3/7/2025	11:30:00 PM	0.35
3/7/2025	11:45:00 PM	0.35
3/8/2025	12:00:00 AM	0.35
3/8/2025	12:15:00 AM	0.35
3/8/2025	12:30:00 AM	0.35
3/8/2025	12:45:00 AM	0.35
3/8/2025	1:00:00 AM	0.35
3/8/2025	1:15:00 AM	0.35
3/8/2025	1:30:00 AM	0.35
3/8/2025	1:45:00 AM	0.35
3/8/2025	2:00:00 AM	0.35
3/8/2025	2:15:00 AM	0.35
3/8/2025	2:30:00 AM	0.35
3/8/2025	2:45:00 AM	0.35
3/8/2025	3:00:00 AM	0.35
3/8/2025	3:15:00 AM	0.35
3/8/2025	3:30:00 AM	0.35
3/8/2025	3:45:00 AM	0.35
3/8/2025	4:00:00 AM	0.35
3/8/2025	4:15:00 AM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
3/8/2025	4:30:00 AM	0.35
3/8/2025	4:45:00 AM	0.35
3/8/2025	5:00:00 AM	0.35
3/8/2025	5:15:00 AM	0.35
3/8/2025	5:30:00 AM	0.35
3/8/2025	5:45:00 AM	0.35
3/8/2025	6:00:00 AM	0.35
3/8/2025	6:15:00 AM	0.35
3/8/2025	6:30:00 AM	0.35
3/8/2025	6:45:00 AM	0.35
3/8/2025	7:00:00 AM	0.35
3/8/2025	7:15:00 AM	0.35
3/8/2025	7:30:00 AM	0.35
3/8/2025	7:45:00 AM	0.35
3/8/2025	8:00:00 AM	0.35
3/8/2025	8:15:00 AM	0.35
3/8/2025	8:30:00 AM	0.35
3/8/2025	8:45:00 AM	0.35
3/8/2025	9:00:00 AM	0.35
3/8/2025	9:15:00 AM	0.35
3/8/2025	9:30:00 AM	0.35
3/8/2025	9:45:00 AM	0.35
3/8/2025	10:00:00 AM	0.35
3/8/2025	10:15:00 AM	0.35
3/8/2025	10:30:00 AM	0.35
3/8/2025	10:45:00 AM	0.35
3/8/2025	11:00:00 AM	0.35
3/8/2025	11:15:00 AM	0.35
3/8/2025	11:30:00 AM	0.35
3/8/2025	11:45:00 AM	0.35
3/8/2025	12:00:00 PM	0.35
3/8/2025	12:15:00 PM	0.35
3/8/2025	12:30:00 PM	0.35
3/8/2025	12:45:00 PM	0.35
3/8/2025	1:00:00 PM	0.35
3/8/2025	1:15:00 PM	0.35
3/8/2025	1:30:00 PM	0.35
3/8/2025	1:45:00 PM	0.35
3/8/2025	2:00:00 PM	0.35
3/8/2025	2:15:00 PM	0.35
3/8/2025	2:30:00 PM	0.35
3/8/2025	2:45:00 PM	0.35
3/8/2025	3:00:00 PM	0.35
3/8/2025	3:15:00 PM	0.36
3/8/2025	3:30:00 PM	0.36
3/8/2025	3:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
3/8/2025	4:00:00 PM	0.36
3/8/2025	4:15:00 PM	0.36
3/8/2025	4:30:00 PM	0.36
3/8/2025	4:45:00 PM	0.36
3/8/2025	5:00:00 PM	0.36
3/8/2025	5:15:00 PM	0.36
3/8/2025	5:30:00 PM	0.36
3/8/2025	5:45:00 PM	0.36
3/8/2025	6:00:00 PM	0.36
3/8/2025	6:15:00 PM	0.36
3/8/2025	6:30:00 PM	0.36
3/8/2025	6:45:00 PM	0.36
3/8/2025	7:00:00 PM	0.36
3/8/2025	7:15:00 PM	0.36
3/8/2025	7:30:00 PM	0.36
3/8/2025	7:45:00 PM	0.36
3/8/2025	8:00:00 PM	0.36
3/8/2025	8:15:00 PM	0.36
3/8/2025	8:30:00 PM	0.36
3/8/2025	8:45:00 PM	0.36
3/8/2025	9:00:00 PM	0.36
3/8/2025	9:15:00 PM	0.36
3/8/2025	9:30:00 PM	0.36
3/8/2025	9:45:00 PM	0.36
3/8/2025	10:00:00 PM	0.36
3/8/2025	10:15:00 PM	0.36
3/8/2025	10:30:00 PM	0.36
3/8/2025	10:45:00 PM	0.36
3/8/2025	11:00:00 PM	0.36
3/8/2025	11:15:00 PM	0.36
3/8/2025	11:30:00 PM	0.36
3/8/2025	11:45:00 PM	0.36
3/9/2025	12:00:00 AM	0.36
3/9/2025	12:15:00 AM	0.36
3/9/2025	12:30:00 AM	0.36
3/9/2025	12:45:00 AM	0.36
3/9/2025	1:00:00 AM	0.36
3/9/2025	1:15:00 AM	0.36
3/9/2025	1:30:00 AM	0.36
3/9/2025	1:45:00 AM	0.36
3/9/2025	2:00:00 AM	0.36
3/9/2025	2:15:00 AM	0.36
3/9/2025	2:30:00 AM	0.36
3/9/2025	2:45:00 AM	0.36
3/9/2025	3:00:00 AM	0.36
3/9/2025	3:15:00 AM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
3/9/2025	3:30:00 AM	0.36
3/9/2025	3:45:00 AM	0.36
3/9/2025	4:00:00 AM	0.36
3/9/2025	4:15:00 AM	0.36
3/9/2025	4:30:00 AM	0.36
3/9/2025	4:45:00 AM	0.36
3/9/2025	5:00:00 AM	0.36
3/9/2025	5:15:00 AM	0.36
3/9/2025	5:30:00 AM	0.36
3/9/2025	5:45:00 AM	0.36
3/9/2025	6:00:00 AM	0.36
3/9/2025	6:15:00 AM	0.36
3/9/2025	6:30:00 AM	0.36
3/9/2025	6:45:00 AM	0.36
3/9/2025	7:00:00 AM	0.36
3/9/2025	7:15:00 AM	0.36
3/9/2025	7:30:00 AM	0.36
3/9/2025	7:45:00 AM	0.36
3/9/2025	8:00:00 AM	0.36
3/9/2025	8:15:00 AM	0.36
3/9/2025	8:30:00 AM	0.36
3/9/2025	8:45:00 AM	0.36
3/9/2025	9:00:00 AM	0.36
3/9/2025	9:15:00 AM	0.36
3/9/2025	9:30:00 AM	0.36
3/9/2025	9:45:00 AM	0.36
3/9/2025	10:00:00 AM	0.36
3/9/2025	10:15:00 AM	0.36
3/9/2025	10:30:00 AM	0.36
3/9/2025	10:45:00 AM	0.36
3/9/2025	11:00:00 AM	0.36
3/9/2025	11:15:00 AM	0.36
3/9/2025	11:30:00 AM	0.36
3/9/2025	11:45:00 AM	0.36
3/9/2025	12:00:00 PM	0.36
3/9/2025	12:15:00 PM	0.36
3/9/2025	12:30:00 PM	0.36
3/9/2025	12:45:00 PM	0.36
3/9/2025	1:00:00 PM	0.36
3/9/2025	1:15:00 PM	0.36
3/9/2025	1:30:00 PM	0.36
3/9/2025	1:45:00 PM	0.36
3/9/2025	2:00:00 PM	0.36
3/9/2025	2:15:00 PM	0.36
3/9/2025	2:30:00 PM	0.36
3/9/2025	2:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
3/9/2025	3:00:00 PM	0.36
3/9/2025	3:15:00 PM	0.36
3/9/2025	3:30:00 PM	0.36
3/9/2025	3:45:00 PM	0.37
3/9/2025	4:00:00 PM	0.36
3/9/2025	4:15:00 PM	0.36
3/9/2025	4:30:00 PM	0.36
3/9/2025	4:45:00 PM	0.36
3/9/2025	5:00:00 PM	0.36
3/9/2025	5:15:00 PM	0.36
3/9/2025	5:30:00 PM	0.36
3/9/2025	5:45:00 PM	0.36
3/9/2025	6:00:00 PM	0.36
3/9/2025	6:15:00 PM	0.36
3/9/2025	6:30:00 PM	0.36
3/9/2025	6:45:00 PM	0.36
3/9/2025	7:00:00 PM	0.37
3/9/2025	7:15:00 PM	0.36
3/9/2025	7:30:00 PM	0.36
3/9/2025	7:45:00 PM	0.37
3/9/2025	8:00:00 PM	0.36
3/9/2025	8:15:00 PM	0.36
3/9/2025	8:30:00 PM	0.36
3/9/2025	8:45:00 PM	0.37
3/9/2025	9:00:00 PM	0.37
3/9/2025	9:15:00 PM	0.36
3/9/2025	9:30:00 PM	0.36
3/9/2025	9:45:00 PM	0.36
3/9/2025	10:00:00 PM	0.36
3/9/2025	10:15:00 PM	0.37
3/9/2025	10:30:00 PM	0.37
3/9/2025	10:45:00 PM	0.36
3/9/2025	11:00:00 PM	0.36
3/9/2025	11:15:00 PM	0.36
3/9/2025	11:30:00 PM	0.37
3/9/2025	11:45:00 PM	0.37
3/10/2025	12:00:00 AM	0.36
3/10/2025	12:15:00 AM	0.36
3/10/2025	12:30:00 AM	0.37
3/10/2025	12:45:00 AM	0.36
3/10/2025	1:00:00 AM	0.37
3/10/2025	1:15:00 AM	0.36
3/10/2025	1:30:00 AM	0.37
3/10/2025	1:45:00 AM	0.37
3/10/2025	2:00:00 AM	0.37
3/10/2025	2:15:00 AM	0.37

Billy Lake Return Gage

DATE	TIME	GAGE
3/10/2025	2:30:00 AM	0.36
3/10/2025	2:45:00 AM	0.37
3/10/2025	3:00:00 AM	0.36
3/10/2025	3:15:00 AM	0.37
3/10/2025	3:30:00 AM	0.37
3/10/2025	3:45:00 AM	0.37
3/10/2025	4:00:00 AM	0.37
3/10/2025	4:15:00 AM	0.37
3/10/2025	4:30:00 AM	0.37
3/10/2025	4:45:00 AM	0.36
3/10/2025	5:00:00 AM	0.36
3/10/2025	5:15:00 AM	0.36
3/10/2025	5:30:00 AM	0.36
3/10/2025	5:45:00 AM	0.36
3/10/2025	6:00:00 AM	0.36
3/10/2025	6:15:00 AM	0.36
3/10/2025	6:30:00 AM	0.36
3/10/2025	6:45:00 AM	0.36
3/10/2025	7:00:00 AM	0.36
3/10/2025	7:15:00 AM	0.36
3/10/2025	7:30:00 AM	0.36
3/10/2025	7:45:00 AM	0.36
3/10/2025	8:00:00 AM	0.36
3/10/2025	8:15:00 AM	0.36
3/10/2025	8:30:00 AM	0.36
3/10/2025	8:45:00 AM	0.36
3/10/2025	9:00:00 AM	0.36
3/10/2025	9:15:00 AM	0.36
3/10/2025	9:30:00 AM	0.36
3/10/2025	9:45:00 AM	0.36
3/10/2025	10:00:00 AM	0.36
3/10/2025	10:15:00 AM	0.36
3/10/2025	10:30:00 AM	0.36
3/10/2025	10:45:00 AM	0.36
3/10/2025	11:00:00 AM	0.36
3/10/2025	11:15:00 AM	0.36
3/10/2025	11:30:00 AM	0.36
3/10/2025	11:45:00 AM	0.36
3/10/2025	12:00:00 PM	0.36
3/10/2025	12:15:00 PM	0.36
3/10/2025	12:30:00 PM	0.36
3/10/2025	12:45:00 PM	0.36
3/10/2025	1:00:00 PM	0.36
3/10/2025	1:15:00 PM	0.36
3/10/2025	1:30:00 PM	0.36
3/10/2025	1:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
3/10/2025	2:00:00 PM	0.36
3/10/2025	2:15:00 PM	0.36
3/10/2025	2:30:00 PM	0.36
3/10/2025	2:45:00 PM	0.36
3/10/2025	3:00:00 PM	0.36
3/10/2025	3:15:00 PM	0.31
3/10/2025	3:30:00 PM	0.31
3/10/2025	3:45:00 PM	0.31
3/10/2025	4:00:00 PM	0.31
3/10/2025	4:15:00 PM	0.31
3/10/2025	4:30:00 PM	0.31
3/10/2025	4:45:00 PM	0.31
3/10/2025	5:00:00 PM	0.31
3/10/2025	5:15:00 PM	0.31
3/10/2025	5:30:00 PM	0.31
3/10/2025	5:45:00 PM	0.31
3/10/2025	6:00:00 PM	0.31
3/10/2025	6:15:00 PM	0.31
3/10/2025	6:30:00 PM	0.31
3/10/2025	6:45:00 PM	0.31
3/10/2025	7:00:00 PM	0.31
3/10/2025	7:15:00 PM	0.31
3/10/2025	7:30:00 PM	0.31
3/10/2025	7:45:00 PM	0.31
3/10/2025	8:00:00 PM	0.31
3/10/2025	8:15:00 PM	0.31
3/10/2025	8:30:00 PM	0.32
3/10/2025	8:45:00 PM	0.31
3/10/2025	9:00:00 PM	0.32
3/10/2025	9:15:00 PM	0.31
3/10/2025	9:30:00 PM	0.31
3/10/2025	9:45:00 PM	0.32
3/10/2025	10:00:00 PM	0.31
3/10/2025	10:15:00 PM	0.32
3/10/2025	10:30:00 PM	0.31
3/10/2025	10:45:00 PM	0.31
3/10/2025	11:00:00 PM	0.31
3/10/2025	11:15:00 PM	0.31
3/10/2025	11:30:00 PM	0.31
3/10/2025	11:45:00 PM	0.31
3/11/2025	12:00:00 AM	0.31
3/11/2025	12:15:00 AM	0.31
3/11/2025	12:30:00 AM	0.31
3/11/2025	12:45:00 AM	0.31
3/11/2025	1:00:00 AM	0.31
3/11/2025	1:15:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/11/2025	1:30:00 AM	0.31
3/11/2025	1:45:00 AM	0.31
3/11/2025	2:00:00 AM	0.31
3/11/2025	2:15:00 AM	0.31
3/11/2025	2:30:00 AM	0.31
3/11/2025	2:45:00 AM	0.31
3/11/2025	3:00:00 AM	0.31
3/11/2025	3:15:00 AM	0.31
3/11/2025	3:30:00 AM	0.31
3/11/2025	3:45:00 AM	0.31
3/11/2025	4:00:00 AM	0.31
3/11/2025	4:15:00 AM	0.31
3/11/2025	4:30:00 AM	0.31
3/11/2025	4:45:00 AM	0.31
3/11/2025	5:00:00 AM	0.31
3/11/2025	5:15:00 AM	0.31
3/11/2025	5:30:00 AM	0.31
3/11/2025	5:45:00 AM	0.31
3/11/2025	6:00:00 AM	0.31
3/11/2025	6:15:00 AM	0.31
3/11/2025	6:30:00 AM	0.31
3/11/2025	6:45:00 AM	0.31
3/11/2025	7:00:00 AM	0.31
3/11/2025	7:15:00 AM	0.31
3/11/2025	7:30:00 AM	0.31
3/11/2025	7:45:00 AM	0.31
3/11/2025	8:00:00 AM	0.31
3/11/2025	8:15:00 AM	0.31
3/11/2025	8:30:00 AM	0.31
3/11/2025	8:45:00 AM	0.31
3/11/2025	9:00:00 AM	0.31
3/11/2025	9:15:00 AM	0.31
3/11/2025	9:30:00 AM	0.31
3/11/2025	9:45:00 AM	0.31
3/11/2025	10:00:00 AM	0.31
3/11/2025	10:15:00 AM	0.31
3/11/2025	10:30:00 AM	0.31
3/11/2025	10:45:00 AM	0.31
3/11/2025	11:00:00 AM	0.31
3/11/2025	11:15:00 AM	0.31
3/11/2025	11:30:00 AM	0.31
3/11/2025	11:45:00 AM	0.31
3/11/2025	12:00:00 PM	0.31
3/11/2025	12:15:00 PM	0.31
3/11/2025	12:30:00 PM	0.31
3/11/2025	12:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/11/2025	1:00:00 PM	0.31
3/11/2025	1:15:00 PM	0.31
3/11/2025	1:30:00 PM	0.31
3/11/2025	1:45:00 PM	0.31
3/11/2025	2:00:00 PM	0.31
3/11/2025	2:15:00 PM	0.32
3/11/2025	2:30:00 PM	0.31
3/11/2025	2:45:00 PM	0.31
3/11/2025	3:00:00 PM	0.31
3/11/2025	3:15:00 PM	0.32
3/11/2025	3:30:00 PM	0.31
3/11/2025	3:45:00 PM	0.31
3/11/2025	4:00:00 PM	0.31
3/11/2025	4:15:00 PM	0.31
3/11/2025	4:30:00 PM	0.31
3/11/2025	4:45:00 PM	0.31
3/11/2025	5:00:00 PM	0.31
3/11/2025	5:15:00 PM	0.31
3/11/2025	5:30:00 PM	0.31
3/11/2025	5:45:00 PM	0.31
3/11/2025	6:00:00 PM	0.31
3/11/2025	6:15:00 PM	0.31
3/11/2025	6:30:00 PM	0.31
3/11/2025	6:45:00 PM	0.31
3/11/2025	7:00:00 PM	0.31
3/11/2025	7:15:00 PM	0.31
3/11/2025	7:30:00 PM	0.31
3/11/2025	7:45:00 PM	0.31
3/11/2025	8:00:00 PM	0.31
3/11/2025	8:15:00 PM	0.3
3/11/2025	8:30:00 PM	0.3
3/11/2025	8:45:00 PM	0.3
3/11/2025	9:00:00 PM	0.3
3/11/2025	9:15:00 PM	0.3
3/11/2025	9:30:00 PM	0.3
3/11/2025	9:45:00 PM	0.3
3/11/2025	10:00:00 PM	0.3
3/11/2025	10:15:00 PM	0.3
3/11/2025	10:30:00 PM	0.3
3/11/2025	10:45:00 PM	0.3
3/11/2025	11:00:00 PM	0.3
3/11/2025	11:15:00 PM	0.3
3/11/2025	11:30:00 PM	0.3
3/11/2025	11:45:00 PM	0.3
3/12/2025	12:00:00 AM	0.3
3/12/2025	12:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/12/2025	12:30:00 AM	0.3
3/12/2025	12:45:00 AM	0.3
3/12/2025	1:00:00 AM	0.3
3/12/2025	1:15:00 AM	0.3
3/12/2025	1:30:00 AM	0.3
3/12/2025	1:45:00 AM	0.3
3/12/2025	2:00:00 AM	0.3
3/12/2025	2:15:00 AM	0.3
3/12/2025	2:30:00 AM	0.3
3/12/2025	2:45:00 AM	0.3
3/12/2025	3:00:00 AM	0.3
3/12/2025	3:15:00 AM	0.3
3/12/2025	3:30:00 AM	0.3
3/12/2025	3:45:00 AM	0.3
3/12/2025	4:00:00 AM	0.3
3/12/2025	4:15:00 AM	0.3
3/12/2025	4:30:00 AM	0.3
3/12/2025	4:45:00 AM	0.3
3/12/2025	5:00:00 AM	0.3
3/12/2025	5:15:00 AM	0.3
3/12/2025	5:30:00 AM	0.3
3/12/2025	5:45:00 AM	0.3
3/12/2025	6:00:00 AM	0.3
3/12/2025	6:15:00 AM	0.3
3/12/2025	6:30:00 AM	0.3
3/12/2025	6:45:00 AM	0.3
3/12/2025	7:00:00 AM	0.3
3/12/2025	7:15:00 AM	0.3
3/12/2025	7:30:00 AM	0.3
3/12/2025	7:45:00 AM	0.3
3/12/2025	8:00:00 AM	0.3
3/12/2025	8:15:00 AM	0.3
3/12/2025	8:30:00 AM	0.3
3/12/2025	8:45:00 AM	0.3
3/12/2025	9:00:00 AM	0.3
3/12/2025	9:15:00 AM	0.3
3/12/2025	9:30:00 AM	0.3
3/12/2025	9:45:00 AM	0.3
3/12/2025	10:00:00 AM	0.3
3/12/2025	10:15:00 AM	0.3
3/12/2025	10:30:00 AM	0.3
3/12/2025	10:45:00 AM	0.3
3/12/2025	11:00:00 AM	0.3
3/12/2025	11:15:00 AM	0.3
3/12/2025	11:30:00 AM	0.3
3/12/2025	11:45:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/12/2025	12:00:00 PM	0.3
3/12/2025	12:15:00 PM	0.3
3/12/2025	12:30:00 PM	0.3
3/12/2025	12:45:00 PM	0.3
3/12/2025	1:00:00 PM	0.3
3/12/2025	1:15:00 PM	0.3
3/12/2025	1:30:00 PM	0.3
3/12/2025	1:45:00 PM	0.3
3/12/2025	2:00:00 PM	0.3
3/12/2025	2:15:00 PM	0.3
3/12/2025	2:30:00 PM	0.3
3/12/2025	2:45:00 PM	0.3
3/12/2025	3:00:00 PM	0.3
3/12/2025	3:15:00 PM	0.3
3/12/2025	3:30:00 PM	0.3
3/12/2025	3:45:00 PM	0.3
3/12/2025	4:00:00 PM	0.3
3/12/2025	4:15:00 PM	0.3
3/12/2025	4:30:00 PM	0.3
3/12/2025	4:45:00 PM	0.3
3/12/2025	5:00:00 PM	0.3
3/12/2025	5:15:00 PM	0.3
3/12/2025	5:30:00 PM	0.3
3/12/2025	5:45:00 PM	0.3
3/12/2025	6:00:00 PM	0.3
3/12/2025	6:15:00 PM	0.3
3/12/2025	6:30:00 PM	0.3
3/12/2025	6:45:00 PM	0.3
3/12/2025	7:00:00 PM	0.3
3/12/2025	7:15:00 PM	0.3
3/12/2025	7:30:00 PM	0.3
3/12/2025	7:45:00 PM	0.3
3/12/2025	8:00:00 PM	0.3
3/12/2025	8:15:00 PM	0.3
3/12/2025	8:30:00 PM	0.3
3/12/2025	8:45:00 PM	0.29
3/12/2025	9:00:00 PM	0.3
3/12/2025	9:15:00 PM	0.3
3/12/2025	9:30:00 PM	0.29
3/12/2025	9:45:00 PM	0.3
3/12/2025	10:00:00 PM	0.29
3/12/2025	10:15:00 PM	0.3
3/12/2025	10:30:00 PM	0.29
3/12/2025	10:45:00 PM	0.29
3/12/2025	11:00:00 PM	0.3
3/12/2025	11:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/12/2025	11:30:00 PM	0.29
3/12/2025	11:45:00 PM	0.3
3/13/2025	12:00:00 AM	0.3
3/13/2025	12:15:00 AM	0.3
3/13/2025	12:30:00 AM	0.3
3/13/2025	12:45:00 AM	0.3
3/13/2025	1:00:00 AM	0.3
3/13/2025	1:15:00 AM	0.29
3/13/2025	1:30:00 AM	0.3
3/13/2025	1:45:00 AM	0.3
3/13/2025	2:00:00 AM	0.3
3/13/2025	2:15:00 AM	0.3
3/13/2025	2:30:00 AM	0.3
3/13/2025	2:45:00 AM	0.3
3/13/2025	3:00:00 AM	0.3
3/13/2025	3:15:00 AM	0.3
3/13/2025	3:30:00 AM	0.3
3/13/2025	3:45:00 AM	0.3
3/13/2025	4:00:00 AM	0.3
3/13/2025	4:15:00 AM	0.3
3/13/2025	4:30:00 AM	0.3
3/13/2025	4:45:00 AM	0.3
3/13/2025	5:00:00 AM	0.3
3/13/2025	5:15:00 AM	0.3
3/13/2025	5:30:00 AM	0.3
3/13/2025	5:45:00 AM	0.3
3/13/2025	6:00:00 AM	0.3
3/13/2025	6:15:00 AM	0.3
3/13/2025	6:30:00 AM	0.3
3/13/2025	6:45:00 AM	0.3
3/13/2025	7:00:00 AM	0.3
3/13/2025	7:15:00 AM	0.3
3/13/2025	7:30:00 AM	0.3
3/13/2025	7:45:00 AM	0.3
3/13/2025	8:00:00 AM	0.3
3/13/2025	8:15:00 AM	0.3
3/13/2025	8:30:00 AM	0.3
3/13/2025	8:45:00 AM	0.3
3/13/2025	9:00:00 AM	0.3
3/13/2025	9:15:00 AM	0.3
3/13/2025	9:30:00 AM	0.3
3/13/2025	9:45:00 AM	0.3
3/13/2025	10:00:00 AM	0.3
3/13/2025	10:15:00 AM	0.3
3/13/2025	10:30:00 AM	0.3
3/13/2025	10:45:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/13/2025	11:00:00 AM	0.3
3/13/2025	11:15:00 AM	0.3
3/13/2025	11:30:00 AM	0.3
3/13/2025	11:45:00 AM	0.3
3/13/2025	12:00:00 PM	0.3
3/13/2025	12:15:00 PM	0.3
3/13/2025	12:30:00 PM	0.3
3/13/2025	12:45:00 PM	0.3
3/13/2025	1:00:00 PM	0.3
3/13/2025	1:15:00 PM	0.3
3/13/2025	1:30:00 PM	0.29
3/13/2025	1:45:00 PM	0.3
3/13/2025	2:00:00 PM	0.3
3/13/2025	2:15:00 PM	0.3
3/13/2025	2:30:00 PM	0.3
3/13/2025	2:45:00 PM	0.3
3/13/2025	3:00:00 PM	0.29
3/13/2025	3:15:00 PM	0.29
3/13/2025	3:30:00 PM	0.29
3/13/2025	3:45:00 PM	0.29
3/13/2025	4:00:00 PM	0.3
3/13/2025	4:15:00 PM	0.29
3/13/2025	4:30:00 PM	0.29
3/13/2025	4:45:00 PM	0.29
3/13/2025	5:00:00 PM	0.29
3/13/2025	5:15:00 PM	0.29
3/13/2025	5:30:00 PM	0.29
3/13/2025	5:45:00 PM	0.29
3/13/2025	6:00:00 PM	0.29
3/13/2025	6:15:00 PM	0.29
3/13/2025	6:30:00 PM	0.29
3/13/2025	6:45:00 PM	0.29
3/13/2025	7:00:00 PM	0.29
3/13/2025	7:15:00 PM	0.29
3/13/2025	7:30:00 PM	0.29
3/13/2025	7:45:00 PM	0.29
3/13/2025	8:00:00 PM	0.29
3/13/2025	8:15:00 PM	0.29
3/13/2025	8:30:00 PM	0.29
3/13/2025	8:45:00 PM	0.29
3/13/2025	9:00:00 PM	0.29
3/13/2025	9:15:00 PM	0.29
3/13/2025	9:30:00 PM	0.29
3/13/2025	9:45:00 PM	0.29
3/13/2025	10:00:00 PM	0.29
3/13/2025	10:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/13/2025	10:30:00 PM	0.29
3/13/2025	10:45:00 PM	0.29
3/13/2025	11:00:00 PM	0.29
3/13/2025	11:15:00 PM	0.29
3/13/2025	11:30:00 PM	0.29
3/13/2025	11:45:00 PM	0.29
3/14/2025	12:00:00 AM	0.29
3/14/2025	12:15:00 AM	0.29
3/14/2025	12:30:00 AM	0.29
3/14/2025	12:45:00 AM	0.29
3/14/2025	1:00:00 AM	0.29
3/14/2025	1:15:00 AM	0.29
3/14/2025	1:30:00 AM	0.29
3/14/2025	1:45:00 AM	0.29
3/14/2025	2:00:00 AM	0.29
3/14/2025	2:15:00 AM	0.29
3/14/2025	2:30:00 AM	0.29
3/14/2025	2:45:00 AM	0.29
3/14/2025	3:00:00 AM	0.29
3/14/2025	3:15:00 AM	0.29
3/14/2025	3:30:00 AM	0.28
3/14/2025	3:45:00 AM	0.28
3/14/2025	4:00:00 AM	0.28
3/14/2025	4:15:00 AM	0.28
3/14/2025	4:30:00 AM	0.28
3/14/2025	4:45:00 AM	0.28
3/14/2025	5:00:00 AM	0.28
3/14/2025	5:15:00 AM	0.28
3/14/2025	5:30:00 AM	0.29
3/14/2025	5:45:00 AM	0.29
3/14/2025	6:00:00 AM	0.29
3/14/2025	6:15:00 AM	0.29
3/14/2025	6:30:00 AM	0.29
3/14/2025	6:45:00 AM	0.29
3/14/2025	7:00:00 AM	0.29
3/14/2025	7:15:00 AM	0.29
3/14/2025	7:30:00 AM	0.29
3/14/2025	7:45:00 AM	0.29
3/14/2025	8:00:00 AM	0.29
3/14/2025	8:15:00 AM	0.29
3/14/2025	8:30:00 AM	0.29
3/14/2025	8:45:00 AM	0.29
3/14/2025	9:00:00 AM	0.29
3/14/2025	9:15:00 AM	0.29
3/14/2025	9:30:00 AM	0.29
3/14/2025	9:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/14/2025	10:00:00 AM	0.3
3/14/2025	10:15:00 AM	0.3
3/14/2025	10:30:00 AM	0.3
3/14/2025	10:45:00 AM	0.3
3/14/2025	11:00:00 AM	0.3
3/14/2025	11:15:00 AM	0.3
3/14/2025	11:30:00 AM	0.3
3/14/2025	11:45:00 AM	0.3
3/14/2025	12:00:00 PM	0.3
3/14/2025	12:15:00 PM	0.3
3/14/2025	12:30:00 PM	0.3
3/14/2025	12:45:00 PM	0.3
3/14/2025	1:00:00 PM	0.3
3/14/2025	1:15:00 PM	0.3
3/14/2025	1:30:00 PM	0.3
3/14/2025	1:45:00 PM	0.3
3/14/2025	2:00:00 PM	0.3
3/14/2025	2:15:00 PM	0.3
3/14/2025	2:30:00 PM	0.3
3/14/2025	2:45:00 PM	0.3
3/14/2025	3:00:00 PM	0.3
3/14/2025	3:15:00 PM	0.3
3/14/2025	3:30:00 PM	0.3
3/14/2025	3:45:00 PM	0.3
3/14/2025	4:00:00 PM	0.3
3/14/2025	4:15:00 PM	0.3
3/14/2025	4:30:00 PM	0.3
3/14/2025	4:45:00 PM	0.3
3/14/2025	5:00:00 PM	0.3
3/14/2025	5:15:00 PM	0.31
3/14/2025	5:30:00 PM	0.31
3/14/2025	5:45:00 PM	0.31
3/14/2025	6:00:00 PM	0.31
3/14/2025	6:15:00 PM	0.3
3/14/2025	6:30:00 PM	0.31
3/14/2025	6:45:00 PM	0.31
3/14/2025	7:00:00 PM	0.31
3/14/2025	7:15:00 PM	0.31
3/14/2025	7:30:00 PM	0.31
3/14/2025	7:45:00 PM	0.31
3/14/2025	8:00:00 PM	0.3
3/14/2025	8:15:00 PM	0.31
3/14/2025	8:30:00 PM	0.31
3/14/2025	8:45:00 PM	0.31
3/14/2025	9:00:00 PM	0.31
3/14/2025	9:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/14/2025	9:30:00 PM	0.31
3/14/2025	9:45:00 PM	0.31
3/14/2025	10:00:00 PM	0.31
3/14/2025	10:15:00 PM	0.31
3/14/2025	10:30:00 PM	0.31
3/14/2025	10:45:00 PM	0.31
3/14/2025	11:00:00 PM	0.31
3/14/2025	11:15:00 PM	0.31
3/14/2025	11:30:00 PM	0.31
3/14/2025	11:45:00 PM	0.31
3/15/2025	12:00:00 AM	0.31
3/15/2025	12:15:00 AM	0.31
3/15/2025	12:30:00 AM	0.31
3/15/2025	12:45:00 AM	0.31
3/15/2025	1:00:00 AM	0.31
3/15/2025	1:15:00 AM	0.31
3/15/2025	1:30:00 AM	0.31
3/15/2025	1:45:00 AM	0.31
3/15/2025	2:00:00 AM	0.31
3/15/2025	2:15:00 AM	0.31
3/15/2025	2:30:00 AM	0.31
3/15/2025	2:45:00 AM	0.31
3/15/2025	3:00:00 AM	0.31
3/15/2025	3:15:00 AM	0.31
3/15/2025	3:30:00 AM	0.31
3/15/2025	3:45:00 AM	0.31
3/15/2025	4:00:00 AM	0.31
3/15/2025	4:15:00 AM	0.31
3/15/2025	4:30:00 AM	0.31
3/15/2025	4:45:00 AM	0.31
3/15/2025	5:00:00 AM	0.31
3/15/2025	5:15:00 AM	0.31
3/15/2025	5:30:00 AM	0.31
3/15/2025	5:45:00 AM	0.31
3/15/2025	6:00:00 AM	0.31
3/15/2025	6:15:00 AM	0.31
3/15/2025	6:30:00 AM	0.31
3/15/2025	6:45:00 AM	0.31
3/15/2025	7:00:00 AM	0.31
3/15/2025	7:15:00 AM	0.31
3/15/2025	7:30:00 AM	0.31
3/15/2025	7:45:00 AM	0.31
3/15/2025	8:00:00 AM	0.31
3/15/2025	8:15:00 AM	0.31
3/15/2025	8:30:00 AM	0.31
3/15/2025	8:45:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/15/2025	9:00:00 AM	0.31
3/15/2025	9:15:00 AM	0.31
3/15/2025	9:30:00 AM	0.31
3/15/2025	9:45:00 AM	0.31
3/15/2025	10:00:00 AM	0.31
3/15/2025	10:15:00 AM	0.31
3/15/2025	10:30:00 AM	0.31
3/15/2025	10:45:00 AM	0.31
3/15/2025	11:00:00 AM	0.31
3/15/2025	11:15:00 AM	0.31
3/15/2025	11:30:00 AM	0.31
3/15/2025	11:45:00 AM	0.31
3/15/2025	12:00:00 PM	0.31
3/15/2025	12:15:00 PM	0.31
3/15/2025	12:30:00 PM	0.31
3/15/2025	12:45:00 PM	0.31
3/15/2025	1:00:00 PM	0.31
3/15/2025	1:15:00 PM	0.31
3/15/2025	1:30:00 PM	0.31
3/15/2025	1:45:00 PM	0.31
3/15/2025	2:00:00 PM	0.31
3/15/2025	2:15:00 PM	0.31
3/15/2025	2:30:00 PM	0.31
3/15/2025	2:45:00 PM	0.31
3/15/2025	3:00:00 PM	0.31
3/15/2025	3:15:00 PM	0.31
3/15/2025	3:30:00 PM	0.31
3/15/2025	3:45:00 PM	0.31
3/15/2025	4:00:00 PM	0.31
3/15/2025	4:15:00 PM	0.31
3/15/2025	4:30:00 PM	0.31
3/15/2025	4:45:00 PM	0.31
3/15/2025	5:00:00 PM	0.31
3/15/2025	5:15:00 PM	0.31
3/15/2025	5:30:00 PM	0.31
3/15/2025	5:45:00 PM	0.31
3/15/2025	6:00:00 PM	0.31
3/15/2025	6:15:00 PM	0.31
3/15/2025	6:30:00 PM	0.31
3/15/2025	6:45:00 PM	0.31
3/15/2025	7:00:00 PM	0.31
3/15/2025	7:15:00 PM	0.31
3/15/2025	7:30:00 PM	0.31
3/15/2025	7:45:00 PM	0.31
3/15/2025	8:00:00 PM	0.31
3/15/2025	8:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/15/2025	8:30:00 PM	0.31
3/15/2025	8:45:00 PM	0.31
3/15/2025	9:00:00 PM	0.31
3/15/2025	9:15:00 PM	0.31
3/15/2025	9:30:00 PM	0.31
3/15/2025	9:45:00 PM	0.31
3/15/2025	10:00:00 PM	0.31
3/15/2025	10:15:00 PM	0.31
3/15/2025	10:30:00 PM	0.31
3/15/2025	10:45:00 PM	0.31
3/15/2025	11:00:00 PM	0.31
3/15/2025	11:15:00 PM	0.31
3/15/2025	11:30:00 PM	0.31
3/15/2025	11:45:00 PM	0.31
3/16/2025	12:00:00 AM	0.31
3/16/2025	12:15:00 AM	0.31
3/16/2025	12:30:00 AM	0.31
3/16/2025	12:45:00 AM	0.31
3/16/2025	1:00:00 AM	0.31
3/16/2025	1:15:00 AM	0.31
3/16/2025	1:30:00 AM	0.31
3/16/2025	1:45:00 AM	0.31
3/16/2025	2:00:00 AM	0.31
3/16/2025	2:15:00 AM	0.31
3/16/2025	2:30:00 AM	0.31
3/16/2025	2:45:00 AM	0.31
3/16/2025	3:00:00 AM	0.31
3/16/2025	3:15:00 AM	0.31
3/16/2025	3:30:00 AM	0.31
3/16/2025	3:45:00 AM	0.31
3/16/2025	4:00:00 AM	0.31
3/16/2025	4:15:00 AM	0.31
3/16/2025	4:30:00 AM	0.31
3/16/2025	4:45:00 AM	0.31
3/16/2025	5:00:00 AM	0.31
3/16/2025	5:15:00 AM	0.31
3/16/2025	5:30:00 AM	0.31
3/16/2025	5:45:00 AM	0.31
3/16/2025	6:00:00 AM	0.31
3/16/2025	6:15:00 AM	0.31
3/16/2025	6:30:00 AM	0.31
3/16/2025	6:45:00 AM	0.31
3/16/2025	7:00:00 AM	0.31
3/16/2025	7:15:00 AM	0.31
3/16/2025	7:30:00 AM	0.31
3/16/2025	7:45:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/16/2025	8:00:00 AM	0.31
3/16/2025	8:15:00 AM	0.31
3/16/2025	8:30:00 AM	0.31
3/16/2025	8:45:00 AM	0.31
3/16/2025	9:00:00 AM	0.31
3/16/2025	9:15:00 AM	0.31
3/16/2025	9:30:00 AM	0.31
3/16/2025	9:45:00 AM	0.31
3/16/2025	10:00:00 AM	0.31
3/16/2025	10:15:00 AM	0.31
3/16/2025	10:30:00 AM	0.31
3/16/2025	10:45:00 AM	0.31
3/16/2025	11:00:00 AM	0.31
3/16/2025	11:15:00 AM	0.31
3/16/2025	11:30:00 AM	0.31
3/16/2025	11:45:00 AM	0.31
3/16/2025	12:00:00 PM	0.31
3/16/2025	12:15:00 PM	0.31
3/16/2025	12:30:00 PM	0.31
3/16/2025	12:45:00 PM	0.31
3/16/2025	1:00:00 PM	0.31
3/16/2025	1:15:00 PM	0.31
3/16/2025	1:30:00 PM	0.31
3/16/2025	1:45:00 PM	0.31
3/16/2025	2:00:00 PM	0.31
3/16/2025	2:15:00 PM	0.31
3/16/2025	2:30:00 PM	0.31
3/16/2025	2:45:00 PM	0.31
3/16/2025	3:00:00 PM	0.31
3/16/2025	3:15:00 PM	0.31
3/16/2025	3:30:00 PM	0.31
3/16/2025	3:45:00 PM	0.31
3/16/2025	4:00:00 PM	0.32
3/16/2025	4:15:00 PM	0.31
3/16/2025	4:30:00 PM	0.32
3/16/2025	4:45:00 PM	0.32
3/16/2025	5:00:00 PM	0.32
3/16/2025	5:15:00 PM	0.31
3/16/2025	5:30:00 PM	0.31
3/16/2025	5:45:00 PM	0.32
3/16/2025	6:00:00 PM	0.32
3/16/2025	6:15:00 PM	0.32
3/16/2025	6:30:00 PM	0.31
3/16/2025	6:45:00 PM	0.32
3/16/2025	7:00:00 PM	0.31
3/16/2025	7:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/16/2025	7:30:00 PM	0.32
3/16/2025	7:45:00 PM	0.32
3/16/2025	8:00:00 PM	0.32
3/16/2025	8:15:00 PM	0.32
3/16/2025	8:30:00 PM	0.32
3/16/2025	8:45:00 PM	0.32
3/16/2025	9:00:00 PM	0.32
3/16/2025	9:15:00 PM	0.32
3/16/2025	9:30:00 PM	0.32
3/16/2025	9:45:00 PM	0.32
3/16/2025	10:00:00 PM	0.32
3/16/2025	10:15:00 PM	0.32
3/16/2025	10:30:00 PM	0.32
3/16/2025	10:45:00 PM	0.32
3/16/2025	11:00:00 PM	0.32
3/16/2025	11:15:00 PM	0.31
3/16/2025	11:30:00 PM	0.32
3/16/2025	11:45:00 PM	0.32
3/17/2025	12:00:00 AM	0.32
3/17/2025	12:15:00 AM	0.32
3/17/2025	12:30:00 AM	0.32
3/17/2025	12:45:00 AM	0.32
3/17/2025	1:00:00 AM	0.32
3/17/2025	1:15:00 AM	0.32
3/17/2025	1:30:00 AM	0.32
3/17/2025	1:45:00 AM	0.32
3/17/2025	2:00:00 AM	0.32
3/17/2025	2:15:00 AM	0.32
3/17/2025	2:30:00 AM	0.32
3/17/2025	2:45:00 AM	0.32
3/17/2025	3:00:00 AM	0.32
3/17/2025	3:15:00 AM	0.32
3/17/2025	3:30:00 AM	0.32
3/17/2025	3:45:00 AM	0.32
3/17/2025	4:00:00 AM	0.32
3/17/2025	4:15:00 AM	0.32
3/17/2025	4:30:00 AM	0.32
3/17/2025	4:45:00 AM	0.32
3/17/2025	5:00:00 AM	0.32
3/17/2025	5:15:00 AM	0.32
3/17/2025	5:30:00 AM	0.32
3/17/2025	5:45:00 AM	0.32
3/17/2025	6:00:00 AM	0.32
3/17/2025	6:15:00 AM	0.32
3/17/2025	6:30:00 AM	0.32
3/17/2025	6:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/17/2025	7:00:00 AM	0.32
3/17/2025	7:15:00 AM	0.32
3/17/2025	7:30:00 AM	0.32
3/17/2025	7:45:00 AM	0.32
3/17/2025	8:00:00 AM	0.32
3/17/2025	8:15:00 AM	0.32
3/17/2025	8:30:00 AM	0.32
3/17/2025	8:45:00 AM	0.32
3/17/2025	9:00:00 AM	0.32
3/17/2025	9:15:00 AM	0.32
3/17/2025	9:30:00 AM	0.32
3/17/2025	9:45:00 AM	0.32
3/17/2025	10:00:00 AM	0.32
3/17/2025	10:15:00 AM	0.32
3/17/2025	10:30:00 AM	0.32
3/17/2025	10:45:00 AM	0.32
3/17/2025	11:00:00 AM	0.32
3/17/2025	11:15:00 AM	0.32
3/17/2025	11:30:00 AM	0.32
3/17/2025	11:45:00 AM	0.32
3/17/2025	12:00:00 PM	0.32
3/17/2025	12:15:00 PM	0.32
3/17/2025	12:30:00 PM	0.32
3/17/2025	12:45:00 PM	0.32
3/17/2025	1:00:00 PM	0.32
3/17/2025	1:15:00 PM	0.32
3/17/2025	1:30:00 PM	0.32
3/17/2025	1:45:00 PM	0.32
3/17/2025	2:00:00 PM	0.32
3/17/2025	2:15:00 PM	0.32
3/17/2025	2:30:00 PM	0.32
3/17/2025	2:45:00 PM	0.32
3/17/2025	3:00:00 PM	0.32
3/17/2025	3:15:00 PM	0.32
3/17/2025	3:30:00 PM	0.32
3/17/2025	3:45:00 PM	0.32
3/17/2025	4:00:00 PM	0.32
3/17/2025	4:15:00 PM	0.32
3/17/2025	4:30:00 PM	0.32
3/17/2025	4:45:00 PM	0.32
3/17/2025	5:00:00 PM	0.32
3/17/2025	5:15:00 PM	0.32
3/17/2025	5:30:00 PM	0.31
3/17/2025	5:45:00 PM	0.31
3/17/2025	6:00:00 PM	0.31
3/17/2025	6:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/17/2025	6:30:00 PM	0.31
3/17/2025	6:45:00 PM	0.31
3/17/2025	7:00:00 PM	0.31
3/17/2025	7:15:00 PM	0.31
3/17/2025	7:30:00 PM	0.31
3/17/2025	7:45:00 PM	0.31
3/17/2025	8:00:00 PM	0.31
3/17/2025	8:15:00 PM	0.31
3/17/2025	8:30:00 PM	0.31
3/17/2025	8:45:00 PM	0.31
3/17/2025	9:00:00 PM	0.31
3/17/2025	9:15:00 PM	0.31
3/17/2025	9:30:00 PM	0.31
3/17/2025	9:45:00 PM	0.31
3/17/2025	10:00:00 PM	0.31
3/17/2025	10:15:00 PM	0.31
3/17/2025	10:30:00 PM	0.31
3/17/2025	10:45:00 PM	0.31
3/17/2025	11:00:00 PM	0.31
3/17/2025	11:15:00 PM	0.31
3/17/2025	11:30:00 PM	0.31
3/17/2025	11:45:00 PM	0.31
3/18/2025	12:00:00 AM	0.31
3/18/2025	12:15:00 AM	0.31
3/18/2025	12:30:00 AM	0.31
3/18/2025	12:45:00 AM	0.3
3/18/2025	1:00:00 AM	0.31
3/18/2025	1:15:00 AM	0.31
3/18/2025	1:30:00 AM	0.3
3/18/2025	1:45:00 AM	0.31
3/18/2025	2:00:00 AM	0.3
3/18/2025	2:15:00 AM	0.3
3/18/2025	2:30:00 AM	0.3
3/18/2025	2:45:00 AM	0.3
3/18/2025	3:00:00 AM	0.3
3/18/2025	3:15:00 AM	0.3
3/18/2025	3:30:00 AM	0.3
3/18/2025	3:45:00 AM	0.3
3/18/2025	4:00:00 AM	0.3
3/18/2025	4:15:00 AM	0.3
3/18/2025	4:30:00 AM	0.3
3/18/2025	4:45:00 AM	0.3
3/18/2025	5:00:00 AM	0.3
3/18/2025	5:15:00 AM	0.3
3/18/2025	5:30:00 AM	0.3
3/18/2025	5:45:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/18/2025	6:00:00 AM	0.3
3/18/2025	6:15:00 AM	0.3
3/18/2025	6:30:00 AM	0.3
3/18/2025	6:45:00 AM	0.3
3/18/2025	7:00:00 AM	0.3
3/18/2025	7:15:00 AM	0.3
3/18/2025	7:30:00 AM	0.3
3/18/2025	7:45:00 AM	0.3
3/18/2025	8:00:00 AM	0.3
3/18/2025	8:15:00 AM	0.3
3/18/2025	8:30:00 AM	0.3
3/18/2025	8:45:00 AM	0.3
3/18/2025	9:00:00 AM	0.3
3/18/2025	9:15:00 AM	0.3
3/18/2025	9:30:00 AM	0.3
3/18/2025	9:45:00 AM	0.3
3/18/2025	10:00:00 AM	0.3
3/18/2025	10:15:00 AM	0.3
3/18/2025	10:30:00 AM	0.3
3/18/2025	10:45:00 AM	0.3
3/18/2025	11:00:00 AM	0.3
3/18/2025	11:15:00 AM	0.3
3/18/2025	11:30:00 AM	0.3
3/18/2025	11:45:00 AM	0.29
3/18/2025	12:00:00 PM	0.29
3/18/2025	12:15:00 PM	0.29
3/18/2025	12:30:00 PM	0.29
3/18/2025	12:45:00 PM	0.29
3/18/2025	1:00:00 PM	0.29
3/18/2025	1:15:00 PM	0.29
3/18/2025	1:30:00 PM	0.29
3/18/2025	1:45:00 PM	0.29
3/18/2025	2:00:00 PM	0.29
3/18/2025	2:15:00 PM	0.29
3/18/2025	2:30:00 PM	0.29
3/18/2025	2:45:00 PM	0.29
3/18/2025	3:00:00 PM	0.29
3/18/2025	3:15:00 PM	0.29
3/18/2025	3:30:00 PM	0.29
3/18/2025	3:45:00 PM	0.29
3/18/2025	4:00:00 PM	0.29
3/18/2025	4:15:00 PM	0.29
3/18/2025	4:30:00 PM	0.29
3/18/2025	4:45:00 PM	0.29
3/18/2025	5:00:00 PM	0.29
3/18/2025	5:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/18/2025	5:30:00 PM	0.29
3/18/2025	5:45:00 PM	0.29
3/18/2025	6:00:00 PM	0.29
3/18/2025	6:15:00 PM	0.29
3/18/2025	6:30:00 PM	0.29
3/18/2025	6:45:00 PM	0.29
3/18/2025	7:00:00 PM	0.29
3/18/2025	7:15:00 PM	0.29
3/18/2025	7:30:00 PM	0.29
3/18/2025	7:45:00 PM	0.29
3/18/2025	8:00:00 PM	0.29
3/18/2025	8:15:00 PM	0.29
3/18/2025	8:30:00 PM	0.29
3/18/2025	8:45:00 PM	0.29
3/18/2025	9:00:00 PM	0.29
3/18/2025	9:15:00 PM	0.29
3/18/2025	9:30:00 PM	0.29
3/18/2025	9:45:00 PM	0.28
3/18/2025	10:00:00 PM	0.29
3/18/2025	10:15:00 PM	0.29
3/18/2025	10:30:00 PM	0.28
3/18/2025	10:45:00 PM	0.28
3/18/2025	11:00:00 PM	0.28
3/18/2025	11:15:00 PM	0.28
3/18/2025	11:30:00 PM	0.28
3/18/2025	11:45:00 PM	0.28
3/19/2025	12:00:00 AM	0.28
3/19/2025	12:15:00 AM	0.28
3/19/2025	12:30:00 AM	0.28
3/19/2025	12:45:00 AM	0.28
3/19/2025	1:00:00 AM	0.28
3/19/2025	1:15:00 AM	0.28
3/19/2025	1:30:00 AM	0.28
3/19/2025	1:45:00 AM	0.28
3/19/2025	2:00:00 AM	0.28
3/19/2025	2:15:00 AM	0.28
3/19/2025	2:30:00 AM	0.28
3/19/2025	2:45:00 AM	0.28
3/19/2025	3:00:00 AM	0.28
3/19/2025	3:15:00 AM	0.28
3/19/2025	3:30:00 AM	0.28
3/19/2025	3:45:00 AM	0.28
3/19/2025	4:00:00 AM	0.28
3/19/2025	4:15:00 AM	0.28
3/19/2025	4:30:00 AM	0.28
3/19/2025	4:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
3/19/2025	5:00:00 AM	0.28
3/19/2025	5:15:00 AM	0.28
3/19/2025	5:30:00 AM	0.28
3/19/2025	5:45:00 AM	0.28
3/19/2025	6:00:00 AM	0.28
3/19/2025	6:15:00 AM	0.28
3/19/2025	6:30:00 AM	0.28
3/19/2025	6:45:00 AM	0.28
3/19/2025	7:00:00 AM	0.28
3/19/2025	7:15:00 AM	0.28
3/19/2025	7:30:00 AM	0.28
3/19/2025	7:45:00 AM	0.28
3/19/2025	8:00:00 AM	0.28
3/19/2025	8:15:00 AM	0.28
3/19/2025	8:30:00 AM	0.28
3/19/2025	8:45:00 AM	0.28
3/19/2025	9:00:00 AM	0.28
3/19/2025	9:15:00 AM	0.28
3/19/2025	9:30:00 AM	0.28
3/19/2025	9:45:00 AM	0.28
3/19/2025	10:00:00 AM	0.28
3/19/2025	10:15:00 AM	0.28
3/19/2025	10:30:00 AM	0.28
3/19/2025	10:45:00 AM	0.28
3/19/2025	11:00:00 AM	0.28
3/19/2025	11:15:00 AM	0.29
3/19/2025	11:30:00 AM	0.29
3/19/2025	11:45:00 AM	0.29
3/19/2025	12:00:00 PM	0.29
3/19/2025	12:15:00 PM	0.29
3/19/2025	12:30:00 PM	0.29
3/19/2025	12:45:00 PM	0.3
3/19/2025	1:00:00 PM	0.3
3/19/2025	1:15:00 PM	0.3
3/19/2025	1:30:00 PM	0.3
3/19/2025	1:45:00 PM	0.3
3/19/2025	2:00:00 PM	0.3
3/19/2025	2:15:00 PM	0.3
3/19/2025	2:30:00 PM	0.31
3/19/2025	2:45:00 PM	0.31
3/19/2025	3:00:00 PM	0.31
3/19/2025	3:15:00 PM	0.31
3/19/2025	3:30:00 PM	0.31
3/19/2025	3:45:00 PM	0.31
3/19/2025	4:00:00 PM	0.31
3/19/2025	4:15:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
3/19/2025	4:30:00 PM	0.31
3/19/2025	4:45:00 PM	0.31
3/19/2025	5:00:00 PM	0.31
3/19/2025	5:15:00 PM	0.31
3/19/2025	5:30:00 PM	0.31
3/19/2025	5:45:00 PM	0.31
3/19/2025	6:00:00 PM	0.31
3/19/2025	6:15:00 PM	0.31
3/19/2025	6:30:00 PM	0.31
3/19/2025	6:45:00 PM	0.32
3/19/2025	7:00:00 PM	0.32
3/19/2025	7:15:00 PM	0.32
3/19/2025	7:30:00 PM	0.32
3/19/2025	7:45:00 PM	0.32
3/19/2025	8:00:00 PM	0.32
3/19/2025	8:15:00 PM	0.32
3/19/2025	8:30:00 PM	0.32
3/19/2025	8:45:00 PM	0.32
3/19/2025	9:00:00 PM	0.32
3/19/2025	9:15:00 PM	0.32
3/19/2025	9:30:00 PM	0.32
3/19/2025	9:45:00 PM	0.32
3/19/2025	10:00:00 PM	0.32
3/19/2025	10:15:00 PM	0.32
3/19/2025	10:30:00 PM	0.32
3/19/2025	10:45:00 PM	0.32
3/19/2025	11:00:00 PM	0.32
3/19/2025	11:15:00 PM	0.32
3/19/2025	11:30:00 PM	0.32
3/19/2025	11:45:00 PM	0.32
3/20/2025	12:00:00 AM	0.32
3/20/2025	12:15:00 AM	0.32
3/20/2025	12:30:00 AM	0.32
3/20/2025	12:45:00 AM	0.32
3/20/2025	1:00:00 AM	0.32
3/20/2025	1:15:00 AM	0.32
3/20/2025	1:30:00 AM	0.32
3/20/2025	1:45:00 AM	0.32
3/20/2025	2:00:00 AM	0.32
3/20/2025	2:15:00 AM	0.32
3/20/2025	2:30:00 AM	0.32
3/20/2025	2:45:00 AM	0.32
3/20/2025	3:00:00 AM	0.32
3/20/2025	3:15:00 AM	0.32
3/20/2025	3:30:00 AM	0.32
3/20/2025	3:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/20/2025	4:00:00 AM	0.32
3/20/2025	4:15:00 AM	0.32
3/20/2025	4:30:00 AM	0.32
3/20/2025	4:45:00 AM	0.32
3/20/2025	5:00:00 AM	0.32
3/20/2025	5:15:00 AM	0.32
3/20/2025	5:30:00 AM	0.32
3/20/2025	5:45:00 AM	0.32
3/20/2025	6:00:00 AM	0.32
3/20/2025	6:15:00 AM	0.32
3/20/2025	6:30:00 AM	0.32
3/20/2025	6:45:00 AM	0.32
3/20/2025	7:00:00 AM	0.32
3/20/2025	7:15:00 AM	0.32
3/20/2025	7:30:00 AM	0.32
3/20/2025	7:45:00 AM	0.32
3/20/2025	8:00:00 AM	0.32
3/20/2025	8:15:00 AM	0.32
3/20/2025	8:30:00 AM	0.32
3/20/2025	8:45:00 AM	0.32
3/20/2025	9:00:00 AM	0.32
3/20/2025	9:15:00 AM	0.32
3/20/2025	9:30:00 AM	0.32
3/20/2025	9:45:00 AM	0.32
3/20/2025	10:00:00 AM	0.32
3/20/2025	10:15:00 AM	0.32
3/20/2025	10:30:00 AM	0.32
3/20/2025	10:45:00 AM	0.32
3/20/2025	11:00:00 AM	0.32
3/20/2025	11:15:00 AM	0.32
3/20/2025	11:30:00 AM	0.32
3/20/2025	11:45:00 AM	0.32
3/20/2025	12:00:00 PM	0.32
3/20/2025	12:15:00 PM	0.32
3/20/2025	12:30:00 PM	0.32
3/20/2025	12:45:00 PM	0.32
3/20/2025	1:00:00 PM	0.32
3/20/2025	1:15:00 PM	0.32
3/20/2025	1:30:00 PM	0.32
3/20/2025	1:45:00 PM	0.32
3/20/2025	2:00:00 PM	0.32
3/20/2025	2:15:00 PM	0.32
3/20/2025	2:30:00 PM	0.32
3/20/2025	2:45:00 PM	0.32
3/20/2025	3:00:00 PM	0.32
3/20/2025	3:15:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/20/2025	3:30:00 PM	0.32
3/20/2025	3:45:00 PM	0.32
3/20/2025	4:00:00 PM	0.32
3/20/2025	4:15:00 PM	0.32
3/20/2025	4:30:00 PM	0.32
3/20/2025	4:45:00 PM	0.32
3/20/2025	5:00:00 PM	0.32
3/20/2025	5:15:00 PM	0.32
3/20/2025	5:30:00 PM	0.32
3/20/2025	5:45:00 PM	0.32
3/20/2025	6:00:00 PM	0.32
3/20/2025	6:15:00 PM	0.32
3/20/2025	6:30:00 PM	0.32
3/20/2025	6:45:00 PM	0.32
3/20/2025	7:00:00 PM	0.32
3/20/2025	7:15:00 PM	0.32
3/20/2025	7:30:00 PM	0.32
3/20/2025	7:45:00 PM	0.32
3/20/2025	8:00:00 PM	0.32
3/20/2025	8:15:00 PM	0.32
3/20/2025	8:30:00 PM	0.32
3/20/2025	8:45:00 PM	0.32
3/20/2025	9:00:00 PM	0.32
3/20/2025	9:15:00 PM	0.32
3/20/2025	9:30:00 PM	0.32
3/20/2025	9:45:00 PM	0.32
3/20/2025	10:00:00 PM	0.32
3/20/2025	10:15:00 PM	0.32
3/20/2025	10:30:00 PM	0.32
3/20/2025	10:45:00 PM	0.32
3/20/2025	11:00:00 PM	0.32
3/20/2025	11:15:00 PM	0.32
3/20/2025	11:30:00 PM	0.32
3/20/2025	11:45:00 PM	0.32
3/21/2025	12:00:00 AM	0.32
3/21/2025	12:15:00 AM	0.32
3/21/2025	12:30:00 AM	0.32
3/21/2025	12:45:00 AM	0.32
3/21/2025	1:00:00 AM	0.32
3/21/2025	1:15:00 AM	0.32
3/21/2025	1:30:00 AM	0.32
3/21/2025	1:45:00 AM	0.32
3/21/2025	2:00:00 AM	0.32
3/21/2025	2:15:00 AM	0.32
3/21/2025	2:30:00 AM	0.32
3/21/2025	2:45:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/21/2025	3:00:00 AM	0.32
3/21/2025	3:15:00 AM	0.32
3/21/2025	3:30:00 AM	0.32
3/21/2025	3:45:00 AM	0.32
3/21/2025	4:00:00 AM	0.32
3/21/2025	4:15:00 AM	0.32
3/21/2025	4:30:00 AM	0.32
3/21/2025	4:45:00 AM	0.32
3/21/2025	5:00:00 AM	0.32
3/21/2025	5:15:00 AM	0.32
3/21/2025	5:30:00 AM	0.32
3/21/2025	5:45:00 AM	0.32
3/21/2025	6:00:00 AM	0.32
3/21/2025	6:15:00 AM	0.32
3/21/2025	6:30:00 AM	0.32
3/21/2025	6:45:00 AM	0.32
3/21/2025	7:00:00 AM	0.32
3/21/2025	7:15:00 AM	0.32
3/21/2025	7:30:00 AM	0.32
3/21/2025	7:45:00 AM	0.32
3/21/2025	8:00:00 AM	0.32
3/21/2025	8:15:00 AM	0.32
3/21/2025	8:30:00 AM	0.32
3/21/2025	8:45:00 AM	0.32
3/21/2025	9:00:00 AM	0.32
3/21/2025	9:15:00 AM	0.32
3/21/2025	9:30:00 AM	0.32
3/21/2025	9:45:00 AM	0.32
3/21/2025	10:00:00 AM	0.32
3/21/2025	10:15:00 AM	0.32
3/21/2025	10:30:00 AM	0.32
3/21/2025	10:45:00 AM	0.32
3/21/2025	11:00:00 AM	0.32
3/21/2025	11:15:00 AM	0.32
3/21/2025	11:30:00 AM	0.32
3/21/2025	11:45:00 AM	0.32
3/21/2025	12:00:00 PM	0.32
3/21/2025	12:15:00 PM	0.32
3/21/2025	12:30:00 PM	0.32
3/21/2025	12:45:00 PM	0.32
3/21/2025	1:00:00 PM	0.32
3/21/2025	1:15:00 PM	0.32
3/21/2025	1:30:00 PM	0.32
3/21/2025	1:45:00 PM	0.32
3/21/2025	2:00:00 PM	0.32
3/21/2025	2:15:00 PM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
3/21/2025	2:30:00 PM	0.32
3/21/2025	2:45:00 PM	0.32
3/21/2025	3:00:00 PM	0.32
3/21/2025	3:15:00 PM	0.32
3/21/2025	3:30:00 PM	0.32
3/21/2025	3:45:00 PM	0.32
3/21/2025	4:00:00 PM	0.32
3/21/2025	4:15:00 PM	0.32
3/21/2025	4:30:00 PM	0.32
3/21/2025	4:45:00 PM	0.32
3/21/2025	5:00:00 PM	0.32
3/21/2025	5:15:00 PM	0.32
3/21/2025	5:30:00 PM	0.32
3/21/2025	5:45:00 PM	0.32
3/21/2025	6:00:00 PM	0.32
3/21/2025	6:15:00 PM	0.32
3/21/2025	6:30:00 PM	0.32
3/21/2025	6:45:00 PM	0.32
3/21/2025	7:00:00 PM	0.32
3/21/2025	7:15:00 PM	0.32
3/21/2025	7:30:00 PM	0.31
3/21/2025	7:45:00 PM	0.31
3/21/2025	8:00:00 PM	0.31
3/21/2025	8:15:00 PM	0.31
3/21/2025	8:30:00 PM	0.31
3/21/2025	8:45:00 PM	0.31
3/21/2025	9:00:00 PM	0.31
3/21/2025	9:15:00 PM	0.31
3/21/2025	9:30:00 PM	0.31
3/21/2025	9:45:00 PM	0.3
3/21/2025	10:00:00 PM	0.3
3/21/2025	10:15:00 PM	0.3
3/21/2025	10:30:00 PM	0.3
3/21/2025	10:45:00 PM	0.3
3/21/2025	11:00:00 PM	0.3
3/21/2025	11:15:00 PM	0.3
3/21/2025	11:30:00 PM	0.3
3/21/2025	11:45:00 PM	0.3
3/22/2025	12:00:00 AM	0.3
3/22/2025	12:15:00 AM	0.3
3/22/2025	12:30:00 AM	0.3
3/22/2025	12:45:00 AM	0.3
3/22/2025	1:00:00 AM	0.3
3/22/2025	1:15:00 AM	0.3
3/22/2025	1:30:00 AM	0.3
3/22/2025	1:45:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/22/2025	2:00:00 AM	0.3
3/22/2025	2:15:00 AM	0.3
3/22/2025	2:30:00 AM	0.3
3/22/2025	2:45:00 AM	0.3
3/22/2025	3:00:00 AM	0.3
3/22/2025	3:15:00 AM	0.3
3/22/2025	3:30:00 AM	0.3
3/22/2025	3:45:00 AM	0.3
3/22/2025	4:00:00 AM	0.3
3/22/2025	4:15:00 AM	0.3
3/22/2025	4:30:00 AM	0.3
3/22/2025	4:45:00 AM	0.3
3/22/2025	5:00:00 AM	0.3
3/22/2025	5:15:00 AM	0.3
3/22/2025	5:30:00 AM	0.3
3/22/2025	5:45:00 AM	0.3
3/22/2025	6:00:00 AM	0.3
3/22/2025	6:15:00 AM	0.3
3/22/2025	6:30:00 AM	0.3
3/22/2025	6:45:00 AM	0.3
3/22/2025	7:00:00 AM	0.3
3/22/2025	7:15:00 AM	0.3
3/22/2025	7:30:00 AM	0.3
3/22/2025	7:45:00 AM	0.3
3/22/2025	8:00:00 AM	0.29
3/22/2025	8:15:00 AM	0.3
3/22/2025	8:30:00 AM	0.3
3/22/2025	8:45:00 AM	0.3
3/22/2025	9:00:00 AM	0.3
3/22/2025	9:15:00 AM	0.3
3/22/2025	9:30:00 AM	0.3
3/22/2025	9:45:00 AM	0.3
3/22/2025	10:00:00 AM	0.3
3/22/2025	10:15:00 AM	0.3
3/22/2025	10:30:00 AM	0.3
3/22/2025	10:45:00 AM	0.3
3/22/2025	11:00:00 AM	0.3
3/22/2025	11:15:00 AM	0.3
3/22/2025	11:30:00 AM	0.3
3/22/2025	11:45:00 AM	0.3
3/22/2025	12:00:00 PM	0.3
3/22/2025	12:15:00 PM	0.3
3/22/2025	12:30:00 PM	0.3
3/22/2025	12:45:00 PM	0.3
3/22/2025	1:00:00 PM	0.3
3/22/2025	1:15:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/22/2025	1:30:00 PM	0.3
3/22/2025	1:45:00 PM	0.3
3/22/2025	2:00:00 PM	0.3
3/22/2025	2:15:00 PM	0.3
3/22/2025	2:30:00 PM	0.3
3/22/2025	2:45:00 PM	0.3
3/22/2025	3:00:00 PM	0.3
3/22/2025	3:15:00 PM	0.3
3/22/2025	3:30:00 PM	0.3
3/22/2025	3:45:00 PM	0.3
3/22/2025	4:00:00 PM	0.3
3/22/2025	4:15:00 PM	0.3
3/22/2025	4:30:00 PM	0.3
3/22/2025	4:45:00 PM	0.3
3/22/2025	5:00:00 PM	0.3
3/22/2025	5:15:00 PM	0.31
3/22/2025	5:30:00 PM	0.3
3/22/2025	5:45:00 PM	0.3
3/22/2025	6:00:00 PM	0.31
3/22/2025	6:15:00 PM	0.31
3/22/2025	6:30:00 PM	0.31
3/22/2025	6:45:00 PM	0.3
3/22/2025	7:00:00 PM	0.29
3/22/2025	7:15:00 PM	0.29
3/22/2025	7:30:00 PM	0.29
3/22/2025	7:45:00 PM	0.29
3/22/2025	8:00:00 PM	0.29
3/22/2025	8:15:00 PM	0.29
3/22/2025	8:30:00 PM	0.29
3/22/2025	8:45:00 PM	0.29
3/22/2025	9:00:00 PM	0.29
3/22/2025	9:15:00 PM	0.29
3/22/2025	9:30:00 PM	0.29
3/22/2025	9:45:00 PM	0.29
3/22/2025	10:00:00 PM	0.29
3/22/2025	10:15:00 PM	0.29
3/22/2025	10:30:00 PM	0.29
3/22/2025	10:45:00 PM	0.29
3/22/2025	11:00:00 PM	0.29
3/22/2025	11:15:00 PM	0.29
3/22/2025	11:30:00 PM	0.29
3/22/2025	11:45:00 PM	0.29
3/23/2025	12:00:00 AM	0.29
3/23/2025	12:15:00 AM	0.29
3/23/2025	12:30:00 AM	0.29
3/23/2025	12:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/23/2025	1:00:00 AM	0.29
3/23/2025	1:15:00 AM	0.29
3/23/2025	1:30:00 AM	0.29
3/23/2025	1:45:00 AM	0.29
3/23/2025	2:00:00 AM	0.29
3/23/2025	2:15:00 AM	0.29
3/23/2025	2:30:00 AM	0.29
3/23/2025	2:45:00 AM	0.29
3/23/2025	3:00:00 AM	0.29
3/23/2025	3:15:00 AM	0.29
3/23/2025	3:30:00 AM	0.29
3/23/2025	3:45:00 AM	0.29
3/23/2025	4:00:00 AM	0.29
3/23/2025	4:15:00 AM	0.29
3/23/2025	4:30:00 AM	0.28
3/23/2025	4:45:00 AM	0.28
3/23/2025	5:00:00 AM	0.28
3/23/2025	5:15:00 AM	0.28
3/23/2025	5:30:00 AM	0.28
3/23/2025	5:45:00 AM	0.28
3/23/2025	6:00:00 AM	0.28
3/23/2025	6:15:00 AM	0.28
3/23/2025	6:30:00 AM	0.28
3/23/2025	6:45:00 AM	0.28
3/23/2025	7:00:00 AM	0.28
3/23/2025	7:15:00 AM	0.28
3/23/2025	7:30:00 AM	0.28
3/23/2025	7:45:00 AM	0.28
3/23/2025	8:00:00 AM	0.28
3/23/2025	8:15:00 AM	0.28
3/23/2025	8:30:00 AM	0.28
3/23/2025	8:45:00 AM	0.29
3/23/2025	9:00:00 AM	0.29
3/23/2025	9:15:00 AM	0.29
3/23/2025	9:30:00 AM	0.29
3/23/2025	9:45:00 AM	0.29
3/23/2025	10:00:00 AM	0.29
3/23/2025	10:15:00 AM	0.29
3/23/2025	10:30:00 AM	0.29
3/23/2025	10:45:00 AM	0.29
3/23/2025	11:00:00 AM	0.29
3/23/2025	11:15:00 AM	0.29
3/23/2025	11:30:00 AM	0.29
3/23/2025	11:45:00 AM	0.29
3/23/2025	12:00:00 PM	0.29
3/23/2025	12:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/23/2025	12:30:00 PM	0.29
3/23/2025	12:45:00 PM	0.29
3/23/2025	1:00:00 PM	0.29
3/23/2025	1:15:00 PM	0.29
3/23/2025	1:30:00 PM	0.29
3/23/2025	1:45:00 PM	0.29
3/23/2025	2:00:00 PM	0.29
3/23/2025	2:15:00 PM	0.29
3/23/2025	2:30:00 PM	0.29
3/23/2025	2:45:00 PM	0.29
3/23/2025	3:00:00 PM	0.29
3/23/2025	3:15:00 PM	0.29
3/23/2025	3:30:00 PM	0.29
3/23/2025	3:45:00 PM	0.29
3/23/2025	4:00:00 PM	0.29
3/23/2025	4:15:00 PM	0.29
3/23/2025	4:30:00 PM	0.29
3/23/2025	4:45:00 PM	0.29
3/23/2025	5:00:00 PM	0.29
3/23/2025	5:15:00 PM	0.29
3/23/2025	5:30:00 PM	0.29
3/23/2025	5:45:00 PM	0.29
3/23/2025	6:00:00 PM	0.29
3/23/2025	6:15:00 PM	0.29
3/23/2025	6:30:00 PM	0.29
3/23/2025	6:45:00 PM	0.29
3/23/2025	7:00:00 PM	0.29
3/23/2025	7:15:00 PM	0.29
3/23/2025	7:30:00 PM	0.29
3/23/2025	7:45:00 PM	0.29
3/23/2025	8:00:00 PM	0.29
3/23/2025	8:15:00 PM	0.29
3/23/2025	8:30:00 PM	0.29
3/23/2025	8:45:00 PM	0.29
3/23/2025	9:00:00 PM	0.29
3/23/2025	9:15:00 PM	0.29
3/23/2025	9:30:00 PM	0.29
3/23/2025	9:45:00 PM	0.29
3/23/2025	10:00:00 PM	0.29
3/23/2025	10:15:00 PM	0.29
3/23/2025	10:30:00 PM	0.29
3/23/2025	10:45:00 PM	0.29
3/23/2025	11:00:00 PM	0.29
3/23/2025	11:15:00 PM	0.29
3/23/2025	11:30:00 PM	0.29
3/23/2025	11:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/24/2025	12:00:00 AM	0.29
3/24/2025	12:15:00 AM	0.29
3/24/2025	12:30:00 AM	0.29
3/24/2025	12:45:00 AM	0.29
3/24/2025	1:00:00 AM	0.29
3/24/2025	1:15:00 AM	0.29
3/24/2025	1:30:00 AM	0.29
3/24/2025	1:45:00 AM	0.29
3/24/2025	2:00:00 AM	0.29
3/24/2025	2:15:00 AM	0.29
3/24/2025	2:30:00 AM	0.29
3/24/2025	2:45:00 AM	0.29
3/24/2025	3:00:00 AM	0.29
3/24/2025	3:15:00 AM	0.29
3/24/2025	3:30:00 AM	0.29
3/24/2025	3:45:00 AM	0.29
3/24/2025	4:00:00 AM	0.29
3/24/2025	4:15:00 AM	0.29
3/24/2025	4:30:00 AM	0.29
3/24/2025	4:45:00 AM	0.29
3/24/2025	5:00:00 AM	0.29
3/24/2025	5:15:00 AM	0.29
3/24/2025	5:30:00 AM	0.29
3/24/2025	5:45:00 AM	0.29
3/24/2025	6:00:00 AM	0.29
3/24/2025	6:15:00 AM	0.29
3/24/2025	6:30:00 AM	0.29
3/24/2025	6:45:00 AM	0.29
3/24/2025	7:00:00 AM	0.29
3/24/2025	7:15:00 AM	0.29
3/24/2025	7:30:00 AM	0.29
3/24/2025	7:45:00 AM	0.29
3/24/2025	8:00:00 AM	0.29
3/24/2025	8:15:00 AM	0.29
3/24/2025	8:30:00 AM	0.29
3/24/2025	8:45:00 AM	0.29
3/24/2025	9:00:00 AM	0.29
3/24/2025	9:15:00 AM	0.29
3/24/2025	9:30:00 AM	0.3
3/24/2025	9:45:00 AM	0.3
3/24/2025	10:00:00 AM	0.29
3/24/2025	10:15:00 AM	0.29
3/24/2025	10:30:00 AM	0.29
3/24/2025	10:45:00 AM	0.29
3/24/2025	11:00:00 AM	0.29
3/24/2025	11:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/24/2025	11:30:00 AM	0.29
3/24/2025	11:45:00 AM	0.29
3/24/2025	12:00:00 PM	0.29
3/24/2025	12:15:00 PM	0.29
3/24/2025	12:30:00 PM	0.29
3/24/2025	12:45:00 PM	0.29
3/24/2025	1:00:00 PM	0.29
3/24/2025	1:15:00 PM	0.29
3/24/2025	1:30:00 PM	0.29
3/24/2025	1:45:00 PM	0.29
3/24/2025	2:00:00 PM	0.29
3/24/2025	2:15:00 PM	0.29
3/24/2025	2:30:00 PM	0.29
3/24/2025	2:45:00 PM	0.29
3/24/2025	3:00:00 PM	0.29
3/24/2025	3:15:00 PM	0.29
3/24/2025	3:30:00 PM	0.29
3/24/2025	3:45:00 PM	0.29
3/24/2025	4:00:00 PM	0.29
3/24/2025	4:15:00 PM	0.29
3/24/2025	4:30:00 PM	0.29
3/24/2025	4:45:00 PM	0.29
3/24/2025	5:00:00 PM	0.29
3/24/2025	5:15:00 PM	0.29
3/24/2025	5:30:00 PM	0.29
3/24/2025	5:45:00 PM	0.29
3/24/2025	6:00:00 PM	0.29
3/24/2025	6:15:00 PM	0.29
3/24/2025	6:30:00 PM	0.29
3/24/2025	6:45:00 PM	0.29
3/24/2025	7:00:00 PM	0.29
3/24/2025	7:15:00 PM	0.29
3/24/2025	7:30:00 PM	0.29
3/24/2025	7:45:00 PM	0.29
3/24/2025	8:00:00 PM	0.29
3/24/2025	8:15:00 PM	0.29
3/24/2025	8:30:00 PM	0.29
3/24/2025	8:45:00 PM	0.29
3/24/2025	9:00:00 PM	0.29
3/24/2025	9:15:00 PM	0.29
3/24/2025	9:30:00 PM	0.29
3/24/2025	9:45:00 PM	0.29
3/24/2025	10:00:00 PM	0.29
3/24/2025	10:15:00 PM	0.29
3/24/2025	10:30:00 PM	0.29
3/24/2025	10:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/24/2025	11:00:00 PM	0.29
3/24/2025	11:15:00 PM	0.29
3/24/2025	11:30:00 PM	0.29
3/24/2025	11:45:00 PM	0.29
3/25/2025	12:00:00 AM	0.29
3/25/2025	12:15:00 AM	0.29
3/25/2025	12:30:00 AM	0.29
3/25/2025	12:45:00 AM	0.29
3/25/2025	1:00:00 AM	0.29
3/25/2025	1:15:00 AM	0.29
3/25/2025	1:30:00 AM	0.29
3/25/2025	1:45:00 AM	0.29
3/25/2025	2:00:00 AM	0.29
3/25/2025	2:15:00 AM	0.29
3/25/2025	2:30:00 AM	0.29
3/25/2025	2:45:00 AM	0.29
3/25/2025	3:00:00 AM	0.29
3/25/2025	3:15:00 AM	0.29
3/25/2025	3:30:00 AM	0.29
3/25/2025	3:45:00 AM	0.29
3/25/2025	4:00:00 AM	0.29
3/25/2025	4:15:00 AM	0.29
3/25/2025	4:30:00 AM	0.29
3/25/2025	4:45:00 AM	0.29
3/25/2025	5:00:00 AM	0.29
3/25/2025	5:15:00 AM	0.29
3/25/2025	5:30:00 AM	0.29
3/25/2025	5:45:00 AM	0.29
3/25/2025	6:00:00 AM	0.29
3/25/2025	6:15:00 AM	0.29
3/25/2025	6:30:00 AM	0.29
3/25/2025	6:45:00 AM	0.29
3/25/2025	7:00:00 AM	0.29
3/25/2025	7:15:00 AM	0.29
3/25/2025	7:30:00 AM	0.29
3/25/2025	7:45:00 AM	0.29
3/25/2025	8:00:00 AM	0.29
3/25/2025	8:15:00 AM	0.29
3/25/2025	8:30:00 AM	0.29
3/25/2025	8:45:00 AM	0.29
3/25/2025	9:00:00 AM	0.29
3/25/2025	9:15:00 AM	0.29
3/25/2025	9:30:00 AM	0.29
3/25/2025	9:45:00 AM	0.29
3/25/2025	10:00:00 AM	0.29
3/25/2025	10:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/25/2025	10:30:00 AM	0.29
3/25/2025	10:45:00 AM	0.29
3/25/2025	11:00:00 AM	0.29
3/25/2025	11:15:00 AM	0.29
3/25/2025	11:30:00 AM	0.29
3/25/2025	11:45:00 AM	0.29
3/25/2025	12:00:00 PM	0.29
3/25/2025	12:15:00 PM	0.29
3/25/2025	12:30:00 PM	0.29
3/25/2025	12:45:00 PM	0.29
3/25/2025	1:00:00 PM	0.29
3/25/2025	1:15:00 PM	0.29
3/25/2025	1:30:00 PM	0.29
3/25/2025	1:45:00 PM	0.29
3/25/2025	2:00:00 PM	0.29
3/25/2025	2:15:00 PM	0.29
3/25/2025	2:30:00 PM	0.29
3/25/2025	2:45:00 PM	0.29
3/25/2025	3:00:00 PM	0.29
3/25/2025	3:15:00 PM	0.29
3/25/2025	3:30:00 PM	0.29
3/25/2025	3:45:00 PM	0.29
3/25/2025	4:00:00 PM	0.29
3/25/2025	4:15:00 PM	0.29
3/25/2025	4:30:00 PM	0.29
3/25/2025	4:45:00 PM	0.29
3/25/2025	5:00:00 PM	0.29
3/25/2025	5:15:00 PM	0.29
3/25/2025	5:30:00 PM	0.29
3/25/2025	5:45:00 PM	0.29
3/25/2025	6:00:00 PM	0.29
3/25/2025	6:15:00 PM	0.29
3/25/2025	6:30:00 PM	0.29
3/25/2025	6:45:00 PM	0.29
3/25/2025	7:00:00 PM	0.29
3/25/2025	7:15:00 PM	0.29
3/25/2025	7:30:00 PM	0.29
3/25/2025	7:45:00 PM	0.29
3/25/2025	8:00:00 PM	0.29
3/25/2025	8:15:00 PM	0.29
3/25/2025	8:30:00 PM	0.28
3/25/2025	8:45:00 PM	0.28
3/25/2025	9:00:00 PM	0.28
3/25/2025	9:15:00 PM	0.28
3/25/2025	9:30:00 PM	0.28
3/25/2025	9:45:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
3/25/2025	10:00:00 PM	0.29
3/25/2025	10:15:00 PM	0.29
3/25/2025	10:30:00 PM	0.29
3/25/2025	10:45:00 PM	0.29
3/25/2025	11:00:00 PM	0.29
3/25/2025	11:15:00 PM	0.29
3/25/2025	11:30:00 PM	0.29
3/25/2025	11:45:00 PM	0.29
3/26/2025	12:00:00 AM	0.29
3/26/2025	12:15:00 AM	0.29
3/26/2025	12:30:00 AM	0.3
3/26/2025	12:45:00 AM	0.3
3/26/2025	1:00:00 AM	0.3
3/26/2025	1:15:00 AM	0.3
3/26/2025	1:30:00 AM	0.3
3/26/2025	1:45:00 AM	0.3
3/26/2025	2:00:00 AM	0.3
3/26/2025	2:15:00 AM	0.3
3/26/2025	2:30:00 AM	0.3
3/26/2025	2:45:00 AM	0.3
3/26/2025	3:00:00 AM	0.31
3/26/2025	3:15:00 AM	0.31
3/26/2025	3:30:00 AM	0.31
3/26/2025	3:45:00 AM	0.31
3/26/2025	4:00:00 AM	0.31
3/26/2025	4:15:00 AM	0.31
3/26/2025	4:30:00 AM	0.31
3/26/2025	4:45:00 AM	0.31
3/26/2025	5:00:00 AM	0.31
3/26/2025	5:15:00 AM	0.31
3/26/2025	5:30:00 AM	0.31
3/26/2025	5:45:00 AM	0.31
3/26/2025	6:00:00 AM	0.31
3/26/2025	6:15:00 AM	0.31
3/26/2025	6:30:00 AM	.
3/26/2025	6:45:00 AM	0.36
3/26/2025	7:00:00 AM	0.35
3/26/2025	7:15:00 AM	0.35
3/26/2025	7:30:00 AM	0.35
3/26/2025	7:45:00 AM	0.35
3/26/2025	8:00:00 AM	0.35
3/26/2025	8:15:00 AM	0.35
3/26/2025	8:30:00 AM	0.35
3/26/2025	8:45:00 AM	0.35
3/26/2025	9:00:00 AM	0.35
3/26/2025	9:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
3/26/2025	9:30:00 AM	0.35
3/26/2025	9:45:00 AM	0.35
3/26/2025	10:00:00 AM	0.35
3/26/2025	10:15:00 AM	0.35
3/26/2025	10:30:00 AM	0.35
3/26/2025	10:45:00 AM	0.35
3/26/2025	11:00:00 AM	0.34
3/26/2025	11:15:00 AM	0.34
3/26/2025	11:30:00 AM	0.34
3/26/2025	11:45:00 AM	0.34
3/26/2025	12:00:00 PM	0.34
3/26/2025	12:15:00 PM	0.34
3/26/2025	12:30:00 PM	0.34
3/26/2025	12:45:00 PM	0.34
3/26/2025	1:00:00 PM	0.33
3/26/2025	1:15:00 PM	0.33
3/26/2025	1:30:00 PM	0.33
3/26/2025	1:45:00 PM	0.33
3/26/2025	2:00:00 PM	0.33
3/26/2025	2:15:00 PM	0.33
3/26/2025	2:30:00 PM	0.32
3/26/2025	2:45:00 PM	0.32
3/26/2025	3:00:00 PM	0.32
3/26/2025	3:15:00 PM	0.32
3/26/2025	3:30:00 PM	0.32
3/26/2025	3:45:00 PM	0.32
3/26/2025	4:00:00 PM	0.32
3/26/2025	4:15:00 PM	0.32
3/26/2025	4:30:00 PM	0.31
3/26/2025	4:45:00 PM	0.31
3/26/2025	5:00:00 PM	0.31
3/26/2025	5:15:00 PM	0.31
3/26/2025	5:30:00 PM	0.31
3/26/2025	5:45:00 PM	0.31
3/26/2025	6:00:00 PM	0.31
3/26/2025	6:15:00 PM	0.31
3/26/2025	6:30:00 PM	0.31
3/26/2025	6:45:00 PM	0.31
3/26/2025	7:00:00 PM	0.31
3/26/2025	7:15:00 PM	0.31
3/26/2025	7:30:00 PM	0.31
3/26/2025	7:45:00 PM	0.31
3/26/2025	8:00:00 PM	0.31
3/26/2025	8:15:00 PM	0.31
3/26/2025	8:30:00 PM	0.31
3/26/2025	8:45:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
3/26/2025	9:00:00 PM	0.3
3/26/2025	9:15:00 PM	0.3
3/26/2025	9:30:00 PM	0.3
3/26/2025	9:45:00 PM	0.31
3/26/2025	10:00:00 PM	0.31
3/26/2025	10:15:00 PM	0.31
3/26/2025	10:30:00 PM	0.31
3/26/2025	10:45:00 PM	0.31
3/26/2025	11:00:00 PM	0.32
3/26/2025	11:15:00 PM	0.32
3/26/2025	11:30:00 PM	0.32
3/26/2025	11:45:00 PM	0.32
3/27/2025	12:00:00 AM	0.32
3/27/2025	12:15:00 AM	0.32
3/27/2025	12:30:00 AM	0.33
3/27/2025	12:45:00 AM	0.33
3/27/2025	1:00:00 AM	0.33
3/27/2025	1:15:00 AM	0.33
3/27/2025	1:30:00 AM	0.33
3/27/2025	1:45:00 AM	0.33
3/27/2025	2:00:00 AM	0.33
3/27/2025	2:15:00 AM	0.33
3/27/2025	2:30:00 AM	0.33
3/27/2025	2:45:00 AM	0.33
3/27/2025	3:00:00 AM	0.33
3/27/2025	3:15:00 AM	0.33
3/27/2025	3:30:00 AM	0.33
3/27/2025	3:45:00 AM	0.33
3/27/2025	4:00:00 AM	0.33
3/27/2025	4:15:00 AM	0.33
3/27/2025	4:30:00 AM	0.33
3/27/2025	4:45:00 AM	0.33
3/27/2025	5:00:00 AM	0.33
3/27/2025	5:15:00 AM	0.33
3/27/2025	5:30:00 AM	0.33
3/27/2025	5:45:00 AM	0.33
3/27/2025	6:00:00 AM	0.33
3/27/2025	6:15:00 AM	0.33
3/27/2025	6:30:00 AM	0.33
3/27/2025	6:45:00 AM	0.33
3/27/2025	7:00:00 AM	0.33
3/27/2025	7:15:00 AM	0.33
3/27/2025	7:30:00 AM	0.33
3/27/2025	7:45:00 AM	0.33
3/27/2025	8:00:00 AM	0.33
3/27/2025	8:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
3/27/2025	8:30:00 AM	0.33
3/27/2025	8:45:00 AM	0.32
3/27/2025	9:00:00 AM	0.33
3/27/2025	9:15:00 AM	0.33
3/27/2025	9:30:00 AM	0.33
3/27/2025	9:45:00 AM	0.32
3/27/2025	10:00:00 AM	0.32
3/27/2025	10:15:00 AM	0.33
3/27/2025	10:30:00 AM	0.32
3/27/2025	10:45:00 AM	0.32
3/27/2025	11:00:00 AM	0.32
3/27/2025	11:15:00 AM	0.32
3/27/2025	11:30:00 AM	0.32
3/27/2025	11:45:00 AM	0.32
3/27/2025	12:00:00 PM	0.32
3/27/2025	12:15:00 PM	0.32
3/27/2025	12:30:00 PM	0.32
3/27/2025	12:45:00 PM	0.32
3/27/2025	1:00:00 PM	0.32
3/27/2025	1:15:00 PM	0.32
3/27/2025	1:30:00 PM	0.32
3/27/2025	1:45:00 PM	0.31
3/27/2025	2:00:00 PM	0.31
3/27/2025	2:15:00 PM	0.31
3/27/2025	2:30:00 PM	0.31
3/27/2025	2:45:00 PM	0.31
3/27/2025	3:00:00 PM	0.31
3/27/2025	3:15:00 PM	0.31
3/27/2025	3:30:00 PM	0.31
3/27/2025	3:45:00 PM	0.31
3/27/2025	4:00:00 PM	0.31
3/27/2025	4:15:00 PM	0.31
3/27/2025	4:30:00 PM	0.3
3/27/2025	4:45:00 PM	0.3
3/27/2025	5:00:00 PM	0.3
3/27/2025	5:15:00 PM	0.3
3/27/2025	5:30:00 PM	0.3
3/27/2025	5:45:00 PM	0.3
3/27/2025	6:00:00 PM	0.3
3/27/2025	6:15:00 PM	0.3
3/27/2025	6:30:00 PM	0.3
3/27/2025	6:45:00 PM	0.3
3/27/2025	7:00:00 PM	0.29
3/27/2025	7:15:00 PM	0.29
3/27/2025	7:30:00 PM	0.29
3/27/2025	7:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
3/27/2025	8:00:00 PM	0.29
3/27/2025	8:15:00 PM	0.29
3/27/2025	8:30:00 PM	0.29
3/27/2025	8:45:00 PM	0.28
3/27/2025	9:00:00 PM	0.28
3/27/2025	9:15:00 PM	0.28
3/27/2025	9:30:00 PM	0.28
3/27/2025	9:45:00 PM	0.28
3/27/2025	10:00:00 PM	0.28
3/27/2025	10:15:00 PM	0.28
3/27/2025	10:30:00 PM	0.28
3/27/2025	10:45:00 PM	0.28
3/27/2025	11:00:00 PM	0.28
3/27/2025	11:15:00 PM	0.27
3/27/2025	11:30:00 PM	0.27
3/27/2025	11:45:00 PM	0.27
3/28/2025	12:00:00 AM	0.27
3/28/2025	12:15:00 AM	0.27
3/28/2025	12:30:00 AM	0.27
3/28/2025	12:45:00 AM	0.27
3/28/2025	1:00:00 AM	0.27
3/28/2025	1:15:00 AM	0.27
3/28/2025	1:30:00 AM	0.27
3/28/2025	1:45:00 AM	0.27
3/28/2025	2:00:00 AM	0.27
3/28/2025	2:15:00 AM	0.27
3/28/2025	2:30:00 AM	0.27
3/28/2025	2:45:00 AM	0.27
3/28/2025	3:00:00 AM	0.27
3/28/2025	3:15:00 AM	0.27
3/28/2025	3:30:00 AM	0.27
3/28/2025	3:45:00 AM	0.27
3/28/2025	4:00:00 AM	0.27
3/28/2025	4:15:00 AM	0.27
3/28/2025	4:30:00 AM	0.27
3/28/2025	4:45:00 AM	0.27
3/28/2025	5:00:00 AM	0.27
3/28/2025	5:15:00 AM	0.27
3/28/2025	5:30:00 AM	0.27
3/28/2025	5:45:00 AM	0.27
3/28/2025	6:00:00 AM	0.27
3/28/2025	6:15:00 AM	0.27
3/28/2025	6:30:00 AM	0.27
3/28/2025	6:45:00 AM	0.27
3/28/2025	7:00:00 AM	0.27
3/28/2025	7:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
3/28/2025	7:30:00 AM	0.27
3/28/2025	7:45:00 AM	0.27
3/28/2025	8:00:00 AM	0.27
3/28/2025	8:15:00 AM	0.27
3/28/2025	8:30:00 AM	0.27
3/28/2025	8:45:00 AM	0.27
3/28/2025	9:00:00 AM	0.27
3/28/2025	9:15:00 AM	0.27
3/28/2025	9:30:00 AM	0.26
3/28/2025	9:45:00 AM	0.27
3/28/2025	10:00:00 AM	0.26
3/28/2025	10:15:00 AM	0.26
3/28/2025	10:30:00 AM	0.26
3/28/2025	10:45:00 AM	0.26
3/28/2025	11:00:00 AM	0.26
3/28/2025	11:15:00 AM	0.26
3/28/2025	11:30:00 AM	0.26
3/28/2025	11:45:00 AM	0.26
3/28/2025	12:00:00 PM	0.26
3/28/2025	12:15:00 PM	0.26
3/28/2025	12:30:00 PM	0.26
3/28/2025	12:45:00 PM	0.26
3/28/2025	1:00:00 PM	0.26
3/28/2025	1:15:00 PM	0.26
3/28/2025	1:30:00 PM	0.26
3/28/2025	1:45:00 PM	0.26
3/28/2025	2:00:00 PM	0.26
3/28/2025	2:15:00 PM	0.26
3/28/2025	2:30:00 PM	0.26
3/28/2025	2:45:00 PM	0.26
3/28/2025	3:00:00 PM	0.26
3/28/2025	3:15:00 PM	0.26
3/28/2025	3:30:00 PM	0.26
3/28/2025	3:45:00 PM	0.26
3/28/2025	4:00:00 PM	0.26
3/28/2025	4:15:00 PM	0.26
3/28/2025	4:30:00 PM	0.26
3/28/2025	4:45:00 PM	0.26
3/28/2025	5:00:00 PM	0.26
3/28/2025	5:15:00 PM	0.26
3/28/2025	5:30:00 PM	0.26
3/28/2025	5:45:00 PM	0.26
3/28/2025	6:00:00 PM	0.26
3/28/2025	6:15:00 PM	0.26
3/28/2025	6:30:00 PM	0.26
3/28/2025	6:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
3/28/2025	7:00:00 PM	0.26
3/28/2025	7:15:00 PM	0.26
3/28/2025	7:30:00 PM	0.26
3/28/2025	7:45:00 PM	0.26
3/28/2025	8:00:00 PM	0.26
3/28/2025	8:15:00 PM	0.26
3/28/2025	8:30:00 PM	0.26
3/28/2025	8:45:00 PM	0.26
3/28/2025	9:00:00 PM	0.26
3/28/2025	9:15:00 PM	0.26
3/28/2025	9:30:00 PM	0.26
3/28/2025	9:45:00 PM	0.26
3/28/2025	10:00:00 PM	0.26
3/28/2025	10:15:00 PM	0.26
3/28/2025	10:30:00 PM	0.26
3/28/2025	10:45:00 PM	0.26
3/28/2025	11:00:00 PM	0.26
3/28/2025	11:15:00 PM	0.26
3/28/2025	11:30:00 PM	0.26
3/28/2025	11:45:00 PM	0.26
3/29/2025	12:00:00 AM	0.26
3/29/2025	12:15:00 AM	0.26
3/29/2025	12:30:00 AM	0.26
3/29/2025	12:45:00 AM	0.26
3/29/2025	1:00:00 AM	0.26
3/29/2025	1:15:00 AM	0.26
3/29/2025	1:30:00 AM	0.26
3/29/2025	1:45:00 AM	0.26
3/29/2025	2:00:00 AM	0.26
3/29/2025	2:15:00 AM	0.26
3/29/2025	2:30:00 AM	0.26
3/29/2025	2:45:00 AM	0.26
3/29/2025	3:00:00 AM	0.26
3/29/2025	3:15:00 AM	0.26
3/29/2025	3:30:00 AM	0.26
3/29/2025	3:45:00 AM	0.26
3/29/2025	4:00:00 AM	0.26
3/29/2025	4:15:00 AM	0.26
3/29/2025	4:30:00 AM	0.26
3/29/2025	4:45:00 AM	0.26
3/29/2025	5:00:00 AM	0.26
3/29/2025	5:15:00 AM	0.26
3/29/2025	5:30:00 AM	0.26
3/29/2025	5:45:00 AM	0.26
3/29/2025	6:00:00 AM	0.26
3/29/2025	6:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
3/29/2025	6:30:00 AM	0.26
3/29/2025	6:45:00 AM	0.26
3/29/2025	7:00:00 AM	0.26
3/29/2025	7:15:00 AM	0.26
3/29/2025	7:30:00 AM	0.26
3/29/2025	7:45:00 AM	0.26
3/29/2025	8:00:00 AM	0.26
3/29/2025	8:15:00 AM	0.26
3/29/2025	8:30:00 AM	0.26
3/29/2025	8:45:00 AM	0.26
3/29/2025	9:00:00 AM	0.26
3/29/2025	9:15:00 AM	0.26
3/29/2025	9:30:00 AM	0.26
3/29/2025	9:45:00 AM	0.26
3/29/2025	10:00:00 AM	0.26
3/29/2025	10:15:00 AM	0.26
3/29/2025	10:30:00 AM	0.26
3/29/2025	10:45:00 AM	0.26
3/29/2025	11:00:00 AM	0.26
3/29/2025	11:15:00 AM	0.26
3/29/2025	11:30:00 AM	0.26
3/29/2025	11:45:00 AM	0.26
3/29/2025	12:00:00 PM	0.26
3/29/2025	12:15:00 PM	0.26
3/29/2025	12:30:00 PM	0.26
3/29/2025	12:45:00 PM	0.26
3/29/2025	1:00:00 PM	0.26
3/29/2025	1:15:00 PM	0.26
3/29/2025	1:30:00 PM	0.26
3/29/2025	1:45:00 PM	0.26
3/29/2025	2:00:00 PM	0.26
3/29/2025	2:15:00 PM	0.26
3/29/2025	2:30:00 PM	0.26
3/29/2025	2:45:00 PM	0.26
3/29/2025	3:00:00 PM	0.26
3/29/2025	3:15:00 PM	0.26
3/29/2025	3:30:00 PM	0.26
3/29/2025	3:45:00 PM	0.26
3/29/2025	4:00:00 PM	0.26
3/29/2025	4:15:00 PM	0.26
3/29/2025	4:30:00 PM	0.26
3/29/2025	4:45:00 PM	0.26
3/29/2025	5:00:00 PM	0.26
3/29/2025	5:15:00 PM	0.26
3/29/2025	5:30:00 PM	0.26
3/29/2025	5:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
3/29/2025	6:00:00 PM	0.26
3/29/2025	6:15:00 PM	0.26
3/29/2025	6:30:00 PM	0.26
3/29/2025	6:45:00 PM	0.26
3/29/2025	7:00:00 PM	0.26
3/29/2025	7:15:00 PM	0.26
3/29/2025	7:30:00 PM	0.26
3/29/2025	7:45:00 PM	0.26
3/29/2025	8:00:00 PM	0.26
3/29/2025	8:15:00 PM	0.26
3/29/2025	8:30:00 PM	0.26
3/29/2025	8:45:00 PM	0.26
3/29/2025	9:00:00 PM	0.26
3/29/2025	9:15:00 PM	0.26
3/29/2025	9:30:00 PM	0.26
3/29/2025	9:45:00 PM	0.26
3/29/2025	10:00:00 PM	0.26
3/29/2025	10:15:00 PM	0.26
3/29/2025	10:30:00 PM	0.26
3/29/2025	10:45:00 PM	0.26
3/29/2025	11:00:00 PM	0.26
3/29/2025	11:15:00 PM	0.26
3/29/2025	11:30:00 PM	0.26
3/29/2025	11:45:00 PM	0.26
3/30/2025	12:00:00 AM	0.26
3/30/2025	12:15:00 AM	0.26
3/30/2025	12:30:00 AM	0.26
3/30/2025	12:45:00 AM	0.26
3/30/2025	1:00:00 AM	0.26
3/30/2025	1:15:00 AM	0.26
3/30/2025	1:30:00 AM	0.26
3/30/2025	1:45:00 AM	0.26
3/30/2025	2:00:00 AM	0.26
3/30/2025	2:15:00 AM	0.26
3/30/2025	2:30:00 AM	0.26
3/30/2025	2:45:00 AM	0.26
3/30/2025	3:00:00 AM	0.26
3/30/2025	3:15:00 AM	0.26
3/30/2025	3:30:00 AM	0.26
3/30/2025	3:45:00 AM	0.25
3/30/2025	4:00:00 AM	0.25
3/30/2025	4:15:00 AM	0.25
3/30/2025	4:30:00 AM	0.25
3/30/2025	4:45:00 AM	0.25
3/30/2025	5:00:00 AM	0.25
3/30/2025	5:15:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
3/30/2025	5:30:00 AM	0.25
3/30/2025	5:45:00 AM	0.25
3/30/2025	6:00:00 AM	0.25
3/30/2025	6:15:00 AM	0.25
3/30/2025	6:30:00 AM	0.25
3/30/2025	6:45:00 AM	0.25
3/30/2025	7:00:00 AM	0.25
3/30/2025	7:15:00 AM	0.25
3/30/2025	7:30:00 AM	0.25
3/30/2025	7:45:00 AM	0.25
3/30/2025	8:00:00 AM	0.25
3/30/2025	8:15:00 AM	0.25
3/30/2025	8:30:00 AM	0.25
3/30/2025	8:45:00 AM	0.25
3/30/2025	9:00:00 AM	0.25
3/30/2025	9:15:00 AM	0.28
3/30/2025	9:30:00 AM	0.29
3/30/2025	9:45:00 AM	0.3
3/30/2025	10:00:00 AM	0.31
3/30/2025	10:15:00 AM	0.32
3/30/2025	10:30:00 AM	0.32
3/30/2025	10:45:00 AM	0.33
3/30/2025	11:00:00 AM	0.34
3/30/2025	11:15:00 AM	0.34
3/30/2025	11:30:00 AM	0.35
3/30/2025	11:45:00 AM	0.36
3/30/2025	12:00:00 PM	0.37
3/30/2025	12:15:00 PM	0.37
3/30/2025	12:30:00 PM	0.38
3/30/2025	12:45:00 PM	0.38
3/30/2025	1:00:00 PM	0.39
3/30/2025	1:15:00 PM	0.39
3/30/2025	1:30:00 PM	0.39
3/30/2025	1:45:00 PM	0.4
3/30/2025	2:00:00 PM	0.4
3/30/2025	2:15:00 PM	0.4
3/30/2025	2:30:00 PM	0.41
3/30/2025	2:45:00 PM	0.41
3/30/2025	3:00:00 PM	0.41
3/30/2025	3:15:00 PM	0.41
3/30/2025	3:30:00 PM	0.41
3/30/2025	3:45:00 PM	0.42
3/30/2025	4:00:00 PM	0.42
3/30/2025	4:15:00 PM	0.42
3/30/2025	4:30:00 PM	0.42
3/30/2025	4:45:00 PM	0.43

Billy Lake Return Gage

DATE	TIME	GAGE
3/30/2025	5:00:00 PM	0.42
3/30/2025	5:15:00 PM	0.43
3/30/2025	5:30:00 PM	0.43
3/30/2025	5:45:00 PM	0.43
3/30/2025	6:00:00 PM	0.43
3/30/2025	6:15:00 PM	0.43
3/30/2025	6:30:00 PM	0.43
3/30/2025	6:45:00 PM	0.43
3/30/2025	7:00:00 PM	0.43
3/30/2025	7:15:00 PM	0.44
3/30/2025	7:30:00 PM	0.43
3/30/2025	7:45:00 PM	0.44
3/30/2025	8:00:00 PM	0.44
3/30/2025	8:15:00 PM	0.44
3/30/2025	8:30:00 PM	0.44
3/30/2025	8:45:00 PM	0.44
3/30/2025	9:00:00 PM	0.44
3/30/2025	9:15:00 PM	0.44
3/30/2025	9:30:00 PM	0.44
3/30/2025	9:45:00 PM	0.44
3/30/2025	10:00:00 PM	0.44
3/30/2025	10:15:00 PM	0.44
3/30/2025	10:30:00 PM	0.44
3/30/2025	10:45:00 PM	0.44
3/30/2025	11:00:00 PM	0.44
3/30/2025	11:15:00 PM	0.44
3/30/2025	11:30:00 PM	0.44
3/30/2025	11:45:00 PM	0.44
3/31/2025	12:00:00 AM	0.44
3/31/2025	12:15:00 AM	0.45
3/31/2025	12:30:00 AM	0.45
3/31/2025	12:45:00 AM	0.44
3/31/2025	1:00:00 AM	0.44
3/31/2025	1:15:00 AM	0.44
3/31/2025	1:30:00 AM	0.44
3/31/2025	1:45:00 AM	0.44
3/31/2025	2:00:00 AM	0.44
3/31/2025	2:15:00 AM	0.44
3/31/2025	2:30:00 AM	0.45
3/31/2025	2:45:00 AM	0.44
3/31/2025	3:00:00 AM	0.44
3/31/2025	3:15:00 AM	0.45
3/31/2025	3:30:00 AM	0.44
3/31/2025	3:45:00 AM	0.44
3/31/2025	4:00:00 AM	0.44
3/31/2025	4:15:00 AM	0.44

Billy Lake Return Gage

DATE	TIME	GAGE
3/31/2025	4:30:00 AM	0.44
3/31/2025	4:45:00 AM	0.44
3/31/2025	5:00:00 AM	0.44
3/31/2025	5:15:00 AM	0.44
3/31/2025	5:30:00 AM	0.44
3/31/2025	5:45:00 AM	0.44
3/31/2025	6:00:00 AM	0.45
3/31/2025	6:15:00 AM	0.44
3/31/2025	6:30:00 AM	0.44
3/31/2025	6:45:00 AM	0.44
3/31/2025	7:00:00 AM	0.44
3/31/2025	7:15:00 AM	0.44
3/31/2025	7:30:00 AM	0.44
3/31/2025	7:45:00 AM	0.44
3/31/2025	8:00:00 AM	0.44
3/31/2025	8:15:00 AM	0.44
3/31/2025	8:30:00 AM	0.44
3/31/2025	8:45:00 AM	0.45
3/31/2025	9:00:00 AM	0.44
3/31/2025	9:15:00 AM	0.44
3/31/2025	9:30:00 AM	0.44
3/31/2025	9:45:00 AM	0.44
3/31/2025	10:00:00 AM	0.44
3/31/2025	10:15:00 AM	0.44
3/31/2025	10:30:00 AM	0.44
3/31/2025	10:45:00 AM	0.41
3/31/2025	11:00:00 AM	0.41
3/31/2025	11:15:00 AM	0.41
3/31/2025	11:30:00 AM	0.41
3/31/2025	11:45:00 AM	0.41
3/31/2025	12:00:00 PM	0.41
3/31/2025	12:15:00 PM	0.41
3/31/2025	12:30:00 PM	0.41
3/31/2025	12:45:00 PM	0.41
3/31/2025	1:00:00 PM	0.41
3/31/2025	1:15:00 PM	0.4
3/31/2025	1:30:00 PM	0.4
3/31/2025	1:45:00 PM	0.4
3/31/2025	2:00:00 PM	0.4
3/31/2025	2:15:00 PM	0.4
3/31/2025	2:30:00 PM	0.39
3/31/2025	2:45:00 PM	0.39
3/31/2025	3:00:00 PM	0.39
3/31/2025	3:15:00 PM	0.39
3/31/2025	3:30:00 PM	0.39
3/31/2025	3:45:00 PM	0.39

Billy Lake Return Gage

DATE	TIME	GAGE
3/31/2025	4:00:00 PM	0.39
3/31/2025	4:15:00 PM	0.38
3/31/2025	4:30:00 PM	0.38
3/31/2025	4:45:00 PM	0.38
3/31/2025	5:00:00 PM	0.38
3/31/2025	5:15:00 PM	0.38
3/31/2025	5:30:00 PM	0.38
3/31/2025	5:45:00 PM	0.38
3/31/2025	6:00:00 PM	0.38
3/31/2025	6:15:00 PM	0.38
3/31/2025	6:30:00 PM	0.38
3/31/2025	6:45:00 PM	0.38
3/31/2025	7:00:00 PM	0.38
3/31/2025	7:15:00 PM	0.37
3/31/2025	7:30:00 PM	0.37
3/31/2025	7:45:00 PM	0.37
3/31/2025	8:00:00 PM	0.37
3/31/2025	8:15:00 PM	0.37
3/31/2025	8:30:00 PM	0.37
3/31/2025	8:45:00 PM	0.37
3/31/2025	9:00:00 PM	0.37
3/31/2025	9:15:00 PM	0.37
3/31/2025	9:30:00 PM	0.37
3/31/2025	9:45:00 PM	0.37
3/31/2025	10:00:00 PM	0.37
3/31/2025	10:15:00 PM	0.37
3/31/2025	10:30:00 PM	0.37
3/31/2025	10:45:00 PM	0.37
3/31/2025	11:00:00 PM	0.37
3/31/2025	11:15:00 PM	0.37
3/31/2025	11:30:00 PM	0.37
3/31/2025	11:45:00 PM	0.37

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	1	0	5	11	0.732	-0.046	2.92	0.016	0.016	0	52.5	54.6	66.2	150	156	0	28	29
2025	3	1	0	15	11	0.732	-0.131	2.92	0.016	0.013	0	52.5	55	70.1	150	156	0	28	28
2025	3	1	0	25	11	0.794	-0.066	2.92	0.016	0.013	0	52.5	54.6	70.5	150	155	0	28	28
2025	3	1	0	35	11	0.728	-0.033	2.92	0.013	0.01	0	52.5	54.6	70.1	150	155	0	28	28
2025	3	1	0	45	11	0.758	-0.062	2.917	0.016	0.016	0	52	54.6	70.1	149	155	0	28	28
2025	3	1	0	55	11	0.768	-0.062	2.917	0.016	0.016	0	52.5	54.6	70.5	149	155	0	27	28
2025	3	1	1	5	11	0.722	-0.089	2.917	0.016	0.016	0	52	54.6	67.5	150	156	0	29	29
2025	3	1	1	15	11	0.735	-0.033	2.917	0.016	0.013	0	52.5	54.6	69.2	150	156	0	28	29
2025	3	1	1	25	11	0.781	-0.105	2.917	0.016	0.013	0	52.5	55	69.2	150	156	0	28	28
2025	3	1	1	35	11	0.745	-0.066	2.917	0.016	0.016	0	52	54.2	70.1	149	155	0	28	29
2025	3	1	1	45	11	0.768	-0.043	2.917	0.01	0.007	0	52	54.6	71	149	155	0	28	28
2025	3	1	1	55	11	0.751	-0.092	2.917	0.013	0.01	0	52.5	54.2	70.5	149	154	0	27	28
2025	3	1	2	5	11	0.719	-0.059	2.917	0.016	0.013	0	52	54.2	69.7	149	155	0	28	29
2025	3	1	2	15	11	0.764	-0.069	2.917	0.016	0.013	0	51.6	53.8	71	148	154	0	28	29
2025	3	1	2	25	11	0.732	-0.069	2.917	0.016	0.016	0	52	54.2	71	149	155	0	28	29
2025	3	1	2	35	11	0.715	-0.059	2.917	0.016	0.016	0	51.6	53.8	70.5	148	154	0	28	29
2025	3	1	2	45	11	0.748	-0.062	2.917	0.016	0.013	0	52	53.8	71.4	148	154	0	27	29
2025	3	1	2	55	11	0.735	-0.072	2.913	0.016	0.013	0	51.2	53.3	71.4	147	153	0	28	29
2025	3	1	3	5	11	0.735	-0.072	2.913	0.016	0.013	0	51.2	53.3	71	147	153	0	28	29
2025	3	1	3	15	11	0.758	-0.062	2.917	0.016	0.013	0	51.2	53.3	71.4	147	153	0	28	29
2025	3	1	3	25	11	0.774	-0.079	2.913	0.016	0.013	0	50.7	52.9	71.8	146	152	0	28	29
2025	3	1	3	35	11	0.705	-0.046	2.917	0.013	0.01	0	51.2	53.3	71	147	153	0	28	29
2025	3	1	3	45	11	0.699	-0.069	2.913	0.016	0.016	0	50.7	53.3	71	146	152	0	28	28
2025	3	1	3	55	11	0.689	-0.059	2.913	0.016	0.016	0	51.2	53.3	68.8	147	153	0	28	29
2025	3	1	4	5	11	0.722	-0.085	2.913	0.016	0.016	0	51.2	53.3	71	147	153	0	28	29
2025	3	1	4	15	11	0.712	-0.085	2.913	0.016	0.016	0	50.3	52.9	70.5	146	152	0	29	29
2025	3	1	4	25	11	0.719	-0.079	2.917	0.016	0.013	0	50.7	52.9	71	146	152	0	28	29
2025	3	1	4	35	11	0.738	-0.085	2.913	0.016	0.013	0	50.3	52.9	71.4	145	152	0	28	29
2025	3	1	4	45	11	0.732	-0.062	2.913	0.013	0.01	0	50.7	52.9	71.4	146	152	0	28	29
2025	3	1	4	55	11	0.735	-0.043	2.913	0.013	0.01	0	50.7	52.5	70.5	145	151	0	27	29
2025	3	1	5	5	11	0.722	-0.072	2.913	0.016	0.016	0	50.7	53.3	71	146	152	0	28	28
2025	3	1	5	15	11	0.732	-0.069	2.913	0.013	0.01	0	50.3	52.5	71	145	151	0	28	29
2025	3	1	5	25	11	0.748	-0.098	2.913	0.016	0.016	0	49.5	52	71	144	150	0	29	29
2025	3	1	5	35	11	0.732	-0.066	2.913	0.016	0.013	0	49.9	52	71.8	144	150	0	28	29
2025	3	1	5	45	11	0.758	-0.092	2.913	0.016	0.013	0	49	52.5	71.8	143	150	0	29	28
2025	3	1	5	55	11	0.738	-0.059	2.913	0.016	0.016	0	49.5	52	71.4	143	150	0	28	29
2025	3	1	6	5	11	0.712	-0.108	2.913	0.016	0.013	0	49.5	52.5	71.4	143	150	0	28	28
2025	3	1	6	15	11	0.719	-0.095	2.913	0.013	0.01	0	49	51.2	71.8	142	148	0	28	29
2025	3	1	6	25	11	0.751	-0.079	2.913	0.016	0.013	0	49	51.6	72.2	142	148	0	28	28
2025	3	1	6	35	11	0.689	-0.049	2.913	0.016	0.013	0	49	52	71.8	142	149	0	28	28
2025	3	1	6	45	11	0.715	-0.052	2.913	0.016	0.013	0	49	51.2	72.2	141	148	0	27	29
2025	3	1	6	55	11	0.715	-0.072	2.917	0.016	0.013	0	47.7	50.3	73.1	140	146	0	29	29
2025	3	1	7	5	11	0.712	-0.066	2.913	0.016	0.013	0	47.3	50.3	71.4	139	146	0	29	29
2025	3	1	7	15	11	0.735	-0.052	2.913	0.013	0.01	0	48.2	50.3	71.8	140	146	0	28	29
2025	3	1	7	25	11	0.709	-0.052	2.917	0.013	0.01	0	47.3	49.9	72.7	138	145	0	28	29
2025	3	1	7	35	11	0.745	-0.085	2.913	0.016	0.013	0	47.3	49.5	70.5	138	144	0	28	29
2025	3	1	7	45	11	0.728	-0.059	2.917	0.016	0.016	0	47.3	49.5	73.1	138	144	0	28	29
2025	3	1	7	55	11	0.728	-0.072	2.917	0.016	0.013	0	47.3	49.5	73.5	138	144	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	1	8	5	11	0.755	-0.082	2.917	0.01	0.007	0	46.4	48.6	74	136	142	0	28	29
2025	3	1	8	15	11	0.771	-0.062	2.917	0.016	0.013	0	46.9	49.5	73.5	137	143	0	28	28
2025	3	1	8	25	11	0.732	-0.079	2.917	0.01	0.007	0	46.9	49	73.5	137	143	0	28	29
2025	3	1	8	35	11	0.751	-0.095	2.917	0.016	0.013	0	46.4	48.6	74.8	136	142	0	28	29
2025	3	1	8	45	11	0.748	-0.082	2.917	0.016	0.016	0	47.3	49.9	74	138	144	0	28	28
2025	3	1	8	55	11	0.732	-0.066	2.917	0.016	0.013	0	46.9	49	73.5	137	143	0	28	29
2025	3	1	9	5	11	0.732	-0.062	2.917	0.013	0.01	0	47.3	49.5	74	138	144	0	28	29
2025	3	1	9	15	11	0.738	-0.085	2.917	0.016	0.013	0	46.4	49	74.8	137	143	0	29	29
2025	3	1	9	25	11	0.768	-0.046	2.917	0.013	0.01	0	47.7	49.9	74.4	139	145	0	28	29
2025	3	1	9	35	11	0.741	-0.072	2.917	0.016	0.013	0	48.2	50.3	53.3	140	146	0	28	29
2025	3	1	9	45	11	0.751	-0.052	2.917	0.016	0.016	0	48.2	50.3	51.6	140	146	0	28	29
2025	3	1	9	55	11	0.709	-0.079	2.92	0.016	0.013	0	47.3	49.5	48.6	138	144	0	28	29
2025	3	1	10	5	11	0.751	-0.056	2.92	0.016	0.016	0	47.3	49	51.6	137	143	0	27	29
2025	3	1	10	15	11	0.732	-0.069	2.92	0.016	0.016	0	46.4	48.6	49.9	136	142	0	28	29
2025	3	1	10	25	11	0.758	-0.098	2.92	0.016	0.013	0	46	49	49	136	143	0	29	29
2025	3	1	10	35	11	0.761	-0.069	2.92	0.016	0.016	0	46.9	49	49.5	137	143	0	28	29
2025	3	1	10	45	11	0.722	-0.059	2.92	0.016	0.013	0	47.3	49.5	49.5	138	144	0	28	29
2025	3	1	10	55	11	0.745	-0.059	2.92	0.016	0.013	0	46.9	49.5	51.6	137	143	0	28	28
2025	3	1	11	5	11	0.755	-0.098	2.92	0.016	0.013	0	47.3	49.9	55.9	138	144	0	28	28
2025	3	1	11	15	11	0.741	-0.082	2.92	0.016	0.013	0	47.3	49.5	52	138	144	0	28	29
2025	3	1	11	25	11	0.699	-0.043	2.923	0.016	0.013	0	48.6	50.7	51.2	141	147	0	28	29
2025	3	1	11	35	11	0.784	-0.056	2.923	0.016	0.013	0	48.6	50.3	50.7	141	146	0	28	29
2025	3	1	11	45	11	0.719	-0.069	2.923	0.016	0.013	0	48.6	50.3	58.9	140	146	0	27	29
2025	3	1	11	55	11	0.764	-0.043	2.923	0.016	0.013	0	47.7	50.3	73.1	139	145	0	28	28
2025	3	1	12	5	11	0.778	-0.049	2.923	0.016	0.013	0	48.2	50.3	63.6	140	146	0	28	29
2025	3	1	12	15	11	0.735	-0.052	2.923	0.016	0.013	0	47.3	50.7	72.2	139	146	0	29	28
2025	3	1	12	25	11	0.745	-0.105	2.923	0.02	0.016	0	48.2	50.3	58	140	146	0	28	29
2025	3	1	12	35	11	0.741	-0.046	2.923	0.016	0.013	0	48.2	50.3	53.8	140	146	0	28	29
2025	3	1	12	45	11	0.741	-0.085	2.927	0.016	0.013	0	48.2	49.9	65.4	139	145	0	27	29
2025	3	1	12	55	11	0.699	-0.079	2.927	0.016	0.013	0	48.2	50.7	64.5	140	146	0	28	28
2025	3	1	13	5	11	0.748	-0.043	2.927	0.016	0.013	0	48.2	50.3	73.1	140	146	0	28	29
2025	3	1	13	15	11	0.745	-0.046	2.927	0.016	0.013	0	48.6	50.7	67.1	140	146	0	27	28
2025	3	1	13	25	11	0.751	-0.052	2.93	0.016	0.016	0	49	51.2	74.4	142	148	0	28	29
2025	3	1	13	35	11	0.735	-0.069	2.93	0.016	0.013	0	49	51.2	70.5	141	147	0	27	28
2025	3	1	13	45	11	0.712	-0.066	2.93	0.016	0.016	0	48.6	51.2	64.5	141	147	0	28	28
2025	3	1	13	55	11	0.735	-0.043	2.93	0.013	0.01	0	49	51.2	74.4	142	148	0	28	29
2025	3	1	14	5	11	0.719	-0.026	2.93	0.016	0.016	0	48.6	51.6	67.9	141	148	0	28	28
2025	3	1	14	15	11	0.719	-0.072	2.93	0.016	0.013	0	49	50.7	73.5	141	147	0	27	29
2025	3	1	14	25	11	0.741	-0.062	2.933	0.016	0.013	0	48.6	51.2	74.4	141	147	0	28	28
2025	3	1	14	35	11	0.745	-0.056	2.933	0.016	0.013	0	48.2	51.2	66.2	140	147	0	28	28
2025	3	1	14	45	11	0.751	-0.052	2.933	0.016	0.016	0	49.5	51.6	73.5	142	148	0	27	28
2025	3	1	14	55	11	0.738	-0.089	2.933	0.016	0.016	0	49.5	51.6	74	142	148	0	27	28
2025	3	1	15	5	11	0.728	-0.089	2.933	0.013	0.01	0	49.5	51.6	74.8	142	148	0	27	28
2025	3	1	15	15	11	0.735	-0.066	2.933	0.016	0.016	0	49.5	51.6	74.4	142	148	0	27	28
2025	3	1	15	25	11	0.732	-0.105	2.933	0.013	0.01	0	49	51.2	74	141	147	0	27	28
2025	3	1	15	35	11	0.778	-0.039	2.933	0.013	0.01	0	49.5	51.6	62.8	142	148	0	27	28
2025	3	1	15	45	11	0.728	-0.098	2.933	0.016	0.013	0	49	51.6	67.5	142	148	0	28	28
2025	3	1	15	55	11	0.764	-0.069	2.933	0.013	0.01	0	48.6	51.2	75.3	141	147	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	1	16	5	11	0.755	-0.079	2.936	0.016	0.016	0	48.6	51.2	74.4	141	147	0	28	28
2025	3	1	16	15	11	0.748	-0.062	2.933	0.016	0.013	0	49.9	52	68.8	143	149	0	27	28
2025	3	1	16	25	11	0.732	-0.036	2.933	0.016	0.016	0	49.9	51.6	68.8	143	149	0	27	29
2025	3	1	16	35	11	0.758	-0.069	2.933	0.02	0.016	0	49	52	68.8	142	148	0	28	27
2025	3	1	16	45	11	0.755	-0.079	2.933	0.016	0.013	0	49.5	52	66.2	143	149	0	28	28
2025	3	1	16	55	11	0.715	-0.043	2.933	0.013	0.01	0	49.5	52	70.1	143	149	0	28	28
2025	3	1	17	5	11	0.738	-0.066	2.933	0.016	0.016	0	50.3	52.5	52.5	144	150	0	27	28
2025	3	1	17	15	11	0.748	-0.043	2.933	0.016	0.013	0	49.9	52.5	60.2	144	150	0	28	28
2025	3	1	17	25	11	0.745	-0.059	2.936	0.016	0.016	0	49.9	52.9	64.5	144	150	0	28	27
2025	3	1	17	35	11	0.738	-0.043	2.933	0.02	0.016	0	50.3	52.5	58.5	144	150	0	27	28
2025	3	1	17	45	11	0.738	-0.066	2.933	0.016	0.013	0	49.9	52.9	52.5	144	151	0	28	28
2025	3	1	17	55	11	0.738	-0.089	2.933	0.016	0.016	0	50.3	53.3	52.9	145	152	0	28	28
2025	3	1	18	5	11	0.735	-0.095	2.936	0.016	0.013	0	50.7	52.9	67.5	145	151	0	27	28
2025	3	1	18	15	11	0.722	-0.03	2.936	0.016	0.013	0	50.7	53.8	71.4	146	152	0	28	27
2025	3	1	18	25	11	0.748	-0.03	2.936	0.016	0.013	0	51.6	53.8	64.9	147	153	0	27	28
2025	3	1	18	35	11	0.741	-0.075	2.933	0.016	0.016	0	52	54.2	64.9	148	154	0	27	28
2025	3	1	18	45	11	0.735	-0.013	2.936	0.02	0.016	0	52	54.2	71.8	148	154	0	27	28
2025	3	1	18	55	11	0.758	-0.072	2.936	0.016	0.013	0	51.6	53.8	66.7	147	153	0	27	28
2025	3	1	19	5	11	0.722	-0.066	2.936	0.016	0.013	0	51.6	53.3	71.4	147	153	0	27	29
2025	3	1	19	15	11	0.735	-0.059	2.936	0.016	0.013	0	52	54.2	71.8	148	154	0	27	28
2025	3	1	19	25	11	0.751	-0.059	2.936	0.013	0.01	0	51.6	54.2	70.1	148	154	0	28	28
2025	3	1	19	35	11	0.748	-0.03	2.936	0.016	0.013	0	51.6	54.6	71.4	148	155	0	28	28
2025	3	1	19	45	11	0.738	-0.043	2.936	0.016	0.013	0	52	54.2	71	148	154	0	27	28
2025	3	1	19	55	11	0.741	-0.043	2.936	0.016	0.016	0	51.6	54.6	71.4	148	155	0	28	28
2025	3	1	20	5	11	0.735	-0.059	2.936	0.016	0.016	0	52	54.6	69.2	148	155	0	27	28
2025	3	1	20	15	11	0.758	-0.036	2.936	0.016	0.016	0	52.5	54.6	70.5	149	155	0	27	28
2025	3	1	20	25	11	0.758	-0.089	2.936	0.023	0.02	0	52	54.6	70.1	148	155	0	27	28
2025	3	1	20	35	11	0.738	-0.075	2.936	0.02	0.016	0	52.5	55	70.5	150	156	0	28	28
2025	3	1	20	45	11	0.758	-0.052	2.936	0.016	0.016	0	52	54.6	70.5	149	155	0	28	28
2025	3	1	20	55	11	0.774	-0.026	2.936	0.016	0.013	0	52.5	54.2	71.4	149	155	0	27	29
2025	3	1	21	5	11	0.741	-0.046	2.936	0.016	0.013	0	52	54.6	70.1	148	155	0	27	28
2025	3	1	21	15	11	0.719	-0.069	2.936	0.02	0.016	0	52	54.6	70.5	149	155	0	28	28
2025	3	1	21	25	11	0.751	-0.043	2.936	0.016	0.013	0	51.6	54.6	70.5	148	155	0	28	28
2025	3	1	21	35	11	0.755	-0.049	2.936	0.013	0.01	0	52	54.6	70.5	149	155	0	28	28
2025	3	1	21	45	11	0.758	-0.085	2.936	0.016	0.013	0	52	54.6	70.1	149	155	0	28	28
2025	3	1	21	55	11	0.778	-0.062	2.936	0.016	0.013	0	52.5	54.6	70.5	149	155	0	27	28
2025	3	1	22	5	11	0.761	-0.056	2.936	0.016	0.016	0	52.5	54.6	70.5	149	155	0	27	28
2025	3	1	22	15	11	0.745	-0.043	2.936	0.013	0.01	0	52.5	55	70.1	149	156	0	27	28
2025	3	1	22	25	11	0.764	-0.072	2.936	0.016	0.016	0	52	55	70.1	149	155	0	28	27
2025	3	1	22	35	11	0.738	-0.043	2.936	0.016	0.013	0	52	55	68.8	149	156	0	28	28
2025	3	1	22	45	11	0.751	-0.095	2.936	0.013	0.01	0	51.2	54.2	69.7	147	155	0	28	29
2025	3	1	22	55	11	0.758	-0.059	2.936	0.016	0.013	0	53.3	55	69.7	152	156	0	28	28
2025	3	1	23	5	11	0.774	-0.082	2.933	0.016	0.013	0	54.6	55	69.7	154	156	0	27	28
2025	3	1	23	15	11	0.768	-0.056	2.936	0.016	0.016	0	53.3	54.2	69.2	152	155	0	28	29
2025	3	1	23	25	11	0.728	-0.095	2.933	0.016	0.013	0	53.8	55	69.7	153	156	0	28	28
2025	3	1	23	35	11	0.741	-0.082	2.936	0.016	0.016	0	53.3	54.6	69.7	152	155	0	28	28
2025	3	1	23	45	11	0.771	-0.049	2.933	0.02	0.016	0	53.8	55	69.7	153	156	0	28	28
2025	3	1	23	55	11	0.797	-0.066	2.936	0.016	0.016	0	52.9	54.2	68.8	151	154	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	2	0	5	11	0.761	-0.056	2.933	0.016	0.013	0	53.8	54.6	68.8	152	155	0	27	28
2025	3	2	0	15	11	0.761	-0.069	2.933	0.016	0.013	0	53.8	55	68.4	153	156	0	28	28
2025	3	2	0	25	11	0.748	-0.082	2.933	0.016	0.013	0	53.8	55	68.8	152	156	0	27	28
2025	3	2	0	35	11	0.741	-0.039	2.933	0.016	0.013	0	53.8	55	68.8	153	156	0	28	28
2025	3	2	0	45	11	0.738	-0.033	2.933	0.016	0.013	0	54.2	55	66.2	153	156	0	27	28
2025	3	2	0	55	11	0.738	-0.052	2.933	0.016	0.016	0	54.2	55	68.4	153	156	0	27	28
2025	3	2	1	5	11	0.751	-0.062	2.933	0.016	0.013	0	53.8	55	68.4	153	156	0	28	28
2025	3	2	1	15	11	0.715	-0.066	2.933	0.016	0.013	0	53.8	54.6	67.5	153	156	0	28	29
2025	3	2	1	25	11	0.722	-0.023	2.933	0.016	0.013	0	53.3	55	67.5	153	156	0	29	28
2025	3	2	1	35	11	0.758	-0.059	2.933	0.016	0.016	0	53.3	54.6	66.7	152	155	0	28	28
2025	3	2	1	45	11	0.738	-0.079	2.936	0.02	0.016	0	53.3	54.2	65.8	152	155	0	28	29
2025	3	2	1	55	11	0.748	-0.066	2.936	0.016	0.013	0	52.9	54.2	66.7	151	154	0	28	28
2025	3	2	2	5	11	0.758	-0.066	2.936	0.016	0.013	0	52.9	54.2	55	151	154	0	28	28
2025	3	2	2	15	11	0.761	-0.049	2.936	0.016	0.016	0	53.3	54.2	64.5	152	155	0	28	29
2025	3	2	2	25	11	0.761	-0.043	2.936	0.016	0.013	0	53.3	55	67.1	152	156	0	28	28
2025	3	2	2	35	11	0.787	-0.043	2.94	0.016	0.013	0	53.3	54.2	66.7	152	155	0	28	29
2025	3	2	2	45	11	0.771	-0.056	2.943	0.016	0.013	0	53.3	54.2	67.5	151	155	0	27	29
2025	3	2	2	55	11	0.768	-0.039	2.943	0.016	0.013	0	52.5	53.8	61.1	150	154	0	28	29
2025	3	2	3	5	11	0.784	-0.049	2.943	0.016	0.013	0	52.9	53.8	68.4	150	153	0	27	28
2025	3	2	3	15	11	0.712	-0.052	2.943	0.016	0.013	0	52.5	53.8	66.7	150	153	0	28	28
2025	3	2	3	25	11	0.728	-0.036	2.946	0.016	0.013	0	52.5	53.8	68.4	150	154	0	28	29
2025	3	2	3	35	11	0.748	-0.062	2.946	0.016	0.013	0	52	53.3	68.8	149	153	0	28	29
2025	3	2	3	45	11	0.748	-0.079	2.946	0.016	0.013	0	52.5	53.8	56.8	150	153	0	28	28
2025	3	2	3	55	11	0.741	-0.056	2.946	0.016	0.016	0	52	53.3	69.2	149	153	0	28	29
2025	3	2	4	5	11	0.768	-0.075	2.946	0.016	0.016	0	52.5	53.3	68.8	150	153	0	28	29
2025	3	2	4	15	11	0.745	-0.082	2.946	0.016	0.013	0	52.5	54.2	66.7	150	154	0	28	28
2025	3	2	4	25	11	0.699	-0.059	2.946	0.016	0.016	0	51.6	53.8	70.5	149	153	0	29	28
2025	3	2	4	35	11	0.748	-0.089	2.946	0.013	0.01	0	51.6	52.9	55.5	148	152	0	28	29
2025	3	2	4	45	11	0.741	-0.098	2.946	0.016	0.016	0	51.6	53.3	70.1	148	152	0	28	28
2025	3	2	4	55	11	0.755	-0.082	2.946	0.013	0.01	0	51.6	52.9	68.8	148	152	0	28	29
2025	3	2	5	5	11	0.728	-0.059	2.946	0.016	0.013	0	52	53.3	70.1	149	152	0	28	28
2025	3	2	5	15	11	0.748	-0.052	2.946	0.016	0.013	0	51.6	52.5	71	148	151	0	28	29
2025	3	2	5	25	11	0.781	-0.075	2.946	0.016	0.013	0	51.2	52.9	71	147	151	0	28	28
2025	3	2	5	35	11	0.719	-0.059	2.946	0.016	0.013	0	51.2	52.5	64.1	147	151	0	28	29
2025	3	2	5	45	11	0.741	-0.056	2.946	0.016	0.016	0	51.2	52.9	69.2	147	151	0	28	28
2025	3	2	5	55	11	0.699	-0.007	2.946	0.016	0.016	0	51.2	52.5	71.8	147	150	0	28	28
2025	3	2	6	5	11	0.761	-0.066	2.946	0.016	0.013	0	50.7	52	72.2	146	150	0	28	29
2025	3	2	6	15	11	0.758	-0.072	2.946	0.02	0.016	0	50.7	52	65.8	146	150	0	28	29
2025	3	2	6	25	11	0.787	-0.069	2.946	0.016	0.013	0	50.3	52	72.7	145	149	0	28	28
2025	3	2	6	35	11	0.774	-0.082	2.949	0.016	0.013	0	49.9	50.7	73.1	144	147	0	28	29
2025	3	2	6	45	11	0.748	-0.062	2.949	0.016	0.016	0	49.9	51.2	71.4	144	148	0	28	29
2025	3	2	6	55	11	0.758	-0.079	2.949	0.016	0.016	0	49.5	50.3	74	143	146	0	28	29
2025	3	2	7	5	11	0.751	-0.079	2.949	0.013	0.01	0	50.7	52.5	68.8	146	150	0	28	28
2025	3	2	7	15	11	0.794	-0.082	2.946	0.016	0.013	0	48.6	50.3	52	141	145	0	28	28
2025	3	2	7	25	11	0.755	-0.082	2.946	0.013	0.01	0	49	49.9	52.5	141	145	0	27	29
2025	3	2	7	35	11	0.745	-0.049	2.949	0.016	0.013	0	49	50.3	61.9	142	146	0	28	29
2025	3	2	7	45	11	0.761	-0.059	2.946	0.016	0.013	0	49.9	50.3	71.4	143	146	0	27	29
2025	3	2	7	55	11	0.761	-0.092	2.949	0.013	0.01	0	49	50.3	71.8	142	146	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	2	8	5	11	0.758	-0.056	2.946	0.01	0.007	0	48.6	49.9	46	141	145	0	28	29
2025	3	2	8	15	11	0.758	-0.098	2.946	0.016	0.013	0	48.2	49.5	50.3	140	144	0	28	29
2025	3	2	8	25	11	0.702	-0.007	2.949	0.013	0.01	0	49	49.9	73.1	142	145	0	28	29
2025	3	2	8	35	11	0.725	-0.052	2.949	0.016	0.013	0	48.2	49.5	68.4	140	144	0	28	29
2025	3	2	8	45	11	0.761	-0.108	2.946	0.016	0.013	0	48.2	49.9	52	140	144	0	28	28
2025	3	2	8	55	11	0.741	-0.072	2.946	0.013	0.01	0	48.2	49.5	60.6	140	144	0	28	29
2025	3	2	9	5	11	0.709	-0.056	2.943	0.013	0.01	0	49	51.2	49.5	142	147	0	28	28
2025	3	2	9	15	11	0.755	-0.059	2.943	0.016	0.016	0	49.9	51.6	48.2	144	148	0	28	28
2025	3	2	9	25	11	0.705	-0.046	2.946	0.016	0.016	0	50.7	52	49.9	146	149	0	28	28
2025	3	2	9	35	11	0.741	-0.069	2.946	0.016	0.013	0	51.2	52	46.9	146	149	0	27	28
2025	3	2	9	45	11	0.755	-0.036	2.946	0.016	0.013	0	50.7	52.5	46.4	146	150	0	28	28
2025	3	2	9	55	11	0.778	-0.049	2.943	0.016	0.013	0	49.9	51.2	46.4	144	148	0	28	29
2025	3	2	10	5	11	0.761	-0.059	2.943	0.016	0.013	0	49.9	51.2	48.2	144	148	0	28	29
2025	3	2	10	15	11	0.741	-0.079	2.943	0.016	0.013	0	49.9	51.2	49.9	144	148	0	28	29
2025	3	2	10	25	11	0.738	-0.046	2.943	0.016	0.013	0	49.5	49.9	50.7	143	146	0	28	30
2025	3	2	10	35	11	0.735	-0.082	2.943	0.013	0.01	0	49.5	50.7	48.2	143	147	0	28	29
2025	3	2	10	45	11	0.712	-0.082	2.943	0.016	0.016	0	49.9	51.6	47.7	144	148	0	28	28
2025	3	2	10	55	11	0.755	-0.056	2.943	0.016	0.013	0	49	50.7	50.3	142	146	0	28	28
2025	3	2	11	5	11	0.758	-0.072	2.946	0.01	0.007	0	49	50.7	55	142	146	0	28	28
2025	3	2	11	15	11	0.751	-0.059	2.946	0.016	0.016	0	49	50.3	55	142	145	0	28	28
2025	3	2	11	25	11	0.741	-0.082	2.943	0.013	0.01	0	49	50.7	52.9	142	146	0	28	28
2025	3	2	11	35	11	0.768	-0.056	2.946	0.016	0.013	0	48.6	49.5	51.2	141	144	0	28	29
2025	3	2	11	45	11	0.761	-0.056	2.946	0.016	0.016	0	48.6	50.3	52.5	141	145	0	28	28
2025	3	2	11	55	11	0.735	-0.075	2.946	0.013	0.01	0	48.6	49.9	51.6	141	145	0	28	29
2025	3	2	12	5	11	0.728	-0.059	2.943	0.01	0.007	0	49	49.9	49	142	145	0	28	29
2025	3	2	12	15	11	0.735	-0.066	2.943	0.013	0.01	0	49.5	51.2	53.8	143	147	0	28	28
2025	3	2	12	25	11	0.791	-0.075	2.943	0.016	0.013	0	49.5	50.7	54.2	143	146	0	28	28
2025	3	2	12	35	11	0.725	-0.062	2.946	0.016	0.016	0	49.9	51.2	59.8	143	147	0	27	28
2025	3	2	12	45	11	0.784	-0.075	2.946	0.016	0.013	0	50.3	51.6	50.7	145	148	0	28	28
2025	3	2	12	55	11	0.778	-0.056	2.946	0.016	0.013	0	49.5	50.7	55	143	146	0	28	28
2025	3	2	13	5	11	0.761	-0.046	2.946	0.013	0.01	0	49.5	51.2	51.2	143	147	0	28	28
2025	3	2	13	15	11	0.784	-0.049	2.946	0.016	0.016	0	49.9	51.2	54.6	144	147	0	28	28
2025	3	2	13	25	11	0.771	-0.079	2.946	0.016	0.013	0	49.5	50.7	52.9	143	146	0	28	28
2025	3	2	13	35	11	0.758	-0.062	2.946	0.016	0.016	0	49.9	51.2	47.7	144	147	0	28	28
2025	3	2	13	45	11	0.774	-0.062	2.946	0.016	0.016	0	49.9	51.6	49.9	144	148	0	28	28
2025	3	2	13	55	11	0.755	-0.049	2.946	0.016	0.013	0	49.5	50.3	53.8	143	146	0	28	29
2025	3	2	14	5	11	0.745	-0.089	2.946	0.016	0.013	0	48.6	49.9	52.9	141	144	0	28	28
2025	3	2	14	15	11	0.751	-0.059	2.943	0.016	0.013	0	49	50.3	50.7	142	145	0	28	28
2025	3	2	14	25	11	0.764	-0.072	2.943	0.016	0.013	0	49.5	50.7	55	143	147	0	28	29
2025	3	2	14	35	11	0.732	-0.082	2.943	0.016	0.013	0	50.3	50.7	49.9	144	147	0	27	29
2025	3	2	14	45	11	0.748	-0.062	2.946	0.013	0.01	0	50.7	52	49.9	145	149	0	27	28
2025	3	2	14	55	11	0.784	-0.043	2.943	0.02	0.016	0	50.3	50.7	50.3	144	147	0	27	29
2025	3	2	15	5	11	0.751	-0.046	2.943	0.016	0.013	0	49.9	51.2	52	143	147	0	27	28
2025	3	2	15	15	11	0.778	-0.059	2.94	0.016	0.016	0	50.3	51.6	51.2	144	148	0	27	28
2025	3	2	15	25	11	0.764	-0.052	2.94	0.013	0.01	0	50.3	51.2	48.6	144	147	0	27	28
2025	3	2	15	35	11	0.764	-0.072	2.94	0.016	0.013	0	50.3	51.6	59.8	144	148	0	27	28
2025	3	2	15	45	11	0.725	-0.069	2.94	0.02	0.016	0	49.9	51.6	61.9	144	148	0	28	28
2025	3	2	15	55	11	0.755	-0.033	2.94	0.016	0.016	0	49.5	51.2	64.5	143	147	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	2	16	5	11	0.738	-0.043	2.94	0.013	0.01	0	50.7	51.6	52.9	145	148	0	27	28
2025	3	2	16	15	11	0.732	-0.075	2.94	0.016	0.013	0	51.2	52.5	50.7	146	150	0	27	28
2025	3	2	16	25	11	0.755	-0.108	2.94	0.016	0.013	0	49.9	50.7	52	144	147	0	28	29
2025	3	2	16	35	11	0.751	-0.072	2.94	0.016	0.013	0	49.9	51.2	58.5	144	147	0	28	28
2025	3	2	16	45	11	0.725	-0.095	2.94	0.016	0.013	0	50.3	51.2	63.2	144	147	0	27	28
2025	3	2	16	55	11	0.774	-0.036	2.94	0.016	0.016	0	50.3	51.2	49	144	147	0	27	28
2025	3	2	17	5	11	0.761	-0.043	2.936	0.016	0.016	0	50.3	50.7	52	144	147	0	27	29
2025	3	2	17	15	11	0.732	-0.072	2.936	0.016	0.013	0	49	50.7	57.2	142	146	0	28	28
2025	3	2	17	25	11	0.732	-0.026	2.936	0.016	0.013	0	49.9	51.2	67.5	143	147	0	27	28
2025	3	2	17	35	11	0.748	-0.059	2.936	0.013	0.01	0	49.9	50.7	71	144	147	0	28	29
2025	3	2	17	45	11	0.738	-0.066	2.936	0.016	0.013	0	49.9	51.6	64.9	144	148	0	28	28
2025	3	2	17	55	11	0.725	-0.046	2.936	0.016	0.016	0	49.9	51.2	70.1	143	147	0	27	28
2025	3	2	18	5	11	0.751	-0.062	2.936	0.013	0.01	0	49.9	51.2	70.5	144	147	0	28	28
2025	3	2	18	15	11	0.728	-0.062	2.936	0.016	0.016	0	50.7	51.6	70.5	145	148	0	27	28
2025	3	2	18	25	11	0.745	-0.052	2.936	0.016	0.016	0	50.7	52	70.5	146	149	0	28	28
2025	3	2	18	35	11	0.758	-0.069	2.936	0.016	0.016	0	50.7	51.6	71.8	146	149	0	28	29
2025	3	2	18	45	11	0.728	-0.072	2.933	0.016	0.013	0	51.6	53.3	70.5	148	152	0	28	28
2025	3	2	18	55	11	0.778	-0.046	2.933	0.016	0.016	0	51.2	52.9	69.7	147	151	0	28	28
2025	3	2	19	5	11	0.745	-0.046	2.933	0.016	0.016	0	51.6	53.8	71.8	148	152	0	28	27
2025	3	2	19	15	11	0.758	-0.069	2.933	0.016	0.013	0	51.6	52.9	71.8	148	151	0	28	28
2025	3	2	19	25	11	0.751	-0.056	2.933	0.016	0.013	0	52.5	52.9	69.2	149	152	0	27	29
2025	3	2	19	35	11	0.738	-0.059	2.933	0.013	0.01	0	51.6	53.3	65.8	148	152	0	28	28
2025	3	2	19	45	11	0.784	-0.098	2.933	0.016	0.016	0	51.6	53.3	50.7	148	152	0	28	28
2025	3	2	19	55	11	0.755	-0.026	2.933	0.016	0.013	0	52	53.8	71	149	153	0	28	28
2025	3	2	20	5	11	0.751	-0.095	2.933	0.016	0.016	0	51.6	53.3	71.8	148	152	0	28	28
2025	3	2	20	15	11	0.784	-0.059	2.93	0.016	0.016	0	52	53.3	70.1	149	152	0	28	28
2025	3	2	20	25	11	0.741	-0.092	2.933	0.013	0.01	0	51.6	53.3	71	148	152	0	28	28
2025	3	2	20	35	11	0.745	-0.036	2.93	0.016	0.013	0	52	53.8	67.9	149	153	0	28	28
2025	3	2	20	45	11	0.764	-0.049	2.93	0.016	0.013	0	52	53.3	70.1	148	152	0	27	28
2025	3	2	20	55	11	0.741	-0.092	2.93	0.016	0.016	0	52	52.9	54.2	148	152	0	27	29
2025	3	2	21	5	11	0.755	-0.052	2.93	0.016	0.016	0	52	53.3	50.7	149	153	0	28	29
2025	3	2	21	15	11	0.745	-0.046	2.93	0.016	0.013	0	51.6	53.3	68.8	148	152	0	28	28
2025	3	2	21	25	11	0.741	-0.075	2.93	0.013	0.01	0	52	53.3	58.9	149	152	0	28	28
2025	3	2	21	35	11	0.751	-0.056	2.93	0.016	0.013	0	52	53.3	53.3	149	152	0	28	28
2025	3	2	21	45	11	0.761	-0.072	2.93	0.016	0.013	0	52	52.9	69.7	149	152	0	28	29
2025	3	2	21	55	11	0.771	-0.043	2.927	0.016	0.016	0	52	53.3	63.2	149	152	0	28	28
2025	3	2	22	5	11	0.738	-0.02	2.927	0.016	0.016	0	52	53.3	66.2	149	152	0	28	28
2025	3	2	22	15	11	0.719	-0.079	2.927	0.016	0.016	0	52.5	53.8	67.1	150	153	0	28	28
2025	3	2	22	25	11	0.741	-0.075	2.927	0.016	0.016	0	51.6	53.3	69.7	148	152	0	28	28
2025	3	2	22	35	11	0.741	-0.072	2.927	0.016	0.013	0	52	53.3	70.1	148	152	0	27	28
2025	3	2	22	45	11	0.735	-0.043	2.927	0.016	0.013	0	52	53.3	70.1	149	152	0	28	28
2025	3	2	22	55	11	0.715	-0.039	2.927	0.016	0.016	0	52.5	53.3	70.5	150	152	0	28	28
2025	3	2	23	5	11	0.735	-0.059	2.927	0.016	0.013	0	51.2	52.5	71.4	147	151	0	28	29
2025	3	2	23	15	11	0.719	-0.075	2.927	0.016	0.013	0	51.6	52.9	69.7	148	151	0	28	28
2025	3	2	23	25	11	0.722	-0.046	2.927	0.016	0.016	0	51.2	52.9	71.4	147	151	0	28	28
2025	3	2	23	35	11	0.761	-0.043	2.927	0.016	0.016	0	51.2	52.9	70.5	147	151	0	28	28
2025	3	2	23	45	11	0.732	-0.059	2.927	0.016	0.013	0	51.2	52.5	71	147	151	0	28	29
2025	3	2	23	55	11	0.738	-0.052	2.927	0.016	0.013	0	51.2	52.9	70.5	147	151	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	3	0	5	11	0.728	-0.069	2.927	0.016	0.013	0	51.2	52.5	71.4	147	151	0	28	29
2025	3	3	0	15	11	0.761	-0.069	2.927	0.016	0.013	0	51.2	52.9	70.5	147	151	0	28	28
2025	3	3	0	25	11	0.771	-0.072	2.927	0.013	0.01	0	50.3	52	71.4	145	149	0	28	28
2025	3	3	0	35	11	0.764	-0.062	2.923	0.01	0.007	0	50.3	51.6	70.1	145	149	0	28	29
2025	3	3	0	45	11	0.738	-0.072	2.923	0.016	0.013	0	50.3	51.6	70.1	145	149	0	28	29
2025	3	3	0	55	11	0.712	-0.059	2.923	0.016	0.013	0	50.7	51.2	61.9	145	148	0	27	29
2025	3	3	1	5	11	0.755	-0.082	2.923	0.013	0.01	0	50.7	52	66.7	145	149	0	27	28
2025	3	3	1	15	11	0.768	-0.059	2.923	0.016	0.013	0	50.3	51.6	61.5	145	149	0	28	29
2025	3	3	1	25	11	0.761	-0.085	2.923	0.016	0.013	0	49.9	51.6	67.5	144	148	0	28	28
2025	3	3	1	35	11	0.781	-0.092	2.923	0.016	0.013	0	50.3	51.2	68.4	144	148	0	27	29
2025	3	3	1	45	11	0.745	-0.059	2.923	0.016	0.016	0	49.9	51.2	69.7	144	148	0	28	29
2025	3	3	1	55	11	0.722	-0.036	2.923	0.016	0.013	0	50.3	52	61.1	145	149	0	28	28
2025	3	3	2	5	11	0.741	-0.072	2.923	0.016	0.016	0	49.9	51.6	60.6	144	148	0	28	28
2025	3	3	2	15	11	0.735	-0.062	2.923	0.016	0.016	0	49.9	51.6	57.6	144	148	0	28	28
2025	3	3	2	25	11	0.761	-0.059	2.923	0.016	0.013	0	49.9	51.6	64.5	144	149	0	28	29
2025	3	3	2	35	11	0.774	-0.082	2.923	0.013	0.01	0	49.9	51.2	69.2	144	148	0	28	29
2025	3	3	2	45	11	0.745	-0.056	2.923	0.016	0.013	0	49.5	51.2	67.5	143	147	0	28	28
2025	3	3	2	55	11	0.761	-0.082	2.923	0.016	0.013	0	49	50.7	69.2	142	146	0	28	28
2025	3	3	3	5	11	0.748	-0.052	2.923	0.016	0.016	0	49	50.7	67.5	142	147	0	28	29
2025	3	3	3	15	11	0.735	-0.046	2.923	0.016	0.013	0	49	50.3	68.8	142	146	0	28	29
2025	3	3	3	25	11	0.748	-0.052	2.923	0.016	0.013	0	49	50.3	64.9	142	146	0	28	29
2025	3	3	3	35	11	0.732	-0.046	2.923	0.016	0.013	0	49	50.3	68.8	142	146	0	28	29
2025	3	3	3	45	11	0.758	-0.072	2.923	0.016	0.016	0	49	50.7	68.8	142	146	0	28	28
2025	3	3	3	55	11	0.751	-0.069	2.923	0.016	0.013	0	48.6	50.3	59.8	141	145	0	28	28
2025	3	3	4	5	11	0.758	-0.075	2.923	0.016	0.013	0	48.6	49.5	66.7	141	145	0	28	30
2025	3	3	4	15	11	0.725	-0.052	2.923	0.016	0.013	0	48.6	50.3	59.3	141	146	0	28	29
2025	3	3	4	25	11	0.755	-0.092	2.923	0.013	0.01	0	48.6	50.7	68.4	141	147	0	28	29
2025	3	3	4	35	11	0.735	-0.069	2.923	0.013	0.01	0	48.6	50.7	69.2	141	147	0	28	29
2025	3	3	4	45	11	0.725	-0.079	2.923	0.016	0.013	0	48.6	50.3	69.7	141	146	0	28	29
2025	3	3	4	55	11	0.751	-0.062	2.923	0.013	0.01	0	48.6	50.7	68.8	141	146	0	28	28
2025	3	3	5	5	11	0.758	-0.049	2.923	0.016	0.013	0	48.2	50.3	68.8	141	146	0	29	29
2025	3	3	5	15	11	0.784	-0.082	2.923	0.013	0.01	0	48.2	50.3	48.2	140	146	0	28	29
2025	3	3	5	25	11	0.705	-0.066	2.927	0.016	0.016	0	48.6	50.3	46.9	141	146	0	28	29
2025	3	3	5	35	11	0.735	-0.072	2.927	0.02	0.016	0	48.6	50.3	46.9	141	145	0	28	28
2025	3	3	5	45	11	0.745	-0.036	2.923	0.016	0.016	0	48.2	50.3	47.3	141	146	0	29	29
2025	3	3	5	55	11	0.738	-0.049	2.927	0.016	0.013	0	48.6	50.3	46.9	141	146	0	28	29
2025	3	3	6	5	11	0.712	-0.043	2.927	0.016	0.016	0	48.2	50.7	47.7	141	147	0	29	29
2025	3	3	6	15	11	0.728	-0.039	2.927	0.016	0.013	0	48.2	50.3	47.3	140	146	0	28	29
2025	3	3	6	25	11	0.699	-0.036	2.927	0.013	0.01	0	48.2	50.3	46.9	140	146	0	28	29
2025	3	3	6	35	11	0.715	-0.082	2.927	0.016	0.016	0	47.7	49.5	46	139	144	0	28	29
2025	3	3	6	45	11	0.771	-0.082	2.93	0.016	0.013	0	47.3	49.5	66.2	138	144	0	28	29
2025	3	3	6	55	11	0.738	-0.095	2.93	0.016	0.013	0	47.3	49	65.4	138	143	0	28	29
2025	3	3	7	5	11	0.741	-0.135	2.93	0.013	0.01	0	47.7	49.5	70.5	139	144	0	28	29
2025	3	3	7	15	11	0.764	-0.059	2.93	0.016	0.013	0	47.3	49	70.5	138	143	0	28	29
2025	3	3	7	25	11	0.751	-0.069	2.927	0.016	0.013	0	46.4	48.6	46	137	142	0	29	29
2025	3	3	7	35	11	0.764	-0.072	2.93	0.016	0.016	0	46.9	48.6	68.4	137	142	0	28	29
2025	3	3	7	45	11	0.741	-0.049	2.93	0.016	0.013	0	47.3	49.9	64.1	138	144	0	28	28
2025	3	3	7	55	11	0.764	-0.102	2.93	0.016	0.013	0	46.9	49	58.5	137	143	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	3	8	5	11	0.738	-0.066	2.927	0.016	0.013	0	46	47.7	46.9	136	141	0	29	30
2025	3	3	8	15	11	0.787	-0.062	2.93	0.016	0.013	0	46	47.7	61.5	135	140	0	28	29
2025	3	3	8	25	11	0.722	-0.056	2.927	0.016	0.013	0	46.9	48.6	49.5	136	141	0	27	28
2025	3	3	8	35	11	0.741	-0.075	2.93	0.01	0.007	0	46	48.2	56.8	135	141	0	28	29
2025	3	3	8	45	11	0.791	-0.059	2.927	0.016	0.016	0	46.4	48.2	48.2	135	140	0	27	28
2025	3	3	8	55	11	0.712	-0.056	2.927	0.016	0.013	0	47.3	49.5	52	138	144	0	28	29
2025	3	3	9	5	11	0.745	-0.079	2.927	0.016	0.013	0	48.2	50.3	46.4	140	146	0	28	29
2025	3	3	9	15	11	0.735	-0.092	2.927	0.02	0.016	0	49	50.7	46.4	142	147	0	28	29
2025	3	3	9	25	11	0.725	-0.056	2.93	0.016	0.013	0	47.3	49.5	59.8	139	144	0	29	29
2025	3	3	9	35	11	0.748	-0.049	2.927	0.016	0.013	0	47.3	49	49.5	138	143	0	28	29
2025	3	3	9	45	11	0.738	-0.066	2.927	0.013	0.01	0	49	50.7	45.2	142	147	0	28	29
2025	3	3	9	55	11	0.748	-0.059	2.927	0.016	0.016	0	48.2	50.3	43.9	140	146	0	28	29
2025	3	3	10	5	11	0.768	-0.082	2.927	0.013	0.01	0	47.7	49.5	44.7	139	144	0	28	29
2025	3	3	10	15	11	0.745	-0.062	2.93	0.016	0.013	0	47.3	49	45.2	138	143	0	28	29
2025	3	3	10	25	11	0.745	-0.069	2.927	0.016	0.013	0	49	50.7	46	142	147	0	28	29
2025	3	3	10	35	11	0.715	-0.046	2.927	0.013	0.01	0	48.2	50.7	44.3	141	146	0	29	28
2025	3	3	10	45	11	0.748	-0.033	2.923	0.016	0.013	0	48.2	50.3	45.2	141	146	0	29	29
2025	3	3	10	55	11	0.725	-0.046	2.927	0.016	0.013	0	48.2	50.3	44.3	140	146	0	28	29
2025	3	3	11	5	11	0.682	-0.056	2.927	0.016	0.013	0	48.2	50.3	44.3	141	146	0	29	29
2025	3	3	11	15	11	0.758	-0.066	2.927	0.016	0.016	0	47.7	49.5	46.4	139	144	0	28	29
2025	3	3	11	25	11	0.745	-0.089	2.93	0.016	0.016	0	47.7	49.5	46.4	139	144	0	28	29
2025	3	3	11	35	11	0.751	-0.026	2.93	0.013	0.01	0	47.3	48.6	43.4	137	142	0	27	29
2025	3	3	11	45	11	0.751	-0.062	2.927	0.016	0.016	0	49	50.7	44.7	142	147	0	28	29
2025	3	3	11	55	11	0.738	-0.072	2.93	0.016	0.013	0	48.2	50.3	46	141	146	0	29	29
2025	3	3	12	5	11	0.774	-0.079	2.93	0.016	0.013	0	49	50.3	44.7	142	146	0	28	29
2025	3	3	12	15	11	0.761	-0.049	2.93	0.016	0.013	0	47.3	49.5	45.2	138	143	0	28	28
2025	3	3	12	25	11	0.732	-0.059	2.93	0.02	0.016	0	47.3	49	46	138	143	0	28	29
2025	3	3	12	35	11	0.794	-0.069	2.93	0.016	0.013	0	47.3	49.5	46.9	138	143	0	28	28
2025	3	3	12	45	11	0.768	-0.095	2.933	0.016	0.013	0	47.7	49.9	44.3	139	145	0	28	29
2025	3	3	12	55	11	0.741	-0.043	2.933	0.016	0.013	0	47.3	49.5	44.7	138	143	0	28	28
2025	3	3	13	5	11	0.801	-0.079	2.933	0.016	0.013	0	47.3	49.5	45.6	138	143	0	28	28
2025	3	3	13	15	11	0.715	-0.052	2.933	0.016	0.016	0	47.3	48.6	45.2	138	143	0	28	30
2025	3	3	13	25	11	0.781	-0.062	2.936	0.02	0.016	0	47.7	49.5	46	138	144	0	27	29
2025	3	3	13	35	11	0.745	-0.052	2.933	0.016	0.013	0	48.6	49.9	44.7	141	146	0	28	30
2025	3	3	13	45	11	0.725	-0.082	2.936	0.016	0.013	0	47.7	49.9	45.6	139	145	0	28	29
2025	3	3	13	55	11	0.748	-0.052	2.94	0.016	0.013	0	47.3	49.5	43	139	144	0	29	29
2025	3	3	14	5	11	0.778	-0.066	2.94	0.016	0.016	0	47.3	49.5	45.6	139	144	0	29	29
2025	3	3	14	15	11	0.768	-0.075	2.94	0.016	0.013	0	48.2	49.5	45.2	139	144	0	27	29
2025	3	3	14	25	11	0.774	-0.082	2.94	0.016	0.016	0	47.7	49.5	44.7	139	144	0	28	29
2025	3	3	14	35	11	0.768	-0.066	2.94	0.016	0.016	0	48.2	49.9	45.6	139	144	0	27	28
2025	3	3	14	45	11	0.794	-0.066	2.943	0.02	0.016	0	48.2	49.5	46.4	139	144	0	27	29
2025	3	3	14	55	11	0.732	-0.059	2.943	0.016	0.016	0	48.2	49.9	44.7	140	145	0	28	29
2025	3	3	15	5	11	0.738	-0.095	2.94	0.013	0.01	0	47.3	49.9	44.3	139	144	0	29	28
2025	3	3	15	15	11	0.741	-0.059	2.943	0.016	0.016	0	48.2	49.9	43.9	140	145	0	28	29
2025	3	3	15	25	11	0.778	-0.03	2.946	0.016	0.013	0	48.2	50.3	45.6	140	145	0	28	28
2025	3	3	15	35	11	0.755	-0.056	2.943	0.016	0.013	0	49	51.2	44.3	142	147	0	28	28
2025	3	3	15	45	11	0.741	-0.049	2.946	0.02	0.016	0	48.6	51.2	43.9	141	147	0	28	28
2025	3	3	15	55	11	0.755	-0.043	2.943	0.016	0.016	0	48.6	50.7	44.3	141	146	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	3	16	5	11	0.758	-0.056	2.943	0.016	0.013	0	48.6	49.9	45.6	140	145	0	27	29
2025	3	3	16	15	11	0.794	-0.049	2.946	0.016	0.016	0	48.2	49.5	46	140	144	0	28	29
2025	3	3	16	25	11	0.764	-0.043	2.943	0.016	0.013	0	48.2	50.3	46	140	145	0	28	28
2025	3	3	16	35	11	0.738	-0.026	2.943	0.013	0.01	0	47.7	50.3	45.6	139	145	0	28	28
2025	3	3	16	45	11	0.751	-0.085	2.943	0.016	0.013	0	47.7	49.9	46.4	139	144	0	28	28
2025	3	3	16	55	11	0.758	-0.072	2.943	0.016	0.013	0	47.3	49	45.2	138	143	0	28	29
2025	3	3	17	5	11	0.735	-0.062	2.943	0.013	0.01	0	47.3	49.9	46.4	138	144	0	28	28
2025	3	3	17	15	11	0.735	-0.095	2.943	0.016	0.013	0	47.3	49	46.4	138	143	0	28	29
2025	3	3	17	25	11	0.735	-0.089	2.943	0.016	0.013	0	46.9	49	58.5	137	143	0	28	29
2025	3	3	17	35	11	0.738	-0.01	2.943	0.016	0.013	0	46.9	49.5	47.7	138	144	0	29	29
2025	3	3	17	45	11	0.738	-0.095	2.94	0.016	0.016	0	47.3	49.5	52	137	143	0	27	28
2025	3	3	17	55	11	0.784	-0.059	2.94	0.016	0.016	0	47.7	49.5	46.4	138	143	0	27	28
2025	3	3	18	5	11	0.778	-0.056	2.94	0.016	0.013	0	46.9	49	51.6	137	142	0	28	28
2025	3	3	18	15	11	0.771	-0.072	2.94	0.016	0.016	0	47.7	49.9	48.2	139	144	0	28	28
2025	3	3	18	25	11	0.748	-0.075	2.936	0.016	0.016	0	49	50.7	49.5	141	146	0	27	28
2025	3	3	18	35	11	0.725	-0.066	2.936	0.016	0.016	0	48.6	51.2	52.9	141	147	0	28	28
2025	3	3	18	45	11	0.745	-0.036	2.936	0.016	0.013	0	49	51.2	48.6	142	147	0	28	28
2025	3	3	18	55	11	0.722	-0.069	2.936	0.02	0.016	0	49.5	50.7	52.5	142	147	0	27	29
2025	3	3	19	5	11	0.771	-0.052	2.936	0.016	0.013	0	49.5	50.7	56.3	142	147	0	27	29
2025	3	3	19	15	11	0.732	-0.059	2.936	0.016	0.013	0	49	50.7	47.7	142	147	0	28	29
2025	3	3	19	25	11	0.758	-0.085	2.936	0.016	0.016	0	49	50.7	59.8	142	147	0	28	29
2025	3	3	19	35	11	0.748	-0.069	2.936	0.016	0.013	0	49	51.2	49.5	142	147	0	28	28
2025	3	3	19	45	11	0.732	-0.089	2.936	0.016	0.013	0	49	50.7	55.5	142	147	0	28	29
2025	3	3	19	55	11	0.741	-0.092	2.936	0.016	0.016	0	49.9	51.2	60.2	143	148	0	27	29
2025	3	3	20	5	11	0.741	-0.059	2.933	0.016	0.013	0	49.5	52	67.9	143	149	0	28	28
2025	3	3	20	15	11	0.774	-0.066	2.933	0.016	0.013	0	49.5	51.6	63.2	143	148	0	28	28
2025	3	3	20	25	11	0.719	-0.059	2.933	0.013	0.01	0	49.5	51.6	55.9	143	148	0	28	28
2025	3	3	20	35	11	0.758	-0.066	2.933	0.016	0.013	0	49.5	52	54.6	143	149	0	28	28
2025	3	3	20	45	11	0.758	-0.079	2.933	0.016	0.013	0	49.5	51.2	58.9	143	148	0	28	29
2025	3	3	20	55	11	0.728	-0.075	2.936	0.013	0.01	0	49	51.2	43.4	142	147	0	28	28
2025	3	3	21	5	11	0.732	-0.085	2.936	0.016	0.016	0	49	50.7	46	142	147	0	28	29
2025	3	3	21	15	11	0.751	-0.082	2.936	0.016	0.016	0	48.6	50.7	45.2	141	147	0	28	29
2025	3	3	21	25	11	0.728	-0.072	2.933	0.016	0.016	0	49.5	51.6	46.4	143	149	0	28	29
2025	3	3	21	35	11	0.758	-0.059	2.936	0.016	0.016	0	49.5	51.2	44.7	142	148	0	27	29
2025	3	3	21	45	11	0.778	-0.059	2.936	0.016	0.013	0	49.5	51.2	52	142	147	0	27	28
2025	3	3	21	55	11	0.741	-0.056	2.936	0.016	0.013	0	49	51.2	48.2	142	148	0	28	29
2025	3	3	22	5	11	0.768	-0.079	2.94	0.016	0.013	0	48.2	50.3	47.3	140	146	0	28	29
2025	3	3	22	15	11	0.722	-0.069	2.94	0.016	0.013	0	48.6	51.2	44.7	141	147	0	28	28
2025	3	3	22	25	11	0.791	-0.062	2.94	0.013	0.01	0	48.6	50.7	46	141	146	0	28	28
2025	3	3	22	35	11	0.728	-0.043	2.94	0.013	0.01	0	48.6	51.2	52.9	141	147	0	28	28
2025	3	3	22	45	11	0.761	-0.075	2.94	0.016	0.016	0	49	51.2	65.8	141	147	0	27	28
2025	3	3	22	55	11	0.732	-0.02	2.94	0.013	0.01	0	48.6	50.3	60.2	141	146	0	28	29
2025	3	3	23	5	11	0.751	-0.062	2.94	0.016	0.016	0	49	50.3	68.4	141	146	0	27	29
2025	3	3	23	15	11	0.725	-0.052	2.94	0.016	0.013	0	48.6	50.3	59.8	141	146	0	28	29
2025	3	3	23	25	11	0.738	-0.026	2.94	0.016	0.016	0	48.2	50.3	53.8	140	146	0	28	29
2025	3	3	23	35	11	0.719	-0.039	2.943	0.013	0.01	0	48.6	51.2	56.8	141	147	0	28	28
2025	3	3	23	45	11	0.735	-0.072	2.94	0.016	0.013	0	48.2	50.3	53.3	140	146	0	28	29
2025	3	3	23	55	11	0.751	-0.052	2.943	0.016	0.013	0	48.6	50.7	70.1	141	147	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	4	0	5	11	0.722	-0.072	2.943	0.016	0.013	0	48.6	50.3	68.4	141	146	0	28	29
2025	3	4	0	15	11	0.719	-0.112	2.943	0.016	0.013	0	48.2	50.3	70.5	140	145	0	28	28
2025	3	4	0	25	11	0.725	-0.052	2.943	0.013	0.01	0	47.7	50.3	71.8	140	146	0	29	29
2025	3	4	0	35	11	0.735	-0.052	2.943	0.016	0.016	0	48.2	49.9	72.2	140	145	0	28	29
2025	3	4	0	45	11	0.748	-0.066	2.943	0.016	0.013	0	48.2	49.9	73.1	140	145	0	28	29
2025	3	4	0	55	11	0.748	-0.075	2.943	0.013	0.01	0	48.2	49.9	73.5	140	145	0	28	29
2025	3	4	1	5	11	0.735	-0.056	2.943	0.023	0.02	0	47.7	49.9	73.5	139	145	0	28	29
2025	3	4	1	15	11	0.758	-0.085	2.943	0.016	0.013	0	48.2	50.3	73.1	140	145	0	28	28
2025	3	4	1	25	11	0.722	-0.043	2.943	0.016	0.013	0	47.7	49.5	73.1	139	145	0	28	30
2025	3	4	1	35	11	0.758	-0.085	2.943	0.013	0.01	0	47.7	49.9	73.5	139	144	0	28	28
2025	3	4	1	45	11	0.771	-0.052	2.943	0.016	0.016	0	47.7	50.3	73.1	139	145	0	28	28
2025	3	4	1	55	11	0.771	-0.079	2.943	0.016	0.016	0	47.7	49.5	73.5	139	144	0	28	29
2025	3	4	2	5	11	0.725	-0.062	2.943	0.016	0.013	0	48.2	49.5	74	139	144	0	27	29
2025	3	4	2	15	11	0.715	-0.043	2.943	0.02	0.016	0	47.7	49.5	74.4	139	144	0	28	29
2025	3	4	2	25	11	0.735	-0.052	2.943	0.013	0.01	0	47.7	49.5	75.3	139	144	0	28	29
2025	3	4	2	35	11	0.774	-0.039	2.943	0.016	0.013	0	47.7	49.9	74.8	139	145	0	28	29
2025	3	4	2	45	11	0.768	-0.066	2.943	0.016	0.013	0	47.3	49.5	75.3	138	144	0	28	29
2025	3	4	2	55	11	0.745	-0.072	2.943	0.016	0.016	0	48.2	49.9	74.4	139	145	0	27	29
2025	3	4	3	5	11	0.725	-0.092	2.943	0.016	0.013	0	47.7	50.3	74.8	139	145	0	28	28
2025	3	4	3	15	11	0.761	-0.046	2.943	0.016	0.013	0	47.3	49.9	74.8	138	144	0	28	28
2025	3	4	3	25	11	0.738	-0.043	2.943	0.016	0.016	0	47.3	49.5	74.8	138	144	0	28	29
2025	3	4	3	35	11	0.732	-0.082	2.943	0.016	0.016	0	47.3	49.5	75.3	138	144	0	28	29
2025	3	4	3	45	11	0.778	-0.108	2.943	0.016	0.013	0	46.9	49	75.3	138	143	0	29	29
2025	3	4	3	55	11	0.715	-0.082	2.943	0.016	0.013	0	47.3	49.5	74.8	138	144	0	28	29
2025	3	4	4	5	11	0.774	-0.082	2.943	0.016	0.013	0	47.7	49.5	74.4	138	144	0	27	29
2025	3	4	4	15	11	0.768	-0.082	2.943	0.016	0.013	0	47.3	49	74.4	138	143	0	28	29
2025	3	4	4	25	11	0.748	-0.092	2.943	0.016	0.013	0	47.3	49.5	74.8	138	144	0	28	29
2025	3	4	4	35	11	0.758	-0.059	2.943	0.016	0.016	0	47.7	49.5	74.8	138	144	0	27	29
2025	3	4	4	45	11	0.758	-0.033	2.943	0.016	0.013	0	46.9	49	74.4	137	143	0	28	29
2025	3	4	4	55	11	0.771	-0.095	2.943	0.016	0.013	0	46.9	49	74.4	137	143	0	28	29
2025	3	4	5	5	11	0.722	-0.069	2.943	0.016	0.013	0	47.3	49	74	138	143	0	28	29
2025	3	4	5	15	11	0.787	-0.079	2.943	0.013	0.01	0	46.9	49	73.5	137	143	0	28	29
2025	3	4	5	25	11	0.732	-0.098	2.943	0.016	0.013	0	47.3	49	73.5	138	143	0	28	29
2025	3	4	5	35	11	0.751	-0.075	2.943	0.016	0.013	0	47.3	49	73.5	138	143	0	28	29
2025	3	4	5	45	11	0.732	-0.033	2.943	0.016	0.013	0	46.9	49	73.5	137	143	0	28	29
2025	3	4	5	55	11	0.771	-0.062	2.943	0.016	0.013	0	47.3	49	73.1	138	143	0	28	29
2025	3	4	6	5	11	0.748	-0.108	2.943	0.016	0.013	0	46.9	49	73.1	138	144	0	29	30
2025	3	4	6	15	11	0.735	-0.056	2.943	0.016	0.013	0	46.9	49	74	137	143	0	28	29
2025	3	4	6	25	11	0.702	-0.046	2.943	0.016	0.013	0	46.4	48.6	73.5	136	142	0	28	29
2025	3	4	6	35	11	0.748	-0.066	2.943	0.016	0.013	0	46.4	48.6	73.1	136	142	0	28	29
2025	3	4	6	45	11	0.745	-0.095	2.943	0.013	0.01	0	46.4	48.6	73.5	136	142	0	28	29
2025	3	4	6	55	11	0.751	-0.066	2.943	0.016	0.013	0	46	48.2	73.1	135	141	0	28	29
2025	3	4	7	5	11	0.781	-0.072	2.943	0.02	0.016	0	45.6	48.2	73.5	135	141	0	29	29
2025	3	4	7	15	11	0.751	-0.082	2.943	0.016	0.013	0	46	48.2	73.5	135	141	0	28	29
2025	3	4	7	25	11	0.768	-0.069	2.943	0.016	0.013	0	46.4	48.6	73.5	136	142	0	28	29
2025	3	4	7	35	11	0.732	-0.056	2.943	0.016	0.016	0	46.4	48.2	73.1	136	141	0	28	29
2025	3	4	7	45	11	0.784	-0.095	2.943	0.013	0.01	0	45.6	48.2	73.5	134	140	0	28	28
2025	3	4	7	55	11	0.745	-0.108	2.943	0.016	0.013	0	46	48.2	73.5	135	141	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	4	8	5	11	0.758	-0.069	2.943	0.016	0.013	0	46	47.7	73.1	135	140	0	28	29
2025	3	4	8	15	11	0.748	-0.069	2.943	0.016	0.013	0	45.6	48.2	73.1	135	141	0	29	29
2025	3	4	8	25	11	0.725	-0.033	2.943	0.016	0.016	0	46	47.7	73.1	135	140	0	28	29
2025	3	4	8	35	11	0.748	-0.069	2.943	0.016	0.016	0	45.2	47.3	73.5	133	139	0	28	29
2025	3	4	8	45	11	0.781	-0.098	2.946	0.016	0.013	0	46	47.7	73.1	135	140	0	28	29
2025	3	4	8	55	11	0.748	-0.072	2.946	0.016	0.013	0	45.2	46.9	73.1	133	139	0	28	30
2025	3	4	9	5	11	0.784	-0.066	2.946	0.016	0.013	0	44.7	47.3	73.1	133	139	0	29	29
2025	3	4	9	15	11	0.781	-0.098	2.946	0.016	0.016	0	44.7	46.9	73.5	132	138	0	28	29
2025	3	4	9	25	11	0.748	-0.085	2.946	0.013	0.01	0	45.2	47.7	73.5	134	140	0	29	29
2025	3	4	9	35	11	0.745	-0.046	2.946	0.016	0.013	0	46.4	48.6	71.8	136	142	0	28	29
2025	3	4	9	45	11	0.751	-0.072	2.946	0.016	0.016	0	46	48.6	73.1	136	142	0	29	29
2025	3	4	9	55	11	0.735	-0.069	2.946	0.016	0.016	0	46.4	48.6	70.5	136	142	0	28	29
2025	3	4	10	5	11	0.768	-0.095	2.946	0.016	0.013	0	45.6	47.7	73.5	134	140	0	28	29
2025	3	4	10	15	11	0.751	-0.082	2.946	0.013	0.01	0	46.4	48.2	60.2	136	141	0	28	29
2025	3	4	10	25	11	0.774	-0.059	2.946	0.016	0.013	0	46	47.7	56.3	135	141	0	28	30
2025	3	4	10	35	11	0.738	-0.066	2.949	0.016	0.013	0	46.4	48.6	47.7	136	142	0	28	29
2025	3	4	10	45	11	0.771	-0.089	2.949	0.016	0.016	0	46.4	48.6	51.2	136	142	0	28	29
2025	3	4	10	55	11	0.774	-0.039	2.949	0.016	0.013	0	46	48.2	52.9	135	141	0	28	29
2025	3	4	11	5	11	0.768	-0.089	2.949	0.016	0.013	0	45.6	47.7	47.3	134	140	0	28	29
2025	3	4	11	15	11	0.758	-0.072	2.949	0.016	0.013	0	46.4	48.2	45.6	136	141	0	28	29
2025	3	4	11	25	11	0.738	-0.066	2.949	0.016	0.013	0	46.4	48.6	46.4	136	142	0	28	29
2025	3	4	11	35	11	0.738	-0.023	2.949	0.013	0.01	0	46	48.6	59.3	136	142	0	29	29
2025	3	4	11	45	11	0.774	-0.112	2.953	0.013	0.01	0	46	48.2	51.2	135	141	0	28	29
2025	3	4	11	55	11	0.764	-0.079	2.953	0.016	0.013	0	46	47.7	49.9	135	140	0	28	29
2025	3	4	12	5	11	0.787	-0.059	2.953	0.016	0.016	0	45.6	47.3	49	134	139	0	28	29
2025	3	4	12	15	11	0.764	-0.098	2.953	0.013	0.01	0	45.6	47.7	62.8	134	140	0	28	29
2025	3	4	12	25	11	0.755	-0.046	2.953	0.013	0.01	0	46.9	49	54.2	137	142	0	28	28
2025	3	4	12	35	11	0.768	-0.043	2.953	0.023	0.02	0	46	48.2	45.2	135	141	0	28	29
2025	3	4	12	45	11	0.755	-0.079	2.953	0.013	0.01	0	46.4	48.2	47.3	136	141	0	28	29
2025	3	4	12	55	11	0.784	-0.056	2.953	0.016	0.013	0	47.3	48.6	43.4	137	142	0	27	29
2025	3	4	13	5	11	0.732	-0.082	2.953	0.016	0.013	0	46.4	49	46.9	136	142	0	28	28
2025	3	4	13	15	11	0.755	-0.072	2.953	0.016	0.016	0	46	48.2	42.6	135	140	0	28	28
2025	3	4	13	25	11	0.748	-0.062	2.956	0.016	0.013	0	46.4	48.6	49	136	141	0	28	28
2025	3	4	13	35	11	0.797	-0.079	2.956	0.016	0.016	0	46.4	48.6	44.3	136	141	0	28	28
2025	3	4	13	45	11	0.791	-0.082	2.956	0.016	0.013	0	46.9	48.6	47.7	137	142	0	28	29
2025	3	4	13	55	11	0.745	-0.062	2.956	0.016	0.016	0	46.9	48.2	46.4	136	141	0	27	29
2025	3	4	14	5	11	0.778	-0.089	2.956	0.016	0.013	0	46.4	49	44.7	136	142	0	28	28
2025	3	4	14	15	11	0.764	-0.043	2.956	0.016	0.016	0	46.9	48.6	43.4	137	141	0	28	28
2025	3	4	14	25	11	0.748	-0.033	2.956	0.016	0.016	0	46.9	48.6	46	137	141	0	28	28
2025	3	4	14	35	11	0.768	-0.062	2.956	0.016	0.013	0	46.9	48.6	43.4	137	142	0	28	29
2025	3	4	14	45	11	0.741	-0.072	2.956	0.016	0.016	0	46.9	49	44.3	136	141	0	27	27
2025	3	4	14	55	11	0.761	-0.062	2.959	0.016	0.013	0	47.7	49.5	44.7	138	143	0	27	28
2025	3	4	15	5	11	0.751	-0.079	2.959	0.016	0.016	0	46.9	48.6	48.2	136	141	0	27	28
2025	3	4	15	15	11	0.741	-0.056	2.956	0.013	0.01	0	47.3	48.6	47.3	137	141	0	27	28
2025	3	4	15	25	11	0.738	-0.082	2.956	0.013	0.01	0	46.9	49	42.6	137	142	0	28	28
2025	3	4	15	35	11	0.771	-0.082	2.959	0.016	0.016	0	47.3	49.5	47.3	138	143	0	28	28
2025	3	4	15	45	11	0.728	-0.085	2.959	0.016	0.016	0	46.4	48.6	50.3	136	141	0	28	28
2025	3	4	15	55	11	0.771	-0.066	2.959	0.016	0.016	0	46.9	48.6	47.7	137	142	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	4	16	5	11	0.758	-0.075	2.959	0.016	0.016	0	46	48.6	47.7	135	141	0	28	28
2025	3	4	16	15	11	0.768	-0.069	2.959	0.016	0.016	0	46.9	48.6	47.3	136	141	0	27	28
2025	3	4	16	25	11	0.771	-0.105	2.959	0.013	0.01	0	46.4	49	46.9	136	142	0	28	28
2025	3	4	16	35	11	0.761	-0.046	2.959	0.016	0.013	0	47.3	49.5	46.4	137	143	0	27	28
2025	3	4	16	45	11	0.781	-0.043	2.959	0.016	0.013	0	46.9	48.6	46.4	137	142	0	28	29
2025	3	4	16	55	11	0.715	-0.039	2.959	0.016	0.013	0	47.3	49.5	49	138	144	0	28	29
2025	3	4	17	5	11	0.712	-0.062	2.959	0.013	0.01	0	47.3	49.9	47.3	138	144	0	28	28
2025	3	4	17	15	11	0.738	-0.089	2.963	0.016	0.013	0	47.3	49.5	50.7	137	143	0	27	28
2025	3	4	17	25	11	0.745	-0.059	2.963	0.016	0.013	0	47.3	49.5	72.2	138	143	0	28	28
2025	3	4	17	35	11	0.791	-0.082	2.963	0.016	0.013	0	47.3	49.9	74.4	138	144	0	28	28
2025	3	4	17	45	11	0.732	-0.075	2.963	0.013	0.01	0	47.3	49.9	74	138	144	0	28	28
2025	3	4	17	55	11	0.814	-0.049	2.963	0.016	0.016	0	47.7	50.3	74	139	145	0	28	28
2025	3	4	18	5	11	0.771	-0.072	2.963	0.016	0.013	0	48.6	49.9	74	140	145	0	27	29
2025	3	4	18	15	11	0.791	-0.059	2.963	0.016	0.013	0	48.2	50.7	74.4	140	146	0	28	28
2025	3	4	18	25	11	0.774	-0.046	2.963	0.016	0.016	0	49	50.7	74.8	142	147	0	28	29
2025	3	4	18	35	11	0.774	-0.046	2.963	0.016	0.016	0	49	51.2	74	141	147	0	27	28
2025	3	4	18	45	11	0.768	-0.062	2.963	0.016	0.013	0	49	50.7	73.5	142	147	0	28	29
2025	3	4	18	55	11	0.791	-0.049	2.963	0.016	0.013	0	49.5	51.2	74.4	142	147	0	27	28
2025	3	4	19	5	11	0.768	-0.046	2.963	0.016	0.013	0	49.5	51.6	74.4	143	148	0	28	28
2025	3	4	19	15	11	0.764	-0.056	2.963	0.016	0.013	0	49.9	52	73.5	144	149	0	28	28
2025	3	4	19	25	11	0.748	-0.072	2.963	0.016	0.013	0	49.9	52	74	144	149	0	28	28
2025	3	4	19	35	11	0.764	-0.082	2.963	0.016	0.013	0	50.3	52	72.7	144	149	0	27	28
2025	3	4	19	45	11	0.758	-0.075	2.963	0.016	0.016	0	50.3	52.5	73.5	145	150	0	28	28
2025	3	4	19	55	11	0.771	-0.056	2.963	0.016	0.016	0	50.3	52.5	73.1	145	150	0	28	28
2025	3	4	20	5	11	0.755	-0.069	2.963	0.016	0.013	0	50.3	52.5	73.5	145	150	0	28	28
2025	3	4	20	15	11	0.771	-0.056	2.963	0.016	0.016	0	50.7	52.5	71.8	146	151	0	28	29
2025	3	4	20	25	11	0.791	-0.082	2.963	0.016	0.016	0	51.2	52.9	69.2	146	151	0	27	28
2025	3	4	20	35	11	0.751	-0.052	2.963	0.016	0.013	0	51.2	52.5	72.7	146	151	0	27	29
2025	3	4	20	45	11	0.755	-0.062	2.963	0.016	0.013	0	51.2	53.3	71.4	147	152	0	28	28
2025	3	4	20	55	11	0.758	-0.066	2.963	0.016	0.013	0	51.2	53.3	71.8	147	152	0	28	28
2025	3	4	21	5	11	0.728	-0.052	2.963	0.016	0.013	0	51.2	53.3	72.2	147	152	0	28	28
2025	3	4	21	15	11	0.768	-0.043	2.963	0.013	0.01	0	51.2	53.3	71	147	151	0	28	27
2025	3	4	21	25	11	0.787	-0.046	2.963	0.016	0.013	0	51.6	53.3	71.8	147	152	0	27	28
2025	3	4	21	35	11	0.784	-0.056	2.963	0.016	0.013	0	51.2	53.3	72.2	147	152	0	28	28
2025	3	4	21	45	11	0.748	-0.072	2.963	0.016	0.013	0	51.6	53.3	71.4	148	152	0	28	28
2025	3	4	21	55	11	0.764	-0.079	2.963	0.016	0.016	0	51.6	53.3	71.8	147	152	0	27	28
2025	3	4	22	5	11	0.761	-0.033	2.963	0.016	0.013	0	50.7	52.9	71.8	146	151	0	28	28
2025	3	4	22	15	11	0.748	-0.072	2.963	0.016	0.013	0	50.7	52.9	70.5	146	152	0	28	29
2025	3	4	22	25	11	0.797	-0.105	2.963	0.016	0.016	0	50.7	52.5	68.4	146	151	0	28	29
2025	3	4	22	35	11	0.741	-0.043	2.963	0.013	0.01	0	51.6	53.3	71	148	153	0	28	29
2025	3	4	22	45	11	0.791	-0.069	2.963	0.016	0.013	0	51.2	52.9	71.4	146	151	0	27	28
2025	3	4	22	55	11	0.761	-0.043	2.963	0.016	0.013	0	51.6	52.9	71.4	147	152	0	27	29
2025	3	4	23	5	11	0.771	-0.052	2.963	0.016	0.013	0	50.7	52.5	70.5	146	151	0	28	29
2025	3	4	23	15	11	0.781	-0.072	2.963	0.016	0.016	0	50.7	52.5	71.4	146	151	0	28	29
2025	3	4	23	25	11	0.768	-0.066	2.966	0.013	0.01	0	50.7	52.9	71	146	151	0	28	28
2025	3	4	23	35	11	0.771	-0.072	2.963	0.02	0.016	0	50.7	53.3	69.7	146	152	0	28	28
2025	3	4	23	45	11	0.741	-0.066	2.963	0.016	0.016	0	50.7	52.5	70.1	146	151	0	28	29
2025	3	4	23	55	11	0.771	-0.082	2.963	0.016	0.016	0	51.2	52.5	70.1	146	151	0	27	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	5	0	5	11	0.774	-0.062	2.966	0.016	0.013	0	50.7	53.3	69.2	146	152	0	28	28
2025	3	5	0	15	11	0.758	-0.066	2.963	0.016	0.013	0	50.7	52.9	69.2	146	151	0	28	28
2025	3	5	0	25	11	0.768	-0.043	2.966	0.016	0.013	0	50.7	52.9	69.2	146	151	0	28	28
2025	3	5	0	35	11	0.758	-0.02	2.963	0.016	0.013	0	50.3	52.5	69.2	145	151	0	28	29
2025	3	5	0	45	11	0.748	-0.062	2.966	0.016	0.013	0	50.7	52.9	68.8	146	151	0	28	28
2025	3	5	0	55	11	0.741	-0.105	2.966	0.013	0.01	0	50.7	52.9	68.8	146	151	0	28	28
2025	3	5	1	5	11	0.774	-0.03	2.966	0.013	0.01	0	50.3	52.9	68.4	145	151	0	28	28
2025	3	5	1	15	11	0.797	-0.043	2.966	0.016	0.016	0	51.2	52.5	68.4	146	151	0	27	29
2025	3	5	1	25	11	0.755	-0.062	2.966	0.016	0.016	0	50.7	52.9	68.4	146	151	0	28	28
2025	3	5	1	35	11	0.781	-0.069	2.966	0.016	0.013	0	50.3	52.5	67.5	145	151	0	28	29
2025	3	5	1	45	11	0.791	-0.052	2.969	0.016	0.016	0	50.3	52.5	67.9	145	151	0	28	29
2025	3	5	1	55	11	0.778	-0.069	2.972	0.016	0.013	0	50.3	52	68.4	145	150	0	28	29
2025	3	5	2	5	11	0.738	-0.043	2.976	0.016	0.013	0	50.3	52.5	67.9	145	151	0	28	29
2025	3	5	2	15	11	0.807	-0.092	2.976	0.016	0.016	0	49.9	52	69.2	144	150	0	28	29
2025	3	5	2	25	11	0.764	-0.023	2.976	0.016	0.013	0	50.3	52	69.2	145	150	0	28	29
2025	3	5	2	35	11	0.768	-0.052	2.976	0.016	0.013	0	50.3	52	68.4	145	150	0	28	29
2025	3	5	2	45	11	0.758	-0.03	2.979	0.016	0.013	0	49.9	52.5	69.7	144	150	0	28	28
2025	3	5	2	55	11	0.791	-0.069	2.976	0.016	0.013	0	50.3	52	68.8	145	150	0	28	29
2025	3	5	3	5	11	0.778	-0.052	2.976	0.016	0.013	0	50.3	52.5	69.2	145	151	0	28	29
2025	3	5	3	15	11	0.774	-0.095	2.976	0.016	0.016	0	49.9	51.6	69.2	144	149	0	28	29
2025	3	5	3	25	11	0.732	-0.089	2.976	0.016	0.013	0	49.9	51.6	69.7	144	149	0	28	29
2025	3	5	3	35	11	0.768	-0.062	2.979	0.016	0.016	0	49.9	51.6	69.7	144	149	0	28	29
2025	3	5	3	45	11	0.712	-0.039	2.979	0.016	0.016	0	49.9	52.5	70.1	144	150	0	28	28
2025	3	5	3	55	11	0.787	-0.095	2.979	0.013	0.01	0	49.5	51.2	71.4	143	149	0	28	30
2025	3	5	4	5	11	0.778	-0.046	2.979	0.016	0.013	0	49.9	52	71	144	149	0	28	28
2025	3	5	4	15	11	0.761	-0.052	2.979	0.016	0.013	0	49.9	52.5	71.4	144	150	0	28	28
2025	3	5	4	25	11	0.771	-0.049	2.979	0.016	0.013	0	49.9	52	71.4	144	150	0	28	29
2025	3	5	4	35	11	0.778	-0.079	2.979	0.016	0.013	0	49.5	51.6	71.4	143	149	0	28	29
2025	3	5	4	45	11	0.768	-0.056	2.979	0.016	0.016	0	49.5	51.6	71	143	149	0	28	29
2025	3	5	4	55	11	0.748	-0.066	2.979	0.016	0.013	0	49.5	51.6	71	143	149	0	28	29
2025	3	5	5	5	11	0.794	-0.079	2.979	0.016	0.016	0	49.5	51.6	71.4	143	149	0	28	29
2025	3	5	5	15	11	0.768	-0.056	2.979	0.016	0.013	0	49	51.2	70.5	142	148	0	28	29
2025	3	5	5	25	11	0.787	-0.062	2.979	0.013	0.01	0	49	51.2	72.2	142	148	0	28	29
2025	3	5	5	35	11	0.774	-0.043	2.979	0.013	0.01	0	49	51.6	71.8	142	148	0	28	28
2025	3	5	5	45	11	0.787	-0.082	2.979	0.016	0.016	0	49	51.2	71.8	142	148	0	28	29
2025	3	5	5	55	11	0.771	-0.069	2.979	0.016	0.013	0	49	50.7	71.8	142	148	0	28	30
2025	3	5	6	5	11	0.768	-0.046	2.979	0.016	0.016	0	49.5	51.6	70.5	143	148	0	28	28
2025	3	5	6	15	11	0.764	-0.075	2.979	0.016	0.013	0	48.2	50.7	72.2	140	146	0	28	28
2025	3	5	6	25	11	0.771	-0.056	2.979	0.016	0.013	0	48.6	51.2	72.2	141	147	0	28	28
2025	3	5	6	35	11	0.768	-0.062	2.979	0.016	0.013	0	48.2	49.9	72.2	140	145	0	28	29
2025	3	5	6	45	11	0.768	-0.066	2.979	0.016	0.016	0	48.2	50.3	71.8	140	146	0	28	29
2025	3	5	6	55	11	0.771	-0.069	2.979	0.013	0.01	0	47.7	50.3	71.8	139	145	0	28	28
2025	3	5	7	5	11	0.801	-0.082	2.979	0.016	0.013	0	47.3	49.5	72.2	139	144	0	29	29
2025	3	5	7	15	11	0.778	-0.072	2.979	0.016	0.013	0	46.9	49.5	72.7	138	144	0	29	29
2025	3	5	7	25	11	0.794	-0.095	2.979	0.013	0.01	0	47.3	49	72.2	138	143	0	28	29
2025	3	5	7	35	11	0.774	-0.059	2.979	0.016	0.013	0	46.4	49	72.7	137	143	0	29	29
2025	3	5	7	45	11	0.758	-0.059	2.979	0.013	0.01	0	46	48.6	72.2	136	142	0	29	29
2025	3	5	7	55	11	0.778	-0.072	2.979	0.016	0.013	0	46.4	48.2	73.1	136	142	0	28	30

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	5	8	5	11	0.797	-0.049	2.979	0.016	0.016	0	45.6	48.2	73.5	135	141	0	29	29
2025	3	5	8	15	11	0.764	-0.092	2.979	0.016	0.016	0	46	48.2	73.5	135	141	0	28	29
2025	3	5	8	25	11	0.781	-0.049	2.979	0.016	0.013	0	46.4	48.6	73.5	135	141	0	27	28
2025	3	5	8	35	11	0.748	-0.059	2.979	0.016	0.013	0	46.4	48.6	74	136	142	0	28	29
2025	3	5	8	45	11	0.751	-0.052	2.979	0.016	0.013	0	46.4	48.6	72.7	136	142	0	28	29
2025	3	5	8	55	11	0.748	-0.059	2.979	0.013	0.01	0	46	48.2	70.5	135	141	0	28	29
2025	3	5	9	5	11	0.81	-0.052	2.979	0.016	0.016	0	46	48.6	69.7	135	141	0	28	28
2025	3	5	9	15	11	0.771	-0.066	2.976	0.013	0.01	0	46	48.2	61.9	136	141	0	29	29
2025	3	5	9	25	11	0.761	-0.043	2.976	0.016	0.016	0	47.3	49.5	64.5	138	144	0	28	29
2025	3	5	9	35	11	0.774	-0.036	2.976	0.016	0.013	0	47.3	49.9	45.6	138	144	0	28	28
2025	3	5	9	45	11	0.774	-0.082	2.976	0.01	0.007	0	46.4	48.6	46	136	142	0	28	29
2025	3	5	9	55	11	0.774	-0.092	2.972	0.016	0.013	0	46.4	48.6	43.4	137	142	0	29	29
2025	3	5	10	5	11	0.794	-0.089	2.976	0.016	0.016	0	46.4	49	52.5	136	142	0	28	28
2025	3	5	10	15	11	0.745	-0.052	2.976	0.016	0.013	0	46.9	49.5	54.2	137	143	0	28	28
2025	3	5	10	25	11	0.817	-0.092	2.976	0.016	0.013	0	46.4	48.6	45.2	136	142	0	28	29
2025	3	5	10	35	11	0.801	-0.079	2.972	0.016	0.013	0	46	48.2	43	135	141	0	28	29
2025	3	5	10	45	11	0.719	-0.036	2.972	0.013	0.01	0	46.4	48.6	42.1	136	142	0	28	29
2025	3	5	10	55	11	0.755	-0.049	2.972	0.016	0.013	0	46.4	48.6	43	136	142	0	28	29
2025	3	5	11	5	11	0.781	-0.108	2.972	0.016	0.013	0	45.2	47.7	43.4	134	140	0	29	29
2025	3	5	11	15	11	0.761	-0.056	2.972	0.016	0.016	0	46.4	48.6	45.6	136	142	0	28	29
2025	3	5	11	25	11	0.735	-0.069	2.972	0.016	0.013	0	46	48.6	48.6	135	141	0	28	28
2025	3	5	11	35	11	0.801	-0.082	2.976	0.016	0.013	0	46.4	48.6	56.3	136	142	0	28	29
2025	3	5	11	45	11	0.791	-0.072	2.979	0.013	0.01	0	46	48.6	61.1	135	142	0	28	29
2025	3	5	11	55	11	0.768	-0.056	2.976	0.016	0.016	0	46.9	48.6	52.9	137	142	0	28	29
2025	3	5	12	5	11	0.778	-0.069	2.976	0.013	0.01	0	46.4	49	50.7	136	142	0	28	28
2025	3	5	12	15	11	0.774	-0.075	2.976	0.016	0.013	0	46.9	49	51.6	137	143	0	28	29
2025	3	5	12	25	11	0.778	-0.082	2.976	0.02	0.016	0	46.4	49	48.2	136	143	0	28	29
2025	3	5	12	35	11	0.758	-0.079	2.976	0.02	0.016	0	47.7	49.9	48.6	139	145	0	28	29
2025	3	5	12	45	11	0.761	-0.075	2.979	0.016	0.013	0	46.9	49	48.6	137	143	0	28	29
2025	3	5	12	55	11	0.794	-0.046	2.979	0.016	0.016	0	46.9	49.5	51.6	137	144	0	28	29
2025	3	5	13	5	11	0.778	-0.112	2.979	0.016	0.013	0	47.7	49.9	55	139	145	0	28	29
2025	3	5	13	15	11	0.761	-0.075	2.979	0.016	0.013	0	48.2	50.3	49	140	145	0	28	28
2025	3	5	13	25	11	0.797	-0.052	2.982	0.013	0.01	0	48.2	50.3	56.3	140	146	0	28	29
2025	3	5	13	35	11	0.791	-0.085	2.982	0.013	0.01	0	47.7	49.9	53.3	139	145	0	28	29
2025	3	5	13	45	11	0.764	-0.043	2.982	0.013	0.01	0	46.9	49	53.8	137	143	0	28	29
2025	3	5	13	55	11	0.745	-0.039	2.982	0.016	0.016	0	47.7	49.5	54.2	138	144	0	27	29
2025	3	5	14	5	11	0.778	-0.095	2.982	0.013	0.01	0	47.3	49.9	55.9	138	144	0	28	28
2025	3	5	14	15	11	0.771	-0.069	2.982	0.013	0.01	0	47.7	50.3	56.8	139	145	0	28	28
2025	3	5	14	25	11	0.778	-0.082	2.982	0.016	0.013	0	47.3	49.5	55.5	138	144	0	28	29
2025	3	5	14	35	11	0.751	-0.066	2.982	0.016	0.016	0	48.2	49.9	53.8	139	145	0	27	29
2025	3	5	14	45	11	0.81	-0.082	2.986	0.013	0.01	0	47.7	49.9	52.5	139	145	0	28	29
2025	3	5	14	55	11	0.751	-0.062	2.986	0.016	0.013	0	47.7	50.3	52.9	139	145	0	28	28
2025	3	5	15	5	11	0.758	-0.072	2.986	0.016	0.016	0	47.7	49.9	51.6	139	145	0	28	29
2025	3	5	15	15	11	0.758	-0.036	2.986	0.016	0.013	0	47.7	50.3	52	139	145	0	28	28
2025	3	5	15	25	11	0.774	-0.056	2.986	0.016	0.013	0	47.7	49.9	52	139	145	0	28	29
2025	3	5	15	35	11	0.751	-0.026	2.986	0.016	0.016	0	48.2	50.3	55.9	140	146	0	28	29
2025	3	5	15	45	11	0.778	-0.066	2.986	0.013	0.01	0	48.2	50.7	55.9	140	146	0	28	28
2025	3	5	15	55	11	0.764	-0.079	2.986	0.016	0.013	0	48.2	50.3	59.8	139	145	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	5	16	5	11	0.751	-0.036	2.986	0.016	0.013	0	47.7	50.3	64.1	138	145	0	27	28
2025	3	5	16	15	11	0.755	-0.085	2.986	0.016	0.016	0	46.9	49	59.3	137	143	0	28	29
2025	3	5	16	25	11	0.761	-0.066	2.986	0.016	0.013	0	46.9	49.5	55	137	144	0	28	29
2025	3	5	16	35	11	0.791	-0.075	2.986	0.016	0.013	0	46.9	49.5	46.4	137	143	0	28	28
2025	3	5	16	45	11	0.791	-0.062	2.986	0.013	0.01	0	46.4	49	46.9	136	143	0	28	29
2025	3	5	16	55	11	0.817	-0.069	2.986	0.016	0.013	0	46.9	49	55.9	136	143	0	27	29
2025	3	5	17	5	11	0.778	-0.075	2.986	0.016	0.016	0	46.4	49	70.1	136	143	0	28	29
2025	3	5	17	15	11	0.791	-0.052	2.986	0.016	0.013	0	46.9	49.5	70.5	137	143	0	28	28
2025	3	5	17	25	11	0.758	-0.072	2.986	0.016	0.013	0	47.3	49.5	71.8	138	144	0	28	29
2025	3	5	17	35	11	0.774	-0.062	2.986	0.016	0.016	0	46.9	49.9	71.8	137	144	0	28	28
2025	3	5	17	45	11	0.804	-0.085	2.986	0.016	0.013	0	47.3	49.9	71.4	138	144	0	28	28
2025	3	5	17	55	11	0.778	-0.082	2.986	0.013	0.01	0	46.9	49.5	72.2	137	143	0	28	28
2025	3	5	18	5	11	0.761	-0.056	2.986	0.016	0.016	0	47.3	49.5	71.8	138	144	0	28	29
2025	3	5	18	15	11	0.774	-0.095	2.986	0.016	0.013	0	46.9	49.9	69.2	138	145	0	29	29
2025	3	5	18	25	11	0.781	-0.052	2.986	0.016	0.013	0	47.7	50.7	71.8	139	146	0	28	28
2025	3	5	18	35	11	0.771	-0.039	2.986	0.016	0.013	0	48.2	51.2	69.2	140	147	0	28	28
2025	3	5	18	45	11	0.774	-0.075	2.986	0.016	0.013	0	48.6	50.7	65.8	140	147	0	27	29
2025	3	5	18	55	11	0.745	-0.043	2.986	0.016	0.016	0	48.6	51.2	71.8	141	148	0	28	29
2025	3	5	19	5	11	0.771	-0.069	2.986	0.016	0.013	0	48.6	50.7	67.5	141	147	0	28	29
2025	3	5	19	15	11	0.764	-0.069	2.986	0.016	0.013	0	49	51.2	70.5	142	148	0	28	29
2025	3	5	19	25	11	0.781	-0.066	2.986	0.016	0.016	0	48.6	51.2	70.1	141	147	0	28	28
2025	3	5	19	35	11	0.764	-0.013	2.986	0.016	0.013	0	49	51.6	69.7	142	149	0	28	29
2025	3	5	19	45	11	0.787	-0.066	2.986	0.013	0.01	0	48.6	51.2	71	142	148	0	29	29
2025	3	5	19	55	11	0.761	-0.056	2.982	0.016	0.013	0	49	51.6	71.4	142	149	0	28	29
2025	3	5	20	5	11	0.774	-0.079	2.982	0.016	0.013	0	49	51.2	69.7	142	148	0	28	29
2025	3	5	20	15	11	0.764	-0.069	2.982	0.02	0.016	0	49	51.6	69.2	142	149	0	28	29
2025	3	5	20	25	11	0.755	-0.059	2.982	0.016	0.013	0	48.6	51.2	53.3	142	149	0	29	30
2025	3	5	20	35	11	0.748	-0.062	2.982	0.016	0.013	0	49	51.6	64.1	142	149	0	28	29
2025	3	5	20	45	11	0.738	-0.072	2.982	0.016	0.013	0	49.5	51.6	71	143	149	0	28	29
2025	3	5	20	55	11	0.764	-0.066	2.982	0.016	0.013	0	49.5	51.6	70.5	143	149	0	28	29
2025	3	5	21	5	11	0.807	-0.075	2.982	0.016	0.013	0	49.5	52	70.1	142	149	0	27	28
2025	3	5	21	15	11	0.784	-0.072	2.982	0.016	0.013	0	49	51.2	69.2	142	148	0	28	29
2025	3	5	21	25	11	0.758	-0.033	2.982	0.016	0.013	0	49	51.2	69.7	141	148	0	27	29
2025	3	5	21	35	11	0.791	-0.082	2.982	0.01	0.007	0	49	51.2	70.5	142	148	0	28	29
2025	3	5	21	45	11	0.784	-0.069	2.979	0.016	0.016	0	48.6	51.6	70.1	141	148	0	28	28
2025	3	5	21	55	11	0.758	-0.056	2.979	0.016	0.013	0	49.5	51.6	68.4	143	149	0	28	29
2025	3	5	22	5	11	0.755	-0.085	2.979	0.02	0.016	0	49	51.2	68.4	142	148	0	28	29
2025	3	5	22	15	11	0.735	-0.046	2.979	0.013	0.01	0	49	51.6	67.5	142	149	0	28	29
2025	3	5	22	25	11	0.764	-0.075	2.979	0.016	0.013	0	48.6	51.2	70.5	141	148	0	28	29
2025	3	5	22	35	11	0.801	-0.102	2.979	0.016	0.013	0	49	51.2	67.5	142	148	0	28	29
2025	3	5	22	45	11	0.755	-0.033	2.979	0.013	0.01	0	49	51.6	69.7	142	149	0	28	29
2025	3	5	22	55	11	0.738	-0.023	2.979	0.016	0.013	0	48.6	51.2	71.4	142	148	0	29	29
2025	3	5	23	5	11	0.761	-0.082	2.979	0.016	0.013	0	48.6	51.6	71.8	141	148	0	28	28
2025	3	5	23	15	11	0.751	-0.036	2.979	0.016	0.013	0	48.6	51.2	70.5	141	148	0	28	29
2025	3	5	23	25	11	0.801	-0.066	2.979	0.016	0.013	0	49	51.2	71	142	148	0	28	29
2025	3	5	23	35	11	0.755	-0.052	2.979	0.016	0.013	0	49	51.2	71.4	142	148	0	28	29
2025	3	5	23	45	11	0.768	-0.069	2.979	0.016	0.013	0	48.2	51.2	71	141	148	0	29	29
2025	3	5	23	55	11	0.768	-0.082	2.979	0.016	0.013	0	48.2	50.7	71.8	140	147	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	6	0	5	11	0.787	-0.056	2.979	0.016	0.013	0	48.6	50.7	71	141	147	0	28	29
2025	3	6	0	15	11	0.791	-0.043	2.976	0.016	0.013	0	48.2	50.7	71	140	147	0	28	29
2025	3	6	0	25	11	0.768	-0.072	2.979	0.016	0.013	0	48.2	51.2	71.4	140	147	0	28	28
2025	3	6	0	35	11	0.781	-0.085	2.976	0.016	0.013	0	48.2	50.7	71	140	147	0	28	29
2025	3	6	0	45	11	0.751	-0.085	2.976	0.013	0.01	0	47.7	50.7	71	140	147	0	29	29
2025	3	6	0	55	11	0.791	-0.049	2.979	0.013	0.01	0	47.7	50.7	72.2	140	147	0	29	29
2025	3	6	1	5	11	0.751	-0.046	2.979	0.016	0.016	0	47.7	50.7	72.2	140	147	0	29	29
2025	3	6	1	15	11	0.778	-0.03	2.976	0.016	0.013	0	47.7	50.7	71.8	140	147	0	29	29
2025	3	6	1	25	11	0.745	-0.072	2.976	0.016	0.016	0	48.6	50.7	71.4	141	147	0	28	29
2025	3	6	1	35	11	0.774	-0.069	2.976	0.013	0.01	0	48.2	50.3	72.2	140	147	0	28	30
2025	3	6	1	45	11	0.781	-0.059	2.976	0.016	0.013	0	48.2	50.7	72.7	140	147	0	28	29
2025	3	6	1	55	11	0.755	-0.072	2.976	0.016	0.013	0	48.2	50.7	71.8	140	147	0	28	29
2025	3	6	2	5	11	0.778	-0.062	2.976	0.016	0.016	0	48.2	51.2	71.4	140	147	0	28	28
2025	3	6	2	15	11	0.81	-0.049	2.976	0.013	0.01	0	47.7	50.3	72.7	139	146	0	28	29
2025	3	6	2	25	11	0.758	-0.069	2.976	0.013	0.01	0	48.2	50.7	72.7	140	147	0	28	29
2025	3	6	2	35	11	0.794	-0.026	2.976	0.013	0.01	0	48.2	50.3	72.2	140	146	0	28	29
2025	3	6	2	45	11	0.745	-0.082	2.976	0.016	0.013	0	48.2	50.7	73.1	140	147	0	28	29
2025	3	6	2	55	11	0.774	-0.039	2.976	0.016	0.016	0	47.7	50.7	73.1	139	146	0	28	28
2025	3	6	3	5	11	0.781	-0.052	2.976	0.013	0.01	0	47.3	50.3	74	139	146	0	29	29
2025	3	6	3	15	11	0.764	-0.108	2.976	0.013	0.01	0	47.7	50.7	73.5	140	147	0	29	29
2025	3	6	3	25	11	0.738	-0.069	2.976	0.016	0.016	0	47.3	50.3	73.5	139	146	0	29	29
2025	3	6	3	35	11	0.758	-0.056	2.976	0.016	0.016	0	48.2	50.7	73.5	140	147	0	28	29
2025	3	6	3	45	11	0.764	-0.079	2.976	0.016	0.013	0	47.3	50.3	71.8	139	146	0	29	29
2025	3	6	3	55	11	0.748	-0.069	2.976	0.016	0.013	0	47.7	50.3	58.9	139	146	0	28	29
2025	3	6	4	5	11	0.751	-0.085	2.976	0.016	0.016	0	47.7	50.3	58.5	139	146	0	28	29
2025	3	6	4	15	11	0.738	-0.043	2.976	0.016	0.013	0	47.7	50.3	64.5	139	146	0	28	29
2025	3	6	4	25	11	0.781	-0.056	2.976	0.016	0.013	0	47.7	50.3	71.8	139	146	0	28	29
2025	3	6	4	35	11	0.755	-0.082	2.976	0.013	0.01	0	47.7	50.3	65.8	139	146	0	28	29
2025	3	6	4	45	11	0.748	-0.049	2.976	0.016	0.013	0	47.7	50.3	69.2	139	146	0	28	29
2025	3	6	4	55	11	0.778	-0.069	2.976	0.02	0.016	0	47.7	50.3	73.5	139	146	0	28	29
2025	3	6	5	5	11	0.745	-0.082	2.976	0.016	0.013	0	47.3	49.9	74	138	145	0	28	29
2025	3	6	5	15	11	0.774	-0.108	2.976	0.016	0.013	0	47.3	50.3	74	138	145	0	28	28
2025	3	6	5	25	11	0.774	-0.089	2.976	0.016	0.013	0	46.9	49.9	73.5	138	145	0	29	29
2025	3	6	5	35	11	0.751	-0.039	2.976	0.016	0.013	0	47.3	49.9	73.1	138	145	0	28	29
2025	3	6	5	45	11	0.761	-0.013	2.976	0.016	0.013	0	47.7	50.3	73.5	139	145	0	28	28
2025	3	6	5	55	11	0.791	-0.105	2.972	0.02	0.016	0	47.7	50.3	73.5	139	146	0	28	29
2025	3	6	6	5	11	0.768	-0.108	2.972	0.016	0.013	0	47.3	49.9	73.1	138	145	0	28	29
2025	3	6	6	15	11	0.745	-0.062	2.972	0.013	0.01	0	47.3	49.9	73.1	138	145	0	28	29
2025	3	6	6	25	11	0.751	-0.043	2.972	0.016	0.013	0	46.4	49.5	73.5	137	144	0	29	29
2025	3	6	6	35	11	0.748	-0.069	2.972	0.016	0.016	0	46.9	49.5	73.1	137	144	0	28	29
2025	3	6	6	45	11	0.774	-0.082	2.972	0.016	0.016	0	46.4	49	73.5	137	143	0	29	29
2025	3	6	6	55	11	0.794	-0.069	2.972	0.013	0.01	0	46.4	49.5	72.7	136	143	0	28	28
2025	3	6	7	5	11	0.778	-0.049	2.972	0.016	0.013	0	45.6	48.6	72.7	135	142	0	29	29
2025	3	6	7	15	11	0.768	-0.066	2.972	0.013	0.01	0	46	48.6	72.7	136	142	0	29	29
2025	3	6	7	25	11	0.784	-0.072	2.972	0.016	0.016	0	46.4	48.6	72.2	136	142	0	28	29
2025	3	6	7	35	11	0.748	-0.056	2.972	0.013	0.01	0	46	49	72.2	136	143	0	29	29
2025	3	6	7	45	11	0.781	-0.079	2.972	0.02	0.016	0	46.4	48.6	71	136	142	0	28	29
2025	3	6	7	55	11	0.755	-0.036	2.972	0.016	0.013	0	45.6	48.6	69.2	135	142	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	6	8	5	11	0.755	-0.085	2.972	0.013	0.01	0	46.9	49	71.4	137	143	0	28	29
2025	3	6	8	15	11	0.755	-0.072	2.972	0.016	0.013	0	46	49	52.5	136	143	0	29	29
2025	3	6	8	25	11	0.741	-0.056	2.972	0.013	0.01	0	45.6	48.2	48.2	135	141	0	29	29
2025	3	6	8	35	11	0.751	-0.095	2.972	0.016	0.013	0	45.6	48.6	46	134	141	0	28	28
2025	3	6	8	45	11	0.745	-0.056	2.972	0.013	0.01	0	46	49	46.4	136	143	0	29	29
2025	3	6	8	55	11	0.755	-0.112	2.972	0.013	0.01	0	46.4	48.2	46.9	135	141	0	27	29
2025	3	6	9	5	11	0.709	-0.066	2.969	0.016	0.016	0	46.4	48.6	46.4	136	142	0	28	29
2025	3	6	9	15	11	0.755	-0.112	2.972	0.016	0.016	0	45.2	48.2	48.2	134	141	0	29	29
2025	3	6	9	25	11	0.761	-0.069	2.972	0.016	0.016	0	46.9	49	46	137	143	0	28	29
2025	3	6	9	35	11	0.745	-0.095	2.972	0.016	0.013	0	46.9	49.5	46.4	138	144	0	29	29
2025	3	6	9	45	11	0.745	-0.072	2.969	0.016	0.013	0	47.3	49.5	45.2	138	144	0	28	29
2025	3	6	9	55	11	0.758	-0.082	2.972	0.016	0.013	0	46.9	49	46.9	138	144	0	29	30
2025	3	6	10	5	11	0.771	-0.089	2.972	0.016	0.013	0	47.3	49.5	44.7	138	144	0	28	29
2025	3	6	10	15	11	0.748	-0.056	2.972	0.016	0.013	0	46.4	49	46.9	136	143	0	28	29
2025	3	6	10	25	11	0.732	-0.085	2.972	0.013	0.01	0	46	49	46	136	143	0	29	29
2025	3	6	10	35	11	0.794	-0.069	2.972	0.016	0.013	0	46.9	49	53.3	137	143	0	28	29
2025	3	6	10	45	11	0.748	-0.079	2.972	0.016	0.013	0	46.4	48.6	58.5	136	142	0	28	29
2025	3	6	10	55	11	0.748	-0.056	2.972	0.016	0.013	0	46	49.5	59.8	136	143	0	29	28
2025	3	6	11	5	11	0.781	-0.079	2.972	0.016	0.016	0	46.4	48.6	49.9	136	142	0	28	29
2025	3	6	11	15	11	0.797	-0.039	2.976	0.016	0.013	0	46	48.2	72.2	135	141	0	28	29
2025	3	6	11	25	11	0.741	-0.036	2.972	0.016	0.013	0	46.4	49	55.9	136	143	0	28	29
2025	3	6	11	35	11	0.791	-0.095	2.972	0.016	0.013	0	46.4	49	54.6	137	143	0	29	29
2025	3	6	11	45	11	0.768	-0.069	2.972	0.016	0.013	0	46.4	49	46.9	136	143	0	28	29
2025	3	6	11	55	11	0.758	-0.056	2.972	0.016	0.013	0	46.9	49.5	55.5	137	144	0	28	29
2025	3	6	12	5	11	0.761	-0.079	2.976	0.016	0.013	0	47.3	49.9	67.5	138	145	0	28	29
2025	3	6	12	15	11	0.774	-0.082	2.972	0.016	0.013	0	46.9	49.5	53.3	137	143	0	28	28
2025	3	6	12	25	11	0.801	-0.079	2.972	0.013	0.01	0	46.9	49	60.6	137	143	0	28	29
2025	3	6	12	35	11	0.761	-0.069	2.969	0.013	0.01	0	46.4	49	47.7	136	143	0	28	29
2025	3	6	12	45	11	0.728	-0.043	2.972	0.016	0.016	0	47.3	49.9	66.2	138	144	0	28	28
2025	3	6	12	55	11	0.761	-0.075	2.969	0.013	0.01	0	47.3	49.9	53.8	138	145	0	28	29
2025	3	6	13	5	11	0.778	-0.072	2.969	0.013	0.01	0	47.3	49.5	64.5	137	144	0	27	29
2025	3	6	13	15	11	0.787	-0.082	2.969	0.016	0.013	0	46.9	49.9	68.4	138	145	0	29	29
2025	3	6	13	25	11	0.774	-0.105	2.969	0.016	0.013	0	47.3	50.3	59.8	138	145	0	28	28
2025	3	6	13	35	11	0.778	-0.033	2.966	0.016	0.013	0	46.9	49	69.7	137	143	0	28	29
2025	3	6	13	45	11	0.755	-0.085	2.966	0.016	0.013	0	46.9	49.9	70.1	137	144	0	28	28
2025	3	6	13	55	11	0.768	-0.062	2.966	0.016	0.013	0	46.9	49.5	67.5	137	144	0	28	29
2025	3	6	14	5	11	0.784	-0.056	2.966	0.01	0.007	0	46.4	49.5	66.7	136	143	0	28	28
2025	3	6	14	15	11	0.787	-0.059	2.966	0.016	0.016	0	46.4	49.5	49.9	136	143	0	28	28
2025	3	6	14	25	11	0.761	-0.069	2.966	0.016	0.013	0	47.3	49	55.5	137	143	0	27	29
2025	3	6	14	35	11	0.745	-0.056	2.966	0.013	0.01	0	46.9	49.9	50.7	137	144	0	28	28
2025	3	6	14	45	11	0.784	-0.085	2.966	0.016	0.013	0	47.3	50.3	68.4	138	145	0	28	28
2025	3	6	14	55	11	0.784	-0.112	2.966	0.016	0.016	0	46.4	49	64.1	136	143	0	28	29
2025	3	6	15	5	11	0.758	-0.03	2.969	0.016	0.013	0	48.2	49.9	46.9	139	145	0	27	29
2025	3	6	15	15	11	0.774	-0.03	2.969	0.016	0.013	0	47.7	49.9	44.7	139	145	0	28	29
2025	3	6	15	25	11	0.774	-0.062	2.966	0.016	0.013	0	47.7	50.3	49.9	139	145	0	28	28
2025	3	6	15	35	11	0.735	-0.092	2.966	0.013	0.01	0	47.7	49.9	46	139	145	0	28	29
2025	3	6	15	45	11	0.758	-0.072	2.966	0.02	0.016	0	47.3	50.3	51.2	138	145	0	28	28
2025	3	6	15	55	11	0.774	-0.069	2.966	0.016	0.013	0	47.7	49.5	51.6	138	144	0	27	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	6	16	5	11	0.774	-0.072	2.969	0.016	0.013	0	47.7	50.7	47.7	139	146	0	28	28
2025	3	6	16	15	11	0.797	-0.046	2.966	0.016	0.016	0	47.3	49.5	55	138	144	0	28	29
2025	3	6	16	25	11	0.761	-0.066	2.966	0.016	0.016	0	47.7	50.3	65.4	139	145	0	28	28
2025	3	6	16	35	11	0.774	-0.062	2.966	0.016	0.016	0	48.6	50.7	61.1	140	146	0	27	28
2025	3	6	16	45	11	0.797	-0.082	2.969	0.02	0.016	0	46.9	49.5	70.1	138	144	0	29	29
2025	3	6	16	55	11	0.745	-0.079	2.966	0.02	0.016	0	46.9	49.9	69.7	137	144	0	28	28
2025	3	6	17	5	11	0.745	-0.043	2.969	0.013	0.01	0	47.3	50.3	68.4	138	145	0	28	28
2025	3	6	17	15	11	0.738	-0.062	2.969	0.013	0.01	0	47.3	50.3	46	138	145	0	28	28
2025	3	6	17	25	11	0.741	-0.033	2.969	0.013	0.01	0	47.3	49.9	43.4	138	145	0	28	29
2025	3	6	17	35	11	0.755	-0.072	2.969	0.016	0.013	0	47.3	49.9	42.6	138	144	0	28	28
2025	3	6	17	45	11	0.709	-0.043	2.972	0.016	0.013	0	46.9	49.5	41.3	137	144	0	28	29
2025	3	6	17	55	11	0.715	-0.043	2.969	0.013	0.01	0	47.3	49.9	41.3	138	144	0	28	28
2025	3	6	18	5	11	0.787	-0.056	2.969	0.016	0.016	0	48.2	50.3	44.3	139	145	0	27	28
2025	3	6	18	15	11	0.761	-0.069	2.966	0.016	0.013	0	48.2	50.3	44.3	140	146	0	28	29
2025	3	6	18	25	11	0.748	-0.046	2.966	0.016	0.016	0	48.2	51.2	46	140	147	0	28	28
2025	3	6	18	35	11	0.774	-0.026	2.966	0.016	0.013	0	49.5	51.2	43.4	142	148	0	27	29
2025	3	6	18	45	11	0.768	-0.039	2.966	0.016	0.013	0	49	52	45.6	142	149	0	28	28
2025	3	6	18	55	11	0.738	-0.062	2.966	0.016	0.013	0	49	51.6	43.4	142	149	0	28	29
2025	3	6	19	5	11	0.774	-0.082	2.966	0.016	0.013	0	49.5	52.5	45.6	143	150	0	28	28
2025	3	6	19	15	11	0.801	-0.075	2.969	0.013	0.01	0	49.5	52	43.4	143	150	0	28	29
2025	3	6	19	25	11	0.771	-0.062	2.969	0.016	0.016	0	49.9	52.9	41.7	144	151	0	28	28
2025	3	6	19	35	11	0.755	-0.056	2.969	0.013	0.01	0	49.9	52.9	40.4	144	151	0	28	28
2025	3	6	19	45	11	0.725	-0.056	2.966	0.016	0.016	0	49.9	52.5	44.3	144	151	0	28	29
2025	3	6	19	55	11	0.735	-0.089	2.966	0.016	0.013	0	50.3	52.9	43.4	145	151	0	28	28
2025	3	6	20	5	11	0.764	-0.069	2.966	0.016	0.016	0	49.9	52.5	44.3	144	151	0	28	29
2025	3	6	20	15	11	0.755	-0.039	2.966	0.013	0.01	0	50.3	52.5	46	144	150	0	27	28
2025	3	6	20	25	11	0.771	-0.049	2.966	0.016	0.013	0	49.5	52	45.2	143	150	0	28	29
2025	3	6	20	35	11	0.741	-0.062	2.966	0.016	0.013	0	49.9	52	46.4	144	150	0	28	29
2025	3	6	20	45	11	0.768	-0.079	2.966	0.016	0.013	0	49	52	65.4	143	150	0	29	29
2025	3	6	20	55	11	0.761	-0.033	2.966	0.016	0.013	0	49.9	52.5	49.5	144	150	0	28	28
2025	3	6	21	5	11	0.768	-0.098	2.966	0.016	0.013	0	49.9	52.5	45.6	144	150	0	28	28
2025	3	6	21	15	11	0.768	-0.056	2.966	0.013	0.01	0	49.9	52.5	51.6	144	151	0	28	29
2025	3	6	21	25	11	0.758	-0.079	2.966	0.016	0.013	0	49.9	52.5	46	144	151	0	28	29
2025	3	6	21	35	11	0.764	-0.062	2.966	0.016	0.016	0	49.5	52.5	54.2	144	151	0	29	29
2025	3	6	21	45	11	0.748	-0.072	2.966	0.016	0.013	0	49.5	52.5	65.8	143	150	0	28	28
2025	3	6	21	55	11	0.725	-0.092	2.966	0.013	0.01	0	49.5	52.5	68.4	143	150	0	28	28
2025	3	6	22	5	11	0.807	-0.089	2.966	0.016	0.016	0	49.5	52	67.5	144	150	0	29	29
2025	3	6	22	15	11	0.781	-0.043	2.966	0.01	0.007	0	49.5	52	44.3	143	150	0	28	29
2025	3	6	22	25	11	0.768	-0.03	2.966	0.016	0.013	0	49.9	52.5	49	144	151	0	28	29
2025	3	6	22	35	11	0.728	-0.039	2.963	0.016	0.013	0	49.5	52	66.7	143	150	0	28	29
2025	3	6	22	45	11	0.764	-0.056	2.963	0.016	0.013	0	49.9	52	68.4	144	150	0	28	29
2025	3	6	22	55	11	0.748	-0.03	2.963	0.013	0.01	0	49	52	66.7	143	150	0	29	29
2025	3	6	23	5	11	0.764	-0.062	2.963	0.016	0.016	0	49.5	52.9	51.6	143	151	0	28	28
2025	3	6	23	15	11	0.768	-0.036	2.963	0.016	0.013	0	49.9	52.5	47.3	144	150	0	28	28
2025	3	6	23	25	11	0.755	-0.056	2.963	0.016	0.013	0	49.9	52.9	49	144	151	0	28	28
2025	3	6	23	35	11	0.748	-0.069	2.963	0.016	0.016	0	49	52	53.8	143	150	0	29	29
2025	3	6	23	45	11	0.761	-0.079	2.963	0.016	0.016	0	49.5	52	63.6	143	150	0	28	29
2025	3	6	23	55	11	0.728	-0.072	2.963	0.016	0.013	0	49.5	52	46	143	150	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	7	0	5	11	0.787	-0.075	2.959	0.016	0.016	0	49.5	51.6	67.5	144	149	0	29	29
2025	3	7	0	15	11	0.725	-0.052	2.963	0.016	0.013	0	50.7	52.5	64.5	146	151	0	28	29
2025	3	7	0	25	11	0.761	-0.082	2.963	0.013	0.01	0	50.3	52.5	64.5	145	150	0	28	28
2025	3	7	0	35	11	0.804	-0.052	2.963	0.016	0.016	0	49.5	51.6	58.5	143	149	0	28	29
2025	3	7	0	45	11	0.774	-0.066	2.963	0.016	0.013	0	49.9	52	64.1	144	150	0	28	29
2025	3	7	0	55	11	0.781	-0.082	2.959	0.016	0.016	0	49.5	51.6	67.1	144	149	0	29	29
2025	3	7	1	5	11	0.774	-0.072	2.959	0.016	0.013	0	50.3	52	67.5	145	150	0	28	29
2025	3	7	1	15	11	0.778	-0.079	2.959	0.016	0.013	0	49.9	52	67.9	144	150	0	28	29
2025	3	7	1	25	11	0.778	-0.089	2.959	0.016	0.013	0	50.3	51.6	67.5	144	149	0	27	29
2025	3	7	1	35	11	0.741	-0.046	2.959	0.016	0.013	0	49.9	52	65.4	144	150	0	28	29
2025	3	7	1	45	11	0.728	-0.062	2.959	0.013	0.01	0	49.5	52	64.9	144	150	0	29	29
2025	3	7	1	55	11	0.741	-0.056	2.959	0.016	0.016	0	49.9	52	61.1	144	150	0	28	29
2025	3	7	2	5	11	0.781	-0.092	2.959	0.016	0.013	0	49.5	51.6	58	143	148	0	28	28
2025	3	7	2	15	11	0.745	-0.056	2.959	0.013	0.01	0	49.5	51.6	49.9	143	149	0	28	29
2025	3	7	2	25	11	0.797	-0.108	2.959	0.016	0.016	0	49.5	51.6	46.4	143	149	0	28	29
2025	3	7	2	35	11	0.748	-0.039	2.959	0.016	0.016	0	49.9	51.6	52.9	144	149	0	28	29
2025	3	7	2	45	11	0.768	-0.082	2.963	0.016	0.013	0	49	51.2	64.5	142	148	0	28	29
2025	3	7	2	55	11	0.761	-0.082	2.963	0.016	0.016	0	49	51.2	53.8	142	148	0	28	29
2025	3	7	3	5	11	0.764	-0.095	2.963	0.016	0.016	0	49	51.2	63.2	142	148	0	28	29
2025	3	7	3	15	11	0.751	-0.098	2.959	0.016	0.013	0	49	51.2	45.6	142	148	0	28	29
2025	3	7	3	25	11	0.768	-0.082	2.963	0.013	0.01	0	48.6	51.6	43.4	142	148	0	29	28
2025	3	7	3	35	11	0.751	-0.079	2.963	0.016	0.013	0	49	51.2	40.9	143	148	0	29	29
2025	3	7	3	45	11	0.764	-0.039	2.959	0.016	0.013	0	49	51.2	43.9	142	148	0	28	29
2025	3	7	3	55	11	0.758	-0.082	2.959	0.016	0.016	0	49	50.7	43.9	142	147	0	28	29
2025	3	7	4	5	11	0.741	-0.059	2.963	0.016	0.016	0	49	51.2	44.7	142	148	0	28	29
2025	3	7	4	15	11	0.755	-0.036	2.959	0.016	0.016	0	48.6	51.2	44.7	142	148	0	29	29
2025	3	7	4	25	11	0.722	-0.062	2.959	0.016	0.013	0	48.6	51.2	44.7	142	148	0	29	29
2025	3	7	4	35	11	0.758	-0.085	2.963	0.016	0.013	0	48.6	50.7	43	141	147	0	28	29
2025	3	7	4	45	11	0.778	-0.102	2.963	0.013	0.01	0	48.6	51.2	43.4	141	148	0	28	29
2025	3	7	4	55	11	0.738	-0.069	2.959	0.016	0.013	0	48.6	50.7	44.7	141	147	0	28	29
2025	3	7	5	5	11	0.764	-0.095	2.959	0.016	0.013	0	48.6	51.2	43.4	141	147	0	28	28
2025	3	7	5	15	11	0.764	-0.072	2.959	0.016	0.013	0	48.2	50.3	43.4	140	146	0	28	29
2025	3	7	5	25	11	0.771	-0.082	2.959	0.013	0.01	0	48.2	50.3	43.4	140	146	0	28	29
2025	3	7	5	35	11	0.787	-0.046	2.959	0.016	0.013	0	47.3	50.3	44.3	139	146	0	29	29
2025	3	7	5	45	11	0.745	-0.069	2.959	0.016	0.013	0	48.6	50.7	43.9	141	147	0	28	29
2025	3	7	5	55	11	0.758	-0.095	2.956	0.016	0.013	0	49.5	50.3	42.6	143	146	0	28	29
2025	3	7	6	5	11	0.758	-0.049	2.959	0.013	0.01	0	49.5	50.3	47.7	143	146	0	28	29
2025	3	7	6	15	11	0.761	-0.052	2.959	0.016	0.013	0	49	49.9	51.6	142	145	0	28	29
2025	3	7	6	25	11	0.774	-0.062	2.963	0.02	0.016	0	48.6	49.5	70.1	141	144	0	28	29
2025	3	7	6	35	11	0.758	-0.075	2.963	0.016	0.013	0	49	49.9	69.7	142	145	0	28	29
2025	3	7	6	45	11	0.732	-0.069	2.959	0.01	0.007	0	48.2	49.5	53.3	141	144	0	29	29
2025	3	7	6	55	11	0.751	-0.082	2.956	0.016	0.016	0	47.7	49	41.7	140	143	0	29	29
2025	3	7	7	5	11	0.735	-0.069	2.953	0.016	0.016	0	48.2	49.5	43	140	144	0	28	29
2025	3	7	7	15	11	0.764	-0.056	2.956	0.016	0.013	0	48.2	49	43.4	140	143	0	28	29
2025	3	7	7	25	11	0.771	-0.046	2.956	0.016	0.016	0	48.2	49	43.9	140	143	0	28	29
2025	3	7	7	35	11	0.781	-0.03	2.953	0.016	0.016	0	47.7	48.6	41.7	140	143	0	29	30
2025	3	7	7	45	11	0.784	-0.052	2.953	0.013	0.01	0	48.2	48.6	43.4	140	143	0	28	30
2025	3	7	7	55	11	0.732	-0.056	2.953	0.013	0.01	0	47.7	48.6	43.4	139	142	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	7	8	5	11	0.755	-0.056	2.953	0.016	0.013	0	47.3	47.7	43.4	138	141	0	28	30
2025	3	7	8	15	11	0.741	-0.082	2.949	0.016	0.013	0	47.7	48.6	43.4	139	142	0	28	29
2025	3	7	8	25	11	0.741	-0.079	2.953	0.016	0.013	0	47.7	48.6	42.6	139	143	0	28	30
2025	3	7	8	35	11	0.781	-0.075	2.953	0.013	0.01	0	47.3	48.6	44.3	138	142	0	28	29
2025	3	7	8	45	11	0.748	-0.079	2.953	0.016	0.013	0	47.3	48.6	41.7	139	142	0	29	29
2025	3	7	8	55	11	0.751	-0.066	2.953	0.016	0.013	0	47.3	48.2	43	138	141	0	28	29
2025	3	7	9	5	11	0.755	-0.089	2.949	0.016	0.013	0	46.9	48.2	43.9	138	141	0	29	29
2025	3	7	9	15	11	0.764	-0.062	2.953	0.013	0.01	0	46.9	47.7	44.3	138	141	0	29	30
2025	3	7	9	25	11	0.755	-0.052	2.949	0.016	0.013	0	47.7	48.6	43.4	139	143	0	28	30
2025	3	7	9	35	11	0.732	-0.039	2.946	0.016	0.013	0	48.2	49	42.6	140	143	0	28	29
2025	3	7	9	45	11	0.784	-0.069	2.949	0.016	0.016	0	47.7	48.6	43.4	139	142	0	28	29
2025	3	7	9	55	11	0.774	-0.072	2.946	0.013	0.01	0	47.3	48.2	42.6	138	141	0	28	29
2025	3	7	10	5	11	0.764	-0.043	2.946	0.013	0.01	0	48.2	49.5	42.1	141	144	0	29	29
2025	3	7	10	15	11	0.771	-0.059	2.943	0.013	0.01	0	49	49.9	40.9	142	145	0	28	29
2025	3	7	10	25	11	0.705	-0.026	2.946	0.016	0.013	0	48.2	49.5	42.1	141	144	0	29	29
2025	3	7	10	35	11	0.741	-0.056	2.949	0.013	0.01	0	48.2	48.6	43.9	140	142	0	28	29
2025	3	7	10	45	11	0.751	-0.049	2.949	0.016	0.013	0	48.2	49.5	43	141	144	0	29	29
2025	3	7	10	55	11	0.758	-0.095	2.943	0.016	0.013	0	47.3	48.2	43	138	141	0	28	29
2025	3	7	11	5	11	0.794	-0.039	2.94	0.016	0.013	0	47.7	48.6	43	139	142	0	28	29
2025	3	7	11	15	11	0.791	-0.066	2.946	0.016	0.013	0	48.6	49	43.4	141	143	0	28	29
2025	3	7	11	25	11	0.722	-0.023	2.946	0.016	0.013	0	48.6	49	42.6	141	143	0	28	29
2025	3	7	11	35	11	0.705	-0.033	2.943	0.016	0.013	0	48.2	49	42.6	140	143	0	28	29
2025	3	7	11	45	11	0.722	-0.075	2.943	0.016	0.013	0	49	50.3	43.9	143	146	0	29	29
2025	3	7	11	55	11	0.699	-0.043	2.943	0.016	0.013	0	49	50.3	42.6	142	145	0	28	28
2025	3	7	12	5	11	0.745	-0.069	2.94	0.016	0.016	0	48.2	49	43.9	140	143	0	28	29
2025	3	7	12	15	11	0.755	-0.102	2.943	0.013	0.01	0	47.3	48.2	47.3	138	141	0	28	29
2025	3	7	12	25	11	0.722	-0.066	2.94	0.016	0.016	0	47.3	48.6	44.3	139	142	0	29	29
2025	3	7	12	35	11	0.722	-0.033	2.943	0.016	0.013	0	47.3	48.6	43.9	138	142	0	28	29
2025	3	7	12	45	11	0.735	-0.062	2.94	0.016	0.016	0	46.9	48.2	44.3	138	141	0	29	29
2025	3	7	12	55	11	0.787	-0.056	2.94	0.016	0.013	0	46.9	48.2	44.3	137	140	0	28	28
2025	3	7	13	5	11	0.722	-0.049	2.94	0.016	0.013	0	48.2	49	44.7	140	143	0	28	29
2025	3	7	13	15	11	0.735	-0.056	2.94	0.016	0.016	0	47.7	48.6	43.9	139	142	0	28	29
2025	3	7	13	25	11	0.755	-0.043	2.94	0.016	0.013	0	48.2	49	44.3	140	143	0	28	29
2025	3	7	13	35	11	0.748	-0.079	2.936	0.016	0.016	0	47.7	48.6	43.4	139	142	0	28	29
2025	3	7	13	45	11	0.774	-0.072	2.936	0.013	0.01	0	47.7	48.6	44.7	139	142	0	28	29
2025	3	7	13	55	11	0.722	-0.039	2.94	0.016	0.013	0	47.3	49	43.4	139	142	0	29	28
2025	3	7	14	5	11	0.745	-0.039	2.936	0.016	0.016	0	47.7	48.6	43.4	139	142	0	28	29
2025	3	7	14	15	11	0.774	-0.082	2.933	0.016	0.016	0	47.3	48.2	44.3	138	141	0	28	29
2025	3	7	14	25	11	0.794	-0.066	2.933	0.016	0.013	0	47.3	48.2	42.1	138	141	0	28	29
2025	3	7	14	35	11	0.755	-0.043	2.936	0.016	0.016	0	48.6	49.5	44.3	140	143	0	27	28
2025	3	7	14	45	11	0.797	-0.082	2.933	0.013	0.01	0	47.3	48.6	44.7	139	142	0	29	29
2025	3	7	14	55	11	0.751	-0.112	2.933	0.016	0.013	0	48.6	49.5	43.9	140	144	0	27	29
2025	3	7	15	5	11	0.748	-0.052	2.933	0.016	0.016	0	47.7	48.6	44.7	139	142	0	28	29
2025	3	7	15	15	11	0.758	-0.085	2.933	0.016	0.013	0	48.6	49	43.4	140	143	0	27	29
2025	3	7	15	25	11	0.741	-0.066	2.933	0.016	0.013	0	48.2	49	43.9	140	143	0	28	29
2025	3	7	15	35	11	0.725	-0.075	2.933	0.013	0.01	0	48.6	49.5	42.1	141	144	0	28	29
2025	3	7	15	45	11	0.732	-0.079	2.933	0.02	0.016	0	48.6	50.3	43	141	145	0	28	28
2025	3	7	15	55	11	0.699	-0.033	2.93	0.016	0.016	0	48.2	49.5	43	140	144	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	7	16	5	11	0.728	-0.072	2.933	0.013	0.01	0	47.3	49	43.9	138	142	0	28	28
2025	3	7	16	15	11	0.738	-0.085	2.93	0.016	0.016	0	48.2	49	42.1	140	143	0	28	29
2025	3	7	16	25	11	0.807	-0.112	2.93	0.016	0.013	0	47.7	49	43.9	139	142	0	28	28
2025	3	7	16	35	11	0.787	-0.092	2.93	0.013	0.01	0	47.7	49.5	43.9	139	143	0	28	28
2025	3	7	16	45	11	0.741	-0.036	2.93	0.016	0.016	0	48.2	49	44.7	140	143	0	28	29
2025	3	7	16	55	11	0.764	-0.102	2.927	0.013	0.01	0	47.7	49	43.4	139	142	0	28	28
2025	3	7	17	5	11	0.771	-0.043	2.93	0.016	0.013	0	46.9	48.6	44.3	137	141	0	28	28
2025	3	7	17	15	11	0.741	-0.089	2.927	0.016	0.016	0	47.3	48.6	43.9	138	142	0	28	29
2025	3	7	17	25	11	0.751	-0.069	2.93	0.013	0.01	0	47.7	49	42.1	139	142	0	28	28
2025	3	7	17	35	11	0.738	-0.056	2.927	0.016	0.016	0	46.9	48.6	43.4	137	141	0	28	28
2025	3	7	17	45	11	0.755	-0.085	2.927	0.016	0.013	0	46.4	48.2	43	136	140	0	28	28
2025	3	7	17	55	11	0.764	-0.056	2.927	0.016	0.016	0	47.3	48.6	42.6	138	142	0	28	29
2025	3	7	18	5	11	0.735	-0.072	2.923	0.016	0.013	0	47.3	48.6	43.4	138	142	0	28	29
2025	3	7	18	15	11	0.751	-0.056	2.92	0.016	0.016	0	47.7	49.5	44.3	140	144	0	29	29
2025	3	7	18	25	11	0.748	-0.03	2.923	0.016	0.013	0	47.3	49	43.4	139	143	0	29	29
2025	3	7	18	35	11	0.758	-0.062	2.92	0.016	0.013	0	48.2	49.5	46	140	144	0	28	29
2025	3	7	18	45	11	0.728	-0.085	2.92	0.016	0.013	0	49	50.3	46	142	146	0	28	29
2025	3	7	18	55	11	0.751	-0.089	2.92	0.016	0.013	0	48.6	49.5	50.3	140	144	0	27	29
2025	3	7	19	5	11	0.738	-0.066	2.917	0.016	0.013	0	49	49.9	48.2	141	145	0	27	29
2025	3	7	19	15	11	0.735	-0.056	2.917	0.016	0.013	0	49.5	50.3	51.2	143	146	0	28	29
2025	3	7	19	25	11	0.748	-0.03	2.917	0.016	0.013	0	49.5	50.3	52	142	146	0	27	29
2025	3	7	19	35	11	0.761	-0.079	2.917	0.016	0.013	0	48.6	50.3	62.4	142	146	0	29	29
2025	3	7	19	45	11	0.725	-0.069	2.92	0.016	0.016	0	49	50.3	44.3	142	146	0	28	29
2025	3	7	19	55	11	0.719	-0.016	2.92	0.02	0.016	0	49.5	50.7	43	143	147	0	28	29
2025	3	7	20	5	11	0.758	-0.059	2.92	0.016	0.016	0	48.6	49.9	43.9	141	145	0	28	29
2025	3	7	20	15	11	0.728	-0.082	2.92	0.013	0.01	0	49	50.3	41.3	142	146	0	28	29
2025	3	7	20	25	11	0.771	-0.098	2.917	0.016	0.013	0	48.6	49.9	44.3	141	145	0	28	29
2025	3	7	20	35	11	0.771	-0.066	2.917	0.016	0.016	0	48.6	49.9	51.6	141	145	0	28	29
2025	3	7	20	45	11	0.732	-0.092	2.917	0.016	0.013	0	49	50.3	46	142	146	0	28	29
2025	3	7	20	55	11	0.728	-0.069	2.917	0.016	0.013	0	48.2	49.5	43.4	140	144	0	28	29
2025	3	7	21	5	11	0.719	-0.079	2.917	0.016	0.013	0	48.6	49.9	42.6	141	145	0	28	29
2025	3	7	21	15	11	0.738	-0.049	2.917	0.016	0.013	0	48.2	49.9	43.9	141	145	0	29	29
2025	3	7	21	25	11	0.722	-0.069	2.917	0.016	0.013	0	48.2	49.5	43.4	140	144	0	28	29
2025	3	7	21	35	11	0.764	-0.082	2.917	0.016	0.016	0	48.2	49.5	41.7	140	144	0	28	29
2025	3	7	21	45	11	0.705	-0.049	2.917	0.02	0.016	0	49	50.7	43	142	146	0	28	28
2025	3	7	21	55	11	0.745	-0.046	2.913	0.013	0.01	0	48.2	49.9	43.9	140	144	0	28	28
2025	3	7	22	5	11	0.732	-0.066	2.913	0.016	0.016	0	48.2	49.5	42.1	140	144	0	28	29
2025	3	7	22	15	11	0.732	-0.059	2.917	0.016	0.013	0	49	49.9	42.6	142	145	0	28	29
2025	3	7	22	25	11	0.728	-0.089	2.913	0.013	0.01	0	47.7	49	43.9	139	143	0	28	29
2025	3	7	22	35	11	0.709	-0.056	2.913	0.016	0.016	0	48.2	49	43.9	140	143	0	28	29
2025	3	7	22	45	11	0.787	-0.075	2.913	0.016	0.013	0	47.3	49	43.4	139	143	0	29	29
2025	3	7	22	55	11	0.764	-0.03	2.913	0.016	0.013	0	47.7	49	41.7	139	143	0	28	29
2025	3	7	23	5	11	0.732	-0.043	2.917	0.016	0.013	0	47.7	49	43.9	139	143	0	28	29
2025	3	7	23	15	11	0.712	-0.062	2.913	0.016	0.016	0	47.3	49.5	44.3	139	144	0	29	29
2025	3	7	23	25	11	0.755	-0.082	2.913	0.023	0.02	0	47.7	49	46	139	143	0	28	29
2025	3	7	23	35	11	0.738	-0.089	2.917	0.016	0.013	0	47.7	49	43.4	139	143	0	28	29
2025	3	7	23	45	11	0.722	-0.062	2.917	0.016	0.013	0	47.7	49	41.7	139	143	0	28	29
2025	3	7	23	55	11	0.755	-0.069	2.913	0.016	0.013	0	47.3	48.6	43	138	142	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	8	0	5	11	0.738	-0.072	2.913	0.016	0.013	0	47.3	48.6	44.3	138	142	0	28	29
2025	3	8	0	15	11	0.748	-0.072	2.91	0.016	0.016	0	47.3	48.6	43.9	138	142	0	28	29
2025	3	8	0	25	11	0.748	-0.026	2.913	0.016	0.013	0	46.4	48.2	46	137	141	0	29	29
2025	3	8	0	35	11	0.774	-0.072	2.917	0.016	0.016	0	46.4	48.2	40.9	137	141	0	29	29
2025	3	8	0	45	11	0.755	-0.079	2.913	0.013	0.01	0	46.4	47.7	40.4	137	141	0	29	30
2025	3	8	0	55	11	0.778	-0.089	2.91	0.016	0.013	0	46.9	48.6	42.1	137	141	0	28	28
2025	3	8	1	5	11	0.764	-0.075	2.91	0.016	0.016	0	46.9	48.2	42.6	137	141	0	28	29
2025	3	8	1	15	11	0.738	-0.049	2.913	0.016	0.013	0	46.9	48.2	41.7	138	141	0	29	29
2025	3	8	1	25	11	0.741	-0.052	2.91	0.016	0.013	0	46.4	48.2	41.3	137	141	0	29	29
2025	3	8	1	35	11	0.771	-0.049	2.913	0.016	0.013	0	46	47.3	43.9	136	140	0	29	30
2025	3	8	1	45	11	0.732	-0.069	2.91	0.016	0.013	0	46.4	48.6	46	137	141	0	29	28
2025	3	8	1	55	11	0.692	-0.043	2.91	0.016	0.013	0	46.4	48.2	44.7	137	141	0	29	29
2025	3	8	2	5	11	0.735	-0.069	2.91	0.016	0.013	0	46	47.3	43.9	136	140	0	29	30
2025	3	8	2	15	11	0.686	-0.082	2.91	0.016	0.016	0	46.4	47.3	42.1	136	140	0	28	30
2025	3	8	2	25	11	0.771	-0.108	2.913	0.016	0.013	0	45.6	47.3	42.1	135	139	0	29	29
2025	3	8	2	35	11	0.732	-0.066	2.91	0.016	0.016	0	46	47.3	42.1	135	139	0	28	29
2025	3	8	2	45	11	0.728	-0.069	2.913	0.016	0.013	0	46	47.7	40	136	140	0	29	29
2025	3	8	2	55	11	0.725	-0.072	2.91	0.016	0.013	0	45.6	47.3	42.1	135	139	0	29	29
2025	3	8	3	5	11	0.732	-0.105	2.91	0.016	0.013	0	45.6	47.3	42.6	134	139	0	28	29
2025	3	8	3	15	11	0.728	-0.108	2.91	0.016	0.013	0	45.6	47.3	43.4	135	139	0	29	29
2025	3	8	3	25	11	0.722	-0.066	2.91	0.013	0.01	0	45.6	47.3	39.6	135	139	0	29	29
2025	3	8	3	35	11	0.719	-0.036	2.91	0.013	0.01	0	45.6	47.3	41.7	135	139	0	29	29
2025	3	8	3	45	11	0.735	-0.072	2.907	0.016	0.013	0	44.7	46.4	44.7	133	138	0	29	30
2025	3	8	3	55	11	0.748	-0.069	2.91	0.016	0.013	0	46	46.9	44.7	135	138	0	28	29
2025	3	8	4	5	11	0.712	-0.085	2.91	0.016	0.013	0	46	47.7	43	135	140	0	28	29
2025	3	8	4	15	11	0.732	-0.092	2.913	0.01	0.007	0	45.2	47.3	43.9	134	139	0	29	29
2025	3	8	4	25	11	0.745	-0.082	2.913	0.016	0.013	0	45.2	47.3	49.9	134	139	0	29	29
2025	3	8	4	35	11	0.719	-0.072	2.913	0.016	0.013	0	45.2	47.3	61.9	134	139	0	29	29
2025	3	8	4	45	11	0.699	-0.075	2.913	0.016	0.013	0	45.2	46.4	68.8	134	138	0	29	30
2025	3	8	4	55	11	0.771	-0.098	2.913	0.016	0.013	0	45.2	46.9	66.2	134	138	0	29	29
2025	3	8	5	5	11	0.745	-0.089	2.913	0.016	0.013	0	46	47.3	60.2	135	139	0	28	29
2025	3	8	5	15	11	0.715	-0.092	2.913	0.016	0.013	0	45.2	47.3	67.5	135	139	0	30	29
2025	3	8	5	25	11	0.725	-0.092	2.913	0.016	0.013	0	45.2	46.9	68.4	134	138	0	29	29
2025	3	8	5	35	11	0.778	-0.066	2.913	0.013	0.01	0	45.2	46.9	58.5	134	138	0	29	29
2025	3	8	5	45	11	0.725	-0.075	2.913	0.016	0.013	0	44.7	46.4	69.2	133	138	0	29	30
2025	3	8	5	55	11	0.725	-0.102	2.913	0.016	0.016	0	45.2	46.9	69.7	134	138	0	29	29
2025	3	8	6	5	11	0.725	-0.079	2.913	0.016	0.013	0	44.3	46.4	70.1	133	138	0	30	30
2025	3	8	6	15	11	0.738	-0.115	2.913	0.01	0.007	0	44.7	46.4	62.8	133	137	0	29	29
2025	3	8	6	25	11	0.741	-0.092	2.913	0.013	0.01	0	45.2	46	67.9	133	137	0	28	30
2025	3	8	6	35	11	0.728	-0.079	2.913	0.013	0.01	0	44.3	46.4	58.5	132	137	0	29	29
2025	3	8	6	45	11	0.764	-0.075	2.913	0.016	0.013	0	44.3	45.6	46	132	136	0	29	30
2025	3	8	6	55	11	0.751	-0.079	2.913	0.016	0.013	0	44.7	45.6	55.9	132	136	0	28	30
2025	3	8	7	5	11	0.758	-0.079	2.913	0.016	0.016	0	43.9	46	69.2	131	136	0	29	29
2025	3	8	7	15	11	0.709	-0.056	2.913	0.013	0.01	0	44.7	46.4	63.6	133	137	0	29	29
2025	3	8	7	25	11	0.712	-0.039	2.913	0.016	0.013	0	44.3	45.6	49	132	136	0	29	30
2025	3	8	7	35	11	0.712	-0.039	2.913	0.016	0.013	0	43.9	45.6	59.3	131	135	0	29	29
2025	3	8	7	45	11	0.735	-0.108	2.917	0.013	0.01	0	44.3	45.6	64.9	131	135	0	28	29
2025	3	8	7	55	11	0.722	-0.069	2.913	0.016	0.016	0	44.3	45.2	57.6	131	135	0	28	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	8	8	5	11	0.735	-0.102	2.913	0.013	0.01	0	43.9	45.2	70.1	131	135	0	29	30
2025	3	8	8	15	11	0.732	-0.052	2.913	0.016	0.013	0	43.4	45.2	71	130	134	0	29	29
2025	3	8	8	25	11	0.778	-0.079	2.917	0.016	0.013	0	43.4	45.2	69.2	130	134	0	29	29
2025	3	8	8	35	11	0.732	-0.085	2.917	0.013	0.01	0	43.9	45.6	60.6	131	135	0	29	29
2025	3	8	8	45	11	0.722	-0.075	2.917	0.016	0.013	0	43.4	45.2	71	130	134	0	29	29
2025	3	8	8	55	11	0.728	-0.079	2.917	0.016	0.013	0	43.9	45.2	68.8	131	135	0	29	30
2025	3	8	9	5	11	0.715	-0.066	2.917	0.016	0.013	0	44.3	45.6	51.2	131	135	0	28	29
2025	3	8	9	15	11	0.738	-0.075	2.917	0.013	0.01	0	43.9	45.6	49	131	135	0	29	29
2025	3	8	9	25	11	0.745	-0.108	2.917	0.016	0.013	0	44.7	45.6	55.9	132	135	0	28	29
2025	3	8	9	35	11	0.722	-0.049	2.917	0.016	0.013	0	43.9	45.2	70.1	131	135	0	29	30
2025	3	8	9	45	11	0.738	-0.069	2.917	0.016	0.013	0	43.4	44.7	66.7	130	134	0	29	30
2025	3	8	9	55	11	0.751	-0.056	2.917	0.013	0.01	0	46	47.3	69.7	136	139	0	29	29
2025	3	8	10	5	11	0.732	-0.069	2.92	0.016	0.016	0	45.6	46	70.5	134	137	0	28	30
2025	3	8	10	15	11	0.728	-0.075	2.92	0.016	0.013	0	44.3	46	71	132	136	0	29	29
2025	3	8	10	25	11	0.719	-0.069	2.92	0.016	0.013	0	44.7	46.4	70.5	133	137	0	29	29
2025	3	8	10	35	11	0.738	-0.075	2.92	0.013	0.01	0	44.3	45.6	71	132	135	0	29	29
2025	3	8	10	45	11	0.709	-0.125	2.917	0.016	0.013	0	45.2	46.4	51.2	133	137	0	28	29
2025	3	8	10	55	11	0.728	-0.069	2.92	0.01	0.007	0	46	47.3	70.1	136	139	0	29	29
2025	3	8	11	5	11	0.696	-0.092	2.92	0.016	0.013	0	46	47.3	69.7	136	140	0	29	30
2025	3	8	11	15	11	0.745	-0.059	2.92	0.013	0.01	0	45.6	46.9	69.2	135	139	0	29	30
2025	3	8	11	25	11	0.709	-0.092	2.92	0.013	0.01	0	45.6	47.3	57.2	134	138	0	28	28
2025	3	8	11	35	11	0.709	-0.112	2.92	0.016	0.013	0	46.9	48.2	68.8	137	141	0	28	29
2025	3	8	11	45	11	0.722	-0.079	2.917	0.016	0.013	0	46.4	48.2	68.8	137	141	0	29	29
2025	3	8	11	55	11	0.725	-0.069	2.913	0.016	0.013	0	45.6	46.4	68.4	135	138	0	29	30
2025	3	8	12	5	11	0.715	-0.092	2.913	0.016	0.016	0	46	46.9	68.4	135	139	0	28	30
2025	3	8	12	15	11	0.705	-0.043	2.917	0.013	0.01	0	46	47.7	48.6	136	140	0	29	29
2025	3	8	12	25	11	0.748	-0.043	2.913	0.016	0.016	0	46	47.3	55.9	135	139	0	28	29
2025	3	8	12	35	11	0.741	-0.059	2.913	0.016	0.013	0	46.9	47.7	51.6	137	140	0	28	29
2025	3	8	12	45	11	0.728	-0.098	2.913	0.016	0.013	0	47.3	48.6	66.7	139	142	0	29	29
2025	3	8	12	55	11	0.771	-0.098	2.913	0.016	0.016	0	46.4	47.7	46.9	136	140	0	28	29
2025	3	8	13	5	11	0.728	-0.092	2.917	0.016	0.013	0	47.3	49	52	139	143	0	29	29
2025	3	8	13	15	11	0.722	-0.102	2.917	0.016	0.013	0	46.9	48.2	71	137	141	0	28	29
2025	3	8	13	25	11	0.778	-0.095	2.917	0.013	0.01	0	47.3	48.2	43.9	138	141	0	28	29
2025	3	8	13	35	11	0.745	-0.056	2.917	0.013	0.01	0	46	47.7	44.7	135	140	0	28	29
2025	3	8	13	45	11	0.712	-0.072	2.917	0.016	0.013	0	47.3	49	60.6	138	142	0	28	28
2025	3	8	13	55	11	0.712	-0.056	2.917	0.013	0.01	0	46.9	48.2	69.7	137	141	0	28	29
2025	3	8	14	5	11	0.761	-0.072	2.917	0.02	0.016	0	46.9	48.6	55	137	142	0	28	29
2025	3	8	14	15	11	0.738	-0.085	2.917	0.016	0.013	0	46	47.3	45.6	135	139	0	28	29
2025	3	8	14	25	11	0.741	-0.062	2.917	0.016	0.016	0	46	47.7	45.2	135	140	0	28	29
2025	3	8	14	35	11	0.758	-0.062	2.92	0.016	0.016	0	46	47.7	44.7	136	140	0	29	29
2025	3	8	14	45	11	0.735	-0.075	2.917	0.016	0.013	0	46.4	48.2	43.9	136	140	0	28	28
2025	3	8	14	55	11	0.758	-0.036	2.917	0.016	0.016	0	46.4	48.2	49.5	137	141	0	29	29
2025	3	8	15	5	11	0.758	-0.069	2.917	0.016	0.016	0	47.3	48.6	45.6	138	142	0	28	29
2025	3	8	15	15	11	0.719	-0.102	2.917	0.016	0.013	0	47.3	49	45.2	138	143	0	28	29
2025	3	8	15	25	11	0.745	-0.115	2.917	0.013	0.01	0	46.9	48.6	43.9	137	142	0	28	29
2025	3	8	15	35	11	0.728	-0.085	2.917	0.016	0.013	0	46.4	47.7	46	136	140	0	28	29
2025	3	8	15	45	11	0.732	-0.115	2.917	0.016	0.013	0	46.4	48.2	38.7	136	141	0	28	29
2025	3	8	15	55	11	0.712	-0.089	2.92	0.013	0.01	0	46.9	48.2	43.9	136	140	0	27	28

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	8	16	5	11	0.745	-0.085	2.917	0.016	0.016	0	46.4	47.7	48.6	136	140	0	28	29
2025	3	8	16	15	11	0.751	-0.085	2.917	0.016	0.013	0	46.9	48.6	47.7	137	142	0	28	29
2025	3	8	16	25	11	0.715	-0.095	2.917	0.016	0.016	0	46	47.7	47.7	135	140	0	28	29
2025	3	8	16	35	11	0.728	-0.03	2.917	0.016	0.013	0	46.4	48.2	50.3	136	140	0	28	28
2025	3	8	16	45	11	0.755	-0.052	2.917	0.016	0.013	0	47.3	49	47.3	138	142	0	28	28
2025	3	8	16	55	11	0.745	-0.075	2.917	0.016	0.016	0	47.3	48.6	49.9	138	142	0	28	29
2025	3	8	17	5	11	0.758	-0.095	2.917	0.016	0.013	0	46.4	48.2	48.6	136	141	0	28	29
2025	3	8	17	15	11	0.758	-0.062	2.917	0.013	0.01	0	46.9	48.2	70.5	137	141	0	28	29
2025	3	8	17	25	11	0.732	-0.098	2.917	0.016	0.013	0	46.4	47.7	71.8	136	140	0	28	29
2025	3	8	17	35	11	0.725	-0.075	2.917	0.016	0.013	0	46.4	48.2	71.8	136	140	0	28	28
2025	3	8	17	45	11	0.768	-0.069	2.917	0.016	0.013	0	46	48.2	71.4	135	140	0	28	28
2025	3	8	17	55	11	0.712	-0.072	2.917	0.013	0.01	0	45.6	47.3	71.4	134	139	0	28	29
2025	3	8	18	5	11	0.741	-0.049	2.917	0.016	0.013	0	46	47.7	72.2	135	139	0	28	28
2025	3	8	18	15	11	0.745	-0.082	2.917	0.013	0.01	0	46	48.2	71.8	135	140	0	28	28
2025	3	8	18	25	11	0.735	-0.072	2.917	0.013	0.01	0	46.9	49	71.4	137	142	0	28	28
2025	3	8	18	35	11	0.732	-0.059	2.917	0.016	0.013	0	47.3	48.6	71.8	138	142	0	28	29
2025	3	8	18	45	11	0.768	-0.049	2.917	0.01	0.007	0	47.3	49	71.4	138	143	0	28	29
2025	3	8	18	55	11	0.738	-0.056	2.917	0.016	0.013	0	47.7	49.5	71.4	139	144	0	28	29
2025	3	8	19	5	11	0.696	-0.056	2.917	0.016	0.013	0	48.2	49.5	71	140	144	0	28	29
2025	3	8	19	15	11	0.732	-0.079	2.917	0.016	0.013	0	48.2	49.9	71.4	140	144	0	28	28
2025	3	8	19	25	11	0.722	-0.082	2.917	0.016	0.013	0	47.7	49.9	71	140	145	0	29	29
2025	3	8	19	35	11	0.725	-0.079	2.917	0.016	0.013	0	48.6	50.3	70.5	141	145	0	28	28
2025	3	8	19	45	11	0.722	-0.043	2.913	0.016	0.013	0	48.2	50.3	70.1	141	146	0	29	29
2025	3	8	19	55	11	0.712	-0.049	2.913	0.016	0.013	0	48.6	49.9	71	141	145	0	28	29
2025	3	8	20	5	11	0.735	-0.085	2.913	0.02	0.016	0	48.2	50.3	71	141	145	0	29	28
2025	3	8	20	15	11	0.748	-0.079	2.913	0.016	0.016	0	49	50.3	71	142	146	0	28	29
2025	3	8	20	25	11	0.712	-0.059	2.913	0.016	0.016	0	49.5	50.3	70.5	143	146	0	28	29
2025	3	8	20	35	11	0.712	-0.085	2.913	0.016	0.013	0	49.5	50.7	70.5	143	147	0	28	29
2025	3	8	20	45	11	0.719	-0.062	2.913	0.016	0.013	0	49.5	50.3	70.5	143	146	0	28	29
2025	3	8	20	55	11	0.738	-0.098	2.913	0.016	0.016	0	49.5	50.3	70.5	143	146	0	28	29
2025	3	8	21	5	11	0.722	-0.013	2.913	0.01	0.007	0	49.5	50.3	70.5	143	146	0	28	29
2025	3	8	21	15	11	0.738	-0.072	2.913	0.016	0.013	0	49	50.3	71.8	142	146	0	28	29
2025	3	8	21	25	11	0.702	-0.069	2.913	0.016	0.016	0	49.5	50.7	71	143	147	0	28	29
2025	3	8	21	35	11	0.719	-0.066	2.913	0.016	0.013	0	49	49.9	71.4	142	145	0	28	29
2025	3	8	21	45	11	0.728	-0.072	2.913	0.016	0.013	0	49	50.3	70.1	142	146	0	28	29
2025	3	8	21	55	11	0.719	-0.095	2.913	0.016	0.013	0	49	50.3	71	142	146	0	28	29
2025	3	8	22	5	11	0.719	-0.069	2.913	0.016	0.013	0	48.6	50.3	70.5	142	146	0	29	29
2025	3	8	22	15	11	0.719	-0.03	2.913	0.016	0.016	0	49.5	50.7	70.5	143	146	0	28	28
2025	3	8	22	25	11	0.728	-0.075	2.913	0.013	0.01	0	48.6	49.5	70.5	141	144	0	28	29
2025	3	8	22	35	11	0.715	-0.056	2.913	0.016	0.016	0	48.6	49.5	70.1	141	144	0	28	29
2025	3	8	22	45	11	0.725	-0.079	2.913	0.016	0.016	0	48.6	50.3	70.1	141	145	0	28	28
2025	3	8	22	55	11	0.712	-0.059	2.913	0.02	0.016	0	49.5	49.9	70.1	142	145	0	27	29
2025	3	8	23	5	11	0.755	-0.069	2.91	0.016	0.013	0	48.6	49.9	70.1	141	145	0	28	29
2025	3	8	23	15	11	0.784	-0.069	2.91	0.016	0.013	0	48.6	49.5	69.7	141	144	0	28	29
2025	3	8	23	25	11	0.732	-0.059	2.91	0.013	0.01	0	48.6	49.9	69.2	141	145	0	28	29
2025	3	8	23	35	11	0.748	-0.039	2.91	0.016	0.013	0	48.6	49.5	69.7	141	144	0	28	29
2025	3	8	23	45	11	0.696	-0.082	2.91	0.016	0.013	0	48.6	49.5	70.1	141	144	0	28	29
2025	3	8	23	55	11	0.699	-0.039	2.91	0.016	0.016	0	48.6	49.9	69.2	142	145	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	9	0	5	11	0.715	-0.066	2.91	0.016	0.013	0	48.2	49.5	68.8	140	144	0	28	29
2025	3	9	0	15	11	0.748	-0.098	2.91	0.016	0.013	0	48.6	49.5	69.2	140	144	0	27	29
2025	3	9	0	25	11	0.722	-0.056	2.91	0.016	0.013	0	48.2	49.5	68.4	140	144	0	28	29
2025	3	9	0	35	11	0.728	-0.056	2.91	0.016	0.013	0	48.2	49	69.2	140	144	0	28	30
2025	3	9	0	45	11	0.722	-0.046	2.91	0.013	0.01	0	48.2	49.5	68.8	140	144	0	28	29
2025	3	9	0	55	11	0.715	-0.056	2.91	0.013	0.01	0	47.7	49	69.2	139	143	0	28	29
2025	3	9	1	5	11	0.689	-0.033	2.91	0.016	0.013	0	48.2	49	68.8	140	143	0	28	29
2025	3	9	1	15	11	0.689	-0.043	2.91	0.016	0.016	0	47.7	49.5	68.4	140	144	0	29	29
2025	3	9	1	25	11	0.771	-0.069	2.91	0.016	0.013	0	47.3	48.6	68.8	139	142	0	29	29
2025	3	9	1	35	11	0.715	-0.075	2.91	0.016	0.013	0	48.2	49	68.8	140	143	0	28	29
2025	3	9	1	45	11	0.732	-0.079	2.91	0.013	0.01	0	47.7	48.6	67.9	139	143	0	28	30
2025	3	9	1	55	11	0.702	-0.056	2.91	0.016	0.016	0	48.2	49	67.5	140	143	0	28	29
2025	3	9	2	5	11	0.751	-0.102	2.91	0.016	0.013	0	47.3	48.2	67.9	138	141	0	28	29
2025	3	9	2	15	11	0.722	-0.062	2.913	0.016	0.013	0	46.9	48.6	67.9	138	142	0	29	29
2025	3	9	2	25	11	0.735	-0.082	2.913	0.013	0.01	0	46.9	48.6	67.9	138	142	0	29	29
2025	3	9	2	35	11	0.735	-0.085	2.913	0.016	0.016	0	47.3	48.2	67.5	138	141	0	28	29
2025	3	9	2	45	11	0.719	-0.082	2.913	0.016	0.013	0	47.3	48.2	67.1	138	141	0	28	29
2025	3	9	2	55	11	0.732	-0.098	2.913	0.016	0.013	0	47.3	48.2	67.1	138	141	0	28	29
2025	3	9	3	5	11	0.751	-0.039	2.913	0.016	0.013	0	47.3	48.6	67.1	138	142	0	28	29
2025	3	9	3	15	11	0.741	-0.056	2.917	0.013	0.01	0	46.9	48.2	67.9	137	141	0	28	29
2025	3	9	3	25	11	0.728	-0.082	2.92	0.013	0.01	0	46.9	47.7	67.9	137	141	0	28	30
2025	3	9	3	35	11	0.725	-0.082	2.92	0.016	0.016	0	46.4	47.7	67.9	136	140	0	28	29
2025	3	9	3	45	11	0.686	-0.102	2.92	0.016	0.013	0	46.4	48.2	67.9	137	141	0	29	29
2025	3	9	3	55	11	0.732	-0.072	2.92	0.016	0.016	0	46	47.7	68.4	136	140	0	29	29
2025	3	9	4	5	11	0.738	-0.066	2.92	0.013	0.01	0	46	47.7	68.8	136	140	0	29	29
2025	3	9	4	15	11	0.719	-0.092	2.92	0.016	0.013	0	46.4	47.7	67.5	136	140	0	28	29
2025	3	9	4	25	11	0.719	-0.102	2.917	0.016	0.016	0	46	47.7	67.9	136	140	0	29	29
2025	3	9	4	35	11	0.722	-0.095	2.917	0.016	0.013	0	46	46.9	67.9	135	139	0	28	30
2025	3	9	4	45	11	0.761	-0.069	2.92	0.016	0.013	0	46	46.9	68.4	136	139	0	29	30
2025	3	9	4	55	11	0.705	-0.049	2.92	0.016	0.016	0	46.9	47.7	67.9	137	141	0	28	30
2025	3	9	5	5	11	0.699	-0.079	2.92	0.013	0.01	0	46	47.3	68.4	135	139	0	28	29
2025	3	9	5	15	11	0.715	-0.069	2.92	0.016	0.016	0	46	47.7	68.4	136	140	0	29	29
2025	3	9	5	25	11	0.732	-0.069	2.92	0.016	0.013	0	45.6	47.3	68.4	135	139	0	29	29
2025	3	9	5	35	11	0.702	-0.095	2.92	0.016	0.013	0	47.3	48.2	68.8	138	142	0	28	30
2025	3	9	5	45	11	0.741	-0.056	2.92	0.016	0.013	0	45.6	47.3	68.8	135	139	0	29	29
2025	3	9	5	55	11	0.712	-0.092	2.92	0.016	0.013	0	46	47.7	68.8	136	141	0	29	30
2025	3	9	6	5	11	0.689	-0.098	2.92	0.016	0.013	0	46.4	47.7	68.4	137	140	0	29	29
2025	3	9	6	15	11	0.732	-0.069	2.92	0.016	0.013	0	46.4	47.7	69.7	137	141	0	29	30
2025	3	9	6	25	11	0.702	-0.072	2.92	0.013	0.01	0	45.2	47.3	69.7	135	139	0	30	29
2025	3	9	6	35	11	0.719	-0.095	2.92	0.016	0.013	0	45.2	46.9	70.1	134	138	0	29	29
2025	3	9	6	45	11	0.741	-0.066	2.92	0.016	0.013	0	45.6	46.9	70.1	134	138	0	28	29
2025	3	9	6	55	11	0.741	-0.056	2.92	0.016	0.013	0	45.6	47.3	66.7	135	139	0	29	29
2025	3	9	7	5	11	0.696	-0.069	2.92	0.016	0.013	0	45.2	46	70.1	133	137	0	28	30
2025	3	9	7	15	11	0.722	-0.043	2.92	0.016	0.016	0	44.7	46	70.1	133	137	0	29	30
2025	3	9	7	25	11	0.745	-0.066	2.92	0.013	0.01	0	44.7	46.4	70.5	133	137	0	29	29
2025	3	9	7	35	11	0.758	-0.075	2.92	0.02	0.016	0	44.7	46.4	70.5	133	137	0	29	29
2025	3	9	7	45	11	0.738	-0.075	2.92	0.016	0.013	0	44.7	46	71	133	137	0	29	30
2025	3	9	7	55	11	0.702	-0.079	2.92	0.02	0.016	0	45.2	46.9	70.5	134	138	0	29	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	9	8	5	11	0.722	-0.092	2.92	0.016	0.016	0	44.7	46	70.5	132	136	0	28	29
2025	3	9	8	15	11	0.702	-0.066	2.92	0.016	0.013	0	44.7	46.4	71	133	137	0	29	29
2025	3	9	8	25	11	0.715	-0.089	2.92	0.016	0.013	0	44.7	46	71	133	137	0	29	30
2025	3	9	8	35	11	0.679	-0.049	2.92	0.016	0.013	0	44.7	45.6	70.5	133	136	0	29	30
2025	3	9	8	45	11	0.732	-0.105	2.92	0.013	0.01	0	45.2	46	70.5	134	137	0	29	30
2025	3	9	8	55	11	0.689	-0.092	2.92	0.016	0.016	0	44.7	45.6	70.5	133	136	0	29	30
2025	3	9	9	5	11	0.705	-0.075	2.92	0.016	0.016	0	45.6	47.3	71	135	139	0	29	29
2025	3	9	9	15	11	0.761	-0.082	2.923	0.016	0.013	0	45.2	46.4	71.4	134	137	0	29	29
2025	3	9	9	25	11	0.702	-0.092	2.923	0.01	0.007	0	45.2	46	67.9	133	136	0	28	29
2025	3	9	9	35	11	0.755	-0.079	2.923	0.013	0.01	0	45.2	46.4	66.7	134	137	0	29	29
2025	3	9	9	45	11	0.761	-0.059	2.923	0.016	0.013	0	44.7	46.4	71.4	133	137	0	29	29
2025	3	9	9	55	11	0.712	-0.059	2.923	0.016	0.016	0	46	46.9	49.5	136	139	0	29	30
2025	3	9	10	5	11	0.751	-0.082	2.923	0.016	0.013	0	44.7	45.6	52	132	136	0	28	30
2025	3	9	10	15	11	0.761	-0.069	2.923	0.016	0.013	0	46.9	47.7	50.7	137	140	0	28	29
2025	3	9	10	25	11	0.748	-0.105	2.923	0.01	0.007	0	46	47.3	54.6	135	139	0	28	29
2025	3	9	10	35	11	0.712	-0.082	2.92	0.013	0.01	0	47.3	48.2	41.3	138	141	0	28	29
2025	3	9	10	45	11	0.748	-0.082	2.92	0.016	0.013	0	46.4	47.7	39.1	137	140	0	29	29
2025	3	9	10	55	11	0.725	-0.049	2.92	0.013	0.01	0	46.9	48.2	40.4	137	141	0	28	29
2025	3	9	11	5	11	0.758	-0.082	2.92	0.016	0.013	0	46.4	47.7	42.1	137	140	0	29	29
2025	3	9	11	15	11	0.696	-0.095	2.92	0.016	0.013	0	47.3	48.2	42.1	138	141	0	28	29
2025	3	9	11	25	11	0.702	-0.082	2.92	0.016	0.013	0	46.4	47.3	42.1	136	139	0	28	29
2025	3	9	11	35	11	0.702	-0.082	2.92	0.016	0.013	0	47.3	48.6	42.1	138	141	0	28	28
2025	3	9	11	45	11	0.732	-0.085	2.92	0.016	0.013	0	46	47.7	41.7	136	140	0	29	29
2025	3	9	11	55	11	0.764	-0.069	2.92	0.016	0.013	0	46.9	48.2	42.6	137	141	0	28	29
2025	3	9	12	5	11	0.741	-0.095	2.92	0.02	0.016	0	47.3	48.6	39.1	138	142	0	28	29
2025	3	9	12	15	11	0.722	-0.075	2.923	0.013	0.01	0	47.3	49	40	139	143	0	29	29
2025	3	9	12	25	11	0.728	-0.082	2.92	0.016	0.013	0	46.9	48.2	40	137	141	0	28	29
2025	3	9	12	35	11	0.745	-0.052	2.92	0.016	0.013	0	47.3	49.5	40	139	143	0	29	28
2025	3	9	12	45	11	0.741	-0.052	2.923	0.016	0.013	0	46.9	47.7	42.1	137	140	0	28	29
2025	3	9	12	55	11	0.758	-0.043	2.923	0.016	0.013	0	46.9	48.2	41.3	137	141	0	28	29
2025	3	9	13	5	11	0.735	-0.069	2.923	0.016	0.016	0	46.9	48.2	40	137	141	0	28	29
2025	3	9	13	15	11	0.738	-0.072	2.927	0.016	0.013	0	47.3	48.6	41.7	138	142	0	28	29
2025	3	9	13	25	11	0.722	-0.085	2.923	0.016	0.016	0	47.7	48.6	38.7	139	142	0	28	29
2025	3	9	13	35	11	0.738	-0.056	2.923	0.016	0.013	0	47.3	48.2	42.6	138	141	0	28	29
2025	3	9	13	45	11	0.728	-0.033	2.923	0.016	0.013	0	47.7	49.9	43.9	140	144	0	29	28
2025	3	9	13	55	11	0.735	-0.049	2.923	0.016	0.013	0	47.3	48.6	40.9	138	142	0	28	29
2025	3	9	14	5	11	0.715	-0.095	2.93	0.016	0.013	0	47.3	48.6	40	138	141	0	28	28
2025	3	9	14	15	11	0.755	-0.075	2.92	0.013	0.01	0	47.3	48.6	40.9	138	142	0	28	29
2025	3	9	14	25	11	0.728	-0.089	2.923	0.016	0.016	0	47.3	48.6	41.7	138	142	0	28	29
2025	3	9	14	35	11	0.735	-0.059	2.923	0.016	0.013	0	47.3	48.6	40.4	139	142	0	29	29
2025	3	9	14	45	11	0.745	-0.049	2.923	0.016	0.016	0	47.7	49.5	43.4	139	143	0	28	28
2025	3	9	14	55	11	0.758	-0.066	2.923	0.013	0.01	0	48.6	49	42.1	140	143	0	27	29
2025	3	9	15	5	11	0.732	-0.072	2.927	0.013	0.01	0	47.3	48.6	39.6	138	142	0	28	29
2025	3	9	15	15	11	0.761	-0.052	2.927	0.016	0.013	0	48.2	49.5	41.3	139	144	0	27	29
2025	3	9	15	25	11	0.758	-0.082	2.927	0.016	0.013	0	47.3	49	40	138	142	0	28	28
2025	3	9	15	35	11	0.755	-0.085	2.927	0.016	0.016	0	47.7	49.5	40.4	139	143	0	28	28
2025	3	9	15	45	11	0.719	-0.079	2.927	0.016	0.013	0	48.2	49.5	41.7	139	143	0	27	28
2025	3	9	15	55	11	0.751	-0.092	2.927	0.016	0.013	0	47.3	49	41.7	138	143	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	9	16	5	11	0.751	-0.049	2.927	0.016	0.016	0	47.7	49.5	41.7	139	143	0	28	28
2025	3	9	16	15	11	0.774	-0.069	2.927	0.016	0.016	0	48.2	49.9	43	140	144	0	28	28
2025	3	9	16	25	11	0.748	-0.092	2.927	0.016	0.016	0	47.7	49	40.4	139	143	0	28	29
2025	3	9	16	35	11	0.751	-0.059	2.927	0.016	0.016	0	47.7	49	41.3	139	143	0	28	29
2025	3	9	16	45	11	0.728	-0.036	2.927	0.016	0.013	0	48.2	48.6	42.6	139	142	0	27	29
2025	3	9	16	55	11	0.768	-0.098	2.927	0.016	0.016	0	48.2	49.5	41.3	139	143	0	27	28
2025	3	9	17	5	11	0.761	-0.102	2.927	0.016	0.016	0	47.7	49	44.3	138	142	0	27	28
2025	3	9	17	15	11	0.728	-0.085	2.927	0.013	0.01	0	47.7	49.5	44.3	139	143	0	28	28
2025	3	9	17	25	11	0.722	-0.059	2.927	0.016	0.013	0	47.7	49.5	54.6	139	143	0	28	28
2025	3	9	17	35	11	0.791	-0.085	2.927	0.016	0.013	0	47.3	48.6	52.9	138	142	0	28	29
2025	3	9	17	45	11	0.741	-0.043	2.927	0.013	0.01	0	47.7	49	56.8	139	143	0	28	29
2025	3	9	17	55	11	0.725	-0.056	2.927	0.016	0.013	0	47.7	49.9	52.9	139	144	0	28	28
2025	3	9	18	5	11	0.738	-0.085	2.927	0.016	0.016	0	48.2	49.5	71	140	144	0	28	29
2025	3	9	18	15	11	0.758	-0.043	2.927	0.016	0.013	0	47.7	49	70.5	139	143	0	28	29
2025	3	9	18	25	11	0.755	-0.052	2.927	0.016	0.016	0	48.6	49.9	71	141	144	0	28	28
2025	3	9	18	35	11	0.745	-0.043	2.927	0.016	0.013	0	48.6	49.9	70.5	141	145	0	28	29
2025	3	9	18	45	11	0.771	-0.072	2.927	0.016	0.013	0	49	50.3	54.6	142	146	0	28	29
2025	3	9	18	55	11	0.735	-0.013	2.927	0.016	0.013	0	49.9	50.7	71	143	147	0	27	29
2025	3	9	19	5	11	0.745	-0.098	2.927	0.016	0.016	0	49.5	50.7	70.5	143	147	0	28	29
2025	3	9	19	15	11	0.702	-0.03	2.927	0.016	0.013	0	49.9	51.6	70.1	144	148	0	28	28
2025	3	9	19	25	11	0.748	-0.043	2.927	0.016	0.016	0	49.9	51.6	70.1	144	148	0	28	28
2025	3	9	19	35	11	0.715	-0.082	2.927	0.016	0.016	0	49.9	51.2	69.2	144	148	0	28	29
2025	3	9	19	45	11	0.748	-0.056	2.927	0.016	0.013	0	50.3	52	58	145	149	0	28	28
2025	3	9	19	55	11	0.719	-0.075	2.927	0.016	0.013	0	49.9	51.6	48.6	144	148	0	28	28
2025	3	9	20	5	11	0.751	-0.082	2.923	0.016	0.013	0	50.3	51.6	48.2	145	149	0	28	29
2025	3	9	20	15	11	0.741	-0.098	2.927	0.013	0.01	0	50.7	52	58.9	145	149	0	27	28
2025	3	9	20	25	11	0.751	-0.069	2.927	0.016	0.016	0	50.3	51.6	69.2	145	149	0	28	29
2025	3	9	20	35	11	0.715	-0.052	2.927	0.016	0.016	0	50.3	51.6	69.2	145	149	0	28	29
2025	3	9	20	45	11	0.741	-0.082	2.927	0.016	0.016	0	50.3	52	69.2	145	150	0	28	29
2025	3	9	20	55	11	0.728	-0.072	2.927	0.016	0.013	0	50.3	51.6	69.7	145	149	0	28	29
2025	3	9	21	5	11	0.745	-0.013	2.927	0.016	0.013	0	50.7	52	68.8	146	150	0	28	29
2025	3	9	21	15	11	0.748	-0.072	2.927	0.013	0.01	0	50.3	52	69.2	145	149	0	28	28
2025	3	9	21	25	11	0.728	-0.082	2.927	0.02	0.016	0	50.7	52.5	69.2	146	150	0	28	28
2025	3	9	21	35	11	0.758	-0.046	2.927	0.016	0.016	0	50.7	51.6	68.8	146	149	0	28	29
2025	3	9	21	45	11	0.722	-0.059	2.927	0.013	0.01	0	50.7	52.5	68.4	146	150	0	28	28
2025	3	9	21	55	11	0.751	-0.056	2.927	0.016	0.013	0	50.7	52	67.9	146	150	0	28	29
2025	3	9	22	5	11	0.725	-0.069	2.927	0.016	0.016	0	50.3	51.2	68.8	145	149	0	28	30
2025	3	9	22	15	11	0.725	-0.052	2.927	0.016	0.013	0	50.3	51.6	68.8	145	149	0	28	29
2025	3	9	22	25	11	0.768	-0.052	2.927	0.016	0.016	0	50.3	51.6	68.4	145	149	0	28	29
2025	3	9	22	35	11	0.745	-0.075	2.927	0.016	0.013	0	50.3	51.6	68.4	145	149	0	28	29
2025	3	9	22	45	11	0.735	-0.075	2.927	0.016	0.016	0	50.3	52	68.8	145	149	0	28	28
2025	3	9	22	55	11	0.741	-0.069	2.927	0.016	0.013	0	50.3	52	68.4	145	149	0	28	28
2025	3	9	23	5	11	0.781	-0.075	2.927	0.016	0.013	0	49.9	51.6	67.9	145	149	0	29	29
2025	3	9	23	15	11	0.761	-0.069	2.927	0.016	0.016	0	50.3	51.6	67.1	145	149	0	28	29
2025	3	9	23	25	11	0.715	-0.085	2.923	0.016	0.013	0	50.3	51.6	67.5	145	149	0	28	29
2025	3	9	23	35	11	0.748	-0.089	2.927	0.016	0.013	0	50.3	52	67.9	145	149	0	28	28
2025	3	9	23	45	11	0.741	-0.046	2.927	0.016	0.013	0	50.3	51.6	67.9	145	149	0	28	29
2025	3	9	23	55	11	0.778	-0.052	2.927	0.013	0.01	0	50.3	51.6	67.1	145	149	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	10	0	5	11	0.735	-0.072	2.927	0.016	0.016	0	49.9	51.6	67.9	144	148	0	28	28
2025	3	10	0	15	11	0.755	-0.056	2.93	0.016	0.013	0	50.3	51.6	67.1	145	149	0	28	29
2025	3	10	0	25	11	0.741	-0.072	2.933	0.016	0.013	0	49.9	51.2	68.4	144	148	0	28	29
2025	3	10	0	35	11	0.761	-0.036	2.933	0.016	0.013	0	49.9	51.2	68.4	144	148	0	28	29
2025	3	10	0	45	11	0.748	-0.059	2.933	0.02	0.016	0	49.5	51.2	67.9	143	148	0	28	29
2025	3	10	0	55	11	0.751	-0.079	2.933	0.016	0.016	0	49.9	51.6	67.5	144	148	0	28	28
2025	3	10	1	5	11	0.745	-0.056	2.933	0.016	0.013	0	49.9	51.6	67.9	144	148	0	28	28
2025	3	10	1	15	11	0.728	-0.092	2.933	0.016	0.013	0	49.5	51.2	68.4	143	148	0	28	29
2025	3	10	1	25	11	0.715	-0.079	2.933	0.016	0.016	0	49.9	51.2	68.4	144	148	0	28	29
2025	3	10	1	35	11	0.771	-0.072	2.933	0.013	0.01	0	49	50.7	68.8	142	147	0	28	29
2025	3	10	1	45	11	0.748	-0.066	2.933	0.016	0.016	0	49	50.7	69.2	142	147	0	28	29
2025	3	10	1	55	11	0.709	-0.082	2.933	0.013	0.01	0	49	50.7	69.7	142	147	0	28	29
2025	3	10	2	5	11	0.755	-0.049	2.933	0.013	0.01	0	49	50.7	69.2	142	147	0	28	29
2025	3	10	2	15	11	0.725	-0.089	2.933	0.016	0.013	0	48.6	50.3	68.8	142	146	0	29	29
2025	3	10	2	25	11	0.764	-0.069	2.933	0.016	0.016	0	49	50.3	69.2	142	146	0	28	29
2025	3	10	2	35	11	0.741	-0.095	2.933	0.016	0.013	0	48.6	50.3	69.7	142	146	0	29	29
2025	3	10	2	45	11	0.738	-0.059	2.933	0.016	0.013	0	48.6	50.3	69.2	142	146	0	29	29
2025	3	10	2	55	11	0.748	-0.049	2.933	0.016	0.013	0	49	50.7	69.7	142	147	0	28	29
2025	3	10	3	5	11	0.758	-0.066	2.933	0.016	0.013	0	48.6	50.3	70.1	141	146	0	28	29
2025	3	10	3	15	11	0.735	-0.079	2.933	0.016	0.013	0	48.2	50.3	70.1	141	146	0	29	29
2025	3	10	3	25	11	0.741	-0.069	2.933	0.016	0.016	0	48.6	49.9	70.1	141	145	0	28	29
2025	3	10	3	35	11	0.738	-0.072	2.933	0.016	0.013	0	48.6	49.9	69.7	141	145	0	28	29
2025	3	10	3	45	11	0.774	-0.039	2.933	0.013	0.01	0	48.6	49.9	70.1	141	145	0	28	29
2025	3	10	3	55	11	0.732	-0.092	2.933	0.016	0.013	0	47.7	49.9	70.5	140	145	0	29	29
2025	3	10	4	5	11	0.722	-0.079	2.933	0.016	0.013	0	48.2	49.9	71	141	145	0	29	29
2025	3	10	4	15	11	0.719	-0.092	2.933	0.016	0.013	0	48.2	50.3	70.5	140	145	0	28	28
2025	3	10	4	25	11	0.741	-0.069	2.933	0.016	0.016	0	48.2	50.3	70.5	141	146	0	29	29
2025	3	10	4	35	11	0.758	-0.089	2.933	0.016	0.016	0	48.6	49.9	71.4	141	145	0	28	29
2025	3	10	4	45	11	0.712	-0.079	2.933	0.013	0.01	0	47.7	49.9	71	140	145	0	29	29
2025	3	10	4	55	11	0.758	-0.095	2.933	0.016	0.013	0	47.7	49	71	139	144	0	28	30
2025	3	10	5	5	11	0.712	-0.095	2.933	0.013	0.01	0	47.7	49.5	70.1	140	144	0	29	29
2025	3	10	5	15	11	0.751	-0.059	2.933	0.016	0.013	0	47.7	49	71	139	144	0	28	30
2025	3	10	5	25	11	0.722	-0.089	2.933	0.016	0.013	0	47.7	49.5	71.4	139	144	0	28	29
2025	3	10	5	35	11	0.741	-0.069	2.933	0.016	0.013	0	47.3	49.5	71	139	144	0	29	29
2025	3	10	5	45	11	0.755	-0.115	2.933	0.016	0.016	0	47.3	49.5	71	139	144	0	29	29
2025	3	10	5	55	11	0.741	-0.082	2.933	0.016	0.016	0	47.7	49.5	70.5	140	144	0	29	29
2025	3	10	6	5	11	0.715	-0.082	2.933	0.016	0.013	0	47.3	49	70.1	138	143	0	28	29
2025	3	10	6	15	11	0.751	-0.095	2.933	0.01	0.007	0	47.7	49	70.1	139	143	0	28	29
2025	3	10	6	25	11	0.738	-0.056	2.933	0.016	0.016	0	46.9	48.6	70.1	138	143	0	29	30
2025	3	10	6	35	11	0.761	-0.069	2.933	0.013	0.01	0	46.9	48.6	69.7	137	142	0	28	29
2025	3	10	6	45	11	0.725	-0.059	2.933	0.013	0.01	0	46.9	48.6	69.2	138	142	0	29	29
2025	3	10	6	55	11	0.761	-0.085	2.933	0.016	0.013	0	46	47.7	67.5	136	140	0	29	29
2025	3	10	7	5	11	0.738	-0.072	2.933	0.013	0.01	0	46	48.2	70.1	136	141	0	29	29
2025	3	10	7	15	11	0.787	-0.079	2.933	0.013	0.01	0	46.4	47.7	70.1	136	140	0	28	29
2025	3	10	7	25	11	0.715	-0.056	2.933	0.016	0.013	0	46.4	48.2	69.2	137	141	0	29	29
2025	3	10	7	35	11	0.758	-0.056	2.933	0.016	0.013	0	46.4	48.2	70.1	137	141	0	29	29
2025	3	10	7	45	11	0.725	-0.089	2.933	0.013	0.01	0	46.4	47.7	70.1	136	140	0	28	29
2025	3	10	7	55	11	0.696	-0.072	2.933	0.016	0.013	0	46.9	48.2	69.7	138	142	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	10	8	5	11	0.741	-0.066	2.933	0.016	0.013	0	45.2	46.9	68.8	134	138	0	29	29
2025	3	10	8	15	11	0.758	-0.079	2.933	0.016	0.013	0	45.2	47.3	70.1	134	139	0	29	29
2025	3	10	8	25	11	0.715	-0.121	2.933	0.013	0.01	0	45.6	47.7	70.5	135	140	0	29	29
2025	3	10	8	35	11	0.732	-0.046	2.936	0.013	0.01	0	46.4	47.7	70.1	136	141	0	28	30
2025	3	10	8	45	11	0.728	-0.092	2.936	0.016	0.016	0	45.6	47.3	71	135	139	0	29	29
2025	3	10	8	55	11	0.745	-0.066	2.936	0.016	0.013	0	46	47.7	71	135	140	0	28	29
2025	3	10	9	5	11	0.705	-0.082	2.936	0.016	0.013	0	46	48.2	70.1	136	141	0	29	29
2025	3	10	9	15	11	0.738	-0.069	2.936	0.013	0.01	0	46	47.3	71	135	139	0	28	29
2025	3	10	9	25	11	0.748	-0.066	2.936	0.013	0.01	0	46.4	47.7	54.2	136	141	0	28	30
2025	3	10	9	35	11	0.709	-0.043	2.936	0.016	0.013	0	46.9	48.2	70.5	137	141	0	28	29
2025	3	10	9	45	11	0.732	-0.052	2.936	0.016	0.013	0	46.4	48.2	71	137	141	0	29	29
2025	3	10	9	55	11	0.719	-0.092	2.936	0.016	0.013	0	46.9	48.6	71.4	137	142	0	28	29
2025	3	10	10	5	11	0.722	-0.069	2.94	0.013	0.01	0	46.9	49	66.2	137	142	0	28	28
2025	3	10	10	15	11	0.705	-0.056	2.94	0.016	0.013	0	47.3	49	50.7	139	143	0	29	29
2025	3	10	10	25	11	0.738	-0.072	2.94	0.016	0.013	0	46	47.3	42.6	136	140	0	29	30
2025	3	10	10	35	11	0.778	-0.043	2.936	0.016	0.013	0	48.2	49.9	42.6	140	145	0	28	29
2025	3	10	10	45	11	0.748	-0.115	2.94	0.013	0.01	0	48.6	50.3	43.9	142	146	0	29	29
2025	3	10	10	55	11	0.735	-0.095	2.94	0.016	0.016	0	48.6	50.3	44.7	141	146	0	28	29
2025	3	10	11	5	11	0.768	-0.079	2.94	0.016	0.016	0	49.9	51.6	45.2	145	149	0	29	29
2025	3	10	11	15	11	0.741	-0.082	2.94	0.016	0.013	0	48.6	50.7	43.9	142	147	0	29	29
2025	3	10	11	25	11	0.738	-0.059	2.94	0.016	0.016	0	47.3	48.6	44.7	138	142	0	28	29
2025	3	10	11	35	11	0.719	-0.056	2.94	0.01	0.007	0	46.9	48.6	42.1	138	142	0	29	29
2025	3	10	11	45	11	0.745	-0.059	2.943	0.016	0.013	0	46.9	48.6	54.2	137	142	0	28	29
2025	3	10	11	55	11	0.735	-0.02	2.943	0.016	0.013	0	46.9	48.6	43.9	137	142	0	28	29
2025	3	10	12	5	11	0.722	-0.082	2.94	0.016	0.016	0	47.3	48.6	42.6	138	142	0	28	29
2025	3	10	12	15	11	0.741	-0.098	2.94	0.013	0.01	0	46	48.6	44.7	136	141	0	29	28
2025	3	10	12	25	11	0.738	-0.059	2.94	0.016	0.013	0	46.9	48.6	41.3	137	142	0	28	29
2025	3	10	12	35	11	0.758	-0.085	2.943	0.016	0.013	0	46.4	48.2	46	136	141	0	28	29
2025	3	10	12	45	11	0.745	-0.085	2.946	0.02	0.016	0	47.3	48.2	54.6	137	141	0	27	29
2025	3	10	12	55	11	0.787	-0.049	2.946	0.016	0.013	0	46.9	48.6	57.6	137	142	0	28	29
2025	3	10	13	5	11	0.712	-0.03	2.946	0.013	0.01	0	47.3	48.6	62.8	138	142	0	28	29
2025	3	10	13	15	11	0.791	-0.052	2.946	0.016	0.013	0	46.4	47.7	61.5	136	140	0	28	29
2025	3	10	13	25	11	0.735	-0.059	2.943	0.016	0.013	0	48.2	49.5	41.7	140	144	0	28	29
2025	3	10	13	35	11	0.741	-0.075	2.94	0.016	0.016	0	46.9	48.6	41.7	137	141	0	28	28
2025	3	10	13	45	11	0.764	-0.062	2.943	0.013	0.01	0	47.7	49	41.3	139	143	0	28	29
2025	3	10	13	55	11	0.735	-0.056	2.943	0.016	0.013	0	47.3	48.6	40.9	138	142	0	28	29
2025	3	10	14	5	11	0.745	-0.056	2.943	0.013	0.01	0	46.9	48.2	40	137	141	0	28	29
2025	3	10	14	15	11	0.745	-0.072	2.943	0.016	0.013	0	47.7	49.5	39.6	139	144	0	28	29
2025	3	10	14	25	11	0.738	-0.062	2.943	0.013	0.01	0	46.9	48.2	40.4	137	141	0	28	29
2025	3	10	14	35	11	0.751	-0.092	2.94	0.016	0.013	0	47.3	48.6	40	138	142	0	28	29
2025	3	10	14	45	11	0.761	-0.069	2.94	0.016	0.013	0	46.9	48.6	39.1	137	141	0	28	28
2025	3	10	14	55	11	0.741	-0.056	2.94	0.013	0.01	0	46.9	48.6	40.9	137	141	0	28	28
2025	3	10	15	5	11	0.748	-0.075	2.94	0.016	0.013	0	47.3	49	40	138	143	0	28	29
2025	3	10	15	15	11	0.735	-0.066	2.94	0.016	0.016	0	46.9	48.6	38.7	137	142	0	28	29
2025	3	10	15	25	11	0.751	-0.056	2.94	0.016	0.013	0	47.3	49.5	39.1	138	143	0	28	28
2025	3	10	15	35	11	0.735	-0.052	2.94	0.016	0.013	0	47.7	49	43	138	142	0	27	28
2025	3	10	15	45	11	0.735	-0.089	2.94	0.016	0.013	0	47.3	49.5	41.3	138	143	0	28	28
2025	3	10	15	55	11	0.741	-0.072	2.94	0.016	0.016	0	47.3	49.5	40	138	143	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	10	16	5	11	0.705	-0.059	2.94	0.01	0.007	0	47.3	49	42.1	138	142	0	28	28
2025	3	10	16	15	11	0.758	-0.098	2.94	0.016	0.013	0	47.3	49.5	40	138	143	0	28	28
2025	3	10	16	25	11	0.745	-0.062	2.94	0.016	0.013	0	47.7	49.5	40.9	139	144	0	28	29
2025	3	10	16	35	11	0.751	-0.066	2.94	0.016	0.013	0	47.3	48.6	42.1	138	142	0	28	29
2025	3	10	16	45	11	0.745	-0.062	2.94	0.016	0.013	0	47.3	49	40.4	138	143	0	28	29
2025	3	10	16	55	11	0.761	-0.085	2.936	0.016	0.013	0	47.3	49.5	44.7	138	143	0	28	28
2025	3	10	17	5	11	0.735	-0.079	2.933	0.016	0.013	0	47.7	49.9	43.9	139	144	0	28	28
2025	3	10	17	15	11	0.751	-0.056	2.936	0.016	0.013	0	47.3	49.5	44.3	138	143	0	28	28
2025	3	10	17	25	11	0.732	-0.056	2.936	0.016	0.016	0	49	50.3	40.9	141	145	0	27	28
2025	3	10	17	35	11	0.761	-0.079	2.933	0.016	0.013	0	48.6	50.3	66.7	141	146	0	28	29
2025	3	10	17	45	11	0.735	-0.066	2.933	0.02	0.016	0	49	50.7	67.5	142	147	0	28	29
2025	3	10	17	55	11	0.755	-0.085	2.933	0.016	0.013	0	49	51.2	67.5	142	147	0	28	28
2025	3	10	18	5	11	0.755	-0.079	2.933	0.016	0.013	0	49.5	51.6	68.4	143	148	0	28	28
2025	3	10	18	15	11	0.735	-0.046	2.933	0.016	0.016	0	49.9	51.6	61.5	143	148	0	27	28
2025	3	10	18	25	11	0.748	-0.072	2.933	0.02	0.016	0	49.5	51.6	46.9	143	148	0	28	28
2025	3	10	18	35	11	0.758	-0.039	2.933	0.016	0.013	0	49.5	52	57.2	144	150	0	29	29
2025	3	10	18	45	11	0.735	-0.072	2.933	0.02	0.016	0	49.9	51.6	55.5	144	149	0	28	29
2025	3	10	18	55	11	0.751	-0.049	2.933	0.016	0.013	0	49.9	52	53.3	144	150	0	28	29
2025	3	10	19	5	11	0.735	-0.082	2.933	0.016	0.013	0	50.3	52.5	68.8	145	150	0	28	28
2025	3	10	19	15	11	0.781	-0.052	2.933	0.016	0.013	0	50.3	52.9	69.2	145	151	0	28	28
2025	3	10	19	25	11	0.774	-0.059	2.933	0.016	0.016	0	50.7	52	69.7	145	150	0	27	29
2025	3	10	19	35	11	0.732	-0.082	2.93	0.016	0.013	0	50.7	52.9	69.2	146	151	0	28	28
2025	3	10	19	45	11	0.709	-0.049	2.93	0.013	0.01	0	50.3	52.9	64.1	145	151	0	28	28
2025	3	10	19	55	11	0.738	-0.079	2.93	0.016	0.013	0	50.7	52.9	68.8	146	152	0	28	29
2025	3	10	20	5	11	0.748	-0.046	2.93	0.016	0.013	0	50.3	52.9	68.8	145	151	0	28	28
2025	3	10	20	15	11	0.768	-0.069	2.93	0.016	0.013	0	50.3	52.9	69.2	145	151	0	28	28
2025	3	10	20	25	11	0.758	-0.085	2.93	0.02	0.016	0	50.7	52.9	69.7	146	151	0	28	28
2025	3	10	20	35	11	0.741	-0.085	2.93	0.016	0.013	0	50.7	53.3	69.7	146	152	0	28	28
2025	3	10	20	45	11	0.761	-0.092	2.93	0.016	0.016	0	50.3	52.5	69.2	146	151	0	29	29
2025	3	10	20	55	11	0.732	-0.085	2.93	0.016	0.016	0	49.9	52.5	68.8	145	151	0	29	29
2025	3	10	21	5	11	0.732	-0.059	2.93	0.013	0.01	0	50.7	53.3	68.8	146	152	0	28	28
2025	3	10	21	15	11	0.702	-0.082	2.93	0.016	0.016	0	50.7	52.9	69.2	146	152	0	28	29
2025	3	10	21	25	11	0.719	-0.059	2.93	0.016	0.016	0	51.2	53.3	69.7	147	153	0	28	29
2025	3	10	21	35	11	0.741	-0.066	2.93	0.016	0.013	0	51.2	52.9	68.8	146	152	0	27	29
2025	3	10	21	45	11	0.715	-0.02	2.93	0.02	0.016	0	51.2	53.3	69.2	147	153	0	28	29
2025	3	10	21	55	11	0.712	-0.046	2.927	0.016	0.013	0	51.2	53.8	69.2	147	153	0	28	28
2025	3	10	22	5	11	0.728	-0.069	2.927	0.016	0.013	0	51.6	52.9	69.2	147	152	0	27	29
2025	3	10	22	15	11	0.745	-0.066	2.927	0.016	0.016	0	50.7	52.9	69.2	146	151	0	28	28
2025	3	10	22	25	11	0.774	-0.105	2.927	0.016	0.016	0	50.7	52.9	68.8	145	151	0	27	28
2025	3	10	22	35	11	0.755	-0.079	2.927	0.013	0.01	0	50.7	52.9	68.4	146	152	0	28	29
2025	3	10	22	45	11	0.738	-0.046	2.927	0.016	0.013	0	50.3	53.3	68.8	145	152	0	28	28
2025	3	10	22	55	11	0.735	-0.072	2.927	0.016	0.016	0	51.2	52.5	68.4	147	151	0	28	29
2025	3	10	23	5	11	0.738	-0.072	2.927	0.02	0.016	0	51.2	52.9	68.8	147	152	0	28	29
2025	3	10	23	15	11	0.722	-0.059	2.927	0.016	0.016	0	51.6	53.3	68.8	147	152	0	27	28
2025	3	10	23	25	11	0.755	-0.062	2.927	0.013	0.01	0	51.6	52.9	67.9	147	151	0	27	28
2025	3	10	23	35	11	0.755	-0.062	2.927	0.016	0.013	0	51.2	52.9	68.4	147	151	0	28	28
2025	3	10	23	45	11	0.725	-0.069	2.927	0.016	0.013	0	51.2	53.3	68.8	147	152	0	28	28
2025	3	10	23	55	11	0.738	-0.062	2.927	0.016	0.013	0	50.7	52.9	69.2	147	151	0	29	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	11	0	5	11	0.712	-0.039	2.93	0.016	0.013	0	51.2	52.9	68.4	147	152	0	28	29
2025	3	11	0	15	11	0.758	-0.046	2.93	0.016	0.013	0	50.7	52.9	68.4	146	151	0	28	28
2025	3	11	0	25	11	0.719	-0.033	2.93	0.016	0.013	0	51.2	52.9	67.9	147	152	0	28	29
2025	3	11	0	35	11	0.715	-0.043	2.93	0.013	0.01	0	50.7	52.5	67.9	147	151	0	29	29
2025	3	11	0	45	11	0.735	-0.066	2.93	0.016	0.013	0	50.7	52.5	68.4	146	151	0	28	29
2025	3	11	0	55	11	0.725	-0.059	2.93	0.016	0.013	0	50.7	52	67.9	146	151	0	28	30
2025	3	11	1	5	11	0.722	-0.066	2.93	0.016	0.013	0	51.2	52.5	67.9	147	151	0	28	29
2025	3	11	1	15	11	0.761	-0.059	2.933	0.016	0.016	0	50.7	52.9	68.4	146	151	0	28	28
2025	3	11	1	25	11	0.748	-0.075	2.933	0.016	0.016	0	51.2	52.9	67.9	147	152	0	28	29
2025	3	11	1	35	11	0.751	-0.072	2.933	0.016	0.013	0	50.7	52.5	67.9	146	151	0	28	29
2025	3	11	1	45	11	0.761	-0.069	2.933	0.016	0.013	0	49	52.5	67.1	142	151	0	28	29
2025	3	11	1	55	11	0.807	-0.082	2.933	0.016	0.016	0	52.5	52.5	68.4	149	151	0	27	29
2025	3	11	2	5	11	0.768	-0.062	2.936	0.013	0.01	0	51.6	52.5	69.2	148	151	0	28	29
2025	3	11	2	15	11	0.732	-0.075	2.933	0.013	0.01	0	51.6	52.5	68.8	149	151	0	29	29
2025	3	11	2	25	11	0.702	-0.072	2.936	0.016	0.013	0	52	52.9	68.8	149	152	0	28	29
2025	3	11	2	35	11	0.728	-0.016	2.936	0.016	0.016	0	52.5	52.9	68.8	150	152	0	28	29
2025	3	11	2	45	11	0.722	-0.059	2.936	0.016	0.016	0	51.6	52.5	70.1	148	151	0	28	29
2025	3	11	2	55	11	0.748	-0.085	2.936	0.016	0.016	0	51.6	52	70.1	148	150	0	28	29
2025	3	11	3	5	11	0.748	-0.098	2.936	0.016	0.016	0	51.6	52.5	71	148	150	0	28	28
2025	3	11	3	15	11	0.758	-0.049	2.936	0.016	0.013	0	51.6	52.5	71	148	150	0	28	28
2025	3	11	3	25	11	0.791	-0.128	2.936	0.016	0.013	0	51.2	52	71.4	147	150	0	28	29
2025	3	11	3	35	11	0.732	-0.043	2.936	0.016	0.016	0	51.6	52	70.5	148	150	0	28	29
2025	3	11	3	45	11	0.741	-0.049	2.936	0.016	0.013	0	51.6	52.5	71	148	151	0	28	29
2025	3	11	3	55	11	0.719	-0.056	2.936	0.016	0.016	0	51.6	52	71.8	148	150	0	28	29
2025	3	11	4	5	11	0.751	-0.082	2.936	0.02	0.016	0	51.2	52	71.4	148	150	0	29	29
2025	3	11	4	15	11	0.741	-0.069	2.936	0.02	0.016	0	51.6	52	71.8	148	150	0	28	29
2025	3	11	4	25	11	0.725	-0.052	2.936	0.01	0.007	0	51.2	51.6	72.2	148	150	0	29	30
2025	3	11	4	35	11	0.751	-0.056	2.936	0.016	0.016	0	51.6	52	71.8	148	150	0	28	29
2025	3	11	4	45	11	0.741	-0.102	2.936	0.016	0.013	0	51.2	52.5	71.8	147	150	0	28	28
2025	3	11	4	55	11	0.764	-0.085	2.94	0.013	0.01	0	51.6	51.6	72.7	148	150	0	28	30
2025	3	11	5	5	11	0.735	-0.095	2.94	0.016	0.013	0	51.2	52	72.7	147	150	0	28	29
2025	3	11	5	15	11	0.722	-0.049	2.94	0.016	0.013	0	51.2	52	72.7	147	150	0	28	29
2025	3	11	5	25	11	0.738	-0.03	2.94	0.016	0.013	0	51.6	52	73.1	148	150	0	28	29
2025	3	11	5	35	11	0.738	-0.069	2.94	0.016	0.016	0	50.7	52	72.7	147	150	0	29	29
2025	3	11	5	45	11	0.725	-0.092	2.94	0.016	0.013	0	51.2	52	72.7	147	150	0	28	29
2025	3	11	5	55	11	0.755	-0.089	2.94	0.013	0.01	0	50.7	51.2	73.1	146	149	0	28	30
2025	3	11	6	5	11	0.748	-0.095	2.94	0.016	0.013	0	50.7	52	73.5	146	149	0	28	28
2025	3	11	6	15	11	0.709	-0.112	2.94	0.016	0.013	0	50.7	51.2	73.5	146	148	0	28	29
2025	3	11	6	25	11	0.764	-0.059	2.94	0.016	0.013	0	50.3	51.2	74	145	148	0	28	29
2025	3	11	6	35	11	0.768	-0.066	2.94	0.016	0.013	0	50.3	50.7	73.1	145	147	0	28	29
2025	3	11	6	45	11	0.755	-0.072	2.94	0.016	0.016	0	49.5	50.7	74	144	147	0	29	29
2025	3	11	6	55	11	0.761	-0.069	2.94	0.016	0.016	0	49.5	50.7	74.4	143	146	0	28	28
2025	3	11	7	5	11	0.745	-0.069	2.94	0.013	0.01	0	49.5	50.3	73.5	143	146	0	28	29
2025	3	11	7	15	11	0.722	-0.092	2.94	0.016	0.016	0	49	49.9	74.4	142	145	0	28	29
2025	3	11	7	25	11	0.722	-0.069	2.94	0.016	0.016	0	49	49.9	74.4	142	145	0	28	29
2025	3	11	7	35	11	0.745	-0.043	2.94	0.016	0.016	0	49	49.9	74.4	142	145	0	28	29
2025	3	11	7	45	11	0.761	-0.079	2.94	0.016	0.016	0	48.6	49.5	69.2	141	144	0	28	29
2025	3	11	7	55	11	0.715	-0.066	2.94	0.016	0.016	0	48.6	49.5	62.4	141	144	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	11	8	5	11	0.725	-0.075	2.94	0.013	0.01	0	48.2	49	64.1	140	143	0	28	29
2025	3	11	8	15	11	0.755	-0.089	2.94	0.016	0.016	0	48.2	49	64.5	140	142	0	28	28
2025	3	11	8	25	11	0.764	-0.059	2.94	0.02	0.016	0	48.6	49	72.7	140	143	0	27	29
2025	3	11	8	35	11	0.748	-0.069	2.94	0.016	0.013	0	47.7	49	67.9	140	143	0	29	29
2025	3	11	8	45	11	0.741	-0.069	2.94	0.016	0.013	0	48.6	49	52.5	141	143	0	28	29
2025	3	11	8	55	11	0.764	-0.082	2.94	0.016	0.013	0	48.2	49	60.2	141	143	0	29	29
2025	3	11	9	5	11	0.741	-0.075	2.94	0.02	0.016	0	48.6	49.5	47.7	142	144	0	29	29
2025	3	11	9	15	11	0.712	-0.095	2.94	0.016	0.013	0	48.6	49.5	49.9	142	144	0	29	29
2025	3	11	9	25	11	0.751	-0.062	2.943	0.016	0.013	0	49.5	49.9	47.3	143	145	0	28	29
2025	3	11	9	35	11	0.719	-0.052	2.943	0.016	0.013	0	49.5	49.9	48.2	143	145	0	28	29
2025	3	11	9	45	11	0.745	-0.095	2.943	0.013	0.01	0	49.9	50.3	50.3	144	146	0	28	29
2025	3	11	9	55	11	0.728	-0.079	2.94	0.016	0.013	0	48.6	49.9	47.7	141	144	0	28	28
2025	3	11	10	5	11	0.741	-0.098	2.943	0.013	0.01	0	49.5	50.3	48.6	143	146	0	28	29
2025	3	11	10	15	11	0.755	-0.075	2.94	0.013	0.01	0	49.5	50.7	49.5	143	146	0	28	28
2025	3	11	10	25	11	0.741	-0.079	2.94	0.016	0.016	0	48.6	49.5	50.3	141	144	0	28	29
2025	3	11	10	35	11	0.738	-0.043	2.94	0.02	0.016	0	50.3	50.7	48.6	145	147	0	28	29
2025	3	11	10	45	11	0.728	-0.072	2.936	0.016	0.013	0	49	49.9	47.7	142	145	0	28	29
2025	3	11	10	55	11	0.761	-0.062	2.943	0.016	0.016	0	49.5	50.3	46.9	143	145	0	28	28
2025	3	11	11	5	11	0.719	-0.059	2.94	0.016	0.013	0	50.3	51.2	45.6	145	148	0	28	29
2025	3	11	11	15	11	0.732	-0.046	2.94	0.016	0.016	0	49.9	51.2	46.9	144	147	0	28	28
2025	3	11	11	25	11	0.712	-0.098	2.94	0.016	0.013	0	49.5	50.3	44.7	144	146	0	29	29
2025	3	11	11	35	11	0.755	-0.069	2.94	0.016	0.016	0	50.3	51.2	47.3	145	148	0	28	29
2025	3	11	11	45	11	0.745	-0.075	2.94	0.016	0.016	0	50.3	51.6	45.2	145	148	0	28	28
2025	3	11	11	55	11	0.705	-0.072	2.94	0.016	0.016	0	49.9	50.7	46	144	147	0	28	29
2025	3	11	12	5	11	0.768	-0.069	2.943	0.016	0.013	0	49.5	51.2	46	144	147	0	29	28
2025	3	11	12	15	11	0.755	-0.069	2.94	0.016	0.016	0	49.5	50.7	45.6	143	146	0	28	28
2025	3	11	12	25	11	0.764	-0.072	2.943	0.016	0.016	0	49	49.9	47.7	142	145	0	28	29
2025	3	11	12	35	11	0.745	-0.075	2.94	0.013	0.01	0	49.9	50.3	46.9	143	145	0	27	28
2025	3	11	12	45	11	0.781	-0.052	2.94	0.016	0.013	0	49.5	50.3	47.7	143	146	0	28	29
2025	3	11	12	55	11	0.722	-0.062	2.94	0.016	0.013	0	49.5	50.3	45.2	143	146	0	28	29
2025	3	11	13	5	11	0.745	-0.056	2.94	0.016	0.013	0	49.5	50.7	46.4	143	146	0	28	28
2025	3	11	13	15	11	0.719	-0.059	2.936	0.016	0.013	0	49.9	51.2	44.7	144	147	0	28	28
2025	3	11	13	25	11	0.751	-0.092	2.94	0.016	0.013	0	50.3	50.3	43.9	144	146	0	27	29
2025	3	11	13	35	11	0.764	-0.089	2.943	0.02	0.016	0	49	50.3	47.7	143	146	0	29	29
2025	3	11	13	45	11	0.745	-0.046	2.94	0.02	0.016	0	49.5	50.7	46.9	143	146	0	28	28
2025	3	11	13	55	11	0.738	-0.062	2.94	0.016	0.013	0	49.9	50.3	42.1	144	146	0	28	29
2025	3	11	14	5	11	0.755	-0.115	2.943	0.016	0.013	0	49.9	50.7	43.4	144	147	0	28	29
2025	3	11	14	15	11	0.771	-0.052	2.94	0.016	0.013	0	49.9	50.7	46.9	144	146	0	28	28
2025	3	11	14	25	11	0.728	-0.072	2.94	0.016	0.016	0	50.3	51.2	46	145	147	0	28	28
2025	3	11	14	35	11	0.761	-0.043	2.94	0.016	0.013	0	50.7	51.2	46	145	148	0	27	29
2025	3	11	14	45	11	0.751	-0.03	2.936	0.016	0.013	0	50.3	51.6	45.6	145	148	0	28	28
2025	3	11	14	55	11	0.705	-0.079	2.943	0.016	0.013	0	50.3	51.2	47.3	145	148	0	28	29
2025	3	11	15	5	11	0.728	-0.089	2.94	0.016	0.016	0	50.7	51.2	45.2	145	148	0	27	29
2025	3	11	15	15	11	0.741	-0.075	2.943	0.016	0.013	0	50.3	51.6	46	145	148	0	28	28
2025	3	11	15	25	11	0.774	-0.069	2.94	0.016	0.013	0	50.7	52	44.3	146	149	0	28	28
2025	3	11	15	35	11	0.719	-0.036	2.936	0.016	0.013	0	51.2	52	45.6	146	149	0	27	28
2025	3	11	15	45	11	0.764	-0.062	2.943	0.016	0.013	0	50.7	51.2	46.4	146	148	0	28	29
2025	3	11	15	55	11	0.755	-0.062	2.94	0.016	0.016	0	50.7	51.2	45.6	146	148	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	11	16	5	11	0.771	-0.052	2.936	0.016	0.016	0	50.3	51.6	43.9	145	148	0	28	28
2025	3	11	16	15	11	0.751	-0.066	2.936	0.016	0.013	0	50.7	51.6	44.7	146	148	0	28	28
2025	3	11	16	25	11	0.774	-0.043	2.94	0.016	0.013	0	50.7	51.6	46.4	146	148	0	28	28
2025	3	11	16	35	11	0.741	-0.082	2.933	0.016	0.013	0	50.7	51.6	46.9	146	149	0	28	29
2025	3	11	16	45	11	0.722	-0.043	2.936	0.016	0.013	0	49.5	50.3	45.2	143	146	0	28	29
2025	3	11	16	55	11	0.755	-0.046	2.936	0.016	0.013	0	49.5	50.3	46.4	143	146	0	28	29
2025	3	11	17	5	11	0.732	-0.049	2.933	0.016	0.013	0	50.7	52	45.2	146	149	0	28	28
2025	3	11	17	15	11	0.768	-0.02	2.933	0.016	0.013	0	51.2	51.6	45.2	146	148	0	27	28
2025	3	11	17	25	11	0.748	-0.049	2.94	0.013	0.01	0	51.2	51.6	42.6	147	149	0	28	29
2025	3	11	17	35	11	0.735	-0.072	2.933	0.016	0.016	0	50.7	51.6	42.1	146	149	0	28	29
2025	3	11	17	45	11	0.745	-0.069	2.933	0.016	0.013	0	51.2	52.5	44.3	147	150	0	28	28
2025	3	11	17	55	11	0.778	-0.03	2.93	0.016	0.013	0	51.6	52	44.7	147	150	0	27	29
2025	3	11	18	5	11	0.741	-0.066	2.93	0.016	0.013	0	51.6	52.5	44.3	148	150	0	28	28
2025	3	11	18	15	11	0.696	-0.046	2.93	0.016	0.016	0	52.5	52.5	45.6	149	151	0	27	29
2025	3	11	18	25	11	0.751	-0.059	2.933	0.016	0.013	0	52	52.5	42.1	149	151	0	28	29
2025	3	11	18	35	11	0.771	-0.098	2.93	0.016	0.013	0	52.5	52.5	41.7	149	151	0	27	29
2025	3	11	18	45	11	0.735	-0.085	2.93	0.016	0.013	0	52	52.9	44.3	149	152	0	28	29
2025	3	11	18	55	11	0.735	-0.059	2.93	0.016	0.013	0	52	52.9	42.6	149	152	0	28	29
2025	3	11	19	5	11	0.748	-0.062	2.93	0.016	0.016	0	52	53.3	44.7	149	152	0	28	28
2025	3	11	19	15	11	0.738	-0.062	2.927	0.016	0.016	0	52	53.3	43	149	152	0	28	28
2025	3	11	19	25	11	0.741	-0.033	2.927	0.016	0.013	0	52.5	52.9	42.6	150	152	0	28	29
2025	3	11	19	35	11	0.758	-0.082	2.93	0.013	0.01	0	52.5	53.3	43	149	152	0	27	28
2025	3	11	19	45	11	0.745	-0.02	2.927	0.02	0.016	0	52	53.8	45.2	149	153	0	28	28
2025	3	11	19	55	11	0.702	-0.049	2.927	0.016	0.013	0	52.5	52.5	43.4	149	151	0	27	29
2025	3	11	20	5	11	0.715	-0.082	2.93	0.016	0.013	0	52.5	52.9	46	150	152	0	28	29
2025	3	11	20	15	11	0.764	-0.062	2.927	0.016	0.013	0	52	53.3	45.2	149	152	0	28	28
2025	3	11	20	25	11	0.768	-0.066	2.927	0.016	0.013	0	52	53.3	42.1	149	152	0	28	28
2025	3	11	20	35	11	0.732	-0.066	2.93	0.016	0.016	0	52.5	52.9	41.3	150	152	0	28	29
2025	3	11	20	45	11	0.751	-0.056	2.927	0.016	0.013	0	52.5	52.9	42.6	150	152	0	28	29
2025	3	11	20	55	11	0.755	-0.056	2.927	0.013	0.01	0	52.5	53.3	41.7	150	152	0	28	28
2025	3	11	21	5	11	0.768	-0.069	2.927	0.016	0.013	0	52	52.5	45.6	149	151	0	28	29
2025	3	11	21	15	11	0.728	-0.062	2.927	0.013	0.01	0	52.9	52.9	46	150	152	0	27	29
2025	3	11	21	25	11	0.738	-0.056	2.923	0.016	0.013	0	52.5	53.3	51.2	149	152	0	27	28
2025	3	11	21	35	11	0.761	-0.075	2.923	0.016	0.013	0	52	52.5	53.8	148	151	0	27	29
2025	3	11	21	45	11	0.764	-0.062	2.923	0.016	0.016	0	51.6	52.9	55	149	152	0	29	29
2025	3	11	21	55	11	0.758	-0.072	2.923	0.016	0.013	0	52	52.9	59.3	149	151	0	28	28
2025	3	11	22	5	11	0.751	-0.026	2.923	0.013	0.01	0	52	52.9	57.6	149	152	0	28	29
2025	3	11	22	15	11	0.719	-0.072	2.923	0.013	0.01	0	51.6	52.9	56.8	148	151	0	28	28
2025	3	11	22	25	11	0.732	-0.098	2.923	0.016	0.013	0	51.2	52.5	45.6	148	150	0	29	28
2025	3	11	22	35	11	0.738	-0.092	2.923	0.016	0.013	0	51.6	52.9	60.6	148	151	0	28	28
2025	3	11	22	45	11	0.722	-0.052	2.923	0.016	0.013	0	51.6	52.9	70.1	148	152	0	28	29
2025	3	11	22	55	11	0.741	-0.043	2.923	0.016	0.013	0	51.6	52.5	70.5	148	151	0	28	29
2025	3	11	23	5	11	0.738	-0.079	2.923	0.016	0.016	0	51.6	52.9	69.7	148	151	0	28	28
2025	3	11	23	15	11	0.725	-0.072	2.923	0.016	0.013	0	51.6	52.9	70.5	148	151	0	28	28
2025	3	11	23	25	11	0.709	-0.049	2.923	0.016	0.013	0	51.2	52.5	69.7	148	151	0	29	29
2025	3	11	23	35	11	0.725	-0.095	2.923	0.013	0.01	0	51.2	52.5	70.1	147	151	0	28	29
2025	3	11	23	45	11	0.778	-0.069	2.923	0.013	0.01	0	51.2	52.5	70.5	147	151	0	28	29
2025	3	11	23	55	11	0.761	-0.059	2.923	0.016	0.013	0	51.6	52.5	70.1	148	151	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	12	0	5	11	0.751	-0.056	2.923	0.016	0.016	0	51.6	52.9	69.7	148	151	0	28	28
2025	3	12	0	15	11	0.705	-0.049	2.923	0.01	0.007	0	52	52.9	70.1	148	151	0	27	28
2025	3	12	0	25	11	0.705	-0.039	2.923	0.016	0.016	0	52	52.5	69.7	148	151	0	27	29
2025	3	12	0	35	11	0.692	-0.039	2.923	0.02	0.016	0	51.2	52.5	69.7	147	151	0	28	29
2025	3	12	0	45	11	0.761	-0.098	2.923	0.016	0.016	0	51.2	52.5	69.7	147	150	0	28	28
2025	3	12	0	55	11	0.748	-0.098	2.923	0.013	0.01	0	51.2	52	69.2	147	150	0	28	29
2025	3	12	1	5	11	0.748	-0.049	2.923	0.016	0.016	0	51.2	52	69.7	147	150	0	28	29
2025	3	12	1	15	11	0.764	-0.066	2.923	0.016	0.013	0	51.2	52	68.8	147	150	0	28	29
2025	3	12	1	25	11	0.696	-0.039	2.923	0.016	0.016	0	51.2	52	69.2	147	150	0	28	29
2025	3	12	1	35	11	0.751	-0.043	2.923	0.013	0.01	0	51.6	52	69.2	147	150	0	27	29
2025	3	12	1	45	11	0.751	-0.098	2.923	0.016	0.013	0	51.2	52.5	68.8	147	150	0	28	28
2025	3	12	1	55	11	0.722	-0.059	2.923	0.016	0.013	0	51.2	52	69.2	147	150	0	28	29
2025	3	12	2	5	11	0.751	-0.036	2.927	0.016	0.013	0	50.7	51.6	68.8	146	149	0	28	29
2025	3	12	2	15	11	0.712	-0.039	2.927	0.016	0.016	0	51.2	52	69.2	147	150	0	28	29
2025	3	12	2	25	11	0.745	-0.062	2.927	0.016	0.016	0	51.2	52	68.8	147	150	0	28	29
2025	3	12	2	35	11	0.699	-0.049	2.93	0.016	0.013	0	51.2	52	69.2	147	150	0	28	29
2025	3	12	2	45	11	0.748	-0.059	2.93	0.016	0.016	0	50.7	52	69.2	146	150	0	28	29
2025	3	12	2	55	11	0.755	-0.082	2.93	0.016	0.013	0	51.2	52.5	69.2	147	150	0	28	28
2025	3	12	3	5	11	0.741	-0.046	2.933	0.016	0.013	0	50.7	52	69.2	146	150	0	28	29
2025	3	12	3	15	11	0.738	-0.066	2.933	0.016	0.013	0	50.7	52.5	69.2	146	150	0	28	28
2025	3	12	3	25	11	0.791	-0.082	2.933	0.013	0.01	0	50.3	51.6	69.7	146	149	0	29	29
2025	3	12	3	35	11	0.728	-0.03	2.933	0.016	0.016	0	50.7	52	69.2	146	150	0	28	29
2025	3	12	3	45	11	0.712	-0.052	2.933	0.013	0.01	0	50.3	52	69.2	146	149	0	29	28
2025	3	12	3	55	11	0.712	-0.056	2.933	0.016	0.016	0	51.2	52.5	69.7	147	150	0	28	28
2025	3	12	4	5	11	0.751	-0.102	2.933	0.013	0.01	0	50.7	51.6	70.5	146	149	0	28	29
2025	3	12	4	15	11	0.738	-0.069	2.933	0.02	0.016	0	50.7	51.6	70.1	146	149	0	28	29
2025	3	12	4	25	11	0.755	-0.062	2.933	0.013	0.01	0	50.3	51.6	70.1	146	149	0	29	29
2025	3	12	4	35	11	0.705	-0.059	2.933	0.016	0.013	0	49.9	52	70.5	145	149	0	29	28
2025	3	12	4	45	11	0.732	-0.043	2.933	0.016	0.013	0	50.7	51.6	70.5	146	149	0	28	29
2025	3	12	4	55	11	0.771	-0.052	2.933	0.016	0.013	0	50.7	51.6	71.4	146	149	0	28	29
2025	3	12	5	5	11	0.748	-0.085	2.933	0.016	0.013	0	50.7	51.6	71.4	146	149	0	28	29
2025	3	12	5	15	11	0.705	-0.069	2.933	0.016	0.013	0	49.9	51.6	71.4	145	149	0	29	29
2025	3	12	5	25	11	0.728	-0.062	2.933	0.016	0.013	0	49.9	51.6	71	145	149	0	29	29
2025	3	12	5	35	11	0.741	-0.066	2.933	0.016	0.013	0	50.3	51.6	70.5	145	149	0	28	29
2025	3	12	5	45	11	0.735	-0.079	2.933	0.02	0.016	0	50.3	51.2	71.8	145	148	0	28	29
2025	3	12	5	55	11	0.728	-0.052	2.933	0.016	0.013	0	50.3	51.2	71.4	145	148	0	28	29
2025	3	12	6	5	11	0.748	-0.056	2.933	0.016	0.013	0	49.9	51.2	72.2	145	148	0	29	29
2025	3	12	6	15	11	0.741	-0.075	2.933	0.016	0.013	0	49.9	51.2	72.2	145	148	0	29	29
2025	3	12	6	25	11	0.728	-0.056	2.933	0.016	0.013	0	49.9	50.7	73.5	144	147	0	28	29
2025	3	12	6	35	11	0.732	-0.075	2.933	0.016	0.013	0	49.5	50.3	73.1	143	146	0	28	29
2025	3	12	6	45	11	0.692	-0.03	2.933	0.016	0.013	0	49.5	50.3	73.1	143	146	0	28	29
2025	3	12	6	55	11	0.732	-0.095	2.933	0.016	0.013	0	48.6	50.3	73.5	142	146	0	29	29
2025	3	12	7	5	11	0.712	-0.056	2.933	0.013	0.01	0	48.6	49.9	74	142	145	0	29	29
2025	3	12	7	15	11	0.719	-0.043	2.933	0.016	0.016	0	48.6	49.5	74	141	145	0	28	30
2025	3	12	7	25	11	0.719	-0.033	2.933	0.013	0.01	0	48.6	49.9	74	142	145	0	29	29
2025	3	12	7	35	11	0.745	-0.069	2.933	0.013	0.01	0	48.2	49.5	74	140	144	0	28	29
2025	3	12	7	45	11	0.741	-0.075	2.933	0.016	0.013	0	48.2	49.5	74.4	140	144	0	28	29
2025	3	12	7	55	11	0.758	-0.085	2.933	0.013	0.01	0	47.7	49	59.3	139	142	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	12	8	5	11	0.764	-0.095	2.933	0.016	0.013	0	47.7	49	54.2	140	143	0	29	29
2025	3	12	8	15	11	0.728	-0.072	2.933	0.013	0.01	0	46.9	48.2	49	138	141	0	29	29
2025	3	12	8	25	11	0.732	-0.056	2.933	0.016	0.013	0	46.4	48.2	50.3	137	141	0	29	29
2025	3	12	8	35	11	0.722	-0.069	2.933	0.013	0.01	0	46.9	48.2	48.2	137	140	0	28	28
2025	3	12	8	45	11	0.732	-0.102	2.93	0.016	0.013	0	47.7	48.6	48.2	139	142	0	28	29
2025	3	12	8	55	11	0.728	-0.079	2.93	0.016	0.013	0	47.7	49.5	48.2	140	144	0	29	29
2025	3	12	9	5	11	0.751	-0.102	2.933	0.013	0.01	0	47.7	49	46.9	140	143	0	29	29
2025	3	12	9	15	11	0.699	-0.102	2.93	0.016	0.013	0	48.6	49.9	47.3	141	145	0	28	29
2025	3	12	9	25	11	0.761	-0.072	2.933	0.016	0.016	0	47.7	48.6	48.6	140	143	0	29	30
2025	3	12	9	35	11	0.758	-0.069	2.93	0.016	0.013	0	46.9	48.2	48.2	138	141	0	29	29
2025	3	12	9	45	11	0.758	-0.069	2.933	0.013	0.01	0	47.3	48.6	49	138	142	0	28	29
2025	3	12	9	55	11	0.738	-0.082	2.933	0.013	0.01	0	47.3	48.6	51.6	138	142	0	28	29
2025	3	12	10	5	11	0.728	-0.079	2.93	0.013	0.01	0	48.2	49	46	140	143	0	28	29
2025	3	12	10	15	11	0.755	-0.062	2.93	0.016	0.013	0	48.2	49	45.6	140	143	0	28	29
2025	3	12	10	25	11	0.719	-0.082	2.93	0.016	0.016	0	48.6	49.9	45.6	141	145	0	28	29
2025	3	12	10	35	11	0.738	-0.092	2.927	0.016	0.013	0	49	49.9	45.6	142	146	0	28	30
2025	3	12	10	45	11	0.715	-0.066	2.936	0.016	0.013	0	48.6	50.3	44.7	142	146	0	29	29
2025	3	12	10	55	11	0.741	-0.069	2.933	0.016	0.013	0	49	50.3	46	142	146	0	28	29
2025	3	12	11	5	11	0.719	-0.075	2.93	0.016	0.013	0	49.5	50.3	45.2	143	146	0	28	29
2025	3	12	11	15	11	0.715	-0.052	2.93	0.016	0.016	0	49.5	50.7	46.4	143	147	0	28	29
2025	3	12	11	25	11	0.725	-0.069	2.93	0.013	0.01	0	49.5	50.7	43.9	143	146	0	28	28
2025	3	12	11	35	11	0.725	-0.03	2.93	0.016	0.013	0	49.5	49.9	46.4	143	146	0	28	30
2025	3	12	11	45	11	0.715	-0.059	2.933	0.016	0.013	0	50.3	50.7	46.9	144	147	0	27	29
2025	3	12	11	55	11	0.709	-0.085	2.927	0.016	0.016	0	49.9	51.6	46.4	144	148	0	28	28
2025	3	12	12	5	11	0.745	-0.043	2.936	0.016	0.016	0	49.9	51.2	45.2	144	147	0	28	28
2025	3	12	12	15	11	0.745	-0.075	2.93	0.016	0.013	0	49.9	51.2	45.6	144	148	0	28	29
2025	3	12	12	25	11	0.719	-0.049	2.936	0.016	0.013	0	49.9	50.7	46.9	144	147	0	28	29
2025	3	12	12	35	11	0.741	-0.033	2.933	0.016	0.016	0	50.3	51.6	45.2	145	148	0	28	28
2025	3	12	12	45	11	0.741	-0.056	2.936	0.013	0.01	0	50.7	52.5	44.7	147	150	0	29	28
2025	3	12	12	55	11	0.732	-0.056	2.927	0.013	0.01	0	52.5	53.3	45.2	150	153	0	28	29
2025	3	12	13	5	11	0.722	-0.072	2.93	0.016	0.016	0	52.9	53.8	43.4	151	154	0	28	29
2025	3	12	13	15	11	0.725	-0.089	2.93	0.016	0.013	0	52.5	53.8	44.7	150	153	0	28	28
2025	3	12	13	25	11	0.692	-0.075	2.936	0.016	0.016	0	52	52.5	45.2	149	151	0	28	29
2025	3	12	13	35	11	0.715	-0.066	2.94	0.016	0.013	0	52	53.3	43.9	149	152	0	28	28
2025	3	12	13	45	11	0.699	-0.092	2.94	0.016	0.013	0	51.6	53.3	44.7	149	153	0	29	29
2025	3	12	13	55	11	0.758	-0.056	2.933	0.02	0.016	0	52.9	54.2	43.4	151	154	0	28	28
2025	3	12	14	5	11	0.725	-0.056	2.936	0.013	0.01	0	53.3	54.2	43	151	154	0	27	28
2025	3	12	14	15	11	0.741	-0.056	2.933	0.016	0.016	0	53.3	54.6	42.6	152	155	0	28	28
2025	3	12	14	25	11	0.745	-0.102	2.933	0.016	0.016	0	52.9	54.2	43	151	154	0	28	28
2025	3	12	14	35	11	0.738	-0.089	2.936	0.016	0.016	0	52.5	53.8	43.4	150	153	0	28	28
2025	3	12	14	45	11	0.735	-0.085	2.933	0.016	0.013	0	52.9	53.8	42.1	151	154	0	28	29
2025	3	12	14	55	11	0.755	-0.043	2.936	0.016	0.013	0	52.9	53.8	43	150	153	0	27	28
2025	3	12	15	5	11	0.758	-0.056	2.94	0.02	0.016	0	52.5	53.3	43	149	152	0	27	28
2025	3	12	15	15	11	0.748	-0.039	2.94	0.016	0.013	0	52	53.8	42.6	149	152	0	28	27
2025	3	12	15	25	11	0.712	-0.052	2.936	0.016	0.016	0	52	53.8	44.7	149	152	0	28	27
2025	3	12	15	35	11	0.758	-0.066	2.933	0.016	0.013	0	52.5	53.8	42.1	149	153	0	27	28
2025	3	12	15	45	11	0.741	-0.056	2.933	0.023	0.02	0	52	52.9	40.4	149	152	0	28	29
2025	3	12	15	55	11	0.787	-0.079	2.936	0.016	0.013	0	51.6	52.9	43.4	148	151	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	12	16	5	11	0.741	-0.072	2.936	0.016	0.016	0	52.5	53.8	41.7	150	153	0	28	28
2025	3	12	16	15	11	0.732	-0.049	2.94	0.016	0.016	0	52	53.3	43.9	149	152	0	28	28
2025	3	12	16	25	11	0.745	-0.036	2.94	0.016	0.016	0	52.5	53.3	43.9	149	152	0	27	28
2025	3	12	16	35	11	0.735	-0.072	2.946	0.016	0.016	0	52	52.9	42.6	149	152	0	28	29
2025	3	12	16	45	11	0.735	-0.036	2.943	0.016	0.016	0	51.6	53.3	43	148	152	0	28	28
2025	3	12	16	55	11	0.741	-0.075	2.946	0.016	0.016	0	51.6	52.9	42.1	148	151	0	28	28
2025	3	12	17	5	11	0.751	-0.062	2.94	0.016	0.016	0	52	52.9	43.9	148	151	0	27	28
2025	3	12	17	15	11	0.751	-0.056	2.946	0.02	0.016	0	51.6	53.3	41.7	148	152	0	28	28
2025	3	12	17	25	11	0.738	-0.072	2.943	0.016	0.013	0	51.6	52.5	43	148	151	0	28	29
2025	3	12	17	35	11	0.719	-0.059	2.94	0.013	0.01	0	51.6	52.9	42.1	148	151	0	28	28
2025	3	12	17	45	11	0.728	-0.069	2.946	0.016	0.013	0	51.6	52.9	42.1	148	151	0	28	28
2025	3	12	17	55	11	0.768	-0.075	2.943	0.016	0.013	0	51.6	52.9	42.1	148	151	0	28	28
2025	3	12	18	5	11	0.774	-0.049	2.94	0.016	0.013	0	52	52.9	41.3	148	151	0	27	28
2025	3	12	18	15	11	0.738	-0.056	2.949	0.016	0.013	0	51.6	52.9	43.9	148	151	0	28	28
2025	3	12	18	25	11	0.768	-0.046	2.94	0.016	0.013	0	51.6	52.9	44.3	148	151	0	28	28
2025	3	12	18	35	11	0.748	-0.072	2.943	0.016	0.016	0	51.6	52.5	40.9	148	151	0	28	29
2025	3	12	18	45	11	0.702	-0.043	2.94	0.016	0.016	0	52	52.9	42.1	149	152	0	28	29
2025	3	12	18	55	11	0.732	-0.082	2.94	0.016	0.016	0	52	53.3	43	149	152	0	28	28
2025	3	12	19	5	11	0.778	-0.069	2.946	0.016	0.016	0	52	53.3	42.6	149	152	0	28	28
2025	3	12	19	15	11	0.748	-0.108	2.949	0.016	0.016	0	52	53.8	42.6	149	153	0	28	28
2025	3	12	19	25	11	0.755	-0.046	2.946	0.016	0.013	0	52	53.3	41.3	149	153	0	28	29
2025	3	12	19	35	11	0.738	-0.052	2.949	0.016	0.016	0	52.5	53.3	43	149	153	0	27	29
2025	3	12	19	45	11	0.722	-0.059	2.949	0.013	0.01	0	52	52.9	40.9	149	152	0	28	29
2025	3	12	19	55	11	0.728	-0.059	2.946	0.016	0.013	0	52.5	53.8	41.3	150	153	0	28	28
2025	3	12	20	5	11	0.732	-0.072	2.949	0.016	0.013	0	52	53.3	40.4	149	153	0	28	29
2025	3	12	20	15	11	0.719	-0.079	2.946	0.016	0.013	0	52.5	53.8	42.6	150	154	0	28	29
2025	3	12	20	25	11	0.709	-0.059	2.946	0.013	0.01	0	52.9	53.8	41.3	150	153	0	27	28
2025	3	12	20	35	11	0.741	-0.075	2.946	0.016	0.016	0	52.9	54.6	41.3	151	155	0	28	28
2025	3	12	20	45	11	0.735	-0.072	2.946	0.016	0.013	0	53.3	54.6	39.6	152	155	0	28	28
2025	3	12	20	55	11	0.748	-0.056	2.949	0.016	0.013	0	53.3	54.6	40.9	152	155	0	28	28
2025	3	12	21	5	11	0.738	-0.105	2.949	0.013	0.01	0	53.3	54.2	41.3	152	155	0	28	29
2025	3	12	21	15	11	0.748	-0.033	2.943	0.016	0.016	0	53.3	55	40.4	152	156	0	28	28
2025	3	12	21	25	11	0.741	-0.098	2.946	0.016	0.013	0	53.3	54.6	40.4	152	156	0	28	29
2025	3	12	21	35	11	0.764	-0.046	2.953	0.02	0.016	0	53.3	54.2	42.1	151	155	0	27	29
2025	3	12	21	45	11	0.748	-0.046	2.946	0.013	0.01	0	52.9	54.6	40.4	151	155	0	28	28
2025	3	12	21	55	11	0.715	-0.059	2.946	0.016	0.013	0	53.3	54.2	41.3	151	154	0	27	28
2025	3	12	22	5	11	0.732	-0.079	2.946	0.016	0.013	0	52.9	54.2	40.4	151	154	0	28	28
2025	3	12	22	15	11	0.715	-0.059	2.949	0.016	0.013	0	52	54.2	41.7	150	154	0	29	28
2025	3	12	22	25	11	0.745	-0.066	2.946	0.016	0.016	0	52.5	53.3	42.6	150	153	0	28	29
2025	3	12	22	35	11	0.738	-0.079	2.946	0.016	0.013	0	52.5	53.8	42.6	150	153	0	28	28
2025	3	12	22	45	11	0.738	-0.072	2.949	0.013	0.01	0	52.9	53.8	40	151	154	0	28	29
2025	3	12	22	55	11	0.741	-0.089	2.956	0.016	0.013	0	53.3	54.2	40.4	152	155	0	28	29
2025	3	12	23	5	11	0.735	-0.049	2.943	0.013	0.01	0	53.8	54.2	43.4	152	155	0	27	29
2025	3	12	23	15	11	0.748	-0.098	2.946	0.016	0.013	0	52.5	54.2	41.7	150	154	0	28	28
2025	3	12	23	25	11	0.735	-0.049	2.946	0.016	0.013	0	52	53.8	42.1	149	153	0	28	28
2025	3	12	23	35	11	0.738	-0.075	2.946	0.016	0.013	0	52	53.3	43.9	149	153	0	28	29
2025	3	12	23	45	11	0.755	-0.098	2.949	0.016	0.013	0	52	53.8	42.6	149	153	0	28	28
2025	3	12	23	55	11	0.738	-0.043	2.946	0.016	0.016	0	51.6	52.9	42.1	148	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	13	0	5	11	0.738	-0.059	2.953	0.016	0.013	0	51.6	52.5	42.6	148	151	0	28	29
2025	3	13	0	15	11	0.755	-0.049	2.956	0.016	0.013	0	51.6	52.9	43.4	148	152	0	28	29
2025	3	13	0	25	11	0.735	-0.046	2.946	0.016	0.016	0	50.7	52.5	42.1	147	151	0	29	29
2025	3	13	0	35	11	0.725	-0.098	2.943	0.013	0.01	0	51.2	53.3	43.4	148	152	0	29	28
2025	3	13	0	45	11	0.732	-0.062	2.953	0.016	0.013	0	51.6	52.9	41.7	148	152	0	28	29
2025	3	13	0	55	11	0.764	-0.056	2.949	0.016	0.013	0	52	52.9	40.9	149	152	0	28	29
2025	3	13	1	5	11	0.705	-0.036	2.946	0.016	0.013	0	52	52.9	43	149	152	0	28	29
2025	3	13	1	15	11	0.735	-0.069	2.953	0.013	0.01	0	51.2	52.9	42.1	148	152	0	29	29
2025	3	13	1	25	11	0.735	-0.069	2.953	0.013	0.01	0	51.2	52.5	42.1	147	151	0	28	29
2025	3	13	1	35	11	0.755	-0.085	2.946	0.016	0.013	0	51.2	52	43.9	147	150	0	28	29
2025	3	13	1	45	11	0.748	-0.066	2.949	0.013	0.01	0	50.7	52	43.9	146	150	0	28	29
2025	3	13	1	55	11	0.761	-0.069	2.949	0.016	0.013	0	50.3	52	42.1	146	149	0	29	28
2025	3	13	2	5	11	0.745	-0.072	2.949	0.016	0.016	0	50.7	52	43.4	146	150	0	28	29
2025	3	13	2	15	11	0.784	-0.112	2.949	0.016	0.016	0	50.3	52.5	43	145	150	0	28	28
2025	3	13	2	25	11	0.738	-0.056	2.949	0.016	0.013	0	50.3	51.6	42.6	145	149	0	28	29
2025	3	13	2	35	11	0.781	-0.043	2.946	0.016	0.016	0	49.9	51.2	43.4	145	148	0	29	29
2025	3	13	2	45	11	0.755	-0.092	2.949	0.013	0.01	0	50.3	51.6	40.9	145	149	0	28	29
2025	3	13	2	55	11	0.751	-0.079	2.953	0.016	0.013	0	50.3	51.6	42.6	145	149	0	28	29
2025	3	13	3	5	11	0.732	-0.043	2.953	0.013	0.01	0	50.7	52.5	41.3	146	150	0	28	28
2025	3	13	3	15	11	0.725	-0.098	2.953	0.016	0.013	0	49.9	51.6	44.3	145	149	0	29	29
2025	3	13	3	25	11	0.751	-0.072	2.953	0.016	0.013	0	50.3	51.6	43.9	145	149	0	28	29
2025	3	13	3	35	11	0.741	-0.043	2.949	0.016	0.013	0	50.3	51.6	41.7	145	149	0	28	29
2025	3	13	3	45	11	0.738	-0.066	2.949	0.016	0.013	0	49.9	51.2	43.9	144	148	0	28	29
2025	3	13	3	55	11	0.768	-0.075	2.956	0.016	0.013	0	49.9	50.7	43	144	148	0	28	30
2025	3	13	4	5	11	0.738	-0.039	2.946	0.016	0.013	0	50.7	52.5	43.4	146	150	0	28	28
2025	3	13	4	15	11	0.774	-0.059	2.949	0.016	0.016	0	49.9	51.6	42.1	145	149	0	29	29
2025	3	13	4	25	11	0.755	-0.095	2.953	0.016	0.016	0	49.9	51.2	43.9	144	148	0	28	29
2025	3	13	4	35	11	0.781	-0.069	2.953	0.016	0.013	0	50.3	51.2	43.9	145	149	0	28	30
2025	3	13	4	45	11	0.774	-0.016	2.953	0.016	0.013	0	49.5	51.2	43.9	144	148	0	29	29
2025	3	13	4	55	11	0.751	-0.082	2.949	0.016	0.013	0	49.9	51.2	45.6	144	148	0	28	29
2025	3	13	5	5	11	0.768	-0.052	2.949	0.016	0.016	0	49.9	51.2	47.7	144	148	0	28	29
2025	3	13	5	15	11	0.741	-0.043	2.953	0.013	0.01	0	49.9	51.2	43.4	144	148	0	28	29
2025	3	13	5	25	11	0.722	-0.069	2.949	0.013	0.01	0	49.9	51.2	49.9	144	148	0	28	29
2025	3	13	5	35	11	0.751	-0.043	2.949	0.013	0.01	0	50.3	51.6	46.9	145	149	0	28	29
2025	3	13	5	45	11	0.696	-0.059	2.956	0.02	0.016	0	50.3	51.6	46	145	149	0	28	29
2025	3	13	5	55	11	0.764	-0.082	2.953	0.016	0.013	0	50.3	51.6	43.9	145	149	0	28	29
2025	3	13	6	5	11	0.768	-0.069	2.953	0.02	0.016	0	50.3	51.6	40.9	145	149	0	28	29
2025	3	13	6	15	11	0.748	-0.039	2.953	0.016	0.013	0	49.9	51.6	43.4	144	149	0	28	29
2025	3	13	6	25	11	0.771	-0.089	2.953	0.013	0.01	0	49.9	51.2	68.4	144	148	0	28	29
2025	3	13	6	35	11	0.755	-0.062	2.953	0.013	0.01	0	49.5	51.6	69.7	144	148	0	29	28
2025	3	13	6	45	11	0.771	-0.052	2.953	0.016	0.013	0	49.5	50.7	68.8	143	147	0	28	29
2025	3	13	6	55	11	0.725	-0.082	2.953	0.016	0.016	0	49	50.3	68.4	142	146	0	28	29
2025	3	13	7	5	11	0.755	-0.062	2.953	0.016	0.013	0	49	50.3	68.4	142	146	0	28	29
2025	3	13	7	15	11	0.768	-0.049	2.953	0.02	0.016	0	48.6	49.9	69.7	141	145	0	28	29
2025	3	13	7	25	11	0.761	-0.062	2.956	0.013	0.01	0	48.2	49.5	70.1	140	144	0	28	29
2025	3	13	7	35	11	0.725	-0.075	2.956	0.016	0.016	0	48.6	49.9	65.8	141	145	0	28	29
2025	3	13	7	45	11	0.748	-0.056	2.956	0.013	0.01	0	48.2	49.5	52.5	140	144	0	28	29
2025	3	13	7	55	11	0.738	-0.072	2.956	0.016	0.016	0	48.2	49.5	46.4	140	144	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	13	8	5	11	0.761	-0.072	2.956	0.016	0.016	0	47.3	48.6	64.1	138	142	0	28	29
2025	3	13	8	15	11	0.755	-0.072	2.956	0.016	0.013	0	46.9	48.6	49	137	142	0	28	29
2025	3	13	8	25	11	0.735	-0.056	2.953	0.016	0.016	0	47.3	48.2	66.7	138	142	0	28	30
2025	3	13	8	35	11	0.745	-0.072	2.953	0.013	0.01	0	46.4	48.6	68.8	137	142	0	29	29
2025	3	13	8	45	11	0.738	-0.069	2.953	0.016	0.016	0	46.9	48.6	56.3	137	142	0	28	29
2025	3	13	8	55	11	0.768	-0.092	2.953	0.013	0.01	0	46.4	48.2	55	135	140	0	27	28
2025	3	13	9	5	11	0.781	-0.072	2.956	0.013	0.01	0	46.9	49	47.7	137	142	0	28	28
2025	3	13	9	15	11	0.728	-0.052	2.956	0.016	0.013	0	46.9	48.2	62.4	137	141	0	28	29
2025	3	13	9	25	11	0.751	-0.082	2.956	0.016	0.013	0	46.9	48.6	71.4	137	141	0	28	28
2025	3	13	9	35	11	0.801	-0.069	2.956	0.016	0.013	0	46.4	48.2	70.5	137	141	0	29	29
2025	3	13	9	45	11	0.748	-0.069	2.956	0.016	0.013	0	47.3	49.5	71	138	143	0	28	28
2025	3	13	9	55	11	0.761	-0.069	2.956	0.016	0.013	0	47.3	49	72.2	138	143	0	28	29
2025	3	13	10	5	11	0.768	-0.056	2.956	0.016	0.016	0	47.3	49	71.8	139	143	0	29	29
2025	3	13	10	15	11	0.771	-0.082	2.956	0.016	0.013	0	46.4	49	56.3	137	142	0	29	28
2025	3	13	10	25	11	0.781	-0.092	2.956	0.016	0.013	0	46.9	49	71.8	138	143	0	29	29
2025	3	13	10	35	11	0.748	-0.066	2.956	0.013	0.01	0	46.9	48.2	58.5	137	141	0	28	29
2025	3	13	10	45	11	0.738	-0.059	2.956	0.016	0.013	0	46.9	48.2	52.5	137	141	0	28	29
2025	3	13	10	55	11	0.758	-0.056	2.956	0.016	0.013	0	47.3	49.5	53.8	138	143	0	28	28
2025	3	13	11	5	11	0.699	-0.069	2.956	0.013	0.01	0	48.2	49.5	60.6	140	144	0	28	29
2025	3	13	11	15	11	0.771	-0.066	2.956	0.013	0.01	0	47.3	49.5	70.5	138	143	0	28	28
2025	3	13	11	25	11	0.797	-0.082	2.956	0.016	0.013	0	47.3	48.6	71	138	142	0	28	29
2025	3	13	11	35	11	0.741	-0.062	2.956	0.016	0.016	0	47.7	49.5	52	139	144	0	28	29
2025	3	13	11	45	11	0.745	-0.059	2.956	0.016	0.016	0	47.7	49.5	55	139	144	0	28	29
2025	3	13	11	55	11	0.738	-0.052	2.956	0.016	0.013	0	47.7	49	56.3	139	143	0	28	29
2025	3	13	12	5	11	0.732	-0.043	2.956	0.013	0.01	0	47.3	48.6	51.2	138	142	0	28	29
2025	3	13	12	15	11	0.748	-0.056	2.956	0.016	0.013	0	47.3	48.6	60.6	138	142	0	28	29
2025	3	13	12	25	11	0.738	-0.039	2.956	0.013	0.01	0	47.7	48.6	61.5	139	143	0	28	30
2025	3	13	12	35	11	0.735	-0.056	2.956	0.013	0.01	0	47.7	49.5	62.4	139	143	0	28	28
2025	3	13	12	45	11	0.751	-0.079	2.956	0.013	0.01	0	47.3	49.5	66.2	138	143	0	28	28
2025	3	13	12	55	11	0.755	-0.052	2.959	0.016	0.016	0	46.9	48.6	61.9	138	142	0	29	29
2025	3	13	13	5	11	0.761	-0.066	2.959	0.016	0.016	0	47.7	49.5	52.9	139	144	0	28	29
2025	3	13	13	15	11	0.768	-0.056	2.959	0.013	0.01	0	47.3	49	50.7	138	143	0	28	29
2025	3	13	13	25	11	0.728	-0.059	2.959	0.016	0.016	0	47.7	49.5	56.3	139	143	0	28	28
2025	3	13	13	35	11	0.768	-0.098	2.959	0.013	0.01	0	47.3	49.5	56.3	138	143	0	28	28
2025	3	13	13	45	11	0.709	-0.098	2.959	0.016	0.013	0	48.2	49	49.5	139	143	0	27	29
2025	3	13	13	55	11	0.761	-0.049	2.959	0.016	0.013	0	47.7	49	47.7	139	143	0	28	29
2025	3	13	14	5	11	0.787	-0.082	2.959	0.016	0.013	0	47.7	49.9	49	139	144	0	28	28
2025	3	13	14	15	11	0.761	-0.049	2.959	0.016	0.013	0	47.7	49.9	47.3	139	144	0	28	28
2025	3	13	14	25	11	0.709	-0.056	2.963	0.013	0.01	0	47.7	49.9	48.6	139	144	0	28	28
2025	3	13	14	35	11	0.764	-0.089	2.963	0.013	0.01	0	47.7	49.9	47.3	139	144	0	28	28
2025	3	13	14	45	11	0.761	-0.043	2.959	0.013	0.01	0	48.2	49.5	46.4	140	144	0	28	29
2025	3	13	14	55	11	0.761	-0.069	2.959	0.016	0.013	0	48.2	49.9	49.9	139	144	0	27	28
2025	3	13	15	5	11	0.732	-0.089	2.959	0.016	0.013	0	47.7	49.5	50.7	139	144	0	28	29
2025	3	13	15	15	11	0.797	-0.069	2.959	0.016	0.013	0	46.9	49	59.8	137	142	0	28	28
2025	3	13	15	25	11	0.741	-0.072	2.963	0.016	0.016	0	48.6	50.3	57.2	141	145	0	28	28
2025	3	13	15	35	11	0.761	-0.052	2.959	0.016	0.016	0	48.2	49.9	48.6	140	144	0	28	28
2025	3	13	15	45	11	0.748	-0.079	2.959	0.016	0.013	0	48.2	49.9	47.3	140	145	0	28	29
2025	3	13	15	55	11	0.741	-0.066	2.959	0.013	0.01	0	48.6	50.7	53.3	141	146	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	13	16	5	11	0.741	-0.066	2.963	0.013	0.01	0	48.6	49.9	49	141	145	0	28	29
2025	3	13	16	15	11	0.755	-0.052	2.959	0.016	0.016	0	48.6	50.3	45.6	141	146	0	28	29
2025	3	13	16	25	11	0.722	-0.036	2.959	0.016	0.013	0	48.6	50.3	52	141	145	0	28	28
2025	3	13	16	35	11	0.761	-0.062	2.963	0.013	0.01	0	48.6	50.3	71.8	141	146	0	28	29
2025	3	13	16	45	11	0.722	-0.072	2.963	0.013	0.01	0	48.6	50.7	52.9	141	146	0	28	28
2025	3	13	16	55	11	0.774	-0.059	2.959	0.02	0.016	0	49.5	50.7	52	142	146	0	27	28
2025	3	13	17	5	11	0.784	-0.066	2.959	0.016	0.013	0	49	50.7	55.5	142	146	0	28	28
2025	3	13	17	15	11	0.722	-0.095	2.963	0.013	0.01	0	48.2	50.3	57.2	140	145	0	28	28
2025	3	13	17	25	11	0.761	-0.085	2.963	0.016	0.013	0	48.6	50.3	71.4	141	146	0	28	29
2025	3	13	17	35	11	0.748	-0.075	2.963	0.016	0.013	0	49	50.7	67.5	141	146	0	27	28
2025	3	13	17	45	11	0.761	-0.079	2.963	0.016	0.013	0	49	50.3	70.5	142	146	0	28	29
2025	3	13	17	55	11	0.738	-0.046	2.963	0.013	0.01	0	48.6	50.3	55.5	141	146	0	28	29
2025	3	13	18	5	11	0.751	-0.049	2.963	0.013	0.01	0	49.5	50.7	55	142	147	0	27	29
2025	3	13	18	15	11	0.761	-0.069	2.963	0.016	0.013	0	48.6	50.3	53.8	142	146	0	29	29
2025	3	13	18	25	11	0.778	-0.043	2.963	0.013	0.01	0	49.5	51.6	70.1	143	148	0	28	28
2025	3	13	18	35	11	0.755	-0.046	2.959	0.013	0.01	0	49.5	51.6	71	143	148	0	28	28
2025	3	13	18	45	11	0.745	-0.069	2.959	0.016	0.013	0	50.3	51.6	71.8	145	149	0	28	29
2025	3	13	18	55	11	0.735	-0.049	2.963	0.016	0.013	0	50.3	52	72.2	145	150	0	28	29
2025	3	13	19	5	11	0.761	-0.072	2.963	0.016	0.016	0	50.3	51.6	72.7	145	149	0	28	29
2025	3	13	19	15	11	0.745	-0.085	2.959	0.016	0.013	0	50.3	52.5	72.7	145	150	0	28	28
2025	3	13	19	25	11	0.781	-0.046	2.959	0.016	0.013	0	50.7	52	72.7	145	150	0	27	29
2025	3	13	19	35	11	0.732	-0.026	2.959	0.016	0.013	0	51.2	52.5	72.2	146	150	0	27	28
2025	3	13	19	45	11	0.741	-0.043	2.959	0.013	0.01	0	50.3	52	72.2	145	150	0	28	29
2025	3	13	19	55	11	0.758	-0.069	2.959	0.016	0.013	0	50.3	52	71.8	145	150	0	28	29
2025	3	13	20	5	11	0.712	-0.043	2.959	0.016	0.016	0	51.2	52.5	67.5	146	150	0	27	28
2025	3	13	20	15	11	0.768	-0.049	2.959	0.013	0.01	0	50.7	52.5	71.8	146	150	0	28	28
2025	3	13	20	25	11	0.741	-0.023	2.959	0.016	0.016	0	51.2	52.5	71.8	146	151	0	27	29
2025	3	13	20	35	11	0.751	-0.082	2.959	0.016	0.016	0	50.7	52.9	71	146	151	0	28	28
2025	3	13	20	45	11	0.764	-0.056	2.959	0.013	0.01	0	50.3	52.5	71	145	150	0	28	28
2025	3	13	20	55	11	0.764	-0.072	2.959	0.016	0.016	0	50.3	52	71	145	150	0	28	29
2025	3	13	21	5	11	0.738	-0.056	2.959	0.016	0.013	0	50.7	52.5	71	146	151	0	28	29
2025	3	13	21	15	11	0.738	-0.092	2.959	0.016	0.013	0	50.3	52.5	71.4	146	150	0	29	28
2025	3	13	21	25	11	0.748	-0.085	2.959	0.016	0.016	0	50.3	52.9	71	145	151	0	28	28
2025	3	13	21	35	11	0.758	-0.046	2.959	0.016	0.016	0	50.7	52.5	69.2	146	151	0	28	29
2025	3	13	21	45	11	0.745	-0.075	2.959	0.016	0.016	0	50.3	52	70.5	145	150	0	28	29
2025	3	13	21	55	11	0.771	-0.075	2.959	0.013	0.01	0	50.3	52	68.8	145	150	0	28	29
2025	3	13	22	5	11	0.768	-0.072	2.959	0.016	0.016	0	49.9	52	70.5	144	150	0	28	29
2025	3	13	22	15	11	0.774	-0.043	2.959	0.016	0.013	0	49.5	52.5	61.5	144	150	0	29	28
2025	3	13	22	25	11	0.732	-0.052	2.959	0.016	0.013	0	49.5	52	63.2	144	150	0	29	29
2025	3	13	22	35	11	0.702	-0.066	2.956	0.016	0.016	0	49.9	52	48.2	144	149	0	28	28
2025	3	13	22	45	11	0.755	-0.059	2.956	0.016	0.016	0	49.9	52	50.3	144	149	0	28	28
2025	3	13	22	55	11	0.768	-0.062	2.956	0.016	0.016	0	49.9	52	58.5	144	149	0	28	28
2025	3	13	23	5	11	0.745	-0.049	2.956	0.016	0.013	0	50.3	51.6	71.8	144	149	0	27	29
2025	3	13	23	15	11	0.741	-0.069	2.956	0.016	0.013	0	49.9	51.6	71.8	144	149	0	28	29
2025	3	13	23	25	11	0.761	-0.059	2.956	0.016	0.013	0	49.9	51.6	71	144	149	0	28	29
2025	3	13	23	35	11	0.735	-0.043	2.956	0.016	0.013	0	49.9	52	71.4	144	149	0	28	28
2025	3	13	23	45	11	0.761	-0.079	2.956	0.016	0.013	0	49.9	51.6	69.7	144	149	0	28	29
2025	3	13	23	55	11	0.725	-0.046	2.956	0.013	0.01	0	49.9	52	67.5	144	149	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	14	0	5	11	0.774	-0.059	2.956	0.016	0.013	0	49.9	52	70.5	144	149	0	28	28
2025	3	14	0	15	11	0.751	-0.089	2.956	0.016	0.013	0	49	51.6	71	143	149	0	29	29
2025	3	14	0	25	11	0.745	-0.059	2.956	0.013	0.01	0	49.9	51.6	69.7	144	149	0	28	29
2025	3	14	0	35	11	0.758	-0.085	2.956	0.016	0.016	0	49.5	51.2	70.1	143	148	0	28	29
2025	3	14	0	45	11	0.745	-0.056	2.956	0.016	0.016	0	49.9	52	69.7	144	149	0	28	28
2025	3	14	0	55	11	0.728	-0.072	2.956	0.016	0.013	0	49.5	51.2	70.1	143	148	0	28	29
2025	3	14	1	5	11	0.715	-0.056	2.956	0.013	0.01	0	49.5	51.2	71	143	148	0	28	29
2025	3	14	1	15	11	0.751	-0.052	2.956	0.016	0.013	0	49.5	51.2	70.5	143	148	0	28	29
2025	3	14	1	25	11	0.725	-0.072	2.956	0.016	0.013	0	49.5	51.6	70.1	143	148	0	28	28
2025	3	14	1	35	11	0.735	-0.062	2.956	0.016	0.016	0	49.5	51.2	70.5	143	148	0	28	29
2025	3	14	1	45	11	0.758	-0.066	2.956	0.016	0.013	0	49.5	50.7	70.1	143	147	0	28	29
2025	3	14	1	55	11	0.738	-0.082	2.956	0.016	0.013	0	48.6	50.7	70.1	142	147	0	29	29
2025	3	14	2	5	11	0.761	-0.069	2.956	0.013	0.01	0	49	50.7	70.1	142	147	0	28	29
2025	3	14	2	15	11	0.732	-0.095	2.956	0.016	0.016	0	49	50.7	70.1	142	147	0	28	29
2025	3	14	2	25	11	0.751	-0.056	2.953	0.013	0.01	0	49	51.2	70.1	142	147	0	28	28
2025	3	14	2	35	11	0.735	-0.079	2.956	0.016	0.013	0	49	51.2	69.7	142	147	0	28	28
2025	3	14	2	45	11	0.719	-0.082	2.956	0.016	0.013	0	48.6	50.3	70.1	141	146	0	28	29
2025	3	14	2	55	11	0.761	-0.056	2.956	0.016	0.013	0	48.6	50.3	70.5	141	146	0	28	29
2025	3	14	3	5	11	0.787	-0.046	2.956	0.016	0.016	0	48.2	50.3	70.1	141	146	0	29	29
2025	3	14	3	15	11	0.797	-0.069	2.959	0.016	0.013	0	47.7	50.3	70.1	140	145	0	29	28
2025	3	14	3	25	11	0.728	-0.098	2.959	0.016	0.016	0	48.2	49.9	70.5	140	145	0	28	29
2025	3	14	3	35	11	0.774	-0.095	2.959	0.016	0.013	0	48.2	49.9	70.1	140	145	0	28	29
2025	3	14	3	45	11	0.725	-0.059	2.959	0.016	0.016	0	47.7	49.9	70.1	140	145	0	29	29
2025	3	14	3	55	11	0.735	-0.066	2.959	0.016	0.016	0	48.2	49.9	69.7	140	145	0	28	29
2025	3	14	4	5	11	0.774	-0.069	2.963	0.016	0.013	0	48.2	49.9	70.5	140	145	0	28	29
2025	3	14	4	15	11	0.761	-0.043	2.963	0.013	0.01	0	47.7	49.9	70.5	139	145	0	28	29
2025	3	14	4	25	11	0.771	-0.069	2.963	0.016	0.013	0	47.7	49.9	71	140	145	0	29	29
2025	3	14	4	35	11	0.758	-0.059	2.963	0.013	0.01	0	47.3	49.5	71	139	144	0	29	29
2025	3	14	4	45	11	0.735	-0.082	2.963	0.013	0.01	0	48.2	49.9	70.5	140	145	0	28	29
2025	3	14	4	55	11	0.774	-0.072	2.963	0.016	0.013	0	47.7	49.9	71	139	145	0	28	29
2025	3	14	5	5	11	0.735	-0.075	2.963	0.02	0.016	0	47.7	49.5	70.5	139	144	0	28	29
2025	3	14	5	15	11	0.738	-0.02	2.963	0.013	0.01	0	47.7	49.9	71	139	144	0	28	28
2025	3	14	5	25	11	0.751	-0.059	2.963	0.016	0.016	0	47.3	49.5	70.5	139	144	0	29	29
2025	3	14	5	35	11	0.732	-0.056	2.963	0.016	0.013	0	47.7	49.5	71	139	144	0	28	29
2025	3	14	5	45	11	0.778	-0.069	2.963	0.013	0.01	0	47.3	49.5	71	138	144	0	28	29
2025	3	14	5	55	11	0.735	-0.082	2.963	0.016	0.013	0	47.3	49.5	71	138	144	0	28	29
2025	3	14	6	5	11	0.748	-0.046	2.963	0.016	0.013	0	46.9	49	71.4	138	143	0	29	29
2025	3	14	6	15	11	0.751	-0.069	2.963	0.016	0.013	0	47.3	49	71.4	138	143	0	28	29
2025	3	14	6	25	11	0.778	-0.049	2.963	0.016	0.016	0	46.9	49	71.8	137	143	0	28	29
2025	3	14	6	35	11	0.735	-0.069	2.963	0.013	0.01	0	46.4	48.6	71.8	137	142	0	29	29
2025	3	14	6	45	11	0.755	-0.069	2.959	0.016	0.016	0	46.4	48.2	71.8	137	142	0	29	30
2025	3	14	6	55	11	0.781	-0.052	2.963	0.016	0.013	0	46	48.6	72.7	136	142	0	29	29
2025	3	14	7	5	11	0.755	-0.066	2.959	0.016	0.016	0	46.4	48.2	71.8	136	141	0	28	29
2025	3	14	7	15	11	0.741	-0.095	2.959	0.016	0.013	0	46	47.7	71.8	135	140	0	28	29
2025	3	14	7	25	11	0.755	-0.066	2.959	0.016	0.013	0	45.2	47.7	72.2	134	140	0	29	29
2025	3	14	7	35	11	0.705	-0.043	2.959	0.016	0.013	0	45.2	47.3	72.7	134	139	0	29	29
2025	3	14	7	45	11	0.755	-0.085	2.959	0.016	0.013	0	45.6	47.3	66.7	134	139	0	28	29
2025	3	14	7	55	11	0.768	-0.075	2.959	0.016	0.013	0	44.7	47.3	70.5	133	139	0	29	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	14	8	5	11	0.781	-0.052	2.959	0.016	0.013	0	45.6	46.9	71.8	134	139	0	28	30
2025	3	14	8	15	11	0.768	-0.066	2.956	0.013	0.01	0	45.2	47.3	69.2	133	139	0	28	29
2025	3	14	8	25	11	0.722	-0.069	2.953	0.016	0.013	0	44.7	46.9	59.3	133	138	0	29	29
2025	3	14	8	35	11	0.755	-0.056	2.953	0.016	0.013	0	44.7	46.9	51.6	132	138	0	28	29
2025	3	14	8	45	11	0.758	-0.089	2.956	0.016	0.013	0	45.2	47.3	61.9	134	139	0	29	29
2025	3	14	8	55	11	0.764	-0.082	2.959	0.016	0.013	0	45.2	46.9	71.4	134	139	0	29	30
2025	3	14	9	5	11	0.732	-0.056	2.959	0.013	0.01	0	45.2	47.3	72.7	133	139	0	28	29
2025	3	14	9	15	11	0.735	-0.075	2.959	0.013	0.01	0	45.2	47.3	70.5	134	140	0	29	30
2025	3	14	9	25	11	0.768	-0.072	2.959	0.01	0.007	0	46	47.3	70.1	134	139	0	27	29
2025	3	14	9	35	11	0.728	-0.056	2.953	0.016	0.016	0	46	47.7	51.2	136	141	0	29	30
2025	3	14	9	45	11	0.741	-0.072	2.953	0.016	0.013	0	46	48.2	49	135	141	0	28	29
2025	3	14	9	55	11	0.751	-0.095	2.956	0.016	0.013	0	46.4	48.6	63.6	136	141	0	28	28
2025	3	14	10	5	11	0.784	-0.023	2.956	0.016	0.016	0	45.2	47.3	71.4	134	139	0	29	29
2025	3	14	10	15	11	0.715	-0.049	2.959	0.013	0.01	0	45.6	47.3	68.8	135	140	0	29	30
2025	3	14	10	25	11	0.758	-0.049	2.953	0.016	0.013	0	46.4	48.2	58.5	136	141	0	28	29
2025	3	14	10	35	11	0.725	-0.108	2.956	0.016	0.016	0	46.4	48.2	62.4	136	141	0	28	29
2025	3	14	10	45	11	0.719	-0.082	2.959	0.016	0.013	0	46	47.7	71	135	140	0	28	29
2025	3	14	10	55	11	0.774	-0.079	2.956	0.01	0.007	0	46	48.2	58.5	136	141	0	29	29
2025	3	14	11	5	11	0.761	-0.016	2.959	0.016	0.016	0	46.9	48.6	70.1	138	143	0	29	30
2025	3	14	11	15	11	0.761	-0.092	2.959	0.016	0.013	0	46	48.6	71	136	142	0	29	29
2025	3	14	11	25	11	0.758	-0.066	2.959	0.016	0.016	0	46	47.7	68.4	135	140	0	28	29
2025	3	14	11	35	11	0.722	-0.072	2.959	0.016	0.013	0	45.2	48.2	67.5	134	140	0	29	28
2025	3	14	11	45	11	0.725	-0.085	2.959	0.01	0.007	0	46	49	71	136	142	0	29	28
2025	3	14	11	55	11	0.748	-0.089	2.953	0.016	0.013	0	46	47.3	70.1	135	140	0	28	30
2025	3	14	12	5	11	0.751	-0.052	2.956	0.016	0.013	0	46.4	48.6	45.6	136	142	0	28	29
2025	3	14	12	15	11	0.712	-0.079	2.956	0.013	0.01	0	46.4	48.6	46	136	141	0	28	28
2025	3	14	12	25	11	0.738	-0.069	2.959	0.016	0.013	0	46	48.2	43.4	135	141	0	28	29
2025	3	14	12	35	11	0.722	-0.039	2.953	0.016	0.013	0	46	48.2	47.7	135	141	0	28	29
2025	3	14	12	45	11	0.735	-0.056	2.953	0.013	0.01	0	46.4	48.6	59.3	136	141	0	28	28
2025	3	14	12	55	11	0.771	-0.079	2.959	0.016	0.016	0	45.6	47.3	46	134	139	0	28	29
2025	3	14	13	5	11	0.735	-0.079	2.956	0.013	0.01	0	46.4	48.2	47.7	136	141	0	28	29
2025	3	14	13	15	11	0.761	-0.069	2.959	0.013	0.01	0	45.6	46.9	43.9	134	138	0	28	29
2025	3	14	13	25	11	0.705	-0.085	2.956	0.013	0.01	0	44.7	46.9	43.9	132	138	0	28	29
2025	3	14	13	35	11	0.705	-0.059	2.959	0.016	0.013	0	45.6	46.9	46	133	138	0	27	29
2025	3	14	13	45	11	0.755	-0.092	2.959	0.013	0.01	0	44.7	46.4	44.7	132	137	0	28	29
2025	3	14	13	55	11	0.745	-0.052	2.956	0.016	0.013	0	45.2	47.3	50.3	133	139	0	28	29
2025	3	14	14	5	11	0.748	-0.033	2.959	0.016	0.013	0	45.2	47.7	44.7	134	140	0	29	29
2025	3	14	14	15	11	0.709	-0.062	2.963	0.016	0.013	0	45.6	47.7	44.7	135	140	0	29	29
2025	3	14	14	25	11	0.728	-0.056	2.959	0.013	0.01	0	45.6	46.9	45.2	134	139	0	28	30
2025	3	14	14	35	11	0.728	-0.089	2.956	0.016	0.013	0	44.7	46.9	48.2	132	138	0	28	29
2025	3	14	14	45	11	0.771	-0.072	2.959	0.016	0.013	0	46.9	49	45.2	137	142	0	28	28
2025	3	14	14	55	11	0.771	-0.069	2.956	0.013	0.01	0	45.6	47.3	72.2	134	139	0	28	29
2025	3	14	15	5	11	0.758	-0.062	2.956	0.016	0.013	0	46.4	48.2	71.8	136	141	0	28	29
2025	3	14	15	15	11	0.784	-0.082	2.956	0.016	0.013	0	46	48.2	48.6	135	141	0	28	29
2025	3	14	15	25	11	0.758	-0.049	2.956	0.016	0.013	0	46	48.2	59.3	135	141	0	28	29
2025	3	14	15	35	11	0.735	-0.052	2.956	0.016	0.013	0	45.6	47.3	62.8	134	139	0	28	29
2025	3	14	15	45	11	0.758	-0.072	2.956	0.013	0.01	0	45.2	47.3	48.6	133	139	0	28	29
2025	3	14	15	55	11	0.738	-0.082	2.959	0.016	0.013	0	45.6	47.7	46	134	139	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	14	16	5	11	0.764	-0.098	2.959	0.016	0.013	0	46	47.7	46	135	140	0	28	29
2025	3	14	16	15	11	0.758	-0.112	2.956	0.013	0.01	0	45.6	47.7	47.7	134	140	0	28	29
2025	3	14	16	25	11	0.745	-0.052	2.956	0.016	0.013	0	46	47.7	52	135	140	0	28	29
2025	3	14	16	35	11	0.751	-0.043	2.953	0.016	0.013	0	45.6	48.2	57.6	134	140	0	28	28
2025	3	14	16	45	11	0.715	-0.082	2.953	0.016	0.016	0	45.6	48.2	63.6	134	140	0	28	28
2025	3	14	16	55	11	0.728	-0.069	2.953	0.013	0.01	0	46	48.2	63.6	135	141	0	28	29
2025	3	14	17	5	11	0.758	-0.052	2.953	0.01	0.007	0	45.6	47.3	56.8	134	139	0	28	29
2025	3	14	17	15	11	0.735	-0.072	2.953	0.016	0.013	0	45.6	47.7	67.9	134	140	0	28	29
2025	3	14	17	25	11	0.741	-0.075	2.953	0.016	0.013	0	45.6	47.7	60.6	134	140	0	28	29
2025	3	14	17	35	11	0.745	-0.023	2.953	0.016	0.016	0	45.6	47.3	72.7	134	139	0	28	29
2025	3	14	17	45	11	0.748	-0.066	2.953	0.013	0.01	0	45.6	47.3	73.1	134	139	0	28	29
2025	3	14	17	55	11	0.745	-0.062	2.953	0.013	0.01	0	45.2	47.3	72.7	133	139	0	28	29
2025	3	14	18	5	11	0.748	-0.033	2.953	0.016	0.013	0	46	47.7	71.4	134	139	0	27	28
2025	3	14	18	15	11	0.758	-0.059	2.953	0.016	0.013	0	45.6	48.2	73.5	134	140	0	28	28
2025	3	14	18	25	11	0.748	-0.092	2.953	0.016	0.013	0	46	47.7	72.2	135	140	0	28	29
2025	3	14	18	35	11	0.758	-0.082	2.949	0.013	0.01	0	46	48.2	72.7	135	141	0	28	29
2025	3	14	18	45	11	0.741	-0.043	2.949	0.013	0.01	0	46.9	49	67.1	137	143	0	28	29
2025	3	14	18	55	11	0.728	-0.075	2.949	0.016	0.013	0	46.9	49	72.2	137	143	0	28	29
2025	3	14	19	5	11	0.755	-0.079	2.949	0.013	0.01	0	47.3	49.5	71.8	138	144	0	28	29
2025	3	14	19	15	11	0.748	-0.056	2.949	0.016	0.013	0	47.3	49	72.2	138	143	0	28	29
2025	3	14	19	25	11	0.745	-0.069	2.949	0.016	0.013	0	47.7	49.9	72.7	139	144	0	28	28
2025	3	14	19	35	11	0.728	-0.043	2.949	0.016	0.016	0	47.3	49.5	71.4	138	144	0	28	29
2025	3	14	19	45	11	0.712	-0.036	2.949	0.013	0.01	0	46.9	49.5	72.2	138	144	0	29	29
2025	3	14	19	55	11	0.728	-0.082	2.949	0.016	0.016	0	47.7	49.5	72.7	139	144	0	28	29
2025	3	14	20	5	11	0.715	-0.049	2.946	0.016	0.013	0	47.7	49.5	72.2	139	144	0	28	29
2025	3	14	20	15	11	0.738	-0.105	2.946	0.016	0.013	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	14	20	25	11	0.745	-0.062	2.946	0.016	0.013	0	46.9	49.5	73.1	138	144	0	29	29
2025	3	14	20	35	11	0.751	-0.066	2.946	0.016	0.016	0	47.7	49.9	72.7	139	145	0	28	29
2025	3	14	20	45	11	0.748	-0.069	2.946	0.013	0.01	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	14	20	55	11	0.751	-0.046	2.946	0.016	0.016	0	47.3	49.5	73.1	138	144	0	28	29
2025	3	14	21	5	11	0.797	-0.072	2.946	0.016	0.013	0	46.9	49.5	72.2	138	144	0	29	29
2025	3	14	21	15	11	0.738	-0.056	2.946	0.013	0.01	0	47.7	49.9	73.1	139	144	0	28	28
2025	3	14	21	25	11	0.712	-0.062	2.946	0.016	0.013	0	47.7	49.5	72.7	139	144	0	28	29
2025	3	14	21	35	11	0.735	-0.082	2.946	0.016	0.016	0	47.3	49.5	72.7	139	144	0	29	29
2025	3	14	21	45	11	0.761	-0.046	2.946	0.016	0.013	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	14	21	55	11	0.692	-0.03	2.946	0.016	0.013	0	48.2	49.9	72.7	140	145	0	28	29
2025	3	14	22	5	11	0.735	-0.056	2.946	0.016	0.016	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	14	22	15	11	0.764	-0.069	2.943	0.01	0.007	0	47.3	49	72.7	138	143	0	28	29
2025	3	14	22	25	11	0.745	-0.056	2.943	0.016	0.016	0	46.9	49	72.2	138	143	0	29	29
2025	3	14	22	35	11	0.719	-0.069	2.943	0.016	0.013	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	14	22	45	11	0.758	-0.059	2.943	0.016	0.013	0	46.9	49	72.7	138	143	0	29	29
2025	3	14	22	55	11	0.732	-0.056	2.943	0.016	0.013	0	47.3	49.5	72.2	138	144	0	28	29
2025	3	14	23	5	11	0.732	-0.062	2.943	0.013	0.01	0	47.3	49	72.7	138	143	0	28	29
2025	3	14	23	15	11	0.738	-0.079	2.943	0.016	0.013	0	46.9	49	72.2	137	143	0	28	29
2025	3	14	23	25	11	0.728	-0.079	2.94	0.016	0.013	0	46.9	49	73.1	137	143	0	28	29
2025	3	14	23	35	11	0.768	-0.075	2.94	0.013	0.01	0	46.4	49	72.2	137	143	0	29	29
2025	3	14	23	45	11	0.764	-0.095	2.94	0.016	0.013	0	46.4	48.6	72.7	137	142	0	29	29
2025	3	14	23	55	11	0.745	-0.066	2.94	0.013	0.01	0	46.9	49	72.7	137	143	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	15	0	5	11	0.715	-0.056	2.94	0.016	0.013	0	46.4	49	72.7	136	143	0	28	29
2025	3	15	0	15	11	0.725	-0.072	2.94	0.016	0.013	0	46	48.2	72.2	136	142	0	29	30
2025	3	15	0	25	11	0.719	-0.056	2.94	0.016	0.013	0	46	48.6	72.2	136	142	0	29	29
2025	3	15	0	35	11	0.758	-0.072	2.94	0.016	0.016	0	46	48.6	72.7	136	142	0	29	29
2025	3	15	0	45	11	0.728	-0.059	2.94	0.016	0.013	0	46	48.2	72.7	135	141	0	28	29
2025	3	15	0	55	11	0.761	-0.069	2.94	0.016	0.016	0	45.6	48.2	72.2	135	141	0	29	29
2025	3	15	1	5	11	0.745	-0.069	2.936	0.016	0.013	0	46	49	72.2	136	142	0	29	28
2025	3	15	1	15	11	0.755	-0.043	2.936	0.016	0.016	0	45.6	47.3	72.7	135	140	0	29	30
2025	3	15	1	25	11	0.682	-0.039	2.936	0.016	0.013	0	45.6	48.2	72.7	135	141	0	29	29
2025	3	15	1	35	11	0.728	-0.066	2.936	0.016	0.013	0	45.6	48.2	72.2	135	141	0	29	29
2025	3	15	1	45	11	0.725	-0.033	2.936	0.016	0.016	0	45.6	47.7	72.2	135	140	0	29	29
2025	3	15	1	55	11	0.764	-0.085	2.936	0.013	0.01	0	45.2	47.7	72.7	134	140	0	29	29
2025	3	15	2	5	11	0.715	-0.069	2.936	0.016	0.016	0	46	48.2	72.2	135	141	0	28	29
2025	3	15	2	15	11	0.748	-0.066	2.936	0.016	0.013	0	46	48.2	71.8	135	141	0	28	29
2025	3	15	2	25	11	0.745	-0.043	2.936	0.016	0.013	0	45.2	47.3	72.7	134	139	0	29	29
2025	3	15	2	35	11	0.719	-0.059	2.936	0.016	0.016	0	45.6	47.7	72.7	134	140	0	28	29
2025	3	15	2	45	11	0.735	-0.072	2.936	0.016	0.013	0	45.2	47.3	72.2	134	140	0	29	30
2025	3	15	2	55	11	0.712	-0.059	2.933	0.013	0.01	0	44.7	47.3	72.7	133	139	0	29	29
2025	3	15	3	5	11	0.761	-0.072	2.933	0.016	0.013	0	44.3	46.4	72.2	132	138	0	29	30
2025	3	15	3	15	11	0.771	-0.082	2.933	0.016	0.013	0	44.7	46.9	72.2	133	139	0	29	30
2025	3	15	3	25	11	0.732	-0.092	2.933	0.01	0.007	0	45.2	46.9	71.8	133	138	0	28	29
2025	3	15	3	35	11	0.748	-0.066	2.933	0.016	0.013	0	44.3	47.3	72.2	132	139	0	29	29
2025	3	15	3	45	11	0.735	-0.089	2.933	0.016	0.013	0	44.7	46.9	72.7	133	139	0	29	30
2025	3	15	3	55	11	0.728	-0.069	2.933	0.016	0.013	0	45.2	47.7	71.4	134	140	0	29	29
2025	3	15	4	5	11	0.702	-0.049	2.933	0.01	0.007	0	44.7	46.4	71.8	133	138	0	29	30
2025	3	15	4	15	11	0.722	-0.069	2.933	0.013	0.01	0	44.7	46.9	72.2	132	138	0	28	29
2025	3	15	4	25	11	0.709	-0.056	2.933	0.013	0.01	0	44.3	46.4	72.7	132	138	0	29	30
2025	3	15	4	35	11	0.755	-0.059	2.93	0.013	0.01	0	44.3	46.4	72.2	131	138	0	28	30
2025	3	15	4	45	11	0.732	-0.043	2.93	0.016	0.013	0	44.7	46.9	72.7	132	138	0	28	29
2025	3	15	4	55	11	0.755	-0.089	2.93	0.013	0.01	0	43.9	46.4	72.2	131	137	0	29	29
2025	3	15	5	5	11	0.722	-0.043	2.93	0.013	0.01	0	44.3	46.4	72.2	132	138	0	29	30
2025	3	15	5	15	11	0.758	-0.066	2.93	0.016	0.013	0	43.9	46	72.2	131	137	0	29	30
2025	3	15	5	25	11	0.728	-0.092	2.93	0.016	0.013	0	43.9	46	71.8	131	137	0	29	30
2025	3	15	5	35	11	0.738	-0.059	2.93	0.016	0.013	0	43.9	46.4	72.2	131	137	0	29	29
2025	3	15	5	45	11	0.715	-0.069	2.93	0.016	0.016	0	44.3	46.4	71.8	132	138	0	29	30
2025	3	15	5	55	11	0.725	-0.075	2.93	0.013	0.01	0	44.3	46.4	71.8	132	138	0	29	30
2025	3	15	6	5	11	0.738	-0.079	2.93	0.013	0.01	0	44.7	46.4	72.2	132	138	0	28	30
2025	3	15	6	15	11	0.768	-0.105	2.927	0.013	0.01	0	43.9	46.4	72.2	131	137	0	29	29
2025	3	15	6	25	11	0.741	-0.079	2.927	0.013	0.01	0	45.2	47.7	71.8	134	140	0	29	29
2025	3	15	6	35	11	0.728	-0.036	2.927	0.016	0.016	0	44.7	46.4	71.4	132	138	0	28	30
2025	3	15	6	45	11	0.774	-0.075	2.927	0.016	0.013	0	43.9	46	72.2	131	137	0	29	30
2025	3	15	6	55	11	0.735	-0.085	2.927	0.016	0.013	0	43.4	45.6	71.8	130	136	0	29	30
2025	3	15	7	5	11	0.761	-0.079	2.927	0.016	0.013	0	43.4	45.6	72.2	130	136	0	29	30
2025	3	15	7	15	11	0.735	-0.089	2.927	0.013	0.01	0	43.4	45.6	73.1	130	136	0	29	30
2025	3	15	7	25	11	0.699	-0.069	2.927	0.013	0.01	0	43.9	46.4	72.2	131	137	0	29	29
2025	3	15	7	35	11	0.712	-0.056	2.927	0.016	0.013	0	44.3	46	73.1	132	137	0	29	30
2025	3	15	7	45	11	0.748	-0.075	2.927	0.013	0.01	0	43.9	46.4	72.7	131	137	0	29	29
2025	3	15	7	55	11	0.682	-0.069	2.927	0.016	0.013	0	43.9	45.6	73.1	131	136	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	15	8	5	11	0.768	-0.066	2.927	0.016	0.016	0	44.3	46.4	73.1	132	137	0	29	29
2025	3	15	8	15	11	0.719	-0.062	2.927	0.016	0.013	0	43.9	46	73.5	131	137	0	29	30
2025	3	15	8	25	11	0.709	-0.052	2.927	0.016	0.013	0	43.9	46	73.5	131	137	0	29	30
2025	3	15	8	35	11	0.794	-0.079	2.927	0.016	0.013	0	43.4	46	71	130	136	0	29	29
2025	3	15	8	45	11	0.732	-0.079	2.927	0.013	0.01	0	43.4	45.6	74.4	130	136	0	29	30
2025	3	15	8	55	11	0.728	-0.013	2.927	0.013	0.01	0	43.9	46	74	130	136	0	28	29
2025	3	15	9	5	11	0.728	-0.079	2.927	0.016	0.016	0	43.9	45.6	74.4	130	135	0	28	29
2025	3	15	9	15	11	0.741	-0.092	2.927	0.016	0.013	0	43.4	46.4	74.4	131	137	0	30	29
2025	3	15	9	25	11	0.745	-0.066	2.927	0.016	0.013	0	43	45.6	74.8	129	136	0	29	30
2025	3	15	9	35	11	0.778	-0.089	2.927	0.016	0.013	0	43.4	45.2	74.8	129	135	0	28	30
2025	3	15	9	45	11	0.696	-0.092	2.927	0.016	0.016	0	43.9	45.6	74.8	131	136	0	29	30
2025	3	15	9	55	11	0.738	-0.023	2.927	0.016	0.013	0	43.4	46	61.9	130	136	0	29	29
2025	3	15	10	5	11	0.745	-0.056	2.927	0.013	0.01	0	43.9	46	74.4	130	136	0	28	29
2025	3	15	10	15	11	0.702	-0.082	2.927	0.016	0.013	0	42.6	44.7	75.7	128	134	0	29	30
2025	3	15	10	25	11	0.709	-0.082	2.927	0.016	0.016	0	42.6	44.7	74.8	128	134	0	29	30
2025	3	15	10	35	11	0.761	-0.082	2.927	0.013	0.01	0	43.4	44.7	67.9	129	134	0	28	30
2025	3	15	10	45	11	0.774	-0.092	2.93	0.013	0.01	0	42.6	45.2	76.1	128	134	0	29	29
2025	3	15	10	55	11	0.719	-0.069	2.93	0.016	0.013	0	43.4	45.2	75.7	129	135	0	28	30
2025	3	15	11	5	11	0.719	-0.102	2.927	0.013	0.01	0	43.4	46	48.6	130	136	0	29	29
2025	3	15	11	15	11	0.732	-0.056	2.93	0.016	0.016	0	42.6	45.2	73.1	128	135	0	29	30
2025	3	15	11	25	11	0.732	-0.052	2.93	0.013	0.01	0	44.3	46	70.1	131	137	0	28	30
2025	3	15	11	35	11	0.702	-0.049	2.93	0.016	0.013	0	43.9	46.4	74.4	131	137	0	29	29
2025	3	15	11	45	11	0.758	-0.066	2.933	0.013	0.01	0	43	45.6	72.2	129	135	0	29	29
2025	3	15	11	55	11	0.715	-0.075	2.933	0.016	0.013	0	43.9	45.6	74.8	130	135	0	28	29
2025	3	15	12	5	11	0.784	-0.066	2.933	0.016	0.016	0	43.4	45.6	70.1	130	136	0	29	30
2025	3	15	12	15	11	0.702	-0.098	2.933	0.013	0.01	0	44.3	46	74	131	136	0	28	29
2025	3	15	12	25	11	0.741	-0.007	2.933	0.016	0.013	0	43.4	46	74	130	136	0	29	29
2025	3	15	12	35	11	0.732	-0.026	2.93	0.013	0.01	0	43.9	46.4	49.9	130	137	0	28	29
2025	3	15	12	45	11	0.709	-0.039	2.933	0.016	0.013	0	44.3	47.3	70.5	132	139	0	29	29
2025	3	15	12	55	11	0.722	-0.069	2.93	0.016	0.013	0	44.7	47.3	47.3	133	139	0	29	29
2025	3	15	13	5	11	0.728	-0.046	2.93	0.013	0.01	0	45.6	47.7	54.6	134	140	0	28	29
2025	3	15	13	15	11	0.745	-0.056	2.93	0.016	0.016	0	44.3	47.3	46.9	132	139	0	29	29
2025	3	15	13	25	11	0.741	-0.075	2.93	0.016	0.016	0	44.7	47.7	63.6	133	140	0	29	29
2025	3	15	13	35	11	0.755	-0.082	2.927	0.013	0.01	0	45.6	47.3	44.7	134	140	0	28	30
2025	3	15	13	45	11	0.745	-0.059	2.93	0.016	0.016	0	45.2	47.7	49.9	133	140	0	28	29
2025	3	15	13	55	11	0.728	-0.069	2.927	0.016	0.013	0	45.6	48.2	44.7	134	141	0	28	29
2025	3	15	14	5	11	0.758	-0.066	2.927	0.016	0.013	0	46.4	47.7	48.2	135	141	0	27	30
2025	3	15	14	15	11	0.719	-0.02	2.927	0.016	0.013	0	46	48.6	47.3	135	142	0	28	29
2025	3	15	14	25	11	0.728	-0.082	2.927	0.013	0.01	0	46	48.2	46.4	135	141	0	28	29
2025	3	15	14	35	11	0.748	-0.046	2.927	0.016	0.016	0	45.6	48.2	57.6	134	141	0	28	29
2025	3	15	14	45	11	0.722	-0.072	2.927	0.016	0.013	0	45.6	48.2	47.7	135	141	0	29	29
2025	3	15	14	55	11	0.732	-0.072	2.927	0.013	0.01	0	46	49	43.9	136	143	0	29	29
2025	3	15	15	5	11	0.709	-0.072	2.927	0.016	0.013	0	46.4	49	68.8	136	143	0	28	29
2025	3	15	15	15	11	0.741	-0.085	2.927	0.016	0.013	0	46.9	49	46.9	137	143	0	28	29
2025	3	15	15	25	11	0.712	-0.102	2.927	0.016	0.016	0	46	48.2	47.3	135	141	0	28	29
2025	3	15	15	35	11	0.699	-0.069	2.927	0.016	0.013	0	46.4	49	43.9	136	143	0	28	29
2025	3	15	15	45	11	0.686	-0.066	2.927	0.016	0.016	0	46.4	49	44.7	136	143	0	28	29
2025	3	15	15	55	11	0.725	-0.059	2.93	0.013	0.01	0	46.4	49	49	136	143	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	15	16	5	11	0.741	-0.039	2.927	0.016	0.013	0	46.9	49.5	46.4	137	143	0	28	28
2025	3	15	16	15	11	0.702	-0.082	2.93	0.016	0.013	0	46.9	49	47.3	137	143	0	28	29
2025	3	15	16	25	11	0.722	-0.072	2.927	0.016	0.013	0	46.9	49	46.4	137	143	0	28	29
2025	3	15	16	35	11	0.741	-0.072	2.927	0.016	0.013	0	46.9	48.6	45.2	137	142	0	28	29
2025	3	15	16	45	11	0.732	-0.072	2.927	0.016	0.013	0	46.9	48.6	48.6	136	142	0	27	29
2025	3	15	16	55	11	0.712	-0.072	2.93	0.02	0.016	0	46.4	49	45.2	136	142	0	28	28
2025	3	15	17	5	11	0.748	-0.056	2.93	0.013	0.01	0	46	48.2	48.6	135	141	0	28	29
2025	3	15	17	15	11	0.751	-0.082	2.927	0.016	0.013	0	45.6	47.7	47.7	134	140	0	28	29
2025	3	15	17	25	11	0.761	-0.082	2.93	0.016	0.013	0	44.7	48.2	45.2	133	140	0	29	28
2025	3	15	17	35	11	0.725	-0.066	2.927	0.016	0.016	0	45.6	47.3	47.7	134	140	0	28	30
2025	3	15	17	45	11	0.745	-0.072	2.927	0.016	0.016	0	46	48.2	64.9	135	141	0	28	29
2025	3	15	17	55	11	0.751	-0.075	2.927	0.016	0.013	0	46	48.6	70.1	135	141	0	28	28
2025	3	15	18	5	11	0.728	-0.072	2.927	0.013	0.01	0	46	48.2	71.4	135	141	0	28	29
2025	3	15	18	15	11	0.728	-0.046	2.927	0.013	0.01	0	46.4	48.6	71	136	141	0	28	28
2025	3	15	18	25	11	0.722	-0.052	2.927	0.016	0.013	0	46.9	49	72.7	137	143	0	28	29
2025	3	15	18	35	11	0.741	-0.046	2.927	0.016	0.013	0	46.9	49.9	69.2	138	144	0	29	28
2025	3	15	18	45	11	0.755	-0.075	2.923	0.016	0.016	0	47.3	49.9	50.7	138	144	0	28	28
2025	3	15	18	55	11	0.741	-0.039	2.923	0.016	0.013	0	47.7	49.9	54.2	139	144	0	28	28
2025	3	15	19	5	11	0.712	-0.069	2.927	0.016	0.016	0	47.3	49.9	68.4	138	144	0	28	28
2025	3	15	19	15	11	0.712	-0.079	2.927	0.016	0.013	0	47.3	49.5	72.7	138	144	0	28	29
2025	3	15	19	25	11	0.741	-0.052	2.927	0.016	0.013	0	47.7	49.5	72.7	139	144	0	28	29
2025	3	15	19	35	11	0.728	-0.066	2.923	0.02	0.016	0	47.7	50.7	72.7	139	146	0	28	28
2025	3	15	19	45	11	0.758	-0.072	2.923	0.02	0.016	0	47.7	50.3	72.2	140	146	0	29	29
2025	3	15	19	55	11	0.732	-0.062	2.923	0.016	0.013	0	48.2	50.3	72.2	140	146	0	28	29
2025	3	15	20	5	11	0.719	-0.075	2.923	0.013	0.01	0	48.6	50.3	72.2	141	146	0	28	29
2025	3	15	20	15	11	0.728	-0.082	2.923	0.013	0.01	0	48.2	50.7	72.7	140	147	0	28	29
2025	3	15	20	25	11	0.741	-0.112	2.923	0.02	0.016	0	48.2	50.7	71.8	140	147	0	28	29
2025	3	15	20	35	11	0.719	-0.049	2.923	0.016	0.016	0	48.6	51.2	71.8	141	148	0	28	29
2025	3	15	20	45	11	0.702	-0.059	2.92	0.013	0.01	0	48.6	51.2	71.8	141	147	0	28	28
2025	3	15	20	55	11	0.692	-0.039	2.923	0.016	0.013	0	49	51.2	71.4	142	148	0	28	29
2025	3	15	21	5	11	0.748	-0.052	2.92	0.016	0.016	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	21	15	11	0.715	-0.089	2.92	0.016	0.013	0	48.6	51.6	71.4	141	148	0	28	28
2025	3	15	21	25	11	0.722	-0.072	2.92	0.013	0.01	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	21	35	11	0.735	-0.085	2.92	0.016	0.016	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	21	45	11	0.755	-0.056	2.92	0.016	0.013	0	49.5	51.2	71.8	142	148	0	27	29
2025	3	15	21	55	11	0.722	-0.052	2.92	0.013	0.01	0	49	52	71.8	142	149	0	28	28
2025	3	15	22	5	11	0.705	-0.039	2.92	0.016	0.013	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	22	15	11	0.719	-0.072	2.92	0.016	0.016	0	48.6	51.6	71.4	142	148	0	29	28
2025	3	15	22	25	11	0.748	-0.043	2.92	0.016	0.013	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	22	35	11	0.758	-0.089	2.92	0.016	0.013	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	22	45	11	0.682	-0.026	2.917	0.016	0.013	0	49	51.2	72.2	142	148	0	28	29
2025	3	15	22	55	11	0.745	-0.085	2.917	0.016	0.013	0	48.6	51.2	71.4	141	148	0	28	29
2025	3	15	23	5	11	0.745	-0.059	2.917	0.016	0.016	0	49	51.2	71.4	141	148	0	27	29
2025	3	15	23	15	11	0.722	-0.056	2.917	0.02	0.016	0	48.6	51.2	71.4	141	148	0	28	29
2025	3	15	23	25	11	0.712	-0.102	2.917	0.016	0.016	0	49	51.2	71.8	142	148	0	28	29
2025	3	15	23	35	11	0.751	-0.052	2.917	0.016	0.016	0	47.7	50.7	72.2	140	147	0	29	29
2025	3	15	23	45	11	0.738	-0.066	2.917	0.016	0.016	0	48.6	50.7	71.8	141	147	0	28	29
2025	3	15	23	55	11	0.738	-0.069	2.917	0.016	0.013	0	48.2	50.7	71.8	140	147	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	16	0	5	11	0.725	-0.082	2.917	0.02	0.016	0	48.2	50.7	71.4	140	147	0	28	29
2025	3	16	0	15	11	0.741	-0.056	2.913	0.016	0.013	0	48.2	50.7	71.8	140	147	0	28	29
2025	3	16	0	25	11	0.764	-0.066	2.913	0.02	0.016	0	48.2	50.7	71.4	140	146	0	28	28
2025	3	16	0	35	11	0.738	-0.056	2.913	0.013	0.01	0	48.2	51.2	71	140	147	0	28	28
2025	3	16	0	45	11	0.725	-0.089	2.913	0.016	0.013	0	48.2	50.3	71.8	140	146	0	28	29
2025	3	16	0	55	11	0.755	-0.069	2.913	0.023	0.02	0	48.2	50.7	72.7	140	146	0	28	28
2025	3	16	1	5	11	0.722	-0.049	2.913	0.013	0.01	0	47.3	50.3	72.2	139	146	0	29	29
2025	3	16	1	15	11	0.719	-0.003	2.913	0.013	0.01	0	48.2	50.3	71.8	140	146	0	28	29
2025	3	16	1	25	11	0.705	-0.098	2.913	0.016	0.016	0	47.7	50.3	71.8	139	146	0	28	29
2025	3	16	1	35	11	0.735	-0.066	2.913	0.016	0.013	0	47.3	50.3	71.8	139	146	0	29	29
2025	3	16	1	45	11	0.732	-0.059	2.913	0.013	0.01	0	47.3	50.3	71.8	139	146	0	29	29
2025	3	16	1	55	11	0.751	-0.039	2.913	0.016	0.013	0	47.3	50.3	71.8	138	146	0	28	29
2025	3	16	2	5	11	0.732	-0.066	2.913	0.016	0.013	0	47.3	50.3	71.8	138	146	0	28	29
2025	3	16	2	15	11	0.705	-0.075	2.913	0.013	0.01	0	47.3	49.9	71.8	138	145	0	28	29
2025	3	16	2	25	11	0.735	-0.072	2.913	0.016	0.013	0	47.3	49.9	71.4	138	145	0	28	29
2025	3	16	2	35	11	0.735	-0.056	2.91	0.016	0.016	0	47.7	50.3	71.4	139	146	0	28	29
2025	3	16	2	45	11	0.719	-0.036	2.91	0.013	0.01	0	46.9	50.3	70.5	138	145	0	29	28
2025	3	16	2	55	11	0.719	-0.046	2.91	0.016	0.013	0	47.3	49.9	71	138	145	0	28	29
2025	3	16	3	5	11	0.758	-0.059	2.91	0.016	0.013	0	46.9	49.5	71.4	137	144	0	28	29
2025	3	16	3	15	11	0.702	-0.046	2.91	0.016	0.013	0	46.9	49.9	70.5	138	145	0	29	29
2025	3	16	3	25	11	0.748	-0.069	2.91	0.016	0.016	0	46.9	49.9	70.5	137	145	0	28	29
2025	3	16	3	35	11	0.725	-0.066	2.91	0.016	0.013	0	46.9	49.5	64.5	137	144	0	28	29
2025	3	16	3	45	11	0.712	-0.062	2.91	0.013	0.01	0	47.3	49.9	71	138	145	0	28	29
2025	3	16	3	55	11	0.728	-0.062	2.91	0.016	0.016	0	49	52	69.7	143	150	0	29	29
2025	3	16	4	5	11	0.732	-0.072	2.91	0.016	0.013	0	47.7	50.3	69.7	139	146	0	28	29
2025	3	16	4	15	11	0.715	-0.092	2.91	0.016	0.016	0	48.2	50.7	68.8	140	147	0	28	29
2025	3	16	4	25	11	0.702	-0.072	2.91	0.01	0.007	0	46.4	49.9	68.8	137	145	0	29	29
2025	3	16	4	35	11	0.738	-0.082	2.91	0.013	0.01	0	46.4	49.5	70.1	137	144	0	29	29
2025	3	16	4	45	11	0.732	-0.082	2.91	0.016	0.016	0	46.4	49	70.1	136	143	0	28	29
2025	3	16	4	55	11	0.771	-0.069	2.907	0.016	0.013	0	46.9	49.5	70.1	137	144	0	28	29
2025	3	16	5	5	11	0.712	-0.03	2.91	0.016	0.016	0	46.4	49	70.1	136	143	0	28	29
2025	3	16	5	15	11	0.719	-0.075	2.91	0.016	0.013	0	46	48.6	70.5	136	142	0	29	29
2025	3	16	5	25	11	0.745	-0.069	2.91	0.016	0.013	0	46	49	69.7	136	143	0	29	29
2025	3	16	5	35	11	0.728	-0.095	2.91	0.016	0.016	0	45.6	49	70.5	135	143	0	29	29
2025	3	16	5	45	11	0.741	-0.052	2.913	0.016	0.016	0	46.4	49	70.1	136	143	0	28	29
2025	3	16	5	55	11	0.712	-0.095	2.913	0.016	0.016	0	45.6	48.2	71	135	142	0	29	30
2025	3	16	6	5	11	0.712	-0.056	2.913	0.016	0.016	0	45.2	48.2	70.5	133	141	0	28	29
2025	3	16	6	15	11	0.669	-0.049	2.913	0.013	0.01	0	45.2	48.6	71	134	142	0	29	29
2025	3	16	6	25	11	0.738	-0.056	2.913	0.016	0.013	0	45.2	48.2	70.5	134	141	0	29	29
2025	3	16	6	35	11	0.751	-0.059	2.913	0.016	0.013	0	45.2	47.7	68.8	134	141	0	29	30
2025	3	16	6	45	11	0.722	-0.079	2.917	0.016	0.016	0	45.2	48.2	71	133	141	0	28	29
2025	3	16	6	55	11	0.722	-0.059	2.913	0.016	0.013	0	45.6	48.2	69.2	134	141	0	28	29
2025	3	16	7	5	11	0.745	-0.069	2.917	0.016	0.013	0	45.2	48.2	71	133	141	0	28	29
2025	3	16	7	15	11	0.725	-0.043	2.917	0.013	0.01	0	45.2	48.2	71.8	134	141	0	29	29
2025	3	16	7	25	11	0.761	-0.052	2.917	0.016	0.013	0	45.6	47.7	71.8	134	141	0	28	30
2025	3	16	7	35	11	0.755	-0.069	2.917	0.016	0.013	0	44.7	47.7	71.8	133	140	0	29	29
2025	3	16	7	45	11	0.696	-0.072	2.917	0.013	0.01	0	45.2	47.7	71.4	133	140	0	28	29
2025	3	16	7	55	11	0.764	-0.059	2.917	0.016	0.016	0	45.2	47.3	71	133	140	0	28	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	16	8	5	11	0.722	-0.056	2.917	0.016	0.016	0	45.2	48.2	71.4	133	141	0	28	29
2025	3	16	8	15	11	0.712	-0.079	2.917	0.013	0.01	0	45.2	48.2	71.8	134	141	0	29	29
2025	3	16	8	25	11	0.738	-0.085	2.913	0.016	0.013	0	45.2	48.2	70.5	134	141	0	29	29
2025	3	16	8	35	11	0.712	-0.072	2.913	0.013	0.01	0	45.2	48.2	71	133	141	0	28	29
2025	3	16	8	45	11	0.712	-0.075	2.913	0.016	0.013	0	45.2	47.7	71	134	141	0	29	30
2025	3	16	8	55	11	0.732	-0.072	2.913	0.016	0.013	0	44.3	46.9	69.7	132	139	0	29	30
2025	3	16	9	5	11	0.722	-0.062	2.91	0.013	0.01	0	45.2	48.2	71	134	141	0	29	29
2025	3	16	9	15	11	0.732	-0.082	2.91	0.016	0.013	0	44.7	47.7	61.5	133	140	0	29	29
2025	3	16	9	25	11	0.682	-0.098	2.91	0.013	0.01	0	44.7	47.7	57.6	133	140	0	29	29
2025	3	16	9	35	11	0.699	-0.108	2.91	0.016	0.013	0	45.2	47.3	55.9	133	140	0	28	30
2025	3	16	9	45	11	0.745	-0.082	2.907	0.016	0.013	0	45.2	48.2	52	134	141	0	29	29
2025	3	16	9	55	11	0.738	-0.089	2.907	0.013	0.01	0	44.7	47.7	57.2	133	140	0	29	29
2025	3	16	10	5	11	0.732	-0.052	2.91	0.01	0.007	0	46	48.6	49	135	142	0	28	29
2025	3	16	10	15	11	0.702	-0.098	2.907	0.016	0.013	0	45.6	48.2	54.6	134	141	0	28	29
2025	3	16	10	25	11	0.732	-0.069	2.907	0.013	0.01	0	46.4	49	59.3	136	143	0	28	29
2025	3	16	10	35	11	0.732	-0.069	2.907	0.016	0.016	0	45.2	48.2	52.9	134	142	0	29	30
2025	3	16	10	45	11	0.738	-0.098	2.907	0.016	0.013	0	45.2	47.7	45.2	133	140	0	28	29
2025	3	16	10	55	11	0.715	-0.082	2.907	0.016	0.013	0	45.2	48.2	52.5	133	141	0	28	29
2025	3	16	11	5	11	0.738	-0.105	2.91	0.016	0.013	0	44.7	47.3	52	133	140	0	29	30
2025	3	16	11	15	11	0.722	-0.069	2.913	0.016	0.013	0	44.7	47.7	45.6	132	140	0	28	29
2025	3	16	11	25	11	0.702	-0.056	2.91	0.016	0.013	0	44.7	47.7	47.3	133	140	0	29	29
2025	3	16	11	35	11	0.728	-0.043	2.913	0.016	0.013	0	44.7	47.3	45.6	132	139	0	28	29
2025	3	16	11	45	11	0.709	-0.125	2.91	0.016	0.013	0	45.2	48.2	48.2	133	141	0	28	29
2025	3	16	11	55	11	0.761	-0.079	2.91	0.02	0.016	0	44.7	48.2	45.6	133	141	0	29	29
2025	3	16	12	5	11	0.712	-0.052	2.91	0.016	0.013	0	45.2	48.2	44.7	133	141	0	28	29
2025	3	16	12	15	11	0.732	-0.075	2.913	0.013	0.01	0	46	49	44.3	135	143	0	28	29
2025	3	16	12	25	11	0.719	-0.072	2.913	0.013	0.01	0	45.6	48.6	47.7	134	142	0	28	29
2025	3	16	12	35	11	0.689	-0.098	2.913	0.016	0.013	0	45.6	48.2	43.4	134	142	0	28	30
2025	3	16	12	45	11	0.705	-0.056	2.913	0.013	0.01	0	46	49.5	45.6	136	144	0	29	29
2025	3	16	12	55	11	0.751	-0.056	2.913	0.016	0.016	0	46	49.5	44.7	136	144	0	29	29
2025	3	16	13	5	11	0.686	-0.098	2.913	0.016	0.013	0	46.4	49.5	44.7	136	144	0	28	29
2025	3	16	13	15	11	0.709	-0.072	2.91	0.016	0.016	0	46	49	45.6	135	143	0	28	29
2025	3	16	13	25	11	0.722	-0.066	2.91	0.016	0.013	0	46	49.5	45.2	136	144	0	29	29
2025	3	16	13	35	11	0.705	-0.072	2.913	0.013	0.01	0	47.3	49.9	45.6	138	145	0	28	29
2025	3	16	13	45	11	0.725	-0.056	2.913	0.013	0.01	0	46.9	49.9	44.7	137	145	0	28	29
2025	3	16	13	55	11	0.728	-0.085	2.913	0.016	0.016	0	47.3	50.7	47.3	139	147	0	29	29
2025	3	16	14	5	11	0.764	-0.092	2.913	0.016	0.013	0	46.9	49.9	44.7	137	145	0	28	29
2025	3	16	14	15	11	0.702	-0.098	2.913	0.016	0.016	0	46.4	49.9	46.9	137	145	0	29	29
2025	3	16	14	25	11	0.732	-0.089	2.913	0.016	0.016	0	46.9	50.3	47.3	137	145	0	28	28
2025	3	16	14	35	11	0.666	-0.046	2.913	0.016	0.016	0	46.9	50.7	49.5	137	146	0	28	28
2025	3	16	14	45	11	0.738	-0.079	2.913	0.016	0.016	0	46.4	49.9	41.7	136	144	0	28	28
2025	3	16	14	55	11	0.722	-0.085	2.913	0.016	0.013	0	46.9	50.3	48.2	137	146	0	28	29
2025	3	16	15	5	11	0.735	-0.108	2.913	0.013	0.01	0	47.3	49.9	52.5	137	145	0	27	29
2025	3	16	15	15	11	0.699	-0.062	2.917	0.016	0.013	0	46.4	49.9	52.9	136	145	0	28	29
2025	3	16	15	25	11	0.728	-0.102	2.913	0.016	0.013	0	46.4	49.9	45.2	136	145	0	28	29
2025	3	16	15	35	11	0.715	-0.102	2.917	0.016	0.016	0	46.9	49.9	63.2	137	145	0	28	29
2025	3	16	15	45	11	0.728	-0.062	2.913	0.016	0.016	0	47.3	50.7	45.2	138	147	0	28	29
2025	3	16	15	55	11	0.719	-0.082	2.917	0.016	0.016	0	47.3	50.7	61.1	138	146	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	16	16	5	11	0.719	-0.059	2.913	0.016	0.016	0	46.9	50.7	44.7	137	145	0	28	27
2025	3	16	16	15	11	0.709	-0.089	2.917	0.016	0.016	0	48.2	51.2	66.2	139	147	0	27	28
2025	3	16	16	25	11	0.692	-0.089	2.917	0.016	0.013	0	47.3	50.7	53.8	138	147	0	28	29
2025	3	16	16	35	11	0.725	-0.059	2.917	0.016	0.016	0	47.3	50.7	63.2	138	146	0	28	28
2025	3	16	16	45	11	0.741	-0.085	2.913	0.016	0.013	0	47.3	50.7	50.3	138	146	0	28	28
2025	3	16	16	55	11	0.719	-0.062	2.917	0.013	0.01	0	47.3	50.3	73.1	138	146	0	28	29
2025	3	16	17	5	11	0.732	-0.066	2.917	0.016	0.016	0	47.3	50.3	73.5	138	146	0	28	29
2025	3	16	17	15	11	0.768	-0.066	2.917	0.016	0.016	0	46.9	50.3	73.1	137	146	0	28	29
2025	3	16	17	25	11	0.732	-0.092	2.917	0.016	0.013	0	46.9	51.2	72.7	138	147	0	29	28
2025	3	16	17	35	11	0.702	-0.072	2.917	0.016	0.013	0	48.2	51.2	73.1	140	148	0	28	29
2025	3	16	17	45	11	0.709	-0.075	2.917	0.016	0.013	0	48.2	52	72.7	140	149	0	28	28
2025	3	16	17	55	11	0.705	-0.049	2.917	0.016	0.016	0	47.7	51.2	73.1	139	148	0	28	29
2025	3	16	18	5	11	0.705	-0.098	2.917	0.016	0.013	0	48.6	51.6	72.7	140	149	0	27	29
2025	3	16	18	15	11	0.712	-0.089	2.917	0.013	0.01	0	47.7	51.6	73.1	139	148	0	28	28
2025	3	16	18	25	11	0.719	-0.049	2.917	0.016	0.013	0	48.6	51.6	72.7	141	149	0	28	29
2025	3	16	18	35	11	0.676	-0.059	2.917	0.016	0.013	0	48.6	52	62.4	141	150	0	28	29
2025	3	16	18	45	11	0.735	-0.079	2.917	0.013	0.01	0	49	52.5	71.8	142	150	0	28	28
2025	3	16	18	55	11	0.728	-0.069	2.917	0.02	0.016	0	49.5	52.9	58	142	151	0	27	28
2025	3	16	19	5	11	0.712	-0.072	2.913	0.016	0.013	0	49.5	53.3	48.2	143	152	0	28	28
2025	3	16	19	15	11	0.719	-0.043	2.913	0.013	0.01	0	49.5	53.3	44.7	143	152	0	28	28
2025	3	16	19	25	11	0.712	-0.052	2.917	0.013	0.01	0	49.5	52.9	57.6	143	152	0	28	29
2025	3	16	19	35	11	0.738	-0.072	2.917	0.016	0.013	0	49.5	53.8	71	144	153	0	29	28
2025	3	16	19	45	11	0.774	-0.056	2.917	0.016	0.016	0	49.9	53.3	72.2	144	152	0	28	28
2025	3	16	19	55	11	0.719	-0.049	2.917	0.013	0.01	0	49.9	52.9	72.2	144	153	0	28	30
2025	3	16	20	5	11	0.712	-0.036	2.917	0.016	0.013	0	50.3	54.2	71.8	145	154	0	28	28
2025	3	16	20	15	11	0.712	-0.059	2.917	0.016	0.013	0	50.7	54.2	71	145	154	0	27	28
2025	3	16	20	25	11	0.735	-0.072	2.917	0.016	0.013	0	50.3	53.8	71.8	145	153	0	28	28
2025	3	16	20	35	11	0.745	-0.043	2.917	0.016	0.013	0	50.3	53.3	71.8	145	153	0	28	29
2025	3	16	20	45	11	0.696	-0.062	2.917	0.016	0.013	0	50.3	53.8	71.8	145	154	0	28	29
2025	3	16	20	55	11	0.715	-0.066	2.913	0.016	0.013	0	51.2	54.6	71.4	146	155	0	27	28
2025	3	16	21	5	11	0.709	-0.039	2.913	0.016	0.013	0	50.3	53.8	71.4	145	154	0	28	29
2025	3	16	21	15	11	0.725	-0.092	2.913	0.016	0.013	0	49.9	53.8	71.4	144	153	0	28	28
2025	3	16	21	25	11	0.705	-0.072	2.917	0.016	0.013	0	50.3	51.2	72.7	144	147	0	27	28
2025	3	16	21	35	11	0.735	-0.092	2.913	0.016	0.016	0	49.9	53.3	67.5	144	153	0	28	29
2025	3	16	21	45	11	0.673	-0.072	2.913	0.02	0.016	0	50.3	53.3	65.4	145	153	0	28	29
2025	3	16	21	55	11	0.761	-0.075	2.913	0.02	0.016	0	50.3	54.2	71.4	145	154	0	28	28
2025	3	16	22	5	11	0.673	-0.059	2.913	0.016	0.013	0	50.7	54.2	71.8	145	154	0	27	28
2025	3	16	22	15	11	0.722	-0.062	2.913	0.016	0.016	0	49.9	54.2	72.7	145	154	0	29	28
2025	3	16	22	25	11	0.735	-0.108	2.913	0.02	0.016	0	49.9	53.8	72.7	144	153	0	28	28
2025	3	16	22	35	11	0.682	-0.059	2.913	0.016	0.013	0	50.7	53.8	71	145	154	0	27	29
2025	3	16	22	45	11	0.709	-0.098	2.913	0.013	0.01	0	49.5	52.9	71	143	152	0	28	29
2025	3	16	22	55	11	0.758	-0.069	2.913	0.016	0.013	0	50.7	53.8	71	145	154	0	27	29
2025	3	16	23	5	11	0.712	-0.059	2.913	0.016	0.013	0	49.9	53.3	61.9	144	153	0	28	29
2025	3	16	23	15	11	0.728	-0.075	2.913	0.016	0.013	0	49	52.9	71	142	152	0	28	29
2025	3	16	23	25	11	0.686	-0.066	2.913	0.013	0.01	0	49.5	53.8	71.4	143	153	0	28	28
2025	3	16	23	35	11	0.755	-0.062	2.91	0.01	0.007	0	48.6	53.3	71.4	142	152	0	29	28
2025	3	16	23	45	11	0.715	-0.095	2.91	0.016	0.013	0	49.5	52.9	71.4	143	152	0	28	29
2025	3	16	23	55	11	0.728	-0.072	2.91	0.016	0.013	0	49	52.9	70.5	142	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	17	0	5	11	0.748	-0.089	2.91	0.016	0.016	0	49	52.9	72.2	142	152	0	28	29
2025	3	17	0	15	11	0.735	-0.056	2.91	0.016	0.013	0	49.5	52.9	72.7	143	152	0	28	29
2025	3	17	0	25	11	0.705	-0.052	2.91	0.016	0.016	0	51.6	52.9	72.7	148	152	0	28	29
2025	3	17	0	35	11	0.741	-0.046	2.91	0.013	0.01	0	51.2	52.9	61.1	147	152	0	28	29
2025	3	17	0	45	11	0.751	-0.039	2.91	0.016	0.013	0	51.2	52.5	71.8	147	151	0	28	29
2025	3	17	0	55	11	0.728	-0.066	2.91	0.016	0.016	0	51.2	52.5	72.2	147	151	0	28	29
2025	3	17	1	5	11	0.764	-0.108	2.91	0.016	0.013	0	51.2	52.5	72.7	147	151	0	28	29
2025	3	17	1	15	11	0.751	-0.098	2.91	0.016	0.016	0	51.2	52.9	72.7	147	152	0	28	29
2025	3	17	1	25	11	0.722	-0.049	2.91	0.016	0.016	0	51.6	53.3	72.7	148	152	0	28	28
2025	3	17	1	35	11	0.719	-0.033	2.91	0.016	0.016	0	51.2	52.9	72.7	147	152	0	28	29
2025	3	17	1	45	11	0.735	-0.089	2.91	0.016	0.016	0	51.2	52.9	72.2	147	152	0	28	29
2025	3	17	1	55	11	0.722	-0.072	2.91	0.016	0.013	0	51.2	52.9	73.1	147	152	0	28	29
2025	3	17	2	5	11	0.735	-0.066	2.91	0.016	0.013	0	51.2	52.5	73.1	147	151	0	28	29
2025	3	17	2	15	11	0.705	-0.059	2.91	0.016	0.013	0	51.2	53.3	72.7	147	152	0	28	28
2025	3	17	2	25	11	0.692	-0.085	2.91	0.01	0.007	0	51.2	52.9	73.1	147	151	0	28	28
2025	3	17	2	35	11	0.719	-0.072	2.91	0.016	0.013	0	50.7	52.5	74	146	151	0	28	29
2025	3	17	2	45	11	0.735	-0.089	2.91	0.013	0.01	0	50.7	52.9	74	146	151	0	28	28
2025	3	17	2	55	11	0.735	-0.043	2.91	0.016	0.013	0	51.6	52.9	73.1	148	151	0	28	28
2025	3	17	3	5	11	0.702	-0.056	2.91	0.016	0.013	0	51.6	52.5	73.5	147	151	0	27	29
2025	3	17	3	15	11	0.682	-0.085	2.907	0.016	0.013	0	51.2	52.9	73.1	147	151	0	28	28
2025	3	17	3	25	11	0.751	-0.079	2.907	0.016	0.013	0	51.2	52	72.2	147	150	0	28	29
2025	3	17	3	35	11	0.728	-0.089	2.907	0.016	0.013	0	51.2	52.5	72.2	147	151	0	28	29
2025	3	17	3	45	11	0.715	-0.066	2.907	0.016	0.016	0	51.2	52.5	72.7	147	151	0	28	29
2025	3	17	3	55	11	0.728	-0.092	2.907	0.016	0.013	0	50.7	52	72.7	146	150	0	28	29
2025	3	17	4	5	11	0.771	-0.079	2.91	0.016	0.016	0	50.7	52	74	146	150	0	28	29
2025	3	17	4	15	11	0.709	-0.052	2.907	0.016	0.013	0	50.7	52	73.1	146	150	0	28	29
2025	3	17	4	25	11	0.686	-0.089	2.907	0.02	0.016	0	50.7	52.5	73.5	146	151	0	28	29
2025	3	17	4	35	11	0.725	-0.072	2.907	0.016	0.016	0	50.7	52	73.1	146	150	0	28	29
2025	3	17	4	45	11	0.735	-0.056	2.907	0.016	0.013	0	51.2	52.5	73.1	147	151	0	28	29
2025	3	17	4	55	11	0.722	-0.092	2.907	0.016	0.016	0	50.7	52.5	73.1	146	151	0	28	29
2025	3	17	5	5	11	0.696	-0.059	2.907	0.016	0.013	0	51.2	52.9	72.2	147	151	0	28	28
2025	3	17	5	15	11	0.682	-0.082	2.907	0.016	0.016	0	50.7	52	71.8	146	150	0	28	29
2025	3	17	5	25	11	0.715	-0.066	2.907	0.016	0.013	0	50.7	52.5	72.2	146	151	0	28	29
2025	3	17	5	35	11	0.748	-0.102	2.907	0.016	0.013	0	50.3	52	72.2	146	150	0	29	29
2025	3	17	5	45	11	0.712	-0.046	2.907	0.013	0.01	0	50.3	52	72.2	146	150	0	29	29
2025	3	17	5	55	11	0.696	-0.046	2.907	0.013	0.01	0	50.3	52	72.2	145	150	0	28	29
2025	3	17	6	5	11	0.732	-0.066	2.907	0.016	0.013	0	49.9	51.6	72.2	144	148	0	28	28
2025	3	17	6	15	11	0.725	-0.108	2.907	0.016	0.013	0	49.9	51.2	72.2	144	148	0	28	29
2025	3	17	6	25	11	0.732	-0.069	2.907	0.016	0.016	0	49.9	51.2	72.2	144	148	0	28	29
2025	3	17	6	35	11	0.705	-0.049	2.907	0.016	0.016	0	49.5	51.6	72.2	143	148	0	28	28
2025	3	17	6	45	11	0.712	-0.089	2.907	0.016	0.016	0	49	50.7	72.7	142	147	0	28	29
2025	3	17	6	55	11	0.712	-0.046	2.907	0.016	0.013	0	49	50.7	71.8	142	147	0	28	29
2025	3	17	7	5	11	0.745	-0.079	2.907	0.016	0.013	0	49.5	50.7	72.2	143	147	0	28	29
2025	3	17	7	15	11	0.732	-0.056	2.907	0.016	0.016	0	48.2	50.3	70.5	141	146	0	29	29
2025	3	17	7	25	11	0.715	-0.059	2.907	0.016	0.013	0	49	50.3	71.8	142	146	0	28	29
2025	3	17	7	35	11	0.709	-0.082	2.907	0.016	0.013	0	49	49.9	71.8	141	145	0	27	29
2025	3	17	7	45	11	0.725	-0.085	2.907	0.016	0.013	0	49	50.3	49.9	142	146	0	28	29
2025	3	17	7	55	11	0.719	-0.062	2.907	0.016	0.013	0	48.2	49.9	47.7	140	145	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	17	8	5	11	0.715	-0.059	2.907	0.016	0.013	0	48.2	49.5	51.6	140	145	0	28	30
2025	3	17	8	15	11	0.712	-0.079	2.91	0.016	0.016	0	48.6	50.3	63.6	141	146	0	28	29
2025	3	17	8	25	11	0.712	-0.069	2.91	0.016	0.016	0	48.2	49.9	73.1	141	145	0	29	29
2025	3	17	8	35	11	0.705	-0.059	2.91	0.01	0.007	0	48.6	50.3	73.1	141	146	0	28	29
2025	3	17	8	45	11	0.735	-0.052	2.91	0.016	0.013	0	48.2	49.5	67.1	140	144	0	28	29
2025	3	17	8	55	11	0.738	-0.079	2.91	0.016	0.013	0	47.7	49.5	74	139	144	0	28	29
2025	3	17	9	5	11	0.728	-0.062	2.91	0.016	0.013	0	47.7	49.5	73.5	139	144	0	28	29
2025	3	17	9	15	11	0.741	-0.036	2.91	0.016	0.013	0	48.2	49.9	64.1	140	145	0	28	29
2025	3	17	9	25	11	0.722	-0.075	2.91	0.016	0.013	0	48.2	49.9	44.7	140	145	0	28	29
2025	3	17	9	35	11	0.689	-0.092	2.913	0.013	0.01	0	48.2	49	43.9	140	144	0	28	30
2025	3	17	9	45	11	0.738	-0.059	2.91	0.016	0.016	0	48.6	50.3	40.9	142	146	0	29	29
2025	3	17	9	55	11	0.728	-0.082	2.913	0.016	0.016	0	49.5	51.6	43	144	148	0	29	28
2025	3	17	10	5	11	0.732	-0.059	2.913	0.016	0.013	0	48.6	50.3	43	142	146	0	29	29
2025	3	17	10	15	11	0.745	-0.092	2.917	0.016	0.013	0	49.9	51.2	40.9	144	148	0	28	29
2025	3	17	10	25	11	0.689	-0.072	2.92	0.016	0.013	0	49.9	51.6	43.9	144	149	0	28	29
2025	3	17	10	35	11	0.745	-0.092	2.917	0.016	0.013	0	49.9	52	44.7	144	149	0	28	28
2025	3	17	10	45	11	0.712	-0.075	2.917	0.016	0.016	0	49.9	51.2	41.7	144	148	0	28	29
2025	3	17	10	55	11	0.732	-0.089	2.92	0.016	0.016	0	49.5	50.7	42.1	143	147	0	28	29
2025	3	17	11	5	11	0.741	-0.026	2.92	0.013	0.01	0	49.5	51.2	43.9	143	148	0	28	29
2025	3	17	11	15	11	0.709	-0.072	2.913	0.013	0.01	0	49.5	51.2	42.6	143	148	0	28	29
2025	3	17	11	25	11	0.741	-0.072	2.917	0.016	0.013	0	49.5	51.6	44.3	143	148	0	28	28
2025	3	17	11	35	11	0.755	-0.062	2.923	0.016	0.016	0	50.7	52	43	146	150	0	28	29
2025	3	17	11	45	11	0.738	-0.072	2.917	0.016	0.013	0	50.3	51.6	41.3	145	149	0	28	29
2025	3	17	11	55	11	0.702	-0.085	2.917	0.016	0.016	0	50.3	52	44.7	145	149	0	28	28
2025	3	17	12	5	11	0.702	-0.043	2.917	0.013	0.01	0	50.3	52	40	145	149	0	28	28
2025	3	17	12	15	11	0.738	-0.079	2.923	0.016	0.013	0	50.3	52	42.6	145	150	0	28	29
2025	3	17	12	25	11	0.764	-0.046	2.92	0.016	0.013	0	50.3	52.5	44.3	145	150	0	28	28
2025	3	17	12	35	11	0.751	-0.033	2.923	0.016	0.013	0	50.3	52.5	69.7	145	150	0	28	28
2025	3	17	12	45	11	0.751	-0.085	2.923	0.02	0.016	0	50.3	52	46	144	149	0	27	28
2025	3	17	12	55	11	0.751	-0.085	2.923	0.016	0.013	0	50.3	52.5	41.3	145	150	0	28	28
2025	3	17	13	5	11	0.699	-0.066	2.927	0.013	0.01	0	50.7	52.5	42.1	146	150	0	28	28
2025	3	17	13	15	11	0.735	-0.043	2.923	0.016	0.013	0	50.3	52	41.7	145	150	0	28	29
2025	3	17	13	25	11	0.735	-0.043	2.923	0.016	0.013	0	50.3	51.6	40	145	149	0	28	29
2025	3	17	13	35	11	0.755	-0.072	2.927	0.013	0.01	0	49.9	52	42.6	144	149	0	28	28
2025	3	17	13	45	11	0.705	-0.098	2.923	0.01	0.007	0	50.7	52.5	42.6	146	150	0	28	28
2025	3	17	13	55	11	0.728	-0.072	2.923	0.016	0.016	0	51.2	52.5	42.6	146	150	0	27	28
2025	3	17	14	5	11	0.712	-0.052	2.927	0.02	0.016	0	51.2	52.5	45.6	146	150	0	27	28
2025	3	17	14	15	11	0.728	-0.072	2.927	0.016	0.013	0	51.2	52.9	44.7	147	151	0	28	28
2025	3	17	14	25	11	0.712	-0.085	2.927	0.016	0.013	0	50.7	52.5	41.3	146	150	0	28	28
2025	3	17	14	35	11	0.689	-0.056	2.927	0.016	0.013	0	51.2	52.9	43	147	151	0	28	28
2025	3	17	14	45	11	0.738	-0.095	2.927	0.016	0.013	0	50.7	52.9	40.9	146	151	0	28	28
2025	3	17	14	55	11	0.728	-0.049	2.93	0.02	0.016	0	50.7	52.9	42.6	146	151	0	28	28
2025	3	17	15	5	11	0.751	-0.056	2.93	0.016	0.013	0	50.7	52.5	46.4	145	150	0	27	28
2025	3	17	15	15	11	0.755	-0.049	2.93	0.02	0.016	0	50.7	52.5	61.1	145	150	0	27	28
2025	3	17	15	25	11	0.725	-0.079	2.93	0.016	0.013	0	50.3	52	45.6	145	149	0	28	28
2025	3	17	15	35	11	0.741	-0.069	2.93	0.02	0.016	0	51.6	52.9	53.8	147	151	0	27	28
2025	3	17	15	45	11	0.738	-0.098	2.93	0.016	0.013	0	51.2	52.9	47.3	146	151	0	27	28
2025	3	17	15	55	11	0.722	-0.049	2.93	0.016	0.013	0	51.2	52.9	43.9	146	151	0	27	28

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	17	16	5	11	0.745	-0.062	2.93	0.016	0.013	0	50.7	52	46.9	145	149	0	27	28
2025	3	17	16	15	11	0.702	-0.069	2.93	0.016	0.013	0	51.2	52.9	49	146	151	0	27	28
2025	3	17	16	25	11	0.732	-0.026	2.93	0.016	0.016	0	50.7	52.9	54.2	146	151	0	28	28
2025	3	17	16	35	11	0.732	-0.049	2.93	0.016	0.016	0	50.7	52	63.6	146	150	0	28	29
2025	3	17	16	45	11	0.741	-0.075	2.93	0.016	0.016	0	51.2	52.5	66.7	147	151	0	28	29
2025	3	17	16	55	11	0.738	-0.059	2.93	0.02	0.016	0	51.6	52.9	71.4	147	151	0	27	28
2025	3	17	17	5	11	0.751	-0.085	2.93	0.016	0.016	0	50.7	52.5	71	146	151	0	28	29
2025	3	17	17	15	11	0.797	-0.059	2.93	0.016	0.013	0	50.7	52.9	46.4	146	151	0	28	28
2025	3	17	17	25	11	0.686	-0.069	2.93	0.016	0.013	0	50.7	52.9	46.4	146	152	0	28	29
2025	3	17	17	35	11	0.705	-0.075	2.93	0.016	0.016	0	51.6	53.3	48.2	147	152	0	27	28
2025	3	17	17	45	11	0.748	-0.059	2.93	0.016	0.013	0	51.2	52.5	51.2	146	151	0	27	29
2025	3	17	17	55	11	0.768	-0.036	2.93	0.016	0.013	0	50.7	52.9	47.3	147	151	0	29	28
2025	3	17	18	5	11	0.722	-0.049	2.93	0.016	0.013	0	51.6	53.3	48.6	148	153	0	28	29
2025	3	17	18	15	11	0.738	-0.049	2.93	0.016	0.016	0	52	53.8	50.7	148	153	0	27	28
2025	3	17	18	25	11	0.755	-0.072	2.927	0.016	0.013	0	52	53.8	51.2	148	153	0	27	28
2025	3	17	18	35	11	0.715	-0.092	2.927	0.016	0.013	0	52	53.8	52.5	148	153	0	27	28
2025	3	17	18	45	11	0.725	-0.075	2.93	0.02	0.016	0	52	53.8	64.9	148	153	0	27	28
2025	3	17	18	55	11	0.735	-0.052	2.93	0.016	0.013	0	52.5	54.2	64.1	149	154	0	27	28
2025	3	17	19	5	11	0.719	-0.036	2.927	0.016	0.013	0	52.5	53.8	69.2	149	154	0	27	29
2025	3	17	19	15	11	0.741	-0.082	2.927	0.016	0.016	0	52	54.2	71.4	149	154	0	28	28
2025	3	17	19	25	11	0.722	-0.056	2.927	0.016	0.013	0	52	53.8	69.7	149	154	0	28	29
2025	3	17	19	35	11	0.748	-0.059	2.927	0.016	0.016	0	52.5	54.6	71	149	154	0	27	27
2025	3	17	19	45	11	0.741	-0.066	2.927	0.016	0.016	0	52.5	54.2	70.5	149	154	0	27	28
2025	3	17	19	55	11	0.722	-0.056	2.927	0.016	0.016	0	52	54.2	70.5	149	154	0	28	28
2025	3	17	20	5	11	0.768	-0.066	2.927	0.016	0.013	0	52.9	54.2	71	150	155	0	27	29
2025	3	17	20	15	11	0.722	-0.052	2.927	0.016	0.013	0	52.5	54.6	70.5	150	155	0	28	28
2025	3	17	20	25	11	0.679	-0.085	2.927	0.016	0.013	0	52	53.8	66.7	149	154	0	28	29
2025	3	17	20	35	11	0.732	-0.033	2.923	0.016	0.013	0	52	54.2	68.4	149	154	0	28	28
2025	3	17	20	45	11	0.751	-0.033	2.927	0.016	0.016	0	52	53.8	70.5	149	154	0	28	29
2025	3	17	20	55	11	0.725	-0.072	2.927	0.016	0.016	0	52.9	54.2	70.1	150	155	0	27	29
2025	3	17	21	5	11	0.748	-0.062	2.923	0.016	0.013	0	52	53.8	69.7	149	154	0	28	29
2025	3	17	21	15	11	0.728	-0.069	2.923	0.016	0.016	0	52.5	54.2	68.8	149	154	0	27	28
2025	3	17	21	25	11	0.715	-0.069	2.923	0.016	0.016	0	51.6	53.8	69.7	149	154	0	29	29
2025	3	17	21	35	11	0.728	-0.059	2.923	0.013	0.01	0	51.6	53.8	60.6	148	153	0	28	28
2025	3	17	21	45	11	0.768	-0.043	2.923	0.013	0.01	0	51.6	53.8	55	148	154	0	28	29
2025	3	17	21	55	11	0.748	-0.056	2.923	0.02	0.016	0	51.2	53.8	68.4	148	153	0	29	28
2025	3	17	22	5	11	0.761	-0.085	2.923	0.02	0.016	0	51.6	53.3	66.2	148	153	0	28	29
2025	3	17	22	15	11	0.702	-0.085	2.923	0.016	0.013	0	51.2	53.8	69.7	147	153	0	28	28
2025	3	17	22	25	11	0.712	-0.075	2.923	0.016	0.016	0	51.6	53.8	69.2	148	153	0	28	28
2025	3	17	22	35	11	0.728	-0.082	2.923	0.016	0.013	0	51.6	53.8	68.8	148	154	0	28	29
2025	3	17	22	45	11	0.725	-0.043	2.923	0.016	0.016	0	51.6	54.2	69.7	148	154	0	28	28
2025	3	17	22	55	11	0.705	-0.043	2.923	0.016	0.013	0	51.2	52.9	65.8	147	152	0	28	29
2025	3	17	23	5	11	0.728	-0.085	2.923	0.016	0.016	0	51.6	53.8	69.2	148	153	0	28	28
2025	3	17	23	15	11	0.728	-0.049	2.923	0.01	0.007	0	51.6	53.8	68.4	148	153	0	28	28
2025	3	17	23	25	11	0.705	-0.085	2.923	0.02	0.016	0	50.7	52.9	69.2	146	152	0	28	29
2025	3	17	23	35	11	0.722	-0.033	2.923	0.016	0.013	0	51.2	53.3	67.5	147	153	0	28	29
2025	3	17	23	45	11	0.679	-0.085	2.923	0.016	0.016	0	51.2	53.3	68.8	147	152	0	28	28
2025	3	17	23	55	11	0.745	-0.098	2.92	0.02	0.016	0	51.6	52.9	68.8	148	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	18	0	5	11	0.722	-0.049	2.92	0.016	0.013	0	52	53.3	68.8	149	153	0	28	29
2025	3	18	0	15	11	0.738	-0.056	2.92	0.016	0.013	0	52	53.3	68.8	149	153	0	28	29
2025	3	18	0	25	11	0.738	-0.098	2.92	0.016	0.013	0	51.6	52.9	69.2	148	152	0	28	29
2025	3	18	0	35	11	0.719	-0.082	2.92	0.016	0.016	0	51.2	52.5	69.2	147	151	0	28	29
2025	3	18	0	45	11	0.719	-0.062	2.92	0.016	0.013	0	51.2	52	67.1	147	150	0	28	29
2025	3	18	0	55	11	0.722	-0.098	2.92	0.016	0.016	0	51.2	52	57.6	146	150	0	27	29
2025	3	18	1	5	11	0.732	-0.03	2.92	0.016	0.016	0	51.2	52.9	60.6	147	152	0	28	29
2025	3	18	1	15	11	0.732	-0.046	2.923	0.016	0.013	0	50.7	52	52.9	146	150	0	28	29
2025	3	18	1	25	11	0.725	-0.046	2.923	0.016	0.013	0	51.2	52.9	58	147	151	0	28	28
2025	3	18	1	35	11	0.781	-0.056	2.923	0.016	0.013	0	50.7	52	66.7	146	150	0	28	29
2025	3	18	1	45	11	0.738	-0.056	2.923	0.013	0.01	0	50.7	52	49.5	146	150	0	28	29
2025	3	18	1	55	11	0.709	-0.095	2.923	0.016	0.016	0	51.2	51.6	55.9	146	149	0	27	29
2025	3	18	2	5	11	0.745	-0.069	2.923	0.02	0.016	0	50.7	52	48.6	146	150	0	28	29
2025	3	18	2	15	11	0.741	-0.069	2.927	0.02	0.016	0	50.3	51.6	47.7	145	149	0	28	29
2025	3	18	2	25	11	0.692	-0.056	2.923	0.016	0.013	0	50.7	52.5	52.9	146	150	0	28	28
2025	3	18	2	35	11	0.755	-0.079	2.923	0.013	0.01	0	49.9	52	51.2	145	150	0	29	29
2025	3	18	2	45	11	0.764	-0.082	2.923	0.016	0.013	0	50.3	52	55.9	145	149	0	28	28
2025	3	18	2	55	11	0.735	-0.082	2.927	0.016	0.013	0	50.3	51.6	64.1	145	149	0	28	29
2025	3	18	3	5	11	0.764	-0.026	2.927	0.016	0.013	0	49.9	51.6	62.8	144	148	0	28	28
2025	3	18	3	15	11	0.715	-0.056	2.927	0.02	0.016	0	49.9	51.6	57.6	144	149	0	28	29
2025	3	18	3	25	11	0.725	-0.043	2.927	0.016	0.013	0	49.5	51.6	69.2	144	149	0	29	29
2025	3	18	3	35	11	0.758	-0.066	2.927	0.016	0.016	0	49.9	51.2	70.1	144	148	0	28	29
2025	3	18	3	45	11	0.735	-0.052	2.927	0.013	0.01	0	49.9	51.2	60.6	144	148	0	28	29
2025	3	18	3	55	11	0.745	-0.03	2.927	0.016	0.013	0	49	51.2	70.1	143	148	0	29	29
2025	3	18	4	5	11	0.705	-0.085	2.927	0.016	0.013	0	49	50.7	63.6	143	147	0	29	29
2025	3	18	4	15	11	0.745	-0.102	2.923	0.016	0.013	0	49.5	51.6	49	143	148	0	28	28
2025	3	18	4	25	11	0.722	-0.089	2.923	0.013	0.01	0	49	51.2	52.5	143	148	0	29	29
2025	3	18	4	35	11	0.722	-0.036	2.923	0.016	0.016	0	49.5	51.2	49.5	143	148	0	28	29
2025	3	18	4	45	11	0.712	-0.052	2.923	0.016	0.013	0	49	50.7	49	143	147	0	29	29
2025	3	18	4	55	11	0.732	-0.069	2.923	0.016	0.013	0	49.5	50.7	47.3	143	147	0	28	29
2025	3	18	5	5	11	0.725	-0.066	2.923	0.016	0.013	0	48.6	49.9	51.6	142	146	0	29	30
2025	3	18	5	15	11	0.728	-0.082	2.923	0.016	0.016	0	49	50.3	50.7	142	146	0	28	29
2025	3	18	5	25	11	0.725	-0.039	2.923	0.013	0.01	0	49.5	50.7	48.6	142	147	0	27	29
2025	3	18	5	35	11	0.719	-0.082	2.923	0.013	0.01	0	49	50.7	48.6	142	147	0	28	29
2025	3	18	5	45	11	0.699	-0.075	2.923	0.013	0.01	0	48.6	49.9	48.6	141	146	0	28	30
2025	3	18	5	55	11	0.735	-0.052	2.923	0.01	0.007	0	49	50.3	47.7	142	146	0	28	29
2025	3	18	6	5	11	0.699	-0.043	2.923	0.016	0.013	0	49.5	50.7	47.7	143	147	0	28	29
2025	3	18	6	15	11	0.725	-0.062	2.923	0.016	0.013	0	48.2	49.9	50.3	140	145	0	28	29
2025	3	18	6	25	11	0.696	-0.082	2.927	0.016	0.016	0	47.7	49	64.1	140	144	0	29	30
2025	3	18	6	35	11	0.735	-0.066	2.927	0.016	0.013	0	47.7	49.5	72.2	140	144	0	29	29
2025	3	18	6	45	11	0.758	-0.066	2.927	0.016	0.013	0	47.7	49	71.8	139	143	0	28	29
2025	3	18	6	55	11	0.682	-0.052	2.927	0.01	0.007	0	47.7	49.9	70.1	140	145	0	29	29
2025	3	18	7	5	11	0.719	-0.075	2.923	0.016	0.016	0	48.6	49.9	52.5	141	145	0	28	29
2025	3	18	7	15	11	0.735	-0.059	2.927	0.016	0.016	0	47.7	49.5	63.2	140	144	0	29	29
2025	3	18	7	25	11	0.748	-0.089	2.927	0.016	0.013	0	47.7	49	53.3	139	143	0	28	29
2025	3	18	7	35	11	0.748	-0.046	2.927	0.016	0.013	0	47.7	49.5	53.3	140	144	0	29	29
2025	3	18	7	45	11	0.702	-0.066	2.927	0.016	0.013	0	47.7	49.5	51.6	140	144	0	29	29
2025	3	18	7	55	11	0.741	-0.079	2.923	0.016	0.013	0	47.3	48.6	49.9	138	142	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	18	8	5	11	0.751	-0.036	2.923	0.016	0.013	0	47.7	49	48.6	139	143	0	28	29
2025	3	18	8	15	11	0.738	-0.082	2.923	0.016	0.013	0	47.7	49.5	48.2	139	144	0	28	29
2025	3	18	8	25	11	0.738	-0.052	2.923	0.016	0.016	0	47.3	49	47.3	139	143	0	29	29
2025	3	18	8	35	11	0.751	-0.043	2.923	0.013	0.01	0	48.2	49.5	47.3	140	144	0	28	29
2025	3	18	8	45	11	0.741	-0.046	2.923	0.01	0.007	0	47.3	49	48.2	139	143	0	29	29
2025	3	18	8	55	11	0.732	-0.079	2.92	0.016	0.013	0	47.3	49.5	47.7	139	144	0	29	29
2025	3	18	9	5	11	0.738	-0.085	2.927	0.016	0.013	0	47.7	49.5	48.2	140	144	0	29	29
2025	3	18	9	15	11	0.738	-0.082	2.923	0.016	0.013	0	48.6	50.3	47.3	141	146	0	28	29
2025	3	18	9	25	11	0.728	-0.082	2.92	0.016	0.013	0	48.2	49.5	48.2	141	145	0	29	30
2025	3	18	9	35	11	0.722	-0.082	2.923	0.016	0.013	0	48.2	50.3	47.3	141	146	0	29	29
2025	3	18	9	45	11	0.715	-0.062	2.923	0.016	0.013	0	49.5	50.7	46.4	143	147	0	28	29
2025	3	18	9	55	11	0.741	-0.056	2.923	0.016	0.013	0	49	50.3	48.6	142	146	0	28	29
2025	3	18	10	5	11	0.719	-0.075	2.923	0.016	0.013	0	48.2	50.3	48.2	141	146	0	29	29
2025	3	18	10	15	11	0.755	-0.089	2.927	0.016	0.016	0	48.2	49.5	47.3	140	145	0	28	30
2025	3	18	10	25	11	0.748	-0.059	2.927	0.016	0.013	0	48.2	49.9	49.9	141	145	0	29	29
2025	3	18	10	35	11	0.705	-0.082	2.927	0.013	0.01	0	48.2	50.3	50.3	141	146	0	29	29
2025	3	18	10	45	11	0.778	-0.095	2.927	0.016	0.013	0	47.3	49	50.3	138	143	0	28	29
2025	3	18	10	55	11	0.702	-0.026	2.923	0.013	0.01	0	48.2	49.9	50.7	140	145	0	28	29
2025	3	18	11	5	11	0.735	-0.102	2.923	0.01	0.007	0	47.3	48.2	49.5	138	142	0	28	30
2025	3	18	11	15	11	0.725	-0.059	2.927	0.016	0.013	0	46.9	49	49.5	138	143	0	29	29
2025	3	18	11	25	11	0.738	-0.089	2.927	0.016	0.013	0	48.2	49.5	49	140	144	0	28	29
2025	3	18	11	35	11	0.715	-0.079	2.927	0.013	0.01	0	48.2	49.5	49	140	144	0	28	29
2025	3	18	11	45	11	0.679	-0.049	2.923	0.016	0.013	0	49	50.7	53.3	142	147	0	28	29
2025	3	18	11	55	11	0.758	-0.043	2.927	0.016	0.013	0	48.6	50.3	46.4	141	146	0	28	29
2025	3	18	12	5	11	0.732	-0.059	2.927	0.016	0.016	0	49	50.7	46.4	142	147	0	28	29
2025	3	18	12	15	11	0.758	-0.072	2.927	0.013	0.01	0	48.2	50.3	49.9	141	146	0	29	29
2025	3	18	12	25	11	0.699	-0.043	2.927	0.016	0.016	0	49.5	51.2	46.4	143	147	0	28	28
2025	3	18	12	35	11	0.751	-0.052	2.923	0.016	0.013	0	49	50.7	48.6	142	147	0	28	29
2025	3	18	12	45	11	0.709	-0.079	2.923	0.016	0.013	0	49.9	51.2	47.3	144	148	0	28	29
2025	3	18	12	55	11	0.712	-0.039	2.923	0.013	0.01	0	48.2	50.3	53.8	141	146	0	29	29
2025	3	18	13	5	11	0.755	-0.062	2.923	0.016	0.016	0	48.6	50.3	56.8	141	146	0	28	29
2025	3	18	13	15	11	0.696	-0.056	2.927	0.016	0.013	0	49	50.3	49.5	142	146	0	28	29
2025	3	18	13	25	11	0.758	-0.085	2.923	0.016	0.013	0	48.6	50.3	56.3	141	146	0	28	29
2025	3	18	13	35	11	0.712	-0.062	2.927	0.016	0.016	0	49	50.3	50.7	142	146	0	28	29
2025	3	18	13	45	11	0.725	-0.043	2.927	0.016	0.016	0	49.5	50.7	49.9	143	147	0	28	29
2025	3	18	13	55	11	0.719	-0.016	2.927	0.016	0.013	0	49	50.7	61.9	143	147	0	29	29
2025	3	18	14	5	11	0.745	-0.049	2.927	0.016	0.013	0	49.9	52	48.2	144	149	0	28	28
2025	3	18	14	15	11	0.771	-0.089	2.927	0.016	0.013	0	49.9	51.6	51.6	144	148	0	28	28
2025	3	18	14	25	11	0.728	-0.059	2.93	0.016	0.016	0	50.3	51.6	49.5	145	149	0	28	29
2025	3	18	14	35	11	0.748	-0.079	2.927	0.013	0.01	0	49.9	51.6	49.9	144	148	0	28	28
2025	3	18	14	45	11	0.702	-0.059	2.927	0.016	0.013	0	49.9	51.2	51.2	144	148	0	28	29
2025	3	18	14	55	11	0.748	-0.056	2.927	0.016	0.016	0	49.5	50.7	52.5	143	147	0	28	29
2025	3	18	15	5	11	0.732	-0.026	2.93	0.013	0.01	0	50.3	51.6	49.5	144	149	0	27	29
2025	3	18	15	15	11	0.748	-0.105	2.93	0.016	0.013	0	49	51.2	49.9	142	147	0	28	28
2025	3	18	15	25	11	0.751	-0.043	2.927	0.016	0.016	0	49.5	51.2	57.6	143	147	0	28	28
2025	3	18	15	35	11	0.751	-0.046	2.927	0.016	0.013	0	49.9	51.2	57.2	144	148	0	28	29
2025	3	18	15	45	11	0.741	-0.059	2.927	0.02	0.016	0	49.9	51.2	52.9	143	148	0	27	29
2025	3	18	15	55	11	0.741	-0.075	2.93	0.013	0.01	0	49.9	51.2	52.5	143	148	0	27	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	18	16	5	11	0.728	-0.046	2.927	0.016	0.013	0	49.9	51.2	55	144	148	0	28	29
2025	3	18	16	15	11	0.755	-0.03	2.93	0.016	0.013	0	49.9	51.2	52.5	144	148	0	28	29
2025	3	18	16	25	11	0.728	-0.046	2.93	0.013	0.01	0	49.9	51.6	57.6	144	148	0	28	28
2025	3	18	16	35	11	0.755	-0.036	2.93	0.016	0.013	0	49.9	51.6	65.8	144	148	0	28	28
2025	3	18	16	45	11	0.722	-0.043	2.93	0.016	0.013	0	50.3	52	65.4	145	150	0	28	29
2025	3	18	16	55	11	0.768	-0.03	2.927	0.01	0.007	0	50.3	52	61.5	145	149	0	28	28
2025	3	18	17	5	11	0.741	-0.066	2.93	0.013	0.01	0	50.7	52	67.9	145	149	0	27	28
2025	3	18	17	15	11	0.755	-0.052	2.927	0.016	0.013	0	49.9	51.6	71.4	144	149	0	28	29
2025	3	18	17	25	11	0.758	-0.108	2.927	0.02	0.016	0	49.9	52	72.2	144	149	0	28	28
2025	3	18	17	35	11	0.732	-0.092	2.927	0.016	0.013	0	49.9	51.6	71.8	144	149	0	28	29
2025	3	18	17	45	11	0.696	-0.059	2.927	0.016	0.013	0	50.3	52	72.7	145	150	0	28	29
2025	3	18	17	55	11	0.719	-0.069	2.927	0.016	0.016	0	50.7	52.5	72.7	145	150	0	27	28
2025	3	18	18	5	11	0.705	-0.052	2.927	0.016	0.016	0	50.7	52	71.8	146	150	0	28	29
2025	3	18	18	15	11	0.755	-0.062	2.927	0.016	0.016	0	50.7	52.5	71.8	145	150	0	27	28
2025	3	18	18	25	11	0.751	-0.049	2.927	0.016	0.013	0	50.7	52.9	72.2	146	151	0	28	28
2025	3	18	18	35	11	0.755	-0.052	2.927	0.016	0.016	0	50.7	52.9	71.8	146	151	0	28	28
2025	3	18	18	45	11	0.768	-0.066	2.927	0.013	0.01	0	51.6	53.3	71.4	147	152	0	27	28
2025	3	18	18	55	11	0.748	-0.075	2.927	0.013	0.01	0	51.2	52.9	71.4	147	152	0	28	29
2025	3	18	19	5	11	0.732	-0.075	2.927	0.016	0.013	0	51.6	52.9	71.8	148	152	0	28	29
2025	3	18	19	15	11	0.728	-0.052	2.927	0.016	0.016	0	51.6	53.3	71	148	152	0	28	28
2025	3	18	19	25	11	0.735	-0.059	2.927	0.013	0.01	0	51.6	53.3	71.4	148	152	0	28	28
2025	3	18	19	35	11	0.732	-0.072	2.927	0.016	0.016	0	51.6	53.3	71.4	148	152	0	28	28
2025	3	18	19	45	11	0.722	-0.072	2.927	0.02	0.016	0	51.2	53.8	71	147	153	0	28	28
2025	3	18	19	55	11	0.728	-0.089	2.927	0.016	0.013	0	51.6	53.8	71.4	148	154	0	28	29
2025	3	18	20	5	11	0.728	-0.03	2.927	0.013	0.01	0	52	53.3	71.8	148	153	0	27	29
2025	3	18	20	15	11	0.741	-0.075	2.927	0.016	0.013	0	51.2	53.8	71.4	148	153	0	29	28
2025	3	18	20	25	11	0.751	-0.043	2.927	0.016	0.016	0	52	53.8	71.8	148	153	0	27	28
2025	3	18	20	35	11	0.761	-0.052	2.927	0.016	0.013	0	51.6	53.8	71	148	153	0	28	28
2025	3	18	20	45	11	0.719	-0.105	2.927	0.016	0.013	0	52	53.3	71	148	153	0	27	29
2025	3	18	20	55	11	0.689	-0.072	2.927	0.016	0.013	0	52	53.3	71	149	153	0	28	29
2025	3	18	21	5	11	0.715	-0.072	2.923	0.016	0.016	0	51.6	54.2	70.1	148	154	0	28	28
2025	3	18	21	15	11	0.722	-0.046	2.927	0.016	0.013	0	51.6	53.8	71.4	148	153	0	28	28
2025	3	18	21	25	11	0.705	-0.043	2.927	0.016	0.016	0	52	54.2	70.1	149	154	0	28	28
2025	3	18	21	35	11	0.715	-0.062	2.923	0.016	0.013	0	52	54.2	70.5	149	154	0	28	28
2025	3	18	21	45	11	0.732	-0.089	2.923	0.016	0.013	0	52	53.8	70.5	148	153	0	27	28
2025	3	18	21	55	11	0.738	-0.052	2.923	0.016	0.013	0	51.6	53.8	71	148	153	0	28	28
2025	3	18	22	5	11	0.748	-0.052	2.923	0.016	0.013	0	51.2	52.9	71	147	152	0	28	29
2025	3	18	22	15	11	0.738	-0.069	2.923	0.016	0.013	0	50.7	52.9	71	146	152	0	28	29
2025	3	18	22	25	11	0.728	-0.085	2.923	0.016	0.013	0	51.2	53.3	71	147	152	0	28	28
2025	3	18	22	35	11	0.728	-0.075	2.923	0.016	0.013	0	51.6	53.3	70.5	147	152	0	27	28
2025	3	18	22	45	11	0.732	-0.036	2.923	0.016	0.013	0	51.2	53.3	70.1	147	152	0	28	28
2025	3	18	22	55	11	0.725	-0.059	2.92	0.013	0.01	0	51.2	53.3	70.1	147	152	0	28	28
2025	3	18	23	5	11	0.728	-0.056	2.92	0.016	0.016	0	51.2	53.3	70.1	147	152	0	28	28
2025	3	18	23	15	11	0.735	-0.082	2.92	0.016	0.013	0	50.7	52.5	70.5	146	151	0	28	29
2025	3	18	23	25	11	0.738	-0.056	2.92	0.016	0.016	0	51.2	52.9	70.5	147	152	0	28	29
2025	3	18	23	35	11	0.705	-0.082	2.92	0.016	0.016	0	50.7	52.9	70.5	146	152	0	28	29
2025	3	18	23	45	11	0.696	-0.056	2.92	0.013	0.01	0	51.2	52.9	69.7	147	152	0	28	29
2025	3	18	23	55	11	0.722	-0.059	2.92	0.016	0.013	0	51.2	53.3	69.7	147	152	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	19	0	5	11	0.755	-0.066	2.92	0.016	0.013	0	50.7	53.3	69.7	146	152	0	28	28
2025	3	19	0	15	11	0.748	-0.069	2.92	0.016	0.013	0	50.7	52.9	69.7	146	151	0	28	28
2025	3	19	0	25	11	0.699	-0.072	2.92	0.013	0.01	0	51.2	53.3	69.7	147	152	0	28	28
2025	3	19	0	35	11	0.735	-0.02	2.92	0.016	0.013	0	50.7	52.5	69.7	146	151	0	28	29
2025	3	19	0	45	11	0.719	-0.026	2.92	0.016	0.013	0	50.3	52.9	69.7	146	152	0	29	29
2025	3	19	0	55	11	0.735	-0.079	2.92	0.016	0.013	0	50.3	52.5	69.7	145	151	0	28	29
2025	3	19	1	5	11	0.725	-0.069	2.92	0.016	0.013	0	50.3	52.5	70.1	145	151	0	28	29
2025	3	19	1	15	11	0.748	-0.069	2.92	0.016	0.013	0	50.3	52.5	69.7	145	150	0	28	28
2025	3	19	1	25	11	0.699	-0.052	2.92	0.016	0.013	0	50.3	51.6	69.7	145	150	0	28	30
2025	3	19	1	35	11	0.728	-0.062	2.92	0.016	0.013	0	50.3	52	69.2	145	150	0	28	29
2025	3	19	1	45	11	0.728	-0.072	2.92	0.016	0.016	0	50.3	52	69.2	145	150	0	28	29
2025	3	19	1	55	11	0.781	-0.052	2.92	0.016	0.013	0	49.9	52	68.8	144	150	0	28	29
2025	3	19	2	5	11	0.719	-0.036	2.92	0.016	0.013	0	49.9	52	69.2	144	150	0	28	29
2025	3	19	2	15	11	0.709	-0.079	2.92	0.016	0.016	0	49.5	51.6	69.2	144	149	0	29	29
2025	3	19	2	25	11	0.745	-0.052	2.923	0.016	0.013	0	49.9	51.6	69.2	144	149	0	28	29
2025	3	19	2	35	11	0.712	-0.056	2.923	0.016	0.016	0	49.5	51.6	69.2	143	149	0	28	29
2025	3	19	2	45	11	0.722	-0.059	2.923	0.013	0.01	0	49.9	51.6	69.2	144	149	0	28	29
2025	3	19	2	55	11	0.715	-0.069	2.927	0.016	0.013	0	49.5	51.6	69.2	143	149	0	28	29
2025	3	19	3	5	11	0.725	-0.059	2.927	0.016	0.016	0	49	51.6	69.7	143	149	0	29	29
2025	3	19	3	15	11	0.728	-0.062	2.927	0.016	0.013	0	49.5	51.6	69.7	143	149	0	28	29
2025	3	19	3	25	11	0.741	-0.085	2.927	0.016	0.016	0	49.5	51.6	69.7	143	149	0	28	29
2025	3	19	3	35	11	0.761	-0.092	2.927	0.02	0.016	0	49.5	51.2	70.5	143	148	0	28	29
2025	3	19	3	45	11	0.735	-0.075	2.927	0.016	0.013	0	49.5	51.6	71.4	143	149	0	28	29
2025	3	19	3	55	11	0.745	-0.085	2.927	0.016	0.013	0	49.5	51.6	71	143	148	0	28	28
2025	3	19	4	5	11	0.712	-0.062	2.927	0.016	0.016	0	49	51.6	71.8	142	148	0	28	28
2025	3	19	4	15	11	0.732	-0.082	2.927	0.013	0.01	0	50.3	50.7	71	145	147	0	28	29
2025	3	19	4	25	11	0.679	-0.082	2.927	0.016	0.016	0	49.9	51.2	71.4	144	148	0	28	29
2025	3	19	4	35	11	0.709	-0.056	2.927	0.013	0.01	0	50.3	51.2	71.4	145	148	0	28	29
2025	3	19	4	45	11	0.748	-0.082	2.927	0.016	0.016	0	49.9	50.7	71.8	144	147	0	28	29
2025	3	19	4	55	11	0.705	-0.082	2.927	0.016	0.013	0	49	50.3	72.7	143	146	0	29	29
2025	3	19	5	5	11	0.692	-0.069	2.927	0.013	0.01	0	49.5	50.7	72.7	144	147	0	29	29
2025	3	19	5	15	11	0.748	-0.062	2.927	0.016	0.016	0	49.9	51.2	72.2	144	147	0	28	28
2025	3	19	5	25	11	0.709	-0.075	2.927	0.016	0.016	0	49.9	50.7	72.7	144	147	0	28	29
2025	3	19	5	35	11	0.764	-0.052	2.927	0.016	0.016	0	49	50.3	73.1	143	146	0	29	29
2025	3	19	5	45	11	0.725	-0.075	2.927	0.016	0.013	0	49.5	50.7	72.7	143	147	0	28	29
2025	3	19	5	55	11	0.738	-0.072	2.927	0.016	0.013	0	49	50.3	73.1	143	146	0	29	29
2025	3	19	6	5	11	0.745	-0.108	2.927	0.016	0.016	0	48.6	49.9	73.1	142	145	0	29	29
2025	3	19	6	15	11	0.725	-0.069	2.927	0.016	0.013	0	49	49.9	73.5	142	146	0	28	30
2025	3	19	6	25	11	0.728	-0.043	2.927	0.016	0.013	0	49	50.3	73.1	143	146	0	29	29
2025	3	19	6	35	11	0.725	-0.112	2.927	0.016	0.013	0	49	50.3	72.7	142	146	0	28	29
2025	3	19	6	45	11	0.751	-0.059	2.927	0.02	0.016	0	49	50.7	72.7	143	146	0	29	28
2025	3	19	6	55	11	0.738	-0.049	2.927	0.01	0.007	0	48.6	50.3	73.1	142	146	0	29	29
2025	3	19	7	5	11	0.768	-0.092	2.927	0.016	0.016	0	48.6	49.9	72.7	142	145	0	29	29
2025	3	19	7	15	11	0.771	-0.095	2.927	0.016	0.013	0	49	50.3	73.5	143	146	0	29	29
2025	3	19	7	25	11	0.728	-0.043	2.927	0.016	0.013	0	49	49.9	74	142	145	0	28	29
2025	3	19	7	35	11	0.692	-0.069	2.927	0.016	0.013	0	48.6	49.9	74	142	145	0	29	29
2025	3	19	7	45	11	0.689	-0.079	2.927	0.016	0.013	0	48.6	49.9	74	142	146	0	29	30
2025	3	19	7	55	11	0.705	-0.082	2.927	0.013	0.01	0	48.2	49	73.5	141	144	0	29	30

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	19	8	5	11	0.709	-0.059	2.927	0.016	0.013	0	48.6	49.5	74	141	144	0	28	29
2025	3	19	8	15	11	0.738	-0.085	2.927	0.02	0.016	0	48.2	49.5	73.5	140	144	0	28	29
2025	3	19	8	25	11	0.735	-0.066	2.927	0.013	0.01	0	48.2	49.9	74.4	141	145	0	29	29
2025	3	19	8	35	11	0.745	-0.082	2.927	0.016	0.013	0	47.7	49.5	74	140	144	0	29	29
2025	3	19	8	45	11	0.732	-0.089	2.927	0.013	0.01	0	48.6	49.5	73.5	141	144	0	28	29
2025	3	19	8	55	11	0.768	-0.066	2.927	0.016	0.016	0	47.7	49	73.1	140	143	0	29	29
2025	3	19	9	5	11	0.722	-0.069	2.927	0.016	0.013	0	48.2	49.9	73.1	141	145	0	29	29
2025	3	19	9	15	11	0.715	-0.069	2.927	0.016	0.013	0	47.7	49	73.5	140	143	0	29	29
2025	3	19	9	25	11	0.722	-0.069	2.927	0.013	0.01	0	48.2	49.5	69.7	141	144	0	29	29
2025	3	19	9	35	11	0.758	-0.066	2.927	0.016	0.016	0	48.6	50.3	70.1	141	145	0	28	28
2025	3	19	9	45	11	0.751	-0.066	2.927	0.016	0.013	0	47.7	49	57.2	140	144	0	29	30
2025	3	19	9	55	11	0.728	-0.069	2.927	0.016	0.013	0	48.6	49.9	53.8	141	145	0	28	29
2025	3	19	10	5	11	0.719	-0.069	2.923	0.016	0.013	0	48.6	49.5	50.7	141	144	0	28	29
2025	3	19	10	15	11	0.774	-0.052	2.923	0.013	0.01	0	48.6	49.5	49	142	145	0	29	30
2025	3	19	10	25	11	0.692	-0.069	2.92	0.016	0.013	0	49.5	51.2	46.9	144	148	0	29	29
2025	3	19	10	35	11	0.702	-0.046	2.92	0.016	0.013	0	49.5	50.7	45.6	143	147	0	28	29
2025	3	19	10	45	11	0.738	-0.052	2.923	0.02	0.016	0	49.5	50.7	46	144	147	0	29	29
2025	3	19	10	55	11	0.732	-0.085	2.92	0.02	0.016	0	49	50.3	48.2	143	147	0	29	30
2025	3	19	11	5	11	0.725	-0.095	2.923	0.016	0.016	0	49	50.3	46	143	146	0	29	29
2025	3	19	11	15	11	0.722	-0.069	2.92	0.016	0.016	0	49.9	50.7	44.7	144	147	0	28	29
2025	3	19	11	25	11	0.745	-0.023	2.92	0.016	0.013	0	49	49.9	46.4	142	145	0	28	29
2025	3	19	11	35	11	0.745	-0.066	2.92	0.016	0.016	0	49.5	50.3	46.4	143	146	0	28	29
2025	3	19	11	45	11	0.715	-0.062	2.92	0.016	0.013	0	50.7	51.6	48.6	145	148	0	27	28
2025	3	19	11	55	11	0.751	-0.085	2.92	0.016	0.013	0	49.5	51.6	45.6	144	148	0	29	28
2025	3	19	12	5	11	0.722	-0.085	2.92	0.016	0.016	0	49.9	50.3	46	144	147	0	28	30
2025	3	19	12	15	11	0.755	-0.092	2.92	0.016	0.016	0	49.9	51.2	47.7	143	147	0	27	28
2025	3	19	12	25	11	0.741	-0.072	2.92	0.016	0.013	0	49	50.3	45.2	142	146	0	28	29
2025	3	19	12	35	11	0.735	-0.072	2.92	0.016	0.016	0	49	50.3	46	143	146	0	29	29
2025	3	19	12	45	11	0.712	-0.049	2.92	0.016	0.013	0	49	50.3	47.7	142	146	0	28	29
2025	3	19	12	55	11	0.725	-0.082	2.917	0.016	0.013	0	49	50.3	47.7	142	146	0	28	29
2025	3	19	13	5	11	0.735	-0.066	2.917	0.016	0.013	0	50.3	51.6	45.2	145	149	0	28	29
2025	3	19	13	15	11	0.673	-0.036	2.917	0.013	0.01	0	50.3	51.6	47.3	145	149	0	28	29
2025	3	19	13	25	11	0.689	-0.079	2.92	0.016	0.013	0	50.3	51.6	46.9	145	149	0	28	29
2025	3	19	13	35	11	0.738	-0.105	2.917	0.016	0.013	0	49.5	50.7	45.6	143	147	0	28	29
2025	3	19	13	45	11	0.715	-0.066	2.913	0.016	0.013	0	50.3	51.2	44.3	145	148	0	28	29
2025	3	19	13	55	11	0.719	-0.069	2.917	0.016	0.016	0	49.9	52	46.9	144	149	0	28	28
2025	3	19	14	5	11	0.732	-0.075	2.917	0.016	0.016	0	50.3	51.6	45.6	145	148	0	28	28
2025	3	19	14	15	11	0.728	-0.026	2.917	0.016	0.016	0	49.9	51.6	46.9	144	148	0	28	28
2025	3	19	14	25	11	0.725	-0.059	2.913	0.016	0.013	0	50.3	51.6	44.7	145	148	0	28	28
2025	3	19	14	35	11	0.751	-0.085	2.91	0.016	0.013	0	49.5	51.2	45.2	144	148	0	29	29
2025	3	19	14	45	11	0.745	-0.072	2.913	0.016	0.016	0	49.5	51.2	45.2	144	147	0	29	28
2025	3	19	14	55	11	0.719	-0.072	2.917	0.016	0.013	0	50.3	51.6	46.9	144	148	0	27	28
2025	3	19	15	5	11	0.705	-0.075	2.913	0.02	0.016	0	50.3	51.2	46.9	144	148	0	27	29
2025	3	19	15	15	11	0.725	-0.108	2.913	0.016	0.013	0	49.9	51.6	45.6	144	148	0	28	28
2025	3	19	15	25	11	0.702	-0.079	2.917	0.016	0.016	0	50.3	51.6	45.6	145	148	0	28	28
2025	3	19	15	35	11	0.712	-0.052	2.917	0.016	0.016	0	50.3	51.6	46.4	144	148	0	27	28
2025	3	19	15	45	11	0.709	-0.079	2.913	0.016	0.013	0	49.9	51.2	43	145	148	0	29	29
2025	3	19	15	55	11	0.722	-0.066	2.913	0.016	0.016	0	50.7	52.5	42.6	146	150	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	19	16	5	11	0.692	-0.089	2.91	0.016	0.013	0	50.3	51.6	46.4	145	148	0	28	28
2025	3	19	16	15	11	0.712	-0.072	2.913	0.016	0.013	0	49.5	52	46	144	149	0	29	28
2025	3	19	16	25	11	0.728	-0.089	2.913	0.016	0.016	0	50.3	51.6	45.6	145	149	0	28	29
2025	3	19	16	35	11	0.702	-0.059	2.91	0.016	0.016	0	49.9	51.6	42.6	144	148	0	28	28
2025	3	19	16	45	11	0.722	-0.066	2.91	0.016	0.013	0	50.3	51.6	45.6	144	148	0	27	28
2025	3	19	16	55	11	0.699	-0.082	2.91	0.016	0.013	0	50.7	51.2	43.9	145	148	0	27	29
2025	3	19	17	5	11	0.745	-0.085	2.91	0.016	0.016	0	49.9	51.6	45.6	144	148	0	28	28
2025	3	19	17	15	11	0.725	-0.079	2.91	0.016	0.013	0	49.9	51.6	44.3	144	148	0	28	28
2025	3	19	17	25	11	0.715	-0.082	2.91	0.016	0.016	0	50.3	51.2	44.7	145	148	0	28	29
2025	3	19	17	35	11	0.745	-0.085	2.91	0.013	0.01	0	50.7	51.6	46.4	145	149	0	27	29
2025	3	19	17	45	11	0.689	-0.059	2.91	0.016	0.013	0	51.2	52	52.5	146	149	0	27	28
2025	3	19	17	55	11	0.745	-0.105	2.91	0.013	0.01	0	50.7	52	61.5	146	150	0	28	29
2025	3	19	18	5	11	0.728	-0.102	2.91	0.016	0.016	0	51.6	52.5	54.2	147	151	0	27	29
2025	3	19	18	15	11	0.696	-0.043	2.91	0.016	0.013	0	51.2	52.9	64.1	147	151	0	28	28
2025	3	19	18	25	11	0.741	-0.026	2.91	0.016	0.013	0	51.6	52.9	68.4	147	151	0	27	28
2025	3	19	18	35	11	0.712	-0.033	2.907	0.016	0.016	0	51.6	52.9	47.7	148	152	0	28	29
2025	3	19	18	45	11	0.686	-0.089	2.907	0.016	0.016	0	51.6	52.9	51.6	147	151	0	27	28
2025	3	19	18	55	11	0.696	-0.069	2.907	0.016	0.016	0	51.6	52.9	55.9	148	151	0	28	28
2025	3	19	19	5	11	0.699	-0.092	2.907	0.016	0.013	0	52.5	52.9	46.4	149	151	0	27	28
2025	3	19	19	15	11	0.712	-0.059	2.907	0.013	0.01	0	52	53.3	54.2	149	152	0	28	28
2025	3	19	19	25	11	0.705	-0.072	2.907	0.016	0.013	0	51.6	52.9	58	148	151	0	28	28
2025	3	19	19	35	11	0.725	-0.072	2.907	0.016	0.016	0	52	53.3	56.8	149	152	0	28	28
2025	3	19	19	45	11	0.725	-0.059	2.907	0.016	0.013	0	52.5	53.3	43.9	149	152	0	27	28
2025	3	19	19	55	11	0.738	-0.069	2.907	0.016	0.016	0	51.6	53.3	43.9	148	152	0	28	28
2025	3	19	20	5	11	0.692	-0.079	2.904	0.016	0.013	0	51.6	52.9	43.9	148	151	0	28	28
2025	3	19	20	15	11	0.719	-0.102	2.904	0.02	0.016	0	51.6	52.9	45.6	148	151	0	28	28
2025	3	19	20	25	11	0.699	-0.075	2.904	0.016	0.016	0	52	53.3	51.6	148	152	0	27	28
2025	3	19	20	35	11	0.751	-0.052	2.907	0.016	0.013	0	52	52.9	45.2	149	152	0	28	29
2025	3	19	20	45	11	0.686	-0.062	2.904	0.016	0.013	0	52	53.3	51.6	148	152	0	27	28
2025	3	19	20	55	11	0.676	-0.072	2.907	0.016	0.016	0	51.6	53.3	62.8	148	152	0	28	28
2025	3	19	21	5	11	0.725	-0.056	2.907	0.016	0.013	0	52	52.9	68.8	149	152	0	28	29
2025	3	19	21	15	11	0.705	-0.043	2.907	0.016	0.013	0	52	52.9	68.8	149	152	0	28	29
2025	3	19	21	25	11	0.735	-0.069	2.907	0.016	0.016	0	52.5	53.3	68.8	149	152	0	27	28
2025	3	19	21	35	11	0.728	-0.046	2.91	0.016	0.016	0	52.5	53.3	68.8	149	152	0	27	28
2025	3	19	21	45	11	0.738	-0.039	2.91	0.016	0.013	0	52	53.3	69.7	149	152	0	28	28
2025	3	19	21	55	11	0.735	-0.036	2.91	0.016	0.013	0	52	53.8	68.8	149	153	0	28	28
2025	3	19	22	5	11	0.702	-0.072	2.91	0.016	0.013	0	52	53.3	69.7	149	153	0	28	29
2025	3	19	22	15	11	0.728	-0.072	2.91	0.016	0.016	0	52	53.3	69.7	149	152	0	28	28
2025	3	19	22	25	11	0.705	-0.079	2.91	0.016	0.016	0	52	53.8	69.2	149	153	0	28	28
2025	3	19	22	35	11	0.722	-0.062	2.91	0.016	0.013	0	52	52.9	69.2	148	152	0	27	29
2025	3	19	22	45	11	0.771	-0.062	2.91	0.016	0.013	0	51.6	53.3	69.2	148	152	0	28	28
2025	3	19	22	55	11	0.761	-0.062	2.91	0.016	0.016	0	52	52.9	69.7	149	152	0	28	29
2025	3	19	23	5	11	0.735	-0.072	2.91	0.016	0.013	0	52	53.3	69.7	149	153	0	28	29
2025	3	19	23	15	11	0.699	-0.056	2.91	0.016	0.016	0	51.6	53.3	69.7	148	152	0	28	28
2025	3	19	23	25	11	0.725	-0.089	2.91	0.016	0.013	0	51.6	52.9	70.1	148	152	0	28	29
2025	3	19	23	35	11	0.732	-0.062	2.91	0.013	0.01	0	52	53.8	69.7	149	153	0	28	28
2025	3	19	23	45	11	0.719	-0.059	2.91	0.016	0.016	0	52	53.3	70.5	149	152	0	28	28
2025	3	19	23	55	11	0.696	-0.043	2.91	0.013	0.01	0	51.6	53.3	70.5	148	152	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	20	0	5	11	0.735	-0.082	2.91	0.016	0.013	0	50.7	52	71.8	147	151	0	29	30
2025	3	20	0	15	11	0.758	-0.062	2.91	0.016	0.013	0	51.6	52.5	71.4	147	151	0	27	29
2025	3	20	0	25	11	0.728	-0.046	2.907	0.016	0.016	0	51.2	52.9	69.2	147	151	0	28	28
2025	3	20	0	35	11	0.738	-0.075	2.91	0.016	0.013	0	50.7	52.5	70.5	147	151	0	29	29
2025	3	20	0	45	11	0.715	-0.079	2.907	0.013	0.01	0	51.6	53.3	71.8	148	152	0	28	28
2025	3	20	0	55	11	0.712	-0.026	2.907	0.016	0.013	0	51.2	52.9	71.4	147	151	0	28	28
2025	3	20	1	5	11	0.764	-0.056	2.907	0.016	0.013	0	50.7	52.5	61.1	147	151	0	29	29
2025	3	20	1	15	11	0.705	-0.072	2.907	0.016	0.013	0	51.2	52.9	71.8	147	151	0	28	28
2025	3	20	1	25	11	0.728	-0.056	2.904	0.016	0.016	0	51.2	52.5	47.3	147	151	0	28	29
2025	3	20	1	35	11	0.719	-0.066	2.907	0.016	0.013	0	51.2	52.5	55.5	147	151	0	28	29
2025	3	20	1	45	11	0.722	-0.075	2.907	0.013	0.01	0	51.2	52.9	71.8	147	151	0	28	28
2025	3	20	1	55	11	0.751	-0.069	2.907	0.016	0.013	0	51.2	52.5	49.5	147	151	0	28	29
2025	3	20	2	5	11	0.728	-0.082	2.907	0.02	0.016	0	51.2	52.9	72.7	147	151	0	28	28
2025	3	20	2	15	11	0.699	-0.062	2.907	0.016	0.013	0	51.2	52.9	71.8	147	152	0	28	29
2025	3	20	2	25	11	0.732	-0.062	2.907	0.016	0.013	0	51.2	52.5	64.5	147	151	0	28	29
2025	3	20	2	35	11	0.735	-0.095	2.904	0.016	0.016	0	51.2	52.5	46.4	147	151	0	28	29
2025	3	20	2	45	11	0.689	-0.072	2.904	0.016	0.013	0	50.7	52.9	48.2	146	151	0	28	28
2025	3	20	2	55	11	0.738	-0.066	2.907	0.013	0.01	0	51.2	52.9	73.1	147	151	0	28	28
2025	3	20	3	5	11	0.699	-0.059	2.907	0.016	0.013	0	50.7	52	61.9	146	150	0	28	29
2025	3	20	3	15	11	0.728	-0.049	2.907	0.016	0.013	0	50.7	52.5	68.4	146	151	0	28	29
2025	3	20	3	25	11	0.715	-0.079	2.907	0.02	0.016	0	50.7	52	65.4	146	150	0	28	29
2025	3	20	3	35	11	0.728	-0.072	2.907	0.016	0.013	0	51.2	52.9	56.3	147	151	0	28	28
2025	3	20	3	45	11	0.702	-0.062	2.907	0.013	0.01	0	50.7	52	66.7	146	150	0	28	29
2025	3	20	3	55	11	0.761	-0.082	2.907	0.016	0.013	0	50.3	52	72.2	146	150	0	29	29
2025	3	20	4	5	11	0.732	-0.062	2.907	0.016	0.013	0	50.7	52.5	72.7	146	151	0	28	29
2025	3	20	4	15	11	0.715	-0.079	2.907	0.016	0.016	0	50.7	52.5	73.5	146	151	0	28	29
2025	3	20	4	25	11	0.728	-0.082	2.907	0.016	0.013	0	50.7	52.5	72.7	146	151	0	28	29
2025	3	20	4	35	11	0.702	-0.046	2.907	0.016	0.013	0	50.7	52.5	73.1	146	151	0	28	29
2025	3	20	4	45	11	0.709	-0.046	2.907	0.016	0.016	0	50.7	52.5	73.1	146	150	0	28	28
2025	3	20	4	55	11	0.712	-0.059	2.907	0.016	0.016	0	50.7	52.5	73.1	146	151	0	28	29
2025	3	20	5	5	11	0.689	-0.016	2.907	0.016	0.013	0	50.7	52.5	72.7	146	151	0	28	29
2025	3	20	5	15	11	0.699	-0.033	2.907	0.016	0.013	0	50.7	52	74	146	150	0	28	29
2025	3	20	5	25	11	0.738	-0.098	2.907	0.016	0.013	0	50.3	52	73.1	146	150	0	29	29
2025	3	20	5	35	11	0.735	-0.052	2.907	0.016	0.013	0	50.7	52	71.8	146	150	0	28	29
2025	3	20	5	45	11	0.738	-0.039	2.907	0.013	0.01	0	50.3	52	73.5	145	150	0	28	29
2025	3	20	5	55	11	0.712	-0.085	2.907	0.013	0.01	0	50.3	52	73.1	145	150	0	28	29
2025	3	20	6	5	11	0.732	-0.059	2.907	0.013	0.01	0	49.5	51.6	73.1	144	149	0	29	29
2025	3	20	6	15	11	0.728	-0.043	2.907	0.016	0.013	0	49.9	52	73.1	145	150	0	29	29
2025	3	20	6	25	11	0.715	-0.049	2.907	0.016	0.016	0	49.9	51.6	73.5	144	149	0	28	29
2025	3	20	6	35	11	0.686	-0.082	2.907	0.016	0.013	0	49	51.2	73.5	143	148	0	29	29
2025	3	20	6	45	11	0.712	-0.056	2.904	0.016	0.013	0	49.5	51.2	73.5	143	148	0	28	29
2025	3	20	6	55	11	0.712	-0.036	2.904	0.016	0.013	0	49.9	51.6	73.5	144	149	0	28	29
2025	3	20	7	5	11	0.715	-0.075	2.904	0.013	0.01	0	49.9	51.2	74.8	144	148	0	28	29
2025	3	20	7	15	11	0.709	-0.072	2.904	0.016	0.013	0	49	51.2	73.5	142	148	0	28	29
2025	3	20	7	25	11	0.719	-0.036	2.904	0.016	0.016	0	49	51.2	74.8	142	147	0	28	28
2025	3	20	7	35	11	0.705	-0.082	2.907	0.013	0.01	0	49	50.3	74.8	142	147	0	28	30
2025	3	20	7	45	11	0.719	-0.069	2.907	0.013	0.01	0	49	50.7	70.5	142	147	0	28	29
2025	3	20	7	55	11	0.725	-0.069	2.907	0.016	0.016	0	48.6	50.3	56.8	141	146	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	20	8	5	11	0.732	-0.049	2.907	0.016	0.016	0	49	50.7	66.7	142	147	0	28	29
2025	3	20	8	15	11	0.702	-0.079	2.907	0.016	0.016	0	48.2	50.3	69.2	141	146	0	29	29
2025	3	20	8	25	11	0.712	-0.082	2.907	0.016	0.013	0	49	50.7	74.4	142	147	0	28	29
2025	3	20	8	35	11	0.751	-0.052	2.907	0.02	0.016	0	49	50.3	62.8	142	147	0	28	30
2025	3	20	8	45	11	0.738	-0.085	2.907	0.016	0.013	0	49	50.3	59.8	141	146	0	27	29
2025	3	20	8	55	11	0.725	-0.056	2.907	0.016	0.016	0	49	50.7	68.4	142	147	0	28	29
2025	3	20	9	5	11	0.715	-0.069	2.907	0.016	0.013	0	48.2	49.9	74	140	145	0	28	29
2025	3	20	9	15	11	0.705	-0.085	2.907	0.016	0.013	0	48.6	49.9	74.8	141	145	0	28	29
2025	3	20	9	25	11	0.725	-0.095	2.907	0.016	0.016	0	48.6	50.3	74.8	141	146	0	28	29
2025	3	20	9	35	11	0.725	-0.072	2.91	0.016	0.013	0	48.6	50.7	74	141	146	0	28	28
2025	3	20	9	45	11	0.719	-0.089	2.91	0.016	0.013	0	48.2	49.9	74.8	140	145	0	28	29
2025	3	20	9	55	11	0.712	-0.092	2.91	0.016	0.013	0	48.2	49.9	74.4	140	145	0	28	29
2025	3	20	10	5	11	0.738	-0.043	2.91	0.016	0.013	0	49	50.7	74.4	142	147	0	28	29
2025	3	20	10	15	11	0.719	-0.059	2.91	0.013	0.01	0	48.6	50.3	74.8	141	146	0	28	29
2025	3	20	10	25	11	0.712	-0.026	2.913	0.016	0.016	0	48.6	50.7	74.4	141	146	0	28	28
2025	3	20	10	35	11	0.696	-0.092	2.913	0.016	0.016	0	48.2	50.7	73.5	141	147	0	29	29
2025	3	20	10	45	11	0.738	-0.072	2.913	0.016	0.013	0	48.6	50.3	73.5	141	145	0	28	28
2025	3	20	10	55	11	0.719	-0.075	2.913	0.016	0.016	0	48.2	50.3	73.1	140	145	0	28	28
2025	3	20	11	5	11	0.699	-0.026	2.913	0.016	0.013	0	48.6	50.3	74	141	146	0	28	29
2025	3	20	11	15	11	0.741	-0.056	2.913	0.016	0.016	0	48.2	49.9	71.8	140	145	0	28	29
2025	3	20	11	25	11	0.699	-0.043	2.913	0.016	0.013	0	49	50.7	73.1	142	147	0	28	29
2025	3	20	11	35	11	0.732	-0.062	2.913	0.02	0.016	0	49	51.2	73.1	142	148	0	28	29
2025	3	20	11	45	11	0.715	-0.085	2.913	0.016	0.013	0	49	50.7	67.1	142	147	0	28	29
2025	3	20	11	55	11	0.702	-0.059	2.913	0.016	0.016	0	48.6	50.3	72.2	141	146	0	28	29
2025	3	20	12	5	11	0.719	-0.072	2.913	0.016	0.013	0	49.5	51.6	68.8	143	148	0	28	28
2025	3	20	12	15	11	0.728	-0.059	2.913	0.016	0.016	0	49	51.2	58	142	147	0	28	28
2025	3	20	12	25	11	0.728	-0.052	2.913	0.016	0.013	0	48.2	51.2	71.8	141	147	0	29	28
2025	3	20	12	35	11	0.715	-0.066	2.917	0.016	0.013	0	49	51.2	71.8	142	147	0	28	28
2025	3	20	12	45	11	0.738	-0.056	2.91	0.016	0.016	0	48.2	50.3	52.5	140	146	0	28	29
2025	3	20	12	55	11	0.725	-0.089	2.91	0.016	0.016	0	49	51.2	45.2	142	147	0	28	28
2025	3	20	13	5	11	0.682	-0.059	2.913	0.013	0.01	0	49	51.2	52.5	142	147	0	28	28
2025	3	20	13	15	11	0.722	-0.043	2.917	0.016	0.016	0	49.5	51.6	71.4	143	148	0	28	28
2025	3	20	13	25	11	0.751	-0.03	2.917	0.02	0.016	0	49.5	51.6	71.4	143	148	0	28	28
2025	3	20	13	35	11	0.719	-0.046	2.913	0.016	0.013	0	49.5	51.2	52	142	148	0	27	29
2025	3	20	13	45	11	0.732	-0.062	2.917	0.016	0.013	0	49.5	51.6	71	143	148	0	28	28
2025	3	20	13	55	11	0.761	-0.072	2.91	0.016	0.013	0	49.5	51.6	54.6	142	147	0	27	27
2025	3	20	14	5	11	0.696	-0.043	2.91	0.016	0.013	0	49.9	51.6	69.7	143	148	0	27	28
2025	3	20	14	15	11	0.699	-0.072	2.907	0.016	0.013	0	49.9	52	64.1	144	149	0	28	28
2025	3	20	14	33	9	0.751	-0.033	2.907	0.02	0.016	0	49.9	52	71	143	149	0	27	28
2025	3	20	14	43	9	0.755	-0.075	2.907	0.016	0.013	0	50.3	52.5	67.5	145	150	0	28	28
2025	3	20	14	53	9	0.722	-0.062	2.907	0.016	0.013	0	50.3	52.5	71.4	145	150	0	28	28
2025	3	20	15	3	9	0.725	-0.059	2.907	0.016	0.013	0	50.3	52.5	71.4	144	150	0	27	28
2025	3	20	15	13	9	0.712	-0.056	2.907	0.013	0.01	0	49.9	52.5	71.4	144	150	0	28	28
2025	3	20	15	23	9	0.732	-0.036	2.907	0.016	0.016	0	49.9	52.5	69.7	144	150	0	28	28
2025	3	20	15	33	9	0.728	-0.066	2.907	0.02	0.016	0	50.7	52.9	71	145	151	0	27	28
2025	3	20	15	43	9	0.663	-0.052	2.907	0.016	0.013	0	51.2	52.9	70.1	146	151	0	27	28
2025	3	20	15	53	9	0.745	-0.059	2.907	0.016	0.016	0	50.7	52.9	71.4	145	151	0	27	28
2025	3	20	16	3	9	0.666	-0.059	2.91	0.016	0.013	0	50.7	52.5	71	146	151	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	20	16	13	9	0.741	-0.052	2.907	0.016	0.013	0	50.7	52.5	71	146	151	0	28	29
2025	3	20	16	23	9	0.705	-0.059	2.907	0.016	0.013	0	51.6	53.8	55.5	147	152	0	27	27
2025	3	20	16	33	9	0.712	-0.043	2.907	0.016	0.013	0	51.2	53.3	71	147	152	0	28	28
2025	3	20	16	43	9	0.755	-0.026	2.907	0.016	0.016	0	51.6	53.3	61.9	147	152	0	27	28
2025	3	20	16	53	9	0.715	-0.036	2.907	0.016	0.016	0	51.6	53.3	61.5	147	152	0	27	28
2025	3	20	17	3	9	0.689	-0.043	2.907	0.016	0.013	0	51.2	53.3	70.5	147	152	0	28	28
2025	3	20	17	13	9	0.735	-0.072	2.907	0.016	0.016	0	51.2	53.3	70.5	146	151	0	27	27
2025	3	20	17	23	9	0.725	-0.039	2.907	0.016	0.013	0	51.2	54.2	71	147	153	0	28	27
2025	3	20	17	33	9	0.741	-0.049	2.907	0.016	0.013	0	51.6	53.3	70.5	147	152	0	27	28
2025	3	20	17	43	9	0.738	-0.046	2.907	0.016	0.016	0	52	53.8	70.5	148	153	0	27	28
2025	3	20	17	53	9	0.745	-0.075	2.907	0.016	0.013	0	51.6	53.8	70.1	148	153	0	28	28
2025	3	20	18	3	9	0.712	-0.023	2.907	0.016	0.013	0	52.5	54.2	70.1	149	154	0	27	28
2025	3	20	18	13	9	0.715	-0.069	2.907	0.016	0.013	0	51.6	53.8	70.1	148	153	0	28	28
2025	3	20	18	23	9	0.745	-0.049	2.907	0.016	0.013	0	52	53.8	70.1	148	153	0	27	28
2025	3	20	18	33	9	0.705	-0.105	2.907	0.016	0.016	0	52.5	54.2	69.7	149	154	0	27	28
2025	3	20	18	43	9	0.696	-0.082	2.907	0.016	0.013	0	52	54.2	69.7	149	154	0	28	28
2025	3	20	18	53	9	0.715	-0.085	2.907	0.016	0.016	0	52	54.2	69.7	149	154	0	28	28
2025	3	20	19	3	9	0.732	-0.102	2.907	0.016	0.013	0	52	55	69.2	149	155	0	28	27
2025	3	20	19	13	9	0.735	-0.056	2.907	0.016	0.013	0	52	54.2	70.1	149	154	0	28	28
2025	3	20	19	23	9	0.728	-0.118	2.904	0.016	0.013	0	52	54.6	69.7	149	154	0	28	27
2025	3	20	19	33	9	0.735	-0.049	2.907	0.013	0.01	0	52.5	54.2	69.7	149	154	0	27	28
2025	3	20	19	43	9	0.728	-0.082	2.907	0.016	0.013	0	52	53.8	69.7	149	154	0	28	29
2025	3	20	19	53	9	0.728	-0.043	2.904	0.02	0.016	0	52.5	54.6	69.2	149	155	0	27	28
2025	3	20	20	3	9	0.686	-0.082	2.904	0.016	0.016	0	52.5	54.6	68.8	149	155	0	27	28
2025	3	20	20	13	9	0.725	-0.036	2.904	0.016	0.016	0	52.5	55	69.2	149	155	0	27	27
2025	3	20	20	23	9	0.755	-0.066	2.904	0.016	0.016	0	52.5	53.8	69.2	149	154	0	27	29
2025	3	20	20	33	9	0.725	-0.075	2.904	0.016	0.013	0	52.5	54.6	68.8	150	155	0	28	28
2025	3	20	20	43	9	0.738	-0.03	2.904	0.016	0.016	0	52	54.6	68.8	149	155	0	28	28
2025	3	20	20	53	9	0.699	-0.052	2.904	0.016	0.016	0	52.9	55	68.4	150	155	0	27	27
2025	3	20	21	3	9	0.732	-0.052	2.904	0.016	0.016	0	52.5	54.6	68.8	150	155	0	28	28
2025	3	20	21	13	9	0.741	-0.072	2.904	0.016	0.016	0	52.5	54.6	68.4	149	155	0	27	28
2025	3	20	21	23	9	0.735	-0.033	2.904	0.016	0.013	0	52.5	54.6	68.8	149	155	0	27	28
2025	3	20	21	33	9	0.705	-0.03	2.904	0.016	0.013	0	52.5	54.6	68.4	150	155	0	28	28
2025	3	20	21	43	9	0.709	-0.036	2.904	0.016	0.013	0	52.5	54.2	68.4	150	155	0	28	29
2025	3	20	21	53	9	0.712	-0.043	2.904	0.016	0.013	0	52.5	55	68.4	150	156	0	28	28
2025	3	20	22	3	9	0.705	-0.072	2.904	0.016	0.016	0	52.9	54.6	68.4	150	155	0	27	28
2025	3	20	22	13	9	0.715	-0.082	2.904	0.016	0.013	0	52.5	54.6	68.8	149	155	0	27	28
2025	3	20	22	23	9	0.719	-0.062	2.904	0.013	0.01	0	52	54.2	68.4	149	155	0	28	29
2025	3	20	22	33	9	0.735	-0.043	2.904	0.016	0.013	0	52	54.6	68.4	149	155	0	28	28
2025	3	20	22	43	9	0.751	-0.036	2.904	0.016	0.013	0	52.5	54.6	67.9	149	155	0	27	28
2025	3	20	22	53	9	0.725	-0.079	2.904	0.016	0.013	0	52.5	54.6	68.4	149	155	0	27	28
2025	3	20	23	3	9	0.699	-0.039	2.9	0.013	0.01	0	52.5	55	67.1	150	156	0	28	28
2025	3	20	23	13	9	0.722	-0.059	2.9	0.016	0.013	0	52.9	54.6	67.5	150	156	0	27	29
2025	3	20	23	23	9	0.699	-0.072	2.904	0.016	0.016	0	52.9	54.2	65.8	150	155	0	27	29
2025	3	20	23	33	9	0.774	-0.085	2.904	0.013	0.01	0	52.5	55	67.9	150	156	0	28	28
2025	3	20	23	43	9	0.735	-0.089	2.904	0.016	0.013	0	52.5	55	67.1	150	156	0	28	28
2025	3	20	23	53	9	0.735	-0.062	2.904	0.02	0.016	0	52	54.6	67.1	149	155	0	28	28
2025	3	21	0	3	9	0.728	-0.085	2.907	0.013	0.01	0	52	54.2	67.1	149	155	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	21	0	13	9	0.725	-0.036	2.907	0.016	0.013	0	52	54.6	65.8	149	155	0	28	28
2025	3	21	0	23	9	0.758	-0.066	2.91	0.016	0.013	0	52	54.2	67.9	149	155	0	28	29
2025	3	21	0	33	9	0.689	-0.059	2.91	0.016	0.016	0	52	54.6	67.5	149	155	0	28	28
2025	3	21	0	43	9	0.696	-0.059	2.91	0.016	0.013	0	52	54.6	67.5	149	155	0	28	28
2025	3	21	0	53	9	0.702	-0.069	2.91	0.016	0.013	0	52.5	54.6	67.5	149	155	0	27	28
2025	3	21	1	3	9	0.709	-0.023	2.91	0.016	0.016	0	52	54.6	67.9	149	155	0	28	28
2025	3	21	1	13	9	0.709	-0.059	2.91	0.016	0.016	0	51.6	54.6	68.4	148	155	0	28	28
2025	3	21	1	23	9	0.728	-0.089	2.91	0.016	0.013	0	51.6	54.2	68.8	148	154	0	28	28
2025	3	21	1	33	9	0.719	-0.026	2.91	0.02	0.016	0	51.6	54.6	68.8	148	155	0	28	28
2025	3	21	1	43	9	0.732	-0.066	2.91	0.013	0.01	0	52	53.8	69.2	148	154	0	27	29
2025	3	21	1	53	9	0.758	-0.085	2.91	0.016	0.016	0	51.6	54.2	69.2	148	154	0	28	28
2025	3	21	2	3	9	0.653	-0.062	2.91	0.016	0.013	0	52.5	54.6	69.7	149	155	0	27	28
2025	3	21	2	13	9	0.702	-0.075	2.91	0.016	0.016	0	52	54.6	69.7	149	155	0	28	28
2025	3	21	2	23	9	0.732	-0.069	2.91	0.016	0.013	0	51.6	54.2	69.7	148	155	0	28	29
2025	3	21	2	33	9	0.709	-0.098	2.91	0.016	0.013	0	51.6	53.8	70.1	148	154	0	28	29
2025	3	21	2	43	9	0.686	-0.072	2.91	0.016	0.016	0	51.6	53.8	71	148	154	0	28	29
2025	3	21	2	53	9	0.751	-0.085	2.913	0.013	0.01	0	51.6	53.8	71.4	147	153	0	27	28
2025	3	21	3	3	9	0.705	-0.069	2.913	0.016	0.013	0	51.2	54.2	71.4	147	154	0	28	28
2025	3	21	3	13	9	0.699	-0.102	2.91	0.016	0.016	0	51.2	53.3	71.4	147	153	0	28	29
2025	3	21	3	23	9	0.712	-0.062	2.913	0.016	0.013	0	51.2	53.8	71.4	147	153	0	28	28
2025	3	21	3	33	9	0.679	-0.069	2.913	0.016	0.013	0	50.7	53.3	71.4	147	153	0	29	29
2025	3	21	3	43	9	0.715	-0.059	2.91	0.013	0.01	0	50.7	53.3	71.8	146	152	0	28	28
2025	3	21	3	53	9	0.735	-0.075	2.913	0.016	0.013	0	51.2	53.8	72.2	147	153	0	28	28
2025	3	21	4	3	9	0.725	-0.056	2.913	0.013	0.01	0	51.2	53.3	71.8	147	153	0	28	29
2025	3	21	4	13	9	0.735	-0.072	2.91	0.016	0.013	0	51.6	53.8	72.2	147	153	0	27	28
2025	3	21	4	23	9	0.725	-0.059	2.91	0.016	0.013	0	50.7	53.3	72.2	146	153	0	28	29
2025	3	21	4	33	9	0.728	-0.092	2.91	0.016	0.016	0	51.2	54.2	71.8	147	154	0	28	28
2025	3	21	4	43	9	0.712	-0.066	2.91	0.016	0.013	0	51.2	53.8	71.8	147	154	0	28	29
2025	3	21	4	53	9	0.735	-0.075	2.91	0.016	0.013	0	50.7	53.8	71.8	146	153	0	28	28
2025	3	21	5	3	9	0.722	-0.072	2.91	0.016	0.016	0	51.2	53.8	71.8	147	153	0	28	28
2025	3	21	5	13	9	0.719	-0.066	2.91	0.016	0.013	0	50.7	53.3	72.2	146	153	0	28	29
2025	3	21	5	23	9	0.712	-0.092	2.91	0.016	0.016	0	51.2	53.8	72.2	146	153	0	27	28
2025	3	21	5	33	9	0.696	-0.082	2.91	0.016	0.013	0	51.2	53.8	71.8	147	154	0	28	29
2025	3	21	5	43	9	0.719	-0.066	2.91	0.016	0.016	0	51.2	53.3	72.2	147	153	0	28	29
2025	3	21	5	53	9	0.719	-0.085	2.91	0.013	0.01	0	51.2	53.8	71.8	147	154	0	28	29
2025	3	21	6	3	9	0.696	-0.102	2.91	0.016	0.013	0	51.2	53.8	71.8	147	154	0	28	29
2025	3	21	6	13	9	0.689	-0.069	2.91	0.016	0.013	0	50.7	53.3	71.8	146	153	0	28	29
2025	3	21	6	23	9	0.778	-0.079	2.91	0.016	0.016	0	50.3	52.9	71.8	145	152	0	28	29
2025	3	21	6	33	9	0.715	-0.072	2.91	0.016	0.016	0	50.3	53.3	71.8	145	152	0	28	28
2025	3	21	6	43	9	0.705	-0.056	2.91	0.016	0.013	0	50.3	53.3	72.2	145	152	0	28	28
2025	3	21	6	53	9	0.705	-0.049	2.91	0.016	0.013	0	49.9	52.5	72.2	144	151	0	28	29
2025	3	21	7	3	9	0.715	-0.072	2.91	0.013	0.01	0	49.9	52.5	72.2	144	151	0	28	29
2025	3	21	7	13	9	0.732	-0.082	2.91	0.016	0.013	0	49.5	52	72.7	143	150	0	28	29
2025	3	21	7	23	9	0.745	-0.105	2.91	0.016	0.013	0	49.9	52.9	72.2	144	151	0	28	28
2025	3	21	7	33	9	0.709	-0.069	2.91	0.016	0.013	0	49.9	51.6	72.2	144	150	0	28	30
2025	3	21	7	43	9	0.755	-0.066	2.91	0.016	0.013	0	49.5	52	72.2	143	150	0	28	29
2025	3	21	7	53	9	0.722	-0.049	2.91	0.016	0.016	0	49.5	52.5	72.7	143	150	0	28	28
2025	3	21	8	3	9	0.712	-0.075	2.91	0.016	0.013	0	49.5	52	71.8	143	150	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	21	8	13	9	0.741	-0.056	2.91	0.016	0.016	0	49.5	52	72.2	143	150	0	28	29
2025	3	21	8	23	9	0.738	-0.085	2.91	0.016	0.016	0	49.5	52.5	72.2	143	150	0	28	28
2025	3	21	8	33	9	0.738	-0.072	2.913	0.02	0.016	0	49.9	52.9	72.2	144	151	0	28	28
2025	3	21	8	43	9	0.719	-0.069	2.913	0.016	0.013	0	49.5	52	72.7	143	150	0	28	29
2025	3	21	8	53	9	0.702	-0.066	2.913	0.016	0.013	0	49	52	72.7	142	149	0	28	28
2025	3	21	9	3	9	0.719	-0.069	2.913	0.016	0.013	0	49	52.5	73.1	143	150	0	29	28
2025	3	21	9	13	9	0.728	-0.082	2.913	0.013	0.01	0	49.5	52	73.1	143	150	0	28	29
2025	3	21	9	23	9	0.679	-0.079	2.913	0.016	0.013	0	49	52	69.7	142	150	0	28	29
2025	3	21	9	33	9	0.725	-0.079	2.913	0.016	0.013	0	49	51.6	57.2	142	149	0	28	29
2025	3	21	9	43	9	0.709	-0.095	2.913	0.013	0.01	0	48.6	51.2	67.5	141	148	0	28	29
2025	3	21	9	53	9	0.705	-0.085	2.913	0.016	0.016	0	49	52	72.2	142	149	0	28	28
2025	3	21	10	3	9	0.722	-0.052	2.917	0.013	0.01	0	48.6	51.6	73.1	141	149	0	28	29
2025	3	21	10	13	9	0.738	-0.082	2.917	0.016	0.013	0	48.6	51.2	73.1	141	148	0	28	29
2025	3	21	10	23	9	0.719	-0.085	2.917	0.016	0.013	0	49	51.6	62.4	141	148	0	27	28
2025	3	21	10	33	9	0.738	-0.062	2.917	0.016	0.013	0	48.6	51.2	73.5	142	148	0	29	29
2025	3	21	10	43	9	0.712	-0.082	2.917	0.016	0.016	0	49.9	52	57.2	144	150	0	28	29
2025	3	21	10	53	9	0.709	-0.066	2.917	0.016	0.016	0	49.9	52.5	63.2	144	151	0	28	29
2025	3	21	11	3	9	0.725	-0.049	2.917	0.016	0.016	0	49.9	52	73.1	144	150	0	28	29
2025	3	21	11	13	9	0.719	-0.095	2.917	0.013	0.01	0	49.5	52	64.5	143	150	0	28	29
2025	3	21	11	23	9	0.692	-0.082	2.92	0.016	0.013	0	49.9	52.5	65.4	144	150	0	28	28
2025	3	21	11	33	9	0.712	-0.079	2.92	0.016	0.016	0	50.3	52.9	72.7	145	151	0	28	28
2025	3	21	11	43	9	0.738	-0.062	2.92	0.016	0.013	0	49.9	52.5	73.5	143	150	0	27	28
2025	3	21	11	53	9	0.738	-0.062	2.917	0.013	0.01	0	50.3	52.9	52.5	145	151	0	28	28
2025	3	21	12	3	9	0.699	-0.092	2.92	0.016	0.016	0	50.7	52.9	58.9	146	152	0	28	29
2025	3	21	12	13	9	0.738	-0.082	2.917	0.016	0.013	0	50.3	52.5	49.5	144	150	0	27	28
2025	3	21	12	23	9	0.735	-0.043	2.92	0.016	0.016	0	50.7	52.9	63.6	145	151	0	27	28
2025	3	21	12	33	9	0.725	-0.072	2.92	0.016	0.013	0	50.7	53.8	71.4	146	153	0	28	28
2025	3	21	12	43	9	0.715	-0.066	2.917	0.016	0.016	0	50.3	53.3	49.9	145	152	0	28	28
2025	3	21	12	53	9	0.722	-0.056	2.917	0.016	0.016	0	50.7	52.5	49.5	145	151	0	27	29
2025	3	21	13	3	9	0.738	-0.092	2.92	0.016	0.016	0	51.2	53.8	64.5	146	152	0	27	27
2025	3	21	13	13	9	0.748	-0.072	2.917	0.016	0.016	0	50.7	53.3	47.3	146	152	0	28	28
2025	3	21	13	23	9	0.741	-0.059	2.92	0.016	0.013	0	50.7	52.9	69.7	145	151	0	27	28
2025	3	21	13	33	9	0.722	-0.069	2.917	0.016	0.016	0	50.3	52.9	59.8	145	151	0	28	28
2025	3	21	13	43	9	0.696	-0.043	2.913	0.016	0.016	0	51.2	52.9	56.8	146	152	0	27	29
2025	3	21	13	53	9	0.719	-0.066	2.913	0.016	0.016	0	50.3	53.8	43.9	145	153	0	28	28
2025	3	21	14	3	9	0.712	-0.056	2.913	0.016	0.013	0	51.2	53.3	54.2	147	152	0	28	28
2025	3	21	14	13	9	0.725	-0.049	2.913	0.016	0.013	0	51.6	53.8	47.7	147	153	0	27	28
2025	3	21	14	23	9	0.738	-0.052	2.913	0.016	0.013	0	51.6	53.3	43.4	147	153	0	27	29
2025	3	21	14	33	9	0.719	-0.056	2.91	0.016	0.016	0	51.6	53.3	46	147	152	0	27	28
2025	3	21	14	43	9	0.758	-0.066	2.913	0.016	0.013	0	51.2	53.8	43.9	147	153	0	28	28
2025	3	21	14	53	9	0.705	-0.075	2.913	0.016	0.016	0	51.6	53.3	45.2	147	153	0	27	29
2025	3	21	15	3	9	0.745	-0.059	2.913	0.016	0.016	0	52	54.2	44.7	148	154	0	27	28
2025	3	21	15	13	9	0.699	-0.03	2.913	0.016	0.013	0	51.6	53.8	43.9	148	153	0	28	28
2025	3	21	15	23	9	0.702	-0.056	2.913	0.02	0.016	0	52	54.2	43.9	148	154	0	27	28
2025	3	21	15	33	9	0.699	-0.072	2.913	0.016	0.013	0	52	54.2	45.2	148	154	0	27	28
2025	3	21	15	43	9	0.722	-0.069	2.913	0.016	0.013	0	51.6	54.2	40	148	154	0	28	28
2025	3	21	15	53	9	0.732	-0.062	2.913	0.016	0.013	0	52.5	54.2	42.6	149	155	0	27	29
2025	3	21	16	3	9	0.702	-0.03	2.913	0.016	0.016	0	52	54.2	44.3	149	154	0	28	28

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	21	16	13	9	0.722	-0.062	2.913	0.016	0.016	0	52	55	43.4	149	155	0	28	27
2025	3	21	16	23	9	0.778	-0.079	2.913	0.016	0.013	0	52	54.6	44.3	148	155	0	27	28
2025	3	21	16	33	9	0.722	-0.052	2.913	0.016	0.016	0	52	54.6	45.6	149	155	0	28	28
2025	3	21	16	43	9	0.728	-0.079	2.91	0.016	0.016	0	51.6	53.8	43.9	147	153	0	27	28
2025	3	21	16	53	9	0.745	-0.059	2.91	0.016	0.016	0	52.5	54.6	47.3	149	155	0	27	28
2025	3	21	17	3	9	0.745	-0.046	2.91	0.016	0.013	0	52	54.6	47.3	149	155	0	28	28
2025	3	21	17	13	9	0.705	-0.085	2.91	0.016	0.013	0	52	54.6	44.3	148	154	0	27	27
2025	3	21	17	23	9	0.689	-0.059	2.91	0.016	0.013	0	52.5	54.2	49.9	149	154	0	27	28
2025	3	21	17	33	9	0.689	-0.062	2.91	0.016	0.013	0	52	54.6	67.1	149	155	0	28	28
2025	3	21	17	43	9	0.728	-0.059	2.91	0.016	0.013	0	52	54.6	70.5	149	155	0	28	28
2025	3	21	17	53	9	0.738	-0.069	2.91	0.016	0.013	0	52.5	54.6	69.7	149	155	0	27	28
2025	3	21	18	3	9	0.732	-0.066	2.91	0.016	0.016	0	52.5	55	69.7	150	156	0	28	28
2025	3	21	18	13	9	0.735	-0.062	2.91	0.016	0.016	0	54.6	55	70.1	154	156	0	27	28
2025	3	21	18	23	9	0.705	-0.046	2.91	0.016	0.016	0	54.2	55	69.7	153	156	0	27	28
2025	3	21	18	33	9	0.709	-0.072	2.91	0.013	0.01	0	54.2	55	69.7	154	156	0	28	28
2025	3	21	18	43	9	0.725	-0.016	2.91	0.016	0.016	0	54.6	55	69.2	154	156	0	27	28
2025	3	21	18	53	9	0.758	-0.056	2.91	0.016	0.016	0	54.6	55	70.1	154	156	0	27	28
2025	3	21	19	3	9	0.702	-0.062	2.91	0.016	0.013	0	54.2	55	70.1	153	156	0	27	28
2025	3	21	19	13	9	0.728	-0.036	2.91	0.016	0.013	0	54.6	55	70.1	154	156	0	27	28
2025	3	21	19	23	9	0.696	-0.052	2.91	0.016	0.013	0	54.6	55.5	69.2	154	156	0	27	27
2025	3	21	19	33	9	0.692	-0.056	2.91	0.016	0.016	0	54.2	55	68.8	154	156	0	28	28
2025	3	21	19	43	9	0.732	-0.066	2.91	0.016	0.016	0	54.6	55	69.2	154	156	0	27	28
2025	3	21	19	53	9	0.722	-0.043	2.91	0.016	0.016	0	53.8	55.5	69.2	153	156	0	28	27
2025	3	21	20	3	9	0.715	-0.03	2.91	0.016	0.016	0	54.6	55	68.8	154	156	0	27	28
2025	3	21	20	13	9	0.732	-0.043	2.91	0.02	0.016	0	54.2	55	68.4	154	156	0	28	28
2025	3	21	20	23	9	0.719	-0.049	2.91	0.016	0.013	0	54.6	55	68.4	154	156	0	27	28
2025	3	21	20	33	9	0.715	-0.075	2.91	0.02	0.016	0	54.2	55	69.2	153	156	0	27	28
2025	3	21	20	43	9	0.738	-0.026	2.91	0.016	0.013	0	54.2	55	68.8	153	156	0	27	28
2025	3	21	20	53	9	0.712	-0.092	2.91	0.016	0.013	0	54.2	55	69.2	153	156	0	27	28
2025	3	21	21	3	9	0.715	-0.026	2.91	0.016	0.016	0	53.8	55	68.8	153	156	0	28	28
2025	3	21	21	13	9	0.741	-0.085	2.91	0.016	0.016	0	54.6	55	69.2	154	156	0	27	28
2025	3	21	21	23	9	0.705	-0.075	2.91	0.016	0.016	0	54.2	54.6	68.8	153	155	0	27	28
2025	3	21	21	33	9	0.725	-0.049	2.907	0.016	0.016	0	54.2	55.5	68.4	153	157	0	27	28
2025	3	21	21	43	9	0.735	-0.098	2.907	0.016	0.013	0	54.2	55	68.8	153	156	0	27	28
2025	3	21	21	53	9	0.705	-0.03	2.907	0.013	0.01	0	54.2	55	68.4	154	156	0	28	28
2025	3	21	22	3	9	0.741	-0.062	2.907	0.016	0.016	0	53.8	54.6	68.8	153	156	0	28	29
2025	3	21	22	13	9	0.712	-0.026	2.907	0.016	0.013	0	53.8	55	68.8	153	156	0	28	28
2025	3	21	22	23	9	0.719	-0.072	2.907	0.016	0.013	0	53.8	55	68.4	153	156	0	28	28
2025	3	21	22	33	9	0.725	-0.079	2.907	0.016	0.013	0	53.8	55	68.8	153	156	0	28	28
2025	3	21	22	43	9	0.745	-0.043	2.907	0.016	0.016	0	54.2	55.5	67.9	153	156	0	27	27
2025	3	21	22	53	9	0.709	-0.079	2.907	0.016	0.013	0	53.8	54.6	67.9	153	156	0	28	29
2025	3	21	23	3	9	0.722	-0.043	2.907	0.016	0.016	0	54.2	54.6	67.5	153	155	0	27	28
2025	3	21	23	13	9	0.719	-0.056	2.907	0.016	0.013	0	53.8	54.6	68.4	153	155	0	28	28
2025	3	21	23	23	9	0.725	-0.036	2.907	0.016	0.016	0	53.3	54.2	67.9	152	155	0	28	29
2025	3	21	23	33	9	0.745	-0.023	2.907	0.016	0.013	0	54.2	54.6	67.5	153	155	0	27	28
2025	3	21	23	43	9	0.722	-0.052	2.907	0.013	0.01	0	54.2	55	67.5	153	156	0	27	28
2025	3	21	23	53	9	0.735	-0.036	2.907	0.016	0.016	0	54.2	55	67.5	153	156	0	27	28
2025	3	22	0	3	9	0.748	-0.043	2.907	0.02	0.016	0	54.2	54.6	67.5	153	156	0	27	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	22	0	13	9	0.712	-0.075	2.907	0.013	0.01	0	53.8	55	67.9	153	156	0	28	28
2025	3	22	0	23	9	0.689	-0.049	2.907	0.016	0.013	0	54.2	55	66.7	153	156	0	27	28
2025	3	22	0	33	9	0.732	-0.052	2.907	0.016	0.016	0	53.8	55	66.7	153	156	0	28	28
2025	3	22	0	43	9	0.735	-0.043	2.91	0.016	0.016	0	53.8	55	66.7	153	156	0	28	28
2025	3	22	0	53	9	0.761	-0.069	2.913	0.013	0.01	0	53.8	55	67.5	153	156	0	28	28
2025	3	22	1	3	9	0.741	-0.069	2.913	0.013	0.01	0	53.3	54.2	67.9	152	155	0	28	29
2025	3	22	1	13	9	0.738	-0.082	2.913	0.016	0.013	0	53.8	55	67.1	153	156	0	28	28
2025	3	22	1	23	9	0.719	-0.062	2.913	0.013	0.01	0	53.8	55	67.1	153	156	0	28	28
2025	3	22	1	33	9	0.719	-0.026	2.917	0.016	0.016	0	53.8	54.6	66.7	153	156	0	28	29
2025	3	22	1	43	9	0.709	-0.085	2.917	0.016	0.016	0	54.2	55	67.9	153	156	0	27	28
2025	3	22	1	53	9	0.719	-0.062	2.917	0.016	0.013	0	53.8	54.6	68.4	152	155	0	27	28
2025	3	22	2	3	9	0.741	-0.059	2.917	0.016	0.016	0	54.2	55	67.9	153	156	0	27	28
2025	3	22	2	13	9	0.732	-0.075	2.917	0.016	0.013	0	54.2	55	68.4	153	156	0	27	28
2025	3	22	2	23	9	0.728	-0.052	2.917	0.016	0.013	0	53.8	54.6	68.4	152	155	0	27	28
2025	3	22	2	33	9	0.719	-0.052	2.917	0.013	0.01	0	54.2	55	68.8	153	156	0	27	28
2025	3	22	2	43	9	0.751	-0.075	2.917	0.016	0.016	0	53.8	54.6	69.7	152	155	0	27	28
2025	3	22	2	53	9	0.725	-0.059	2.917	0.013	0.01	0	53.3	54.6	68.8	152	155	0	28	28
2025	3	22	3	3	9	0.709	-0.03	2.917	0.016	0.016	0	53.3	54.6	68.8	152	155	0	28	28
2025	3	22	3	13	9	0.728	-0.085	2.917	0.016	0.016	0	53.3	54.6	69.2	152	155	0	28	28
2025	3	22	3	23	9	0.722	-0.043	2.917	0.016	0.016	0	53.3	54.6	69.7	152	155	0	28	28
2025	3	22	3	33	9	0.751	-0.062	2.917	0.016	0.013	0	53.3	54.2	69.7	152	155	0	28	29
2025	3	22	3	43	9	0.738	-0.062	2.917	0.016	0.013	0	53.3	54.6	69.7	152	155	0	28	28
2025	3	22	3	53	9	0.709	-0.049	2.917	0.016	0.013	0	53.8	54.6	68.8	152	155	0	27	28
2025	3	22	4	3	9	0.712	-0.072	2.917	0.02	0.016	0	53.3	54.6	70.1	152	155	0	28	28
2025	3	22	4	13	9	0.719	-0.043	2.917	0.016	0.016	0	53.3	54.2	69.7	152	155	0	28	29
2025	3	22	4	23	9	0.692	-0.049	2.917	0.023	0.02	0	53.8	55	69.7	153	156	0	28	28
2025	3	22	4	33	9	0.751	-0.049	2.917	0.016	0.016	0	53.8	54.6	70.5	152	155	0	27	28
2025	3	22	4	43	9	0.732	-0.056	2.917	0.016	0.013	0	53.3	54.2	71	152	155	0	28	29
2025	3	22	4	53	9	0.686	-0.052	2.917	0.016	0.013	0	53.8	55	71	153	156	0	28	28
2025	3	22	5	3	9	0.719	-0.056	2.917	0.023	0.02	0	53.3	54.6	70.5	152	155	0	28	28
2025	3	22	5	13	9	0.722	-0.062	2.917	0.016	0.013	0	53.8	54.2	67.9	152	155	0	27	29
2025	3	22	5	23	9	0.735	-0.056	2.917	0.016	0.013	0	53.3	54.6	71.4	152	155	0	28	28
2025	3	22	5	33	9	0.725	-0.075	2.917	0.016	0.016	0	53.3	54.2	71.4	152	155	0	28	29
2025	3	22	5	43	9	0.719	-0.052	2.917	0.013	0.01	0	53.3	54.6	71.4	152	155	0	28	28
2025	3	22	5	53	9	0.722	-0.115	2.917	0.016	0.013	0	53.3	54.6	70.5	152	155	0	28	28
2025	3	22	6	3	9	0.761	-0.056	2.917	0.016	0.013	0	53.8	54.6	71.4	152	155	0	27	28
2025	3	22	6	13	9	0.705	-0.095	2.917	0.016	0.013	0	53.8	54.6	70.5	152	155	0	27	28
2025	3	22	6	23	9	0.741	-0.049	2.917	0.02	0.016	0	53.8	54.6	71	152	155	0	27	28
2025	3	22	6	33	9	0.692	-0.098	2.917	0.016	0.016	0	52.9	53.8	71.4	151	154	0	28	29
2025	3	22	6	43	9	0.719	-0.056	2.917	0.02	0.016	0	52.9	53.8	72.2	151	154	0	28	29
2025	3	22	6	53	9	0.719	-0.059	2.917	0.016	0.013	0	52.5	54.2	72.2	150	154	0	28	28
2025	3	22	7	3	9	0.725	-0.098	2.917	0.016	0.013	0	52.5	53.8	72.7	150	153	0	28	28
2025	3	22	7	13	9	0.761	-0.069	2.917	0.013	0.01	0	52.9	53.8	71.8	150	153	0	27	28
2025	3	22	7	23	9	0.735	-0.066	2.917	0.02	0.016	0	52	53.8	72.2	149	153	0	28	28
2025	3	22	7	33	9	0.741	-0.059	2.917	0.016	0.013	0	51.6	53.3	72.7	148	152	0	28	28
2025	3	22	7	43	9	0.751	-0.059	2.917	0.016	0.016	0	51.6	52.9	72.7	148	152	0	28	29
2025	3	22	7	53	9	0.801	-0.049	2.917	0.016	0.016	0	51.2	52.9	73.1	147	151	0	28	28
2025	3	22	8	3	9	0.741	-0.043	2.917	0.02	0.016	0	51.6	52.9	72.2	147	151	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	22	8	13	9	0.725	-0.059	2.917	0.016	0.013	0	51.2	52	73.1	147	150	0	28	29
2025	3	22	8	23	9	0.732	-0.059	2.917	0.016	0.016	0	51.6	52.5	72.7	147	151	0	27	29
2025	3	22	8	33	9	0.755	-0.072	2.917	0.016	0.016	0	51.2	52.5	73.5	147	150	0	28	28
2025	3	22	8	43	9	0.728	-0.046	2.917	0.013	0.01	0	51.2	52	72.7	147	150	0	28	29
2025	3	22	8	53	9	0.722	-0.079	2.917	0.02	0.016	0	50.7	52.5	73.1	146	150	0	28	28
2025	3	22	9	3	9	0.764	-0.056	2.917	0.016	0.016	0	51.2	52.9	74	147	151	0	28	28
2025	3	22	9	13	9	0.745	-0.03	2.917	0.016	0.013	0	51.2	52.5	71.8	147	151	0	28	29
2025	3	22	9	23	9	0.686	-0.085	2.917	0.013	0.01	0	52	52.9	72.2	148	151	0	27	28
2025	3	22	9	33	9	0.696	-0.046	2.917	0.016	0.016	0	50.7	52.9	72.2	147	151	0	29	28
2025	3	22	9	43	9	0.699	-0.056	2.917	0.016	0.016	0	51.6	52.9	71.8	148	151	0	28	28
2025	3	22	9	53	9	0.722	-0.059	2.917	0.016	0.016	0	51.6	52.9	59.8	148	152	0	28	29
2025	3	22	10	3	9	0.735	-0.03	2.917	0.016	0.016	0	51.2	52.9	57.6	147	151	0	28	28
2025	3	22	10	13	9	0.719	-0.059	2.917	0.016	0.013	0	51.2	52.9	70.1	147	151	0	28	28
2025	3	22	10	23	9	0.725	-0.043	2.917	0.02	0.016	0	51.2	52.5	58	147	151	0	28	29
2025	3	22	10	33	9	0.728	-0.098	2.917	0.016	0.013	0	51.2	52.9	61.9	147	151	0	28	28
2025	3	22	10	43	9	0.715	-0.033	2.917	0.016	0.016	0	51.2	52.9	70.1	147	151	0	28	28
2025	3	22	10	53	9	0.712	-0.059	2.917	0.016	0.016	0	50.7	52.5	69.7	146	150	0	28	28
2025	3	22	11	3	9	0.725	-0.072	2.917	0.016	0.013	0	51.2	52.5	69.7	147	151	0	28	29
2025	3	22	11	13	9	0.745	-0.066	2.917	0.016	0.016	0	51.2	53.3	70.1	147	152	0	28	28
2025	3	22	11	23	9	0.745	-0.056	2.913	0.016	0.013	0	51.6	52.9	68.8	147	152	0	27	29
2025	3	22	11	33	9	0.741	-0.069	2.91	0.013	0.01	0	52	52.9	61.9	148	152	0	27	29
2025	3	22	11	43	9	0.745	-0.066	2.907	0.016	0.013	0	51.2	52.9	56.8	147	151	0	28	28
2025	3	22	11	53	9	0.699	-0.069	2.91	0.016	0.016	0	51.6	52.9	69.7	147	151	0	27	28
2025	3	22	12	3	9	0.712	-0.033	2.91	0.02	0.016	0	51.2	52.9	70.5	147	151	0	28	28
2025	3	22	12	13	9	0.755	-0.043	2.91	0.016	0.013	0	51.2	52.5	49.5	146	150	0	27	28
2025	3	22	12	23	9	0.735	-0.098	2.91	0.016	0.013	0	52	53.3	48.6	148	152	0	27	28
2025	3	22	12	33	9	0.728	-0.059	2.907	0.016	0.016	0	51.6	53.3	52.5	148	152	0	28	28
2025	3	22	12	43	9	0.761	-0.066	2.91	0.016	0.016	0	51.6	52.9	48.6	147	151	0	27	28
2025	3	22	12	53	9	0.709	-0.059	2.907	0.016	0.013	0	51.6	53.3	48.6	147	152	0	27	28
2025	3	22	13	3	9	0.722	-0.069	2.907	0.016	0.016	0	51.6	53.3	47.3	147	152	0	27	28
2025	3	22	13	13	9	0.735	-0.082	2.907	0.016	0.013	0	51.2	53.3	51.6	147	152	0	28	28
2025	3	22	13	23	9	0.735	-0.046	2.907	0.016	0.016	0	50.7	52.9	51.6	146	151	0	28	28
2025	3	22	13	33	9	0.712	-0.033	2.91	0.016	0.016	0	51.6	53.3	64.9	147	152	0	27	28
2025	3	22	13	43	9	0.689	-0.069	2.91	0.016	0.013	0	50.7	52.9	71	146	151	0	28	28
2025	3	22	13	53	9	0.774	-0.03	2.91	0.016	0.016	0	51.2	52.9	50.3	147	152	0	28	29
2025	3	22	14	3	9	0.728	-0.046	2.907	0.02	0.016	0	51.2	52.9	50.7	146	151	0	27	28
2025	3	22	14	13	9	0.732	-0.046	2.91	0.016	0.013	0	50.7	52.9	48.2	146	151	0	28	28
2025	3	22	14	23	9	0.738	-0.092	2.91	0.016	0.016	0	51.2	52.9	50.7	145	150	0	26	27
2025	3	22	14	33	9	0.712	-0.066	2.91	0.016	0.013	0	50.7	52.5	47.7	145	150	0	27	28
2025	3	22	14	43	9	0.748	-0.085	2.91	0.016	0.013	0	50.3	52.5	46.4	145	150	0	28	28
2025	3	22	14	53	9	0.712	-0.039	2.91	0.02	0.016	0	51.2	52.9	66.7	146	151	0	27	28
2025	3	22	15	3	9	0.761	-0.049	2.91	0.016	0.016	0	51.2	52.9	47.7	146	151	0	27	28
2025	3	22	15	13	9	0.745	-0.066	2.91	0.016	0.016	0	51.2	53.3	47.3	146	152	0	27	28
2025	3	22	15	23	9	0.699	-0.059	2.91	0.016	0.013	0	51.6	52.9	46.4	147	151	0	27	28
2025	3	22	15	33	9	0.709	-0.059	2.91	0.013	0.01	0	51.6	53.3	47.3	147	152	0	27	28
2025	3	22	15	43	9	0.725	-0.049	2.91	0.016	0.016	0	51.6	53.8	46	147	152	0	27	27
2025	3	22	15	53	9	0.732	-0.075	2.91	0.016	0.016	0	51.2	53.3	46	147	152	0	28	28
2025	3	22	16	3	9	0.692	-0.046	2.91	0.016	0.016	0	52	53.8	46.9	148	153	0	27	28

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	22	16	13	9	0.738	-0.079	2.91	0.016	0.013	0	51.6	53.3	47.3	147	152	0	27	28
2025	3	22	16	23	9	0.764	-0.052	2.91	0.016	0.013	0	52	53.8	45.2	148	153	0	27	28
2025	3	22	16	33	9	0.748	-0.069	2.91	0.016	0.016	0	51.6	53.8	44.7	148	153	0	28	28
2025	3	22	16	43	9	0.745	-0.043	2.91	0.016	0.016	0	51.6	53.8	48.2	148	153	0	28	28
2025	3	22	16	53	9	0.732	-0.066	2.91	0.016	0.013	0	51.6	53.3	46.9	147	152	0	27	28
2025	3	22	17	3	9	0.725	-0.089	2.91	0.016	0.016	0	51.6	54.2	55.9	147	153	0	27	27
2025	3	22	17	13	9	0.741	-0.056	2.91	0.013	0.01	0	51.6	53.8	56.3	148	153	0	28	28
2025	3	22	17	23	9	0.715	-0.075	2.91	0.02	0.016	0	51.6	53.8	53.8	147	153	0	27	28
2025	3	22	17	33	9	0.735	-0.082	2.91	0.016	0.013	0	52.5	54.2	64.5	149	154	0	27	28
2025	3	22	17	43	9	0.741	-0.046	2.91	0.016	0.013	0	52	54.2	70.5	148	154	0	27	28
2025	3	22	17	53	9	0.709	-0.007	2.913	0.016	0.016	0	52.5	54.2	70.1	149	154	0	27	28
2025	3	22	18	3	9	0.738	-0.069	2.91	0.02	0.016	0	52.5	54.6	70.1	149	154	0	27	27
2025	3	22	18	13	9	0.745	-0.079	2.913	0.02	0.016	0	52.5	54.2	69.7	149	154	0	27	28
2025	3	22	18	23	9	0.787	-0.036	2.913	0.02	0.016	0	52.5	54.2	70.1	149	154	0	27	28
2025	3	22	18	33	9	0.702	-0.023	2.913	0.016	0.013	0	52.5	54.6	69.7	149	155	0	27	28
2025	3	22	18	43	9	0.732	-0.079	2.913	0.016	0.013	0	52.5	54.6	69.7	149	155	0	27	28
2025	3	22	18	53	9	0.748	-0.026	2.913	0.02	0.016	0	52.5	54.6	70.1	149	155	0	27	28
2025	3	22	19	3	9	0.715	-0.062	2.913	0.016	0.013	0	52.5	55	69.2	150	155	0	28	27
2025	3	22	19	13	9	0.705	-0.03	2.913	0.016	0.013	0	52.5	54.6	69.7	149	155	0	27	28
2025	3	22	19	23	9	0.732	-0.056	2.913	0.016	0.013	0	52.9	54.6	69.7	150	155	0	27	28
2025	3	22	19	33	9	0.732	-0.046	2.913	0.016	0.016	0	52.5	54.6	69.2	149	155	0	27	28
2025	3	22	19	43	9	0.732	-0.059	2.913	0.02	0.016	0	52.9	54.6	69.7	150	155	0	27	28
2025	3	22	19	53	9	0.705	-0.043	2.913	0.016	0.013	0	52.5	54.6	69.2	149	155	0	27	28
2025	3	22	20	3	9	0.771	-0.043	2.913	0.016	0.016	0	52	55	70.1	149	155	0	28	27
2025	3	22	20	13	9	0.732	-0.059	2.913	0.016	0.016	0	52.5	55	69.2	150	155	0	28	27
2025	3	22	20	23	9	0.732	-0.089	2.913	0.016	0.013	0	52.9	55	69.2	150	155	0	27	27
2025	3	22	20	33	9	0.709	-0.033	2.913	0.016	0.016	0	52	54.6	68.8	149	155	0	28	28
2025	3	22	20	43	9	0.738	-0.03	2.913	0.016	0.013	0	52.9	55	68.8	150	155	0	27	27
2025	3	22	20	53	9	0.702	-0.075	2.913	0.02	0.016	0	52	55	67.5	148	156	0	27	28
2025	3	22	21	3	9	0.702	-0.043	2.913	0.016	0.013	0	52.9	55.5	67.9	150	156	0	27	27
2025	3	22	21	13	9	0.735	-0.056	2.913	0.016	0.016	0	52.9	55.9	67.5	151	157	0	28	27
2025	3	22	21	23	9	0.758	-0.075	2.913	0.013	0.01	0	53.3	55	67.9	151	156	0	27	28
2025	3	22	21	33	9	0.732	-0.052	2.913	0.02	0.016	0	53.3	55.5	67.5	151	157	0	27	28
2025	3	22	21	43	9	0.712	-0.052	2.913	0.016	0.013	0	52.9	55	65.4	150	156	0	27	28
2025	3	22	21	53	9	0.728	-0.046	2.913	0.016	0.016	0	52.9	55.5	48.2	150	156	0	27	27
2025	3	22	22	3	9	0.741	-0.03	2.913	0.02	0.016	0	53.3	55	49.5	151	156	0	27	28
2025	3	22	22	13	9	0.699	-0.033	2.913	0.016	0.016	0	53.3	55.5	45.2	151	157	0	27	28
2025	3	22	22	23	9	0.738	-0.059	2.913	0.016	0.016	0	52.9	55.5	48.6	150	156	0	27	27
2025	3	22	22	33	9	0.745	-0.059	2.913	0.016	0.013	0	52.5	55	46.9	149	156	0	27	28
2025	3	22	22	43	9	0.732	-0.059	2.913	0.016	0.016	0	52.9	55	46.4	150	156	0	27	28
2025	3	22	22	53	9	0.705	-0.075	2.917	0.016	0.016	0	52	55	43.4	149	156	0	28	28
2025	3	22	23	3	9	0.735	-0.056	2.913	0.016	0.016	0	52.5	55	44.7	150	156	0	28	28
2025	3	22	23	13	9	0.748	-0.013	2.913	0.016	0.013	0	52.9	55	43.4	150	156	0	27	28
2025	3	22	23	23	9	0.692	-0.039	2.913	0.02	0.016	0	52.9	55	45.6	150	156	0	27	28
2025	3	22	23	33	9	0.732	-0.069	2.913	0.016	0.013	0	52	55	44.7	149	156	0	28	28
2025	3	22	23	43	9	0.712	0.007	2.913	0.016	0.013	0	52.5	55	46.9	150	156	0	28	28
2025	3	22	23	53	9	0.735	-0.059	2.913	0.016	0.016	0	52.9	55	45.2	150	156	0	27	28
2025	3	23	0	3	9	0.787	-0.066	2.913	0.016	0.013	0	52.5	54.6	45.2	149	155	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	23	0	13	9	0.715	-0.062	2.913	0.016	0.013	0	52.5	55	44.7	150	156	0	28	28
2025	3	23	0	23	9	0.686	-0.033	2.917	0.016	0.013	0	52.9	54.6	45.2	150	156	0	27	29
2025	3	23	0	33	9	0.725	-0.033	2.913	0.016	0.016	0	52.9	55.9	47.7	150	157	0	27	27
2025	3	23	0	43	9	0.715	-0.046	2.913	0.016	0.016	0	52.9	55	46.4	150	156	0	27	28
2025	3	23	0	53	9	0.725	-0.072	2.913	0.016	0.013	0	52.9	55	53.8	150	156	0	27	28
2025	3	23	1	3	9	0.719	-0.059	2.913	0.016	0.013	0	52.9	55	61.1	150	156	0	27	28
2025	3	23	1	13	9	0.748	-0.075	2.913	0.02	0.016	0	52.9	55	61.1	150	156	0	27	28
2025	3	23	1	23	9	0.725	-0.079	2.913	0.016	0.013	0	52.9	55.5	60.6	150	156	0	27	27
2025	3	23	1	33	9	0.751	-0.059	2.913	0.016	0.016	0	52.9	55	59.3	150	156	0	27	28
2025	3	23	1	43	9	0.699	-0.069	2.913	0.016	0.013	0	52.5	55	59.8	150	156	0	28	28
2025	3	23	1	53	9	0.761	-0.049	2.913	0.016	0.013	0	52.9	55	59.3	150	156	0	27	28
2025	3	23	2	3	9	0.735	-0.075	2.913	0.016	0.013	0	52	54.6	65.8	149	155	0	28	28
2025	3	23	2	13	9	0.738	-0.082	2.913	0.02	0.016	0	52	54.2	66.2	149	155	0	28	29
2025	3	23	2	23	9	0.728	-0.043	2.917	0.016	0.016	0	52	54.6	59.8	149	155	0	28	28
2025	3	23	2	33	9	0.712	-0.075	2.913	0.016	0.013	0	52.5	55	64.9	149	155	0	27	27
2025	3	23	2	43	9	0.755	-0.039	2.917	0.016	0.016	0	52	55	65.4	149	156	0	28	28
2025	3	23	2	53	9	0.751	-0.085	2.913	0.016	0.013	0	52.5	54.6	65.8	150	155	0	28	28
2025	3	23	3	3	9	0.732	-0.072	2.917	0.016	0.016	0	52	54.6	47.7	149	155	0	28	28
2025	3	23	3	13	9	0.735	-0.062	2.917	0.013	0.01	0	52.5	55	43.9	150	156	0	28	28
2025	3	23	3	23	9	0.679	-0.033	2.917	0.016	0.016	0	52.9	55	45.2	150	156	0	27	28
2025	3	23	3	33	9	0.725	-0.03	2.913	0.016	0.016	0	52.5	54.6	44.7	149	155	0	27	28
2025	3	23	3	43	9	0.728	-0.043	2.913	0.016	0.016	0	52	54.6	45.2	149	155	0	28	28
2025	3	23	3	53	9	0.715	-0.089	2.917	0.016	0.013	0	52	54.6	45.2	149	155	0	28	28
2025	3	23	4	3	9	0.702	-0.066	2.913	0.016	0.016	0	52.5	55	44.3	150	156	0	28	28
2025	3	23	4	13	9	0.728	-0.049	2.917	0.016	0.016	0	52.9	55.5	45.2	150	156	0	27	27
2025	3	23	4	23	9	0.692	-0.03	2.917	0.013	0.01	0	52.5	55	44.3	150	156	0	28	28
2025	3	23	4	33	9	0.702	-0.052	2.917	0.016	0.013	0	52.9	55.5	45.6	150	156	0	27	27
2025	3	23	4	43	9	0.689	-0.033	2.917	0.016	0.016	0	52.9	55	46.4	150	156	0	27	28
2025	3	23	4	53	9	0.755	-0.049	2.917	0.013	0.01	0	52.5	54.6	48.2	149	155	0	27	28
2025	3	23	5	3	9	0.732	-0.056	2.917	0.013	0.01	0	52.5	54.6	49	149	155	0	27	28
2025	3	23	5	13	9	0.774	-0.066	2.917	0.016	0.013	0	52.5	54.2	49.9	149	155	0	27	29
2025	3	23	5	23	9	0.722	-0.102	2.917	0.016	0.016	0	52.5	54.6	57.2	149	155	0	27	28
2025	3	23	5	33	9	0.702	-0.079	2.92	0.016	0.016	0	51.6	54.6	67.5	149	156	0	29	29
2025	3	23	5	43	9	0.738	-0.039	2.92	0.016	0.016	0	52.5	54.6	62.4	149	155	0	27	28
2025	3	23	5	53	9	0.719	-0.052	2.92	0.016	0.013	0	52.9	55	66.7	150	156	0	27	28
2025	3	23	6	3	9	0.732	-0.043	2.92	0.016	0.016	0	52	55	67.5	149	155	0	28	27
2025	3	23	6	13	9	0.728	0	2.92	0.016	0.016	0	52	54.6	67.1	149	155	0	28	28
2025	3	23	6	23	9	0.712	-0.072	2.92	0.013	0.01	0	52	54.6	68.4	149	155	0	28	28
2025	3	23	6	33	9	0.702	-0.072	2.92	0.013	0.01	0	51.6	54.2	68.4	148	154	0	28	28
2025	3	23	6	43	9	0.738	-0.059	2.92	0.016	0.013	0	51.6	54.2	69.2	148	154	0	28	28
2025	3	23	6	53	9	0.738	-0.066	2.92	0.016	0.013	0	51.6	54.2	58.5	148	154	0	28	28
2025	3	23	7	3	9	0.709	-0.059	2.917	0.013	0.01	0	52.5	54.2	50.3	149	155	0	27	29
2025	3	23	7	13	9	0.663	-0.066	2.917	0.016	0.016	0	51.6	54.2	46.9	148	154	0	28	28
2025	3	23	7	23	9	0.699	-0.075	2.917	0.016	0.016	0	51.6	54.2	47.7	147	154	0	27	28
2025	3	23	7	33	9	0.702	-0.036	2.917	0.016	0.016	0	51.6	53.8	45.6	147	153	0	27	28
2025	3	23	7	43	9	0.751	-0.069	2.913	0.016	0.016	0	51.2	53.8	46	147	153	0	28	28
2025	3	23	7	53	9	0.761	-0.052	2.917	0.016	0.016	0	50.7	53.3	46.4	146	152	0	28	28
2025	3	23	8	3	9	0.758	-0.056	2.913	0.016	0.016	0	50.3	52.9	46.4	145	152	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	23	8	13	9	0.738	-0.072	2.913	0.016	0.013	0	50.7	53.3	45.6	146	152	0	28	28
2025	3	23	8	23	9	0.741	-0.056	2.917	0.013	0.01	0	50.7	52.5	47.3	145	151	0	27	29
2025	3	23	8	33	9	0.728	-0.075	2.917	0.02	0.016	0	50.7	52.9	47.3	145	151	0	27	28
2025	3	23	8	43	9	0.741	-0.043	2.917	0.026	0.023	0	49.9	52.9	45.6	144	151	0	28	28
2025	3	23	8	53	9	0.732	-0.033	2.917	0.016	0.013	0	50.7	52.9	46.9	145	151	0	27	28
2025	3	23	9	3	9	0.728	-0.059	2.917	0.016	0.016	0	50.3	52.9	47.7	145	151	0	28	28
2025	3	23	9	13	9	0.745	-0.082	2.917	0.016	0.013	0	50.7	52.9	47.3	145	151	0	27	28
2025	3	23	9	23	9	0.712	-0.056	2.913	0.016	0.016	0	52	52.9	47.3	148	152	0	27	29
2025	3	23	9	33	9	0.732	-0.072	2.917	0.016	0.016	0	52	53.3	47.7	148	152	0	27	28
2025	3	23	9	43	9	0.702	-0.069	2.917	0.016	0.013	0	51.2	52.9	47.3	147	151	0	28	28
2025	3	23	9	53	9	0.725	-0.059	2.917	0.016	0.013	0	50.7	52.5	46.9	146	150	0	28	28
2025	3	23	10	3	9	0.735	-0.066	2.913	0.016	0.013	0	51.2	52.9	46.4	147	151	0	28	28
2025	3	23	10	13	9	0.722	-0.043	2.913	0.016	0.013	0	50.7	52	48.2	145	149	0	27	28
2025	3	23	10	23	9	0.702	-0.039	2.913	0.016	0.013	0	50.7	52.5	47.3	146	150	0	28	28
2025	3	23	10	33	9	0.719	-0.049	2.913	0.013	0.01	0	50.7	52	48.2	146	150	0	28	29
2025	3	23	10	43	9	0.751	-0.072	2.91	0.016	0.016	0	51.2	52.5	55	146	150	0	27	28
2025	3	23	10	53	9	0.725	-0.075	2.91	0.016	0.016	0	51.6	52.9	50.3	147	151	0	27	28
2025	3	23	11	3	9	0.728	-0.056	2.91	0.016	0.013	0	50.7	52	49	146	150	0	28	29
2025	3	23	11	13	9	0.725	-0.059	2.91	0.013	0.01	0	50.3	52	59.8	145	149	0	28	28
2025	3	23	11	23	9	0.741	-0.056	2.91	0.016	0.013	0	50.3	52	62.8	145	149	0	28	28
2025	3	23	11	33	9	0.702	-0.056	2.91	0.016	0.016	0	50.3	52	70.1	144	149	0	27	28
2025	3	23	11	43	9	0.738	-0.079	2.91	0.016	0.013	0	50.3	52	67.9	145	149	0	28	28
2025	3	23	11	53	9	0.728	-0.056	2.91	0.016	0.013	0	50.7	52	69.2	145	149	0	27	28
2025	3	23	12	3	9	0.741	-0.033	2.91	0.02	0.016	0	49.9	51.6	71.4	144	148	0	28	28
2025	3	23	12	13	9	0.702	-0.092	2.91	0.016	0.016	0	50.3	51.6	69.7	144	148	0	27	28
2025	3	23	12	23	9	0.755	-0.069	2.91	0.016	0.013	0	49.9	51.2	71.8	143	148	0	27	29
2025	3	23	12	33	9	0.751	-0.03	2.91	0.016	0.016	0	50.3	52.5	70.5	144	149	0	27	27
2025	3	23	12	43	9	0.696	-0.059	2.91	0.016	0.016	0	50.3	52	72.2	144	149	0	27	28
2025	3	23	12	53	9	0.748	-0.039	2.91	0.016	0.016	0	50.3	52	55.9	144	149	0	27	28
2025	3	23	13	3	9	0.722	-0.066	2.913	0.013	0.01	0	50.7	52	59.3	145	149	0	27	28
2025	3	23	13	13	9	0.702	-0.046	2.913	0.016	0.016	0	50.7	52.5	69.2	145	150	0	27	28
2025	3	23	13	23	9	0.751	-0.03	2.913	0.016	0.016	0	50.7	52.9	71.8	145	150	0	27	27
2025	3	23	13	33	9	0.741	-0.059	2.913	0.016	0.013	0	51.2	52.9	71	146	151	0	27	28
2025	3	23	13	43	9	0.732	-0.049	2.913	0.016	0.013	0	51.2	53.3	67.1	146	151	0	27	27
2025	3	23	13	53	9	0.728	-0.043	2.913	0.02	0.016	0	51.2	52.5	70.5	146	150	0	27	28
2025	3	23	14	3	9	0.761	-0.062	2.913	0.013	0.01	0	50.7	52.5	71.4	145	150	0	27	28
2025	3	23	14	13	9	0.784	-0.085	2.913	0.016	0.013	0	51.2	52.9	64.1	146	150	0	27	27
2025	3	23	14	23	9	0.738	-0.046	2.917	0.02	0.016	0	51.2	52.9	72.7	146	151	0	27	28
2025	3	23	14	33	9	0.728	-0.039	2.913	0.016	0.013	0	51.6	53.3	56.8	147	152	0	27	28
2025	3	23	14	43	9	0.755	-0.049	2.917	0.016	0.013	0	51.6	52.9	72.2	147	151	0	27	28
2025	3	23	14	53	9	0.712	-0.049	2.917	0.016	0.013	0	51.6	52.9	72.2	147	151	0	27	28
2025	3	23	15	3	9	0.735	-0.072	2.917	0.016	0.016	0	52	53.3	71	147	152	0	26	28
2025	3	23	15	13	9	0.751	-0.03	2.917	0.016	0.016	0	52	53.8	63.6	148	153	0	27	28
2025	3	23	15	23	9	0.719	-0.033	2.917	0.016	0.013	0	52	53.3	69.7	148	152	0	27	28
2025	3	23	15	33	9	0.705	-0.072	2.917	0.02	0.016	0	52	53.8	56.3	148	152	0	27	27
2025	3	23	15	43	9	0.715	-0.043	2.917	0.016	0.013	0	52	53.3	71.8	148	152	0	27	28
2025	3	23	15	53	9	0.722	-0.036	2.917	0.016	0.016	0	52	54.2	71.8	148	153	0	27	27
2025	3	23	16	3	9	0.692	-0.052	2.917	0.016	0.016	0	52	53.8	72.2	148	153	0	27	28

Mazourka (0354)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	
2025	3	23	16	13	9	0.719	-0.046	2.92	0.013	0.01	0	52.5	53.8	67.9	148	153	0	26	28	
2025	3	23	16	23	9	0.771	-0.02	2.92	0.016	0.013	0	52	54.2	71	148	153	0	27	27	
2025	3	23	16	33	9	0.722	-0.052	2.92	0.016	0.016	0	52	54.6	71.4	148	154	0	27	27	
2025	3	23	16	43	9	0.719	-0.03	2.92	0.016	0.016	0	52.5	53.8	72.2	149	153	0	27	28	
2025	3	23	16	53	9	0.712	-0.033	2.92	0.016	0.016	0	52	53.8	71.4	148	153	0	27	28	
2025	3	23	17	3	9	0.751	-0.079	2.92	0.016	0.016	0	51.6	53.8	64.9	147	152	0	27	27	
2025	3	23	17	13	9	0.758	-0.039	2.92	0.016	0.013	0	51.6	53.3	72.7	147	152	0	27	28	
2025	3	23	17	23	9	0.741	-0.075	2.917	0.016	0.016	0	51.6	53.8	50.3	147	152	0	27	27	
2025	3	23	17	33	9	0.699	-0.02	2.917	0.016	0.016	0	52	53.3	49.5	148	152	0	27	28	
2025	3	23	17	43	9	0.725	-0.039	2.92	0.016	0.016	0	51.6	53.3	70.5	147	152	0	27	28	
2025	3	23	17	53	9	0.755	-0.075	2.92	0.016	0.013	0	52	54.2	72.7	148	153	0	27	27	
2025	3	23	18	3	9	0.712	-0.062	2.92	0.016	0.016	0	52	53.8	71.8	148	153	0	27	28	
2025	3	23	18	13	9	0.722	-0.059	2.92	0.016	0.013	0	52	54.6	71.8	148	154	0	27	27	
2025	3	23	18	23	9	0.712	-0.066	2.92	0.016	0.016	0	52.9	54.2	71.4	150	153	0	27	27	
2025	3	23	18	33	9	0.728	-0.033	2.92	0.016	0.013	0	53.8	54.6	72.2	151	154	0	26	27	
2025	3	23	18	43	9	0.719	-0.049	2.92	0.016	0.013	0	53.3	54.6	71.8	151	154	0	27	27	
2025	3	23	18	53	9	0.715	-0.043	2.92	0.016	0.016	0	53.8	54.6	71.4	152	154	0	27	27	
2025	3	23	19	3	9	0.755	-0.046	2.92	0.016	0.013	0	53.3	54.2	71.4	151	154	0	27	28	
2025	3	23	19	13	9	0.692	-0.043	2.92	0.016	0.013	0	53.8	54.6	71.8	152	154	0	27	27	
2025	3	23	19	23	9	0.722	-0.079	2.92	0.016	0.016	0	53.8	54.2	71.4	152	154	0	27	28	
2025	3	23	19	33	9	0.719	-0.039	2.92	0.016	0.013	0	53.8	54.6	71	152	154	0	27	27	
2025	3	23	19	43	9	0.722	-0.062	2.92	0.02	0.016	0	53.8	54.6	70.5	152	154	0	27	27	
2025	3	23	19	53	9	0.705	-0.052	2.92	0.016	0.016	0	54.2	54.2	71	152	154	0	26	28	
2025	3	23	20	3	9	0.732	-0.069	2.92	0.016	0.013	0	53.8	54.2	71	152	154	0	27	28	
2025	3	23	20	13	9	0.712	-0.062	2.917	0.013	0.01	0	53.8	54.2	71	152	154	0	27	28	
2025	3	23	20	23	9	0.732	-0.059	2.917	0.016	0.013	0	53.8	54.2	70.5	152	154	0	27	28	
2025	3	23	20	33	9	0.738	-0.056	2.917	0.013	0.01	0	53.8	54.6	70.5	152	155	0	27	28	
2025	3	23	20	43	9	0.722	-0.062	2.917	0.016	0.016	0	53.8	54.6	71.4	152	154	0	27	27	
2025	3	23	20	53	9	0.764	-0.085	2.917	0.016	0.016	0	53.8	54.6	71	151	154	0	26	27	
2025	3	23	21	3	9	0.719	-0.046	2.917	0.016	0.013	0	54.2	55	70.1	153	155	0	27	27	
2025	3	23	21	13	9	0.699	-0.043	2.917	0.016	0.013	0	53.8	55	70.1	153	155	0	28	27	
2025	3	23	21	23	9	0.745	-0.056	2.917	0.016	0.016	0	54.2	54.6	70.5	153	155	0	27	28	
2025	3	23	21	33	9	0.755	-0.066	2.917	0.016	0.016	0	53.8	54.6	59.3	152	155	0	27	28	
2025	3	23	21	43	9	0.732	-0.062	2.917	0.016	0.016	0	54.6	54.6	70.1	153	155	0	26	28	
2025	3	23	21	53	9	0.725	-0.03	2.917	0.016	0.013	0	54.2	54.6	69.7	153	155	0	27	28	
2025	3	23	22	3	9	0.732	-0.052	2.917	0.016	0.016	0	54.2	54.6	70.5	152	155	0	26	28	
2025	3	23	22	13	9	0.764	-0.033	2.917	0.013	0.01	0	53.8	55	67.1	152	155	0	27	27	
2025	3	23	22	23	9	0.738	-0.013	2.917	0.016	0.013	0	54.6	55	70.5	153	155	0	26	27	
2025	3	23	22	33	9	0.728	-0.049	2.917	0.016	0.016	0	54.2	55	70.1	153	155	0	27	27	
2025	3	23	22	43	9	0.699	-0.033	2.917	0.016	0.013	0	53.8	54.6	70.5	152	155	0	27	28	
2025	3	23	22	53	9	0.722	-0.066	2.913	0.016	0.016	0	53.8	55	67.1	152	155	0	27	27	
2025	3	23	23	3	9	0.745	-0.039	2.913	0.016	0.013	0	54.2	55	70.5	153	155	0	27	27	
2025	3	23	23	13	9	0.738	-0.039	2.913	0.016	0.016	0	54.2	54.6	70.5	152	155	0	26	28	
2025	3	23	23	23	9	0.745	-0.039	2.913	0.016	0.013	0	53.8	55.5	70.1	152	155	0	27	26	
2025	3	23	23	33	9	0.738	-0.062	2.913	0.016	0.013	0	53.8	55	70.1	152	155	0	27	27	
2025	3	23	23	43	9	0.758	-0.023	2.913	0.016	0.013	0	53.3	54.6	67.5	152	155	0	28	28	
2025	3	23	23	53	9	0.735	-0.052	2.913	0.016	0.016	0	53.8	54.6	68.8	152	155	0	27	28	
2025	3	24	0	3	9	0.709	-0.049	2.913	0.016	0.013	0	53.8	55	68.8	152	156	0	27	28	

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	24	0	13	9	0.755	-0.043	2.913	0.016	0.013	0	54.2	54.6	69.7	153	155	0	27	28
2025	3	24	0	23	9	0.686	-0.052	2.913	0.016	0.013	0	53.8	55	69.7	152	155	0	27	27
2025	3	24	0	33	9	0.692	-0.033	2.913	0.016	0.013	0	53.8	55	69.7	152	155	0	27	27
2025	3	24	0	43	9	0.768	-0.036	2.913	0.016	0.013	0	53.3	54.6	68.8	152	155	0	28	28
2025	3	24	0	53	9	0.735	-0.046	2.913	0.016	0.013	0	53.8	54.6	70.1	152	155	0	27	28
2025	3	24	1	3	9	0.735	-0.085	2.913	0.016	0.016	0	53.3	54.2	69.2	151	154	0	27	28
2025	3	24	1	13	9	0.709	-0.056	2.913	0.016	0.016	0	53.8	54.6	68.4	152	155	0	27	28
2025	3	24	1	23	9	0.745	-0.059	2.913	0.02	0.016	0	53.3	54.6	69.2	152	155	0	28	28
2025	3	24	1	33	9	0.738	-0.036	2.91	0.016	0.013	0	53.8	54.6	69.2	152	155	0	27	28
2025	3	24	1	43	9	0.738	-0.026	2.91	0.016	0.016	0	53.8	54.6	68.8	152	155	0	27	28
2025	3	24	1	53	9	0.732	-0.033	2.91	0.016	0.016	0	53.8	54.2	69.2	152	154	0	27	28
2025	3	24	2	3	9	0.732	-0.066	2.91	0.013	0.01	0	53.3	54.6	68.8	152	155	0	28	28
2025	3	24	2	13	9	0.715	-0.036	2.91	0.016	0.013	0	53.8	55	66.2	152	155	0	27	27
2025	3	24	2	23	9	0.758	-0.056	2.91	0.016	0.016	0	53.8	54.2	68.8	152	154	0	27	28
2025	3	24	2	33	9	0.728	-0.036	2.91	0.016	0.013	0	53.8	54.6	68.4	151	155	0	26	28
2025	3	24	2	43	9	0.712	-0.03	2.91	0.016	0.016	0	53.8	54.6	68.4	152	155	0	27	28
2025	3	24	2	53	9	0.758	-0.056	2.91	0.016	0.016	0	53.3	54.6	67.9	151	155	0	27	28
2025	3	24	3	3	9	0.732	-0.02	2.91	0.016	0.016	0	53.3	54.6	67.9	152	155	0	28	28
2025	3	24	3	13	9	0.764	-0.059	2.91	0.016	0.013	0	53.3	54.2	67.9	151	154	0	27	28
2025	3	24	3	23	9	0.719	-0.033	2.91	0.016	0.013	0	53.3	54.2	67.9	152	154	0	28	28
2025	3	24	3	33	9	0.732	-0.052	2.91	0.016	0.016	0	53.3	55	67.9	152	155	0	28	27
2025	3	24	3	43	9	0.696	-0.046	2.91	0.016	0.013	0	53.8	54.6	67.1	152	155	0	27	28
2025	3	24	3	53	9	0.758	-0.072	2.91	0.013	0.01	0	52.9	54.2	67.1	151	154	0	28	28
2025	3	24	4	3	9	0.738	-0.062	2.91	0.02	0.016	0	53.8	54.6	67.5	152	155	0	27	28
2025	3	24	4	13	9	0.738	-0.046	2.913	0.016	0.016	0	53.3	55	67.1	152	155	0	28	27
2025	3	24	4	23	9	0.722	-0.062	2.913	0.016	0.016	0	53.3	54.2	67.5	152	155	0	28	29
2025	3	24	4	33	9	0.755	-0.069	2.913	0.016	0.013	0	53.8	54.2	67.1	152	155	0	27	29
2025	3	24	4	43	9	0.725	-0.049	2.917	0.016	0.013	0	53.3	54.6	67.1	151	155	0	27	28
2025	3	24	4	53	9	0.738	-0.062	2.917	0.02	0.016	0	53.8	55	66.2	152	156	0	27	28
2025	3	24	5	3	9	0.738	-0.03	2.917	0.016	0.013	0	53.8	54.6	66.2	152	155	0	27	28
2025	3	24	5	13	9	0.755	-0.03	2.917	0.016	0.016	0	54.2	55	66.2	153	156	0	27	28
2025	3	24	5	23	9	0.715	-0.052	2.92	0.016	0.016	0	53.8	54.6	66.7	152	155	0	27	28
2025	3	24	5	33	9	0.774	-0.043	2.92	0.016	0.013	0	53.8	55	66.7	152	156	0	27	28
2025	3	24	5	43	9	0.722	-0.023	2.92	0.016	0.013	0	53.8	55	66.7	153	156	0	28	28
2025	3	24	5	53	9	0.732	-0.046	2.923	0.016	0.013	0	53.8	54.6	67.1	153	156	0	28	29
2025	3	24	6	3	9	0.705	-0.052	2.923	0.016	0.013	0	53.8	55	66.7	152	156	0	27	28
2025	3	24	6	13	9	0.738	-0.033	2.923	0.016	0.013	0	53.8	55	67.5	152	156	0	27	28
2025	3	24	6	23	9	0.699	-0.052	2.923	0.016	0.013	0	53.3	55	67.9	152	156	0	28	28
2025	3	24	6	33	9	0.751	-0.049	2.923	0.016	0.016	0	53.3	54.6	68.4	151	155	0	27	28
2025	3	24	6	43	9	0.748	-0.052	2.923	0.02	0.016	0	52.9	54.2	68.8	151	155	0	28	29
2025	3	24	6	53	9	0.738	-0.059	2.923	0.016	0.013	0	53.3	54.2	68.8	151	155	0	27	29
2025	3	24	7	3	9	0.758	-0.03	2.923	0.016	0.013	0	53.8	54.6	68.4	152	155	0	27	28
2025	3	24	7	13	9	0.705	-0.092	2.927	0.016	0.013	0	52.9	54.6	69.7	151	155	0	28	28
2025	3	24	7	23	9	0.732	-0.03	2.923	0.016	0.013	0	53.3	54.6	69.7	151	155	0	27	28
2025	3	24	7	33	9	0.741	-0.072	2.923	0.016	0.013	0	52.9	54.2	70.1	151	154	0	28	28
2025	3	24	7	43	9	0.748	-0.072	2.923	0.016	0.013	0	52.9	53.8	69.7	151	153	0	28	28
2025	3	24	7	53	9	0.735	-0.085	2.923	0.016	0.013	0	52.5	53.8	69.7	150	153	0	28	28
2025	3	24	8	3	9	0.722	-0.056	2.923	0.016	0.016	0	53.3	53.8	69.2	151	153	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	24	8	13	9	0.719	-0.056	2.923	0.016	0.013	0	52.5	53.3	70.1	150	153	0	28	29
2025	3	24	8	23	9	0.732	-0.059	2.923	0.016	0.016	0	52.5	53.8	69.7	150	153	0	28	28
2025	3	24	8	33	9	0.738	-0.043	2.923	0.013	0.01	0	52.5	53.3	69.7	150	152	0	28	28
2025	3	24	8	43	9	0.692	-0.059	2.923	0.02	0.016	0	52	53.3	70.5	149	152	0	28	28
2025	3	24	8	53	9	0.725	-0.075	2.923	0.016	0.013	0	51.6	53.3	70.1	148	152	0	28	28
2025	3	24	9	3	9	0.725	-0.052	2.923	0.02	0.016	0	52.5	53.3	69.7	149	152	0	27	28
2025	3	24	9	13	9	0.725	-0.069	2.923	0.016	0.016	0	52	52.9	69.7	148	151	0	27	28
2025	3	24	9	23	9	0.709	-0.046	2.923	0.016	0.013	0	51.6	52.9	69.7	148	151	0	28	28
2025	3	24	9	33	9	0.735	-0.016	2.923	0.016	0.016	0	50.7	52.5	64.5	146	151	0	28	29
2025	3	24	9	43	9	0.728	-0.082	2.92	0.016	0.016	0	52.9	52.9	57.6	150	151	0	27	28
2025	3	24	9	53	9	0.735	-0.033	2.92	0.016	0.016	0	52.5	53.3	61.5	150	152	0	28	28
2025	3	24	10	3	9	0.725	-0.059	2.92	0.016	0.013	0	52.9	53.3	68.4	150	152	0	27	28
2025	3	24	10	13	9	0.735	-0.056	2.917	0.02	0.016	0	53.3	53.8	68.4	151	153	0	27	28
2025	3	24	10	23	9	0.745	-0.075	2.917	0.016	0.013	0	52.5	53.3	68.8	150	152	0	28	28
2025	3	24	10	33	9	0.722	-0.069	2.917	0.016	0.013	0	52.9	53.3	69.2	150	152	0	27	28
2025	3	24	10	43	9	0.741	-0.066	2.917	0.016	0.013	0	52.9	53.8	68.8	151	153	0	28	28
2025	3	24	10	53	9	0.735	-0.033	2.913	0.016	0.013	0	52.9	53.3	58	150	151	0	27	27
2025	3	24	11	3	9	0.722	-0.069	2.917	0.013	0.01	0	53.8	54.2	66.7	152	154	0	27	28
2025	3	24	11	13	9	0.696	-0.062	2.917	0.016	0.013	0	52.9	53.8	69.7	150	152	0	27	27
2025	3	24	11	23	9	0.745	-0.026	2.917	0.016	0.013	0	52.9	53.8	67.5	150	153	0	27	28
2025	3	24	11	33	9	0.745	-0.059	2.917	0.016	0.016	0	52.9	53.8	69.7	151	153	0	28	28
2025	3	24	11	43	9	0.738	-0.092	2.917	0.016	0.013	0	52.5	53.8	61.9	150	152	0	28	27
2025	3	24	11	53	9	0.722	-0.049	2.917	0.016	0.013	0	53.8	54.6	70.1	152	154	0	27	27
2025	3	24	12	3	9	0.732	-0.039	2.917	0.02	0.016	0	52.5	53.8	53.8	150	153	0	28	28
2025	3	24	12	13	9	0.764	-0.059	2.917	0.02	0.016	0	52.9	53.8	70.5	150	153	0	27	28
2025	3	24	12	23	9	0.715	-0.066	2.92	0.016	0.013	0	53.3	54.2	47.3	151	154	0	27	28
2025	3	24	12	33	9	0.702	-0.069	2.917	0.016	0.013	0	53.3	54.2	67.9	151	153	0	27	27
2025	3	24	12	43	9	0.719	-0.059	2.92	0.016	0.013	0	53.3	54.6	45.2	151	154	0	27	27
2025	3	24	12	53	9	0.751	-0.049	2.917	0.016	0.013	0	53.8	54.6	70.5	152	154	0	27	27
2025	3	24	13	3	9	0.761	-0.046	2.917	0.016	0.013	0	53.3	54.6	50.3	152	154	0	28	27
2025	3	24	13	13	9	0.768	-0.046	2.92	0.016	0.013	0	53.8	54.6	62.4	152	154	0	27	27
2025	3	24	13	23	9	0.751	-0.056	2.92	0.016	0.016	0	54.2	54.6	60.6	153	155	0	27	28
2025	3	24	13	33	9	0.728	-0.033	2.92	0.016	0.016	0	53.8	54.6	58.5	152	154	0	27	27
2025	3	24	13	43	9	0.755	-0.079	2.92	0.016	0.016	0	53.8	54.2	51.6	152	154	0	27	28
2025	3	24	13	53	9	0.768	-0.056	2.92	0.016	0.013	0	54.2	55	62.4	153	155	0	27	27
2025	3	24	14	3	9	0.712	-0.026	2.92	0.016	0.013	0	54.2	54.6	68.8	152	155	0	26	28
2025	3	24	14	13	9	0.732	-0.052	2.92	0.016	0.013	0	53.8	55	58.9	152	155	0	27	27
2025	3	24	14	23	9	0.712	-0.066	2.923	0.016	0.013	0	53.8	55.5	70.5	153	156	0	28	27
2025	3	24	14	33	9	0.735	-0.049	2.92	0.016	0.016	0	54.2	55	47.3	153	155	0	27	27
2025	3	24	14	43	9	0.725	-0.03	2.923	0.02	0.016	0	54.2	55	70.5	153	155	0	27	27
2025	3	24	14	53	9	0.712	-0.046	2.92	0.016	0.013	0	54.6	55	46	153	155	0	26	27
2025	3	24	15	3	9	0.745	-0.046	2.92	0.016	0.013	0	53.8	55	52.9	152	155	0	27	27
2025	3	24	15	13	9	0.732	-0.049	2.923	0.016	0.013	0	54.2	54.6	67.1	153	155	0	27	28
2025	3	24	15	23	9	0.715	-0.066	2.92	0.016	0.016	0	53.8	55	50.3	152	155	0	27	27
2025	3	24	15	33	9	0.774	-0.072	2.923	0.016	0.013	0	54.2	55.5	69.7	153	156	0	27	27
2025	3	24	15	43	9	0.722	-0.075	2.92	0.016	0.013	0	54.2	55.5	57.2	153	156	0	27	27
2025	3	24	15	53	9	0.755	-0.033	2.923	0.016	0.016	0	53.8	55	70.1	152	155	0	27	27
2025	3	24	16	3	9	0.738	-0.066	2.923	0.016	0.016	0	54.2	55.5	55.5	153	156	0	27	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	24	16	13	9	0.722	-0.026	2.923	0.016	0.013	0	54.6	55.5	66.7	153	156	0	26	27
2025	3	24	16	23	9	0.738	-0.052	2.923	0.016	0.013	0	54.2	55.5	68.4	153	156	0	27	27
2025	3	24	16	33	9	0.738	-0.049	2.92	0.016	0.013	0	54.6	55.9	52.9	154	157	0	27	27
2025	3	24	16	43	9	0.748	-0.072	2.92	0.016	0.013	0	54.6	55	50.7	154	155	0	27	27
2025	3	24	16	53	9	0.781	-0.066	2.923	0.02	0.016	0	54.6	55.5	64.1	154	156	0	27	27
2025	3	24	17	3	9	0.712	-0.052	2.923	0.016	0.013	0	54.6	55.5	66.7	154	156	0	27	27
2025	3	24	17	13	9	0.712	-0.052	2.923	0.016	0.013	0	54.2	55	68.8	153	155	0	27	27
2025	3	24	17	23	9	0.738	-0.039	2.923	0.016	0.013	0	54.2	55.5	68.4	153	156	0	27	27
2025	3	24	17	33	9	0.738	-0.075	2.923	0.016	0.016	0	53.8	54.6	68.8	152	154	0	27	27
2025	3	24	17	43	9	0.728	-0.03	2.923	0.016	0.013	0	54.6	54.6	68.4	153	154	0	26	27
2025	3	24	17	53	9	0.696	-0.046	2.923	0.016	0.013	0	54.2	54.2	67.9	152	154	0	26	28
2025	3	24	18	3	9	0.741	-0.056	2.92	0.016	0.013	0	53.8	55	69.2	152	155	0	27	27
2025	3	24	18	13	9	0.719	-0.062	2.92	0.016	0.013	0	53.8	55	68.8	152	155	0	27	27
2025	3	24	18	23	9	0.764	-0.03	2.92	0.016	0.016	0	54.2	54.6	68.8	152	155	0	26	28
2025	3	24	18	33	9	0.715	-0.056	2.92	0.016	0.016	0	53.8	55	68.8	152	155	0	27	27
2025	3	24	18	43	9	0.758	-0.046	2.92	0.016	0.016	0	54.2	55.5	68.4	153	156	0	27	27
2025	3	24	18	53	9	0.722	-0.03	2.92	0.016	0.016	0	54.6	55.5	68.4	153	156	0	26	27
2025	3	24	19	3	9	0.719	-0.075	2.92	0.016	0.013	0	54.2	55.5	67.9	153	156	0	27	27
2025	3	24	19	13	9	0.699	-0.039	2.92	0.013	0.01	0	54.6	55.5	67.5	153	156	0	26	27
2025	3	24	19	23	9	0.738	-0.033	2.92	0.016	0.013	0	54.6	55.5	68.4	153	155	0	26	26
2025	3	24	19	33	9	0.728	-0.052	2.92	0.016	0.013	0	54.2	55	67.5	153	155	0	27	27
2025	3	24	19	43	9	0.682	-0.049	2.92	0.016	0.016	0	54.2	55.5	67.1	153	156	0	27	27
2025	3	24	19	53	9	0.735	-0.046	2.92	0.016	0.013	0	54.6	55.5	67.9	153	156	0	26	27
2025	3	24	20	3	9	0.735	-0.036	2.92	0.013	0.01	0	53.8	55	67.9	152	155	0	27	27
2025	3	24	20	13	9	0.748	-0.098	2.92	0.016	0.016	0	54.2	55	67.9	152	155	0	26	27
2025	3	24	20	23	9	0.745	-0.026	2.917	0.016	0.016	0	54.2	55.5	61.5	153	156	0	27	27
2025	3	24	20	33	9	0.719	-0.062	2.917	0.016	0.013	0	54.2	55.5	68.8	153	156	0	27	27
2025	3	24	20	43	9	0.751	-0.052	2.917	0.016	0.013	0	54.2	55.9	68.4	153	157	0	27	27
2025	3	24	20	53	9	0.709	-0.049	2.917	0.016	0.013	0	54.6	55	68.4	154	156	0	27	28
2025	3	24	21	3	9	0.719	-0.007	2.917	0.013	0.01	0	54.6	55.5	68.4	154	157	0	27	28
2025	3	24	21	13	9	0.745	-0.026	2.917	0.016	0.013	0	54.2	55.5	68.4	153	156	0	27	27
2025	3	24	21	23	9	0.761	0	2.917	0.02	0.016	0	54.6	55.9	68.4	154	157	0	27	27
2025	3	24	21	33	9	0.715	-0.023	2.917	0.02	0.016	0	54.6	55.9	68.4	154	157	0	27	27
2025	3	24	21	43	9	0.735	-0.033	2.917	0.016	0.013	0	55	55.5	68.8	154	156	0	26	27
2025	3	24	21	53	9	0.761	-0.059	2.917	0.016	0.016	0	55	55.9	68.8	154	157	0	26	27
2025	3	24	22	3	9	0.712	-0.049	2.917	0.013	0.01	0	55	55.5	68.4	155	157	0	27	28
2025	3	24	22	13	9	0.722	-0.03	2.917	0.016	0.016	0	55	56.3	68.4	155	157	0	27	26
2025	3	24	22	23	9	0.732	-0.043	2.917	0.016	0.016	0	54.2	55.5	69.2	153	156	0	27	27
2025	3	24	22	33	9	0.728	-0.079	2.917	0.016	0.016	0	55	55.5	68.4	155	157	0	27	28
2025	3	24	22	43	9	0.722	-0.016	2.917	0.016	0.016	0	55	55.5	69.7	155	157	0	27	28
2025	3	24	22	53	9	0.745	-0.039	2.917	0.016	0.013	0	55	55.5	68.8	155	157	0	27	28
2025	3	24	23	3	9	0.748	-0.043	2.917	0.016	0.013	0	55.5	55.9	69.2	156	158	0	27	28
2025	3	24	23	13	9	0.712	-0.03	2.917	0.016	0.016	0	55	55.5	68.8	155	157	0	27	28
2025	3	24	23	23	9	0.709	-0.043	2.917	0.016	0.016	0	54.6	56.3	68.8	155	158	0	28	27
2025	3	24	23	33	9	0.738	-0.03	2.917	0.016	0.013	0	55	55.9	70.1	155	157	0	27	27
2025	3	24	23	43	9	0.735	-0.039	2.917	0.016	0.016	0	55.5	55.5	68.8	155	157	0	26	28
2025	3	24	23	53	9	0.755	-0.046	2.913	0.016	0.016	0	55	55.5	70.1	155	157	0	27	28
2025	3	25	0	3	9	0.758	-0.052	2.913	0.016	0.013	0	54.6	55.5	70.5	154	157	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	25	0	13	9	0.755	-0.039	2.917	0.013	0.01	0	55	55.5	71.4	155	156	0	27	27
2025	3	25	0	23	9	0.751	-0.052	2.913	0.016	0.016	0	55	55.9	70.5	155	158	0	27	28
2025	3	25	0	33	9	0.748	-0.059	2.913	0.016	0.016	0	54.6	55.5	69.7	154	157	0	27	28
2025	3	25	0	43	9	0.738	-0.049	2.913	0.016	0.016	0	55	55.9	70.5	154	157	0	26	27
2025	3	25	0	53	9	0.722	-0.039	2.913	0.016	0.013	0	55	52	69.7	155	148	0	27	27
2025	3	25	1	3	9	0.709	-0.033	2.913	0.016	0.016	0	55.5	56.8	69.7	155	159	0	26	27
2025	3	25	1	13	9	0.748	-0.059	2.913	0.016	0.013	0	55	56.3	69.2	155	158	0	27	27
2025	3	25	1	23	9	0.728	-0.046	2.913	0.016	0.013	0	55.5	56.3	69.7	155	158	0	26	27
2025	3	25	1	33	9	0.741	-0.046	2.913	0.016	0.013	0	55	56.3	70.5	155	158	0	27	27
2025	3	25	1	43	9	0.751	-0.013	2.913	0.016	0.013	0	55	55.9	69.2	155	158	0	27	28
2025	3	25	1	53	9	0.755	-0.039	2.913	0.016	0.013	0	54.6	55.5	67.5	154	157	0	27	28
2025	3	25	2	3	9	0.692	-0.062	2.913	0.016	0.013	0	55.5	56.8	68.8	156	159	0	27	27
2025	3	25	2	13	9	0.771	-0.079	2.913	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	25	2	23	9	0.719	-0.059	2.91	0.016	0.013	0	55	56.8	68.8	155	159	0	27	27
2025	3	25	2	33	9	0.741	-0.043	2.91	0.016	0.016	0	54.6	55.9	69.7	155	158	0	28	28
2025	3	25	2	43	9	0.702	-0.069	2.913	0.016	0.013	0	55	55.5	69.7	155	157	0	27	28
2025	3	25	2	53	9	0.751	-0.052	2.913	0.016	0.013	0	55	55.9	70.1	155	158	0	27	28
2025	3	25	3	3	9	0.741	-0.066	2.913	0.016	0.013	0	55	55.9	69.2	155	158	0	27	28
2025	3	25	3	13	9	0.709	-0.072	2.91	0.016	0.016	0	55	55.9	69.2	155	158	0	27	28
2025	3	25	3	23	9	0.722	-0.052	2.91	0.016	0.016	0	54.6	55.5	70.1	154	157	0	27	28
2025	3	25	3	33	9	0.745	-0.01	2.91	0.016	0.013	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	25	3	43	9	0.725	-0.03	2.91	0.016	0.013	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	25	3	53	9	0.719	-0.062	2.91	0.016	0.013	0	54.6	55.9	68.4	154	158	0	27	28
2025	3	25	4	3	9	0.719	-0.069	2.91	0.016	0.016	0	55	55.9	69.2	155	158	0	27	28
2025	3	25	4	13	9	0.745	-0.046	2.91	0.02	0.016	0	54.6	56.3	68.8	154	158	0	27	27
2025	3	25	4	23	9	0.725	-0.033	2.91	0.016	0.013	0	54.6	55.9	68.4	154	158	0	27	28
2025	3	25	4	33	9	0.732	-0.082	2.91	0.016	0.013	0	54.2	56.3	68.8	154	158	0	28	27
2025	3	25	4	43	9	0.745	-0.043	2.91	0.016	0.016	0	54.2	55.5	68.4	154	157	0	28	28
2025	3	25	4	53	9	0.732	-0.039	2.91	0.016	0.016	0	54.6	56.3	67.9	154	158	0	27	27
2025	3	25	5	3	9	0.748	-0.052	2.91	0.016	0.016	0	55	56.8	67.9	155	159	0	27	27
2025	3	25	5	13	9	0.741	-0.072	2.91	0.016	0.016	0	55	55.9	67.9	155	158	0	27	28
2025	3	25	5	23	9	0.781	-0.046	2.91	0.016	0.016	0	55	55.9	67.9	155	158	0	27	28
2025	3	25	5	33	9	0.702	-0.049	2.91	0.016	0.013	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	25	5	43	9	0.692	-0.062	2.91	0.016	0.013	0	55	56.8	67.5	156	160	0	28	28
2025	3	25	5	53	9	0.725	0	2.91	0.02	0.016	0	55.9	56.8	67.1	157	160	0	27	28
2025	3	25	6	3	9	0.741	-0.049	2.913	0.016	0.013	0	55.9	56.8	66.7	157	160	0	27	28
2025	3	25	6	13	9	0.755	-0.036	2.913	0.016	0.013	0	55	56.8	66.7	155	159	0	27	27
2025	3	25	6	23	9	0.774	-0.095	2.913	0.016	0.013	0	55.5	56.3	66.7	156	159	0	27	28
2025	3	25	6	33	9	0.758	-0.049	2.913	0.02	0.016	0	55	55.9	66.7	155	158	0	27	28
2025	3	25	6	43	9	0.732	-0.079	2.913	0.016	0.016	0	54.6	55.9	66.2	155	158	0	28	28
2025	3	25	6	53	9	0.741	-0.03	2.913	0.016	0.013	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	25	7	3	9	0.656	-0.043	2.913	0.016	0.016	0	55.5	56.8	65.8	156	160	0	27	28
2025	3	25	7	13	9	0.722	-0.052	2.913	0.02	0.016	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	25	7	23	9	0.725	-0.049	2.913	0.02	0.016	0	55	56.3	65.8	156	159	0	28	28
2025	3	25	7	33	9	0.735	-0.059	2.913	0.016	0.013	0	55	55.9	66.2	156	158	0	28	28
2025	3	25	7	43	9	0.732	-0.046	2.913	0.013	0.01	0	55	55.9	63.2	155	158	0	27	28
2025	3	25	7	53	9	0.745	-0.023	2.913	0.016	0.013	0	55.5	55.9	66.2	156	158	0	27	28
2025	3	25	8	3	9	0.682	-0.075	2.91	0.016	0.013	0	55	55.9	54.2	156	158	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	25	8	13	9	0.702	-0.059	2.913	0.016	0.016	0	55.5	55.9	65.4	156	158	0	27	28
2025	3	25	8	23	9	0.741	-0.049	2.913	0.016	0.016	0	55.5	55.9	64.9	156	158	0	27	28
2025	3	25	8	33	9	0.725	-0.03	2.913	0.016	0.013	0	54.6	55.5	67.1	154	157	0	27	28
2025	3	25	8	43	9	0.778	-0.049	2.913	0.016	0.016	0	55.5	55.5	67.5	155	157	0	26	28
2025	3	25	8	53	9	0.774	-0.085	2.913	0.016	0.013	0	54.6	55.9	67.5	154	157	0	27	27
2025	3	25	9	3	9	0.751	-0.039	2.913	0.016	0.013	0	55	55.5	67.1	154	157	0	26	28
2025	3	25	9	13	9	0.732	-0.052	2.913	0.016	0.013	0	55	55.9	68.4	155	157	0	27	27
2025	3	25	9	23	9	0.761	-0.062	2.913	0.016	0.016	0	54.2	55	65.8	153	156	0	27	28
2025	3	25	9	33	9	0.689	-0.043	2.913	0.016	0.016	0	54.2	55.5	64.5	153	156	0	27	27
2025	3	25	9	43	9	0.722	-0.02	2.913	0.016	0.013	0	54.2	55	56.3	153	156	0	27	28
2025	3	25	9	53	9	0.745	-0.062	2.913	0.016	0.013	0	53.8	55	55.9	153	156	0	28	28
2025	3	25	10	3	9	0.741	-0.049	2.913	0.016	0.013	0	53.8	55	60.2	153	156	0	28	28
2025	3	25	10	13	9	0.758	-0.075	2.913	0.016	0.013	0	54.2	55	58	153	156	0	27	28
2025	3	25	10	23	9	0.709	-0.062	2.913	0.016	0.016	0	53.8	55	64.1	153	156	0	28	28
2025	3	25	10	33	9	0.705	-0.039	2.913	0.016	0.013	0	54.6	55.9	67.1	154	157	0	27	27
2025	3	25	10	43	9	0.728	-0.026	2.913	0.02	0.016	0	54.6	55.5	51.6	154	157	0	27	28
2025	3	25	10	53	9	0.758	-0.046	2.917	0.016	0.016	0	54.2	55	66.7	153	156	0	27	28
2025	3	25	11	3	9	0.794	-0.069	2.917	0.016	0.013	0	53.8	55	60.6	152	156	0	27	28
2025	3	25	11	13	9	0.761	-0.062	2.917	0.016	0.013	0	54.2	54.6	67.1	153	155	0	27	28
2025	3	25	11	23	9	0.732	-0.056	2.917	0.016	0.013	0	54.2	54.6	54.2	153	155	0	27	28
2025	3	25	11	33	9	0.774	-0.02	2.917	0.016	0.013	0	53.3	55	62.8	152	155	0	28	27
2025	3	25	11	43	9	0.748	-0.02	2.917	0.016	0.016	0	54.2	55	66.2	153	156	0	27	28
2025	3	25	11	53	9	0.712	-0.039	2.917	0.016	0.016	0	54.2	55	50.7	153	156	0	27	28
2025	3	25	12	3	9	0.755	-0.052	2.917	0.016	0.013	0	53.8	55.5	44.7	153	157	0	28	28
2025	3	25	12	13	9	0.722	-0.069	2.92	0.016	0.013	0	54.2	55	60.6	153	156	0	27	28
2025	3	25	12	23	9	0.768	-0.082	2.92	0.016	0.016	0	53.8	55.5	64.1	153	157	0	28	28
2025	3	25	12	33	9	0.761	-0.072	2.92	0.016	0.016	0	54.6	55.5	51.2	154	157	0	27	28
2025	3	25	12	43	9	0.755	-0.052	2.92	0.016	0.016	0	55	55.9	45.6	154	157	0	26	27
2025	3	25	12	53	9	0.774	-0.066	2.92	0.016	0.016	0	54.2	56.3	46.9	153	158	0	27	27
2025	3	25	13	3	9	0.732	-0.079	2.92	0.02	0.016	0	54.2	55.9	45.6	153	157	0	27	27
2025	3	25	13	13	9	0.755	-0.052	2.92	0.016	0.016	0	53.8	55	47.3	152	156	0	27	28
2025	3	25	13	23	9	0.719	-0.056	2.92	0.016	0.016	0	53.3	55.5	64.9	152	156	0	28	27
2025	3	25	13	33	9	0.735	-0.062	2.92	0.016	0.013	0	53.8	55.9	45.6	152	157	0	27	27
2025	3	25	13	43	9	0.764	-0.062	2.92	0.016	0.013	0	54.6	55.9	52.5	153	157	0	26	27
2025	3	25	13	53	9	0.748	-0.016	2.923	0.016	0.016	0	53.8	55.9	69.7	152	157	0	27	27
2025	3	25	14	3	9	0.741	-0.089	2.92	0.016	0.016	0	54.2	55.9	50.7	153	157	0	27	27
2025	3	25	14	13	9	0.764	-0.066	2.923	0.016	0.016	0	54.2	55.5	69.2	153	157	0	27	28
2025	3	25	14	23	9	0.719	-0.062	2.92	0.016	0.013	0	54.2	55.9	45.2	153	157	0	27	27
2025	3	25	14	33	9	0.741	-0.03	2.92	0.016	0.016	0	55	56.8	44.7	154	159	0	26	27
2025	3	25	14	43	9	0.748	-0.072	2.923	0.016	0.013	0	54.6	55.9	55.5	153	157	0	26	27
2025	3	25	14	53	9	0.712	-0.033	2.92	0.016	0.016	0	54.2	55.9	46.9	153	157	0	27	27
2025	3	25	15	3	9	0.755	-0.082	2.923	0.016	0.016	0	54.6	56.3	42.6	153	158	0	26	27
2025	3	25	15	13	9	0.751	-0.043	2.923	0.016	0.016	0	54.2	55.9	45.2	153	157	0	27	27
2025	3	25	15	23	9	0.741	-0.069	2.917	0.016	0.016	0	54.2	55.9	41.7	152	157	0	26	27
2025	3	25	15	33	9	0.741	-0.079	2.92	0.02	0.016	0	54.6	55.9	43.4	153	157	0	26	27
2025	3	25	15	43	9	0.728	-0.052	2.92	0.016	0.016	0	54.2	55.9	44.7	152	157	0	26	27
2025	3	25	15	53	9	0.755	-0.033	2.92	0.016	0.013	0	54.6	56.3	41.7	153	158	0	26	27
2025	3	25	16	3	9	0.712	-0.023	2.92	0.016	0.013	0	54.6	55.9	43	153	157	0	26	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	25	16	13	9	0.745	-0.043	2.923	0.016	0.016	0	54.2	56.3	45.2	153	158	0	27	27
2025	3	25	16	23	9	0.732	-0.079	2.92	0.016	0.013	0	54.2	55.9	40.9	153	158	0	27	28
2025	3	25	16	33	9	0.768	-0.046	2.923	0.016	0.016	0	53.8	56.3	42.6	152	158	0	27	27
2025	3	25	16	43	9	0.748	-0.036	2.923	0.02	0.016	0	53.3	56.3	44.3	151	158	0	27	27
2025	3	25	16	53	9	0.735	-0.046	2.923	0.016	0.013	0	55	56.3	45.2	154	158	0	26	27
2025	3	25	17	3	9	0.748	-0.098	2.923	0.016	0.016	0	54.2	55.9	44.3	153	157	0	27	27
2025	3	25	17	13	9	0.722	-0.079	2.923	0.016	0.016	0	54.6	55.5	45.6	153	157	0	26	28
2025	3	25	17	23	9	0.725	-0.026	2.923	0.016	0.013	0	54.6	56.3	43.4	153	157	0	26	26
2025	3	25	17	33	9	0.715	-0.03	2.927	0.02	0.016	0	54.2	55.9	52.9	153	157	0	27	27
2025	3	25	17	43	9	0.745	-0.052	2.927	0.016	0.016	0	54.6	55.9	62.4	153	157	0	26	27
2025	3	25	17	53	9	0.745	-0.03	2.927	0.02	0.016	0	54.2	55.9	68.4	153	157	0	27	27
2025	3	25	18	3	9	0.748	-0.033	2.927	0.02	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	25	18	13	9	0.745	-0.052	2.93	0.016	0.013	0	54.6	56.3	68.8	153	158	0	26	27
2025	3	25	18	23	9	0.755	-0.062	2.93	0.016	0.013	0	55	56.3	67.9	154	158	0	26	27
2025	3	25	18	33	9	0.728	-0.026	2.93	0.016	0.013	0	54.6	56.3	68.8	154	158	0	27	27
2025	3	25	18	43	9	0.705	-0.056	2.927	0.016	0.013	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	25	18	53	9	0.748	-0.082	2.93	0.02	0.016	0	54.6	56.3	67.9	154	158	0	27	27
2025	3	25	19	3	9	0.732	-0.023	2.927	0.016	0.013	0	55	56.8	68.4	155	159	0	27	27
2025	3	25	19	13	9	0.745	-0.052	2.927	0.016	0.016	0	55	57.2	67.9	155	159	0	27	26
2025	3	25	19	23	9	0.735	-0.043	2.927	0.016	0.016	0	55	56.3	68.4	155	158	0	27	27
2025	3	25	19	33	9	0.709	-0.056	2.927	0.016	0.013	0	55.5	56.8	68.8	155	159	0	26	27
2025	3	25	19	43	9	0.741	-0.059	2.927	0.016	0.016	0	55	56.8	68.8	155	159	0	27	27
2025	3	25	19	53	9	0.722	-0.043	2.93	0.016	0.016	0	55	56.8	69.2	155	159	0	27	27
2025	3	25	20	3	9	0.755	-0.085	2.93	0.016	0.016	0	55	55.5	69.7	155	156	0	27	27
2025	3	25	20	13	9	0.745	0.003	2.927	0.016	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	25	20	23	9	0.741	-0.013	2.927	0.02	0.016	0	55	55.9	69.2	154	158	0	26	28
2025	3	25	20	33	9	0.722	-0.056	2.927	0.016	0.013	0	55	56.3	69.7	155	158	0	27	27
2025	3	25	20	43	9	0.709	-0.049	2.927	0.016	0.016	0	55.5	56.8	69.7	156	159	0	27	27
2025	3	25	20	53	9	0.748	-0.049	2.927	0.016	0.016	0	55.5	56.3	68.8	155	158	0	26	27
2025	3	25	21	3	9	0.738	-0.043	2.927	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	25	21	13	9	0.761	-0.046	2.927	0.016	0.013	0	55	55.9	69.2	155	158	0	27	28
2025	3	25	21	23	9	0.732	-0.056	2.927	0.016	0.013	0	55	56.8	69.7	155	159	0	27	27
2025	3	25	21	33	9	0.732	-0.039	2.927	0.016	0.016	0	55	56.8	69.2	155	159	0	27	27
2025	3	25	21	43	9	0.761	-0.062	2.927	0.02	0.016	0	54.6	55.9	69.7	154	157	0	27	27
2025	3	25	21	53	9	0.732	-0.03	2.927	0.016	0.013	0	55.5	55.5	68.8	155	157	0	26	28
2025	3	25	22	3	9	0.748	-0.066	2.927	0.016	0.013	0	54.6	55.5	69.7	154	156	0	27	27
2025	3	25	22	13	9	0.732	-0.056	2.927	0.016	0.013	0	54.6	54.2	69.2	154	153	0	27	27
2025	3	25	22	23	9	0.719	-0.03	2.927	0.016	0.013	0	55	56.8	71	155	159	0	27	27
2025	3	25	22	33	9	0.741	-0.066	2.927	0.016	0.013	0	55	56.3	69.7	154	158	0	26	27
2025	3	25	22	43	9	0.748	-0.023	2.927	0.016	0.013	0	52	56.3	68.4	148	158	0	27	27
2025	3	25	22	53	9	0.732	-0.062	2.923	0.016	0.013	0	52	56.3	69.2	148	158	0	27	27
2025	3	25	23	3	9	0.692	-0.056	2.923	0.016	0.013	0	54.6	56.8	69.2	154	159	0	27	27
2025	3	25	23	13	9	0.728	-0.046	2.923	0.016	0.016	0	55	56.8	68.4	155	159	0	27	27
2025	3	25	23	23	9	0.715	-0.043	2.923	0.016	0.016	0	54.6	56.3	69.2	154	158	0	27	27
2025	3	25	23	33	9	0.705	-0.036	2.923	0.016	0.016	0	54.6	56.8	68.8	155	159	0	28	27
2025	3	25	23	43	9	0.758	-0.082	2.923	0.016	0.013	0	55	56.8	69.2	154	159	0	26	27
2025	3	25	23	53	9	0.751	-0.062	2.923	0.016	0.013	0	54.6	56.3	65.8	154	158	0	27	27
2025	3	26	0	3	9	0.705	-0.052	2.923	0.016	0.016	0	55	56.3	68.8	154	159	0	26	28

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	26	0	13	9	0.784	-0.049	2.923	0.016	0.013	0	55.5	57.2	68.4	156	160	0	27	27
2025	3	26	0	23	9	0.738	-0.03	2.923	0.016	0.013	0	55.5	56.8	68.4	155	159	0	26	27
2025	3	26	0	33	9	0.768	-0.066	2.923	0.016	0.016	0	55	56.3	68.4	154	158	0	26	27
2025	3	26	0	43	9	0.784	-0.046	2.923	0.01	0.007	0	55	56.3	65.8	154	158	0	26	27
2025	3	26	0	53	9	0.715	-0.059	2.923	0.016	0.013	0	55	56.8	67.9	155	159	0	27	27
2025	3	26	1	3	9	0.719	-0.043	2.92	0.016	0.013	0	55	56.3	67.9	155	159	0	27	28
2025	3	26	1	13	9	0.738	-0.03	2.92	0.016	0.013	0	55	56.8	67.9	155	159	0	27	27
2025	3	26	1	23	9	0.745	-0.033	2.923	0.016	0.013	0	55	56.3	67.5	155	159	0	27	28
2025	3	26	1	33	9	0.741	-0.052	2.923	0.016	0.013	0	55.5	56.8	67.1	156	159	0	27	27
2025	3	26	1	43	9	0.735	0.013	2.92	0.016	0.016	0	55.5	52.5	67.9	156	150	0	27	28
2025	3	26	1	53	9	0.771	-0.039	2.92	0.013	0.01	0	55.5	56.3	67.9	156	159	0	27	28
2025	3	26	2	3	9	0.748	-0.03	2.92	0.016	0.013	0	55.5	56.3	67.9	156	159	0	27	28
2025	3	26	2	13	9	0.715	-0.02	2.923	0.016	0.016	0	55.5	56.3	67.1	156	159	0	27	28
2025	3	26	2	23	9	0.781	-0.098	2.92	0.013	0.01	0	55.5	56.8	67.9	155	159	0	26	27
2025	3	26	2	33	9	0.748	-0.03	2.92	0.016	0.013	0	55.9	56.8	67.5	156	159	0	26	27
2025	3	26	2	43	9	0.758	-0.036	2.92	0.016	0.013	0	55	56.8	67.1	155	159	0	27	27
2025	3	26	2	53	9	0.725	-0.036	2.923	0.013	0.01	0	55.5	56.8	66.7	156	159	0	27	27
2025	3	26	3	3	9	0.761	-0.026	2.92	0.016	0.016	0	55.5	56.8	66.2	156	160	0	27	28
2025	3	26	3	13	9	0.728	-0.092	2.923	0.016	0.016	0	55.5	56.8	66.2	156	159	0	27	27
2025	3	26	3	23	9	0.748	-0.033	2.923	0.016	0.013	0	55.5	56.3	66.7	156	159	0	27	28
2025	3	26	3	33	9	0.741	-0.046	2.923	0.016	0.016	0	55.5	56.3	65.8	156	159	0	27	28
2025	3	26	3	43	9	0.745	-0.069	2.927	0.016	0.013	0	55	56.3	65.8	155	159	0	27	28
2025	3	26	3	53	9	0.715	-0.062	2.927	0.016	0.013	0	55.5	56.8	66.2	155	159	0	26	27
2025	3	26	4	3	9	0.745	-0.03	2.93	0.016	0.013	0	55.5	57.2	65.8	156	160	0	27	27
2025	3	26	4	13	9	0.748	-0.039	2.93	0.016	0.013	0	55.5	56.8	65.4	156	159	0	27	27
2025	3	26	4	23	9	0.755	-0.102	2.93	0.013	0.01	0	55.5	56.3	65.4	156	159	0	27	28
2025	3	26	4	33	9	0.758	-0.046	2.933	0.016	0.016	0	55.5	56.3	65.4	156	159	0	27	28
2025	3	26	4	43	9	0.741	-0.023	2.933	0.02	0.016	0	54.6	56.8	64.9	154	159	0	27	27
2025	3	26	4	53	9	0.738	-0.03	2.936	0.016	0.013	0	54.6	56.3	66.2	154	159	0	27	28
2025	3	26	5	3	9	0.705	-0.056	2.933	0.016	0.013	0	55	56.3	65.8	155	159	0	27	28
2025	3	26	5	13	9	0.755	-0.066	2.936	0.016	0.013	0	54.6	56.3	66.2	155	159	0	28	28
2025	3	26	5	23	9	0.748	-0.039	2.936	0.016	0.013	0	55	56.8	65.8	155	159	0	27	27
2025	3	26	5	33	9	0.781	-0.066	2.936	0.016	0.013	0	55	56.3	66.2	155	159	0	27	28
2025	3	26	5	43	9	0.715	-0.062	2.936	0.013	0.01	0	55	56.8	66.2	155	159	0	27	27
2025	3	26	5	53	9	0.748	-0.066	2.936	0.016	0.013	0	55	56.3	67.1	155	159	0	27	28
2025	3	26	6	3	9	0.751	-0.036	2.936	0.016	0.016	0	55	56.8	66.7	155	159	0	27	27
2025	3	26	6	13	9	0.751	-0.03	2.936	0.02	0.016	0	54.6	56.3	66.2	155	158	0	28	27
2025	3	26	6	23	9	0.745	-0.026	2.936	0.01	0.007	0	55	56.3	66.7	155	159	0	27	28
2025	3	26	6	33	9	0.751	-0.033	2.936	0.013	0.01	0	55	56.8	66.7	155	159	0	27	27
2025	3	26	6	43	9	0.781	-0.016	2.936	0.016	0.016	0	55	56.8	67.9	155	159	0	27	27
2025	3	26	6	53	9	0.761	-0.059	2.936	0.013	0.01	0	54.6	56.3	67.5	154	159	0	27	28
2025	3	26	7	3	9	0.725	-0.056	2.936	0.016	0.016	0	55	56.3	67.5	155	159	0	27	28
2025	3	26	7	13	9	0.745	-0.059	2.936	0.02	0.016	0	54.6	56.3	67.5	155	159	0	28	28
2025	3	26	7	23	9	0.764	-0.043	2.936	0.016	0.016	0	55	56.8	67.9	155	159	0	27	27
2025	3	26	7	33	9	0.748	-0.052	2.936	0.016	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	26	7	43	9	0.732	-0.039	2.936	0.016	0.016	0	54.6	56.3	67.5	154	159	0	27	28
2025	3	26	7	53	9	0.705	-0.046	2.936	0.016	0.013	0	54.6	56.3	68.4	155	159	0	28	28
2025	3	26	8	3	9	0.719	-0.046	2.936	0.02	0.016	0	55	56.3	68.8	155	158	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	26	8	13	9	0.764	-0.036	2.936	0.016	0.016	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	26	8	23	9	0.728	-0.013	2.936	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	8	33	9	0.719	-0.066	2.936	0.016	0.016	0	55	55.9	68.8	155	158	0	27	28
2025	3	26	8	43	9	0.755	-0.052	2.936	0.016	0.013	0	54.6	55.5	69.2	154	157	0	27	28
2025	3	26	8	53	9	0.732	-0.072	2.936	0.016	0.013	0	54.6	55.5	67.9	154	157	0	27	28
2025	3	26	9	3	9	0.764	-0.059	2.936	0.013	0.01	0	54.2	55.5	68.4	154	157	0	28	28
2025	3	26	9	13	9	0.771	-0.062	2.936	0.02	0.016	0	53.8	55.5	67.5	153	157	0	28	28
2025	3	26	9	23	9	0.748	-0.082	2.936	0.016	0.013	0	54.2	55.5	67.5	153	157	0	27	28
2025	3	26	9	33	9	0.755	-0.052	2.933	0.016	0.016	0	54.6	55.9	67.1	154	158	0	27	28
2025	3	26	9	43	9	0.761	-0.059	2.936	0.016	0.013	0	54.2	55	67.5	153	156	0	27	28
2025	3	26	9	53	9	0.732	-0.075	2.93	0.013	0.01	0	55	55.5	58	155	157	0	27	28
2025	3	26	10	3	9	0.745	-0.052	2.927	0.02	0.016	0	55	56.3	53.3	155	158	0	27	27
2025	3	26	10	13	9	0.778	-0.046	2.923	0.016	0.016	0	54.6	55.5	54.2	154	157	0	27	28
2025	3	26	10	23	9	0.705	-0.033	2.923	0.016	0.013	0	54.6	55.9	59.8	154	157	0	27	27
2025	3	26	10	33	9	0.735	-0.059	2.923	0.016	0.016	0	55	56.3	48.6	155	158	0	27	27
2025	3	26	10	43	9	0.719	-0.046	2.923	0.016	0.016	0	55.5	55.9	65.4	155	158	0	26	28
2025	3	26	10	53	9	0.774	-0.036	2.927	0.016	0.013	0	54.6	56.3	53.8	154	158	0	27	27
2025	3	26	11	3	9	0.741	-0.059	2.927	0.02	0.016	0	55	55.9	49	155	158	0	27	28
2025	3	26	11	13	9	0.751	-0.062	2.927	0.016	0.016	0	55	55.9	43	155	157	0	27	27
2025	3	26	11	23	9	0.741	-0.02	2.927	0.016	0.013	0	55	55.9	49.9	155	157	0	27	27
2025	3	26	11	33	9	0.778	-0.056	2.93	0.016	0.013	0	55	55.9	45.2	155	158	0	27	28
2025	3	26	11	43	9	0.741	-0.075	2.927	0.016	0.013	0	55	55.9	50.7	155	158	0	27	28
2025	3	26	11	53	9	0.709	-0.059	2.93	0.016	0.013	0	54.6	56.3	41.3	154	158	0	27	27
2025	3	26	12	3	9	0.771	-0.036	2.927	0.016	0.016	0	55	55.9	51.2	155	158	0	27	28
2025	3	26	12	13	9	0.787	-0.075	2.93	0.016	0.013	0	55	55.9	43.4	155	157	0	27	27
2025	3	26	12	23	9	0.725	-0.033	2.93	0.016	0.016	0	55	56.3	43.4	155	158	0	27	27
2025	3	26	12	33	9	0.784	-0.059	2.93	0.02	0.016	0	55	55.9	41.7	155	157	0	27	27
2025	3	26	12	43	9	0.735	-0.039	2.933	0.016	0.013	0	55	55.9	43	155	158	0	27	28
2025	3	26	12	53	9	0.722	-0.046	2.93	0.016	0.013	0	55	56.3	44.3	155	158	0	27	27
2025	3	26	13	3	9	0.787	-0.03	2.927	0.016	0.016	0	55	56.3	40.9	155	158	0	27	27
2025	3	26	13	13	9	0.741	-0.023	2.93	0.016	0.013	0	55.5	56.3	43	156	158	0	27	27
2025	3	26	13	23	9	0.755	-0.043	2.927	0.016	0.016	0	55.5	56.3	42.1	155	158	0	26	27
2025	3	26	13	33	9	0.712	-0.043	2.93	0.016	0.016	0	55	56.3	42.1	155	158	0	27	27
2025	3	26	13	43	9	0.784	-0.039	2.93	0.016	0.016	0	55	56.3	44.3	155	158	0	27	27
2025	3	26	13	53	9	0.755	-0.059	2.927	0.02	0.016	0	55	56.3	42.1	155	158	0	27	27
2025	3	26	14	3	9	0.761	-0.046	2.93	0.016	0.013	0	55	56.8	43.4	155	158	0	27	26
2025	3	26	14	13	9	0.758	-0.046	2.93	0.013	0.01	0	54.6	55.9	45.6	154	158	0	27	28
2025	3	26	14	23	9	0.751	-0.01	2.93	0.016	0.016	0	55	56.8	40.9	155	159	0	27	27
2025	3	26	14	33	9	0.771	-0.056	2.93	0.013	0.01	0	55.5	56.3	43	155	158	0	26	27
2025	3	26	14	43	9	0.758	-0.085	2.93	0.016	0.016	0	55.5	56.3	43.9	155	158	0	26	27
2025	3	26	14	53	9	0.784	-0.036	2.93	0.016	0.013	0	55	56.3	43.9	154	158	0	26	27
2025	3	26	15	3	9	0.787	-0.039	2.923	0.02	0.016	0	55.5	56.3	43.9	155	159	0	26	28
2025	3	26	15	13	9	0.778	-0.003	2.933	0.016	0.016	0	55.5	56.8	43.9	155	159	0	26	27
2025	3	26	15	23	9	0.722	-0.046	2.93	0.016	0.013	0	55	57.2	45.2	155	159	0	27	26
2025	3	26	15	33	9	0.732	-0.046	2.933	0.016	0.013	0	55.5	56.3	44.3	156	158	0	27	27
2025	3	26	15	43	9	0.732	-0.033	2.933	0.016	0.016	0	55.9	56.8	41.3	156	159	0	26	27
2025	3	26	15	53	9	0.712	-0.046	2.93	0.016	0.016	0	55.5	57.2	42.1	156	159	0	27	26
2025	3	26	16	3	9	0.771	-0.062	2.93	0.02	0.016	0	55.9	56.8	44.7	156	158	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	26	16	13	9	0.771	-0.056	2.93	0.016	0.016	0	55	55.9	45.2	155	158	0	27	28
2025	3	26	16	23	9	0.738	-0.023	2.93	0.016	0.013	0	55.5	56.3	44.3	155	158	0	26	27
2025	3	26	16	33	9	0.741	-0.069	2.93	0.016	0.013	0	55.5	56.3	43	155	158	0	26	27
2025	3	26	16	43	9	0.761	-0.036	2.927	0.016	0.013	0	55	56.3	41.7	155	158	0	27	27
2025	3	26	16	53	9	0.761	-0.052	2.93	0.016	0.013	0	55	56.8	43.9	155	158	0	27	26
2025	3	26	17	3	9	0.778	-0.046	2.933	0.016	0.013	0	55	55.9	42.6	154	157	0	26	27
2025	3	26	17	13	9	0.741	-0.059	2.927	0.016	0.013	0	55	56.3	43.9	154	158	0	26	27
2025	3	26	17	23	9	0.728	-0.043	2.933	0.016	0.013	0	54.2	55.9	43.4	153	157	0	27	27
2025	3	26	17	33	9	0.741	-0.052	2.927	0.016	0.016	0	54.6	55.9	44.3	154	157	0	27	27
2025	3	26	17	43	9	0.738	-0.049	2.93	0.016	0.013	0	54.6	55.5	43.9	153	157	0	26	28
2025	3	26	17	53	9	0.771	-0.039	2.93	0.016	0.013	0	54.2	55.9	42.6	153	157	0	27	27
2025	3	26	18	3	9	0.781	-0.059	2.93	0.016	0.013	0	55.5	56.3	67.9	155	158	0	26	27
2025	3	26	18	13	9	0.768	-0.062	2.93	0.016	0.016	0	54.6	56.3	60.6	154	158	0	27	27
2025	3	26	18	23	9	0.761	-0.046	2.93	0.02	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	26	18	33	9	0.722	-0.033	2.93	0.016	0.013	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	18	43	9	0.794	-0.026	2.93	0.016	0.013	0	55	56.3	59.8	155	158	0	27	27
2025	3	26	18	53	9	0.745	-0.043	2.93	0.02	0.016	0	55	56.3	69.7	154	158	0	26	27
2025	3	26	19	3	9	0.758	-0.082	2.93	0.016	0.016	0	55.5	56.8	69.7	155	159	0	26	27
2025	3	26	19	13	9	0.758	-0.049	2.93	0.016	0.013	0	55.5	56.3	56.8	155	158	0	26	27
2025	3	26	19	23	9	0.738	-0.03	2.93	0.02	0.016	0	54.6	56.3	69.7	154	158	0	27	27
2025	3	26	19	33	9	0.705	-0.03	2.93	0.016	0.016	0	54.6	56.3	69.7	154	158	0	27	27
2025	3	26	19	43	9	0.748	-0.066	2.93	0.016	0.013	0	55	56.3	69.7	154	158	0	26	27
2025	3	26	19	53	9	0.709	-0.026	2.93	0.02	0.016	0	54.6	56.8	70.1	154	158	0	27	26
2025	3	26	20	3	9	0.758	-0.062	2.93	0.016	0.013	0	55	56.8	68.8	154	158	0	26	26
2025	3	26	20	13	9	0.758	-0.056	2.927	0.016	0.016	0	54.6	56.3	69.7	154	157	0	27	26
2025	3	26	20	23	9	0.732	-0.049	2.93	0.016	0.016	0	55	56.3	69.7	155	158	0	27	27
2025	3	26	20	33	9	0.741	-0.043	2.927	0.016	0.016	0	55.5	56.8	69.2	155	158	0	26	26
2025	3	26	20	43	9	0.764	-0.046	2.927	0.016	0.013	0	55.5	56.3	69.2	155	158	0	26	27
2025	3	26	20	53	9	0.771	0.003	2.927	0.013	0.01	0	55.5	56.8	69.2	156	159	0	27	27
2025	3	26	21	3	9	0.719	-0.036	2.927	0.02	0.016	0	55.5	56.3	69.2	156	158	0	27	27
2025	3	26	21	13	9	0.738	-0.036	2.927	0.016	0.013	0	55.5	56.3	69.7	155	158	0	26	27
2025	3	26	21	23	9	0.738	-0.059	2.927	0.016	0.013	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	21	33	9	0.738	-0.043	2.927	0.02	0.016	0	55.5	56.3	69.7	155	158	0	26	27
2025	3	26	21	43	9	0.751	-0.052	2.927	0.016	0.013	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	21	53	9	0.728	-0.043	2.927	0.016	0.016	0	54.6	56.3	69.7	154	158	0	27	27
2025	3	26	22	3	9	0.732	-0.033	2.927	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	22	13	9	0.741	-0.049	2.923	0.016	0.013	0	55	56.3	69.7	155	158	0	27	27
2025	3	26	22	23	9	0.748	-0.049	2.923	0.016	0.013	0	55	55.9	69.7	155	158	0	27	28
2025	3	26	22	33	9	0.755	-0.003	2.923	0.016	0.016	0	55	56.3	69.7	155	158	0	27	27
2025	3	26	22	43	9	0.715	-0.03	2.923	0.016	0.013	0	55	56.3	69.7	155	158	0	27	27
2025	3	26	22	53	9	0.768	-0.049	2.923	0.016	0.016	0	55.5	56.3	69.7	155	158	0	26	27
2025	3	26	23	3	9	0.712	-0.052	2.923	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	26	23	13	9	0.758	-0.023	2.923	0.016	0.016	0	55	56.3	69.7	155	158	0	27	27
2025	3	26	23	23	9	0.778	-0.072	2.923	0.016	0.013	0	54.6	55.9	69.7	154	157	0	27	27
2025	3	26	23	33	9	0.732	-0.059	2.923	0.016	0.013	0	53.8	56.3	69.7	152	158	0	27	27
2025	3	26	23	43	9	0.745	-0.049	2.923	0.02	0.016	0	54.6	55.9	69.7	154	157	0	27	27
2025	3	26	23	53	9	0.755	-0.043	2.923	0.016	0.013	0	55	55.9	70.1	154	157	0	26	27
2025	3	27	0	3	9	0.722	-0.026	2.92	0.016	0.013	0	54.6	55.9	70.1	154	157	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	27	0	13	9	0.741	-0.039	2.92	0.013	0.01	0	55	55.9	70.1	154	158	0	26	28
2025	3	27	0	23	9	0.761	-0.066	2.92	0.02	0.016	0	55	56.3	68.8	155	158	0	27	27
2025	3	27	0	33	9	0.712	-0.007	2.92	0.016	0.013	0	54.6	55.9	69.7	154	157	0	27	27
2025	3	27	0	43	9	0.712	-0.079	2.92	0.016	0.016	0	55	56.3	69.2	155	158	0	27	27
2025	3	27	0	53	9	0.741	-0.056	2.92	0.016	0.013	0	54.6	55.9	70.1	154	157	0	27	27
2025	3	27	1	3	9	0.719	-0.046	2.92	0.016	0.013	0	55	55.9	69.7	154	158	0	26	28
2025	3	27	1	13	9	0.722	-0.079	2.92	0.016	0.013	0	55	55.9	69.2	154	157	0	26	27
2025	3	27	1	23	9	0.758	-0.026	2.92	0.016	0.013	0	54.6	55.9	69.2	154	157	0	27	27
2025	3	27	1	33	9	0.722	-0.062	2.92	0.016	0.016	0	54.6	55.9	69.7	154	158	0	27	28
2025	3	27	1	43	9	0.755	-0.036	2.92	0.016	0.013	0	54.6	55.9	69.7	154	157	0	27	27
2025	3	27	1	53	9	0.722	-0.039	2.92	0.016	0.013	0	55	56.3	69.7	155	158	0	27	27
2025	3	27	2	3	9	0.745	-0.046	2.92	0.013	0.01	0	54.6	56.3	69.2	154	158	0	27	27
2025	3	27	2	13	9	0.741	-0.026	2.92	0.016	0.013	0	54.6	55.9	68.8	154	158	0	27	28
2025	3	27	2	23	9	0.791	-0.062	2.92	0.016	0.013	0	54.6	55.5	69.7	154	157	0	27	28
2025	3	27	2	33	9	0.764	-0.062	2.917	0.02	0.016	0	54.6	55.9	69.2	154	157	0	27	27
2025	3	27	2	43	9	0.778	-0.075	2.917	0.016	0.013	0	55	55.5	68.8	154	157	0	26	28
2025	3	27	2	53	9	0.741	-0.02	2.917	0.016	0.016	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	27	3	3	9	0.768	-0.016	2.917	0.016	0.013	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	27	3	13	9	0.709	-0.092	2.917	0.016	0.016	0	54.6	56.3	69.7	154	158	0	27	27
2025	3	27	3	23	9	0.771	-0.059	2.92	0.016	0.016	0	54.6	55.9	69.2	154	158	0	27	28
2025	3	27	3	33	9	0.761	-0.039	2.92	0.016	0.013	0	54.6	56.3	69.2	154	158	0	27	27
2025	3	27	3	43	9	0.768	-0.043	2.917	0.016	0.016	0	54.6	56.3	68.8	154	158	0	27	27
2025	3	27	3	53	9	0.715	-0.02	2.92	0.016	0.016	0	55	56.3	67.9	155	158	0	27	27
2025	3	27	4	3	9	0.728	-0.039	2.917	0.016	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	27	4	13	9	0.748	-0.059	2.92	0.016	0.013	0	55	56.3	68.8	154	158	0	26	27
2025	3	27	4	23	9	0.768	-0.062	2.92	0.016	0.016	0	54.6	55.9	68.4	154	158	0	27	28
2025	3	27	4	33	9	0.748	-0.023	2.92	0.016	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	27	4	43	9	0.774	-0.062	2.92	0.016	0.016	0	54.6	56.3	68.8	154	158	0	27	27
2025	3	27	4	53	9	0.732	-0.056	2.92	0.016	0.016	0	54.6	56.3	68.4	154	158	0	27	27
2025	3	27	5	3	9	0.735	-0.046	2.92	0.016	0.013	0	55	56.3	67.9	155	158	0	27	27
2025	3	27	5	13	9	0.761	-0.026	2.92	0.016	0.016	0	55	56.8	67.5	155	159	0	27	27
2025	3	27	5	23	9	0.751	-0.026	2.92	0.016	0.013	0	55	56.3	67.5	155	159	0	27	28
2025	3	27	5	33	9	0.758	-0.026	2.92	0.013	0.01	0	54.6	56.3	67.9	155	159	0	28	28
2025	3	27	5	43	9	0.787	-0.03	2.92	0.016	0.016	0	55.5	57.2	67.9	155	160	0	26	27
2025	3	27	5	53	9	0.732	-0.013	2.92	0.016	0.013	0	55	56.8	67.5	155	159	0	27	27
2025	3	27	6	3	9	0.722	-0.023	2.92	0.02	0.016	0	55	56.8	67.9	155	160	0	27	28
2025	3	27	6	13	9	0.748	-0.039	2.92	0.016	0.013	0	55	56.3	67.5	155	159	0	27	28
2025	3	27	6	23	9	0.778	-0.026	2.92	0.016	0.016	0	55	56.8	67.5	155	159	0	27	27
2025	3	27	6	33	9	0.764	-0.046	2.92	0.016	0.016	0	54.6	56.3	67.5	154	158	0	27	27
2025	3	27	6	43	9	0.755	-0.039	2.92	0.013	0.01	0	55	56.3	67.5	155	159	0	27	28
2025	3	27	6	53	9	0.787	-0.075	2.92	0.016	0.016	0	55	56.8	67.1	155	159	0	27	27
2025	3	27	7	3	9	0.758	-0.062	2.92	0.016	0.016	0	55.5	56.8	67.5	155	159	0	26	27
2025	3	27	7	13	9	0.748	-0.023	2.92	0.016	0.013	0	55	56.8	67.5	155	159	0	27	27
2025	3	27	7	23	9	0.761	-0.036	2.92	0.016	0.016	0	55	56.3	67.1	155	159	0	27	28
2025	3	27	7	33	9	0.761	-0.046	2.92	0.016	0.013	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	27	7	43	9	0.732	-0.056	2.92	0.013	0.01	0	55.9	56.3	67.1	157	159	0	27	28
2025	3	27	7	53	9	0.728	-0.023	2.92	0.016	0.013	0	55.9	57.2	67.1	157	160	0	27	27
2025	3	27	8	3	9	0.722	-0.075	2.92	0.016	0.016	0	55.5	56.8	67.1	156	159	0	27	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	27	8	13	9	0.745	-0.066	2.92	0.016	0.016	0	55.5	56.3	67.1	156	159	0	27	28
2025	3	27	8	23	9	0.751	-0.026	2.92	0.016	0.016	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	27	8	33	9	0.745	-0.072	2.92	0.016	0.013	0	55.5	55.9	65.4	156	158	0	27	28
2025	3	27	8	43	9	0.712	-0.023	2.92	0.02	0.016	0	55	56.3	67.5	156	159	0	28	28
2025	3	27	8	53	9	0.732	-0.023	2.92	0.016	0.013	0	55	55.9	67.9	155	158	0	27	28
2025	3	27	9	3	9	0.764	-0.066	2.92	0.016	0.013	0	55.5	56.3	50.3	156	159	0	27	28
2025	3	27	9	13	9	0.719	-0.075	2.92	0.016	0.016	0	55	55.9	47.3	155	158	0	27	28
2025	3	27	9	23	9	0.781	-0.066	2.923	0.016	0.016	0	55	55.9	45.2	155	158	0	27	28
2025	3	27	9	33	9	0.807	-0.059	2.92	0.016	0.016	0	55	55.9	46.4	155	158	0	27	28
2025	3	27	9	43	9	0.778	-0.046	2.923	0.016	0.016	0	55	55.9	47.3	155	158	0	27	28
2025	3	27	9	53	9	0.755	-0.066	2.923	0.02	0.016	0	55	55.9	43.4	155	158	0	27	28
2025	3	27	10	3	9	0.755	-0.049	2.923	0.016	0.013	0	55	55.9	45.6	155	158	0	27	28
2025	3	27	10	13	9	0.748	-0.089	2.923	0.016	0.013	0	55.5	56.3	43.9	155	158	0	26	27
2025	3	27	10	23	9	0.751	-0.046	2.923	0.016	0.016	0	55	55.9	42.1	154	158	0	26	28
2025	3	27	10	33	9	0.755	-0.052	2.923	0.02	0.016	0	55	56.3	45.6	155	158	0	27	27
2025	3	27	10	43	9	0.761	-0.066	2.927	0.016	0.016	0	55	56.8	42.1	155	159	0	27	27
2025	3	27	10	53	9	0.741	-0.046	2.927	0.016	0.016	0	55.5	56.3	43.9	155	158	0	26	27
2025	3	27	11	3	9	0.741	-0.046	2.927	0.016	0.013	0	55	55.9	44.3	154	157	0	26	27
2025	3	27	11	13	9	0.751	-0.062	2.927	0.02	0.016	0	55	55.5	40.9	154	157	0	26	28
2025	3	27	11	23	9	0.794	-0.056	2.927	0.016	0.013	0	55	55.5	43	155	157	0	27	28
2025	3	27	11	33	9	0.778	-0.033	2.927	0.016	0.016	0	55.5	55.5	42.1	155	157	0	26	28
2025	3	27	11	43	9	0.741	-0.066	2.927	0.013	0.01	0	55	55.9	42.1	155	157	0	27	27
2025	3	27	11	53	9	0.728	-0.046	2.927	0.016	0.016	0	55	56.3	47.7	155	158	0	27	27
2025	3	27	12	3	9	0.774	-0.049	2.927	0.016	0.016	0	55	55.9	47.7	155	157	0	27	27
2025	3	27	12	13	9	0.735	-0.01	2.927	0.016	0.013	0	55	56.3	45.6	155	158	0	27	27
2025	3	27	12	23	9	0.751	-0.016	2.927	0.02	0.016	0	55	56.3	43.9	155	158	0	27	27
2025	3	27	12	33	9	0.741	-0.056	2.927	0.013	0.01	0	55	56.3	49.5	155	158	0	27	27
2025	3	27	12	43	9	0.728	-0.02	2.93	0.016	0.013	0	55	55.9	47.3	155	157	0	27	27
2025	3	27	12	53	9	0.741	-0.046	2.93	0.016	0.013	0	55	56.3	62.8	155	158	0	27	27
2025	3	27	13	3	9	0.728	-0.03	2.93	0.016	0.013	0	55	55.9	56.8	155	157	0	27	27
2025	3	27	13	13	9	0.725	-0.056	2.93	0.02	0.016	0	55	55.9	69.2	155	157	0	27	27
2025	3	27	13	23	9	0.705	-0.049	2.93	0.016	0.016	0	55.5	55.9	67.9	155	157	0	26	27
2025	3	27	13	33	9	0.761	-0.026	2.933	0.016	0.013	0	55	55.9	55.9	154	157	0	26	27
2025	3	27	13	43	9	0.764	-0.049	2.933	0.016	0.013	0	55	56.3	63.6	155	158	0	27	27
2025	3	27	13	53	9	0.712	-0.033	2.933	0.016	0.016	0	55.5	56.3	64.5	155	158	0	26	27
2025	3	27	14	3	9	0.758	-0.046	2.933	0.01	0.007	0	54.6	56.3	50.7	154	158	0	27	27
2025	3	27	14	13	9	0.722	-0.03	2.933	0.016	0.013	0	55.5	56.3	47.7	155	158	0	26	27
2025	3	27	14	23	9	0.768	-0.03	2.933	0.016	0.013	0	55	56.8	49	155	159	0	27	27
2025	3	27	14	33	9	0.738	-0.049	2.933	0.016	0.013	0	55	56.3	48.2	154	158	0	26	27
2025	3	27	14	43	9	0.758	-0.026	2.933	0.013	0.01	0	55	56.8	48.6	155	158	0	27	26
2025	3	27	14	53	9	0.751	-0.026	2.933	0.016	0.016	0	55	56.3	48.6	154	158	0	26	27
2025	3	27	15	3	9	0.741	-0.052	2.933	0.016	0.013	0	55.5	56.3	47.7	155	158	0	26	27
2025	3	27	15	13	9	0.722	-0.049	2.933	0.016	0.016	0	55	56.3	49.5	154	158	0	26	27
2025	3	27	15	23	9	0.755	-0.039	2.933	0.016	0.013	0	55.5	56.8	48.2	155	159	0	26	27
2025	3	27	15	33	9	0.764	-0.03	2.933	0.016	0.013	0	55.9	56.3	49	155	158	0	25	27
2025	3	27	15	43	9	0.741	-0.003	2.933	0.016	0.013	0	55	56.3	48.2	155	158	0	27	27
2025	3	27	15	53	9	0.755	-0.023	2.93	0.016	0.016	0	55	56.3	49	154	158	0	26	27
2025	3	27	16	3	9	0.725	-0.059	2.933	0.016	0.016	0	55.5	56.3	50.7	155	158	0	26	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	27	16	13	9	0.722	-0.046	2.933	0.016	0.016	0	55.5	56.3	48.2	155	158	0	26	27
2025	3	27	16	23	9	0.725	-0.069	2.933	0.016	0.016	0	55.5	56.8	48.2	155	159	0	26	27
2025	3	27	16	33	9	0.738	-0.016	2.933	0.016	0.013	0	55.5	56.8	47.3	155	159	0	26	27
2025	3	27	16	43	9	0.738	-0.046	2.933	0.016	0.013	0	55.5	56.8	47.3	155	159	0	26	27
2025	3	27	16	53	9	0.738	-0.046	2.93	0.013	0.01	0	55.9	57.2	47.3	156	159	0	26	26
2025	3	27	17	3	9	0.764	-0.043	2.933	0.016	0.016	0	55.9	56.8	48.2	156	158	0	26	26
2025	3	27	17	13	9	0.715	-0.033	2.93	0.016	0.013	0	55.9	57.2	48.6	157	160	0	27	27
2025	3	27	17	23	9	0.725	-0.036	2.93	0.016	0.013	0	56.3	57.2	48.6	157	159	0	26	26
2025	3	27	17	33	9	0.745	-0.023	2.93	0.016	0.016	0	55.9	55.9	48.6	156	158	0	26	28
2025	3	27	17	43	9	0.728	-0.013	2.93	0.016	0.013	0	55	56.3	47.3	155	158	0	27	27
2025	3	27	17	53	9	0.722	-0.079	2.93	0.02	0.016	0	55.9	56.8	48.6	156	159	0	26	27
2025	3	27	18	3	9	0.764	-0.056	2.93	0.016	0.016	0	55.9	56.8	45.6	156	159	0	26	27
2025	3	27	18	13	9	0.699	-0.023	2.93	0.016	0.013	0	55.5	56.8	49	156	159	0	27	27
2025	3	27	18	23	9	0.755	-0.03	2.93	0.016	0.013	0	55.9	56.8	45.6	156	159	0	26	27
2025	3	27	18	33	9	0.728	-0.033	2.93	0.016	0.013	0	55.9	56.8	46.4	156	159	0	26	27
2025	3	27	18	43	9	0.722	-0.013	2.93	0.02	0.016	0	55.9	57.2	45.2	157	160	0	27	27
2025	3	27	18	53	9	0.741	-0.003	2.927	0.016	0.013	0	55.9	57.2	43	157	160	0	27	27
2025	3	27	19	3	9	0.758	-0.039	2.93	0.016	0.013	0	56.3	57.6	45.6	157	160	0	26	26
2025	3	27	19	13	9	0.741	-0.02	2.927	0.02	0.016	0	55.9	57.2	45.6	157	160	0	27	27
2025	3	27	19	23	9	0.761	-0.079	2.927	0.02	0.016	0	56.3	56.8	45.6	157	160	0	26	28
2025	3	27	19	33	9	0.778	-0.03	2.927	0.016	0.013	0	56.3	57.6	46.9	157	160	0	26	26
2025	3	27	19	43	9	0.735	-0.03	2.927	0.02	0.016	0	56.3	57.2	49.9	157	160	0	26	27
2025	3	27	19	53	9	0.738	-0.043	2.927	0.016	0.016	0	55.9	57.2	47.7	157	160	0	27	27
2025	3	27	20	3	9	0.751	-0.036	2.927	0.013	0.01	0	55.9	56.8	47.3	157	159	0	27	27
2025	3	27	20	13	9	0.745	-0.075	2.927	0.016	0.016	0	55.9	56.8	49.9	156	160	0	26	28
2025	3	27	20	23	9	0.745	-0.03	2.927	0.016	0.013	0	55.9	56.8	63.2	157	160	0	27	28
2025	3	27	20	33	9	0.728	-0.016	2.927	0.016	0.016	0	55.9	57.2	67.5	157	160	0	27	27
2025	3	27	20	43	9	0.761	-0.059	2.927	0.016	0.013	0	55.9	56.8	63.2	156	159	0	26	27
2025	3	27	20	53	9	0.732	-0.046	2.927	0.016	0.016	0	55.9	56.8	65.4	156	159	0	26	27
2025	3	27	21	3	9	0.768	-0.046	2.927	0.016	0.013	0	55.5	56.8	55	156	159	0	27	27
2025	3	27	21	13	9	0.761	-0.036	2.927	0.016	0.016	0	55.5	56.3	64.9	155	158	0	26	27
2025	3	27	21	23	9	0.738	-0.036	2.927	0.016	0.016	0	55.9	56.8	59.8	156	159	0	26	27
2025	3	27	21	33	9	0.778	-0.046	2.927	0.016	0.016	0	54.6	55.9	52.5	154	158	0	27	28
2025	3	27	21	43	9	0.725	-0.046	2.927	0.016	0.013	0	55.9	56.8	61.5	156	159	0	26	27
2025	3	27	21	53	9	0.751	-0.049	2.923	0.016	0.016	0	55.9	55.9	51.2	156	158	0	26	28
2025	3	27	22	3	9	0.778	-0.03	2.923	0.016	0.016	0	55.9	56.3	63.6	156	158	0	26	27
2025	3	27	22	13	9	0.712	-0.066	2.923	0.013	0.01	0	55.5	56.8	65.8	156	159	0	27	27
2025	3	27	22	23	9	0.692	-0.049	2.923	0.02	0.016	0	55.5	56.8	65.4	156	159	0	27	27
2025	3	27	22	33	9	0.712	-0.016	2.923	0.016	0.013	0	55.9	56.8	56.8	156	159	0	26	27
2025	3	27	22	43	9	0.741	-0.056	2.923	0.016	0.013	0	55	55.9	63.6	155	158	0	27	28
2025	3	27	22	53	9	0.755	-0.079	2.923	0.016	0.016	0	55.5	56.3	67.9	156	158	0	27	27
2025	3	27	23	3	9	0.722	-0.062	2.923	0.02	0.016	0	55.5	56.8	55.5	156	159	0	27	27
2025	3	27	23	13	9	0.755	-0.072	2.923	0.016	0.016	0	55.5	56.8	66.2	156	159	0	27	27
2025	3	27	23	23	9	0.741	-0.016	2.923	0.016	0.016	0	55.5	56.8	58.9	156	159	0	27	27
2025	3	27	23	33	9	0.722	-0.066	2.923	0.016	0.013	0	55	56.3	59.3	155	159	0	27	28
2025	3	27	23	43	9	0.709	-0.046	2.923	0.016	0.016	0	55.5	56.8	52.9	156	159	0	27	27
2025	3	27	23	53	9	0.728	-0.046	2.923	0.02	0.016	0	55	56.3	63.2	155	159	0	27	28
2025	3	28	0	3	9	0.738	-0.066	2.92	0.016	0.016	0	55.5	56.8	66.7	156	159	0	27	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	28	0	13	9	0.748	-0.043	2.92	0.013	0.01	0	55.5	56.8	67.1	156	159	0	27	27
2025	3	28	0	23	9	0.784	-0.026	2.923	0.016	0.013	0	55.5	56.8	67.1	156	159	0	27	27
2025	3	28	0	33	9	0.738	-0.056	2.923	0.013	0.01	0	55.5	56.3	42.6	156	159	0	27	28
2025	3	28	0	43	9	0.784	-0.069	2.92	0.016	0.013	0	55.5	56.8	67.9	156	159	0	27	27
2025	3	28	0	53	9	0.778	-0.046	2.92	0.02	0.016	0	55.5	56.8	67.5	155	159	0	26	27
2025	3	28	1	3	9	0.751	-0.059	2.92	0.016	0.016	0	55.5	56.8	64.1	156	159	0	27	27
2025	3	28	1	13	9	0.722	-0.033	2.92	0.016	0.016	0	55.9	56.3	67.5	156	159	0	26	28
2025	3	28	1	23	9	0.761	-0.046	2.92	0.016	0.016	0	55	56.3	67.9	155	158	0	27	27
2025	3	28	1	33	9	0.764	-0.049	2.92	0.013	0.01	0	55	56.8	67.5	155	159	0	27	27
2025	3	28	1	43	9	0.748	-0.066	2.92	0.016	0.016	0	55.5	56.8	67.1	156	159	0	27	27
2025	3	28	1	53	9	0.751	-0.059	2.92	0.016	0.016	0	55	56.8	66.2	156	159	0	28	27
2025	3	28	2	3	9	0.728	-0.049	2.92	0.016	0.016	0	55.5	56.8	64.9	156	159	0	27	27
2025	3	28	2	13	9	0.751	-0.026	2.92	0.016	0.013	0	55.5	56.3	64.5	156	159	0	27	28
2025	3	28	2	23	9	0.745	-0.075	2.923	0.02	0.016	0	55	56.3	43	156	159	0	28	28
2025	3	28	2	33	9	0.768	-0.052	2.923	0.016	0.016	0	55	56.8	42.6	156	159	0	28	27
2025	3	28	2	43	9	0.755	-0.075	2.923	0.016	0.016	0	55.5	56.8	43.9	156	159	0	27	27
2025	3	28	2	53	9	0.768	-0.069	2.927	0.02	0.016	0	55.5	57.2	42.6	156	160	0	27	27
2025	3	28	3	3	9	0.771	-0.046	2.923	0.016	0.016	0	55.5	57.2	43.9	156	160	0	27	27
2025	3	28	3	13	9	0.725	-0.043	2.923	0.023	0.02	0	55.5	56.8	42.6	156	160	0	27	28
2025	3	28	3	23	9	0.741	-0.036	2.923	0.016	0.016	0	55.5	56.3	42.6	156	159	0	27	28
2025	3	28	3	33	9	0.768	-0.062	2.927	0.02	0.016	0	55.5	56.8	42.6	156	159	0	27	27
2025	3	28	3	43	9	0.722	-0.056	2.923	0.02	0.016	0	55	56.8	41.7	156	160	0	28	28
2025	3	28	3	53	9	0.758	-0.056	2.923	0.016	0.016	0	55.5	56.8	43	156	159	0	27	27
2025	3	28	4	3	9	0.728	-0.026	2.923	0.016	0.016	0	55.5	57.2	42.6	156	160	0	27	27
2025	3	28	4	13	9	0.741	-0.062	2.923	0.016	0.013	0	55	57.2	42.6	156	160	0	28	27
2025	3	28	4	23	9	0.728	-0.052	2.923	0.016	0.013	0	55.5	56.8	41.7	156	160	0	27	28
2025	3	28	4	33	9	0.738	-0.052	2.923	0.016	0.016	0	55.5	57.2	42.1	156	160	0	27	27
2025	3	28	4	43	9	0.728	-0.043	2.923	0.016	0.016	0	55.5	57.2	43	156	160	0	27	27
2025	3	28	4	53	9	0.748	-0.039	2.923	0.016	0.013	0	55.5	56.8	43.4	156	160	0	27	28
2025	3	28	5	3	9	0.741	-0.066	2.923	0.016	0.013	0	55	56.8	43	156	160	0	28	28
2025	3	28	5	13	9	0.725	-0.072	2.923	0.016	0.016	0	55.9	56.8	42.6	157	160	0	27	28
2025	3	28	5	23	9	0.751	-0.03	2.923	0.013	0.01	0	55.9	57.2	41.7	157	161	0	27	28
2025	3	28	5	33	9	0.781	-0.039	2.923	0.016	0.013	0	55.9	57.2	41.7	157	161	0	27	28
2025	3	28	5	43	9	0.735	-0.049	2.923	0.016	0.013	0	55.5	57.2	42.6	157	161	0	28	28
2025	3	28	5	53	9	0.715	-0.062	2.92	0.016	0.016	0	55.9	57.6	43	157	161	0	27	27
2025	3	28	6	3	9	0.801	-0.072	2.923	0.016	0.013	0	55.5	56.8	41.3	156	160	0	27	28
2025	3	28	6	13	9	0.761	-0.049	2.92	0.016	0.016	0	55	56.8	43	156	160	0	28	28
2025	3	28	6	23	9	0.748	-0.056	2.917	0.016	0.016	0	55	56.8	43.4	156	160	0	28	28
2025	3	28	6	33	9	0.732	-0.033	2.917	0.016	0.013	0	55.5	57.2	61.5	156	160	0	27	27
2025	3	28	6	43	9	0.735	-0.056	2.917	0.016	0.016	0	55	56.8	46.9	156	160	0	28	28
2025	3	28	6	53	9	0.755	-0.062	2.917	0.016	0.016	0	55	57.2	60.2	156	160	0	28	27
2025	3	28	7	3	9	0.728	-0.046	2.923	0.016	0.013	0	55.5	56.8	42.1	156	160	0	27	28
2025	3	28	7	13	9	0.748	-0.036	2.92	0.016	0.013	0	55.5	56.8	44.3	156	160	0	27	28
2025	3	28	7	23	9	0.732	-0.089	2.92	0.016	0.016	0	55	56.3	42.6	155	159	0	27	28
2025	3	28	7	33	9	0.745	-0.059	2.92	0.016	0.016	0	55	56.3	43.4	155	159	0	27	28
2025	3	28	7	43	9	0.722	-0.046	2.92	0.016	0.016	0	55	56.8	44.3	155	159	0	27	27
2025	3	28	7	53	9	0.735	-0.059	2.92	0.016	0.016	0	55	56.3	43	155	159	0	27	28
2025	3	28	8	3	9	0.761	-0.049	2.92	0.013	0.01	0	55	56.3	42.6	154	158	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	28	8	13	9	0.751	-0.049	2.92	0.016	0.016	0	54.6	55.9	44.7	154	158	0	27	28
2025	3	28	8	23	9	0.732	-0.059	2.92	0.016	0.013	0	52.9	56.3	42.6	150	159	0	27	28
2025	3	28	8	33	9	0.781	-0.052	2.92	0.016	0.016	0	55.5	55.9	44.3	157	158	0	28	28
2025	3	28	8	43	9	0.768	-0.046	2.92	0.016	0.016	0	55.5	56.3	45.2	156	158	0	27	27
2025	3	28	8	53	9	0.728	-0.052	2.92	0.016	0.016	0	55.9	55.9	44.3	157	158	0	27	28
2025	3	28	9	3	9	0.755	-0.059	2.92	0.016	0.013	0	55.5	55.9	42.1	156	158	0	27	28
2025	3	28	9	13	9	0.715	-0.052	2.917	0.016	0.016	0	55.5	55.9	45.6	156	158	0	27	28
2025	3	28	9	23	9	0.745	-0.046	2.92	0.016	0.013	0	54.6	55.5	45.2	155	157	0	28	28
2025	3	28	9	33	9	0.715	-0.039	2.917	0.016	0.013	0	55.5	55.9	44.3	156	158	0	27	28
2025	3	28	9	43	9	0.755	-0.02	2.917	0.016	0.016	0	54.6	55.5	43.4	155	157	0	28	28
2025	3	28	9	53	9	0.745	-0.072	2.92	0.016	0.016	0	54.6	55.5	43.9	155	157	0	28	28
2025	3	28	10	3	9	0.751	-0.098	2.92	0.016	0.013	0	54.6	56.3	44.3	155	158	0	28	27
2025	3	28	10	13	9	0.732	-0.016	2.917	0.016	0.013	0	55	55.9	45.6	155	158	0	27	28
2025	3	28	10	23	9	0.722	-0.046	2.92	0.02	0.016	0	55.9	55.9	43.4	157	158	0	27	28
2025	3	28	10	33	9	0.738	-0.046	2.917	0.016	0.016	0	55.5	55.9	43.9	156	158	0	27	28
2025	3	28	10	43	9	0.741	-0.033	2.917	0.016	0.013	0	55.5	55.9	45.6	156	158	0	27	28
2025	3	28	10	53	9	0.732	-0.066	2.917	0.016	0.013	0	55.5	55.9	45.6	156	158	0	27	28
2025	3	28	11	3	9	0.715	-0.03	2.917	0.02	0.016	0	55.5	55.5	44.7	156	157	0	27	28
2025	3	28	11	13	9	0.741	-0.049	2.913	0.016	0.016	0	55	55.9	45.6	155	157	0	27	27
2025	3	28	11	23	9	0.755	-0.036	2.913	0.016	0.013	0	55.5	55.5	46	156	157	0	27	28
2025	3	28	11	33	9	0.755	-0.02	2.913	0.016	0.013	0	55.5	55.5	49.9	156	157	0	27	28
2025	3	28	11	43	9	0.741	-0.023	2.913	0.016	0.013	0	55.9	56.3	47.3	157	158	0	27	27
2025	3	28	11	53	9	0.741	-0.033	2.913	0.016	0.013	0	55.5	55.9	49.9	156	158	0	27	28
2025	3	28	12	3	9	0.755	-0.033	2.913	0.016	0.016	0	55.5	55.9	65.8	156	158	0	27	28
2025	3	28	12	13	9	0.741	-0.069	2.913	0.02	0.016	0	55.5	55.9	63.6	156	157	0	27	27
2025	3	28	12	23	9	0.725	-0.052	2.913	0.016	0.013	0	55.5	55.9	59.3	156	158	0	27	28
2025	3	28	12	33	9	0.738	-0.049	2.913	0.016	0.016	0	55.9	56.3	68.8	156	158	0	26	27
2025	3	28	12	43	9	0.715	-0.072	2.913	0.02	0.016	0	55.5	55.5	69.7	155	157	0	26	28
2025	3	28	12	53	9	0.758	-0.043	2.913	0.016	0.013	0	55.5	56.3	69.2	156	158	0	27	27
2025	3	28	13	3	9	0.758	-0.052	2.917	0.02	0.016	0	55.5	56.3	68.8	156	158	0	27	27
2025	3	28	13	13	9	0.755	-0.056	2.917	0.016	0.013	0	55.5	55.9	67.1	155	158	0	26	28
2025	3	28	13	23	9	0.732	-0.043	2.917	0.016	0.016	0	55.5	55.9	69.7	156	158	0	27	28
2025	3	28	13	33	9	0.735	-0.056	2.917	0.013	0.01	0	55	55.9	69.7	156	158	0	28	28
2025	3	28	13	43	9	0.735	-0.095	2.917	0.016	0.016	0	55.9	55.9	68.4	156	158	0	26	28
2025	3	28	13	53	9	0.732	-0.046	2.917	0.016	0.013	0	55.5	55.5	69.7	155	157	0	26	28
2025	3	28	14	3	9	0.689	-0.062	2.917	0.02	0.016	0	55	55.9	69.7	156	158	0	28	28
2025	3	28	14	13	9	0.741	-0.059	2.917	0.016	0.013	0	55.5	55.9	65.4	156	158	0	27	28
2025	3	28	14	23	9	0.755	-0.062	2.917	0.02	0.016	0	55.5	56.3	67.9	156	158	0	27	27
2025	3	28	14	33	9	0.761	-0.049	2.92	0.016	0.013	0	55.9	56.8	69.7	156	159	0	26	27
2025	3	28	14	43	9	0.774	-0.033	2.92	0.016	0.013	0	55	56.3	66.7	156	159	0	28	28
2025	3	28	14	53	9	0.784	-0.066	2.92	0.016	0.016	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	28	15	3	9	0.722	-0.069	2.92	0.016	0.016	0	55.5	56.8	69.2	156	159	0	27	27
2025	3	28	15	13	9	0.758	-0.066	2.92	0.016	0.016	0	55.5	56.8	68.4	156	159	0	27	27
2025	3	28	15	23	9	0.748	-0.052	2.92	0.016	0.013	0	55.9	57.2	62.8	157	160	0	27	27
2025	3	28	15	33	9	0.751	-0.039	2.92	0.016	0.016	0	55.9	57.2	60.2	156	160	0	26	27
2025	3	28	15	43	9	0.715	-0.01	2.92	0.016	0.013	0	55.9	56.8	66.7	156	160	0	26	28
2025	3	28	15	53	9	0.741	-0.03	2.92	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	28	16	3	9	0.748	0.023	2.92	0.013	0.01	0	56.3	57.2	55	157	161	0	26	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	28	16	13	9	0.758	-0.079	2.92	0.016	0.013	0	55.9	57.2	46	156	160	0	26	27
2025	3	28	16	23	9	0.764	-0.085	2.92	0.016	0.016	0	55.5	57.2	52.5	155	160	0	26	27
2025	3	28	16	33	9	0.751	0.007	2.923	0.016	0.013	0	55.5	57.2	68.4	156	160	0	27	27
2025	3	28	16	43	9	0.751	-0.023	2.92	0.016	0.016	0	55.5	56.8	46.4	156	159	0	27	27
2025	3	28	16	53	9	0.738	-0.046	2.92	0.016	0.013	0	55	56.8	43.4	155	159	0	27	27
2025	3	28	17	3	9	0.751	-0.036	2.917	0.016	0.016	0	55.5	56.8	42.1	156	159	0	27	27
2025	3	28	17	13	9	0.761	-0.079	2.92	0.016	0.016	0	55.5	56.3	45.6	155	159	0	26	28
2025	3	28	17	23	9	0.725	-0.046	2.92	0.016	0.016	0	55	56.8	45.2	155	159	0	27	27
2025	3	28	17	33	9	0.732	-0.039	2.92	0.016	0.013	0	55.5	56.8	55.9	155	159	0	26	27
2025	3	28	17	43	9	0.764	-0.039	2.923	0.016	0.016	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	17	53	9	0.774	-0.056	2.923	0.016	0.013	0	55.9	57.2	68.8	156	160	0	26	27
2025	3	28	18	3	9	0.715	-0.069	2.923	0.016	0.016	0	55.9	57.2	67.9	156	160	0	26	27
2025	3	28	18	13	9	0.738	0.003	2.923	0.016	0.013	0	55.9	57.2	67.9	157	160	0	27	27
2025	3	28	18	23	9	0.761	-0.062	2.923	0.016	0.016	0	56.3	57.2	64.1	157	160	0	26	27
2025	3	28	18	33	9	0.712	-0.036	2.923	0.016	0.013	0	55.9	57.2	64.1	157	161	0	27	28
2025	3	28	18	43	9	0.728	-0.059	2.923	0.016	0.013	0	55.9	57.2	67.9	157	160	0	27	27
2025	3	28	18	53	9	0.774	-0.062	2.923	0.02	0.016	0	55.5	56.8	68.4	156	160	0	27	28
2025	3	28	19	3	9	0.755	-0.03	2.923	0.016	0.013	0	56.3	57.2	68.4	157	161	0	26	28
2025	3	28	19	13	9	0.732	-0.056	2.923	0.016	0.013	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	19	23	9	0.748	-0.046	2.923	0.016	0.013	0	55.9	57.6	67.9	157	161	0	27	27
2025	3	28	19	33	9	0.745	-0.066	2.923	0.02	0.016	0	56.3	57.6	67.9	157	161	0	26	27
2025	3	28	19	43	9	0.725	-0.03	2.92	0.016	0.016	0	55.5	57.2	52	156	160	0	27	27
2025	3	28	19	53	9	0.761	-0.043	2.923	0.016	0.016	0	55.9	57.2	68.4	157	160	0	27	27
2025	3	28	20	3	9	0.755	-0.059	2.923	0.016	0.016	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	20	13	9	0.755	-0.036	2.92	0.013	0.01	0	55.5	57.2	69.2	156	160	0	27	27
2025	3	28	20	23	9	0.722	-0.046	2.92	0.02	0.016	0	55.9	58	68.4	157	161	0	27	26
2025	3	28	20	33	9	0.745	-0.03	2.92	0.016	0.016	0	55.9	57.2	68.4	157	160	0	27	27
2025	3	28	20	43	9	0.761	-0.016	2.92	0.016	0.016	0	56.3	57.2	68.8	157	160	0	26	27
2025	3	28	20	53	9	0.732	-0.03	2.92	0.016	0.016	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	21	3	9	0.748	-0.052	2.92	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	28	21	13	9	0.755	-0.026	2.92	0.02	0.016	0	55.9	57.2	68.4	156	160	0	26	27
2025	3	28	21	23	9	0.748	-0.085	2.92	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	28	21	33	9	0.741	-0.049	2.92	0.016	0.013	0	56.3	57.2	68.4	157	160	0	26	27
2025	3	28	21	43	9	0.689	-0.02	2.92	0.016	0.016	0	55.9	57.2	67.9	157	161	0	27	28
2025	3	28	21	53	9	0.758	-0.059	2.92	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	28	22	3	9	0.774	-0.062	2.92	0.013	0.01	0	55.9	56.8	68.4	156	160	0	26	28
2025	3	28	22	13	9	0.748	-0.036	2.92	0.016	0.013	0	55.5	56.8	68.8	156	160	0	27	28
2025	3	28	22	23	9	0.758	-0.052	2.917	0.016	0.016	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	22	33	9	0.689	-0.036	2.917	0.016	0.016	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	28	22	43	9	0.794	-0.072	2.917	0.016	0.013	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	28	22	53	9	0.781	-0.092	2.917	0.013	0.01	0	55.9	57.6	68.4	157	161	0	27	27
2025	3	28	23	3	9	0.778	-0.075	2.917	0.016	0.016	0	55.9	57.6	68.8	157	161	0	27	27
2025	3	28	23	13	9	0.719	-0.075	2.917	0.016	0.013	0	55.5	57.6	68.8	157	161	0	28	27
2025	3	28	23	23	9	0.702	-0.016	2.917	0.016	0.013	0	55.9	57.2	68.4	157	161	0	27	28
2025	3	28	23	33	9	0.735	-0.046	2.917	0.016	0.013	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	28	23	43	9	0.709	-0.062	2.917	0.016	0.013	0	55.9	57.2	67.9	157	161	0	27	28
2025	3	28	23	53	9	0.728	-0.039	2.917	0.016	0.016	0	56.3	57.2	67.9	157	160	0	26	27
2025	3	29	0	3	9	0.689	-0.075	2.913	0.016	0.013	0	55.9	57.6	67.9	157	161	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	29	0	13	9	0.758	-0.046	2.917	0.016	0.016	0	55.5	56.8	51.2	156	160	0	27	28
2025	3	29	0	23	9	0.748	-0.039	2.913	0.016	0.013	0	55.5	56.8	68.4	156	160	0	27	28
2025	3	29	0	33	9	0.781	-0.049	2.913	0.013	0.01	0	55.5	56.8	58.9	156	160	0	27	28
2025	3	29	0	43	9	0.797	0	2.917	0.016	0.013	0	55.5	56.8	44.3	156	160	0	27	28
2025	3	29	0	53	9	0.709	-0.03	2.917	0.016	0.013	0	55.5	56.8	43.9	156	160	0	27	28
2025	3	29	1	3	9	0.725	-0.043	2.917	0.016	0.013	0	55.9	57.6	44.3	157	161	0	27	27
2025	3	29	1	13	9	0.719	-0.03	2.917	0.016	0.016	0	56.3	57.6	42.1	157	161	0	26	27
2025	3	29	1	23	9	0.755	-0.062	2.913	0.016	0.013	0	55.5	56.8	42.6	156	160	0	27	28
2025	3	29	1	33	9	0.738	-0.023	2.913	0.013	0.01	0	55.9	57.2	61.5	157	161	0	27	28
2025	3	29	1	43	9	0.738	-0.056	2.913	0.016	0.013	0	56.3	56.8	43.4	157	160	0	26	28
2025	3	29	1	53	9	0.741	-0.02	2.913	0.016	0.016	0	55.9	57.2	43	157	160	0	27	27
2025	3	29	2	3	9	0.751	-0.089	2.913	0.016	0.016	0	55.5	57.2	43	156	160	0	27	27
2025	3	29	2	13	9	0.738	-0.049	2.91	0.016	0.016	0	55.9	57.2	43.4	157	161	0	27	28
2025	3	29	2	23	9	0.722	-0.033	2.913	0.016	0.016	0	55.9	57.2	43.9	157	161	0	27	28
2025	3	29	2	33	9	0.778	-0.013	2.91	0.013	0.01	0	55.9	57.2	44.3	157	161	0	27	28
2025	3	29	2	43	9	0.735	-0.03	2.913	0.016	0.016	0	55.5	57.2	43	157	161	0	28	28
2025	3	29	2	53	9	0.758	-0.039	2.91	0.016	0.016	0	55.5	56.8	55.9	156	160	0	27	28
2025	3	29	3	3	9	0.735	-0.049	2.91	0.016	0.016	0	55.5	56.8	52	157	160	0	28	28
2025	3	29	3	13	9	0.748	-0.036	2.91	0.016	0.013	0	55.5	57.2	50.7	156	160	0	27	27
2025	3	29	3	23	9	0.738	-0.046	2.91	0.02	0.016	0	55.5	56.8	49.9	156	160	0	27	28
2025	3	29	3	33	9	0.755	-0.043	2.91	0.02	0.016	0	55.5	56.8	65.4	156	160	0	27	28
2025	3	29	3	43	9	0.745	-0.033	2.91	0.016	0.016	0	55.9	56.8	67.5	157	160	0	27	28
2025	3	29	3	53	9	0.728	-0.033	2.91	0.016	0.016	0	55.9	56.8	66.2	157	160	0	27	28
2025	3	29	4	3	9	0.705	-0.062	2.91	0.02	0.016	0	55.9	56.8	67.5	157	160	0	27	28
2025	3	29	4	13	9	0.715	-0.052	2.91	0.016	0.013	0	55.5	57.2	66.2	157	160	0	28	27
2025	3	29	4	23	9	0.741	-0.03	2.91	0.016	0.016	0	55.9	56.8	66.7	157	160	0	27	28
2025	3	29	4	33	9	0.745	-0.066	2.91	0.016	0.013	0	55.9	56.8	64.1	157	160	0	27	28
2025	3	29	4	43	9	0.735	-0.049	2.907	0.016	0.013	0	55.5	56.8	52.5	157	160	0	28	28
2025	3	29	4	53	9	0.748	-0.046	2.907	0.013	0.01	0	55.9	56.8	54.6	157	160	0	27	28
2025	3	29	5	3	9	0.728	-0.066	2.91	0.016	0.016	0	55.9	56.3	43.4	157	160	0	27	29
2025	3	29	5	13	9	0.696	-0.075	2.91	0.016	0.016	0	55.9	56.8	43.4	157	160	0	27	28
2025	3	29	5	23	9	0.755	-0.043	2.907	0.016	0.013	0	55.9	56.8	45.2	157	160	0	27	28
2025	3	29	5	33	9	0.722	-0.069	2.91	0.016	0.013	0	55.9	57.2	43.9	157	161	0	27	28
2025	3	29	5	43	9	0.748	-0.079	2.91	0.016	0.013	0	56.3	57.6	43.9	158	161	0	27	27
2025	3	29	5	53	9	0.751	-0.082	2.907	0.016	0.016	0	55.5	57.2	46.4	157	161	0	28	28
2025	3	29	6	3	9	0.715	-0.036	2.91	0.016	0.016	0	56.3	57.2	43.4	158	161	0	27	28
2025	3	29	6	13	9	0.712	-0.059	2.907	0.016	0.013	0	55.5	57.2	49	157	161	0	28	28
2025	3	29	6	23	9	0.738	-0.03	2.91	0.016	0.013	0	55.5	57.2	45.6	157	161	0	28	28
2025	3	29	6	33	9	0.755	-0.049	2.91	0.016	0.013	0	55.5	56.8	59.8	157	160	0	28	28
2025	3	29	6	43	9	0.768	-0.059	2.91	0.016	0.013	0	55.9	56.8	51.2	157	160	0	27	28
2025	3	29	6	53	9	0.725	-0.079	2.91	0.013	0.01	0	55.9	56.8	51.6	158	161	0	28	29
2025	3	29	7	3	9	0.732	-0.066	2.91	0.016	0.013	0	56.3	57.2	45.2	158	161	0	27	28
2025	3	29	7	13	9	0.761	-0.082	2.91	0.016	0.013	0	55.9	56.8	47.7	157	160	0	27	28
2025	3	29	7	23	9	0.755	-0.072	2.91	0.016	0.013	0	55.9	57.2	52	157	161	0	27	28
2025	3	29	7	33	9	0.732	-0.062	2.91	0.016	0.016	0	55.5	57.2	49.5	157	161	0	28	28
2025	3	29	7	43	9	0.745	-0.023	2.91	0.016	0.013	0	55.9	57.2	44.3	157	161	0	27	28
2025	3	29	7	53	9	0.745	-0.085	2.913	0.013	0.01	0	55.5	56.8	54.6	156	160	0	27	28
2025	3	29	8	3	9	0.741	-0.069	2.917	0.016	0.016	0	55	56.3	65.4	156	160	0	28	29

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	29	8	13	9	0.761	-0.013	2.91	0.016	0.016	0	55.5	56.8	43.9	157	160	0	28	28
2025	3	29	8	23	9	0.778	-0.049	2.913	0.016	0.016	0	55	55.9	43.4	156	159	0	28	29
2025	3	29	8	33	9	0.771	-0.098	2.913	0.02	0.016	0	55	56.3	44.7	156	159	0	28	28
2025	3	29	8	43	9	0.761	-0.036	2.917	0.016	0.016	0	55	56.8	43.4	156	160	0	28	28
2025	3	29	8	53	9	0.715	-0.056	2.913	0.016	0.016	0	55	56.3	45.2	155	159	0	27	28
2025	3	29	9	3	9	0.715	-0.043	2.91	0.016	0.016	0	55.5	56.3	45.2	157	159	0	28	28
2025	3	29	9	13	9	0.741	-0.03	2.913	0.016	0.013	0	55.5	56.8	43.4	157	160	0	28	28
2025	3	29	9	23	9	0.778	-0.056	2.913	0.02	0.016	0	55.5	55.9	43.9	156	158	0	27	28
2025	3	29	9	33	9	0.764	-0.072	2.913	0.016	0.016	0	55	56.3	44.3	156	159	0	28	28
2025	3	29	9	43	9	0.778	-0.039	2.913	0.016	0.016	0	55.5	56.3	44.7	156	159	0	27	28
2025	3	29	9	53	9	0.784	-0.036	2.91	0.016	0.016	0	54.6	55.9	43.9	155	158	0	28	28
2025	3	29	10	3	9	0.709	-0.059	2.91	0.016	0.016	0	55.5	56.3	44.7	156	159	0	27	28
2025	3	29	10	13	9	0.764	-0.059	2.907	0.016	0.013	0	55	55.9	47.3	155	158	0	27	28
2025	3	29	10	23	9	0.738	-0.039	2.907	0.016	0.013	0	55	56.3	54.2	156	159	0	28	28
2025	3	29	10	33	9	0.741	-0.069	2.907	0.016	0.013	0	55.5	56.3	56.3	156	159	0	27	28
2025	3	29	10	43	9	0.755	-0.033	2.907	0.016	0.013	0	55	56.3	55.5	155	159	0	27	28
2025	3	29	10	53	9	0.692	-0.082	2.907	0.016	0.013	0	55	56.3	66.2	156	159	0	28	28
2025	3	29	11	3	9	0.686	-0.056	2.907	0.016	0.013	0	55.5	56.3	60.6	156	159	0	27	28
2025	3	29	11	13	9	0.741	-0.062	2.91	0.016	0.016	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	29	11	23	9	0.781	-0.079	2.91	0.016	0.016	0	54.6	55.9	62.8	155	158	0	28	28
2025	3	29	11	33	9	0.741	-0.049	2.91	0.016	0.016	0	55	55.9	68.8	155	158	0	27	28
2025	3	29	11	43	9	0.738	-0.069	2.91	0.013	0.01	0	54.6	56.3	55	154	159	0	27	28
2025	3	29	11	53	9	0.755	-0.02	2.91	0.016	0.013	0	55.5	55.9	62.8	156	159	0	27	29
2025	3	29	12	3	9	0.761	-0.059	2.91	0.016	0.016	0	54.6	56.3	69.2	155	158	0	28	27
2025	3	29	12	13	9	0.745	-0.02	2.91	0.016	0.013	0	55.5	56.3	68.8	156	158	0	27	27
2025	3	29	12	23	9	0.738	-0.056	2.91	0.016	0.013	0	55.5	56.8	55.9	156	159	0	27	27
2025	3	29	12	33	9	0.732	-0.049	2.91	0.016	0.013	0	55.9	56.3	56.8	157	159	0	27	28
2025	3	29	12	43	9	0.768	-0.072	2.91	0.016	0.013	0	55.5	55.9	49	156	158	0	27	28
2025	3	29	12	53	9	0.778	-0.059	2.91	0.016	0.013	0	55.5	56.3	68.8	156	158	0	27	27
2025	3	29	13	3	9	0.771	-0.033	2.913	0.016	0.013	0	55.5	56.8	69.7	156	159	0	27	27
2025	3	29	13	13	9	0.758	-0.075	2.91	0.016	0.016	0	55.5	55.9	65.8	156	158	0	27	28
2025	3	29	13	23	9	0.732	-0.056	2.91	0.016	0.013	0	55.5	55.9	47.7	155	158	0	26	28
2025	3	29	13	33	9	0.722	-0.039	2.913	0.016	0.013	0	55.5	56.3	41.7	156	159	0	27	28
2025	3	29	13	43	9	0.735	-0.036	2.913	0.016	0.016	0	55.9	56.8	60.2	156	159	0	26	27
2025	3	29	13	53	9	0.768	-0.062	2.913	0.016	0.013	0	55.5	56.3	53.8	156	158	0	27	27
2025	3	29	14	3	9	0.791	-0.069	2.913	0.016	0.013	0	55.5	55.9	70.5	156	158	0	27	28
2025	3	29	14	13	9	0.738	-0.039	2.91	0.016	0.013	0	55.5	56.3	43.9	156	159	0	27	28
2025	3	29	14	23	9	0.761	-0.039	2.913	0.016	0.013	0	55.5	56.3	68.8	156	159	0	27	28
2025	3	29	14	33	9	0.725	-0.036	2.913	0.016	0.016	0	55.9	56.3	67.5	157	159	0	27	28
2025	3	29	14	43	9	0.722	0	2.91	0.016	0.016	0	56.3	56.8	44.3	158	160	0	27	28
2025	3	29	14	53	9	0.771	-0.056	2.91	0.016	0.013	0	55	56.3	43.4	156	159	0	28	28
2025	3	29	15	3	9	0.771	-0.066	2.913	0.016	0.016	0	55.9	56.8	55.9	157	159	0	27	27
2025	3	29	15	13	9	0.735	-0.046	2.91	0.016	0.016	0	55.5	56.8	45.2	157	160	0	28	28
2025	3	29	15	23	9	0.741	-0.052	2.91	0.016	0.013	0	55.5	56.8	41.3	156	159	0	27	27
2025	3	29	15	33	9	0.748	-0.052	2.907	0.016	0.016	0	56.3	56.8	40.9	157	160	0	26	28
2025	3	29	15	43	9	0.741	-0.049	2.91	0.016	0.013	0	55.9	57.2	43	157	160	0	27	27
2025	3	29	15	53	9	0.738	-0.046	2.907	0.013	0.01	0	55.5	57.2	41.3	157	160	0	28	27
2025	3	29	16	3	9	0.761	-0.079	2.907	0.016	0.013	0	55.9	57.2	42.1	157	160	0	27	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	29	16	13	9	0.741	-0.03	2.907	0.016	0.016	0	55.9	56.8	44.3	157	160	0	27	28
2025	3	29	16	23	9	0.748	-0.059	2.907	0.016	0.013	0	55.9	57.2	40.9	157	161	0	27	28
2025	3	29	16	33	9	0.705	-0.033	2.907	0.016	0.016	0	55.9	57.2	43	157	160	0	27	27
2025	3	29	16	43	9	0.735	-0.023	2.907	0.013	0.01	0	56.3	57.2	42.6	157	160	0	26	27
2025	3	29	16	53	9	0.755	-0.072	2.907	0.016	0.013	0	55.5	56.8	38.7	156	159	0	27	27
2025	3	29	17	3	9	0.745	-0.066	2.907	0.02	0.016	0	55.5	56.8	42.6	156	159	0	27	27
2025	3	29	17	13	9	0.801	-0.066	2.91	0.016	0.013	0	55.5	56.3	39.6	155	159	0	26	28
2025	3	29	17	23	9	0.741	-0.046	2.907	0.016	0.016	0	55	56.8	42.1	155	159	0	27	27
2025	3	29	17	33	9	0.771	-0.046	2.91	0.016	0.016	0	55.5	57.2	47.3	156	160	0	27	27
2025	3	29	17	43	9	0.735	-0.039	2.91	0.016	0.013	0	55.9	56.3	51.6	156	159	0	26	28
2025	3	29	17	53	9	0.738	-0.069	2.913	0.016	0.013	0	55.5	56.8	61.5	156	159	0	27	27
2025	3	29	18	3	9	0.738	-0.062	2.913	0.02	0.016	0	55	56.8	66.2	155	159	0	27	27
2025	3	29	18	13	9	0.738	-0.062	2.913	0.016	0.016	0	55.5	56.8	67.9	156	159	0	27	27
2025	3	29	18	23	9	0.725	-0.03	2.913	0.016	0.013	0	55	56.8	67.9	156	159	0	28	27
2025	3	29	18	33	9	0.689	-0.033	2.913	0.016	0.016	0	55.5	56.8	67.5	156	160	0	27	28
2025	3	29	18	43	9	0.715	-0.059	2.907	0.013	0.01	0	55.5	56.8	43.9	156	159	0	27	27
2025	3	29	18	53	9	0.755	-0.036	2.91	0.016	0.013	0	55.9	57.2	46	157	160	0	27	27
2025	3	29	19	3	9	0.741	-0.043	2.91	0.02	0.016	0	55.5	57.2	42.1	156	160	0	27	27
2025	3	29	19	13	9	0.719	-0.039	2.91	0.013	0.01	0	55.9	57.2	49.9	157	160	0	27	27
2025	3	29	19	23	9	0.745	-0.016	2.913	0.016	0.016	0	56.3	56.8	56.8	158	160	0	27	28
2025	3	29	19	33	9	0.699	-0.036	2.913	0.016	0.013	0	55.9	56.8	67.1	157	160	0	27	28
2025	3	29	19	43	9	0.735	-0.059	2.913	0.016	0.016	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	29	19	53	9	0.738	-0.066	2.913	0.016	0.016	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	29	20	3	9	0.719	-0.085	2.913	0.016	0.013	0	55.5	57.2	69.2	157	160	0	28	27
2025	3	29	20	13	9	0.748	-0.052	2.913	0.016	0.013	0	56.3	56.8	69.2	157	160	0	26	28
2025	3	29	20	23	9	0.751	-0.046	2.91	0.02	0.016	0	56.3	57.2	67.9	158	160	0	27	27
2025	3	29	20	33	9	0.741	-0.02	2.91	0.016	0.013	0	55.9	57.2	68.4	157	160	0	27	27
2025	3	29	20	43	9	0.709	-0.02	2.913	0.013	0.01	0	55.9	56.8	68.4	157	160	0	27	28
2025	3	29	20	53	9	0.768	-0.046	2.91	0.02	0.016	0	55.9	56.3	69.2	157	159	0	27	28
2025	3	29	21	3	9	0.755	-0.059	2.91	0.016	0.016	0	55.9	56.8	68.8	157	160	0	27	28
2025	3	29	21	13	9	0.745	-0.049	2.91	0.016	0.013	0	56.3	57.2	68.8	157	160	0	26	27
2025	3	29	21	23	9	0.732	-0.075	2.91	0.016	0.016	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	29	21	33	9	0.712	-0.056	2.91	0.013	0.01	0	55.9	57.2	69.2	157	160	0	27	27
2025	3	29	21	43	9	0.705	-0.023	2.91	0.016	0.013	0	55.9	56.8	68.8	157	160	0	27	28
2025	3	29	21	53	9	0.715	-0.062	2.91	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	29	22	3	9	0.722	-0.039	2.91	0.016	0.016	0	55	56.8	69.7	156	159	0	28	27
2025	3	29	22	13	9	0.748	-0.016	2.91	0.016	0.013	0	55.9	57.2	69.2	157	160	0	27	27
2025	3	29	22	23	9	0.745	-0.02	2.91	0.016	0.016	0	55.9	57.2	69.2	157	160	0	27	27
2025	3	29	22	33	9	0.738	-0.108	2.91	0.02	0.016	0	55.9	56.8	69.2	157	160	0	27	28
2025	3	29	22	43	9	0.748	-0.056	2.91	0.016	0.013	0	56.3	57.2	68.8	157	160	0	26	27
2025	3	29	22	53	9	0.748	-0.03	2.91	0.016	0.016	0	55.5	56.8	69.2	156	160	0	27	28
2025	3	29	23	3	9	0.732	-0.03	2.91	0.016	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	29	23	13	9	0.735	-0.075	2.91	0.016	0.013	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	29	23	23	9	0.755	-0.056	2.907	0.016	0.013	0	55.9	56.8	69.2	157	160	0	27	28
2025	3	29	23	33	9	0.751	-0.036	2.91	0.016	0.013	0	55.9	56.8	69.2	157	160	0	27	28
2025	3	29	23	43	9	0.722	-0.033	2.907	0.016	0.013	0	55.9	57.2	69.2	157	160	0	27	27
2025	3	29	23	53	9	0.771	-0.066	2.907	0.016	0.016	0	55.9	57.2	68.8	157	160	0	27	27
2025	3	30	0	3	9	0.705	-0.03	2.907	0.016	0.013	0	55.9	57.2	69.7	157	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	30	0	13	9	0.755	-0.039	2.907	0.016	0.013	0	55.5	56.8	69.2	156	160	0	27	28
2025	3	30	0	23	9	0.745	-0.026	2.907	0.016	0.013	0	55	57.2	69.2	156	160	0	28	27
2025	3	30	0	33	9	0.738	-0.062	2.907	0.016	0.013	0	55.5	56.8	69.2	157	160	0	28	28
2025	3	30	0	43	9	0.741	-0.056	2.907	0.02	0.016	0	55.5	56.8	69.2	157	160	0	28	28
2025	3	30	0	53	9	0.738	-0.075	2.907	0.016	0.013	0	55	56.3	69.2	156	159	0	28	28
2025	3	30	1	3	9	0.722	-0.013	2.907	0.016	0.016	0	55.5	56.8	68.8	156	160	0	27	28
2025	3	30	1	13	9	0.738	-0.059	2.904	0.016	0.016	0	55.5	56.8	69.7	156	160	0	27	28
2025	3	30	1	23	9	0.745	-0.036	2.904	0.016	0.013	0	56.3	56.8	69.2	157	160	0	26	28
2025	3	30	1	33	9	0.702	-0.102	2.904	0.016	0.016	0	55.5	56.8	68.8	156	160	0	27	28
2025	3	30	1	43	9	0.741	-0.066	2.904	0.016	0.016	0	55.9	57.2	69.2	156	160	0	26	27
2025	3	30	1	53	9	0.738	-0.059	2.904	0.016	0.013	0	55	56.3	56.8	155	159	0	27	28
2025	3	30	2	3	9	0.709	-0.056	2.904	0.016	0.016	0	55.5	56.3	58.5	156	159	0	27	28
2025	3	30	2	13	9	0.686	-0.033	2.904	0.016	0.016	0	55.5	56.8	57.6	156	160	0	27	28
2025	3	30	2	23	9	0.774	-0.046	2.904	0.016	0.013	0	55.5	56.3	45.6	156	159	0	27	28
2025	3	30	2	33	9	0.735	-0.039	2.904	0.016	0.013	0	55	56.3	61.9	155	159	0	27	28
2025	3	30	2	43	9	0.738	-0.102	2.904	0.016	0.016	0	55.5	56.3	68.8	156	159	0	27	28
2025	3	30	2	53	9	0.732	-0.026	2.904	0.016	0.013	0	55.5	55.9	67.5	155	159	0	26	29
2025	3	30	3	3	9	0.738	-0.052	2.904	0.016	0.016	0	55.5	56.3	68.8	156	159	0	27	28
2025	3	30	3	13	9	0.709	-0.059	2.904	0.016	0.016	0	55.9	56.8	69.2	157	159	0	27	27
2025	3	30	3	23	9	0.741	-0.062	2.9	0.016	0.016	0	55.5	56.8	68.8	156	159	0	27	27
2025	3	30	3	33	9	0.715	-0.036	2.904	0.016	0.016	0	55.5	56.3	68.8	157	159	0	28	28
2025	3	30	3	43	9	0.768	-0.033	2.904	0.016	0.013	0	55	56.8	68.8	156	159	0	28	27
2025	3	30	3	53	9	0.768	-0.072	2.9	0.016	0.013	0	55.5	56.3	68.4	156	159	0	27	28
2025	3	30	4	3	9	0.745	-0.033	2.9	0.016	0.013	0	55.5	56.3	62.8	156	159	0	27	28
2025	3	30	4	13	9	0.771	-0.02	2.9	0.016	0.016	0	55.5	56.8	68.8	156	159	0	27	27
2025	3	30	4	23	9	0.705	-0.059	2.9	0.02	0.016	0	55.9	56.8	67.1	157	159	0	27	27
2025	3	30	4	33	9	0.778	-0.066	2.9	0.016	0.013	0	55.5	56.3	68.4	156	159	0	27	28
2025	3	30	4	43	9	0.764	-0.052	2.9	0.013	0.01	0	55.5	56.3	68.4	156	159	0	27	28
2025	3	30	4	53	9	0.728	-0.056	2.9	0.02	0.016	0	55	56.3	68.8	156	159	0	28	28
2025	3	30	5	3	9	0.741	-0.056	2.9	0.016	0.013	0	55.5	56.8	68.4	157	160	0	28	28
2025	3	30	5	13	9	0.725	-0.02	2.9	0.016	0.013	0	55.9	56.3	68.4	158	160	0	28	29
2025	3	30	5	23	9	0.741	-0.062	2.9	0.016	0.013	0	55.9	56.8	68.4	157	160	0	27	28
2025	3	30	5	33	9	0.771	-0.043	2.9	0.016	0.013	0	55.9	56.3	68.4	157	160	0	27	29
2025	3	30	5	43	9	0.719	-0.066	2.9	0.016	0.016	0	56.3	56.8	67.9	158	160	0	27	28
2025	3	30	5	53	9	0.748	-0.079	2.9	0.02	0.016	0	55.9	57.2	67.5	157	160	0	27	27
2025	3	30	6	3	9	0.692	-0.072	2.9	0.02	0.016	0	55.9	57.2	67.9	158	161	0	28	28
2025	3	30	6	13	9	0.748	-0.069	2.9	0.016	0.013	0	55.5	56.8	67.9	157	160	0	28	28
2025	3	30	6	23	9	0.741	-0.046	2.9	0.016	0.013	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	30	6	33	9	0.738	-0.072	2.9	0.016	0.013	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	30	6	43	9	0.745	-0.043	2.9	0.016	0.013	0	55.9	57.2	67.9	157	160	0	27	27
2025	3	30	6	53	9	0.771	-0.066	2.9	0.016	0.016	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	30	7	3	9	0.745	-0.072	2.9	0.016	0.016	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	30	7	13	9	0.728	-0.066	2.9	0.016	0.013	0	55.9	57.2	67.9	158	160	0	28	27
2025	3	30	7	23	9	0.758	-0.062	2.9	0.016	0.016	0	55.9	56.8	68.4	157	160	0	27	28
2025	3	30	7	33	9	0.719	-0.049	2.9	0.013	0.01	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	30	7	43	9	0.715	-0.046	2.9	0.016	0.013	0	55.5	56.8	67.9	157	160	0	28	28
2025	3	30	7	53	9	0.774	-0.043	2.9	0.016	0.013	0	55.5	56.8	67.5	157	160	0	28	28
2025	3	30	8	3	9	0.732	-0.036	2.9	0.02	0.016	0	55.9	57.2	58.9	157	160	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	30	8	13	9	0.755	-0.039	2.904	0.016	0.013	0	55.5	56.3	67.9	156	159	0	27	28
2025	3	30	8	23	9	0.748	-0.062	2.9	0.016	0.016	0	55	56.3	60.6	155	159	0	27	28
2025	3	30	8	33	9	0.712	-0.056	2.904	0.016	0.016	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	30	8	43	9	0.758	-0.043	2.904	0.02	0.016	0	55.5	56.8	43.4	157	160	0	28	28
2025	3	30	8	53	9	0.732	-0.069	2.9	0.016	0.016	0	55.5	56.3	46	156	159	0	27	28
2025	3	30	9	3	9	0.741	-0.049	2.904	0.016	0.016	0	55	56.3	41.3	156	159	0	28	28
2025	3	30	9	13	9	0.741	-0.075	2.904	0.016	0.013	0	54.6	55.9	51.2	155	158	0	28	28
2025	3	30	9	23	9	0.748	-0.046	2.904	0.016	0.013	0	55.5	56.3	60.6	156	159	0	27	28
2025	3	30	9	33	9	0.758	-0.052	2.904	0.016	0.016	0	54.6	56.3	68.4	155	158	0	28	27
2025	3	30	9	43	9	0.745	-0.056	2.904	0.016	0.016	0	55	56.3	68.8	156	159	0	28	28
2025	3	30	9	53	9	0.774	-0.046	2.904	0.016	0.013	0	55.5	56.8	69.2	156	159	0	27	27
2025	3	30	10	3	9	0.748	-0.046	2.904	0.016	0.016	0	55	55.9	70.1	155	158	0	27	28
2025	3	30	10	13	9	0.735	-0.03	2.904	0.016	0.016	0	55	55.9	54.2	155	158	0	27	28
2025	3	30	10	23	9	0.748	-0.085	2.907	0.016	0.016	0	54.2	55.5	63.2	154	158	0	28	29
2025	3	30	10	33	9	0.732	-0.033	2.907	0.016	0.016	0	54.6	55.9	55.5	154	158	0	27	28
2025	3	30	10	43	9	0.719	-0.039	2.907	0.016	0.013	0	55.5	56.3	49	156	159	0	27	28
2025	3	30	10	53	9	0.755	-0.059	2.907	0.016	0.013	0	54.6	55.9	44.7	155	158	0	28	28
2025	3	30	11	3	9	0.748	-0.03	2.907	0.016	0.016	0	55	55.9	69.7	155	158	0	27	28
2025	3	30	11	13	9	0.755	-0.049	2.91	0.016	0.013	0	55	55.9	69.7	155	158	0	27	28
2025	3	30	11	23	9	0.725	-0.049	2.91	0.016	0.013	0	54.2	55.5	49.9	154	157	0	28	28
2025	3	30	11	33	9	0.715	-0.033	2.91	0.016	0.016	0	55	55.9	41.3	155	158	0	27	28
2025	3	30	11	43	9	0.768	-0.069	2.907	0.016	0.013	0	54.6	55.9	47.7	155	158	0	28	28
2025	3	30	11	53	9	0.741	-0.062	2.91	0.016	0.013	0	55	55.9	70.1	155	158	0	27	28
2025	3	30	12	3	9	0.755	-0.039	2.91	0.016	0.016	0	55.5	55.9	46.9	156	159	0	27	29
2025	3	30	12	13	9	0.719	-0.062	2.91	0.016	0.013	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	30	12	23	9	0.738	-0.062	2.91	0.016	0.016	0	55	56.3	47.3	155	158	0	27	27
2025	3	30	12	33	9	0.728	-0.046	2.907	0.016	0.013	0	55	56.8	43.9	155	159	0	27	27
2025	3	30	12	43	9	0.755	-0.049	2.91	0.016	0.016	0	54.6	56.3	58	155	158	0	28	27
2025	3	30	12	53	9	0.748	-0.075	2.91	0.016	0.016	0	55.5	56.3	53.3	156	159	0	27	28
2025	3	30	13	3	9	0.735	-0.033	2.91	0.013	0.01	0	56.3	57.2	54.6	158	161	0	27	28
2025	3	30	13	13	9	0.774	-0.052	2.91	0.016	0.013	0	55.5	56.8	68.4	156	159	0	27	27
2025	3	30	13	23	9	0.738	-0.013	2.907	0.016	0.016	0	56.3	56.8	44.3	157	160	0	26	28
2025	3	30	13	33	9	0.778	-0.089	2.907	0.016	0.013	0	55.9	56.3	46.9	157	159	0	27	28
2025	3	30	13	43	9	0.715	-0.033	2.904	0.013	0.01	0	55.9	56.8	50.7	157	159	0	27	27
2025	3	30	13	53	9	0.771	-0.049	2.907	0.016	0.013	0	56.3	56.8	44.7	158	159	0	27	27
2025	3	30	14	3	9	0.755	-0.049	2.907	0.016	0.013	0	55.9	56.8	46.4	157	159	0	27	27
2025	3	30	14	13	9	0.755	-0.066	2.91	0.016	0.016	0	55.9	56.8	64.9	157	159	0	27	27
2025	3	30	14	23	9	0.728	-0.033	2.907	0.016	0.013	0	55.9	56.8	42.6	157	159	0	27	27
2025	3	30	14	33	9	0.738	-0.02	2.907	0.016	0.013	0	55.5	55.9	45.2	157	158	0	28	28
2025	3	30	14	43	9	0.748	-0.052	2.91	0.016	0.013	0	55.9	56.8	49.5	157	159	0	27	27
2025	3	30	14	53	9	0.768	-0.023	2.91	0.016	0.016	0	56.3	56.3	43	157	159	0	26	28
2025	3	30	15	3	9	0.741	-0.043	2.907	0.016	0.016	0	55.9	56.8	48.2	157	159	0	27	27
2025	3	30	15	13	9	0.725	-0.016	2.91	0.016	0.013	0	56.3	56.8	45.2	158	160	0	27	28
2025	3	30	15	23	9	0.764	-0.069	2.91	0.02	0.016	0	55.9	56.8	44.3	157	159	0	27	27
2025	3	30	15	33	9	0.715	-0.043	2.907	0.016	0.016	0	55.9	56.3	45.6	157	159	0	27	28
2025	3	30	15	43	9	0.735	-0.062	2.91	0.013	0.01	0	56.3	56.8	54.2	157	159	0	26	27
2025	3	30	15	53	9	0.764	-0.046	2.907	0.016	0.016	0	56.8	57.2	45.2	158	160	0	26	27
2025	3	30	16	3	9	0.778	-0.043	2.907	0.016	0.013	0	55.5	55.9	45.2	156	158	0	27	28

Mazourka (0354)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	
2025	3	30	16	13	9	0.774	-0.013	2.907	0.016	0.016	0	55.5	56.8	44.3	156	160	0	27	28	
2025	3	30	16	23	9	0.741	-0.039	2.907	0.016	0.016	0	56.3	56.8	42.1	158	160	0	27	28	
2025	3	30	16	33	9	0.741	-0.066	2.907	0.016	0.016	0	55.9	57.2	45.2	157	160	0	27	27	
2025	3	30	16	43	9	0.748	-0.03	2.907	0.016	0.016	0	56.3	57.6	43.9	158	161	0	27	27	
2025	3	30	16	53	9	0.761	-0.03	2.907	0.016	0.013	0	56.3	57.6	45.6	158	161	0	27	27	
2025	3	30	17	3	9	0.712	-0.072	2.907	0.016	0.013	0	55.5	56.8	46	156	160	0	27	28	
2025	3	30	17	13	9	0.784	-0.033	2.907	0.016	0.013	0	55.5	56.8	44.3	156	159	0	27	27	
2025	3	30	17	23	9	0.791	-0.069	2.91	0.02	0.016	0	55.9	56.8	46	156	159	0	26	27	
2025	3	30	17	33	9	0.745	-0.03	2.907	0.016	0.016	0	55.5	56.3	45.2	156	159	0	27	28	
2025	3	30	17	43	9	0.722	-0.052	2.91	0.016	0.016	0	55.5	56.3	53.3	156	159	0	27	28	
2025	3	30	17	53	9	0.738	-0.059	2.91	0.016	0.013	0	55.5	56.8	65.4	155	159	0	26	27	
2025	3	30	18	3	9	0.741	-0.075	2.91	0.016	0.013	0	55.9	57.2	47.3	156	160	0	26	27	
2025	3	30	18	13	9	0.741	-0.036	2.91	0.016	0.016	0	55.5	56.3	60.2	156	159	0	27	28	
2025	3	30	18	23	9	0.741	-0.062	2.913	0.016	0.016	0	55.5	56.8	64.9	156	159	0	27	27	
2025	3	30	18	33	9	0.738	-0.052	2.91	0.016	0.016	0	55	56.8	45.6	156	159	0	28	27	
2025	3	30	18	43	9	0.748	-0.03	2.91	0.016	0.016	0	55.5	57.2	61.9	156	160	0	27	27	
2025	3	30	18	53	9	0.712	-0.062	2.91	0.013	0.01	0	55.5	56.8	56.3	156	160	0	27	28	
2025	3	30	19	3	9	0.748	-0.036	2.91	0.016	0.016	0	55.5	57.2	59.3	156	160	0	27	27	
2025	3	30	19	13	9	0.728	-0.039	2.91	0.02	0.016	0	55.5	56.8	49	156	160	0	27	28	
2025	3	30	19	23	9	0.741	-0.069	2.91	0.016	0.016	0	55.9	56.8	56.8	156	160	0	26	28	
2025	3	30	19	33	9	0.741	-0.033	2.91	0.016	0.013	0	56.3	57.2	66.7	157	160	0	26	27	
2025	3	30	19	43	9	0.728	-0.033	2.91	0.016	0.013	0	55.5	56.8	66.7	156	159	0	27	27	
2025	3	30	19	53	9	0.755	-0.026	2.91	0.016	0.013	0	55.9	56.8	63.2	156	160	0	26	28	
2025	3	30	20	3	9	0.761	-0.046	2.91	0.016	0.013	0	55.9	56.3	66.2	156	159	0	26	28	
2025	3	30	20	13	9	0.758	-0.026	2.91	0.02	0.016	0	55.9	56.3	67.1	156	159	0	26	28	
2025	3	30	20	23	9	0.702	-0.013	2.91	0.016	0.013	0	55.5	57.2	66.7	156	160	0	27	27	
2025	3	30	20	33	9	0.748	0	2.91	0.016	0.013	0	55.5	56.3	67.1	156	159	0	27	28	
2025	3	30	20	43	9	0.758	-0.03	2.91	0.016	0.016	0	55.5	56.8	55.9	156	159	0	27	27	
2025	3	30	20	53	9	0.755	-0.033	2.91	0.016	0.013	0	55.5	57.2	65.8	156	160	0	27	27	
2025	3	30	21	3	9	0.719	-0.075	2.91	0.016	0.013	0	55.5	56.8	67.5	156	160	0	27	28	
2025	3	30	21	13	9	0.689	-0.033	2.91	0.016	0.016	0	55.5	57.2	66.7	156	160	0	27	27	
2025	3	30	21	23	9	0.758	-0.052	2.91	0.016	0.013	0	55.5	57.2	67.1	156	160	0	27	27	
2025	3	30	21	33	9	0.735	-0.046	2.91	0.016	0.016	0	55.9	57.2	66.2	156	160	0	26	27	
2025	3	30	21	43	9	0.699	-0.102	2.907	0.016	0.013	0	55	56.3	55.9	155	159	0	27	28	
2025	3	30	21	53	9	0.781	-0.046	2.91	0.016	0.013	0	55	56.3	67.9	155	159	0	27	28	
2025	3	30	22	3	9	0.741	-0.026	2.91	0.016	0.013	0	55.5	57.2	67.5	156	160	0	27	27	
2025	3	30	22	13	9	0.745	-0.039	2.91	0.016	0.016	0	55.5	56.8	67.5	156	160	0	27	28	
2025	3	30	22	23	9	0.719	-0.043	2.91	0.016	0.016	0	55.5	57.2	67.5	156	160	0	27	27	
2025	3	30	22	33	9	0.748	-0.049	2.91	0.016	0.016	0	55.5	57.2	67.9	156	160	0	27	27	
2025	3	30	22	43	9	0.702	-0.02	2.91	0.016	0.013	0	55	56.8	56.8	156	160	0	28	28	
2025	3	30	22	53	9	0.715	-0.062	2.907	0.016	0.013	0	55.5	57.2	46.4	156	160	0	27	27	
2025	3	30	23	3	9	0.768	-0.095	2.91	0.02	0.016	0	55	56.8	67.1	155	159	0	27	27	
2025	3	30	23	13	9	0.732	-0.016	2.907	0.016	0.013	0	55.5	56.8	60.2	156	160	0	27	28	
2025	3	30	23	23	9	0.761	-0.062	2.91	0.02	0.016	0	55	56.3	68.8	155	159	0	27	28	
2025	3	30	23	33	9	0.722	-0.066	2.91	0.016	0.016	0	55.5	56.8	68.4	156	160	0	27	28	
2025	3	30	23	43	9	0.719	-0.043	2.907	0.016	0.013	0	55.5	57.2	48.2	156	160	0	27	27	
2025	3	30	23	53	9	0.738	-0.049	2.907	0.016	0.013	0	54.6	56.3	52.9	155	159	0	28	28	
2025	3	31	0	3	9	0.758	-0.03	2.907	0.016	0.016	0	55.9	57.2	51.6	157	161	0	27	28	

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	31	0	13	9	0.761	-0.062	2.907	0.02	0.016	0	55.5	57.2	68.8	156	160	0	27	27
2025	3	31	0	23	9	0.725	-0.059	2.907	0.02	0.016	0	55.5	56.8	58.9	156	160	0	27	28
2025	3	31	0	33	9	0.761	-0.003	2.907	0.016	0.016	0	55	57.2	68.4	156	160	0	28	27
2025	3	31	0	43	9	0.732	-0.049	2.907	0.016	0.013	0	55.9	56.8	67.9	156	160	0	26	28
2025	3	31	0	53	9	0.741	-0.043	2.907	0.016	0.016	0	55	56.8	68.8	156	160	0	28	28
2025	3	31	1	3	9	0.748	-0.059	2.907	0.016	0.016	0	55.5	56.8	68.4	156	159	0	27	27
2025	3	31	1	13	9	0.728	-0.046	2.907	0.016	0.013	0	55.5	57.2	69.2	156	160	0	27	27
2025	3	31	1	23	9	0.758	-0.056	2.907	0.016	0.016	0	55.5	57.2	68.4	156	160	0	27	27
2025	3	31	1	33	9	0.728	-0.03	2.907	0.016	0.013	0	55.5	56.8	68.8	156	160	0	27	28
2025	3	31	1	43	9	0.741	-0.062	2.907	0.016	0.016	0	55.9	56.8	62.4	156	160	0	26	28
2025	3	31	1	53	9	0.764	-0.046	2.907	0.02	0.016	0	55.5	56.8	68.4	156	160	0	27	28
2025	3	31	2	3	9	0.768	-0.059	2.907	0.016	0.016	0	55	56.3	69.2	155	159	0	27	28
2025	3	31	2	13	9	0.751	-0.013	2.907	0.016	0.013	0	55.5	56.8	69.2	156	160	0	27	28
2025	3	31	2	23	9	0.715	-0.023	2.907	0.016	0.013	0	55.5	57.2	68.4	156	160	0	27	27
2025	3	31	2	33	9	0.715	-0.039	2.907	0.016	0.013	0	55.5	56.8	68.8	156	160	0	27	28
2025	3	31	2	43	9	0.728	-0.062	2.907	0.02	0.016	0	55.5	56.8	68.4	156	160	0	27	28
2025	3	31	2	53	9	0.735	-0.03	2.907	0.016	0.013	0	55	57.2	68.4	156	160	0	28	27
2025	3	31	3	3	9	0.705	-0.03	2.907	0.013	0.01	0	55.9	56.8	68.4	156	160	0	26	28
2025	3	31	3	13	9	0.719	-0.075	2.907	0.016	0.016	0	55.5	56.8	67.1	156	160	0	27	28
2025	3	31	3	23	9	0.722	-0.069	2.907	0.016	0.016	0	55	56.3	65.8	155	159	0	27	28
2025	3	31	3	33	9	0.715	-0.03	2.907	0.016	0.013	0	55	56.3	66.7	155	159	0	27	28
2025	3	31	3	43	9	0.745	-0.046	2.907	0.02	0.016	0	55	56.8	67.5	156	160	0	28	28
2025	3	31	3	53	9	0.732	-0.03	2.904	0.016	0.013	0	54.6	57.2	67.9	155	160	0	28	27
2025	3	31	4	3	9	0.755	-0.03	2.907	0.016	0.013	0	55	56.3	67.9	155	159	0	27	28
2025	3	31	4	13	9	0.741	-0.033	2.907	0.016	0.016	0	54.6	56.3	67.1	155	159	0	28	28
2025	3	31	4	23	9	0.725	-0.075	2.907	0.016	0.016	0	55	56.8	67.5	155	160	0	27	28
2025	3	31	4	33	9	0.748	-0.036	2.904	0.02	0.016	0	55.5	56.8	52	156	160	0	27	28
2025	3	31	4	43	9	0.741	-0.03	2.907	0.016	0.016	0	55.5	56.8	67.1	156	160	0	27	28
2025	3	31	4	53	9	0.748	-0.043	2.907	0.016	0.016	0	55.5	56.3	67.1	156	160	0	27	29
2025	3	31	5	3	9	0.755	-0.036	2.907	0.016	0.016	0	55	56.8	67.1	156	160	0	28	28
2025	3	31	5	13	9	0.722	-0.043	2.907	0.016	0.016	0	55.5	57.2	67.1	156	161	0	27	28
2025	3	31	5	23	9	0.761	-0.039	2.907	0.016	0.013	0	55	57.6	67.1	156	161	0	28	27
2025	3	31	5	33	9	0.728	-0.066	2.907	0.016	0.013	0	55	56.8	64.9	156	160	0	28	28
2025	3	31	5	43	9	0.732	-0.075	2.907	0.016	0.016	0	55.5	57.2	40.9	156	160	0	27	27
2025	3	31	5	53	9	0.755	-0.075	2.91	0.016	0.013	0	55.5	56.8	41.7	156	160	0	27	28
2025	3	31	6	3	9	0.751	-0.043	2.91	0.016	0.013	0	55.5	57.2	41.7	156	161	0	27	28
2025	3	31	6	13	9	0.702	-0.056	2.907	0.016	0.016	0	55	57.2	39.6	156	161	0	28	28
2025	3	31	6	23	9	0.735	-0.03	2.913	0.016	0.016	0	55.5	57.2	40.9	156	161	0	27	28
2025	3	31	6	33	9	0.741	-0.075	2.91	0.016	0.016	0	55.5	56.8	39.1	156	160	0	27	28
2025	3	31	6	43	9	0.725	-0.052	2.907	0.016	0.016	0	55	57.2	40.9	156	161	0	28	28
2025	3	31	6	53	9	0.748	-0.03	2.904	0.016	0.013	0	55.5	57.2	43.9	156	161	0	27	28
2025	3	31	7	3	9	0.761	-0.072	2.904	0.016	0.016	0	55.5	56.3	46.9	156	160	0	27	29
2025	3	31	7	13	9	0.748	-0.085	2.907	0.016	0.016	0	54.6	56.8	43.9	155	160	0	28	28
2025	3	31	7	23	9	0.781	-0.075	2.907	0.013	0.01	0	55	56.8	40.9	155	160	0	27	28
2025	3	31	7	33	9	0.738	-0.052	2.904	0.016	0.013	0	54.6	56.8	55	155	160	0	28	28
2025	3	31	7	43	9	0.761	-0.066	2.91	0.016	0.013	0	55	56.8	40.4	155	160	0	27	28
2025	3	31	7	53	9	0.738	-0.046	2.904	0.013	0.01	0	55	56.3	47.3	155	159	0	27	28
2025	3	31	8	3	9	0.748	-0.059	2.904	0.016	0.013	0	54.2	55.9	59.3	154	159	0	28	29

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	31	8	13	9	0.735	-0.075	2.907	0.016	0.013	0	54.6	56.8	47.3	155	160	0	28	28
2025	3	31	8	23	9	0.745	-0.033	2.907	0.016	0.013	0	54.2	56.8	44.7	154	159	0	28	27
2025	3	31	8	33	9	0.722	-0.046	2.907	0.016	0.013	0	54.6	56.3	45.6	154	159	0	27	28
2025	3	31	8	43	9	0.771	-0.043	2.907	0.016	0.016	0	54.2	56.3	46	154	158	0	28	27
2025	3	31	8	53	9	0.712	-0.013	2.91	0.016	0.013	0	54.2	55.9	43.4	154	159	0	28	29
2025	3	31	9	3	9	0.781	-0.046	2.907	0.016	0.013	0	53.8	55.9	45.6	153	158	0	28	28
2025	3	31	9	13	9	0.686	-0.016	2.907	0.016	0.013	0	54.2	55.9	42.6	154	158	0	28	28
2025	3	31	9	23	9	0.761	-0.056	2.907	0.02	0.016	0	53.8	55.9	45.2	153	158	0	28	28
2025	3	31	9	33	9	0.715	-0.046	2.907	0.016	0.016	0	53.8	56.3	46	153	158	0	28	27
2025	3	31	9	43	9	0.725	-0.039	2.907	0.013	0.01	0	54.2	56.3	65.4	153	159	0	27	28
2025	3	31	9	53	9	0.738	-0.036	2.904	0.016	0.013	0	54.6	55.9	63.6	154	158	0	27	28
2025	3	31	10	3	9	0.728	-0.043	2.907	0.016	0.016	0	54.6	55.9	66.7	155	157	0	28	27
2025	3	31	10	13	9	0.755	-0.043	2.907	0.016	0.016	0	55	56.3	68.8	155	159	0	27	28
2025	3	31	10	23	9	0.712	-0.043	2.907	0.02	0.016	0	54.6	55.9	67.5	155	158	0	28	28
2025	3	31	10	33	9	0.699	-0.046	2.907	0.016	0.016	0	54.6	56.3	67.1	155	159	0	28	28
2025	3	31	10	43	9	0.751	-0.033	2.907	0.016	0.013	0	55	56.3	66.7	155	159	0	27	28
2025	3	31	10	53	9	0.722	-0.046	2.907	0.016	0.013	0	54.6	56.8	67.5	155	159	0	28	27
2025	3	31	11	3	9	0.722	-0.046	2.907	0.016	0.013	0	55.5	56.3	67.5	156	159	0	27	28
2025	3	31	11	13	9	0.751	-0.059	2.907	0.016	0.016	0	55	56.3	65.8	155	159	0	27	28
2025	3	31	11	23	9	0.761	-0.085	2.907	0.013	0.01	0	53.3	55.9	68.4	152	158	0	28	28
2025	3	31	11	33	9	0.732	-0.059	2.91	0.016	0.013	0	55.9	56.3	68.4	157	159	0	27	28
2025	3	31	11	43	9	0.771	-0.036	2.91	0.016	0.013	0	55.5	56.3	68.4	156	159	0	27	28
2025	3	31	11	53	9	0.758	-0.059	2.91	0.02	0.016	0	55.5	55.9	68.8	156	158	0	27	28
2025	3	31	12	3	9	0.709	-0.056	2.91	0.016	0.013	0	55.5	56.3	46	157	159	0	28	28
2025	3	31	12	13	9	0.758	-0.056	2.907	0.016	0.013	0	55.5	56.3	48.2	157	159	0	28	28
2025	3	31	12	23	9	0.745	-0.069	2.907	0.016	0.016	0	56.3	56.8	67.1	158	160	0	27	28
2025	3	31	12	33	9	0.771	-0.043	2.907	0.016	0.013	0	55.9	56.8	60.6	158	160	0	28	28
2025	3	31	12	43	9	0.778	-0.03	2.907	0.023	0.02	0	55.9	56.8	67.9	157	160	0	27	28
2025	3	31	12	53	9	0.781	-0.036	2.91	0.016	0.016	0	55	56.8	67.5	156	159	0	28	27
2025	3	31	13	3	9	0.719	-0.026	2.91	0.016	0.016	0	55.9	56.3	55.5	157	159	0	27	28
2025	3	31	13	13	9	0.778	-0.062	2.91	0.016	0.013	0	55.5	56.3	41.3	156	159	0	27	28
2025	3	31	13	23	9	0.738	-0.03	2.91	0.016	0.016	0	55.5	57.2	44.7	157	160	0	28	27
2025	3	31	13	33	9	0.774	-0.075	2.91	0.016	0.013	0	55.5	56.8	46.4	156	159	0	27	27
2025	3	31	13	43	9	0.745	-0.043	2.907	0.016	0.016	0	55.5	56.3	56.3	156	159	0	27	28
2025	3	31	13	53	9	0.764	-0.072	2.91	0.016	0.013	0	56.3	56.8	59.8	157	159	0	26	27
2025	3	31	14	3	9	0.735	-0.052	2.91	0.016	0.013	0	55.9	56.3	44.7	157	159	0	27	28
2025	3	31	14	13	9	0.751	-0.075	2.907	0.013	0.01	0	55.5	56.3	66.2	157	159	0	28	28
2025	3	31	14	23	9	0.751	-0.03	2.907	0.016	0.013	0	55.5	56.3	45.6	156	159	0	27	28
2025	3	31	14	33	9	0.778	-0.059	2.907	0.02	0.016	0	55.5	56.3	43.4	156	158	0	27	27
2025	3	31	14	43	9	0.761	-0.069	2.907	0.016	0.016	0	55.9	56.3	51.2	157	159	0	27	28
2025	3	31	14	53	9	0.712	-0.043	2.907	0.016	0.016	0	55.5	56.3	49	156	159	0	27	28
2025	3	31	15	3	9	0.758	-0.039	2.91	0.016	0.016	0	55.5	56.3	46.4	156	159	0	27	28
2025	3	31	15	13	9	0.745	-0.069	2.91	0.016	0.016	0	55.9	55.9	67.1	156	158	0	26	28
2025	3	31	15	23	9	0.748	-0.03	2.91	0.016	0.013	0	55.9	56.3	68.4	157	159	0	27	28
2025	3	31	15	33	9	0.751	-0.049	2.91	0.016	0.016	0	55.5	56.3	60.2	156	158	0	27	27
2025	3	31	15	43	9	0.761	-0.036	2.91	0.016	0.016	0	55.5	55.9	68.4	156	158	0	27	28
2025	3	31	15	53	9	0.732	-0.039	2.91	0.016	0.016	0	55	56.3	68.4	156	159	0	28	28
2025	3	31	16	3	9	0.764	-0.072	2.91	0.016	0.016	0	55.5	56.3	46	156	159	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	3	31	16	13	9	0.735	-0.046	2.91	0.016	0.016	0	55.5	56.8	67.9	157	159	0	28	27
2025	3	31	16	23	9	0.748	-0.046	2.907	0.016	0.016	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	31	16	33	9	0.778	-0.062	2.91	0.016	0.013	0	55.5	56.3	68.4	156	159	0	27	28
2025	3	31	16	43	9	0.732	-0.046	2.907	0.016	0.013	0	55.5	56.3	52	156	159	0	27	28
2025	3	31	16	53	9	0.764	-0.079	2.907	0.016	0.013	0	55.5	56.3	52	156	159	0	27	28
2025	3	31	17	3	9	0.755	-0.043	2.91	0.016	0.016	0	55.5	56.8	41.7	156	159	0	27	27
2025	3	31	17	13	9	0.755	-0.026	2.91	0.016	0.013	0	55.5	56.3	43.4	156	159	0	27	28
2025	3	31	17	23	9	0.774	-0.059	2.91	0.016	0.013	0	55.5	56.3	42.6	156	159	0	27	28
2025	3	31	17	33	9	0.732	-0.039	2.907	0.016	0.016	0	55.5	56.3	40.9	156	159	0	27	28
2025	3	31	17	43	9	0.787	-0.052	2.91	0.016	0.016	0	55.5	56.3	42.6	156	159	0	27	28
2025	3	31	17	53	9	0.771	-0.052	2.907	0.016	0.013	0	55.5	56.3	64.5	156	159	0	27	28
2025	3	31	18	3	9	0.745	-0.069	2.907	0.016	0.016	0	55.5	56.8	67.5	157	160	0	28	28
2025	3	31	18	13	9	0.751	-0.03	2.907	0.016	0.016	0	55.5	56.3	66.2	156	159	0	27	28
2025	3	31	18	23	9	0.732	-0.043	2.907	0.013	0.01	0	55.5	56.8	41.3	156	159	0	27	27
2025	3	31	18	33	9	0.784	-0.059	2.904	0.016	0.013	0	55.5	56.3	51.6	156	159	0	27	28
2025	3	31	18	43	9	0.699	-0.062	2.904	0.016	0.016	0	55.5	56.8	67.5	157	160	0	28	28
2025	3	31	18	53	9	0.771	-0.046	2.904	0.016	0.016	0	56.3	56.8	67.9	157	160	0	26	28
2025	3	31	19	3	9	0.696	-0.059	2.904	0.016	0.016	0	55.9	57.2	50.7	157	160	0	27	27
2025	3	31	19	13	9	0.755	-0.026	2.904	0.016	0.016	0	55.9	56.8	68.4	157	160	0	27	28
2025	3	31	19	23	9	0.735	-0.072	2.907	0.016	0.013	0	55.9	56.8	44.3	157	160	0	27	28
2025	3	31	19	33	9	0.738	-0.02	2.904	0.016	0.013	0	55.9	57.2	66.7	157	160	0	27	27
2025	3	31	19	43	9	0.768	-0.066	2.904	0.02	0.016	0	55	56.8	55.9	156	160	0	28	28
2025	3	31	19	53	9	0.735	-0.059	2.9	0.016	0.013	0	55.5	57.2	52.9	156	160	0	27	27
2025	3	31	20	3	9	0.755	-0.033	2.9	0.016	0.016	0	55.5	56.8	65.8	156	159	0	27	27
2025	3	31	20	13	9	0.722	-0.036	2.9	0.016	0.016	0	55.9	57.2	64.5	157	160	0	27	27
2025	3	31	20	23	9	0.791	-0.056	2.9	0.02	0.016	0	55	56.3	66.7	156	159	0	28	28
2025	3	31	20	33	9	0.699	-0.026	2.9	0.016	0.013	0	55.5	57.2	67.9	157	160	0	28	27
2025	3	31	20	43	9	0.758	-0.026	2.9	0.016	0.016	0	55.5	56.8	64.1	157	160	0	28	28
2025	3	31	20	53	9	0.725	-0.062	2.9	0.016	0.016	0	55.9	56.8	66.7	157	160	0	27	28
2025	3	31	21	3	9	0.758	-0.03	2.9	0.016	0.016	0	55.9	56.8	68.4	157	160	0	27	28
2025	3	31	21	13	9	0.732	-0.052	2.9	0.016	0.013	0	55.9	56.3	59.3	157	159	0	27	28
2025	3	31	21	23	9	0.735	-0.085	2.9	0.016	0.016	0	55.9	56.3	68.4	157	159	0	27	28
2025	3	31	21	33	9	0.735	-0.082	2.9	0.013	0.01	0	55	56.3	66.7	156	159	0	28	28
2025	3	31	21	43	9	0.732	-0.036	2.9	0.016	0.013	0	55	56.3	67.1	156	159	0	28	28
2025	3	31	21	53	9	0.748	-0.092	2.897	0.02	0.016	0	55	56.3	52	155	159	0	27	28
2025	3	31	22	3	9	0.745	-0.049	2.897	0.016	0.013	0	55	56.8	64.9	156	160	0	28	28
2025	3	31	22	13	9	0.741	-0.072	2.897	0.016	0.013	0	55	56.3	68.4	156	159	0	28	28
2025	3	31	22	23	9	0.696	-0.039	2.9	0.016	0.016	0	55.5	56.3	45.6	156	160	0	27	29
2025	3	31	22	33	9	0.725	-0.046	2.897	0.016	0.016	0	55	56.8	52.5	156	160	0	28	28
2025	3	31	22	43	9	0.719	-0.052	2.897	0.016	0.016	0	55	56.3	46.4	155	159	0	27	28
2025	3	31	22	53	9	0.738	-0.075	2.897	0.016	0.013	0	54.6	56.3	46.4	155	159	0	28	28
2025	3	31	23	3	9	0.758	-0.043	2.894	0.016	0.016	0	55	56.3	48.2	155	159	0	27	28
2025	3	31	23	13	9	0.728	-0.085	2.894	0.016	0.013	0	55	56.3	55	155	159	0	27	28
2025	3	31	23	23	9	0.751	-0.062	2.894	0.016	0.013	0	55	56.3	66.2	155	159	0	27	28
2025	3	31	23	33	9	0.735	-0.079	2.894	0.016	0.013	0	55	56.3	67.9	156	159	0	28	28
2025	3	31	23	43	9	0.728	-0.072	2.894	0.013	0.01	0	55.5	56.3	60.6	156	159	0	27	28
2025	3	31	23	53	9	0.699	-0.039	2.894	0.016	0.013	0	55.5	56.8	62.4	156	160	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	1	0	5	11	28	0	0	0	0	0	0	0	49.57	0	0
2025	3	1	0	15	11	27	0	0	0	0	0	0	0	49.48	0	0
2025	3	1	0	25	11	27	0	0	0	0	0	0	0	49.37	0	0
2025	3	1	0	35	11	28	0	0	0	0	0	0	0	49.3	0	0
2025	3	1	0	45	11	27	0	0	0	0	0	0	0	49.21	0	0
2025	3	1	0	55	11	27	0	0	0	0	0	0	0	49.12	0	0
2025	3	1	1	5	11	28	0	0	0	0	0	0	0	49.05	0	0
2025	3	1	1	15	11	27	0	0	0	0	0	0	0	48.96	0	0
2025	3	1	1	25	11	28	0	0	0	0	0	0	0	48.88	0	0
2025	3	1	1	35	11	28	0	0	0	0	0	0	0	48.83	0	0
2025	3	1	1	45	11	27	0	0	0	0	0	0	0	48.74	0	0
2025	3	1	1	55	11	28	0	0	0	0	0	0	0	48.69	0	0
2025	3	1	2	5	11	29	0	0	0	0	0	0	0	48.63	0	0
2025	3	1	2	15	11	27	0	0	0	0	0	0	0	48.58	0	0
2025	3	1	2	25	11	27	0	0	0	0	0	0	0	48.51	0	0
2025	3	1	2	35	11	28	0	0	0	0	0	0	0	48.45	0	0
2025	3	1	2	45	11	27	0	0	0	0	0	0	0	48.42	0	0
2025	3	1	2	55	11	27	0	0	0	0	0	0	0	48.36	0	0
2025	3	1	3	5	11	27	0	0	0	0	0	0	0	48.31	0	0
2025	3	1	3	15	11	27	0	0	0	0	0	0	0	48.27	0	0
2025	3	1	3	25	11	27	0	0	0	0	0	0	0	48.22	0	0
2025	3	1	3	35	11	28	0	0	0	0	0	0	0	48.18	0	0
2025	3	1	3	45	11	28	0	0	0	0	0	0	0	48.15	0	0
2025	3	1	3	55	11	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	1	4	5	11	27	0	0	0	0	0	0	0	48.06	0	0
2025	3	1	4	15	11	28	0	0	0	0	0	0	0	48.02	0	0
2025	3	1	4	25	11	28	0	0	0	0	0	0	0	47.97	0	0
2025	3	1	4	35	11	28	0	0	0	0	0	0	0	47.93	0	0
2025	3	1	4	45	11	27	0	0	0	0	0	0	0	47.89	0	0
2025	3	1	4	55	11	27	0	0	0	0	0	0	0	47.88	0	0
2025	3	1	5	5	11	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	1	5	15	11	28	0	0	0	0	0	0	0	47.8	0	0
2025	3	1	5	25	11	29	0	0	0	0	0	0	0	47.77	0	0
2025	3	1	5	35	11	27	0	0	0	0	0	0	0	47.75	0	0
2025	3	1	5	45	11	28	0	0	0	0	0	0	0	47.71	0	0
2025	3	1	5	55	11	27	0	0	0	0	0	0	0	47.7	0	0
2025	3	1	6	5	11	28	0	0	0	0	0	0	0	47.66	0	0
2025	3	1	6	15	11	28	0	0	0	0	0	0	0	47.66	0	0
2025	3	1	6	25	11	27	0	0	0	0	0	0	0	47.62	0	0
2025	3	1	6	35	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	1	6	45	11	27	0	0	0	0	0	0	0	47.59	0	0
2025	3	1	6	55	11	27	0	0	0	0	0	0	0	47.59	0	0
2025	3	1	7	5	11	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	1	7	15	11	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	1	7	25	11	27	0	0	0	0	0	0	0	47.57	0	0
2025	3	1	7	35	11	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	1	7	45	11	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	1	7	55	11	27	0	0	0	0	0	0	0	47.61	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	1	8	5	11	27	0	0	0	0	0	0	0	47.62	0	0
2025	3	1	8	15	11	28	0	0	0	0	0	0	0	47.66	0	0
2025	3	1	8	25	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	1	8	35	11	27	0	0	0	0	0	0	0	47.73	0	0
2025	3	1	8	45	11	28	0	0	0	0	0	0	0	47.8	0	0
2025	3	1	8	55	11	28	0	0	0	0	0	0	0	47.89	0	0
2025	3	1	9	5	11	28	0	0	0	0	0	0	0	47.98	0	0
2025	3	1	9	15	11	27	0	0	0	0	0	0	0	48.07	0	0
2025	3	1	9	25	11	28	0	0	0	0	0	0	0	48.18	0	0
2025	3	1	9	35	11	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	1	9	45	11	27	0	0	0	0	0	0	0	48.42	0	0
2025	3	1	9	55	11	28	0	0	0	0	0	0	0	48.56	0	0
2025	3	1	10	5	11	28	0	0	0	0	0	0	0	48.7	0	0
2025	3	1	10	15	11	28	0	0	0	0	0	0	0	48.85	0	0
2025	3	1	10	25	11	28	0	0	0	0	0	0	0	49.01	0	0
2025	3	1	10	35	11	28	0	0	0	0	0	0	0	49.17	0	0
2025	3	1	10	45	11	28	0	0	0	0	0	0	0	49.37	0	0
2025	3	1	10	55	11	28	0	0	0	0	0	0	0	49.55	0	0
2025	3	1	11	5	11	28	0	0	0	0	0	0	0	49.73	0	0
2025	3	1	11	15	11	27	0	0	0	0	0	0	0	49.93	0	0
2025	3	1	11	25	11	28	0	0	0	0	0	0	0	50.13	0	0
2025	3	1	11	35	11	27	0	0	0	0	0	0	0	50.32	0	0
2025	3	1	11	45	11	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	1	11	55	11	27	0	0	0	0	0	0	0	50.7	0	0
2025	3	1	12	5	11	27	0	0	0	0	0	0	0	50.9	0	0
2025	3	1	12	15	11	27	0	0	0	0	0	0	0	51.08	0	0
2025	3	1	12	25	11	28	0	0	0	0	0	0	0	51.28	0	0
2025	3	1	12	35	11	28	0	0	0	0	0	0	0	51.46	0	0
2025	3	1	12	45	11	27	0	0	0	0	0	0	0	51.64	0	0
2025	3	1	12	55	11	27	0	0	0	0	0	0	0	51.84	0	0
2025	3	1	13	5	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	1	13	15	11	27	0	0	0	0	0	0	0	52.18	0	0
2025	3	1	13	25	11	28	0	0	0	0	0	0	0	52.34	0	0
2025	3	1	13	35	11	27	0	0	0	0	0	0	0	52.5	0	0
2025	3	1	13	45	11	28	0	0	0	0	0	0	0	52.65	0	0
2025	3	1	13	55	11	27	0	0	0	0	0	0	0	52.79	0	0
2025	3	1	14	5	11	27	0	0	0	0	0	0	0	52.93	0	0
2025	3	1	14	15	11	27	0	0	0	0	0	0	0	53.08	0	0
2025	3	1	14	25	11	27	0	0	0	0	0	0	0	53.2	0	0
2025	3	1	14	35	11	28	0	0	0	0	0	0	0	53.31	0	0
2025	3	1	14	45	11	27	0	0	0	0	0	0	0	53.42	0	0
2025	3	1	14	55	11	27	0	0	0	0	0	0	0	53.53	0	0
2025	3	1	15	5	11	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	1	15	15	11	27	0	0	0	0	0	0	0	53.71	0	0
2025	3	1	15	25	11	27	0	0	0	0	0	0	0	53.78	0	0
2025	3	1	15	35	11	28	0	0	0	0	0	0	0	53.85	0	0
2025	3	1	15	45	11	27	0	0	0	0	0	0	0	53.91	0	0
2025	3	1	15	55	11	27	0	0	0	0	0	0	0	53.94	0	0

Mazourka (0354)

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	2	0	5	11	27	0	0	0	0	0	0	0	51.55	0	0
2025	3	2	0	15	11	28	0	0	0	0	0	0	0	51.46	0	0
2025	3	2	0	25	11	27	0	0	0	0	0	0	0	51.37	0	0
2025	3	2	0	35	11	27	0	0	0	0	0	0	0	51.28	0	0
2025	3	2	0	45	11	27	0	0	0	0	0	0	0	51.19	0	0
2025	3	2	0	55	11	27	0	0	0	0	0	0	0	51.1	0	0
2025	3	2	1	5	11	27	0	0	0	0	0	0	0	51.01	0	0
2025	3	2	1	15	11	28	0	0	0	0	0	0	0	50.94	0	0
2025	3	2	1	25	11	28	0	0	0	0	0	0	0	50.85	0	0
2025	3	2	1	35	11	27	0	0	0	0	0	0	0	50.76	0	0
2025	3	2	1	45	11	27	0	0	0	0	0	0	0	50.68	0	0
2025	3	2	1	55	11	27	0	0	0	0	0	0	0	50.59	0	0
2025	3	2	2	5	11	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	2	2	15	11	27	0	0	0	0	0	0	0	50.41	0	0
2025	3	2	2	25	11	27	0	0	0	0	0	0	0	50.32	0	0
2025	3	2	2	35	11	28	0	0	0	0	0	0	0	50.23	0	0
2025	3	2	2	45	11	27	0	0	0	0	0	0	0	50.16	0	0
2025	3	2	2	55	11	27	0	0	0	0	0	0	0	50.07	0	0
2025	3	2	3	5	11	28	0	0	0	0	0	0	0	49.98	0	0
2025	3	2	3	15	11	27	0	0	0	0	0	0	0	49.91	0	0
2025	3	2	3	25	11	27	0	0	0	0	0	0	0	49.82	0	0
2025	3	2	3	35	11	27	0	0	0	0	0	0	0	49.75	0	0
2025	3	2	3	45	11	28	0	0	0	0	0	0	0	49.66	0	0
2025	3	2	3	55	11	27	0	0	0	0	0	0	0	49.6	0	0
2025	3	2	4	5	11	28	0	0	0	0	0	0	0	49.51	0	0
2025	3	2	4	15	11	27	0	0	0	0	0	0	0	49.46	0	0
2025	3	2	4	25	11	27	0	0	0	0	0	0	0	49.39	0	0
2025	3	2	4	35	11	28	0	0	0	0	0	0	0	49.33	0	0
2025	3	2	4	45	11	28	0	0	0	0	0	0	0	49.28	0	0
2025	3	2	4	55	11	27	0	0	0	0	0	0	0	49.21	0	0
2025	3	2	5	5	11	28	0	0	0	0	0	0	0	49.15	0	0
2025	3	2	5	15	11	27	0	0	0	0	0	0	0	49.1	0	0
2025	3	2	5	25	11	28	0	0	0	0	0	0	0	49.05	0	0
2025	3	2	5	35	11	28	0	0	0	0	0	0	0	48.99	0	0
2025	3	2	5	45	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	2	5	55	11	27	0	0	0	0	0	0	0	48.9	0	0
2025	3	2	6	5	11	28	0	0	0	0	0	0	0	48.87	0	0
2025	3	2	6	15	11	28	0	0	0	0	0	0	0	48.83	0	0
2025	3	2	6	25	11	27	0	0	0	0	0	0	0	48.79	0	0
2025	3	2	6	35	11	28	0	0	0	0	0	0	0	48.76	0	0
2025	3	2	6	45	11	28	0	0	0	0	0	0	0	48.74	0	0
2025	3	2	6	55	11	28	0	0	0	0	0	0	0	48.7	0	0
2025	3	2	7	5	11	27	0	0	0	0	0	0	0	48.69	0	0
2025	3	2	7	15	11	28	0	0	0	0	0	0	0	48.65	0	0
2025	3	2	7	25	11	28	0	0	0	0	0	0	0	48.63	0	0
2025	3	2	7	35	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	2	7	45	11	28	0	0	0	0	0	0	0	48.63	0	0
2025	3	2	7	55	11	27	0	0	0	0	0	0	0	48.65	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	2	8	5	11	27	0	0	0	0	0	0	0	48.67	0	0
2025	3	2	8	15	11	29	0	0	0	0	0	0	0	48.69	0	0
2025	3	2	8	25	11	28	0	0	0	0	0	0	0	48.72	0	0
2025	3	2	8	35	11	27	0	0	0	0	0	0	0	48.76	0	0
2025	3	2	8	45	11	27	0	0	0	0	0	0	0	48.81	0	0
2025	3	2	8	55	11	27	0	0	0	0	0	0	0	48.85	0	0
2025	3	2	9	5	11	27	0	0	0	0	0	0	0	48.9	0	0
2025	3	2	9	15	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	2	9	25	11	28	0	0	0	0	0	0	0	48.99	0	0
2025	3	2	9	35	11	28	0	0	0	0	0	0	0	49.06	0	0
2025	3	2	9	45	11	28	0	0	0	0	0	0	0	49.14	0	0
2025	3	2	9	55	11	28	0	0	0	0	0	0	0	49.24	0	0
2025	3	2	10	5	11	28	0	0	0	0	0	0	0	49.33	0	0
2025	3	2	10	15	11	27	0	0	0	0	0	0	0	49.44	0	0
2025	3	2	10	25	11	27	0	0	0	0	0	0	0	49.55	0	0
2025	3	2	10	35	11	28	0	0	0	0	0	0	0	49.68	0	0
2025	3	2	10	45	11	28	0	0	0	0	0	0	0	49.8	0	0
2025	3	2	10	55	11	27	0	0	0	0	0	0	0	49.93	0	0
2025	3	2	11	5	11	28	0	0	0	0	0	0	0	50.07	0	0
2025	3	2	11	15	11	28	0	0	0	0	0	0	0	50.22	0	0
2025	3	2	11	25	11	27	0	0	0	0	0	0	0	50.34	0	0
2025	3	2	11	35	11	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	2	11	45	11	27	0	0	0	0	0	0	0	50.65	0	0
2025	3	2	11	55	11	27	0	0	0	0	0	0	0	50.79	0	0
2025	3	2	12	5	11	28	0	0	0	0	0	0	0	50.95	0	0
2025	3	2	12	15	11	28	0	0	0	0	0	0	0	51.1	0	0
2025	3	2	12	25	11	28	0	0	0	0	0	0	0	51.24	0	0
2025	3	2	12	35	11	27	0	0	0	0	0	0	0	51.4	0	0
2025	3	2	12	45	11	27	0	0	0	0	0	0	0	51.55	0	0
2025	3	2	12	55	11	28	0	0	0	0	0	0	0	51.69	0	0
2025	3	2	13	5	11	27	0	0	0	0	0	0	0	51.84	0	0
2025	3	2	13	15	11	28	0	0	0	0	0	0	0	51.98	0	0
2025	3	2	13	25	11	27	0	0	0	0	0	0	0	52.09	0	0
2025	3	2	13	35	11	28	0	0	0	0	0	0	0	52.2	0	0
2025	3	2	13	45	11	27	0	0	0	0	0	0	0	52.3	0	0
2025	3	2	13	55	11	27	0	0	0	0	0	0	0	52.41	0	0
2025	3	2	14	5	11	27	0	0	0	0	0	0	0	52.52	0	0
2025	3	2	14	15	11	28	0	0	0	0	0	0	0	52.56	0	0
2025	3	2	14	25	11	27	0	0	0	0	0	0	0	52.68	0	0
2025	3	2	14	35	11	27	0	0	0	0	0	0	0	52.74	0	0
2025	3	2	14	45	11	27	0	0	0	0	0	0	0	52.81	0	0
2025	3	2	14	55	11	27	0	0	0	0	0	0	0	52.88	0	0
2025	3	2	15	5	11	27	0	0	0	0	0	0	0	52.92	0	0
2025	3	2	15	15	11	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	2	15	25	11	28	0	0	0	0	0	0	0	52.97	0	0
2025	3	2	15	35	11	28	0	0	0	0	0	0	0	52.97	0	0
2025	3	2	15	45	11	27	0	0	0	0	0	0	0	52.97	0	0
2025	3	2	15	55	11	28	0	0	0	0	0	0	0	52.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	2	16	5	11	27	0	0	0	0	0	0	0	52.97	0	0
2025	3	2	16	15	11	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	2	16	25	11	27	0	0	0	0	0	0	0	52.92	0	0
2025	3	2	16	35	11	27	0	0	0	0	0	0	0	52.88	0	0
2025	3	2	16	45	11	27	0	0	0	0	0	0	0	52.83	0	0
2025	3	2	16	55	11	27	0	0	0	0	0	0	0	52.77	0	0
2025	3	2	17	5	11	27	0	0	0	0	0	0	0	52.72	0	0
2025	3	2	17	15	11	27	0	0	0	0	0	0	0	52.65	0	0
2025	3	2	17	25	11	27	0	0	0	0	0	0	0	52.61	0	0
2025	3	2	17	35	11	27	0	0	0	0	0	0	0	52.54	0	0
2025	3	2	17	45	11	27	0	0	0	0	0	0	0	52.5	0	0
2025	3	2	17	55	11	27	0	0	0	0	0	0	0	52.45	0	0
2025	3	2	18	5	11	27	0	0	0	0	0	0	0	52.39	0	0
2025	3	2	18	15	11	27	0	0	0	0	0	0	0	52.34	0	0
2025	3	2	18	25	11	27	0	0	0	0	0	0	0	52.27	0	0
2025	3	2	18	35	11	28	0	0	0	0	0	0	0	52.21	0	0
2025	3	2	18	45	11	27	0	0	0	0	0	0	0	52.16	0	0
2025	3	2	18	55	11	28	0	0	0	0	0	0	0	52.11	0	0
2025	3	2	19	5	11	27	0	0	0	0	0	0	0	52.05	0	0
2025	3	2	19	15	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	2	19	25	11	27	0	0	0	0	0	0	0	51.94	0	0
2025	3	2	19	35	11	27	0	0	0	0	0	0	0	51.89	0	0
2025	3	2	19	45	11	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	2	19	55	11	28	0	0	0	0	0	0	0	51.73	0	0
2025	3	2	20	5	11	27	0	0	0	0	0	0	0	51.67	0	0
2025	3	2	20	15	11	27	0	0	0	0	0	0	0	51.6	0	0
2025	3	2	20	25	11	27	0	0	0	0	0	0	0	51.55	0	0
2025	3	2	20	35	11	27	0	0	0	0	0	0	0	51.49	0	0
2025	3	2	20	45	11	27	0	0	0	0	0	0	0	51.44	0	0
2025	3	2	20	55	11	27	0	0	0	0	0	0	0	51.35	0	0
2025	3	2	21	5	11	27	0	0	0	0	0	0	0	51.28	0	0
2025	3	2	21	15	11	27	0	0	0	0	0	0	0	51.19	0	0
2025	3	2	21	25	11	27	0	0	0	0	0	0	0	51.1	0	0
2025	3	2	21	35	11	28	0	0	0	0	0	0	0	51.01	0	0
2025	3	2	21	45	11	27	0	0	0	0	0	0	0	50.94	0	0
2025	3	2	21	55	11	27	0	0	0	0	0	0	0	50.86	0	0
2025	3	2	22	5	11	27	0	0	0	0	0	0	0	50.79	0	0
2025	3	2	22	15	11	28	0	0	0	0	0	0	0	50.7	0	0
2025	3	2	22	25	11	27	0	0	0	0	0	0	0	50.63	0	0
2025	3	2	22	35	11	28	0	0	0	0	0	0	0	50.54	0	0
2025	3	2	22	45	11	28	0	0	0	0	0	0	0	50.47	0	0
2025	3	2	22	55	11	28	0	0	0	0	0	0	0	50.4	0	0
2025	3	2	23	5	11	27	0	0	0	0	0	0	0	50.31	0	0
2025	3	2	23	15	11	27	0	0	0	0	0	0	0	50.22	0	0
2025	3	2	23	25	11	27	0	0	0	0	0	0	0	50.13	0	0
2025	3	2	23	35	11	27	0	0	0	0	0	0	0	50.04	0	0
2025	3	2	23	45	11	27	0	0	0	0	0	0	0	49.95	0	0
2025	3	2	23	55	11	28	0	0	0	0	0	0	0	49.84	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	3	0	5	11	27	0	0	0	0	0	0	0	49.75	0	0
2025	3	3	0	15	11	27	0	0	0	0	0	0	0	49.66	0	0
2025	3	3	0	25	11	27	0	0	0	0	0	0	0	49.57	0	0
2025	3	3	0	35	11	27	0	0	0	0	0	0	0	49.48	0	0
2025	3	3	0	45	11	28	0	0	0	0	0	0	0	49.39	0	0
2025	3	3	0	55	11	27	0	0	0	0	0	0	0	49.3	0	0
2025	3	3	1	5	11	28	0	0	0	0	0	0	0	49.19	0	0
2025	3	3	1	15	11	27	0	0	0	0	0	0	0	49.1	0	0
2025	3	3	1	25	11	27	0	0	0	0	0	0	0	49.01	0	0
2025	3	3	1	35	11	27	0	0	0	0	0	0	0	48.92	0	0
2025	3	3	1	45	11	28	0	0	0	0	0	0	0	48.81	0	0
2025	3	3	1	55	11	27	0	0	0	0	0	0	0	48.72	0	0
2025	3	3	2	5	11	27	0	0	0	0	0	0	0	48.63	0	0
2025	3	3	2	15	11	27	0	0	0	0	0	0	0	48.52	0	0
2025	3	3	2	25	11	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	3	2	35	11	28	0	0	0	0	0	0	0	48.34	0	0
2025	3	3	2	45	11	28	0	0	0	0	0	0	0	48.27	0	0
2025	3	3	2	55	11	28	0	0	0	0	0	0	0	48.18	0	0
2025	3	3	3	5	11	28	0	0	0	0	0	0	0	48.11	0	0
2025	3	3	3	15	11	27	0	0	0	0	0	0	0	48.02	0	0
2025	3	3	3	25	11	27	0	0	0	0	0	0	0	47.95	0	0
2025	3	3	3	35	11	28	0	0	0	0	0	0	0	47.86	0	0
2025	3	3	3	45	11	27	0	0	0	0	0	0	0	47.8	0	0
2025	3	3	3	55	11	27	0	0	0	0	0	0	0	47.73	0	0
2025	3	3	4	5	11	27	0	0	0	0	0	0	0	47.66	0	0
2025	3	3	4	15	11	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	3	4	25	11	28	0	0	0	0	0	0	0	47.52	0	0
2025	3	3	4	35	11	28	0	0	0	0	0	0	0	47.46	0	0
2025	3	3	4	45	11	28	0	0	0	0	0	0	0	47.43	0	0
2025	3	3	4	55	11	28	0	0	0	0	0	0	0	47.37	0	0
2025	3	3	5	5	11	27	0	0	0	0	0	0	0	47.32	0	0
2025	3	3	5	15	11	27	0	0	0	0	0	0	0	47.26	0	0
2025	3	3	5	25	11	27	0	0	0	0	0	0	0	47.21	0	0
2025	3	3	5	35	11	27	0	0	0	0	0	0	0	47.16	0	0
2025	3	3	5	45	11	27	0	0	0	0	0	0	0	47.08	0	0
2025	3	3	5	55	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	3	6	5	11	27	0	0	0	0	0	0	0	46.98	0	0
2025	3	3	6	15	11	27	0	0	0	0	0	0	0	46.92	0	0
2025	3	3	6	25	11	28	0	0	0	0	0	0	0	46.89	0	0
2025	3	3	6	35	11	28	0	0	0	0	0	0	0	46.83	0	0
2025	3	3	6	45	11	27	0	0	0	0	0	0	0	46.78	0	0
2025	3	3	6	55	11	27	0	0	0	0	0	0	0	46.74	0	0
2025	3	3	7	5	11	28	0	0	0	0	0	0	0	46.72	0	0
2025	3	3	7	15	11	28	0	0	0	0	0	0	0	46.69	0	0
2025	3	3	7	25	11	28	0	0	0	0	0	0	0	46.65	0	0
2025	3	3	7	35	11	27	0	0	0	0	0	0	0	46.62	0	0
2025	3	3	7	45	11	28	0	0	0	0	0	0	0	46.6	0	0
2025	3	3	7	55	11	28	0	0	0	0	0	0	0	46.58	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	3	8	5	11	28	0	0	0	0	0	0	0	46.56	0	0
2025	3	3	8	15	11	27	0	0	0	0	0	0	0	46.54	0	0
2025	3	3	8	25	11	27	0	0	0	0	0	0	0	46.54	0	0
2025	3	3	8	35	11	28	0	0	0	0	0	0	0	46.54	0	0
2025	3	3	8	45	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	3	8	55	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	3	9	5	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	3	9	15	11	28	0	0	0	0	0	0	0	46.63	0	0
2025	3	3	9	25	11	28	0	0	0	0	0	0	0	46.62	0	0
2025	3	3	9	35	11	28	0	0	0	0	0	0	0	46.63	0	0
2025	3	3	9	45	11	28	0	0	0	0	0	0	0	46.65	0	0
2025	3	3	9	55	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	3	10	5	11	28	0	0	0	0	0	0	0	46.85	0	0
2025	3	3	10	15	11	28	0	0	0	0	0	0	0	46.92	0	0
2025	3	3	10	25	11	27	0	0	0	0	0	0	0	47.03	0	0
2025	3	3	10	35	11	28	0	0	0	0	0	0	0	47.14	0	0
2025	3	3	10	45	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	3	10	55	11	28	0	0	0	0	0	0	0	47.39	0	0
2025	3	3	11	5	11	27	0	0	0	0	0	0	0	47.5	0	0
2025	3	3	11	15	11	27	0	0	0	0	0	0	0	47.66	0	0
2025	3	3	11	25	11	28	0	0	0	0	0	0	0	47.8	0	0
2025	3	3	11	35	11	28	0	0	0	0	0	0	0	47.95	0	0
2025	3	3	11	45	11	28	0	0	0	0	0	0	0	48.11	0	0
2025	3	3	11	55	11	28	0	0	0	0	0	0	0	48.27	0	0
2025	3	3	12	5	11	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	3	12	15	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	3	12	25	11	27	0	0	0	0	0	0	0	48.78	0	0
2025	3	3	12	35	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	3	12	45	11	28	0	0	0	0	0	0	0	49.1	0	0
2025	3	3	12	55	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	3	13	5	11	28	0	0	0	0	0	0	0	49.42	0	0
2025	3	3	13	15	11	28	0	0	0	0	0	0	0	49.57	0	0
2025	3	3	13	25	11	27	0	0	0	0	0	0	0	49.69	0	0
2025	3	3	13	35	11	28	0	0	0	0	0	0	0	49.82	0	0
2025	3	3	13	45	11	27	0	0	0	0	0	0	0	49.96	0	0
2025	3	3	13	55	11	28	0	0	0	0	0	0	0	50.09	0	0
2025	3	3	14	5	11	27	0	0	0	0	0	0	0	50.22	0	0
2025	3	3	14	15	11	27	0	0	0	0	0	0	0	50.31	0	0
2025	3	3	14	25	11	28	0	0	0	0	0	0	0	50.41	0	0
2025	3	3	14	35	11	27	0	0	0	0	0	0	0	50.52	0	0
2025	3	3	14	45	11	27	0	0	0	0	0	0	0	50.61	0	0
2025	3	3	14	55	11	28	0	0	0	0	0	0	0	50.68	0	0
2025	3	3	15	5	11	28	0	0	0	0	0	0	0	50.76	0	0
2025	3	3	15	15	11	28	0	0	0	0	0	0	0	50.81	0	0
2025	3	3	15	25	11	27	0	0	0	0	0	0	0	50.86	0	0
2025	3	3	15	35	11	27	0	0	0	0	0	0	0	50.9	0	0
2025	3	3	15	45	11	27	0	0	0	0	0	0	0	50.94	0	0
2025	3	3	15	55	11	27	0	0	0	0	0	0	0	50.97	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	3	16	5	11	27	0	0	0	0	0	0	0	50.99	0	0
2025	3	3	16	15	11	28	0	0	0	0	0	0	0	50.99	0	0
2025	3	3	16	25	11	27	0	0	0	0	0	0	0	51.01	0	0
2025	3	3	16	35	11	28	0	0	0	0	0	0	0	51.01	0	0
2025	3	3	16	45	11	27	0	0	0	0	0	0	0	51.01	0	0
2025	3	3	16	55	11	28	0	0	0	0	0	0	0	50.99	0	0
2025	3	3	17	5	11	27	0	0	0	0	0	0	0	50.97	0	0
2025	3	3	17	15	11	27	0	0	0	0	0	0	0	50.94	0	0
2025	3	3	17	25	11	27	0	0	0	0	0	0	0	50.9	0	0
2025	3	3	17	35	11	28	0	0	0	0	0	0	0	50.86	0	0
2025	3	3	17	45	11	28	0	0	0	0	0	0	0	50.83	0	0
2025	3	3	17	55	11	28	0	0	0	0	0	0	0	50.79	0	0
2025	3	3	18	5	11	27	0	0	0	0	0	0	0	50.76	0	0
2025	3	3	18	15	11	27	0	0	0	0	0	0	0	50.7	0	0
2025	3	3	18	25	11	27	0	0	0	0	0	0	0	50.67	0	0
2025	3	3	18	35	11	27	0	0	0	0	0	0	0	50.63	0	0
2025	3	3	18	45	11	27	0	0	0	0	0	0	0	50.58	0	0
2025	3	3	18	55	11	27	0	0	0	0	0	0	0	50.54	0	0
2025	3	3	19	5	11	28	0	0	0	0	0	0	0	50.49	0	0
2025	3	3	19	15	11	28	0	0	0	0	0	0	0	50.45	0	0
2025	3	3	19	25	11	27	0	0	0	0	0	0	0	50.4	0	0
2025	3	3	19	35	11	27	0	0	0	0	0	0	0	50.34	0	0
2025	3	3	19	45	11	28	0	0	0	0	0	0	0	50.29	0	0
2025	3	3	19	55	11	27	0	0	0	0	0	0	0	50.23	0	0
2025	3	3	20	5	11	27	0	0	0	0	0	0	0	50.18	0	0
2025	3	3	20	15	11	27	0	0	0	0	0	0	0	50.11	0	0
2025	3	3	20	25	11	28	0	0	0	0	0	0	0	50.05	0	0
2025	3	3	20	35	11	27	0	0	0	0	0	0	0	50	0	0
2025	3	3	20	45	11	27	0	0	0	0	0	0	0	49.91	0	0
2025	3	3	20	55	11	28	0	0	0	0	0	0	0	49.86	0	0
2025	3	3	21	5	11	28	0	0	0	0	0	0	0	49.78	0	0
2025	3	3	21	15	11	27	0	0	0	0	0	0	0	49.71	0	0
2025	3	3	21	25	11	27	0	0	0	0	0	0	0	49.64	0	0
2025	3	3	21	35	11	28	0	0	0	0	0	0	0	49.57	0	0
2025	3	3	21	45	11	28	0	0	0	0	0	0	0	49.5	0	0
2025	3	3	21	55	11	28	0	0	0	0	0	0	0	49.42	0	0
2025	3	3	22	5	11	28	0	0	0	0	0	0	0	49.35	0	0
2025	3	3	22	15	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	3	22	25	11	27	0	0	0	0	0	0	0	49.19	0	0
2025	3	3	22	35	11	27	0	0	0	0	0	0	0	49.12	0	0
2025	3	3	22	45	11	27	0	0	0	0	0	0	0	49.03	0	0
2025	3	3	22	55	11	27	0	0	0	0	0	0	0	48.96	0	0
2025	3	3	23	5	11	28	0	0	0	0	0	0	0	48.87	0	0
2025	3	3	23	15	11	28	0	0	0	0	0	0	0	48.79	0	0
2025	3	3	23	25	11	28	0	0	0	0	0	0	0	48.7	0	0
2025	3	3	23	35	11	28	0	0	0	0	0	0	0	48.63	0	0
2025	3	3	23	45	11	28	0	0	0	0	0	0	0	48.54	0	0
2025	3	3	23	55	11	28	0	0	0	0	0	0	0	48.47	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	4	0	5	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	4	0	15	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	4	0	25	11	27	0	0	0	0	0	0	0	48.22	0	0
2025	3	4	0	35	11	28	0	0	0	0	0	0	0	48.15	0	0
2025	3	4	0	45	11	28	0	0	0	0	0	0	0	48.07	0	0
2025	3	4	0	55	11	27	0	0	0	0	0	0	0	48	0	0
2025	3	4	1	5	11	27	0	0	0	0	0	0	0	47.93	0	0
2025	3	4	1	15	11	27	0	0	0	0	0	0	0	47.84	0	0
2025	3	4	1	25	11	28	0	0	0	0	0	0	0	47.77	0	0
2025	3	4	1	35	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	4	1	45	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	4	1	55	11	28	0	0	0	0	0	0	0	47.55	0	0
2025	3	4	2	5	11	28	0	0	0	0	0	0	0	47.48	0	0
2025	3	4	2	15	11	28	0	0	0	0	0	0	0	47.41	0	0
2025	3	4	2	25	11	27	0	0	0	0	0	0	0	47.34	0	0
2025	3	4	2	35	11	28	0	0	0	0	0	0	0	47.25	0	0
2025	3	4	2	45	11	27	0	0	0	0	0	0	0	47.19	0	0
2025	3	4	2	55	11	28	0	0	0	0	0	0	0	47.1	0	0
2025	3	4	3	5	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	4	3	15	11	28	0	0	0	0	0	0	0	46.98	0	0
2025	3	4	3	25	11	28	0	0	0	0	0	0	0	46.9	0	0
2025	3	4	3	35	11	27	0	0	0	0	0	0	0	46.83	0	0
2025	3	4	3	45	11	27	0	0	0	0	0	0	0	46.78	0	0
2025	3	4	3	55	11	28	0	0	0	0	0	0	0	46.71	0	0
2025	3	4	4	5	11	28	0	0	0	0	0	0	0	46.63	0	0
2025	3	4	4	15	11	28	0	0	0	0	0	0	0	46.58	0	0
2025	3	4	4	25	11	27	0	0	0	0	0	0	0	46.51	0	0
2025	3	4	4	35	11	27	0	0	0	0	0	0	0	46.45	0	0
2025	3	4	4	45	11	28	0	0	0	0	0	0	0	46.4	0	0
2025	3	4	4	55	11	27	0	0	0	0	0	0	0	46.35	0	0
2025	3	4	5	5	11	28	0	0	0	0	0	0	0	46.29	0	0
2025	3	4	5	15	11	28	0	0	0	0	0	0	0	46.22	0	0
2025	3	4	5	25	11	28	0	0	0	0	0	0	0	46.18	0	0
2025	3	4	5	35	11	28	0	0	0	0	0	0	0	46.11	0	0
2025	3	4	5	45	11	28	0	0	0	0	0	0	0	46.06	0	0
2025	3	4	5	55	11	28	0	0	0	0	0	0	0	46.02	0	0
2025	3	4	6	5	11	28	0	0	0	0	0	0	0	45.95	0	0
2025	3	4	6	15	11	27	0	0	0	0	0	0	0	45.91	0	0
2025	3	4	6	25	11	28	0	0	0	0	0	0	0	45.86	0	0
2025	3	4	6	35	11	28	0	0	0	0	0	0	0	45.82	0	0
2025	3	4	6	45	11	28	0	0	0	0	0	0	0	45.75	0	0
2025	3	4	6	55	11	28	0	0	0	0	0	0	0	45.72	0	0
2025	3	4	7	5	11	27	0	0	0	0	0	0	0	45.68	0	0
2025	3	4	7	15	11	28	0	0	0	0	0	0	0	45.64	0	0
2025	3	4	7	25	11	28	0	0	0	0	0	0	0	45.61	0	0
2025	3	4	7	35	11	28	0	0	0	0	0	0	0	45.57	0	0
2025	3	4	7	45	11	27	0	0	0	0	0	0	0	45.57	0	0
2025	3	4	7	55	11	28	0	0	0	0	0	0	0	45.57	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	4	8	5	11	28	0	0	0	0	0	0	0	45.59	0	0
2025	3	4	8	15	11	28	0	0	0	0	0	0	0	45.61	0	0
2025	3	4	8	25	11	28	0	0	0	0	0	0	0	45.64	0	0
2025	3	4	8	35	11	28	0	0	0	0	0	0	0	45.7	0	0
2025	3	4	8	45	11	28	0	0	0	0	0	0	0	45.75	0	0
2025	3	4	8	55	11	28	0	0	0	0	0	0	0	45.82	0	0
2025	3	4	9	5	11	28	0	0	0	0	0	0	0	45.91	0	0
2025	3	4	9	15	11	28	0	0	0	0	0	0	0	46.02	0	0
2025	3	4	9	25	11	28	0	0	0	0	0	0	0	46.11	0	0
2025	3	4	9	35	11	28	0	0	0	0	0	0	0	46.24	0	0
2025	3	4	9	45	11	27	0	0	0	0	0	0	0	46.38	0	0
2025	3	4	9	55	11	28	0	0	0	0	0	0	0	46.51	0	0
2025	3	4	10	5	11	28	0	0	0	0	0	0	0	46.67	0	0
2025	3	4	10	15	11	28	0	0	0	0	0	0	0	46.81	0	0
2025	3	4	10	25	11	28	0	0	0	0	0	0	0	46.99	0	0
2025	3	4	10	35	11	28	0	0	0	0	0	0	0	47.16	0	0
2025	3	4	10	45	11	28	0	0	0	0	0	0	0	47.34	0	0
2025	3	4	10	55	11	28	0	0	0	0	0	0	0	47.52	0	0
2025	3	4	11	5	11	28	0	0	0	0	0	0	0	47.71	0	0
2025	3	4	11	15	11	28	0	0	0	0	0	0	0	47.89	0	0
2025	3	4	11	25	11	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	4	11	35	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	4	11	45	11	28	0	0	0	0	0	0	0	48.49	0	0
2025	3	4	11	55	11	28	0	0	0	0	0	0	0	48.67	0	0
2025	3	4	12	5	11	28	0	0	0	0	0	0	0	48.87	0	0
2025	3	4	12	15	11	28	0	0	0	0	0	0	0	49.06	0	0
2025	3	4	12	25	11	27	0	0	0	0	0	0	0	49.24	0	0
2025	3	4	12	35	11	27	0	0	0	0	0	0	0	49.44	0	0
2025	3	4	12	45	11	28	0	0	0	0	0	0	0	49.62	0	0
2025	3	4	12	55	11	28	0	0	0	0	0	0	0	49.8	0	0
2025	3	4	13	5	11	27	0	0	0	0	0	0	0	49.98	0	0
2025	3	4	13	15	11	27	0	0	0	0	0	0	0	50.14	0	0
2025	3	4	13	25	11	27	0	0	0	0	0	0	0	50.31	0	0
2025	3	4	13	35	11	27	0	0	0	0	0	0	0	50.47	0	0
2025	3	4	13	45	11	27	0	0	0	0	0	0	0	50.61	0	0
2025	3	4	13	55	11	28	0	0	0	0	0	0	0	50.76	0	0
2025	3	4	14	5	11	27	0	0	0	0	0	0	0	50.9	0	0
2025	3	4	14	15	11	27	0	0	0	0	0	0	0	51.04	0	0
2025	3	4	14	25	11	27	0	0	0	0	0	0	0	51.17	0	0
2025	3	4	14	35	11	27	0	0	0	0	0	0	0	51.3	0	0
2025	3	4	14	45	11	27	0	0	0	0	0	0	0	51.4	0	0
2025	3	4	14	55	11	27	0	0	0	0	0	0	0	51.51	0	0
2025	3	4	15	5	11	27	0	0	0	0	0	0	0	51.6	0	0
2025	3	4	15	15	11	27	0	0	0	0	0	0	0	51.69	0	0
2025	3	4	15	25	11	28	0	0	0	0	0	0	0	51.76	0	0
2025	3	4	15	35	11	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	4	15	45	11	27	0	0	0	0	0	0	0	51.89	0	0
2025	3	4	15	55	11	27	0	0	0	0	0	0	0	51.94	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	4	16	5	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	4	16	15	11	27	0	0	0	0	0	0	0	52.02	0	0
2025	3	4	16	25	11	28	0	0	0	0	0	0	0	52.05	0	0
2025	3	4	16	35	11	27	0	0	0	0	0	0	0	52.07	0	0
2025	3	4	16	45	11	27	0	0	0	0	0	0	0	52.09	0	0
2025	3	4	16	55	11	27	0	0	0	0	0	0	0	52.11	0	0
2025	3	4	17	5	11	27	0	0	0	0	0	0	0	52.12	0	0
2025	3	4	17	15	11	27	0	0	0	0	0	0	0	52.11	0	0
2025	3	4	17	25	11	27	0	0	0	0	0	0	0	52.11	0	0
2025	3	4	17	35	11	27	0	0	0	0	0	0	0	52.11	0	0
2025	3	4	17	45	11	27	0	0	0	0	0	0	0	52.09	0	0
2025	3	4	17	55	11	27	0	0	0	0	0	0	0	52.07	0	0
2025	3	4	18	5	11	28	0	0	0	0	0	0	0	52.05	0	0
2025	3	4	18	15	11	28	0	0	0	0	0	0	0	52.02	0	0
2025	3	4	18	25	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	4	18	35	11	27	0	0	0	0	0	0	0	51.96	0	0
2025	3	4	18	45	11	27	0	0	0	0	0	0	0	51.94	0	0
2025	3	4	18	55	11	27	0	0	0	0	0	0	0	51.91	0	0
2025	3	4	19	5	11	27	0	0	0	0	0	0	0	51.85	0	0
2025	3	4	19	15	11	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	4	19	25	11	27	0	0	0	0	0	0	0	51.78	0	0
2025	3	4	19	35	11	28	0	0	0	0	0	0	0	51.73	0	0
2025	3	4	19	45	11	28	0	0	0	0	0	0	0	51.67	0	0
2025	3	4	19	55	11	28	0	0	0	0	0	0	0	51.6	0	0
2025	3	4	20	5	11	27	0	0	0	0	0	0	0	51.55	0	0
2025	3	4	20	15	11	27	0	0	0	0	0	0	0	51.48	0	0
2025	3	4	20	25	11	26	0	0	0	0	0	0	0	51.4	0	0
2025	3	4	20	35	11	27	0	0	0	0	0	0	0	51.33	0	0
2025	3	4	20	45	11	28	0	0	0	0	0	0	0	51.26	0	0
2025	3	4	20	55	11	27	0	0	0	0	0	0	0	51.19	0	0
2025	3	4	21	5	11	27	0	0	0	0	0	0	0	51.1	0	0
2025	3	4	21	15	11	28	0	0	0	0	0	0	0	51.03	0	0
2025	3	4	21	25	11	27	0	0	0	0	0	0	0	50.94	0	0
2025	3	4	21	35	11	27	0	0	0	0	0	0	0	50.85	0	0
2025	3	4	21	45	11	27	0	0	0	0	0	0	0	50.77	0	0
2025	3	4	21	55	11	27	0	0	0	0	0	0	0	50.68	0	0
2025	3	4	22	5	11	27	0	0	0	0	0	0	0	50.61	0	0
2025	3	4	22	15	11	27	0	0	0	0	0	0	0	50.54	0	0
2025	3	4	22	25	11	27	0	0	0	0	0	0	0	50.47	0	0
2025	3	4	22	35	11	28	0	0	0	0	0	0	0	50.38	0	0
2025	3	4	22	45	11	28	0	0	0	0	0	0	0	50.31	0	0
2025	3	4	22	55	11	27	0	0	0	0	0	0	0	50.23	0	0
2025	3	4	23	5	11	28	0	0	0	0	0	0	0	50.14	0	0
2025	3	4	23	15	11	27	0	0	0	0	0	0	0	50.05	0	0
2025	3	4	23	25	11	28	0	0	0	0	0	0	0	49.98	0	0
2025	3	4	23	35	11	28	0	0	0	0	0	0	0	49.91	0	0
2025	3	4	23	45	11	28	0	0	0	0	0	0	0	49.84	0	0
2025	3	4	23	55	11	27	0	0	0	0	0	0	0	49.75	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	5	0	5	11	28	0	0	0	0	0	0	0	49.68	0	0
2025	3	5	0	15	11	28	0	0	0	0	0	0	0	49.59	0	0
2025	3	5	0	25	11	27	0	0	0	0	0	0	0	49.51	0	0
2025	3	5	0	35	11	27	0	0	0	0	0	0	0	49.42	0	0
2025	3	5	0	45	11	27	0	0	0	0	0	0	0	49.33	0	0
2025	3	5	0	55	11	27	0	0	0	0	0	0	0	49.24	0	0
2025	3	5	1	5	11	27	0	0	0	0	0	0	0	49.15	0	0
2025	3	5	1	15	11	27	0	0	0	0	0	0	0	49.06	0	0
2025	3	5	1	25	11	27	0	0	0	0	0	0	0	48.96	0	0
2025	3	5	1	35	11	28	0	0	0	0	0	0	0	48.88	0	0
2025	3	5	1	45	11	27	0	0	0	0	0	0	0	48.78	0	0
2025	3	5	1	55	11	27	0	0	0	0	0	0	0	48.69	0	0
2025	3	5	2	5	11	28	0	0	0	0	0	0	0	48.6	0	0
2025	3	5	2	15	11	27	0	0	0	0	0	0	0	48.49	0	0
2025	3	5	2	25	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	2	35	11	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	5	2	45	11	27	0	0	0	0	0	0	0	48.22	0	0
2025	3	5	2	55	11	28	0	0	0	0	0	0	0	48.13	0	0
2025	3	5	3	5	11	27	0	0	0	0	0	0	0	48.06	0	0
2025	3	5	3	15	11	28	0	0	0	0	0	0	0	47.98	0	0
2025	3	5	3	25	11	27	0	0	0	0	0	0	0	47.91	0	0
2025	3	5	3	35	11	28	0	0	0	0	0	0	0	47.86	0	0
2025	3	5	3	45	11	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	5	3	55	11	28	0	0	0	0	0	0	0	47.73	0	0
2025	3	5	4	5	11	28	0	0	0	0	0	0	0	47.68	0	0
2025	3	5	4	15	11	27	0	0	0	0	0	0	0	47.62	0	0
2025	3	5	4	25	11	27	0	0	0	0	0	0	0	47.57	0	0
2025	3	5	4	35	11	28	0	0	0	0	0	0	0	47.52	0	0
2025	3	5	4	45	11	28	0	0	0	0	0	0	0	47.5	0	0
2025	3	5	4	55	11	28	0	0	0	0	0	0	0	47.44	0	0
2025	3	5	5	5	11	28	0	0	0	0	0	0	0	47.41	0	0
2025	3	5	5	15	11	28	0	0	0	0	0	0	0	47.37	0	0
2025	3	5	5	25	11	27	0	0	0	0	0	0	0	47.34	0	0
2025	3	5	5	35	11	28	0	0	0	0	0	0	0	47.3	0	0
2025	3	5	5	45	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	5	5	55	11	29	0	0	0	0	0	0	0	47.25	0	0
2025	3	5	6	5	11	29	0	0	0	0	0	0	0	47.21	0	0
2025	3	5	6	15	11	28	0	0	0	0	0	0	0	47.19	0	0
2025	3	5	6	25	11	28	0	0	0	0	0	0	0	47.16	0	0
2025	3	5	6	35	11	27	0	0	0	0	0	0	0	47.14	0	0
2025	3	5	6	45	11	27	0	0	0	0	0	0	0	47.12	0	0
2025	3	5	6	55	11	28	0	0	0	0	0	0	0	47.1	0	0
2025	3	5	7	5	11	28	0	0	0	0	0	0	0	47.08	0	0
2025	3	5	7	15	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	5	7	25	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	5	7	35	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	5	7	45	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	5	7	55	11	28	0	0	0	0	0	0	0	47.07	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	5	8	5	11	28	0	0	0	0	0	0	0	47.08	0	0
2025	3	5	8	15	11	28	0	0	0	0	0	0	0	47.1	0	0
2025	3	5	8	25	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	5	8	35	11	28	0	0	0	0	0	0	0	47.16	0	0
2025	3	5	8	45	11	28	0	0	0	0	0	0	0	47.19	0	0
2025	3	5	8	55	11	27	0	0	0	0	0	0	0	47.23	0	0
2025	3	5	9	5	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	5	9	15	11	28	0	0	0	0	0	0	0	47.34	0	0
2025	3	5	9	25	11	28	0	0	0	0	0	0	0	47.41	0	0
2025	3	5	9	35	11	28	0	0	0	0	0	0	0	47.48	0	0
2025	3	5	9	45	11	28	0	0	0	0	0	0	0	47.53	0	0
2025	3	5	9	55	11	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	5	10	5	11	28	0	0	0	0	0	0	0	47.64	0	0
2025	3	5	10	15	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	5	10	25	11	28	0	0	0	0	0	0	0	47.73	0	0
2025	3	5	10	35	11	28	0	0	0	0	0	0	0	47.79	0	0
2025	3	5	10	45	11	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	5	10	55	11	28	0	0	0	0	0	0	0	47.88	0	0
2025	3	5	11	5	11	28	0	0	0	0	0	0	0	47.95	0	0
2025	3	5	11	15	11	27	0	0	0	0	0	0	0	48	0	0
2025	3	5	11	25	11	27	0	0	0	0	0	0	0	48.06	0	0
2025	3	5	11	35	11	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	5	11	45	11	28	0	0	0	0	0	0	0	48.13	0	0
2025	3	5	11	55	11	28	0	0	0	0	0	0	0	48.15	0	0
2025	3	5	12	5	11	28	0	0	0	0	0	0	0	48.18	0	0
2025	3	5	12	15	11	27	0	0	0	0	0	0	0	48.2	0	0
2025	3	5	12	25	11	28	0	0	0	0	0	0	0	48.22	0	0
2025	3	5	12	35	11	27	0	0	0	0	0	0	0	48.25	0	0
2025	3	5	12	45	11	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	5	12	55	11	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	5	13	5	11	28	0	0	0	0	0	0	0	48.33	0	0
2025	3	5	13	15	11	28	0	0	0	0	0	0	0	48.34	0	0
2025	3	5	13	25	11	28	0	0	0	0	0	0	0	48.36	0	0
2025	3	5	13	35	11	28	0	0	0	0	0	0	0	48.36	0	0
2025	3	5	13	45	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	5	13	55	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	5	14	5	11	28	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	14	15	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	14	25	11	28	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	14	35	11	28	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	14	45	11	27	0	0	0	0	0	0	0	48.42	0	0
2025	3	5	14	55	11	27	0	0	0	0	0	0	0	48.42	0	0
2025	3	5	15	5	11	28	0	0	0	0	0	0	0	48.42	0	0
2025	3	5	15	15	11	28	0	0	0	0	0	0	0	48.42	0	0
2025	3	5	15	25	11	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	5	15	35	11	27	0	0	0	0	0	0	0	48.43	0	0
2025	3	5	15	45	11	27	0	0	0	0	0	0	0	48.43	0	0
2025	3	5	15	55	11	28	0	0	0	0	0	0	0	48.42	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	5	16	5	11	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	5	16	15	11	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	5	16	25	11	28	0	0	0	0	0	0	0	48.42	0	0
2025	3	5	16	35	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	16	45	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	16	55	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	5	17	5	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	5	17	15	11	27	0	0	0	0	0	0	0	48.38	0	0
2025	3	5	17	25	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	5	17	35	11	28	0	0	0	0	0	0	0	48.34	0	0
2025	3	5	17	45	11	27	0	0	0	0	0	0	0	48.34	0	0
2025	3	5	17	55	11	27	0	0	0	0	0	0	0	48.33	0	0
2025	3	5	18	5	11	27	0	0	0	0	0	0	0	48.33	0	0
2025	3	5	18	15	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	5	18	25	11	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	5	18	35	11	28	0	0	0	0	0	0	0	48.27	0	0
2025	3	5	18	45	11	27	0	0	0	0	0	0	0	48.25	0	0
2025	3	5	18	55	11	28	0	0	0	0	0	0	0	48.22	0	0
2025	3	5	19	5	11	28	0	0	0	0	0	0	0	48.2	0	0
2025	3	5	19	15	11	27	0	0	0	0	0	0	0	48.16	0	0
2025	3	5	19	25	11	27	0	0	0	0	0	0	0	48.15	0	0
2025	3	5	19	35	11	28	0	0	0	0	0	0	0	48.13	0	0
2025	3	5	19	45	11	27	0	0	0	0	0	0	0	48.07	0	0
2025	3	5	19	55	11	27	0	0	0	0	0	0	0	48.06	0	0
2025	3	5	20	5	11	28	0	0	0	0	0	0	0	48.02	0	0
2025	3	5	20	15	11	28	0	0	0	0	0	0	0	47.98	0	0
2025	3	5	20	25	11	28	0	0	0	0	0	0	0	47.95	0	0
2025	3	5	20	35	11	27	0	0	0	0	0	0	0	47.89	0	0
2025	3	5	20	45	11	27	0	0	0	0	0	0	0	47.84	0	0
2025	3	5	20	55	11	28	0	0	0	0	0	0	0	47.8	0	0
2025	3	5	21	5	11	28	0	0	0	0	0	0	0	47.77	0	0
2025	3	5	21	15	11	28	0	0	0	0	0	0	0	47.73	0	0
2025	3	5	21	25	11	28	0	0	0	0	0	0	0	47.68	0	0
2025	3	5	21	35	11	27	0	0	0	0	0	0	0	47.64	0	0
2025	3	5	21	45	11	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	5	21	55	11	27	0	0	0	0	0	0	0	47.53	0	0
2025	3	5	22	5	11	28	0	0	0	0	0	0	0	47.48	0	0
2025	3	5	22	15	11	27	0	0	0	0	0	0	0	47.43	0	0
2025	3	5	22	25	11	28	0	0	0	0	0	0	0	47.39	0	0
2025	3	5	22	35	11	28	0	0	0	0	0	0	0	47.35	0	0
2025	3	5	22	45	11	28	0	0	0	0	0	0	0	47.32	0	0
2025	3	5	22	55	11	28	0	0	0	0	0	0	0	47.3	0	0
2025	3	5	23	5	11	27	0	0	0	0	0	0	0	47.26	0	0
2025	3	5	23	15	11	28	0	0	0	0	0	0	0	47.23	0	0
2025	3	5	23	25	11	28	0	0	0	0	0	0	0	47.21	0	0
2025	3	5	23	35	11	28	0	0	0	0	0	0	0	47.17	0	0
2025	3	5	23	45	11	28	0	0	0	0	0	0	0	47.16	0	0
2025	3	5	23	55	11	27	0	0	0	0	0	0	0	47.12	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	6	0	5	11	27	0	0	0	0	0	0	0	47.08	0	0
2025	3	6	0	15	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	6	0	25	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	6	0	35	11	28	0	0	0	0	0	0	0	46.99	0	0
2025	3	6	0	45	11	28	0	0	0	0	0	0	0	46.96	0	0
2025	3	6	0	55	11	28	0	0	0	0	0	0	0	46.92	0	0
2025	3	6	1	5	11	28	0	0	0	0	0	0	0	46.89	0	0
2025	3	6	1	15	11	28	0	0	0	0	0	0	0	46.85	0	0
2025	3	6	1	25	11	28	0	0	0	0	0	0	0	46.8	0	0
2025	3	6	1	35	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	6	1	45	11	27	0	0	0	0	0	0	0	46.71	0	0
2025	3	6	1	55	11	27	0	0	0	0	0	0	0	46.65	0	0
2025	3	6	2	5	11	28	0	0	0	0	0	0	0	46.62	0	0
2025	3	6	2	15	11	28	0	0	0	0	0	0	0	46.56	0	0
2025	3	6	2	25	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	6	2	35	11	28	0	0	0	0	0	0	0	46.47	0	0
2025	3	6	2	45	11	28	0	0	0	0	0	0	0	46.44	0	0
2025	3	6	2	55	11	28	0	0	0	0	0	0	0	46.4	0	0
2025	3	6	3	5	11	27	0	0	0	0	0	0	0	46.33	0	0
2025	3	6	3	15	11	28	0	0	0	0	0	0	0	46.29	0	0
2025	3	6	3	25	11	28	0	0	0	0	0	0	0	46.24	0	0
2025	3	6	3	35	11	28	0	0	0	0	0	0	0	46.2	0	0
2025	3	6	3	45	11	28	0	0	0	0	0	0	0	46.15	0	0
2025	3	6	3	55	11	28	0	0	0	0	0	0	0	46.11	0	0
2025	3	6	4	5	11	28	0	0	0	0	0	0	0	46.06	0	0
2025	3	6	4	15	11	28	0	0	0	0	0	0	0	46	0	0
2025	3	6	4	25	11	27	0	0	0	0	0	0	0	45.93	0	0
2025	3	6	4	35	11	27	0	0	0	0	0	0	0	45.88	0	0
2025	3	6	4	45	11	28	0	0	0	0	0	0	0	45.82	0	0
2025	3	6	4	55	11	28	0	0	0	0	0	0	0	45.77	0	0
2025	3	6	5	5	11	27	0	0	0	0	0	0	0	45.72	0	0
2025	3	6	5	15	11	27	0	0	0	0	0	0	0	45.68	0	0
2025	3	6	5	25	11	28	0	0	0	0	0	0	0	45.61	0	0
2025	3	6	5	35	11	29	0	0	0	0	0	0	0	45.57	0	0
2025	3	6	5	45	11	28	0	0	0	0	0	0	0	45.52	0	0
2025	3	6	5	55	11	28	0	0	0	0	0	0	0	45.46	0	0
2025	3	6	6	5	11	28	0	0	0	0	0	0	0	45.41	0	0
2025	3	6	6	15	11	28	0	0	0	0	0	0	0	45.37	0	0
2025	3	6	6	25	11	28	0	0	0	0	0	0	0	45.3	0	0
2025	3	6	6	35	11	28	0	0	0	0	0	0	0	45.27	0	0
2025	3	6	6	45	11	28	0	0	0	0	0	0	0	45.21	0	0
2025	3	6	6	55	11	28	0	0	0	0	0	0	0	45.16	0	0
2025	3	6	7	5	11	28	0	0	0	0	0	0	0	45.12	0	0
2025	3	6	7	15	11	28	0	0	0	0	0	0	0	45.07	0	0
2025	3	6	7	25	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	6	7	35	11	29	0	0	0	0	0	0	0	45.03	0	0
2025	3	6	7	45	11	28	0	0	0	0	0	0	0	45.01	0	0
2025	3	6	7	55	11	28	0	0	0	0	0	0	0	45.01	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	6	8	5	11	27	0	0	0	0	0	0	0	45.01	0	0
2025	3	6	8	15	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	6	8	25	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	6	8	35	11	28	0	0	0	0	0	0	0	45.07	0	0
2025	3	6	8	45	11	27	0	0	0	0	0	0	0	45.12	0	0
2025	3	6	8	55	11	28	0	0	0	0	0	0	0	45.18	0	0
2025	3	6	9	5	11	27	0	0	0	0	0	0	0	45.23	0	0
2025	3	6	9	15	11	28	0	0	0	0	0	0	0	45.3	0	0
2025	3	6	9	25	11	28	0	0	0	0	0	0	0	45.37	0	0
2025	3	6	9	35	11	28	0	0	0	0	0	0	0	45.45	0	0
2025	3	6	9	45	11	29	0	0	0	0	0	0	0	45.55	0	0
2025	3	6	9	55	11	29	0	0	0	0	0	0	0	45.64	0	0
2025	3	6	10	5	11	28	0	0	0	0	0	0	0	45.75	0	0
2025	3	6	10	15	11	27	0	0	0	0	0	0	0	45.88	0	0
2025	3	6	10	25	11	28	0	0	0	0	0	0	0	46	0	0
2025	3	6	10	35	11	28	0	0	0	0	0	0	0	46.15	0	0
2025	3	6	10	45	11	27	0	0	0	0	0	0	0	46.29	0	0
2025	3	6	10	55	11	28	0	0	0	0	0	0	0	46.44	0	0
2025	3	6	11	5	11	28	0	0	0	0	0	0	0	46.62	0	0
2025	3	6	11	15	11	28	0	0	0	0	0	0	0	46.78	0	0
2025	3	6	11	25	11	28	0	0	0	0	0	0	0	46.94	0	0
2025	3	6	11	35	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	6	11	45	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	6	11	55	11	28	0	0	0	0	0	0	0	47.46	0	0
2025	3	6	12	5	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	6	12	15	11	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	6	12	25	11	28	0	0	0	0	0	0	0	47.98	0	0
2025	3	6	12	35	11	27	0	0	0	0	0	0	0	48.15	0	0
2025	3	6	12	45	11	27	0	0	0	0	0	0	0	48.31	0	0
2025	3	6	12	55	11	27	0	0	0	0	0	0	0	48.51	0	0
2025	3	6	13	5	11	27	0	0	0	0	0	0	0	48.58	0	0
2025	3	6	13	15	11	27	0	0	0	0	0	0	0	48.7	0	0
2025	3	6	13	25	11	28	0	0	0	0	0	0	0	48.76	0	0
2025	3	6	13	35	11	28	0	0	0	0	0	0	0	48.87	0	0
2025	3	6	13	45	11	28	0	0	0	0	0	0	0	48.99	0	0
2025	3	6	13	55	11	27	0	0	0	0	0	0	0	49.14	0	0
2025	3	6	14	5	11	28	0	0	0	0	0	0	0	49.24	0	0
2025	3	6	14	15	11	28	0	0	0	0	0	0	0	49.33	0	0
2025	3	6	14	25	11	27	0	0	0	0	0	0	0	49.46	0	0
2025	3	6	14	35	11	27	0	0	0	0	0	0	0	49.55	0	0
2025	3	6	14	45	11	27	0	0	0	0	0	0	0	49.66	0	0
2025	3	6	14	55	11	28	0	0	0	0	0	0	0	49.71	0	0
2025	3	6	15	5	11	27	0	0	0	0	0	0	0	49.78	0	0
2025	3	6	15	15	11	27	0	0	0	0	0	0	0	49.84	0	0
2025	3	6	15	25	11	27	0	0	0	0	0	0	0	49.89	0	0
2025	3	6	15	35	11	28	0	0	0	0	0	0	0	49.95	0	0
2025	3	6	15	45	11	28	0	0	0	0	0	0	0	50.02	0	0
2025	3	6	15	55	11	28	0	0	0	0	0	0	0	50.05	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	6	16	5	11	28	0	0	0	0	0	0	0	50.11	0	0
2025	3	6	16	15	11	28	0	0	0	0	0	0	0	50.14	0	0
2025	3	6	16	25	11	27	0	0	0	0	0	0	0	50.16	0	0
2025	3	6	16	35	11	28	0	0	0	0	0	0	0	50.2	0	0
2025	3	6	16	45	11	27	0	0	0	0	0	0	0	50.23	0	0
2025	3	6	16	55	11	27	0	0	0	0	0	0	0	50.25	0	0
2025	3	6	17	5	11	28	0	0	0	0	0	0	0	50.27	0	0
2025	3	6	17	15	11	28	0	0	0	0	0	0	0	50.27	0	0
2025	3	6	17	25	11	28	0	0	0	0	0	0	0	50.27	0	0
2025	3	6	17	35	11	28	0	0	0	0	0	0	0	50.25	0	0
2025	3	6	17	45	11	28	0	0	0	0	0	0	0	50.2	0	0
2025	3	6	17	55	11	28	0	0	0	0	0	0	0	50.16	0	0
2025	3	6	18	5	11	28	0	0	0	0	0	0	0	50.14	0	0
2025	3	6	18	15	11	27	0	0	0	0	0	0	0	50.09	0	0
2025	3	6	18	25	11	27	0	0	0	0	0	0	0	50.07	0	0
2025	3	6	18	35	11	28	0	0	0	0	0	0	0	50.02	0	0
2025	3	6	18	45	11	28	0	0	0	0	0	0	0	50	0	0
2025	3	6	18	55	11	28	0	0	0	0	0	0	0	49.93	0	0
2025	3	6	19	5	11	28	0	0	0	0	0	0	0	49.89	0	0
2025	3	6	19	15	11	28	0	0	0	0	0	0	0	49.82	0	0
2025	3	6	19	25	11	28	0	0	0	0	0	0	0	49.77	0	0
2025	3	6	19	35	11	28	0	0	0	0	0	0	0	49.69	0	0
2025	3	6	19	45	11	27	0	0	0	0	0	0	0	49.64	0	0
2025	3	6	19	55	11	28	0	0	0	0	0	0	0	49.59	0	0
2025	3	6	20	5	11	28	0	0	0	0	0	0	0	49.51	0	0
2025	3	6	20	15	11	28	0	0	0	0	0	0	0	49.46	0	0
2025	3	6	20	25	11	27	0	0	0	0	0	0	0	49.41	0	0
2025	3	6	20	35	11	27	0	0	0	0	0	0	0	49.35	0	0
2025	3	6	20	45	11	28	0	0	0	0	0	0	0	49.3	0	0
2025	3	6	20	55	11	27	0	0	0	0	0	0	0	49.24	0	0
2025	3	6	21	5	11	27	0	0	0	0	0	0	0	49.19	0	0
2025	3	6	21	15	11	28	0	0	0	0	0	0	0	49.14	0	0
2025	3	6	21	25	11	28	0	0	0	0	0	0	0	49.08	0	0
2025	3	6	21	35	11	28	0	0	0	0	0	0	0	49.03	0	0
2025	3	6	21	45	11	28	0	0	0	0	0	0	0	48.97	0	0
2025	3	6	21	55	11	28	0	0	0	0	0	0	0	48.92	0	0
2025	3	6	22	5	11	28	0	0	0	0	0	0	0	48.87	0	0
2025	3	6	22	15	11	27	0	0	0	0	0	0	0	48.81	0	0
2025	3	6	22	25	11	27	0	0	0	0	0	0	0	48.76	0	0
2025	3	6	22	35	11	28	0	0	0	0	0	0	0	48.7	0	0
2025	3	6	22	45	11	28	0	0	0	0	0	0	0	48.67	0	0
2025	3	6	22	55	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	6	23	5	11	27	0	0	0	0	0	0	0	48.56	0	0
2025	3	6	23	15	11	28	0	0	0	0	0	0	0	48.51	0	0
2025	3	6	23	25	11	27	0	0	0	0	0	0	0	48.43	0	0
2025	3	6	23	35	11	27	0	0	0	0	0	0	0	48.36	0	0
2025	3	6	23	45	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	6	23	55	11	28	0	0	0	0	0	0	0	48.24	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	7	0	5	11	27	0	0	0	0	0	0	0	48.16	0	0
2025	3	7	0	15	11	27	0	0	0	0	0	0	0	48.11	0	0
2025	3	7	0	25	11	28	0	0	0	0	0	0	0	48.06	0	0
2025	3	7	0	35	11	27	0	0	0	0	0	0	0	47.98	0	0
2025	3	7	0	45	11	28	0	0	0	0	0	0	0	47.91	0	0
2025	3	7	0	55	11	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	7	1	5	11	28	0	0	0	0	0	0	0	47.77	0	0
2025	3	7	1	15	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	7	1	25	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	7	1	35	11	27	0	0	0	0	0	0	0	47.57	0	0
2025	3	7	1	45	11	28	0	0	0	0	0	0	0	47.5	0	0
2025	3	7	1	55	11	28	0	0	0	0	0	0	0	47.43	0	0
2025	3	7	2	5	11	28	0	0	0	0	0	0	0	47.37	0	0
2025	3	7	2	15	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	7	2	25	11	27	0	0	0	0	0	0	0	47.21	0	0
2025	3	7	2	35	11	28	0	0	0	0	0	0	0	47.14	0	0
2025	3	7	2	45	11	28	0	0	0	0	0	0	0	47.07	0	0
2025	3	7	2	55	11	28	0	0	0	0	0	0	0	46.99	0	0
2025	3	7	3	5	11	28	0	0	0	0	0	0	0	46.92	0	0
2025	3	7	3	15	11	28	0	0	0	0	0	0	0	46.85	0	0
2025	3	7	3	25	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	7	3	35	11	29	0	0	0	0	0	0	0	46.69	0	0
2025	3	7	3	45	11	28	0	0	0	0	0	0	0	46.6	0	0
2025	3	7	3	55	11	28	0	0	0	0	0	0	0	46.51	0	0
2025	3	7	4	5	11	28	0	0	0	0	0	0	0	46.44	0	0
2025	3	7	4	15	11	27	0	0	0	0	0	0	0	46.35	0	0
2025	3	7	4	25	11	28	0	0	0	0	0	0	0	46.26	0	0
2025	3	7	4	35	11	28	0	0	0	0	0	0	0	46.17	0	0
2025	3	7	4	45	11	28	0	0	0	0	0	0	0	46.09	0	0
2025	3	7	4	55	11	28	0	0	0	0	0	0	0	46	0	0
2025	3	7	5	5	11	27	0	0	0	0	0	0	0	45.91	0	0
2025	3	7	5	15	11	28	0	0	0	0	0	0	0	45.84	0	0
2025	3	7	5	25	11	28	0	0	0	0	0	0	0	45.75	0	0
2025	3	7	5	35	11	28	0	0	0	0	0	0	0	45.66	0	0
2025	3	7	5	45	11	28	0	0	0	0	0	0	0	45.59	0	0
2025	3	7	5	55	11	28	0	0	0	0	0	0	0	45.48	0	0
2025	3	7	6	5	11	28	0	0	0	0	0	0	0	45.41	0	0
2025	3	7	6	15	11	28	0	0	0	0	0	0	0	45.36	0	0
2025	3	7	6	25	11	28	0	0	0	0	0	0	0	45.3	0	0
2025	3	7	6	35	11	28	0	0	0	0	0	0	0	45.25	0	0
2025	3	7	6	45	11	28	0	0	0	0	0	0	0	45.19	0	0
2025	3	7	6	55	11	29	0	0	0	0	0	0	0	45.14	0	0
2025	3	7	7	5	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	7	7	15	11	28	0	0	0	0	0	0	0	45	0	0
2025	3	7	7	25	11	28	0	0	0	0	0	0	0	44.92	0	0
2025	3	7	7	35	11	28	0	0	0	0	0	0	0	44.89	0	0
2025	3	7	7	45	11	27	0	0	0	0	0	0	0	44.87	0	0
2025	3	7	7	55	11	28	0	0	0	0	0	0	0	44.85	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	7	8	5	11	28	0	0	0	0	0	0	0	44.85	0	0
2025	3	7	8	15	11	28	0	0	0	0	0	0	0	44.85	0	0
2025	3	7	8	25	11	28	0	0	0	0	0	0	0	44.87	0	0
2025	3	7	8	35	11	28	0	0	0	0	0	0	0	44.89	0	0
2025	3	7	8	45	11	29	0	0	0	0	0	0	0	44.92	0	0
2025	3	7	8	55	11	28	0	0	0	0	0	0	0	44.94	0	0
2025	3	7	9	5	11	28	0	0	0	0	0	0	0	45	0	0
2025	3	7	9	15	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	7	9	25	11	28	0	0	0	0	0	0	0	45.12	0	0
2025	3	7	9	35	11	28	0	0	0	0	0	0	0	45.21	0	0
2025	3	7	9	45	11	28	0	0	0	0	0	0	0	45.3	0	0
2025	3	7	9	55	11	28	0	0	0	0	0	0	0	45.41	0	0
2025	3	7	10	5	11	27	0	0	0	0	0	0	0	45.5	0	0
2025	3	7	10	15	11	28	0	0	0	0	0	0	0	45.61	0	0
2025	3	7	10	25	11	28	0	0	0	0	0	0	0	45.73	0	0
2025	3	7	10	35	11	28	0	0	0	0	0	0	0	45.84	0	0
2025	3	7	10	45	11	28	0	0	0	0	0	0	0	45.97	0	0
2025	3	7	10	55	11	28	0	0	0	0	0	0	0	46.11	0	0
2025	3	7	11	5	11	28	0	0	0	0	0	0	0	46.27	0	0
2025	3	7	11	15	11	28	0	0	0	0	0	0	0	46.42	0	0
2025	3	7	11	25	11	28	0	0	0	0	0	0	0	46.58	0	0
2025	3	7	11	35	11	28	0	0	0	0	0	0	0	46.74	0	0
2025	3	7	11	45	11	28	0	0	0	0	0	0	0	46.96	0	0
2025	3	7	11	55	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	7	12	5	11	27	0	0	0	0	0	0	0	47.12	0	0
2025	3	7	12	15	11	28	0	0	0	0	0	0	0	47.17	0	0
2025	3	7	12	25	11	27	0	0	0	0	0	0	0	47.3	0	0
2025	3	7	12	35	11	28	0	0	0	0	0	0	0	47.5	0	0
2025	3	7	12	45	11	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	7	12	55	11	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	7	13	5	11	28	0	0	0	0	0	0	0	47.95	0	0
2025	3	7	13	15	11	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	7	13	25	11	27	0	0	0	0	0	0	0	48.25	0	0
2025	3	7	13	35	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	7	13	45	11	27	0	0	0	0	0	0	0	48.52	0	0
2025	3	7	13	55	11	28	0	0	0	0	0	0	0	48.63	0	0
2025	3	7	14	5	11	27	0	0	0	0	0	0	0	48.76	0	0
2025	3	7	14	15	11	26	0	0	0	0	0	0	0	48.85	0	0
2025	3	7	14	25	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	7	14	35	11	27	0	0	0	0	0	0	0	49.03	0	0
2025	3	7	14	45	11	27	0	0	0	0	0	0	0	49.1	0	0
2025	3	7	14	55	11	27	0	0	0	0	0	0	0	49.19	0	0
2025	3	7	15	5	11	27	0	0	0	0	0	0	0	49.23	0	0
2025	3	7	15	15	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	7	15	25	11	27	0	0	0	0	0	0	0	49.28	0	0
2025	3	7	15	35	11	28	0	0	0	0	0	0	0	49.3	0	0
2025	3	7	15	45	11	27	0	0	0	0	0	0	0	49.3	0	0
2025	3	7	15	55	11	27	0	0	0	0	0	0	0	49.3	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	7	16	5	11	28	0	0	0	0	0	0	0	49.3	0	0
2025	3	7	16	15	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	7	16	25	11	27	0	0	0	0	0	0	0	49.24	0	0
2025	3	7	16	35	11	28	0	0	0	0	0	0	0	49.19	0	0
2025	3	7	16	45	11	28	0	0	0	0	0	0	0	49.15	0	0
2025	3	7	16	55	11	28	0	0	0	0	0	0	0	49.1	0	0
2025	3	7	17	5	11	27	0	0	0	0	0	0	0	49.08	0	0
2025	3	7	17	15	11	27	0	0	0	0	0	0	0	49.03	0	0
2025	3	7	17	25	11	28	0	0	0	0	0	0	0	48.97	0	0
2025	3	7	17	35	11	27	0	0	0	0	0	0	0	48.9	0	0
2025	3	7	17	45	11	28	0	0	0	0	0	0	0	48.83	0	0
2025	3	7	17	55	11	28	0	0	0	0	0	0	0	48.76	0	0
2025	3	7	18	5	11	28	0	0	0	0	0	0	0	48.69	0	0
2025	3	7	18	15	11	28	0	0	0	0	0	0	0	48.6	0	0
2025	3	7	18	25	11	27	0	0	0	0	0	0	0	48.51	0	0
2025	3	7	18	35	11	27	0	0	0	0	0	0	0	48.43	0	0
2025	3	7	18	45	11	28	0	0	0	0	0	0	0	48.36	0	0
2025	3	7	18	55	11	28	0	0	0	0	0	0	0	48.27	0	0
2025	3	7	19	5	11	27	0	0	0	0	0	0	0	48.18	0	0
2025	3	7	19	15	11	27	0	0	0	0	0	0	0	48.11	0	0
2025	3	7	19	25	11	27	0	0	0	0	0	0	0	48.02	0	0
2025	3	7	19	35	11	28	0	0	0	0	0	0	0	47.93	0	0
2025	3	7	19	45	11	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	7	19	55	11	28	0	0	0	0	0	0	0	47.73	0	0
2025	3	7	20	5	11	28	0	0	0	0	0	0	0	47.64	0	0
2025	3	7	20	15	11	28	0	0	0	0	0	0	0	47.53	0	0
2025	3	7	20	25	11	28	0	0	0	0	0	0	0	47.41	0	0
2025	3	7	20	35	11	27	0	0	0	0	0	0	0	47.3	0	0
2025	3	7	20	45	11	28	0	0	0	0	0	0	0	47.21	0	0
2025	3	7	20	55	11	28	0	0	0	0	0	0	0	47.1	0	0
2025	3	7	21	5	11	28	0	0	0	0	0	0	0	46.99	0	0
2025	3	7	21	15	11	28	0	0	0	0	0	0	0	46.89	0	0
2025	3	7	21	25	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	7	21	35	11	28	0	0	0	0	0	0	0	46.65	0	0
2025	3	7	21	45	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	7	21	55	11	28	0	0	0	0	0	0	0	46.4	0	0
2025	3	7	22	5	11	27	0	0	0	0	0	0	0	46.31	0	0
2025	3	7	22	15	11	28	0	0	0	0	0	0	0	46.18	0	0
2025	3	7	22	25	11	28	0	0	0	0	0	0	0	46.08	0	0
2025	3	7	22	35	11	28	0	0	0	0	0	0	0	45.97	0	0
2025	3	7	22	45	11	27	0	0	0	0	0	0	0	45.86	0	0
2025	3	7	22	55	11	29	0	0	0	0	0	0	0	45.73	0	0
2025	3	7	23	5	11	28	0	0	0	0	0	0	0	45.63	0	0
2025	3	7	23	15	11	28	0	0	0	0	0	0	0	45.54	0	0
2025	3	7	23	25	11	28	0	0	0	0	0	0	0	45.43	0	0
2025	3	7	23	35	11	28	0	0	0	0	0	0	0	45.32	0	0
2025	3	7	23	45	11	28	0	0	0	0	0	0	0	45.21	0	0
2025	3	7	23	55	11	28	0	0	0	0	0	0	0	45.1	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	8	0	5	11	27	0	0	0	0	0	0	0	45	0	0
2025	3	8	0	15	11	28	0	0	0	0	0	0	0	44.91	0	0
2025	3	8	0	25	11	28	0	0	0	0	0	0	0	44.82	0	0
2025	3	8	0	35	11	28	0	0	0	0	0	0	0	44.71	0	0
2025	3	8	0	45	11	28	0	0	0	0	0	0	0	44.62	0	0
2025	3	8	0	55	11	28	0	0	0	0	0	0	0	44.49	0	0
2025	3	8	1	5	11	28	0	0	0	0	0	0	0	44.4	0	0
2025	3	8	1	15	11	28	0	0	0	0	0	0	0	44.29	0	0
2025	3	8	1	25	11	28	0	0	0	0	0	0	0	44.19	0	0
2025	3	8	1	35	11	28	0	0	0	0	0	0	0	44.1	0	0
2025	3	8	1	45	11	28	0	0	0	0	0	0	0	44.01	0	0
2025	3	8	1	55	11	28	0	0	0	0	0	0	0	43.93	0	0
2025	3	8	2	5	11	28	0	0	0	0	0	0	0	43.84	0	0
2025	3	8	2	15	11	28	0	0	0	0	0	0	0	43.75	0	0
2025	3	8	2	25	11	28	0	0	0	0	0	0	0	43.66	0	0
2025	3	8	2	35	11	28	0	0	0	0	0	0	0	43.57	0	0
2025	3	8	2	45	11	29	0	0	0	0	0	0	0	43.48	0	0
2025	3	8	2	55	11	28	0	0	0	0	0	0	0	43.39	0	0
2025	3	8	3	5	11	28	0	0	0	0	0	0	0	43.3	0	0
2025	3	8	3	15	11	29	0	0	0	0	0	0	0	43.21	0	0
2025	3	8	3	25	11	29	0	0	0	0	0	0	0	43.14	0	0
2025	3	8	3	35	11	28	0	0	0	0	0	0	0	43.05	0	0
2025	3	8	3	45	11	28	0	0	0	0	0	0	0	42.96	0	0
2025	3	8	3	55	11	28	0	0	0	0	0	0	0	42.91	0	0
2025	3	8	4	5	11	28	0	0	0	0	0	0	0	42.84	0	0
2025	3	8	4	15	11	28	0	0	0	0	0	0	0	42.76	0	0
2025	3	8	4	25	11	28	0	0	0	0	0	0	0	42.69	0	0
2025	3	8	4	35	11	28	0	0	0	0	0	0	0	42.62	0	0
2025	3	8	4	45	11	28	0	0	0	0	0	0	0	42.58	0	0
2025	3	8	4	55	11	28	0	0	0	0	0	0	0	42.53	0	0
2025	3	8	5	5	11	28	0	0	0	0	0	0	0	42.48	0	0
2025	3	8	5	15	11	28	0	0	0	0	0	0	0	42.42	0	0
2025	3	8	5	25	11	28	0	0	0	0	0	0	0	42.37	0	0
2025	3	8	5	35	11	28	0	0	0	0	0	0	0	42.33	0	0
2025	3	8	5	45	11	28	0	0	0	0	0	0	0	42.28	0	0
2025	3	8	5	55	11	28	0	0	0	0	0	0	0	42.24	0	0
2025	3	8	6	5	11	27	0	0	0	0	0	0	0	42.21	0	0
2025	3	8	6	15	11	28	0	0	0	0	0	0	0	42.17	0	0
2025	3	8	6	25	11	28	0	0	0	0	0	0	0	42.12	0	0
2025	3	8	6	35	11	28	0	0	0	0	0	0	0	42.1	0	0
2025	3	8	6	45	11	28	0	0	0	0	0	0	0	42.06	0	0
2025	3	8	6	55	11	28	0	0	0	0	0	0	0	42.03	0	0
2025	3	8	7	5	11	28	0	0	0	0	0	0	0	41.97	0	0
2025	3	8	7	15	11	28	0	0	0	0	0	0	0	41.97	0	0
2025	3	8	7	25	11	28	0	0	0	0	0	0	0	41.95	0	0
2025	3	8	7	35	11	28	0	0	0	0	0	0	0	41.95	0	0
2025	3	8	7	45	11	28	0	0	0	0	0	0	0	41.97	0	0
2025	3	8	7	55	11	28	0	0	0	0	0	0	0	41.99	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	8	8	5	11	28	0	0	0	0	0	0	0	42.04	0	0
2025	3	8	8	15	11	29	0	0	0	0	0	0	0	42.08	0	0
2025	3	8	8	25	11	28	0	0	0	0	0	0	0	42.15	0	0
2025	3	8	8	35	11	28	0	0	0	0	0	0	0	42.22	0	0
2025	3	8	8	45	11	28	0	0	0	0	0	0	0	42.31	0	0
2025	3	8	8	55	11	29	0	0	0	0	0	0	0	42.4	0	0
2025	3	8	9	5	11	28	0	0	0	0	0	0	0	42.53	0	0
2025	3	8	9	15	11	28	0	0	0	0	0	0	0	42.66	0	0
2025	3	8	9	25	11	29	0	0	0	0	0	0	0	42.78	0	0
2025	3	8	9	35	11	28	0	0	0	0	0	0	0	42.93	0	0
2025	3	8	9	45	11	28	0	0	0	0	0	0	0	43.09	0	0
2025	3	8	9	55	11	29	0	0	0	0	0	0	0	43.23	0	0
2025	3	8	10	5	11	29	0	0	0	0	0	0	0	43.39	0	0
2025	3	8	10	15	11	28	0	0	0	0	0	0	0	43.57	0	0
2025	3	8	10	25	11	28	0	0	0	0	0	0	0	43.75	0	0
2025	3	8	10	35	11	28	0	0	0	0	0	0	0	43.99	0	0
2025	3	8	10	45	11	27	0	0	0	0	0	0	0	44.17	0	0
2025	3	8	10	55	11	28	0	0	0	0	0	0	0	44.38	0	0
2025	3	8	11	5	11	28	0	0	0	0	0	0	0	44.58	0	0
2025	3	8	11	15	11	28	0	0	0	0	0	0	0	44.8	0	0
2025	3	8	11	25	11	28	0	0	0	0	0	0	0	45.03	0	0
2025	3	8	11	35	11	28	0	0	0	0	0	0	0	45.25	0	0
2025	3	8	11	45	11	28	0	0	0	0	0	0	0	45.46	0	0
2025	3	8	11	55	11	28	0	0	0	0	0	0	0	45.68	0	0
2025	3	8	12	5	11	28	0	0	0	0	0	0	0	45.9	0	0
2025	3	8	12	15	11	29	0	0	0	0	0	0	0	46.11	0	0
2025	3	8	12	25	11	28	0	0	0	0	0	0	0	46.35	0	0
2025	3	8	12	35	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	8	12	45	11	28	0	0	0	0	0	0	0	46.74	0	0
2025	3	8	12	55	11	28	0	0	0	0	0	0	0	46.94	0	0
2025	3	8	13	5	11	28	0	0	0	0	0	0	0	47.14	0	0
2025	3	8	13	15	11	27	0	0	0	0	0	0	0	47.34	0	0
2025	3	8	13	25	11	28	0	0	0	0	0	0	0	47.52	0	0
2025	3	8	13	35	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	8	13	45	11	28	0	0	0	0	0	0	0	47.88	0	0
2025	3	8	13	55	11	28	0	0	0	0	0	0	0	48.04	0	0
2025	3	8	14	5	11	28	0	0	0	0	0	0	0	48.2	0	0
2025	3	8	14	15	11	27	0	0	0	0	0	0	0	48.36	0	0
2025	3	8	14	25	11	28	0	0	0	0	0	0	0	48.49	0	0
2025	3	8	14	35	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	8	14	45	11	28	0	0	0	0	0	0	0	48.74	0	0
2025	3	8	14	55	11	28	0	0	0	0	0	0	0	48.85	0	0
2025	3	8	15	5	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	8	15	15	11	29	0	0	0	0	0	0	0	49.03	0	0
2025	3	8	15	25	11	28	0	0	0	0	0	0	0	49.1	0	0
2025	3	8	15	35	11	27	0	0	0	0	0	0	0	49.15	0	0
2025	3	8	15	45	11	28	0	0	0	0	0	0	0	49.21	0	0
2025	3	8	15	55	11	28	0	0	0	0	0	0	0	49.26	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	8	16	5	11	28	0	0	0	0	0	0	0	49.28	0	0
2025	3	8	16	15	11	27	0	0	0	0	0	0	0	49.32	0	0
2025	3	8	16	25	11	28	0	0	0	0	0	0	0	49.32	0	0
2025	3	8	16	35	11	28	0	0	0	0	0	0	0	49.32	0	0
2025	3	8	16	45	11	27	0	0	0	0	0	0	0	49.33	0	0
2025	3	8	16	55	11	28	0	0	0	0	0	0	0	49.32	0	0
2025	3	8	17	5	11	28	0	0	0	0	0	0	0	49.32	0	0
2025	3	8	17	15	11	28	0	0	0	0	0	0	0	49.3	0	0
2025	3	8	17	25	11	28	0	0	0	0	0	0	0	49.28	0	0
2025	3	8	17	35	11	27	0	0	0	0	0	0	0	49.26	0	0
2025	3	8	17	45	11	28	0	0	0	0	0	0	0	49.23	0	0
2025	3	8	17	55	11	28	0	0	0	0	0	0	0	49.19	0	0
2025	3	8	18	5	11	27	0	0	0	0	0	0	0	49.14	0	0
2025	3	8	18	15	11	28	0	0	0	0	0	0	0	49.1	0	0
2025	3	8	18	25	11	28	0	0	0	0	0	0	0	49.05	0	0
2025	3	8	18	35	11	27	0	0	0	0	0	0	0	48.99	0	0
2025	3	8	18	45	11	28	0	0	0	0	0	0	0	48.94	0	0
2025	3	8	18	55	11	28	0	0	0	0	0	0	0	48.88	0	0
2025	3	8	19	5	11	28	0	0	0	0	0	0	0	48.83	0	0
2025	3	8	19	15	11	27	0	0	0	0	0	0	0	48.78	0	0
2025	3	8	19	25	11	28	0	0	0	0	0	0	0	48.72	0	0
2025	3	8	19	35	11	28	0	0	0	0	0	0	0	48.65	0	0
2025	3	8	19	45	11	28	0	0	0	0	0	0	0	48.58	0	0
2025	3	8	19	55	11	28	0	0	0	0	0	0	0	48.51	0	0
2025	3	8	20	5	11	27	0	0	0	0	0	0	0	48.43	0	0
2025	3	8	20	15	11	27	0	0	0	0	0	0	0	48.34	0	0
2025	3	8	20	25	11	28	0	0	0	0	0	0	0	48.25	0	0
2025	3	8	20	35	11	28	0	0	0	0	0	0	0	48.18	0	0
2025	3	8	20	45	11	27	0	0	0	0	0	0	0	48.11	0	0
2025	3	8	20	55	11	28	0	0	0	0	0	0	0	48	0	0
2025	3	8	21	5	11	28	0	0	0	0	0	0	0	47.91	0	0
2025	3	8	21	15	11	27	0	0	0	0	0	0	0	47.84	0	0
2025	3	8	21	25	11	28	0	0	0	0	0	0	0	47.75	0	0
2025	3	8	21	35	11	27	0	0	0	0	0	0	0	47.66	0	0
2025	3	8	21	45	11	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	8	21	55	11	27	0	0	0	0	0	0	0	47.5	0	0
2025	3	8	22	5	11	28	0	0	0	0	0	0	0	47.41	0	0
2025	3	8	22	15	11	28	0	0	0	0	0	0	0	47.32	0	0
2025	3	8	22	25	11	27	0	0	0	0	0	0	0	47.23	0	0
2025	3	8	22	35	11	28	0	0	0	0	0	0	0	47.14	0	0
2025	3	8	22	45	11	28	0	0	0	0	0	0	0	47.05	0	0
2025	3	8	22	55	11	28	0	0	0	0	0	0	0	46.98	0	0
2025	3	8	23	5	11	27	0	0	0	0	0	0	0	46.87	0	0
2025	3	8	23	15	11	28	0	0	0	0	0	0	0	46.8	0	0
2025	3	8	23	25	11	28	0	0	0	0	0	0	0	46.72	0	0
2025	3	8	23	35	11	27	0	0	0	0	0	0	0	46.63	0	0
2025	3	8	23	45	11	27	0	0	0	0	0	0	0	46.53	0	0
2025	3	8	23	55	11	28	0	0	0	0	0	0	0	46.45	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	9	0	5	11	29	0	0	0	0	0	0	0	46.35	0	0
2025	3	9	0	15	11	28	0	0	0	0	0	0	0	46.26	0	0
2025	3	9	0	25	11	29	0	0	0	0	0	0	0	46.17	0	0
2025	3	9	0	35	11	28	0	0	0	0	0	0	0	46.08	0	0
2025	3	9	0	45	11	28	0	0	0	0	0	0	0	45.97	0	0
2025	3	9	0	55	11	28	0	0	0	0	0	0	0	45.88	0	0
2025	3	9	1	5	11	28	0	0	0	0	0	0	0	45.77	0	0
2025	3	9	1	15	11	28	0	0	0	0	0	0	0	45.68	0	0
2025	3	9	1	25	11	27	0	0	0	0	0	0	0	45.57	0	0
2025	3	9	1	35	11	27	0	0	0	0	0	0	0	45.48	0	0
2025	3	9	1	45	11	28	0	0	0	0	0	0	0	45.37	0	0
2025	3	9	1	55	11	28	0	0	0	0	0	0	0	45.28	0	0
2025	3	9	2	5	11	28	0	0	0	0	0	0	0	45.19	0	0
2025	3	9	2	15	11	28	0	0	0	0	0	0	0	45.09	0	0
2025	3	9	2	25	11	28	0	0	0	0	0	0	0	44.98	0	0
2025	3	9	2	35	11	28	0	0	0	0	0	0	0	44.91	0	0
2025	3	9	2	45	11	28	0	0	0	0	0	0	0	44.8	0	0
2025	3	9	2	55	11	28	0	0	0	0	0	0	0	44.71	0	0
2025	3	9	3	5	11	28	0	0	0	0	0	0	0	44.62	0	0
2025	3	9	3	15	11	28	0	0	0	0	0	0	0	44.55	0	0
2025	3	9	3	25	11	28	0	0	0	0	0	0	0	44.46	0	0
2025	3	9	3	35	11	28	0	0	0	0	0	0	0	44.37	0	0
2025	3	9	3	45	11	28	0	0	0	0	0	0	0	44.28	0	0
2025	3	9	3	55	11	28	0	0	0	0	0	0	0	44.2	0	0
2025	3	9	4	5	11	28	0	0	0	0	0	0	0	44.13	0	0
2025	3	9	4	15	11	29	0	0	0	0	0	0	0	44.04	0	0
2025	3	9	4	25	11	28	0	0	0	0	0	0	0	43.97	0	0
2025	3	9	4	35	11	28	0	0	0	0	0	0	0	43.9	0	0
2025	3	9	4	45	11	28	0	0	0	0	0	0	0	43.83	0	0
2025	3	9	4	55	11	29	0	0	0	0	0	0	0	43.74	0	0
2025	3	9	5	5	11	28	0	0	0	0	0	0	0	43.68	0	0
2025	3	9	5	15	11	28	0	0	0	0	0	0	0	43.61	0	0
2025	3	9	5	25	11	29	0	0	0	0	0	0	0	43.54	0	0
2025	3	9	5	35	11	27	0	0	0	0	0	0	0	43.48	0	0
2025	3	9	5	45	11	28	0	0	0	0	0	0	0	43.43	0	0
2025	3	9	5	55	11	28	0	0	0	0	0	0	0	43.38	0	0
2025	3	9	6	5	11	29	0	0	0	0	0	0	0	43.32	0	0
2025	3	9	6	15	11	28	0	0	0	0	0	0	0	43.27	0	0
2025	3	9	6	25	11	28	0	0	0	0	0	0	0	43.2	0	0
2025	3	9	6	35	11	28	0	0	0	0	0	0	0	43.16	0	0
2025	3	9	6	45	11	28	0	0	0	0	0	0	0	43.11	0	0
2025	3	9	6	55	11	28	0	0	0	0	0	0	0	43.05	0	0
2025	3	9	7	5	11	28	0	0	0	0	0	0	0	43.02	0	0
2025	3	9	7	15	11	28	0	0	0	0	0	0	0	43	0	0
2025	3	9	7	25	11	28	0	0	0	0	0	0	0	42.96	0	0
2025	3	9	7	35	11	28	0	0	0	0	0	0	0	42.94	0	0
2025	3	9	7	45	11	28	0	0	0	0	0	0	0	42.96	0	0
2025	3	9	7	55	11	28	0	0	0	0	0	0	0	42.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	9	8	5	11	28	0	0	0	0	0	0	0	43	0	0
2025	3	9	8	15	11	28	0	0	0	0	0	0	0	43.03	0	0
2025	3	9	8	25	11	28	0	0	0	0	0	0	0	43.09	0	0
2025	3	9	8	35	11	28	0	0	0	0	0	0	0	43.16	0	0
2025	3	9	8	45	11	28	0	0	0	0	0	0	0	43.23	0	0
2025	3	9	8	55	11	28	0	0	0	0	0	0	0	43.32	0	0
2025	3	9	9	5	11	28	0	0	0	0	0	0	0	43.43	0	0
2025	3	9	9	15	11	28	0	0	0	0	0	0	0	43.56	0	0
2025	3	9	9	25	11	29	0	0	0	0	0	0	0	43.7	0	0
2025	3	9	9	35	11	28	0	0	0	0	0	0	0	43.84	0	0
2025	3	9	9	45	11	28	0	0	0	0	0	0	0	44.01	0	0
2025	3	9	9	55	11	28	0	0	0	0	0	0	0	44.17	0	0
2025	3	9	10	5	11	28	0	0	0	0	0	0	0	44.35	0	0
2025	3	9	10	15	11	29	0	0	0	0	0	0	0	44.53	0	0
2025	3	9	10	25	11	29	0	0	0	0	0	0	0	44.73	0	0
2025	3	9	10	35	11	28	0	0	0	0	0	0	0	44.92	0	0
2025	3	9	10	45	11	28	0	0	0	0	0	0	0	45.14	0	0
2025	3	9	10	55	11	28	0	0	0	0	0	0	0	45.36	0	0
2025	3	9	11	5	11	28	0	0	0	0	0	0	0	45.57	0	0
2025	3	9	11	15	11	29	0	0	0	0	0	0	0	45.79	0	0
2025	3	9	11	25	11	28	0	0	0	0	0	0	0	46	0	0
2025	3	9	11	35	11	28	0	0	0	0	0	0	0	46.24	0	0
2025	3	9	11	45	11	28	0	0	0	0	0	0	0	46.47	0	0
2025	3	9	11	55	11	28	0	0	0	0	0	0	0	46.67	0	0
2025	3	9	12	5	11	28	0	0	0	0	0	0	0	46.9	0	0
2025	3	9	12	15	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	9	12	25	11	28	0	0	0	0	0	0	0	47.34	0	0
2025	3	9	12	35	11	27	0	0	0	0	0	0	0	47.53	0	0
2025	3	9	12	45	11	27	0	0	0	0	0	0	0	47.75	0	0
2025	3	9	12	55	11	27	0	0	0	0	0	0	0	47.97	0	0
2025	3	9	13	5	11	28	0	0	0	0	0	0	0	48.16	0	0
2025	3	9	13	15	11	27	0	0	0	0	0	0	0	48.36	0	0
2025	3	9	13	25	11	27	0	0	0	0	0	0	0	48.56	0	0
2025	3	9	13	35	11	27	0	0	0	0	0	0	0	48.74	0	0
2025	3	9	13	45	11	28	0	0	0	0	0	0	0	48.92	0	0
2025	3	9	13	55	11	27	0	0	0	0	0	0	0	49.08	0	0
2025	3	9	14	5	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	9	14	15	11	27	0	0	0	0	0	0	0	49.42	0	0
2025	3	9	14	25	11	27	0	0	0	0	0	0	0	49.57	0	0
2025	3	9	14	35	11	27	0	0	0	0	0	0	0	49.71	0	0
2025	3	9	14	45	11	28	0	0	0	0	0	0	0	49.86	0	0
2025	3	9	14	55	11	27	0	0	0	0	0	0	0	49.96	0	0
2025	3	9	15	5	11	27	0	0	0	0	0	0	0	50.09	0	0
2025	3	9	15	15	11	27	0	0	0	0	0	0	0	50.2	0	0
2025	3	9	15	25	11	28	0	0	0	0	0	0	0	50.27	0	0
2025	3	9	15	35	11	28	0	0	0	0	0	0	0	50.36	0	0
2025	3	9	15	45	11	27	0	0	0	0	0	0	0	50.43	0	0
2025	3	9	15	55	11	28	0	0	0	0	0	0	0	50.49	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	9	16	5	11	27	0	0	0	0	0	0	0	50.54	0	0
2025	3	9	16	15	11	27	0	0	0	0	0	0	0	50.59	0	0
2025	3	9	16	25	11	28	0	0	0	0	0	0	0	50.61	0	0
2025	3	9	16	35	11	28	0	0	0	0	0	0	0	50.63	0	0
2025	3	9	16	45	11	28	0	0	0	0	0	0	0	50.65	0	0
2025	3	9	16	55	11	28	0	0	0	0	0	0	0	50.67	0	0
2025	3	9	17	5	11	27	0	0	0	0	0	0	0	50.67	0	0
2025	3	9	17	15	11	28	0	0	0	0	0	0	0	50.65	0	0
2025	3	9	17	25	11	27	0	0	0	0	0	0	0	50.67	0	0
2025	3	9	17	35	11	27	0	0	0	0	0	0	0	50.67	0	0
2025	3	9	17	45	11	28	0	0	0	0	0	0	0	50.63	0	0
2025	3	9	17	55	11	28	0	0	0	0	0	0	0	50.61	0	0
2025	3	9	18	5	11	28	0	0	0	0	0	0	0	50.59	0	0
2025	3	9	18	15	11	28	0	0	0	0	0	0	0	50.56	0	0
2025	3	9	18	25	11	27	0	0	0	0	0	0	0	50.54	0	0
2025	3	9	18	35	11	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	9	18	45	11	28	0	0	0	0	0	0	0	50.47	0	0
2025	3	9	18	55	11	27	0	0	0	0	0	0	0	50.43	0	0
2025	3	9	19	5	11	27	0	0	0	0	0	0	0	50.4	0	0
2025	3	9	19	15	11	27	0	0	0	0	0	0	0	50.36	0	0
2025	3	9	19	25	11	27	0	0	0	0	0	0	0	50.32	0	0
2025	3	9	19	35	11	27	0	0	0	0	0	0	0	50.27	0	0
2025	3	9	19	45	11	28	0	0	0	0	0	0	0	50.22	0	0
2025	3	9	19	55	11	28	0	0	0	0	0	0	0	50.16	0	0
2025	3	9	20	5	11	27	0	0	0	0	0	0	0	50.11	0	0
2025	3	9	20	15	11	27	0	0	0	0	0	0	0	50.05	0	0
2025	3	9	20	25	11	28	0	0	0	0	0	0	0	50	0	0
2025	3	9	20	35	11	27	0	0	0	0	0	0	0	49.95	0	0
2025	3	9	20	45	11	28	0	0	0	0	0	0	0	49.87	0	0
2025	3	9	20	55	11	27	0	0	0	0	0	0	0	49.78	0	0
2025	3	9	21	5	11	28	0	0	0	0	0	0	0	49.71	0	0
2025	3	9	21	15	11	27	0	0	0	0	0	0	0	49.62	0	0
2025	3	9	21	25	11	27	0	0	0	0	0	0	0	49.53	0	0
2025	3	9	21	35	11	28	0	0	0	0	0	0	0	49.44	0	0
2025	3	9	21	45	11	28	0	0	0	0	0	0	0	49.35	0	0
2025	3	9	21	55	11	28	0	0	0	0	0	0	0	49.26	0	0
2025	3	9	22	5	11	27	0	0	0	0	0	0	0	49.17	0	0
2025	3	9	22	15	11	27	0	0	0	0	0	0	0	49.06	0	0
2025	3	9	22	25	11	28	0	0	0	0	0	0	0	48.97	0	0
2025	3	9	22	35	11	28	0	0	0	0	0	0	0	48.88	0	0
2025	3	9	22	45	11	27	0	0	0	0	0	0	0	48.79	0	0
2025	3	9	22	55	11	28	0	0	0	0	0	0	0	48.69	0	0
2025	3	9	23	5	11	28	0	0	0	0	0	0	0	48.6	0	0
2025	3	9	23	15	11	28	0	0	0	0	0	0	0	48.49	0	0
2025	3	9	23	25	11	27	0	0	0	0	0	0	0	48.4	0	0
2025	3	9	23	35	11	27	0	0	0	0	0	0	0	48.29	0	0
2025	3	9	23	45	11	27	0	0	0	0	0	0	0	48.18	0	0
2025	3	9	23	55	11	28	0	0	0	0	0	0	0	48.09	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	11	0	5	11	27	0	0	0	0	0	0	0	48.78	0	0
2025	3	11	0	15	11	28	0	0	0	0	0	0	0	48.69	0	0
2025	3	11	0	25	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	11	0	35	11	28	0	0	0	0	0	0	0	48.54	0	0
2025	3	11	0	45	11	28	0	0	0	0	0	0	0	48.45	0	0
2025	3	11	0	55	11	27	0	0	0	0	0	0	0	48.38	0	0
2025	3	11	1	5	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	11	1	15	11	28	0	0	0	0	0	0	0	48.2	0	0
2025	3	11	1	25	11	28	0	0	0	0	0	0	0	48.13	0	0
2025	3	11	1	35	11	28	0	0	0	0	0	0	0	48.04	0	0
2025	3	11	1	45	11	27	0	0	0	0	0	0	0	47.95	0	0
2025	3	11	1	55	11	28	0	0	0	0	0	0	0	47.86	0	0
2025	3	11	2	5	11	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	11	2	15	11	28	0	0	0	0	0	0	0	47.7	0	0
2025	3	11	2	25	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	11	2	35	11	28	0	0	0	0	0	0	0	47.53	0	0
2025	3	11	2	45	11	27	0	0	0	0	0	0	0	47.44	0	0
2025	3	11	2	55	11	28	0	0	0	0	0	0	0	47.39	0	0
2025	3	11	3	5	11	27	0	0	0	0	0	0	0	47.3	0	0
2025	3	11	3	15	11	27	0	0	0	0	0	0	0	47.23	0	0
2025	3	11	3	25	11	27	0	0	0	0	0	0	0	47.16	0	0
2025	3	11	3	35	11	28	0	0	0	0	0	0	0	47.08	0	0
2025	3	11	3	45	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	11	3	55	11	27	0	0	0	0	0	0	0	46.96	0	0
2025	3	11	4	5	11	27	0	0	0	0	0	0	0	46.9	0	0
2025	3	11	4	15	11	27	0	0	0	0	0	0	0	46.85	0	0
2025	3	11	4	25	11	27	0	0	0	0	0	0	0	46.81	0	0
2025	3	11	4	35	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	11	4	45	11	28	0	0	0	0	0	0	0	46.74	0	0
2025	3	11	4	55	11	28	0	0	0	0	0	0	0	46.69	0	0
2025	3	11	5	5	11	28	0	0	0	0	0	0	0	46.65	0	0
2025	3	11	5	15	11	28	0	0	0	0	0	0	0	46.6	0	0
2025	3	11	5	25	11	27	0	0	0	0	0	0	0	46.56	0	0
2025	3	11	5	35	11	28	0	0	0	0	0	0	0	46.53	0	0
2025	3	11	5	45	11	28	0	0	0	0	0	0	0	46.49	0	0
2025	3	11	5	55	11	28	0	0	0	0	0	0	0	46.45	0	0
2025	3	11	6	5	11	28	0	0	0	0	0	0	0	46.4	0	0
2025	3	11	6	15	11	27	0	0	0	0	0	0	0	46.36	0	0
2025	3	11	6	25	11	28	0	0	0	0	0	0	0	46.33	0	0
2025	3	11	6	35	11	29	0	0	0	0	0	0	0	46.29	0	0
2025	3	11	6	45	11	28	0	0	0	0	0	0	0	46.26	0	0
2025	3	11	6	55	11	28	0	0	0	0	0	0	0	46.22	0	0
2025	3	11	7	5	11	28	0	0	0	0	0	0	0	46.18	0	0
2025	3	11	7	15	11	28	0	0	0	0	0	0	0	46.17	0	0
2025	3	11	7	25	11	28	0	0	0	0	0	0	0	46.15	0	0
2025	3	11	7	35	11	28	0	0	0	0	0	0	0	46.13	0	0
2025	3	11	7	45	11	28	0	0	0	0	0	0	0	46.13	0	0
2025	3	11	7	55	11	28	0	0	0	0	0	0	0	46.13	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	12	0	5	11	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	12	0	15	11	27	0	0	0	0	0	0	0	48.54	0	0
2025	3	12	0	25	11	28	0	0	0	0	0	0	0	48.47	0	0
2025	3	12	0	35	11	28	0	0	0	0	0	0	0	48.38	0	0
2025	3	12	0	45	11	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	12	0	55	11	28	0	0	0	0	0	0	0	48.24	0	0
2025	3	12	1	5	11	28	0	0	0	0	0	0	0	48.16	0	0
2025	3	12	1	15	11	28	0	0	0	0	0	0	0	48.07	0	0
2025	3	12	1	25	11	27	0	0	0	0	0	0	0	48	0	0
2025	3	12	1	35	11	27	0	0	0	0	0	0	0	47.93	0	0
2025	3	12	1	45	11	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	12	1	55	11	27	0	0	0	0	0	0	0	47.77	0	0
2025	3	12	2	5	11	28	0	0	0	0	0	0	0	47.68	0	0
2025	3	12	2	15	11	27	0	0	0	0	0	0	0	47.61	0	0
2025	3	12	2	25	11	28	0	0	0	0	0	0	0	47.53	0	0
2025	3	12	2	35	11	27	0	0	0	0	0	0	0	47.44	0	0
2025	3	12	2	45	11	27	0	0	0	0	0	0	0	47.37	0	0
2025	3	12	2	55	11	28	0	0	0	0	0	0	0	47.3	0	0
2025	3	12	3	5	11	28	0	0	0	0	0	0	0	47.25	0	0
2025	3	12	3	15	11	28	0	0	0	0	0	0	0	47.17	0	0
2025	3	12	3	25	11	28	0	0	0	0	0	0	0	47.1	0	0
2025	3	12	3	35	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	12	3	45	11	28	0	0	0	0	0	0	0	46.96	0	0
2025	3	12	3	55	11	27	0	0	0	0	0	0	0	46.89	0	0
2025	3	12	4	5	11	27	0	0	0	0	0	0	0	46.81	0	0
2025	3	12	4	15	11	28	0	0	0	0	0	0	0	46.76	0	0
2025	3	12	4	25	11	28	0	0	0	0	0	0	0	46.69	0	0
2025	3	12	4	35	11	28	0	0	0	0	0	0	0	46.62	0	0
2025	3	12	4	45	11	28	0	0	0	0	0	0	0	46.54	0	0
2025	3	12	4	55	11	27	0	0	0	0	0	0	0	46.49	0	0
2025	3	12	5	5	11	28	0	0	0	0	0	0	0	46.44	0	0
2025	3	12	5	15	11	27	0	0	0	0	0	0	0	46.36	0	0
2025	3	12	5	25	11	28	0	0	0	0	0	0	0	46.31	0	0
2025	3	12	5	35	11	27	0	0	0	0	0	0	0	46.24	0	0
2025	3	12	5	45	11	28	0	0	0	0	0	0	0	46.2	0	0
2025	3	12	5	55	11	28	0	0	0	0	0	0	0	46.13	0	0
2025	3	12	6	5	11	28	0	0	0	0	0	0	0	46.08	0	0
2025	3	12	6	15	11	28	0	0	0	0	0	0	0	46.04	0	0
2025	3	12	6	25	11	27	0	0	0	0	0	0	0	45.99	0	0
2025	3	12	6	35	11	28	0	0	0	0	0	0	0	45.93	0	0
2025	3	12	6	45	11	28	0	0	0	0	0	0	0	45.9	0	0
2025	3	12	6	55	11	28	0	0	0	0	0	0	0	45.84	0	0
2025	3	12	7	5	11	28	0	0	0	0	0	0	0	45.82	0	0
2025	3	12	7	15	11	28	0	0	0	0	0	0	0	45.81	0	0
2025	3	12	7	25	11	28	0	0	0	0	0	0	0	45.79	0	0
2025	3	12	7	35	11	28	0	0	0	0	0	0	0	45.77	0	0
2025	3	12	7	45	11	28	0	0	0	0	0	0	0	45.79	0	0
2025	3	12	7	55	11	27	0	0	0	0	0	0	0	45.77	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	3	12	16	5	11	28	0	0	0	0	0	0	0	51.91	0	0
	2025	3	12	16	15	11	27	0	0	0	0	0	0	0	51.89	0	0
	2025	3	12	16	25	11	27	0	0	0	0	0	0	0	51.87	0	0
	2025	3	12	16	35	11	27	0	0	0	0	0	0	0	51.84	0	0
	2025	3	12	16	45	11	28	0	0	0	0	0	0	0	51.82	0	0
	2025	3	12	16	55	11	27	0	0	0	0	0	0	0	51.78	0	0
	2025	3	12	17	5	11	27	0	0	0	0	0	0	0	51.75	0	0
	2025	3	12	17	15	11	28	0	0	0	0	0	0	0	51.69	0	0
	2025	3	12	17	25	11	28	0	0	0	0	0	0	0	51.66	0	0
	2025	3	12	17	35	11	27	0	0	0	0	0	0	0	51.62	0	0
	2025	3	12	17	45	11	27	0	0	0	0	0	0	0	51.57	0	0
	2025	3	12	17	55	11	28	0	0	0	0	0	0	0	51.51	0	0
	2025	3	12	18	5	11	28	0	0	0	0	0	0	0	51.49	0	0
	2025	3	12	18	15	11	27	0	0	0	0	0	0	0	51.44	0	0
	2025	3	12	18	25	11	27	0	0	0	0	0	0	0	51.4	0	0
	2025	3	12	18	35	11	28	0	0	0	0	0	0	0	51.37	0	0
	2025	3	12	18	45	11	27	0	0	0	0	0	0	0	51.31	0	0
	2025	3	12	18	55	11	27	0	0	0	0	0	0	0	51.26	0	0
	2025	3	12	19	5	11	27	0	0	0	0	0	0	0	51.21	0	0
	2025	3	12	19	15	11	27	0	0	0	0	0	0	0	51.13	0	0
	2025	3	12	19	25	11	28	0	0	0	0	0	0	0	51.08	0	0
	2025	3	12	19	35	11	27	0	0	0	0	0	0	0	51.01	0	0
	2025	3	12	19	45	11	27	0	0	0	0	0	0	0	50.94	0	0
	2025	3	12	19	55	11	27	0	0	0	0	0	0	0	50.86	0	0
	2025	3	12	20	5	11	28	0	0	0	0	0	0	0	50.79	0	0
	2025	3	12	20	15	11	27	0	0	0	0	0	0	0	50.7	0	0
	2025	3	12	20	25	11	28	0	0	0	0	0	0	0	50.61	0	0
	2025	3	12	20	35	11	27	0	0	0	0	0	0	0	50.52	0	0
	2025	3	12	20	45	11	27	0	0	0	0	0	0	0	50.43	0	0
	2025	3	12	20	55	11	27	0	0	0	0	0	0	0	50.34	0	0
	2025	3	12	21	5	11	27	0	0	0	0	0	0	0	50.25	0	0
	2025	3	12	21	15	11	28	0	0	0	0	0	0	0	50.14	0	0
	2025	3	12	21	25	11	27	0	0	0	0	0	0	0	50.05	0	0
	2025	3	12	21	35	11	28	0	0	0	0	0	0	0	49.95	0	0
	2025	3	12	21	45	11	28	0	0	0	0	0	0	0	49.86	0	0
	2025	3	12	21	55	11	27	0	0	0	0	0	0	0	49.75	0	0
	2025	3	12	22	5	11	28	0	0	0	0	0	0	0	49.66	0	0
	2025	3	12	22	15	11	28	0	0	0	0	0	0	0	49.57	0	0
	2025	3	12	22	25	11	27	0	0	0	0	0	0	0	49.46	0	0
	2025	3	12	22	35	11	27	0	0	0	0	0	0	0	49.37	0	0
	2025	3	12	22	45	11	27	0	0	0	0	0	0	0	49.28	0	0
	2025	3	12	22	55	11	28	0	0	0	0	0	0	0	49.19	0	0
	2025	3	12	23	5	11	27	0	0	0	0	0	0	0	49.08	0	0
	2025	3	12	23	15	11	28	0	0	0	0	0	0	0	48.99	0	0
	2025	3	12	23	25	11	28	0	0	0	0	0	0	0	48.9	0	0
	2025	3	12	23	35	11	27	0	0	0	0	0	0	0	48.81	0	0
	2025	3	12	23	45	11	28	0	0	0	0	0	0	0	48.72	0	0
	2025	3	12	23	55	11	28	0	0	0	0	0	0	0	48.65	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	3	14	16	5	11	27	0	0	0	0	0	0	0	47.64	0	0
	2025	3	14	16	15	11	28	0	0	0	0	0	0	0	47.61	0	0
	2025	3	14	16	25	11	28	0	0	0	0	0	0	0	47.59	0	0
	2025	3	14	16	35	11	27	0	0	0	0	0	0	0	47.57	0	0
	2025	3	14	16	45	11	27	0	0	0	0	0	0	0	47.57	0	0
	2025	3	14	16	55	11	27	0	0	0	0	0	0	0	47.55	0	0
	2025	3	14	17	5	11	28	0	0	0	0	0	0	0	47.53	0	0
	2025	3	14	17	15	11	28	0	0	0	0	0	0	0	47.52	0	0
	2025	3	14	17	25	11	27	0	0	0	0	0	0	0	47.48	0	0
	2025	3	14	17	35	11	28	0	0	0	0	0	0	0	47.44	0	0
	2025	3	14	17	45	11	27	0	0	0	0	0	0	0	47.41	0	0
	2025	3	14	17	55	11	27	0	0	0	0	0	0	0	47.37	0	0
	2025	3	14	18	5	11	28	0	0	0	0	0	0	0	47.32	0	0
	2025	3	14	18	15	11	27	0	0	0	0	0	0	0	47.28	0	0
	2025	3	14	18	25	11	28	0	0	0	0	0	0	0	47.23	0	0
	2025	3	14	18	35	11	28	0	0	0	0	0	0	0	47.17	0	0
	2025	3	14	18	45	11	28	0	0	0	0	0	0	0	47.14	0	0
	2025	3	14	18	55	11	28	0	0	0	0	0	0	0	47.08	0	0
	2025	3	14	19	5	11	28	0	0	0	0	0	0	0	47.05	0	0
	2025	3	14	19	15	11	28	0	0	0	0	0	0	0	46.99	0	0
	2025	3	14	19	25	11	27	0	0	0	0	0	0	0	46.96	0	0
	2025	3	14	19	35	11	28	0	0	0	0	0	0	0	46.92	0	0
	2025	3	14	19	45	11	28	0	0	0	0	0	0	0	46.87	0	0
	2025	3	14	19	55	11	27	0	0	0	0	0	0	0	46.83	0	0
	2025	3	14	20	5	11	28	0	0	0	0	0	0	0	46.78	0	0
	2025	3	14	20	15	11	28	0	0	0	0	0	0	0	46.74	0	0
	2025	3	14	20	25	11	27	0	0	0	0	0	0	0	46.69	0	0
	2025	3	14	20	35	11	28	0	0	0	0	0	0	0	46.62	0	0
	2025	3	14	20	45	11	28	0	0	0	0	0	0	0	46.56	0	0
	2025	3	14	20	55	11	27	0	0	0	0	0	0	0	46.49	0	0
	2025	3	14	21	5	11	28	0	0	0	0	0	0	0	46.44	0	0
	2025	3	14	21	15	11	27	0	0	0	0	0	0	0	46.36	0	0
	2025	3	14	21	25	11	28	0	0	0	0	0	0	0	46.29	0	0
	2025	3	14	21	35	11	28	0	0	0	0	0	0	0	46.2	0	0
	2025	3	14	21	45	11	28	0	0	0	0	0	0	0	46.13	0	0
	2025	3	14	21	55	11	27	0	0	0	0	0	0	0	46.06	0	0
	2025	3	14	22	5	11	28	0	0	0	0	0	0	0	45.99	0	0
	2025	3	14	22	15	11	28	0	0	0	0	0	0	0	45.9	0	0
	2025	3	14	22	25	11	28	0	0	0	0	0	0	0	45.82	0	0
	2025	3	14	22	35	11	27	0	0	0	0	0	0	0	45.73	0	0
	2025	3	14	22	45	11	28	0	0	0	0	0	0	0	45.64	0	0
	2025	3	14	22	55	11	28	0	0	0	0	0	0	0	45.55	0	0
	2025	3	14	23	5	11	28	0	0	0	0	0	0	0	45.46	0	0
	2025	3	14	23	15	11	28	0	0	0	0	0	0	0	45.37	0	0
	2025	3	14	23	25	11	27	0	0	0	0	0	0	0	45.28	0	0
	2025	3	14	23	35	11	28	0	0	0	0	0	0	0	45.19	0	0
	2025	3	14	23	45	11	27	0	0	0	0	0	0	0	45.1	0	0
	2025	3	14	23	55	11	28	0	0	0	0	0	0	0	45.01	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	15	0	5	11	28	0	0	0	0	0	0	0	44.92	0	0
2025	3	15	0	15	11	28	0	0	0	0	0	0	0	44.83	0	0
2025	3	15	0	25	11	28	0	0	0	0	0	0	0	44.76	0	0
2025	3	15	0	35	11	27	0	0	0	0	0	0	0	44.67	0	0
2025	3	15	0	45	11	28	0	0	0	0	0	0	0	44.6	0	0
2025	3	15	0	55	11	28	0	0	0	0	0	0	0	44.51	0	0
2025	3	15	1	5	11	28	0	0	0	0	0	0	0	44.44	0	0
2025	3	15	1	15	11	27	0	0	0	0	0	0	0	44.35	0	0
2025	3	15	1	25	11	28	0	0	0	0	0	0	0	44.28	0	0
2025	3	15	1	35	11	28	0	0	0	0	0	0	0	44.2	0	0
2025	3	15	1	45	11	28	0	0	0	0	0	0	0	44.11	0	0
2025	3	15	1	55	11	28	0	0	0	0	0	0	0	44.02	0	0
2025	3	15	2	5	11	28	0	0	0	0	0	0	0	43.95	0	0
2025	3	15	2	15	11	28	0	0	0	0	0	0	0	43.86	0	0
2025	3	15	2	25	11	28	0	0	0	0	0	0	0	43.77	0	0
2025	3	15	2	35	11	28	0	0	0	0	0	0	0	43.7	0	0
2025	3	15	2	45	11	29	0	0	0	0	0	0	0	43.63	0	0
2025	3	15	2	55	11	28	0	0	0	0	0	0	0	43.54	0	0
2025	3	15	3	5	11	28	0	0	0	0	0	0	0	43.47	0	0
2025	3	15	3	15	11	28	0	0	0	0	0	0	0	43.39	0	0
2025	3	15	3	25	11	29	0	0	0	0	0	0	0	43.3	0	0
2025	3	15	3	35	11	28	0	0	0	0	0	0	0	43.23	0	0
2025	3	15	3	45	11	27	0	0	0	0	0	0	0	43.16	0	0
2025	3	15	3	55	11	29	0	0	0	0	0	0	0	43.09	0	0
2025	3	15	4	5	11	28	0	0	0	0	0	0	0	43.03	0	0
2025	3	15	4	15	11	29	0	0	0	0	0	0	0	42.94	0	0
2025	3	15	4	25	11	28	0	0	0	0	0	0	0	42.87	0	0
2025	3	15	4	35	11	28	0	0	0	0	0	0	0	42.82	0	0
2025	3	15	4	45	11	28	0	0	0	0	0	0	0	42.75	0	0
2025	3	15	4	55	11	28	0	0	0	0	0	0	0	42.67	0	0
2025	3	15	5	5	11	28	0	0	0	0	0	0	0	42.62	0	0
2025	3	15	5	15	11	28	0	0	0	0	0	0	0	42.55	0	0
2025	3	15	5	25	11	29	0	0	0	0	0	0	0	42.49	0	0
2025	3	15	5	35	11	28	0	0	0	0	0	0	0	42.44	0	0
2025	3	15	5	45	11	28	0	0	0	0	0	0	0	42.37	0	0
2025	3	15	5	55	11	28	0	0	0	0	0	0	0	42.31	0	0
2025	3	15	6	5	11	28	0	0	0	0	0	0	0	42.26	0	0
2025	3	15	6	15	11	28	0	0	0	0	0	0	0	42.21	0	0
2025	3	15	6	25	11	28	0	0	0	0	0	0	0	42.15	0	0
2025	3	15	6	35	11	29	0	0	0	0	0	0	0	42.08	0	0
2025	3	15	6	45	11	28	0	0	0	0	0	0	0	42.03	0	0
2025	3	15	6	55	11	29	0	0	0	0	0	0	0	41.99	0	0
2025	3	15	7	5	11	28	0	0	0	0	0	0	0	41.95	0	0
2025	3	15	7	15	11	27	0	0	0	0	0	0	0	41.92	0	0
2025	3	15	7	25	11	28	0	0	0	0	0	0	0	41.9	0	0
2025	3	15	7	35	11	28	0	0	0	0	0	0	0	41.88	0	0
2025	3	15	7	45	11	29	0	0	0	0	0	0	0	41.9	0	0
2025	3	15	7	55	11	28	0	0	0	0	0	0	0	41.9	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	16	0	5	11	28	0	0	0	0	0	0	0	47.3	0	0
2025	3	16	0	15	11	28	0	0	0	0	0	0	0	47.21	0	0
2025	3	16	0	25	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	16	0	35	11	29	0	0	0	0	0	0	0	47.03	0	0
2025	3	16	0	45	11	28	0	0	0	0	0	0	0	46.94	0	0
2025	3	16	0	55	11	27	0	0	0	0	0	0	0	46.83	0	0
2025	3	16	1	5	11	28	0	0	0	0	0	0	0	46.74	0	0
2025	3	16	1	15	11	28	0	0	0	0	0	0	0	46.65	0	0
2025	3	16	1	25	11	28	0	0	0	0	0	0	0	46.56	0	0
2025	3	16	1	35	11	28	0	0	0	0	0	0	0	46.47	0	0
2025	3	16	1	45	11	28	0	0	0	0	0	0	0	46.36	0	0
2025	3	16	1	55	11	28	0	0	0	0	0	0	0	46.27	0	0
2025	3	16	2	5	11	28	0	0	0	0	0	0	0	46.18	0	0
2025	3	16	2	15	11	27	0	0	0	0	0	0	0	46.09	0	0
2025	3	16	2	25	11	28	0	0	0	0	0	0	0	46	0	0
2025	3	16	2	35	11	27	0	0	0	0	0	0	0	45.9	0	0
2025	3	16	2	45	11	28	0	0	0	0	0	0	0	45.82	0	0
2025	3	16	2	55	11	28	0	0	0	0	0	0	0	45.73	0	0
2025	3	16	3	5	11	27	0	0	0	0	0	0	0	45.64	0	0
2025	3	16	3	15	11	29	0	0	0	0	0	0	0	45.55	0	0
2025	3	16	3	25	11	28	0	0	0	0	0	0	0	45.48	0	0
2025	3	16	3	35	11	27	0	0	0	0	0	0	0	45.39	0	0
2025	3	16	3	45	11	28	0	0	0	0	0	0	0	45.34	0	0
2025	3	16	3	55	11	28	0	0	0	0	0	0	0	45.25	0	0
2025	3	16	4	5	11	28	0	0	0	0	0	0	0	45.19	0	0
2025	3	16	4	15	11	28	0	0	0	0	0	0	0	45.12	0	0
2025	3	16	4	25	11	28	0	0	0	0	0	0	0	45.05	0	0
2025	3	16	4	35	11	28	0	0	0	0	0	0	0	44.98	0	0
2025	3	16	4	45	11	28	0	0	0	0	0	0	0	44.92	0	0
2025	3	16	4	55	11	28	0	0	0	0	0	0	0	44.85	0	0
2025	3	16	5	5	11	28	0	0	0	0	0	0	0	44.8	0	0
2025	3	16	5	15	11	28	0	0	0	0	0	0	0	44.73	0	0
2025	3	16	5	25	11	28	0	0	0	0	0	0	0	44.67	0	0
2025	3	16	5	35	11	28	0	0	0	0	0	0	0	44.62	0	0
2025	3	16	5	45	11	28	0	0	0	0	0	0	0	44.55	0	0
2025	3	16	5	55	11	28	0	0	0	0	0	0	0	44.51	0	0
2025	3	16	6	5	11	28	0	0	0	0	0	0	0	44.46	0	0
2025	3	16	6	15	11	27	0	0	0	0	0	0	0	44.4	0	0
2025	3	16	6	25	11	27	0	0	0	0	0	0	0	44.37	0	0
2025	3	16	6	35	11	28	0	0	0	0	0	0	0	44.31	0	0
2025	3	16	6	45	11	28	0	0	0	0	0	0	0	44.26	0	0
2025	3	16	6	55	11	29	0	0	0	0	0	0	0	44.22	0	0
2025	3	16	7	5	11	28	0	0	0	0	0	0	0	44.2	0	0
2025	3	16	7	15	11	28	0	0	0	0	0	0	0	44.17	0	0
2025	3	16	7	25	11	29	0	0	0	0	0	0	0	44.17	0	0
2025	3	16	7	35	11	28	0	0	0	0	0	0	0	44.17	0	0
2025	3	16	7	45	11	28	0	0	0	0	0	0	0	44.19	0	0
2025	3	16	7	55	11	28	0	0	0	0	0	0	0	44.22	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	16	8	5	11	28	0	0	0	0	0	0	0	44.26	0	0
2025	3	16	8	15	11	27	0	0	0	0	0	0	0	44.31	0	0
2025	3	16	8	25	11	28	0	0	0	0	0	0	0	44.38	0	0
2025	3	16	8	35	11	28	0	0	0	0	0	0	0	44.44	0	0
2025	3	16	8	45	11	28	0	0	0	0	0	0	0	44.51	0	0
2025	3	16	8	55	11	28	0	0	0	0	0	0	0	44.58	0	0
2025	3	16	9	5	11	28	0	0	0	0	0	0	0	44.67	0	0
2025	3	16	9	15	11	28	0	0	0	0	0	0	0	44.78	0	0
2025	3	16	9	25	11	28	0	0	0	0	0	0	0	44.87	0	0
2025	3	16	9	35	11	28	0	0	0	0	0	0	0	44.96	0	0
2025	3	16	9	45	11	28	0	0	0	0	0	0	0	45.03	0	0
2025	3	16	9	55	11	29	0	0	0	0	0	0	0	45.12	0	0
2025	3	16	10	5	11	28	0	0	0	0	0	0	0	45.21	0	0
2025	3	16	10	15	11	27	0	0	0	0	0	0	0	45.32	0	0
2025	3	16	10	25	11	29	0	0	0	0	0	0	0	45.45	0	0
2025	3	16	10	35	11	28	0	0	0	0	0	0	0	45.55	0	0
2025	3	16	10	45	11	28	0	0	0	0	0	0	0	45.68	0	0
2025	3	16	10	55	11	28	0	0	0	0	0	0	0	45.81	0	0
2025	3	16	11	5	11	28	0	0	0	0	0	0	0	45.91	0	0
2025	3	16	11	15	11	27	0	0	0	0	0	0	0	46.04	0	0
2025	3	16	11	25	11	27	0	0	0	0	0	0	0	46.15	0	0
2025	3	16	11	35	11	28	0	0	0	0	0	0	0	46.24	0	0
2025	3	16	11	45	11	27	0	0	0	0	0	0	0	46.35	0	0
2025	3	16	11	55	11	28	0	0	0	0	0	0	0	46.47	0	0
2025	3	16	12	5	11	28	0	0	0	0	0	0	0	46.6	0	0
2025	3	16	12	15	11	28	0	0	0	0	0	0	0	46.69	0	0
2025	3	16	12	25	11	28	0	0	0	0	0	0	0	46.8	0	0
2025	3	16	12	35	11	28	0	0	0	0	0	0	0	46.9	0	0
2025	3	16	12	45	11	27	0	0	0	0	0	0	0	47.03	0	0
2025	3	16	12	55	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	16	13	5	11	28	0	0	0	0	0	0	0	47.23	0	0
2025	3	16	13	15	11	28	0	0	0	0	0	0	0	47.35	0	0
2025	3	16	13	25	11	28	0	0	0	0	0	0	0	47.48	0	0
2025	3	16	13	35	11	27	0	0	0	0	0	0	0	47.61	0	0
2025	3	16	13	45	11	28	0	0	0	0	0	0	0	47.79	0	0
2025	3	16	13	55	11	28	0	0	0	0	0	0	0	47.97	0	0
2025	3	16	14	5	11	27	0	0	0	0	0	0	0	48.16	0	0
2025	3	16	14	15	11	28	0	0	0	0	0	0	0	48.34	0	0
2025	3	16	14	25	11	28	0	0	0	0	0	0	0	48.49	0	0
2025	3	16	14	35	11	27	0	0	0	0	0	0	0	48.69	0	0
2025	3	16	14	45	11	28	0	0	0	0	0	0	0	48.85	0	0
2025	3	16	14	55	11	28	0	0	0	0	0	0	0	49.01	0	0
2025	3	16	15	5	11	27	0	0	0	0	0	0	0	49.15	0	0
2025	3	16	15	15	11	28	0	0	0	0	0	0	0	49.32	0	0
2025	3	16	15	25	11	28	0	0	0	0	0	0	0	49.46	0	0
2025	3	16	15	35	11	27	0	0	0	0	0	0	0	49.62	0	0
2025	3	16	15	45	11	28	0	0	0	0	0	0	0	49.75	0	0
2025	3	16	15	55	11	27	0	0	0	0	0	0	0	49.89	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	3	16	16	5	11	28	0	0	0	0	0	0	0	50.04	0	0
	2025	3	16	16	15	11	27	0	0	0	0	0	0	0	50.14	0	0
	2025	3	16	16	25	11	27	0	0	0	0	0	0	0	50.23	0	0
	2025	3	16	16	35	11	28	0	0	0	0	0	0	0	50.31	0	0
	2025	3	16	16	45	11	27	0	0	0	0	0	0	0	50.38	0	0
	2025	3	16	16	55	11	27	0	0	0	0	0	0	0	50.45	0	0
	2025	3	16	17	5	11	27	0	0	0	0	0	0	0	50.49	0	0
	2025	3	16	17	15	11	28	0	0	0	0	0	0	0	50.52	0	0
	2025	3	16	17	25	11	28	0	0	0	0	0	0	0	50.56	0	0
	2025	3	16	17	35	11	27	0	0	0	0	0	0	0	50.58	0	0
	2025	3	16	17	45	11	28	0	0	0	0	0	0	0	50.61	0	0
	2025	3	16	17	55	11	27	0	0	0	0	0	0	0	50.61	0	0
	2025	3	16	18	5	11	27	0	0	0	0	0	0	0	50.61	0	0
	2025	3	16	18	15	11	27	0	0	0	0	0	0	0	50.61	0	0
	2025	3	16	18	25	11	27	0	0	0	0	0	0	0	50.59	0	0
	2025	3	16	18	35	11	28	0	0	0	0	0	0	0	50.58	0	0
	2025	3	16	18	45	11	27	0	0	0	0	0	0	0	50.54	0	0
	2025	3	16	18	55	11	28	0	0	0	0	0	0	0	50.52	0	0
	2025	3	16	19	5	11	27	0	0	0	0	0	0	0	50.49	0	0
	2025	3	16	19	15	11	27	0	0	0	0	0	0	0	50.45	0	0
	2025	3	16	19	25	11	28	0	0	0	0	0	0	0	50.43	0	0
	2025	3	16	19	35	11	28	0	0	0	0	0	0	0	50.4	0	0
	2025	3	16	19	45	11	28	0	0	0	0	0	0	0	50.38	0	0
	2025	3	16	19	55	11	27	0	0	0	0	0	0	0	50.34	0	0
	2025	3	16	20	5	11	27	0	0	0	0	0	0	0	50.31	0	0
	2025	3	16	20	15	11	27	0	0	0	0	0	0	0	50.27	0	0
	2025	3	16	20	25	11	27	0	0	0	0	0	0	0	50.23	0	0
	2025	3	16	20	35	11	28	0	0	0	0	0	0	0	50.18	0	0
	2025	3	16	20	45	11	27	0	0	0	0	0	0	0	50.14	0	0
	2025	3	16	20	55	11	27	0	0	0	0	0	0	0	50.11	0	0
	2025	3	16	21	5	11	27	0	0	0	0	0	0	0	50.07	0	0
	2025	3	16	21	15	11	28	0	0	0	0	0	0	0	50.04	0	0
	2025	3	16	21	25	11	28	0	0	0	0	0	0	0	49.98	0	0
	2025	3	16	21	35	11	28	0	0	0	0	0	0	0	49.93	0	0
	2025	3	16	21	45	11	27	0	0	0	0	0	0	0	49.89	0	0
	2025	3	16	21	55	11	27	0	0	0	0	0	0	0	49.86	0	0
	2025	3	16	22	5	11	28	0	0	0	0	0	0	0	49.8	0	0
	2025	3	16	22	15	11	27	0	0	0	0	0	0	0	49.75	0	0
	2025	3	16	22	25	11	27	0	0	0	0	0	0	0	49.69	0	0
	2025	3	16	22	35	11	27	0	0	0	0	0	0	0	49.64	0	0
	2025	3	16	22	45	11	28	0	0	0	0	0	0	0	49.59	0	0
	2025	3	16	22	55	11	28	0	0	0	0	0	0	0	49.53	0	0
	2025	3	16	23	5	11	28	0	0	0	0	0	0	0	49.48	0	0
	2025	3	16	23	15	11	27	0	0	0	0	0	0	0	49.42	0	0
	2025	3	16	23	25	11	27	0	0	0	0	0	0	0	49.37	0	0
	2025	3	16	23	35	11	28	0	0	0	0	0	0	0	49.32	0	0
	2025	3	16	23	45	11	27	0	0	0	0	0	0	0	49.24	0	0
	2025	3	16	23	55	11	28	0	0	0	0	0	0	0	49.19	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	17	8	5	11	28	0	0	0	0	0	0	0	46.56	0	0
2025	3	17	8	15	11	28	0	0	0	0	0	0	0	46.62	0	0
2025	3	17	8	25	11	27	0	0	0	0	0	0	0	46.67	0	0
2025	3	17	8	35	11	27	0	0	0	0	0	0	0	46.74	0	0
2025	3	17	8	45	11	28	0	0	0	0	0	0	0	46.81	0	0
2025	3	17	8	55	11	27	0	0	0	0	0	0	0	46.92	0	0
2025	3	17	9	5	11	28	0	0	0	0	0	0	0	47.03	0	0
2025	3	17	9	15	11	28	0	0	0	0	0	0	0	47.16	0	0
2025	3	17	9	25	11	28	0	0	0	0	0	0	0	47.3	0	0
2025	3	17	9	35	11	28	0	0	0	0	0	0	0	47.46	0	0
2025	3	17	9	45	11	28	0	0	0	0	0	0	0	47.62	0	0
2025	3	17	9	55	11	28	0	0	0	0	0	0	0	47.79	0	0
2025	3	17	10	5	11	28	0	0	0	0	0	0	0	47.97	0	0
2025	3	17	10	15	11	27	0	0	0	0	0	0	0	48.18	0	0
2025	3	17	10	25	11	27	0	0	0	0	0	0	0	48.38	0	0
2025	3	17	10	35	11	27	0	0	0	0	0	0	0	48.61	0	0
2025	3	17	10	45	11	28	0	0	0	0	0	0	0	48.85	0	0
2025	3	17	10	55	11	27	0	0	0	0	0	0	0	49.06	0	0
2025	3	17	11	5	11	27	0	0	0	0	0	0	0	49.28	0	0
2025	3	17	11	15	11	28	0	0	0	0	0	0	0	49.53	0	0
2025	3	17	11	25	11	28	0	0	0	0	0	0	0	49.73	0	0
2025	3	17	11	35	11	27	0	0	0	0	0	0	0	49.98	0	0
2025	3	17	11	45	11	28	0	0	0	0	0	0	0	50.22	0	0
2025	3	17	11	55	11	27	0	0	0	0	0	0	0	50.4	0	0
2025	3	17	12	5	11	27	0	0	0	0	0	0	0	50.58	0	0
2025	3	17	12	15	11	27	0	0	0	0	0	0	0	50.68	0	0
2025	3	17	12	25	11	26	0	0	0	0	0	0	0	50.81	0	0
2025	3	17	12	35	11	27	0	0	0	0	0	0	0	50.97	0	0
2025	3	17	12	45	11	27	0	0	0	0	0	0	0	51.26	0	0
2025	3	17	12	55	11	27	0	0	0	0	0	0	0	51.35	0	0
2025	3	17	13	5	11	27	0	0	0	0	0	0	0	51.4	0	0
2025	3	17	13	15	11	27	0	0	0	0	0	0	0	51.48	0	0
2025	3	17	13	25	11	27	0	0	0	0	0	0	0	51.57	0	0
2025	3	17	13	35	11	27	0	0	0	0	0	0	0	51.71	0	0
2025	3	17	13	45	11	27	0	0	0	0	0	0	0	51.75	0	0
2025	3	17	13	55	11	28	0	0	0	0	0	0	0	51.78	0	0
2025	3	17	14	5	11	27	0	0	0	0	0	0	0	51.85	0	0
2025	3	17	14	15	11	27	0	0	0	0	0	0	0	51.91	0	0
2025	3	17	14	25	11	28	0	0	0	0	0	0	0	51.98	0	0
2025	3	17	14	35	11	27	0	0	0	0	0	0	0	52.02	0	0
2025	3	17	14	45	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	14	55	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	5	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	15	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	25	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	35	11	28	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	45	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	15	55	11	27	0	0	0	0	0	0	0	52.02	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	17	16	5	11	27	0	0	0	0	0	0	0	52	0	0
2025	3	17	16	15	11	27	0	0	0	0	0	0	0	51.98	0	0
2025	3	17	16	25	11	28	0	0	0	0	0	0	0	51.96	0	0
2025	3	17	16	35	11	28	0	0	0	0	0	0	0	51.93	0	0
2025	3	17	16	45	11	27	0	0	0	0	0	0	0	51.89	0	0
2025	3	17	16	55	11	28	0	0	0	0	0	0	0	51.84	0	0
2025	3	17	17	5	11	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	17	17	15	11	27	0	0	0	0	0	0	0	51.8	0	0
2025	3	17	17	25	11	27	0	0	0	0	0	0	0	51.76	0	0
2025	3	17	17	35	11	26	0	0	0	0	0	0	0	51.71	0	0
2025	3	17	17	45	11	27	0	0	0	0	0	0	0	51.64	0	0
2025	3	17	17	55	11	27	0	0	0	0	0	0	0	51.58	0	0
2025	3	17	18	5	11	27	0	0	0	0	0	0	0	51.51	0	0
2025	3	17	18	15	11	28	0	0	0	0	0	0	0	51.42	0	0
2025	3	17	18	25	11	28	0	0	0	0	0	0	0	51.33	0	0
2025	3	17	18	35	11	27	0	0	0	0	0	0	0	51.24	0	0
2025	3	17	18	45	11	27	0	0	0	0	0	0	0	51.19	0	0
2025	3	17	18	55	11	28	0	0	0	0	0	0	0	51.12	0	0
2025	3	17	19	5	11	28	0	0	0	0	0	0	0	51.04	0	0
2025	3	17	19	15	11	27	0	0	0	0	0	0	0	50.95	0	0
2025	3	17	19	25	11	27	0	0	0	0	0	0	0	50.88	0	0
2025	3	17	19	35	11	27	0	0	0	0	0	0	0	50.79	0	0
2025	3	17	19	45	11	27	0	0	0	0	0	0	0	50.7	0	0
2025	3	17	19	55	11	27	0	0	0	0	0	0	0	50.59	0	0
2025	3	17	20	5	11	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	17	20	15	11	27	0	0	0	0	0	0	0	50.4	0	0
2025	3	17	20	25	11	28	0	0	0	0	0	0	0	50.29	0	0
2025	3	17	20	35	11	28	0	0	0	0	0	0	0	50.16	0	0
2025	3	17	20	45	11	28	0	0	0	0	0	0	0	50.05	0	0
2025	3	17	20	55	11	27	0	0	0	0	0	0	0	49.96	0	0
2025	3	17	21	5	11	28	0	0	0	0	0	0	0	49.86	0	0
2025	3	17	21	15	11	28	0	0	0	0	0	0	0	49.75	0	0
2025	3	17	21	25	11	27	0	0	0	0	0	0	0	49.64	0	0
2025	3	17	21	35	11	28	0	0	0	0	0	0	0	49.53	0	0
2025	3	17	21	45	11	27	0	0	0	0	0	0	0	49.41	0	0
2025	3	17	21	55	11	27	0	0	0	0	0	0	0	49.3	0	0
2025	3	17	22	5	11	28	0	0	0	0	0	0	0	49.19	0	0
2025	3	17	22	15	11	28	0	0	0	0	0	0	0	49.1	0	0
2025	3	17	22	25	11	28	0	0	0	0	0	0	0	49.01	0	0
2025	3	17	22	35	11	28	0	0	0	0	0	0	0	48.9	0	0
2025	3	17	22	45	11	27	0	0	0	0	0	0	0	48.81	0	0
2025	3	17	22	55	11	27	0	0	0	0	0	0	0	48.72	0	0
2025	3	17	23	5	11	27	0	0	0	0	0	0	0	48.61	0	0
2025	3	17	23	15	11	28	0	0	0	0	0	0	0	48.51	0	0
2025	3	17	23	25	11	27	0	0	0	0	0	0	0	48.42	0	0
2025	3	17	23	35	11	27	0	0	0	0	0	0	0	48.33	0	0
2025	3	17	23	45	11	28	0	0	0	0	0	0	0	48.22	0	0
2025	3	17	23	55	11	27	0	0	0	0	0	0	0	48.11	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	3	19	16	5	11	27	0	0	0	0	0	0	0	51.82	0	0
	2025	3	19	16	15	11	28	0	0	0	0	0	0	0	51.85	0	0
	2025	3	19	16	25	11	28	0	0	0	0	0	0	0	51.89	0	0
	2025	3	19	16	35	11	27	0	0	0	0	0	0	0	51.91	0	0
	2025	3	19	16	45	11	27	0	0	0	0	0	0	0	51.91	0	0
	2025	3	19	16	55	11	28	0	0	0	0	0	0	0	51.91	0	0
	2025	3	19	17	5	11	27	0	0	0	0	0	0	0	51.91	0	0
	2025	3	19	17	15	11	28	0	0	0	0	0	0	0	51.89	0	0
	2025	3	19	17	25	11	28	0	0	0	0	0	0	0	51.87	0	0
	2025	3	19	17	35	11	27	0	0	0	0	0	0	0	51.84	0	0
	2025	3	19	17	45	11	28	0	0	0	0	0	0	0	51.84	0	0
	2025	3	19	17	55	11	27	0	0	0	0	0	0	0	51.8	0	0
	2025	3	19	18	5	11	27	0	0	0	0	0	0	0	51.78	0	0
	2025	3	19	18	15	11	27	0	0	0	0	0	0	0	51.76	0	0
	2025	3	19	18	25	11	27	0	0	0	0	0	0	0	51.75	0	0
	2025	3	19	18	35	11	27	0	0	0	0	0	0	0	51.73	0	0
	2025	3	19	18	45	11	28	0	0	0	0	0	0	0	51.69	0	0
	2025	3	19	18	55	11	27	0	0	0	0	0	0	0	51.66	0	0
	2025	3	19	19	5	11	28	0	0	0	0	0	0	0	51.62	0	0
	2025	3	19	19	15	11	27	0	0	0	0	0	0	0	51.57	0	0
	2025	3	19	19	25	11	27	0	0	0	0	0	0	0	51.55	0	0
	2025	3	19	19	35	11	27	0	0	0	0	0	0	0	51.49	0	0
	2025	3	19	19	45	11	27	0	0	0	0	0	0	0	51.46	0	0
	2025	3	19	19	55	11	28	0	0	0	0	0	0	0	51.4	0	0
	2025	3	19	20	5	11	28	0	0	0	0	0	0	0	51.35	0	0
	2025	3	19	20	15	11	27	0	0	0	0	0	0	0	51.3	0	0
	2025	3	19	20	25	11	27	0	0	0	0	0	0	0	51.24	0	0
	2025	3	19	20	35	11	27	0	0	0	0	0	0	0	51.19	0	0
	2025	3	19	20	45	11	27	0	0	0	0	0	0	0	51.12	0	0
	2025	3	19	20	55	11	28	0	0	0	0	0	0	0	51.04	0	0
	2025	3	19	21	5	11	27	0	0	0	0	0	0	0	50.99	0	0
	2025	3	19	21	15	11	28	0	0	0	0	0	0	0	50.94	0	0
	2025	3	19	21	25	11	27	0	0	0	0	0	0	0	50.86	0	0
	2025	3	19	21	35	11	28	0	0	0	0	0	0	0	50.79	0	0
	2025	3	19	21	45	11	27	0	0	0	0	0	0	0	50.72	0	0
	2025	3	19	21	55	11	27	0	0	0	0	0	0	0	50.63	0	0
	2025	3	19	22	5	11	28	0	0	0	0	0	0	0	50.54	0	0
	2025	3	19	22	15	11	27	0	0	0	0	0	0	0	50.45	0	0
	2025	3	19	22	25	11	27	0	0	0	0	0	0	0	50.36	0	0
	2025	3	19	22	35	11	28	0	0	0	0	0	0	0	50.29	0	0
	2025	3	19	22	45	11	27	0	0	0	0	0	0	0	50.2	0	0
	2025	3	19	22	55	11	28	0	0	0	0	0	0	0	50.11	0	0
	2025	3	19	23	5	11	28	0	0	0	0	0	0	0	50.02	0	0
	2025	3	19	23	15	11	28	0	0	0	0	0	0	0	49.93	0	0
	2025	3	19	23	25	11	28	0	0	0	0	0	0	0	49.84	0	0
	2025	3	19	23	35	11	28	0	0	0	0	0	0	0	49.73	0	0
	2025	3	19	23	45	11	27	0	0	0	0	0	0	0	49.64	0	0
	2025	3	19	23	55	11	28	0	0	0	0	0	0	0	49.55	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	20	8	5	11	27	0	0	0	0	0	0	0	46.92	0	0
2025	3	20	8	15	11	28	0	0	0	0	0	0	0	46.94	0	0
2025	3	20	8	25	11	27	0	0	0	0	0	0	0	46.98	0	0
2025	3	20	8	35	11	28	0	0	0	0	0	0	0	47.05	0	0
2025	3	20	8	45	11	28	0	0	0	0	0	0	0	47.12	0	0
2025	3	20	8	55	11	28	0	0	0	0	0	0	0	47.19	0	0
2025	3	20	9	5	11	28	0	0	0	0	0	0	0	47.28	0	0
2025	3	20	9	15	11	27	0	0	0	0	0	0	0	47.41	0	0
2025	3	20	9	25	11	27	0	0	0	0	0	0	0	47.52	0	0
2025	3	20	9	35	11	28	0	0	0	0	0	0	0	47.64	0	0
2025	3	20	9	45	11	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	20	9	55	11	28	0	0	0	0	0	0	0	47.95	0	0
2025	3	20	10	5	11	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	20	10	15	11	27	0	0	0	0	0	0	0	48.29	0	0
2025	3	20	10	25	11	28	0	0	0	0	0	0	0	48.47	0	0
2025	3	20	10	35	11	28	0	0	0	0	0	0	0	48.65	0	0
2025	3	20	10	45	11	28	0	0	0	0	0	0	0	48.83	0	0
2025	3	20	10	55	11	28	0	0	0	0	0	0	0	49.03	0	0
2025	3	20	11	5	11	27	0	0	0	0	0	0	0	49.23	0	0
2025	3	20	11	15	11	28	0	0	0	0	0	0	0	49.44	0	0
2025	3	20	11	25	11	27	0	0	0	0	0	0	0	49.66	0	0
2025	3	20	11	35	11	28	0	0	0	0	0	0	0	49.87	0	0
2025	3	20	11	45	11	27	0	0	0	0	0	0	0	50.11	0	0
2025	3	20	11	55	11	27	0	0	0	0	0	0	0	50.32	0	0
2025	3	20	12	5	11	28	0	0	0	0	0	0	0	50.52	0	0
2025	3	20	12	15	11	27	0	0	0	0	0	0	0	50.7	0	0
2025	3	20	12	25	11	27	0	0	0	0	0	0	0	50.9	0	0
2025	3	20	12	35	11	28	0	0	0	0	0	0	0	51.13	0	0
2025	3	20	12	45	11	28	0	0	0	0	0	0	0	51.33	0	0
2025	3	20	12	55	11	27	0	0	0	0	0	0	0	51.53	0	0
2025	3	20	13	5	11	27	0	0	0	0	0	0	0	51.71	0	0
2025	3	20	13	15	11	28	0	0	0	0	0	0	0	51.93	0	0
2025	3	20	13	25	11	27	0	0	0	0	0	0	0	52.12	0	0
2025	3	20	13	35	11	27	0	0	0	0	0	0	0	52.3	0	0
2025	3	20	13	45	11	27	0	0	0	0	0	0	0	52.5	0	0
2025	3	20	13	55	11	27	0	0	0	0	0	0	0	52.66	0	0
2025	3	20	14	5	11	28	0	0	0	0	0	0	0	52.83	0	0
2025	3	20	14	15	11	27	0	0	0	0	0	0	0	52.97	0	0
2025	3	20	14	33	9	27	0	0	0	0	0	0	0	53.22	0	0
2025	3	20	14	43	9	27	0	0	0	0	0	0	0	53.37	0	0
2025	3	20	14	53	9	27	0	0	0	0	0	0	0	53.49	0	0
2025	3	20	15	3	9	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	20	15	13	9	27	0	0	0	0	0	0	0	53.73	0	0
2025	3	20	15	23	9	27	0	0	0	0	0	0	0	53.83	0	0
2025	3	20	15	33	9	26	0	0	0	0	0	0	0	53.92	0	0
2025	3	20	15	43	9	28	0	0	0	0	0	0	0	54	0	0
2025	3	20	15	53	9	27	0	0	0	0	0	0	0	54.09	0	0
2025	3	20	16	3	9	27	0	0	0	0	0	0	0	54.16	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	20	16	13	9	27	0	0	0	0	0	0	0	54.21	0	0
2025	3	20	16	23	9	27	0	0	0	0	0	0	0	54.27	0	0
2025	3	20	16	33	9	26	0	0	0	0	0	0	0	54.3	0	0
2025	3	20	16	43	9	27	0	0	0	0	0	0	0	54.34	0	0
2025	3	20	16	53	9	27	0	0	0	0	0	0	0	54.36	0	0
2025	3	20	17	3	9	27	0	0	0	0	0	0	0	54.37	0	0
2025	3	20	17	13	9	27	0	0	0	0	0	0	0	54.37	0	0
2025	3	20	17	23	9	27	0	0	0	0	0	0	0	54.37	0	0
2025	3	20	17	33	9	27	0	0	0	0	0	0	0	54.37	0	0
2025	3	20	17	43	9	27	0	0	0	0	0	0	0	54.36	0	0
2025	3	20	17	53	9	27	0	0	0	0	0	0	0	54.34	0	0
2025	3	20	18	3	9	27	0	0	0	0	0	0	0	54.3	0	0
2025	3	20	18	13	9	27	0	0	0	0	0	0	0	54.27	0	0
2025	3	20	18	23	9	27	0	0	0	0	0	0	0	54.23	0	0
2025	3	20	18	33	9	27	0	0	0	0	0	0	0	54.18	0	0
2025	3	20	18	43	9	27	0	0	0	0	0	0	0	54.14	0	0
2025	3	20	18	53	9	27	0	0	0	0	0	0	0	54.1	0	0
2025	3	20	19	3	9	27	0	0	0	0	0	0	0	54.05	0	0
2025	3	20	19	13	9	26	0	0	0	0	0	0	0	54	0	0
2025	3	20	19	23	9	27	0	0	0	0	0	0	0	53.94	0	0
2025	3	20	19	33	9	27	0	0	0	0	0	0	0	53.87	0	0
2025	3	20	19	43	9	27	0	0	0	0	0	0	0	53.8	0	0
2025	3	20	19	53	9	27	0	0	0	0	0	0	0	53.73	0	0
2025	3	20	20	3	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	20	20	13	9	27	0	0	0	0	0	0	0	53.56	0	0
2025	3	20	20	23	9	27	0	0	0	0	0	0	0	53.47	0	0
2025	3	20	20	33	9	28	0	0	0	0	0	0	0	53.38	0	0
2025	3	20	20	43	9	27	0	0	0	0	0	0	0	53.31	0	0
2025	3	20	20	53	9	27	0	0	0	0	0	0	0	53.22	0	0
2025	3	20	21	3	9	27	0	0	0	0	0	0	0	53.11	0	0
2025	3	20	21	13	9	28	0	0	0	0	0	0	0	53.02	0	0
2025	3	20	21	23	9	27	0	0	0	0	0	0	0	52.93	0	0
2025	3	20	21	33	9	27	0	0	0	0	0	0	0	52.84	0	0
2025	3	20	21	43	9	27	0	0	0	0	0	0	0	52.74	0	0
2025	3	20	21	53	9	27	0	0	0	0	0	0	0	52.65	0	0
2025	3	20	22	3	9	27	0	0	0	0	0	0	0	52.54	0	0
2025	3	20	22	13	9	27	0	0	0	0	0	0	0	52.43	0	0
2025	3	20	22	23	9	27	0	0	0	0	0	0	0	52.34	0	0
2025	3	20	22	33	9	27	0	0	0	0	0	0	0	52.23	0	0
2025	3	20	22	43	9	27	0	0	0	0	0	0	0	52.14	0	0
2025	3	20	22	53	9	27	0	0	0	0	0	0	0	52.03	0	0
2025	3	20	23	3	9	28	0	0	0	0	0	0	0	51.94	0	0
2025	3	20	23	13	9	27	0	0	0	0	0	0	0	51.84	0	0
2025	3	20	23	23	9	27	0	0	0	0	0	0	0	51.73	0	0
2025	3	20	23	33	9	27	0	0	0	0	0	0	0	51.62	0	0
2025	3	20	23	43	9	27	0	0	0	0	0	0	0	51.51	0	0
2025	3	20	23	53	9	28	0	0	0	0	0	0	0	51.4	0	0
2025	3	21	0	3	9	28	0	0	0	0	0	0	0	51.3	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	21	0	13	9	27	0	0	0	0	0	0	0	51.19	0	0
2025	3	21	0	23	9	27	0	0	0	0	0	0	0	51.06	0	0
2025	3	21	0	33	9	28	0	0	0	0	0	0	0	50.95	0	0
2025	3	21	0	43	9	27	0	0	0	0	0	0	0	50.83	0	0
2025	3	21	0	53	9	27	0	0	0	0	0	0	0	50.72	0	0
2025	3	21	1	3	9	27	0	0	0	0	0	0	0	50.61	0	0
2025	3	21	1	13	9	27	0	0	0	0	0	0	0	50.5	0	0
2025	3	21	1	23	9	27	0	0	0	0	0	0	0	50.4	0	0
2025	3	21	1	33	9	27	0	0	0	0	0	0	0	50.29	0	0
2025	3	21	1	43	9	28	0	0	0	0	0	0	0	50.18	0	0
2025	3	21	1	53	9	27	0	0	0	0	0	0	0	50.07	0	0
2025	3	21	2	3	9	27	0	0	0	0	0	0	0	49.96	0	0
2025	3	21	2	13	9	27	0	0	0	0	0	0	0	49.86	0	0
2025	3	21	2	23	9	27	0	0	0	0	0	0	0	49.75	0	0
2025	3	21	2	33	9	27	0	0	0	0	0	0	0	49.66	0	0
2025	3	21	2	43	9	27	0	0	0	0	0	0	0	49.55	0	0
2025	3	21	2	53	9	27	0	0	0	0	0	0	0	49.44	0	0
2025	3	21	3	3	9	27	0	0	0	0	0	0	0	49.33	0	0
2025	3	21	3	13	9	28	0	0	0	0	0	0	0	49.24	0	0
2025	3	21	3	23	9	28	0	0	0	0	0	0	0	49.15	0	0
2025	3	21	3	33	9	28	0	0	0	0	0	0	0	49.05	0	0
2025	3	21	3	43	9	28	0	0	0	0	0	0	0	48.96	0	0
2025	3	21	3	53	9	27	0	0	0	0	0	0	0	48.87	0	0
2025	3	21	4	3	9	28	0	0	0	0	0	0	0	48.78	0	0
2025	3	21	4	13	9	27	0	0	0	0	0	0	0	48.7	0	0
2025	3	21	4	23	9	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	21	4	33	9	28	0	0	0	0	0	0	0	48.52	0	0
2025	3	21	4	43	9	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	21	4	53	9	28	0	0	0	0	0	0	0	48.36	0	0
2025	3	21	5	3	9	28	0	0	0	0	0	0	0	48.29	0	0
2025	3	21	5	13	9	27	0	0	0	0	0	0	0	48.22	0	0
2025	3	21	5	23	9	27	0	0	0	0	0	0	0	48.16	0	0
2025	3	21	5	33	9	28	0	0	0	0	0	0	0	48.09	0	0
2025	3	21	5	43	9	27	0	0	0	0	0	0	0	48.02	0	0
2025	3	21	5	53	9	27	0	0	0	0	0	0	0	47.97	0	0
2025	3	21	6	3	9	27	0	0	0	0	0	0	0	47.89	0	0
2025	3	21	6	13	9	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	21	6	23	9	27	0	0	0	0	0	0	0	47.79	0	0
2025	3	21	6	33	9	28	0	0	0	0	0	0	0	47.73	0	0
2025	3	21	6	43	9	27	0	0	0	0	0	0	0	47.7	0	0
2025	3	21	6	53	9	28	0	0	0	0	0	0	0	47.66	0	0
2025	3	21	7	3	9	27	0	0	0	0	0	0	0	47.62	0	0
2025	3	21	7	13	9	27	0	0	0	0	0	0	0	47.61	0	0
2025	3	21	7	23	9	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	21	7	33	9	28	0	0	0	0	0	0	0	47.59	0	0
2025	3	21	7	43	9	28	0	0	0	0	0	0	0	47.57	0	0
2025	3	21	7	53	9	27	0	0	0	0	0	0	0	47.55	0	0
2025	3	21	8	3	9	29	0	0	0	0	0	0	0	47.57	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	21	8	13	9	28	0	0	0	0	0	0	0	47.61	0	0
2025	3	21	8	23	9	28	0	0	0	0	0	0	0	47.64	0	0
2025	3	21	8	33	9	28	0	0	0	0	0	0	0	47.71	0	0
2025	3	21	8	43	9	28	0	0	0	0	0	0	0	47.77	0	0
2025	3	21	8	53	9	28	0	0	0	0	0	0	0	47.84	0	0
2025	3	21	9	3	9	27	0	0	0	0	0	0	0	47.95	0	0
2025	3	21	9	13	9	27	0	0	0	0	0	0	0	48.04	0	0
2025	3	21	9	23	9	28	0	0	0	0	0	0	0	48.16	0	0
2025	3	21	9	33	9	28	0	0	0	0	0	0	0	48.31	0	0
2025	3	21	9	43	9	28	0	0	0	0	0	0	0	48.43	0	0
2025	3	21	9	53	9	28	0	0	0	0	0	0	0	48.61	0	0
2025	3	21	10	3	9	27	0	0	0	0	0	0	0	48.78	0	0
2025	3	21	10	13	9	27	0	0	0	0	0	0	0	48.96	0	0
2025	3	21	10	23	9	27	0	0	0	0	0	0	0	49.14	0	0
2025	3	21	10	33	9	28	0	0	0	0	0	0	0	49.35	0	0
2025	3	21	10	43	9	27	0	0	0	0	0	0	0	49.55	0	0
2025	3	21	10	53	9	28	0	0	0	0	0	0	0	49.77	0	0
2025	3	21	11	3	9	28	0	0	0	0	0	0	0	49.98	0	0
2025	3	21	11	13	9	28	0	0	0	0	0	0	0	50.2	0	0
2025	3	21	11	23	9	28	0	0	0	0	0	0	0	50.43	0	0
2025	3	21	11	33	9	28	0	0	0	0	0	0	0	50.65	0	0
2025	3	21	11	43	9	27	0	0	0	0	0	0	0	50.88	0	0
2025	3	21	11	53	9	27	0	0	0	0	0	0	0	51.1	0	0
2025	3	21	12	3	9	27	0	0	0	0	0	0	0	51.31	0	0
2025	3	21	12	13	9	28	0	0	0	0	0	0	0	51.55	0	0
2025	3	21	12	23	9	28	0	0	0	0	0	0	0	51.78	0	0
2025	3	21	12	33	9	27	0	0	0	0	0	0	0	52	0	0
2025	3	21	12	43	9	27	0	0	0	0	0	0	0	52.21	0	0
2025	3	21	12	53	9	27	0	0	0	0	0	0	0	52.43	0	0
2025	3	21	13	3	9	27	0	0	0	0	0	0	0	52.65	0	0
2025	3	21	13	13	9	27	0	0	0	0	0	0	0	52.86	0	0
2025	3	21	13	23	9	27	0	0	0	0	0	0	0	53.06	0	0
2025	3	21	13	33	9	27	0	0	0	0	0	0	0	53.26	0	0
2025	3	21	13	43	9	27	0	0	0	0	0	0	0	53.44	0	0
2025	3	21	13	53	9	27	0	0	0	0	0	0	0	53.64	0	0
2025	3	21	14	3	9	27	0	0	0	0	0	0	0	53.82	0	0
2025	3	21	14	13	9	27	0	0	0	0	0	0	0	54	0	0
2025	3	21	14	23	9	27	0	0	0	0	0	0	0	54.16	0	0
2025	3	21	14	33	9	27	0	0	0	0	0	0	0	54.32	0	0
2025	3	21	14	43	9	26	0	0	0	0	0	0	0	54.46	0	0
2025	3	21	14	53	9	27	0	0	0	0	0	0	0	54.61	0	0
2025	3	21	15	3	9	27	0	0	0	0	0	0	0	54.73	0	0
2025	3	21	15	13	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	21	15	23	9	26	0	0	0	0	0	0	0	54.97	0	0
2025	3	21	15	33	9	26	0	0	0	0	0	0	0	55.08	0	0
2025	3	21	15	43	9	27	0	0	0	0	0	0	0	55.15	0	0
2025	3	21	15	53	9	27	0	0	0	0	0	0	0	55.24	0	0
2025	3	21	16	3	9	27	0	0	0	0	0	0	0	55.31	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	21	16	13	9	27	0	0	0	0	0	0	0	55.36	0	0
2025	3	21	16	23	9	27	0	0	0	0	0	0	0	55.4	0	0
2025	3	21	16	33	9	27	0	0	0	0	0	0	0	55.42	0	0
2025	3	21	16	43	9	27	0	0	0	0	0	0	0	55.42	0	0
2025	3	21	16	53	9	27	0	0	0	0	0	0	0	55.44	0	0
2025	3	21	17	3	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	21	17	13	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	21	17	23	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	21	17	33	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	21	17	43	9	26	0	0	0	0	0	0	0	55.44	0	0
2025	3	21	17	53	9	27	0	0	0	0	0	0	0	55.42	0	0
2025	3	21	18	3	9	27	0	0	0	0	0	0	0	55.4	0	0
2025	3	21	18	13	9	27	0	0	0	0	0	0	0	55.38	0	0
2025	3	21	18	23	9	27	0	0	0	0	0	0	0	55.35	0	0
2025	3	21	18	33	9	27	0	0	0	0	0	0	0	55.31	0	0
2025	3	21	18	43	9	27	0	0	0	0	0	0	0	55.27	0	0
2025	3	21	18	53	9	27	0	0	0	0	0	0	0	55.24	0	0
2025	3	21	19	3	9	27	0	0	0	0	0	0	0	55.2	0	0
2025	3	21	19	13	9	27	0	0	0	0	0	0	0	55.15	0	0
2025	3	21	19	23	9	28	0	0	0	0	0	0	0	55.11	0	0
2025	3	21	19	33	9	27	0	0	0	0	0	0	0	55.06	0	0
2025	3	21	19	43	9	27	0	0	0	0	0	0	0	55	0	0
2025	3	21	19	53	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	21	20	3	9	27	0	0	0	0	0	0	0	54.91	0	0
2025	3	21	20	13	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	21	20	23	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	21	20	33	9	27	0	0	0	0	0	0	0	54.72	0	0
2025	3	21	20	43	9	27	0	0	0	0	0	0	0	54.66	0	0
2025	3	21	20	53	9	27	0	0	0	0	0	0	0	54.59	0	0
2025	3	21	21	3	9	27	0	0	0	0	0	0	0	54.52	0	0
2025	3	21	21	13	9	27	0	0	0	0	0	0	0	54.43	0	0
2025	3	21	21	23	9	27	0	0	0	0	0	0	0	54.36	0	0
2025	3	21	21	33	9	28	0	0	0	0	0	0	0	54.27	0	0
2025	3	21	21	43	9	27	0	0	0	0	0	0	0	54.19	0	0
2025	3	21	21	53	9	27	0	0	0	0	0	0	0	54.1	0	0
2025	3	21	22	3	9	27	0	0	0	0	0	0	0	54.03	0	0
2025	3	21	22	13	9	27	0	0	0	0	0	0	0	53.94	0	0
2025	3	21	22	23	9	27	0	0	0	0	0	0	0	53.87	0	0
2025	3	21	22	33	9	27	0	0	0	0	0	0	0	53.76	0	0
2025	3	21	22	43	9	27	0	0	0	0	0	0	0	53.69	0	0
2025	3	21	22	53	9	27	0	0	0	0	0	0	0	53.6	0	0
2025	3	21	23	3	9	28	0	0	0	0	0	0	0	53.51	0	0
2025	3	21	23	13	9	27	0	0	0	0	0	0	0	53.4	0	0
2025	3	21	23	23	9	27	0	0	0	0	0	0	0	53.31	0	0
2025	3	21	23	33	9	27	0	0	0	0	0	0	0	53.22	0	0
2025	3	21	23	43	9	28	0	0	0	0	0	0	0	53.13	0	0
2025	3	21	23	53	9	27	0	0	0	0	0	0	0	53.04	0	0
2025	3	22	0	3	9	27	0	0	0	0	0	0	0	52.95	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	22	0	13	9	26	0	0	0	0	0	0	0	52.84	0	0
2025	3	22	0	23	9	27	0	0	0	0	0	0	0	52.74	0	0
2025	3	22	0	33	9	27	0	0	0	0	0	0	0	52.63	0	0
2025	3	22	0	43	9	27	0	0	0	0	0	0	0	52.54	0	0
2025	3	22	0	53	9	27	0	0	0	0	0	0	0	52.43	0	0
2025	3	22	1	3	9	27	0	0	0	0	0	0	0	52.32	0	0
2025	3	22	1	13	9	27	0	0	0	0	0	0	0	52.23	0	0
2025	3	22	1	23	9	27	0	0	0	0	0	0	0	52.12	0	0
2025	3	22	1	33	9	27	0	0	0	0	0	0	0	52.05	0	0
2025	3	22	1	43	9	27	0	0	0	0	0	0	0	51.96	0	0
2025	3	22	1	53	9	27	0	0	0	0	0	0	0	51.85	0	0
2025	3	22	2	3	9	27	0	0	0	0	0	0	0	51.78	0	0
2025	3	22	2	13	9	27	0	0	0	0	0	0	0	51.67	0	0
2025	3	22	2	23	9	28	0	0	0	0	0	0	0	51.58	0	0
2025	3	22	2	33	9	27	0	0	0	0	0	0	0	51.51	0	0
2025	3	22	2	43	9	27	0	0	0	0	0	0	0	51.42	0	0
2025	3	22	2	53	9	27	0	0	0	0	0	0	0	51.33	0	0
2025	3	22	3	3	9	28	0	0	0	0	0	0	0	51.26	0	0
2025	3	22	3	13	9	28	0	0	0	0	0	0	0	51.19	0	0
2025	3	22	3	23	9	27	0	0	0	0	0	0	0	51.12	0	0
2025	3	22	3	33	9	27	0	0	0	0	0	0	0	51.04	0	0
2025	3	22	3	43	9	28	0	0	0	0	0	0	0	50.99	0	0
2025	3	22	3	53	9	27	0	0	0	0	0	0	0	50.94	0	0
2025	3	22	4	3	9	27	0	0	0	0	0	0	0	50.86	0	0
2025	3	22	4	13	9	27	0	0	0	0	0	0	0	50.81	0	0
2025	3	22	4	23	9	28	0	0	0	0	0	0	0	50.77	0	0
2025	3	22	4	33	9	28	0	0	0	0	0	0	0	50.7	0	0
2025	3	22	4	43	9	28	0	0	0	0	0	0	0	50.67	0	0
2025	3	22	4	53	9	28	0	0	0	0	0	0	0	50.61	0	0
2025	3	22	5	3	9	28	0	0	0	0	0	0	0	50.56	0	0
2025	3	22	5	13	9	27	0	0	0	0	0	0	0	50.52	0	0
2025	3	22	5	23	9	27	0	0	0	0	0	0	0	50.45	0	0
2025	3	22	5	33	9	27	0	0	0	0	0	0	0	50.41	0	0
2025	3	22	5	43	9	28	0	0	0	0	0	0	0	50.36	0	0
2025	3	22	5	53	9	28	0	0	0	0	0	0	0	50.34	0	0
2025	3	22	6	3	9	27	0	0	0	0	0	0	0	50.31	0	0
2025	3	22	6	13	9	27	0	0	0	0	0	0	0	50.25	0	0
2025	3	22	6	23	9	27	0	0	0	0	0	0	0	50.22	0	0
2025	3	22	6	33	9	28	0	0	0	0	0	0	0	50.18	0	0
2025	3	22	6	43	9	27	0	0	0	0	0	0	0	50.14	0	0
2025	3	22	6	53	9	28	0	0	0	0	0	0	0	50.13	0	0
2025	3	22	7	3	9	27	0	0	0	0	0	0	0	50.13	0	0
2025	3	22	7	13	9	28	0	0	0	0	0	0	0	50.11	0	0
2025	3	22	7	23	9	27	0	0	0	0	0	0	0	50.11	0	0
2025	3	22	7	33	9	28	0	0	0	0	0	0	0	50.11	0	0
2025	3	22	7	43	9	27	0	0	0	0	0	0	0	50.13	0	0
2025	3	22	7	53	9	27	0	0	0	0	0	0	0	50.13	0	0
2025	3	22	8	3	9	28	0	0	0	0	0	0	0	50.16	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	22	8	13	9	27	0	0	0	0	0	0	0	50.22	0	0
2025	3	22	8	23	9	27	0	0	0	0	0	0	0	50.27	0	0
2025	3	22	8	33	9	28	0	0	0	0	0	0	0	50.32	0	0
2025	3	22	8	43	9	28	0	0	0	0	0	0	0	50.38	0	0
2025	3	22	8	53	9	27	0	0	0	0	0	0	0	50.45	0	0
2025	3	22	9	3	9	27	0	0	0	0	0	0	0	50.52	0	0
2025	3	22	9	13	9	28	0	0	0	0	0	0	0	50.65	0	0
2025	3	22	9	23	9	28	0	0	0	0	0	0	0	50.79	0	0
2025	3	22	9	33	9	27	0	0	0	0	0	0	0	50.92	0	0
2025	3	22	9	43	9	28	0	0	0	0	0	0	0	51.06	0	0
2025	3	22	9	53	9	27	0	0	0	0	0	0	0	51.22	0	0
2025	3	22	10	3	9	27	0	0	0	0	0	0	0	51.4	0	0
2025	3	22	10	13	9	27	0	0	0	0	0	0	0	51.6	0	0
2025	3	22	10	23	9	27	0	0	0	0	0	0	0	51.76	0	0
2025	3	22	10	33	9	28	0	0	0	0	0	0	0	51.91	0	0
2025	3	22	10	43	9	28	0	0	0	0	0	0	0	52.07	0	0
2025	3	22	10	53	9	27	0	0	0	0	0	0	0	52.25	0	0
2025	3	22	11	3	9	27	0	0	0	0	0	0	0	52.36	0	0
2025	3	22	11	13	9	27	0	0	0	0	0	0	0	52.45	0	0
2025	3	22	11	23	9	27	0	0	0	0	0	0	0	52.56	0	0
2025	3	22	11	33	9	27	0	0	0	0	0	0	0	52.7	0	0
2025	3	22	11	43	9	27	0	0	0	0	0	0	0	52.92	0	0
2025	3	22	11	53	9	27	0	0	0	0	0	0	0	53.1	0	0
2025	3	22	12	3	9	28	0	0	0	0	0	0	0	53.28	0	0
2025	3	22	12	13	9	27	0	0	0	0	0	0	0	53.47	0	0
2025	3	22	12	23	9	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	22	12	33	9	27	0	0	0	0	0	0	0	53.74	0	0
2025	3	22	12	43	9	27	0	0	0	0	0	0	0	53.85	0	0
2025	3	22	12	53	9	27	0	0	0	0	0	0	0	53.92	0	0
2025	3	22	13	3	9	27	0	0	0	0	0	0	0	54.01	0	0
2025	3	22	13	13	9	27	0	0	0	0	0	0	0	54.07	0	0
2025	3	22	13	23	9	27	0	0	0	0	0	0	0	54.14	0	0
2025	3	22	13	33	9	27	0	0	0	0	0	0	0	54.21	0	0
2025	3	22	13	43	9	27	0	0	0	0	0	0	0	54.28	0	0
2025	3	22	13	53	9	27	0	0	0	0	0	0	0	54.36	0	0
2025	3	22	14	3	9	27	0	0	0	0	0	0	0	54.43	0	0
2025	3	22	14	13	9	27	0	0	0	0	0	0	0	54.5	0	0
2025	3	22	14	23	9	27	0	0	0	0	0	0	0	54.55	0	0
2025	3	22	14	33	9	27	0	0	0	0	0	0	0	54.61	0	0
2025	3	22	14	43	9	27	0	0	0	0	0	0	0	54.64	0	0
2025	3	22	14	53	9	27	0	0	0	0	0	0	0	54.68	0	0
2025	3	22	15	3	9	26	0	0	0	0	0	0	0	54.72	0	0
2025	3	22	15	13	9	27	0	0	0	0	0	0	0	54.75	0	0
2025	3	22	15	23	9	27	0	0	0	0	0	0	0	54.81	0	0
2025	3	22	15	33	9	26	0	0	0	0	0	0	0	54.86	0	0
2025	3	22	15	43	9	26	0	0	0	0	0	0	0	54.9	0	0
2025	3	22	15	53	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	22	16	3	9	27	0	0	0	0	0	0	0	55	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	23	0	13	9	27	0	0	0	0	0	0	0	54.07	0	0
2025	3	23	0	23	9	27	0	0	0	0	0	0	0	54.01	0	0
2025	3	23	0	33	9	27	0	0	0	0	0	0	0	53.94	0	0
2025	3	23	0	43	9	27	0	0	0	0	0	0	0	53.87	0	0
2025	3	23	0	53	9	27	0	0	0	0	0	0	0	53.8	0	0
2025	3	23	1	3	9	27	0	0	0	0	0	0	0	53.74	0	0
2025	3	23	1	13	9	27	0	0	0	0	0	0	0	53.67	0	0
2025	3	23	1	23	9	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	23	1	33	9	27	0	0	0	0	0	0	0	53.55	0	0
2025	3	23	1	43	9	27	0	0	0	0	0	0	0	53.49	0	0
2025	3	23	1	53	9	27	0	0	0	0	0	0	0	53.42	0	0
2025	3	23	2	3	9	28	0	0	0	0	0	0	0	53.37	0	0
2025	3	23	2	13	9	27	0	0	0	0	0	0	0	53.29	0	0
2025	3	23	2	23	9	28	0	0	0	0	0	0	0	53.24	0	0
2025	3	23	2	33	9	27	0	0	0	0	0	0	0	53.19	0	0
2025	3	23	2	43	9	28	0	0	0	0	0	0	0	53.13	0	0
2025	3	23	2	53	9	26	0	0	0	0	0	0	0	53.08	0	0
2025	3	23	3	3	9	27	0	0	0	0	0	0	0	53.04	0	0
2025	3	23	3	13	9	27	0	0	0	0	0	0	0	52.99	0	0
2025	3	23	3	23	9	27	0	0	0	0	0	0	0	52.93	0	0
2025	3	23	3	33	9	27	0	0	0	0	0	0	0	52.88	0	0
2025	3	23	3	43	9	27	0	0	0	0	0	0	0	52.81	0	0
2025	3	23	3	53	9	27	0	0	0	0	0	0	0	52.75	0	0
2025	3	23	4	3	9	27	0	0	0	0	0	0	0	52.68	0	0
2025	3	23	4	13	9	28	0	0	0	0	0	0	0	52.63	0	0
2025	3	23	4	23	9	27	0	0	0	0	0	0	0	52.56	0	0
2025	3	23	4	33	9	27	0	0	0	0	0	0	0	52.5	0	0
2025	3	23	4	43	9	27	0	0	0	0	0	0	0	52.45	0	0
2025	3	23	4	53	9	27	0	0	0	0	0	0	0	52.38	0	0
2025	3	23	5	3	9	28	0	0	0	0	0	0	0	52.32	0	0
2025	3	23	5	13	9	27	0	0	0	0	0	0	0	52.25	0	0
2025	3	23	5	23	9	27	0	0	0	0	0	0	0	52.2	0	0
2025	3	23	5	33	9	27	0	0	0	0	0	0	0	52.14	0	0
2025	3	23	5	43	9	27	0	0	0	0	0	0	0	52.11	0	0
2025	3	23	5	53	9	27	0	0	0	0	0	0	0	52.05	0	0
2025	3	23	6	3	9	27	0	0	0	0	0	0	0	52	0	0
2025	3	23	6	13	9	27	0	0	0	0	0	0	0	51.96	0	0
2025	3	23	6	23	9	27	0	0	0	0	0	0	0	51.93	0	0
2025	3	23	6	33	9	28	0	0	0	0	0	0	0	51.89	0	0
2025	3	23	6	43	9	27	0	0	0	0	0	0	0	51.87	0	0
2025	3	23	6	53	9	27	0	0	0	0	0	0	0	51.84	0	0
2025	3	23	7	3	9	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	23	7	13	9	28	0	0	0	0	0	0	0	51.8	0	0
2025	3	23	7	23	9	27	0	0	0	0	0	0	0	51.8	0	0
2025	3	23	7	33	9	27	0	0	0	0	0	0	0	51.82	0	0
2025	3	23	7	43	9	27	0	0	0	0	0	0	0	51.84	0	0
2025	3	23	7	53	9	27	0	0	0	0	0	0	0	51.85	0	0
2025	3	23	8	3	9	27	0	0	0	0	0	0	0	51.89	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	23	8	13	9	27	0	0	0	0	0	0	0	51.94	0	0
2025	3	23	8	23	9	27	0	0	0	0	0	0	0	51.98	0	0
2025	3	23	8	33	9	27	0	0	0	0	0	0	0	52.05	0	0
2025	3	23	8	43	9	28	0	0	0	0	0	0	0	52.12	0	0
2025	3	23	8	53	9	27	0	0	0	0	0	0	0	52.2	0	0
2025	3	23	9	3	9	27	0	0	0	0	0	0	0	52.29	0	0
2025	3	23	9	13	9	27	0	0	0	0	0	0	0	52.39	0	0
2025	3	23	9	23	9	27	0	0	0	0	0	0	0	52.5	0	0
2025	3	23	9	33	9	27	0	0	0	0	0	0	0	52.63	0	0
2025	3	23	9	43	9	27	0	0	0	0	0	0	0	52.75	0	0
2025	3	23	9	53	9	27	0	0	0	0	0	0	0	52.88	0	0
2025	3	23	10	3	9	28	0	0	0	0	0	0	0	53.02	0	0
2025	3	23	10	13	9	28	0	0	0	0	0	0	0	53.13	0	0
2025	3	23	10	23	9	27	0	0	0	0	0	0	0	53.24	0	0
2025	3	23	10	33	9	27	0	0	0	0	0	0	0	53.35	0	0
2025	3	23	10	43	9	28	0	0	0	0	0	0	0	53.46	0	0
2025	3	23	10	53	9	27	0	0	0	0	0	0	0	53.6	0	0
2025	3	23	11	3	9	27	0	0	0	0	0	0	0	53.78	0	0
2025	3	23	11	13	9	27	0	0	0	0	0	0	0	53.96	0	0
2025	3	23	11	23	9	27	0	0	0	0	0	0	0	54.18	0	0
2025	3	23	11	33	9	27	0	0	0	0	0	0	0	54.37	0	0
2025	3	23	11	43	9	26	0	0	0	0	0	0	0	54.55	0	0
2025	3	23	11	53	9	27	0	0	0	0	0	0	0	54.75	0	0
2025	3	23	12	3	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	23	12	13	9	27	0	0	0	0	0	0	0	55.15	0	0
2025	3	23	12	23	9	27	0	0	0	0	0	0	0	55.36	0	0
2025	3	23	12	33	9	27	0	0	0	0	0	0	0	55.54	0	0
2025	3	23	12	43	9	27	0	0	0	0	0	0	0	55.76	0	0
2025	3	23	12	53	9	27	0	0	0	0	0	0	0	55.96	0	0
2025	3	23	13	3	9	27	0	0	0	0	0	0	0	56.19	0	0
2025	3	23	13	13	9	27	0	0	0	0	0	0	0	56.39	0	0
2025	3	23	13	23	9	27	0	0	0	0	0	0	0	56.61	0	0
2025	3	23	13	33	9	27	0	0	0	0	0	0	0	56.82	0	0
2025	3	23	13	43	9	27	0	0	0	0	0	0	0	57.02	0	0
2025	3	23	13	53	9	26	0	0	0	0	0	0	0	57.24	0	0
2025	3	23	14	3	9	27	0	0	0	0	0	0	0	57.43	0	0
2025	3	23	14	13	9	26	0	0	0	0	0	0	0	57.63	0	0
2025	3	23	14	23	9	26	0	0	0	0	0	0	0	57.83	0	0
2025	3	23	14	33	9	27	0	0	0	0	0	0	0	57.99	0	0
2025	3	23	14	43	9	27	0	0	0	0	0	0	0	58.15	0	0
2025	3	23	14	53	9	26	0	0	0	0	0	0	0	58.32	0	0
2025	3	23	15	3	9	27	0	0	0	0	0	0	0	58.46	0	0
2025	3	23	15	13	9	27	0	0	0	0	0	0	0	58.59	0	0
2025	3	23	15	23	9	27	0	0	0	0	0	0	0	58.71	0	0
2025	3	23	15	33	9	26	0	0	0	0	0	0	0	58.82	0	0
2025	3	23	15	43	9	26	0	0	0	0	0	0	0	58.93	0	0
2025	3	23	15	53	9	27	0	0	0	0	0	0	0	59.02	0	0
2025	3	23	16	3	9	26	0	0	0	0	0	0	0	59.11	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	23	16	13	9	27	0	0	0	0	0	0	0	59.16	0	0
2025	3	23	16	23	9	27	0	0	0	0	0	0	0	59.22	0	0
2025	3	23	16	33	9	28	0	0	0	0	0	0	0	59.27	0	0
2025	3	23	16	43	9	26	0	0	0	0	0	0	0	59.31	0	0
2025	3	23	16	53	9	27	0	0	0	0	0	0	0	59.34	0	0
2025	3	23	17	3	9	26	0	0	0	0	0	0	0	59.38	0	0
2025	3	23	17	13	9	26	0	0	0	0	0	0	0	59.4	0	0
2025	3	23	17	23	9	27	0	0	0	0	0	0	0	59.43	0	0
2025	3	23	17	33	9	27	0	0	0	0	0	0	0	59.43	0	0
2025	3	23	17	43	9	26	0	0	0	0	0	0	0	59.43	0	0
2025	3	23	17	53	9	26	0	0	0	0	0	0	0	59.43	0	0
2025	3	23	18	3	9	26	0	0	0	0	0	0	0	59.41	0	0
2025	3	23	18	13	9	26	0	0	0	0	0	0	0	59.41	0	0
2025	3	23	18	23	9	27	0	0	0	0	0	0	0	59.38	0	0
2025	3	23	18	33	9	26	0	0	0	0	0	0	0	59.34	0	0
2025	3	23	18	43	9	26	0	0	0	0	0	0	0	59.32	0	0
2025	3	23	18	53	9	26	0	0	0	0	0	0	0	59.27	0	0
2025	3	23	19	3	9	27	0	0	0	0	0	0	0	59.23	0	0
2025	3	23	19	13	9	26	0	0	0	0	0	0	0	59.2	0	0
2025	3	23	19	23	9	26	0	0	0	0	0	0	0	59.14	0	0
2025	3	23	19	33	9	27	0	0	0	0	0	0	0	59.11	0	0
2025	3	23	19	43	9	27	0	0	0	0	0	0	0	59.04	0	0
2025	3	23	19	53	9	26	0	0	0	0	0	0	0	59	0	0
2025	3	23	20	3	9	26	0	0	0	0	0	0	0	58.93	0	0
2025	3	23	20	13	9	27	0	0	0	0	0	0	0	58.87	0	0
2025	3	23	20	23	9	27	0	0	0	0	0	0	0	58.8	0	0
2025	3	23	20	33	9	27	0	0	0	0	0	0	0	58.73	0	0
2025	3	23	20	43	9	26	0	0	0	0	0	0	0	58.66	0	0
2025	3	23	20	53	9	27	0	0	0	0	0	0	0	58.59	0	0
2025	3	23	21	3	9	27	0	0	0	0	0	0	0	58.5	0	0
2025	3	23	21	13	9	27	0	0	0	0	0	0	0	58.42	0	0
2025	3	23	21	23	9	26	0	0	0	0	0	0	0	58.33	0	0
2025	3	23	21	33	9	27	0	0	0	0	0	0	0	58.24	0	0
2025	3	23	21	43	9	26	0	0	0	0	0	0	0	58.15	0	0
2025	3	23	21	53	9	26	0	0	0	0	0	0	0	58.06	0	0
2025	3	23	22	3	9	27	0	0	0	0	0	0	0	57.96	0	0
2025	3	23	22	13	9	27	0	0	0	0	0	0	0	57.87	0	0
2025	3	23	22	23	9	27	0	0	0	0	0	0	0	57.78	0	0
2025	3	23	22	33	9	27	0	0	0	0	0	0	0	57.67	0	0
2025	3	23	22	43	9	27	0	0	0	0	0	0	0	57.58	0	0
2025	3	23	22	53	9	26	0	0	0	0	0	0	0	57.49	0	0
2025	3	23	23	3	9	27	0	0	0	0	0	0	0	57.38	0	0
2025	3	23	23	13	9	27	0	0	0	0	0	0	0	57.27	0	0
2025	3	23	23	23	9	27	0	0	0	0	0	0	0	57.18	0	0
2025	3	23	23	33	9	27	0	0	0	0	0	0	0	57.06	0	0
2025	3	23	23	43	9	27	0	0	0	0	0	0	0	56.95	0	0
2025	3	23	23	53	9	27	0	0	0	0	0	0	0	56.84	0	0
2025	3	24	0	3	9	28	0	0	0	0	0	0	0	56.73	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	24	0	13	9	27	0	0	0	0	0	0	0	56.62	0	0
2025	3	24	0	23	9	27	0	0	0	0	0	0	0	56.52	0	0
2025	3	24	0	33	9	27	0	0	0	0	0	0	0	56.39	0	0
2025	3	24	0	43	9	27	0	0	0	0	0	0	0	56.28	0	0
2025	3	24	0	53	9	26	0	0	0	0	0	0	0	56.17	0	0
2025	3	24	1	3	9	27	0	0	0	0	0	0	0	56.07	0	0
2025	3	24	1	13	9	28	0	0	0	0	0	0	0	55.96	0	0
2025	3	24	1	23	9	27	0	0	0	0	0	0	0	55.83	0	0
2025	3	24	1	33	9	26	0	0	0	0	0	0	0	55.71	0	0
2025	3	24	1	43	9	27	0	0	0	0	0	0	0	55.6	0	0
2025	3	24	1	53	9	26	0	0	0	0	0	0	0	55.49	0	0
2025	3	24	2	3	9	27	0	0	0	0	0	0	0	55.38	0	0
2025	3	24	2	13	9	27	0	0	0	0	0	0	0	55.26	0	0
2025	3	24	2	23	9	26	0	0	0	0	0	0	0	55.17	0	0
2025	3	24	2	33	9	26	0	0	0	0	0	0	0	55.06	0	0
2025	3	24	2	43	9	26	0	0	0	0	0	0	0	54.95	0	0
2025	3	24	2	53	9	26	0	0	0	0	0	0	0	54.86	0	0
2025	3	24	3	3	9	27	0	0	0	0	0	0	0	54.75	0	0
2025	3	24	3	13	9	27	0	0	0	0	0	0	0	54.66	0	0
2025	3	24	3	23	9	27	0	0	0	0	0	0	0	54.57	0	0
2025	3	24	3	33	9	27	0	0	0	0	0	0	0	54.48	0	0
2025	3	24	3	43	9	27	0	0	0	0	0	0	0	54.39	0	0
2025	3	24	3	53	9	27	0	0	0	0	0	0	0	54.28	0	0
2025	3	24	4	3	9	26	0	0	0	0	0	0	0	54.21	0	0
2025	3	24	4	13	9	27	0	0	0	0	0	0	0	54.14	0	0
2025	3	24	4	23	9	26	0	0	0	0	0	0	0	54.05	0	0
2025	3	24	4	33	9	27	0	0	0	0	0	0	0	53.98	0	0
2025	3	24	4	43	9	27	0	0	0	0	0	0	0	53.89	0	0
2025	3	24	4	53	9	27	0	0	0	0	0	0	0	53.82	0	0
2025	3	24	5	3	9	27	0	0	0	0	0	0	0	53.74	0	0
2025	3	24	5	13	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	24	5	23	9	28	0	0	0	0	0	0	0	53.6	0	0
2025	3	24	5	33	9	27	0	0	0	0	0	0	0	53.51	0	0
2025	3	24	5	43	9	27	0	0	0	0	0	0	0	53.44	0	0
2025	3	24	5	53	9	27	0	0	0	0	0	0	0	53.38	0	0
2025	3	24	6	3	9	28	0	0	0	0	0	0	0	53.31	0	0
2025	3	24	6	13	9	27	0	0	0	0	0	0	0	53.26	0	0
2025	3	24	6	23	9	27	0	0	0	0	0	0	0	53.19	0	0
2025	3	24	6	33	9	27	0	0	0	0	0	0	0	53.13	0	0
2025	3	24	6	43	9	27	0	0	0	0	0	0	0	53.08	0	0
2025	3	24	6	53	9	27	0	0	0	0	0	0	0	53.02	0	0
2025	3	24	7	3	9	27	0	0	0	0	0	0	0	52.97	0	0
2025	3	24	7	13	9	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	24	7	23	9	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	24	7	33	9	27	0	0	0	0	0	0	0	52.93	0	0
2025	3	24	7	43	9	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	24	7	53	9	27	0	0	0	0	0	0	0	52.97	0	0
2025	3	24	8	3	9	27	0	0	0	0	0	0	0	53.01	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	24	8	13	9	26	0	0	0	0	0	0	0	53.06	0	0
2025	3	24	8	23	9	27	0	0	0	0	0	0	0	53.11	0	0
2025	3	24	8	33	9	27	0	0	0	0	0	0	0	53.19	0	0
2025	3	24	8	43	9	26	0	0	0	0	0	0	0	53.28	0	0
2025	3	24	8	53	9	26	0	0	0	0	0	0	0	53.4	0	0
2025	3	24	9	3	9	27	0	0	0	0	0	0	0	53.51	0	0
2025	3	24	9	13	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	24	9	23	9	27	0	0	0	0	0	0	0	53.8	0	0
2025	3	24	9	33	9	27	0	0	0	0	0	0	0	53.96	0	0
2025	3	24	9	43	9	27	0	0	0	0	0	0	0	54.23	0	0
2025	3	24	9	53	9	27	0	0	0	0	0	0	0	54.39	0	0
2025	3	24	10	3	9	27	0	0	0	0	0	0	0	54.59	0	0
2025	3	24	10	13	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	24	10	23	9	27	0	0	0	0	0	0	0	55	0	0
2025	3	24	10	33	9	27	0	0	0	0	0	0	0	55.22	0	0
2025	3	24	10	43	9	27	0	0	0	0	0	0	0	55.44	0	0
2025	3	24	10	53	9	26	0	0	0	0	0	0	0	55.65	0	0
2025	3	24	11	3	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	24	11	13	9	27	0	0	0	0	0	0	0	56.12	0	0
2025	3	24	11	23	9	27	0	0	0	0	0	0	0	56.35	0	0
2025	3	24	11	33	9	28	0	0	0	0	0	0	0	56.59	0	0
2025	3	24	11	43	9	26	0	0	0	0	0	0	0	56.82	0	0
2025	3	24	11	53	9	27	0	0	0	0	0	0	0	57.06	0	0
2025	3	24	12	3	9	27	0	0	0	0	0	0	0	57.31	0	0
2025	3	24	12	13	9	27	0	0	0	0	0	0	0	57.58	0	0
2025	3	24	12	23	9	26	0	0	0	0	0	0	0	57.81	0	0
2025	3	24	12	33	9	27	0	0	0	0	0	0	0	58.05	0	0
2025	3	24	12	43	9	27	0	0	0	0	0	0	0	58.24	0	0
2025	3	24	12	53	9	26	0	0	0	0	0	0	0	58.48	0	0
2025	3	24	13	3	9	27	0	0	0	0	0	0	0	58.71	0	0
2025	3	24	13	13	9	27	0	0	0	0	0	0	0	58.93	0	0
2025	3	24	13	23	9	27	0	0	0	0	0	0	0	59.14	0	0
2025	3	24	13	33	9	28	0	0	0	0	0	0	0	59.36	0	0
2025	3	24	13	43	9	26	0	0	0	0	0	0	0	59.56	0	0
2025	3	24	13	53	9	26	0	0	0	0	0	0	0	59.76	0	0
2025	3	24	14	3	9	26	0	0	0	0	0	0	0	59.94	0	0
2025	3	24	14	13	9	27	0	0	0	0	0	0	0	60.12	0	0
2025	3	24	14	23	9	27	0	0	0	0	0	0	0	60.3	0	0
2025	3	24	14	33	9	26	0	0	0	0	0	0	0	60.46	0	0
2025	3	24	14	43	9	26	0	0	0	0	0	0	0	60.62	0	0
2025	3	24	14	53	9	26	0	0	0	0	0	0	0	60.78	0	0
2025	3	24	15	3	9	26	0	0	0	0	0	0	0	60.93	0	0
2025	3	24	15	13	9	27	0	0	0	0	0	0	0	61.05	0	0
2025	3	24	15	23	9	27	0	0	0	0	0	0	0	61.18	0	0
2025	3	24	15	33	9	27	0	0	0	0	0	0	0	61.29	0	0
2025	3	24	15	43	9	27	0	0	0	0	0	0	0	61.41	0	0
2025	3	24	15	53	9	26	0	0	0	0	0	0	0	61.5	0	0
2025	3	24	16	3	9	26	0	0	0	0	0	0	0	61.57	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	24	16	13	9	26	0	0	0	0	0	0	0	61.66	0	0
2025	3	24	16	23	9	26	0	0	0	0	0	0	0	61.72	0	0
2025	3	24	16	33	9	26	0	0	0	0	0	0	0	61.77	0	0
2025	3	24	16	43	9	26	0	0	0	0	0	0	0	61.83	0	0
2025	3	24	16	53	9	27	0	0	0	0	0	0	0	61.86	0	0
2025	3	24	17	3	9	26	0	0	0	0	0	0	0	61.9	0	0
2025	3	24	17	13	9	27	0	0	0	0	0	0	0	61.92	0	0
2025	3	24	17	23	9	26	0	0	0	0	0	0	0	61.93	0	0
2025	3	24	17	33	9	27	0	0	0	0	0	0	0	61.95	0	0
2025	3	24	17	43	9	27	0	0	0	0	0	0	0	61.95	0	0
2025	3	24	17	53	9	26	0	0	0	0	0	0	0	61.93	0	0
2025	3	24	18	3	9	26	0	0	0	0	0	0	0	61.92	0	0
2025	3	24	18	13	9	26	0	0	0	0	0	0	0	61.9	0	0
2025	3	24	18	23	9	26	0	0	0	0	0	0	0	61.86	0	0
2025	3	24	18	33	9	26	0	0	0	0	0	0	0	61.83	0	0
2025	3	24	18	43	9	27	0	0	0	0	0	0	0	61.77	0	0
2025	3	24	18	53	9	26	0	0	0	0	0	0	0	61.72	0	0
2025	3	24	19	3	9	26	0	0	0	0	0	0	0	61.68	0	0
2025	3	24	19	13	9	26	0	0	0	0	0	0	0	61.63	0	0
2025	3	24	19	23	9	25	0	0	0	0	0	0	0	61.57	0	0
2025	3	24	19	33	9	27	0	0	0	0	0	0	0	61.5	0	0
2025	3	24	19	43	9	27	0	0	0	0	0	0	0	61.43	0	0
2025	3	24	19	53	9	26	0	0	0	0	0	0	0	61.36	0	0
2025	3	24	20	3	9	26	0	0	0	0	0	0	0	61.27	0	0
2025	3	24	20	13	9	26	0	0	0	0	0	0	0	61.2	0	0
2025	3	24	20	23	9	26	0	0	0	0	0	0	0	61.11	0	0
2025	3	24	20	33	9	26	0	0	0	0	0	0	0	61	0	0
2025	3	24	20	43	9	26	0	0	0	0	0	0	0	60.91	0	0
2025	3	24	20	53	9	27	0	0	0	0	0	0	0	60.8	0	0
2025	3	24	21	3	9	26	0	0	0	0	0	0	0	60.71	0	0
2025	3	24	21	13	9	27	0	0	0	0	0	0	0	60.6	0	0
2025	3	24	21	23	9	26	0	0	0	0	0	0	0	60.49	0	0
2025	3	24	21	33	9	27	0	0	0	0	0	0	0	60.39	0	0
2025	3	24	21	43	9	26	0	0	0	0	0	0	0	60.28	0	0
2025	3	24	21	53	9	26	0	0	0	0	0	0	0	60.15	0	0
2025	3	24	22	3	9	27	0	0	0	0	0	0	0	60.06	0	0
2025	3	24	22	13	9	27	0	0	0	0	0	0	0	59.94	0	0
2025	3	24	22	23	9	27	0	0	0	0	0	0	0	59.83	0	0
2025	3	24	22	33	9	27	0	0	0	0	0	0	0	59.72	0	0
2025	3	24	22	43	9	27	0	0	0	0	0	0	0	59.61	0	0
2025	3	24	22	53	9	26	0	0	0	0	0	0	0	59.49	0	0
2025	3	24	23	3	9	26	0	0	0	0	0	0	0	59.38	0	0
2025	3	24	23	13	9	26	0	0	0	0	0	0	0	59.25	0	0
2025	3	24	23	23	9	27	0	0	0	0	0	0	0	59.14	0	0
2025	3	24	23	33	9	26	0	0	0	0	0	0	0	59.02	0	0
2025	3	24	23	43	9	27	0	0	0	0	0	0	0	58.89	0	0
2025	3	24	23	53	9	27	0	0	0	0	0	0	0	58.77	0	0
2025	3	25	0	3	9	26	0	0	0	0	0	0	0	58.64	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	25	0	13	9	26	0	0	0	0	0	0	0	58.51	0	0
2025	3	25	0	23	9	26	0	0	0	0	0	0	0	58.39	0	0
2025	3	25	0	33	9	27	0	0	0	0	0	0	0	58.26	0	0
2025	3	25	0	43	9	26	0	0	0	0	0	0	0	58.14	0	0
2025	3	25	0	53	9	26	0	0	0	0	0	0	0	58.03	0	0
2025	3	25	1	3	9	26	0	0	0	0	0	0	0	57.88	0	0
2025	3	25	1	13	9	27	0	0	0	0	0	0	0	57.74	0	0
2025	3	25	1	23	9	27	0	0	0	0	0	0	0	57.63	0	0
2025	3	25	1	33	9	26	0	0	0	0	0	0	0	57.49	0	0
2025	3	25	1	43	9	27	0	0	0	0	0	0	0	57.38	0	0
2025	3	25	1	53	9	27	0	0	0	0	0	0	0	57.25	0	0
2025	3	25	2	3	9	27	0	0	0	0	0	0	0	57.13	0	0
2025	3	25	2	13	9	27	0	0	0	0	0	0	0	57.02	0	0
2025	3	25	2	23	9	27	0	0	0	0	0	0	0	56.91	0	0
2025	3	25	2	33	9	27	0	0	0	0	0	0	0	56.8	0	0
2025	3	25	2	43	9	27	0	0	0	0	0	0	0	56.68	0	0
2025	3	25	2	53	9	26	0	0	0	0	0	0	0	56.57	0	0
2025	3	25	3	3	9	27	0	0	0	0	0	0	0	56.46	0	0
2025	3	25	3	13	9	27	0	0	0	0	0	0	0	56.35	0	0
2025	3	25	3	23	9	26	0	0	0	0	0	0	0	56.25	0	0
2025	3	25	3	33	9	27	0	0	0	0	0	0	0	56.16	0	0
2025	3	25	3	43	9	27	0	0	0	0	0	0	0	56.07	0	0
2025	3	25	3	53	9	28	0	0	0	0	0	0	0	55.96	0	0
2025	3	25	4	3	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	25	4	13	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	25	4	23	9	27	0	0	0	0	0	0	0	55.71	0	0
2025	3	25	4	33	9	27	0	0	0	0	0	0	0	55.62	0	0
2025	3	25	4	43	9	27	0	0	0	0	0	0	0	55.54	0	0
2025	3	25	4	53	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	25	5	3	9	27	0	0	0	0	0	0	0	55.38	0	0
2025	3	25	5	13	9	26	0	0	0	0	0	0	0	55.29	0	0
2025	3	25	5	23	9	27	0	0	0	0	0	0	0	55.22	0	0
2025	3	25	5	33	9	27	0	0	0	0	0	0	0	55.13	0	0
2025	3	25	5	43	9	27	0	0	0	0	0	0	0	55.06	0	0
2025	3	25	5	53	9	27	0	0	0	0	0	0	0	54.99	0	0
2025	3	25	6	3	9	27	0	0	0	0	0	0	0	54.91	0	0
2025	3	25	6	13	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	25	6	23	9	27	0	0	0	0	0	0	0	54.77	0	0
2025	3	25	6	33	9	27	0	0	0	0	0	0	0	54.72	0	0
2025	3	25	6	43	9	27	0	0	0	0	0	0	0	54.66	0	0
2025	3	25	6	53	9	27	0	0	0	0	0	0	0	54.61	0	0
2025	3	25	7	3	9	27	0	0	0	0	0	0	0	54.59	0	0
2025	3	25	7	13	9	27	0	0	0	0	0	0	0	54.55	0	0
2025	3	25	7	23	9	27	0	0	0	0	0	0	0	54.54	0	0
2025	3	25	7	33	9	26	0	0	0	0	0	0	0	54.52	0	0
2025	3	25	7	43	9	27	0	0	0	0	0	0	0	54.54	0	0
2025	3	25	7	53	9	27	0	0	0	0	0	0	0	54.55	0	0
2025	3	25	8	3	9	27	0	0	0	0	0	0	0	54.57	0	0

Mazourka (0354)

	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	25	8	13	9	27	0	0	0	0	0	0	0	54.61	0	0
2025	3	25	8	23	9	27	0	0	0	0	0	0	0	54.68	0	0
2025	3	25	8	33	9	27	0	0	0	0	0	0	0	54.75	0	0
2025	3	25	8	43	9	27	0	0	0	0	0	0	0	54.84	0	0
2025	3	25	8	53	9	27	0	0	0	0	0	0	0	54.93	0	0
2025	3	25	9	3	9	27	0	0	0	0	0	0	0	55.06	0	0
2025	3	25	9	13	9	27	0	0	0	0	0	0	0	55.18	0	0
2025	3	25	9	23	9	27	0	0	0	0	0	0	0	55.35	0	0
2025	3	25	9	33	9	27	0	0	0	0	0	0	0	55.49	0	0
2025	3	25	9	43	9	27	0	0	0	0	0	0	0	55.65	0	0
2025	3	25	9	53	9	26	0	0	0	0	0	0	0	55.83	0	0
2025	3	25	10	3	9	27	0	0	0	0	0	0	0	56.01	0	0
2025	3	25	10	13	9	27	0	0	0	0	0	0	0	56.21	0	0
2025	3	25	10	23	9	26	0	0	0	0	0	0	0	56.43	0	0
2025	3	25	10	33	9	27	0	0	0	0	0	0	0	56.62	0	0
2025	3	25	10	43	9	27	0	0	0	0	0	0	0	56.84	0	0
2025	3	25	10	53	9	27	0	0	0	0	0	0	0	57.07	0	0
2025	3	25	11	3	9	27	0	0	0	0	0	0	0	57.29	0	0
2025	3	25	11	13	9	26	0	0	0	0	0	0	0	57.52	0	0
2025	3	25	11	23	9	27	0	0	0	0	0	0	0	57.74	0	0
2025	3	25	11	33	9	26	0	0	0	0	0	0	0	57.99	0	0
2025	3	25	11	43	9	27	0	0	0	0	0	0	0	58.23	0	0
2025	3	25	11	53	9	27	0	0	0	0	0	0	0	58.46	0	0
2025	3	25	12	3	9	27	0	0	0	0	0	0	0	58.69	0	0
2025	3	25	12	13	9	27	0	0	0	0	0	0	0	58.93	0	0
2025	3	25	12	23	9	27	0	0	0	0	0	0	0	59.16	0	0
2025	3	25	12	33	9	27	0	0	0	0	0	0	0	59.38	0	0
2025	3	25	12	43	9	26	0	0	0	0	0	0	0	59.65	0	0
2025	3	25	12	53	9	26	0	0	0	0	0	0	0	59.88	0	0
2025	3	25	13	3	9	27	0	0	0	0	0	0	0	60.1	0	0
2025	3	25	13	13	9	26	0	0	0	0	0	0	0	60.33	0	0
2025	3	25	13	23	9	26	0	0	0	0	0	0	0	60.55	0	0
2025	3	25	13	33	9	27	0	0	0	0	0	0	0	60.75	0	0
2025	3	25	13	43	9	27	0	0	0	0	0	0	0	60.96	0	0
2025	3	25	13	53	9	27	0	0	0	0	0	0	0	61.14	0	0
2025	3	25	14	3	9	27	0	0	0	0	0	0	0	61.34	0	0
2025	3	25	14	13	9	26	0	0	0	0	0	0	0	61.54	0	0
2025	3	25	14	23	9	27	0	0	0	0	0	0	0	61.7	0	0
2025	3	25	14	33	9	26	0	0	0	0	0	0	0	61.86	0	0
2025	3	25	14	43	9	26	0	0	0	0	0	0	0	62.02	0	0
2025	3	25	14	53	9	26	0	0	0	0	0	0	0	62.17	0	0
2025	3	25	15	3	9	27	0	0	0	0	0	0	0	62.31	0	0
2025	3	25	15	13	9	26	0	0	0	0	0	0	0	62.44	0	0
2025	3	25	15	23	9	26	0	0	0	0	0	0	0	62.56	0	0
2025	3	25	15	33	9	26	0	0	0	0	0	0	0	62.65	0	0
2025	3	25	15	43	9	26	0	0	0	0	0	0	0	62.74	0	0
2025	3	25	15	53	9	26	0	0	0	0	0	0	0	62.82	0	0
2025	3	25	16	3	9	26	0	0	0	0	0	0	0	62.89	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	25	16	13	9	26	0	0	0	0	0	0	0	62.94	0	0
2025	3	25	16	23	9	26	0	0	0	0	0	0	0	62.98	0	0
2025	3	25	16	33	9	25	0	0	0	0	0	0	0	63.01	0	0
2025	3	25	16	43	9	26	0	0	0	0	0	0	0	63.03	0	0
2025	3	25	16	53	9	26	0	0	0	0	0	0	0	63.05	0	0
2025	3	25	17	3	9	26	0	0	0	0	0	0	0	63.05	0	0
2025	3	25	17	13	9	26	0	0	0	0	0	0	0	63.05	0	0
2025	3	25	17	23	9	26	0	0	0	0	0	0	0	63.03	0	0
2025	3	25	17	33	9	26	0	0	0	0	0	0	0	63.01	0	0
2025	3	25	17	43	9	25	0	0	0	0	0	0	0	63	0	0
2025	3	25	17	53	9	26	0	0	0	0	0	0	0	62.96	0	0
2025	3	25	18	3	9	26	0	0	0	0	0	0	0	62.92	0	0
2025	3	25	18	13	9	26	0	0	0	0	0	0	0	62.89	0	0
2025	3	25	18	23	9	27	0	0	0	0	0	0	0	62.83	0	0
2025	3	25	18	33	9	26	0	0	0	0	0	0	0	62.78	0	0
2025	3	25	18	43	9	26	0	0	0	0	0	0	0	62.73	0	0
2025	3	25	18	53	9	27	0	0	0	0	0	0	0	62.65	0	0
2025	3	25	19	3	9	26	0	0	0	0	0	0	0	62.6	0	0
2025	3	25	19	13	9	27	0	0	0	0	0	0	0	62.53	0	0
2025	3	25	19	23	9	26	0	0	0	0	0	0	0	62.44	0	0
2025	3	25	19	33	9	26	0	0	0	0	0	0	0	62.37	0	0
2025	3	25	19	43	9	26	0	0	0	0	0	0	0	62.29	0	0
2025	3	25	19	53	9	26	0	0	0	0	0	0	0	62.22	0	0
2025	3	25	20	3	9	26	0	0	0	0	0	0	0	62.13	0	0
2025	3	25	20	13	9	27	0	0	0	0	0	0	0	62.02	0	0
2025	3	25	20	23	9	26	0	0	0	0	0	0	0	61.93	0	0
2025	3	25	20	33	9	26	0	0	0	0	0	0	0	61.84	0	0
2025	3	25	20	43	9	25	0	0	0	0	0	0	0	61.74	0	0
2025	3	25	20	53	9	27	0	0	0	0	0	0	0	61.63	0	0
2025	3	25	21	3	9	26	0	0	0	0	0	0	0	61.52	0	0
2025	3	25	21	13	9	27	0	0	0	0	0	0	0	61.41	0	0
2025	3	25	21	23	9	26	0	0	0	0	0	0	0	61.3	0	0
2025	3	25	21	33	9	26	0	0	0	0	0	0	0	61.2	0	0
2025	3	25	21	43	9	26	0	0	0	0	0	0	0	61.09	0	0
2025	3	25	21	53	9	26	0	0	0	0	0	0	0	60.98	0	0
2025	3	25	22	3	9	26	0	0	0	0	0	0	0	60.87	0	0
2025	3	25	22	13	9	27	0	0	0	0	0	0	0	60.76	0	0
2025	3	25	22	23	9	26	0	0	0	0	0	0	0	60.66	0	0
2025	3	25	22	33	9	27	0	0	0	0	0	0	0	60.55	0	0
2025	3	25	22	43	9	27	0	0	0	0	0	0	0	60.42	0	0
2025	3	25	22	53	9	26	0	0	0	0	0	0	0	60.31	0	0
2025	3	25	23	3	9	26	0	0	0	0	0	0	0	60.21	0	0
2025	3	25	23	13	9	27	0	0	0	0	0	0	0	60.06	0	0
2025	3	25	23	23	9	26	0	0	0	0	0	0	0	59.97	0	0
2025	3	25	23	33	9	26	0	0	0	0	0	0	0	59.85	0	0
2025	3	25	23	43	9	26	0	0	0	0	0	0	0	59.74	0	0
2025	3	25	23	53	9	27	0	0	0	0	0	0	0	59.61	0	0
2025	3	26	0	3	9	27	0	0	0	0	0	0	0	59.49	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	26	0	13	9	26	0	0	0	0	0	0	0	59.36	0	0
2025	3	26	0	23	9	27	0	0	0	0	0	0	0	59.25	0	0
2025	3	26	0	33	9	26	0	0	0	0	0	0	0	59.11	0	0
2025	3	26	0	43	9	26	0	0	0	0	0	0	0	58.98	0	0
2025	3	26	0	53	9	27	0	0	0	0	0	0	0	58.86	0	0
2025	3	26	1	3	9	26	0	0	0	0	0	0	0	58.73	0	0
2025	3	26	1	13	9	26	0	0	0	0	0	0	0	58.62	0	0
2025	3	26	1	23	9	27	0	0	0	0	0	0	0	58.51	0	0
2025	3	26	1	33	9	26	0	0	0	0	0	0	0	58.39	0	0
2025	3	26	1	43	9	27	0	0	0	0	0	0	0	58.26	0	0
2025	3	26	1	53	9	26	0	0	0	0	0	0	0	58.15	0	0
2025	3	26	2	3	9	26	0	0	0	0	0	0	0	58.05	0	0
2025	3	26	2	13	9	27	0	0	0	0	0	0	0	57.92	0	0
2025	3	26	2	23	9	26	0	0	0	0	0	0	0	57.83	0	0
2025	3	26	2	33	9	26	0	0	0	0	0	0	0	57.7	0	0
2025	3	26	2	43	9	27	0	0	0	0	0	0	0	57.6	0	0
2025	3	26	2	53	9	27	0	0	0	0	0	0	0	57.51	0	0
2025	3	26	3	3	9	27	0	0	0	0	0	0	0	57.4	0	0
2025	3	26	3	13	9	26	0	0	0	0	0	0	0	57.29	0	0
2025	3	26	3	23	9	26	0	0	0	0	0	0	0	57.2	0	0
2025	3	26	3	33	9	27	0	0	0	0	0	0	0	57.09	0	0
2025	3	26	3	43	9	27	0	0	0	0	0	0	0	57	0	0
2025	3	26	3	53	9	26	0	0	0	0	0	0	0	56.91	0	0
2025	3	26	4	3	9	27	0	0	0	0	0	0	0	56.82	0	0
2025	3	26	4	13	9	27	0	0	0	0	0	0	0	56.73	0	0
2025	3	26	4	23	9	27	0	0	0	0	0	0	0	56.64	0	0
2025	3	26	4	33	9	27	0	0	0	0	0	0	0	56.57	0	0
2025	3	26	4	43	9	27	0	0	0	0	0	0	0	56.5	0	0
2025	3	26	4	53	9	27	0	0	0	0	0	0	0	56.41	0	0
2025	3	26	5	3	9	27	0	0	0	0	0	0	0	56.34	0	0
2025	3	26	5	13	9	27	0	0	0	0	0	0	0	56.25	0	0
2025	3	26	5	23	9	27	0	0	0	0	0	0	0	56.17	0	0
2025	3	26	5	33	9	27	0	0	0	0	0	0	0	56.1	0	0
2025	3	26	5	43	9	27	0	0	0	0	0	0	0	56.03	0	0
2025	3	26	5	53	9	26	0	0	0	0	0	0	0	55.96	0	0
2025	3	26	6	3	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	26	6	13	9	27	0	0	0	0	0	0	0	55.81	0	0
2025	3	26	6	23	9	28	0	0	0	0	0	0	0	55.74	0	0
2025	3	26	6	33	9	27	0	0	0	0	0	0	0	55.69	0	0
2025	3	26	6	43	9	26	0	0	0	0	0	0	0	55.62	0	0
2025	3	26	6	53	9	27	0	0	0	0	0	0	0	55.56	0	0
2025	3	26	7	3	9	27	0	0	0	0	0	0	0	55.54	0	0
2025	3	26	7	13	9	27	0	0	0	0	0	0	0	55.51	0	0
2025	3	26	7	23	9	27	0	0	0	0	0	0	0	55.47	0	0
2025	3	26	7	33	9	27	0	0	0	0	0	0	0	55.47	0	0
2025	3	26	7	43	9	26	0	0	0	0	0	0	0	55.47	0	0
2025	3	26	7	53	9	27	0	0	0	0	0	0	0	55.49	0	0
2025	3	26	8	3	9	27	0	0	0	0	0	0	0	55.53	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	26	8	13	9	27	0	0	0	0	0	0	0	55.56	0	0
2025	3	26	8	23	9	27	0	0	0	0	0	0	0	55.62	0	0
2025	3	26	8	33	9	27	0	0	0	0	0	0	0	55.69	0	0
2025	3	26	8	43	9	26	0	0	0	0	0	0	0	55.78	0	0
2025	3	26	8	53	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	26	9	3	9	26	0	0	0	0	0	0	0	56.01	0	0
2025	3	26	9	13	9	27	0	0	0	0	0	0	0	56.16	0	0
2025	3	26	9	23	9	27	0	0	0	0	0	0	0	56.3	0	0
2025	3	26	9	33	9	27	0	0	0	0	0	0	0	56.44	0	0
2025	3	26	9	43	9	26	0	0	0	0	0	0	0	56.62	0	0
2025	3	26	9	53	9	27	0	0	0	0	0	0	0	56.82	0	0
2025	3	26	10	3	9	27	0	0	0	0	0	0	0	57.02	0	0
2025	3	26	10	13	9	27	0	0	0	0	0	0	0	57.2	0	0
2025	3	26	10	23	9	26	0	0	0	0	0	0	0	57.42	0	0
2025	3	26	10	33	9	27	0	0	0	0	0	0	0	57.6	0	0
2025	3	26	10	43	9	27	0	0	0	0	0	0	0	57.81	0	0
2025	3	26	10	53	9	27	0	0	0	0	0	0	0	58.03	0	0
2025	3	26	11	3	9	26	0	0	0	0	0	0	0	58.26	0	0
2025	3	26	11	13	9	27	0	0	0	0	0	0	0	58.48	0	0
2025	3	26	11	23	9	27	0	0	0	0	0	0	0	58.71	0	0
2025	3	26	11	33	9	27	0	0	0	0	0	0	0	58.93	0	0
2025	3	26	11	43	9	27	0	0	0	0	0	0	0	59.14	0	0
2025	3	26	11	53	9	27	0	0	0	0	0	0	0	59.38	0	0
2025	3	26	12	3	9	26	0	0	0	0	0	0	0	59.59	0	0
2025	3	26	12	13	9	27	0	0	0	0	0	0	0	59.83	0	0
2025	3	26	12	23	9	26	0	0	0	0	0	0	0	60.04	0	0
2025	3	26	12	33	9	26	0	0	0	0	0	0	0	60.26	0	0
2025	3	26	12	43	9	27	0	0	0	0	0	0	0	60.46	0	0
2025	3	26	12	53	9	26	0	0	0	0	0	0	0	60.67	0	0
2025	3	26	13	3	9	26	0	0	0	0	0	0	0	60.87	0	0
2025	3	26	13	13	9	27	0	0	0	0	0	0	0	61.05	0	0
2025	3	26	13	23	9	26	0	0	0	0	0	0	0	61.25	0	0
2025	3	26	13	33	9	26	0	0	0	0	0	0	0	61.43	0	0
2025	3	26	13	43	9	26	0	0	0	0	0	0	0	61.61	0	0
2025	3	26	13	53	9	26	0	0	0	0	0	0	0	61.77	0	0
2025	3	26	14	3	9	26	0	0	0	0	0	0	0	61.93	0	0
2025	3	26	14	13	9	26	0	0	0	0	0	0	0	62.08	0	0
2025	3	26	14	23	9	26	0	0	0	0	0	0	0	62.22	0	0
2025	3	26	14	33	9	26	0	0	0	0	0	0	0	62.37	0	0
2025	3	26	14	43	9	26	0	0	0	0	0	0	0	62.49	0	0
2025	3	26	14	53	9	26	0	0	0	0	0	0	0	62.6	0	0
2025	3	26	15	3	9	27	0	0	0	0	0	0	0	62.69	0	0
2025	3	26	15	13	9	26	0	0	0	0	0	0	0	62.78	0	0
2025	3	26	15	23	9	27	0	0	0	0	0	0	0	62.87	0	0
2025	3	26	15	33	9	26	0	0	0	0	0	0	0	62.94	0	0
2025	3	26	15	43	9	26	0	0	0	0	0	0	0	63	0	0
2025	3	26	15	53	9	26	0	0	0	0	0	0	0	63.05	0	0
2025	3	26	16	3	9	25	0	0	0	0	0	0	0	63.09	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	27	0	13	9	26	0	0	0	0	0	0	0	59.88	0	0
2025	3	27	0	23	9	27	0	0	0	0	0	0	0	59.79	0	0
2025	3	27	0	33	9	27	0	0	0	0	0	0	0	59.7	0	0
2025	3	27	0	43	9	27	0	0	0	0	0	0	0	59.63	0	0
2025	3	27	0	53	9	26	0	0	0	0	0	0	0	59.54	0	0
2025	3	27	1	3	9	27	0	0	0	0	0	0	0	59.45	0	0
2025	3	27	1	13	9	27	0	0	0	0	0	0	0	59.36	0	0
2025	3	27	1	23	9	27	0	0	0	0	0	0	0	59.27	0	0
2025	3	27	1	33	9	26	0	0	0	0	0	0	0	59.2	0	0
2025	3	27	1	43	9	26	0	0	0	0	0	0	0	59.11	0	0
2025	3	27	1	53	9	26	0	0	0	0	0	0	0	59.04	0	0
2025	3	27	2	3	9	27	0	0	0	0	0	0	0	58.96	0	0
2025	3	27	2	13	9	27	0	0	0	0	0	0	0	58.87	0	0
2025	3	27	2	23	9	26	0	0	0	0	0	0	0	58.8	0	0
2025	3	27	2	33	9	27	0	0	0	0	0	0	0	58.73	0	0
2025	3	27	2	43	9	27	0	0	0	0	0	0	0	58.66	0	0
2025	3	27	2	53	9	26	0	0	0	0	0	0	0	58.59	0	0
2025	3	27	3	3	9	26	0	0	0	0	0	0	0	58.51	0	0
2025	3	27	3	13	9	26	0	0	0	0	0	0	0	58.46	0	0
2025	3	27	3	23	9	26	0	0	0	0	0	0	0	58.39	0	0
2025	3	27	3	33	9	26	0	0	0	0	0	0	0	58.32	0	0
2025	3	27	3	43	9	27	0	0	0	0	0	0	0	58.26	0	0
2025	3	27	3	53	9	27	0	0	0	0	0	0	0	58.19	0	0
2025	3	27	4	3	9	27	0	0	0	0	0	0	0	58.14	0	0
2025	3	27	4	13	9	26	0	0	0	0	0	0	0	58.08	0	0
2025	3	27	4	23	9	27	0	0	0	0	0	0	0	58.05	0	0
2025	3	27	4	33	9	27	0	0	0	0	0	0	0	57.99	0	0
2025	3	27	4	43	9	26	0	0	0	0	0	0	0	57.94	0	0
2025	3	27	4	53	9	27	0	0	0	0	0	0	0	57.88	0	0
2025	3	27	5	3	9	27	0	0	0	0	0	0	0	57.85	0	0
2025	3	27	5	13	9	27	0	0	0	0	0	0	0	57.79	0	0
2025	3	27	5	23	9	27	0	0	0	0	0	0	0	57.76	0	0
2025	3	27	5	33	9	27	0	0	0	0	0	0	0	57.7	0	0
2025	3	27	5	43	9	26	0	0	0	0	0	0	0	57.67	0	0
2025	3	27	5	53	9	27	0	0	0	0	0	0	0	57.61	0	0
2025	3	27	6	3	9	26	0	0	0	0	0	0	0	57.56	0	0
2025	3	27	6	13	9	27	0	0	0	0	0	0	0	57.52	0	0
2025	3	27	6	23	9	27	0	0	0	0	0	0	0	57.47	0	0
2025	3	27	6	33	9	27	0	0	0	0	0	0	0	57.43	0	0
2025	3	27	6	43	9	26	0	0	0	0	0	0	0	57.38	0	0
2025	3	27	6	53	9	27	0	0	0	0	0	0	0	57.33	0	0
2025	3	27	7	3	9	27	0	0	0	0	0	0	0	57.31	0	0
2025	3	27	7	13	9	27	0	0	0	0	0	0	0	57.29	0	0
2025	3	27	7	23	9	27	0	0	0	0	0	0	0	57.27	0	0
2025	3	27	7	33	9	27	0	0	0	0	0	0	0	57.27	0	0
2025	3	27	7	43	9	27	0	0	0	0	0	0	0	57.29	0	0
2025	3	27	7	53	9	27	0	0	0	0	0	0	0	57.31	0	0
2025	3	27	8	3	9	27	0	0	0	0	0	0	0	57.34	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	27	8	13	9	27	0	0	0	0	0	0	0	57.38	0	0
2025	3	27	8	23	9	27	0	0	0	0	0	0	0	57.42	0	0
2025	3	27	8	33	9	27	0	0	0	0	0	0	0	57.49	0	0
2025	3	27	8	43	9	27	0	0	0	0	0	0	0	57.58	0	0
2025	3	27	8	53	9	27	0	0	0	0	0	0	0	57.65	0	0
2025	3	27	9	3	9	27	0	0	0	0	0	0	0	57.76	0	0
2025	3	27	9	13	9	27	0	0	0	0	0	0	0	57.88	0	0
2025	3	27	9	23	9	27	0	0	0	0	0	0	0	58.01	0	0
2025	3	27	9	33	9	27	0	0	0	0	0	0	0	58.15	0	0
2025	3	27	9	43	9	27	0	0	0	0	0	0	0	58.3	0	0
2025	3	27	9	53	9	27	0	0	0	0	0	0	0	58.48	0	0
2025	3	27	10	3	9	27	0	0	0	0	0	0	0	58.62	0	0
2025	3	27	10	13	9	26	0	0	0	0	0	0	0	58.78	0	0
2025	3	27	10	23	9	27	0	0	0	0	0	0	0	58.96	0	0
2025	3	27	10	33	9	27	0	0	0	0	0	0	0	59.14	0	0
2025	3	27	10	43	9	26	0	0	0	0	0	0	0	59.34	0	0
2025	3	27	10	53	9	27	0	0	0	0	0	0	0	59.52	0	0
2025	3	27	11	3	9	27	0	0	0	0	0	0	0	59.7	0	0
2025	3	27	11	13	9	27	0	0	0	0	0	0	0	59.9	0	0
2025	3	27	11	23	9	26	0	0	0	0	0	0	0	60.08	0	0
2025	3	27	11	33	9	27	0	0	0	0	0	0	0	60.28	0	0
2025	3	27	11	43	9	26	0	0	0	0	0	0	0	60.48	0	0
2025	3	27	11	53	9	26	0	0	0	0	0	0	0	60.66	0	0
2025	3	27	12	3	9	27	0	0	0	0	0	0	0	60.84	0	0
2025	3	27	12	13	9	26	0	0	0	0	0	0	0	61.03	0	0
2025	3	27	12	23	9	27	0	0	0	0	0	0	0	61.21	0	0
2025	3	27	12	33	9	26	0	0	0	0	0	0	0	61.43	0	0
2025	3	27	12	43	9	27	0	0	0	0	0	0	0	61.59	0	0
2025	3	27	12	53	9	27	0	0	0	0	0	0	0	61.79	0	0
2025	3	27	13	3	9	26	0	0	0	0	0	0	0	61.99	0	0
2025	3	27	13	13	9	26	0	0	0	0	0	0	0	62.19	0	0
2025	3	27	13	23	9	26	0	0	0	0	0	0	0	62.37	0	0
2025	3	27	13	33	9	26	0	0	0	0	0	0	0	62.56	0	0
2025	3	27	13	43	9	26	0	0	0	0	0	0	0	62.71	0	0
2025	3	27	13	53	9	27	0	0	0	0	0	0	0	62.85	0	0
2025	3	27	14	3	9	25	0	0	0	0	0	0	0	62.96	0	0
2025	3	27	14	13	9	26	0	0	0	0	0	0	0	63.12	0	0
2025	3	27	14	23	9	26	0	0	0	0	0	0	0	63.18	0	0
2025	3	27	14	33	9	26	0	0	0	0	0	0	0	63.21	0	0
2025	3	27	14	43	9	26	0	0	0	0	0	0	0	63.28	0	0
2025	3	27	14	53	9	26	0	0	0	0	0	0	0	63.39	0	0
2025	3	27	15	3	9	26	0	0	0	0	0	0	0	63.5	0	0
2025	3	27	15	13	9	26	0	0	0	0	0	0	0	63.57	0	0
2025	3	27	15	23	9	27	0	0	0	0	0	0	0	63.66	0	0
2025	3	27	15	33	9	26	0	0	0	0	0	0	0	63.72	0	0
2025	3	27	15	43	9	27	0	0	0	0	0	0	0	63.77	0	0
2025	3	27	15	53	9	27	0	0	0	0	0	0	0	63.79	0	0
2025	3	27	16	3	9	26	0	0	0	0	0	0	0	63.82	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	27	16	13	9	26	0	0	0	0	0	0	0	63.84	0	0
2025	3	27	16	23	9	26	0	0	0	0	0	0	0	63.84	0	0
2025	3	27	16	33	9	26	0	0	0	0	0	0	0	63.86	0	0
2025	3	27	16	43	9	27	0	0	0	0	0	0	0	63.86	0	0
2025	3	27	16	53	9	26	0	0	0	0	0	0	0	63.84	0	0
2025	3	27	17	3	9	26	0	0	0	0	0	0	0	63.81	0	0
2025	3	27	17	13	9	26	0	0	0	0	0	0	0	63.77	0	0
2025	3	27	17	23	9	27	0	0	0	0	0	0	0	63.72	0	0
2025	3	27	17	33	9	25	0	0	0	0	0	0	0	63.66	0	0
2025	3	27	17	43	9	26	0	0	0	0	0	0	0	63.57	0	0
2025	3	27	17	53	9	26	0	0	0	0	0	0	0	63.5	0	0
2025	3	27	18	3	9	27	0	0	0	0	0	0	0	63.39	0	0
2025	3	27	18	13	9	25	0	0	0	0	0	0	0	63.27	0	0
2025	3	27	18	23	9	26	0	0	0	0	0	0	0	63.14	0	0
2025	3	27	18	33	9	26	0	0	0	0	0	0	0	63	0	0
2025	3	27	18	43	9	26	0	0	0	0	0	0	0	62.87	0	0
2025	3	27	18	53	9	27	0	0	0	0	0	0	0	62.69	0	0
2025	3	27	19	3	9	26	0	0	0	0	0	0	0	62.55	0	0
2025	3	27	19	13	9	26	0	0	0	0	0	0	0	62.37	0	0
2025	3	27	19	23	9	27	0	0	0	0	0	0	0	62.2	0	0
2025	3	27	19	33	9	26	0	0	0	0	0	0	0	62.04	0	0
2025	3	27	19	43	9	26	0	0	0	0	0	0	0	61.86	0	0
2025	3	27	19	53	9	27	0	0	0	0	0	0	0	61.68	0	0
2025	3	27	20	3	9	27	0	0	0	0	0	0	0	61.52	0	0
2025	3	27	20	13	9	26	0	0	0	0	0	0	0	61.36	0	0
2025	3	27	20	23	9	26	0	0	0	0	0	0	0	61.21	0	0
2025	3	27	20	33	9	27	0	0	0	0	0	0	0	61.09	0	0
2025	3	27	20	43	9	26	0	0	0	0	0	0	0	60.96	0	0
2025	3	27	20	53	9	26	0	0	0	0	0	0	0	60.85	0	0
2025	3	27	21	3	9	26	0	0	0	0	0	0	0	60.73	0	0
2025	3	27	21	13	9	26	0	0	0	0	0	0	0	60.6	0	0
2025	3	27	21	23	9	26	0	0	0	0	0	0	0	60.48	0	0
2025	3	27	21	33	9	27	0	0	0	0	0	0	0	60.35	0	0
2025	3	27	21	43	9	26	0	0	0	0	0	0	0	60.21	0	0
2025	3	27	21	53	9	26	0	0	0	0	0	0	0	60.08	0	0
2025	3	27	22	3	9	26	0	0	0	0	0	0	0	59.97	0	0
2025	3	27	22	13	9	26	0	0	0	0	0	0	0	59.85	0	0
2025	3	27	22	23	9	26	0	0	0	0	0	0	0	59.74	0	0
2025	3	27	22	33	9	26	0	0	0	0	0	0	0	59.63	0	0
2025	3	27	22	43	9	27	0	0	0	0	0	0	0	59.5	0	0
2025	3	27	22	53	9	26	0	0	0	0	0	0	0	59.4	0	0
2025	3	27	23	3	9	27	0	0	0	0	0	0	0	59.29	0	0
2025	3	27	23	13	9	26	0	0	0	0	0	0	0	59.18	0	0
2025	3	27	23	23	9	26	0	0	0	0	0	0	0	59.09	0	0
2025	3	27	23	33	9	27	0	0	0	0	0	0	0	58.96	0	0
2025	3	27	23	43	9	27	0	0	0	0	0	0	0	58.87	0	0
2025	3	27	23	53	9	27	0	0	0	0	0	0	0	58.77	0	0
2025	3	28	0	3	9	26	0	0	0	0	0	0	0	58.68	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	28	0	13	9	26	0	0	0	0	0	0	0	58.57	0	0
2025	3	28	0	23	9	27	0	0	0	0	0	0	0	58.46	0	0
2025	3	28	0	33	9	26	0	0	0	0	0	0	0	58.35	0	0
2025	3	28	0	43	9	26	0	0	0	0	0	0	0	58.24	0	0
2025	3	28	0	53	9	27	0	0	0	0	0	0	0	58.15	0	0
2025	3	28	1	3	9	27	0	0	0	0	0	0	0	58.06	0	0
2025	3	28	1	13	9	27	0	0	0	0	0	0	0	57.96	0	0
2025	3	28	1	23	9	26	0	0	0	0	0	0	0	57.87	0	0
2025	3	28	1	33	9	27	0	0	0	0	0	0	0	57.78	0	0
2025	3	28	1	43	9	27	0	0	0	0	0	0	0	57.69	0	0
2025	3	28	1	53	9	26	0	0	0	0	0	0	0	57.58	0	0
2025	3	28	2	3	9	26	0	0	0	0	0	0	0	57.49	0	0
2025	3	28	2	13	9	27	0	0	0	0	0	0	0	57.4	0	0
2025	3	28	2	23	9	27	0	0	0	0	0	0	0	57.29	0	0
2025	3	28	2	33	9	27	0	0	0	0	0	0	0	57.18	0	0
2025	3	28	2	43	9	26	0	0	0	0	0	0	0	57.06	0	0
2025	3	28	2	53	9	27	0	0	0	0	0	0	0	56.95	0	0
2025	3	28	3	3	9	27	0	0	0	0	0	0	0	56.84	0	0
2025	3	28	3	13	9	26	0	0	0	0	0	0	0	56.71	0	0
2025	3	28	3	23	9	27	0	0	0	0	0	0	0	56.62	0	0
2025	3	28	3	33	9	26	0	0	0	0	0	0	0	56.52	0	0
2025	3	28	3	43	9	26	0	0	0	0	0	0	0	56.41	0	0
2025	3	28	3	53	9	27	0	0	0	0	0	0	0	56.28	0	0
2025	3	28	4	3	9	27	0	0	0	0	0	0	0	56.17	0	0
2025	3	28	4	13	9	27	0	0	0	0	0	0	0	56.07	0	0
2025	3	28	4	23	9	27	0	0	0	0	0	0	0	55.98	0	0
2025	3	28	4	33	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	28	4	43	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	28	4	53	9	27	0	0	0	0	0	0	0	55.72	0	0
2025	3	28	5	3	9	27	0	0	0	0	0	0	0	55.65	0	0
2025	3	28	5	13	9	27	0	0	0	0	0	0	0	55.58	0	0
2025	3	28	5	23	9	27	0	0	0	0	0	0	0	55.51	0	0
2025	3	28	5	33	9	27	0	0	0	0	0	0	0	55.45	0	0
2025	3	28	5	43	9	27	0	0	0	0	0	0	0	55.4	0	0
2025	3	28	5	53	9	27	0	0	0	0	0	0	0	55.35	0	0
2025	3	28	6	3	9	27	0	0	0	0	0	0	0	55.29	0	0
2025	3	28	6	13	9	27	0	0	0	0	0	0	0	55.24	0	0
2025	3	28	6	23	9	27	0	0	0	0	0	0	0	55.2	0	0
2025	3	28	6	33	9	27	0	0	0	0	0	0	0	55.15	0	0
2025	3	28	6	43	9	27	0	0	0	0	0	0	0	55.11	0	0
2025	3	28	6	53	9	27	0	0	0	0	0	0	0	55.06	0	0
2025	3	28	7	3	9	27	0	0	0	0	0	0	0	55.04	0	0
2025	3	28	7	13	9	27	0	0	0	0	0	0	0	55.02	0	0
2025	3	28	7	23	9	27	0	0	0	0	0	0	0	54.99	0	0
2025	3	28	7	33	9	27	0	0	0	0	0	0	0	54.93	0	0
2025	3	28	7	43	9	27	0	0	0	0	0	0	0	54.91	0	0
2025	3	28	7	53	9	27	0	0	0	0	0	0	0	54.88	0	0
2025	3	28	8	3	9	27	0	0	0	0	0	0	0	54.84	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	28	8	13	9	27	0	0	0	0	0	0	0	54.81	0	0
2025	3	28	8	23	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	28	8	33	9	27	0	0	0	0	0	0	0	54.77	0	0
2025	3	28	8	43	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	28	8	53	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	28	9	3	9	26	0	0	0	0	0	0	0	54.81	0	0
2025	3	28	9	13	9	27	0	0	0	0	0	0	0	54.82	0	0
2025	3	28	9	23	9	26	0	0	0	0	0	0	0	54.84	0	0
2025	3	28	9	33	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	28	9	43	9	27	0	0	0	0	0	0	0	54.91	0	0
2025	3	28	9	53	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	28	10	3	9	27	0	0	0	0	0	0	0	55.02	0	0
2025	3	28	10	13	9	27	0	0	0	0	0	0	0	55.09	0	0
2025	3	28	10	23	9	27	0	0	0	0	0	0	0	55.22	0	0
2025	3	28	10	33	9	27	0	0	0	0	0	0	0	55.36	0	0
2025	3	28	10	43	9	26	0	0	0	0	0	0	0	55.49	0	0
2025	3	28	10	53	9	27	0	0	0	0	0	0	0	55.63	0	0
2025	3	28	11	3	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	28	11	13	9	27	0	0	0	0	0	0	0	55.94	0	0
2025	3	28	11	23	9	27	0	0	0	0	0	0	0	56.1	0	0
2025	3	28	11	33	9	27	0	0	0	0	0	0	0	56.26	0	0
2025	3	28	11	43	9	27	0	0	0	0	0	0	0	56.44	0	0
2025	3	28	11	53	9	27	0	0	0	0	0	0	0	56.64	0	0
2025	3	28	12	3	9	26	0	0	0	0	0	0	0	56.86	0	0
2025	3	28	12	13	9	27	0	0	0	0	0	0	0	57.07	0	0
2025	3	28	12	23	9	27	0	0	0	0	0	0	0	57.29	0	0
2025	3	28	12	33	9	26	0	0	0	0	0	0	0	57.49	0	0
2025	3	28	12	43	9	26	0	0	0	0	0	0	0	57.69	0	0
2025	3	28	12	53	9	27	0	0	0	0	0	0	0	57.88	0	0
2025	3	28	13	3	9	27	0	0	0	0	0	0	0	58.06	0	0
2025	3	28	13	13	9	27	0	0	0	0	0	0	0	58.26	0	0
2025	3	28	13	23	9	26	0	0	0	0	0	0	0	58.46	0	0
2025	3	28	13	33	9	26	0	0	0	0	0	0	0	58.64	0	0
2025	3	28	13	43	9	27	0	0	0	0	0	0	0	58.86	0	0
2025	3	28	13	53	9	26	0	0	0	0	0	0	0	59.05	0	0
2025	3	28	14	3	9	26	0	0	0	0	0	0	0	59.23	0	0
2025	3	28	14	13	9	27	0	0	0	0	0	0	0	59.41	0	0
2025	3	28	14	23	9	27	0	0	0	0	0	0	0	59.59	0	0
2025	3	28	14	33	9	26	0	0	0	0	0	0	0	59.74	0	0
2025	3	28	14	43	9	26	0	0	0	0	0	0	0	59.88	0	0
2025	3	28	14	53	9	27	0	0	0	0	0	0	0	60.03	0	0
2025	3	28	15	3	9	26	0	0	0	0	0	0	0	60.13	0	0
2025	3	28	15	13	9	27	0	0	0	0	0	0	0	60.21	0	0
2025	3	28	15	23	9	26	0	0	0	0	0	0	0	60.3	0	0
2025	3	28	15	33	9	27	0	0	0	0	0	0	0	60.4	0	0
2025	3	28	15	43	9	26	0	0	0	0	0	0	0	60.53	0	0
2025	3	28	15	53	9	26	0	0	0	0	0	0	0	60.62	0	0
2025	3	28	16	3	9	26	0	0	0	0	0	0	0	60.69	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	29	0	13	9	28	0	0	0	0	0	0	0	57.67	0	0
2025	3	29	0	23	9	27	0	0	0	0	0	0	0	57.54	0	0
2025	3	29	0	33	9	27	0	0	0	0	0	0	0	57.42	0	0
2025	3	29	0	43	9	26	0	0	0	0	0	0	0	57.29	0	0
2025	3	29	0	53	9	27	0	0	0	0	0	0	0	57.15	0	0
2025	3	29	1	3	9	26	0	0	0	0	0	0	0	57.02	0	0
2025	3	29	1	13	9	27	0	0	0	0	0	0	0	56.88	0	0
2025	3	29	1	23	9	27	0	0	0	0	0	0	0	56.71	0	0
2025	3	29	1	33	9	26	0	0	0	0	0	0	0	56.59	0	0
2025	3	29	1	43	9	27	0	0	0	0	0	0	0	56.44	0	0
2025	3	29	1	53	9	27	0	0	0	0	0	0	0	56.32	0	0
2025	3	29	2	3	9	27	0	0	0	0	0	0	0	56.16	0	0
2025	3	29	2	13	9	26	0	0	0	0	0	0	0	56.01	0	0
2025	3	29	2	23	9	27	0	0	0	0	0	0	0	55.85	0	0
2025	3	29	2	33	9	27	0	0	0	0	0	0	0	55.71	0	0
2025	3	29	2	43	9	27	0	0	0	0	0	0	0	55.58	0	0
2025	3	29	2	53	9	27	0	0	0	0	0	0	0	55.44	0	0
2025	3	29	3	3	9	27	0	0	0	0	0	0	0	55.31	0	0
2025	3	29	3	13	9	26	0	0	0	0	0	0	0	55.18	0	0
2025	3	29	3	23	9	27	0	0	0	0	0	0	0	55.06	0	0
2025	3	29	3	33	9	27	0	0	0	0	0	0	0	54.93	0	0
2025	3	29	3	43	9	26	0	0	0	0	0	0	0	54.82	0	0
2025	3	29	3	53	9	27	0	0	0	0	0	0	0	54.7	0	0
2025	3	29	4	3	9	26	0	0	0	0	0	0	0	54.59	0	0
2025	3	29	4	13	9	27	0	0	0	0	0	0	0	54.5	0	0
2025	3	29	4	23	9	27	0	0	0	0	0	0	0	54.39	0	0
2025	3	29	4	33	9	27	0	0	0	0	0	0	0	54.28	0	0
2025	3	29	4	43	9	27	0	0	0	0	0	0	0	54.18	0	0
2025	3	29	4	53	9	26	0	0	0	0	0	0	0	54.07	0	0
2025	3	29	5	3	9	27	0	0	0	0	0	0	0	53.98	0	0
2025	3	29	5	13	9	27	0	0	0	0	0	0	0	53.85	0	0
2025	3	29	5	23	9	27	0	0	0	0	0	0	0	53.76	0	0
2025	3	29	5	33	9	27	0	0	0	0	0	0	0	53.64	0	0
2025	3	29	5	43	9	27	0	0	0	0	0	0	0	53.53	0	0
2025	3	29	5	53	9	27	0	0	0	0	0	0	0	53.42	0	0
2025	3	29	6	3	9	27	0	0	0	0	0	0	0	53.31	0	0
2025	3	29	6	13	9	28	0	0	0	0	0	0	0	53.2	0	0
2025	3	29	6	23	9	27	0	0	0	0	0	0	0	53.11	0	0
2025	3	29	6	33	9	28	0	0	0	0	0	0	0	53.01	0	0
2025	3	29	6	43	9	28	0	0	0	0	0	0	0	52.92	0	0
2025	3	29	6	53	9	28	0	0	0	0	0	0	0	52.83	0	0
2025	3	29	7	3	9	28	0	0	0	0	0	0	0	52.74	0	0
2025	3	29	7	13	9	27	0	0	0	0	0	0	0	52.66	0	0
2025	3	29	7	23	9	28	0	0	0	0	0	0	0	52.61	0	0
2025	3	29	7	33	9	27	0	0	0	0	0	0	0	52.56	0	0
2025	3	29	7	43	9	26	0	0	0	0	0	0	0	52.54	0	0
2025	3	29	7	53	9	28	0	0	0	0	0	0	0	52.52	0	0
2025	3	29	8	3	9	27	0	0	0	0	0	0	0	52.52	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	29	8	13	9	28	0	0	0	0	0	0	0	52.56	0	0
2025	3	29	8	23	9	27	0	0	0	0	0	0	0	52.59	0	0
2025	3	29	8	33	9	26	0	0	0	0	0	0	0	52.61	0	0
2025	3	29	8	43	9	27	0	0	0	0	0	0	0	52.65	0	0
2025	3	29	8	53	9	27	0	0	0	0	0	0	0	52.7	0	0
2025	3	29	9	3	9	27	0	0	0	0	0	0	0	52.77	0	0
2025	3	29	9	13	9	27	0	0	0	0	0	0	0	52.84	0	0
2025	3	29	9	23	9	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	29	9	33	9	27	0	0	0	0	0	0	0	53.04	0	0
2025	3	29	9	43	9	28	0	0	0	0	0	0	0	53.17	0	0
2025	3	29	9	53	9	28	0	0	0	0	0	0	0	53.29	0	0
2025	3	29	10	3	9	28	0	0	0	0	0	0	0	53.44	0	0
2025	3	29	10	13	9	27	0	0	0	0	0	0	0	53.58	0	0
2025	3	29	10	23	9	27	0	0	0	0	0	0	0	53.74	0	0
2025	3	29	10	33	9	27	0	0	0	0	0	0	0	53.91	0	0
2025	3	29	10	43	9	28	0	0	0	0	0	0	0	54.1	0	0
2025	3	29	10	53	9	26	0	0	0	0	0	0	0	54.28	0	0
2025	3	29	11	3	9	27	0	0	0	0	0	0	0	54.46	0	0
2025	3	29	11	13	9	27	0	0	0	0	0	0	0	54.66	0	0
2025	3	29	11	23	9	27	0	0	0	0	0	0	0	54.88	0	0
2025	3	29	11	33	9	27	0	0	0	0	0	0	0	55.08	0	0
2025	3	29	11	43	9	26	0	0	0	0	0	0	0	55.31	0	0
2025	3	29	11	53	9	27	0	0	0	0	0	0	0	55.53	0	0
2025	3	29	12	3	9	27	0	0	0	0	0	0	0	55.72	0	0
2025	3	29	12	13	9	27	0	0	0	0	0	0	0	55.96	0	0
2025	3	29	12	23	9	27	0	0	0	0	0	0	0	56.16	0	0
2025	3	29	12	33	9	27	0	0	0	0	0	0	0	56.37	0	0
2025	3	29	12	43	9	27	0	0	0	0	0	0	0	56.59	0	0
2025	3	29	12	53	9	27	0	0	0	0	0	0	0	56.8	0	0
2025	3	29	13	3	9	27	0	0	0	0	0	0	0	57.02	0	0
2025	3	29	13	13	9	26	0	0	0	0	0	0	0	57.22	0	0
2025	3	29	13	23	9	27	0	0	0	0	0	0	0	57.42	0	0
2025	3	29	13	33	9	26	0	0	0	0	0	0	0	57.61	0	0
2025	3	29	13	43	9	27	0	0	0	0	0	0	0	57.79	0	0
2025	3	29	13	53	9	27	0	0	0	0	0	0	0	57.96	0	0
2025	3	29	14	3	9	26	0	0	0	0	0	0	0	58.14	0	0
2025	3	29	14	13	9	27	0	0	0	0	0	0	0	58.3	0	0
2025	3	29	14	23	9	26	0	0	0	0	0	0	0	58.46	0	0
2025	3	29	14	33	9	27	0	0	0	0	0	0	0	58.6	0	0
2025	3	29	14	43	9	27	0	0	0	0	0	0	0	58.73	0	0
2025	3	29	14	53	9	27	0	0	0	0	0	0	0	58.87	0	0
2025	3	29	15	3	9	27	0	0	0	0	0	0	0	58.98	0	0
2025	3	29	15	13	9	27	0	0	0	0	0	0	0	59.09	0	0
2025	3	29	15	23	9	26	0	0	0	0	0	0	0	59.16	0	0
2025	3	29	15	33	9	27	0	0	0	0	0	0	0	59.25	0	0
2025	3	29	15	43	9	27	0	0	0	0	0	0	0	59.31	0	0
2025	3	29	15	53	9	27	0	0	0	0	0	0	0	59.36	0	0
2025	3	29	16	3	9	26	0	0	0	0	0	0	0	59.38	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	30	0	13	9	27	0	0	0	0	0	0	0	56.32	0	0
2025	3	30	0	23	9	27	0	0	0	0	0	0	0	56.21	0	0
2025	3	30	0	33	9	27	0	0	0	0	0	0	0	56.08	0	0
2025	3	30	0	43	9	27	0	0	0	0	0	0	0	55.96	0	0
2025	3	30	0	53	9	27	0	0	0	0	0	0	0	55.83	0	0
2025	3	30	1	3	9	27	0	0	0	0	0	0	0	55.71	0	0
2025	3	30	1	13	9	26	0	0	0	0	0	0	0	55.6	0	0
2025	3	30	1	23	9	26	0	0	0	0	0	0	0	55.47	0	0
2025	3	30	1	33	9	27	0	0	0	0	0	0	0	55.36	0	0
2025	3	30	1	43	9	26	0	0	0	0	0	0	0	55.27	0	0
2025	3	30	1	53	9	27	0	0	0	0	0	0	0	55.17	0	0
2025	3	30	2	3	9	26	0	0	0	0	0	0	0	55.08	0	0
2025	3	30	2	13	9	27	0	0	0	0	0	0	0	54.99	0	0
2025	3	30	2	23	9	27	0	0	0	0	0	0	0	54.88	0	0
2025	3	30	2	33	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	30	2	43	9	27	0	0	0	0	0	0	0	54.7	0	0
2025	3	30	2	53	9	27	0	0	0	0	0	0	0	54.63	0	0
2025	3	30	3	3	9	27	0	0	0	0	0	0	0	54.55	0	0
2025	3	30	3	13	9	27	0	0	0	0	0	0	0	54.52	0	0
2025	3	30	3	23	9	27	0	0	0	0	0	0	0	54.45	0	0
2025	3	30	3	33	9	27	0	0	0	0	0	0	0	54.41	0	0
2025	3	30	3	43	9	27	0	0	0	0	0	0	0	54.34	0	0
2025	3	30	3	53	9	28	0	0	0	0	0	0	0	54.27	0	0
2025	3	30	4	3	9	27	0	0	0	0	0	0	0	54.21	0	0
2025	3	30	4	13	9	27	0	0	0	0	0	0	0	54.14	0	0
2025	3	30	4	23	9	27	0	0	0	0	0	0	0	54.09	0	0
2025	3	30	4	33	9	27	0	0	0	0	0	0	0	54.01	0	0
2025	3	30	4	43	9	27	0	0	0	0	0	0	0	53.96	0	0
2025	3	30	4	53	9	27	0	0	0	0	0	0	0	53.91	0	0
2025	3	30	5	3	9	27	0	0	0	0	0	0	0	53.85	0	0
2025	3	30	5	13	9	27	0	0	0	0	0	0	0	53.8	0	0
2025	3	30	5	23	9	27	0	0	0	0	0	0	0	53.74	0	0
2025	3	30	5	33	9	27	0	0	0	0	0	0	0	53.69	0	0
2025	3	30	5	43	9	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	30	5	53	9	27	0	0	0	0	0	0	0	53.56	0	0
2025	3	30	6	3	9	27	0	0	0	0	0	0	0	53.49	0	0
2025	3	30	6	13	9	27	0	0	0	0	0	0	0	53.44	0	0
2025	3	30	6	23	9	27	0	0	0	0	0	0	0	53.38	0	0
2025	3	30	6	33	9	27	0	0	0	0	0	0	0	53.33	0	0
2025	3	30	6	43	9	27	0	0	0	0	0	0	0	53.29	0	0
2025	3	30	6	53	9	27	0	0	0	0	0	0	0	53.26	0	0
2025	3	30	7	3	9	27	0	0	0	0	0	0	0	53.24	0	0
2025	3	30	7	13	9	27	0	0	0	0	0	0	0	53.24	0	0
2025	3	30	7	23	9	27	0	0	0	0	0	0	0	53.22	0	0
2025	3	30	7	33	9	27	0	0	0	0	0	0	0	53.24	0	0
2025	3	30	7	43	9	27	0	0	0	0	0	0	0	53.26	0	0
2025	3	30	7	53	9	27	0	0	0	0	0	0	0	53.29	0	0
2025	3	30	8	3	9	27	0	0	0	0	0	0	0	53.33	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	30	8	13	9	26	0	0	0	0	0	0	0	53.38	0	0
2025	3	30	8	23	9	27	0	0	0	0	0	0	0	53.46	0	0
2025	3	30	8	33	9	27	0	0	0	0	0	0	0	53.55	0	0
2025	3	30	8	43	9	27	0	0	0	0	0	0	0	53.64	0	0
2025	3	30	8	53	9	28	0	0	0	0	0	0	0	53.74	0	0
2025	3	30	9	3	9	27	0	0	0	0	0	0	0	53.89	0	0
2025	3	30	9	13	9	27	0	0	0	0	0	0	0	54.01	0	0
2025	3	30	9	23	9	27	0	0	0	0	0	0	0	54.16	0	0
2025	3	30	9	33	9	27	0	0	0	0	0	0	0	54.3	0	0
2025	3	30	9	43	9	27	0	0	0	0	0	0	0	54.48	0	0
2025	3	30	9	53	9	26	0	0	0	0	0	0	0	54.66	0	0
2025	3	30	10	3	9	26	0	0	0	0	0	0	0	54.86	0	0
2025	3	30	10	13	9	28	0	0	0	0	0	0	0	55.08	0	0
2025	3	30	10	23	9	27	0	0	0	0	0	0	0	55.29	0	0
2025	3	30	10	33	9	27	0	0	0	0	0	0	0	55.49	0	0
2025	3	30	10	43	9	27	0	0	0	0	0	0	0	55.71	0	0
2025	3	30	10	53	9	26	0	0	0	0	0	0	0	55.9	0	0
2025	3	30	11	3	9	27	0	0	0	0	0	0	0	56.16	0	0
2025	3	30	11	13	9	27	0	0	0	0	0	0	0	56.37	0	0
2025	3	30	11	23	9	27	0	0	0	0	0	0	0	56.62	0	0
2025	3	30	11	33	9	27	0	0	0	0	0	0	0	56.82	0	0
2025	3	30	11	43	9	27	0	0	0	0	0	0	0	57.06	0	0
2025	3	30	11	53	9	26	0	0	0	0	0	0	0	57.25	0	0
2025	3	30	12	3	9	27	0	0	0	0	0	0	0	57.45	0	0
2025	3	30	12	13	9	27	0	0	0	0	0	0	0	57.61	0	0
2025	3	30	12	23	9	26	0	0	0	0	0	0	0	57.78	0	0
2025	3	30	12	33	9	27	0	0	0	0	0	0	0	57.9	0	0
2025	3	30	12	43	9	26	0	0	0	0	0	0	0	57.96	0	0
2025	3	30	12	53	9	27	0	0	0	0	0	0	0	58.05	0	0
2025	3	30	13	3	9	27	0	0	0	0	0	0	0	58.12	0	0
2025	3	30	13	13	9	26	0	0	0	0	0	0	0	58.24	0	0
2025	3	30	13	23	9	27	0	0	0	0	0	0	0	58.35	0	0
2025	3	30	13	33	9	26	0	0	0	0	0	0	0	58.42	0	0
2025	3	30	13	43	9	27	0	0	0	0	0	0	0	58.55	0	0
2025	3	30	13	53	9	27	0	0	0	0	0	0	0	58.71	0	0
2025	3	30	14	3	9	26	0	0	0	0	0	0	0	58.86	0	0
2025	3	30	14	13	9	26	0	0	0	0	0	0	0	59	0	0
2025	3	30	14	23	9	26	0	0	0	0	0	0	0	59.13	0	0
2025	3	30	14	33	9	26	0	0	0	0	0	0	0	59.23	0	0
2025	3	30	14	43	9	26	0	0	0	0	0	0	0	59.34	0	0
2025	3	30	14	53	9	27	0	0	0	0	0	0	0	59.45	0	0
2025	3	30	15	3	9	26	0	0	0	0	0	0	0	59.52	0	0
2025	3	30	15	13	9	26	0	0	0	0	0	0	0	59.58	0	0
2025	3	30	15	23	9	26	0	0	0	0	0	0	0	59.65	0	0
2025	3	30	15	33	9	26	0	0	0	0	0	0	0	59.7	0	0
2025	3	30	15	43	9	26	0	0	0	0	0	0	0	59.76	0	0
2025	3	30	15	53	9	27	0	0	0	0	0	0	0	59.81	0	0
2025	3	30	16	3	9	27	0	0	0	0	0	0	0	59.86	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	31	0	13	9	27	0	0	0	0	0	0	0	56.89	0	0
2025	3	31	0	23	9	27	0	0	0	0	0	0	0	56.8	0	0
2025	3	31	0	33	9	27	0	0	0	0	0	0	0	56.71	0	0
2025	3	31	0	43	9	27	0	0	0	0	0	0	0	56.59	0	0
2025	3	31	0	53	9	27	0	0	0	0	0	0	0	56.5	0	0
2025	3	31	1	3	9	27	0	0	0	0	0	0	0	56.39	0	0
2025	3	31	1	13	9	26	0	0	0	0	0	0	0	56.3	0	0
2025	3	31	1	23	9	27	0	0	0	0	0	0	0	56.19	0	0
2025	3	31	1	33	9	26	0	0	0	0	0	0	0	56.08	0	0
2025	3	31	1	43	9	27	0	0	0	0	0	0	0	55.99	0	0
2025	3	31	1	53	9	27	0	0	0	0	0	0	0	55.89	0	0
2025	3	31	2	3	9	26	0	0	0	0	0	0	0	55.8	0	0
2025	3	31	2	13	9	26	0	0	0	0	0	0	0	55.69	0	0
2025	3	31	2	23	9	27	0	0	0	0	0	0	0	55.6	0	0
2025	3	31	2	33	9	27	0	0	0	0	0	0	0	55.51	0	0
2025	3	31	2	43	9	27	0	0	0	0	0	0	0	55.42	0	0
2025	3	31	2	53	9	27	0	0	0	0	0	0	0	55.31	0	0
2025	3	31	3	3	9	27	0	0	0	0	0	0	0	55.22	0	0
2025	3	31	3	13	9	26	0	0	0	0	0	0	0	55.13	0	0
2025	3	31	3	23	9	26	0	0	0	0	0	0	0	55.04	0	0
2025	3	31	3	33	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	31	3	43	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	31	3	53	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	31	4	3	9	27	0	0	0	0	0	0	0	54.7	0	0
2025	3	31	4	13	9	26	0	0	0	0	0	0	0	54.61	0	0
2025	3	31	4	23	9	27	0	0	0	0	0	0	0	54.52	0	0
2025	3	31	4	33	9	27	0	0	0	0	0	0	0	54.43	0	0
2025	3	31	4	43	9	27	0	0	0	0	0	0	0	54.36	0	0
2025	3	31	4	53	9	27	0	0	0	0	0	0	0	54.28	0	0
2025	3	31	5	3	9	26	0	0	0	0	0	0	0	54.21	0	0
2025	3	31	5	13	9	27	0	0	0	0	0	0	0	54.16	0	0
2025	3	31	5	23	9	27	0	0	0	0	0	0	0	54.09	0	0
2025	3	31	5	33	9	27	0	0	0	0	0	0	0	54.03	0	0
2025	3	31	5	43	9	27	0	0	0	0	0	0	0	53.96	0	0
2025	3	31	5	53	9	27	0	0	0	0	0	0	0	53.89	0	0
2025	3	31	6	3	9	27	0	0	0	0	0	0	0	53.83	0	0
2025	3	31	6	13	9	27	0	0	0	0	0	0	0	53.76	0	0
2025	3	31	6	23	9	27	0	0	0	0	0	0	0	53.73	0	0
2025	3	31	6	33	9	27	0	0	0	0	0	0	0	53.67	0	0
2025	3	31	6	43	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	31	6	53	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	31	7	3	9	27	0	0	0	0	0	0	0	53.65	0	0
2025	3	31	7	13	9	27	0	0	0	0	0	0	0	53.69	0	0
2025	3	31	7	23	9	27	0	0	0	0	0	0	0	53.71	0	0
2025	3	31	7	33	9	27	0	0	0	0	0	0	0	53.76	0	0
2025	3	31	7	43	9	27	0	0	0	0	0	0	0	53.83	0	0
2025	3	31	7	53	9	27	0	0	0	0	0	0	0	53.91	0	0
2025	3	31	8	3	9	27	0	0	0	0	0	0	0	53.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	31	8	13	9	27	0	0	0	0	0	0	0	54.09	0	0
2025	3	31	8	23	9	27	0	0	0	0	0	0	0	54.19	0	0
2025	3	31	8	33	9	27	0	0	0	0	0	0	0	54.32	0	0
2025	3	31	8	43	9	27	0	0	0	0	0	0	0	54.41	0	0
2025	3	31	8	53	9	27	0	0	0	0	0	0	0	54.46	0	0
2025	3	31	9	3	9	27	0	0	0	0	0	0	0	54.54	0	0
2025	3	31	9	13	9	27	0	0	0	0	0	0	0	54.59	0	0
2025	3	31	9	23	9	27	0	0	0	0	0	0	0	54.64	0	0
2025	3	31	9	33	9	27	0	0	0	0	0	0	0	54.7	0	0
2025	3	31	9	43	9	27	0	0	0	0	0	0	0	54.75	0	0
2025	3	31	9	53	9	27	0	0	0	0	0	0	0	54.81	0	0
2025	3	31	10	3	9	26	0	0	0	0	0	0	0	54.86	0	0
2025	3	31	10	13	9	27	0	0	0	0	0	0	0	54.91	0	0
2025	3	31	10	23	9	27	0	0	0	0	0	0	0	54.95	0	0
2025	3	31	10	33	9	27	0	0	0	0	0	0	0	54.99	0	0
2025	3	31	10	43	9	27	0	0	0	0	0	0	0	55	0	0
2025	3	31	10	53	9	27	0	0	0	0	0	0	0	55.04	0	0
2025	3	31	11	3	9	27	0	0	0	0	0	0	0	55.08	0	0
2025	3	31	11	13	9	27	0	0	0	0	0	0	0	55.13	0	0
2025	3	31	11	23	9	27	0	0	0	0	0	0	0	55.18	0	0
2025	3	31	11	33	9	26	0	0	0	0	0	0	0	55.24	0	0
2025	3	31	11	43	9	27	0	0	0	0	0	0	0	55.29	0	0
2025	3	31	11	53	9	27	0	0	0	0	0	0	0	55.36	0	0
2025	3	31	12	3	9	27	0	0	0	0	0	0	0	55.4	0	0
2025	3	31	12	13	9	26	0	0	0	0	0	0	0	55.45	0	0
2025	3	31	12	23	9	27	0	0	0	0	0	0	0	55.51	0	0
2025	3	31	12	33	9	26	0	0	0	0	0	0	0	55.56	0	0
2025	3	31	12	43	9	27	0	0	0	0	0	0	0	55.62	0	0
2025	3	31	12	53	9	27	0	0	0	0	0	0	0	55.67	0	0
2025	3	31	13	3	9	26	0	0	0	0	0	0	0	55.72	0	0
2025	3	31	13	13	9	27	0	0	0	0	0	0	0	55.76	0	0
2025	3	31	13	23	9	27	0	0	0	0	0	0	0	55.78	0	0
2025	3	31	13	33	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	31	13	43	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	31	13	53	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	31	14	3	9	27	0	0	0	0	0	0	0	55.8	0	0
2025	3	31	14	13	9	27	0	0	0	0	0	0	0	55.78	0	0
2025	3	31	14	23	9	27	0	0	0	0	0	0	0	55.76	0	0
2025	3	31	14	33	9	27	0	0	0	0	0	0	0	55.74	0	0
2025	3	31	14	43	9	27	0	0	0	0	0	0	0	55.71	0	0
2025	3	31	14	53	9	27	0	0	0	0	0	0	0	55.67	0	0
2025	3	31	15	3	9	27	0	0	0	0	0	0	0	55.63	0	0
2025	3	31	15	13	9	27	0	0	0	0	0	0	0	55.6	0	0
2025	3	31	15	23	9	27	0	0	0	0	0	0	0	55.58	0	0
2025	3	31	15	33	9	27	0	0	0	0	0	0	0	55.54	0	0
2025	3	31	15	43	9	27	0	0	0	0	0	0	0	55.51	0	0
2025	3	31	15	53	9	27	0	0	0	0	0	0	0	55.49	0	0
2025	3	31	16	3	9	27	0	0	0	0	0	0	0	55.45	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	3	31	16	13	9	27	0	0	0	0	0	0	0	55.42	0	0
2025	3	31	16	23	9	27	0	0	0	0	0	0	0	55.38	0	0
2025	3	31	16	33	9	27	0	0	0	0	0	0	0	55.35	0	0
2025	3	31	16	43	9	27	0	0	0	0	0	0	0	55.31	0	0
2025	3	31	16	53	9	27	0	0	0	0	0	0	0	55.27	0	0
2025	3	31	17	3	9	27	0	0	0	0	0	0	0	55.22	0	0
2025	3	31	17	13	9	27	0	0	0	0	0	0	0	55.18	0	0
2025	3	31	17	23	9	27	0	0	0	0	0	0	0	55.11	0	0
2025	3	31	17	33	9	26	0	0	0	0	0	0	0	55.06	0	0
2025	3	31	17	43	9	27	0	0	0	0	0	0	0	54.99	0	0
2025	3	31	17	53	9	26	0	0	0	0	0	0	0	54.91	0	0
2025	3	31	18	3	9	27	0	0	0	0	0	0	0	54.86	0	0
2025	3	31	18	13	9	27	0	0	0	0	0	0	0	54.79	0	0
2025	3	31	18	23	9	26	0	0	0	0	0	0	0	54.72	0	0
2025	3	31	18	33	9	27	0	0	0	0	0	0	0	54.64	0	0
2025	3	31	18	43	9	27	0	0	0	0	0	0	0	54.57	0	0
2025	3	31	18	53	9	27	0	0	0	0	0	0	0	54.5	0	0
2025	3	31	19	3	9	27	0	0	0	0	0	0	0	54.43	0	0
2025	3	31	19	13	9	26	0	0	0	0	0	0	0	54.36	0	0
2025	3	31	19	23	9	27	0	0	0	0	0	0	0	54.3	0	0
2025	3	31	19	33	9	28	0	0	0	0	0	0	0	54.21	0	0
2025	3	31	19	43	9	27	0	0	0	0	0	0	0	54.16	0	0
2025	3	31	19	53	9	27	0	0	0	0	0	0	0	54.07	0	0
2025	3	31	20	3	9	27	0	0	0	0	0	0	0	54	0	0
2025	3	31	20	13	9	27	0	0	0	0	0	0	0	53.92	0	0
2025	3	31	20	23	9	26	0	0	0	0	0	0	0	53.83	0	0
2025	3	31	20	33	9	27	0	0	0	0	0	0	0	53.76	0	0
2025	3	31	20	43	9	28	0	0	0	0	0	0	0	53.69	0	0
2025	3	31	20	53	9	27	0	0	0	0	0	0	0	53.62	0	0
2025	3	31	21	3	9	27	0	0	0	0	0	0	0	53.53	0	0
2025	3	31	21	13	9	27	0	0	0	0	0	0	0	53.46	0	0
2025	3	31	21	23	9	27	0	0	0	0	0	0	0	53.38	0	0
2025	3	31	21	33	9	27	0	0	0	0	0	0	0	53.31	0	0
2025	3	31	21	43	9	28	0	0	0	0	0	0	0	53.22	0	0
2025	3	31	21	53	9	27	0	0	0	0	0	0	0	53.11	0	0
2025	3	31	22	3	9	27	0	0	0	0	0	0	0	53.02	0	0
2025	3	31	22	13	9	27	0	0	0	0	0	0	0	52.95	0	0
2025	3	31	22	23	9	27	0	0	0	0	0	0	0	52.86	0	0
2025	3	31	22	33	9	27	0	0	0	0	0	0	0	52.79	0	0
2025	3	31	22	43	9	27	0	0	0	0	0	0	0	52.7	0	0
2025	3	31	22	53	9	27	0	0	0	0	0	0	0	52.59	0	0
2025	3	31	23	3	9	27	0	0	0	0	0	0	0	52.48	0	0
2025	3	31	23	13	9	27	0	0	0	0	0	0	0	52.38	0	0
2025	3	31	23	23	9	27	0	0	0	0	0	0	0	52.27	0	0
2025	3	31	23	33	9	27	0	0	0	0	0	0	0	52.16	0	0
2025	3	31	23	43	9	27	0	0	0	0	0	0	0	52.07	0	0
2025	3	31	23	53	9	27	0	0	0	0	0	0	0	52	0	0

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	1	0	5	11	12	0.3	3	0.73	93.6	64.3963	44.0925
2025	3	1	0	15	11	12	0.3	3	0.74	100.2	64.3963	44.0925
2025	3	1	0	25	11	12	0.3	3	0.8	94.7	64.3963	47.8494
2025	3	1	0	35	11	12	0.3	3	0.73	92.6	64.3963	43.8949
2025	3	1	0	45	11	12	0.3	3	0.76	94.7	64.3307	45.6258
2025	3	1	0	55	11	12	0.3	3	0.77	94.6	64.3307	46.2184
2025	3	1	1	5	11	12	0.3	3	0.73	97	64.3307	43.4532
2025	3	1	1	15	11	12	0.3	3	0.74	92.6	64.3307	44.2433
2025	3	1	1	25	11	12	0.3	3	0.79	97.7	64.3307	47.0086
2025	3	1	1	35	11	12	0.3	3	0.75	95	64.3307	44.8359
2025	3	1	1	45	11	12	0.3	3	0.77	93.2	64.3307	46.2186
2025	3	1	1	55	11	12	0.3	3	0.76	97	64.3307	45.231
2025	3	1	2	5	11	12	0.3	3	0.72	94.7	64.3307	43.2559
2025	3	1	2	15	11	12	0.3	3	0.77	95.2	64.3307	46.0211
2025	3	1	2	25	11	12	0.3	3	0.73	95.4	64.3307	44.046
2025	3	1	2	35	11	12	0.3	3	0.72	94.7	64.3307	43.0585
2025	3	1	2	45	11	12	0.3	3	0.75	94.8	64.3307	45.0336
2025	3	1	2	55	11	12	0.3	3	0.74	95.6	64.2651	44.1965
2025	3	1	3	5	11	12	0.3	3	0.74	95.6	64.2651	44.1965
2025	3	1	3	15	11	12	0.3	3	0.76	94.7	64.3307	45.6262
2025	3	1	3	25	11	12	0.3	3	0.78	95.8	64.2651	46.5642
2025	3	1	3	35	11	12	0.3	3	0.71	93.7	64.3307	42.466
2025	3	1	3	45	11	12	0.3	3	0.7	95.6	64.2651	42.0262
2025	3	1	3	55	11	11.8	0.3	3	0.69	94.9	64.2651	41.4343
2025	3	1	4	5	11	11.8	0.3	3	0.73	96.7	64.2651	43.4074
2025	3	1	4	15	11	11.8	0.3	3	0.72	96.8	64.2651	42.8155
2025	3	1	4	25	11	11.8	0.3	3	0.72	96.3	64.3307	43.2562
2025	3	1	4	35	11	11.8	0.3	3	0.74	96.6	64.2651	44.3939
2025	3	1	4	45	11	11.8	0.3	3	0.73	94.9	64.2651	43.9993
2025	3	1	4	55	11	11.8	0.3	3	0.74	93.3	64.2651	44.1967
2025	3	1	5	5	11	11.8	0.3	3	0.73	95.7	64.2651	43.4074
2025	3	1	5	15	11	11.8	0.3	3	0.73	95.4	64.2651	43.9994
2025	3	1	5	25	11	11.8	0.3	3	0.75	97.5	64.2651	44.9859
2025	3	1	5	35	11	11.8	0.3	3	0.73	95.1	64.2651	43.9994
2025	3	1	5	45	11	11.8	0.3	3	0.76	96.9	64.2651	45.5779
2025	3	1	5	55	11	11.8	0.3	3	0.74	94.6	64.2651	44.394
2025	3	1	6	5	11	11.8	0.3	3	0.72	98.6	64.2651	42.8156
2025	3	1	6	15	11	11.8	0.3	3	0.72	97.5	64.2651	43.2102
2025	3	1	6	25	11	11.8	0.3	3	0.76	96	64.2651	45.1833
2025	3	1	6	35	11	11.8	0.3	3	0.69	94.1	64.2651	41.4345
2025	3	1	6	45	11	11.8	0.3	3	0.72	94.2	64.2651	43.0129
2025	3	1	6	55	11	11.8	0.3	3	0.72	95.8	64.3307	43.0588
2025	3	1	7	5	11	11.8	0.3	3	0.71	95.3	64.2651	42.8156
2025	3	1	7	15	11	11.8	0.3	3	0.74	94.1	64.2651	44.1968
2025	3	1	7	25	11	12	0.3	3	0.71	94.2	64.3307	42.6638
2025	3	1	7	35	11	12	0.3	3	0.75	96.5	64.2651	44.7887
2025	3	1	7	45	11	12	0.3	3	0.73	94.6	64.3307	43.8489
2025	3	1	7	55	11	12	0.3	3	0.73	95.7	64.3307	43.8489

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	1	8	5	11	12	0.3	3	0.76	96.2	64.3307	45.429
2025	3	1	8	15	11	12.2	0.3	3	0.77	94.6	64.3307	46.4166
2025	3	1	8	25	11	12.6	0.3	3	0.74	96.1	64.3307	44.0463
2025	3	1	8	35	11	13	0.3	3	0.76	97.2	64.3307	45.2314
2025	3	1	8	45	11	13.2	0.3	3	0.75	96.3	64.3307	45.0339
2025	3	1	8	55	11	13.4	0.3	3	0.73	95.1	64.3307	44.0463
2025	3	1	9	5	11	13.6	0.3	3	0.73	94.9	64.3307	44.0462
2025	3	1	9	15	11	13.6	0.3	3	0.74	96.6	64.3307	44.4412
2025	3	1	9	25	11	14.2	0.3	3	0.77	93.4	64.3307	46.2188
2025	3	1	9	35	11	14.2	0.3	3	0.74	95.6	64.3307	44.6386
2025	3	1	9	45	11	14.2	0.3	3	0.75	94	64.3307	45.2311
2025	3	1	9	55	11	13.8	0.3	3	0.71	96.3	64.3963	42.7088
2025	3	1	10	5	11	13.4	0.3	3	0.75	94.2	64.3963	45.2792
2025	3	1	10	15	11	13.6	0.3	3	0.73	95.4	64.3963	44.0928
2025	3	1	10	25	11	13.6	0.3	3	0.76	97.4	64.3963	45.6745
2025	3	1	10	35	11	13.6	0.3	3	0.76	95.2	64.3963	45.8722
2025	3	1	10	45	11	13.6	0.3	3	0.72	94.7	64.3963	43.4994
2025	3	1	10	55	11	13.6	0.3	3	0.75	94.5	64.3963	44.8834
2025	3	1	11	5	11	13.6	0.3	3	0.76	97.4	64.3963	45.4765
2025	3	1	11	15	11	13.6	0.3	3	0.75	96.3	64.3963	44.6855
2025	3	1	11	25	11	13.8	0.3	3	0.7	93.5	64.4619	42.1599
2025	3	1	11	35	11	14.2	0.3	3	0.79	94.1	64.4619	47.3061
2025	3	1	11	45	11	13.4	0.3	3	0.72	95.5	64.4619	43.3473
2025	3	1	11	55	11	13.4	0.3	3	0.77	93.2	64.4619	46.1183
2025	3	1	12	5	11	13.4	0.3	3	0.78	93.6	64.4619	46.91
2025	3	1	12	15	11	13.4	0.3	3	0.74	94.1	64.4619	44.3368
2025	3	1	12	25	11	13.4	0.3	3	0.75	98	64.4619	44.9305
2025	3	1	12	35	11	13.4	0.3	3	0.74	93.5	64.4619	44.7325
2025	3	1	12	45	11	13.4	0.3	3	0.75	96.6	64.5276	44.78
2025	3	1	12	55	11	13.4	0.3	3	0.7	96.4	64.5276	42.204
2025	3	1	13	5	11	13.4	0.3	3	0.75	93.3	64.5276	45.1761
2025	3	1	13	15	11	13.4	0.3	3	0.75	93.5	64.5276	44.9779
2025	3	1	13	25	11	13.4	0.3	3	0.75	94	64.5932	45.4223
2025	3	1	13	35	11	13.4	0.3	3	0.74	95.4	64.5932	44.4305
2025	3	1	13	45	11	13.4	0.3	3	0.71	95.3	64.5932	43.042
2025	3	1	13	55	11	13.4	0.3	3	0.74	93.3	64.5932	44.4304
2025	3	1	14	5	11	13.4	0.3	3	0.72	92.1	64.5932	43.4386
2025	3	1	14	15	11	13.4	0.3	3	0.72	95.7	64.5932	43.4385
2025	3	1	14	25	11	13.4	0.3	3	0.74	94.8	64.6588	44.8745
2025	3	1	14	35	11	13.4	0.3	3	0.75	94.3	64.6588	45.073
2025	3	1	14	45	11	13.4	0.3	3	0.75	94	64.6588	45.47
2025	3	1	14	55	11	13.2	0.3	3	0.74	96.8	64.6588	44.6758
2025	3	1	15	5	11	13.2	0.3	3	0.73	96.9	64.6588	44.0801
2025	3	1	15	15	11	13.2	0.3	3	0.74	95.1	64.6588	44.4771
2025	3	1	15	25	11	13.2	0.3	3	0.74	98.2	64.6588	44.2786
2025	3	1	15	35	11	13.2	0.3	3	0.78	92.9	64.6588	47.0583
2025	3	1	15	45	11	13.2	0.3	3	0.73	97.7	64.6588	44.0799
2025	3	1	15	55	11	13.2	0.3	3	0.77	95.2	64.6588	46.2641

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	1	16	5	11	13.2	0.3	3	0.76	96	64.7244	45.7168
2025	3	1	16	15	11	13.2	0.3	3	0.75	94.8	64.6588	45.2713
2025	3	1	16	25	11	13.2	0.3	3	0.73	92.8	64.6588	44.2785
2025	3	1	16	35	11	12.4	0.3	3	0.76	95.2	64.6588	45.8669
2025	3	1	16	45	11	13.2	0.3	3	0.76	96	64.6588	45.6684
2025	3	1	16	55	11	12.4	0.3	3	0.72	93.4	64.6588	43.2857
2025	3	1	17	5	11	12.2	0.3	3	0.74	95.1	64.6588	44.6756
2025	3	1	17	15	11	12.2	0.3	3	0.75	93.3	64.6588	45.2713
2025	3	1	17	25	11	12.2	0.3	3	0.75	94.5	64.7244	45.1205
2025	3	1	17	35	11	12.2	0.3	3	0.74	93.3	64.6588	44.6756
2025	3	1	17	45	11	12.2	0.3	3	0.74	95.1	64.6588	44.6756
2025	3	1	17	55	11	12.2	0.3	3	0.74	96.8	64.6588	44.6757
2025	3	1	18	5	11	12.2	0.3	3	0.74	97.4	64.7244	44.5243
2025	3	1	18	15	11	12.2	0.3	3	0.72	92.3	64.7244	43.7292
2025	3	1	18	25	11	12.2	0.3	3	0.75	92.3	64.7244	45.3194
2025	3	1	18	35	11	12.2	0.3	3	0.75	95.8	64.6588	44.8743
2025	3	1	18	45	11	12.2	0.3	3	0.74	91	64.7244	44.5243
2025	3	1	18	55	11	12.2	0.3	3	0.76	95.4	64.7244	45.9157
2025	3	1	19	5	11	12.2	0.3	3	0.72	95.2	64.7244	43.7293
2025	3	1	19	15	11	12.2	0.3	3	0.74	94.6	64.7244	44.5244
2025	3	1	19	25	11	12.2	0.3	3	0.75	94.5	64.7244	45.5182
2025	3	1	19	35	11	12.2	0.3	3	0.75	92.3	64.7244	45.3195
2025	3	1	19	45	11	12.2	0.3	3	0.74	93.3	64.7244	44.7232
2025	3	1	19	55	11	12.2	0.3	3	0.74	93.3	64.7244	44.922
2025	3	1	20	5	11	12.2	0.3	3	0.74	94.6	64.7244	44.5245
2025	3	1	20	15	11	12.2	0.3	3	0.76	92.7	64.7244	45.9159
2025	3	1	20	25	11	12.2	0.3	3	0.76	96.7	64.7244	45.9159
2025	3	1	20	35	11	12.2	0.3	3	0.74	95.8	64.7244	44.7233
2025	3	1	20	45	11	12.2	0.3	3	0.76	94	64.7244	45.9159
2025	3	1	20	55	11	12.2	0.3	3	0.77	91.9	64.7244	46.9098
2025	3	1	21	5	11	12	0.3	3	0.74	93.5	64.7244	44.9221
2025	3	1	21	15	11	12	0.3	3	0.72	95.5	64.7244	43.5308
2025	3	1	21	25	11	12	0.3	3	0.75	93.2	64.7244	45.5185
2025	3	1	21	35	11	12	0.3	3	0.76	93.7	64.7244	45.7173
2025	3	1	21	45	11	12	0.3	3	0.76	96.4	64.7244	45.9161
2025	3	1	21	55	11	12	0.3	3	0.78	94.6	64.7244	47.1087
2025	3	1	22	5	11	12	0.3	3	0.76	94.2	64.7244	46.1149
2025	3	1	22	15	11	12	0.3	3	0.75	93.3	64.7244	45.1211
2025	3	1	22	25	11	12	0.3	3	0.77	95.4	64.7244	46.3137
2025	3	1	22	35	11	12	0.3	3	0.74	93.3	64.7244	44.7236
2025	3	1	22	45	11	12	0.3	3	0.76	97.2	64.7244	45.5187
2025	3	1	22	55	11	12	0.3	3	0.76	94.5	64.7244	45.9163
2025	3	1	23	5	11	12	0.3	3	0.78	96	64.6588	46.8605
2025	3	1	23	15	11	12	0.3	3	0.77	94.2	64.7244	46.5127
2025	3	1	23	25	11	12	0.3	3	0.73	97.4	64.6588	44.0807
2025	3	1	23	35	11	12	0.3	3	0.75	96.3	64.7244	44.9226
2025	3	1	23	45	11	12	0.3	3	0.77	93.7	64.6588	46.6621
2025	3	1	23	55	11	12	0.3	3	0.8	94.7	64.7244	48.3018

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	2	0	5	11	12	0.3	3	0.76	94.2	64.6588	46.0665
2025	3	2	0	15	11	12	0.3	3	0.76	95.2	64.6588	46.0665
2025	3	2	0	25	11	12	0.3	3	0.75	96.3	64.6588	45.2723
2025	3	2	0	35	11	12	0.3	3	0.74	93	64.6588	44.8752
2025	3	2	0	45	11	12	0.3	3	0.74	92.5	64.6588	44.6767
2025	3	2	0	55	11	12	0.3	3	0.74	94.1	64.6588	44.6767
2025	3	2	1	5	11	12	0.3	3	0.75	94.7	64.6588	45.471
2025	3	2	1	15	11	12	0.3	3	0.72	95.2	64.6588	43.2868
2025	3	2	1	25	11	12	0.3	3	0.72	91.8	64.6588	43.684
2025	3	2	1	35	11	12	0.3	3	0.76	94.5	64.6588	45.8682
2025	3	2	1	45	11	12	0.3	3	0.74	96.1	64.7244	44.7242
2025	3	2	1	55	11	12	0.3	3	0.75	95	64.7244	45.3206
2025	3	2	2	5	11	12	0.3	3	0.76	94.9	64.7244	45.917
2025	3	2	2	15	11	12	0.3	3	0.76	93.7	64.7244	46.1158
2025	3	2	2	25	11	12	0.3	3	0.76	93.2	64.7244	46.1158
2025	3	2	2	35	11	12	0.3	3	0.79	93.1	64.79	47.7566
2025	3	2	2	45	11	12	0.3	3	0.77	94.1	64.8557	46.8111
2025	3	2	2	55	11	12	0.3	3	0.77	92.9	64.8557	46.612
2025	3	2	3	5	11	12	0.3	3	0.79	93.6	64.8557	47.608
2025	3	2	3	15	11	12	0.3	3	0.71	94.2	64.8557	43.2257
2025	3	2	3	25	11	12	0.3	3	0.73	92.8	64.9213	44.2684
2025	3	2	3	35	11	12	0.3	3	0.75	94.8	64.9213	45.4649
2025	3	2	3	45	11	12	0.3	3	0.75	96	64.9213	45.4649
2025	3	2	3	55	11	12	0.3	3	0.74	94.3	64.9213	45.0661
2025	3	2	4	5	11	11.8	0.3	3	0.77	95.6	64.9213	46.6614
2025	3	2	4	15	11	11.8	0.3	3	0.75	96.3	64.9213	45.2656
2025	3	2	4	25	11	11.8	0.3	3	0.7	94.8	64.9213	42.4739
2025	3	2	4	35	11	11.8	0.3	3	0.75	96.8	64.9213	45.4651
2025	3	2	4	45	11	11.8	0.3	3	0.75	97.6	64.9213	45.0663
2025	3	2	4	55	11	11.8	0.3	3	0.76	96.2	64.9213	45.8639
2025	3	2	5	5	11	11.8	0.3	3	0.73	94.6	64.9213	44.2687
2025	3	2	5	15	11	11.8	0.3	3	0.75	94	64.9213	45.4652
2025	3	2	5	25	11	11.8	0.3	3	0.78	95.5	64.9213	47.4593
2025	3	2	5	35	11	11.8	0.3	3	0.72	94.7	64.9213	43.6705
2025	3	2	5	45	11	11.8	0.3	3	0.74	94.3	64.9213	45.0664
2025	3	2	5	55	11	11.8	0.3	3	0.7	90.5	64.9213	42.4741
2025	3	2	6	5	11	11.8	0.3	3	0.76	94.9	64.9213	46.2629
2025	3	2	6	15	11	11.8	0.3	3	0.76	95.4	64.9213	46.0635
2025	3	2	6	25	11	11.8	0.3	3	0.79	95	64.9213	47.8582
2025	3	2	6	35	11	11.8	0.3	3	0.78	96	64.9869	47.1102
2025	3	2	6	45	11	11.8	0.3	3	0.75	94.8	64.9869	45.5133
2025	3	2	6	55	11	11.8	0.3	3	0.76	95.9	64.9869	46.1122
2025	3	2	7	5	11	12	0.3	3	0.76	96	64.9869	45.7129
2025	3	2	7	15	11	12.2	0.3	3	0.8	95.9	64.9213	48.2571
2025	3	2	7	25	11	12.6	0.3	3	0.76	96.2	64.9213	45.8642
2025	3	2	7	35	11	12.8	0.3	3	0.75	93.8	64.9869	45.3137
2025	3	2	7	45	11	12.8	0.3	3	0.76	94.4	64.9213	46.263
2025	3	2	7	55	11	13	0.3	3	0.77	96.9	64.9869	46.3118

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	2	8	5	11	13	0.3	3	0.76	94.2	64.9213	46.0636
2025	3	2	8	15	11	13.2	0.3	3	0.76	97.4	64.9213	46.0636
2025	3	2	8	25	11	13.2	0.3	3	0.7	90.5	64.9869	42.7186
2025	3	2	8	35	11	13.4	0.3	3	0.73	94.1	64.9869	44.1159
2025	3	2	8	45	11	13.6	0.3	3	0.77	98.1	64.9213	46.2629
2025	3	2	8	55	11	13.6	0.3	3	0.74	95.6	64.9213	45.0664
2025	3	2	9	5	11	13.6	0.3	3	0.71	94.5	64.8557	43.0269
2025	3	2	9	15	11	13.8	0.3	3	0.76	94.5	64.8557	45.8156
2025	3	2	9	25	11	13.8	0.3	3	0.71	93.7	64.9213	42.8729
2025	3	2	9	35	11	14	0.3	3	0.74	95.3	64.9213	45.0664
2025	3	2	9	45	11	14	0.3	3	0.76	92.7	64.9213	45.864
2025	3	2	9	55	11	14	0.3	3	0.78	93.6	64.8557	47.2099
2025	3	2	10	5	11	14	0.3	3	0.76	94.4	64.8557	46.2139
2025	3	2	10	15	11	14	0.3	3	0.75	96.1	64.8557	45.0186
2025	3	2	10	25	11	14.2	0.3	3	0.74	93.6	64.8557	44.8194
2025	3	2	10	35	11	14.2	0.3	3	0.74	96.4	64.8557	44.6202
2025	3	2	10	45	11	14.2	0.3	3	0.72	96.6	64.8557	43.2257
2025	3	2	10	55	11	14.2	0.3	3	0.76	94.2	64.8557	45.8152
2025	3	2	11	5	11	14.2	0.3	3	0.76	95.4	64.9213	46.063
2025	3	2	11	15	11	14.2	0.3	3	0.75	94.5	64.9213	45.6641
2025	3	2	11	25	11	14.2	0.3	3	0.75	96.3	64.8557	45.0183
2025	3	2	11	35	11	14.2	0.3	3	0.77	94.2	64.9213	46.661
2025	3	2	11	45	11	14.2	0.3	3	0.76	94.2	64.9213	46.2621
2025	3	2	11	55	11	14.2	0.3	3	0.74	95.9	64.9213	44.6668
2025	3	2	12	5	11	14.2	0.3	3	0.73	94.6	64.8557	44.2212
2025	3	2	12	15	11	14.2	0.3	3	0.74	95.1	64.8557	44.6196
2025	3	2	12	25	11	14.2	0.3	3	0.79	95.5	64.8557	48.0058
2025	3	2	12	35	11	14.2	0.3	3	0.73	94.9	64.9213	44.0684
2025	3	2	12	45	11	14.2	0.3	3	0.79	95.5	64.9213	47.6576
2025	3	2	12	55	11	14.2	0.3	3	0.78	94.1	64.9213	47.2587
2025	3	2	13	5	11	14.2	0.3	3	0.76	93.5	64.9213	46.2617
2025	3	2	13	15	11	14.2	0.3	3	0.79	93.6	64.9213	47.6574
2025	3	2	13	25	11	14.2	0.3	3	0.78	95.8	64.9213	46.8598
2025	3	2	13	35	11	14.2	0.3	3	0.76	94.7	64.9213	46.0621
2025	3	2	13	45	11	14.2	0.3	3	0.78	94.6	64.9213	47.0591
2025	3	2	13	55	11	14.2	0.3	3	0.76	93.7	64.9213	45.8626
2025	3	2	14	5	11	14	0.3	3	0.75	96.8	64.9213	45.2644
2025	3	2	14	15	11	14	0.3	3	0.75	94.5	64.8557	45.615
2025	3	2	14	25	11	14.2	0.3	3	0.77	95.4	64.8557	46.4117
2025	3	2	14	35	11	14.2	0.3	3	0.74	96.4	64.8557	44.4197
2025	3	2	14	45	11	14.2	0.3	3	0.75	94.8	64.9213	45.4637
2025	3	2	14	55	11	14.2	0.3	3	0.79	93.1	64.8557	47.6068
2025	3	2	15	5	11	14.2	0.3	3	0.75	93.5	64.8557	45.6148
2025	3	2	15	15	11	14.2	0.3	3	0.78	94.3	64.79	47.1585
2025	3	2	15	25	11	14.2	0.3	3	0.77	93.9	64.79	46.3625
2025	3	2	15	35	11	14.2	0.3	3	0.77	95.4	64.79	46.3625
2025	3	2	15	45	11	14.2	0.3	3	0.73	95.4	64.79	43.9748
2025	3	2	15	55	11	14.2	0.3	3	0.76	92.5	64.79	45.7656

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	2	16	5	11	14.2	0.3	3	0.74	93.3	64.79	44.7707
2025	3	2	16	15	11	14.2	0.3	3	0.74	95.9	64.79	44.3727
2025	3	2	16	25	11	14.2	0.3	3	0.76	98.2	64.79	45.7656
2025	3	2	16	35	11	14.2	0.3	3	0.75	95.5	64.79	45.5666
2025	3	2	16	45	11	14.2	0.3	3	0.73	97.5	64.79	43.9748
2025	3	2	16	55	11	14	0.3	3	0.78	92.7	64.79	46.9595
2025	3	2	17	5	11	12.4	0.3	3	0.76	93.2	64.7244	46.1148
2025	3	2	17	15	11	12.2	0.3	3	0.74	95.6	64.7244	44.3259
2025	3	2	17	25	11	12.2	0.3	3	0.73	92.1	64.7244	44.3259
2025	3	2	17	35	11	12.2	0.3	3	0.75	94.5	64.7244	45.3198
2025	3	2	17	45	11	12.2	0.3	3	0.74	95.1	64.7244	44.7235
2025	3	2	17	55	11	12.2	0.3	3	0.73	93.6	64.7244	43.9285
2025	3	2	18	5	11	12.2	0.3	3	0.75	94.7	64.7244	45.5186
2025	3	2	18	15	11	12.2	0.3	3	0.73	94.9	64.7244	44.1273
2025	3	2	18	25	11	12.2	0.3	3	0.75	94	64.7244	45.1212
2025	3	2	18	35	11	12.2	0.3	3	0.76	95.2	64.7244	45.9163
2025	3	2	18	45	11	12.2	0.3	3	0.73	95.7	64.6588	44.0806
2025	3	2	18	55	11	12.2	0.3	3	0.78	93.4	64.6588	47.0591
2025	3	2	19	5	11	12.2	0.3	3	0.75	93.5	64.6588	45.0735
2025	3	2	19	15	11	12.2	0.3	3	0.76	95.2	64.6588	45.8677
2025	3	2	19	25	11	12.2	0.3	3	0.75	94.2	64.6588	45.4706
2025	3	2	19	35	11	12.2	0.3	3	0.74	94.6	64.6588	44.6764
2025	3	2	19	45	11	12.2	0.3	3	0.79	97.2	64.6588	47.4563
2025	3	2	19	55	11	12.2	0.3	3	0.76	92	64.6588	45.6693
2025	3	2	20	5	11	12.2	0.3	3	0.76	97.2	64.6588	45.4707
2025	3	2	20	15	11	12	0.3	3	0.79	94.3	64.5932	47.4061
2025	3	2	20	25	11	12	0.3	3	0.75	97.1	64.6588	44.8751
2025	3	2	20	35	11	12	0.3	3	0.75	92.8	64.5932	45.0259
2025	3	2	20	45	11	12	0.3	3	0.77	93.7	64.5932	46.2161
2025	3	2	20	55	11	12	0.3	3	0.75	97.1	64.5932	44.8276
2025	3	2	21	5	11	12	0.3	3	0.76	94	64.5932	45.6211
2025	3	2	21	15	11	12	0.3	3	0.75	93.5	64.5932	45.026
2025	3	2	21	25	11	12	0.3	3	0.75	95.8	64.5932	44.8277
2025	3	2	21	35	11	12	0.3	3	0.75	94.2	64.5932	45.4228
2025	3	2	21	45	11	12	0.3	3	0.76	95.4	64.5932	46.0179
2025	3	2	21	55	11	12	0.3	3	0.77	93.2	64.5276	46.5636
2025	3	2	22	5	11	12	0.3	3	0.74	91.5	64.5276	44.5821
2025	3	2	22	15	11	12	0.3	3	0.72	96.3	64.5276	43.3933
2025	3	2	22	25	11	12	0.3	3	0.75	95.8	64.5276	44.7804
2025	3	2	22	35	11	12	0.3	3	0.74	95.6	64.5276	44.7804
2025	3	2	22	45	11	12	0.3	3	0.74	93.3	64.5276	44.3841
2025	3	2	22	55	11	12	0.3	3	0.72	93.2	64.5276	43.1953
2025	3	2	23	5	11	12	0.3	3	0.74	94.6	64.5276	44.3842
2025	3	2	23	15	11	12	0.3	3	0.72	96	64.5276	43.3935
2025	3	2	23	25	11	12	0.3	3	0.72	93.6	64.5276	43.5917
2025	3	2	23	35	11	12	0.3	3	0.76	93.2	64.5276	45.9695
2025	3	2	23	45	11	12	0.3	3	0.73	94.6	64.5276	44.1862
2025	3	2	23	55	11	12	0.3	3	0.74	94.1	64.5276	44.5825

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	3	0	5	11	12	0.3	3	0.73	95.4	64.5276	43.9881
2025	3	3	0	15	11	12	0.3	3	0.76	95.2	64.5276	45.9696
2025	3	3	0	25	11	12	0.3	3	0.77	95.3	64.5276	46.5641
2025	3	3	0	35	11	12	0.3	3	0.77	94.7	64.4619	46.1188
2025	3	3	0	45	11	12	0.3	3	0.74	95.6	64.4619	44.5354
2025	3	3	0	55	11	12	0.3	3	0.71	94.7	64.4619	42.9519
2025	3	3	1	5	11	12	0.3	3	0.76	96.2	64.4619	45.5251
2025	3	3	1	15	11	12	0.3	3	0.77	94.4	64.4619	46.3169
2025	3	3	1	25	11	12	0.3	3	0.77	96.4	64.4619	45.9211
2025	3	3	1	35	11	12	0.3	3	0.79	96.7	64.4619	47.1087
2025	3	3	1	45	11	12	0.3	3	0.75	94.5	64.4619	44.9315
2025	3	3	1	55	11	12	0.3	3	0.72	92.9	64.4619	43.546
2025	3	3	2	5	11	12	0.3	3	0.74	95.6	64.4619	44.7336
2025	3	3	2	15	11	12	0.3	3	0.74	94.8	64.4619	44.3378
2025	3	3	2	25	11	12	0.3	3	0.76	94.4	64.4619	45.9213
2025	3	3	2	35	11	12	0.3	3	0.78	96	64.4619	46.7131
2025	3	3	2	45	11	12	0.3	3	0.75	94.3	64.4619	44.9317
2025	3	3	2	55	11	12	0.3	3	0.77	96.2	64.4619	45.9214
2025	3	3	3	5	11	12	0.3	3	0.75	94	64.4619	45.1297
2025	3	3	3	15	11	12	0.3	3	0.74	93.6	64.4619	44.338
2025	3	3	3	25	11	12	0.3	3	0.75	94	64.4619	45.1298
2025	3	3	3	35	11	12	0.3	3	0.73	93.6	64.4619	44.1401
2025	3	3	3	45	11	12	0.3	3	0.76	95.4	64.4619	45.7237
2025	3	3	3	55	11	11.8	0.3	3	0.75	95.2	64.4619	45.3278
2025	3	3	4	5	11	11.8	0.3	3	0.76	95.7	64.4619	45.7237
2025	3	3	4	15	11	11.8	0.3	3	0.73	94.1	64.4619	43.7444
2025	3	3	4	25	11	11.8	0.3	3	0.76	96.9	64.4619	45.5258
2025	3	3	4	35	11	11.8	0.3	3	0.74	95.4	64.4619	44.3382
2025	3	3	4	45	11	11.8	0.3	3	0.73	96.2	64.4619	43.7444
2025	3	3	4	55	11	11.8	0.3	3	0.75	94.7	64.4619	45.328
2025	3	3	5	5	11	11.8	0.3	3	0.76	93.7	64.4619	45.7239
2025	3	3	5	15	11	11.8	0.3	3	0.79	96	64.4619	47.3074
2025	3	3	5	25	11	11.8	0.3	3	0.71	95.3	64.5276	42.6021
2025	3	3	5	35	11	11.8	0.3	3	0.74	95.6	64.5276	44.3855
2025	3	3	5	45	11	11.8	0.3	3	0.75	92.8	64.4619	44.9322
2025	3	3	5	55	11	11.8	0.3	3	0.74	93.8	64.5276	44.5837
2025	3	3	6	5	11	11.8	0.3	3	0.71	93.4	64.5276	42.9985
2025	3	3	6	15	11	11.8	0.3	3	0.73	93.1	64.5276	43.9893
2025	3	3	6	25	11	11.8	0.3	3	0.7	93	64.5276	42.206
2025	3	3	6	35	11	11.8	0.3	3	0.72	96.5	64.5276	43.1967
2025	3	3	6	45	11	11.8	0.3	3	0.78	96.1	64.5932	46.6148
2025	3	3	6	55	11	11.8	0.3	3	0.74	97.3	64.5932	44.6312
2025	3	3	7	5	11	11.8	0.3	3	0.75	100.3	64.5932	44.8295
2025	3	3	7	15	11	11.8	0.3	3	0.77	94.4	64.5932	46.2181
2025	3	3	7	25	11	11.8	0.3	3	0.75	95.2	64.5276	45.3765
2025	3	3	7	35	11	12	0.3	3	0.77	95.4	64.5932	46.2181
2025	3	3	7	45	11	12.2	0.3	3	0.74	93.8	64.5932	44.8296
2025	3	3	7	55	11	12.2	0.3	3	0.77	97.6	64.5932	46.2181

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	3	8	5	11	12	0.3	3	0.74	95.1	64.5276	44.5839
2025	3	3	8	15	11	12	0.3	3	0.79	94.5	64.5932	47.6067
2025	3	3	8	25	11	12.2	0.3	3	0.72	94.4	64.5276	43.5931
2025	3	3	8	35	11	12.2	0.3	3	0.75	95.8	64.5932	44.8296
2025	3	3	8	45	11	12.2	0.3	3	0.79	94.3	64.5276	47.7543
2025	3	3	8	55	11	12.2	0.3	3	0.71	94.5	64.5276	42.9987
2025	3	3	9	5	11	12.4	0.3	3	0.75	96	64.5276	44.9802
2025	3	3	9	15	11	13.8	0.3	3	0.74	97.1	64.5276	44.3857
2025	3	3	9	25	11	12.8	0.3	3	0.73	94.4	64.5932	43.8378
2025	3	3	9	35	11	12.6	0.3	3	0.75	93.8	64.5276	45.1783
2025	3	3	9	45	11	13.6	0.3	3	0.74	95.1	64.5276	44.5839
2025	3	3	9	55	11	14	0.3	3	0.75	94.5	64.5276	45.1783
2025	3	3	10	5	11	13.8	0.3	3	0.77	96.1	64.5276	46.3671
2025	3	3	10	15	11	13.8	0.3	3	0.75	94.8	64.5932	45.0278
2025	3	3	10	25	11	14	0.3	3	0.75	95.3	64.5276	44.98
2025	3	3	10	35	11	14	0.3	3	0.72	93.7	64.5276	43.1966
2025	3	3	10	45	11	13.8	0.3	3	0.75	92.5	64.4619	45.1301
2025	3	3	10	55	11	13.8	0.3	3	0.73	93.6	64.5276	43.791
2025	3	3	11	5	11	13.8	0.3	3	0.68	94.7	64.5276	41.215
2025	3	3	11	15	11	13.8	0.3	3	0.76	94.9	64.5276	45.7723
2025	3	3	11	25	11	13.8	0.3	3	0.75	96.8	64.5932	45.0274
2025	3	3	11	35	11	14	0.3	3	0.75	92	64.5932	45.4241
2025	3	3	11	45	11	14	0.3	3	0.75	94.7	64.5276	45.3758
2025	3	3	11	55	11	14	0.3	3	0.74	95.6	64.5932	44.6305
2025	3	3	12	5	11	14	0.3	3	0.78	95.8	64.5932	46.8124
2025	3	3	12	15	11	14	0.3	3	0.76	93.7	64.5932	46.0189
2025	3	3	12	25	11	14	0.3	3	0.73	94.6	64.5932	44.2336
2025	3	3	12	35	11	14	0.3	3	0.8	95	64.5932	48.0023
2025	3	3	12	45	11	14	0.3	3	0.77	97.1	64.6588	46.4646
2025	3	3	12	55	11	14	0.3	3	0.74	93.3	64.6588	44.876
2025	3	3	13	5	11	14	0.3	3	0.8	95.6	64.6588	48.4502
2025	3	3	13	15	11	14	0.3	3	0.72	94.2	64.6588	43.2874
2025	3	3	13	25	11	14	0.3	3	0.78	94.6	64.7244	47.3087
2025	3	3	13	35	11	14	0.3	3	0.75	94	64.6588	45.0744
2025	3	3	13	45	11	14	0.3	3	0.73	96.5	64.7244	43.9294
2025	3	3	13	55	11	14	0.3	3	0.75	94	64.79	45.3688
2025	3	3	14	5	11	14	0.3	3	0.78	94.8	64.79	47.1596
2025	3	3	14	15	11	14	0.3	3	0.77	95.6	64.79	46.5626
2025	3	3	14	25	11	14	0.3	3	0.78	96	64.79	46.9605
2025	3	3	14	35	11	14	0.3	3	0.77	94.9	64.79	46.5625
2025	3	3	14	45	11	14	0.3	3	0.8	94.7	64.8557	48.2053
2025	3	3	14	55	11	14	0.3	3	0.73	94.6	64.8557	44.4206
2025	3	3	15	5	11	14	0.3	3	0.74	97.3	64.79	44.7716
2025	3	3	15	15	11	14	0.3	3	0.74	94.6	64.8557	45.0181
2025	3	3	15	25	11	14	0.3	3	0.78	92.2	64.9213	47.2591
2025	3	3	15	35	11	14	0.3	3	0.76	94.2	64.8557	45.8148
2025	3	3	15	45	11	14	0.3	3	0.74	93.8	64.9213	45.0656
2025	3	3	15	55	11	14	0.3	3	0.76	93.2	64.8557	45.8148

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	3	16	5	11	14	0.3	3	0.76	94.2	64.8557	46.014
2025	3	3	16	15	11	14	0.3	3	0.8	93.5	64.9213	48.2561
2025	3	3	16	25	11	14	0.3	3	0.77	93.2	64.8557	46.4124
2025	3	3	16	35	11	14	0.3	3	0.74	92	64.8557	44.8188
2025	3	3	16	45	11	14	0.3	3	0.76	96.5	64.8557	45.6156
2025	3	3	16	55	11	13.6	0.3	3	0.76	95.4	64.8557	46.014
2025	3	3	17	5	11	12.6	0.3	3	0.74	94.8	64.8557	44.6196
2025	3	3	17	15	11	12.4	0.3	3	0.74	97.4	64.8557	44.6196
2025	3	3	17	25	11	12.2	0.3	3	0.74	96.9	64.8557	44.6197
2025	3	3	17	35	11	12.2	0.3	3	0.74	90.8	64.8557	44.8189
2025	3	3	17	45	11	12.2	0.3	3	0.74	97.3	64.79	44.7715
2025	3	3	17	55	11	12.2	0.3	3	0.79	94.3	64.79	47.5573
2025	3	3	18	5	11	12.2	0.3	3	0.78	94.1	64.79	47.1594
2025	3	3	18	15	11	12.2	0.3	3	0.77	95.3	64.79	46.7614
2025	3	3	18	25	11	12.2	0.3	3	0.75	95.8	64.7244	45.3206
2025	3	3	18	35	11	12.2	0.3	3	0.73	95.2	64.7244	43.9292
2025	3	3	18	45	11	12.2	0.3	3	0.75	92.8	64.7244	45.1218
2025	3	3	18	55	11	12.2	0.3	3	0.73	95.5	64.7244	43.7304
2025	3	3	19	5	11	12.2	0.3	3	0.77	93.9	64.7244	46.7121
2025	3	3	19	15	11	12.2	0.3	3	0.73	94.6	64.7244	44.3268
2025	3	3	19	25	11	12.2	0.3	3	0.76	96.4	64.7244	45.917
2025	3	3	19	35	11	12.2	0.3	3	0.75	95.3	64.7244	45.3207
2025	3	3	19	45	11	12.2	0.3	3	0.74	96.9	64.7244	44.3268
2025	3	3	19	55	11	12.2	0.3	3	0.75	97.1	64.7244	44.9232
2025	3	3	20	5	11	12.2	0.3	3	0.74	94.6	64.6588	44.8757
2025	3	3	20	15	11	12.2	0.3	3	0.78	94.8	64.6588	46.8613
2025	3	3	20	25	11	12.2	0.3	3	0.72	94.7	64.6588	43.4857
2025	3	3	20	35	11	12.2	0.3	3	0.76	94.9	64.6588	45.8686
2025	3	3	20	45	11	12.2	0.3	3	0.76	95.9	64.6588	45.8686
2025	3	3	20	55	11	12	0.3	3	0.73	95.9	64.7244	44.1282
2025	3	3	21	5	11	12	0.3	3	0.74	96.7	64.7244	44.327
2025	3	3	21	15	11	12	0.3	3	0.76	96.2	64.7244	45.5197
2025	3	3	21	25	11	12	0.3	3	0.73	95.7	64.6588	44.0816
2025	3	3	21	35	11	12	0.3	3	0.76	94.5	64.7244	45.9173
2025	3	3	21	45	11	12	0.3	3	0.78	94.3	64.7244	47.11
2025	3	3	21	55	11	12	0.3	3	0.74	94.3	64.7244	44.9235
2025	3	3	22	5	11	12	0.3	3	0.77	95.9	64.79	46.563
2025	3	3	22	15	11	12	0.3	3	0.73	95.5	64.79	43.7772
2025	3	3	22	25	11	12	0.3	3	0.79	94.5	64.79	47.956
2025	3	3	22	35	11	12	0.3	3	0.73	93.4	64.79	44.1753
2025	3	3	22	45	11	12	0.3	3	0.76	95.7	64.79	46.1652
2025	3	3	22	55	11	12	0.3	3	0.73	91.5	64.79	44.3743
2025	3	3	23	5	11	12	0.3	3	0.75	94.7	64.79	45.5683
2025	3	3	23	15	11	12	0.3	3	0.73	94.1	64.79	43.9764
2025	3	3	23	25	11	12	0.3	3	0.74	92	64.79	44.7724
2025	3	3	23	35	11	12	0.3	3	0.72	93.1	64.8557	43.6246
2025	3	3	23	45	11	12	0.3	3	0.74	95.6	64.79	44.5735
2025	3	3	23	55	11	12	0.3	3	0.75	94	64.8557	45.6166

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	4	0	5	11	12	0.3	3	0.73	95.7	64.8557	43.8239
2025	3	4	0	15	11	12	0.3	3	0.73	98.8	64.8557	43.6247
2025	3	4	0	25	11	12	0.3	3	0.73	94.1	64.8557	44.0231
2025	3	4	0	35	11	12	0.3	3	0.74	94.1	64.8557	44.6208
2025	3	4	0	45	11	12	0.3	3	0.75	95	64.8557	45.4176
2025	3	4	0	55	11	12	0.3	3	0.75	95.8	64.8557	45.4176
2025	3	4	1	5	11	12	0.3	3	0.74	94.3	64.8557	44.6209
2025	3	4	1	15	11	12	0.3	3	0.76	96.4	64.8557	46.0153
2025	3	4	1	25	11	12	0.3	3	0.72	93.4	64.8557	43.8241
2025	3	4	1	35	11	12	0.3	3	0.76	96.4	64.8557	46.0154
2025	3	4	1	45	11	12	0.3	3	0.77	93.9	64.8557	46.8122
2025	3	4	1	55	11	12	0.3	3	0.78	95.8	64.8557	46.8122
2025	3	4	2	5	11	12	0.3	3	0.73	94.9	64.8557	44.0234
2025	3	4	2	15	11	12	0.3	3	0.72	93.4	64.8557	43.4259
2025	3	4	2	25	11	12	0.3	3	0.74	94.1	64.8557	44.6211
2025	3	4	2	35	11	12	0.3	3	0.78	92.9	64.8557	47.0116
2025	3	4	2	45	11	12	0.3	3	0.77	94.9	64.8557	46.6132
2025	3	4	2	55	11	12	0.3	3	0.75	95.5	64.8557	45.2188
2025	3	4	3	5	11	12	0.3	3	0.73	97.2	64.8557	44.0236
2025	3	4	3	15	11	12	0.3	3	0.76	93.5	64.8557	46.2149
2025	3	4	3	25	11	12	0.3	3	0.74	93.3	64.8557	44.8205
2025	3	4	3	35	11	12	0.3	3	0.74	96.4	64.8557	44.4221
2025	3	4	3	45	11	12	0.3	3	0.79	97.9	64.8557	47.211
2025	3	4	3	55	11	12	0.3	3	0.72	96.5	64.8557	43.4262
2025	3	4	4	5	11	11.8	0.3	3	0.78	96	64.8557	47.0118
2025	3	4	4	15	11	11.8	0.3	3	0.77	96.1	64.8557	46.6135
2025	3	4	4	25	11	11.8	0.3	3	0.75	97	64.8557	45.4183
2025	3	4	4	35	11	11.8	0.3	3	0.76	94.5	64.8557	46.0159
2025	3	4	4	45	11	11.8	0.3	3	0.76	92.5	64.8557	46.0159
2025	3	4	4	55	11	11.8	0.3	3	0.78	97	64.8557	46.8128
2025	3	4	5	5	11	11.8	0.3	3	0.73	95.5	64.8557	43.8247
2025	3	4	5	15	11	11.8	0.3	3	0.79	95.7	64.8557	47.8088
2025	3	4	5	25	11	11.8	0.3	3	0.74	97.7	64.8557	44.4224
2025	3	4	5	35	11	11.8	0.3	3	0.76	95.7	64.8557	45.6176
2025	3	4	5	45	11	11.8	0.3	3	0.73	92.6	64.8557	44.4225
2025	3	4	5	55	11	11.8	0.3	3	0.77	94.6	64.8557	46.8129
2025	3	4	6	5	11	11.8	0.3	3	0.76	98.2	64.8557	45.4185
2025	3	4	6	15	11	11.8	0.3	3	0.74	94.3	64.8557	44.6217
2025	3	4	6	25	11	11.8	0.3	3	0.7	93.7	64.8557	42.6297
2025	3	4	6	35	11	11.8	0.3	3	0.75	95	64.8557	45.4186
2025	3	4	6	45	11	11.8	0.3	3	0.75	97.3	64.8557	45.2194
2025	3	4	6	55	11	11.8	0.3	3	0.75	95	64.8557	45.6178
2025	3	4	7	5	11	12	0.3	3	0.78	95.3	64.8557	47.4107
2025	3	4	7	15	11	12.4	0.3	3	0.76	96.2	64.8557	45.6179
2025	3	4	7	25	11	12.6	0.3	3	0.77	95.1	64.8557	46.6139
2025	3	4	7	35	11	12.8	0.3	3	0.73	94.4	64.8557	44.4227
2025	3	4	7	45	11	13	0.3	3	0.79	96.9	64.8557	47.6099
2025	3	4	7	55	11	13.2	0.3	3	0.75	98.3	64.8557	45.2195

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	4	8	5	11	13.2	0.3	3	0.76	95.2	64.8557	46.0163
2025	3	4	8	15	11	13.4	0.3	3	0.75	95.3	64.8557	45.4187
2025	3	4	8	25	11	13.4	0.3	3	0.73	92.6	64.8557	44.0242
2025	3	4	8	35	11	13.6	0.3	3	0.75	95.3	64.8557	45.4186
2025	3	4	8	45	11	13.6	0.3	3	0.79	97.2	64.9213	47.4607
2025	3	4	8	55	11	13.6	0.3	3	0.75	95.5	64.9213	45.4666
2025	3	4	9	5	11	13.6	0.3	3	0.79	94.8	64.9213	47.6601
2025	3	4	9	15	11	13.6	0.3	3	0.79	97.2	64.9213	47.4606
2025	3	4	9	25	11	13.6	0.3	3	0.75	96.5	64.9213	45.4664
2025	3	4	9	35	11	13.6	0.3	3	0.75	93.5	64.9213	45.267
2025	3	4	9	45	11	13.6	0.3	3	0.75	95.5	64.9213	45.6657
2025	3	4	9	55	11	13.6	0.3	3	0.74	95.4	64.9213	44.6686
2025	3	4	10	5	11	13.6	0.3	3	0.77	97.1	64.9213	46.6627
2025	3	4	10	15	11	13.6	0.3	3	0.76	96.2	64.9213	45.6655
2025	3	4	10	25	11	13.6	0.3	3	0.78	94.4	64.9213	47.0613
2025	3	4	10	35	11	13.6	0.3	3	0.74	95.1	64.9869	44.9151
2025	3	4	10	45	11	13.6	0.3	3	0.78	96.6	64.9869	46.9112
2025	3	4	10	55	11	13.6	0.3	3	0.78	92.9	64.9869	47.1108
2025	3	4	11	5	11	13.6	0.3	3	0.77	96.6	64.9869	46.7115
2025	3	4	11	15	11	13.6	0.3	3	0.76	95.4	64.9869	46.1125
2025	3	4	11	25	11	13.6	0.3	3	0.74	95.1	64.9869	44.9147
2025	3	4	11	35	11	13.6	0.3	3	0.74	91.8	64.9869	44.9146
2025	3	4	11	45	11	13.6	0.3	3	0.78	98.2	65.0525	47.16
2025	3	4	11	55	11	13.6	0.3	3	0.77	95.9	65.0525	46.5605
2025	3	4	12	5	11	13.6	0.3	3	0.79	94.3	65.0525	47.9592
2025	3	4	12	15	11	14.2	0.3	3	0.77	97.3	65.0525	46.5603
2025	3	4	12	25	11	14.2	0.3	3	0.76	93.5	65.0525	45.9607
2025	3	4	12	35	11	14.2	0.3	3	0.77	93.2	65.0525	46.76
2025	3	4	12	45	11	14.2	0.3	3	0.76	96	65.0525	45.9606
2025	3	4	12	55	11	14.2	0.3	3	0.79	94.1	65.0525	47.7589
2025	3	4	13	5	11	14.2	0.3	3	0.74	96.4	65.0525	44.5616
2025	3	4	13	15	11	14.2	0.3	3	0.76	95.5	65.0525	45.9604
2025	3	4	13	25	11	14.2	0.3	3	0.75	94.8	65.1181	45.6086
2025	3	4	13	35	11	14.2	0.3	3	0.8	95.6	65.1181	48.6091
2025	3	4	13	45	11	14.2	0.3	3	0.79	95.9	65.1181	48.209
2025	3	4	13	55	11	14.2	0.3	3	0.75	94.8	65.1181	45.4084
2025	3	4	14	5	11	14.2	0.3	3	0.78	96.5	65.1181	47.4087
2025	3	4	14	15	11	14.2	0.3	3	0.77	93.2	65.1181	46.6085
2025	3	4	14	25	11	14.2	0.3	3	0.75	92.5	65.1181	45.6083
2025	3	4	14	35	11	14.2	0.3	3	0.77	94.6	65.1181	46.8084
2025	3	4	14	45	11	14.2	0.3	3	0.74	95.6	65.1181	45.2081
2025	3	4	14	55	11	14.2	0.3	3	0.76	94.7	65.1837	46.4571
2025	3	4	15	5	11	14.2	0.3	3	0.76	96	65.1837	45.8563
2025	3	4	15	15	11	14.2	0.3	3	0.74	94.3	65.1181	45.208
2025	3	4	15	25	11	14.2	0.3	3	0.74	96.3	65.1181	45.0079
2025	3	4	15	35	11	14.2	0.3	3	0.78	96.1	65.1837	47.0577
2025	3	4	15	45	11	14.2	0.3	3	0.73	96.7	65.1837	44.4545
2025	3	4	15	55	11	14.2	0.3	3	0.77	94.9	65.1837	47.0577

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	4	16	5	11	13.4	0.3	3	0.76	95.7	65.1837	46.2567
2025	3	4	16	15	11	13.4	0.3	3	0.77	95.1	65.1837	46.8574
2025	3	4	16	25	11	13.4	0.3	3	0.78	97.8	65.1837	47.0576
2025	3	4	16	35	11	13.4	0.3	3	0.76	93.5	65.1837	46.4569
2025	3	4	16	45	11	13.4	0.3	3	0.78	93.1	65.1837	47.6583
2025	3	4	16	55	11	13.2	0.3	3	0.72	93.2	65.1837	43.6534
2025	3	4	17	5	11	12.6	0.3	3	0.71	95	65.1837	43.4532
2025	3	4	17	15	11	12.2	0.3	3	0.74	96.8	65.2494	45.1025
2025	3	4	17	25	11	12.2	0.3	3	0.75	94.5	65.2494	45.5034
2025	3	4	17	35	11	12.2	0.3	3	0.79	95.9	65.2494	48.3098
2025	3	4	17	45	11	12.2	0.3	3	0.74	95.9	65.2494	44.7016
2025	3	4	17	55	11	12.2	0.3	3	0.82	93.5	65.2494	49.713
2025	3	4	18	5	11	12.2	0.3	3	0.77	95.3	65.2494	47.1071
2025	3	4	18	15	11	12.2	0.3	3	0.79	94.3	65.2494	48.3098
2025	3	4	18	25	11	12.2	0.3	3	0.78	93.4	65.2494	47.3076
2025	3	4	18	35	11	12.2	0.3	3	0.78	93.4	65.2494	47.3076
2025	3	4	18	45	11	12.2	0.3	3	0.77	94.6	65.2494	46.9067
2025	3	4	18	55	11	12.2	0.3	3	0.79	93.6	65.2494	48.3099
2025	3	4	19	5	11	12.2	0.3	3	0.77	93.4	65.2494	46.9067
2025	3	4	19	15	11	12.2	0.3	3	0.77	94.2	65.2494	46.7063
2025	3	4	19	25	11	12.2	0.3	3	0.75	95.5	65.2494	45.704
2025	3	4	19	35	11	12.2	0.3	3	0.77	96.1	65.2494	46.7063
2025	3	4	19	45	11	12.2	0.3	3	0.76	95.7	65.2494	46.3054
2025	3	4	19	55	11	12.2	0.3	3	0.77	94.1	65.2494	47.1073
2025	3	4	20	5	11	12.2	0.3	3	0.76	95.2	65.2494	46.105
2025	3	4	20	15	11	12.2	0.3	3	0.77	94.1	65.2494	47.1073
2025	3	4	20	25	11	12.2	0.3	3	0.79	95.9	65.2494	48.3101
2025	3	4	20	35	11	12	0.3	3	0.75	94	65.2494	45.9046
2025	3	4	20	45	11	12	0.3	3	0.76	94.7	65.2494	46.1051
2025	3	4	20	55	11	12	0.3	3	0.76	94.9	65.2494	46.3056
2025	3	4	21	5	11	12	0.3	3	0.73	94.1	65.2494	44.5015
2025	3	4	21	15	11	12	0.3	3	0.77	93.2	65.2494	46.907
2025	3	4	21	25	11	12	0.3	3	0.79	93.3	65.2494	48.1098
2025	3	4	21	35	11	12	0.3	3	0.79	94.1	65.2494	47.9094
2025	3	4	21	45	11	12	0.3	3	0.75	95.5	65.2494	45.7044
2025	3	4	21	55	11	12	0.3	3	0.77	95.9	65.2494	46.7067
2025	3	4	22	5	11	12	0.3	3	0.76	92.5	65.2494	46.5063
2025	3	4	22	15	11	12	0.3	3	0.75	95.5	65.2494	45.7045
2025	3	4	22	25	11	12	0.3	3	0.8	97.5	65.2494	48.7114
2025	3	4	22	35	11	12	0.3	3	0.74	93.3	65.2494	45.3036
2025	3	4	22	45	11	12	0.3	3	0.79	95	65.2494	48.3106
2025	3	4	22	55	11	12	0.3	3	0.76	93.2	65.2494	46.5065
2025	3	4	23	5	11	12	0.3	3	0.77	93.9	65.2494	47.1079
2025	3	4	23	15	11	12	0.3	3	0.78	95.3	65.2494	47.7093
2025	3	4	23	25	11	12	0.3	3	0.77	94.9	65.315	46.9567
2025	3	4	23	35	11	12	0.3	3	0.77	95.3	65.2494	47.108
2025	3	4	23	45	11	12	0.3	3	0.74	95.1	65.2494	45.3039
2025	3	4	23	55	11	12	0.3	3	0.78	96.1	65.2494	47.108

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	5	0	5	11	12	0.3	3	0.78	94.6	65.315	47.3582
2025	3	5	0	15	11	12	0.3	3	0.76	94.9	65.2494	46.3063
2025	3	5	0	25	11	12	0.3	3	0.77	93.2	65.315	46.9569
2025	3	5	0	35	11	12	0.3	3	0.76	91.5	65.2494	46.3063
2025	3	5	0	45	11	12	0.3	3	0.75	94.8	65.315	45.753
2025	3	5	0	55	11	12	0.3	3	0.75	98.1	65.315	45.3517
2025	3	5	1	5	11	12	0.3	3	0.77	92.2	65.315	47.3584
2025	3	5	1	15	11	12	0.3	3	0.8	93.1	65.315	48.7632
2025	3	5	1	25	11	12	0.3	3	0.76	94.7	65.315	46.1545
2025	3	5	1	35	11	12	0.3	3	0.78	95	65.315	47.7599
2025	3	5	1	45	11	12	0.3	3	0.79	93.8	65.3806	48.4127
2025	3	5	1	55	11	12	0.3	3	0.78	95.1	65.4462	47.6591
2025	3	5	2	5	11	12	0.3	3	0.74	93.3	65.5118	45.2934
2025	3	5	2	15	11	12	0.3	3	0.81	96.5	65.5118	49.5208
2025	3	5	2	25	11	12	0.3	3	0.76	91.7	65.5118	46.9039
2025	3	5	2	35	11	12	0.3	3	0.77	93.9	65.5118	47.1052
2025	3	5	2	45	11	12	0.3	3	0.76	92.2	65.5774	46.55
2025	3	5	2	55	11	12	0.3	3	0.79	95	65.5118	48.5144
2025	3	5	3	5	11	12	0.3	3	0.78	93.9	65.5118	47.7092
2025	3	5	3	15	11	12	0.3	3	0.78	97	65.5118	47.508
2025	3	5	3	25	11	11.8	0.3	3	0.74	96.9	65.5118	44.891
2025	3	5	3	35	11	11.8	0.3	3	0.77	94.6	65.5774	47.1547
2025	3	5	3	45	11	11.8	0.3	3	0.71	93.2	65.5774	43.7289
2025	3	5	3	55	11	11.8	0.3	3	0.79	96.9	65.5774	48.3638
2025	3	5	4	5	11	11.8	0.3	3	0.78	93.4	65.5774	47.7593
2025	3	5	4	15	11	11.8	0.3	3	0.76	93.9	65.5774	46.7517
2025	3	5	4	25	11	11.8	0.3	3	0.77	93.7	65.5774	47.3563
2025	3	5	4	35	11	11.8	0.3	3	0.78	95.8	65.5774	47.7594
2025	3	5	4	45	11	11.8	0.3	3	0.77	94.2	65.5774	47.1548
2025	3	5	4	55	11	11.8	0.3	3	0.75	95	65.5774	45.9458
2025	3	5	5	5	11	11.8	0.3	3	0.8	95.7	65.5774	48.767
2025	3	5	5	15	11	11.8	0.3	3	0.77	94.2	65.5774	47.1549
2025	3	5	5	25	11	11.8	0.3	3	0.79	94.5	65.5774	48.364
2025	3	5	5	35	11	11.8	0.3	3	0.78	93.2	65.5774	47.5579
2025	3	5	5	45	11	11.8	0.3	3	0.79	95.9	65.5774	48.364
2025	3	5	5	55	11	11.8	0.3	3	0.77	95.1	65.5774	47.3565
2025	3	5	6	5	11	11.8	0.3	3	0.77	93.4	65.5774	47.1549
2025	3	5	6	15	11	11.8	0.3	3	0.77	95.6	65.5774	46.9534
2025	3	5	6	25	11	11.8	0.3	3	0.77	94.1	65.5774	47.3565
2025	3	5	6	35	11	11.8	0.3	3	0.77	94.6	65.5774	47.155
2025	3	5	6	45	11	11.8	0.3	3	0.77	94.9	65.5774	47.155
2025	3	5	6	55	11	11.8	0.3	3	0.77	95.1	65.5774	47.3565
2025	3	5	7	5	11	12	0.3	3	0.8	95.9	65.5774	49.1702
2025	3	5	7	15	11	12	0.3	3	0.78	95.3	65.5774	47.7596
2025	3	5	7	25	11	11.8	0.3	3	0.8	96.8	65.5774	48.7672
2025	3	5	7	35	11	11.8	0.3	3	0.78	94.4	65.5774	47.558
2025	3	5	7	45	11	11.8	0.3	3	0.76	94.5	65.5774	46.5505
2025	3	5	7	55	11	12	0.3	3	0.78	95.3	65.5774	47.7596

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	5	8	5	11	12	0.3	3	0.8	93.5	65.5774	48.9687
2025	3	5	8	15	11	12	0.3	3	0.77	96.9	65.5774	46.9535
2025	3	5	8	25	11	12	0.3	3	0.78	93.6	65.5774	47.9611
2025	3	5	8	35	11	12	0.3	3	0.75	94.5	65.5774	45.9459
2025	3	5	8	45	11	12	0.3	3	0.75	94	65.5774	46.1474
2025	3	5	8	55	11	12	0.3	3	0.75	94.5	65.5774	45.9458
2025	3	5	9	5	11	12.2	0.3	3	0.81	93.7	65.5774	49.7746
2025	3	5	9	15	11	12.4	0.3	3	0.77	94.9	65.5118	47.3069
2025	3	5	9	25	11	12.8	0.3	3	0.76	93.2	65.5118	46.703
2025	3	5	9	35	11	12.8	0.3	3	0.78	92.7	65.5118	47.5082
2025	3	5	9	45	11	12.6	0.3	3	0.78	96	65.5118	47.5082
2025	3	5	9	55	11	12.4	0.3	3	0.78	96.8	65.4462	47.4585
2025	3	5	10	5	11	12.4	0.3	3	0.8	96.4	65.5118	48.716
2025	3	5	10	15	11	12.4	0.3	3	0.75	94	65.5118	45.6963
2025	3	5	10	25	11	12.4	0.3	3	0.82	96.4	65.5118	50.125
2025	3	5	10	35	11	12.4	0.3	3	0.8	95.6	65.4462	49.0671
2025	3	5	10	45	11	12.4	0.3	3	0.72	92.9	65.4462	44.0397
2025	3	5	10	55	11	12.4	0.3	3	0.76	93.7	65.4462	46.2518
2025	3	5	11	5	11	12.4	0.3	3	0.79	97.9	65.4462	47.8605
2025	3	5	11	15	11	12.6	0.3	3	0.76	94.2	65.4462	46.6539
2025	3	5	11	25	11	12.4	0.3	3	0.74	95.4	65.4462	45.0451
2025	3	5	11	35	11	12.6	0.3	3	0.8	95.9	65.5118	49.1184
2025	3	5	11	45	11	12.4	0.3	3	0.79	95.2	65.5774	48.5652
2025	3	5	11	55	11	12.4	0.3	3	0.77	94.2	65.5118	47.1053
2025	3	5	12	5	11	12.2	0.3	3	0.78	95.1	65.5118	47.7092
2025	3	5	12	15	11	12.2	0.3	3	0.78	95.6	65.5118	47.5079
2025	3	5	12	25	11	12.2	0.3	3	0.78	96	65.5118	47.7092
2025	3	5	12	35	11	12.2	0.3	3	0.76	95.9	65.5118	46.5013
2025	3	5	12	45	11	12.2	0.3	3	0.76	95.7	65.5774	46.7514
2025	3	5	12	55	11	12.2	0.3	3	0.8	93.3	65.5774	48.7666
2025	3	5	13	5	11	12.2	0.3	3	0.79	98.2	65.5774	47.759
2025	3	5	13	15	11	12.2	0.3	3	0.76	95.7	65.5774	46.7514
2025	3	5	13	25	11	12.2	0.3	3	0.8	93.8	65.6431	49.0192
2025	3	5	13	35	11	12	0.3	3	0.8	96.2	65.6431	48.6158
2025	3	5	13	45	11	12	0.3	3	0.77	93.2	65.6431	47.002
2025	3	5	13	55	11	12	0.3	3	0.75	93	65.6431	45.7916
2025	3	5	14	5	11	12	0.3	3	0.78	97	65.6431	47.8089
2025	3	5	14	15	11	12	0.3	3	0.77	95.1	65.6431	47.4054
2025	3	5	14	25	11	12	0.3	3	0.78	96	65.6431	47.8089
2025	3	5	14	35	11	12	0.3	3	0.75	95	65.6431	46.1951
2025	3	5	14	45	11	12	0.3	3	0.81	95.8	65.7087	49.8781
2025	3	5	14	55	11	12	0.3	3	0.75	94.7	65.7087	46.2433
2025	3	5	15	5	11	11.8	0.3	3	0.76	95.4	65.7087	46.6471
2025	3	5	15	15	11	11.8	0.3	3	0.76	92.7	65.7087	46.6471
2025	3	5	15	25	11	11.8	0.3	3	0.78	94.1	65.7087	47.6568
2025	3	5	15	35	11	11.8	0.3	3	0.75	92	65.7087	46.2433
2025	3	5	15	45	11	11.8	0.3	3	0.78	94.8	65.7087	47.8587
2025	3	5	15	55	11	11.8	0.3	3	0.77	95.9	65.7087	47.051

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	5	16	5	11	11.8	0.3	3	0.75	92.8	65.7087	46.2433
2025	3	5	16	15	11	11.8	0.3	3	0.76	96.4	65.7087	46.4452
2025	3	5	16	25	11	11.8	0.3	3	0.76	94.9	65.7087	46.8491
2025	3	5	16	35	11	11.8	0.3	3	0.79	95.5	65.7087	48.6665
2025	3	5	16	45	11	11.8	0.3	3	0.79	94.5	65.7087	48.6665
2025	3	5	16	55	11	11.8	0.3	3	0.82	94.8	65.7087	50.282
2025	3	5	17	5	11	11.8	0.3	3	0.78	95.5	65.7087	47.8588
2025	3	5	17	15	11	11.8	0.3	3	0.79	93.8	65.7087	48.6665
2025	3	5	17	25	11	11.8	0.3	3	0.76	95.4	65.7087	46.6471
2025	3	5	17	35	11	11.8	0.3	3	0.78	94.6	65.7087	47.6568
2025	3	5	17	45	11	11.8	0.3	3	0.81	96.1	65.7087	49.4743
2025	3	5	17	55	11	11.8	0.3	3	0.78	96	65.7087	47.8588
2025	3	5	18	5	11	11.8	0.3	3	0.76	94.2	65.7087	46.8491
2025	3	5	18	15	11	11.8	0.3	3	0.78	97	65.7087	47.6569
2025	3	5	18	25	11	11.8	0.3	3	0.78	93.8	65.7087	48.0607
2025	3	5	18	35	11	11.8	0.3	3	0.77	92.9	65.7087	47.4549
2025	3	5	18	45	11	11.8	0.3	3	0.78	95.6	65.7087	47.6569
2025	3	5	18	55	11	11.8	0.3	3	0.75	93.3	65.7087	45.8395
2025	3	5	19	5	11	11.8	0.3	3	0.77	95.1	65.7087	47.455
2025	3	5	19	15	11	11.8	0.3	3	0.77	95.2	65.7087	47.0511
2025	3	5	19	25	11	11.8	0.3	3	0.78	94.8	65.7087	48.0608
2025	3	5	19	35	11	11.8	0.3	3	0.76	91	65.7087	47.0511
2025	3	5	19	45	11	11.8	0.3	3	0.79	94.8	65.7087	48.4647
2025	3	5	19	55	11	11.8	0.3	3	0.76	94.2	65.6431	46.8004
2025	3	5	20	5	11	11.8	0.3	3	0.78	95.8	65.6431	47.6073
2025	3	5	20	15	11	11.8	0.3	3	0.77	95.2	65.6431	47.0021
2025	3	5	20	25	11	11.8	0.3	3	0.76	94.5	65.6431	46.397
2025	3	5	20	35	11	11.8	0.3	3	0.75	94.8	65.6431	45.9936
2025	3	5	20	45	11	11.8	0.3	3	0.74	95.6	65.6431	45.3884
2025	3	5	20	55	11	11.8	0.3	3	0.77	94.9	65.6431	47.0022
2025	3	5	21	5	11	11.8	0.3	3	0.81	95.3	65.6431	49.6247
2025	3	5	21	15	11	11.8	0.3	3	0.79	95.3	65.6431	48.2126
2025	3	5	21	25	11	11.8	0.3	3	0.76	92.5	65.6431	46.5988
2025	3	5	21	35	11	11.8	0.3	3	0.79	95.9	65.6431	48.6161
2025	3	5	21	45	11	11.8	0.3	3	0.79	95	65.5774	48.1624
2025	3	5	21	55	11	11.8	0.3	3	0.76	94.2	65.5774	46.5503
2025	3	5	22	5	11	11.8	0.3	3	0.76	96.4	65.5774	46.3488
2025	3	5	22	15	11	11.8	0.3	3	0.74	93.6	65.5774	45.1397
2025	3	5	22	25	11	11.8	0.3	3	0.77	95.6	65.5774	46.9534
2025	3	5	22	35	11	11.8	0.3	3	0.81	97.2	65.5774	49.1701
2025	3	5	22	45	11	11.8	0.3	3	0.76	92.5	65.5774	46.3488
2025	3	5	22	55	11	11.8	0.3	3	0.74	91.8	65.5774	45.3413
2025	3	5	23	5	11	11.8	0.3	3	0.77	96.2	65.5774	46.7519
2025	3	5	23	15	11	11.8	0.3	3	0.75	92.8	65.5774	46.1474
2025	3	5	23	25	11	11.8	0.3	3	0.8	94.7	65.5774	49.1701
2025	3	5	23	35	11	11.8	0.3	3	0.76	94	65.5774	46.3489
2025	3	5	23	45	11	11.8	0.3	3	0.77	95.1	65.5774	47.155
2025	3	5	23	55	11	11.8	0.3	3	0.77	96.1	65.5774	47.155

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	6	0	5	11	11.8	0.3	3	0.79	94.1	65.5774	48.3641
2025	3	6	0	15	11	11.8	0.3	3	0.79	93.1	65.5118	48.5149
2025	3	6	0	25	11	11.8	0.3	3	0.77	95.4	65.5774	47.155
2025	3	6	0	35	11	11.8	0.3	3	0.79	96.2	65.5118	47.911
2025	3	6	0	45	11	11.8	0.3	3	0.76	96.5	65.5118	46.0993
2025	3	6	0	55	11	11.8	0.3	3	0.79	93.6	65.5774	48.5657
2025	3	6	1	5	11	11.8	0.3	3	0.75	93.5	65.5774	46.1475
2025	3	6	1	15	11	11.8	0.3	3	0.78	92.2	65.5118	47.7098
2025	3	6	1	25	11	11.8	0.3	3	0.75	95.5	65.5118	45.6967
2025	3	6	1	35	11	11.8	0.3	3	0.78	95.1	65.5118	47.5085
2025	3	6	1	45	11	11.8	0.3	3	0.78	94.3	65.5118	47.9111
2025	3	6	1	55	11	11.8	0.3	3	0.76	95.5	65.5118	46.3007
2025	3	6	2	5	11	11.8	0.3	3	0.78	94.6	65.5118	47.7099
2025	3	6	2	15	11	11.8	0.3	3	0.81	93.5	65.5118	49.723
2025	3	6	2	25	11	11.8	0.3	3	0.76	95.2	65.5118	46.5021
2025	3	6	2	35	11	11.8	0.3	3	0.79	91.9	65.5118	48.7165
2025	3	6	2	45	11	11.8	0.3	3	0.75	96.3	65.5118	45.6969
2025	3	6	2	55	11	11.8	0.3	3	0.78	92.9	65.5118	47.5087
2025	3	6	3	5	11	11.8	0.3	3	0.78	93.8	65.5118	47.9113
2025	3	6	3	15	11	11.8	0.3	3	0.77	98.1	65.5118	46.9048
2025	3	6	3	25	11	11.8	0.3	3	0.74	95.3	65.5118	45.2943
2025	3	6	3	35	11	11.8	0.3	3	0.76	94.2	65.5118	46.5022
2025	3	6	3	45	11	11.8	0.3	3	0.77	95.9	65.5118	46.9049
2025	3	6	3	55	11	11.8	0.3	3	0.75	95.3	65.5118	45.8983
2025	3	6	4	5	11	11.8	0.3	3	0.76	96.5	65.5118	46.0997
2025	3	6	4	15	11	11.8	0.3	3	0.74	93.3	65.5118	45.2944
2025	3	6	4	25	11	11.8	0.3	3	0.78	94.1	65.5118	47.9115
2025	3	6	4	35	11	11.8	0.3	3	0.76	96.2	65.5118	46.3011
2025	3	6	4	45	11	11.8	0.3	3	0.75	93.8	65.5118	45.8985
2025	3	6	4	55	11	11.8	0.3	3	0.78	95.1	65.5118	47.7103
2025	3	6	5	5	11	11.8	0.3	3	0.75	96.3	65.5118	45.6972
2025	3	6	5	15	11	11.8	0.3	3	0.78	98	65.5118	47.509
2025	3	6	5	25	11	11.8	0.3	3	0.78	96.5	65.5118	47.509
2025	3	6	5	35	11	11.8	0.3	3	0.75	93	65.5118	46.0999
2025	3	6	5	45	11	11.8	0.3	3	0.76	91	65.5118	46.7038
2025	3	6	5	55	11	11.8	0.3	3	0.8	97.6	65.4462	48.4649
2025	3	6	6	5	11	11.8	0.3	3	0.78	98	65.4462	47.0572
2025	3	6	6	15	11	11.8	0.3	3	0.75	94.8	65.4462	45.6496
2025	3	6	6	25	11	11.8	0.3	3	0.75	93.2	65.4462	46.0518
2025	3	6	6	35	11	11.8	0.3	3	0.75	95.3	65.4462	45.8507
2025	3	6	6	45	11	11.8	0.3	3	0.78	96	65.4462	47.4595
2025	3	6	6	55	11	11.8	0.3	3	0.8	95	65.4462	48.6661
2025	3	6	7	5	11	12	0.3	3	0.78	93.6	65.4462	47.6607
2025	3	6	7	15	11	12.4	0.3	3	0.77	94.9	65.4462	47.0574
2025	3	6	7	25	11	12.6	0.3	3	0.79	95.3	65.4462	48.0629
2025	3	6	7	35	11	12.8	0.3	3	0.75	94.3	65.4462	45.8508
2025	3	6	7	45	11	13	0.3	3	0.78	95.8	65.4462	47.8618
2025	3	6	7	55	11	13.2	0.3	3	0.76	92.7	65.4462	46.253

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	6	8	5	11	13.6	0.3	3	0.76	96.4	65.4462	46.253
2025	3	6	8	15	11	13.6	0.3	3	0.76	95.5	65.4462	46.253
2025	3	6	8	25	11	13.6	0.3	3	0.74	94.3	65.4462	45.4486
2025	3	6	8	35	11	13.6	0.3	3	0.76	97.2	65.4462	46.0519
2025	3	6	8	45	11	13.6	0.3	3	0.75	94.3	65.4462	45.6497
2025	3	6	8	55	11	13.8	0.3	3	0.76	98.4	65.4462	46.2529
2025	3	6	9	5	11	13.8	0.3	3	0.71	95.3	65.3806	43.3921
2025	3	6	9	15	11	13.8	0.3	3	0.76	98.4	65.4462	46.2529
2025	3	6	9	25	11	14.2	0.3	3	0.76	95.2	65.4462	46.6551
2025	3	6	9	35	11	14.2	0.3	3	0.75	97.3	65.4462	45.6495
2025	3	6	9	45	11	14.2	0.3	3	0.75	95.5	65.3806	45.6017
2025	3	6	9	55	11	14.2	0.3	3	0.76	96.2	65.4462	46.4538
2025	3	6	10	5	11	14.2	0.3	3	0.78	96.6	65.4462	47.2582
2025	3	6	10	15	11	14.2	0.3	3	0.75	94.3	65.4462	45.8504
2025	3	6	10	25	11	14.2	0.3	3	0.74	96.7	65.4462	44.8449
2025	3	6	10	35	11	14.2	0.3	3	0.8	95	65.4462	48.6657
2025	3	6	10	45	11	14.2	0.3	3	0.75	96	65.4462	45.8503
2025	3	6	10	55	11	14.2	0.3	3	0.75	94.3	65.4462	45.8502
2025	3	6	11	5	11	14.2	0.3	3	0.78	95.8	65.4462	47.8611
2025	3	6	11	15	11	14.2	0.3	3	0.8	92.8	65.5118	48.9177
2025	3	6	11	25	11	14.2	0.3	3	0.74	92.8	65.4462	45.4478
2025	3	6	11	35	11	14.2	0.3	3	0.8	96.9	65.4462	48.4641
2025	3	6	11	45	11	14.2	0.3	3	0.77	95.1	65.4462	47.0564
2025	3	6	11	55	11	14.2	0.3	3	0.76	94.2	65.4462	46.453
2025	3	6	12	5	11	14.2	0.3	3	0.77	95.9	65.5118	46.7029
2025	3	6	12	15	11	14.2	0.3	3	0.78	96	65.4462	47.4584
2025	3	6	12	25	11	14.2	0.3	3	0.8	95.6	65.4462	49.067
2025	3	6	12	35	11	14.2	0.3	3	0.76	95.2	65.3806	46.605
2025	3	6	12	45	11	14.2	0.3	3	0.73	93.4	65.4462	44.6428
2025	3	6	12	55	11	14.2	0.3	3	0.76	95.7	65.3806	46.6049
2025	3	6	13	5	11	14.2	0.3	3	0.78	95.3	65.3806	47.6092
2025	3	6	13	15	11	14.2	0.3	3	0.79	95.9	65.3806	48.2118
2025	3	6	13	25	11	14.2	0.3	3	0.78	97.7	65.3806	47.4083
2025	3	6	13	35	11	14.2	0.3	3	0.78	92.4	65.315	47.5592
2025	3	6	13	45	11	14.2	0.3	3	0.76	96.4	65.315	46.1545
2025	3	6	13	55	11	14.2	0.3	3	0.77	94.6	65.315	46.9571
2025	3	6	14	5	11	14.2	0.3	3	0.79	94.1	65.315	47.9604
2025	3	6	14	15	11	14.2	0.3	3	0.79	94.3	65.315	48.161
2025	3	6	14	25	11	14.2	0.3	3	0.76	95.2	65.315	46.5556
2025	3	6	14	35	11	14.2	0.3	3	0.75	94.3	65.315	45.5522
2025	3	6	14	45	11	14.2	0.3	3	0.79	96.2	65.315	47.9602
2025	3	6	14	55	11	13.6	0.3	3	0.79	98.1	65.315	47.9602
2025	3	6	15	5	11	14.2	0.3	3	0.76	92.2	65.3806	46.4034
2025	3	6	15	15	11	14.2	0.3	3	0.77	92.2	65.3806	47.4078
2025	3	6	15	25	11	14.2	0.3	3	0.78	94.6	65.315	47.3581
2025	3	6	15	35	11	14.2	0.3	3	0.74	97.1	65.315	44.9501
2025	3	6	15	45	11	14.2	0.3	3	0.76	95.4	65.315	46.3547
2025	3	6	15	55	11	14.2	0.3	3	0.78	95.1	65.315	47.358

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	6	16	5	11	14.2	0.3	3	0.78	95.3	65.3806	47.4077
2025	3	6	16	15	11	14.2	0.3	3	0.8	93.3	65.315	48.7627
2025	3	6	16	25	11	14.2	0.3	3	0.76	94.9	65.315	46.5553
2025	3	6	16	35	11	14.2	0.3	3	0.78	94.6	65.315	47.358
2025	3	6	16	45	11	14.2	0.3	3	0.8	95.9	65.3806	48.8138
2025	3	6	16	55	11	13.6	0.3	3	0.75	96	65.315	45.5519
2025	3	6	17	5	11	12.8	0.3	3	0.75	93.3	65.3806	45.5997
2025	3	6	17	15	11	12.4	0.3	3	0.74	94.8	65.3806	45.1979
2025	3	6	17	25	11	12.2	0.3	3	0.74	92.5	65.3806	45.3988
2025	3	6	17	35	11	12.2	0.3	3	0.76	95.5	65.3806	46.2024
2025	3	6	17	45	11	11	0.3	3	0.71	93.4	65.4462	43.4355
2025	3	6	17	55	11	11	0.3	3	0.72	93.4	65.3806	43.7918
2025	3	6	18	5	11	12.2	0.3	3	0.79	94.1	65.3806	48.2112
2025	3	6	18	15	11	12.2	0.3	3	0.76	95.2	65.315	46.5554
2025	3	6	18	25	11	12.2	0.3	3	0.75	93.5	65.315	45.7527
2025	3	6	18	35	11	12.2	0.3	3	0.77	91.9	65.315	47.3581
2025	3	6	18	45	11	12.2	0.3	3	0.77	92.9	65.315	46.9567
2025	3	6	18	55	11	12.2	0.3	3	0.74	94.8	65.315	45.1507
2025	3	6	19	5	11	12.2	0.3	3	0.78	96	65.315	47.3581
2025	3	6	19	15	11	12.2	0.3	3	0.8	95.4	65.3806	49.0149
2025	3	6	19	25	11	12.2	0.3	3	0.77	94.6	65.3806	47.207
2025	3	6	19	35	11	12.2	0.3	3	0.76	94.2	65.3806	46.2026
2025	3	6	19	45	11	12.2	0.3	3	0.73	94.4	65.315	44.3482
2025	3	6	19	55	11	12.2	0.3	3	0.74	96.9	65.315	44.9502
2025	3	6	20	5	11	12.2	0.3	3	0.77	95.2	65.315	46.7563
2025	3	6	20	15	11	12.2	0.3	3	0.76	93	65.315	46.1543
2025	3	6	20	25	11	12.2	0.3	3	0.77	93.7	65.315	47.1576
2025	3	6	20	35	11	12.2	0.3	3	0.74	94.8	65.315	45.3516
2025	3	6	20	45	11	12.2	0.3	3	0.77	95.9	65.315	46.957
2025	3	6	20	55	11	12.2	0.3	3	0.76	92.5	65.315	46.5557
2025	3	6	21	5	11	12.2	0.3	3	0.77	97.3	65.315	46.9571
2025	3	6	21	15	11	12.2	0.3	3	0.77	94.2	65.315	46.9571
2025	3	6	21	25	11	12.2	0.3	3	0.76	95.9	65.315	46.3551
2025	3	6	21	35	11	12	0.3	3	0.77	94.7	65.315	46.7565
2025	3	6	21	45	11	12	0.3	3	0.75	95.5	65.315	45.7531
2025	3	6	21	55	11	12	0.3	3	0.73	97.2	65.315	44.3485
2025	3	6	22	5	11	12	0.3	3	0.81	96.3	65.315	49.3653
2025	3	6	22	15	11	12	0.3	3	0.78	93.1	65.315	47.7599
2025	3	6	22	25	11	12	0.3	3	0.77	92.2	65.315	46.9573
2025	3	6	22	35	11	12	0.3	3	0.73	93.1	65.2494	44.5025
2025	3	6	22	45	11	12	0.3	3	0.77	94.2	65.2494	46.7076
2025	3	6	22	55	11	12	0.3	3	0.75	92.3	65.2494	45.7053
2025	3	6	23	5	11	12	0.3	3	0.77	94.7	65.2494	46.7076
2025	3	6	23	15	11	12	0.3	3	0.77	92.7	65.2494	46.9081
2025	3	6	23	25	11	12	0.3	3	0.76	94.2	65.2494	46.1063
2025	3	6	23	35	11	12	0.3	3	0.75	95.3	65.2494	45.7054
2025	3	6	23	45	11	12	0.3	3	0.77	95.9	65.2494	46.5073
2025	3	6	23	55	11	12	0.3	3	0.73	95.7	65.2494	44.5027

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	7	0	5	11	12	0.3	3	0.79	95.5	65.1837	48.0605
2025	3	7	0	15	11	12	0.3	3	0.73	94.1	65.2494	44.3023
2025	3	7	0	25	11	12	0.3	3	0.77	96.2	65.2494	46.5074
2025	3	7	0	35	11	12	0.3	3	0.81	93.7	65.2494	49.1134
2025	3	7	0	45	11	12	0.3	3	0.78	94.8	65.2494	47.3093
2025	3	7	0	55	11	12	0.3	3	0.79	96	65.1837	47.6602
2025	3	7	1	5	11	12	0.3	3	0.78	95.3	65.1837	47.2597
2025	3	7	1	15	11	12	0.3	3	0.78	95.8	65.1837	47.46
2025	3	7	1	25	11	12	0.3	3	0.78	96.5	65.1837	47.46
2025	3	7	1	35	11	12	0.3	3	0.74	93.5	65.1837	45.2572
2025	3	7	1	45	11	12	0.3	3	0.73	94.9	65.1837	44.4563
2025	3	7	1	55	11	12	0.3	3	0.74	94.3	65.1837	45.2573
2025	3	7	2	5	11	12	0.3	3	0.79	96.7	65.1837	47.6604
2025	3	7	2	15	11	12	0.3	3	0.75	94.3	65.1837	45.4576
2025	3	7	2	25	11	12	0.3	3	0.8	97.7	65.1837	48.6617
2025	3	7	2	35	11	12	0.3	3	0.75	93	65.1837	45.6579
2025	3	7	2	45	11	12	0.3	3	0.77	96.1	65.2494	46.9087
2025	3	7	2	55	11	12	0.3	3	0.77	96.2	65.2494	46.5078
2025	3	7	3	5	11	12	0.3	3	0.77	97.1	65.2494	46.7083
2025	3	7	3	15	11	12	0.3	3	0.76	97.5	65.1837	45.8583
2025	3	7	3	25	11	12	0.3	3	0.77	96.1	65.2494	46.9089
2025	3	7	3	35	11	12	0.3	3	0.76	96	65.2494	45.9066
2025	3	7	3	45	11	12	0.3	3	0.77	92.9	65.1837	46.6594
2025	3	7	3	55	11	12	0.3	3	0.76	96.2	65.1837	46.259
2025	3	7	4	5	11	12	0.3	3	0.74	94.6	65.2494	45.3053
2025	3	7	4	15	11	12	0.3	3	0.76	92.7	65.1837	46.0588
2025	3	7	4	25	11	12	0.3	3	0.72	94.9	65.1837	44.0563
2025	3	7	4	35	11	12	0.3	3	0.76	96.4	65.2494	46.3077
2025	3	7	4	45	11	12	0.3	3	0.78	97.5	65.2494	47.5106
2025	3	7	4	55	11	12	0.3	3	0.74	95.3	65.1837	45.0577
2025	3	7	5	5	11	12	0.3	3	0.77	97.1	65.1837	46.6597
2025	3	7	5	15	11	12	0.3	3	0.77	95.4	65.1837	46.6598
2025	3	7	5	25	11	12	0.3	3	0.78	96.1	65.1837	47.0603
2025	3	7	5	35	11	12	0.3	3	0.79	93.3	65.1837	48.0617
2025	3	7	5	45	11	12	0.3	3	0.75	95.3	65.1837	45.4583
2025	3	7	5	55	11	12	0.3	3	0.76	97.2	65.1181	46.2108
2025	3	7	6	5	11	12	0.3	3	0.76	93.7	65.1837	46.2595
2025	3	7	6	15	11	12	0.3	3	0.76	93.9	65.1837	46.4597
2025	3	7	6	25	11	12	0.3	3	0.78	94.6	65.2494	47.3105
2025	3	7	6	35	11	12	0.3	3	0.76	95.7	65.2494	46.3081
2025	3	7	6	45	11	12	0.3	3	0.73	95.4	65.1837	44.6575
2025	3	7	6	55	11	12	0.3	3	0.76	96.2	65.1181	45.8109
2025	3	7	7	5	11	12.2	0.3	3	0.74	95.4	65.0525	44.7635
2025	3	7	7	15	11	12.4	0.3	3	0.77	94.2	65.1181	46.6111
2025	3	7	7	25	11	12.6	0.3	3	0.77	93.4	65.1181	47.0112
2025	3	7	7	35	11	12.8	0.3	3	0.78	92.2	65.0525	47.5613
2025	3	7	7	45	11	13	0.3	3	0.79	93.8	65.0525	47.7612
2025	3	7	7	55	11	13.4	0.3	3	0.73	94.4	65.0525	44.5638

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	7	8	5	11	13.4	0.3	3	0.76	94.2	65.0525	45.9626
2025	3	7	8	15	11	13.6	0.3	3	0.75	96.3	64.9869	45.1157
2025	3	7	8	25	11	13.8	0.3	3	0.75	96.1	65.0525	45.1633
2025	3	7	8	35	11	13.8	0.3	3	0.78	95.5	65.0525	47.5613
2025	3	7	8	45	11	14	0.3	3	0.75	96	65.0525	45.5629
2025	3	7	8	55	11	14.2	0.3	3	0.75	95	65.0525	45.7627
2025	3	7	9	5	11	14.2	0.3	3	0.76	96.7	64.9869	45.9142
2025	3	7	9	15	11	14.2	0.3	3	0.77	94.7	65.0525	46.562
2025	3	7	9	25	11	14.2	0.3	3	0.76	94	64.9869	45.9141
2025	3	7	9	35	11	14.2	0.3	3	0.73	93.1	64.9213	44.4697
2025	3	7	9	45	11	14.2	0.3	3	0.79	95	64.9869	47.7107
2025	3	7	9	55	11	14.2	0.3	3	0.78	95.3	64.9213	47.0621
2025	3	7	10	5	11	14.2	0.3	3	0.77	93.2	64.9213	46.4638
2025	3	7	10	15	11	14.2	0.3	3	0.77	94.4	64.8557	46.8131
2025	3	7	10	25	11	14.2	0.3	3	0.71	92.1	64.9213	42.8742
2025	3	7	10	35	11	14.2	0.3	3	0.74	94.3	64.9869	45.1153
2025	3	7	10	45	11	14.2	0.3	3	0.75	93.7	64.9869	45.7141
2025	3	7	10	55	11	14.2	0.3	3	0.76	97.2	64.8557	46.0161
2025	3	7	11	5	11	14.2	0.3	3	0.79	92.8	64.79	48.1563
2025	3	7	11	15	11	14.2	0.3	3	0.79	94.7	64.9213	48.0587
2025	3	7	11	25	11	14.2	0.3	3	0.72	91.8	64.9213	43.8709
2025	3	7	11	35	11	14.2	0.3	3	0.71	92.7	64.8557	42.8285
2025	3	7	11	45	11	14.2	0.3	3	0.73	96	64.8557	43.8245
2025	3	7	11	55	11	14.2	0.3	3	0.7	93.5	64.8557	42.43
2025	3	7	12	5	11	13.8	0.3	3	0.75	95.3	64.79	45.171
2025	3	7	12	15	11	13.8	0.3	3	0.76	97.7	64.8557	45.8164
2025	3	7	12	25	11	13.8	0.3	3	0.72	95.2	64.79	43.778
2025	3	7	12	35	11	14	0.3	3	0.72	92.6	64.8557	43.8242
2025	3	7	12	45	11	14	0.3	3	0.74	94.8	64.79	44.5739
2025	3	7	12	55	11	14	0.3	3	0.79	94.1	64.79	47.7576
2025	3	7	13	5	11	14	0.3	3	0.72	93.9	64.79	43.7778
2025	3	7	13	15	11	14	0.3	3	0.74	94.3	64.79	44.5737
2025	3	7	13	25	11	14	0.3	3	0.76	93.2	64.79	45.7675
2025	3	7	13	35	11	14.2	0.3	3	0.75	96	64.7244	45.3215
2025	3	7	13	45	11	14.2	0.3	3	0.78	95.3	64.7244	46.9117
2025	3	7	13	55	11	14.2	0.3	3	0.72	93.1	64.79	43.7775
2025	3	7	14	5	11	14.2	0.3	3	0.75	93	64.7244	45.1226
2025	3	7	14	15	11	14.2	0.3	3	0.78	96	64.6588	46.8619
2025	3	7	14	25	11	14.2	0.3	3	0.8	94.7	64.6588	48.0532
2025	3	7	14	35	11	14.2	0.3	3	0.76	93.2	64.7244	45.7188
2025	3	7	14	45	11	14.2	0.3	3	0.8	95.9	64.6588	48.2517
2025	3	7	14	55	11	14.2	0.3	3	0.76	98.4	64.6588	45.4718
2025	3	7	15	5	11	14.2	0.3	3	0.75	94	64.6588	45.2732
2025	3	7	15	15	11	14.2	0.3	3	0.76	96.4	64.6588	45.8689
2025	3	7	15	25	11	14.2	0.3	3	0.74	95.1	64.6588	44.876
2025	3	7	15	35	11	14.2	0.3	3	0.73	95.9	64.6588	43.8832
2025	3	7	15	45	11	14.2	0.3	3	0.74	96.1	64.6588	44.2803
2025	3	7	15	55	11	14.2	0.3	3	0.7	92.7	64.5932	42.2498

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	7	16	5	11	13.8	0.3	3	0.73	95.7	64.6588	44.0818
2025	3	7	16	15	11	13.8	0.3	3	0.74	96.6	64.5932	44.6301
2025	3	7	16	25	11	13.8	0.3	3	0.81	97.9	64.5932	48.7956
2025	3	7	16	35	11	13.8	0.3	3	0.79	96.7	64.5932	47.6055
2025	3	7	16	45	11	13.8	0.3	3	0.74	92.8	64.5932	44.8285
2025	3	7	16	55	11	13.8	0.3	3	0.77	97.6	64.5276	46.168
2025	3	7	17	5	11	12.8	0.3	3	0.77	93.2	64.5932	46.6138
2025	3	7	17	15	11	12.4	0.3	3	0.75	96.8	64.5276	44.781
2025	3	7	17	25	11	12.2	0.3	3	0.75	95.2	64.5932	45.4237
2025	3	7	17	35	11	12.2	0.3	3	0.74	94.3	64.5276	44.5829
2025	3	7	17	45	11	12	0.3	3	0.76	96.4	64.5276	45.5737
2025	3	7	17	55	11	12	0.3	3	0.77	94.2	64.5276	46.1682
2025	3	7	18	5	11	12.2	0.3	3	0.74	95.6	64.4619	44.3377
2025	3	7	18	15	11	12.2	0.3	3	0.75	94.2	64.3963	45.2793
2025	3	7	18	25	11	12.2	0.3	3	0.75	92.3	64.4619	45.1295
2025	3	7	18	35	11	12.2	0.3	3	0.76	94.7	64.3963	45.6748
2025	3	7	18	45	11	12.2	0.3	3	0.73	96.7	64.3963	43.8953
2025	3	7	18	55	11	11.6	0.3	3	0.76	96.7	64.3963	45.2794
2025	3	7	19	5	11	12.2	0.3	3	0.74	95.1	64.3307	44.4412
2025	3	7	19	15	11	12.2	0.3	3	0.74	94.3	64.3307	44.2437
2025	3	7	19	25	11	12.2	0.3	3	0.75	92.3	64.3307	45.0338
2025	3	7	19	35	11	12.2	0.3	3	0.77	95.9	64.3307	45.8239
2025	3	7	19	45	11	12.2	0.3	3	0.73	95.4	64.3963	43.6978
2025	3	7	19	55	11	12.2	0.3	3	0.72	91.3	64.3963	43.3023
2025	3	7	20	5	11	12	0.3	3	0.76	94.5	64.3963	45.6751
2025	3	7	20	15	11	12	0.3	3	0.73	96.4	64.3963	43.8956
2025	3	7	20	25	11	12	0.3	3	0.78	97.3	64.3307	46.4167
2025	3	7	20	35	11	12	0.3	3	0.77	94.9	64.3307	46.4167
2025	3	7	20	45	11	12	0.3	3	0.74	97.2	64.3307	44.0465
2025	3	7	20	55	11	12	0.3	3	0.73	95.4	64.3307	43.8491
2025	3	7	21	5	11	12	0.3	3	0.72	96.3	64.3307	43.2566
2025	3	7	21	15	11	12	0.3	3	0.74	93.8	64.3307	44.4417
2025	3	7	21	25	11	12	0.3	3	0.73	95.5	64.3307	43.4542
2025	3	7	21	35	11	12	0.3	3	0.77	96.1	64.3307	46.022
2025	3	7	21	45	11	12	0.3	3	0.71	94	64.3307	42.4667
2025	3	7	21	55	11	12	0.3	3	0.75	93.5	64.2651	44.7892
2025	3	7	22	5	11	12	0.3	3	0.73	95.1	64.2651	44
2025	3	7	22	15	11	12	0.3	3	0.73	94.6	64.3307	44.047
2025	3	7	22	25	11	12	0.3	3	0.73	96.9	64.2651	43.8028
2025	3	7	22	35	11	12	0.3	3	0.71	94.5	64.2651	42.619
2025	3	7	22	45	11	12	0.3	3	0.79	95.5	64.2651	47.3545
2025	3	7	22	55	11	12	0.3	3	0.77	92.2	64.2651	45.9734
2025	3	7	23	5	11	12	0.3	3	0.73	93.3	64.3307	44.0472
2025	3	7	23	15	11	12	0.3	3	0.71	95	64.2651	42.8165
2025	3	7	23	25	11	12	0.3	3	0.76	96.2	64.2651	45.3816
2025	3	7	23	35	11	12	0.3	3	0.74	96.8	64.3307	44.4424
2025	3	7	23	45	11	12	0.3	3	0.72	94.9	64.3307	43.4548
2025	3	7	23	55	11	12	0.3	3	0.76	95.2	64.2651	45.3817

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	8	0	5	11	12	0.3	3	0.74	95.6	64.2651	44.3952
2025	3	8	0	15	11	12	0.3	3	0.75	95.5	64.1995	44.9392
2025	3	8	0	25	11	12	0.3	3	0.75	92	64.2651	44.9872
2025	3	8	0	35	11	12	0.3	3	0.78	95.3	64.3307	46.6154
2025	3	8	0	45	11	12	0.3	3	0.76	96	64.2651	45.3819
2025	3	8	0	55	11	12	0.3	3	0.78	96.5	64.1995	46.7133
2025	3	8	1	5	11	12	0.3	3	0.77	95.6	64.1995	45.9249
2025	3	8	1	15	11	12	0.3	3	0.74	93.8	64.2651	44.3955
2025	3	8	1	25	11	12	0.3	3	0.74	94	64.1995	44.5453
2025	3	8	1	35	11	12	0.3	3	0.77	93.7	64.2651	46.3687
2025	3	8	1	45	11	12	0.3	3	0.73	95.4	64.1995	43.9541
2025	3	8	1	55	11	12	0.3	3	0.69	93.5	64.1995	41.5889
2025	3	8	2	5	11	12	0.3	3	0.74	95.4	64.1995	44.1512
2025	3	8	2	15	11	12	0.3	3	0.69	96.8	64.1995	41.1947
2025	3	8	2	25	11	12	0.3	3	0.78	98	64.2651	46.3689
2025	3	8	2	35	11	12	0.3	3	0.73	95.1	64.1995	43.9543
2025	3	8	2	45	11	12	0.3	3	0.73	95.4	64.2651	43.8039
2025	3	8	2	55	11	12	0.3	3	0.73	95.7	64.1995	43.5601
2025	3	8	3	5	11	12	0.3	3	0.74	98.2	64.1995	43.9544
2025	3	8	3	15	11	12	0.3	3	0.74	98.5	64.1995	43.7573
2025	3	8	3	25	11	12	0.3	3	0.72	95.2	64.1995	43.3631
2025	3	8	3	35	11	12	0.3	3	0.72	92.9	64.1995	43.1661
2025	3	8	3	45	11	12	0.3	3	0.74	95.6	64.1339	44.1045
2025	3	8	3	55	11	12	0.3	3	0.75	95.3	64.1995	44.9401
2025	3	8	4	5	11	12	0.3	3	0.72	96.8	64.1995	42.7719
2025	3	8	4	15	11	12	0.3	3	0.74	97.2	64.2651	44.0015
2025	3	8	4	25	11	12	0.3	3	0.75	96.3	64.2651	44.7908
2025	3	8	4	35	11	12	0.3	3	0.72	95.7	64.2651	43.2123
2025	3	8	4	45	11	12	0.3	3	0.7	96.2	64.2651	42.0284
2025	3	8	4	55	11	12	0.3	3	0.78	97.3	64.2651	46.3694
2025	3	8	5	5	11	12	0.3	3	0.75	96.8	64.2651	44.7909
2025	3	8	5	15	11	12	0.3	3	0.72	97.3	64.2651	43.0151
2025	3	8	5	25	11	12	0.3	3	0.73	97.2	64.2651	43.6071
2025	3	8	5	35	11	12	0.3	3	0.78	94.8	64.2651	46.7642
2025	3	8	5	45	11	12	0.3	3	0.73	95.9	64.2651	43.6071
2025	3	8	5	55	11	11.8	0.3	3	0.73	98	64.2651	43.6071
2025	3	8	6	5	11	11.8	0.3	3	0.73	96.2	64.2651	43.6071
2025	3	8	6	15	11	11.8	0.3	3	0.75	98.8	64.2651	44.3964
2025	3	8	6	25	11	11.8	0.3	3	0.75	97.1	64.2651	44.5938
2025	3	8	6	35	11	11.8	0.3	3	0.73	96.2	64.2651	43.8045
2025	3	8	6	45	11	11.8	0.3	3	0.77	95.6	64.2651	45.975
2025	3	8	6	55	11	12	0.3	3	0.76	96	64.2651	45.1858
2025	3	8	7	5	11	12.2	0.3	3	0.76	95.9	64.2651	45.5804
2025	3	8	7	15	11	12.4	0.3	3	0.71	94.5	64.2651	42.6207
2025	3	8	7	25	11	12.6	0.3	3	0.71	93.2	64.2651	42.818
2025	3	8	7	35	11	12.8	0.3	3	0.71	93.2	64.2651	42.818
2025	3	8	7	45	11	13	0.3	3	0.74	98.4	64.3307	44.2463
2025	3	8	7	55	11	13.2	0.3	3	0.73	95.5	64.2651	43.4099

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	8	8	5	11	13.2	0.3	3	0.74	97.9	64.2651	44.1992
2025	3	8	8	15	11	13.4	0.3	3	0.73	94.1	64.2651	44.0018
2025	3	8	8	25	11	13.6	0.3	3	0.78	95.8	64.3307	46.8141
2025	3	8	8	35	11	13.8	0.3	3	0.74	96.7	64.3307	44.0487
2025	3	8	8	45	11	14	0.3	3	0.73	96	64.3307	43.4561
2025	3	8	8	55	11	14.2	0.3	3	0.73	96.2	64.3307	43.8511
2025	3	8	9	5	11	14.2	0.3	3	0.72	95.2	64.3307	43.0609
2025	3	8	9	15	11	14.2	0.3	3	0.74	95.8	64.3307	44.4436
2025	3	8	9	25	11	14.2	0.3	3	0.75	98.3	64.3307	44.8385
2025	3	8	9	35	11	14.2	0.3	3	0.72	93.9	64.3307	43.4558
2025	3	8	9	45	11	14.2	0.3	3	0.74	95.3	64.3307	44.4434
2025	3	8	9	55	11	14.2	0.3	3	0.75	94.2	64.3307	45.2334
2025	3	8	10	5	11	14.2	0.3	3	0.73	95.4	64.3963	44.0951
2025	3	8	10	15	11	14.2	0.3	3	0.73	95.9	64.3963	43.8973
2025	3	8	10	25	11	14.2	0.3	3	0.72	95.5	64.3963	43.304
2025	3	8	10	35	11	14.2	0.3	3	0.74	95.8	64.3963	44.4903
2025	3	8	10	45	11	14.2	0.3	3	0.72	100	64.3307	42.6652
2025	3	8	10	55	11	14.2	0.3	3	0.73	95.4	64.3963	43.8969
2025	3	8	11	5	11	14.2	0.3	3	0.7	97.5	64.3963	41.9195
2025	3	8	11	15	11	14.2	0.3	3	0.75	94.5	64.3963	44.8854
2025	3	8	11	25	11	14.2	0.3	3	0.71	97.4	64.3963	42.7103
2025	3	8	11	35	11	14	0.3	3	0.72	98.9	64.3963	42.7102
2025	3	8	11	45	11	14	0.3	3	0.73	96.2	64.3307	43.4547
2025	3	8	11	55	11	14	0.3	3	0.73	95.4	64.2651	43.6056
2025	3	8	12	5	11	14	0.3	3	0.72	97.3	64.2651	43.0136
2025	3	8	12	15	11	14.2	0.3	3	0.71	93.5	64.3307	42.4668
2025	3	8	12	25	11	14	0.3	3	0.75	93.3	64.2651	44.9865
2025	3	8	12	35	11	14	0.3	3	0.74	94.6	64.2651	44.5918
2025	3	8	12	45	11	14	0.3	3	0.73	97.7	64.2651	43.8025
2025	3	8	12	55	11	14	0.3	3	0.78	97.3	64.2651	46.3674
2025	3	8	13	5	11	14	0.3	3	0.73	97.2	64.3307	43.8491
2025	3	8	13	15	11	14	0.3	3	0.73	98	64.3307	43.4539
2025	3	8	13	25	11	14	0.3	3	0.78	97	64.3307	46.8117
2025	3	8	13	35	11	14	0.3	3	0.75	94.3	64.3307	44.8364
2025	3	8	13	45	11	14	0.3	3	0.72	95.8	64.3307	42.8612
2025	3	8	13	55	11	14	0.3	3	0.71	94.5	64.3307	42.8611
2025	3	8	14	5	11	13.8	0.3	3	0.76	95.4	64.3307	45.8238
2025	3	8	14	15	11	13.8	0.3	3	0.74	96.6	64.3307	44.4411
2025	3	8	14	25	11	13.8	0.3	3	0.74	94.8	64.3307	44.6386
2025	3	8	14	35	11	13.8	0.3	3	0.76	94.7	64.3963	45.6747
2025	3	8	14	45	11	14	0.3	3	0.74	95.9	64.3307	44.2434
2025	3	8	14	55	11	14	0.3	3	0.76	92.7	64.3307	45.626
2025	3	8	15	5	11	14	0.3	3	0.76	95.2	64.3307	45.626
2025	3	8	15	15	11	14	0.3	3	0.73	98.1	64.3307	43.2557
2025	3	8	15	25	11	14	0.3	3	0.75	98.8	64.3307	44.8358
2025	3	8	15	35	11	14	0.3	3	0.73	96.7	64.3307	43.8482
2025	3	8	15	45	11	14	0.3	3	0.74	98.9	64.3307	44.0457
2025	3	8	15	55	11	13.8	0.3	3	0.72	97.1	64.3963	42.9063

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	8	16	5	11	13.6	0.3	3	0.75	96.5	64.3307	44.8358
2025	3	8	16	15	11	13.6	0.3	3	0.76	96.5	64.3307	45.2308
2025	3	8	16	25	11	13.6	0.3	3	0.72	97.6	64.3307	43.0581
2025	3	8	16	35	11	13.6	0.3	3	0.73	92.3	64.3307	43.8482
2025	3	8	16	45	11	13.4	0.3	3	0.76	94	64.3307	45.4283
2025	3	8	16	55	11	13.4	0.3	3	0.75	95.8	64.3307	44.8357
2025	3	8	17	5	11	12.6	0.3	3	0.76	97.2	64.3307	45.6258
2025	3	8	17	15	11	12.4	0.3	3	0.76	94.7	64.3307	45.6258
2025	3	8	17	25	11	12.2	0.3	3	0.74	97.7	64.3307	44.0457
2025	3	8	17	35	11	11.8	0.3	3	0.73	95.9	64.3307	43.6507
2025	3	8	17	45	11	11.6	0.3	3	0.77	95.1	64.3307	46.2184
2025	3	8	17	55	11	11.6	0.3	3	0.72	95.8	64.3307	42.8606
2025	3	8	18	5	11	12.2	0.3	3	0.74	93.8	64.3307	44.6383
2025	3	8	18	15	11	12.2	0.3	3	0.75	96.3	64.3307	44.8358
2025	3	8	18	25	11	12.2	0.3	3	0.74	95.6	64.3307	44.2433
2025	3	8	18	35	11	12.2	0.3	3	0.73	94.6	64.3307	44.0458
2025	3	8	18	45	11	12.2	0.3	3	0.77	93.7	64.3307	46.2185
2025	3	8	18	55	11	12.2	0.3	3	0.74	94.3	64.3307	44.4409
2025	3	8	19	5	11	12.2	0.3	3	0.7	94.6	64.3307	41.8732
2025	3	8	19	15	11	12.2	0.3	3	0.74	96.1	64.3307	44.0459
2025	3	8	19	25	11	12.2	0.3	3	0.73	96.5	64.3307	43.4534
2025	3	8	19	35	11	12.2	0.3	3	0.73	96.2	64.3307	43.6509
2025	3	8	19	45	11	12.2	0.3	3	0.72	93.4	64.2651	43.4071
2025	3	8	19	55	11	12	0.3	3	0.71	94	64.2651	42.8153
2025	3	8	20	5	11	12	0.3	3	0.74	96.6	64.2651	44.1964
2025	3	8	20	15	11	12	0.3	3	0.75	96	64.2651	44.9857
2025	3	8	20	25	11	12	0.3	3	0.71	94.7	64.2651	42.8154
2025	3	8	20	35	11	12	0.3	3	0.72	96.8	64.2651	42.8154
2025	3	8	20	45	11	12	0.3	3	0.72	95	64.2651	43.21
2025	3	8	20	55	11	12	0.3	3	0.74	97.6	64.2651	44.3939
2025	3	8	21	5	11	12	0.3	3	0.72	91	64.2651	43.4074
2025	3	8	21	15	11	12	0.3	3	0.74	95.6	64.2651	44.394
2025	3	8	21	25	11	12	0.3	3	0.71	95.6	64.2651	42.2236
2025	3	8	21	35	11	12	0.3	3	0.72	95.2	64.2651	43.2102
2025	3	8	21	45	11	12	0.3	3	0.73	95.7	64.2651	43.8022
2025	3	8	21	55	11	12	0.3	3	0.72	97.5	64.2651	43.2103
2025	3	8	22	5	11	12	0.3	3	0.72	95.5	64.2651	43.2103
2025	3	8	22	15	11	12	0.3	3	0.72	92.4	64.2651	43.2104
2025	3	8	22	25	11	12	0.3	3	0.73	95.9	64.2651	43.8023
2025	3	8	22	35	11	12	0.3	3	0.72	94.5	64.2651	43.0131
2025	3	8	22	45	11	12	0.3	3	0.73	96.2	64.2651	43.6051
2025	3	8	22	55	11	12	0.3	3	0.71	94.7	64.2651	42.8159
2025	3	8	23	5	11	12	0.3	3	0.76	95.2	64.1995	45.3325
2025	3	8	23	15	11	12	0.3	3	0.79	95	64.1995	47.1064
2025	3	8	23	25	11	12	0.3	3	0.73	94.6	64.1995	43.9529
2025	3	8	23	35	11	12	0.3	3	0.75	93	64.1995	44.9384
2025	3	8	23	45	11	12	0.3	3	0.7	96.7	64.1995	41.7849
2025	3	8	23	55	11	12	0.3	3	0.7	93.2	64.1995	41.982

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	9	0	5	11	12	0.3	3	0.72	95.2	64.1995	42.9676
2025	3	9	0	15	11	12	0.3	3	0.75	97.5	64.1995	44.9386
2025	3	9	0	25	11	12	0.3	3	0.72	94.4	64.1995	43.3618
2025	3	9	0	35	11	12	0.3	3	0.73	94.4	64.1995	43.7561
2025	3	9	0	45	11	12	0.3	3	0.72	93.6	64.1995	43.3619
2025	3	9	0	55	11	12	0.3	3	0.72	94.5	64.1995	42.9678
2025	3	9	1	5	11	12	0.3	3	0.69	92.7	64.1995	41.391
2025	3	9	1	15	11	12	0.3	3	0.69	93.5	64.1995	41.391
2025	3	9	1	25	11	12	0.3	3	0.77	95.1	64.1995	46.3186
2025	3	9	1	35	11	12	0.3	3	0.72	96	64.1995	42.9679
2025	3	9	1	45	11	11.8	0.3	3	0.74	96.1	64.1995	43.9535
2025	3	9	1	55	11	11.8	0.3	3	0.7	94.5	64.1995	42.1796
2025	3	9	2	5	11	11.8	0.3	3	0.76	97.7	64.1995	45.1362
2025	3	9	2	15	11	11.8	0.3	3	0.72	94.9	64.2651	43.4086
2025	3	9	2	25	11	11.8	0.3	3	0.74	96.4	64.2651	44.1979
2025	3	9	2	35	11	11.8	0.3	3	0.74	96.6	64.2651	44.1979
2025	3	9	2	45	11	11.8	0.3	3	0.72	96.5	64.2651	43.2114
2025	3	9	2	55	11	11.8	0.3	3	0.74	97.7	64.2651	44.0007
2025	3	9	3	5	11	11.8	0.3	3	0.75	93	64.2651	45.1846
2025	3	9	3	15	11	11.8	0.3	3	0.74	94.3	64.3307	44.6402
2025	3	9	3	25	11	11.8	0.3	3	0.73	96.4	64.3963	43.8969
2025	3	9	3	35	11	11.8	0.3	3	0.73	96.5	64.3963	43.6992
2025	3	9	3	45	11	11.8	0.3	3	0.69	98.4	64.3963	41.3264
2025	3	9	3	55	11	11.8	0.3	3	0.74	95.6	64.3963	44.0947
2025	3	9	4	5	11	11.8	0.3	3	0.74	95.1	64.3963	44.4902
2025	3	9	4	15	11	11.8	0.3	3	0.72	97.3	64.3963	43.3039
2025	3	9	4	25	11	11.8	0.3	3	0.73	98.1	64.3307	43.2578
2025	3	9	4	35	11	11.8	0.3	3	0.73	97.5	64.3307	43.4554
2025	3	9	4	45	11	11.8	0.3	3	0.76	95.2	64.3963	45.8745
2025	3	9	4	55	11	11.8	0.3	3	0.71	94	64.3963	42.5131
2025	3	9	5	5	11	11.8	0.3	3	0.7	96.4	64.3963	42.1176
2025	3	9	5	15	11	11.8	0.3	3	0.72	95.5	64.3963	43.1063
2025	3	9	5	25	11	11.8	0.3	3	0.73	95.4	64.3963	44.095
2025	3	9	5	35	11	11.8	0.3	3	0.71	97.7	64.3963	42.3154
2025	3	9	5	45	11	11.8	0.3	3	0.74	94.3	64.3963	44.6883
2025	3	9	5	55	11	11.8	0.3	3	0.72	97.4	64.3963	42.9087
2025	3	9	6	5	11	11.8	0.3	3	0.7	98.1	64.3963	41.5246
2025	3	9	6	15	11	11.8	0.3	3	0.73	95.4	64.3963	44.0952
2025	3	9	6	25	11	11.8	0.3	3	0.71	95.9	64.3963	42.3156
2025	3	9	6	35	11	11.8	0.3	3	0.72	97.5	64.3963	43.3043
2025	3	9	6	45	11	11.8	0.3	3	0.74	95.1	64.3963	44.6884
2025	3	9	6	55	11	11.8	0.3	3	0.74	94.3	64.3963	44.6885
2025	3	9	7	5	11	12.2	0.3	3	0.7	95.7	64.3963	41.9202
2025	3	9	7	15	11	12.6	0.3	3	0.72	93.4	64.3963	43.5021
2025	3	9	7	25	11	12.8	0.3	3	0.75	95	64.3963	44.8862
2025	3	9	7	35	11	13	0.3	3	0.76	95.7	64.3963	45.6772
2025	3	9	7	45	11	13.2	0.3	3	0.74	95.8	64.3963	44.4908
2025	3	9	7	55	11	13.4	0.3	3	0.71	96.4	64.3963	42.3157

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	9	8	5	11	13.8	0.3	3	0.73	97.3	64.3963	43.5021
2025	3	9	8	15	11	13.8	0.3	3	0.71	95.3	64.3963	42.3156
2025	3	9	8	25	11	13.8	0.3	3	0.72	97.1	64.3963	43.1066
2025	3	9	8	35	11	13.8	0.3	3	0.68	94.1	64.3963	40.9314
2025	3	9	8	45	11	13.8	0.3	3	0.74	98.2	64.3963	44.0952
2025	3	9	8	55	11	13.8	0.3	3	0.7	97.6	64.3963	41.5246
2025	3	9	9	5	11	14.2	0.3	3	0.71	96.1	64.3963	42.5132
2025	3	9	9	15	11	14.2	0.3	3	0.77	96.2	64.4619	45.9235
2025	3	9	9	25	11	14.2	0.3	3	0.71	97.5	64.4619	42.3604
2025	3	9	9	35	11	14.2	0.3	3	0.76	96	64.4619	45.5274
2025	3	9	9	45	11	14.2	0.3	3	0.76	94.4	64.4619	45.9233
2025	3	9	9	55	11	14.2	0.3	3	0.71	94.7	64.4619	42.954
2025	3	9	10	5	11	14.2	0.3	3	0.76	96.2	64.4619	45.3293
2025	3	9	10	15	11	14.2	0.3	3	0.76	95.2	64.4619	45.923
2025	3	9	10	25	11	14.2	0.3	3	0.76	98	64.4619	45.1312
2025	3	9	10	35	11	14.2	0.3	3	0.72	96.6	64.3963	42.908
2025	3	9	10	45	11	14.2	0.3	3	0.75	96.3	64.3963	45.083
2025	3	9	10	55	11	14.2	0.3	3	0.73	93.9	64.3963	43.6988
2025	3	9	11	5	11	14.2	0.3	3	0.76	96.2	64.3963	45.676
2025	3	9	11	15	11	14.2	0.3	3	0.7	97.8	64.3963	41.919
2025	3	9	11	25	11	14.2	0.3	3	0.71	96.7	64.3963	42.3144
2025	3	9	11	35	11	14.2	0.3	3	0.71	96.7	64.3963	42.3143
2025	3	9	11	45	11	14.2	0.3	3	0.74	96.7	64.3963	44.0938
2025	3	9	11	55	11	14.2	0.3	3	0.77	95.2	64.3963	46.071
2025	3	9	12	5	11	14.2	0.3	3	0.75	97.3	64.3963	44.6868
2025	3	9	12	15	11	14.2	0.3	3	0.73	96	64.4619	43.5466
2025	3	9	12	25	11	14.2	0.3	3	0.73	96.4	64.3963	43.8957
2025	3	9	12	35	11	14.2	0.3	3	0.75	94	64.3963	44.8842
2025	3	9	12	45	11	14.2	0.3	3	0.74	94	64.4619	44.734
2025	3	9	12	55	11	14.2	0.3	3	0.76	93.2	64.4619	45.7236
2025	3	9	13	5	11	14.2	0.3	3	0.74	95.4	64.4619	44.3379
2025	3	9	13	15	11	14.2	0.3	3	0.74	95.6	64.5276	44.5831
2025	3	9	13	25	11	14	0.3	3	0.73	96.7	64.4619	43.546
2025	3	9	13	35	11	14	0.3	3	0.74	94.3	64.4619	44.5356
2025	3	9	13	45	11	14	0.3	3	0.73	92.6	64.4619	43.9418
2025	3	9	13	55	11	14	0.3	3	0.74	93.8	64.4619	44.3376
2025	3	9	14	5	11	13.8	0.3	3	0.72	97.6	64.5932	43.2416
2025	3	9	14	15	11	13.8	0.3	3	0.76	95.7	64.3963	45.4766
2025	3	9	14	25	11	13.8	0.3	3	0.73	96.9	64.4619	43.9415
2025	3	9	14	35	11	13.8	0.3	3	0.74	94.6	64.4619	44.3373
2025	3	9	14	45	11	14	0.3	3	0.75	93.8	64.4619	44.931
2025	3	9	14	55	11	14.2	0.3	3	0.76	94.9	64.4619	45.7227
2025	3	9	15	5	11	13.4	0.3	3	0.74	95.6	64.5276	44.1861
2025	3	9	15	15	11	13.4	0.3	3	0.76	93.9	64.5276	45.9694
2025	3	9	15	25	11	13.4	0.3	3	0.76	96.2	64.5276	45.7712
2025	3	9	15	35	11	13.4	0.3	3	0.76	96.4	64.5276	45.573
2025	3	9	15	45	11	13.4	0.3	3	0.72	96.3	64.5276	43.3934
2025	3	9	15	55	11	13.4	0.3	3	0.76	97	64.5276	45.3749

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	9	16	5	11	13.4	0.3	3	0.75	93.7	64.5276	45.3748
2025	3	9	16	15	11	13.4	0.3	3	0.78	95.1	64.5276	46.7618
2025	3	9	16	25	11	13.4	0.3	3	0.75	97	64.5276	45.1767
2025	3	9	16	35	11	13.4	0.3	3	0.75	94.5	64.5276	45.3748
2025	3	9	16	45	11	13.4	0.3	3	0.73	92.8	64.5276	43.9878
2025	3	9	16	55	11	13.4	0.3	3	0.77	97.3	64.5276	46.3655
2025	3	9	17	5	11	12.8	0.3	3	0.77	97.6	64.5276	45.9692
2025	3	9	17	15	11	12.4	0.3	3	0.73	96.7	64.5276	43.9878
2025	3	9	17	25	11	12.2	0.3	3	0.72	94.7	64.5276	43.5915
2025	3	9	17	35	11	12.2	0.3	3	0.8	96.2	64.5276	47.7525
2025	3	9	17	45	11	12.2	0.3	3	0.74	93.3	64.5276	44.7804
2025	3	9	17	55	11	12.2	0.3	3	0.73	94.4	64.5276	43.7897
2025	3	9	18	5	11	12.2	0.3	3	0.74	96.6	64.5276	44.5822
2025	3	9	18	15	11	12.2	0.3	3	0.76	93.2	64.5276	45.7711
2025	3	9	18	25	11	12.2	0.3	3	0.76	94	64.5276	45.573
2025	3	9	18	35	11	12.2	0.3	3	0.75	93.3	64.5276	44.9786
2025	3	9	18	45	11	12.2	0.3	3	0.77	95.3	64.5276	46.5637
2025	3	9	18	55	11	12.2	0.3	3	0.74	91	64.5276	44.3842
2025	3	9	19	5	11	12.2	0.3	3	0.75	97.5	64.5276	44.9786
2025	3	9	19	15	11	12.2	0.3	3	0.7	92.4	64.5276	42.4027
2025	3	9	19	25	11	12.2	0.3	3	0.75	93.3	64.5276	45.1768
2025	3	9	19	35	11	12.2	0.3	3	0.72	96.5	64.5276	43.1954
2025	3	9	19	45	11	12.2	0.3	3	0.75	94.3	64.5276	45.1768
2025	3	9	19	55	11	12.2	0.3	3	0.72	96	64.5276	43.3935
2025	3	9	20	5	11	12.2	0.3	3	0.76	96.2	64.4619	45.3268
2025	3	9	20	15	11	12.2	0.3	3	0.75	97.6	64.5276	44.7806
2025	3	9	20	25	11	12	0.3	3	0.75	95.2	64.5276	45.375
2025	3	9	20	35	11	12	0.3	3	0.72	94.2	64.5276	43.1955
2025	3	9	20	45	11	12	0.3	3	0.75	96.3	64.5276	44.7807
2025	3	9	20	55	11	12	0.3	3	0.73	95.7	64.5276	43.9881
2025	3	9	21	5	11	12	0.3	3	0.74	91	64.5276	44.9789
2025	3	9	21	15	11	12	0.3	3	0.75	95.5	64.5276	45.1771
2025	3	9	21	25	11	12	0.3	3	0.73	96.4	64.5276	43.9882
2025	3	9	21	35	11	12	0.3	3	0.76	93.5	64.5276	45.7716
2025	3	9	21	45	11	12	0.3	3	0.72	94.7	64.5276	43.592
2025	3	9	21	55	11	12	0.3	3	0.75	94.2	64.5276	45.3754
2025	3	9	22	5	11	12	0.3	3	0.73	95.4	64.5276	43.7902
2025	3	9	22	15	11	12	0.3	3	0.73	94.1	64.5276	43.7903
2025	3	9	22	25	11	12	0.3	3	0.77	93.9	64.5276	46.3662
2025	3	9	22	35	11	12	0.3	3	0.75	95.8	64.5276	44.9792
2025	3	9	22	45	11	12	0.3	3	0.74	95.9	64.5276	44.3848
2025	3	9	22	55	11	12	0.3	3	0.74	95.3	64.5276	44.7812
2025	3	9	23	5	11	12	0.3	3	0.78	95.5	64.5276	47.159
2025	3	9	23	15	11	12	0.3	3	0.76	95.2	64.5276	45.9701
2025	3	9	23	25	11	12	0.3	3	0.72	96.8	64.4619	43.1502
2025	3	9	23	35	11	12	0.3	3	0.75	96.8	64.5276	45.1776
2025	3	9	23	45	11	12	0.3	3	0.74	93.5	64.5276	44.7814
2025	3	9	23	55	11	12	0.3	3	0.78	93.9	64.5276	46.961

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	10	0	5	11	12	0.3	3	0.74	95.6	64.5276	44.3852
2025	3	10	0	15	11	12	0.3	3	0.76	94.2	64.5932	45.6225
2025	3	10	0	25	11	12	0.3	3	0.74	95.6	64.6588	44.8766
2025	3	10	0	35	11	12	0.3	3	0.76	92.7	64.6588	46.0681
2025	3	10	0	45	11	12	0.3	3	0.75	94.5	64.6588	45.2739
2025	3	10	0	55	11	12	0.3	3	0.76	96	64.6588	45.4725
2025	3	10	1	5	11	12	0.3	3	0.75	94.3	64.6588	45.0754
2025	3	10	1	15	11	12	0.3	3	0.73	97.2	64.6588	44.0826
2025	3	10	1	25	11	12	0.3	3	0.72	96.3	64.6588	43.2883
2025	3	10	1	35	11	12	0.3	3	0.77	95.3	64.6588	46.6641
2025	3	10	1	45	11	12	0.3	3	0.75	95	64.6588	45.2742
2025	3	10	1	55	11	12	0.3	3	0.71	96.6	64.6588	42.8913
2025	3	10	2	5	11	12	0.3	3	0.76	93.7	64.6588	45.6714
2025	3	10	2	15	11	12	0.3	3	0.73	97	64.6588	43.8843
2025	3	10	2	25	11	11.8	0.3	3	0.77	95.2	64.6588	46.2672
2025	3	10	2	35	11	11.8	0.3	3	0.75	97.3	64.6588	44.8772
2025	3	10	2	45	11	11.8	0.3	3	0.74	94.6	64.6588	44.6787
2025	3	10	2	55	11	11.8	0.3	3	0.75	93.8	64.6588	45.2744
2025	3	10	3	5	11	11.8	0.3	3	0.76	94.9	64.6588	45.8702
2025	3	10	3	15	11	11.8	0.3	3	0.74	96.1	64.6588	44.4802
2025	3	10	3	25	11	11.8	0.3	3	0.74	95.3	64.6588	44.8774
2025	3	10	3	35	11	11.8	0.3	3	0.74	95.6	64.6588	44.6789
2025	3	10	3	45	11	11.8	0.3	3	0.78	92.9	64.6588	46.8632
2025	3	10	3	55	11	11.8	0.3	3	0.74	97.2	64.6588	44.2818
2025	3	10	4	5	11	11.8	0.3	3	0.73	96.2	64.6588	43.6861
2025	3	10	4	15	11	11.8	0.3	3	0.72	97.3	64.6588	43.4876
2025	3	10	4	25	11	11.8	0.3	3	0.74	95.3	64.6588	44.8776
2025	3	10	4	35	11	11.8	0.3	3	0.76	96.7	64.6588	45.8705
2025	3	10	4	45	11	11.8	0.3	3	0.72	96.3	64.6588	43.0905
2025	3	10	4	55	11	11.8	0.3	3	0.76	97.2	64.6588	45.8706
2025	3	10	5	5	11	11.8	0.3	3	0.72	97.6	64.6588	43.0906
2025	3	10	5	15	11	11.8	0.3	3	0.75	94.5	64.6588	45.4735
2025	3	10	5	25	11	11.8	0.3	3	0.73	97	64.6588	43.6864
2025	3	10	5	35	11	11.8	0.3	3	0.74	95.3	64.6588	44.8778
2025	3	10	5	45	11	11.8	0.3	3	0.76	98.7	64.6588	45.6722
2025	3	10	5	55	11	11.8	0.3	3	0.75	96.3	64.6588	44.8779
2025	3	10	6	5	11	11.8	0.3	3	0.72	96.5	64.6588	43.2893
2025	3	10	6	15	11	11.8	0.3	3	0.76	97.2	64.6588	45.4737
2025	3	10	6	25	11	11.8	0.3	3	0.74	94.3	64.6588	44.6794
2025	3	10	6	35	11	11.8	0.3	3	0.76	95.2	64.6588	46.0694
2025	3	10	6	45	11	11.8	0.3	3	0.73	94.7	64.6588	43.8851
2025	3	10	6	55	11	12	0.3	3	0.77	96.4	64.6588	46.0695
2025	3	10	7	5	11	12.4	0.3	3	0.74	95.6	64.6588	44.6795
2025	3	10	7	15	11	12.6	0.3	3	0.79	95.7	64.6588	47.6581
2025	3	10	7	25	11	13	0.3	3	0.72	94.5	64.6588	43.2895
2025	3	10	7	35	11	13.2	0.3	3	0.76	94.2	64.6588	45.871
2025	3	10	7	45	11	13.4	0.3	3	0.73	97	64.6588	43.8852
2025	3	10	7	55	11	13.2	0.3	3	0.7	95.9	64.6588	42.098

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	10	8	5	11	13.2	0.3	3	0.74	95.1	64.6588	44.8781
2025	3	10	8	15	11	13.6	0.3	3	0.76	95.9	64.6588	45.8709
2025	3	10	8	25	11	13.6	0.3	3	0.73	99.6	64.6588	43.2894
2025	3	10	8	35	11	13.6	0.3	3	0.73	93.6	64.7244	44.3292
2025	3	10	8	45	11	13.6	0.3	3	0.73	97.2	64.7244	44.1304
2025	3	10	8	55	11	13.6	0.3	3	0.75	95	64.7244	45.1243
2025	3	10	9	5	11	13.6	0.3	3	0.71	96.6	64.7244	42.7388
2025	3	10	9	15	11	13.6	0.3	3	0.74	95.3	64.7244	44.7266
2025	3	10	9	25	11	14.2	0.3	3	0.75	95	64.7244	45.3229
2025	3	10	9	35	11	14.2	0.3	3	0.71	93.4	64.7244	42.9374
2025	3	10	9	45	11	14.2	0.3	3	0.73	94.1	64.7244	44.3289
2025	3	10	9	55	11	14.2	0.3	3	0.72	97.3	64.7244	43.5337
2025	3	10	10	5	11	14.2	0.3	3	0.73	95.5	64.79	43.7787
2025	3	10	10	15	11	14.2	0.3	3	0.71	94.5	64.79	42.7836
2025	3	10	10	25	11	14.2	0.3	3	0.74	95.6	64.79	44.7735
2025	3	10	10	35	11	14.2	0.3	3	0.78	93.1	64.7244	47.1115
2025	3	10	10	45	11	14.2	0.3	3	0.76	98.7	64.79	45.3704
2025	3	10	10	55	11	14.2	0.3	3	0.74	97.4	64.79	44.5743
2025	3	10	11	5	11	14.2	0.3	3	0.77	95.9	64.79	46.5641
2025	3	10	11	15	11	14	0.3	3	0.75	96.3	64.79	44.9721
2025	3	10	11	25	11	14	0.3	3	0.74	94.6	64.79	44.7731
2025	3	10	11	35	11	14	0.3	3	0.72	94.4	64.79	43.579
2025	3	10	11	45	11	14	0.3	3	0.75	94.5	64.8557	45.2187
2025	3	10	11	55	11	14	0.3	3	0.74	91.5	64.8557	44.621
2025	3	10	12	5	11	13.8	0.3	3	0.73	96.5	64.79	43.7778
2025	3	10	12	15	11	14	0.3	3	0.75	97.6	64.79	44.9717
2025	3	10	12	25	11	14	0.3	3	0.74	94.6	64.79	44.7726
2025	3	10	12	35	11	14	0.3	3	0.76	96.4	64.8557	46.015
2025	3	10	12	45	11	14	0.3	3	0.75	96.5	64.9213	45.2659
2025	3	10	12	55	11	14	0.3	3	0.79	93.6	64.9213	47.8582
2025	3	10	13	5	11	13.8	0.3	3	0.71	92.4	64.9213	43.2717
2025	3	10	13	15	11	14	0.3	3	0.79	93.8	64.9213	48.0574
2025	3	10	13	25	11	14	0.3	3	0.74	94.6	64.8557	44.6203
2025	3	10	13	35	11	13.8	0.3	3	0.75	95.8	64.79	44.9711
2025	3	10	13	45	11	13.8	0.3	3	0.77	94.7	64.8557	46.4129
2025	3	10	13	55	11	13.8	0.3	3	0.74	94.3	64.8557	44.6201
2025	3	10	14	5	11	13.8	0.3	3	0.75	94.3	64.8557	45.2176
2025	3	10	14	15	11	13.8	0.3	3	0.75	95.5	64.8557	45.2176
2025	3	10	14	25	11	13.8	0.3	3	0.74	94.8	64.8557	44.8191
2025	3	10	14	35	11	13.6	0.3	3	0.76	97	64.79	45.5677
2025	3	10	14	45	11	13.6	0.3	3	0.76	95.2	64.79	46.1646
2025	3	10	14	55	11	13.8	0.3	3	0.74	94.3	64.79	44.9706
2025	3	10	15	5	11	13.4	0.3	3	0.75	95.8	64.79	45.3686
2025	3	10	15	15	11	13.6	0.3	3	0.74	95.1	64.79	44.5726
2025	3	10	15	25	11	13.6	0.3	3	0.75	94.2	64.79	45.5675
2025	3	10	15	35	11	13.6	0.3	3	0.74	94.1	64.79	44.5725
2025	3	10	15	45	11	13.6	0.3	3	0.74	96.9	64.79	44.5725
2025	3	10	15	55	11	13.6	0.3	3	0.74	95.6	64.79	44.9705

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	10	16	5	11	13.6	0.3	3	0.71	94.8	64.79	42.7816
2025	3	10	16	15	11	13.6	0.3	3	0.76	97.4	64.79	45.9653
2025	3	10	16	25	11	13.6	0.3	3	0.75	94.8	64.79	45.1694
2025	3	10	16	35	11	12.4	0.3	3	0.75	95	64.79	45.5674
2025	3	10	16	45	11	12.4	0.3	3	0.75	94.8	64.79	45.1694
2025	3	10	16	55	11	12.4	0.3	3	0.77	96.4	64.7244	46.1155
2025	3	10	17	5	11	12.4	0.3	3	0.74	96.1	64.6588	44.4782
2025	3	10	17	15	11	12.2	0.3	3	0.75	94.2	64.7244	45.5192
2025	3	10	17	25	11	12.2	0.3	3	0.73	94.4	64.7244	44.3265
2025	3	10	17	35	11	12.2	0.3	3	0.77	95.9	64.6588	46.0667
2025	3	10	17	45	11	12.2	0.3	3	0.74	95.1	64.6588	44.4782
2025	3	10	17	55	11	12.2	0.3	3	0.76	96.4	64.6588	45.6696
2025	3	10	18	5	11	12.2	0.3	3	0.76	96	64.6588	45.6696
2025	3	10	18	15	11	12.2	0.3	3	0.74	93.6	64.6588	44.4782
2025	3	10	18	25	11	12.2	0.3	3	0.75	95.5	64.6588	45.2725
2025	3	10	18	35	11	12.2	0.3	3	0.76	93	64.6588	45.8682
2025	3	10	18	45	11	12.2	0.3	3	0.74	95.6	64.6588	44.4783
2025	3	10	18	55	11	12.2	0.3	3	0.75	93.7	64.6588	45.4711
2025	3	10	19	5	11	12.2	0.3	3	0.74	96.4	64.6588	44.4783
2025	3	10	19	15	11	12.2	0.3	3	0.78	93.8	64.6588	47.2582
2025	3	10	19	25	11	12.2	0.3	3	0.78	94.4	64.6588	46.8611
2025	3	10	19	35	11	12.2	0.3	3	0.74	96.4	64.5932	44.2329
2025	3	10	19	45	11	12.2	0.3	3	0.71	94	64.5932	42.8444
2025	3	10	19	55	11	12.2	0.3	3	0.74	96.1	64.5932	44.6296
2025	3	10	20	5	11	12.2	0.3	3	0.75	93.5	64.5932	45.2247
2025	3	10	20	15	11	12.2	0.3	3	0.77	95.1	64.5932	46.4149
2025	3	10	20	25	11	12	0.3	3	0.76	96.4	64.5932	45.8198
2025	3	10	20	35	11	12	0.3	3	0.75	96.6	64.5932	44.8281
2025	3	10	20	45	11	12	0.3	3	0.77	96.9	64.5932	46.0182
2025	3	10	20	55	11	12	0.3	3	0.74	96.7	64.5932	44.2331
2025	3	10	21	5	11	12	0.3	3	0.73	94.6	64.5932	44.2331
2025	3	10	21	15	11	12	0.3	3	0.71	96.7	64.5932	42.4479
2025	3	10	21	25	11	12	0.3	3	0.72	94.7	64.5932	43.4397
2025	3	10	21	35	11	12	0.3	3	0.74	95.1	64.5932	44.8282
2025	3	10	21	45	11	12	0.3	3	0.72	91.6	64.5932	43.2414
2025	3	10	21	55	11	12	0.3	3	0.71	93.7	64.5276	42.9974
2025	3	10	22	5	11	12	0.3	3	0.73	95.4	64.5276	43.9882
2025	3	10	22	15	11	12	0.3	3	0.75	95	64.5276	44.9789
2025	3	10	22	25	11	12	0.3	3	0.78	97.7	64.5276	46.7623
2025	3	10	22	35	11	12	0.3	3	0.76	96	64.5276	45.5734
2025	3	10	22	45	11	12	0.3	3	0.74	93.6	64.5276	44.5827
2025	3	10	22	55	11	12	0.3	3	0.74	95.6	64.5276	44.3846
2025	3	10	23	5	11	12	0.3	3	0.74	95.6	64.5276	44.5828
2025	3	10	23	15	11	12	0.3	3	0.72	94.7	64.5276	43.5921
2025	3	10	23	25	11	12	0.3	3	0.76	94.7	64.5276	45.5736
2025	3	10	23	35	11	12	0.3	3	0.76	94.7	64.5276	45.5736
2025	3	10	23	45	11	12	0.3	3	0.73	95.4	64.5276	43.7903
2025	3	10	23	55	11	12	0.3	3	0.74	94.8	64.5276	44.5829

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	11	0	5	11	12	0.3	3	0.71	93.2	64.5932	43.0435
2025	3	11	0	15	11	12	0.3	3	0.76	93.5	64.5932	45.8205
2025	3	11	0	25	11	12	0.3	3	0.72	92.6	64.5932	43.4402
2025	3	11	0	35	11	12	0.3	3	0.72	93.4	64.5932	43.2419
2025	3	11	0	45	11	12	0.3	3	0.74	95.1	64.5932	44.4321
2025	3	11	0	55	11	12	0.3	3	0.73	94.7	64.5932	43.8371
2025	3	11	1	5	11	12	0.3	3	0.72	95.2	64.5932	43.6387
2025	3	11	1	15	11	12	0.3	3	0.76	94.4	64.6588	46.0679
2025	3	11	1	25	11	12	0.3	3	0.75	95.8	64.6588	45.2736
2025	3	11	1	35	11	12	0.3	3	0.75	95.5	64.6588	45.4722
2025	3	11	1	45	11	12	0.3	3	0.76	95.2	64.6588	46.068
2025	3	11	1	55	11	12	0.3	3	0.81	95.8	64.6588	48.848
2025	3	11	2	5	11	12	0.3	3	0.77	94.6	64.7244	46.5144
2025	3	11	2	15	11	12	0.3	3	0.74	95.9	64.6588	44.281
2025	3	11	2	25	11	12	0.3	3	0.71	95.9	64.7244	42.5389
2025	3	11	2	35	11	12	0.3	3	0.73	91.3	64.7244	44.1292
2025	3	11	2	45	11	12	0.3	3	0.72	94.7	64.7244	43.7317
2025	3	11	2	55	11	12	0.3	3	0.75	96.5	64.7244	45.3219
2025	3	11	3	5	11	11.8	0.3	3	0.75	97.5	64.7244	45.322
2025	3	11	3	15	11	11.8	0.3	3	0.76	93.7	64.7244	45.9183
2025	3	11	3	25	11	11.8	0.3	3	0.8	99.2	64.7244	47.9062
2025	3	11	3	35	11	11.8	0.3	3	0.73	93.3	64.7244	44.3282
2025	3	11	3	45	11	11.8	0.3	3	0.74	93.8	64.7244	44.9245
2025	3	11	3	55	11	11.8	0.3	3	0.72	94.4	64.7244	43.5331
2025	3	11	4	5	11	11.8	0.3	3	0.76	96.2	64.7244	45.5209
2025	3	11	4	15	11	11.8	0.3	3	0.74	95.3	64.7244	44.9246
2025	3	11	4	25	11	11.8	0.3	3	0.73	94.1	64.7244	43.9307
2025	3	11	4	35	11	11.8	0.3	3	0.75	94.2	64.7244	45.521
2025	3	11	4	45	11	11.8	0.3	3	0.75	97.8	64.7244	44.9246
2025	3	11	4	55	11	11.8	0.3	3	0.77	96.4	64.79	46.3652
2025	3	11	5	5	11	11.8	0.3	3	0.74	97.4	64.79	44.5743
2025	3	11	5	15	11	11.8	0.3	3	0.72	93.9	64.79	43.7783
2025	3	11	5	25	11	11.8	0.3	3	0.74	92.3	64.79	44.7733
2025	3	11	5	35	11	11.8	0.3	3	0.74	95.3	64.79	44.7733
2025	3	11	5	45	11	11.8	0.3	3	0.73	97.2	64.79	43.9773
2025	3	11	5	55	11	11.8	0.3	3	0.76	96.7	64.79	45.7683
2025	3	11	6	5	11	11.8	0.3	3	0.75	97.2	64.79	45.3703
2025	3	11	6	15	11	11.8	0.3	3	0.72	98.9	64.79	42.9824
2025	3	11	6	25	11	11.8	0.3	3	0.77	94.4	64.79	46.3653
2025	3	11	6	35	11	11.8	0.3	3	0.77	94.9	64.79	46.5643
2025	3	11	6	45	11	11.8	0.3	3	0.76	95.5	64.79	45.7684
2025	3	11	6	55	11	12	0.3	3	0.76	95.2	64.79	46.1664
2025	3	11	7	5	11	12	0.3	3	0.75	95.3	64.79	45.1714
2025	3	11	7	15	11	12.2	0.3	3	0.73	97.3	64.79	43.7785
2025	3	11	7	25	11	12.4	0.3	3	0.73	95.5	64.79	43.7785
2025	3	11	7	35	11	12.6	0.3	3	0.75	93.3	64.79	45.1715
2025	3	11	7	45	11	12.8	0.3	3	0.77	95.9	64.79	46.1664
2025	3	11	7	55	11	12.8	0.3	3	0.72	95.2	64.79	43.3805

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	11	8	5	11	13	0.3	3	0.73	95.9	64.79	43.9775
2025	3	11	8	15	11	13	0.3	3	0.76	96.7	64.79	45.7684
2025	3	11	8	25	11	13.4	0.3	3	0.77	94.4	64.79	46.3654
2025	3	11	8	35	11	13.6	0.3	3	0.75	95.3	64.79	45.3704
2025	3	11	8	45	11	13.4	0.3	3	0.74	95.3	64.79	44.9724
2025	3	11	8	55	11	13.6	0.3	3	0.77	96.1	64.79	46.3653
2025	3	11	9	5	11	14.2	0.3	3	0.75	95.8	64.79	44.9723
2025	3	11	9	15	11	14.2	0.3	3	0.72	97.6	64.79	43.1813
2025	3	11	9	25	11	14.2	0.3	3	0.75	94.7	64.8557	45.6173
2025	3	11	9	35	11	14.2	0.3	3	0.72	94.2	64.8557	43.6253
2025	3	11	9	45	11	14.2	0.3	3	0.75	97.3	64.8557	45.2188
2025	3	11	9	55	11	14	0.3	3	0.73	96.2	64.79	44.1761
2025	3	11	10	5	11	14.2	0.3	3	0.75	97.6	64.8557	45.0196
2025	3	11	10	15	11	14.2	0.3	3	0.76	95.7	64.79	45.7679
2025	3	11	10	25	11	14	0.3	3	0.75	96.1	64.79	44.9719
2025	3	11	10	35	11	14.2	0.3	3	0.74	93.3	64.79	44.7729
2025	3	11	10	45	11	14.2	0.3	3	0.73	95.7	64.7244	44.1291
2025	3	11	10	55	11	14.2	0.3	3	0.76	94.7	64.8557	46.2145
2025	3	11	11	5	11	14.2	0.3	3	0.72	94.7	64.79	43.5787
2025	3	11	11	15	11	14.2	0.3	3	0.73	93.6	64.79	44.3746
2025	3	11	11	25	11	14.2	0.3	3	0.72	97.9	64.79	43.1806
2025	3	11	11	35	11	14.2	0.3	3	0.76	95.2	64.79	45.7674
2025	3	11	11	45	11	14.2	0.3	3	0.75	95.8	64.79	45.1704
2025	3	11	11	55	11	14.2	0.3	3	0.71	95.8	64.79	42.7824
2025	3	11	12	5	11	14.2	0.3	3	0.77	95.1	64.8557	46.6124
2025	3	11	12	15	11	14.2	0.3	3	0.76	95.2	64.79	45.7671
2025	3	11	12	25	11	14.2	0.3	3	0.77	95.4	64.8557	46.4131
2025	3	11	12	35	11	14.2	0.3	3	0.75	95.8	64.79	45.1701
2025	3	11	12	45	11	14.2	0.3	3	0.78	93.8	64.79	47.3589
2025	3	11	12	55	11	14	0.3	3	0.72	94.9	64.79	43.7771
2025	3	11	13	5	11	13.6	0.3	3	0.75	94.3	64.79	45.17
2025	3	11	13	15	11	14	0.3	3	0.72	94.7	64.7244	43.5319
2025	3	11	13	25	11	14.2	0.3	3	0.76	97	64.79	45.5678
2025	3	11	13	35	11	14.2	0.3	3	0.77	96.6	64.8557	46.4128
2025	3	11	13	45	11	14.2	0.3	3	0.75	93.5	64.79	45.1698
2025	3	11	13	55	11	14.2	0.3	3	0.74	94.8	64.79	44.7717
2025	3	11	14	5	11	14.2	0.3	3	0.76	98.7	64.8557	45.815
2025	3	11	14	15	11	14.2	0.3	3	0.77	93.9	64.79	46.7615
2025	3	11	14	25	11	14.2	0.3	3	0.73	95.7	64.79	44.1747
2025	3	11	14	35	11	14.2	0.3	3	0.76	93.2	64.79	46.1645
2025	3	11	14	45	11	14.2	0.3	3	0.75	92.3	64.7244	45.5193
2025	3	11	14	55	11	14.2	0.3	3	0.71	96.4	64.8557	42.8269
2025	3	11	15	5	11	14.2	0.3	3	0.73	96.9	64.79	44.1746
2025	3	11	15	15	11	14.2	0.3	3	0.75	95.8	64.8557	45.018
2025	3	11	15	25	11	14.2	0.3	3	0.78	95.1	64.79	46.9603
2025	3	11	15	35	11	14.2	0.3	3	0.72	92.9	64.7244	43.5315
2025	3	11	15	45	11	14.2	0.3	3	0.77	94.7	64.8557	46.4124
2025	3	11	15	55	11	14.2	0.3	3	0.76	94.7	64.79	45.7664

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	11	16	5	11	14.2	0.3	3	0.77	93.9	64.7244	46.7118
2025	3	11	16	15	11	14.2	0.3	3	0.75	95	64.7244	45.5192
2025	3	11	16	25	11	14	0.3	3	0.78	93.2	64.79	46.9603
2025	3	11	16	35	11	13.6	0.3	3	0.75	96.3	64.6588	44.8753
2025	3	11	16	45	11	11.8	0.3	3	0.72	93.4	64.7244	43.7302
2025	3	11	16	55	11	11.6	0.3	3	0.76	93.5	64.7244	45.718
2025	3	11	17	5	11	12.2	0.3	3	0.73	93.8	64.6588	44.2796
2025	3	11	17	15	11	12.2	0.3	3	0.77	91.5	64.6588	46.4638
2025	3	11	17	25	11	12.2	0.3	3	0.75	93.8	64.79	45.3684
2025	3	11	17	35	11	12.2	0.3	3	0.74	95.6	64.6588	44.4782
2025	3	11	17	45	11	12.2	0.3	3	0.75	95.3	64.6588	45.0739
2025	3	11	17	55	11	12.2	0.3	3	0.78	92.2	64.5932	47.0097
2025	3	11	18	5	11	12.2	0.3	3	0.74	95.1	64.5932	44.8279
2025	3	11	18	15	11	12.2	0.3	3	0.7	93.8	64.5932	42.0509
2025	3	11	18	25	11	12.2	0.3	3	0.75	94.5	64.6588	45.4711
2025	3	11	18	35	11	12.2	0.3	3	0.78	97.3	64.5932	46.6131
2025	3	11	18	45	11	12.2	0.3	3	0.74	96.6	64.5932	44.4312
2025	3	11	18	55	11	12.2	0.3	3	0.74	94.6	64.5932	44.4312
2025	3	11	19	5	11	12.2	0.3	3	0.75	94.8	64.5932	45.2247
2025	3	11	19	15	11	12.2	0.3	3	0.74	94.8	64.5276	44.5823
2025	3	11	19	25	11	12.2	0.3	3	0.74	92.5	64.5276	44.7804
2025	3	11	19	35	11	12.2	0.3	3	0.76	96.2	64.5932	45.8198
2025	3	11	19	45	11	12.2	0.3	3	0.75	91.5	64.5276	44.9786
2025	3	11	19	55	11	12.2	0.3	3	0.7	94	64.5276	42.4028
2025	3	11	20	5	11	12	0.3	3	0.72	96.5	64.5932	43.2412
2025	3	11	20	15	11	12	0.3	3	0.77	94.7	64.5276	46.1676
2025	3	11	20	25	11	12	0.3	3	0.77	94.9	64.5276	46.3657
2025	3	11	20	35	11	12	0.3	3	0.73	95.1	64.5932	44.2331
2025	3	11	20	45	11	12	0.3	3	0.75	94.2	64.5276	45.3751
2025	3	11	20	55	11	12	0.3	3	0.76	94.2	64.5276	45.5732
2025	3	11	21	5	11	12	0.3	3	0.77	95.1	64.5276	46.3658
2025	3	11	21	15	11	12	0.3	3	0.73	94.9	64.5276	43.9881
2025	3	11	21	25	11	12	0.3	3	0.74	94.3	64.4619	44.5352
2025	3	11	21	35	11	12	0.3	3	0.76	95.7	64.4619	45.9208
2025	3	11	21	45	11	12	0.3	3	0.77	94.7	64.4619	46.1188
2025	3	11	21	55	11	12	0.3	3	0.76	95.4	64.4619	45.7229
2025	3	11	22	5	11	12	0.3	3	0.75	92	64.4619	45.3271
2025	3	11	22	15	11	12	0.3	3	0.72	95.7	64.4619	43.3478
2025	3	11	22	25	11	12	0.3	3	0.74	97.7	64.4619	44.1395
2025	3	11	22	35	11	12	0.3	3	0.74	97.1	64.4619	44.5354
2025	3	11	22	45	11	12	0.3	3	0.72	94.2	64.4619	43.5458
2025	3	11	22	55	11	12	0.3	3	0.74	93.3	64.4619	44.7334
2025	3	11	23	5	11	12	0.3	3	0.74	96.1	64.4619	44.5355
2025	3	11	23	15	11	12	0.3	3	0.73	95.7	64.4619	43.7438
2025	3	11	23	25	11	12	0.3	3	0.71	94	64.4619	42.7541
2025	3	11	23	35	11	12	0.3	3	0.73	97.5	64.4619	43.7439
2025	3	11	23	45	11	12	0.3	3	0.78	95.1	64.4619	46.9109
2025	3	11	23	55	11	12	0.3	3	0.76	94.4	64.4619	45.9212

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	12	0	5	11	12	0.3	3	0.75	94.2	64.4619	45.3274
2025	3	12	0	15	11	12	0.3	3	0.71	94	64.4619	42.5564
2025	3	12	0	25	11	12	0.3	3	0.71	93.2	64.4619	42.5564
2025	3	12	0	35	11	12	0.3	3	0.69	93.3	64.4619	41.7647
2025	3	12	0	45	11	12	0.3	3	0.77	97.4	64.4619	45.9214
2025	3	12	0	55	11	12	0.3	3	0.75	97.5	64.4619	45.1297
2025	3	12	1	5	11	12	0.3	3	0.75	93.8	64.4619	45.1297
2025	3	12	1	15	11	12	0.3	3	0.77	94.9	64.4619	46.1194
2025	3	12	1	25	11	12	0.3	3	0.7	93.2	64.4619	41.9628
2025	3	12	1	35	11	12	0.3	3	0.75	93.2	64.4619	45.3277
2025	3	12	1	45	11	12	0.3	3	0.76	97.5	64.4619	45.3278
2025	3	12	1	55	11	12	0.3	3	0.72	94.7	64.4619	43.5463
2025	3	12	2	5	11	12	0.3	3	0.75	92.8	64.5276	45.376
2025	3	12	2	15	11	12	0.3	3	0.71	93.2	64.5276	42.9983
2025	3	12	2	25	11	12	0.3	3	0.75	94.8	64.5276	44.9798
2025	3	12	2	35	11	12	0.3	3	0.7	94	64.5932	42.2506
2025	3	12	2	45	11	12	0.3	3	0.75	94.5	64.5932	45.226
2025	3	12	2	55	11	11.8	0.3	3	0.76	96.2	64.5932	45.6227
2025	3	12	3	5	11	11.8	0.3	3	0.74	93.5	64.6588	44.8769
2025	3	12	3	15	11	11.8	0.3	3	0.74	95.1	64.6588	44.6783
2025	3	12	3	25	11	11.8	0.3	3	0.79	95.9	64.6588	47.8555
2025	3	12	3	35	11	11.8	0.3	3	0.73	92.3	64.6588	44.0827
2025	3	12	3	45	11	11.8	0.3	3	0.71	94.2	64.6588	43.0899
2025	3	12	3	55	11	11.8	0.3	3	0.71	94.5	64.6588	43.0899
2025	3	12	4	5	11	11.8	0.3	3	0.76	97.7	64.6588	45.4728
2025	3	12	4	15	11	11.8	0.3	3	0.74	95.3	64.6588	44.6785
2025	3	12	4	25	11	11.8	0.3	3	0.76	94.7	64.6588	45.6714
2025	3	12	4	35	11	11.8	0.3	3	0.71	94.8	64.6588	42.6929
2025	3	12	4	45	11	11.8	0.3	3	0.73	93.3	64.6588	44.2814
2025	3	12	4	55	11	11.8	0.3	3	0.77	93.9	64.6588	46.6643
2025	3	12	5	5	11	11.8	0.3	3	0.75	96.5	64.6588	45.2744
2025	3	12	5	15	11	11.8	0.3	3	0.71	95.6	64.6588	42.693
2025	3	12	5	25	11	11.8	0.3	3	0.73	94.9	64.6588	44.083
2025	3	12	5	35	11	11.8	0.3	3	0.74	95.1	64.6588	44.8773
2025	3	12	5	45	11	11.8	0.3	3	0.74	96.1	64.6588	44.4802
2025	3	12	5	55	11	11.8	0.3	3	0.73	94.1	64.6588	44.0831
2025	3	12	6	5	11	11.8	0.3	3	0.75	94.3	64.6588	45.2745
2025	3	12	6	15	11	11.8	0.3	3	0.75	95.8	64.6588	44.8774
2025	3	12	6	25	11	11.8	0.3	3	0.73	94.4	64.6588	44.0831
2025	3	12	6	35	11	11.8	0.3	3	0.74	95.9	64.6588	44.2817
2025	3	12	6	45	11	11.8	0.3	3	0.69	92.4	64.6588	41.8988
2025	3	12	6	55	11	12	0.3	3	0.74	97.4	64.6588	44.2817
2025	3	12	7	5	11	12.2	0.3	3	0.71	94.5	64.6588	43.0903
2025	3	12	7	15	11	12.6	0.3	3	0.72	93.4	64.6588	43.4875
2025	3	12	7	25	11	12.4	0.3	3	0.72	92.6	64.6588	43.4875
2025	3	12	7	35	11	12.4	0.3	3	0.75	95.3	64.6588	45.0761
2025	3	12	7	45	11	12.4	0.3	3	0.75	95.8	64.6588	44.8775
2025	3	12	7	55	11	12.4	0.3	3	0.76	96.4	64.6588	45.8704

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	12	8	5	11	13	0.3	3	0.77	97.1	64.6588	46.2675
2025	3	12	8	15	11	12.8	0.3	3	0.73	95.7	64.6588	44.0832
2025	3	12	8	25	11	12.6	0.3	3	0.73	94.4	64.6588	44.2817
2025	3	12	8	35	11	12.8	0.3	3	0.73	95.5	64.6588	43.686
2025	3	12	8	45	11	13.6	0.3	3	0.74	97.9	64.5932	44.2348
2025	3	12	8	55	11	14.2	0.3	3	0.73	96.2	64.5932	44.0364
2025	3	12	9	5	11	14.2	0.3	3	0.76	97.7	64.6588	45.473
2025	3	12	9	15	11	14.2	0.3	3	0.71	98.3	64.5932	42.251
2025	3	12	9	25	11	14.2	0.3	3	0.76	95.4	64.6588	46.0687
2025	3	12	9	35	11	14	0.3	3	0.76	95.2	64.5932	45.8214
2025	3	12	9	45	11	13.6	0.3	3	0.76	95.2	64.6588	45.87
2025	3	12	9	55	11	14	0.3	3	0.74	96.3	64.6588	44.6785
2025	3	12	10	5	11	13	0.3	3	0.73	96.2	64.5932	44.0361
2025	3	12	10	15	11	13.8	0.3	3	0.76	94.7	64.5932	45.6229
2025	3	12	10	25	11	14.2	0.3	3	0.72	96.5	64.5932	43.4409
2025	3	12	10	35	11	14.2	0.3	3	0.74	97.1	64.5276	44.5836
2025	3	12	10	45	11	14.2	0.3	3	0.72	95.2	64.7244	43.3341
2025	3	12	10	55	11	14.2	0.3	3	0.74	95.3	64.6588	44.8767
2025	3	12	11	5	11	14.2	0.3	3	0.72	96	64.5932	43.4406
2025	3	12	11	15	11	14.2	0.3	3	0.72	94.2	64.5932	43.2421
2025	3	12	11	25	11	14.2	0.3	3	0.73	95.4	64.5932	43.8371
2025	3	12	11	35	11	14.2	0.3	3	0.73	92.3	64.5932	43.837
2025	3	12	11	45	11	14.2	0.3	3	0.72	94.7	64.6588	43.2877
2025	3	12	11	55	11	14.2	0.3	3	0.71	96.9	64.5276	42.7996
2025	3	12	12	5	11	14.2	0.3	3	0.75	93.3	64.7244	45.1225
2025	3	12	12	15	11	14.2	0.3	3	0.75	95.8	64.5932	45.0268
2025	3	12	12	25	11	14.2	0.3	3	0.72	93.9	64.7244	43.5321
2025	3	12	12	35	11	14.2	0.3	3	0.74	92.5	64.6588	44.8759
2025	3	12	12	45	11	14.2	0.3	3	0.74	94.3	64.7244	44.9234
2025	3	12	12	55	11	14.2	0.3	3	0.73	94.4	64.5276	44.1862
2025	3	12	13	5	11	14.2	0.3	3	0.73	95.7	64.5932	43.638
2025	3	12	13	15	11	14.2	0.3	3	0.73	97	64.5932	43.8363
2025	3	12	13	25	11	14.2	0.3	3	0.7	96.2	64.7244	41.9415
2025	3	12	13	35	11	14.2	0.3	3	0.72	95.2	64.79	43.3787
2025	3	12	13	45	11	14.2	0.3	3	0.7	97.5	64.79	42.3837
2025	3	12	13	55	11	14.2	0.3	3	0.76	94.2	64.6588	45.8681
2025	3	12	14	5	11	14.2	0.3	3	0.73	94.4	64.7244	43.9289
2025	3	12	14	15	11	14.2	0.3	3	0.74	94.3	64.6588	44.8752
2025	3	12	14	25	11	14.2	0.3	3	0.75	97.8	64.6588	45.0737
2025	3	12	14	35	11	14	0.3	3	0.74	96.8	64.7244	44.7239
2025	3	12	14	45	11	13.8	0.3	3	0.74	96.6	64.6588	44.4779
2025	3	12	14	55	11	13.8	0.3	3	0.76	93.2	64.7244	45.7177
2025	3	12	15	5	11	13.6	0.3	3	0.76	94.2	64.79	45.965
2025	3	12	15	15	11	13.6	0.3	3	0.75	93	64.79	45.3681
2025	3	12	15	25	11	13.6	0.3	3	0.71	94.2	64.7244	43.1336
2025	3	12	15	35	11	13.2	0.3	3	0.76	94.9	64.6588	45.8678
2025	3	12	15	45	11	12.4	0.3	3	0.74	94.3	64.6588	44.875
2025	3	12	15	55	11	12.4	0.3	3	0.79	95.7	64.7244	47.7053

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	12	16	5	11	13.8	0.3	3	0.74	95.6	64.7244	44.9225
2025	3	12	16	15	11	12.6	0.3	3	0.73	93.8	64.79	44.3731
2025	3	12	16	25	11	12.6	0.3	3	0.75	92.8	64.79	45.1691
2025	3	12	16	35	11	12.6	0.3	3	0.74	95.6	64.9213	44.6664
2025	3	12	16	45	11	12.4	0.3	3	0.74	92.8	64.8557	44.6193
2025	3	12	16	55	11	12.4	0.3	3	0.75	95.8	64.9213	45.0653
2025	3	12	17	5	11	12.4	0.3	3	0.75	94.7	64.79	45.5671
2025	3	12	17	15	11	12.2	0.3	3	0.75	94.2	64.9213	45.6635
2025	3	12	17	25	11	12.2	0.3	3	0.74	95.6	64.8557	44.8186
2025	3	12	17	35	11	12.2	0.3	3	0.72	94.7	64.79	43.5773
2025	3	12	17	45	11	12.2	0.3	3	0.73	95.4	64.9213	44.2677
2025	3	12	17	55	11	12.2	0.3	3	0.77	95.6	64.8557	46.6114
2025	3	12	18	5	11	12.2	0.3	3	0.78	93.6	64.79	46.9601
2025	3	12	18	15	11	12.2	0.3	3	0.74	94.3	64.9869	44.9133
2025	3	12	18	25	11	12.2	0.3	3	0.77	93.4	64.79	46.5621
2025	3	12	18	35	11	12.2	0.3	3	0.75	95.5	64.8557	45.4162
2025	3	12	18	45	11	12.2	0.3	3	0.7	93.5	64.79	42.5825
2025	3	12	18	55	11	12.2	0.3	3	0.74	96.4	64.79	44.3734
2025	3	12	19	5	11	12.2	0.3	3	0.78	95.1	64.9213	47.2589
2025	3	12	19	15	11	12.2	0.3	3	0.76	98.2	64.9869	45.5123
2025	3	12	19	25	11	12.2	0.3	3	0.76	93.5	64.9213	45.8632
2025	3	12	19	35	11	12.2	0.3	3	0.74	94.1	64.9869	44.9135
2025	3	12	19	45	11	12.2	0.3	3	0.72	94.7	64.9869	43.9155
2025	3	12	19	55	11	12.2	0.3	3	0.73	94.6	64.9213	44.268
2025	3	12	20	5	11	12.2	0.3	3	0.74	95.6	64.9869	44.5144
2025	3	12	20	15	11	12.2	0.3	3	0.72	96.3	64.9213	43.6698
2025	3	12	20	25	11	12.2	0.3	3	0.71	94.8	64.9213	43.0717
2025	3	12	20	35	11	12	0.3	3	0.75	95.8	64.9213	45.0658
2025	3	12	20	45	11	12	0.3	3	0.74	95.6	64.9213	44.667
2025	3	12	20	55	11	12	0.3	3	0.75	94.3	64.9869	45.5126
2025	3	12	21	5	11	12	0.3	3	0.75	98.1	64.9869	44.9138
2025	3	12	21	15	11	12	0.3	3	0.75	92.5	64.8557	45.4168
2025	3	12	21	25	11	12	0.3	3	0.75	97.6	64.9213	45.066
2025	3	12	21	35	11	12	0.3	3	0.77	93.4	65.0525	46.5599
2025	3	12	21	45	11	12	0.3	3	0.75	93.5	64.9213	45.4648
2025	3	12	21	55	11	12	0.3	3	0.72	94.7	64.9213	43.4708
2025	3	12	22	5	11	12	0.3	3	0.74	96.1	64.9213	44.4679
2025	3	12	22	15	11	12	0.3	3	0.72	94.7	64.9869	43.5168
2025	3	12	22	25	11	12	0.3	3	0.75	95	64.9213	45.2656
2025	3	12	22	35	11	12	0.3	3	0.74	96.1	64.9213	44.8668
2025	3	12	22	45	11	12	0.3	3	0.74	95.6	64.9869	44.9142
2025	3	12	22	55	11	12	0.3	3	0.75	96.8	65.1181	45.209
2025	3	12	23	5	11	12	0.3	3	0.74	93.8	64.8557	44.6204
2025	3	12	23	15	11	12	0.3	3	0.75	97.5	64.9213	45.4652
2025	3	12	23	25	11	12	0.3	3	0.74	93.8	64.9213	44.6676
2025	3	12	23	35	11	12	0.3	3	0.74	95.8	64.9213	44.8671
2025	3	12	23	45	11	12	0.3	3	0.76	97.4	64.9869	45.9125
2025	3	12	23	55	11	12	0.3	3	0.74	93.3	64.9213	44.8671

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	13	0	5	11	12	0.3	3	0.74	94.6	65.0525	44.9619
2025	3	13	0	15	11	12	0.3	3	0.76	93.7	65.1181	46.0095
2025	3	13	0	25	11	12	0.3	3	0.74	93.6	64.9213	44.6678
2025	3	13	0	35	11	12	0.3	3	0.73	97.7	64.8557	44.0231
2025	3	13	0	45	11	12	0.3	3	0.73	94.9	65.0525	44.5623
2025	3	13	0	55	11	12	0.3	3	0.77	94.2	64.9869	46.5117
2025	3	13	1	5	11	12	0.3	3	0.71	92.9	64.9213	42.8733
2025	3	13	1	15	11	12	0.3	3	0.74	95.4	65.0525	44.7623
2025	3	13	1	25	11	12	0.3	3	0.74	95.4	65.0525	44.7623
2025	3	13	1	35	11	12	0.3	3	0.76	96.4	64.9213	45.8645
2025	3	13	1	45	11	12	0.3	3	0.75	95	64.9869	45.5137
2025	3	13	1	55	11	12	0.3	3	0.76	95.2	64.9869	46.3122
2025	3	13	2	5	11	12	0.3	3	0.75	95.5	64.9869	45.3141
2025	3	13	2	15	11	12	0.3	3	0.79	98.1	64.9869	47.7096
2025	3	13	2	25	11	12	0.3	3	0.74	94.3	64.9869	44.9149
2025	3	13	2	35	11	12	0.3	3	0.78	93.1	64.9213	47.46
2025	3	13	2	45	11	12	0.3	3	0.76	96.9	64.9869	45.9131
2025	3	13	2	55	11	12	0.3	3	0.76	96	65.0525	45.7617
2025	3	13	3	5	11	12	0.3	3	0.73	93.3	65.0525	44.5627
2025	3	13	3	15	11	12	0.3	3	0.73	97.7	65.0525	44.1631
2025	3	13	3	25	11	12	0.3	3	0.75	95.5	65.0525	45.7617
2025	3	13	3	35	11	12	0.3	3	0.74	93.3	64.9869	45.1147
2025	3	13	3	45	11	12	0.3	3	0.74	95.1	64.9869	44.9151
2025	3	13	3	55	11	12	0.3	3	0.77	95.6	65.1181	46.8102
2025	3	13	4	5	11	12	0.3	3	0.74	93.1	64.9213	44.8678
2025	3	13	4	15	11	12	0.3	3	0.78	94.4	64.9869	47.111
2025	3	13	4	25	11	12	0.3	3	0.76	97.2	65.0525	45.9617
2025	3	13	4	35	11	12	0.3	3	0.78	95	65.0525	47.5604
2025	3	13	4	45	11	12	0.3	3	0.77	91.2	65.0525	47.1607
2025	3	13	4	55	11	12	0.3	3	0.76	96.2	64.9869	45.7137
2025	3	13	5	5	11	12	0.3	3	0.77	93.9	64.9869	46.7118
2025	3	13	5	15	11	12	0.3	3	0.74	93.3	65.0525	45.1624
2025	3	13	5	25	11	11.8	0.3	3	0.73	95.5	64.9869	43.9171
2025	3	13	5	35	11	11.8	0.3	3	0.75	93.2	64.9869	45.7138
2025	3	13	5	45	11	11.8	0.3	3	0.7	94.9	65.1181	42.4094
2025	3	13	5	55	11	11.8	0.3	3	0.77	96.1	65.0525	46.5613
2025	3	13	6	5	11	11.8	0.3	3	0.77	95.1	65.0525	46.7612
2025	3	13	6	15	11	11.8	0.3	3	0.75	93	65.0525	45.5622
2025	3	13	6	25	11	12	0.3	3	0.78	96.6	65.0525	46.9611
2025	3	13	6	35	11	12	0.3	3	0.76	94.7	65.0525	45.9619
2025	3	13	6	45	11	12	0.3	3	0.77	93.9	65.0525	46.9611
2025	3	13	6	55	11	12	0.3	3	0.73	96.5	65.0525	44.1634
2025	3	13	7	5	11	12	0.3	3	0.76	94.7	65.0525	45.9619
2025	3	13	7	15	11	12	0.3	3	0.77	93.7	65.0525	46.7613
2025	3	13	7	25	11	12.2	0.3	3	0.76	94.7	65.1181	46.4104
2025	3	13	7	35	11	12.6	0.3	3	0.73	95.9	65.1181	44.2099
2025	3	13	7	45	11	13	0.3	3	0.75	94.3	65.1181	45.6102
2025	3	13	7	55	11	12.8	0.3	3	0.74	95.6	65.1181	45.0101

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	13	8	5	11	12.6	0.3	3	0.76	95.4	65.1181	46.4104
2025	3	13	8	15	11	12.8	0.3	3	0.76	95.5	65.1181	46.0103
2025	3	13	8	25	11	13.2	0.3	3	0.74	94.3	65.0525	44.7629
2025	3	13	8	35	11	13.2	0.3	3	0.75	95.5	65.0525	45.3623
2025	3	13	8	45	11	12.8	0.3	3	0.74	95.3	65.0525	44.9626
2025	3	13	8	55	11	12.6	0.3	3	0.77	96.8	65.0525	46.7611
2025	3	13	9	5	11	14	0.3	3	0.78	95.3	65.1181	47.6105
2025	3	13	9	15	11	14	0.3	3	0.73	94.1	65.1181	44.4098
2025	3	13	9	25	11	12.8	0.3	3	0.76	96.2	65.1181	45.8101
2025	3	13	9	35	11	13.6	0.3	3	0.8	94.9	65.1181	48.8107
2025	3	13	9	45	11	13.2	0.3	3	0.75	95.3	65.1181	45.6099
2025	3	13	9	55	11	13	0.3	3	0.76	95.2	65.1181	46.4101
2025	3	13	10	5	11	13.6	0.3	3	0.77	94.2	65.1181	46.8102
2025	3	13	10	15	11	14	0.3	3	0.78	96.1	65.1181	47.0101
2025	3	13	10	25	11	14	0.3	3	0.79	96.7	65.1181	47.6102
2025	3	13	10	35	11	13.6	0.3	3	0.75	95	65.1181	45.6097
2025	3	13	10	45	11	12.8	0.3	3	0.74	94.6	65.1181	45.0096
2025	3	13	10	55	11	14.2	0.3	3	0.76	94.2	65.1181	46.2098
2025	3	13	11	5	11	14.2	0.3	3	0.7	95.6	65.1181	42.609
2025	3	13	11	15	11	14.2	0.3	3	0.77	94.9	65.1181	47.0098
2025	3	13	11	25	11	14.2	0.3	3	0.8	95.9	65.1181	48.6101
2025	3	13	11	35	11	14.2	0.3	3	0.74	94.8	65.1181	45.2094
2025	3	13	11	45	11	14.2	0.3	3	0.75	94.5	65.1181	45.4093
2025	3	13	11	55	11	14.2	0.3	3	0.74	94.1	65.1181	45.0092
2025	3	13	12	5	11	14.2	0.3	3	0.73	93.3	65.1181	44.6091
2025	3	13	12	15	11	14.2	0.3	3	0.75	94.3	65.1181	45.6093
2025	3	13	12	25	11	14.2	0.3	3	0.74	93.1	65.1181	45.0091
2025	3	13	12	35	11	14.2	0.3	3	0.74	94.3	65.1181	44.809
2025	3	13	12	45	11	14.2	0.3	3	0.76	96	65.1181	45.8092
2025	3	13	12	55	11	14.2	0.3	3	0.76	94	65.1837	46.0576
2025	3	13	13	5	11	14.2	0.3	3	0.76	94.9	65.1837	46.458
2025	3	13	13	15	11	14.2	0.3	3	0.77	94.2	65.1837	46.8584
2025	3	13	13	25	11	14.2	0.3	3	0.73	94.6	65.1837	44.4554
2025	3	13	13	35	11	14.2	0.3	3	0.77	97.3	65.1837	46.8583
2025	3	13	13	45	11	14	0.3	3	0.72	97.9	65.1837	43.2538
2025	3	13	13	55	11	14	0.3	3	0.76	93.7	65.1837	46.4577
2025	3	13	14	5	11	14	0.3	3	0.79	95.9	65.1837	48.0597
2025	3	13	14	15	11	14.2	0.3	3	0.76	93.7	65.1837	46.4576
2025	3	13	14	25	11	14.2	0.3	3	0.71	94.5	65.2494	43.2991
2025	3	13	14	35	11	13.8	0.3	3	0.77	96.6	65.2494	46.7069
2025	3	13	14	45	11	13.8	0.3	3	0.76	93.2	65.1837	46.4576
2025	3	13	14	55	11	14.2	0.3	3	0.76	95.2	65.1837	46.4575
2025	3	13	15	5	11	14.2	0.3	3	0.74	96.9	65.1837	44.6553
2025	3	13	15	15	11	12.6	0.3	3	0.8	94.9	65.1837	48.6602
2025	3	13	15	25	11	14.2	0.3	3	0.74	95.6	65.2494	45.3035
2025	3	13	15	35	11	14.2	0.3	3	0.76	93.9	65.1837	46.4574
2025	3	13	15	45	11	14.2	0.3	3	0.75	96	65.1837	45.6564
2025	3	13	15	55	11	14.2	0.3	3	0.74	95.1	65.1837	45.2559

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	13	16	5	11	14.2	0.3	3	0.74	95.1	65.2494	45.3034
2025	3	13	16	15	11	14.2	0.3	3	0.76	94	65.1837	46.0568
2025	3	13	16	25	11	14	0.3	3	0.72	92.9	65.1837	44.0544
2025	3	13	16	35	11	14	0.3	3	0.76	94.7	65.2494	46.5062
2025	3	13	16	45	11	14	0.3	3	0.73	95.7	65.2494	44.1007
2025	3	13	16	55	11	14	0.3	3	0.78	94.4	65.1837	47.2583
2025	3	13	17	5	11	13.2	0.3	3	0.79	94.8	65.1837	47.8591
2025	3	13	17	15	11	12.4	0.3	3	0.73	97.5	65.2494	44.1007
2025	3	13	17	25	11	12.2	0.3	3	0.77	96.4	65.2494	46.5062
2025	3	13	17	35	11	12.2	0.3	3	0.75	95.8	65.2494	45.7044
2025	3	13	17	45	11	12.2	0.3	3	0.77	95.9	65.2494	46.5063
2025	3	13	17	55	11	12.2	0.3	3	0.74	93.6	65.2494	45.1031
2025	3	13	18	5	11	12.2	0.3	3	0.75	93.7	65.2494	45.9049
2025	3	13	18	15	11	12.2	0.3	3	0.76	95.2	65.2494	46.5063
2025	3	13	18	25	11	12.2	0.3	3	0.78	93.1	65.2494	47.5087
2025	3	13	18	35	11	12.2	0.3	3	0.76	93.5	65.1837	46.0571
2025	3	13	18	45	11	12.2	0.3	3	0.75	95.3	65.1837	45.4563
2025	3	13	18	55	11	12.2	0.3	3	0.74	93.8	65.2494	44.9028
2025	3	13	19	5	11	12.2	0.3	3	0.76	95.4	65.2494	46.5065
2025	3	13	19	15	11	12.2	0.3	3	0.75	96.5	65.1837	45.4564
2025	3	13	19	25	11	12.2	0.3	3	0.78	93.4	65.1837	47.6592
2025	3	13	19	35	11	12.2	0.3	3	0.73	92.1	65.1837	44.6555
2025	3	13	19	45	11	12.2	0.3	3	0.74	93.3	65.1837	45.2563
2025	3	13	19	55	11	12.2	0.3	3	0.76	95.2	65.1837	46.2575
2025	3	13	20	5	11	12.2	0.3	3	0.71	93.4	65.1837	43.4541
2025	3	13	20	15	11	12	0.3	3	0.77	93.7	65.1837	46.8583
2025	3	13	20	25	11	12	0.3	3	0.74	91.8	65.1837	45.2564
2025	3	13	20	35	11	12	0.3	3	0.76	96.2	65.1837	45.8572
2025	3	13	20	45	11	12	0.3	3	0.77	94.2	65.1837	46.6582
2025	3	13	20	55	11	12	0.3	3	0.77	95.4	65.1837	46.6582
2025	3	13	21	5	11	12	0.3	3	0.74	94.3	65.1837	45.0562
2025	3	13	21	15	11	12	0.3	3	0.74	97.1	65.1837	45.0563
2025	3	13	21	25	11	12	0.3	3	0.75	96.5	65.1837	45.6571
2025	3	13	21	35	11	12	0.3	3	0.76	93.5	65.1837	46.2579
2025	3	13	21	45	11	12	0.3	3	0.75	95.8	65.1837	45.4569
2025	3	13	21	55	11	12	0.3	3	0.77	95.6	65.1837	47.0589
2025	3	13	22	5	11	12	0.3	3	0.77	95.4	65.1837	46.8587
2025	3	13	22	15	11	12	0.3	3	0.78	93.2	65.1837	47.2593
2025	3	13	22	25	11	12	0.3	3	0.73	94.1	65.1837	44.656
2025	3	13	22	35	11	12	0.3	3	0.71	95.3	65.1181	42.8088
2025	3	13	22	45	11	12	0.3	3	0.76	94.5	65.1181	46.0095
2025	3	13	22	55	11	12	0.3	3	0.77	94.6	65.1181	46.8097
2025	3	13	23	5	11	12	0.3	3	0.75	93.8	65.1181	45.4094
2025	3	13	23	15	11	12	0.3	3	0.74	95.3	65.1181	45.2094
2025	3	13	23	25	11	12	0.3	3	0.76	94.4	65.1181	46.4097
2025	3	13	23	35	11	12	0.3	3	0.74	93.3	65.1181	44.8094
2025	3	13	23	45	11	12	0.3	3	0.77	95.9	65.1181	46.4098
2025	3	13	23	55	11	12	0.3	3	0.73	93.6	65.1181	44.2093

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	14	0	5	11	12	0.3	3	0.78	94.4	65.1181	47.21
2025	3	14	0	15	11	12	0.3	3	0.76	96.7	65.1181	45.8097
2025	3	14	0	25	11	12	0.3	3	0.75	94.5	65.1181	45.4097
2025	3	14	0	35	11	12	0.3	3	0.76	96.4	65.1181	46.2099
2025	3	14	0	45	11	12	0.3	3	0.75	94.3	65.1181	45.4098
2025	3	14	0	55	11	12	0.3	3	0.73	95.7	65.1181	44.4096
2025	3	14	1	5	11	12	0.3	3	0.72	94.5	65.1181	43.6095
2025	3	14	1	15	11	12	0.3	3	0.75	94	65.1181	45.81
2025	3	14	1	25	11	12	0.3	3	0.73	95.7	65.1181	44.2096
2025	3	14	1	35	11	12	0.3	3	0.74	94.8	65.1181	44.8098
2025	3	14	1	45	11	12	0.3	3	0.76	94.9	65.1181	46.2102
2025	3	14	1	55	11	12	0.3	3	0.74	96.3	65.1181	45.0099
2025	3	14	2	5	11	12	0.3	3	0.76	95.2	65.1181	46.4103
2025	3	14	2	15	11	12	0.3	3	0.74	97.4	65.1181	44.6099
2025	3	14	2	25	11	12	0.3	3	0.75	94.2	65.0525	45.762
2025	3	14	2	35	11	12	0.3	3	0.74	96.1	65.1181	44.81
2025	3	14	2	45	11	12	0.3	3	0.72	96.5	65.1181	43.8099
2025	3	14	2	55	11	11.8	0.3	3	0.76	94.2	65.1181	46.4105
2025	3	14	3	5	11	11.8	0.3	3	0.79	93.3	65.1181	48.0109
2025	3	14	3	15	11	11.8	0.3	3	0.8	94.9	65.1837	48.6622
2025	3	14	3	25	11	11.8	0.3	3	0.73	97.7	65.1837	44.4569
2025	3	14	3	35	11	11.8	0.3	3	0.78	97	65.1837	47.2605
2025	3	14	3	45	11	11.8	0.3	3	0.73	94.7	65.1837	44.2567
2025	3	14	3	55	11	11.8	0.3	3	0.74	95.1	65.1837	44.8575
2025	3	14	4	5	11	11.8	0.3	3	0.78	95.1	65.2494	47.3103
2025	3	14	4	15	11	11.8	0.3	3	0.76	93.2	65.2494	46.5084
2025	3	14	4	25	11	11.8	0.3	3	0.77	95.1	65.2494	47.1099
2025	3	14	4	35	11	11.8	0.3	3	0.76	94.5	65.2494	46.308
2025	3	14	4	45	11	11.8	0.3	3	0.74	96.4	65.2494	44.9048
2025	3	14	4	55	11	11.8	0.3	3	0.78	95.3	65.2494	47.3104
2025	3	14	5	5	11	11.8	0.3	3	0.74	95.9	65.2494	44.9048
2025	3	14	5	15	11	11.8	0.3	3	0.74	91.5	65.2494	45.1053
2025	3	14	5	25	11	11.8	0.3	3	0.75	94.5	65.2494	45.9072
2025	3	14	5	35	11	11.8	0.3	3	0.73	94.4	65.2494	44.7044
2025	3	14	5	45	11	11.8	0.3	3	0.78	95.1	65.2494	47.511
2025	3	14	5	55	11	11.8	0.3	3	0.74	96.4	65.2494	44.905
2025	3	14	6	5	11	11.8	0.3	3	0.75	93.5	65.2494	45.7069
2025	3	14	6	15	11	11.8	0.3	3	0.75	95.2	65.2494	45.9073
2025	3	14	6	25	11	11.8	0.3	3	0.78	93.6	65.2494	47.5111
2025	3	14	6	35	11	11.8	0.3	3	0.74	95.4	65.2494	44.905
2025	3	14	6	45	11	11.8	0.3	3	0.76	95.2	65.1837	46.0595
2025	3	14	6	55	11	11.8	0.3	3	0.78	93.8	65.2494	47.7116
2025	3	14	7	5	11	11.8	0.3	3	0.76	95	65.1837	46.0595
2025	3	14	7	15	11	11.8	0.3	3	0.75	97.3	65.1837	45.2585
2025	3	14	7	25	11	11.8	0.3	3	0.76	95	65.1837	46.0595
2025	3	14	7	35	11	11.8	0.3	3	0.71	93.5	65.1837	43.0556
2025	3	14	7	45	11	11.8	0.3	3	0.76	96.4	65.1837	46.0595
2025	3	14	7	55	11	11.8	0.3	3	0.77	95.6	65.1837	46.8606

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	14	8	5	11	11.8	0.3	3	0.78	93.8	65.1837	47.6616
2025	3	14	8	15	11	11.8	0.3	3	0.77	94.9	65.1181	46.8113
2025	3	14	8	25	11	11.8	0.3	3	0.73	95.5	65.0525	43.9643
2025	3	14	8	35	11	12	0.3	3	0.76	94.2	65.0525	45.9627
2025	3	14	8	45	11	12	0.3	3	0.76	96.7	65.1181	46.2111
2025	3	14	8	55	11	12.2	0.3	3	0.77	96.1	65.1837	46.6603
2025	3	14	9	5	11	12.4	0.3	3	0.73	94.4	65.1837	44.6577
2025	3	14	9	15	11	12.6	0.3	3	0.74	95.9	65.1837	44.8579
2025	3	14	9	25	11	13.8	0.3	3	0.77	95.4	65.1837	46.8605
2025	3	14	9	35	11	14.2	0.3	3	0.73	94.4	65.0525	44.3638
2025	3	14	9	45	11	14.2	0.3	3	0.74	95.6	65.0525	45.1632
2025	3	14	9	55	11	13.6	0.3	3	0.76	97.2	65.1181	45.8108
2025	3	14	10	5	11	12.8	0.3	3	0.78	91.7	65.1181	47.8113
2025	3	14	10	15	11	13.4	0.3	3	0.72	93.9	65.1837	43.6562
2025	3	14	10	25	11	13.2	0.3	3	0.76	93.7	65.0525	46.1622
2025	3	14	10	35	11	13.6	0.3	3	0.73	98.5	65.1181	44.2103
2025	3	14	10	45	11	14.2	0.3	3	0.72	96.5	65.1837	43.8563
2025	3	14	10	55	11	13.6	0.3	3	0.78	95.8	65.1181	47.2109
2025	3	14	11	5	11	14	0.3	3	0.76	91.2	65.1837	46.4596
2025	3	14	11	15	11	14.2	0.3	3	0.77	96.9	65.1837	46.4595
2025	3	14	11	25	11	12.8	0.3	3	0.76	94.9	65.1837	46.2592
2025	3	14	11	35	11	12.8	0.3	3	0.73	95.7	65.1837	44.0564
2025	3	14	11	45	11	13	0.3	3	0.73	96.7	65.1837	44.2566
2025	3	14	11	55	11	14.2	0.3	3	0.75	96.8	65.0525	45.5624
2025	3	14	12	5	11	13.6	0.3	3	0.75	94	65.1181	45.8104
2025	3	14	12	15	11	14.2	0.3	3	0.72	96.3	65.1181	43.4098
2025	3	14	12	25	11	13.8	0.3	3	0.74	95.3	65.1837	45.0575
2025	3	14	12	35	11	13.8	0.3	3	0.72	93.1	65.0525	43.9636
2025	3	14	12	45	11	14.2	0.3	3	0.74	94.3	65.0525	44.7628
2025	3	14	12	55	11	14.2	0.3	3	0.78	95.8	65.1837	47.0598
2025	3	14	13	5	11	14	0.3	3	0.74	96.1	65.1181	44.8099
2025	3	14	13	15	11	14	0.3	3	0.76	95.2	65.1837	46.459
2025	3	14	13	25	11	14	0.3	3	0.71	96.9	65.1181	43.0094
2025	3	14	13	35	11	14	0.3	3	0.71	94.8	65.1837	43.0547
2025	3	14	13	45	11	13.8	0.3	3	0.76	96.9	65.1837	46.0584
2025	3	14	13	55	11	13	0.3	3	0.75	94	65.1181	45.4099
2025	3	14	14	5	11	14.2	0.3	3	0.75	92.5	65.1837	45.6579
2025	3	14	14	15	11	13.8	0.3	3	0.71	95	65.2494	43.3003
2025	3	14	14	25	11	13.2	0.3	3	0.73	94.4	65.1837	44.4563
2025	3	14	14	35	11	12.8	0.3	3	0.73	96.9	65.1181	44.4096
2025	3	14	14	45	11	14.2	0.3	3	0.77	95.3	65.1837	47.0596
2025	3	14	14	55	11	14	0.3	3	0.77	95.1	65.1181	47.0101
2025	3	14	15	5	11	14.2	0.3	3	0.76	94.7	65.1181	46.2099
2025	3	14	15	15	11	14	0.3	3	0.79	96	65.1181	47.8102
2025	3	14	15	25	11	12.8	0.3	3	0.76	93.7	65.1181	46.2098
2025	3	14	15	35	11	12.4	0.3	3	0.74	94.1	65.1181	44.8095
2025	3	14	15	45	11	12.4	0.3	3	0.76	95.4	65.1181	46.2099
2025	3	14	15	55	11	12.2	0.3	3	0.74	96.3	65.1837	45.057

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	14	16	5	11	12.2	0.3	3	0.77	97.3	65.1837	46.659
2025	3	14	16	15	11	12.2	0.3	3	0.77	98.4	65.1181	46.2099
2025	3	14	16	25	11	12.2	0.3	3	0.75	94	65.1181	45.4097
2025	3	14	16	35	11	12.2	0.3	3	0.75	93.2	65.0525	45.7616
2025	3	14	16	45	11	12.2	0.3	3	0.72	96.5	65.0525	43.5634
2025	3	14	16	55	11	12.2	0.3	3	0.73	95.4	65.0525	44.3628
2025	3	14	17	5	11	12.2	0.3	3	0.76	94	65.0525	46.1613
2025	3	14	17	15	11	12.2	0.3	3	0.74	95.6	65.0525	44.7625
2025	3	14	17	25	11	12.2	0.3	3	0.75	95.8	65.0525	45.1621
2025	3	14	17	35	11	12.2	0.3	3	0.75	91.8	65.0525	45.362
2025	3	14	17	45	11	12.2	0.3	3	0.75	95	65.0525	45.5618
2025	3	14	17	55	11	12.2	0.3	3	0.75	94.8	65.0525	45.362
2025	3	14	18	5	11	12.2	0.3	3	0.75	92.5	65.0525	45.5619
2025	3	14	18	15	11	12.2	0.3	3	0.76	94.5	65.0525	46.1614
2025	3	14	18	25	11	12.2	0.3	3	0.75	97	65.0525	45.5619
2025	3	14	18	35	11	12.2	0.3	3	0.76	96.2	64.9869	46.1128
2025	3	14	18	45	11	12.2	0.3	3	0.74	93.3	64.9869	45.1147
2025	3	14	18	55	11	12.2	0.3	3	0.73	95.9	64.9869	44.3163
2025	3	14	19	5	11	12.2	0.3	3	0.76	96	64.9869	45.9133
2025	3	14	19	15	11	12	0.3	3	0.75	94.3	64.9869	45.514
2025	3	14	19	25	11	12	0.3	3	0.75	95.3	64.9869	45.3144
2025	3	14	19	35	11	12	0.3	3	0.73	93.4	64.9869	44.3163
2025	3	14	19	45	11	12	0.3	3	0.71	92.9	64.9869	43.3182
2025	3	14	19	55	11	12	0.3	3	0.73	96.4	64.9869	44.3164
2025	3	14	20	5	11	12	0.3	3	0.72	93.9	64.9213	43.472
2025	3	14	20	15	11	12	0.3	3	0.75	98.1	64.9213	44.8679
2025	3	14	20	25	11	12	0.3	3	0.75	94.8	64.9213	45.2668
2025	3	14	20	35	11	12	0.3	3	0.75	95	64.9213	45.6656
2025	3	14	20	45	11	12	0.3	3	0.75	95.3	64.9213	45.4662
2025	3	14	20	55	11	12	0.3	3	0.75	93.5	64.9213	45.6657
2025	3	14	21	5	11	12	0.3	3	0.8	95.2	64.9213	48.4575
2025	3	14	21	15	11	12	0.3	3	0.74	94.3	64.9213	44.8681
2025	3	14	21	25	11	12	0.3	3	0.71	95	64.9213	43.2728
2025	3	14	21	35	11	12	0.3	3	0.74	96.4	64.9213	44.6687
2025	3	14	21	45	11	12	0.3	3	0.76	93.5	64.9213	46.2641
2025	3	14	21	55	11	12	0.3	3	0.69	92.4	64.9213	42.0764
2025	3	14	22	5	11	12	0.3	3	0.74	94.3	64.9213	44.6688
2025	3	14	22	15	11	12	0.3	3	0.77	95.2	64.8557	46.4146
2025	3	14	22	25	11	12	0.3	3	0.75	94.3	64.8557	45.2194
2025	3	14	22	35	11	12	0.3	3	0.72	95.5	64.8557	43.6258
2025	3	14	22	45	11	12	0.3	3	0.76	94.5	64.8557	46.0163
2025	3	14	22	55	11	12	0.3	3	0.73	94.4	64.8557	44.4227
2025	3	14	23	5	11	12	0.3	3	0.73	94.9	64.8557	44.4227
2025	3	14	23	15	11	12	0.3	3	0.74	96.1	64.8557	44.8212
2025	3	14	23	25	11	12	0.3	3	0.73	96.2	64.79	44.1769
2025	3	14	23	35	11	12	0.3	3	0.77	95.6	64.79	46.5648
2025	3	14	23	45	11	12	0.3	3	0.77	97.1	64.79	46.3659
2025	3	14	23	55	11	12	0.3	3	0.75	95	64.79	45.1719

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	15	0	5	11	12	0.3	3	0.72	94.5	64.79	43.381
2025	3	15	0	15	11	12	0.3	3	0.73	95.7	64.79	43.978
2025	3	15	0	25	11	12	0.3	3	0.72	94.4	64.79	43.5801
2025	3	15	0	35	11	12	0.3	3	0.76	95.4	64.79	45.9681
2025	3	15	0	45	11	12	0.3	3	0.73	94.6	64.79	44.1771
2025	3	15	0	55	11	12	0.3	3	0.76	95.2	64.79	46.1671
2025	3	15	1	5	11	12	0.3	3	0.75	95.3	64.7244	45.1244
2025	3	15	1	15	11	11.8	0.3	3	0.76	93.2	64.7244	45.7208
2025	3	15	1	25	11	11.8	0.3	3	0.68	93.3	64.7244	41.3476
2025	3	15	1	35	11	11.8	0.3	3	0.73	95.1	64.7244	44.1306
2025	3	15	1	45	11	11.8	0.3	3	0.73	92.6	64.7244	43.9318
2025	3	15	1	55	11	11.8	0.3	3	0.77	96.4	64.7244	46.3173
2025	3	15	2	5	11	11.8	0.3	3	0.72	95.5	64.7244	43.3356
2025	3	15	2	15	11	11.8	0.3	3	0.75	95	64.7244	45.3235
2025	3	15	2	25	11	11.8	0.3	3	0.75	93.3	64.7244	45.1247
2025	3	15	2	35	11	11.8	0.3	3	0.72	94.7	64.7244	43.5345
2025	3	15	2	45	11	11.8	0.3	3	0.74	95.6	64.7244	44.5284
2025	3	15	2	55	11	11.8	0.3	3	0.71	94.7	64.6588	43.0913
2025	3	15	3	5	11	11.8	0.3	3	0.76	95.4	64.6588	46.07
2025	3	15	3	15	11	11.8	0.3	3	0.78	96.1	64.6588	46.6657
2025	3	15	3	25	11	11.8	0.3	3	0.74	97.2	64.6588	44.2828
2025	3	15	3	35	11	11.8	0.3	3	0.75	95	64.6588	45.2758
2025	3	15	3	45	11	11.8	0.3	3	0.74	96.9	64.6588	44.4815
2025	3	15	3	55	11	11.8	0.3	3	0.73	95.4	64.6588	44.0844
2025	3	15	4	5	11	11.8	0.3	3	0.7	94	64.6588	42.4958
2025	3	15	4	15	11	11.8	0.3	3	0.73	95.5	64.6588	43.6873
2025	3	15	4	25	11	11.8	0.3	3	0.71	94.5	64.6588	42.893
2025	3	15	4	35	11	11.8	0.3	3	0.76	94.5	64.5932	45.6247
2025	3	15	4	45	11	11.8	0.3	3	0.73	93.3	64.5932	44.2362
2025	3	15	4	55	11	11.8	0.3	3	0.76	96.7	64.5932	45.6248
2025	3	15	5	5	11	11.8	0.3	3	0.72	93.4	64.5932	43.6411
2025	3	15	5	15	11	11.8	0.3	3	0.76	94.9	64.5932	45.8232
2025	3	15	5	25	11	11.8	0.3	3	0.73	97.2	64.5932	44.0379
2025	3	15	5	35	11	11.8	0.3	3	0.74	94.6	64.5932	44.633
2025	3	15	5	45	11	11.8	0.3	3	0.72	95.5	64.5932	43.2445
2025	3	15	5	55	11	11.8	0.3	3	0.73	95.9	64.5932	43.8396
2025	3	15	6	5	11	11.8	0.3	3	0.74	96.1	64.5932	44.6331
2025	3	15	6	15	11	11.8	0.3	3	0.77	97.8	64.5276	46.3692
2025	3	15	6	25	11	11.8	0.3	3	0.75	96.1	64.5276	44.784
2025	3	15	6	35	11	11.8	0.3	3	0.73	92.8	64.5276	43.9914
2025	3	15	6	45	11	11.8	0.3	3	0.78	95.6	64.5276	46.7656
2025	3	15	6	55	11	12.2	0.3	3	0.74	96.6	64.5276	44.3877
2025	3	15	7	5	11	12.4	0.3	3	0.77	95.9	64.5276	45.973
2025	3	15	7	15	11	12.8	0.3	3	0.74	96.9	64.5276	44.3878
2025	3	15	7	25	11	13	0.3	3	0.7	95.6	64.5276	42.208
2025	3	15	7	35	11	13.2	0.3	3	0.71	94.5	64.5276	43.0007
2025	3	15	7	45	11	13.4	0.3	3	0.75	95.8	64.5276	45.1804
2025	3	15	7	55	11	13.4	0.3	3	0.69	95.8	64.5276	41.2172

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	15	8	5	11	13.4	0.3	3	0.77	94.9	64.5276	46.3694
2025	3	15	8	15	11	13.4	0.3	3	0.72	95	64.5276	43.3969
2025	3	15	8	25	11	13.6	0.3	3	0.71	94.2	64.5276	42.8024
2025	3	15	8	35	11	13.6	0.3	3	0.8	95.7	64.5276	47.9546
2025	3	15	8	45	11	13.6	0.3	3	0.74	96.1	64.5276	44.1895
2025	3	15	8	55	11	13.8	0.3	3	0.73	91	64.5276	43.9913
2025	3	15	9	5	11	13.8	0.3	3	0.73	96.2	64.5276	43.9913
2025	3	15	9	15	11	13.8	0.3	3	0.75	97.1	64.5276	44.7839
2025	3	15	9	25	11	13.8	0.3	3	0.75	95	64.5276	44.9819
2025	3	15	9	35	11	13.8	0.3	3	0.78	96.5	64.5276	46.9635
2025	3	15	9	45	11	13.8	0.3	3	0.7	97.5	64.5276	42.0095
2025	3	15	9	55	11	13.8	0.3	3	0.74	91.8	64.5276	44.5854
2025	3	15	10	5	11	13.8	0.3	3	0.75	94.3	64.5276	44.9817
2025	3	15	10	15	11	13.8	0.3	3	0.71	96.7	64.5276	42.4056
2025	3	15	10	25	11	13.8	0.3	3	0.71	96.6	64.5276	42.8018
2025	3	15	10	35	11	13.8	0.3	3	0.77	96.2	64.5276	45.9722
2025	3	15	10	45	11	13.8	0.3	3	0.78	96.8	64.5932	46.8144
2025	3	15	10	55	11	13.8	0.3	3	0.72	95.5	64.5932	43.4421
2025	3	15	11	5	11	13.8	0.3	3	0.73	98.1	64.5276	43.3959
2025	3	15	11	15	11	13.8	0.3	3	0.73	94.4	64.5932	44.2354
2025	3	15	11	25	11	13.8	0.3	3	0.73	94.1	64.5932	44.2353
2025	3	15	11	35	11	13.8	0.3	3	0.7	94	64.5932	42.4499
2025	3	15	11	45	11	13.8	0.3	3	0.76	94.9	64.6588	45.8706
2025	3	15	11	55	11	13.8	0.3	3	0.72	96	64.6588	43.2891
2025	3	15	12	5	11	13.8	0.3	3	0.79	94.8	64.6588	47.4591
2025	3	15	12	15	11	13.8	0.3	3	0.71	98	64.6588	42.4946
2025	3	15	12	25	11	13.8	0.3	3	0.74	90.5	64.6588	44.8774
2025	3	15	12	35	11	13.8	0.3	3	0.73	92.1	64.5932	44.2347
2025	3	15	12	45	11	13.8	0.3	3	0.71	93.2	64.6588	42.8916
2025	3	15	12	55	11	13.8	0.3	3	0.73	95.5	64.5932	43.6395
2025	3	15	13	5	11	13.8	0.3	3	0.73	93.6	64.5932	44.0361
2025	3	15	13	15	11	13.8	0.3	3	0.75	94.3	64.5932	45.0278
2025	3	15	13	25	11	13.8	0.3	3	0.75	95.8	64.5932	44.8294
2025	3	15	13	35	11	13.8	0.3	3	0.76	96.2	64.5276	45.5744
2025	3	15	13	45	11	13.8	0.3	3	0.75	94.5	64.5932	45.0276
2025	3	15	13	55	11	13.8	0.3	3	0.73	95.4	64.5276	43.989
2025	3	15	14	5	11	13.8	0.3	3	0.76	94.9	64.5276	45.7723
2025	3	15	14	15	11	13.8	0.3	3	0.72	91.6	64.5276	43.3945
2025	3	15	14	25	11	13.8	0.3	3	0.73	96.4	64.5276	43.9888
2025	3	15	14	35	11	13.8	0.3	3	0.75	93.5	64.5276	45.1777
2025	3	15	14	45	11	13.8	0.3	3	0.73	95.7	64.5276	43.5924
2025	3	15	14	55	11	13.8	0.3	3	0.74	95.6	64.5276	44.1868
2025	3	15	15	5	11	13.8	0.3	3	0.71	95.8	64.5276	42.7997
2025	3	15	15	15	11	13.8	0.3	3	0.75	96.6	64.5276	44.7811
2025	3	15	15	25	11	13.8	0.3	3	0.72	98.1	64.5276	42.9978
2025	3	15	15	35	11	13.6	0.3	3	0.7	95.6	64.5276	42.2052
2025	3	15	15	45	11	13.6	0.3	3	0.69	95.5	64.5276	41.4125
2025	3	15	15	55	11	13.6	0.3	3	0.73	94.7	64.5932	43.8368

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	15	16	5	11	13.8	0.3	3	0.74	93	64.5276	44.781
2025	3	15	16	15	11	13.6	0.3	3	0.71	96.7	64.5932	42.4482
2025	3	15	16	25	11	13.8	0.3	3	0.73	95.7	64.5276	43.592
2025	3	15	16	35	11	13.8	0.3	3	0.74	95.6	64.5276	44.7809
2025	3	15	16	45	11	13.8	0.3	3	0.74	95.6	64.5276	44.1864
2025	3	15	16	55	11	13.6	0.3	3	0.72	95.8	64.5932	43.0432
2025	3	15	17	5	11	12.8	0.3	3	0.75	94.3	64.5932	45.2251
2025	3	15	17	15	11	12.4	0.3	3	0.76	96.2	64.5276	45.3753
2025	3	15	17	25	11	12.2	0.3	3	0.77	96.2	64.5932	46.0185
2025	3	15	17	35	11	12.2	0.3	3	0.73	95.2	64.5276	43.7901
2025	3	15	17	45	11	12.2	0.3	3	0.75	95.5	64.5276	44.979
2025	3	15	17	55	11	12.2	0.3	3	0.76	95.7	64.5276	45.3752
2025	3	15	18	5	11	12.2	0.3	3	0.73	95.7	64.5276	43.9882
2025	3	15	18	15	11	12.2	0.3	3	0.73	93.6	64.5276	43.9882
2025	3	15	18	25	11	12.2	0.3	3	0.72	94.2	64.5276	43.5919
2025	3	15	18	35	11	12.2	0.3	3	0.74	93.5	64.5276	44.7808
2025	3	15	18	45	11	12.2	0.3	3	0.76	95.7	64.4619	45.525
2025	3	15	18	55	11	12.2	0.3	3	0.74	93	64.4619	44.7333
2025	3	15	19	5	11	12.2	0.3	3	0.72	95.5	64.5276	42.9976
2025	3	15	19	15	11	12.2	0.3	3	0.72	96.3	64.5276	42.9976
2025	3	15	19	25	11	12.2	0.3	3	0.74	94	64.5276	44.7809
2025	3	15	19	35	11	12.2	0.3	3	0.73	95.1	64.4619	43.9416
2025	3	15	19	45	11	12.2	0.3	3	0.76	95.4	64.4619	45.723
2025	3	15	19	55	11	12.2	0.3	3	0.73	94.9	64.4619	44.1396
2025	3	15	20	5	11	12.2	0.3	3	0.72	96	64.4619	43.3478
2025	3	15	20	15	11	12.2	0.3	3	0.73	96.4	64.4619	43.9417
2025	3	15	20	25	11	12.2	0.3	3	0.75	98.6	64.4619	44.7334
2025	3	15	20	35	11	12	0.3	3	0.72	93.9	64.4619	43.3479
2025	3	15	20	45	11	12	0.3	3	0.7	94.8	64.3963	42.3132
2025	3	15	20	55	11	12	0.3	3	0.69	93.3	64.4619	41.7645
2025	3	15	21	5	11	12	0.3	3	0.75	94	64.3963	45.0814
2025	3	15	21	15	11	12	0.3	3	0.72	97.1	64.3963	43.1042
2025	3	15	21	25	11	12	0.3	3	0.73	95.7	64.3963	43.4997
2025	3	15	21	35	11	12	0.3	3	0.74	96.6	64.3963	44.2906
2025	3	15	21	45	11	12	0.3	3	0.76	94.2	64.3963	45.477
2025	3	15	21	55	11	12	0.3	3	0.72	94.2	64.3963	43.4998
2025	3	15	22	5	11	12	0.3	3	0.71	93.2	64.3963	42.5112
2025	3	15	22	15	11	12	0.3	3	0.72	95.7	64.3963	43.3021
2025	3	15	22	25	11	12	0.3	3	0.75	93.3	64.3963	45.0817
2025	3	15	22	35	11	12	0.3	3	0.76	96.7	64.3963	45.6749
2025	3	15	22	45	11	12	0.3	3	0.68	92.2	64.3307	41.0835
2025	3	15	22	55	11	12	0.3	3	0.75	96.5	64.3307	44.8363
2025	3	15	23	5	11	12	0.3	3	0.75	94.5	64.3307	44.8363
2025	3	15	23	15	11	12	0.3	3	0.72	94.4	64.3307	43.4538
2025	3	15	23	25	11	12	0.3	3	0.72	98.1	64.3307	42.8612
2025	3	15	23	35	11	12	0.3	3	0.75	94	64.3307	45.2315
2025	3	15	23	45	11	12	0.3	3	0.74	95.1	64.3307	44.4415
2025	3	15	23	55	11	12	0.3	3	0.74	95.3	64.3307	44.4415

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	16	0	5	11	12	0.3	3	0.73	96.5	64.3307	43.6515
2025	3	16	0	15	11	12	0.3	3	0.74	94.3	64.2651	44.5915
2025	3	16	0	25	11	12	0.3	3	0.77	94.9	64.2651	45.9727
2025	3	16	0	35	11	12	0.3	3	0.74	94.3	64.2651	44.3943
2025	3	16	0	45	11	12	0.3	3	0.73	97	64.2651	43.6051
2025	3	16	0	55	11	12	0.3	3	0.76	95.2	64.2651	45.3809
2025	3	16	1	5	11	12	0.3	3	0.72	93.9	64.2651	43.4079
2025	3	16	1	15	11	12	0.3	3	0.72	90.3	64.2651	43.2106
2025	3	16	1	25	11	12	0.3	3	0.71	97.9	64.2651	42.4214
2025	3	16	1	35	11	12	0.3	3	0.74	95.1	64.2651	44.1972
2025	3	16	1	45	11	12	0.3	3	0.73	94.6	64.2651	44
2025	3	16	1	55	11	12	0.3	3	0.75	93	64.2651	45.1839
2025	3	16	2	5	11	12	0.3	3	0.73	95.1	64.2651	44.0001
2025	3	16	2	15	11	12	0.3	3	0.71	96.1	64.2651	42.4216
2025	3	16	2	25	11	12	0.3	3	0.74	95.6	64.2651	44.1974
2025	3	16	2	35	11	12	0.3	3	0.74	94.3	64.1995	44.1504
2025	3	16	2	45	11	12	0.3	3	0.72	92.9	64.1995	43.1649
2025	3	16	2	55	11	12	0.3	3	0.72	93.7	64.1995	43.1649
2025	3	16	3	5	11	12	0.3	3	0.76	94.5	64.1995	45.5302
2025	3	16	3	15	11	12	0.3	3	0.7	93.7	64.1995	42.1795
2025	3	16	3	25	11	12	0.3	3	0.75	95.3	64.1995	44.9389
2025	3	16	3	35	11	12	0.3	3	0.73	95.2	64.1995	43.5593
2025	3	16	3	45	11	11.8	0.3	3	0.71	95	64.1995	42.7709
2025	3	16	3	55	11	11.8	0.3	3	0.73	94.9	64.1995	43.7564
2025	3	16	4	5	11	11.8	0.3	3	0.74	95.6	64.1995	43.9536
2025	3	16	4	15	11	11.8	0.3	3	0.72	97.3	64.1995	42.9681
2025	3	16	4	25	11	11.8	0.3	3	0.71	95.9	64.1995	42.1797
2025	3	16	4	35	11	11.8	0.3	3	0.74	96.3	64.1995	44.3478
2025	3	16	4	45	11	11.8	0.3	3	0.74	96.4	64.1995	43.9537
2025	3	16	4	55	11	11.8	0.3	3	0.77	95.1	64.1339	46.2695
2025	3	16	5	5	11	11.8	0.3	3	0.71	92.4	64.1995	42.7711
2025	3	16	5	15	11	11.8	0.3	3	0.72	96	64.1995	43.1653
2025	3	16	5	25	11	11.8	0.3	3	0.75	95.3	64.1995	44.7422
2025	3	16	5	35	11	11.8	0.3	3	0.73	97.4	64.1995	43.7567
2025	3	16	5	45	11	11.8	0.3	3	0.74	94	64.2651	44.5927
2025	3	16	5	55	11	11.8	0.3	3	0.72	97.6	64.2651	42.8169
2025	3	16	6	5	11	11.8	0.3	3	0.71	94.5	64.2651	42.8169
2025	3	16	6	15	11	11.8	0.3	3	0.67	94.2	64.2651	40.2519
2025	3	16	6	25	11	11.8	0.3	3	0.74	94.3	64.2651	44.3955
2025	3	16	6	35	11	11.8	0.3	3	0.75	94.5	64.2651	45.1847
2025	3	16	6	45	11	11.8	0.3	3	0.73	96.2	64.3307	43.4552
2025	3	16	6	55	11	12.2	0.3	3	0.72	94.7	64.2651	43.4089
2025	3	16	7	5	11	12.2	0.3	3	0.75	95.3	64.3307	44.8379
2025	3	16	7	15	11	12.4	0.3	3	0.73	93.4	64.3307	43.6528
2025	3	16	7	25	11	12.8	0.3	3	0.76	93.9	64.3307	45.8256
2025	3	16	7	35	11	13.2	0.3	3	0.76	95.2	64.3307	45.4305
2025	3	16	7	45	11	13.2	0.3	3	0.7	95.9	64.3307	41.8751
2025	3	16	7	55	11	13.2	0.3	3	0.77	94.4	64.3307	46.0231

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	16	8	5	11	13.4	0.3	3	0.72	94.4	64.3307	43.4552
2025	3	16	8	15	11	13.4	0.3	3	0.72	96.3	64.3307	42.8626
2025	3	16	8	25	11	13.4	0.3	3	0.74	96.6	64.2651	44.3954
2025	3	16	8	35	11	13.4	0.3	3	0.72	95.8	64.2651	42.8169
2025	3	16	8	45	11	13.2	0.3	3	0.72	96.1	64.2651	42.8169
2025	3	16	8	55	11	13.2	0.3	3	0.74	95.6	64.2651	44.0007
2025	3	16	9	5	11	13.4	0.3	3	0.72	94.9	64.1995	43.3625
2025	3	16	9	15	11	13.6	0.3	3	0.74	96.4	64.1995	43.9537
2025	3	16	9	25	11	13.2	0.3	3	0.69	98.2	64.1995	40.9972
2025	3	16	9	35	11	13.2	0.3	3	0.71	98.8	64.1995	41.9826
2025	3	16	9	45	11	13.2	0.3	3	0.75	96.3	64.1339	44.6943
2025	3	16	9	55	11	13.2	0.3	3	0.74	96.8	64.1339	44.3004
2025	3	16	10	5	11	13.2	0.3	3	0.73	94.1	64.1995	43.9535
2025	3	16	10	15	11	13.4	0.3	3	0.71	98	64.1339	42.1346
2025	3	16	10	25	11	13.6	0.3	3	0.73	95.4	64.1339	43.9065
2025	3	16	10	35	11	13.8	0.3	3	0.73	95.4	64.1339	43.9065
2025	3	16	10	45	11	13.8	0.3	3	0.74	97.6	64.1339	44.3002
2025	3	16	10	55	11	13.6	0.3	3	0.72	96.5	64.1339	42.9219
2025	3	16	11	5	11	13.8	0.3	3	0.75	98.1	64.1995	44.3474
2025	3	16	11	15	11	13.8	0.3	3	0.73	95.5	64.2651	43.4082
2025	3	16	11	25	11	13.8	0.3	3	0.7	94.5	64.1995	42.1793
2025	3	16	11	35	11	14	0.3	3	0.73	93.4	64.2651	43.8027
2025	3	16	11	45	11	14	0.3	3	0.72	100	64.1995	42.5734
2025	3	16	11	55	11	14	0.3	3	0.77	95.9	64.1995	45.7269
2025	3	16	12	5	11	14	0.3	3	0.71	94.2	64.1995	42.7704
2025	3	16	12	15	11	14	0.3	3	0.74	95.9	64.2651	43.9998
2025	3	16	12	25	11	14	0.3	3	0.72	95.7	64.2651	43.2106
2025	3	16	12	35	11	14	0.3	3	0.7	98.1	64.2651	41.4347
2025	3	16	12	45	11	14	0.3	3	0.71	94.5	64.2651	42.4212
2025	3	16	12	55	11	14	0.3	3	0.75	94.2	64.2651	45.1835
2025	3	16	13	5	11	14	0.3	3	0.69	98.2	64.2651	41.2373
2025	3	16	13	15	11	14	0.3	3	0.71	95.8	64.1995	42.573
2025	3	16	13	25	11	14	0.3	3	0.72	95.2	64.1995	43.3613
2025	3	16	13	35	11	14	0.3	3	0.71	95.8	64.2651	42.421
2025	3	16	13	45	11	14	0.3	3	0.73	94.4	64.2651	43.6048
2025	3	16	13	55	11	14	0.3	3	0.73	96.7	64.2651	43.802
2025	3	16	14	5	11	13.8	0.3	3	0.77	96.9	64.2651	45.9723
2025	3	16	14	15	11	13.8	0.3	3	0.71	98	64.2651	42.2234
2025	3	16	14	25	11	13.8	0.3	3	0.74	96.9	64.2651	43.9991
2025	3	16	14	35	11	13.8	0.3	3	0.67	93.9	64.2651	40.0529
2025	3	16	14	45	11	13.4	0.3	3	0.74	96.1	64.2651	44.3936
2025	3	16	14	55	11	13.4	0.3	3	0.73	96.7	64.2651	43.407
2025	3	16	15	5	11	13.4	0.3	3	0.74	98.4	64.2651	44.1961
2025	3	16	15	15	11	13.4	0.3	3	0.7	95.1	64.3307	42.0705
2025	3	16	15	25	11	13.4	0.3	3	0.74	97.9	64.2651	43.8014
2025	3	16	15	35	11	13.4	0.3	3	0.72	98.1	64.3307	43.058
2025	3	16	15	45	11	13.4	0.3	3	0.73	94.9	64.2651	43.8013
2025	3	16	15	55	11	13.4	0.3	3	0.72	96.5	64.3307	43.2554

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	16	16	5	11	13.4	0.3	3	0.72	94.7	64.2651	43.2093
2025	3	16	16	15	11	13.4	0.3	3	0.71	97.1	64.3307	42.6628
2025	3	16	16	25	11	13.4	0.3	3	0.7	97.3	64.3307	41.6752
2025	3	16	16	35	11	13.4	0.3	3	0.73	94.7	64.3307	43.6503
2025	3	16	16	45	11	12.6	0.3	3	0.75	96.6	64.2651	44.5902
2025	3	16	16	55	11	12.4	0.3	3	0.72	95	64.3307	43.2552
2025	3	16	17	5	11	12.4	0.3	3	0.73	95.1	64.3307	44.0452
2025	3	16	17	15	11	12.4	0.3	3	0.77	94.9	64.3307	46.2178
2025	3	16	17	25	11	12.4	0.3	3	0.74	97.2	64.3307	44.0452
2025	3	16	17	35	11	12.2	0.3	3	0.71	95.9	64.3307	42.2676
2025	3	16	17	45	11	12.2	0.3	3	0.71	96.1	64.3307	42.6626
2025	3	16	17	55	11	12.2	0.3	3	0.71	94	64.3307	42.4651
2025	3	16	18	5	11	12.2	0.3	3	0.71	97.9	64.3307	42.4651
2025	3	16	18	15	11	12.2	0.3	3	0.72	97.1	64.3307	42.8601
2025	3	16	18	25	11	12.2	0.3	3	0.72	93.9	64.3307	43.2551
2025	3	16	18	35	11	12.2	0.3	3	0.68	95	64.3307	40.6875
2025	3	16	18	45	11	12.2	0.3	3	0.74	96.1	64.3307	44.2427
2025	3	16	18	55	11	12.2	0.3	3	0.73	95.4	64.3307	43.8477
2025	3	16	19	5	11	12.2	0.3	3	0.72	95.8	64.2651	42.8145
2025	3	16	19	15	11	12.2	0.3	3	0.72	93.4	64.2651	43.2091
2025	3	16	19	25	11	12.2	0.3	3	0.71	94.2	64.3307	42.8602
2025	3	16	19	35	11	12.2	0.3	3	0.74	95.6	64.3307	44.4403
2025	3	16	19	45	11	12.2	0.3	3	0.78	94.1	64.3307	46.6129
2025	3	16	19	55	11	12.2	0.3	3	0.72	93.9	64.3307	43.2552
2025	3	16	20	5	11	12.2	0.3	3	0.71	92.9	64.3307	42.8602
2025	3	16	20	15	11	12.2	0.3	3	0.71	94.7	64.3307	42.8602
2025	3	16	20	25	11	12.2	0.3	3	0.74	95.6	64.3307	44.2428
2025	3	16	20	35	11	12.2	0.3	3	0.75	93.3	64.3307	44.8354
2025	3	16	20	45	11	12.2	0.3	3	0.7	95.1	64.3307	41.8727
2025	3	16	20	55	11	12.2	0.3	3	0.72	95.2	64.2651	43.0119
2025	3	16	21	5	11	12	0.3	3	0.71	93.2	64.2651	42.6173
2025	3	16	21	15	11	12	0.3	3	0.73	97.2	64.2651	43.6039
2025	3	16	21	25	11	12	0.3	3	0.71	95.8	64.3307	42.4653
2025	3	16	21	35	11	12	0.3	3	0.74	97.1	64.2651	44.1958
2025	3	16	21	45	11	12	0.3	3	0.68	96.1	64.2651	40.4471
2025	3	16	21	55	11	12	0.3	3	0.76	95.7	64.2651	45.7743
2025	3	16	22	5	11	12	0.3	3	0.68	95	64.2651	40.4471
2025	3	16	22	15	11	12	0.3	3	0.72	94.9	64.2651	43.4067
2025	3	16	22	25	11	12	0.3	3	0.74	98.4	64.2651	44.1959
2025	3	16	22	35	11	12	0.3	3	0.68	94.9	64.2651	41.0391
2025	3	16	22	45	11	12	0.3	3	0.72	97.9	64.2651	42.6175
2025	3	16	22	55	11	12	0.3	3	0.76	95.2	64.2651	45.5771
2025	3	16	23	5	11	12	0.3	3	0.71	94.7	64.2651	42.8149
2025	3	16	23	15	11	12	0.3	3	0.73	95.9	64.2651	43.8014
2025	3	16	23	25	11	12	0.3	3	0.69	95.5	64.2651	41.2365
2025	3	16	23	35	11	12	0.3	3	0.76	94.7	64.1995	45.3315
2025	3	16	23	45	11	12	0.3	3	0.72	97.6	64.1995	42.9664
2025	3	16	23	55	11	12	0.3	3	0.73	95.7	64.1995	43.7548

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	17	0	5	11	12	0.3	3	0.75	96.8	64.1995	44.9374
2025	3	17	0	15	11	12	0.3	3	0.74	94.3	64.1995	44.149
2025	3	17	0	25	11	12	0.3	3	0.71	94.3	64.1995	42.3752
2025	3	17	0	35	11	12	0.3	3	0.74	93.5	64.1995	44.5433
2025	3	17	0	45	11	12	0.3	3	0.75	93	64.1995	45.1346
2025	3	17	0	55	11	12	0.3	3	0.73	95.1	64.1995	43.755
2025	3	17	1	5	11	12	0.3	3	0.77	98.1	64.1995	45.923
2025	3	17	1	15	11	12	0.3	3	0.76	97.5	64.1995	45.1347
2025	3	17	1	25	11	12	0.3	3	0.72	93.9	64.1995	43.3609
2025	3	17	1	35	11	12	0.3	3	0.72	92.6	64.1995	43.1638
2025	3	17	1	45	11	12	0.3	3	0.74	96.9	64.1995	44.1493
2025	3	17	1	55	11	12	0.3	3	0.73	95.7	64.1995	43.361
2025	3	17	2	5	11	12	0.3	3	0.74	95.1	64.1995	44.1494
2025	3	17	2	15	11	12	0.3	3	0.71	94.8	64.1995	42.3755
2025	3	17	2	25	11	12	0.3	3	0.7	97	64.1995	41.5872
2025	3	17	2	35	11	12	0.3	3	0.72	95.7	64.1995	43.164
2025	3	17	2	45	11	12	0.3	3	0.74	96.9	64.1995	44.1495
2025	3	17	2	55	11	12	0.3	3	0.74	93.3	64.1995	44.1495
2025	3	17	3	5	11	12	0.3	3	0.7	94.5	64.1995	42.1786
2025	3	17	3	15	11	12	0.3	3	0.69	97.1	64.1339	40.9523
2025	3	17	3	25	11	12	0.3	3	0.76	96	64.1339	45.0869
2025	3	17	3	35	11	12	0.3	3	0.73	96.9	64.1339	43.7087
2025	3	17	3	45	11	11.8	0.3	3	0.72	95.2	64.1339	42.9212
2025	3	17	3	55	11	11.8	0.3	3	0.73	97.2	64.1339	43.7088
2025	3	17	4	5	11	11.8	0.3	3	0.78	95.8	64.1995	46.3178
2025	3	17	4	15	11	11.8	0.3	3	0.71	94.2	64.1339	42.5275
2025	3	17	4	25	11	11.8	0.3	3	0.69	97.4	64.1339	41.1493
2025	3	17	4	35	11	11.8	0.3	3	0.73	95.7	64.1339	43.512
2025	3	17	4	45	11	11.8	0.3	3	0.74	94.3	64.1339	44.1027
2025	3	17	4	55	11	11.8	0.3	3	0.73	97.3	64.1339	43.3152
2025	3	17	5	5	11	11.8	0.3	3	0.7	94.9	64.1339	41.7401
2025	3	17	5	15	11	11.8	0.3	3	0.69	96.9	64.1339	40.9526
2025	3	17	5	25	11	11.8	0.3	3	0.72	95.2	64.1339	42.9215
2025	3	17	5	35	11	11.8	0.3	3	0.75	97.7	64.1339	44.8904
2025	3	17	5	45	11	11.8	0.3	3	0.71	93.7	64.1339	42.7246
2025	3	17	5	55	11	11.8	0.3	3	0.7	93.8	64.1339	41.7402
2025	3	17	6	5	11	11.8	0.3	3	0.73	95.1	64.1339	43.906
2025	3	17	6	15	11	11.8	0.3	3	0.73	98.5	64.1339	43.5122
2025	3	17	6	25	11	11.8	0.3	3	0.73	95.4	64.1339	43.906
2025	3	17	6	35	11	11.8	0.3	3	0.71	94	64.1339	42.3309
2025	3	17	6	45	11	11.8	0.3	3	0.72	97.1	64.1339	42.7247
2025	3	17	6	55	11	12.2	0.3	3	0.71	93.7	64.1339	42.7247
2025	3	17	7	5	11	12.4	0.3	3	0.75	96	64.1339	44.6936
2025	3	17	7	15	11	12.6	0.3	3	0.73	94.4	64.1339	43.9061
2025	3	17	7	25	11	12.8	0.3	3	0.72	94.7	64.1339	42.9217
2025	3	17	7	35	11	13	0.3	3	0.71	96.6	64.1339	42.5279
2025	3	17	7	45	11	13.2	0.3	3	0.73	96.7	64.1339	43.5123
2025	3	17	7	55	11	13.2	0.3	3	0.72	95	64.1339	43.1185

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	17	8	5	11	13.2	0.3	3	0.72	94.7	64.1339	42.9216
2025	3	17	8	15	11	13.2	0.3	3	0.72	96.3	64.1995	42.7704
2025	3	17	8	25	11	13.2	0.3	3	0.72	95.5	64.1995	42.7703
2025	3	17	8	35	11	13.2	0.3	3	0.71	94.8	64.1995	42.3761
2025	3	17	8	45	11	13.4	0.3	3	0.74	94.1	64.1995	44.15
2025	3	17	8	55	11	13.4	0.3	3	0.74	96.1	64.1995	44.347
2025	3	17	9	5	11	13.4	0.3	3	0.73	94.9	64.1995	43.7557
2025	3	17	9	15	11	13.6	0.3	3	0.74	92.8	64.1995	44.544
2025	3	17	9	25	11	13.6	0.3	3	0.73	96	64.1995	43.3614
2025	3	17	9	35	11	13.6	0.3	3	0.7	97.6	64.2651	41.4345
2025	3	17	9	45	11	13.6	0.3	3	0.74	94.6	64.1995	44.3467
2025	3	17	9	55	11	13.6	0.3	3	0.73	96.4	64.2651	43.8021
2025	3	17	10	5	11	13.8	0.3	3	0.73	94.6	64.2651	43.9993
2025	3	17	10	15	11	13.8	0.3	3	0.75	97	64.3307	44.8362
2025	3	17	10	25	11	13.8	0.3	3	0.69	96	64.3963	41.5225
2025	3	17	10	35	11	13.8	0.3	3	0.75	97	64.3307	44.836
2025	3	17	10	45	11	13.8	0.3	3	0.72	96.1	64.3307	42.8608
2025	3	17	10	55	11	13.8	0.3	3	0.74	96.9	64.3963	44.0927
2025	3	17	11	5	11	13.8	0.3	3	0.74	92	64.3963	44.6858
2025	3	17	11	15	11	13.8	0.3	3	0.71	95.8	64.2651	42.6176
2025	3	17	11	25	11	13.8	0.3	3	0.74	95.6	64.3307	44.6381
2025	3	17	11	35	11	13.8	0.3	3	0.76	94.7	64.4619	45.5248
2025	3	17	11	45	11	13.8	0.3	3	0.74	95.6	64.3307	44.4403
2025	3	17	11	55	11	13.8	0.3	3	0.71	96.9	64.3307	42.2676
2025	3	17	12	5	11	13.8	0.3	3	0.7	93.5	64.3307	42.2676
2025	3	17	12	15	11	13.8	0.3	3	0.74	96.1	64.4619	44.5348
2025	3	17	12	25	11	13.8	0.3	3	0.77	93.4	64.3963	46.0692
2025	3	17	12	35	11	13.8	0.3	3	0.75	92.5	64.4619	45.3265
2025	3	17	12	45	11	13.8	0.3	3	0.76	96.5	64.4619	45.3263
2025	3	17	12	55	11	13.8	0.3	3	0.76	96.5	64.4619	45.3263
2025	3	17	13	5	11	13.8	0.3	3	0.7	95.4	64.5276	42.2042
2025	3	17	13	15	11	13.8	0.3	3	0.74	93.3	64.4619	44.3366
2025	3	17	13	25	11	13.8	0.3	3	0.74	93.3	64.4619	44.3366
2025	3	17	13	35	11	13.8	0.3	3	0.76	95.5	64.5276	45.5725
2025	3	17	13	45	11	13.8	0.3	3	0.71	97.9	64.4619	42.5551
2025	3	17	13	55	11	13.8	0.3	3	0.73	95.7	64.4619	43.9406
2025	3	17	14	5	11	13.8	0.3	3	0.71	94.2	64.5276	42.9966
2025	3	17	14	15	11	13.8	0.3	3	0.73	95.7	64.5276	43.9873
2025	3	17	14	25	11	13.8	0.3	3	0.72	96.8	64.5276	42.9966
2025	3	17	14	35	11	13.8	0.3	3	0.69	94.6	64.5276	41.6096
2025	3	17	14	45	11	13.6	0.3	3	0.74	97.3	64.5276	44.5817
2025	3	17	14	55	11	13.6	0.3	3	0.73	93.9	64.5932	44.034
2025	3	17	15	5	11	12.6	0.3	3	0.75	94.2	64.5932	45.4224
2025	3	17	15	15	11	12.4	0.3	3	0.76	93.7	64.5932	45.6208
2025	3	17	15	25	11	12.4	0.3	3	0.73	96.2	64.5932	43.8356
2025	3	17	15	35	11	13.2	0.3	3	0.74	95.3	64.5932	44.8274
2025	3	17	15	45	11	12.8	0.3	3	0.74	97.6	64.5932	44.629
2025	3	17	15	55	11	12.4	0.3	3	0.72	93.9	64.5932	43.6373

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	17	16	5	11	12.4	0.3	3	0.75	94.8	64.5932	45.0257
2025	3	17	16	15	11	12.4	0.3	3	0.71	95.6	64.5932	42.4472
2025	3	17	16	25	11	12.4	0.3	3	0.73	92.1	64.5932	44.2323
2025	3	17	16	35	11	12.4	0.3	3	0.73	93.8	64.5932	44.2323
2025	3	17	16	45	11	12.2	0.3	3	0.75	95.8	64.5932	44.8274
2025	3	17	16	55	11	12.2	0.3	3	0.74	94.6	64.5932	44.6291
2025	3	17	17	5	11	12.2	0.3	3	0.76	96.5	64.5932	45.4225
2025	3	17	17	15	11	12.2	0.3	3	0.8	94.2	64.5932	48.1994
2025	3	17	17	25	11	12.2	0.3	3	0.69	95.7	64.5932	41.4555
2025	3	17	17	35	11	12.2	0.3	3	0.71	96.1	64.5932	42.6456
2025	3	17	17	45	11	12.2	0.3	3	0.75	94.5	64.5932	45.2242
2025	3	17	17	55	11	12.2	0.3	3	0.77	92.7	64.5932	46.4144
2025	3	17	18	5	11	12.2	0.3	3	0.72	93.9	64.5932	43.6374
2025	3	17	18	15	11	12.2	0.3	3	0.74	93.8	64.5932	44.6292
2025	3	17	18	25	11	12.2	0.3	3	0.76	95.5	64.5276	45.5726
2025	3	17	18	35	11	12.2	0.3	3	0.72	97.3	64.5276	43.195
2025	3	17	18	45	11	12.2	0.3	3	0.73	95.9	64.5932	43.8359
2025	3	17	18	55	11	12.2	0.3	3	0.74	94.1	64.5932	44.431
2025	3	17	19	5	11	12.2	0.3	3	0.72	92.9	64.5276	43.3932
2025	3	17	19	15	11	12.2	0.3	3	0.75	96.3	64.5276	44.7802
2025	3	17	19	25	11	12.2	0.3	3	0.72	94.4	64.5276	43.5914
2025	3	17	19	35	11	12.2	0.3	3	0.75	94.5	64.5276	45.1766
2025	3	17	19	45	11	12.2	0.3	3	0.74	95.1	64.5276	44.7803
2025	3	17	19	55	11	12.2	0.3	3	0.72	94.4	64.5276	43.5915
2025	3	17	20	5	11	12	0.3	3	0.77	94.9	64.5276	46.3656
2025	3	17	20	15	11	12	0.3	3	0.72	94.2	64.5276	43.5916
2025	3	17	20	25	11	12	0.3	3	0.68	97.2	64.5276	41.0158
2025	3	17	20	35	11	12	0.3	3	0.73	92.6	64.4619	44.1392
2025	3	17	20	45	11	12	0.3	3	0.75	92.5	64.5276	45.375
2025	3	17	20	55	11	12	0.3	3	0.73	95.7	64.5276	43.7899
2025	3	17	21	5	11	12	0.3	3	0.75	94.8	64.4619	45.129
2025	3	17	21	15	11	12	0.3	3	0.73	95.4	64.4619	43.9414
2025	3	17	21	25	11	12	0.3	3	0.72	95.5	64.4619	43.1497
2025	3	17	21	35	11	12	0.3	3	0.73	94.6	64.4619	43.9415
2025	3	17	21	45	11	12	0.3	3	0.77	93.2	64.4619	46.3168
2025	3	17	21	55	11	12	0.3	3	0.75	94.3	64.4619	45.1292
2025	3	17	22	5	11	12	0.3	3	0.77	96.4	64.4619	45.921
2025	3	17	22	15	11	12	0.3	3	0.71	96.9	64.4619	42.3582
2025	3	17	22	25	11	12	0.3	3	0.72	96.1	64.4619	42.952
2025	3	17	22	35	11	12	0.3	3	0.73	96.4	64.4619	43.9418
2025	3	17	22	45	11	12	0.3	3	0.73	93.4	64.4619	43.7439
2025	3	17	22	55	11	12	0.3	3	0.71	93.5	64.4619	42.5563
2025	3	17	23	5	11	12	0.3	3	0.73	96.7	64.4619	43.9419
2025	3	17	23	15	11	12	0.3	3	0.73	93.9	64.4619	43.9419
2025	3	17	23	25	11	12	0.3	3	0.71	96.9	64.4619	42.5564
2025	3	17	23	35	11	12	0.3	3	0.72	92.6	64.4619	43.5461
2025	3	17	23	45	11	12	0.3	3	0.68	97.2	64.4619	40.973
2025	3	17	23	55	11	12	0.3	3	0.75	97.5	64.3963	44.884

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	18	0	5	11	12	0.3	3	0.72	93.9	64.3963	43.5
2025	3	18	0	15	11	12	0.3	3	0.74	94.3	64.3963	44.4886
2025	3	18	0	25	11	12	0.3	3	0.74	97.6	64.3963	44.4887
2025	3	18	0	35	11	12	0.3	3	0.72	96.5	64.3963	43.3023
2025	3	18	0	45	11	12	0.3	3	0.72	95	64.3963	43.3024
2025	3	18	0	55	11	12	0.3	3	0.73	97.8	64.3963	43.5001
2025	3	18	1	5	11	12	0.3	3	0.73	92.3	64.3963	44.0934
2025	3	18	1	15	11	12	0.3	3	0.73	93.6	64.4619	44.1403
2025	3	18	1	25	11	12	0.3	3	0.73	93.6	64.4619	43.7445
2025	3	18	1	35	11	12	0.3	3	0.78	94.1	64.4619	47.1095
2025	3	18	1	45	11	12	0.3	3	0.74	94.3	64.4619	44.5363
2025	3	18	1	55	11	12	0.3	3	0.72	97.6	64.4619	42.7549
2025	3	18	2	5	11	12	0.3	3	0.75	95.3	64.4619	44.9323
2025	3	18	2	15	11	12	0.3	3	0.74	95.3	64.5276	44.782
2025	3	18	2	25	11	12	0.3	3	0.69	94.6	64.4619	41.7654
2025	3	18	2	35	11	12	0.3	3	0.76	96	64.4619	45.5263
2025	3	18	2	45	11	12	0.3	3	0.77	96.1	64.4619	46.1201
2025	3	18	2	55	11	12	0.3	3	0.74	96.4	64.5276	44.3858
2025	3	18	3	5	11	12	0.3	3	0.76	92	64.5276	46.1693
2025	3	18	3	15	11	12	0.3	3	0.72	94.5	64.5276	43.197
2025	3	18	3	25	11	11.8	0.3	3	0.73	93.4	64.5276	43.7915
2025	3	18	3	35	11	11.8	0.3	3	0.76	94.9	64.5276	45.7731
2025	3	18	3	45	11	11.8	0.3	3	0.74	94.1	64.5276	44.386
2025	3	18	3	55	11	11.8	0.3	3	0.75	92.3	64.5276	44.9805
2025	3	18	4	5	11	11.8	0.3	3	0.71	96.9	64.5276	42.6027
2025	3	18	4	15	11	11.8	0.3	3	0.75	97.8	64.4619	44.9328
2025	3	18	4	25	11	11.8	0.3	3	0.73	97	64.4619	43.5473
2025	3	18	4	35	11	11.8	0.3	3	0.72	92.9	64.4619	43.5473
2025	3	18	4	45	11	11.8	0.3	3	0.71	94.2	64.4619	42.9535
2025	3	18	4	55	11	11.8	0.3	3	0.73	95.4	64.4619	44.1412
2025	3	18	5	5	11	11.8	0.3	3	0.73	95.2	64.4619	43.7453
2025	3	18	5	15	11	11.8	0.3	3	0.73	96.4	64.4619	43.9433
2025	3	18	5	25	11	11.8	0.3	3	0.73	93.1	64.4619	43.7454
2025	3	18	5	35	11	11.8	0.3	3	0.72	96.5	64.4619	43.3495
2025	3	18	5	45	11	11.8	0.3	3	0.7	96.2	64.4619	42.1619
2025	3	18	5	55	11	11.8	0.3	3	0.74	94.1	64.4619	44.3393
2025	3	18	6	5	11	11.8	0.3	3	0.7	93.5	64.4619	42.162
2025	3	18	6	15	11	11.8	0.3	3	0.73	94.9	64.4619	43.7456
2025	3	18	6	25	11	11.8	0.3	3	0.7	96.7	64.5276	42.0087
2025	3	18	6	35	11	11.8	0.3	3	0.74	95.1	64.5276	44.3866
2025	3	18	6	45	11	11.8	0.3	3	0.76	94.9	64.5276	45.7737
2025	3	18	6	55	11	12.2	0.3	3	0.68	94.4	64.5276	41.2162
2025	3	18	7	5	11	12.4	0.3	3	0.72	96	64.4619	43.3498
2025	3	18	7	15	11	12.8	0.3	3	0.74	94.6	64.5276	44.3867
2025	3	18	7	25	11	13	0.3	3	0.75	96.8	64.5276	45.1793
2025	3	18	7	35	11	13	0.3	3	0.75	93.5	64.5276	45.1793
2025	3	18	7	45	11	13.2	0.3	3	0.71	95.3	64.5276	42.4051
2025	3	18	7	55	11	13.2	0.3	3	0.75	96.1	64.4619	44.7354

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	18	8	5	11	13.4	0.3	3	0.75	92.8	64.4619	45.3293
2025	3	18	8	15	11	13.6	0.3	3	0.74	96.3	64.4619	44.5375
2025	3	18	8	25	11	13.4	0.3	3	0.74	94.1	64.4619	44.5374
2025	3	18	8	35	11	13.4	0.3	3	0.75	93.2	64.4619	45.3292
2025	3	18	8	45	11	13.6	0.3	3	0.74	93.5	64.4619	44.7353
2025	3	18	8	55	11	13.8	0.3	3	0.74	96.1	64.3963	44.0946
2025	3	18	9	5	11	14	0.3	3	0.74	96.6	64.5276	44.5847
2025	3	18	9	15	11	14	0.3	3	0.74	96.3	64.4619	44.5373
2025	3	18	9	25	11	14	0.3	3	0.73	96.4	64.3963	43.8967
2025	3	18	9	35	11	14	0.3	3	0.73	96.5	64.4619	43.5475
2025	3	18	9	45	11	14	0.3	3	0.72	95	64.4619	43.1515
2025	3	18	9	55	11	14	0.3	3	0.74	94.3	64.4619	44.735
2025	3	18	10	5	11	14	0.3	3	0.72	96	64.4619	43.3494
2025	3	18	10	15	11	14	0.3	3	0.76	96.7	64.5276	45.575
2025	3	18	10	25	11	14	0.3	3	0.75	94.5	64.5276	45.1787
2025	3	18	10	35	11	14	0.3	3	0.71	96.6	64.5276	42.6026
2025	3	18	10	45	11	14	0.3	3	0.78	97	64.5276	46.9619
2025	3	18	10	55	11	14	0.3	3	0.7	92.1	64.4619	42.3593
2025	3	18	11	5	11	14	0.3	3	0.74	97.9	64.4619	44.3386
2025	3	18	11	15	11	14	0.3	3	0.73	94.7	64.5276	43.7912
2025	3	18	11	25	11	14	0.3	3	0.74	96.8	64.5276	44.5837
2025	3	18	11	35	11	14	0.3	3	0.72	96.3	64.5276	43.1966
2025	3	18	11	45	11	14	0.3	3	0.68	94.1	64.4619	40.9733
2025	3	18	11	55	11	14	0.3	3	0.76	93.2	64.5276	45.7724
2025	3	18	12	5	11	14	0.3	3	0.73	94.6	64.5276	44.1871
2025	3	18	12	15	11	14	0.3	3	0.76	95.4	64.5276	45.7722
2025	3	18	12	25	11	14	0.3	3	0.7	93.5	64.5276	42.2054
2025	3	18	12	35	11	14	0.3	3	0.75	94	64.4619	45.3275
2025	3	18	12	45	11	14	0.3	3	0.71	96.3	64.4619	42.7543
2025	3	18	12	55	11	14	0.3	3	0.71	93.2	64.4619	42.9521
2025	3	18	13	5	11	14	0.3	3	0.76	94.7	64.4619	45.5252
2025	3	18	13	15	11	14	0.3	3	0.7	94.6	64.5276	42.0069
2025	3	18	13	25	11	14	0.3	3	0.76	96.4	64.4619	45.723
2025	3	18	13	35	11	14	0.3	3	0.71	95	64.5276	42.9975
2025	3	18	13	45	11	14	0.3	3	0.73	93.4	64.5276	43.79
2025	3	18	13	55	11	14	0.3	3	0.72	91.3	64.5276	43.3937
2025	3	18	14	5	11	14	0.3	3	0.75	93.8	64.5276	44.9788
2025	3	18	14	15	11	13.8	0.3	3	0.78	96.6	64.5276	46.5638
2025	3	18	14	25	11	13.8	0.3	3	0.73	94.6	64.5932	44.0346
2025	3	18	14	35	11	13.8	0.3	3	0.75	96	64.5276	45.1767
2025	3	18	14	45	11	13.8	0.3	3	0.7	94.8	64.5276	42.4027
2025	3	18	14	55	11	13.8	0.3	3	0.75	94.3	64.5276	45.1767
2025	3	18	15	5	11	13.8	0.3	3	0.73	92.1	64.5932	44.2328
2025	3	18	15	15	11	13.8	0.3	3	0.76	98	64.5932	45.2246
2025	3	18	15	25	11	13.8	0.3	3	0.75	93.2	64.5276	45.3747
2025	3	18	15	35	11	13.8	0.3	3	0.75	93.5	64.5276	45.3747
2025	3	18	15	45	11	13.8	0.3	3	0.74	94.6	64.5276	44.7802
2025	3	18	15	55	11	13.8	0.3	3	0.75	95.8	64.5932	44.8277

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	18	16	5	11	13.8	0.3	3	0.73	93.6	64.5276	43.9876
2025	3	18	16	15	11	14	0.3	3	0.76	92.2	64.5932	45.6211
2025	3	18	16	25	11	13.8	0.3	3	0.73	93.6	64.5932	44.0343
2025	3	18	16	35	11	13.8	0.3	3	0.76	92.7	64.5932	45.6211
2025	3	18	16	45	11	13.8	0.3	3	0.72	93.4	64.5932	43.6376
2025	3	18	16	55	11	13.8	0.3	3	0.77	92.2	64.5276	46.3653
2025	3	18	17	5	11	12.6	0.3	3	0.74	95.1	64.5932	44.8277
2025	3	18	17	15	11	12.4	0.3	3	0.76	94	64.5276	45.5727
2025	3	18	17	25	11	12.2	0.3	3	0.77	98.1	64.5276	45.7709
2025	3	18	17	35	11	12.2	0.3	3	0.74	97.2	64.5276	44.1857
2025	3	18	17	45	11	12.2	0.3	3	0.7	94.9	64.5276	42.0062
2025	3	18	17	55	11	12.2	0.3	3	0.72	95.5	64.5276	43.3932
2025	3	18	18	5	11	12.2	0.3	3	0.71	94.3	64.5276	42.6006
2025	3	18	18	15	11	12.2	0.3	3	0.76	94.7	64.5276	45.5728
2025	3	18	18	25	11	12.2	0.3	3	0.75	93.7	64.5276	45.3746
2025	3	18	18	35	11	12.2	0.3	3	0.76	94	64.5276	45.5728
2025	3	18	18	45	11	12.2	0.3	3	0.77	94.9	64.5276	46.3654
2025	3	18	18	55	11	12.2	0.3	3	0.75	95.8	64.5276	45.1765
2025	3	18	19	5	11	12.2	0.3	3	0.74	95.9	64.5276	44.1858
2025	3	18	19	15	11	12.2	0.3	3	0.73	94.1	64.5276	43.9877
2025	3	18	19	25	11	12.2	0.3	3	0.74	94.6	64.5276	44.384
2025	3	18	19	35	11	12.2	0.3	3	0.74	95.6	64.5276	44.1859
2025	3	18	19	45	11	12.2	0.3	3	0.73	95.7	64.5276	43.5915
2025	3	18	19	55	11	12.2	0.3	3	0.73	96.9	64.5276	43.9878
2025	3	18	20	5	11	12	0.3	3	0.73	92.3	64.5276	43.9878
2025	3	18	20	15	11	12	0.3	3	0.75	95.8	64.5276	44.7804
2025	3	18	20	25	11	12	0.3	3	0.75	93.2	64.5276	45.3749
2025	3	18	20	35	11	12	0.3	3	0.76	93.9	64.5276	45.9694
2025	3	18	20	45	11	12	0.3	3	0.73	98.3	64.5276	43.3935
2025	3	18	20	55	11	12	0.3	3	0.69	96	64.5276	41.6103
2025	3	18	21	5	11	12	0.3	3	0.72	95.8	64.4619	43.1496
2025	3	18	21	15	11	12	0.3	3	0.72	93.6	64.5276	43.5918
2025	3	18	21	25	11	12	0.3	3	0.71	93.5	64.5276	42.6011
2025	3	18	21	35	11	12	0.3	3	0.72	95	64.4619	43.1497
2025	3	18	21	45	11	12	0.3	3	0.74	96.9	64.4619	44.1394
2025	3	18	21	55	11	12	0.3	3	0.74	94.1	64.4619	44.5353
2025	3	18	22	5	11	12	0.3	3	0.75	94	64.4619	45.1292
2025	3	18	22	15	11	12	0.3	3	0.74	95.3	64.4619	44.5354
2025	3	18	22	25	11	12	0.3	3	0.73	96.7	64.4619	43.9416
2025	3	18	22	35	11	12	0.3	3	0.73	95.9	64.4619	43.9417
2025	3	18	22	45	11	12	0.3	3	0.73	92.8	64.4619	44.1396
2025	3	18	22	55	11	12	0.3	3	0.73	94.7	64.3963	43.6973
2025	3	18	23	5	11	12	0.3	3	0.73	94.4	64.3963	43.8951
2025	3	18	23	15	11	12	0.3	3	0.74	96.4	64.3963	44.2906
2025	3	18	23	25	11	12	0.3	3	0.74	94.3	64.3963	44.4883
2025	3	18	23	35	11	12	0.3	3	0.71	96.6	64.3963	42.5111
2025	3	18	23	45	11	12	0.3	3	0.7	94.6	64.3963	41.918
2025	3	18	23	55	11	12	0.3	3	0.72	94.7	64.3963	43.4998

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	19	0	5	11	12	0.3	3	0.76	95	64.3963	45.4772
2025	3	19	0	15	11	12	0.3	3	0.75	95.3	64.3963	45.0818
2025	3	19	0	25	11	12	0.3	3	0.7	95.9	64.3963	42.1159
2025	3	19	0	35	11	12	0.3	3	0.74	91.5	64.3963	44.2909
2025	3	19	0	45	11	12	0.3	3	0.72	92.1	64.3963	43.3023
2025	3	19	0	55	11	12	0.3	3	0.74	96.1	64.3963	44.291
2025	3	19	1	5	11	12	0.3	3	0.73	95.4	64.3963	43.6979
2025	3	19	1	15	11	12	0.3	3	0.75	95.3	64.3963	45.082
2025	3	19	1	25	11	12	0.3	3	0.7	94.3	64.3963	42.1162
2025	3	19	1	35	11	12	0.3	3	0.73	94.9	64.3963	43.8958
2025	3	19	1	45	11	12	0.3	3	0.73	95.7	64.3963	43.8958
2025	3	19	1	55	11	12	0.3	3	0.78	93.8	64.3963	47.0595
2025	3	19	2	5	11	12	0.3	3	0.72	92.9	64.3963	43.3027
2025	3	19	2	15	11	12	0.3	3	0.71	96.3	64.3963	42.7096
2025	3	19	2	25	11	12	0.3	3	0.75	94	64.4619	44.9324
2025	3	19	2	35	11	12	0.3	3	0.71	94.5	64.4619	42.953
2025	3	19	2	45	11	12	0.3	3	0.72	94.7	64.4619	43.5469
2025	3	19	2	55	11	12	0.3	3	0.72	95.5	64.5276	43.1969
2025	3	19	3	5	11	12	0.3	3	0.73	94.7	64.5276	43.7914
2025	3	19	3	15	11	11.8	0.3	3	0.73	94.9	64.5276	43.9896
2025	3	19	3	25	11	12	0.3	3	0.75	96.6	64.5276	44.7823
2025	3	19	3	35	11	11.8	0.3	3	0.77	96.9	64.5276	45.9712
2025	3	19	3	45	11	11.8	0.3	3	0.74	95.9	64.5276	44.3861
2025	3	19	3	55	11	11.8	0.3	3	0.75	96.5	64.5276	44.9806
2025	3	19	4	5	11	11.8	0.3	3	0.71	95	64.5276	42.9991
2025	3	19	4	15	11	11.8	0.3	3	0.74	96.4	64.5276	44.188
2025	3	19	4	25	11	11.8	0.3	3	0.68	96.9	64.5276	41.0176
2025	3	19	4	35	11	11.8	0.3	3	0.71	94.5	64.5276	42.801
2025	3	19	4	45	11	11.8	0.3	3	0.75	96.3	64.5276	45.1789
2025	3	19	4	55	11	11.8	0.3	3	0.71	96.6	64.5276	42.6029
2025	3	19	5	5	11	11.8	0.3	3	0.7	95.7	64.5276	41.8103
2025	3	19	5	15	11	11.8	0.3	3	0.75	94.8	64.5276	45.179
2025	3	19	5	25	11	11.8	0.3	3	0.71	96.1	64.5276	42.8012
2025	3	19	5	35	11	11.8	0.3	3	0.77	93.9	64.5276	46.1698
2025	3	19	5	45	11	11.8	0.3	3	0.73	95.9	64.5276	43.792
2025	3	19	5	55	11	11.8	0.3	3	0.74	95.6	64.5276	44.5847
2025	3	19	6	5	11	11.8	0.3	3	0.75	98.3	64.5276	44.981
2025	3	19	6	15	11	11.8	0.3	3	0.73	95.4	64.5276	43.7921
2025	3	19	6	25	11	11.8	0.3	3	0.73	93.4	64.5276	43.9903
2025	3	19	6	35	11	11.8	0.3	3	0.73	98.7	64.5276	43.7921
2025	3	19	6	45	11	12	0.3	3	0.75	94.5	64.5276	45.3774
2025	3	19	6	55	11	12.2	0.3	3	0.74	93.8	64.5276	44.5848
2025	3	19	7	5	11	12.6	0.3	3	0.77	96.8	64.5276	46.3682
2025	3	19	7	15	11	12.8	0.3	3	0.78	97	64.5276	46.5664
2025	3	19	7	25	11	13.2	0.3	3	0.73	93.4	64.5276	43.9904
2025	3	19	7	35	11	13.4	0.3	3	0.7	95.7	64.5276	41.8107
2025	3	19	7	45	11	13.4	0.3	3	0.69	96.5	64.5276	41.6125
2025	3	19	7	55	11	13.6	0.3	3	0.71	96.6	64.5276	42.6033

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	19	8	5	11	13.4	0.3	3	0.71	94.8	64.5276	42.8014
2025	3	19	8	15	11	13.6	0.3	3	0.74	96.6	64.5276	44.5848
2025	3	19	8	25	11	13.6	0.3	3	0.74	95.1	64.5276	44.3866
2025	3	19	8	35	11	13.6	0.3	3	0.75	96.3	64.5276	44.981
2025	3	19	8	45	11	13.6	0.3	3	0.74	96.9	64.5276	44.1884
2025	3	19	8	55	11	13.6	0.3	3	0.77	94.9	64.5276	46.368
2025	3	19	9	5	11	13.6	0.3	3	0.73	95.5	64.5276	43.5938
2025	3	19	9	15	11	13.6	0.3	3	0.72	95.5	64.5276	43.1975
2025	3	19	9	25	11	13.6	0.3	3	0.73	95.5	64.5276	43.5937
2025	3	19	9	35	11	13.6	0.3	3	0.76	94.9	64.5276	45.7734
2025	3	19	9	45	11	13.6	0.3	3	0.75	95	64.5276	45.377
2025	3	19	9	55	11	13.6	0.3	3	0.73	95.4	64.5276	43.9898
2025	3	19	10	5	11	13.6	0.3	3	0.72	95.5	64.4619	43.3492
2025	3	19	10	15	11	13.6	0.3	3	0.78	93.9	64.4619	46.7141
2025	3	19	10	25	11	13.8	0.3	3	0.7	95.7	64.3963	41.7211
2025	3	19	10	35	11	13.8	0.3	3	0.7	93.7	64.3963	42.3143
2025	3	19	10	45	11	13.8	0.3	3	0.74	94.1	64.4619	44.5365
2025	3	19	10	55	11	14	0.3	3	0.74	96.7	64.3963	44.0936
2025	3	19	11	5	11	14	0.3	3	0.73	97.5	64.4619	43.7446
2025	3	19	11	15	11	14	0.3	3	0.73	95.5	64.3963	43.5003
2025	3	19	11	25	11	14	0.3	3	0.75	91.8	64.3963	44.8843
2025	3	19	11	35	11	14	0.3	3	0.75	95	64.3963	44.8842
2025	3	19	11	45	11	14	0.3	3	0.72	95	64.3963	43.1046
2025	3	19	11	55	11	14	0.3	3	0.76	96.5	64.3963	45.2795
2025	3	19	12	5	11	14	0.3	3	0.73	96.7	64.3963	43.4998
2025	3	19	12	15	11	14	0.3	3	0.76	96.9	64.3963	45.477
2025	3	19	12	25	11	13.8	0.3	3	0.74	95.6	64.3963	44.686
2025	3	19	12	35	11	13.8	0.3	3	0.74	95.6	64.3963	44.2905
2025	3	19	12	45	11	13.8	0.3	3	0.71	94	64.3963	42.9063
2025	3	19	12	55	11	13.8	0.3	3	0.73	96.5	64.3307	43.6506
2025	3	19	13	5	11	13.8	0.3	3	0.74	95.1	64.3307	44.2431
2025	3	19	13	15	11	13.8	0.3	3	0.67	93.1	64.3307	40.4902
2025	3	19	13	25	11	13.8	0.3	3	0.69	96.5	64.3963	41.5219
2025	3	19	13	35	11	13.8	0.3	3	0.75	98.1	64.3307	44.4404
2025	3	19	13	45	11	13.8	0.3	3	0.72	95.2	64.2651	43.0118
2025	3	19	13	55	11	13.8	0.3	3	0.72	95.5	64.3307	43.2551
2025	3	19	14	5	11	13.8	0.3	3	0.74	95.9	64.3307	44.0451
2025	3	19	14	15	11	13.8	0.3	3	0.73	92.1	64.3307	43.8476
2025	3	19	14	25	11	13.8	0.3	3	0.73	94.7	64.2651	43.6035
2025	3	19	14	35	11	13.8	0.3	3	0.76	96.5	64.1995	45.1337
2025	3	19	14	45	11	13.8	0.3	3	0.75	95.5	64.2651	44.7872
2025	3	19	14	55	11	13.8	0.3	3	0.72	95.7	64.3307	43.2548
2025	3	19	15	5	11	13.8	0.3	3	0.71	96.1	64.2651	42.4195
2025	3	19	15	15	11	13.8	0.3	3	0.73	98.5	64.2651	43.6033
2025	3	19	15	25	11	13.8	0.3	3	0.71	96.4	64.3307	42.2672
2025	3	19	15	35	11	13.8	0.3	3	0.71	94.2	64.3307	42.8597
2025	3	19	15	45	11	13.8	0.3	3	0.71	96.3	64.2651	42.6167
2025	3	19	15	55	11	13.8	0.3	3	0.72	95.2	64.2651	43.4059

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	19	16	5	11	13.8	0.3	3	0.7	97.3	64.1995	41.5858
2025	3	19	16	15	11	13.8	0.3	3	0.72	95.8	64.2651	42.814
2025	3	19	16	25	11	13.8	0.3	3	0.73	96.9	64.2651	43.8004
2025	3	19	16	35	11	12.6	0.3	3	0.7	94.8	64.1995	42.177
2025	3	19	16	45	11	12.4	0.3	3	0.72	95.2	64.1995	43.3595
2025	3	19	16	55	11	12.4	0.3	3	0.7	96.7	64.1995	41.9799
2025	3	19	17	5	11	12.4	0.3	3	0.75	96.5	64.1995	44.7392
2025	3	19	17	15	11	12.2	0.3	3	0.73	96.2	64.1995	43.5566
2025	3	19	17	25	11	12.2	0.3	3	0.72	96.5	64.1995	42.9654
2025	3	19	17	35	11	12.2	0.3	3	0.75	96.5	64.1995	44.7392
2025	3	19	17	45	11	12.2	0.3	3	0.69	94.9	64.1995	41.3887
2025	3	19	17	55	11	12.2	0.3	3	0.75	98	64.1995	44.7392
2025	3	19	18	5	11	12.2	0.3	3	0.74	97.9	64.1995	43.7538
2025	3	19	18	15	11	12.2	0.3	3	0.7	93.5	64.1995	41.7829
2025	3	19	18	25	11	12.2	0.3	3	0.74	92	64.1995	44.5421
2025	3	19	18	35	11	12.2	0.3	3	0.71	92.6	64.1339	42.7227
2025	3	19	18	45	11	12.2	0.3	3	0.69	97.4	64.1339	41.1477
2025	3	19	18	55	11	12.2	0.3	3	0.7	95.7	64.1339	41.7383
2025	3	19	19	5	11	12.2	0.3	3	0.7	97.5	64.1339	41.9352
2025	3	19	19	15	11	12.2	0.3	3	0.71	94.7	64.1339	42.7227
2025	3	19	19	25	11	12.2	0.3	3	0.71	95.8	64.1339	42.329
2025	3	19	19	35	11	12.2	0.3	3	0.73	95.7	64.1339	43.5103
2025	3	19	19	45	11	12.2	0.3	3	0.73	94.7	64.1339	43.5103
2025	3	19	19	55	11	12.2	0.3	3	0.74	95.3	64.1339	44.2978
2025	3	19	20	5	11	12	0.3	3	0.7	96.5	64.0682	41.4972
2025	3	19	20	15	11	12	0.3	3	0.73	98.1	64.0682	43.0705
2025	3	19	20	25	11	12	0.3	3	0.7	96.2	64.0682	41.8905
2025	3	19	20	35	11	12	0.3	3	0.75	94	64.1339	45.0854
2025	3	19	20	45	11	12	0.3	3	0.69	95.2	64.0682	41.1039
2025	3	19	20	55	11	12	0.3	3	0.68	96.1	64.1339	40.5573
2025	3	19	21	5	11	12	0.3	3	0.73	94.4	64.1339	43.5105
2025	3	19	21	15	11	12	0.3	3	0.71	93.5	64.1339	42.3292
2025	3	19	21	25	11	12	0.3	3	0.74	95.4	64.1339	44.1012
2025	3	19	21	35	11	12	0.3	3	0.73	93.6	64.1995	43.7542
2025	3	19	21	45	11	12	0.3	3	0.74	93.1	64.1995	44.3455
2025	3	19	21	55	11	12	0.3	3	0.74	92.8	64.1995	44.1484
2025	3	19	22	5	11	12	0.3	3	0.71	95.9	64.1995	42.1775
2025	3	19	22	15	11	12	0.3	3	0.73	95.7	64.1995	43.7543
2025	3	19	22	25	11	12	0.3	3	0.71	96.4	64.1995	42.3747
2025	3	19	22	35	11	12	0.3	3	0.72	94.9	64.1995	43.3602
2025	3	19	22	45	11	12	0.3	3	0.77	94.6	64.1995	46.3166
2025	3	19	22	55	11	12	0.3	3	0.76	94.7	64.1995	45.7254
2025	3	19	23	5	11	12	0.3	3	0.74	95.6	64.1995	44.1487
2025	3	19	23	15	11	12	0.3	3	0.7	94.6	64.1995	41.9807
2025	3	19	23	25	11	12	0.3	3	0.73	97	64.1995	43.5574
2025	3	19	23	35	11	12	0.3	3	0.73	94.9	64.1995	43.9517
2025	3	19	23	45	11	12	0.3	3	0.72	94.7	64.1995	43.1633
2025	3	19	23	55	11	12	0.3	3	0.7	93.5	64.1995	41.7837

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	20	0	5	11	12	0.3	3	0.74	96.4	64.1995	44.1489
2025	3	20	0	15	11	12	0.3	3	0.76	94.7	64.1995	45.5286
2025	3	20	0	25	11	12	0.3	3	0.73	93.6	64.1339	43.7081
2025	3	20	0	35	11	12	0.3	3	0.74	95.8	64.1995	44.3461
2025	3	20	0	45	11	12	0.3	3	0.72	96.3	64.1339	42.9206
2025	3	20	0	55	11	12	0.3	3	0.71	92.1	64.1339	42.7238
2025	3	20	1	5	11	12	0.3	3	0.77	94.2	64.1339	45.8739
2025	3	20	1	15	11	12	0.3	3	0.71	95.8	64.1339	42.3301
2025	3	20	1	25	11	12	0.3	3	0.73	94.4	64.0682	43.6616
2025	3	20	1	35	11	12	0.3	3	0.72	95.2	64.1339	43.1177
2025	3	20	1	45	11	12	0.3	3	0.73	96	64.1339	43.3146
2025	3	20	1	55	11	12	0.3	3	0.75	95.2	64.1339	45.0866
2025	3	20	2	5	11	12	0.3	3	0.73	96.4	64.1339	43.7084
2025	3	20	2	15	11	12	0.3	3	0.7	95.1	64.1339	41.9365
2025	3	20	2	25	11	12	0.3	3	0.73	94.9	64.1339	43.9054
2025	3	20	2	35	11	12	0.3	3	0.74	97.4	64.0682	44.0552
2025	3	20	2	45	11	12	0.3	3	0.69	96	64.0682	41.3017
2025	3	20	2	55	11	12	0.3	3	0.74	95.1	64.1339	44.2992
2025	3	20	3	5	11	12	0.3	3	0.7	94.8	64.1339	41.9366
2025	3	20	3	15	11	12	0.3	3	0.73	93.9	64.1339	43.7086
2025	3	20	3	25	11	11.8	0.3	3	0.72	96.3	64.1339	42.9211
2025	3	20	3	35	11	11.8	0.3	3	0.73	95.7	64.1339	43.7087
2025	3	20	3	45	11	11.8	0.3	3	0.7	95.1	64.1339	42.1336
2025	3	20	3	55	11	11.8	0.3	3	0.77	96.2	64.1339	45.6776
2025	3	20	4	5	11	11.8	0.3	3	0.73	94.9	64.1339	43.9056
2025	3	20	4	15	11	11.8	0.3	3	0.72	96.3	64.1339	42.9212
2025	3	20	4	25	11	11.8	0.3	3	0.73	96.4	64.1339	43.7088
2025	3	20	4	35	11	11.8	0.3	3	0.7	93.7	64.1339	42.1337
2025	3	20	4	45	11	11.8	0.3	3	0.71	93.7	64.1339	42.5275
2025	3	20	4	55	11	11.8	0.3	3	0.71	94.7	64.1339	42.7244
2025	3	20	5	5	11	11.8	0.3	3	0.69	91.4	64.1339	41.3462
2025	3	20	5	15	11	11.8	0.3	3	0.7	92.7	64.1339	41.9369
2025	3	20	5	25	11	11.8	0.3	3	0.74	97.6	64.1339	44.2995
2025	3	20	5	35	11	11.8	0.3	3	0.74	94.1	64.1339	44.1027
2025	3	20	5	45	11	11.8	0.3	3	0.74	93.1	64.1339	44.2996
2025	3	20	5	55	11	11.8	0.3	3	0.72	96.8	64.1339	42.7245
2025	3	20	6	5	11	11.8	0.3	3	0.73	94.6	64.1339	43.9058
2025	3	20	6	15	11	11.8	0.3	3	0.73	93.4	64.1339	43.709
2025	3	20	6	25	11	11.8	0.3	3	0.72	93.9	64.1339	42.9214
2025	3	20	6	35	11	11.8	0.3	3	0.69	96.8	64.1339	41.1495
2025	3	20	6	45	11	12	0.3	3	0.71	94.5	64.0682	42.6789
2025	3	20	6	55	11	12.2	0.3	3	0.71	92.9	64.0682	42.6789
2025	3	20	7	5	11	12	0.3	3	0.72	96	64.0682	42.8756
2025	3	20	7	15	11	12.4	0.3	3	0.71	95.8	64.0682	42.4823
2025	3	20	7	25	11	12.6	0.3	3	0.72	92.9	64.0682	43.0723
2025	3	20	7	35	11	12.8	0.3	3	0.71	96.6	64.1339	42.3308
2025	3	20	7	45	11	13	0.3	3	0.72	95.5	64.1339	43.1184
2025	3	20	7	55	11	12.8	0.3	3	0.73	95.4	64.1339	43.5121

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	20	8	5	11	12.6	0.3	3	0.73	93.8	64.1339	43.9059
2025	3	20	8	15	11	12.6	0.3	3	0.71	96.4	64.1339	42.1339
2025	3	20	8	25	11	12.8	0.3	3	0.72	96.6	64.1339	42.7246
2025	3	20	8	35	11	13.2	0.3	3	0.75	94	64.1339	45.0872
2025	3	20	8	45	11	13	0.3	3	0.74	96.6	64.1339	44.2996
2025	3	20	8	55	11	13.2	0.3	3	0.73	94.4	64.1339	43.512
2025	3	20	9	5	11	13.2	0.3	3	0.72	95.5	64.1339	42.9213
2025	3	20	9	15	11	13.2	0.3	3	0.71	96.9	64.1339	42.3306
2025	3	20	9	25	11	13.4	0.3	3	0.73	97.5	64.1339	43.5119
2025	3	20	9	35	11	13.4	0.3	3	0.73	95.7	64.1995	43.5583
2025	3	20	9	45	11	13.6	0.3	3	0.72	97	64.1995	43.1641
2025	3	20	9	55	11	13.4	0.3	3	0.72	97.4	64.1995	42.7698
2025	3	20	10	5	11	13.4	0.3	3	0.74	93.3	64.1995	44.3465
2025	3	20	10	15	11	13.4	0.3	3	0.72	94.7	64.1995	43.1639
2025	3	20	10	25	11	13.4	0.3	3	0.71	92.1	64.2651	42.8153
2025	3	20	10	35	11	13.4	0.3	3	0.7	97.5	64.2651	41.8287
2025	3	20	10	45	11	13.4	0.3	3	0.74	95.6	64.2651	44.3936
2025	3	20	10	55	11	13.4	0.3	3	0.72	96	64.2651	43.2097
2025	3	20	11	5	11	13.4	0.3	3	0.7	92.2	64.2651	42.0258
2025	3	20	11	15	11	13.4	0.3	3	0.74	94.3	64.2651	44.5906
2025	3	20	11	25	11	13.4	0.3	3	0.7	93.5	64.2651	42.0256
2025	3	20	11	35	11	13.4	0.3	3	0.73	94.9	64.2651	43.9985
2025	3	20	11	45	11	13.4	0.3	3	0.72	96.8	64.2651	43.0119
2025	3	20	11	55	11	13.4	0.3	3	0.7	94.8	64.2651	42.2226
2025	3	20	12	5	11	13.4	0.3	3	0.72	95.7	64.2651	43.2091
2025	3	20	12	15	11	13.4	0.3	3	0.73	94.6	64.2651	43.8009
2025	3	20	12	25	11	13.4	0.3	3	0.73	94.1	64.2651	43.8008
2025	3	20	12	35	11	13.4	0.3	3	0.72	95.2	64.3307	43.0574
2025	3	20	12	45	11	13.4	0.3	3	0.74	94.3	64.1995	44.3452
2025	3	20	12	55	11	13.4	0.3	3	0.73	97	64.1995	43.5568
2025	3	20	13	5	11	13.4	0.3	3	0.68	94.9	64.2651	41.0383
2025	3	20	13	15	11	13.4	0.3	3	0.72	93.4	64.3307	43.4521
2025	3	20	13	25	11	13.4	0.3	3	0.75	92.3	64.3307	45.2296
2025	3	20	13	35	11	13.4	0.3	3	0.72	93.7	64.2651	43.2084
2025	3	20	13	45	11	13.4	0.3	3	0.73	94.9	64.3307	44.0444
2025	3	20	13	55	11	13.4	0.3	3	0.76	95.4	64.1995	45.7243
2025	3	20	14	5	11	13.4	0.3	3	0.7	93.5	64.1995	41.7825
2025	3	20	14	15	11	13.4	0.3	3	0.7	95.9	64.1339	41.9347
2025	3	20	14	33	9	13.4	0.3	3	0.75	92.5	64.1339	45.0846
2025	3	20	14	43	9	13.4	0.3	3	0.76	95.7	64.1339	45.2815
2025	3	20	14	53	9	13.4	0.3	3	0.72	94.9	64.1339	43.3127
2025	3	20	15	3	9	13.4	0.3	3	0.73	94.7	64.1339	43.5095
2025	3	20	15	13	9	13.4	0.3	3	0.71	94.5	64.1339	42.7219
2025	3	20	15	23	9	13.4	0.3	3	0.73	92.8	64.1339	43.9032
2025	3	20	15	33	9	13.4	0.3	3	0.73	95.1	64.1339	43.7062
2025	3	20	15	43	9	13.4	0.3	3	0.66	94.5	64.1339	39.7687
2025	3	20	15	53	9	13.2	0.3	3	0.75	94.5	64.1339	44.6906
2025	3	20	16	3	9	13.2	0.3	3	0.67	95.1	64.1995	40.0083

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	20	16	13	9	13.2	0.3	3	0.74	94	64.1339	44.4936
2025	3	20	16	23	9	13.2	0.3	3	0.71	94.8	64.1339	42.328
2025	3	20	16	33	9	13.2	0.3	3	0.71	93.4	64.1339	42.7217
2025	3	20	16	43	9	13.2	0.3	3	0.76	92	64.1339	45.2811
2025	3	20	16	53	9	13.2	0.3	3	0.72	92.9	64.1339	42.9186
2025	3	20	17	3	9	12.8	0.3	3	0.69	93.5	64.1339	41.3436
2025	3	20	17	13	9	12.4	0.3	3	0.74	95.6	64.1339	44.0998
2025	3	20	17	23	9	12.4	0.3	3	0.73	93.1	64.1339	43.5092
2025	3	20	17	33	9	12.2	0.3	3	0.74	93.8	64.1339	44.4936
2025	3	20	17	43	9	12.2	0.3	3	0.74	93.6	64.1339	44.2967
2025	3	20	17	53	9	12.2	0.3	3	0.75	95.8	64.1339	44.6905
2025	3	20	18	3	9	12.2	0.3	3	0.71	91.8	64.1339	42.7217
2025	3	20	18	13	9	12.2	0.3	3	0.72	95.5	64.1339	42.9186
2025	3	20	18	23	9	12.2	0.3	3	0.75	93.8	64.1339	44.6905
2025	3	20	18	33	9	12.2	0.3	3	0.71	98.5	64.1339	42.328
2025	3	20	18	43	9	12.2	0.3	3	0.7	96.7	64.1339	41.7374
2025	3	20	18	53	9	12.2	0.3	3	0.72	96.8	64.1339	42.9187
2025	3	20	19	3	9	12.2	0.3	3	0.74	97.9	64.1339	43.9031
2025	3	20	19	13	9	12.2	0.3	3	0.74	94.3	64.1339	44.1
2025	3	20	19	23	9	12.2	0.3	3	0.74	99.2	64.0682	43.6595
2025	3	20	19	33	9	12.2	0.3	3	0.74	93.8	64.1339	44.1
2025	3	20	19	43	9	12.2	0.3	3	0.73	96.4	64.1339	43.7063
2025	3	20	19	53	9	12.2	0.3	3	0.73	93.4	64.0682	43.6596
2025	3	20	20	3	9	12.2	0.3	3	0.69	96.8	64.0682	41.103
2025	3	20	20	13	9	12.2	0.3	3	0.73	92.8	64.0682	43.463
2025	3	20	20	23	9	12	0.3	3	0.76	95	64.0682	45.233
2025	3	20	20	33	9	12	0.3	3	0.73	95.9	64.0682	43.4631
2025	3	20	20	43	9	12	0.3	3	0.74	92.3	64.0682	44.2498
2025	3	20	20	53	9	12	0.3	3	0.7	94.3	64.0682	41.8898
2025	3	20	21	3	9	12	0.3	3	0.73	94.1	64.0682	43.8565
2025	3	20	21	13	9	12	0.3	3	0.74	95.6	64.0682	44.4465
2025	3	20	21	23	9	12	0.3	3	0.74	92.6	64.0682	44.0532
2025	3	20	21	33	9	12	0.3	3	0.71	92.4	64.0682	42.2833
2025	3	20	21	43	9	12	0.3	3	0.71	92.9	64.0682	42.48
2025	3	20	21	53	9	12	0.3	3	0.71	93.4	64.0682	42.6767
2025	3	20	22	3	9	12	0.3	3	0.71	95.8	64.0682	42.2834
2025	3	20	22	13	9	12	0.3	3	0.72	96.5	64.0682	42.8734
2025	3	20	22	23	9	12	0.3	3	0.72	95	64.0682	43.0701
2025	3	20	22	33	9	12	0.3	3	0.74	93.3	64.0682	44.0535
2025	3	20	22	43	9	12	0.3	3	0.75	92.8	64.0682	45.0369
2025	3	20	22	53	9	12	0.3	3	0.73	96.2	64.0682	43.4636
2025	3	20	23	3	9	12	0.3	3	0.7	93.2	64.0026	41.8455
2025	3	20	23	13	9	12	0.3	3	0.72	94.7	64.0026	43.2207
2025	3	20	23	23	9	12	0.3	3	0.7	95.9	64.0682	41.8904
2025	3	20	23	33	9	12	0.3	3	0.78	96.3	64.0682	46.4138
2025	3	20	23	43	9	12	0.3	3	0.74	96.9	64.0682	44.0538
2025	3	20	23	53	9	12	0.3	3	0.74	94.8	64.0682	44.0538
2025	3	21	0	3	9	12	0.3	3	0.73	96.7	64.1339	43.7073

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	21	0	13	9	12	0.3	3	0.73	92.8	64.1339	43.5104
2025	3	21	0	23	9	12	0.3	3	0.76	94.9	64.1995	45.5279
2025	3	21	0	33	9	12	0.3	3	0.69	94.9	64.1995	41.389
2025	3	21	0	43	9	12	0.3	3	0.7	94.9	64.1995	41.7832
2025	3	21	0	53	9	12	0.3	3	0.71	95.6	64.1995	42.1775
2025	3	21	1	3	9	12	0.3	3	0.71	91.9	64.1995	42.5717
2025	3	21	1	13	9	12	0.3	3	0.71	94.8	64.1995	42.5717
2025	3	21	1	23	9	12	0.3	3	0.73	96.9	64.1995	43.7543
2025	3	21	1	33	9	12	0.3	3	0.72	92.1	64.1995	43.1631
2025	3	21	1	43	9	12	0.3	3	0.73	95.1	64.1995	43.9515
2025	3	21	1	53	9	12	0.3	3	0.76	96.4	64.1995	45.5283
2025	3	21	2	3	9	12	0.3	3	0.66	95.5	64.1995	39.2214
2025	3	21	2	13	9	12	0.3	3	0.71	96.1	64.1995	42.1778
2025	3	21	2	23	9	12	0.3	3	0.73	95.4	64.1995	43.9517
2025	3	21	2	33	9	12	0.3	3	0.72	97.9	64.1995	42.5721
2025	3	21	2	43	9	12	0.3	3	0.69	96	64.1995	41.1924
2025	3	21	2	53	9	12	0.3	3	0.76	96.5	64.2651	45.1825
2025	3	21	3	3	9	12	0.3	3	0.71	95.6	64.2651	42.4203
2025	3	21	3	13	9	12	0.3	3	0.71	98.3	64.1995	41.9809
2025	3	21	3	23	9	11.8	0.3	3	0.71	95	64.2651	42.815
2025	3	21	3	33	9	11.8	0.3	3	0.68	95.8	64.2651	40.842
2025	3	21	3	43	9	11.8	0.3	3	0.72	94.7	64.1995	42.9665
2025	3	21	3	53	9	11.8	0.3	3	0.74	95.9	64.2651	44.1963
2025	3	21	4	3	9	11.8	0.3	3	0.73	94.4	64.2651	43.6044
2025	3	21	4	13	9	11.8	0.3	3	0.74	95.6	64.1995	44.1492
2025	3	21	4	23	9	11.8	0.3	3	0.73	94.7	64.1995	43.5579
2025	3	21	4	33	9	11.8	0.3	3	0.73	97.2	64.1995	43.7551
2025	3	21	4	43	9	11.8	0.3	3	0.71	95.3	64.1995	42.7696
2025	3	21	4	53	9	11.8	0.3	3	0.74	95.9	64.1995	44.1493
2025	3	21	5	3	9	11.8	0.3	3	0.73	95.7	64.1995	43.361
2025	3	21	5	13	9	11.8	0.3	3	0.72	95.2	64.1995	43.1639
2025	3	21	5	23	9	11.8	0.3	3	0.72	97.4	64.1995	42.7697
2025	3	21	5	33	9	11.8	0.3	3	0.7	96.7	64.1995	41.7843
2025	3	21	5	43	9	11.8	0.3	3	0.72	95.2	64.1995	43.164
2025	3	21	5	53	9	11.8	0.3	3	0.72	96.8	64.1995	43.164
2025	3	21	6	3	9	11.8	0.3	3	0.7	98.3	64.1995	41.7844
2025	3	21	6	13	9	11.8	0.3	3	0.69	95.7	64.1995	41.3902
2025	3	21	6	23	9	11.8	0.3	3	0.78	95.8	64.1995	46.7118
2025	3	21	6	33	9	11.8	0.3	3	0.72	95.8	64.1995	42.967
2025	3	21	6	43	9	12	0.3	3	0.71	94.5	64.1995	42.3757
2025	3	21	6	53	9	12	0.3	3	0.71	94	64.1995	42.3757
2025	3	21	7	3	9	12.2	0.3	3	0.72	95.8	64.1995	42.9671
2025	3	21	7	13	9	12.2	0.3	3	0.74	96.4	64.1995	43.9525
2025	3	21	7	23	9	12.4	0.3	3	0.75	98	64.1995	44.7409
2025	3	21	7	33	9	12.4	0.3	3	0.71	95.6	64.1995	42.5729
2025	3	21	7	43	9	12.4	0.3	3	0.76	95	64.1995	45.3322
2025	3	21	7	53	9	12.4	0.3	3	0.72	93.9	64.1995	43.3613
2025	3	21	8	3	9	12.8	0.3	3	0.72	96.1	64.1995	42.77

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	21	8	13	9	13.2	0.3	3	0.74	94.3	64.1995	44.5438
2025	3	21	8	23	9	13.4	0.3	3	0.74	96.6	64.1995	44.3467
2025	3	21	8	33	9	13.6	0.3	3	0.74	95.6	64.2651	44.394
2025	3	21	8	43	9	13.8	0.3	3	0.72	95.5	64.2651	43.2102
2025	3	21	8	53	9	13.4	0.3	3	0.71	95.3	64.2651	42.2236
2025	3	21	9	3	9	13.6	0.3	3	0.72	95.5	64.2651	43.2101
2025	3	21	9	13	9	13.6	0.3	3	0.73	96.4	64.2651	43.802
2025	3	21	9	23	9	13.6	0.3	3	0.68	96.6	64.2651	40.8423
2025	3	21	9	33	9	13.4	0.3	3	0.73	96.2	64.2651	43.6046
2025	3	21	9	43	9	13.4	0.3	3	0.72	97.6	64.2651	42.618
2025	3	21	9	53	9	13.4	0.3	3	0.71	96.9	64.2651	42.4206
2025	3	21	10	3	9	13.4	0.3	3	0.72	94.2	64.3307	43.4534
2025	3	21	10	13	9	13.4	0.3	3	0.74	96.3	64.3307	44.4409
2025	3	21	10	23	9	13.4	0.3	3	0.72	96.8	64.3307	43.2557
2025	3	21	10	33	9	13.4	0.3	3	0.74	94.8	64.3307	44.4407
2025	3	21	10	43	9	13.4	0.3	3	0.72	96.6	64.3307	42.8605
2025	3	21	10	53	9	13.4	0.3	3	0.71	95.3	64.3307	42.6629
2025	3	21	11	3	9	13.4	0.3	3	0.73	93.9	64.3307	43.6504
2025	3	21	11	13	9	13.4	0.3	3	0.72	97.5	64.3307	43.2553
2025	3	21	11	23	9	13.4	0.3	3	0.7	96.8	64.3963	41.7195
2025	3	21	11	33	9	13.4	0.3	3	0.72	96.3	64.3963	42.9057
2025	3	21	11	43	9	13.4	0.3	3	0.74	94.8	64.3963	44.4874
2025	3	21	11	53	9	13.4	0.3	3	0.74	94.8	64.3307	44.44
2025	3	21	12	3	9	13.4	0.3	3	0.7	97.5	64.3963	42.1146
2025	3	21	12	13	9	13.4	0.3	3	0.74	96.3	64.3307	44.4398
2025	3	21	12	23	9	13.4	0.3	3	0.74	93.3	64.3963	44.2893
2025	3	21	12	33	9	13.4	0.3	3	0.73	95.7	64.3963	43.6961
2025	3	21	12	43	9	13.4	0.3	3	0.72	95.2	64.3307	43.057
2025	3	21	12	53	9	13.4	0.3	3	0.72	94.4	64.3307	43.4519
2025	3	21	13	3	9	13.4	0.3	3	0.74	97.1	64.3963	44.4867
2025	3	21	13	13	9	13.4	0.3	3	0.75	95.5	64.3307	45.0318
2025	3	21	13	23	9	13.4	0.3	3	0.74	94.6	64.3963	44.6843
2025	3	21	13	33	9	13.2	0.3	3	0.73	95.5	64.3307	43.4516
2025	3	21	13	43	9	13.2	0.3	3	0.7	93.5	64.2651	41.8269
2025	3	21	13	53	9	13.2	0.3	3	0.72	95.2	64.2651	43.2079
2025	3	21	14	3	9	13.2	0.3	3	0.71	94.5	64.2651	42.8132
2025	3	21	14	13	9	13.2	0.3	3	0.73	93.9	64.2651	43.6023
2025	3	21	14	23	9	13.2	0.3	3	0.74	94.1	64.2651	44.3915
2025	3	21	14	33	9	13.2	0.3	3	0.72	94.4	64.1995	43.1616
2025	3	21	14	43	9	13.2	0.3	3	0.76	94.9	64.2651	45.5751
2025	3	21	14	53	9	13.2	0.3	3	0.71	96.1	64.2651	42.4184
2025	3	21	15	3	9	13.2	0.3	3	0.75	94.5	64.2651	44.7858
2025	3	21	15	13	9	13.2	0.3	3	0.7	92.4	64.2651	42.0237
2025	3	21	15	23	9	13.4	0.3	3	0.7	94.5	64.2651	42.2209
2025	3	21	15	33	9	13.4	0.3	3	0.7	95.9	64.2651	42.0236
2025	3	21	15	43	9	13.4	0.3	3	0.73	95.5	64.2651	43.4046
2025	3	21	15	53	9	13.4	0.3	3	0.73	94.9	64.2651	43.9965
2025	3	21	16	3	9	13.4	0.3	3	0.7	92.4	64.2651	42.2208

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	21	16	13	9	13.2	0.3	3	0.72	94.9	64.2651	43.4045
2025	3	21	16	23	9	12.8	0.3	3	0.78	95.8	64.2651	46.7585
2025	3	21	16	33	9	13.4	0.3	3	0.72	94.2	64.2651	43.4045
2025	3	21	16	43	9	12.4	0.3	3	0.73	96.2	64.1995	43.7524
2025	3	21	16	53	9	12.4	0.3	3	0.75	94.5	64.1995	44.7378
2025	3	21	17	3	9	12.2	0.3	3	0.75	93.5	64.1995	44.7378
2025	3	21	17	13	9	12.2	0.3	3	0.71	96.9	64.1995	42.3728
2025	3	21	17	23	9	12.2	0.3	3	0.69	94.9	64.1995	41.3874
2025	3	21	17	33	9	12.2	0.3	3	0.69	95.2	64.1995	41.3874
2025	3	21	17	43	9	12.2	0.3	3	0.73	94.6	64.1995	43.7524
2025	3	21	17	53	9	12.2	0.3	3	0.74	95.3	64.1995	44.3436
2025	3	21	18	3	9	12.2	0.3	3	0.73	95.1	64.1995	43.9495
2025	3	21	18	13	9	12.2	0.3	3	0.74	94.8	64.1995	44.1466
2025	3	21	18	23	9	12.2	0.3	3	0.71	93.7	64.1995	42.3728
2025	3	21	18	33	9	12.2	0.3	3	0.71	95.8	64.1995	42.5699
2025	3	21	18	43	9	12.2	0.3	3	0.73	91.3	64.1995	43.5554
2025	3	21	18	53	9	12	0.3	3	0.76	94.2	64.1995	45.5262
2025	3	21	19	3	9	12.2	0.3	3	0.7	95.1	64.1995	42.1758
2025	3	21	19	13	9	12.2	0.3	3	0.73	92.8	64.1995	43.7525
2025	3	21	19	23	9	12	0.3	3	0.7	94.3	64.1995	41.7817
2025	3	21	19	33	9	12	0.3	3	0.69	94.6	64.1995	41.5846
2025	3	21	19	43	9	12	0.3	3	0.73	95.1	64.1995	43.9496
2025	3	21	19	53	9	12	0.3	3	0.72	93.4	64.1995	43.3584
2025	3	21	20	3	9	12	0.3	3	0.72	92.4	64.1995	42.9643
2025	3	21	20	13	9	12	0.3	3	0.73	93.3	64.1995	43.9497
2025	3	21	20	23	9	12	0.3	3	0.72	93.9	64.1995	43.1614
2025	3	21	20	33	9	12	0.3	3	0.72	96	64.1995	42.9643
2025	3	21	20	43	9	12	0.3	3	0.74	92	64.1995	44.3439
2025	3	21	20	53	9	12	0.3	3	0.72	97.4	64.1995	42.7673
2025	3	21	21	3	9	12	0.3	3	0.72	92.1	64.1995	42.9644
2025	3	21	21	13	9	12	0.3	3	0.75	96.6	64.1995	44.5411
2025	3	21	21	23	9	12	0.3	3	0.71	96.1	64.1995	42.3732
2025	3	21	21	33	9	12	0.3	3	0.73	93.9	64.1339	43.5092
2025	3	21	21	43	9	12	0.3	3	0.74	97.6	64.1339	44.0999
2025	3	21	21	53	9	12	0.3	3	0.71	92.4	64.1339	42.3281
2025	3	21	22	3	9	12	0.3	3	0.74	94.8	64.1339	44.4937
2025	3	21	22	13	9	12	0.3	3	0.71	92.1	64.1339	42.7219
2025	3	21	22	23	9	12	0.3	3	0.72	95.7	64.1339	43.1156
2025	3	21	22	33	9	12	0.3	3	0.73	96.2	64.1339	43.5094
2025	3	21	22	43	9	12	0.3	3	0.75	93.3	64.1339	44.6907
2025	3	21	22	53	9	12	0.3	3	0.71	96.3	64.1339	42.5251
2025	3	21	23	3	9	12	0.3	3	0.72	93.4	64.1339	43.3126
2025	3	21	23	13	9	12	0.3	3	0.72	94.4	64.1339	43.1158
2025	3	21	23	23	9	12	0.3	3	0.73	92.8	64.1339	43.5096
2025	3	21	23	33	9	12	0.3	3	0.75	91.8	64.1339	44.6909
2025	3	21	23	43	9	12	0.3	3	0.72	94.2	64.1339	43.3128
2025	3	21	23	53	9	12	0.3	3	0.74	92.8	64.1339	44.1003
2025	3	22	0	3	9	12	0.3	3	0.75	93.3	64.1339	44.8879

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	22	0	13	9	12	0.3	3	0.72	96.1	64.1339	42.7223
2025	3	22	0	23	9	12	0.3	3	0.69	94.1	64.1339	41.3442
2025	3	22	0	33	9	12	0.3	3	0.73	94.1	64.1339	43.9036
2025	3	22	0	43	9	12	0.3	3	0.74	93.3	64.1995	44.1477
2025	3	22	0	53	9	12	0.3	3	0.76	95.2	64.2651	45.7732
2025	3	22	1	3	9	12	0.3	3	0.74	95.3	64.2651	44.5895
2025	3	22	1	13	9	12	0.3	3	0.74	96.3	64.2651	44.3922
2025	3	22	1	23	9	12	0.3	3	0.72	95	64.2651	43.2085
2025	3	22	1	33	9	12	0.3	3	0.72	92.1	64.3307	43.2546
2025	3	22	1	43	9	11.8	0.3	3	0.71	96.9	64.3307	42.6621
2025	3	22	1	53	9	11.8	0.3	3	0.72	95	64.3307	43.2546
2025	3	22	2	3	9	11.8	0.3	3	0.74	94.6	64.3307	44.6372
2025	3	22	2	13	9	11.8	0.3	3	0.74	95.9	64.3307	44.0447
2025	3	22	2	23	9	11.8	0.3	3	0.73	94.1	64.3307	43.8473
2025	3	22	2	33	9	11.8	0.3	3	0.72	94.2	64.3307	43.2548
2025	3	22	2	43	9	11.8	0.3	3	0.76	95.7	64.3307	45.2299
2025	3	22	2	53	9	11.8	0.3	3	0.73	94.7	64.3307	43.6499
2025	3	22	3	3	9	11.8	0.3	3	0.71	92.4	64.3307	42.6623
2025	3	22	3	13	9	11.8	0.3	3	0.73	96.7	64.3307	43.8474
2025	3	22	3	23	9	11.8	0.3	3	0.72	93.4	64.3307	43.4524
2025	3	22	3	33	9	11.8	0.3	3	0.75	94.7	64.3307	45.2301
2025	3	22	3	43	9	11.8	0.3	3	0.74	94.8	64.3307	44.44
2025	3	22	3	53	9	11.8	0.3	3	0.71	94	64.3307	42.6625
2025	3	22	4	3	9	11.8	0.3	3	0.72	95.8	64.3307	42.86
2025	3	22	4	13	9	11.8	0.3	3	0.72	93.4	64.3307	43.255
2025	3	22	4	23	9	11.8	0.3	3	0.69	94.1	64.3307	41.675
2025	3	22	4	33	9	11.8	0.3	3	0.75	93.7	64.3307	45.2302
2025	3	22	4	43	9	11.8	0.3	3	0.73	94.4	64.3307	44.0451
2025	3	22	4	53	9	11.8	0.3	3	0.69	94.4	64.3307	41.28
2025	3	22	5	3	9	11.8	0.3	3	0.72	94.4	64.3307	43.2551
2025	3	22	5	13	9	11.8	0.3	3	0.72	94.9	64.3307	43.4527
2025	3	22	5	23	9	11.8	0.3	3	0.74	94.3	64.3307	44.2427
2025	3	22	5	33	9	11.8	0.3	3	0.73	95.9	64.3307	43.6502
2025	3	22	5	43	9	11.8	0.3	3	0.72	94.2	64.3307	43.2552
2025	3	22	5	53	9	11.8	0.3	3	0.73	99	64.3307	43.4527
2025	3	22	6	3	9	11.8	0.3	3	0.76	94.2	64.3307	45.8229
2025	3	22	6	13	9	11.8	0.3	3	0.71	97.7	64.3307	42.4652
2025	3	22	6	23	9	11.8	0.3	3	0.74	93.8	64.3307	44.6379
2025	3	22	6	33	9	11.8	0.3	3	0.7	98.1	64.3307	41.6752
2025	3	22	6	43	9	12	0.3	3	0.72	94.4	64.3307	43.2553
2025	3	22	6	53	9	12	0.3	3	0.72	94.7	64.3307	43.2553
2025	3	22	7	3	9	12.2	0.3	3	0.73	97.7	64.3307	43.6503
2025	3	22	7	13	9	12.4	0.3	3	0.76	95.2	64.3307	45.823
2025	3	22	7	23	9	12.4	0.3	3	0.74	95.1	64.3307	44.2429
2025	3	22	7	33	9	12.6	0.3	3	0.74	94.6	64.3307	44.6379
2025	3	22	7	43	9	12.6	0.3	3	0.75	94.5	64.3307	45.2304
2025	3	22	7	53	9	12.6	0.3	3	0.8	93.5	64.3307	48.1931
2025	3	22	8	3	9	12.8	0.3	3	0.74	93.3	64.3307	44.6379

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	22	8	13	9	12.8	0.3	3	0.73	94.7	64.3307	43.6503
2025	3	22	8	23	9	13	0.3	3	0.73	94.6	64.3307	44.0453
2025	3	22	8	33	9	12.8	0.3	3	0.76	95.5	64.3307	45.4279
2025	3	22	8	43	9	12.8	0.3	3	0.73	93.6	64.3307	43.8477
2025	3	22	8	53	9	12.8	0.3	3	0.73	96.2	64.3307	43.4527
2025	3	22	9	3	9	13	0.3	3	0.77	94.2	64.3307	46.0203
2025	3	22	9	13	9	13.4	0.3	3	0.75	92.3	64.3307	44.8352
2025	3	22	9	23	9	13.4	0.3	3	0.69	97.1	64.3307	41.2799
2025	3	22	9	33	9	13.2	0.3	3	0.7	93.8	64.3307	41.8724
2025	3	22	9	43	9	13.4	0.3	3	0.7	94.6	64.3307	42.0699
2025	3	22	9	53	9	13.4	0.3	3	0.72	94.7	64.3307	43.4524
2025	3	22	10	3	9	13.4	0.3	3	0.74	92.3	64.3307	44.2424
2025	3	22	10	13	9	13.4	0.3	3	0.72	94.7	64.3307	43.2547
2025	3	22	10	23	9	13.2	0.3	3	0.73	93.4	64.3307	43.6497
2025	3	22	10	33	9	13.4	0.3	3	0.73	97.7	64.3307	43.8471
2025	3	22	10	43	9	13.4	0.3	3	0.72	92.6	64.3307	43.057
2025	3	22	10	53	9	13.4	0.3	3	0.71	94.7	64.3307	42.8595
2025	3	22	11	3	9	13.6	0.3	3	0.73	95.7	64.3307	43.6495
2025	3	22	11	13	9	13.4	0.3	3	0.75	95	64.3307	44.8345
2025	3	22	11	23	9	13.4	0.3	3	0.75	94.3	64.2651	44.7867
2025	3	22	11	33	9	13.4	0.3	3	0.74	95.3	64.1995	44.5418
2025	3	22	11	43	9	13.4	0.3	3	0.75	95	64.1339	44.691
2025	3	22	11	53	9	13.4	0.3	3	0.7	95.6	64.1995	41.9795
2025	3	22	12	3	9	13.4	0.3	3	0.71	92.6	64.1995	42.7678
2025	3	22	12	13	9	13.4	0.3	3	0.76	93.2	64.1995	45.3298
2025	3	22	12	23	9	13.8	0.3	3	0.74	97.6	64.1995	44.1472
2025	3	22	12	33	9	13.8	0.3	3	0.73	94.6	64.1339	43.7063
2025	3	22	12	43	9	13.6	0.3	3	0.76	94.9	64.1995	45.7238
2025	3	22	12	53	9	13.4	0.3	3	0.71	94.8	64.1339	42.525
2025	3	22	13	3	9	13.4	0.3	3	0.73	95.5	64.1339	43.3125
2025	3	22	13	13	9	13.4	0.3	3	0.74	96.4	64.1339	44.0999
2025	3	22	13	23	9	13.4	0.3	3	0.74	93.6	64.1339	44.0999
2025	3	22	13	33	9	13.4	0.3	3	0.71	92.6	64.1995	42.7674
2025	3	22	13	43	9	13.4	0.3	3	0.69	95.7	64.1995	41.3878
2025	3	22	13	53	9	13.4	0.3	3	0.77	92.2	64.1995	46.512
2025	3	22	14	3	9	13.4	0.3	3	0.73	93.6	64.1339	43.7061
2025	3	22	14	13	9	13.4	0.3	3	0.73	93.6	64.1995	43.9498
2025	3	22	14	23	9	13.4	0.3	3	0.74	97.1	64.1995	44.344
2025	3	22	14	33	9	13.4	0.3	3	0.71	95.3	64.1995	42.7673
2025	3	22	14	43	9	13.4	0.3	3	0.75	96.5	64.1995	44.9352
2025	3	22	14	53	9	13.4	0.3	3	0.71	93.2	64.1995	42.7673
2025	3	22	15	3	9	13.4	0.3	3	0.76	93.7	64.1995	45.7235
2025	3	22	15	13	9	13.4	0.3	3	0.75	95	64.1995	44.7381
2025	3	22	15	23	9	13.4	0.3	3	0.7	94.8	64.1995	41.9789
2025	3	22	15	33	9	13.4	0.3	3	0.71	94.8	64.1995	42.5701
2025	3	22	15	43	9	13.2	0.3	3	0.73	93.9	64.1995	43.5555
2025	3	22	15	53	9	13.4	0.3	3	0.74	95.9	64.1995	43.9497
2025	3	22	16	3	9	13.4	0.3	3	0.69	93.8	64.1995	41.5846

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	22	16	13	9	13	0.3	3	0.74	96.1	64.1995	44.3438
2025	3	22	16	23	9	13.4	0.3	3	0.77	93.9	64.1995	45.9204
2025	3	22	16	33	9	13.6	0.3	3	0.75	95.3	64.1995	44.935
2025	3	22	16	43	9	12.8	0.3	3	0.75	93.3	64.1995	44.7379
2025	3	22	16	53	9	12.4	0.3	3	0.73	95.1	64.1995	43.9495
2025	3	22	17	3	9	12.4	0.3	3	0.73	97	64.1995	43.5554
2025	3	22	17	13	9	12.2	0.3	3	0.74	94.3	64.1995	44.5408
2025	3	22	17	23	9	12.2	0.3	3	0.72	96	64.1995	42.9641
2025	3	22	17	33	9	12.2	0.3	3	0.74	96.4	64.1995	44.1466
2025	3	22	17	43	9	12.2	0.3	3	0.74	93.5	64.1995	44.5407
2025	3	22	17	53	9	12.2	0.3	3	0.71	90.5	64.2651	42.6153
2025	3	22	18	3	9	12.2	0.3	3	0.74	95.3	64.1995	44.3436
2025	3	22	18	13	9	12.2	0.3	3	0.75	96	64.2651	44.7855
2025	3	22	18	23	9	12.2	0.3	3	0.79	92.6	64.2651	47.3504
2025	3	22	18	33	9	12.2	0.3	3	0.7	91.9	64.2651	42.2207
2025	3	22	18	43	9	12.2	0.3	3	0.74	96.1	64.2651	43.9964
2025	3	22	18	53	9	12.2	0.3	3	0.75	92	64.2651	44.9828
2025	3	22	19	3	9	12.2	0.3	3	0.72	95	64.2651	43.0099
2025	3	22	19	13	9	12.2	0.3	3	0.71	92.4	64.2651	42.418
2025	3	22	19	23	9	12.2	0.3	3	0.73	94.4	64.2651	43.9964
2025	3	22	19	33	9	12.2	0.3	3	0.73	93.6	64.2651	43.9964
2025	3	22	19	43	9	12.2	0.3	3	0.73	94.6	64.2651	43.9964
2025	3	22	19	53	9	12	0.3	3	0.71	93.5	64.2651	42.4181
2025	3	22	20	3	9	12	0.3	3	0.77	93.2	64.2651	46.3639
2025	3	22	20	13	9	12	0.3	3	0.73	94.6	64.2651	43.9964
2025	3	22	20	23	9	12	0.3	3	0.74	96.9	64.2651	43.9964
2025	3	22	20	33	9	12	0.3	3	0.71	92.7	64.2651	42.6154
2025	3	22	20	43	9	12	0.3	3	0.74	92.3	64.2651	44.3911
2025	3	22	20	53	9	12	0.3	3	0.71	96.1	64.2651	42.2208
2025	3	22	21	3	9	12	0.3	3	0.7	93.5	64.2651	42.2208
2025	3	22	21	13	9	12	0.3	3	0.74	94.3	64.2651	44.1938
2025	3	22	21	23	9	12	0.3	3	0.76	95.7	64.2651	45.5749
2025	3	22	21	33	9	12	0.3	3	0.73	94.1	64.2651	43.9965
2025	3	22	21	43	9	12	0.3	3	0.71	94.2	64.2651	42.8128
2025	3	22	21	53	9	12	0.3	3	0.73	93.6	64.2651	43.7993
2025	3	22	22	3	9	12	0.3	3	0.74	92.3	64.2651	44.5885
2025	3	22	22	13	9	12	0.3	3	0.7	92.7	64.2651	42.0237
2025	3	22	22	23	9	12	0.3	3	0.74	94.6	64.2651	44.3912
2025	3	22	22	33	9	12	0.3	3	0.75	94.5	64.2651	44.7858
2025	3	22	22	43	9	12	0.3	3	0.73	94.6	64.2651	43.9967
2025	3	22	22	53	9	12	0.3	3	0.71	96.1	64.3307	42.4636
2025	3	22	23	3	9	12	0.3	3	0.74	94.3	64.2651	44.194
2025	3	22	23	13	9	12	0.3	3	0.75	91	64.2651	44.9832
2025	3	22	23	23	9	12	0.3	3	0.69	93.3	64.2651	41.6292
2025	3	22	23	33	9	12	0.3	3	0.73	95.4	64.2651	43.9968
2025	3	22	23	43	9	12	0.3	3	0.71	89.5	64.2651	42.8131
2025	3	22	23	53	9	12	0.3	3	0.74	94.6	64.2651	44.1941
2025	3	23	0	3	9	12	0.3	3	0.79	94.8	64.2651	47.3509

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	23	0	13	9	12	0.3	3	0.72	95	64.2651	43.0104
2025	3	23	0	23	9	12	0.3	3	0.69	92.7	64.3307	41.2788
2025	3	23	0	33	9	12	0.3	3	0.73	92.6	64.2651	43.6024
2025	3	23	0	43	9	12	0.3	3	0.72	93.7	64.2651	43.0105
2025	3	23	0	53	9	12	0.3	3	0.73	95.7	64.2651	43.6024
2025	3	23	1	3	9	12	0.3	3	0.72	94.7	64.2651	43.2078
2025	3	23	1	13	9	12	0.3	3	0.75	95.8	64.2651	44.9835
2025	3	23	1	23	9	12	0.3	3	0.73	96.2	64.2651	43.6025
2025	3	23	1	33	9	12	0.3	3	0.75	94.5	64.2651	45.1809
2025	3	23	1	43	9	12	0.3	3	0.7	95.6	64.2651	42.0242
2025	3	23	1	53	9	12	0.3	3	0.76	93.7	64.2651	45.7728
2025	3	23	2	3	9	12	0.3	3	0.74	95.9	64.2651	44.1945
2025	3	23	2	13	9	12	0.3	3	0.74	96.3	64.2651	44.3918
2025	3	23	2	23	9	12	0.3	3	0.73	93.4	64.3307	43.8466
2025	3	23	2	33	9	12	0.3	3	0.72	96.1	64.2651	42.8135
2025	3	23	2	43	9	12	0.3	3	0.76	93	64.3307	45.4267
2025	3	23	2	53	9	12	0.3	3	0.76	96.5	64.2651	45.1811
2025	3	23	3	3	9	12	0.3	3	0.74	95.6	64.3307	44.0442
2025	3	23	3	13	9	12	0.3	3	0.74	94.8	64.3307	44.2417
2025	3	23	3	23	9	12	0.3	3	0.68	92.8	64.3307	40.8841
2025	3	23	3	33	9	12	0.3	3	0.73	92.3	64.2651	43.6028
2025	3	23	3	43	9	12	0.3	3	0.73	93.4	64.2651	43.8001
2025	3	23	3	53	9	12	0.3	3	0.72	97.1	64.3307	43.0568
2025	3	23	4	3	9	12	0.3	3	0.71	95.3	64.2651	42.2218
2025	3	23	4	13	9	12	0.3	3	0.73	93.9	64.3307	43.8469
2025	3	23	4	23	9	11.8	0.3	3	0.69	92.4	64.3307	41.6743
2025	3	23	4	33	9	11.8	0.3	3	0.7	94.3	64.3307	42.2668
2025	3	23	4	43	9	11.8	0.3	3	0.69	92.7	64.3307	41.4768
2025	3	23	4	53	9	11.8	0.3	3	0.76	93.7	64.3307	45.427
2025	3	23	5	3	9	11.8	0.3	3	0.73	94.4	64.3307	44.0445
2025	3	23	5	13	9	11.8	0.3	3	0.78	94.8	64.3307	46.6121
2025	3	23	5	23	9	11.8	0.3	3	0.73	98	64.3307	43.452
2025	3	23	5	33	9	11.8	0.3	3	0.71	96.4	64.3963	42.312
2025	3	23	5	43	9	11.8	0.3	3	0.74	93.1	64.3963	44.4869
2025	3	23	5	53	9	11.8	0.3	3	0.72	94.2	64.3963	43.3006
2025	3	23	6	3	9	11.8	0.3	3	0.73	93.3	64.3963	44.0915
2025	3	23	6	13	9	11.8	0.3	3	0.73	90	64.3963	43.8938
2025	3	23	6	23	9	11.8	0.3	3	0.72	95.8	64.3963	42.9053
2025	3	23	6	33	9	11.8	0.3	3	0.71	95.9	64.3963	42.3121
2025	3	23	6	43	9	12	0.3	3	0.74	94.6	64.3963	44.487
2025	3	23	6	53	9	12.2	0.3	3	0.74	95.1	64.3963	44.487
2025	3	23	7	3	9	12.4	0.3	3	0.71	94.8	64.3307	42.6621
2025	3	23	7	13	9	12.6	0.3	3	0.67	95.7	64.3307	39.897
2025	3	23	7	23	9	12.8	0.3	3	0.7	96.2	64.3307	42.0696
2025	3	23	7	33	9	12.8	0.3	3	0.7	92.9	64.3307	42.2671
2025	3	23	7	43	9	13	0.3	3	0.75	95.2	64.2651	45.1816
2025	3	23	7	53	9	13	0.3	3	0.76	93.9	64.3307	45.8223
2025	3	23	8	3	9	13	0.3	3	0.76	94.2	64.2651	45.5761

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	23	8	13	9	13	0.3	3	0.74	95.6	64.2651	44.3923
2025	3	23	8	23	9	13.2	0.3	3	0.74	94.3	64.3307	44.6372
2025	3	23	8	33	9	13.4	0.3	3	0.73	95.9	64.3307	43.8471
2025	3	23	8	43	9	13.2	0.3	3	0.74	93.3	64.3307	44.6371
2025	3	23	8	53	9	13.6	0.3	3	0.73	92.6	64.3307	44.0445
2025	3	23	9	3	9	13.8	0.3	3	0.73	94.6	64.3307	43.847
2025	3	23	9	13	9	13.8	0.3	3	0.75	96.3	64.3307	44.8345
2025	3	23	9	23	9	13.8	0.3	3	0.71	94.5	64.2651	42.8137
2025	3	23	9	33	9	13.8	0.3	3	0.74	95.6	64.3307	44.0444
2025	3	23	9	43	9	13.8	0.3	3	0.71	95.6	64.3307	42.2667
2025	3	23	9	53	9	13.6	0.3	3	0.73	94.7	64.3307	43.6493
2025	3	23	10	3	9	13.6	0.3	3	0.74	95.1	64.2651	44.1946
2025	3	23	10	13	9	13.4	0.3	3	0.72	93.4	64.2651	43.4054
2025	3	23	10	23	9	13.4	0.3	3	0.7	93.2	64.2651	42.2215
2025	3	23	10	33	9	13.6	0.3	3	0.72	93.9	64.2651	43.208
2025	3	23	10	43	9	13.6	0.3	3	0.75	95.5	64.1995	45.1327
2025	3	23	10	53	9	13.6	0.3	3	0.73	95.9	64.1995	43.556
2025	3	23	11	3	9	13.6	0.3	3	0.73	94.4	64.1995	43.753
2025	3	23	11	13	9	13.6	0.3	3	0.73	94.7	64.1995	43.5559
2025	3	23	11	23	9	13.8	0.3	3	0.74	94.3	64.1995	44.5412
2025	3	23	11	33	9	13.4	0.3	3	0.7	94.5	64.1995	42.1761
2025	3	23	11	43	9	13.4	0.3	3	0.74	96.1	64.1995	44.344
2025	3	23	11	53	9	13.4	0.3	3	0.73	94.4	64.1995	43.7526
2025	3	23	12	3	9	13.4	0.3	3	0.74	92.5	64.1995	44.5409
2025	3	23	12	13	9	13.4	0.3	3	0.71	97.5	64.1995	42.1758
2025	3	23	12	23	9	13.4	0.3	3	0.76	95.2	64.1995	45.3291
2025	3	23	12	33	9	13.4	0.3	3	0.75	92.3	64.1995	45.1319
2025	3	23	12	43	9	13.4	0.3	3	0.7	94.9	64.1995	41.7815
2025	3	23	12	53	9	13.4	0.3	3	0.75	93	64.1995	44.9347
2025	3	23	13	3	9	13.4	0.3	3	0.72	95.2	64.2651	43.4042
2025	3	23	13	13	9	13.4	0.3	3	0.7	93.7	64.2651	42.2204
2025	3	23	13	23	9	13.4	0.3	3	0.75	92.3	64.2651	45.1797
2025	3	23	13	33	9	13.4	0.3	3	0.74	94.6	64.2651	44.5878
2025	3	23	13	43	9	13.4	0.3	3	0.73	93.8	64.2651	43.9958
2025	3	23	13	53	9	13.2	0.3	3	0.73	93.4	64.2651	43.7985
2025	3	23	14	3	9	13.2	0.3	3	0.76	94.7	64.2651	45.7713
2025	3	23	14	13	9	13.2	0.3	3	0.79	96.2	64.2651	47.1522
2025	3	23	14	23	9	13.2	0.3	3	0.74	93.6	64.3307	44.4374
2025	3	23	14	33	9	13.2	0.3	3	0.73	93.1	64.2651	43.7982
2025	3	23	14	43	9	13.2	0.3	3	0.76	93.7	64.3307	45.4248
2025	3	23	14	53	9	13.2	0.3	3	0.71	94	64.3307	42.8573
2025	3	23	15	3	9	13.2	0.3	3	0.74	95.6	64.3307	44.2397
2025	3	23	15	13	9	13.4	0.3	3	0.75	92.3	64.3307	45.2272
2025	3	23	15	23	9	13.2	0.3	3	0.72	92.6	64.3307	43.2521
2025	3	23	15	33	9	13.2	0.3	3	0.71	95.8	64.3307	42.4621
2025	3	23	15	43	9	13.2	0.3	3	0.72	93.4	64.3307	43.0546
2025	3	23	15	53	9	13.2	0.3	3	0.72	92.9	64.3307	43.4495
2025	3	23	16	3	9	13.2	0.3	3	0.69	94.3	64.3307	41.672

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	23	16	13	9	13.2	0.3	3	0.72	93.7	64.3963	43.2981
2025	3	23	16	23	9	13.2	0.3	3	0.77	91.5	64.3963	46.4614
2025	3	23	16	33	9	13.2	0.3	3	0.72	94.2	64.3963	43.4957
2025	3	23	16	43	9	13.2	0.3	3	0.72	92.4	64.3963	43.298
2025	3	23	16	53	9	13.2	0.3	3	0.71	92.6	64.3963	42.9026
2025	3	23	17	3	9	12.4	0.3	3	0.76	96	64.3963	45.2751
2025	3	23	17	13	9	12.4	0.3	3	0.76	93	64.3963	45.6705
2025	3	23	17	23	9	12.2	0.3	3	0.75	95.8	64.3307	44.6344
2025	3	23	17	33	9	12.2	0.3	3	0.7	91.6	64.3307	42.0669
2025	3	23	17	43	9	12.2	0.3	3	0.73	93.1	64.3963	43.6934
2025	3	23	17	53	9	12.2	0.3	3	0.76	95.7	64.3963	45.4727
2025	3	23	18	3	9	12.2	0.3	3	0.71	95	64.3963	42.9026
2025	3	23	18	13	9	12.2	0.3	3	0.72	94.7	64.3963	43.4957
2025	3	23	18	23	9	12.2	0.3	3	0.71	95.3	64.3963	42.9026
2025	3	23	18	33	9	12.2	0.3	3	0.73	92.6	64.3963	43.8911
2025	3	23	18	43	9	12.2	0.3	3	0.72	93.9	64.3963	43.298
2025	3	23	18	53	9	12.2	0.3	3	0.72	93.4	64.3963	43.1003
2025	3	23	19	3	9	12.2	0.3	3	0.76	93.5	64.3963	45.4728
2025	3	23	19	13	9	12	0.3	3	0.69	93.5	64.3963	41.7164
2025	3	23	19	23	9	12	0.3	3	0.73	96.2	64.3963	43.4958
2025	3	23	19	33	9	12	0.3	3	0.72	93.1	64.3963	43.2981
2025	3	23	19	43	9	12	0.3	3	0.72	94.9	64.3963	43.4958
2025	3	23	19	53	9	12	0.3	3	0.71	94.3	64.3963	42.5073
2025	3	23	20	3	9	12	0.3	3	0.73	95.4	64.3963	44.089
2025	3	23	20	13	9	12	0.3	3	0.71	95	64.3307	42.8571
2025	3	23	20	23	9	12	0.3	3	0.73	94.6	64.3307	44.0421
2025	3	23	20	33	9	12	0.3	3	0.74	94.3	64.3307	44.4371
2025	3	23	20	43	9	12	0.3	3	0.72	94.9	64.3307	43.4496
2025	3	23	20	53	9	12	0.3	3	0.77	96.4	64.3307	46.0172
2025	3	23	21	3	9	12	0.3	3	0.72	93.7	64.3307	43.2522
2025	3	23	21	13	9	12	0.3	3	0.7	93.5	64.3307	42.0672
2025	3	23	21	23	9	12	0.3	3	0.75	94.3	64.3307	44.8323
2025	3	23	21	33	9	12	0.3	3	0.76	95	64.3307	45.4248
2025	3	23	21	43	9	12	0.3	3	0.73	94.9	64.3307	44.0423
2025	3	23	21	53	9	12	0.3	3	0.73	92.3	64.3307	43.6474
2025	3	23	22	3	9	12	0.3	3	0.73	94.1	64.3307	44.0424
2025	3	23	22	13	9	12	0.3	3	0.77	92.5	64.3307	46.0174
2025	3	23	22	23	9	12	0.3	3	0.74	91	64.3307	44.4375
2025	3	23	22	33	9	12	0.3	3	0.73	93.9	64.3307	43.845
2025	3	23	22	43	9	12	0.3	3	0.7	92.7	64.3307	42.0675
2025	3	23	22	53	9	12	0.3	3	0.72	95.2	64.2651	43.4038
2025	3	23	23	3	9	12	0.3	3	0.75	93	64.2651	44.7848
2025	3	23	23	13	9	12	0.3	3	0.74	93.1	64.2651	44.3903
2025	3	23	23	23	9	12	0.3	3	0.75	93	64.2651	44.7849
2025	3	23	23	33	9	12	0.3	3	0.74	94.8	64.2651	44.3904
2025	3	23	23	43	9	12	0.3	3	0.76	91.7	64.2651	45.5742
2025	3	23	23	53	9	12	0.3	3	0.74	94.1	64.2651	44.1932
2025	3	24	0	3	9	12	0.3	3	0.71	94	64.2651	42.6149

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	24	0	13	9	12	0.3	3	0.76	93.2	64.2651	45.377
2025	3	24	0	23	9	12	0.3	3	0.69	94.4	64.2651	41.2339
2025	3	24	0	33	9	12	0.3	3	0.69	92.7	64.2651	41.6285
2025	3	24	0	43	9	12	0.3	3	0.77	92.7	64.2651	46.1663
2025	3	24	0	53	9	12	0.3	3	0.74	93.6	64.2651	44.1934
2025	3	24	1	3	9	12	0.3	3	0.74	96.6	64.2651	44.1935
2025	3	24	1	13	9	12	0.3	3	0.71	94.5	64.2651	42.6152
2025	3	24	1	23	9	11.8	0.3	3	0.75	94.5	64.2651	44.7854
2025	3	24	1	33	9	11.8	0.3	3	0.74	92.8	64.1995	44.3435
2025	3	24	1	43	9	11.8	0.3	3	0.74	92	64.1995	44.3436
2025	3	24	1	53	9	11.8	0.3	3	0.73	92.6	64.1995	43.9495
2025	3	24	2	3	9	11.8	0.3	3	0.73	95.1	64.1995	43.9495
2025	3	24	2	13	9	11.8	0.3	3	0.72	92.9	64.1995	42.9641
2025	3	24	2	23	9	11.8	0.3	3	0.76	94.2	64.1995	45.5262
2025	3	24	2	33	9	11.8	0.3	3	0.73	92.8	64.1995	43.7525
2025	3	24	2	43	9	11.8	0.3	3	0.71	92.4	64.1995	42.7672
2025	3	24	2	53	9	11.8	0.3	3	0.76	94.2	64.1995	45.5264
2025	3	24	3	3	9	11.8	0.3	3	0.73	91.5	64.1995	43.9497
2025	3	24	3	13	9	11.8	0.3	3	0.77	94.4	64.1995	45.9206
2025	3	24	3	23	9	11.8	0.3	3	0.72	92.6	64.1995	43.1615
2025	3	24	3	33	9	11.8	0.3	3	0.73	94.1	64.1995	43.9498
2025	3	24	3	43	9	11.8	0.3	3	0.7	93.8	64.1995	41.7819
2025	3	24	3	53	9	11.8	0.3	3	0.76	95.4	64.1995	45.5266
2025	3	24	4	3	9	11.8	0.3	3	0.74	94.8	64.1995	44.3441
2025	3	24	4	13	9	11.8	0.3	3	0.74	93.6	64.2651	44.3915
2025	3	24	4	23	9	11.8	0.3	3	0.72	94.9	64.2651	43.405
2025	3	24	4	33	9	11.8	0.3	3	0.76	95.2	64.2651	45.378
2025	3	24	4	43	9	11.8	0.3	3	0.73	93.9	64.3307	43.6489
2025	3	24	4	53	9	11.8	0.3	3	0.74	94.8	64.3307	44.4389
2025	3	24	5	3	9	11.8	0.3	3	0.74	92.3	64.3307	44.439
2025	3	24	5	13	9	11.8	0.3	3	0.76	92.2	64.3307	45.4265
2025	3	24	5	23	9	11.8	0.3	3	0.72	94.2	64.3963	43.1023
2025	3	24	5	33	9	11.8	0.3	3	0.78	93.2	64.3963	46.6613
2025	3	24	5	43	9	11.8	0.3	3	0.72	91.8	64.3963	43.4978
2025	3	24	5	53	9	11.8	0.3	3	0.73	93.6	64.4619	44.1379
2025	3	24	6	3	9	11.8	0.3	3	0.71	94.3	64.4619	42.5545
2025	3	24	6	13	9	11.8	0.3	3	0.74	92.5	64.4619	44.5338
2025	3	24	6	23	9	11.8	0.3	3	0.7	94.3	64.4619	42.1587
2025	3	24	6	33	9	11.8	0.3	3	0.75	93.7	64.4619	45.3256
2025	3	24	6	43	9	12	0.3	3	0.75	94	64.4619	45.1277
2025	3	24	6	53	9	12.2	0.3	3	0.74	94.6	64.4619	44.5339
2025	3	24	7	3	9	12.6	0.3	3	0.76	92.2	64.4619	45.7215
2025	3	24	7	13	9	12.8	0.3	3	0.71	97.4	64.5276	42.5999
2025	3	24	7	23	9	13	0.3	3	0.73	92.3	64.4619	44.1381
2025	3	24	7	33	9	13	0.3	3	0.74	95.6	64.4619	44.7319
2025	3	24	7	43	9	13.2	0.3	3	0.75	95.5	64.4619	45.1277
2025	3	24	7	53	9	13.2	0.3	3	0.74	96.6	64.4619	44.336
2025	3	24	8	3	9	13.4	0.3	3	0.72	94.4	64.4619	43.5443

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	24	8	13	9	13.4	0.3	3	0.72	94.4	64.4619	43.3463
2025	3	24	8	23	9	13.4	0.3	3	0.73	94.6	64.4619	44.138
2025	3	24	8	33	9	13.4	0.3	3	0.74	93.3	64.4619	44.5339
2025	3	24	8	43	9	13.4	0.3	3	0.69	94.9	64.4619	41.7628
2025	3	24	8	53	9	13.4	0.3	3	0.73	95.9	64.4619	43.7421
2025	3	24	9	3	9	13.4	0.3	3	0.73	94.1	64.4619	43.742
2025	3	24	9	13	9	13.4	0.3	3	0.73	95.4	64.4619	43.742
2025	3	24	9	23	9	13.4	0.3	3	0.71	93.7	64.4619	42.7523
2025	3	24	9	33	9	13.2	0.3	3	0.74	91.3	64.4619	44.3356
2025	3	24	9	43	9	13.2	0.3	3	0.73	96.4	64.3963	43.893
2025	3	24	9	53	9	13.2	0.3	3	0.74	92.6	64.3963	44.2883
2025	3	24	10	3	9	13.2	0.3	3	0.73	94.7	64.3963	43.6951
2025	3	24	10	13	9	13.4	0.3	3	0.74	94.3	64.3307	44.2411
2025	3	24	10	23	9	13.6	0.3	3	0.75	95.8	64.3307	44.8335
2025	3	24	10	33	9	13.6	0.3	3	0.73	95.5	64.3307	43.4509
2025	3	24	10	43	9	13.4	0.3	3	0.74	95.1	64.3307	44.6358
2025	3	24	10	53	9	13.4	0.3	3	0.74	92.6	64.2651	44.1936
2025	3	24	11	3	9	13.4	0.3	3	0.73	95.5	64.3307	43.4506
2025	3	24	11	13	9	13.4	0.3	3	0.7	95.1	64.3307	41.8705
2025	3	24	11	23	9	13.4	0.3	3	0.75	92	64.3307	44.833
2025	3	24	11	33	9	13.4	0.3	3	0.75	94.5	64.3307	44.8329
2025	3	24	11	43	9	13.4	0.3	3	0.74	97.1	64.3307	44.4378
2025	3	24	11	53	9	13.4	0.3	3	0.72	93.9	64.3307	43.4502
2025	3	24	12	3	9	13.4	0.3	3	0.73	93.1	64.3307	44.0426
2025	3	24	12	13	9	13.4	0.3	3	0.77	94.4	64.3307	46.0175
2025	3	24	12	23	9	13.4	0.3	3	0.72	95.2	64.3963	43.1008
2025	3	24	12	33	9	13.4	0.3	3	0.71	95.6	64.3307	42.2649
2025	3	24	12	43	9	13.4	0.3	3	0.72	94.7	64.3963	43.2984
2025	3	24	12	53	9	13.4	0.3	3	0.75	93.7	64.3307	45.2272
2025	3	24	13	3	9	13.4	0.3	3	0.76	93.5	64.3307	45.8196
2025	3	24	13	13	9	13.4	0.3	3	0.77	93.4	64.3963	46.2638
2025	3	24	13	23	9	13.4	0.3	3	0.75	94.2	64.3963	45.2751
2025	3	24	13	33	9	13.4	0.3	3	0.73	92.6	64.3963	43.8911
2025	3	24	13	43	9	13.4	0.3	3	0.76	96	64.3963	45.4727
2025	3	24	13	53	9	13.4	0.3	3	0.77	94.2	64.3963	46.2635
2025	3	24	14	3	9	13.4	0.3	3	0.71	92.1	64.3963	42.9024
2025	3	24	14	13	9	13.4	0.3	3	0.73	94.1	64.3963	44.0886
2025	3	24	14	23	9	13.2	0.3	3	0.71	95.3	64.4619	42.9479
2025	3	24	14	33	9	13.4	0.3	3	0.74	93.8	64.3963	44.2861
2025	3	24	14	43	9	13.4	0.3	3	0.73	92.3	64.4619	43.7395
2025	3	24	14	53	9	13.2	0.3	3	0.71	93.7	64.3963	42.9021
2025	3	24	15	3	9	13.2	0.3	3	0.75	93.5	64.3963	44.8791
2025	3	24	15	13	9	13.4	0.3	3	0.73	93.8	64.4619	44.1352
2025	3	24	15	23	9	13.2	0.3	3	0.72	95.2	64.3963	43.0997
2025	3	24	15	33	9	13.2	0.3	3	0.78	95.3	64.4619	46.708
2025	3	24	15	43	9	13.2	0.3	3	0.73	96	64.3963	43.495
2025	3	24	15	53	9	13.2	0.3	3	0.76	92.5	64.4619	45.5204
2025	3	24	16	3	9	13.2	0.3	3	0.74	95.1	64.4619	44.5308

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	24	16	13	9	13.2	0.3	3	0.72	92.1	64.4619	43.5412
2025	3	24	16	23	9	13.2	0.3	3	0.74	94.1	64.4619	44.5308
2025	3	24	16	33	9	13.2	0.3	3	0.74	93.8	64.3963	44.4834
2025	3	24	16	43	9	13	0.3	3	0.75	95.5	64.3963	45.0765
2025	3	24	16	53	9	13	0.3	3	0.78	94.8	64.4619	47.1036
2025	3	24	17	3	9	12.6	0.3	3	0.71	94.2	64.4619	42.9474
2025	3	24	17	13	9	12.2	0.3	3	0.71	94.2	64.4619	42.9474
2025	3	24	17	23	9	11.8	0.3	3	0.74	93.1	64.4619	44.5307
2025	3	24	17	33	9	11.6	0.3	3	0.74	95.8	64.4619	44.5307
2025	3	24	17	43	9	11.6	0.3	3	0.73	92.3	64.4619	43.9369
2025	3	24	17	53	9	11.6	0.3	3	0.7	93.8	64.4619	41.9578
2025	3	24	18	3	9	11.4	0.3	3	0.74	94.3	64.3963	44.6811
2025	3	24	18	13	9	11.4	0.3	3	0.72	95	64.3963	43.2971
2025	3	24	18	23	9	11.4	0.3	3	0.77	92.2	64.3963	46.065
2025	3	24	18	33	9	11.4	0.3	3	0.72	94.5	64.3963	43.0995
2025	3	24	18	43	9	11.4	0.3	3	0.76	93.5	64.3963	45.6696
2025	3	24	18	53	9	11.4	0.3	3	0.72	92.3	64.3963	43.4949
2025	3	24	19	3	9	11.4	0.3	3	0.72	96	64.3963	43.2972
2025	3	24	19	13	9	11.4	0.3	3	0.7	93.2	64.3963	42.111
2025	3	24	19	23	9	11.4	0.3	3	0.74	92.5	64.3963	44.4835
2025	3	24	19	33	9	11.4	0.3	3	0.73	94.1	64.3963	43.8904
2025	3	24	19	43	9	11.4	0.3	3	0.68	94.1	64.3963	41.1225
2025	3	24	19	53	9	11.4	0.3	3	0.74	93.6	64.3963	44.2858
2025	3	24	20	3	9	11.4	0.3	3	0.74	92.8	64.3963	44.2859
2025	3	24	20	13	9	11.4	0.3	3	0.75	97.5	64.3963	45.0767
2025	3	24	20	23	9	12	0.3	3	0.75	92	64.3307	44.8313
2025	3	24	20	33	9	12	0.3	3	0.72	95	64.3307	43.2514
2025	3	24	20	43	9	12	0.3	3	0.75	94	64.3307	45.2263
2025	3	24	20	53	9	12	0.3	3	0.71	94	64.3307	42.6589
2025	3	24	21	3	9	12	0.3	3	0.72	90.5	64.3307	43.2514
2025	3	24	21	13	9	12	0.3	3	0.75	92	64.3307	44.8314
2025	3	24	21	23	9	12	0.3	3	0.76	90	64.3307	45.819
2025	3	24	21	33	9	12	0.3	3	0.72	91.8	64.3307	43.0541
2025	3	24	21	43	9	12	0.3	3	0.74	92.6	64.3307	44.2391
2025	3	24	21	53	9	12	0.3	3	0.76	94.4	64.3307	45.8191
2025	3	24	22	3	9	12	0.3	3	0.71	94	64.3307	42.8567
2025	3	24	22	13	9	12	0.3	3	0.72	92.3	64.3307	43.4492
2025	3	24	22	23	9	12	0.3	3	0.73	93.3	64.3307	44.0417
2025	3	24	22	33	9	12	0.3	3	0.73	96.2	64.3307	43.8443
2025	3	24	22	43	9	12	0.3	3	0.72	91.3	64.3307	43.4493
2025	3	24	22	53	9	12	0.3	3	0.75	93	64.3307	44.8318
2025	3	24	23	3	9	12	0.3	3	0.75	93.3	64.3307	45.0294
2025	3	24	23	13	9	12	0.3	3	0.71	92.4	64.3307	42.8569
2025	3	24	23	23	9	12	0.3	3	0.71	93.4	64.3307	42.6595
2025	3	24	23	33	9	12	0.3	3	0.74	92.3	64.3307	44.437
2025	3	24	23	43	9	12	0.3	3	0.74	93.1	64.3307	44.2396
2025	3	24	23	53	9	12	0.3	3	0.76	93.5	64.2651	45.3762
2025	3	25	0	3	9	12	0.3	3	0.76	94	64.2651	45.5735

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	25	0	13	9	12	0.3	3	0.76	93	64.3307	45.4247
2025	3	25	0	23	9	12	0.3	3	0.75	94	64.2651	45.1791
2025	3	25	0	33	9	12	0.3	3	0.75	94.5	64.2651	44.9818
2025	3	25	0	43	9	12	0.3	3	0.74	93.8	64.2651	44.39
2025	3	25	0	53	9	12	0.3	3	0.72	93.1	64.2651	43.4036
2025	3	25	1	3	9	12	0.3	3	0.71	92.7	64.2651	42.6145
2025	3	25	1	13	9	12	0.3	3	0.75	94.5	64.2651	44.982
2025	3	25	1	23	9	12	0.3	3	0.73	93.6	64.2651	43.7983
2025	3	25	1	33	9	12	0.3	3	0.74	93.5	64.2651	44.5875
2025	3	25	1	43	9	12	0.3	3	0.75	91	64.2651	45.1794
2025	3	25	1	53	9	12	0.3	3	0.76	93	64.2651	45.3768
2025	3	25	2	3	9	11.8	0.3	3	0.7	95.1	64.2651	41.6283
2025	3	25	2	13	9	11.8	0.3	3	0.78	95.8	64.2651	46.3633
2025	3	25	2	23	9	11.8	0.3	3	0.72	94.7	64.1995	43.1606
2025	3	25	2	33	9	11.8	0.3	3	0.74	93.3	64.1995	44.5402
2025	3	25	2	43	9	11.8	0.3	3	0.71	95.6	64.2651	42.2203
2025	3	25	2	53	9	11.8	0.3	3	0.75	94	64.2651	45.1797
2025	3	25	3	3	9	11.8	0.3	3	0.74	95.1	64.2651	44.5879
2025	3	25	3	13	9	11.8	0.3	3	0.71	95.8	64.1995	42.5696
2025	3	25	3	23	9	11.8	0.3	3	0.72	94.2	64.1995	43.3579
2025	3	25	3	33	9	11.8	0.3	3	0.74	90.8	64.1995	44.7375
2025	3	25	3	43	9	11.8	0.3	3	0.73	92.3	64.1995	43.5551
2025	3	25	3	53	9	11.8	0.3	3	0.72	95	64.1995	43.161
2025	3	25	4	3	9	11.8	0.3	3	0.72	95.5	64.1995	43.161
2025	3	25	4	13	9	11.8	0.3	3	0.75	93.5	64.1995	44.7377
2025	3	25	4	23	9	11.8	0.3	3	0.73	92.6	64.1995	43.5552
2025	3	25	4	33	9	11.8	0.3	3	0.74	96.4	64.1995	43.9494
2025	3	25	4	43	9	11.8	0.3	3	0.75	93.3	64.1995	44.7378
2025	3	25	4	53	9	11.8	0.3	3	0.73	93.1	64.1995	43.9495
2025	3	25	5	3	9	11.8	0.3	3	0.75	94	64.1995	44.9349
2025	3	25	5	13	9	11.8	0.3	3	0.74	95.6	64.1995	44.5408
2025	3	25	5	23	9	11.8	0.3	3	0.78	93.4	64.1995	46.9058
2025	3	25	5	33	9	11.8	0.3	3	0.7	94	64.1995	42.1758
2025	3	25	5	43	9	11.8	0.3	3	0.7	95.1	64.1995	41.5846
2025	3	25	5	53	9	11.8	0.3	3	0.73	90	64.1995	43.5555
2025	3	25	6	3	9	11.8	0.3	3	0.74	93.8	64.2651	44.5885
2025	3	25	6	13	9	11.8	0.3	3	0.76	92.7	64.2651	45.3777
2025	3	25	6	23	9	11.8	0.3	3	0.78	97	64.2651	46.5615
2025	3	25	6	33	9	11.8	0.3	3	0.76	93.7	64.2651	45.575
2025	3	25	6	43	9	12	0.3	3	0.74	96.1	64.2651	43.9967
2025	3	25	6	53	9	12.4	0.3	3	0.74	92.3	64.2651	44.5886
2025	3	25	7	3	9	12.6	0.3	3	0.66	93.7	64.2651	39.4589
2025	3	25	7	13	9	12.8	0.3	3	0.72	94.2	64.2651	43.4048
2025	3	25	7	23	9	13	0.3	3	0.73	93.9	64.2651	43.6021
2025	3	25	7	33	9	13	0.3	3	0.74	94.6	64.2651	44.194
2025	3	25	7	43	9	13.2	0.3	3	0.73	93.6	64.2651	43.9967
2025	3	25	7	53	9	13.2	0.3	3	0.75	91.8	64.2651	44.7859
2025	3	25	8	3	9	13.4	0.3	3	0.69	96.3	64.1995	40.9935

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	25	8	13	9	13.4	0.3	3	0.7	94.8	64.2651	42.2211
2025	3	25	8	23	9	13.4	0.3	3	0.74	93.8	64.2651	44.5886
2025	3	25	8	33	9	13.4	0.3	3	0.73	92.3	64.2651	43.6021
2025	3	25	8	43	9	13.4	0.3	3	0.78	93.6	64.2651	46.7587
2025	3	25	8	53	9	13.4	0.3	3	0.78	96.3	64.2651	46.5614
2025	3	25	9	3	9	13.4	0.3	3	0.75	93	64.2651	45.1803
2025	3	25	9	13	9	13.4	0.3	3	0.73	94.1	64.2651	43.9965
2025	3	25	9	23	9	13.2	0.3	3	0.76	94.7	64.2651	45.7721
2025	3	25	9	33	9	13.2	0.3	3	0.69	93.5	64.2651	41.4316
2025	3	25	9	43	9	13.2	0.3	3	0.72	91.6	64.2651	43.4044
2025	3	25	9	53	9	13.2	0.3	3	0.75	94.8	64.2651	44.7854
2025	3	25	10	3	9	13.2	0.3	3	0.74	93.8	64.2651	44.5881
2025	3	25	10	13	9	13.2	0.3	3	0.76	95.7	64.2651	45.5744
2025	3	25	10	23	9	13.2	0.3	3	0.71	95	64.2651	42.615
2025	3	25	10	33	9	13.2	0.3	3	0.71	93.2	64.2651	42.4176
2025	3	25	10	43	9	13.2	0.3	3	0.73	92.1	64.2651	43.7986
2025	3	25	10	53	9	13.2	0.3	3	0.76	93.5	64.3307	45.6227
2025	3	25	11	3	9	13.2	0.3	3	0.8	95	64.3307	47.7951
2025	3	25	11	13	9	13.2	0.3	3	0.76	94.7	64.3307	45.8201
2025	3	25	11	23	9	13.2	0.3	3	0.73	94.4	64.3307	44.0425
2025	3	25	11	33	9	13.2	0.3	3	0.77	91.5	64.3307	46.6099
2025	3	25	11	43	9	13.2	0.3	3	0.75	91.5	64.3307	45.0298
2025	3	25	11	53	9	13.2	0.3	3	0.71	93.2	64.3307	42.8572
2025	3	25	12	3	9	13.2	0.3	3	0.76	94	64.3307	45.4246
2025	3	25	12	13	9	13.2	0.3	3	0.73	95.5	64.3963	43.4958
2025	3	25	12	23	9	13.2	0.3	3	0.77	96.1	64.3963	46.2637
2025	3	25	12	33	9	13.2	0.3	3	0.76	95.4	64.3963	45.8682
2025	3	25	12	43	9	13.2	0.3	3	0.76	94	64.3963	45.4727
2025	3	25	12	53	9	13.2	0.3	3	0.78	94.8	64.3963	46.6588
2025	3	25	13	3	9	13.2	0.3	3	0.74	96.1	64.3963	44.0886
2025	3	25	13	13	9	13.2	0.3	3	0.76	94	64.3963	45.4724
2025	3	25	13	23	9	13.2	0.3	3	0.72	94.4	64.3963	43.2976
2025	3	25	13	33	9	13	0.3	3	0.74	94.8	64.3963	44.286
2025	3	25	13	43	9	13	0.3	3	0.77	94.7	64.3963	46.0653
2025	3	25	13	53	9	13	0.3	3	0.75	91.3	64.4619	45.1247
2025	3	25	14	3	9	13	0.3	3	0.75	96.8	64.3963	44.6812
2025	3	25	14	13	9	13	0.3	3	0.77	94.9	64.4619	46.1141
2025	3	25	14	23	9	13	0.3	3	0.72	95	64.3963	43.2972
2025	3	25	14	33	9	13	0.3	3	0.74	92.3	64.3963	44.6811
2025	3	25	14	43	9	13	0.3	3	0.75	95.5	64.4619	45.1244
2025	3	25	14	53	9	13	0.3	3	0.71	92.6	64.3963	42.9016
2025	3	25	15	3	9	13	0.3	3	0.76	96.2	64.4619	45.5201
2025	3	25	15	13	9	13	0.3	3	0.75	93.2	64.4619	45.3222
2025	3	25	15	23	9	13	0.3	3	0.74	95.3	64.3307	44.6333
2025	3	25	15	33	9	13	0.3	3	0.75	96.1	64.3963	44.6808
2025	3	25	15	43	9	13	0.3	3	0.73	94.1	64.3963	43.89
2025	3	25	15	53	9	13	0.3	3	0.76	92.5	64.3963	45.4716
2025	3	25	16	3	9	13	0.3	3	0.71	91.8	64.3963	42.9014

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	25	16	13	9	13	0.3	3	0.75	93.3	64.4619	44.9262
2025	3	25	16	23	9	13	0.3	3	0.74	96.1	64.3963	44.0876
2025	3	25	16	33	9	13.2	0.3	3	0.77	93.4	64.4619	46.3115
2025	3	25	16	43	9	13.2	0.3	3	0.75	92.8	64.4619	45.1241
2025	3	25	16	53	9	13	0.3	3	0.74	93.6	64.4619	44.3324
2025	3	25	17	3	9	12.6	0.3	3	0.75	97.5	64.4619	45.124
2025	3	25	17	13	9	12.4	0.3	3	0.73	96.2	64.4619	43.5407
2025	3	25	17	23	9	12.2	0.3	3	0.73	92.1	64.4619	43.7387
2025	3	25	17	33	9	12.2	0.3	3	0.72	92.4	64.5276	43.1908
2025	3	25	17	43	9	12.2	0.3	3	0.75	94	64.5276	44.9739
2025	3	25	17	53	9	12.2	0.3	3	0.75	92.3	64.5276	44.9739
2025	3	25	18	3	9	12.2	0.3	3	0.75	92.5	64.5276	45.1721
2025	3	25	18	13	9	12.2	0.3	3	0.75	94	64.5932	45.0217
2025	3	25	18	23	9	12.2	0.3	3	0.76	94.7	64.5932	45.6167
2025	3	25	18	33	9	12.2	0.3	3	0.73	92.1	64.5932	44.0301
2025	3	25	18	43	9	12.2	0.3	3	0.71	94.5	64.5276	42.5965
2025	3	25	18	53	9	12.2	0.3	3	0.75	96.3	64.5932	45.2201
2025	3	25	19	3	9	12.2	0.3	3	0.73	91.8	64.5276	44.1816
2025	3	25	19	13	9	12.2	0.3	3	0.75	94	64.5276	44.9741
2025	3	25	19	23	9	12.2	0.3	3	0.74	93.3	64.5276	44.3797
2025	3	25	19	33	9	12	0.3	3	0.71	94.5	64.5276	42.7948
2025	3	25	19	43	9	12	0.3	3	0.74	94.6	64.5276	44.776
2025	3	25	19	53	9	12	0.3	3	0.72	93.4	64.5932	43.6336
2025	3	25	20	3	9	12	0.3	3	0.76	96.4	64.5932	45.617
2025	3	25	20	13	9	12	0.3	3	0.74	89.7	64.5276	44.9742
2025	3	25	20	23	9	12	0.3	3	0.74	91	64.5276	44.7762
2025	3	25	20	33	9	12	0.3	3	0.72	94.4	64.5276	43.5874
2025	3	25	20	43	9	12	0.3	3	0.71	94	64.5276	42.795
2025	3	25	20	53	9	12	0.3	3	0.75	93.8	64.5276	45.1725
2025	3	25	21	3	9	12	0.3	3	0.74	93.3	64.5276	44.5782
2025	3	25	21	13	9	12	0.3	3	0.76	93.5	64.5276	45.9651
2025	3	25	21	23	9	12	0.3	3	0.73	94.4	64.5276	44.182
2025	3	25	21	33	9	12	0.3	3	0.73	93.1	64.5276	44.182
2025	3	25	21	43	9	12	0.3	3	0.76	94.7	64.5276	45.9652
2025	3	25	21	53	9	12	0.3	3	0.73	92.3	64.5276	44.1821
2025	3	25	22	3	9	12	0.3	3	0.75	95	64.5276	45.1728
2025	3	25	22	13	9	12	0.3	3	0.73	94.4	64.5276	44.1822
2025	3	25	22	23	9	12	0.3	3	0.72	92.4	64.5276	43.3897
2025	3	25	22	33	9	12	0.3	3	0.74	95.1	64.5276	44.7766
2025	3	25	22	43	9	12	0.3	3	0.75	91.8	64.5276	45.1729
2025	3	25	22	53	9	12	0.3	3	0.73	94.9	64.4619	44.1354
2025	3	25	23	3	9	12	0.3	3	0.69	94.6	64.4619	41.7604
2025	3	25	23	13	9	12	0.3	3	0.73	93.6	64.4619	43.9376
2025	3	25	23	23	9	12	0.3	3	0.72	93.4	64.4619	43.1459
2025	3	25	23	33	9	12	0.3	3	0.71	92.9	64.4619	42.5522
2025	3	25	23	43	9	12	0.3	3	0.76	96.2	64.4619	45.7189
2025	3	25	23	53	9	12	0.3	3	0.75	94.7	64.4619	45.3232
2025	3	26	0	3	9	12	0.3	3	0.71	94.3	64.4619	42.5524

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	26	0	13	9	12	0.3	3	0.79	93.6	64.4619	47.3024
2025	3	26	0	23	9	12	0.3	3	0.74	92.3	64.4619	44.5316
2025	3	26	0	33	9	12	0.3	3	0.77	94.9	64.4619	46.3129
2025	3	26	0	43	9	12	0.3	3	0.79	93.4	64.4619	47.3026
2025	3	26	0	53	9	12	0.3	3	0.72	94.7	64.4619	43.1463
2025	3	26	1	3	9	12	0.3	3	0.72	93.4	64.3963	43.2982
2025	3	26	1	13	9	12	0.3	3	0.74	92.3	64.3963	44.4845
2025	3	26	1	23	9	12	0.3	3	0.75	92.5	64.4619	44.9277
2025	3	26	1	33	9	12	0.3	3	0.74	94	64.4619	44.7298
2025	3	26	1	43	9	12	0.3	3	0.74	89	64.3963	44.2869
2025	3	26	1	53	9	11.8	0.3	3	0.77	92.9	64.3963	46.4618
2025	3	26	2	3	9	11.8	0.3	3	0.75	92.3	64.3963	45.0778
2025	3	26	2	13	9	11.8	0.3	3	0.72	91.6	64.4619	43.1467
2025	3	26	2	23	9	11.8	0.3	3	0.79	97.2	64.3963	47.055
2025	3	26	2	33	9	11.8	0.3	3	0.75	92.3	64.3963	45.078
2025	3	26	2	43	9	11.8	0.3	3	0.76	92.7	64.3963	45.6711
2025	3	26	2	53	9	11.8	0.3	3	0.73	92.8	64.4619	43.7406
2025	3	26	3	3	9	11.8	0.3	3	0.76	92	64.3963	45.8689
2025	3	26	3	13	9	11.8	0.3	3	0.73	97.2	64.4619	43.9386
2025	3	26	3	23	9	11.8	0.3	3	0.75	92.5	64.4619	45.1261
2025	3	26	3	33	9	11.8	0.3	3	0.74	93.5	64.4619	44.7303
2025	3	26	3	43	9	11.8	0.3	3	0.75	95.3	64.5276	44.976
2025	3	26	3	53	9	11.8	0.3	3	0.72	95	64.5276	43.1929
2025	3	26	4	3	9	11.8	0.3	3	0.75	92.3	64.5932	45.0239
2025	3	26	4	13	9	11.8	0.3	3	0.75	93	64.5932	45.2223
2025	3	26	4	23	9	11.8	0.3	3	0.76	97.7	64.5932	45.619
2025	3	26	4	33	9	11.8	0.3	3	0.76	93.5	64.6588	45.8659
2025	3	26	4	43	9	11.8	0.3	3	0.74	91.8	64.6588	44.8732
2025	3	26	4	53	9	11.8	0.3	3	0.74	92.3	64.7244	44.722
2025	3	26	5	3	9	11.8	0.3	3	0.71	94.5	64.6588	42.6892
2025	3	26	5	13	9	11.8	0.3	3	0.76	95	64.7244	45.7159
2025	3	26	5	23	9	11.8	0.3	3	0.75	93	64.7244	45.3184
2025	3	26	5	33	9	11.8	0.3	3	0.78	94.8	64.7244	47.3061
2025	3	26	5	43	9	11.8	0.3	3	0.72	95	64.7244	43.3308
2025	3	26	5	53	9	11.8	0.3	3	0.75	95	64.7244	45.3185
2025	3	26	6	3	9	11.8	0.3	3	0.75	92.8	64.7244	45.5173
2025	3	26	6	13	9	11.8	0.3	3	0.75	92.3	64.7244	45.5173
2025	3	26	6	23	9	11.8	0.3	3	0.75	92	64.7244	45.1198
2025	3	26	6	33	9	11.8	0.3	3	0.75	92.5	64.7244	45.5174
2025	3	26	6	43	9	12	0.3	3	0.78	91.2	64.7244	47.3063
2025	3	26	6	53	9	12.4	0.3	3	0.76	94.4	64.7244	46.1137
2025	3	26	7	3	9	12.6	0.3	3	0.73	94.4	64.7244	43.9273
2025	3	26	7	13	9	12.8	0.3	3	0.75	94.5	64.7244	45.1199
2025	3	26	7	23	9	13	0.3	3	0.77	93.2	64.7244	46.3125
2025	3	26	7	33	9	13	0.3	3	0.75	94	64.7244	45.3187
2025	3	26	7	43	9	13.2	0.3	3	0.73	93.1	64.7244	44.3248
2025	3	26	7	53	9	13.2	0.3	3	0.71	93.7	64.7244	42.7347
2025	3	26	8	3	9	13.2	0.3	3	0.72	93.7	64.7244	43.5298

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	26	8	13	9	13.2	0.3	3	0.77	92.7	64.7244	46.3125
2025	3	26	8	23	9	13.4	0.3	3	0.73	91	64.7244	44.126
2025	3	26	8	33	9	13.4	0.3	3	0.72	95.2	64.7244	43.5297
2025	3	26	8	43	9	13.4	0.3	3	0.76	94	64.7244	45.7161
2025	3	26	8	53	9	13.2	0.3	3	0.74	95.6	64.7244	44.3247
2025	3	26	9	3	9	13.2	0.3	3	0.77	94.4	64.7244	46.3123
2025	3	26	9	13	9	13.2	0.3	3	0.77	94.6	64.7244	46.7098
2025	3	26	9	23	9	13.2	0.3	3	0.75	96.3	64.7244	45.3184
2025	3	26	9	33	9	13.2	0.3	3	0.76	94	64.6588	45.6674
2025	3	26	9	43	9	13.2	0.3	3	0.76	94.4	64.7244	46.1133
2025	3	26	9	53	9	13.2	0.3	3	0.74	95.9	64.5932	44.2305
2025	3	26	10	3	9	13.2	0.3	3	0.75	94	64.5276	44.976
2025	3	26	10	13	9	13.2	0.3	3	0.78	93.4	64.4619	46.9074
2025	3	26	10	23	9	13.2	0.3	3	0.71	92.7	64.4619	42.5531
2025	3	26	10	33	9	13.2	0.3	3	0.74	94.6	64.4619	44.3343
2025	3	26	10	43	9	13.2	0.3	3	0.72	93.7	64.4619	43.3446
2025	3	26	10	53	9	13.2	0.3	3	0.78	92.7	64.5276	46.7588
2025	3	26	11	3	9	13.2	0.3	3	0.74	94.6	64.5276	44.7774
2025	3	26	11	13	9	13.2	0.3	3	0.75	94.7	64.5276	45.3718
2025	3	26	11	23	9	13.2	0.3	3	0.74	91.5	64.5276	44.7773
2025	3	26	11	33	9	13.2	0.3	3	0.78	94.1	64.5932	47.0065
2025	3	26	11	43	9	13.2	0.3	3	0.75	95.8	64.5276	44.7771
2025	3	26	11	53	9	13.2	0.3	3	0.71	94.8	64.5932	42.8412
2025	3	26	12	3	9	13.2	0.3	3	0.77	92.7	64.5276	46.5601
2025	3	26	12	13	9	13.2	0.3	3	0.79	95.5	64.5932	47.6012
2025	3	26	12	23	9	13.2	0.3	3	0.73	92.6	64.5932	43.8327
2025	3	26	12	33	9	13.2	0.3	3	0.79	94.3	64.5932	47.4027
2025	3	26	12	43	9	13.2	0.3	3	0.74	93.1	64.6588	44.4747
2025	3	26	12	53	9	13.2	0.3	3	0.72	93.6	64.5932	43.6341
2025	3	26	13	3	9	13.2	0.3	3	0.79	92.1	64.5276	47.5503
2025	3	26	13	13	9	13.2	0.3	3	0.74	91.8	64.5932	44.824
2025	3	26	13	23	9	13.2	0.3	3	0.76	93.2	64.5276	45.5689
2025	3	26	13	33	9	13.2	0.3	3	0.71	93.4	64.5932	43.0389
2025	3	26	13	43	9	13.2	0.3	3	0.79	92.9	64.5932	47.4022
2025	3	26	13	53	9	13.2	0.3	3	0.76	94.5	64.5276	45.5687
2025	3	26	14	3	9	13.2	0.3	3	0.76	93.5	64.5932	46.0137
2025	3	26	14	13	9	13.2	0.3	3	0.76	93.5	64.5932	45.8153
2025	3	26	14	23	9	13.2	0.3	3	0.75	90.8	64.5932	45.4186
2025	3	26	14	33	9	13.2	0.3	3	0.77	94.1	64.5932	46.6086
2025	3	26	14	43	9	13.2	0.3	3	0.76	96.4	64.5932	45.8152
2025	3	26	14	53	9	13.2	0.3	3	0.78	92.6	64.5932	47.4018
2025	3	26	15	3	9	13.2	0.3	3	0.79	92.9	64.4619	47.4991
2025	3	26	15	13	9	13.2	0.3	3	0.78	90.2	64.6588	47.055
2025	3	26	15	23	9	13.2	0.3	3	0.72	93.6	64.5932	43.6334
2025	3	26	15	33	9	13.2	0.3	3	0.73	93.6	64.6588	44.2753
2025	3	26	15	43	9	13.2	0.3	3	0.73	92.6	64.6588	44.2753
2025	3	26	15	53	9	13.2	0.3	3	0.71	93.7	64.5932	43.0383
2025	3	26	16	3	9	13.2	0.3	3	0.77	94.6	64.5932	46.6083

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	26	16	13	9	13.2	0.3	3	0.77	94.1	64.5932	46.6083
2025	3	26	16	23	9	13.2	0.3	3	0.74	91.8	64.5932	44.625
2025	3	26	16	33	9	13.2	0.3	3	0.74	95.3	64.5932	44.8233
2025	3	26	16	43	9	13.2	0.3	3	0.76	92.7	64.5276	45.9645
2025	3	26	16	53	9	13	0.3	3	0.76	93.9	64.5932	46.0133
2025	3	26	17	3	9	12.6	0.3	3	0.78	93.4	64.6588	47.0548
2025	3	26	17	13	9	12.4	0.3	3	0.74	94.6	64.5276	44.7758
2025	3	26	17	23	9	12.2	0.3	3	0.73	93.4	64.6588	44.0767
2025	3	26	17	33	9	12.2	0.3	3	0.74	94	64.5276	44.7758
2025	3	26	17	43	9	12.2	0.3	3	0.74	93.8	64.5932	44.625
2025	3	26	17	53	9	12.2	0.3	3	0.77	92.9	64.5932	46.6084
2025	3	26	18	3	9	12.2	0.3	3	0.78	94.3	64.5932	47.2034
2025	3	26	18	13	9	12.2	0.3	3	0.77	94.6	64.5932	46.4101
2025	3	26	18	23	9	12.2	0.3	3	0.76	93.5	64.5932	46.0135
2025	3	26	18	33	9	12.2	0.3	3	0.72	92.6	64.5932	43.6335
2025	3	26	18	43	9	12.2	0.3	3	0.79	91.9	64.5932	47.9968
2025	3	26	18	53	9	12.2	0.3	3	0.75	93.3	64.5932	45.0218
2025	3	26	19	3	9	12.2	0.3	3	0.76	96.2	64.5932	45.8152
2025	3	26	19	13	9	12.2	0.3	3	0.76	93.7	64.5932	45.8152
2025	3	26	19	23	9	12.2	0.3	3	0.74	92.3	64.5932	44.6252
2025	3	26	19	33	9	12.2	0.3	3	0.71	92.4	64.5932	42.6419
2025	3	26	19	43	9	12	0.3	3	0.75	95	64.5932	45.2203
2025	3	26	19	53	9	12	0.3	3	0.71	92.1	64.5932	42.8403
2025	3	26	20	3	9	12	0.3	3	0.76	94.7	64.5932	45.8153
2025	3	26	20	13	9	12	0.3	3	0.76	94.2	64.5276	45.7667
2025	3	26	20	23	9	12	0.3	3	0.73	93.8	64.5932	44.2287
2025	3	26	20	33	9	12	0.3	3	0.74	93.3	64.5276	44.7762
2025	3	26	20	43	9	12	0.3	3	0.77	93.4	64.5276	46.1631
2025	3	26	20	53	9	12	0.3	3	0.77	89.8	64.5276	46.5593
2025	3	26	21	3	9	12	0.3	3	0.72	92.9	64.5276	43.3894
2025	3	26	21	13	9	12	0.3	3	0.74	92.8	64.5276	44.5782
2025	3	26	21	23	9	12	0.3	3	0.74	94.6	64.5276	44.5782
2025	3	26	21	33	9	12	0.3	3	0.74	93.3	64.5276	44.5782
2025	3	26	21	43	9	12	0.3	3	0.75	94	64.5276	45.3707
2025	3	26	21	53	9	12	0.3	3	0.73	93.4	64.5276	43.9839
2025	3	26	22	3	9	12	0.3	3	0.73	92.6	64.5276	44.1821
2025	3	26	22	13	9	12	0.3	3	0.74	93.8	64.4619	44.7289
2025	3	26	22	23	9	12	0.3	3	0.75	93.8	64.4619	45.1248
2025	3	26	22	33	9	12	0.3	3	0.75	90.2	64.4619	45.5206
2025	3	26	22	43	9	12	0.3	3	0.72	92.4	64.4619	43.1457
2025	3	26	22	53	9	12	0.3	3	0.77	93.7	64.4619	46.3124
2025	3	26	23	3	9	12	0.3	3	0.71	94.2	64.4619	42.9478
2025	3	26	23	13	9	12	0.3	3	0.76	91.7	64.4619	45.7187
2025	3	26	23	23	9	12	0.3	3	0.78	95.3	64.4619	46.9062
2025	3	26	23	33	9	12	0.3	3	0.73	94.6	64.4619	44.1354
2025	3	26	23	43	9	12	0.3	3	0.75	93.8	64.4619	44.9271
2025	3	26	23	53	9	12	0.3	3	0.76	93.2	64.4619	45.5209
2025	3	27	0	3	9	12	0.3	3	0.72	92.1	64.3963	43.4955

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	27	0	13	9	12	0.3	3	0.74	93	64.3963	44.6818
2025	3	27	0	23	9	12	0.3	3	0.76	94.9	64.3963	45.868
2025	3	27	0	33	9	12	0.3	3	0.71	90.5	64.3963	42.9025
2025	3	27	0	43	9	12	0.3	3	0.72	96.3	64.3963	42.9025
2025	3	27	0	53	9	12	0.3	3	0.74	94.3	64.3963	44.6819
2025	3	27	1	3	9	12	0.3	3	0.72	93.7	64.3963	43.298
2025	3	27	1	13	9	12	0.3	3	0.73	96.2	64.3963	43.4957
2025	3	27	1	23	9	12	0.3	3	0.76	92	64.3963	45.6705
2025	3	27	1	33	9	12	0.3	3	0.72	94.9	64.3963	43.4958
2025	3	27	1	43	9	12	0.3	3	0.76	92.7	64.3963	45.4729
2025	3	27	1	53	9	12	0.3	3	0.72	93.1	64.3963	43.4958
2025	3	27	2	3	9	12	0.3	3	0.75	93.5	64.3963	44.8798
2025	3	27	2	13	9	12	0.3	3	0.74	92	64.3963	44.6821
2025	3	27	2	23	9	11.8	0.3	3	0.79	94.5	64.3963	47.6478
2025	3	27	2	33	9	11.8	0.3	3	0.77	94.7	64.3307	46.0171
2025	3	27	2	43	9	11.8	0.3	3	0.78	95.5	64.3307	46.8071
2025	3	27	2	53	9	11.8	0.3	3	0.74	91.5	64.3307	44.6347
2025	3	27	3	3	9	11.8	0.3	3	0.77	91.2	64.3307	46.2147
2025	3	27	3	13	9	11.8	0.3	3	0.71	97.4	64.3307	42.6597
2025	3	27	3	23	9	11.8	0.3	3	0.77	94.4	64.3963	46.4617
2025	3	27	3	33	9	11.8	0.3	3	0.76	93	64.3963	45.8686
2025	3	27	3	43	9	11.8	0.3	3	0.77	93.2	64.3307	46.2148
2025	3	27	3	53	9	11.8	0.3	3	0.72	91.6	64.3963	43.1007
2025	3	27	4	3	9	11.8	0.3	3	0.73	93.1	64.3307	43.8448
2025	3	27	4	13	9	11.8	0.3	3	0.75	94.5	64.3963	45.0778
2025	3	27	4	23	9	11.8	0.3	3	0.77	94.6	64.3963	46.2641
2025	3	27	4	33	9	11.8	0.3	3	0.75	91.8	64.3963	45.0779
2025	3	27	4	43	9	11.8	0.3	3	0.78	94.6	64.3963	46.6596
2025	3	27	4	53	9	11.8	0.3	3	0.73	94.4	64.3963	44.0893
2025	3	27	5	3	9	11.8	0.3	3	0.74	93.6	64.3963	44.2871
2025	3	27	5	13	9	11.8	0.3	3	0.76	92	64.3963	45.8688
2025	3	27	5	23	9	11.8	0.3	3	0.75	92	64.3963	45.2757
2025	3	27	5	33	9	11.8	0.3	3	0.76	92	64.3963	45.6711
2025	3	27	5	43	9	11.8	0.3	3	0.79	92.1	64.3963	47.4505
2025	3	27	5	53	9	11.8	0.3	3	0.73	91	64.3963	44.0894
2025	3	27	6	3	9	11.8	0.3	3	0.72	91.8	64.3963	43.4963
2025	3	27	6	13	9	11.8	0.3	3	0.75	93	64.3963	45.078
2025	3	27	6	23	9	11.8	0.3	3	0.78	91.9	64.3963	46.8574
2025	3	27	6	33	9	11.8	0.3	3	0.77	93.4	64.3963	46.0666
2025	3	27	6	43	9	11.8	0.3	3	0.76	93	64.3963	45.4735
2025	3	27	6	53	9	12.2	0.3	3	0.79	95.5	64.3963	47.4506
2025	3	27	7	3	9	12.4	0.3	3	0.76	94.7	64.3963	45.6712
2025	3	27	7	13	9	12.8	0.3	3	0.75	91.8	64.3963	45.0781
2025	3	27	7	23	9	12.8	0.3	3	0.76	92.7	64.3963	45.869
2025	3	27	7	33	9	13	0.3	3	0.76	93.5	64.3963	45.869
2025	3	27	7	43	9	13	0.3	3	0.73	94.4	64.3963	44.0896
2025	3	27	7	53	9	13	0.3	3	0.73	91.8	64.3963	43.8918
2025	3	27	8	3	9	13	0.3	3	0.73	96	64.3963	43.4964

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	27	8	13	9	13.2	0.3	3	0.75	95	64.3963	44.8804
2025	3	27	8	23	9	13.4	0.3	3	0.75	92	64.3963	45.2758
2025	3	27	8	33	9	13.2	0.3	3	0.75	95.5	64.3963	44.8803
2025	3	27	8	43	9	13.2	0.3	3	0.71	91.8	64.3963	42.9032
2025	3	27	8	53	9	13.2	0.3	3	0.73	91.8	64.3963	44.0894
2025	3	27	9	3	9	13.2	0.3	3	0.77	94.9	64.3963	46.0665
2025	3	27	9	13	9	13.2	0.3	3	0.72	96	64.3963	43.2985
2025	3	27	9	23	9	13.2	0.3	3	0.78	94.8	64.4619	47.105
2025	3	27	9	33	9	13.2	0.3	3	0.81	94.2	64.3963	48.6366
2025	3	27	9	43	9	13.2	0.3	3	0.78	93.4	64.4619	46.907
2025	3	27	9	53	9	13.2	0.3	3	0.76	95	64.4619	45.5215
2025	3	27	10	3	9	13.2	0.3	3	0.76	93.7	64.4619	45.5214
2025	3	27	10	13	9	13.2	0.3	3	0.75	96.8	64.4619	45.1255
2025	3	27	10	23	9	13.2	0.3	3	0.75	93.5	64.4619	45.3234
2025	3	27	10	33	9	13.2	0.3	3	0.76	94	64.4619	45.5212
2025	3	27	10	43	9	13.2	0.3	3	0.76	94.9	64.5276	45.9658
2025	3	27	10	53	9	13.2	0.3	3	0.74	93.5	64.5276	44.777
2025	3	27	11	3	9	13.2	0.3	3	0.74	93.5	64.5276	44.7769
2025	3	27	11	13	9	13.2	0.3	3	0.75	94.7	64.5276	45.3712
2025	3	27	11	23	9	13.2	0.3	3	0.8	94	64.5276	47.9468
2025	3	27	11	33	9	13.2	0.3	3	0.78	92.4	64.5276	46.9561
2025	3	27	11	43	9	13.2	0.3	3	0.74	95.1	64.5276	44.7767
2025	3	27	11	53	9	13.2	0.3	3	0.73	93.6	64.5276	43.9841
2025	3	27	12	3	9	13.2	0.3	3	0.78	93.6	64.5276	46.7578
2025	3	27	12	13	9	13.2	0.3	3	0.73	90.8	64.5276	44.3802
2025	3	27	12	23	9	13.2	0.3	3	0.75	91.3	64.5276	45.3708
2025	3	27	12	33	9	13.2	0.3	3	0.74	94.3	64.5276	44.7763
2025	3	27	12	43	9	13.2	0.3	3	0.73	91.5	64.5932	44.0305
2025	3	27	12	53	9	13.2	0.3	3	0.74	93.5	64.5932	44.8238
2025	3	27	13	3	9	13.2	0.3	3	0.73	92.3	64.5932	44.0304
2025	3	27	13	13	9	13.2	0.3	3	0.73	94.4	64.5932	43.8319
2025	3	27	13	23	9	13.2	0.3	3	0.71	94	64.5932	42.6419
2025	3	27	13	33	9	13.2	0.3	3	0.76	92	64.6588	46.0623
2025	3	27	13	43	9	13.2	0.3	3	0.77	93.7	64.6588	46.2608
2025	3	27	13	53	9	13.2	0.3	3	0.71	92.6	64.6588	43.084
2025	3	27	14	3	9	13.2	0.3	3	0.76	93.5	64.6588	45.8636
2025	3	27	14	13	9	13.2	0.3	3	0.72	92.3	64.6588	43.6796
2025	3	27	14	23	9	13.2	0.3	3	0.77	92.2	64.6588	46.4592
2025	3	27	14	33	9	13.2	0.3	3	0.74	93.8	64.6588	44.6723
2025	3	27	14	43	9	13.2	0.3	3	0.76	92	64.6588	45.8635
2025	3	27	14	53	9	13.2	0.3	3	0.75	92	64.6588	45.4664
2025	3	27	15	3	9	13.2	0.3	3	0.74	94	64.6588	44.8707
2025	3	27	15	13	9	13.2	0.3	3	0.72	93.9	64.6588	43.6794
2025	3	27	15	23	9	13.2	0.3	3	0.76	93	64.6588	45.6648
2025	3	27	15	33	9	13.2	0.3	3	0.77	92.2	64.6588	46.2605
2025	3	27	15	43	9	13.2	0.3	3	0.74	90.3	64.6588	44.8706
2025	3	27	15	53	9	13.2	0.3	3	0.75	91.7	64.5932	45.6164
2025	3	27	16	3	9	13.2	0.3	3	0.73	94.7	64.6588	43.8779

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	27	16	13	9	13.2	0.3	3	0.72	93.6	64.6588	43.6794
2025	3	27	16	23	9	13.2	0.3	3	0.73	95.4	64.6588	43.8779
2025	3	27	16	33	9	13.2	0.3	3	0.74	91.3	64.6588	44.6721
2025	3	27	16	43	9	13.2	0.3	3	0.74	93.6	64.6588	44.6721
2025	3	27	16	53	9	13.4	0.3	3	0.74	93.6	64.5932	44.6247
2025	3	27	17	3	9	13.2	0.3	3	0.77	93.2	64.6588	46.2604
2025	3	27	17	13	9	13.4	0.3	3	0.72	92.6	64.5932	43.2364
2025	3	27	17	23	9	12.4	0.3	3	0.73	92.8	64.5932	43.8314
2025	3	27	17	33	9	12.4	0.3	3	0.75	91.8	64.5932	45.0215
2025	3	27	17	43	9	12.2	0.3	3	0.73	91	64.5932	44.0298
2025	3	27	17	53	9	12.2	0.3	3	0.73	96.2	64.5932	43.6332
2025	3	27	18	3	9	12.2	0.3	3	0.77	94.2	64.5932	46.2115
2025	3	27	18	13	9	12.2	0.3	3	0.7	91.9	64.5932	42.2449
2025	3	27	18	23	9	12.2	0.3	3	0.76	92.2	64.5932	45.6166
2025	3	27	18	33	9	12.2	0.3	3	0.73	92.6	64.5932	44.03
2025	3	27	18	43	9	12.2	0.3	3	0.72	91	64.5932	43.6334
2025	3	27	18	53	9	12.2	0.3	3	0.74	90.3	64.5276	44.7759
2025	3	27	19	3	9	12.2	0.3	3	0.76	93	64.5932	45.8152
2025	3	27	19	13	9	12.2	0.3	3	0.74	91.5	64.5276	44.776
2025	3	27	19	23	9	12.2	0.3	3	0.77	95.9	64.5276	45.9648
2025	3	27	19	33	9	12	0.3	3	0.78	92.2	64.5276	46.9555
2025	3	27	19	43	9	12	0.3	3	0.74	92.3	64.5276	44.3799
2025	3	27	19	53	9	12	0.3	3	0.74	93.3	64.5276	44.5781
2025	3	27	20	3	9	12	0.3	3	0.75	92.8	64.5276	45.3707
2025	3	27	20	13	9	12	0.3	3	0.75	95.8	64.5276	44.9745
2025	3	27	20	23	9	12	0.3	3	0.75	92.3	64.5276	44.9745
2025	3	27	20	33	9	12	0.3	3	0.73	91.3	64.5276	43.9839
2025	3	27	20	43	9	12	0.3	3	0.76	94.4	64.5276	45.9652
2025	3	27	20	53	9	12	0.3	3	0.73	93.6	64.5276	44.1821
2025	3	27	21	3	9	12	0.3	3	0.77	93.4	64.5276	46.3616
2025	3	27	21	13	9	12	0.3	3	0.76	92.7	64.5276	45.9654
2025	3	27	21	23	9	12	0.3	3	0.74	92.8	64.5276	44.5785
2025	3	27	21	33	9	12	0.3	3	0.78	93.4	64.5276	46.9561
2025	3	27	21	43	9	12	0.3	3	0.73	93.6	64.5276	43.7861
2025	3	27	21	53	9	12	0.3	3	0.75	93.7	64.4619	45.323
2025	3	27	22	3	9	12	0.3	3	0.78	92.2	64.4619	46.9064
2025	3	27	22	13	9	12	0.3	3	0.71	95.3	64.4619	42.9481
2025	3	27	22	23	9	12	0.3	3	0.69	94.1	64.4619	41.7606
2025	3	27	22	33	9	12	0.3	3	0.71	91.3	64.4619	42.9481
2025	3	27	22	43	9	12	0.3	3	0.74	94.3	64.4619	44.7294
2025	3	27	22	53	9	12	0.3	3	0.76	96	64.4619	45.5212
2025	3	27	23	3	9	12	0.3	3	0.72	94.9	64.4619	43.542
2025	3	27	23	13	9	12	0.3	3	0.76	95.5	64.4619	45.5212
2025	3	27	23	23	9	12	0.3	3	0.74	91.3	64.4619	44.7296
2025	3	27	23	33	9	12	0.3	3	0.72	95.2	64.4619	43.5421
2025	3	27	23	43	9	12	0.3	3	0.71	93.7	64.4619	42.7505
2025	3	27	23	53	9	12	0.3	3	0.73	93.6	64.4619	43.938
2025	3	28	0	3	9	12	0.3	3	0.74	95.1	64.3963	44.4845

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	28	0	13	9	12	0.3	3	0.75	93.3	64.3963	45.0776
2025	3	28	0	23	9	12	0.3	3	0.78	91.9	64.4619	47.3028
2025	3	28	0	33	9	12	0.3	3	0.74	94.3	64.4619	44.5319
2025	3	28	0	43	9	12	0.3	3	0.79	95	64.3963	47.2526
2025	3	28	0	53	9	12	0.3	3	0.78	93.4	64.3963	46.8572
2025	3	28	1	3	9	12	0.3	3	0.75	94.5	64.3963	45.2755
2025	3	28	1	13	9	12	0.3	3	0.72	92.6	64.3963	43.4962
2025	3	28	1	23	9	12	0.3	3	0.76	93.5	64.3963	45.8687
2025	3	28	1	33	9	12	0.3	3	0.77	93.7	64.3963	46.0665
2025	3	28	1	43	9	12	0.3	3	0.75	95	64.3963	45.078
2025	3	28	1	53	9	12	0.3	3	0.75	94.5	64.3963	45.2757
2025	3	28	2	3	9	12	0.3	3	0.73	93.9	64.3963	43.8918
2025	3	28	2	13	9	12	0.3	3	0.75	92	64.3963	45.2758
2025	3	28	2	23	9	12	0.3	3	0.75	95.8	64.4619	44.9282
2025	3	28	2	33	9	12	0.3	3	0.77	93.9	64.4619	46.3137
2025	3	28	2	43	9	12	0.3	3	0.76	95.7	64.4619	45.522
2025	3	28	2	53	9	12	0.3	3	0.77	95.1	64.5276	46.363
2025	3	28	3	3	9	12	0.3	3	0.77	93.4	64.4619	46.5117
2025	3	28	3	13	9	12	0.3	3	0.73	93.4	64.4619	43.7408
2025	3	28	3	23	9	12	0.3	3	0.74	92.8	64.4619	44.7305
2025	3	28	3	33	9	11.8	0.3	3	0.77	94.6	64.5276	46.3632
2025	3	28	3	43	9	11.8	0.3	3	0.72	94.4	64.4619	43.543
2025	3	28	3	53	9	11.8	0.3	3	0.76	94.2	64.4619	45.7202
2025	3	28	4	3	9	11.8	0.3	3	0.73	92.1	64.4619	43.939
2025	3	28	4	13	9	11.8	0.3	3	0.74	94.8	64.4619	44.7307
2025	3	28	4	23	9	11.8	0.3	3	0.73	94.1	64.4619	43.939
2025	3	28	4	33	9	11.8	0.3	3	0.74	94.1	64.4619	44.5328
2025	3	28	4	43	9	11.8	0.3	3	0.73	93.4	64.4619	43.9391
2025	3	28	4	53	9	11.8	0.3	3	0.75	93	64.4619	45.1267
2025	3	28	5	3	9	11.8	0.3	3	0.74	95.1	64.4619	44.7309
2025	3	28	5	13	9	11.8	0.3	3	0.73	95.7	64.4619	43.7413
2025	3	28	5	23	9	11.8	0.3	3	0.75	92.3	64.4619	45.3247
2025	3	28	5	33	9	11.8	0.3	3	0.78	92.9	64.4619	47.106
2025	3	28	5	43	9	11.8	0.3	3	0.74	93.8	64.4619	44.3351
2025	3	28	5	53	9	11.8	0.3	3	0.72	95	64.3963	43.1017
2025	3	28	6	3	9	11.8	0.3	3	0.8	95.2	64.4619	48.2936
2025	3	28	6	13	9	11.8	0.3	3	0.76	93.7	64.3963	45.8697
2025	3	28	6	23	9	11.8	0.3	3	0.75	94.3	64.3307	45.0309
2025	3	28	6	33	9	11.8	0.3	3	0.73	92.6	64.3307	44.0434
2025	3	28	6	43	9	12	0.3	3	0.74	94.3	64.3307	44.2409
2025	3	28	6	53	9	12	0.3	3	0.76	94.7	64.3307	45.426
2025	3	28	7	3	9	12	0.3	3	0.73	93.6	64.4619	43.9394
2025	3	28	7	13	9	12	0.3	3	0.75	92.8	64.3963	45.079
2025	3	28	7	23	9	12	0.3	3	0.74	96.9	64.3963	44.0904
2025	3	28	7	33	9	12	0.3	3	0.75	94.5	64.3963	44.8813
2025	3	28	7	43	9	12.2	0.3	3	0.72	93.6	64.3963	43.4973
2025	3	28	7	53	9	12.2	0.3	3	0.74	94.6	64.3963	44.2882
2025	3	28	8	3	9	12.2	0.3	3	0.76	93.7	64.3963	45.8699

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	28	8	13	9	12.4	0.3	3	0.75	93.7	64.3963	45.2768
2025	3	28	8	23	9	12.4	0.3	3	0.73	94.6	64.3963	44.0905
2025	3	28	8	33	9	12.6	0.3	3	0.78	93.8	64.3963	47.0562
2025	3	28	8	43	9	12.8	0.3	3	0.77	93.4	64.3963	46.2653
2025	3	28	8	53	9	12.8	0.3	3	0.73	94.1	64.3963	43.8928
2025	3	28	9	3	9	12.8	0.3	3	0.76	94.5	64.3963	45.4745
2025	3	28	9	13	9	12.8	0.3	3	0.72	94.2	64.3307	43.056
2025	3	28	9	23	9	13	0.3	3	0.75	93.5	64.3963	44.8813
2025	3	28	9	33	9	13	0.3	3	0.72	93.2	64.3307	43.056
2025	3	28	9	43	9	13	0.3	3	0.75	91.5	64.3307	45.426
2025	3	28	9	53	9	13.2	0.3	3	0.75	95.5	64.3963	44.8813
2025	3	28	10	3	9	13.4	0.3	3	0.76	97.5	64.3963	45.2767
2025	3	28	10	13	9	13.6	0.3	3	0.73	91.3	64.3307	44.0434
2025	3	28	10	23	9	13.6	0.3	3	0.72	93.6	64.3963	43.4972
2025	3	28	10	33	9	13.6	0.3	3	0.74	93.6	64.3307	44.4383
2025	3	28	10	43	9	13.6	0.3	3	0.74	92.5	64.3307	44.6358
2025	3	28	10	53	9	13.6	0.3	3	0.73	95.1	64.3307	44.0432
2025	3	28	11	3	9	13.4	0.3	3	0.72	92.4	64.3307	43.0557
2025	3	28	11	13	9	13.4	0.3	3	0.74	93.8	64.2651	44.5881
2025	3	28	11	23	9	13.4	0.3	3	0.76	92.7	64.2651	45.3772
2025	3	28	11	33	9	13.4	0.3	3	0.75	91.5	64.2651	45.3771
2025	3	28	11	43	9	13.4	0.3	3	0.74	91.8	64.2651	44.5879
2025	3	28	11	53	9	13.4	0.3	3	0.74	92.5	64.2651	44.5878
2025	3	28	12	3	9	13.4	0.3	3	0.76	92.5	64.2651	45.3769
2025	3	28	12	13	9	13.4	0.3	3	0.74	95.3	64.2651	44.5877
2025	3	28	12	23	9	13.4	0.3	3	0.73	94.1	64.2651	43.6011
2025	3	28	12	33	9	13.4	0.3	3	0.74	93.8	64.2651	44.3902
2025	3	28	12	43	9	13.4	0.3	3	0.72	95.8	64.2651	43.0091
2025	3	28	12	53	9	13.4	0.3	3	0.76	93.2	64.2651	45.5738
2025	3	28	13	3	9	13.4	0.3	3	0.76	94	64.3307	45.6223
2025	3	28	13	13	9	13.2	0.3	3	0.76	94.2	64.3307	45.4248
2025	3	28	13	23	9	13.2	0.3	3	0.73	93.3	64.3307	44.0422
2025	3	28	13	33	9	13.2	0.3	3	0.74	94.3	64.3307	44.2397
2025	3	28	13	43	9	13.2	0.3	3	0.74	97.4	64.3307	44.2396
2025	3	28	13	53	9	13.2	0.3	3	0.73	93.6	64.3307	44.042
2025	3	28	14	3	9	13.2	0.3	3	0.69	95.2	64.3307	41.4745
2025	3	28	14	13	9	13.2	0.3	3	0.74	94.6	64.3307	44.6344
2025	3	28	14	23	9	13.2	0.3	3	0.76	94.7	64.3307	45.4243
2025	3	28	14	33	9	13.2	0.3	3	0.76	93.7	64.3963	45.8681
2025	3	28	14	43	9	13.2	0.3	3	0.77	92.4	64.3963	46.6588
2025	3	28	14	53	9	13.2	0.3	3	0.79	94.8	64.3963	47.2519
2025	3	28	15	3	9	13.2	0.3	3	0.73	95.5	64.3963	43.4954
2025	3	28	15	13	9	13.2	0.3	3	0.76	94.9	64.3963	45.6702
2025	3	28	15	23	9	13.2	0.3	3	0.75	94	64.3963	45.077
2025	3	28	15	33	9	13.2	0.3	3	0.75	93	64.3963	45.2747
2025	3	28	15	43	9	13.2	0.3	3	0.72	90.8	64.3963	43.0999
2025	3	28	15	53	9	13.2	0.3	3	0.74	92.3	64.3963	44.6815
2025	3	28	16	3	9	13.2	0.3	3	0.75	88.2	64.3963	45.0769

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	28	16	13	9	13.2	0.3	3	0.76	95.9	64.3963	45.67
2025	3	28	16	23	9	12.6	0.3	3	0.77	96.4	64.3963	46.0654
2025	3	28	16	33	9	12.4	0.3	3	0.75	89.5	64.4619	45.3227
2025	3	28	16	43	9	13.2	0.3	3	0.75	91.8	64.3963	45.2745
2025	3	28	16	53	9	12.6	0.3	3	0.74	93.6	64.3963	44.4837
2025	3	28	17	3	9	12.4	0.3	3	0.75	92.8	64.3307	45.2263
2025	3	28	17	13	9	12.4	0.3	3	0.77	95.9	64.3963	45.8676
2025	3	28	17	23	9	12.2	0.3	3	0.73	93.6	64.3963	43.6929
2025	3	28	17	33	9	12.2	0.3	3	0.73	93.1	64.3963	44.0883
2025	3	28	17	43	9	12.2	0.3	3	0.77	92.9	64.4619	46.1144
2025	3	28	17	53	9	12.2	0.3	3	0.78	94.1	64.4619	46.7081
2025	3	28	18	3	9	12.2	0.3	3	0.72	95.5	64.4619	43.1456
2025	3	28	18	13	9	12.2	0.3	3	0.74	89.7	64.4619	44.5311
2025	3	28	18	23	9	12.2	0.3	3	0.76	94.7	64.4619	45.9165
2025	3	28	18	33	9	12.2	0.3	3	0.71	92.9	64.4619	42.9478
2025	3	28	18	43	9	12.2	0.3	3	0.73	94.6	64.4619	43.9374
2025	3	28	18	53	9	12.2	0.3	3	0.78	94.6	64.4619	46.7082
2025	3	28	19	3	9	12	0.3	3	0.76	92.2	64.4619	45.5207
2025	3	28	19	13	9	12	0.3	3	0.73	94.4	64.4619	44.1353
2025	3	28	19	23	9	12	0.3	3	0.75	93.5	64.4619	45.1249
2025	3	28	19	33	9	12	0.3	3	0.75	95	64.4619	44.927
2025	3	28	19	43	9	12	0.3	3	0.73	92.3	64.3963	43.693
2025	3	28	19	53	9	12	0.3	3	0.76	93.2	64.4619	45.9166
2025	3	28	20	3	9	12	0.3	3	0.76	94.5	64.4619	45.5208
2025	3	28	20	13	9	12	0.3	3	0.76	92.7	64.3963	45.4725
2025	3	28	20	23	9	12	0.3	3	0.72	93.6	64.3963	43.4954
2025	3	28	20	33	9	12	0.3	3	0.75	92.3	64.3963	44.8794
2025	3	28	20	43	9	12	0.3	3	0.76	91.2	64.3963	45.868
2025	3	28	20	53	9	12	0.3	3	0.73	92.3	64.3963	44.0886
2025	3	28	21	3	9	12	0.3	3	0.75	94	64.3963	45.0772
2025	3	28	21	13	9	12	0.3	3	0.76	92	64.3963	45.4726
2025	3	28	21	23	9	12	0.3	3	0.75	96.5	64.3963	45.0773
2025	3	28	21	33	9	12	0.3	3	0.74	93.8	64.3963	44.6819
2025	3	28	21	43	9	12	0.3	3	0.69	91.6	64.3963	41.5186
2025	3	28	21	53	9	12	0.3	3	0.76	94.5	64.3963	45.6705
2025	3	28	22	3	9	12	0.3	3	0.78	94.6	64.3963	46.6591
2025	3	28	22	13	9	12	0.3	3	0.75	92.8	64.3963	45.0775
2025	3	28	22	23	9	12	0.3	3	0.76	94	64.3307	45.622
2025	3	28	22	33	9	12	0.3	3	0.69	93	64.3307	41.4746
2025	3	28	22	43	9	12	0.3	3	0.8	95.2	64.3307	47.7946
2025	3	28	22	53	9	12	0.3	3	0.79	96.7	64.3307	47.0046
2025	3	28	23	3	9	12	0.3	3	0.78	95.5	64.3307	46.8072
2025	3	28	23	13	9	12	0.3	3	0.72	96	64.3307	43.2522
2025	3	28	23	23	9	12	0.3	3	0.7	91.3	64.3307	42.2648
2025	3	28	23	33	9	12	0.3	3	0.74	93.6	64.3307	44.2398
2025	3	28	23	43	9	12	0.3	3	0.71	95	64.3307	42.6599
2025	3	28	23	53	9	12	0.3	3	0.73	93.1	64.3307	43.8449
2025	3	29	0	3	9	12	0.3	3	0.69	96.3	64.2651	41.4308

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	29	0	13	9	12	0.3	3	0.76	93.5	64.3307	45.6225
2025	3	29	0	23	9	12	0.3	3	0.75	93	64.2651	44.9821
2025	3	29	0	33	9	12	0.3	3	0.78	93.6	64.2651	46.955
2025	3	29	0	43	9	12	0.3	3	0.8	90	64.3307	47.9926
2025	3	29	0	53	9	12	0.3	3	0.71	92.4	64.3307	42.6602
2025	3	29	1	3	9	12	0.3	3	0.73	93.4	64.3307	43.6477
2025	3	29	1	13	9	12	0.3	3	0.72	92.4	64.3307	43.2528
2025	3	29	1	23	9	12	0.3	3	0.76	94.7	64.2651	45.377
2025	3	29	1	33	9	11.8	0.3	3	0.74	91.8	64.2651	44.3906
2025	3	29	1	43	9	11.8	0.3	3	0.74	94.3	64.2651	44.3906
2025	3	29	1	53	9	11.8	0.3	3	0.74	91.5	64.2651	44.5879
2025	3	29	2	3	9	11.8	0.3	3	0.76	96.7	64.2651	45.1799
2025	3	29	2	13	9	11.8	0.3	3	0.74	93.8	64.1995	44.3434
2025	3	29	2	23	9	11.8	0.3	3	0.72	92.6	64.2651	43.4044
2025	3	29	2	33	9	11.8	0.3	3	0.78	91	64.1995	46.7085
2025	3	29	2	43	9	11.8	0.3	3	0.74	92.3	64.2651	44.1936
2025	3	29	2	53	9	11.8	0.3	3	0.76	93	64.1995	45.5261
2025	3	29	3	3	9	11.8	0.3	3	0.74	93.8	64.1995	44.1466
2025	3	29	3	13	9	11.8	0.3	3	0.75	92.8	64.1995	44.935
2025	3	29	3	23	9	11.8	0.3	3	0.74	93.6	64.1995	44.3438
2025	3	29	3	33	9	11.8	0.3	3	0.76	93.2	64.1995	45.3293
2025	3	29	3	43	9	11.8	0.3	3	0.75	92.5	64.1995	44.738
2025	3	29	3	53	9	11.8	0.3	3	0.73	92.6	64.1995	43.7527
2025	3	29	4	3	9	11.8	0.3	3	0.71	95.1	64.1995	42.3731
2025	3	29	4	13	9	11.8	0.3	3	0.72	94.2	64.1995	42.9644
2025	3	29	4	23	9	11.8	0.3	3	0.74	92.3	64.1995	44.5411
2025	3	29	4	33	9	11.8	0.3	3	0.75	95	64.1995	44.7382
2025	3	29	4	43	9	11.8	0.3	3	0.74	93.8	64.1339	44.0999
2025	3	29	4	53	9	11.8	0.3	3	0.75	93.5	64.1339	44.8874
2025	3	29	5	3	9	11.8	0.3	3	0.73	95.1	64.1995	43.7529
2025	3	29	5	13	9	11.8	0.3	3	0.7	96.2	64.1995	41.7821
2025	3	29	5	23	9	11.8	0.3	3	0.76	93.2	64.1339	45.2813
2025	3	29	5	33	9	11.8	0.3	3	0.73	95.5	64.1995	43.3589
2025	3	29	5	43	9	11.8	0.3	3	0.75	96	64.1995	44.9356
2025	3	29	5	53	9	11.8	0.3	3	0.76	96.2	64.1339	45.0846
2025	3	29	6	3	9	11.8	0.3	3	0.72	92.9	64.1995	42.9648
2025	3	29	6	13	9	11.8	0.3	3	0.71	94.7	64.1339	42.7221
2025	3	29	6	23	9	11.8	0.3	3	0.74	92.3	64.1995	44.3445
2025	3	29	6	33	9	12	0.3	3	0.76	93.7	64.1995	45.33
2025	3	29	6	43	9	12	0.3	3	0.77	94.4	64.1995	46.1184
2025	3	29	6	53	9	12.2	0.3	3	0.73	96.2	64.1995	43.5563
2025	3	29	7	3	9	12.6	0.3	3	0.73	95.1	64.1995	43.9505
2025	3	29	7	13	9	12.8	0.3	3	0.77	96.2	64.1995	45.7243
2025	3	29	7	23	9	12.8	0.3	3	0.76	95.5	64.1995	45.3302
2025	3	29	7	33	9	13	0.3	3	0.73	94.9	64.1995	43.9506
2025	3	29	7	43	9	13	0.3	3	0.75	91.8	64.1995	44.7389
2025	3	29	7	53	9	13	0.3	3	0.75	96.5	64.2651	44.7867
2025	3	29	8	3	9	13	0.3	3	0.74	95.3	64.3307	44.6369

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	29	8	13	9	13.2	0.3	3	0.76	91	64.1995	45.7244
2025	3	29	8	23	9	13.4	0.3	3	0.78	93.6	64.2651	46.7596
2025	3	29	8	33	9	13.4	0.3	3	0.78	97.3	64.2651	46.365
2025	3	29	8	43	9	13.6	0.3	3	0.76	92.7	64.3307	45.8219
2025	3	29	8	53	9	13.6	0.3	3	0.72	94.5	64.2651	43.0109
2025	3	29	9	3	9	13.6	0.3	3	0.72	93.4	64.1995	42.965
2025	3	29	9	13	9	13.6	0.3	3	0.74	92.3	64.2651	44.5893
2025	3	29	9	23	9	13.6	0.3	3	0.78	94.1	64.2651	46.7595
2025	3	29	9	33	9	13.6	0.3	3	0.77	95.4	64.2651	45.9703
2025	3	29	9	43	9	13.6	0.3	3	0.78	92.9	64.2651	46.7594
2025	3	29	9	53	9	13.6	0.3	3	0.78	92.6	64.1995	47.1037
2025	3	29	10	3	9	13.6	0.3	3	0.71	94.8	64.1995	42.5706
2025	3	29	10	13	9	13.6	0.3	3	0.77	94.4	64.1339	45.872
2025	3	29	10	23	9	13.6	0.3	3	0.74	93.1	64.1339	44.2969
2025	3	29	10	33	9	13.6	0.3	3	0.74	95.3	64.1339	44.4938
2025	3	29	10	43	9	13.6	0.3	3	0.76	92.5	64.1339	45.2812
2025	3	29	10	53	9	13.6	0.3	3	0.7	96.8	64.1339	41.5405
2025	3	29	11	3	9	13.4	0.3	3	0.69	94.7	64.1339	41.1467
2025	3	29	11	13	9	13.4	0.3	3	0.74	94.8	64.1995	44.541
2025	3	29	11	23	9	13.4	0.3	3	0.78	95.8	64.1995	46.9059
2025	3	29	11	33	9	13.4	0.3	3	0.74	93.8	64.1995	44.5409
2025	3	29	11	43	9	13.4	0.3	3	0.74	95.3	64.1995	44.3437
2025	3	29	11	53	9	13.4	0.3	3	0.75	91.5	64.1995	45.329
2025	3	29	12	3	9	13.4	0.3	3	0.76	94.4	64.1995	45.7231
2025	3	29	12	13	9	13.4	0.3	3	0.75	91.5	64.1995	44.7376
2025	3	29	12	23	9	13.4	0.3	3	0.74	94.3	64.1995	44.3434
2025	3	29	12	33	9	13.4	0.3	3	0.73	93.8	64.1995	43.9491
2025	3	29	12	43	9	13.4	0.3	3	0.77	95.4	64.1995	46.1169
2025	3	29	12	53	9	13.4	0.3	3	0.78	94.3	64.1995	46.7081
2025	3	29	13	3	9	13.4	0.3	3	0.77	92.4	64.2651	46.3633
2025	3	29	13	13	9	13.4	0.3	3	0.76	95.7	64.1995	45.5255
2025	3	29	13	23	9	13.4	0.3	3	0.73	94.4	64.1995	43.9488
2025	3	29	13	33	9	13.4	0.3	3	0.72	93.1	64.2651	43.4037
2025	3	29	13	43	9	13.2	0.3	3	0.74	92.8	64.2651	44.1928
2025	3	29	13	53	9	13.2	0.3	3	0.77	94.6	64.2651	46.1657
2025	3	29	14	3	9	13.2	0.3	3	0.79	95	64.2651	47.5466
2025	3	29	14	13	9	13.2	0.3	3	0.74	93.1	64.1995	44.3426
2025	3	29	14	23	9	13.2	0.3	3	0.76	93	64.2651	45.7709
2025	3	29	14	33	9	13.2	0.3	3	0.73	92.8	64.2651	43.6007
2025	3	29	14	43	9	13.2	0.3	3	0.72	90	64.1995	43.357
2025	3	29	14	53	9	13.2	0.3	3	0.77	94.1	64.1995	46.3132
2025	3	29	15	3	9	13.2	0.3	3	0.77	94.9	64.2651	46.3626
2025	3	29	15	13	9	13.2	0.3	3	0.74	93.6	64.1995	44.1452
2025	3	29	15	23	9	13.2	0.3	3	0.74	94	64.1995	44.5394
2025	3	29	15	33	9	13.2	0.3	3	0.75	94	64.1339	44.8855
2025	3	29	15	43	9	13.4	0.3	3	0.74	93.8	64.1995	44.5393
2025	3	29	15	53	9	13.4	0.3	3	0.74	93.6	64.1339	44.2949
2025	3	29	16	3	9	13.4	0.3	3	0.77	95.9	64.1339	45.6729

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	29	16	13	9	13.4	0.3	3	0.74	92.3	64.1339	44.4917
2025	3	29	16	23	9	13.4	0.3	3	0.75	94.5	64.1339	44.8855
2025	3	29	16	33	9	13.4	0.3	3	0.71	92.7	64.1339	42.3262
2025	3	29	16	43	9	13.4	0.3	3	0.74	91.8	64.1339	44.098
2025	3	29	16	53	9	13	0.3	3	0.76	95.5	64.1339	45.2792
2025	3	29	17	3	9	12.4	0.3	3	0.75	95	64.1339	44.6886
2025	3	29	17	13	9	12.4	0.3	3	0.8	94.7	64.1995	48.0867
2025	3	29	17	23	9	12.2	0.3	3	0.74	93.5	64.1339	44.4917
2025	3	29	17	33	9	12.2	0.3	3	0.77	93.4	64.1995	46.313
2025	3	29	17	43	9	12.2	0.3	3	0.74	93.1	64.1995	44.1452
2025	3	29	17	53	9	12.2	0.3	3	0.74	95.3	64.2651	44.3896
2025	3	29	18	3	9	12.2	0.3	3	0.74	94.8	64.2651	44.3896
2025	3	29	18	13	9	12.2	0.3	3	0.74	94.8	64.2651	44.3896
2025	3	29	18	23	9	12.2	0.3	3	0.73	92.3	64.2651	43.6005
2025	3	29	18	33	9	12.2	0.3	3	0.69	92.7	64.2651	41.4303
2025	3	29	18	43	9	12.2	0.3	3	0.72	94.7	64.1339	42.9169
2025	3	29	18	53	9	12	0.3	3	0.76	92.7	64.1995	45.3278
2025	3	29	19	3	9	12	0.3	3	0.74	93.3	64.1995	44.5395
2025	3	29	19	13	9	12	0.3	3	0.72	93.1	64.1995	43.1599
2025	3	29	19	23	9	12	0.3	3	0.74	91.3	64.2651	44.7843
2025	3	29	19	33	9	12	0.3	3	0.7	93	64.2651	42.0223
2025	3	29	19	43	9	12	0.3	3	0.74	94.6	64.2651	44.1925
2025	3	29	19	53	9	12	0.3	3	0.74	95.1	64.2651	44.3898
2025	3	29	20	3	9	12	0.3	3	0.72	96.8	64.2651	43.2061
2025	3	29	20	13	9	12	0.3	3	0.75	94	64.2651	44.9817
2025	3	29	20	23	9	12	0.3	3	0.75	93.5	64.1995	45.1309
2025	3	29	20	33	9	12	0.3	3	0.74	91.5	64.1995	44.5397
2025	3	29	20	43	9	12	0.3	3	0.71	91.6	64.2651	42.6143
2025	3	29	20	53	9	12	0.3	3	0.77	93.4	64.1995	46.1163
2025	3	29	21	3	9	12	0.3	3	0.76	94.5	64.1995	45.3281
2025	3	29	21	13	9	12	0.3	3	0.75	93.8	64.1995	44.7368
2025	3	29	21	23	9	12	0.3	3	0.74	95.9	64.1995	43.9486
2025	3	29	21	33	9	12	0.3	3	0.71	94.5	64.1995	42.7661
2025	3	29	21	43	9	12	0.3	3	0.71	91.9	64.1995	42.372
2025	3	29	21	53	9	12	0.3	3	0.72	95	64.1995	42.9632
2025	3	29	22	3	9	12	0.3	3	0.72	93.1	64.1995	43.3574
2025	3	29	22	13	9	12	0.3	3	0.75	91.3	64.1995	44.9341
2025	3	29	22	23	9	12	0.3	3	0.75	91.5	64.1995	44.737
2025	3	29	22	33	9	12	0.3	3	0.75	98.3	64.1995	44.3429
2025	3	29	22	43	9	12	0.3	3	0.75	94.3	64.1995	44.9342
2025	3	29	22	53	9	12	0.3	3	0.75	92.3	64.1995	44.9342
2025	3	29	23	3	9	12	0.3	3	0.73	92.3	64.1995	43.9489
2025	3	29	23	13	9	12	0.3	3	0.74	95.9	64.1995	44.146
2025	3	29	23	23	9	12	0.3	3	0.76	94.2	64.1339	45.2801
2025	3	29	23	33	9	12	0.3	3	0.75	92.8	64.1995	45.1315
2025	3	29	23	43	9	12	0.3	3	0.72	92.6	64.1339	43.3115
2025	3	29	23	53	9	12	0.3	3	0.77	94.9	64.1339	46.2646
2025	3	30	0	3	9	12	0.3	3	0.71	92.4	64.1339	42.3272

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	30	0	13	9	12	0.3	3	0.76	93	64.1339	45.2803
2025	3	30	0	23	9	12	0.3	3	0.75	92	64.1339	44.6898
2025	3	30	0	33	9	12	0.3	3	0.74	94.8	64.1339	44.2961
2025	3	30	0	43	9	12	0.3	3	0.74	94.3	64.1339	44.493
2025	3	30	0	53	9	12	0.3	3	0.74	95.8	64.1339	44.2961
2025	3	30	1	3	9	12	0.3	3	0.72	91	64.1339	43.3118
2025	3	30	1	13	9	12	0.3	3	0.74	94.6	64.0682	44.2489
2025	3	30	1	23	9	11.8	0.3	3	0.75	92.8	64.0682	44.6423
2025	3	30	1	33	9	11.8	0.3	3	0.71	98.2	64.0682	42.0857
2025	3	30	1	43	9	11.8	0.3	3	0.74	95.1	64.0682	44.4457
2025	3	30	1	53	9	11.8	0.3	3	0.74	94.6	64.0682	44.2491
2025	3	30	2	3	9	11.8	0.3	3	0.71	94.5	64.0682	42.4791
2025	3	30	2	13	9	11.8	0.3	3	0.69	92.7	64.0682	41.1025
2025	3	30	2	23	9	11.8	0.3	3	0.78	93.4	64.0682	46.4125
2025	3	30	2	33	9	11.8	0.3	3	0.74	93.1	64.0682	44.0525
2025	3	30	2	43	9	11.8	0.3	3	0.75	97.8	64.0682	44.2492
2025	3	30	2	53	9	11.8	0.3	3	0.73	92.1	64.0682	43.8559
2025	3	30	3	3	9	11.8	0.3	3	0.74	94.1	64.0682	44.2493
2025	3	30	3	13	9	11.8	0.3	3	0.71	94.8	64.0682	42.4793
2025	3	30	3	23	9	11.8	0.3	3	0.74	94.8	64.0026	44.3985
2025	3	30	3	33	9	11.8	0.3	3	0.72	92.9	64.0682	42.8727
2025	3	30	3	43	9	11.8	0.3	3	0.77	92.4	64.0682	46.0194
2025	3	30	3	53	9	11.8	0.3	3	0.77	95.4	64.0026	45.9701
2025	3	30	4	3	9	11.8	0.3	3	0.75	92.5	64.0026	44.595
2025	3	30	4	13	9	11.8	0.3	3	0.77	91.5	64.0026	46.1667
2025	3	30	4	23	9	11.8	0.3	3	0.71	94.8	64.0026	42.2376
2025	3	30	4	33	9	11.8	0.3	3	0.78	94.8	64.0026	46.5596
2025	3	30	4	43	9	11.8	0.3	3	0.77	93.9	64.0026	45.7738
2025	3	30	4	53	9	11.8	0.3	3	0.73	94.4	64.0026	43.6128
2025	3	30	5	3	9	11.8	0.3	3	0.74	94.3	64.0026	44.3987
2025	3	30	5	13	9	11.8	0.3	3	0.73	91.6	64.0026	43.4164
2025	3	30	5	23	9	11.8	0.3	3	0.74	94.8	64.0026	44.3987
2025	3	30	5	33	9	11.8	0.3	3	0.77	93.2	64.0026	46.1668
2025	3	30	5	43	9	11.8	0.3	3	0.72	95.2	64.0026	43.0236
2025	3	30	5	53	9	11.8	0.3	3	0.75	96	64.0026	44.7917
2025	3	30	6	3	9	11.8	0.3	3	0.7	96	64.0026	41.452
2025	3	30	6	13	9	11.8	0.3	3	0.75	95.3	64.0026	44.7917
2025	3	30	6	23	9	11.8	0.3	3	0.74	93.5	64.0026	44.3989
2025	3	30	6	33	9	12	0.3	3	0.74	95.6	64.0026	44.2024
2025	3	30	6	43	9	12.2	0.3	3	0.75	93.3	64.0026	44.5953
2025	3	30	6	53	9	12.4	0.3	3	0.77	94.9	64.0026	46.167
2025	3	30	7	3	9	12.6	0.3	3	0.75	95.5	64.0026	44.5954
2025	3	30	7	13	9	12.8	0.3	3	0.73	95.1	64.0026	43.6131
2025	3	30	7	23	9	12.8	0.3	3	0.76	94.7	64.0026	45.3812
2025	3	30	7	33	9	12.8	0.3	3	0.72	93.9	64.0026	43.0237
2025	3	30	7	43	9	13	0.3	3	0.72	93.7	64.0026	42.8273
2025	3	30	7	53	9	13	0.3	3	0.78	93.2	64.0026	46.3634
2025	3	30	8	3	9	13	0.3	3	0.73	92.8	64.0026	43.8095

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	30	8	13	9	13	0.3	3	0.76	93	64.0682	45.2331
2025	3	30	8	23	9	13	0.3	3	0.75	94.8	64.0026	44.7917
2025	3	30	8	33	9	13.2	0.3	3	0.71	94.5	64.0682	42.6764
2025	3	30	8	43	9	13.4	0.3	3	0.76	93.2	64.0682	45.4296
2025	3	30	8	53	9	13.4	0.3	3	0.73	95.4	64.0026	43.8094
2025	3	30	9	3	9	13.6	0.3	3	0.74	93.8	64.0682	44.4462
2025	3	30	9	13	9	13.6	0.3	3	0.75	95.8	64.0682	44.4462
2025	3	30	9	23	9	13.6	0.3	3	0.75	93.5	64.0682	44.8394
2025	3	30	9	33	9	13.4	0.3	3	0.76	94	64.0682	45.4294
2025	3	30	9	43	9	13.6	0.3	3	0.75	94.3	64.0682	44.6427
2025	3	30	9	53	9	13.4	0.3	3	0.78	93.4	64.0682	46.4125
2025	3	30	10	3	9	13.4	0.3	3	0.75	93.5	64.0682	44.8392
2025	3	30	10	13	9	13.4	0.3	3	0.74	92.3	64.0682	44.0524
2025	3	30	10	23	9	13.4	0.3	3	0.75	96.5	64.1339	44.887
2025	3	30	10	33	9	13.4	0.3	3	0.73	92.6	64.1339	43.9025
2025	3	30	10	43	9	13.4	0.3	3	0.72	93.1	64.1339	43.115
2025	3	30	10	53	9	13.4	0.3	3	0.76	94.5	64.1339	45.2805
2025	3	30	11	3	9	13.4	0.3	3	0.75	92.3	64.1339	44.8866
2025	3	30	11	13	9	13.4	0.3	3	0.76	93.7	64.1995	45.3287
2025	3	30	11	23	9	13.4	0.3	3	0.73	93.9	64.1995	43.5549
2025	3	30	11	33	9	13.4	0.3	3	0.72	92.6	64.1995	42.9636
2025	3	30	11	43	9	13.4	0.3	3	0.77	95.1	64.1339	46.0675
2025	3	30	11	53	9	13.4	0.3	3	0.74	94.8	64.1995	44.5401
2025	3	30	12	3	9	13.4	0.3	3	0.76	93	64.1995	45.3283
2025	3	30	12	13	9	13.4	0.3	3	0.72	95	64.1995	43.1604
2025	3	30	12	23	9	13.4	0.3	3	0.74	94.8	64.1995	44.3428
2025	3	30	12	33	9	13.4	0.3	3	0.73	93.6	64.1339	43.7048
2025	3	30	12	43	9	13.4	0.3	3	0.76	93.7	64.1995	45.3281
2025	3	30	12	53	9	13.6	0.3	3	0.75	95.8	64.1995	44.9339
2025	3	30	13	3	9	13.8	0.3	3	0.74	92.6	64.1995	44.1456
2025	3	30	13	13	9	13.8	0.3	3	0.78	93.9	64.1995	46.5105
2025	3	30	13	23	9	13.8	0.3	3	0.74	91	64.1339	44.2952
2025	3	30	13	33	9	13.8	0.3	3	0.78	96.5	64.1339	46.6576
2025	3	30	13	43	9	13.8	0.3	3	0.72	92.6	64.0682	42.8712
2025	3	30	13	53	9	13.8	0.3	3	0.77	93.7	64.1339	46.2638
2025	3	30	14	3	9	13.6	0.3	3	0.76	93.7	64.1339	45.2794
2025	3	30	14	13	9	13.6	0.3	3	0.76	95	64.1995	45.3277
2025	3	30	14	23	9	13.6	0.3	3	0.73	92.6	64.1339	43.7044
2025	3	30	14	33	9	13.6	0.3	3	0.74	91.5	64.1339	44.2949
2025	3	30	14	43	9	13.6	0.3	3	0.75	94	64.1995	44.9335
2025	3	30	14	53	9	13.4	0.3	3	0.77	91.7	64.1995	46.1159
2025	3	30	15	3	9	13.4	0.3	3	0.74	93.3	64.1339	44.4917
2025	3	30	15	13	9	13.4	0.3	3	0.73	91.3	64.1995	43.5538
2025	3	30	15	23	9	13.4	0.3	3	0.77	95.2	64.1995	45.9187
2025	3	30	15	33	9	13.4	0.3	3	0.72	93.4	64.1339	42.9167
2025	3	30	15	43	9	13.4	0.3	3	0.74	94.8	64.1995	44.145
2025	3	30	15	53	9	13.6	0.3	3	0.77	93.4	64.1339	45.8696
2025	3	30	16	3	9	13.6	0.3	3	0.78	93.1	64.1339	46.6571

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	30	16	13	9	13.4	0.3	3	0.77	91	64.1339	46.4602
2025	3	30	16	23	9	13.4	0.3	3	0.74	93	64.1339	44.4915
2025	3	30	16	33	9	13.6	0.3	3	0.74	95.1	64.1339	44.4915
2025	3	30	16	43	9	13.6	0.3	3	0.75	92.3	64.1339	44.8853
2025	3	30	16	53	9	13.6	0.3	3	0.76	92.2	64.1339	45.6727
2025	3	30	17	3	9	13	0.3	3	0.72	95.8	64.1339	42.7198
2025	3	30	17	13	9	12.8	0.3	3	0.78	92.4	64.1339	47.0508
2025	3	30	17	23	9	12.4	0.3	3	0.79	95	64.1995	47.4953
2025	3	30	17	33	9	12.2	0.3	3	0.75	92.3	64.1339	44.6885
2025	3	30	17	43	9	12.2	0.3	3	0.72	94.2	64.1995	43.3567
2025	3	30	17	53	9	12.2	0.3	3	0.74	94.6	64.1995	44.3421
2025	3	30	18	3	9	12.2	0.3	3	0.75	95.8	64.1995	44.5392
2025	3	30	18	13	9	12.2	0.3	3	0.74	92.8	64.1995	44.5392
2025	3	30	18	23	9	12.2	0.3	3	0.74	94.8	64.2651	44.5868
2025	3	30	18	33	9	12.2	0.3	3	0.74	94.1	64.1995	44.3422
2025	3	30	18	43	9	12.2	0.3	3	0.75	92.3	64.1995	44.9335
2025	3	30	18	53	9	12.2	0.3	3	0.71	95	64.1995	42.7656
2025	3	30	19	3	9	12	0.3	3	0.75	92.8	64.1995	44.9335
2025	3	30	19	13	9	12	0.3	3	0.73	93.1	64.1995	43.7511
2025	3	30	19	23	9	12	0.3	3	0.74	95.3	64.1995	44.5394
2025	3	30	19	33	9	12	0.3	3	0.74	92.5	64.1995	44.5394
2025	3	30	19	43	9	12	0.3	3	0.73	92.6	64.1995	43.7511
2025	3	30	19	53	9	12	0.3	3	0.76	92	64.1995	45.3278
2025	3	30	20	3	9	12	0.3	3	0.76	93.5	64.1995	45.7219
2025	3	30	20	13	9	12	0.3	3	0.76	92	64.1995	45.5249
2025	3	30	20	23	9	12	0.3	3	0.7	91.1	64.1995	42.1746
2025	3	30	20	33	9	12	0.3	3	0.75	90	64.1995	44.9337
2025	3	30	20	43	9	12	0.3	3	0.76	92.2	64.1995	45.5249
2025	3	30	20	53	9	12	0.3	3	0.76	92.5	64.1995	45.3279
2025	3	30	21	3	9	12	0.3	3	0.72	96	64.1995	43.16
2025	3	30	21	13	9	12	0.3	3	0.69	92.7	64.1995	41.3864
2025	3	30	21	23	9	12	0.3	3	0.76	94	64.1995	45.525
2025	3	30	21	33	9	12	0.3	3	0.74	93.6	64.1995	44.1455
2025	3	30	21	43	9	12	0.3	3	0.71	98.3	64.1339	41.9328
2025	3	30	21	53	9	12	0.3	3	0.78	93.4	64.1995	46.9047
2025	3	30	22	3	9	12	0.3	3	0.74	92	64.1995	44.5397
2025	3	30	22	13	9	12	0.3	3	0.75	93	64.1995	44.7368
2025	3	30	22	23	9	12	0.3	3	0.72	93.4	64.1995	43.1602
2025	3	30	22	33	9	12	0.3	3	0.75	93.8	64.1995	44.934
2025	3	30	22	43	9	12	0.3	3	0.7	91.6	64.1995	42.1749
2025	3	30	22	53	9	12	0.3	3	0.72	95	64.1339	42.9174
2025	3	30	23	3	9	12	0.3	3	0.77	97.1	64.1995	46.1166
2025	3	30	23	13	9	12	0.3	3	0.73	91.3	64.1339	43.9018
2025	3	30	23	23	9	12	0.3	3	0.76	94.7	64.1995	45.7225
2025	3	30	23	33	9	12	0.3	3	0.72	95.2	64.1995	43.3576
2025	3	30	23	43	9	12	0.3	3	0.72	93.4	64.1339	43.1144
2025	3	30	23	53	9	12	0.3	3	0.74	93.8	64.1339	44.2957
2025	3	31	0	3	9	12	0.3	3	0.76	92.2	64.1339	45.4769

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	31	0	13	9	12	0.3	3	0.76	94.7	64.1339	45.6738
2025	3	31	0	23	9	12	0.3	3	0.73	94.7	64.1339	43.5083
2025	3	31	0	33	9	12	0.3	3	0.76	90.2	64.1339	45.6739
2025	3	31	0	43	9	12	0.3	3	0.73	93.8	64.1339	43.9021
2025	3	31	0	53	9	12	0.3	3	0.74	93.3	64.1339	44.4928
2025	3	31	1	3	9	12	0.3	3	0.75	94.5	64.1339	44.8866
2025	3	31	1	13	9	12	0.3	3	0.73	93.6	64.1339	43.7054
2025	3	31	1	23	9	12	0.3	3	0.76	94.2	64.1339	45.4772
2025	3	31	1	33	9	12	0.3	3	0.73	92.3	64.1339	43.7054
2025	3	31	1	43	9	12	0.3	3	0.74	94.8	64.1339	44.493
2025	3	31	1	53	9	12	0.3	3	0.77	93.4	64.1339	45.8711
2025	3	31	2	3	9	12	0.3	3	0.77	94.4	64.1339	46.068
2025	3	31	2	13	9	12	0.3	3	0.75	91	64.1339	45.0837
2025	3	31	2	23	9	11.8	0.3	3	0.72	91.8	64.1339	42.9181
2025	3	31	2	33	9	11.8	0.3	3	0.72	93.2	64.1339	42.9182
2025	3	31	2	43	9	11.8	0.3	3	0.73	94.9	64.1339	43.7057
2025	3	31	2	53	9	11.8	0.3	3	0.74	92.3	64.1339	44.0995
2025	3	31	3	3	9	11.8	0.3	3	0.71	92.4	64.1339	42.3276
2025	3	31	3	13	9	11.8	0.3	3	0.72	96	64.1339	43.1152
2025	3	31	3	23	9	11.8	0.3	3	0.73	95.5	64.1339	43.3121
2025	3	31	3	33	9	11.8	0.3	3	0.72	92.4	64.1339	42.9184
2025	3	31	3	43	9	11.8	0.3	3	0.75	93.5	64.1339	44.6903
2025	3	31	3	53	9	11.8	0.3	3	0.73	92.3	64.0682	43.8559
2025	3	31	4	3	9	11.8	0.3	3	0.76	92.2	64.1339	45.2809
2025	3	31	4	13	9	11.8	0.3	3	0.74	92.5	64.1339	44.4935
2025	3	31	4	23	9	11.8	0.3	3	0.73	95.9	64.1339	43.5091
2025	3	31	4	33	9	11.8	0.3	3	0.75	92.8	64.0682	44.8393
2025	3	31	4	43	9	11.8	0.3	3	0.74	92.3	64.1339	44.4936
2025	3	31	4	53	9	11.8	0.3	3	0.75	93.3	64.1339	44.8874
2025	3	31	5	3	9	11.8	0.3	3	0.76	92.7	64.1339	45.2811
2025	3	31	5	13	9	11.8	0.3	3	0.72	93.4	64.1339	43.3124
2025	3	31	5	23	9	11.8	0.3	3	0.76	93	64.1339	45.6749
2025	3	31	5	33	9	11.8	0.3	3	0.73	95.1	64.1339	43.7062
2025	3	31	5	43	9	11.8	0.3	3	0.74	95.9	64.1339	43.9031
2025	3	31	5	53	9	11.8	0.3	3	0.76	95.7	64.1995	45.3297
2025	3	31	6	3	9	11.8	0.3	3	0.75	93.2	64.1995	45.1326
2025	3	31	6	13	9	11.8	0.3	3	0.7	94.5	64.1339	42.1313
2025	3	31	6	23	9	12	0.3	3	0.74	92.3	64.2651	44.1943
2025	3	31	6	33	9	12.2	0.3	3	0.75	95.8	64.1995	44.5414
2025	3	31	6	43	9	12.6	0.3	3	0.73	94.1	64.1339	43.5095
2025	3	31	6	53	9	12.8	0.3	3	0.75	92.3	64.0682	44.8396
2025	3	31	7	3	9	12.8	0.3	3	0.76	95.4	64.0682	45.6263
2025	3	31	7	13	9	12.8	0.3	3	0.75	96.5	64.1339	44.8876
2025	3	31	7	23	9	13	0.3	3	0.78	95.5	64.1339	46.8563
2025	3	31	7	33	9	13	0.3	3	0.74	94.1	64.0682	44.2496
2025	3	31	7	43	9	13	0.3	3	0.76	94.9	64.1995	45.7239
2025	3	31	7	53	9	13.2	0.3	3	0.74	93.6	64.0682	44.2495
2025	3	31	8	3	9	13.2	0.3	3	0.75	94.5	64.0682	44.8395

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	31	8	13	9	13.4	0.3	3	0.74	95.9	64.1339	44.0999
2025	3	31	8	23	9	13.4	0.3	3	0.75	92.5	64.1339	44.6905
2025	3	31	8	33	9	13	0.3	3	0.72	93.6	64.1339	43.3123
2025	3	31	8	43	9	13	0.3	3	0.77	93.2	64.1339	46.2654
2025	3	31	8	53	9	12.8	0.3	3	0.71	91.1	64.1995	42.7673
2025	3	31	9	3	9	12.8	0.3	3	0.78	93.4	64.1339	46.856
2025	3	31	9	13	9	12.6	0.3	3	0.69	91.4	64.1339	41.1466
2025	3	31	9	23	9	12.8	0.3	3	0.76	94.2	64.1339	45.6747
2025	3	31	9	33	9	12.8	0.3	3	0.72	93.7	64.1339	42.9185
2025	3	31	9	43	9	12.6	0.3	3	0.73	93.1	64.1339	43.5091
2025	3	31	9	53	9	12.6	0.3	3	0.74	92.8	64.0682	44.2492
2025	3	31	10	3	9	12.6	0.3	3	0.73	93.4	64.1339	43.7059
2025	3	31	10	13	9	12.8	0.3	3	0.76	93.2	64.1339	45.2809
2025	3	31	10	23	9	12.8	0.3	3	0.71	93.4	64.1339	42.7215
2025	3	31	10	33	9	12.8	0.3	3	0.7	93.8	64.1339	41.934
2025	3	31	10	43	9	13	0.3	3	0.75	92.5	64.1339	45.084
2025	3	31	10	53	9	13.6	0.3	3	0.72	93.6	64.1339	43.3121
2025	3	31	11	3	9	13.6	0.3	3	0.72	93.6	64.1339	43.3121
2025	3	31	11	13	9	13.8	0.3	3	0.75	94.5	64.1339	45.0839
2025	3	31	11	23	9	13.8	0.3	3	0.77	96.4	64.1339	45.6745
2025	3	31	11	33	9	13.8	0.3	3	0.73	94.6	64.1995	43.9496
2025	3	31	11	43	9	13.6	0.3	3	0.77	92.7	64.1995	46.3145
2025	3	31	11	53	9	13.8	0.3	3	0.76	94.5	64.1995	45.5262
2025	3	31	12	3	9	13.8	0.3	3	0.71	94.5	64.1995	42.5699
2025	3	31	12	13	9	13.8	0.3	3	0.76	94.2	64.1339	45.4775
2025	3	31	12	23	9	13.8	0.3	3	0.75	95.3	64.1339	44.69
2025	3	31	12	33	9	13.8	0.3	3	0.77	93.2	64.1339	46.265
2025	3	31	12	43	9	13.8	0.3	3	0.78	92.2	64.1339	46.6587
2025	3	31	12	53	9	13.6	0.3	3	0.78	92.6	64.1995	46.9056
2025	3	31	13	3	9	13.6	0.3	3	0.72	92.1	64.1995	43.161
2025	3	31	13	13	9	13	0.3	3	0.78	94.6	64.1995	46.7085
2025	3	31	13	23	9	12.6	0.3	3	0.74	92.3	64.1995	44.3435
2025	3	31	13	33	9	12.6	0.3	3	0.78	95.6	64.1995	46.5114
2025	3	31	13	43	9	12.6	0.3	3	0.75	93.3	64.1339	44.6899
2025	3	31	13	53	9	13.4	0.3	3	0.77	95.4	64.1995	45.9202
2025	3	31	14	3	9	13	0.3	3	0.74	94.1	64.1995	44.1464
2025	3	31	14	13	9	12.6	0.3	3	0.76	95.7	64.1339	45.0837
2025	3	31	14	23	9	12.4	0.3	3	0.75	92.3	64.1339	45.0837
2025	3	31	14	33	9	12.4	0.3	3	0.78	94.3	64.1339	46.6586
2025	3	31	14	43	9	12.4	0.3	3	0.76	95.2	64.1339	45.6743
2025	3	31	14	53	9	12.4	0.3	3	0.71	93.4	64.1339	42.7212
2025	3	31	15	3	9	12.4	0.3	3	0.76	93	64.1995	45.5261
2025	3	31	15	13	9	12.4	0.3	3	0.75	95.3	64.1995	44.7377
2025	3	31	15	23	9	12.2	0.3	3	0.75	92.3	64.1995	44.9348
2025	3	31	15	33	9	12.2	0.3	3	0.75	93.7	64.1995	45.1319
2025	3	31	15	43	9	12.2	0.3	3	0.76	92.7	64.1995	45.7232
2025	3	31	15	53	9	12.2	0.3	3	0.73	93.1	64.1995	43.9495
2025	3	31	16	3	9	12.2	0.3	3	0.77	95.4	64.1995	45.9203

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	3	31	16	13	9	12.2	0.3	3	0.74	93.6	64.1995	44.1466
2025	3	31	16	23	9	12.2	0.3	3	0.75	93.5	64.1339	44.8869
2025	3	31	16	33	9	12.2	0.3	3	0.78	94.6	64.1995	46.7087
2025	3	31	16	43	9	12.2	0.3	3	0.73	93.6	64.1339	43.9026
2025	3	31	16	53	9	12.2	0.3	3	0.77	95.9	64.1339	45.8713
2025	3	31	17	3	9	12	0.3	3	0.76	93.2	64.1995	45.3291
2025	3	31	17	13	9	12	0.3	3	0.76	92	64.1995	45.3292
2025	3	31	17	23	9	12	0.3	3	0.78	94.4	64.1995	46.5117
2025	3	31	17	33	9	12	0.3	3	0.73	93.1	64.1339	43.9027
2025	3	31	17	43	9	12	0.3	3	0.79	93.8	64.1995	47.3001
2025	3	31	17	53	9	12	0.3	3	0.77	93.9	64.1339	46.2652
2025	3	31	18	3	9	12	0.3	3	0.75	95.3	64.1339	44.6903
2025	3	31	18	13	9	12	0.3	3	0.75	92.3	64.1339	45.084
2025	3	31	18	23	9	12	0.3	3	0.73	93.3	64.1339	43.9028
2025	3	31	18	33	9	12	0.3	3	0.79	94.3	64.0682	47.0025
2025	3	31	18	43	9	12	0.3	3	0.7	95.1	64.0682	41.8893
2025	3	31	18	53	9	12	0.3	3	0.77	93.4	64.0682	46.216
2025	3	31	19	3	9	12	0.3	3	0.7	94.9	64.0682	41.6927
2025	3	31	19	13	9	12	0.3	3	0.76	92	64.0682	45.2327
2025	3	31	19	23	9	12	0.3	3	0.74	95.6	64.1339	44.0998
2025	3	31	19	33	9	12	0.3	3	0.74	91.5	64.0682	44.2494
2025	3	31	19	43	9	12	0.3	3	0.77	94.9	64.0682	46.0194
2025	3	31	19	53	9	12	0.3	3	0.74	94.6	64.0026	44.0057
2025	3	31	20	3	9	12	0.3	3	0.76	92.5	64.0026	45.1844
2025	3	31	20	13	9	12	0.3	3	0.72	92.9	64.0026	43.2199
2025	3	31	20	23	9	12	0.3	3	0.79	94	64.0026	47.3455
2025	3	31	20	33	9	12	0.3	3	0.7	92.2	64.0026	41.8448
2025	3	31	20	43	9	12	0.3	3	0.76	92	64.0026	45.381
2025	3	31	20	53	9	12	0.3	3	0.73	94.9	64.0026	43.4165
2025	3	31	21	3	9	12	0.3	3	0.76	92.2	64.0026	45.3811
2025	3	31	21	13	9	12	0.3	3	0.73	94.1	64.0026	43.8095
2025	3	31	21	23	9	12	0.3	3	0.74	96.6	64.0026	44.006
2025	3	31	21	33	9	12	0.3	3	0.74	96.4	64.0026	44.006
2025	3	31	21	43	9	12	0.3	3	0.73	92.8	64.0026	43.8096
2025	3	31	21	53	9	12	0.3	3	0.75	97	63.937	44.7439
2025	3	31	22	3	9	12	0.3	3	0.75	93.8	63.937	44.5477
2025	3	31	22	13	9	12	0.3	3	0.74	95.6	63.937	44.3515
2025	3	31	22	23	9	12	0.3	3	0.7	93.2	64.0026	41.6487
2025	3	31	22	33	9	12	0.3	3	0.73	93.6	63.937	43.3703
2025	3	31	22	43	9	12	0.3	3	0.72	94.2	63.937	42.9779
2025	3	31	22	53	9	12	0.3	3	0.74	95.8	63.937	44.1554
2025	3	31	23	3	9	12	0.3	3	0.76	93.2	63.8714	45.2843
2025	3	31	23	13	9	12	0.3	3	0.73	96.7	63.8714	43.52
2025	3	31	23	23	9	12	0.3	3	0.75	94.7	63.8714	44.8923
2025	3	31	23	33	9	12	0.3	3	0.74	96.1	63.8714	43.9122
2025	3	31	23	43	9	11.8	0.3	3	0.73	95.7	63.8714	43.5201
2025	3	31	23	53	9	11.8	0.3	3	0.7	93.2	63.8714	41.7558

Locust Ditch Return
Station 0215

Date	Flow (cfs)
3/1/2025	0
3/2/2025	0
3/3/2025	0
3/4/2025	0
3/5/2025	0
3/6/2025	0
3/7/2025	0
3/8/2025	0
3/9/2025	0
3/10/2025	0
3/11/2025	0
3/12/2025	0
3/13/2025	0
3/14/2025	0
3/15/2025	0
3/16/2025	0
3/17/2025	0
3/18/2025	0
3/19/2025	0
3/20/2025	0
3/21/2025	0
3/22/2025	0
3/23/2025	0
3/24/2025	0
3/25/2025	0
3/26/2025	0
3/27/2025	0
3/28/2025	0
3/29/2025	0
3/30/2025	0
3/31/2025	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	12:00:00 AM	0
3/1/2025	12:15:00 AM	0
3/1/2025	12:30:00 AM	0
3/1/2025	12:45:00 AM	0
3/1/2025	1:00:00 AM	0
3/1/2025	1:15:00 AM	0
3/1/2025	1:30:00 AM	0
3/1/2025	1:45:00 AM	0
3/1/2025	2:00:00 AM	0
3/1/2025	2:15:00 AM	0
3/1/2025	2:30:00 AM	0
3/1/2025	2:45:00 AM	0
3/1/2025	3:00:00 AM	0
3/1/2025	3:15:00 AM	0
3/1/2025	3:30:00 AM	0
3/1/2025	3:45:00 AM	0
3/1/2025	4:00:00 AM	0
3/1/2025	4:15:00 AM	0
3/1/2025	4:30:00 AM	0
3/1/2025	4:45:00 AM	0
3/1/2025	5:00:00 AM	0
3/1/2025	5:15:00 AM	0
3/1/2025	5:30:00 AM	0
3/1/2025	5:45:00 AM	0
3/1/2025	6:00:00 AM	0
3/1/2025	6:15:00 AM	0
3/1/2025	6:30:00 AM	0
3/1/2025	6:45:00 AM	0
3/1/2025	7:00:00 AM	0
3/1/2025	7:15:00 AM	0
3/1/2025	7:30:00 AM	0
3/1/2025	7:45:00 AM	0
3/1/2025	8:00:00 AM	0
3/1/2025	8:15:00 AM	0
3/1/2025	8:30:00 AM	0
3/1/2025	8:45:00 AM	0
3/1/2025	9:00:00 AM	0
3/1/2025	9:15:00 AM	0
3/1/2025	9:30:00 AM	0
3/1/2025	9:45:00 AM	0
3/1/2025	10:00:00 AM	0
3/1/2025	10:15:00 AM	0
3/1/2025	10:30:00 AM	0
3/1/2025	10:45:00 AM	0
3/1/2025	11:00:00 AM	0
3/1/2025	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	11:30:00 AM	0
3/1/2025	11:45:00 AM	0
3/1/2025	12:00:00 PM	0
3/1/2025	12:15:00 PM	0
3/1/2025	12:30:00 PM	0
3/1/2025	12:45:00 PM	0
3/1/2025	1:00:00 PM	0
3/1/2025	1:15:00 PM	0
3/1/2025	1:30:00 PM	0
3/1/2025	1:45:00 PM	0
3/1/2025	2:00:00 PM	0
3/1/2025	2:15:00 PM	0
3/1/2025	2:30:00 PM	0
3/1/2025	2:45:00 PM	0
3/1/2025	3:00:00 PM	0
3/1/2025	3:15:00 PM	0
3/1/2025	3:30:00 PM	0
3/1/2025	3:45:00 PM	0
3/1/2025	4:00:00 PM	0
3/1/2025	4:15:00 PM	0
3/1/2025	4:30:00 PM	0
3/1/2025	4:45:00 PM	0
3/1/2025	5:00:00 PM	0
3/1/2025	5:15:00 PM	0
3/1/2025	5:30:00 PM	0
3/1/2025	5:45:00 PM	0
3/1/2025	6:00:00 PM	0
3/1/2025	6:15:00 PM	0
3/1/2025	6:30:00 PM	0
3/1/2025	6:45:00 PM	0
3/1/2025	7:00:00 PM	0
3/1/2025	7:15:00 PM	0
3/1/2025	7:30:00 PM	0
3/1/2025	7:45:00 PM	0
3/1/2025	8:00:00 PM	0
3/1/2025	8:15:00 PM	0
3/1/2025	8:30:00 PM	0
3/1/2025	8:45:00 PM	0
3/1/2025	9:00:00 PM	0
3/1/2025	9:15:00 PM	0
3/1/2025	9:30:00 PM	0
3/1/2025	9:45:00 PM	0
3/1/2025	10:00:00 PM	0
3/1/2025	10:15:00 PM	0
3/1/2025	10:30:00 PM	0
3/1/2025	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	11:00:00 PM	0
3/1/2025	11:15:00 PM	0
3/1/2025	11:30:00 PM	0
3/1/2025	11:45:00 PM	0
3/2/2025	12:00:00 AM	0
3/2/2025	12:15:00 AM	0
3/2/2025	12:30:00 AM	0
3/2/2025	12:45:00 AM	0
3/2/2025	1:00:00 AM	0
3/2/2025	1:15:00 AM	0
3/2/2025	1:30:00 AM	0
3/2/2025	1:45:00 AM	0
3/2/2025	2:00:00 AM	0
3/2/2025	2:15:00 AM	0
3/2/2025	2:30:00 AM	0
3/2/2025	2:45:00 AM	0
3/2/2025	3:00:00 AM	0
3/2/2025	3:15:00 AM	0
3/2/2025	3:30:00 AM	0
3/2/2025	3:45:00 AM	0
3/2/2025	4:00:00 AM	0
3/2/2025	4:15:00 AM	0
3/2/2025	4:30:00 AM	0
3/2/2025	4:45:00 AM	0
3/2/2025	5:00:00 AM	0
3/2/2025	5:15:00 AM	0
3/2/2025	5:30:00 AM	0
3/2/2025	5:45:00 AM	0
3/2/2025	6:00:00 AM	0
3/2/2025	6:15:00 AM	0
3/2/2025	6:30:00 AM	0
3/2/2025	6:45:00 AM	0
3/2/2025	7:00:00 AM	0
3/2/2025	7:15:00 AM	0
3/2/2025	7:30:00 AM	0
3/2/2025	7:45:00 AM	0
3/2/2025	8:00:00 AM	0
3/2/2025	8:15:00 AM	0
3/2/2025	8:30:00 AM	0
3/2/2025	8:45:00 AM	0
3/2/2025	9:00:00 AM	0
3/2/2025	9:15:00 AM	0
3/2/2025	9:30:00 AM	0
3/2/2025	9:45:00 AM	0
3/2/2025	10:00:00 AM	0
3/2/2025	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/2/2025	10:30:00 AM	0
3/2/2025	10:45:00 AM	0
3/2/2025	11:00:00 AM	0
3/2/2025	11:15:00 AM	0
3/2/2025	11:30:00 AM	0
3/2/2025	11:45:00 AM	0
3/2/2025	12:00:00 PM	0
3/2/2025	12:15:00 PM	0
3/2/2025	12:30:00 PM	0
3/2/2025	12:45:00 PM	0
3/2/2025	1:00:00 PM	0
3/2/2025	1:15:00 PM	0
3/2/2025	1:30:00 PM	0
3/2/2025	1:45:00 PM	0
3/2/2025	2:00:00 PM	0
3/2/2025	2:15:00 PM	0
3/2/2025	2:30:00 PM	0
3/2/2025	2:45:00 PM	0
3/2/2025	3:00:00 PM	0
3/2/2025	3:15:00 PM	0
3/2/2025	3:30:00 PM	0
3/2/2025	3:45:00 PM	0
3/2/2025	4:00:00 PM	0
3/2/2025	4:15:00 PM	0
3/2/2025	4:30:00 PM	0
3/2/2025	4:45:00 PM	0
3/2/2025	5:00:00 PM	0
3/2/2025	5:15:00 PM	0
3/2/2025	5:30:00 PM	0
3/2/2025	5:45:00 PM	0
3/2/2025	6:00:00 PM	0
3/2/2025	6:15:00 PM	0
3/2/2025	6:30:00 PM	0
3/2/2025	6:45:00 PM	0
3/2/2025	7:00:00 PM	0
3/2/2025	7:15:00 PM	0
3/2/2025	7:30:00 PM	0
3/2/2025	7:45:00 PM	0
3/2/2025	8:00:00 PM	0
3/2/2025	8:15:00 PM	0
3/2/2025	8:30:00 PM	0
3/2/2025	8:45:00 PM	0
3/2/2025	9:00:00 PM	0
3/2/2025	9:15:00 PM	0
3/2/2025	9:30:00 PM	0
3/2/2025	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/2/2025	10:00:00 PM	0
3/2/2025	10:15:00 PM	0
3/2/2025	10:30:00 PM	0
3/2/2025	10:45:00 PM	0
3/2/2025	11:00:00 PM	0
3/2/2025	11:15:00 PM	0
3/2/2025	11:30:00 PM	0
3/2/2025	11:45:00 PM	0
3/3/2025	12:00:00 AM	0
3/3/2025	12:15:00 AM	0
3/3/2025	12:30:00 AM	0
3/3/2025	12:45:00 AM	0
3/3/2025	1:00:00 AM	0
3/3/2025	1:15:00 AM	0
3/3/2025	1:30:00 AM	0
3/3/2025	1:45:00 AM	0
3/3/2025	2:00:00 AM	0
3/3/2025	2:15:00 AM	0
3/3/2025	2:30:00 AM	0
3/3/2025	2:45:00 AM	0
3/3/2025	3:00:00 AM	0
3/3/2025	3:15:00 AM	0
3/3/2025	3:30:00 AM	0
3/3/2025	3:45:00 AM	0
3/3/2025	4:00:00 AM	0
3/3/2025	4:15:00 AM	0
3/3/2025	4:30:00 AM	0
3/3/2025	4:45:00 AM	0
3/3/2025	5:00:00 AM	0
3/3/2025	5:15:00 AM	0
3/3/2025	5:30:00 AM	0
3/3/2025	5:45:00 AM	0
3/3/2025	6:00:00 AM	0
3/3/2025	6:15:00 AM	0
3/3/2025	6:30:00 AM	0
3/3/2025	6:45:00 AM	0
3/3/2025	7:00:00 AM	0
3/3/2025	7:15:00 AM	0
3/3/2025	7:30:00 AM	0
3/3/2025	7:45:00 AM	0
3/3/2025	8:00:00 AM	0
3/3/2025	8:15:00 AM	0
3/3/2025	8:30:00 AM	0
3/3/2025	8:45:00 AM	0
3/3/2025	9:00:00 AM	0
3/3/2025	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/3/2025	9:30:00 AM	0
3/3/2025	9:45:00 AM	0
3/3/2025	10:00:00 AM	0
3/3/2025	10:15:00 AM	0
3/3/2025	10:30:00 AM	0
3/3/2025	10:45:00 AM	0
3/3/2025	11:00:00 AM	0
3/3/2025	11:15:00 AM	0
3/3/2025	11:30:00 AM	0
3/3/2025	11:45:00 AM	0
3/3/2025	12:00:00 PM	0
3/3/2025	12:15:00 PM	0
3/3/2025	12:30:00 PM	0
3/3/2025	12:45:00 PM	0
3/3/2025	1:00:00 PM	0
3/3/2025	1:15:00 PM	0
3/3/2025	1:30:00 PM	0
3/3/2025	1:45:00 PM	0
3/3/2025	2:00:00 PM	0
3/3/2025	2:15:00 PM	0
3/3/2025	2:30:00 PM	0
3/3/2025	2:45:00 PM	0
3/3/2025	3:00:00 PM	0
3/3/2025	3:15:00 PM	0
3/3/2025	3:30:00 PM	0
3/3/2025	3:45:00 PM	0
3/3/2025	4:00:00 PM	0
3/3/2025	4:15:00 PM	0
3/3/2025	4:30:00 PM	0
3/3/2025	4:45:00 PM	0
3/3/2025	5:00:00 PM	0
3/3/2025	5:15:00 PM	0
3/3/2025	5:30:00 PM	0
3/3/2025	5:45:00 PM	0
3/3/2025	6:00:00 PM	0
3/3/2025	6:15:00 PM	0
3/3/2025	6:30:00 PM	0
3/3/2025	6:45:00 PM	0
3/3/2025	7:00:00 PM	0
3/3/2025	7:15:00 PM	0
3/3/2025	7:30:00 PM	0
3/3/2025	7:45:00 PM	0
3/3/2025	8:00:00 PM	0
3/3/2025	8:15:00 PM	0
3/3/2025	8:30:00 PM	0
3/3/2025	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/3/2025	9:00:00 PM	0
3/3/2025	9:15:00 PM	0
3/3/2025	9:30:00 PM	0
3/3/2025	9:45:00 PM	0
3/3/2025	10:00:00 PM	0
3/3/2025	10:15:00 PM	0
3/3/2025	10:30:00 PM	0
3/3/2025	10:45:00 PM	0
3/3/2025	11:00:00 PM	0
3/3/2025	11:15:00 PM	0
3/3/2025	11:30:00 PM	0
3/3/2025	11:45:00 PM	0
3/4/2025	12:00:00 AM	0
3/4/2025	12:15:00 AM	0
3/4/2025	12:30:00 AM	0
3/4/2025	12:45:00 AM	0
3/4/2025	1:00:00 AM	0
3/4/2025	1:15:00 AM	0
3/4/2025	1:30:00 AM	0
3/4/2025	1:45:00 AM	0
3/4/2025	2:00:00 AM	0
3/4/2025	2:15:00 AM	0
3/4/2025	2:30:00 AM	0
3/4/2025	2:45:00 AM	0
3/4/2025	3:00:00 AM	0
3/4/2025	3:15:00 AM	0
3/4/2025	3:30:00 AM	0
3/4/2025	3:45:00 AM	0
3/4/2025	4:00:00 AM	0
3/4/2025	4:15:00 AM	0
3/4/2025	4:30:00 AM	0
3/4/2025	4:45:00 AM	0
3/4/2025	5:00:00 AM	0
3/4/2025	5:15:00 AM	0
3/4/2025	5:30:00 AM	0
3/4/2025	5:45:00 AM	0
3/4/2025	6:00:00 AM	0
3/4/2025	6:15:00 AM	0
3/4/2025	6:30:00 AM	0
3/4/2025	6:45:00 AM	0
3/4/2025	7:00:00 AM	0
3/4/2025	7:15:00 AM	0
3/4/2025	7:30:00 AM	0
3/4/2025	7:45:00 AM	0
3/4/2025	8:00:00 AM	0
3/4/2025	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/4/2025	8:30:00 AM	0
3/4/2025	8:45:00 AM	0
3/4/2025	9:00:00 AM	0
3/4/2025	9:15:00 AM	0
3/4/2025	9:30:00 AM	0
3/4/2025	9:45:00 AM	0
3/4/2025	10:00:00 AM	0
3/4/2025	10:15:00 AM	0
3/4/2025	10:30:00 AM	0
3/4/2025	10:45:00 AM	0
3/4/2025	11:00:00 AM	0
3/4/2025	11:15:00 AM	0
3/4/2025	11:30:00 AM	0
3/4/2025	11:45:00 AM	0
3/4/2025	12:00:00 PM	0
3/4/2025	12:15:00 PM	0
3/4/2025	12:30:00 PM	0
3/4/2025	12:45:00 PM	0
3/4/2025	1:00:00 PM	0
3/4/2025	1:15:00 PM	0
3/4/2025	1:30:00 PM	0
3/4/2025	1:45:00 PM	0
3/4/2025	2:00:00 PM	0
3/4/2025	2:15:00 PM	0
3/4/2025	2:30:00 PM	0
3/4/2025	2:45:00 PM	0
3/4/2025	3:00:00 PM	0
3/4/2025	3:15:00 PM	0
3/4/2025	3:30:00 PM	0
3/4/2025	3:45:00 PM	0
3/4/2025	4:00:00 PM	0
3/4/2025	4:15:00 PM	0
3/4/2025	4:30:00 PM	0
3/4/2025	4:45:00 PM	0
3/4/2025	5:00:00 PM	0
3/4/2025	5:15:00 PM	0
3/4/2025	5:30:00 PM	0
3/4/2025	5:45:00 PM	0
3/4/2025	6:00:00 PM	0
3/4/2025	6:15:00 PM	0
3/4/2025	6:30:00 PM	0
3/4/2025	6:45:00 PM	0
3/4/2025	7:00:00 PM	0
3/4/2025	7:15:00 PM	0
3/4/2025	7:30:00 PM	0
3/4/2025	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/4/2025	8:00:00 PM	0
3/4/2025	8:15:00 PM	0
3/4/2025	8:30:00 PM	0
3/4/2025	8:45:00 PM	0
3/4/2025	9:00:00 PM	0
3/4/2025	9:15:00 PM	0
3/4/2025	9:30:00 PM	0
3/4/2025	9:45:00 PM	0
3/4/2025	10:00:00 PM	0
3/4/2025	10:15:00 PM	0
3/4/2025	10:30:00 PM	0
3/4/2025	10:45:00 PM	0
3/4/2025	11:00:00 PM	0
3/4/2025	11:15:00 PM	0
3/4/2025	11:30:00 PM	0
3/4/2025	11:45:00 PM	0
3/5/2025	12:00:00 AM	0
3/5/2025	12:15:00 AM	0
3/5/2025	12:30:00 AM	0
3/5/2025	12:45:00 AM	0
3/5/2025	1:00:00 AM	0
3/5/2025	1:15:00 AM	0
3/5/2025	1:30:00 AM	0
3/5/2025	1:45:00 AM	0
3/5/2025	2:00:00 AM	0
3/5/2025	2:15:00 AM	0
3/5/2025	2:30:00 AM	0
3/5/2025	2:45:00 AM	0
3/5/2025	3:00:00 AM	0
3/5/2025	3:15:00 AM	0
3/5/2025	3:30:00 AM	0
3/5/2025	3:45:00 AM	0
3/5/2025	4:00:00 AM	0
3/5/2025	4:15:00 AM	0
3/5/2025	4:30:00 AM	0
3/5/2025	4:45:00 AM	0
3/5/2025	5:00:00 AM	0
3/5/2025	5:15:00 AM	0
3/5/2025	5:30:00 AM	0
3/5/2025	5:45:00 AM	0
3/5/2025	6:00:00 AM	0
3/5/2025	6:15:00 AM	0
3/5/2025	6:30:00 AM	0
3/5/2025	6:45:00 AM	0
3/5/2025	7:00:00 AM	0
3/5/2025	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/5/2025	7:30:00 AM	0
3/5/2025	7:45:00 AM	0
3/5/2025	8:00:00 AM	0
3/5/2025	8:15:00 AM	0
3/5/2025	8:30:00 AM	0
3/5/2025	8:45:00 AM	0
3/5/2025	9:00:00 AM	0
3/5/2025	9:15:00 AM	0
3/5/2025	9:30:00 AM	0
3/5/2025	9:45:00 AM	0
3/5/2025	10:00:00 AM	0
3/5/2025	10:15:00 AM	0
3/5/2025	10:30:00 AM	0
3/5/2025	10:45:00 AM	0
3/5/2025	11:00:00 AM	0
3/5/2025	11:15:00 AM	0
3/5/2025	11:30:00 AM	0
3/5/2025	11:45:00 AM	0
3/5/2025	12:00:00 PM	0
3/5/2025	12:15:00 PM	0
3/5/2025	12:30:00 PM	0
3/5/2025	12:45:00 PM	0
3/5/2025	1:00:00 PM	0
3/5/2025	1:15:00 PM	0
3/5/2025	1:30:00 PM	0
3/5/2025	1:45:00 PM	0
3/5/2025	2:00:00 PM	.
3/5/2025	2:15:00 PM	.
3/5/2025	2:30:00 PM	.
3/5/2025	2:45:00 PM	.
3/5/2025	3:00:00 PM	0
3/5/2025	3:15:00 PM	0
3/5/2025	3:30:00 PM	0
3/5/2025	3:45:00 PM	0
3/5/2025	4:00:00 PM	0
3/5/2025	4:15:00 PM	0
3/5/2025	4:30:00 PM	0
3/5/2025	4:45:00 PM	0
3/5/2025	5:00:00 PM	0
3/5/2025	5:15:00 PM	0
3/5/2025	5:30:00 PM	0
3/5/2025	5:45:00 PM	0
3/5/2025	6:00:00 PM	0
3/5/2025	6:15:00 PM	0
3/5/2025	6:30:00 PM	0
3/5/2025	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/5/2025	7:00:00 PM	0
3/5/2025	7:15:00 PM	0
3/5/2025	7:30:00 PM	0
3/5/2025	7:45:00 PM	0
3/5/2025	8:00:00 PM	0
3/5/2025	8:15:00 PM	0
3/5/2025	8:30:00 PM	0
3/5/2025	8:45:00 PM	0
3/5/2025	9:00:00 PM	0
3/5/2025	9:15:00 PM	0
3/5/2025	9:30:00 PM	0
3/5/2025	9:45:00 PM	0
3/5/2025	10:00:00 PM	0
3/5/2025	10:15:00 PM	0
3/5/2025	10:30:00 PM	0
3/5/2025	10:45:00 PM	0
3/5/2025	11:00:00 PM	0
3/5/2025	11:15:00 PM	0
3/5/2025	11:30:00 PM	0
3/5/2025	11:45:00 PM	0
3/6/2025	12:00:00 AM	0
3/6/2025	12:15:00 AM	0
3/6/2025	12:30:00 AM	0
3/6/2025	12:45:00 AM	0
3/6/2025	1:00:00 AM	0
3/6/2025	1:15:00 AM	0
3/6/2025	1:30:00 AM	0
3/6/2025	1:45:00 AM	0
3/6/2025	2:00:00 AM	0
3/6/2025	2:15:00 AM	0
3/6/2025	2:30:00 AM	0
3/6/2025	2:45:00 AM	0
3/6/2025	3:00:00 AM	0
3/6/2025	3:15:00 AM	0
3/6/2025	3:30:00 AM	0
3/6/2025	3:45:00 AM	0
3/6/2025	4:00:00 AM	0
3/6/2025	4:15:00 AM	0
3/6/2025	4:30:00 AM	0
3/6/2025	4:45:00 AM	0
3/6/2025	5:00:00 AM	0
3/6/2025	5:15:00 AM	0
3/6/2025	5:30:00 AM	0
3/6/2025	5:45:00 AM	0
3/6/2025	6:00:00 AM	0
3/6/2025	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/6/2025	6:30:00 AM	0
3/6/2025	6:45:00 AM	0
3/6/2025	7:00:00 AM	0
3/6/2025	7:15:00 AM	0
3/6/2025	7:30:00 AM	0
3/6/2025	7:45:00 AM	0
3/6/2025	8:00:00 AM	0
3/6/2025	8:15:00 AM	0
3/6/2025	8:30:00 AM	0
3/6/2025	8:45:00 AM	0
3/6/2025	9:00:00 AM	0
3/6/2025	9:15:00 AM	0
3/6/2025	9:30:00 AM	0
3/6/2025	9:45:00 AM	0
3/6/2025	10:00:00 AM	0
3/6/2025	10:15:00 AM	0
3/6/2025	10:30:00 AM	0
3/6/2025	10:45:00 AM	0
3/6/2025	11:00:00 AM	0
3/6/2025	11:15:00 AM	0
3/6/2025	11:30:00 AM	0
3/6/2025	11:45:00 AM	0
3/6/2025	12:00:00 PM	0
3/6/2025	12:15:00 PM	0
3/6/2025	12:30:00 PM	0
3/6/2025	12:45:00 PM	0
3/6/2025	1:00:00 PM	0
3/6/2025	1:15:00 PM	0
3/6/2025	1:30:00 PM	0
3/6/2025	1:45:00 PM	0
3/6/2025	2:00:00 PM	0
3/6/2025	2:15:00 PM	0
3/6/2025	2:30:00 PM	0
3/6/2025	2:45:00 PM	0
3/6/2025	3:00:00 PM	0
3/6/2025	3:15:00 PM	0
3/6/2025	3:30:00 PM	0
3/6/2025	3:45:00 PM	0
3/6/2025	4:00:00 PM	0
3/6/2025	4:15:00 PM	0
3/6/2025	4:30:00 PM	0
3/6/2025	4:45:00 PM	0
3/6/2025	5:00:00 PM	0
3/6/2025	5:15:00 PM	0
3/6/2025	5:30:00 PM	0
3/6/2025	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/6/2025	6:00:00 PM	0
3/6/2025	6:15:00 PM	0
3/6/2025	6:30:00 PM	0
3/6/2025	6:45:00 PM	0
3/6/2025	7:00:00 PM	0
3/6/2025	7:15:00 PM	0
3/6/2025	7:30:00 PM	0
3/6/2025	7:45:00 PM	0
3/6/2025	8:00:00 PM	0
3/6/2025	8:15:00 PM	0
3/6/2025	8:30:00 PM	0
3/6/2025	8:45:00 PM	0
3/6/2025	9:00:00 PM	0
3/6/2025	9:15:00 PM	0
3/6/2025	9:30:00 PM	0
3/6/2025	9:45:00 PM	0
3/6/2025	10:00:00 PM	0
3/6/2025	10:15:00 PM	0
3/6/2025	10:30:00 PM	0
3/6/2025	10:45:00 PM	0
3/6/2025	11:00:00 PM	0
3/6/2025	11:15:00 PM	0
3/6/2025	11:30:00 PM	0
3/6/2025	11:45:00 PM	0
3/7/2025	12:00:00 AM	0
3/7/2025	12:15:00 AM	0
3/7/2025	12:30:00 AM	0
3/7/2025	12:45:00 AM	0
3/7/2025	1:00:00 AM	0
3/7/2025	1:15:00 AM	0
3/7/2025	1:30:00 AM	0
3/7/2025	1:45:00 AM	0
3/7/2025	2:00:00 AM	0
3/7/2025	2:15:00 AM	0
3/7/2025	2:30:00 AM	0
3/7/2025	2:45:00 AM	0
3/7/2025	3:00:00 AM	0
3/7/2025	3:15:00 AM	0
3/7/2025	3:30:00 AM	0
3/7/2025	3:45:00 AM	0
3/7/2025	4:00:00 AM	0
3/7/2025	4:15:00 AM	0
3/7/2025	4:30:00 AM	0
3/7/2025	4:45:00 AM	0
3/7/2025	5:00:00 AM	0
3/7/2025	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/7/2025	5:30:00 AM	0
3/7/2025	5:45:00 AM	0
3/7/2025	6:00:00 AM	0
3/7/2025	6:15:00 AM	0
3/7/2025	6:30:00 AM	0
3/7/2025	6:45:00 AM	0
3/7/2025	7:00:00 AM	0
3/7/2025	7:15:00 AM	0
3/7/2025	7:30:00 AM	0
3/7/2025	7:45:00 AM	0
3/7/2025	8:00:00 AM	0
3/7/2025	8:15:00 AM	0
3/7/2025	8:30:00 AM	0
3/7/2025	8:45:00 AM	0
3/7/2025	9:00:00 AM	0
3/7/2025	9:15:00 AM	0
3/7/2025	9:30:00 AM	0
3/7/2025	9:45:00 AM	0
3/7/2025	10:00:00 AM	0
3/7/2025	10:15:00 AM	0
3/7/2025	10:30:00 AM	0
3/7/2025	10:45:00 AM	0
3/7/2025	11:00:00 AM	0
3/7/2025	11:15:00 AM	0
3/7/2025	11:30:00 AM	0
3/7/2025	11:45:00 AM	0
3/7/2025	12:00:00 PM	0
3/7/2025	12:15:00 PM	0
3/7/2025	12:30:00 PM	0
3/7/2025	12:45:00 PM	0
3/7/2025	1:00:00 PM	0
3/7/2025	1:15:00 PM	0
3/7/2025	1:30:00 PM	0
3/7/2025	1:45:00 PM	0
3/7/2025	2:00:00 PM	0
3/7/2025	2:15:00 PM	0
3/7/2025	2:30:00 PM	0
3/7/2025	2:45:00 PM	0
3/7/2025	3:00:00 PM	0
3/7/2025	3:15:00 PM	0
3/7/2025	3:30:00 PM	0
3/7/2025	3:45:00 PM	0
3/7/2025	4:00:00 PM	0
3/7/2025	4:15:00 PM	0
3/7/2025	4:30:00 PM	0
3/7/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/7/2025	5:00:00 PM	0
3/7/2025	5:15:00 PM	0
3/7/2025	5:30:00 PM	0
3/7/2025	5:45:00 PM	0
3/7/2025	6:00:00 PM	0
3/7/2025	6:15:00 PM	0
3/7/2025	6:30:00 PM	0
3/7/2025	6:45:00 PM	0
3/7/2025	7:00:00 PM	0
3/7/2025	7:15:00 PM	0
3/7/2025	7:30:00 PM	0
3/7/2025	7:45:00 PM	0
3/7/2025	8:00:00 PM	0
3/7/2025	8:15:00 PM	0
3/7/2025	8:30:00 PM	0
3/7/2025	8:45:00 PM	0
3/7/2025	9:00:00 PM	0
3/7/2025	9:15:00 PM	0
3/7/2025	9:30:00 PM	0
3/7/2025	9:45:00 PM	0
3/7/2025	10:00:00 PM	0
3/7/2025	10:15:00 PM	0
3/7/2025	10:30:00 PM	0
3/7/2025	10:45:00 PM	0
3/7/2025	11:00:00 PM	0
3/7/2025	11:15:00 PM	0
3/7/2025	11:30:00 PM	0
3/7/2025	11:45:00 PM	0
3/8/2025	12:00:00 AM	0
3/8/2025	12:15:00 AM	0
3/8/2025	12:30:00 AM	0
3/8/2025	12:45:00 AM	0
3/8/2025	1:00:00 AM	0
3/8/2025	1:15:00 AM	0
3/8/2025	1:30:00 AM	0
3/8/2025	1:45:00 AM	0
3/8/2025	2:00:00 AM	0
3/8/2025	2:15:00 AM	0
3/8/2025	2:30:00 AM	0
3/8/2025	2:45:00 AM	0
3/8/2025	3:00:00 AM	0
3/8/2025	3:15:00 AM	0
3/8/2025	3:30:00 AM	0
3/8/2025	3:45:00 AM	0
3/8/2025	4:00:00 AM	0
3/8/2025	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/8/2025	4:30:00 AM	0
3/8/2025	4:45:00 AM	0
3/8/2025	5:00:00 AM	0
3/8/2025	5:15:00 AM	0
3/8/2025	5:30:00 AM	0
3/8/2025	5:45:00 AM	0
3/8/2025	6:00:00 AM	0
3/8/2025	6:15:00 AM	0
3/8/2025	6:30:00 AM	0
3/8/2025	6:45:00 AM	0
3/8/2025	7:00:00 AM	0
3/8/2025	7:15:00 AM	0
3/8/2025	7:30:00 AM	0
3/8/2025	7:45:00 AM	0
3/8/2025	8:00:00 AM	0
3/8/2025	8:15:00 AM	0
3/8/2025	8:30:00 AM	0
3/8/2025	8:45:00 AM	0
3/8/2025	9:00:00 AM	0
3/8/2025	9:15:00 AM	0
3/8/2025	9:30:00 AM	0
3/8/2025	9:45:00 AM	0
3/8/2025	10:00:00 AM	0
3/8/2025	10:15:00 AM	0
3/8/2025	10:30:00 AM	0
3/8/2025	10:45:00 AM	0
3/8/2025	11:00:00 AM	0
3/8/2025	11:15:00 AM	0
3/8/2025	11:30:00 AM	0
3/8/2025	11:45:00 AM	0
3/8/2025	12:00:00 PM	0
3/8/2025	12:15:00 PM	0
3/8/2025	12:30:00 PM	0
3/8/2025	12:45:00 PM	0
3/8/2025	1:00:00 PM	0
3/8/2025	1:15:00 PM	0
3/8/2025	1:30:00 PM	0
3/8/2025	1:45:00 PM	0
3/8/2025	2:00:00 PM	0
3/8/2025	2:15:00 PM	0
3/8/2025	2:30:00 PM	0
3/8/2025	2:45:00 PM	0
3/8/2025	3:00:00 PM	0
3/8/2025	3:15:00 PM	0
3/8/2025	3:30:00 PM	0
3/8/2025	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/8/2025	4:00:00 PM	0
3/8/2025	4:15:00 PM	0
3/8/2025	4:30:00 PM	0
3/8/2025	4:45:00 PM	0
3/8/2025	5:00:00 PM	0
3/8/2025	5:15:00 PM	0
3/8/2025	5:30:00 PM	0
3/8/2025	5:45:00 PM	0
3/8/2025	6:00:00 PM	0
3/8/2025	6:15:00 PM	0
3/8/2025	6:30:00 PM	0
3/8/2025	6:45:00 PM	0
3/8/2025	7:00:00 PM	0
3/8/2025	7:15:00 PM	0
3/8/2025	7:30:00 PM	0
3/8/2025	7:45:00 PM	0
3/8/2025	8:00:00 PM	0
3/8/2025	8:15:00 PM	0
3/8/2025	8:30:00 PM	0
3/8/2025	8:45:00 PM	0
3/8/2025	9:00:00 PM	0
3/8/2025	9:15:00 PM	0
3/8/2025	9:30:00 PM	0
3/8/2025	9:45:00 PM	0
3/8/2025	10:00:00 PM	0
3/8/2025	10:15:00 PM	0
3/8/2025	10:30:00 PM	0
3/8/2025	10:45:00 PM	0
3/8/2025	11:00:00 PM	0
3/8/2025	11:15:00 PM	0
3/8/2025	11:30:00 PM	0
3/8/2025	11:45:00 PM	0
3/9/2025	12:00:00 AM	0
3/9/2025	12:15:00 AM	0
3/9/2025	12:30:00 AM	0
3/9/2025	12:45:00 AM	0
3/9/2025	1:00:00 AM	0
3/9/2025	1:15:00 AM	0
3/9/2025	1:30:00 AM	0
3/9/2025	1:45:00 AM	0
3/9/2025	2:00:00 AM	0
3/9/2025	2:15:00 AM	0
3/9/2025	2:30:00 AM	0
3/9/2025	2:45:00 AM	0
3/9/2025	3:00:00 AM	0
3/9/2025	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/9/2025	3:30:00 AM	0
3/9/2025	3:45:00 AM	0
3/9/2025	4:00:00 AM	0
3/9/2025	4:15:00 AM	0
3/9/2025	4:30:00 AM	0
3/9/2025	4:45:00 AM	0
3/9/2025	5:00:00 AM	0
3/9/2025	5:15:00 AM	0
3/9/2025	5:30:00 AM	0
3/9/2025	5:45:00 AM	0
3/9/2025	6:00:00 AM	0
3/9/2025	6:15:00 AM	0
3/9/2025	6:30:00 AM	0
3/9/2025	6:45:00 AM	0
3/9/2025	7:00:00 AM	0
3/9/2025	7:15:00 AM	0
3/9/2025	7:30:00 AM	0
3/9/2025	7:45:00 AM	0
3/9/2025	8:00:00 AM	0
3/9/2025	8:15:00 AM	0
3/9/2025	8:30:00 AM	0
3/9/2025	8:45:00 AM	0
3/9/2025	9:00:00 AM	0
3/9/2025	9:15:00 AM	0
3/9/2025	9:30:00 AM	0
3/9/2025	9:45:00 AM	0
3/9/2025	10:00:00 AM	0
3/9/2025	10:15:00 AM	0
3/9/2025	10:30:00 AM	0
3/9/2025	10:45:00 AM	0
3/9/2025	11:00:00 AM	0
3/9/2025	11:15:00 AM	0
3/9/2025	11:30:00 AM	0
3/9/2025	11:45:00 AM	0
3/9/2025	12:00:00 PM	0
3/9/2025	12:15:00 PM	0
3/9/2025	12:30:00 PM	0
3/9/2025	12:45:00 PM	0
3/9/2025	1:00:00 PM	0
3/9/2025	1:15:00 PM	0
3/9/2025	1:30:00 PM	0
3/9/2025	1:45:00 PM	0
3/9/2025	2:00:00 PM	0
3/9/2025	2:15:00 PM	0
3/9/2025	2:30:00 PM	0
3/9/2025	2:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/9/2025	3:00:00 PM	0
3/9/2025	3:15:00 PM	0
3/9/2025	3:30:00 PM	0
3/9/2025	3:45:00 PM	0
3/9/2025	4:00:00 PM	0
3/9/2025	4:15:00 PM	0
3/9/2025	4:30:00 PM	0
3/9/2025	4:45:00 PM	0
3/9/2025	5:00:00 PM	0
3/9/2025	5:15:00 PM	0
3/9/2025	5:30:00 PM	0
3/9/2025	5:45:00 PM	0
3/9/2025	6:00:00 PM	0
3/9/2025	6:15:00 PM	0
3/9/2025	6:30:00 PM	0
3/9/2025	6:45:00 PM	0
3/9/2025	7:00:00 PM	0
3/9/2025	7:15:00 PM	0
3/9/2025	7:30:00 PM	0
3/9/2025	7:45:00 PM	0
3/9/2025	8:00:00 PM	0
3/9/2025	8:15:00 PM	0
3/9/2025	8:30:00 PM	0
3/9/2025	8:45:00 PM	0
3/9/2025	9:00:00 PM	0
3/9/2025	9:15:00 PM	0
3/9/2025	9:30:00 PM	0
3/9/2025	9:45:00 PM	0
3/9/2025	10:00:00 PM	0
3/9/2025	10:15:00 PM	0
3/9/2025	10:30:00 PM	0
3/9/2025	10:45:00 PM	0
3/9/2025	11:00:00 PM	0
3/9/2025	11:15:00 PM	0
3/9/2025	11:30:00 PM	0
3/9/2025	11:45:00 PM	0
3/10/2025	12:00:00 AM	0
3/10/2025	12:15:00 AM	0
3/10/2025	12:30:00 AM	0
3/10/2025	12:45:00 AM	0
3/10/2025	1:00:00 AM	0
3/10/2025	1:15:00 AM	0
3/10/2025	1:30:00 AM	0
3/10/2025	1:45:00 AM	0
3/10/2025	2:00:00 AM	0
3/10/2025	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/10/2025	2:30:00 AM	0
3/10/2025	2:45:00 AM	0
3/10/2025	3:00:00 AM	0
3/10/2025	3:15:00 AM	0
3/10/2025	3:30:00 AM	0
3/10/2025	3:45:00 AM	0
3/10/2025	4:00:00 AM	0
3/10/2025	4:15:00 AM	0
3/10/2025	4:30:00 AM	0
3/10/2025	4:45:00 AM	0
3/10/2025	5:00:00 AM	0
3/10/2025	5:15:00 AM	0
3/10/2025	5:30:00 AM	0
3/10/2025	5:45:00 AM	0
3/10/2025	6:00:00 AM	0
3/10/2025	6:15:00 AM	0
3/10/2025	6:30:00 AM	0
3/10/2025	6:45:00 AM	0
3/10/2025	7:00:00 AM	0
3/10/2025	7:15:00 AM	0
3/10/2025	7:30:00 AM	0
3/10/2025	7:45:00 AM	0
3/10/2025	8:00:00 AM	0
3/10/2025	8:15:00 AM	0
3/10/2025	8:30:00 AM	0
3/10/2025	8:45:00 AM	0
3/10/2025	9:00:00 AM	0
3/10/2025	9:15:00 AM	0
3/10/2025	9:30:00 AM	0
3/10/2025	9:45:00 AM	0
3/10/2025	10:00:00 AM	0
3/10/2025	10:15:00 AM	0
3/10/2025	10:30:00 AM	0
3/10/2025	10:45:00 AM	0
3/10/2025	11:00:00 AM	0
3/10/2025	11:15:00 AM	0
3/10/2025	11:30:00 AM	0
3/10/2025	11:45:00 AM	0
3/10/2025	12:00:00 PM	0
3/10/2025	12:15:00 PM	0
3/10/2025	12:30:00 PM	0
3/10/2025	12:45:00 PM	0
3/10/2025	1:00:00 PM	0
3/10/2025	1:15:00 PM	0
3/10/2025	1:30:00 PM	0
3/10/2025	1:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/10/2025	2:00:00 PM	0
3/10/2025	2:15:00 PM	0
3/10/2025	2:30:00 PM	0
3/10/2025	2:45:00 PM	0
3/10/2025	3:00:00 PM	0
3/10/2025	3:15:00 PM	0
3/10/2025	3:30:00 PM	0
3/10/2025	3:45:00 PM	0
3/10/2025	4:00:00 PM	0
3/10/2025	4:15:00 PM	0
3/10/2025	4:30:00 PM	0
3/10/2025	4:45:00 PM	0
3/10/2025	5:00:00 PM	0
3/10/2025	5:15:00 PM	0
3/10/2025	5:30:00 PM	0
3/10/2025	5:45:00 PM	0
3/10/2025	6:00:00 PM	0
3/10/2025	6:15:00 PM	0
3/10/2025	6:30:00 PM	0
3/10/2025	6:45:00 PM	0
3/10/2025	7:00:00 PM	0
3/10/2025	7:15:00 PM	0
3/10/2025	7:30:00 PM	0
3/10/2025	7:45:00 PM	0
3/10/2025	8:00:00 PM	0
3/10/2025	8:15:00 PM	0
3/10/2025	8:30:00 PM	0
3/10/2025	8:45:00 PM	0
3/10/2025	9:00:00 PM	0
3/10/2025	9:15:00 PM	0
3/10/2025	9:30:00 PM	0
3/10/2025	9:45:00 PM	0
3/10/2025	10:00:00 PM	0
3/10/2025	10:15:00 PM	0
3/10/2025	10:30:00 PM	0
3/10/2025	10:45:00 PM	0
3/10/2025	11:00:00 PM	0
3/10/2025	11:15:00 PM	0
3/10/2025	11:30:00 PM	0
3/10/2025	11:45:00 PM	0
3/11/2025	12:00:00 AM	0
3/11/2025	12:15:00 AM	0
3/11/2025	12:30:00 AM	0
3/11/2025	12:45:00 AM	0
3/11/2025	1:00:00 AM	0
3/11/2025	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/11/2025	1:30:00 AM	0
3/11/2025	1:45:00 AM	0
3/11/2025	2:00:00 AM	0
3/11/2025	2:15:00 AM	0
3/11/2025	2:30:00 AM	0
3/11/2025	2:45:00 AM	0
3/11/2025	3:00:00 AM	0
3/11/2025	3:15:00 AM	0
3/11/2025	3:30:00 AM	0
3/11/2025	3:45:00 AM	0
3/11/2025	4:00:00 AM	0
3/11/2025	4:15:00 AM	0
3/11/2025	4:30:00 AM	0
3/11/2025	4:45:00 AM	0
3/11/2025	5:00:00 AM	0
3/11/2025	5:15:00 AM	0
3/11/2025	5:30:00 AM	0
3/11/2025	5:45:00 AM	0
3/11/2025	6:00:00 AM	0
3/11/2025	6:15:00 AM	0
3/11/2025	6:30:00 AM	0
3/11/2025	6:45:00 AM	0
3/11/2025	7:00:00 AM	0
3/11/2025	7:15:00 AM	0
3/11/2025	7:30:00 AM	0
3/11/2025	7:45:00 AM	0
3/11/2025	8:00:00 AM	0
3/11/2025	8:15:00 AM	0
3/11/2025	8:30:00 AM	0
3/11/2025	8:45:00 AM	0
3/11/2025	9:00:00 AM	0
3/11/2025	9:15:00 AM	0
3/11/2025	9:30:00 AM	0
3/11/2025	9:45:00 AM	0
3/11/2025	10:00:00 AM	0
3/11/2025	10:15:00 AM	0
3/11/2025	10:30:00 AM	0
3/11/2025	10:45:00 AM	0
3/11/2025	11:00:00 AM	0
3/11/2025	11:15:00 AM	0
3/11/2025	11:30:00 AM	0
3/11/2025	11:45:00 AM	0
3/11/2025	12:00:00 PM	0
3/11/2025	12:15:00 PM	0
3/11/2025	12:30:00 PM	0
3/11/2025	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/11/2025	1:00:00 PM	0
3/11/2025	1:15:00 PM	0
3/11/2025	1:30:00 PM	0
3/11/2025	1:45:00 PM	0
3/11/2025	2:00:00 PM	0
3/11/2025	2:15:00 PM	0
3/11/2025	2:30:00 PM	0
3/11/2025	2:45:00 PM	0
3/11/2025	3:00:00 PM	0
3/11/2025	3:15:00 PM	0
3/11/2025	3:30:00 PM	0
3/11/2025	3:45:00 PM	0
3/11/2025	4:00:00 PM	0
3/11/2025	4:15:00 PM	0
3/11/2025	4:30:00 PM	0
3/11/2025	4:45:00 PM	0
3/11/2025	5:00:00 PM	0
3/11/2025	5:15:00 PM	0
3/11/2025	5:30:00 PM	0
3/11/2025	5:45:00 PM	0
3/11/2025	6:00:00 PM	0
3/11/2025	6:15:00 PM	0
3/11/2025	6:30:00 PM	0
3/11/2025	6:45:00 PM	0
3/11/2025	7:00:00 PM	0
3/11/2025	7:15:00 PM	0
3/11/2025	7:30:00 PM	0
3/11/2025	7:45:00 PM	0
3/11/2025	8:00:00 PM	0
3/11/2025	8:15:00 PM	0
3/11/2025	8:30:00 PM	0
3/11/2025	8:45:00 PM	0
3/11/2025	9:00:00 PM	0
3/11/2025	9:15:00 PM	0
3/11/2025	9:30:00 PM	0
3/11/2025	9:45:00 PM	0
3/11/2025	10:00:00 PM	0
3/11/2025	10:15:00 PM	0
3/11/2025	10:30:00 PM	0
3/11/2025	10:45:00 PM	0
3/11/2025	11:00:00 PM	0
3/11/2025	11:15:00 PM	0
3/11/2025	11:30:00 PM	0
3/11/2025	11:45:00 PM	0
3/12/2025	12:00:00 AM	0
3/12/2025	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	12:30:00 AM	0
3/12/2025	12:45:00 AM	0
3/12/2025	1:00:00 AM	0
3/12/2025	1:15:00 AM	0
3/12/2025	1:30:00 AM	0
3/12/2025	1:45:00 AM	0
3/12/2025	2:00:00 AM	0
3/12/2025	2:15:00 AM	0
3/12/2025	2:30:00 AM	0
3/12/2025	2:45:00 AM	0
3/12/2025	3:00:00 AM	0
3/12/2025	3:15:00 AM	0
3/12/2025	3:30:00 AM	0
3/12/2025	3:45:00 AM	0
3/12/2025	4:00:00 AM	0
3/12/2025	4:15:00 AM	0
3/12/2025	4:30:00 AM	0
3/12/2025	4:45:00 AM	0
3/12/2025	5:00:00 AM	0
3/12/2025	5:15:00 AM	0
3/12/2025	5:30:00 AM	0
3/12/2025	5:45:00 AM	0
3/12/2025	6:00:00 AM	0
3/12/2025	6:15:00 AM	0
3/12/2025	6:30:00 AM	0
3/12/2025	6:45:00 AM	0
3/12/2025	7:00:00 AM	0
3/12/2025	7:15:00 AM	0
3/12/2025	7:30:00 AM	0
3/12/2025	7:45:00 AM	0
3/12/2025	8:00:00 AM	0
3/12/2025	8:15:00 AM	0
3/12/2025	8:30:00 AM	0
3/12/2025	8:45:00 AM	0
3/12/2025	9:00:00 AM	0
3/12/2025	9:15:00 AM	0
3/12/2025	9:30:00 AM	0
3/12/2025	9:45:00 AM	0
3/12/2025	10:00:00 AM	0
3/12/2025	10:15:00 AM	0
3/12/2025	10:30:00 AM	0
3/12/2025	10:45:00 AM	0
3/12/2025	11:00:00 AM	0
3/12/2025	11:15:00 AM	0
3/12/2025	11:30:00 AM	0
3/12/2025	11:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	12:00:00 PM	0
3/12/2025	12:15:00 PM	0
3/12/2025	12:30:00 PM	0
3/12/2025	12:45:00 PM	0
3/12/2025	1:00:00 PM	0
3/12/2025	1:15:00 PM	0
3/12/2025	1:30:00 PM	0
3/12/2025	1:45:00 PM	0
3/12/2025	2:00:00 PM	0
3/12/2025	2:15:00 PM	0
3/12/2025	2:30:00 PM	0
3/12/2025	2:45:00 PM	0
3/12/2025	3:00:00 PM	0
3/12/2025	3:15:00 PM	0
3/12/2025	3:30:00 PM	0
3/12/2025	3:45:00 PM	0
3/12/2025	4:00:00 PM	0
3/12/2025	4:15:00 PM	0
3/12/2025	4:30:00 PM	0
3/12/2025	4:45:00 PM	0
3/12/2025	5:00:00 PM	0
3/12/2025	5:15:00 PM	0
3/12/2025	5:30:00 PM	0
3/12/2025	5:45:00 PM	0
3/12/2025	6:00:00 PM	0
3/12/2025	6:15:00 PM	0
3/12/2025	6:30:00 PM	0
3/12/2025	6:45:00 PM	0
3/12/2025	7:00:00 PM	0
3/12/2025	7:15:00 PM	0
3/12/2025	7:30:00 PM	0
3/12/2025	7:45:00 PM	0
3/12/2025	8:00:00 PM	0
3/12/2025	8:15:00 PM	0
3/12/2025	8:30:00 PM	0
3/12/2025	8:45:00 PM	0
3/12/2025	9:00:00 PM	0
3/12/2025	9:15:00 PM	0
3/12/2025	9:30:00 PM	0
3/12/2025	9:45:00 PM	0
3/12/2025	10:00:00 PM	0
3/12/2025	10:15:00 PM	0
3/12/2025	10:30:00 PM	0
3/12/2025	10:45:00 PM	0
3/12/2025	11:00:00 PM	0
3/12/2025	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	11:30:00 PM	0
3/12/2025	11:45:00 PM	0
3/13/2025	12:00:00 AM	0
3/13/2025	12:15:00 AM	0
3/13/2025	12:30:00 AM	0
3/13/2025	12:45:00 AM	0
3/13/2025	1:00:00 AM	0
3/13/2025	1:15:00 AM	0
3/13/2025	1:30:00 AM	0
3/13/2025	1:45:00 AM	0
3/13/2025	2:00:00 AM	0
3/13/2025	2:15:00 AM	0
3/13/2025	2:30:00 AM	0
3/13/2025	2:45:00 AM	0
3/13/2025	3:00:00 AM	0
3/13/2025	3:15:00 AM	0
3/13/2025	3:30:00 AM	0
3/13/2025	3:45:00 AM	0
3/13/2025	4:00:00 AM	0
3/13/2025	4:15:00 AM	0
3/13/2025	4:30:00 AM	0
3/13/2025	4:45:00 AM	0
3/13/2025	5:00:00 AM	0
3/13/2025	5:15:00 AM	0
3/13/2025	5:30:00 AM	0
3/13/2025	5:45:00 AM	0
3/13/2025	6:00:00 AM	0
3/13/2025	6:15:00 AM	0
3/13/2025	6:30:00 AM	0
3/13/2025	6:45:00 AM	0
3/13/2025	7:00:00 AM	0
3/13/2025	7:15:00 AM	0
3/13/2025	7:30:00 AM	0
3/13/2025	7:45:00 AM	0
3/13/2025	8:00:00 AM	0
3/13/2025	8:15:00 AM	0
3/13/2025	8:30:00 AM	0
3/13/2025	8:45:00 AM	0
3/13/2025	9:00:00 AM	0
3/13/2025	9:15:00 AM	0
3/13/2025	9:30:00 AM	0
3/13/2025	9:45:00 AM	0
3/13/2025	10:00:00 AM	0
3/13/2025	10:15:00 AM	0
3/13/2025	10:30:00 AM	0
3/13/2025	10:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/13/2025	11:00:00 AM	0
3/13/2025	11:15:00 AM	0
3/13/2025	11:30:00 AM	0
3/13/2025	11:45:00 AM	0
3/13/2025	12:00:00 PM	0
3/13/2025	12:15:00 PM	0
3/13/2025	12:30:00 PM	0
3/13/2025	12:45:00 PM	0
3/13/2025	1:00:00 PM	0
3/13/2025	1:15:00 PM	0
3/13/2025	1:30:00 PM	0
3/13/2025	1:45:00 PM	0
3/13/2025	2:00:00 PM	0
3/13/2025	2:15:00 PM	0
3/13/2025	2:30:00 PM	0
3/13/2025	2:45:00 PM	0
3/13/2025	3:00:00 PM	0
3/13/2025	3:15:00 PM	0
3/13/2025	3:30:00 PM	0
3/13/2025	3:45:00 PM	0
3/13/2025	4:00:00 PM	0
3/13/2025	4:15:00 PM	0
3/13/2025	4:30:00 PM	0
3/13/2025	4:45:00 PM	0
3/13/2025	5:00:00 PM	0
3/13/2025	5:15:00 PM	0
3/13/2025	5:30:00 PM	0
3/13/2025	5:45:00 PM	0
3/13/2025	6:00:00 PM	0
3/13/2025	6:15:00 PM	0
3/13/2025	6:30:00 PM	0
3/13/2025	6:45:00 PM	0
3/13/2025	7:00:00 PM	0
3/13/2025	7:15:00 PM	0
3/13/2025	7:30:00 PM	0
3/13/2025	7:45:00 PM	0
3/13/2025	8:00:00 PM	0
3/13/2025	8:15:00 PM	0
3/13/2025	8:30:00 PM	0
3/13/2025	8:45:00 PM	0
3/13/2025	9:00:00 PM	0
3/13/2025	9:15:00 PM	0
3/13/2025	9:30:00 PM	0
3/13/2025	9:45:00 PM	0
3/13/2025	10:00:00 PM	0
3/13/2025	10:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/13/2025	10:30:00 PM	0
3/13/2025	10:45:00 PM	0
3/13/2025	11:00:00 PM	0
3/13/2025	11:15:00 PM	0
3/13/2025	11:30:00 PM	0
3/13/2025	11:45:00 PM	0
3/14/2025	12:00:00 AM	0
3/14/2025	12:15:00 AM	0
3/14/2025	12:30:00 AM	0
3/14/2025	12:45:00 AM	0
3/14/2025	1:00:00 AM	0
3/14/2025	1:15:00 AM	0
3/14/2025	1:30:00 AM	0
3/14/2025	1:45:00 AM	0
3/14/2025	2:00:00 AM	0
3/14/2025	2:15:00 AM	0
3/14/2025	2:30:00 AM	0
3/14/2025	2:45:00 AM	0
3/14/2025	3:00:00 AM	0
3/14/2025	3:15:00 AM	0
3/14/2025	3:30:00 AM	0
3/14/2025	3:45:00 AM	0
3/14/2025	4:00:00 AM	0
3/14/2025	4:15:00 AM	0
3/14/2025	4:30:00 AM	0
3/14/2025	4:45:00 AM	0
3/14/2025	5:00:00 AM	0
3/14/2025	5:15:00 AM	0
3/14/2025	5:30:00 AM	0
3/14/2025	5:45:00 AM	0
3/14/2025	6:00:00 AM	0
3/14/2025	6:15:00 AM	0
3/14/2025	6:30:00 AM	0
3/14/2025	6:45:00 AM	0
3/14/2025	7:00:00 AM	0
3/14/2025	7:15:00 AM	0
3/14/2025	7:30:00 AM	0
3/14/2025	7:45:00 AM	0
3/14/2025	8:00:00 AM	0
3/14/2025	8:15:00 AM	0
3/14/2025	8:30:00 AM	0
3/14/2025	8:45:00 AM	0
3/14/2025	9:00:00 AM	0
3/14/2025	9:15:00 AM	0
3/14/2025	9:30:00 AM	0
3/14/2025	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/14/2025	10:00:00 AM	0
3/14/2025	10:15:00 AM	0
3/14/2025	10:30:00 AM	0
3/14/2025	10:45:00 AM	0
3/14/2025	11:00:00 AM	0
3/14/2025	11:15:00 AM	0
3/14/2025	11:30:00 AM	0
3/14/2025	11:45:00 AM	0
3/14/2025	12:00:00 PM	0
3/14/2025	12:15:00 PM	0
3/14/2025	12:30:00 PM	0
3/14/2025	12:45:00 PM	0
3/14/2025	1:00:00 PM	0
3/14/2025	1:15:00 PM	0
3/14/2025	1:30:00 PM	0
3/14/2025	1:45:00 PM	0
3/14/2025	2:00:00 PM	0
3/14/2025	2:15:00 PM	0
3/14/2025	2:30:00 PM	0
3/14/2025	2:45:00 PM	0
3/14/2025	3:00:00 PM	0
3/14/2025	3:15:00 PM	0
3/14/2025	3:30:00 PM	0
3/14/2025	3:45:00 PM	0
3/14/2025	4:00:00 PM	0
3/14/2025	4:15:00 PM	0
3/14/2025	4:30:00 PM	0
3/14/2025	4:45:00 PM	0
3/14/2025	5:00:00 PM	0
3/14/2025	5:15:00 PM	0
3/14/2025	5:30:00 PM	0
3/14/2025	5:45:00 PM	0
3/14/2025	6:00:00 PM	0
3/14/2025	6:15:00 PM	0
3/14/2025	6:30:00 PM	0
3/14/2025	6:45:00 PM	0
3/14/2025	7:00:00 PM	0
3/14/2025	7:15:00 PM	0
3/14/2025	7:30:00 PM	0
3/14/2025	7:45:00 PM	0
3/14/2025	8:00:00 PM	0
3/14/2025	8:15:00 PM	0
3/14/2025	8:30:00 PM	0
3/14/2025	8:45:00 PM	0
3/14/2025	9:00:00 PM	0
3/14/2025	9:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/14/2025	9:30:00 PM	0
3/14/2025	9:45:00 PM	0
3/14/2025	10:00:00 PM	0
3/14/2025	10:15:00 PM	0
3/14/2025	10:30:00 PM	0
3/14/2025	10:45:00 PM	0
3/14/2025	11:00:00 PM	0
3/14/2025	11:15:00 PM	0
3/14/2025	11:30:00 PM	0
3/14/2025	11:45:00 PM	0
3/15/2025	12:00:00 AM	0
3/15/2025	12:15:00 AM	0
3/15/2025	12:30:00 AM	0
3/15/2025	12:45:00 AM	0
3/15/2025	1:00:00 AM	0
3/15/2025	1:15:00 AM	0
3/15/2025	1:30:00 AM	0
3/15/2025	1:45:00 AM	0
3/15/2025	2:00:00 AM	0
3/15/2025	2:15:00 AM	0
3/15/2025	2:30:00 AM	0
3/15/2025	2:45:00 AM	0
3/15/2025	3:00:00 AM	0
3/15/2025	3:15:00 AM	0
3/15/2025	3:30:00 AM	0
3/15/2025	3:45:00 AM	0
3/15/2025	4:00:00 AM	0
3/15/2025	4:15:00 AM	0
3/15/2025	4:30:00 AM	0
3/15/2025	4:45:00 AM	0
3/15/2025	5:00:00 AM	0
3/15/2025	5:15:00 AM	0
3/15/2025	5:30:00 AM	0
3/15/2025	5:45:00 AM	0
3/15/2025	6:00:00 AM	0
3/15/2025	6:15:00 AM	0
3/15/2025	6:30:00 AM	0
3/15/2025	6:45:00 AM	0
3/15/2025	7:00:00 AM	0
3/15/2025	7:15:00 AM	0
3/15/2025	7:30:00 AM	0
3/15/2025	7:45:00 AM	0
3/15/2025	8:00:00 AM	0
3/15/2025	8:15:00 AM	0
3/15/2025	8:30:00 AM	0
3/15/2025	8:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/15/2025	9:00:00 AM	0
3/15/2025	9:15:00 AM	0
3/15/2025	9:30:00 AM	0
3/15/2025	9:45:00 AM	0
3/15/2025	10:00:00 AM	0
3/15/2025	10:15:00 AM	0
3/15/2025	10:30:00 AM	0
3/15/2025	10:45:00 AM	0
3/15/2025	11:00:00 AM	0
3/15/2025	11:15:00 AM	0
3/15/2025	11:30:00 AM	0
3/15/2025	11:45:00 AM	0
3/15/2025	12:00:00 PM	0
3/15/2025	12:15:00 PM	0
3/15/2025	12:30:00 PM	0
3/15/2025	12:45:00 PM	0
3/15/2025	1:00:00 PM	0
3/15/2025	1:15:00 PM	0
3/15/2025	1:30:00 PM	0
3/15/2025	1:45:00 PM	0
3/15/2025	2:00:00 PM	0
3/15/2025	2:15:00 PM	0
3/15/2025	2:30:00 PM	0
3/15/2025	2:45:00 PM	0
3/15/2025	3:00:00 PM	0
3/15/2025	3:15:00 PM	0
3/15/2025	3:30:00 PM	0
3/15/2025	3:45:00 PM	0
3/15/2025	4:00:00 PM	0
3/15/2025	4:15:00 PM	0
3/15/2025	4:30:00 PM	0
3/15/2025	4:45:00 PM	0
3/15/2025	5:00:00 PM	0
3/15/2025	5:15:00 PM	0
3/15/2025	5:30:00 PM	0
3/15/2025	5:45:00 PM	0
3/15/2025	6:00:00 PM	0
3/15/2025	6:15:00 PM	0
3/15/2025	6:30:00 PM	0
3/15/2025	6:45:00 PM	0
3/15/2025	7:00:00 PM	0
3/15/2025	7:15:00 PM	0
3/15/2025	7:30:00 PM	0
3/15/2025	7:45:00 PM	0
3/15/2025	8:00:00 PM	0
3/15/2025	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/15/2025	8:30:00 PM	0
3/15/2025	8:45:00 PM	0
3/15/2025	9:00:00 PM	0
3/15/2025	9:15:00 PM	0
3/15/2025	9:30:00 PM	0
3/15/2025	9:45:00 PM	0
3/15/2025	10:00:00 PM	0
3/15/2025	10:15:00 PM	0
3/15/2025	10:30:00 PM	0
3/15/2025	10:45:00 PM	0
3/15/2025	11:00:00 PM	0
3/15/2025	11:15:00 PM	0
3/15/2025	11:30:00 PM	0
3/15/2025	11:45:00 PM	0
3/16/2025	12:00:00 AM	0
3/16/2025	12:15:00 AM	0
3/16/2025	12:30:00 AM	0
3/16/2025	12:45:00 AM	0
3/16/2025	1:00:00 AM	0
3/16/2025	1:15:00 AM	0
3/16/2025	1:30:00 AM	0
3/16/2025	1:45:00 AM	0
3/16/2025	2:00:00 AM	0
3/16/2025	2:15:00 AM	0
3/16/2025	2:30:00 AM	0
3/16/2025	2:45:00 AM	0
3/16/2025	3:00:00 AM	0
3/16/2025	3:15:00 AM	0
3/16/2025	3:30:00 AM	0
3/16/2025	3:45:00 AM	0
3/16/2025	4:00:00 AM	0
3/16/2025	4:15:00 AM	0
3/16/2025	4:30:00 AM	0
3/16/2025	4:45:00 AM	0
3/16/2025	5:00:00 AM	0
3/16/2025	5:15:00 AM	0
3/16/2025	5:30:00 AM	0
3/16/2025	5:45:00 AM	0
3/16/2025	6:00:00 AM	0
3/16/2025	6:15:00 AM	0
3/16/2025	6:30:00 AM	0
3/16/2025	6:45:00 AM	0
3/16/2025	7:00:00 AM	0
3/16/2025	7:15:00 AM	0
3/16/2025	7:30:00 AM	0
3/16/2025	7:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/16/2025	8:00:00 AM	0
3/16/2025	8:15:00 AM	0
3/16/2025	8:30:00 AM	0
3/16/2025	8:45:00 AM	0
3/16/2025	9:00:00 AM	0
3/16/2025	9:15:00 AM	0
3/16/2025	9:30:00 AM	0
3/16/2025	9:45:00 AM	0
3/16/2025	10:00:00 AM	0
3/16/2025	10:15:00 AM	0
3/16/2025	10:30:00 AM	0
3/16/2025	10:45:00 AM	0
3/16/2025	11:00:00 AM	0
3/16/2025	11:15:00 AM	0
3/16/2025	11:30:00 AM	0
3/16/2025	11:45:00 AM	0
3/16/2025	12:00:00 PM	0
3/16/2025	12:15:00 PM	0
3/16/2025	12:30:00 PM	0
3/16/2025	12:45:00 PM	0
3/16/2025	1:00:00 PM	0
3/16/2025	1:15:00 PM	0
3/16/2025	1:30:00 PM	0
3/16/2025	1:45:00 PM	0
3/16/2025	2:00:00 PM	0
3/16/2025	2:15:00 PM	0
3/16/2025	2:30:00 PM	0
3/16/2025	2:45:00 PM	0
3/16/2025	3:00:00 PM	0
3/16/2025	3:15:00 PM	0
3/16/2025	3:30:00 PM	0
3/16/2025	3:45:00 PM	0
3/16/2025	4:00:00 PM	0
3/16/2025	4:15:00 PM	0
3/16/2025	4:30:00 PM	0
3/16/2025	4:45:00 PM	0
3/16/2025	5:00:00 PM	0
3/16/2025	5:15:00 PM	0
3/16/2025	5:30:00 PM	0
3/16/2025	5:45:00 PM	0
3/16/2025	6:00:00 PM	0
3/16/2025	6:15:00 PM	0
3/16/2025	6:30:00 PM	0
3/16/2025	6:45:00 PM	0
3/16/2025	7:00:00 PM	0
3/16/2025	7:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/16/2025	7:30:00 PM	0
3/16/2025	7:45:00 PM	0
3/16/2025	8:00:00 PM	0
3/16/2025	8:15:00 PM	0
3/16/2025	8:30:00 PM	0
3/16/2025	8:45:00 PM	0
3/16/2025	9:00:00 PM	0
3/16/2025	9:15:00 PM	0
3/16/2025	9:30:00 PM	0
3/16/2025	9:45:00 PM	0
3/16/2025	10:00:00 PM	0
3/16/2025	10:15:00 PM	0
3/16/2025	10:30:00 PM	0
3/16/2025	10:45:00 PM	0
3/16/2025	11:00:00 PM	0
3/16/2025	11:15:00 PM	0
3/16/2025	11:30:00 PM	0
3/16/2025	11:45:00 PM	0
3/17/2025	12:00:00 AM	0
3/17/2025	12:15:00 AM	0
3/17/2025	12:30:00 AM	0
3/17/2025	12:45:00 AM	0
3/17/2025	1:00:00 AM	0
3/17/2025	1:15:00 AM	0
3/17/2025	1:30:00 AM	0
3/17/2025	1:45:00 AM	0
3/17/2025	2:00:00 AM	0
3/17/2025	2:15:00 AM	0
3/17/2025	2:30:00 AM	0
3/17/2025	2:45:00 AM	0
3/17/2025	3:00:00 AM	0
3/17/2025	3:15:00 AM	0
3/17/2025	3:30:00 AM	0
3/17/2025	3:45:00 AM	0
3/17/2025	4:00:00 AM	0
3/17/2025	4:15:00 AM	0
3/17/2025	4:30:00 AM	0
3/17/2025	4:45:00 AM	0
3/17/2025	5:00:00 AM	0
3/17/2025	5:15:00 AM	0
3/17/2025	5:30:00 AM	0
3/17/2025	5:45:00 AM	0
3/17/2025	6:00:00 AM	0
3/17/2025	6:15:00 AM	0
3/17/2025	6:30:00 AM	0
3/17/2025	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/17/2025	7:00:00 AM	0
3/17/2025	7:15:00 AM	0
3/17/2025	7:30:00 AM	0
3/17/2025	7:45:00 AM	0
3/17/2025	8:00:00 AM	0
3/17/2025	8:15:00 AM	0
3/17/2025	8:30:00 AM	0
3/17/2025	8:45:00 AM	0
3/17/2025	9:00:00 AM	0
3/17/2025	9:15:00 AM	0
3/17/2025	9:30:00 AM	0
3/17/2025	9:45:00 AM	0
3/17/2025	10:00:00 AM	0
3/17/2025	10:15:00 AM	0
3/17/2025	10:30:00 AM	0
3/17/2025	10:45:00 AM	0
3/17/2025	11:00:00 AM	0
3/17/2025	11:15:00 AM	0
3/17/2025	11:30:00 AM	0
3/17/2025	11:45:00 AM	0
3/17/2025	12:00:00 PM	0
3/17/2025	12:15:00 PM	0
3/17/2025	12:30:00 PM	0
3/17/2025	12:45:00 PM	0
3/17/2025	1:00:00 PM	0
3/17/2025	1:15:00 PM	0
3/17/2025	1:30:00 PM	0
3/17/2025	1:45:00 PM	0
3/17/2025	2:00:00 PM	0
3/17/2025	2:15:00 PM	0
3/17/2025	2:30:00 PM	0
3/17/2025	2:45:00 PM	0
3/17/2025	3:00:00 PM	0
3/17/2025	3:15:00 PM	0
3/17/2025	3:30:00 PM	0
3/17/2025	3:45:00 PM	0
3/17/2025	4:00:00 PM	0
3/17/2025	4:15:00 PM	0
3/17/2025	4:30:00 PM	0
3/17/2025	4:45:00 PM	0
3/17/2025	5:00:00 PM	0
3/17/2025	5:15:00 PM	0
3/17/2025	5:30:00 PM	0
3/17/2025	5:45:00 PM	0
3/17/2025	6:00:00 PM	0
3/17/2025	6:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/17/2025	6:30:00 PM	0
3/17/2025	6:45:00 PM	0
3/17/2025	7:00:00 PM	0
3/17/2025	7:15:00 PM	0
3/17/2025	7:30:00 PM	0
3/17/2025	7:45:00 PM	0
3/17/2025	8:00:00 PM	0
3/17/2025	8:15:00 PM	0
3/17/2025	8:30:00 PM	0
3/17/2025	8:45:00 PM	0
3/17/2025	9:00:00 PM	0
3/17/2025	9:15:00 PM	0
3/17/2025	9:30:00 PM	0
3/17/2025	9:45:00 PM	0
3/17/2025	10:00:00 PM	0
3/17/2025	10:15:00 PM	0
3/17/2025	10:30:00 PM	0
3/17/2025	10:45:00 PM	0
3/17/2025	11:00:00 PM	0
3/17/2025	11:15:00 PM	0
3/17/2025	11:30:00 PM	0
3/17/2025	11:45:00 PM	0
3/18/2025	12:00:00 AM	0
3/18/2025	12:15:00 AM	0
3/18/2025	12:30:00 AM	0
3/18/2025	12:45:00 AM	0
3/18/2025	1:00:00 AM	0
3/18/2025	1:15:00 AM	0
3/18/2025	1:30:00 AM	0
3/18/2025	1:45:00 AM	0
3/18/2025	2:00:00 AM	0
3/18/2025	2:15:00 AM	0
3/18/2025	2:30:00 AM	0
3/18/2025	2:45:00 AM	0
3/18/2025	3:00:00 AM	0
3/18/2025	3:15:00 AM	0
3/18/2025	3:30:00 AM	0
3/18/2025	3:45:00 AM	0
3/18/2025	4:00:00 AM	0
3/18/2025	4:15:00 AM	0
3/18/2025	4:30:00 AM	0
3/18/2025	4:45:00 AM	0
3/18/2025	5:00:00 AM	0
3/18/2025	5:15:00 AM	0
3/18/2025	5:30:00 AM	0
3/18/2025	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/18/2025	6:00:00 AM	0
3/18/2025	6:15:00 AM	0
3/18/2025	6:30:00 AM	0
3/18/2025	6:45:00 AM	0
3/18/2025	7:00:00 AM	0
3/18/2025	7:15:00 AM	0
3/18/2025	7:30:00 AM	0
3/18/2025	7:45:00 AM	0
3/18/2025	8:00:00 AM	0
3/18/2025	8:15:00 AM	0
3/18/2025	8:30:00 AM	0
3/18/2025	8:45:00 AM	0
3/18/2025	9:00:00 AM	0
3/18/2025	9:15:00 AM	0
3/18/2025	9:30:00 AM	0
3/18/2025	9:45:00 AM	0
3/18/2025	10:00:00 AM	0
3/18/2025	10:15:00 AM	0
3/18/2025	10:30:00 AM	0
3/18/2025	10:45:00 AM	0
3/18/2025	11:00:00 AM	0
3/18/2025	11:15:00 AM	0
3/18/2025	11:30:00 AM	0
3/18/2025	11:45:00 AM	0
3/18/2025	12:00:00 PM	0
3/18/2025	12:15:00 PM	0
3/18/2025	12:30:00 PM	0
3/18/2025	12:45:00 PM	0
3/18/2025	1:00:00 PM	0
3/18/2025	1:15:00 PM	0
3/18/2025	1:30:00 PM	0
3/18/2025	1:45:00 PM	0
3/18/2025	2:00:00 PM	0
3/18/2025	2:15:00 PM	0
3/18/2025	2:30:00 PM	0
3/18/2025	2:45:00 PM	0
3/18/2025	3:00:00 PM	0
3/18/2025	3:15:00 PM	0
3/18/2025	3:30:00 PM	0
3/18/2025	3:45:00 PM	0
3/18/2025	4:00:00 PM	0
3/18/2025	4:15:00 PM	0
3/18/2025	4:30:00 PM	0
3/18/2025	4:45:00 PM	0
3/18/2025	5:00:00 PM	0
3/18/2025	5:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/18/2025	5:30:00 PM	0
3/18/2025	5:45:00 PM	0
3/18/2025	6:00:00 PM	0
3/18/2025	6:15:00 PM	0
3/18/2025	6:30:00 PM	0
3/18/2025	6:45:00 PM	0
3/18/2025	7:00:00 PM	0
3/18/2025	7:15:00 PM	0
3/18/2025	7:30:00 PM	0
3/18/2025	7:45:00 PM	0
3/18/2025	8:00:00 PM	0
3/18/2025	8:15:00 PM	0
3/18/2025	8:30:00 PM	0
3/18/2025	8:45:00 PM	0
3/18/2025	9:00:00 PM	0
3/18/2025	9:15:00 PM	0
3/18/2025	9:30:00 PM	0
3/18/2025	9:45:00 PM	0
3/18/2025	10:00:00 PM	0
3/18/2025	10:15:00 PM	0
3/18/2025	10:30:00 PM	0
3/18/2025	10:45:00 PM	0
3/18/2025	11:00:00 PM	0
3/18/2025	11:15:00 PM	0
3/18/2025	11:30:00 PM	0
3/18/2025	11:45:00 PM	0
3/19/2025	12:00:00 AM	0
3/19/2025	12:15:00 AM	0
3/19/2025	12:30:00 AM	0
3/19/2025	12:45:00 AM	0
3/19/2025	1:00:00 AM	0
3/19/2025	1:15:00 AM	0
3/19/2025	1:30:00 AM	0
3/19/2025	1:45:00 AM	0
3/19/2025	2:00:00 AM	0
3/19/2025	2:15:00 AM	0
3/19/2025	2:30:00 AM	0
3/19/2025	2:45:00 AM	0
3/19/2025	3:00:00 AM	0
3/19/2025	3:15:00 AM	0
3/19/2025	3:30:00 AM	0
3/19/2025	3:45:00 AM	0
3/19/2025	4:00:00 AM	0
3/19/2025	4:15:00 AM	0
3/19/2025	4:30:00 AM	0
3/19/2025	4:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/19/2025	5:00:00 AM	0
3/19/2025	5:15:00 AM	0
3/19/2025	5:30:00 AM	0
3/19/2025	5:45:00 AM	0
3/19/2025	6:00:00 AM	0
3/19/2025	6:15:00 AM	0
3/19/2025	6:30:00 AM	0
3/19/2025	6:45:00 AM	0
3/19/2025	7:00:00 AM	0
3/19/2025	7:15:00 AM	0
3/19/2025	7:30:00 AM	0
3/19/2025	7:45:00 AM	0
3/19/2025	8:00:00 AM	0
3/19/2025	8:15:00 AM	0
3/19/2025	8:30:00 AM	0
3/19/2025	8:45:00 AM	0
3/19/2025	9:00:00 AM	0
3/19/2025	9:15:00 AM	0
3/19/2025	9:30:00 AM	0
3/19/2025	9:45:00 AM	0
3/19/2025	10:00:00 AM	0
3/19/2025	10:15:00 AM	0
3/19/2025	10:30:00 AM	0
3/19/2025	10:45:00 AM	0
3/19/2025	11:00:00 AM	0
3/19/2025	11:15:00 AM	0
3/19/2025	11:30:00 AM	0
3/19/2025	11:45:00 AM	0
3/19/2025	12:00:00 PM	0
3/19/2025	12:15:00 PM	0
3/19/2025	12:30:00 PM	0
3/19/2025	12:45:00 PM	0
3/19/2025	1:00:00 PM	0
3/19/2025	1:15:00 PM	0
3/19/2025	1:30:00 PM	0
3/19/2025	1:45:00 PM	0
3/19/2025	2:00:00 PM	0
3/19/2025	2:15:00 PM	0
3/19/2025	2:30:00 PM	0
3/19/2025	2:45:00 PM	0
3/19/2025	3:00:00 PM	0
3/19/2025	3:15:00 PM	0
3/19/2025	3:30:00 PM	0
3/19/2025	3:45:00 PM	0
3/19/2025	4:00:00 PM	0
3/19/2025	4:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/19/2025	4:30:00 PM	0
3/19/2025	4:45:00 PM	0
3/19/2025	5:00:00 PM	0
3/19/2025	5:15:00 PM	0
3/19/2025	5:30:00 PM	0
3/19/2025	5:45:00 PM	0
3/19/2025	6:00:00 PM	0
3/19/2025	6:15:00 PM	0
3/19/2025	6:30:00 PM	0
3/19/2025	6:45:00 PM	0
3/19/2025	7:00:00 PM	0
3/19/2025	7:15:00 PM	0
3/19/2025	7:30:00 PM	0
3/19/2025	7:45:00 PM	0
3/19/2025	8:00:00 PM	0
3/19/2025	8:15:00 PM	0
3/19/2025	8:30:00 PM	0
3/19/2025	8:45:00 PM	0
3/19/2025	9:00:00 PM	0
3/19/2025	9:15:00 PM	0
3/19/2025	9:30:00 PM	0
3/19/2025	9:45:00 PM	0
3/19/2025	10:00:00 PM	0
3/19/2025	10:15:00 PM	0
3/19/2025	10:30:00 PM	0
3/19/2025	10:45:00 PM	0
3/19/2025	11:00:00 PM	0
3/19/2025	11:15:00 PM	0
3/19/2025	11:30:00 PM	0
3/19/2025	11:45:00 PM	0
3/20/2025	12:00:00 AM	0
3/20/2025	12:15:00 AM	0
3/20/2025	12:30:00 AM	0
3/20/2025	12:45:00 AM	0
3/20/2025	1:00:00 AM	0
3/20/2025	1:15:00 AM	0
3/20/2025	1:30:00 AM	0
3/20/2025	1:45:00 AM	0
3/20/2025	2:00:00 AM	0
3/20/2025	2:15:00 AM	0
3/20/2025	2:30:00 AM	0
3/20/2025	2:45:00 AM	0
3/20/2025	3:00:00 AM	0
3/20/2025	3:15:00 AM	0
3/20/2025	3:30:00 AM	0
3/20/2025	3:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/20/2025	4:00:00 AM	0
3/20/2025	4:15:00 AM	0
3/20/2025	4:30:00 AM	0
3/20/2025	4:45:00 AM	0
3/20/2025	5:00:00 AM	0
3/20/2025	5:15:00 AM	0
3/20/2025	5:30:00 AM	0
3/20/2025	5:45:00 AM	0
3/20/2025	6:00:00 AM	0
3/20/2025	6:15:00 AM	0
3/20/2025	6:30:00 AM	0
3/20/2025	6:45:00 AM	0
3/20/2025	7:00:00 AM	0
3/20/2025	7:15:00 AM	0
3/20/2025	7:30:00 AM	0
3/20/2025	7:45:00 AM	0
3/20/2025	8:00:00 AM	0
3/20/2025	8:15:00 AM	0
3/20/2025	8:30:00 AM	0
3/20/2025	8:45:00 AM	0
3/20/2025	9:00:00 AM	0
3/20/2025	9:15:00 AM	0
3/20/2025	9:30:00 AM	0
3/20/2025	9:45:00 AM	0
3/20/2025	10:00:00 AM	0
3/20/2025	10:15:00 AM	0
3/20/2025	10:30:00 AM	0
3/20/2025	10:45:00 AM	0
3/20/2025	11:00:00 AM	0
3/20/2025	11:15:00 AM	0
3/20/2025	11:30:00 AM	0
3/20/2025	11:45:00 AM	0
3/20/2025	12:00:00 PM	0
3/20/2025	12:15:00 PM	0
3/20/2025	12:30:00 PM	0
3/20/2025	12:45:00 PM	0
3/20/2025	1:00:00 PM	0
3/20/2025	1:15:00 PM	0
3/20/2025	1:30:00 PM	0
3/20/2025	1:45:00 PM	0
3/20/2025	2:00:00 PM	0
3/20/2025	2:15:00 PM	0
3/20/2025	2:30:00 PM	0
3/20/2025	2:45:00 PM	0
3/20/2025	3:00:00 PM	0
3/20/2025	3:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/20/2025	3:30:00 PM	0
3/20/2025	3:45:00 PM	0
3/20/2025	4:00:00 PM	0
3/20/2025	4:15:00 PM	0
3/20/2025	4:30:00 PM	0
3/20/2025	4:45:00 PM	0
3/20/2025	5:00:00 PM	0
3/20/2025	5:15:00 PM	0
3/20/2025	5:30:00 PM	0
3/20/2025	5:45:00 PM	0
3/20/2025	6:00:00 PM	0
3/20/2025	6:15:00 PM	0
3/20/2025	6:30:00 PM	0
3/20/2025	6:45:00 PM	0
3/20/2025	7:00:00 PM	0
3/20/2025	7:15:00 PM	0
3/20/2025	7:30:00 PM	0
3/20/2025	7:45:00 PM	0
3/20/2025	8:00:00 PM	0
3/20/2025	8:15:00 PM	0
3/20/2025	8:30:00 PM	0
3/20/2025	8:45:00 PM	0
3/20/2025	9:00:00 PM	0
3/20/2025	9:15:00 PM	0
3/20/2025	9:30:00 PM	0
3/20/2025	9:45:00 PM	0
3/20/2025	10:00:00 PM	0
3/20/2025	10:15:00 PM	0
3/20/2025	10:30:00 PM	0
3/20/2025	10:45:00 PM	0
3/20/2025	11:00:00 PM	0
3/20/2025	11:15:00 PM	0
3/20/2025	11:30:00 PM	0
3/20/2025	11:45:00 PM	0
3/21/2025	12:00:00 AM	0
3/21/2025	12:15:00 AM	0
3/21/2025	12:30:00 AM	0
3/21/2025	12:45:00 AM	0
3/21/2025	1:00:00 AM	0
3/21/2025	1:15:00 AM	0
3/21/2025	1:30:00 AM	0
3/21/2025	1:45:00 AM	0
3/21/2025	2:00:00 AM	0
3/21/2025	2:15:00 AM	0
3/21/2025	2:30:00 AM	0
3/21/2025	2:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/21/2025	3:00:00 AM	0
3/21/2025	3:15:00 AM	0
3/21/2025	3:30:00 AM	0
3/21/2025	3:45:00 AM	0
3/21/2025	4:00:00 AM	0
3/21/2025	4:15:00 AM	0
3/21/2025	4:30:00 AM	0
3/21/2025	4:45:00 AM	0
3/21/2025	5:00:00 AM	0
3/21/2025	5:15:00 AM	0
3/21/2025	5:30:00 AM	0
3/21/2025	5:45:00 AM	0
3/21/2025	6:00:00 AM	0
3/21/2025	6:15:00 AM	0
3/21/2025	6:30:00 AM	0
3/21/2025	6:45:00 AM	0
3/21/2025	7:00:00 AM	0
3/21/2025	7:15:00 AM	0
3/21/2025	7:30:00 AM	0
3/21/2025	7:45:00 AM	0
3/21/2025	8:00:00 AM	0
3/21/2025	8:15:00 AM	0
3/21/2025	8:30:00 AM	0
3/21/2025	8:45:00 AM	0
3/21/2025	9:00:00 AM	0
3/21/2025	9:15:00 AM	0
3/21/2025	9:30:00 AM	0
3/21/2025	9:45:00 AM	0
3/21/2025	10:00:00 AM	0
3/21/2025	10:15:00 AM	0
3/21/2025	10:30:00 AM	0
3/21/2025	10:45:00 AM	0
3/21/2025	11:00:00 AM	0
3/21/2025	11:15:00 AM	0
3/21/2025	11:30:00 AM	0
3/21/2025	11:45:00 AM	0
3/21/2025	12:00:00 PM	0
3/21/2025	12:15:00 PM	0
3/21/2025	12:30:00 PM	0
3/21/2025	12:45:00 PM	0
3/21/2025	1:00:00 PM	0
3/21/2025	1:15:00 PM	0
3/21/2025	1:30:00 PM	0
3/21/2025	1:45:00 PM	0
3/21/2025	2:00:00 PM	0
3/21/2025	2:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/21/2025	2:30:00 PM	0
3/21/2025	2:45:00 PM	0
3/21/2025	3:00:00 PM	0
3/21/2025	3:15:00 PM	0
3/21/2025	3:30:00 PM	0
3/21/2025	3:45:00 PM	0
3/21/2025	4:00:00 PM	0
3/21/2025	4:15:00 PM	0
3/21/2025	4:30:00 PM	0
3/21/2025	4:45:00 PM	0
3/21/2025	5:00:00 PM	0
3/21/2025	5:15:00 PM	0
3/21/2025	5:30:00 PM	0
3/21/2025	5:45:00 PM	0
3/21/2025	6:00:00 PM	0
3/21/2025	6:15:00 PM	0
3/21/2025	6:30:00 PM	0
3/21/2025	6:45:00 PM	0
3/21/2025	7:00:00 PM	0
3/21/2025	7:15:00 PM	0
3/21/2025	7:30:00 PM	0
3/21/2025	7:45:00 PM	0
3/21/2025	8:00:00 PM	0
3/21/2025	8:15:00 PM	0
3/21/2025	8:30:00 PM	0
3/21/2025	8:45:00 PM	0
3/21/2025	9:00:00 PM	0
3/21/2025	9:15:00 PM	0
3/21/2025	9:30:00 PM	0
3/21/2025	9:45:00 PM	0
3/21/2025	10:00:00 PM	0
3/21/2025	10:15:00 PM	0
3/21/2025	10:30:00 PM	0
3/21/2025	10:45:00 PM	0
3/21/2025	11:00:00 PM	0
3/21/2025	11:15:00 PM	0
3/21/2025	11:30:00 PM	0
3/21/2025	11:45:00 PM	0
3/22/2025	12:00:00 AM	0
3/22/2025	12:15:00 AM	0
3/22/2025	12:30:00 AM	0
3/22/2025	12:45:00 AM	0
3/22/2025	1:00:00 AM	0
3/22/2025	1:15:00 AM	0
3/22/2025	1:30:00 AM	0
3/22/2025	1:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/22/2025	2:00:00 AM	0
3/22/2025	2:15:00 AM	0
3/22/2025	2:30:00 AM	0
3/22/2025	2:45:00 AM	0
3/22/2025	3:00:00 AM	0
3/22/2025	3:15:00 AM	0
3/22/2025	3:30:00 AM	0
3/22/2025	3:45:00 AM	0
3/22/2025	4:00:00 AM	0
3/22/2025	4:15:00 AM	0
3/22/2025	4:30:00 AM	0
3/22/2025	4:45:00 AM	0
3/22/2025	5:00:00 AM	0
3/22/2025	5:15:00 AM	0
3/22/2025	5:30:00 AM	0
3/22/2025	5:45:00 AM	0
3/22/2025	6:00:00 AM	0
3/22/2025	6:15:00 AM	0
3/22/2025	6:30:00 AM	0
3/22/2025	6:45:00 AM	0
3/22/2025	7:00:00 AM	0
3/22/2025	7:15:00 AM	0
3/22/2025	7:30:00 AM	0
3/22/2025	7:45:00 AM	0
3/22/2025	8:00:00 AM	0
3/22/2025	8:15:00 AM	0
3/22/2025	8:30:00 AM	0
3/22/2025	8:45:00 AM	0
3/22/2025	9:00:00 AM	0
3/22/2025	9:15:00 AM	0
3/22/2025	9:30:00 AM	0
3/22/2025	9:45:00 AM	0
3/22/2025	10:00:00 AM	0
3/22/2025	10:15:00 AM	0
3/22/2025	10:30:00 AM	0
3/22/2025	10:45:00 AM	0
3/22/2025	11:00:00 AM	0
3/22/2025	11:15:00 AM	0
3/22/2025	11:30:00 AM	0
3/22/2025	11:45:00 AM	0
3/22/2025	12:00:00 PM	0
3/22/2025	12:15:00 PM	0
3/22/2025	12:30:00 PM	0
3/22/2025	12:45:00 PM	0
3/22/2025	1:00:00 PM	0
3/22/2025	1:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/22/2025	1:30:00 PM	0
3/22/2025	1:45:00 PM	0
3/22/2025	2:00:00 PM	0
3/22/2025	2:15:00 PM	0
3/22/2025	2:30:00 PM	0
3/22/2025	2:45:00 PM	0
3/22/2025	3:00:00 PM	0
3/22/2025	3:15:00 PM	0
3/22/2025	3:30:00 PM	0
3/22/2025	3:45:00 PM	0
3/22/2025	4:00:00 PM	0
3/22/2025	4:15:00 PM	0
3/22/2025	4:30:00 PM	0
3/22/2025	4:45:00 PM	0
3/22/2025	5:00:00 PM	0
3/22/2025	5:15:00 PM	0
3/22/2025	5:30:00 PM	0
3/22/2025	5:45:00 PM	0
3/22/2025	6:00:00 PM	0
3/22/2025	6:15:00 PM	0
3/22/2025	6:30:00 PM	0
3/22/2025	6:45:00 PM	0
3/22/2025	7:00:00 PM	0
3/22/2025	7:15:00 PM	0
3/22/2025	7:30:00 PM	0
3/22/2025	7:45:00 PM	0
3/22/2025	8:00:00 PM	0
3/22/2025	8:15:00 PM	0
3/22/2025	8:30:00 PM	0
3/22/2025	8:45:00 PM	0
3/22/2025	9:00:00 PM	0
3/22/2025	9:15:00 PM	0
3/22/2025	9:30:00 PM	0
3/22/2025	9:45:00 PM	0
3/22/2025	10:00:00 PM	0
3/22/2025	10:15:00 PM	0
3/22/2025	10:30:00 PM	0
3/22/2025	10:45:00 PM	0
3/22/2025	11:00:00 PM	0
3/22/2025	11:15:00 PM	0
3/22/2025	11:30:00 PM	0
3/22/2025	11:45:00 PM	0
3/23/2025	12:00:00 AM	0
3/23/2025	12:15:00 AM	0
3/23/2025	12:30:00 AM	0
3/23/2025	12:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/23/2025	1:00:00 AM	0
3/23/2025	1:15:00 AM	0
3/23/2025	1:30:00 AM	0
3/23/2025	1:45:00 AM	0
3/23/2025	2:00:00 AM	0
3/23/2025	2:15:00 AM	0
3/23/2025	2:30:00 AM	0
3/23/2025	2:45:00 AM	0
3/23/2025	3:00:00 AM	0
3/23/2025	3:15:00 AM	0
3/23/2025	3:30:00 AM	0
3/23/2025	3:45:00 AM	0
3/23/2025	4:00:00 AM	0
3/23/2025	4:15:00 AM	0
3/23/2025	4:30:00 AM	0
3/23/2025	4:45:00 AM	0
3/23/2025	5:00:00 AM	0
3/23/2025	5:15:00 AM	0
3/23/2025	5:30:00 AM	0
3/23/2025	5:45:00 AM	0
3/23/2025	6:00:00 AM	0
3/23/2025	6:15:00 AM	0
3/23/2025	6:30:00 AM	0
3/23/2025	6:45:00 AM	0
3/23/2025	7:00:00 AM	0
3/23/2025	7:15:00 AM	0
3/23/2025	7:30:00 AM	0
3/23/2025	7:45:00 AM	0
3/23/2025	8:00:00 AM	0
3/23/2025	8:15:00 AM	0
3/23/2025	8:30:00 AM	0
3/23/2025	8:45:00 AM	0
3/23/2025	9:00:00 AM	0
3/23/2025	9:15:00 AM	0
3/23/2025	9:30:00 AM	0
3/23/2025	9:45:00 AM	0
3/23/2025	10:00:00 AM	0
3/23/2025	10:15:00 AM	0
3/23/2025	10:30:00 AM	0
3/23/2025	10:45:00 AM	0
3/23/2025	11:00:00 AM	0
3/23/2025	11:15:00 AM	0
3/23/2025	11:30:00 AM	0
3/23/2025	11:45:00 AM	0
3/23/2025	12:00:00 PM	0
3/23/2025	12:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/23/2025	12:30:00 PM	0
3/23/2025	12:45:00 PM	0
3/23/2025	1:00:00 PM	0
3/23/2025	1:15:00 PM	0
3/23/2025	1:30:00 PM	0
3/23/2025	1:45:00 PM	0
3/23/2025	2:00:00 PM	0
3/23/2025	2:15:00 PM	0
3/23/2025	2:30:00 PM	0
3/23/2025	2:45:00 PM	0
3/23/2025	3:00:00 PM	0
3/23/2025	3:15:00 PM	0
3/23/2025	3:30:00 PM	0
3/23/2025	3:45:00 PM	0
3/23/2025	4:00:00 PM	0
3/23/2025	4:15:00 PM	0
3/23/2025	4:30:00 PM	0
3/23/2025	4:45:00 PM	0
3/23/2025	5:00:00 PM	0
3/23/2025	5:15:00 PM	0
3/23/2025	5:30:00 PM	0
3/23/2025	5:45:00 PM	0
3/23/2025	6:00:00 PM	0
3/23/2025	6:15:00 PM	0
3/23/2025	6:30:00 PM	0
3/23/2025	6:45:00 PM	0
3/23/2025	7:00:00 PM	0
3/23/2025	7:15:00 PM	0
3/23/2025	7:30:00 PM	0
3/23/2025	7:45:00 PM	0
3/23/2025	8:00:00 PM	0
3/23/2025	8:15:00 PM	0
3/23/2025	8:30:00 PM	0
3/23/2025	8:45:00 PM	0
3/23/2025	9:00:00 PM	0
3/23/2025	9:15:00 PM	0
3/23/2025	9:30:00 PM	0
3/23/2025	9:45:00 PM	0
3/23/2025	10:00:00 PM	0
3/23/2025	10:15:00 PM	0
3/23/2025	10:30:00 PM	0
3/23/2025	10:45:00 PM	0
3/23/2025	11:00:00 PM	0
3/23/2025	11:15:00 PM	0
3/23/2025	11:30:00 PM	0
3/23/2025	11:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	12:00:00 AM	0
3/24/2025	12:15:00 AM	0
3/24/2025	12:30:00 AM	0
3/24/2025	12:45:00 AM	0
3/24/2025	1:00:00 AM	0
3/24/2025	1:15:00 AM	0
3/24/2025	1:30:00 AM	0
3/24/2025	1:45:00 AM	0
3/24/2025	2:00:00 AM	0
3/24/2025	2:15:00 AM	0
3/24/2025	2:30:00 AM	0
3/24/2025	2:45:00 AM	0
3/24/2025	3:00:00 AM	0
3/24/2025	3:15:00 AM	0
3/24/2025	3:30:00 AM	0
3/24/2025	3:45:00 AM	0
3/24/2025	4:00:00 AM	0
3/24/2025	4:15:00 AM	0
3/24/2025	4:30:00 AM	0
3/24/2025	4:45:00 AM	0
3/24/2025	5:00:00 AM	0
3/24/2025	5:15:00 AM	0
3/24/2025	5:30:00 AM	0
3/24/2025	5:45:00 AM	0
3/24/2025	6:00:00 AM	0
3/24/2025	6:15:00 AM	0
3/24/2025	6:30:00 AM	0
3/24/2025	6:45:00 AM	0
3/24/2025	7:00:00 AM	0
3/24/2025	7:15:00 AM	0
3/24/2025	7:30:00 AM	0
3/24/2025	7:45:00 AM	0
3/24/2025	8:00:00 AM	0
3/24/2025	8:15:00 AM	0
3/24/2025	8:30:00 AM	0
3/24/2025	8:45:00 AM	0
3/24/2025	9:00:00 AM	0
3/24/2025	9:15:00 AM	0
3/24/2025	9:30:00 AM	0
3/24/2025	9:45:00 AM	0
3/24/2025	10:00:00 AM	0
3/24/2025	10:15:00 AM	0
3/24/2025	10:30:00 AM	0
3/24/2025	10:45:00 AM	0
3/24/2025	11:00:00 AM	0
3/24/2025	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	11:30:00 AM	0
3/24/2025	11:45:00 AM	0
3/24/2025	12:00:00 PM	0
3/24/2025	12:15:00 PM	0
3/24/2025	12:30:00 PM	0
3/24/2025	12:45:00 PM	0
3/24/2025	1:00:00 PM	0
3/24/2025	1:15:00 PM	0
3/24/2025	1:30:00 PM	0
3/24/2025	1:45:00 PM	0
3/24/2025	2:00:00 PM	0
3/24/2025	2:15:00 PM	0
3/24/2025	2:30:00 PM	0
3/24/2025	2:45:00 PM	0
3/24/2025	3:00:00 PM	0
3/24/2025	3:15:00 PM	0
3/24/2025	3:30:00 PM	0
3/24/2025	3:45:00 PM	0
3/24/2025	4:00:00 PM	0
3/24/2025	4:15:00 PM	0
3/24/2025	4:30:00 PM	0
3/24/2025	4:45:00 PM	0
3/24/2025	5:00:00 PM	0
3/24/2025	5:15:00 PM	0
3/24/2025	5:30:00 PM	0
3/24/2025	5:45:00 PM	0
3/24/2025	6:00:00 PM	0
3/24/2025	6:15:00 PM	0
3/24/2025	6:30:00 PM	0
3/24/2025	6:45:00 PM	0
3/24/2025	7:00:00 PM	0
3/24/2025	7:15:00 PM	0
3/24/2025	7:30:00 PM	0
3/24/2025	7:45:00 PM	0
3/24/2025	8:00:00 PM	0
3/24/2025	8:15:00 PM	0
3/24/2025	8:30:00 PM	0
3/24/2025	8:45:00 PM	0
3/24/2025	9:00:00 PM	0
3/24/2025	9:15:00 PM	0
3/24/2025	9:30:00 PM	0
3/24/2025	9:45:00 PM	0
3/24/2025	10:00:00 PM	0
3/24/2025	10:15:00 PM	0
3/24/2025	10:30:00 PM	0
3/24/2025	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	11:00:00 PM	0
3/24/2025	11:15:00 PM	0
3/24/2025	11:30:00 PM	0
3/24/2025	11:45:00 PM	0
3/25/2025	12:00:00 AM	0
3/25/2025	12:15:00 AM	0
3/25/2025	12:30:00 AM	0
3/25/2025	12:45:00 AM	0
3/25/2025	1:00:00 AM	0
3/25/2025	1:15:00 AM	0
3/25/2025	1:30:00 AM	0
3/25/2025	1:45:00 AM	0
3/25/2025	2:00:00 AM	0
3/25/2025	2:15:00 AM	0
3/25/2025	2:30:00 AM	0
3/25/2025	2:45:00 AM	0
3/25/2025	3:00:00 AM	0
3/25/2025	3:15:00 AM	0
3/25/2025	3:30:00 AM	0
3/25/2025	3:45:00 AM	0
3/25/2025	4:00:00 AM	0
3/25/2025	4:15:00 AM	0
3/25/2025	4:30:00 AM	0
3/25/2025	4:45:00 AM	0
3/25/2025	5:00:00 AM	0
3/25/2025	5:15:00 AM	0
3/25/2025	5:30:00 AM	0
3/25/2025	5:45:00 AM	0
3/25/2025	6:00:00 AM	0
3/25/2025	6:15:00 AM	0
3/25/2025	6:30:00 AM	0
3/25/2025	6:45:00 AM	0
3/25/2025	7:00:00 AM	0
3/25/2025	7:15:00 AM	0
3/25/2025	7:30:00 AM	0
3/25/2025	7:45:00 AM	0
3/25/2025	8:00:00 AM	0
3/25/2025	8:15:00 AM	0
3/25/2025	8:30:00 AM	0
3/25/2025	8:45:00 AM	0
3/25/2025	9:00:00 AM	0
3/25/2025	9:15:00 AM	0
3/25/2025	9:30:00 AM	0
3/25/2025	9:45:00 AM	0
3/25/2025	10:00:00 AM	0
3/25/2025	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/25/2025	10:30:00 AM	0
3/25/2025	10:45:00 AM	0
3/25/2025	11:00:00 AM	0
3/25/2025	11:15:00 AM	0
3/25/2025	11:30:00 AM	0
3/25/2025	11:45:00 AM	0
3/25/2025	12:00:00 PM	0
3/25/2025	12:15:00 PM	0
3/25/2025	12:30:00 PM	0
3/25/2025	12:45:00 PM	0
3/25/2025	1:00:00 PM	0
3/25/2025	1:15:00 PM	0
3/25/2025	1:30:00 PM	0
3/25/2025	1:45:00 PM	0
3/25/2025	2:00:00 PM	0
3/25/2025	2:15:00 PM	0
3/25/2025	2:30:00 PM	0
3/25/2025	2:45:00 PM	0
3/25/2025	3:00:00 PM	0
3/25/2025	3:15:00 PM	0
3/25/2025	3:30:00 PM	0
3/25/2025	3:45:00 PM	0
3/25/2025	4:00:00 PM	0
3/25/2025	4:15:00 PM	0
3/25/2025	4:30:00 PM	0
3/25/2025	4:45:00 PM	0
3/25/2025	5:00:00 PM	0
3/25/2025	5:15:00 PM	0
3/25/2025	5:30:00 PM	0
3/25/2025	5:45:00 PM	0
3/25/2025	6:00:00 PM	0
3/25/2025	6:15:00 PM	0
3/25/2025	6:30:00 PM	0
3/25/2025	6:45:00 PM	0
3/25/2025	7:00:00 PM	0
3/25/2025	7:15:00 PM	0
3/25/2025	7:30:00 PM	0
3/25/2025	7:45:00 PM	0
3/25/2025	8:00:00 PM	0
3/25/2025	8:15:00 PM	0
3/25/2025	8:30:00 PM	0
3/25/2025	8:45:00 PM	0
3/25/2025	9:00:00 PM	0
3/25/2025	9:15:00 PM	0
3/25/2025	9:30:00 PM	0
3/25/2025	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/25/2025	10:00:00 PM	0
3/25/2025	10:15:00 PM	0
3/25/2025	10:30:00 PM	0
3/25/2025	10:45:00 PM	0
3/25/2025	11:00:00 PM	0
3/25/2025	11:15:00 PM	0
3/25/2025	11:30:00 PM	0
3/25/2025	11:45:00 PM	0
3/26/2025	12:00:00 AM	0
3/26/2025	12:15:00 AM	0
3/26/2025	12:30:00 AM	0
3/26/2025	12:45:00 AM	0
3/26/2025	1:00:00 AM	0
3/26/2025	1:15:00 AM	0
3/26/2025	1:30:00 AM	0
3/26/2025	1:45:00 AM	0
3/26/2025	2:00:00 AM	0
3/26/2025	2:15:00 AM	0
3/26/2025	2:30:00 AM	0
3/26/2025	2:45:00 AM	0
3/26/2025	3:00:00 AM	0
3/26/2025	3:15:00 AM	0
3/26/2025	3:30:00 AM	0
3/26/2025	3:45:00 AM	0
3/26/2025	4:00:00 AM	0
3/26/2025	4:15:00 AM	0
3/26/2025	4:30:00 AM	0
3/26/2025	4:45:00 AM	0
3/26/2025	5:00:00 AM	0
3/26/2025	5:15:00 AM	0
3/26/2025	5:30:00 AM	0
3/26/2025	5:45:00 AM	0
3/26/2025	6:00:00 AM	0
3/26/2025	6:15:00 AM	0
3/26/2025	6:30:00 AM	0
3/26/2025	6:45:00 AM	0
3/26/2025	7:00:00 AM	0
3/26/2025	7:15:00 AM	0
3/26/2025	7:30:00 AM	0
3/26/2025	7:45:00 AM	0
3/26/2025	8:00:00 AM	0
3/26/2025	8:15:00 AM	0
3/26/2025	8:30:00 AM	0
3/26/2025	8:45:00 AM	0
3/26/2025	9:00:00 AM	0
3/26/2025	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/26/2025	9:30:00 AM	0
3/26/2025	9:45:00 AM	0
3/26/2025	10:00:00 AM	0
3/26/2025	10:15:00 AM	0
3/26/2025	10:30:00 AM	0
3/26/2025	10:45:00 AM	0
3/26/2025	11:00:00 AM	0
3/26/2025	11:15:00 AM	0
3/26/2025	11:30:00 AM	0
3/26/2025	11:45:00 AM	0
3/26/2025	12:00:00 PM	0
3/26/2025	12:15:00 PM	0
3/26/2025	12:30:00 PM	0
3/26/2025	12:45:00 PM	0
3/26/2025	1:00:00 PM	0
3/26/2025	1:15:00 PM	0
3/26/2025	1:30:00 PM	0
3/26/2025	1:45:00 PM	0
3/26/2025	2:00:00 PM	0
3/26/2025	2:15:00 PM	0
3/26/2025	2:30:00 PM	0
3/26/2025	2:45:00 PM	0
3/26/2025	3:00:00 PM	0
3/26/2025	3:15:00 PM	0
3/26/2025	3:30:00 PM	0
3/26/2025	3:45:00 PM	0
3/26/2025	4:00:00 PM	0
3/26/2025	4:15:00 PM	0
3/26/2025	4:30:00 PM	0
3/26/2025	4:45:00 PM	0
3/26/2025	5:00:00 PM	0
3/26/2025	5:15:00 PM	0
3/26/2025	5:30:00 PM	0
3/26/2025	5:45:00 PM	0
3/26/2025	6:00:00 PM	0
3/26/2025	6:15:00 PM	0
3/26/2025	6:30:00 PM	0
3/26/2025	6:45:00 PM	0
3/26/2025	7:00:00 PM	0
3/26/2025	7:15:00 PM	0
3/26/2025	7:30:00 PM	0
3/26/2025	7:45:00 PM	0
3/26/2025	8:00:00 PM	0
3/26/2025	8:15:00 PM	0
3/26/2025	8:30:00 PM	0
3/26/2025	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/26/2025	9:00:00 PM	0
3/26/2025	9:15:00 PM	0
3/26/2025	9:30:00 PM	0
3/26/2025	9:45:00 PM	0
3/26/2025	10:00:00 PM	0
3/26/2025	10:15:00 PM	0
3/26/2025	10:30:00 PM	0
3/26/2025	10:45:00 PM	0
3/26/2025	11:00:00 PM	0
3/26/2025	11:15:00 PM	0
3/26/2025	11:30:00 PM	0
3/26/2025	11:45:00 PM	0
3/27/2025	12:00:00 AM	0
3/27/2025	12:15:00 AM	0
3/27/2025	12:30:00 AM	0
3/27/2025	12:45:00 AM	0
3/27/2025	1:00:00 AM	0
3/27/2025	1:15:00 AM	0
3/27/2025	1:30:00 AM	0
3/27/2025	1:45:00 AM	0
3/27/2025	2:00:00 AM	0
3/27/2025	2:15:00 AM	0
3/27/2025	2:30:00 AM	0
3/27/2025	2:45:00 AM	0
3/27/2025	3:00:00 AM	0
3/27/2025	3:15:00 AM	0
3/27/2025	3:30:00 AM	0
3/27/2025	3:45:00 AM	0
3/27/2025	4:00:00 AM	0
3/27/2025	4:15:00 AM	0
3/27/2025	4:30:00 AM	0
3/27/2025	4:45:00 AM	0
3/27/2025	5:00:00 AM	0
3/27/2025	5:15:00 AM	0
3/27/2025	5:30:00 AM	0
3/27/2025	5:45:00 AM	0
3/27/2025	6:00:00 AM	0
3/27/2025	6:15:00 AM	0
3/27/2025	6:30:00 AM	0
3/27/2025	6:45:00 AM	0
3/27/2025	7:00:00 AM	0
3/27/2025	7:15:00 AM	0
3/27/2025	7:30:00 AM	0
3/27/2025	7:45:00 AM	0
3/27/2025	8:00:00 AM	0
3/27/2025	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/27/2025	8:30:00 AM	0
3/27/2025	8:45:00 AM	0
3/27/2025	9:00:00 AM	0
3/27/2025	9:15:00 AM	0
3/27/2025	9:30:00 AM	0
3/27/2025	9:45:00 AM	0
3/27/2025	10:00:00 AM	0
3/27/2025	10:15:00 AM	0
3/27/2025	10:30:00 AM	0
3/27/2025	10:45:00 AM	0
3/27/2025	11:00:00 AM	0
3/27/2025	11:15:00 AM	0
3/27/2025	11:30:00 AM	0
3/27/2025	11:45:00 AM	0
3/27/2025	12:00:00 PM	0
3/27/2025	12:15:00 PM	0
3/27/2025	12:30:00 PM	0
3/27/2025	12:45:00 PM	0
3/27/2025	1:00:00 PM	0
3/27/2025	1:15:00 PM	0
3/27/2025	1:30:00 PM	0
3/27/2025	1:45:00 PM	0
3/27/2025	2:00:00 PM	0
3/27/2025	2:15:00 PM	0
3/27/2025	2:30:00 PM	0
3/27/2025	2:45:00 PM	0
3/27/2025	3:00:00 PM	0
3/27/2025	3:15:00 PM	0
3/27/2025	3:30:00 PM	0
3/27/2025	3:45:00 PM	0
3/27/2025	4:00:00 PM	0
3/27/2025	4:15:00 PM	0
3/27/2025	4:30:00 PM	0
3/27/2025	4:45:00 PM	0
3/27/2025	5:00:00 PM	0
3/27/2025	5:15:00 PM	0
3/27/2025	5:30:00 PM	0
3/27/2025	5:45:00 PM	0
3/27/2025	6:00:00 PM	0
3/27/2025	6:15:00 PM	0
3/27/2025	6:30:00 PM	0
3/27/2025	6:45:00 PM	0
3/27/2025	7:00:00 PM	0
3/27/2025	7:15:00 PM	0
3/27/2025	7:30:00 PM	0
3/27/2025	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/27/2025	8:00:00 PM	0
3/27/2025	8:15:00 PM	0
3/27/2025	8:30:00 PM	0
3/27/2025	8:45:00 PM	0
3/27/2025	9:00:00 PM	0
3/27/2025	9:15:00 PM	0
3/27/2025	9:30:00 PM	0
3/27/2025	9:45:00 PM	0
3/27/2025	10:00:00 PM	0
3/27/2025	10:15:00 PM	0
3/27/2025	10:30:00 PM	0
3/27/2025	10:45:00 PM	0
3/27/2025	11:00:00 PM	0
3/27/2025	11:15:00 PM	0
3/27/2025	11:30:00 PM	0
3/27/2025	11:45:00 PM	0
3/28/2025	12:00:00 AM	0
3/28/2025	12:15:00 AM	0
3/28/2025	12:30:00 AM	0
3/28/2025	12:45:00 AM	0
3/28/2025	1:00:00 AM	0
3/28/2025	1:15:00 AM	0
3/28/2025	1:30:00 AM	0
3/28/2025	1:45:00 AM	0
3/28/2025	2:00:00 AM	0
3/28/2025	2:15:00 AM	0
3/28/2025	2:30:00 AM	0
3/28/2025	2:45:00 AM	0
3/28/2025	3:00:00 AM	0
3/28/2025	3:15:00 AM	0
3/28/2025	3:30:00 AM	0
3/28/2025	3:45:00 AM	0
3/28/2025	4:00:00 AM	0
3/28/2025	4:15:00 AM	0
3/28/2025	4:30:00 AM	0
3/28/2025	4:45:00 AM	0
3/28/2025	5:00:00 AM	0
3/28/2025	5:15:00 AM	0
3/28/2025	5:30:00 AM	0
3/28/2025	5:45:00 AM	0
3/28/2025	6:00:00 AM	0
3/28/2025	6:15:00 AM	0
3/28/2025	6:30:00 AM	0
3/28/2025	6:45:00 AM	0
3/28/2025	7:00:00 AM	0
3/28/2025	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/28/2025	7:30:00 AM	0
3/28/2025	7:45:00 AM	0
3/28/2025	8:00:00 AM	0
3/28/2025	8:15:00 AM	0
3/28/2025	8:30:00 AM	0
3/28/2025	8:45:00 AM	0
3/28/2025	9:00:00 AM	0
3/28/2025	9:15:00 AM	0
3/28/2025	9:30:00 AM	0
3/28/2025	9:45:00 AM	0
3/28/2025	10:00:00 AM	0
3/28/2025	10:15:00 AM	0
3/28/2025	10:30:00 AM	0
3/28/2025	10:45:00 AM	0
3/28/2025	11:00:00 AM	0
3/28/2025	11:15:00 AM	0
3/28/2025	11:30:00 AM	0
3/28/2025	11:45:00 AM	0
3/28/2025	12:00:00 PM	0
3/28/2025	12:15:00 PM	0
3/28/2025	12:30:00 PM	0
3/28/2025	12:45:00 PM	0
3/28/2025	1:00:00 PM	0
3/28/2025	1:15:00 PM	0
3/28/2025	1:30:00 PM	0
3/28/2025	1:45:00 PM	0
3/28/2025	2:00:00 PM	0
3/28/2025	2:15:00 PM	0
3/28/2025	2:30:00 PM	0
3/28/2025	2:45:00 PM	0
3/28/2025	3:00:00 PM	0
3/28/2025	3:15:00 PM	0
3/28/2025	3:30:00 PM	0
3/28/2025	3:45:00 PM	0
3/28/2025	4:00:00 PM	0
3/28/2025	4:15:00 PM	0
3/28/2025	4:30:00 PM	0
3/28/2025	4:45:00 PM	0
3/28/2025	5:00:00 PM	0
3/28/2025	5:15:00 PM	0
3/28/2025	5:30:00 PM	0
3/28/2025	5:45:00 PM	0
3/28/2025	6:00:00 PM	0
3/28/2025	6:15:00 PM	0
3/28/2025	6:30:00 PM	0
3/28/2025	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/28/2025	7:00:00 PM	0
3/28/2025	7:15:00 PM	0
3/28/2025	7:30:00 PM	0
3/28/2025	7:45:00 PM	0
3/28/2025	8:00:00 PM	0
3/28/2025	8:15:00 PM	0
3/28/2025	8:30:00 PM	0
3/28/2025	8:45:00 PM	0
3/28/2025	9:00:00 PM	0
3/28/2025	9:15:00 PM	0
3/28/2025	9:30:00 PM	0
3/28/2025	9:45:00 PM	0
3/28/2025	10:00:00 PM	0
3/28/2025	10:15:00 PM	0
3/28/2025	10:30:00 PM	0
3/28/2025	10:45:00 PM	0
3/28/2025	11:00:00 PM	0
3/28/2025	11:15:00 PM	0
3/28/2025	11:30:00 PM	0
3/28/2025	11:45:00 PM	0
3/29/2025	12:00:00 AM	0
3/29/2025	12:15:00 AM	0
3/29/2025	12:30:00 AM	0
3/29/2025	12:45:00 AM	0
3/29/2025	1:00:00 AM	0
3/29/2025	1:15:00 AM	0
3/29/2025	1:30:00 AM	0
3/29/2025	1:45:00 AM	0
3/29/2025	2:00:00 AM	0
3/29/2025	2:15:00 AM	0
3/29/2025	2:30:00 AM	0
3/29/2025	2:45:00 AM	0
3/29/2025	3:00:00 AM	0
3/29/2025	3:15:00 AM	0
3/29/2025	3:30:00 AM	0
3/29/2025	3:45:00 AM	0
3/29/2025	4:00:00 AM	0
3/29/2025	4:15:00 AM	0
3/29/2025	4:30:00 AM	0
3/29/2025	4:45:00 AM	0
3/29/2025	5:00:00 AM	0
3/29/2025	5:15:00 AM	0
3/29/2025	5:30:00 AM	0
3/29/2025	5:45:00 AM	0
3/29/2025	6:00:00 AM	0
3/29/2025	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/29/2025	6:30:00 AM	0
3/29/2025	6:45:00 AM	0
3/29/2025	7:00:00 AM	0
3/29/2025	7:15:00 AM	0
3/29/2025	7:30:00 AM	0
3/29/2025	7:45:00 AM	0
3/29/2025	8:00:00 AM	0
3/29/2025	8:15:00 AM	0
3/29/2025	8:30:00 AM	0
3/29/2025	8:45:00 AM	0
3/29/2025	9:00:00 AM	0
3/29/2025	9:15:00 AM	0
3/29/2025	9:30:00 AM	0
3/29/2025	9:45:00 AM	0
3/29/2025	10:00:00 AM	0
3/29/2025	10:15:00 AM	0
3/29/2025	10:30:00 AM	0
3/29/2025	10:45:00 AM	0
3/29/2025	11:00:00 AM	0
3/29/2025	11:15:00 AM	0
3/29/2025	11:30:00 AM	0
3/29/2025	11:45:00 AM	0
3/29/2025	12:00:00 PM	0
3/29/2025	12:15:00 PM	0
3/29/2025	12:30:00 PM	0
3/29/2025	12:45:00 PM	0
3/29/2025	1:00:00 PM	0
3/29/2025	1:15:00 PM	0
3/29/2025	1:30:00 PM	0
3/29/2025	1:45:00 PM	0
3/29/2025	2:00:00 PM	0
3/29/2025	2:15:00 PM	0
3/29/2025	2:30:00 PM	0
3/29/2025	2:45:00 PM	0
3/29/2025	3:00:00 PM	0
3/29/2025	3:15:00 PM	0
3/29/2025	3:30:00 PM	0
3/29/2025	3:45:00 PM	0
3/29/2025	4:00:00 PM	0
3/29/2025	4:15:00 PM	0
3/29/2025	4:30:00 PM	0
3/29/2025	4:45:00 PM	0
3/29/2025	5:00:00 PM	0
3/29/2025	5:15:00 PM	0
3/29/2025	5:30:00 PM	0
3/29/2025	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/29/2025	6:00:00 PM	0
3/29/2025	6:15:00 PM	0
3/29/2025	6:30:00 PM	0
3/29/2025	6:45:00 PM	0
3/29/2025	7:00:00 PM	0
3/29/2025	7:15:00 PM	0
3/29/2025	7:30:00 PM	0
3/29/2025	7:45:00 PM	0
3/29/2025	8:00:00 PM	0
3/29/2025	8:15:00 PM	0
3/29/2025	8:30:00 PM	0
3/29/2025	8:45:00 PM	0
3/29/2025	9:00:00 PM	0
3/29/2025	9:15:00 PM	0
3/29/2025	9:30:00 PM	0
3/29/2025	9:45:00 PM	0
3/29/2025	10:00:00 PM	0
3/29/2025	10:15:00 PM	0
3/29/2025	10:30:00 PM	0
3/29/2025	10:45:00 PM	0
3/29/2025	11:00:00 PM	0
3/29/2025	11:15:00 PM	0
3/29/2025	11:30:00 PM	0
3/29/2025	11:45:00 PM	0
3/30/2025	12:00:00 AM	0
3/30/2025	12:15:00 AM	0
3/30/2025	12:30:00 AM	0
3/30/2025	12:45:00 AM	0
3/30/2025	1:00:00 AM	0
3/30/2025	1:15:00 AM	0
3/30/2025	1:30:00 AM	0
3/30/2025	1:45:00 AM	0
3/30/2025	2:00:00 AM	0
3/30/2025	2:15:00 AM	0
3/30/2025	2:30:00 AM	0
3/30/2025	2:45:00 AM	0
3/30/2025	3:00:00 AM	0
3/30/2025	3:15:00 AM	0
3/30/2025	3:30:00 AM	0
3/30/2025	3:45:00 AM	0
3/30/2025	4:00:00 AM	0
3/30/2025	4:15:00 AM	0
3/30/2025	4:30:00 AM	0
3/30/2025	4:45:00 AM	0
3/30/2025	5:00:00 AM	0
3/30/2025	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/30/2025	5:30:00 AM	0
3/30/2025	5:45:00 AM	0
3/30/2025	6:00:00 AM	0
3/30/2025	6:15:00 AM	0
3/30/2025	6:30:00 AM	0
3/30/2025	6:45:00 AM	0
3/30/2025	7:00:00 AM	0
3/30/2025	7:15:00 AM	0
3/30/2025	7:30:00 AM	0
3/30/2025	7:45:00 AM	0
3/30/2025	8:00:00 AM	0
3/30/2025	8:15:00 AM	0
3/30/2025	8:30:00 AM	0
3/30/2025	8:45:00 AM	0
3/30/2025	9:00:00 AM	0
3/30/2025	9:15:00 AM	0
3/30/2025	9:30:00 AM	0
3/30/2025	9:45:00 AM	0
3/30/2025	10:00:00 AM	0
3/30/2025	10:15:00 AM	0
3/30/2025	10:30:00 AM	0
3/30/2025	10:45:00 AM	0
3/30/2025	11:00:00 AM	0
3/30/2025	11:15:00 AM	0
3/30/2025	11:30:00 AM	0
3/30/2025	11:45:00 AM	0
3/30/2025	12:00:00 PM	0
3/30/2025	12:15:00 PM	0
3/30/2025	12:30:00 PM	0
3/30/2025	12:45:00 PM	0
3/30/2025	1:00:00 PM	0
3/30/2025	1:15:00 PM	0
3/30/2025	1:30:00 PM	0
3/30/2025	1:45:00 PM	0
3/30/2025	2:00:00 PM	0
3/30/2025	2:15:00 PM	0
3/30/2025	2:30:00 PM	0
3/30/2025	2:45:00 PM	0
3/30/2025	3:00:00 PM	0
3/30/2025	3:15:00 PM	0
3/30/2025	3:30:00 PM	0
3/30/2025	3:45:00 PM	0
3/30/2025	4:00:00 PM	0
3/30/2025	4:15:00 PM	0
3/30/2025	4:30:00 PM	0
3/30/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/30/2025	5:00:00 PM	0
3/30/2025	5:15:00 PM	0
3/30/2025	5:30:00 PM	0
3/30/2025	5:45:00 PM	0
3/30/2025	6:00:00 PM	0
3/30/2025	6:15:00 PM	0
3/30/2025	6:30:00 PM	0
3/30/2025	6:45:00 PM	0
3/30/2025	7:00:00 PM	0
3/30/2025	7:15:00 PM	0
3/30/2025	7:30:00 PM	0
3/30/2025	7:45:00 PM	0
3/30/2025	8:00:00 PM	0
3/30/2025	8:15:00 PM	0
3/30/2025	8:30:00 PM	0
3/30/2025	8:45:00 PM	0
3/30/2025	9:00:00 PM	0
3/30/2025	9:15:00 PM	0
3/30/2025	9:30:00 PM	0
3/30/2025	9:45:00 PM	0
3/30/2025	10:00:00 PM	0
3/30/2025	10:15:00 PM	0
3/30/2025	10:30:00 PM	0
3/30/2025	10:45:00 PM	0
3/30/2025	11:00:00 PM	0
3/30/2025	11:15:00 PM	0
3/30/2025	11:30:00 PM	0
3/30/2025	11:45:00 PM	0
3/31/2025	12:00:00 AM	0
3/31/2025	12:15:00 AM	0
3/31/2025	12:30:00 AM	0
3/31/2025	12:45:00 AM	0
3/31/2025	1:00:00 AM	0
3/31/2025	1:15:00 AM	0
3/31/2025	1:30:00 AM	0
3/31/2025	1:45:00 AM	0
3/31/2025	2:00:00 AM	0
3/31/2025	2:15:00 AM	0
3/31/2025	2:30:00 AM	0
3/31/2025	2:45:00 AM	0
3/31/2025	3:00:00 AM	0
3/31/2025	3:15:00 AM	0
3/31/2025	3:30:00 AM	0
3/31/2025	3:45:00 AM	0
3/31/2025	4:00:00 AM	0
3/31/2025	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/31/2025	4:30:00 AM	0
3/31/2025	4:45:00 AM	0
3/31/2025	5:00:00 AM	0
3/31/2025	5:15:00 AM	0
3/31/2025	5:30:00 AM	0
3/31/2025	5:45:00 AM	0
3/31/2025	6:00:00 AM	0
3/31/2025	6:15:00 AM	0
3/31/2025	6:30:00 AM	0
3/31/2025	6:45:00 AM	0
3/31/2025	7:00:00 AM	0
3/31/2025	7:15:00 AM	0
3/31/2025	7:30:00 AM	0
3/31/2025	7:45:00 AM	0
3/31/2025	8:00:00 AM	0
3/31/2025	8:15:00 AM	0
3/31/2025	8:30:00 AM	0
3/31/2025	8:45:00 AM	0
3/31/2025	9:00:00 AM	0
3/31/2025	9:15:00 AM	0
3/31/2025	9:30:00 AM	0
3/31/2025	9:45:00 AM	0
3/31/2025	10:00:00 AM	0
3/31/2025	10:15:00 AM	0
3/31/2025	10:30:00 AM	0
3/31/2025	10:45:00 AM	0
3/31/2025	11:00:00 AM	0
3/31/2025	11:15:00 AM	0
3/31/2025	11:30:00 AM	0
3/31/2025	11:45:00 AM	0
3/31/2025	12:00:00 PM	0
3/31/2025	12:15:00 PM	0
3/31/2025	12:30:00 PM	0
3/31/2025	12:45:00 PM	0
3/31/2025	1:00:00 PM	0
3/31/2025	1:15:00 PM	0
3/31/2025	1:30:00 PM	0
3/31/2025	1:45:00 PM	0
3/31/2025	2:00:00 PM	0
3/31/2025	2:15:00 PM	0
3/31/2025	2:30:00 PM	0
3/31/2025	2:45:00 PM	0
3/31/2025	3:00:00 PM	0
3/31/2025	3:15:00 PM	0
3/31/2025	3:30:00 PM	0
3/31/2025	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
3/31/2025	4:00:00 PM	0
3/31/2025	4:15:00 PM	0
3/31/2025	4:30:00 PM	0
3/31/2025	4:45:00 PM	0
3/31/2025	5:00:00 PM	0
3/31/2025	5:15:00 PM	0
3/31/2025	5:30:00 PM	0
3/31/2025	5:45:00 PM	0
3/31/2025	6:00:00 PM	0
3/31/2025	6:15:00 PM	0
3/31/2025	6:30:00 PM	0
3/31/2025	6:45:00 PM	0
3/31/2025	7:00:00 PM	0
3/31/2025	7:15:00 PM	0
3/31/2025	7:30:00 PM	0
3/31/2025	7:45:00 PM	0
3/31/2025	8:00:00 PM	0
3/31/2025	8:15:00 PM	0
3/31/2025	8:30:00 PM	0
3/31/2025	8:45:00 PM	0
3/31/2025	9:00:00 PM	0
3/31/2025	9:15:00 PM	0
3/31/2025	9:30:00 PM	0
3/31/2025	9:45:00 PM	0
3/31/2025	10:00:00 PM	0
3/31/2025	10:15:00 PM	0
3/31/2025	10:30:00 PM	0
3/31/2025	10:45:00 PM	0
3/31/2025	11:00:00 PM	0
3/31/2025	11:15:00 PM	0
3/31/2025	11:30:00 PM	0
3/31/2025	11:45:00 PM	0

Georges Ditch Return

Station 0217

Date	Flow (cfs)
3/1/2025	0.48
3/2/2025	0.47
3/3/2025	0.46
3/4/2025	0.37
3/5/2025	0.59
3/6/2025	0.58
3/7/2025	0.53
3/8/2025	0.44
3/9/2025	0.44
3/10/2025	0.45
3/11/2025	0.43
3/12/2025	0.41
3/13/2025	0.45
3/14/2025	0.42
3/15/2025	0.43
3/16/2025	0.46
3/17/2025	0.39
3/18/2025	0.34
3/19/2025	0.47
3/20/2025	0.37
3/21/2025	0.36
3/22/2025	0.48
3/23/2025	0.42
3/24/2025	0.33
3/25/2025	0.50
3/26/2025	0.33
3/27/2025	0.45
3/28/2025	0.63
3/29/2025	0.50
3/30/2025	0.43
3/31/2025	0.41

Georges Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	12:00:00 AM	0.1
3/1/2025	12:15:00 AM	0.1
3/1/2025	12:30:00 AM	0.1
3/1/2025	12:45:00 AM	0.1
3/1/2025	1:00:00 AM	0.1
3/1/2025	1:15:00 AM	0.1
3/1/2025	1:30:00 AM	0.1
3/1/2025	1:45:00 AM	0.1
3/1/2025	2:00:00 AM	0.1
3/1/2025	2:15:00 AM	0.1
3/1/2025	2:30:00 AM	0.1
3/1/2025	2:45:00 AM	0.1
3/1/2025	3:00:00 AM	0.1
3/1/2025	3:15:00 AM	0.1
3/1/2025	3:30:00 AM	0.1
3/1/2025	3:45:00 AM	0.09
3/1/2025	4:00:00 AM	0.09
3/1/2025	4:15:00 AM	0.09
3/1/2025	4:30:00 AM	0.09
3/1/2025	4:45:00 AM	0.09
3/1/2025	5:00:00 AM	0.09
3/1/2025	5:15:00 AM	0.09
3/1/2025	5:30:00 AM	0.09
3/1/2025	5:45:00 AM	0.09
3/1/2025	6:00:00 AM	0.08
3/1/2025	6:15:00 AM	0.08
3/1/2025	6:30:00 AM	0.09
3/1/2025	6:45:00 AM	0.09
3/1/2025	7:00:00 AM	0.09
3/1/2025	7:15:00 AM	0.09
3/1/2025	7:30:00 AM	0.09
3/1/2025	7:45:00 AM	0.09
3/1/2025	8:00:00 AM	0.09
3/1/2025	8:15:00 AM	0.09
3/1/2025	8:30:00 AM	0.09
3/1/2025	8:45:00 AM	0.09
3/1/2025	9:00:00 AM	0.09
3/1/2025	9:15:00 AM	0.08
3/1/2025	9:30:00 AM	0.08
3/1/2025	9:45:00 AM	0.08
3/1/2025	10:00:00 AM	0.08
3/1/2025	10:15:00 AM	0.08
3/1/2025	10:30:00 AM	0.09
3/1/2025	10:45:00 AM	0.09
3/1/2025	11:00:00 AM	0.09
3/1/2025	11:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	11:30:00 AM	0.09
3/1/2025	11:45:00 AM	0.08
3/1/2025	12:00:00 PM	0.08
3/1/2025	12:15:00 PM	0.08
3/1/2025	12:30:00 PM	0.08
3/1/2025	12:45:00 PM	0.08
3/1/2025	1:00:00 PM	0.08
3/1/2025	1:15:00 PM	0.08
3/1/2025	1:30:00 PM	0.08
3/1/2025	1:45:00 PM	0.08
3/1/2025	2:00:00 PM	0.09
3/1/2025	2:15:00 PM	0.09
3/1/2025	2:30:00 PM	0.09
3/1/2025	2:45:00 PM	0.09
3/1/2025	3:00:00 PM	0.1
3/1/2025	3:15:00 PM	0.1
3/1/2025	3:30:00 PM	0.1
3/1/2025	3:45:00 PM	0.1
3/1/2025	4:00:00 PM	0.1
3/1/2025	4:15:00 PM	0.1
3/1/2025	4:30:00 PM	0.1
3/1/2025	4:45:00 PM	0.1
3/1/2025	5:00:00 PM	0.1
3/1/2025	5:15:00 PM	0.1
3/1/2025	5:30:00 PM	0.1
3/1/2025	5:45:00 PM	0.1
3/1/2025	6:00:00 PM	0.11
3/1/2025	6:15:00 PM	0.1
3/1/2025	6:30:00 PM	0.1
3/1/2025	6:45:00 PM	0.1
3/1/2025	7:00:00 PM	0.1
3/1/2025	7:15:00 PM	0.1
3/1/2025	7:30:00 PM	0.1
3/1/2025	7:45:00 PM	0.1
3/1/2025	8:00:00 PM	0.1
3/1/2025	8:15:00 PM	0.1
3/1/2025	8:30:00 PM	0.1
3/1/2025	8:45:00 PM	0.1
3/1/2025	9:00:00 PM	0.1
3/1/2025	9:15:00 PM	0.1
3/1/2025	9:30:00 PM	0.1
3/1/2025	9:45:00 PM	0.1
3/1/2025	10:00:00 PM	0.1
3/1/2025	10:15:00 PM	0.1
3/1/2025	10:30:00 PM	0.1
3/1/2025	10:45:00 PM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/1/2025	11:00:00 PM	0.1
3/1/2025	11:15:00 PM	0.1
3/1/2025	11:30:00 PM	0.1
3/1/2025	11:45:00 PM	0.1
3/2/2025	12:00:00 AM	0.1
3/2/2025	12:15:00 AM	0.1
3/2/2025	12:30:00 AM	0.1
3/2/2025	12:45:00 AM	0.1
3/2/2025	1:00:00 AM	0.1
3/2/2025	1:15:00 AM	0.1
3/2/2025	1:30:00 AM	0.1
3/2/2025	1:45:00 AM	0.1
3/2/2025	2:00:00 AM	0.1
3/2/2025	2:15:00 AM	0.1
3/2/2025	2:30:00 AM	0.1
3/2/2025	2:45:00 AM	0.1
3/2/2025	3:00:00 AM	0.1
3/2/2025	3:15:00 AM	0.1
3/2/2025	3:30:00 AM	0.1
3/2/2025	3:45:00 AM	0.1
3/2/2025	4:00:00 AM	0.1
3/2/2025	4:15:00 AM	0.1
3/2/2025	4:30:00 AM	0.1
3/2/2025	4:45:00 AM	0.1
3/2/2025	5:00:00 AM	0.09
3/2/2025	5:15:00 AM	0.09
3/2/2025	5:30:00 AM	0.09
3/2/2025	5:45:00 AM	0.09
3/2/2025	6:00:00 AM	0.09
3/2/2025	6:15:00 AM	0.08
3/2/2025	6:30:00 AM	0.08
3/2/2025	6:45:00 AM	0.08
3/2/2025	7:00:00 AM	0.09
3/2/2025	7:15:00 AM	0.09
3/2/2025	7:30:00 AM	0.09
3/2/2025	7:45:00 AM	0.09
3/2/2025	8:00:00 AM	0.09
3/2/2025	8:15:00 AM	0.09
3/2/2025	8:30:00 AM	0.09
3/2/2025	8:45:00 AM	0.09
3/2/2025	9:00:00 AM	0.09
3/2/2025	9:15:00 AM	0.09
3/2/2025	9:30:00 AM	0.08
3/2/2025	9:45:00 AM	0.08
3/2/2025	10:00:00 AM	0.08
3/2/2025	10:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/2/2025	10:30:00 AM	0.08
3/2/2025	10:45:00 AM	0.08
3/2/2025	11:00:00 AM	0.08
3/2/2025	11:15:00 AM	0.08
3/2/2025	11:30:00 AM	0.08
3/2/2025	11:45:00 AM	0.08
3/2/2025	12:00:00 PM	0.08
3/2/2025	12:15:00 PM	0.08
3/2/2025	12:30:00 PM	0.08
3/2/2025	12:45:00 PM	0.08
3/2/2025	1:00:00 PM	0.08
3/2/2025	1:15:00 PM	0.08
3/2/2025	1:30:00 PM	0.08
3/2/2025	1:45:00 PM	0.08
3/2/2025	2:00:00 PM	0.08
3/2/2025	2:15:00 PM	0.09
3/2/2025	2:30:00 PM	0.09
3/2/2025	2:45:00 PM	0.09
3/2/2025	3:00:00 PM	0.09
3/2/2025	3:15:00 PM	0.09
3/2/2025	3:30:00 PM	0.09
3/2/2025	3:45:00 PM	0.09
3/2/2025	4:00:00 PM	0.09
3/2/2025	4:15:00 PM	0.09
3/2/2025	4:30:00 PM	0.09
3/2/2025	4:45:00 PM	0.1
3/2/2025	5:00:00 PM	0.1
3/2/2025	5:15:00 PM	0.1
3/2/2025	5:30:00 PM	0.1
3/2/2025	5:45:00 PM	0.1
3/2/2025	6:00:00 PM	0.1
3/2/2025	6:15:00 PM	0.1
3/2/2025	6:30:00 PM	0.1
3/2/2025	6:45:00 PM	0.1
3/2/2025	7:00:00 PM	0.1
3/2/2025	7:15:00 PM	0.1
3/2/2025	7:30:00 PM	0.1
3/2/2025	7:45:00 PM	0.1
3/2/2025	8:00:00 PM	0.1
3/2/2025	8:15:00 PM	0.1
3/2/2025	8:30:00 PM	0.1
3/2/2025	8:45:00 PM	0.1
3/2/2025	9:00:00 PM	0.1
3/2/2025	9:15:00 PM	0.09
3/2/2025	9:30:00 PM	0.09
3/2/2025	9:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/2/2025	10:00:00 PM	0.09
3/2/2025	10:15:00 PM	0.09
3/2/2025	10:30:00 PM	0.09
3/2/2025	10:45:00 PM	0.09
3/2/2025	11:00:00 PM	0.09
3/2/2025	11:15:00 PM	0.09
3/2/2025	11:30:00 PM	0.09
3/2/2025	11:45:00 PM	0.09
3/3/2025	12:00:00 AM	0.09
3/3/2025	12:15:00 AM	0.09
3/3/2025	12:30:00 AM	0.09
3/3/2025	12:45:00 AM	0.09
3/3/2025	1:00:00 AM	0.09
3/3/2025	1:15:00 AM	0.09
3/3/2025	1:30:00 AM	0.09
3/3/2025	1:45:00 AM	0.09
3/3/2025	2:00:00 AM	0.09
3/3/2025	2:15:00 AM	0.09
3/3/2025	2:30:00 AM	0.09
3/3/2025	2:45:00 AM	0.09
3/3/2025	3:00:00 AM	0.09
3/3/2025	3:15:00 AM	0.09
3/3/2025	3:30:00 AM	0.09
3/3/2025	3:45:00 AM	0.09
3/3/2025	4:00:00 AM	0.09
3/3/2025	4:15:00 AM	0.09
3/3/2025	4:30:00 AM	0.09
3/3/2025	4:45:00 AM	0.09
3/3/2025	5:00:00 AM	0.09
3/3/2025	5:15:00 AM	0.09
3/3/2025	5:30:00 AM	0.09
3/3/2025	5:45:00 AM	0.09
3/3/2025	6:00:00 AM	0.09
3/3/2025	6:15:00 AM	0.09
3/3/2025	6:30:00 AM	0.09
3/3/2025	6:45:00 AM	0.09
3/3/2025	7:00:00 AM	0.09
3/3/2025	7:15:00 AM	0.1
3/3/2025	7:30:00 AM	0.09
3/3/2025	7:45:00 AM	0.09
3/3/2025	8:00:00 AM	0.09
3/3/2025	8:15:00 AM	0.09
3/3/2025	8:30:00 AM	0.09
3/3/2025	8:45:00 AM	0.09
3/3/2025	9:00:00 AM	0.09
3/3/2025	9:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/3/2025	9:30:00 AM	0.1
3/3/2025	9:45:00 AM	0.09
3/3/2025	10:00:00 AM	0.09
3/3/2025	10:15:00 AM	0.09
3/3/2025	10:30:00 AM	0.09
3/3/2025	10:45:00 AM	0.09
3/3/2025	11:00:00 AM	0.09
3/3/2025	11:15:00 AM	0.09
3/3/2025	11:30:00 AM	0.09
3/3/2025	11:45:00 AM	0.09
3/3/2025	12:00:00 PM	0.09
3/3/2025	12:15:00 PM	0.09
3/3/2025	12:30:00 PM	0.09
3/3/2025	12:45:00 PM	0.09
3/3/2025	1:00:00 PM	0.09
3/3/2025	1:15:00 PM	0.09
3/3/2025	1:30:00 PM	0.09
3/3/2025	1:45:00 PM	0.09
3/3/2025	2:00:00 PM	0.09
3/3/2025	2:15:00 PM	0.09
3/3/2025	2:30:00 PM	0.09
3/3/2025	2:45:00 PM	0.09
3/3/2025	3:00:00 PM	0.09
3/3/2025	3:15:00 PM	0.09
3/3/2025	3:30:00 PM	0.09
3/3/2025	3:45:00 PM	0.09
3/3/2025	4:00:00 PM	0.09
3/3/2025	4:15:00 PM	0.09
3/3/2025	4:30:00 PM	0.09
3/3/2025	4:45:00 PM	0.09
3/3/2025	5:00:00 PM	0.09
3/3/2025	5:15:00 PM	0.09
3/3/2025	5:30:00 PM	0.09
3/3/2025	5:45:00 PM	0.09
3/3/2025	6:00:00 PM	0.09
3/3/2025	6:15:00 PM	0.09
3/3/2025	6:30:00 PM	0.09
3/3/2025	6:45:00 PM	0.09
3/3/2025	7:00:00 PM	0.09
3/3/2025	7:15:00 PM	0.09
3/3/2025	7:30:00 PM	0.09
3/3/2025	7:45:00 PM	0.09
3/3/2025	8:00:00 PM	0.09
3/3/2025	8:15:00 PM	0.09
3/3/2025	8:30:00 PM	0.09
3/3/2025	8:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/3/2025	9:00:00 PM	0.09
3/3/2025	9:15:00 PM	0.09
3/3/2025	9:30:00 PM	0.09
3/3/2025	9:45:00 PM	0.09
3/3/2025	10:00:00 PM	0.09
3/3/2025	10:15:00 PM	0.09
3/3/2025	10:30:00 PM	0.09
3/3/2025	10:45:00 PM	0.09
3/3/2025	11:00:00 PM	0.09
3/3/2025	11:15:00 PM	0.09
3/3/2025	11:30:00 PM	0.09
3/3/2025	11:45:00 PM	0.09
3/4/2025	12:00:00 AM	0.09
3/4/2025	12:15:00 AM	0.09
3/4/2025	12:30:00 AM	0.09
3/4/2025	12:45:00 AM	0.09
3/4/2025	1:00:00 AM	0.09
3/4/2025	1:15:00 AM	0.09
3/4/2025	1:30:00 AM	0.09
3/4/2025	1:45:00 AM	0.09
3/4/2025	2:00:00 AM	0.09
3/4/2025	2:15:00 AM	0.09
3/4/2025	2:30:00 AM	0.09
3/4/2025	2:45:00 AM	0.09
3/4/2025	3:00:00 AM	0.09
3/4/2025	3:15:00 AM	0.08
3/4/2025	3:30:00 AM	0.08
3/4/2025	3:45:00 AM	0.08
3/4/2025	4:00:00 AM	0.08
3/4/2025	4:15:00 AM	0.08
3/4/2025	4:30:00 AM	0.08
3/4/2025	4:45:00 AM	0.07
3/4/2025	5:00:00 AM	0.07
3/4/2025	5:15:00 AM	0.07
3/4/2025	5:30:00 AM	0.07
3/4/2025	5:45:00 AM	0.06
3/4/2025	6:00:00 AM	0.06
3/4/2025	6:15:00 AM	0.06
3/4/2025	6:30:00 AM	0.07
3/4/2025	6:45:00 AM	0.07
3/4/2025	7:00:00 AM	0.07
3/4/2025	7:15:00 AM	0.07
3/4/2025	7:30:00 AM	0.07
3/4/2025	7:45:00 AM	0.07
3/4/2025	8:00:00 AM	0.08
3/4/2025	8:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/4/2025	8:30:00 AM	0.07
3/4/2025	8:45:00 AM	0.07
3/4/2025	9:00:00 AM	0.07
3/4/2025	9:15:00 AM	0.07
3/4/2025	9:30:00 AM	0.07
3/4/2025	9:45:00 AM	0.07
3/4/2025	10:00:00 AM	0.07
3/4/2025	10:15:00 AM	0.07
3/4/2025	10:30:00 AM	0.07
3/4/2025	10:45:00 AM	0.07
3/4/2025	11:00:00 AM	0.07
3/4/2025	11:15:00 AM	0.07
3/4/2025	11:30:00 AM	0.07
3/4/2025	11:45:00 AM	0.07
3/4/2025	12:00:00 PM	0.07
3/4/2025	12:15:00 PM	0.07
3/4/2025	12:30:00 PM	0.07
3/4/2025	12:45:00 PM	0.07
3/4/2025	1:00:00 PM	0.07
3/4/2025	1:15:00 PM	0.07
3/4/2025	1:30:00 PM	0.07
3/4/2025	1:45:00 PM	0.07
3/4/2025	2:00:00 PM	0.07
3/4/2025	2:15:00 PM	0.07
3/4/2025	2:30:00 PM	0.07
3/4/2025	2:45:00 PM	0.07
3/4/2025	3:00:00 PM	0.07
3/4/2025	3:15:00 PM	0.07
3/4/2025	3:30:00 PM	0.07
3/4/2025	3:45:00 PM	0.07
3/4/2025	4:00:00 PM	0.07
3/4/2025	4:15:00 PM	0.07
3/4/2025	4:30:00 PM	0.07
3/4/2025	4:45:00 PM	0.07
3/4/2025	5:00:00 PM	0.07
3/4/2025	5:15:00 PM	0.07
3/4/2025	5:30:00 PM	0.07
3/4/2025	5:45:00 PM	0.08
3/4/2025	6:00:00 PM	0.08
3/4/2025	6:15:00 PM	0.08
3/4/2025	6:30:00 PM	0.08
3/4/2025	6:45:00 PM	0.08
3/4/2025	7:00:00 PM	0.08
3/4/2025	7:15:00 PM	0.08
3/4/2025	7:30:00 PM	0.08
3/4/2025	7:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/4/2025	8:00:00 PM	0.08
3/4/2025	8:15:00 PM	0.08
3/4/2025	8:30:00 PM	0.08
3/4/2025	8:45:00 PM	0.08
3/4/2025	9:00:00 PM	0.09
3/4/2025	9:15:00 PM	0.09
3/4/2025	9:30:00 PM	0.09
3/4/2025	9:45:00 PM	0.1
3/4/2025	10:00:00 PM	0.1
3/4/2025	10:15:00 PM	0.1
3/4/2025	10:30:00 PM	0.1
3/4/2025	10:45:00 PM	0.1
3/4/2025	11:00:00 PM	0.11
3/4/2025	11:15:00 PM	0.11
3/4/2025	11:30:00 PM	0.11
3/4/2025	11:45:00 PM	0.11
3/5/2025	12:00:00 AM	0.11
3/5/2025	12:15:00 AM	0.11
3/5/2025	12:30:00 AM	0.11
3/5/2025	12:45:00 AM	0.11
3/5/2025	1:00:00 AM	0.11
3/5/2025	1:15:00 AM	0.11
3/5/2025	1:30:00 AM	0.11
3/5/2025	1:45:00 AM	0.11
3/5/2025	2:00:00 AM	0.11
3/5/2025	2:15:00 AM	0.11
3/5/2025	2:30:00 AM	0.11
3/5/2025	2:45:00 AM	0.11
3/5/2025	3:00:00 AM	0.11
3/5/2025	3:15:00 AM	0.11
3/5/2025	3:30:00 AM	0.11
3/5/2025	3:45:00 AM	0.11
3/5/2025	4:00:00 AM	0.11
3/5/2025	4:15:00 AM	0.11
3/5/2025	4:30:00 AM	0.11
3/5/2025	4:45:00 AM	0.11
3/5/2025	5:00:00 AM	0.11
3/5/2025	5:15:00 AM	0.11
3/5/2025	5:30:00 AM	0.1
3/5/2025	5:45:00 AM	0.1
3/5/2025	6:00:00 AM	0.1
3/5/2025	6:15:00 AM	0.1
3/5/2025	6:30:00 AM	0.1
3/5/2025	6:45:00 AM	0.1
3/5/2025	7:00:00 AM	0.11
3/5/2025	7:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/5/2025	7:30:00 AM	0.11
3/5/2025	7:45:00 AM	0.11
3/5/2025	8:00:00 AM	0.11
3/5/2025	8:15:00 AM	0.11
3/5/2025	8:30:00 AM	0.11
3/5/2025	8:45:00 AM	0.11
3/5/2025	9:00:00 AM	0.11
3/5/2025	9:15:00 AM	0.11
3/5/2025	9:30:00 AM	0.1
3/5/2025	9:45:00 AM	0.1
3/5/2025	10:00:00 AM	0.1
3/5/2025	10:15:00 AM	0.1
3/5/2025	10:30:00 AM	0.1
3/5/2025	10:45:00 AM	0.1
3/5/2025	11:00:00 AM	0.1
3/5/2025	11:15:00 AM	0.1
3/5/2025	11:30:00 AM	0.1
3/5/2025	11:45:00 AM	0.1
3/5/2025	12:00:00 PM	0.1
3/5/2025	12:15:00 PM	0.1
3/5/2025	12:30:00 PM	0.1
3/5/2025	12:45:00 PM	0.1
3/5/2025	1:00:00 PM	0.1
3/5/2025	1:15:00 PM	0.1
3/5/2025	1:30:00 PM	0.1
3/5/2025	1:45:00 PM	0.1
3/5/2025	2:00:00 PM	0.1
3/5/2025	2:15:00 PM	0.1
3/5/2025	2:30:00 PM	.
3/5/2025	2:45:00 PM	.
3/5/2025	3:00:00 PM	.
3/5/2025	3:15:00 PM	.
3/5/2025	3:30:00 PM	0.1
3/5/2025	3:45:00 PM	0.11
3/5/2025	4:00:00 PM	0.11
3/5/2025	4:15:00 PM	0.11
3/5/2025	4:30:00 PM	0.11
3/5/2025	4:45:00 PM	0.11
3/5/2025	5:00:00 PM	0.11
3/5/2025	5:15:00 PM	0.11
3/5/2025	5:30:00 PM	0.11
3/5/2025	5:45:00 PM	0.11
3/5/2025	6:00:00 PM	0.11
3/5/2025	6:15:00 PM	0.11
3/5/2025	6:30:00 PM	0.11
3/5/2025	6:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/5/2025	7:00:00 PM	0.11
3/5/2025	7:15:00 PM	0.11
3/5/2025	7:30:00 PM	0.11
3/5/2025	7:45:00 PM	0.11
3/5/2025	8:00:00 PM	0.11
3/5/2025	8:15:00 PM	0.11
3/5/2025	8:30:00 PM	0.11
3/5/2025	8:45:00 PM	0.11
3/5/2025	9:00:00 PM	0.11
3/5/2025	9:15:00 PM	0.11
3/5/2025	9:30:00 PM	0.11
3/5/2025	9:45:00 PM	0.11
3/5/2025	10:00:00 PM	0.11
3/5/2025	10:15:00 PM	0.11
3/5/2025	10:30:00 PM	0.11
3/5/2025	10:45:00 PM	0.11
3/5/2025	11:00:00 PM	0.11
3/5/2025	11:15:00 PM	0.11
3/5/2025	11:30:00 PM	0.11
3/5/2025	11:45:00 PM	0.11
3/6/2025	12:00:00 AM	0.11
3/6/2025	12:15:00 AM	0.11
3/6/2025	12:30:00 AM	0.11
3/6/2025	12:45:00 AM	0.11
3/6/2025	1:00:00 AM	0.11
3/6/2025	1:15:00 AM	0.11
3/6/2025	1:30:00 AM	0.11
3/6/2025	1:45:00 AM	0.11
3/6/2025	2:00:00 AM	0.11
3/6/2025	2:15:00 AM	0.11
3/6/2025	2:30:00 AM	0.11
3/6/2025	2:45:00 AM	0.11
3/6/2025	3:00:00 AM	0.11
3/6/2025	3:15:00 AM	0.11
3/6/2025	3:30:00 AM	0.1
3/6/2025	3:45:00 AM	0.1
3/6/2025	4:00:00 AM	0.11
3/6/2025	4:15:00 AM	0.11
3/6/2025	4:30:00 AM	0.11
3/6/2025	4:45:00 AM	0.11
3/6/2025	5:00:00 AM	0.11
3/6/2025	5:15:00 AM	0.11
3/6/2025	5:30:00 AM	0.11
3/6/2025	5:45:00 AM	0.11
3/6/2025	6:00:00 AM	0.11
3/6/2025	6:15:00 AM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/6/2025	6:30:00 AM	0.11
3/6/2025	6:45:00 AM	0.11
3/6/2025	7:00:00 AM	0.1
3/6/2025	7:15:00 AM	0.1
3/6/2025	7:30:00 AM	0.1
3/6/2025	7:45:00 AM	0.1
3/6/2025	8:00:00 AM	0.09
3/6/2025	8:15:00 AM	0.09
3/6/2025	8:30:00 AM	0.09
3/6/2025	8:45:00 AM	0.09
3/6/2025	9:00:00 AM	0.1
3/6/2025	9:15:00 AM	0.09
3/6/2025	9:30:00 AM	0.1
3/6/2025	9:45:00 AM	0.1
3/6/2025	10:00:00 AM	0.1
3/6/2025	10:15:00 AM	0.1
3/6/2025	10:30:00 AM	0.1
3/6/2025	10:45:00 AM	0.11
3/6/2025	11:00:00 AM	0.11
3/6/2025	11:15:00 AM	0.11
3/6/2025	11:30:00 AM	0.11
3/6/2025	11:45:00 AM	0.1
3/6/2025	12:00:00 PM	0.1
3/6/2025	12:15:00 PM	0.1
3/6/2025	12:30:00 PM	0.1
3/6/2025	12:45:00 PM	0.1
3/6/2025	1:00:00 PM	0.1
3/6/2025	1:15:00 PM	0.1
3/6/2025	1:30:00 PM	0.1
3/6/2025	1:45:00 PM	0.1
3/6/2025	2:00:00 PM	0.1
3/6/2025	2:15:00 PM	0.1
3/6/2025	2:30:00 PM	0.1
3/6/2025	2:45:00 PM	0.1
3/6/2025	3:00:00 PM	0.1
3/6/2025	3:15:00 PM	0.1
3/6/2025	3:30:00 PM	0.1
3/6/2025	3:45:00 PM	0.11
3/6/2025	4:00:00 PM	0.11
3/6/2025	4:15:00 PM	0.11
3/6/2025	4:30:00 PM	0.11
3/6/2025	4:45:00 PM	0.11
3/6/2025	5:00:00 PM	0.11
3/6/2025	5:15:00 PM	0.11
3/6/2025	5:30:00 PM	0.11
3/6/2025	5:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/6/2025	6:00:00 PM	0.11
3/6/2025	6:15:00 PM	0.11
3/6/2025	6:30:00 PM	0.11
3/6/2025	6:45:00 PM	0.11
3/6/2025	7:00:00 PM	0.11
3/6/2025	7:15:00 PM	0.11
3/6/2025	7:30:00 PM	0.11
3/6/2025	7:45:00 PM	0.11
3/6/2025	8:00:00 PM	0.11
3/6/2025	8:15:00 PM	0.11
3/6/2025	8:30:00 PM	0.11
3/6/2025	8:45:00 PM	0.11
3/6/2025	9:00:00 PM	0.11
3/6/2025	9:15:00 PM	0.11
3/6/2025	9:30:00 PM	0.11
3/6/2025	9:45:00 PM	0.11
3/6/2025	10:00:00 PM	0.11
3/6/2025	10:15:00 PM	0.11
3/6/2025	10:30:00 PM	0.11
3/6/2025	10:45:00 PM	0.11
3/6/2025	11:00:00 PM	0.11
3/6/2025	11:15:00 PM	0.11
3/6/2025	11:30:00 PM	0.11
3/6/2025	11:45:00 PM	0.11
3/7/2025	12:00:00 AM	0.11
3/7/2025	12:15:00 AM	0.11
3/7/2025	12:30:00 AM	0.11
3/7/2025	12:45:00 AM	0.11
3/7/2025	1:00:00 AM	0.11
3/7/2025	1:15:00 AM	0.11
3/7/2025	1:30:00 AM	0.11
3/7/2025	1:45:00 AM	0.11
3/7/2025	2:00:00 AM	0.1
3/7/2025	2:15:00 AM	0.11
3/7/2025	2:30:00 AM	0.11
3/7/2025	2:45:00 AM	0.11
3/7/2025	3:00:00 AM	0.11
3/7/2025	3:15:00 AM	0.1
3/7/2025	3:30:00 AM	0.1
3/7/2025	3:45:00 AM	0.1
3/7/2025	4:00:00 AM	0.1
3/7/2025	4:15:00 AM	0.1
3/7/2025	4:30:00 AM	0.1
3/7/2025	4:45:00 AM	0.1
3/7/2025	5:00:00 AM	0.1
3/7/2025	5:15:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/7/2025	5:30:00 AM	0.1
3/7/2025	5:45:00 AM	0.1
3/7/2025	6:00:00 AM	0.1
3/7/2025	6:15:00 AM	0.1
3/7/2025	6:30:00 AM	0.1
3/7/2025	6:45:00 AM	0.1
3/7/2025	7:00:00 AM	0.1
3/7/2025	7:15:00 AM	0.1
3/7/2025	7:30:00 AM	0.1
3/7/2025	7:45:00 AM	0.1
3/7/2025	8:00:00 AM	0.1
3/7/2025	8:15:00 AM	0.1
3/7/2025	8:30:00 AM	0.09
3/7/2025	8:45:00 AM	0.09
3/7/2025	9:00:00 AM	0.09
3/7/2025	9:15:00 AM	0.09
3/7/2025	9:30:00 AM	0.09
3/7/2025	9:45:00 AM	0.09
3/7/2025	10:00:00 AM	0.1
3/7/2025	10:15:00 AM	0.09
3/7/2025	10:30:00 AM	0.09
3/7/2025	10:45:00 AM	0.09
3/7/2025	11:00:00 AM	0.09
3/7/2025	11:15:00 AM	0.09
3/7/2025	11:30:00 AM	0.09
3/7/2025	11:45:00 AM	0.09
3/7/2025	12:00:00 PM	0.09
3/7/2025	12:15:00 PM	0.09
3/7/2025	12:30:00 PM	0.09
3/7/2025	12:45:00 PM	0.09
3/7/2025	1:00:00 PM	0.09
3/7/2025	1:15:00 PM	0.09
3/7/2025	1:30:00 PM	0.09
3/7/2025	1:45:00 PM	0.09
3/7/2025	2:00:00 PM	0.09
3/7/2025	2:15:00 PM	0.09
3/7/2025	2:30:00 PM	0.09
3/7/2025	2:45:00 PM	0.09
3/7/2025	3:00:00 PM	0.1
3/7/2025	3:15:00 PM	0.1
3/7/2025	3:30:00 PM	0.1
3/7/2025	3:45:00 PM	0.1
3/7/2025	4:00:00 PM	0.1
3/7/2025	4:15:00 PM	0.1
3/7/2025	4:30:00 PM	0.1
3/7/2025	4:45:00 PM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/7/2025	5:00:00 PM	0.1
3/7/2025	5:15:00 PM	0.1
3/7/2025	5:30:00 PM	0.1
3/7/2025	5:45:00 PM	0.1
3/7/2025	6:00:00 PM	0.1
3/7/2025	6:15:00 PM	0.1
3/7/2025	6:30:00 PM	0.1
3/7/2025	6:45:00 PM	0.1
3/7/2025	7:00:00 PM	0.1
3/7/2025	7:15:00 PM	0.1
3/7/2025	7:30:00 PM	0.1
3/7/2025	7:45:00 PM	0.1
3/7/2025	8:00:00 PM	0.1
3/7/2025	8:15:00 PM	0.1
3/7/2025	8:30:00 PM	0.1
3/7/2025	8:45:00 PM	0.1
3/7/2025	9:00:00 PM	0.11
3/7/2025	9:15:00 PM	0.11
3/7/2025	9:30:00 PM	0.11
3/7/2025	9:45:00 PM	0.11
3/7/2025	10:00:00 PM	0.11
3/7/2025	10:15:00 PM	0.11
3/7/2025	10:30:00 PM	0.11
3/7/2025	10:45:00 PM	0.11
3/7/2025	11:00:00 PM	0.11
3/7/2025	11:15:00 PM	0.11
3/7/2025	11:30:00 PM	0.11
3/7/2025	11:45:00 PM	0.11
3/8/2025	12:00:00 AM	0.11
3/8/2025	12:15:00 AM	0.11
3/8/2025	12:30:00 AM	0.11
3/8/2025	12:45:00 AM	0.11
3/8/2025	1:00:00 AM	0.11
3/8/2025	1:15:00 AM	0.11
3/8/2025	1:30:00 AM	0.11
3/8/2025	1:45:00 AM	0.1
3/8/2025	2:00:00 AM	0.1
3/8/2025	2:15:00 AM	0.1
3/8/2025	2:30:00 AM	0.1
3/8/2025	2:45:00 AM	0.1
3/8/2025	3:00:00 AM	0.1
3/8/2025	3:15:00 AM	0.1
3/8/2025	3:30:00 AM	0.1
3/8/2025	3:45:00 AM	0.1
3/8/2025	4:00:00 AM	0.1
3/8/2025	4:15:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/8/2025	4:30:00 AM	0.1
3/8/2025	4:45:00 AM	0.1
3/8/2025	5:00:00 AM	0.1
3/8/2025	5:15:00 AM	0.1
3/8/2025	5:30:00 AM	0.1
3/8/2025	5:45:00 AM	0.1
3/8/2025	6:00:00 AM	0.1
3/8/2025	6:15:00 AM	0.1
3/8/2025	6:30:00 AM	0.1
3/8/2025	6:45:00 AM	0.1
3/8/2025	7:00:00 AM	0.09
3/8/2025	7:15:00 AM	0.09
3/8/2025	7:30:00 AM	0.09
3/8/2025	7:45:00 AM	0.09
3/8/2025	8:00:00 AM	0.09
3/8/2025	8:15:00 AM	0.09
3/8/2025	8:30:00 AM	0.09
3/8/2025	8:45:00 AM	0.09
3/8/2025	9:00:00 AM	0.09
3/8/2025	9:15:00 AM	0.09
3/8/2025	9:30:00 AM	0.09
3/8/2025	9:45:00 AM	0.09
3/8/2025	10:00:00 AM	0.09
3/8/2025	10:15:00 AM	0.09
3/8/2025	10:30:00 AM	0.09
3/8/2025	10:45:00 AM	0.08
3/8/2025	11:00:00 AM	0.08
3/8/2025	11:15:00 AM	0.08
3/8/2025	11:30:00 AM	0.08
3/8/2025	11:45:00 AM	0.08
3/8/2025	12:00:00 PM	0.08
3/8/2025	12:15:00 PM	0.08
3/8/2025	12:30:00 PM	0.08
3/8/2025	12:45:00 PM	0.08
3/8/2025	1:00:00 PM	0.07
3/8/2025	1:15:00 PM	0.07
3/8/2025	1:30:00 PM	0.07
3/8/2025	1:45:00 PM	0.07
3/8/2025	2:00:00 PM	0.07
3/8/2025	2:15:00 PM	0.06
3/8/2025	2:30:00 PM	0.06
3/8/2025	2:45:00 PM	0.06
3/8/2025	3:00:00 PM	0.06
3/8/2025	3:15:00 PM	0.06
3/8/2025	3:30:00 PM	0.06
3/8/2025	3:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
3/8/2025	4:00:00 PM	0.06
3/8/2025	4:15:00 PM	0.06
3/8/2025	4:30:00 PM	0.06
3/8/2025	4:45:00 PM	0.06
3/8/2025	5:00:00 PM	0.06
3/8/2025	5:15:00 PM	0.07
3/8/2025	5:30:00 PM	0.08
3/8/2025	5:45:00 PM	0.09
3/8/2025	6:00:00 PM	0.09
3/8/2025	6:15:00 PM	0.09
3/8/2025	6:30:00 PM	0.09
3/8/2025	6:45:00 PM	0.09
3/8/2025	7:00:00 PM	0.09
3/8/2025	7:15:00 PM	0.1
3/8/2025	7:30:00 PM	0.1
3/8/2025	7:45:00 PM	0.1
3/8/2025	8:00:00 PM	0.1
3/8/2025	8:15:00 PM	0.1
3/8/2025	8:30:00 PM	0.09
3/8/2025	8:45:00 PM	0.09
3/8/2025	9:00:00 PM	0.09
3/8/2025	9:15:00 PM	0.09
3/8/2025	9:30:00 PM	0.09
3/8/2025	9:45:00 PM	0.09
3/8/2025	10:00:00 PM	0.09
3/8/2025	10:15:00 PM	0.09
3/8/2025	10:30:00 PM	0.09
3/8/2025	10:45:00 PM	0.09
3/8/2025	11:00:00 PM	0.09
3/8/2025	11:15:00 PM	0.09
3/8/2025	11:30:00 PM	0.09
3/8/2025	11:45:00 PM	0.09
3/9/2025	12:00:00 AM	0.09
3/9/2025	12:15:00 AM	0.09
3/9/2025	12:30:00 AM	0.09
3/9/2025	12:45:00 AM	0.09
3/9/2025	1:00:00 AM	0.09
3/9/2025	1:15:00 AM	0.09
3/9/2025	1:30:00 AM	0.09
3/9/2025	1:45:00 AM	0.09
3/9/2025	2:00:00 AM	0.09
3/9/2025	2:15:00 AM	0.09
3/9/2025	2:30:00 AM	0.09
3/9/2025	2:45:00 AM	0.09
3/9/2025	3:00:00 AM	0.09
3/9/2025	3:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/9/2025	3:30:00 AM	0.09
3/9/2025	3:45:00 AM	0.09
3/9/2025	4:00:00 AM	0.09
3/9/2025	4:15:00 AM	0.09
3/9/2025	4:30:00 AM	0.09
3/9/2025	4:45:00 AM	0.09
3/9/2025	5:00:00 AM	0.09
3/9/2025	5:15:00 AM	0.09
3/9/2025	5:30:00 AM	0.09
3/9/2025	5:45:00 AM	0.09
3/9/2025	6:00:00 AM	0.09
3/9/2025	6:15:00 AM	0.09
3/9/2025	6:30:00 AM	0.09
3/9/2025	6:45:00 AM	0.09
3/9/2025	7:00:00 AM	0.09
3/9/2025	7:15:00 AM	0.09
3/9/2025	7:30:00 AM	0.09
3/9/2025	7:45:00 AM	0.09
3/9/2025	8:00:00 AM	0.09
3/9/2025	8:15:00 AM	0.09
3/9/2025	8:30:00 AM	0.09
3/9/2025	8:45:00 AM	0.09
3/9/2025	9:00:00 AM	0.09
3/9/2025	9:15:00 AM	0.09
3/9/2025	9:30:00 AM	0.08
3/9/2025	9:45:00 AM	0.08
3/9/2025	10:00:00 AM	0.08
3/9/2025	10:15:00 AM	0.08
3/9/2025	10:30:00 AM	0.08
3/9/2025	10:45:00 AM	0.08
3/9/2025	11:00:00 AM	0.08
3/9/2025	11:15:00 AM	0.08
3/9/2025	11:30:00 AM	0.08
3/9/2025	11:45:00 AM	0.08
3/9/2025	12:00:00 PM	0.08
3/9/2025	12:15:00 PM	0.08
3/9/2025	12:30:00 PM	0.08
3/9/2025	12:45:00 PM	0.08
3/9/2025	1:00:00 PM	0.08
3/9/2025	1:15:00 PM	0.08
3/9/2025	1:30:00 PM	0.08
3/9/2025	1:45:00 PM	0.08
3/9/2025	2:00:00 PM	0.08
3/9/2025	2:15:00 PM	0.08
3/9/2025	2:30:00 PM	0.08
3/9/2025	2:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/9/2025	3:00:00 PM	0.08
3/9/2025	3:15:00 PM	0.08
3/9/2025	3:30:00 PM	0.08
3/9/2025	3:45:00 PM	0.08
3/9/2025	4:00:00 PM	0.09
3/9/2025	4:15:00 PM	0.09
3/9/2025	4:30:00 PM	0.09
3/9/2025	4:45:00 PM	0.09
3/9/2025	5:00:00 PM	0.09
3/9/2025	5:15:00 PM	0.09
3/9/2025	5:30:00 PM	0.09
3/9/2025	5:45:00 PM	0.09
3/9/2025	6:00:00 PM	0.09
3/9/2025	6:15:00 PM	0.09
3/9/2025	6:30:00 PM	0.09
3/9/2025	6:45:00 PM	0.09
3/9/2025	7:00:00 PM	0.09
3/9/2025	7:15:00 PM	0.09
3/9/2025	7:30:00 PM	0.09
3/9/2025	7:45:00 PM	0.09
3/9/2025	8:00:00 PM	0.09
3/9/2025	8:15:00 PM	0.09
3/9/2025	8:30:00 PM	0.09
3/9/2025	8:45:00 PM	0.09
3/9/2025	9:00:00 PM	0.09
3/9/2025	9:15:00 PM	0.09
3/9/2025	9:30:00 PM	0.09
3/9/2025	9:45:00 PM	0.09
3/9/2025	10:00:00 PM	0.09
3/9/2025	10:15:00 PM	0.09
3/9/2025	10:30:00 PM	0.09
3/9/2025	10:45:00 PM	0.09
3/9/2025	11:00:00 PM	0.09
3/9/2025	11:15:00 PM	0.09
3/9/2025	11:30:00 PM	0.09
3/9/2025	11:45:00 PM	0.09
3/10/2025	12:00:00 AM	0.09
3/10/2025	12:15:00 AM	0.09
3/10/2025	12:30:00 AM	0.09
3/10/2025	12:45:00 AM	0.09
3/10/2025	1:00:00 AM	0.09
3/10/2025	1:15:00 AM	0.09
3/10/2025	1:30:00 AM	0.09
3/10/2025	1:45:00 AM	0.09
3/10/2025	2:00:00 AM	0.09
3/10/2025	2:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/10/2025	2:30:00 AM	0.09
3/10/2025	2:45:00 AM	0.09
3/10/2025	3:00:00 AM	0.09
3/10/2025	3:15:00 AM	0.09
3/10/2025	3:30:00 AM	0.09
3/10/2025	3:45:00 AM	0.09
3/10/2025	4:00:00 AM	0.09
3/10/2025	4:15:00 AM	0.09
3/10/2025	4:30:00 AM	0.09
3/10/2025	4:45:00 AM	0.09
3/10/2025	5:00:00 AM	0.09
3/10/2025	5:15:00 AM	0.09
3/10/2025	5:30:00 AM	0.09
3/10/2025	5:45:00 AM	0.09
3/10/2025	6:00:00 AM	0.09
3/10/2025	6:15:00 AM	0.09
3/10/2025	6:30:00 AM	0.09
3/10/2025	6:45:00 AM	0.09
3/10/2025	7:00:00 AM	0.09
3/10/2025	7:15:00 AM	0.09
3/10/2025	7:30:00 AM	0.09
3/10/2025	7:45:00 AM	0.09
3/10/2025	8:00:00 AM	0.09
3/10/2025	8:15:00 AM	0.09
3/10/2025	8:30:00 AM	0.09
3/10/2025	8:45:00 AM	0.09
3/10/2025	9:00:00 AM	0.09
3/10/2025	9:15:00 AM	0.09
3/10/2025	9:30:00 AM	0.09
3/10/2025	9:45:00 AM	0.09
3/10/2025	10:00:00 AM	0.08
3/10/2025	10:15:00 AM	0.08
3/10/2025	10:30:00 AM	0.08
3/10/2025	10:45:00 AM	0.08
3/10/2025	11:00:00 AM	0.08
3/10/2025	11:15:00 AM	0.08
3/10/2025	11:30:00 AM	0.08
3/10/2025	11:45:00 AM	0.08
3/10/2025	12:00:00 PM	0.09
3/10/2025	12:15:00 PM	0.09
3/10/2025	12:30:00 PM	0.09
3/10/2025	12:45:00 PM	0.09
3/10/2025	1:00:00 PM	0.09
3/10/2025	1:15:00 PM	0.09
3/10/2025	1:30:00 PM	0.09
3/10/2025	1:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/10/2025	2:00:00 PM	0.09
3/10/2025	2:15:00 PM	0.09
3/10/2025	2:30:00 PM	0.09
3/10/2025	2:45:00 PM	0.09
3/10/2025	3:00:00 PM	0.09
3/10/2025	3:15:00 PM	0.09
3/10/2025	3:30:00 PM	0.09
3/10/2025	3:45:00 PM	0.09
3/10/2025	4:00:00 PM	0.09
3/10/2025	4:15:00 PM	0.09
3/10/2025	4:30:00 PM	0.09
3/10/2025	4:45:00 PM	0.09
3/10/2025	5:00:00 PM	0.09
3/10/2025	5:15:00 PM	0.09
3/10/2025	5:30:00 PM	0.09
3/10/2025	5:45:00 PM	0.09
3/10/2025	6:00:00 PM	0.09
3/10/2025	6:15:00 PM	0.09
3/10/2025	6:30:00 PM	0.09
3/10/2025	6:45:00 PM	0.09
3/10/2025	7:00:00 PM	0.09
3/10/2025	7:15:00 PM	0.09
3/10/2025	7:30:00 PM	0.09
3/10/2025	7:45:00 PM	0.09
3/10/2025	8:00:00 PM	0.09
3/10/2025	8:15:00 PM	0.09
3/10/2025	8:30:00 PM	0.09
3/10/2025	8:45:00 PM	0.09
3/10/2025	9:00:00 PM	0.09
3/10/2025	9:15:00 PM	0.09
3/10/2025	9:30:00 PM	0.09
3/10/2025	9:45:00 PM	0.09
3/10/2025	10:00:00 PM	0.09
3/10/2025	10:15:00 PM	0.09
3/10/2025	10:30:00 PM	0.09
3/10/2025	10:45:00 PM	0.09
3/10/2025	11:00:00 PM	0.09
3/10/2025	11:15:00 PM	0.09
3/10/2025	11:30:00 PM	0.09
3/10/2025	11:45:00 PM	0.09
3/11/2025	12:00:00 AM	0.09
3/11/2025	12:15:00 AM	0.09
3/11/2025	12:30:00 AM	0.09
3/11/2025	12:45:00 AM	0.09
3/11/2025	1:00:00 AM	0.09
3/11/2025	1:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/11/2025	1:30:00 AM	0.09
3/11/2025	1:45:00 AM	0.09
3/11/2025	2:00:00 AM	0.09
3/11/2025	2:15:00 AM	0.09
3/11/2025	2:30:00 AM	0.09
3/11/2025	2:45:00 AM	0.09
3/11/2025	3:00:00 AM	0.09
3/11/2025	3:15:00 AM	0.09
3/11/2025	3:30:00 AM	0.09
3/11/2025	3:45:00 AM	0.09
3/11/2025	4:00:00 AM	0.09
3/11/2025	4:15:00 AM	0.09
3/11/2025	4:30:00 AM	0.09
3/11/2025	4:45:00 AM	0.09
3/11/2025	5:00:00 AM	0.09
3/11/2025	5:15:00 AM	0.09
3/11/2025	5:30:00 AM	0.09
3/11/2025	5:45:00 AM	0.09
3/11/2025	6:00:00 AM	0.09
3/11/2025	6:15:00 AM	0.09
3/11/2025	6:30:00 AM	0.09
3/11/2025	6:45:00 AM	0.09
3/11/2025	7:00:00 AM	0.09
3/11/2025	7:15:00 AM	0.09
3/11/2025	7:30:00 AM	0.09
3/11/2025	7:45:00 AM	0.09
3/11/2025	8:00:00 AM	0.09
3/11/2025	8:15:00 AM	0.09
3/11/2025	8:30:00 AM	0.09
3/11/2025	8:45:00 AM	0.09
3/11/2025	9:00:00 AM	0.09
3/11/2025	9:15:00 AM	0.09
3/11/2025	9:30:00 AM	0.09
3/11/2025	9:45:00 AM	0.08
3/11/2025	10:00:00 AM	0.08
3/11/2025	10:15:00 AM	0.08
3/11/2025	10:30:00 AM	0.08
3/11/2025	10:45:00 AM	0.08
3/11/2025	11:00:00 AM	0.08
3/11/2025	11:15:00 AM	0.08
3/11/2025	11:30:00 AM	0.08
3/11/2025	11:45:00 AM	0.08
3/11/2025	12:00:00 PM	0.07
3/11/2025	12:15:00 PM	0.07
3/11/2025	12:30:00 PM	0.07
3/11/2025	12:45:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/11/2025	1:00:00 PM	0.07
3/11/2025	1:15:00 PM	0.07
3/11/2025	1:30:00 PM	0.07
3/11/2025	1:45:00 PM	0.07
3/11/2025	2:00:00 PM	0.07
3/11/2025	2:15:00 PM	0.07
3/11/2025	2:30:00 PM	0.07
3/11/2025	2:45:00 PM	0.07
3/11/2025	3:00:00 PM	0.07
3/11/2025	3:15:00 PM	0.08
3/11/2025	3:30:00 PM	0.08
3/11/2025	3:45:00 PM	0.08
3/11/2025	4:00:00 PM	0.08
3/11/2025	4:15:00 PM	0.08
3/11/2025	4:30:00 PM	0.08
3/11/2025	4:45:00 PM	0.08
3/11/2025	5:00:00 PM	0.08
3/11/2025	5:15:00 PM	0.08
3/11/2025	5:30:00 PM	0.09
3/11/2025	5:45:00 PM	0.09
3/11/2025	6:00:00 PM	0.09
3/11/2025	6:15:00 PM	0.09
3/11/2025	6:30:00 PM	0.1
3/11/2025	6:45:00 PM	0.1
3/11/2025	7:00:00 PM	0.1
3/11/2025	7:15:00 PM	0.1
3/11/2025	7:30:00 PM	0.1
3/11/2025	7:45:00 PM	0.1
3/11/2025	8:00:00 PM	0.1
3/11/2025	8:15:00 PM	0.1
3/11/2025	8:30:00 PM	0.1
3/11/2025	8:45:00 PM	0.09
3/11/2025	9:00:00 PM	0.09
3/11/2025	9:15:00 PM	0.09
3/11/2025	9:30:00 PM	0.09
3/11/2025	9:45:00 PM	0.09
3/11/2025	10:00:00 PM	0.09
3/11/2025	10:15:00 PM	0.09
3/11/2025	10:30:00 PM	0.09
3/11/2025	10:45:00 PM	0.09
3/11/2025	11:00:00 PM	0.09
3/11/2025	11:15:00 PM	0.09
3/11/2025	11:30:00 PM	0.09
3/11/2025	11:45:00 PM	0.09
3/12/2025	12:00:00 AM	0.08
3/12/2025	12:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	12:30:00 AM	0.08
3/12/2025	12:45:00 AM	0.08
3/12/2025	1:00:00 AM	0.08
3/12/2025	1:15:00 AM	0.08
3/12/2025	1:30:00 AM	0.08
3/12/2025	1:45:00 AM	0.08
3/12/2025	2:00:00 AM	0.08
3/12/2025	2:15:00 AM	0.08
3/12/2025	2:30:00 AM	0.08
3/12/2025	2:45:00 AM	0.08
3/12/2025	3:00:00 AM	0.08
3/12/2025	3:15:00 AM	0.08
3/12/2025	3:30:00 AM	0.08
3/12/2025	3:45:00 AM	0.08
3/12/2025	4:00:00 AM	0.09
3/12/2025	4:15:00 AM	0.09
3/12/2025	4:30:00 AM	0.09
3/12/2025	4:45:00 AM	0.09
3/12/2025	5:00:00 AM	0.08
3/12/2025	5:15:00 AM	0.08
3/12/2025	5:30:00 AM	0.08
3/12/2025	5:45:00 AM	0.08
3/12/2025	6:00:00 AM	0.08
3/12/2025	6:15:00 AM	0.08
3/12/2025	6:30:00 AM	0.08
3/12/2025	6:45:00 AM	0.08
3/12/2025	7:00:00 AM	0.08
3/12/2025	7:15:00 AM	0.08
3/12/2025	7:30:00 AM	0.08
3/12/2025	7:45:00 AM	0.08
3/12/2025	8:00:00 AM	0.08
3/12/2025	8:15:00 AM	0.08
3/12/2025	8:30:00 AM	0.08
3/12/2025	8:45:00 AM	0.08
3/12/2025	9:00:00 AM	0.08
3/12/2025	9:15:00 AM	0.08
3/12/2025	9:30:00 AM	0.08
3/12/2025	9:45:00 AM	0.08
3/12/2025	10:00:00 AM	0.08
3/12/2025	10:15:00 AM	0.08
3/12/2025	10:30:00 AM	0.08
3/12/2025	10:45:00 AM	0.08
3/12/2025	11:00:00 AM	0.08
3/12/2025	11:15:00 AM	0.08
3/12/2025	11:30:00 AM	0.08
3/12/2025	11:45:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	12:00:00 PM	0.09
3/12/2025	12:15:00 PM	0.09
3/12/2025	12:30:00 PM	0.09
3/12/2025	12:45:00 PM	0.09
3/12/2025	1:00:00 PM	0.09
3/12/2025	1:15:00 PM	0.09
3/12/2025	1:30:00 PM	0.09
3/12/2025	1:45:00 PM	0.09
3/12/2025	2:00:00 PM	0.09
3/12/2025	2:15:00 PM	0.08
3/12/2025	2:30:00 PM	0.08
3/12/2025	2:45:00 PM	0.08
3/12/2025	3:00:00 PM	0.08
3/12/2025	3:15:00 PM	0.08
3/12/2025	3:30:00 PM	0.08
3/12/2025	3:45:00 PM	0.08
3/12/2025	4:00:00 PM	0.08
3/12/2025	4:15:00 PM	0.09
3/12/2025	4:30:00 PM	0.09
3/12/2025	4:45:00 PM	0.09
3/12/2025	5:00:00 PM	0.08
3/12/2025	5:15:00 PM	0.09
3/12/2025	5:30:00 PM	0.09
3/12/2025	5:45:00 PM	0.09
3/12/2025	6:00:00 PM	0.09
3/12/2025	6:15:00 PM	0.09
3/12/2025	6:30:00 PM	0.09
3/12/2025	6:45:00 PM	0.09
3/12/2025	7:00:00 PM	0.09
3/12/2025	7:15:00 PM	0.09
3/12/2025	7:30:00 PM	0.09
3/12/2025	7:45:00 PM	0.09
3/12/2025	8:00:00 PM	0.09
3/12/2025	8:15:00 PM	0.09
3/12/2025	8:30:00 PM	0.09
3/12/2025	8:45:00 PM	0.09
3/12/2025	9:00:00 PM	0.09
3/12/2025	9:15:00 PM	0.09
3/12/2025	9:30:00 PM	0.09
3/12/2025	9:45:00 PM	0.09
3/12/2025	10:00:00 PM	0.09
3/12/2025	10:15:00 PM	0.08
3/12/2025	10:30:00 PM	0.09
3/12/2025	10:45:00 PM	0.08
3/12/2025	11:00:00 PM	0.08
3/12/2025	11:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/12/2025	11:30:00 PM	0.09
3/12/2025	11:45:00 PM	0.08
3/13/2025	12:00:00 AM	0.09
3/13/2025	12:15:00 AM	0.09
3/13/2025	12:30:00 AM	0.09
3/13/2025	12:45:00 AM	0.09
3/13/2025	1:00:00 AM	0.09
3/13/2025	1:15:00 AM	0.09
3/13/2025	1:30:00 AM	0.09
3/13/2025	1:45:00 AM	0.09
3/13/2025	2:00:00 AM	0.09
3/13/2025	2:15:00 AM	0.09
3/13/2025	2:30:00 AM	0.09
3/13/2025	2:45:00 AM	0.09
3/13/2025	3:00:00 AM	0.09
3/13/2025	3:15:00 AM	0.09
3/13/2025	3:30:00 AM	0.09
3/13/2025	3:45:00 AM	0.09
3/13/2025	4:00:00 AM	0.09
3/13/2025	4:15:00 AM	0.09
3/13/2025	4:30:00 AM	0.09
3/13/2025	4:45:00 AM	0.09
3/13/2025	5:00:00 AM	0.09
3/13/2025	5:15:00 AM	0.09
3/13/2025	5:30:00 AM	0.09
3/13/2025	5:45:00 AM	0.09
3/13/2025	6:00:00 AM	0.09
3/13/2025	6:15:00 AM	0.09
3/13/2025	6:30:00 AM	0.09
3/13/2025	6:45:00 AM	0.09
3/13/2025	7:00:00 AM	0.09
3/13/2025	7:15:00 AM	0.09
3/13/2025	7:30:00 AM	0.09
3/13/2025	7:45:00 AM	0.09
3/13/2025	8:00:00 AM	0.09
3/13/2025	8:15:00 AM	0.09
3/13/2025	8:30:00 AM	0.09
3/13/2025	8:45:00 AM	0.09
3/13/2025	9:00:00 AM	0.09
3/13/2025	9:15:00 AM	0.09
3/13/2025	9:30:00 AM	0.09
3/13/2025	9:45:00 AM	0.09
3/13/2025	10:00:00 AM	0.09
3/13/2025	10:15:00 AM	0.09
3/13/2025	10:30:00 AM	0.09
3/13/2025	10:45:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/13/2025	11:00:00 AM	0.09
3/13/2025	11:15:00 AM	0.09
3/13/2025	11:30:00 AM	0.09
3/13/2025	11:45:00 AM	0.09
3/13/2025	12:00:00 PM	0.09
3/13/2025	12:15:00 PM	0.08
3/13/2025	12:30:00 PM	0.09
3/13/2025	12:45:00 PM	0.08
3/13/2025	1:00:00 PM	0.08
3/13/2025	1:15:00 PM	0.08
3/13/2025	1:30:00 PM	0.08
3/13/2025	1:45:00 PM	0.08
3/13/2025	2:00:00 PM	0.08
3/13/2025	2:15:00 PM	0.08
3/13/2025	2:30:00 PM	0.08
3/13/2025	2:45:00 PM	0.09
3/13/2025	3:00:00 PM	0.09
3/13/2025	3:15:00 PM	0.09
3/13/2025	3:30:00 PM	0.09
3/13/2025	3:45:00 PM	0.09
3/13/2025	4:00:00 PM	0.09
3/13/2025	4:15:00 PM	0.09
3/13/2025	4:30:00 PM	0.09
3/13/2025	4:45:00 PM	0.09
3/13/2025	5:00:00 PM	0.09
3/13/2025	5:15:00 PM	0.09
3/13/2025	5:30:00 PM	0.09
3/13/2025	5:45:00 PM	0.09
3/13/2025	6:00:00 PM	0.09
3/13/2025	6:15:00 PM	0.09
3/13/2025	6:30:00 PM	0.09
3/13/2025	6:45:00 PM	0.09
3/13/2025	7:00:00 PM	0.09
3/13/2025	7:15:00 PM	0.09
3/13/2025	7:30:00 PM	0.09
3/13/2025	7:45:00 PM	0.09
3/13/2025	8:00:00 PM	0.09
3/13/2025	8:15:00 PM	0.09
3/13/2025	8:30:00 PM	0.09
3/13/2025	8:45:00 PM	0.09
3/13/2025	9:00:00 PM	0.09
3/13/2025	9:15:00 PM	0.09
3/13/2025	9:30:00 PM	0.09
3/13/2025	9:45:00 PM	0.09
3/13/2025	10:00:00 PM	0.09
3/13/2025	10:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/13/2025	10:30:00 PM	0.09
3/13/2025	10:45:00 PM	0.09
3/13/2025	11:00:00 PM	0.09
3/13/2025	11:15:00 PM	0.09
3/13/2025	11:30:00 PM	0.09
3/13/2025	11:45:00 PM	0.09
3/14/2025	12:00:00 AM	0.09
3/14/2025	12:15:00 AM	0.09
3/14/2025	12:30:00 AM	0.09
3/14/2025	12:45:00 AM	0.09
3/14/2025	1:00:00 AM	0.09
3/14/2025	1:15:00 AM	0.09
3/14/2025	1:30:00 AM	0.09
3/14/2025	1:45:00 AM	0.09
3/14/2025	2:00:00 AM	0.09
3/14/2025	2:15:00 AM	0.09
3/14/2025	2:30:00 AM	0.09
3/14/2025	2:45:00 AM	0.09
3/14/2025	3:00:00 AM	0.09
3/14/2025	3:15:00 AM	0.09
3/14/2025	3:30:00 AM	0.09
3/14/2025	3:45:00 AM	0.09
3/14/2025	4:00:00 AM	0.09
3/14/2025	4:15:00 AM	0.09
3/14/2025	4:30:00 AM	0.09
3/14/2025	4:45:00 AM	0.09
3/14/2025	5:00:00 AM	0.09
3/14/2025	5:15:00 AM	0.09
3/14/2025	5:30:00 AM	0.09
3/14/2025	5:45:00 AM	0.09
3/14/2025	6:00:00 AM	0.09
3/14/2025	6:15:00 AM	0.09
3/14/2025	6:30:00 AM	0.09
3/14/2025	6:45:00 AM	0.09
3/14/2025	7:00:00 AM	0.09
3/14/2025	7:15:00 AM	0.09
3/14/2025	7:30:00 AM	0.09
3/14/2025	7:45:00 AM	0.09
3/14/2025	8:00:00 AM	0.09
3/14/2025	8:15:00 AM	0.09
3/14/2025	8:30:00 AM	0.09
3/14/2025	8:45:00 AM	0.09
3/14/2025	9:00:00 AM	0.08
3/14/2025	9:15:00 AM	0.08
3/14/2025	9:30:00 AM	0.08
3/14/2025	9:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/14/2025	10:00:00 AM	0.08
3/14/2025	10:15:00 AM	0.08
3/14/2025	10:30:00 AM	0.08
3/14/2025	10:45:00 AM	0.07
3/14/2025	11:00:00 AM	0.07
3/14/2025	11:15:00 AM	0.07
3/14/2025	11:30:00 AM	0.07
3/14/2025	11:45:00 AM	0.07
3/14/2025	12:00:00 PM	0.07
3/14/2025	12:15:00 PM	0.07
3/14/2025	12:30:00 PM	0.07
3/14/2025	12:45:00 PM	0.07
3/14/2025	1:00:00 PM	0.07
3/14/2025	1:15:00 PM	0.07
3/14/2025	1:30:00 PM	0.07
3/14/2025	1:45:00 PM	0.07
3/14/2025	2:00:00 PM	0.07
3/14/2025	2:15:00 PM	0.07
3/14/2025	2:30:00 PM	0.07
3/14/2025	2:45:00 PM	0.07
3/14/2025	3:00:00 PM	0.07
3/14/2025	3:15:00 PM	0.08
3/14/2025	3:30:00 PM	0.08
3/14/2025	3:45:00 PM	0.08
3/14/2025	4:00:00 PM	0.08
3/14/2025	4:15:00 PM	0.08
3/14/2025	4:30:00 PM	0.08
3/14/2025	4:45:00 PM	0.08
3/14/2025	5:00:00 PM	0.08
3/14/2025	5:15:00 PM	0.09
3/14/2025	5:30:00 PM	0.09
3/14/2025	5:45:00 PM	0.09
3/14/2025	6:00:00 PM	0.09
3/14/2025	6:15:00 PM	0.09
3/14/2025	6:30:00 PM	0.09
3/14/2025	6:45:00 PM	0.09
3/14/2025	7:00:00 PM	0.09
3/14/2025	7:15:00 PM	0.09
3/14/2025	7:30:00 PM	0.09
3/14/2025	7:45:00 PM	0.09
3/14/2025	8:00:00 PM	0.09
3/14/2025	8:15:00 PM	0.09
3/14/2025	8:30:00 PM	0.09
3/14/2025	8:45:00 PM	0.09
3/14/2025	9:00:00 PM	0.09
3/14/2025	9:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/14/2025	9:30:00 PM	0.09
3/14/2025	9:45:00 PM	0.09
3/14/2025	10:00:00 PM	0.09
3/14/2025	10:15:00 PM	0.09
3/14/2025	10:30:00 PM	0.09
3/14/2025	10:45:00 PM	0.09
3/14/2025	11:00:00 PM	0.09
3/14/2025	11:15:00 PM	0.09
3/14/2025	11:30:00 PM	0.09
3/14/2025	11:45:00 PM	0.09
3/15/2025	12:00:00 AM	0.09
3/15/2025	12:15:00 AM	0.09
3/15/2025	12:30:00 AM	0.09
3/15/2025	12:45:00 AM	0.09
3/15/2025	1:00:00 AM	0.09
3/15/2025	1:15:00 AM	0.09
3/15/2025	1:30:00 AM	0.09
3/15/2025	1:45:00 AM	0.09
3/15/2025	2:00:00 AM	0.09
3/15/2025	2:15:00 AM	0.09
3/15/2025	2:30:00 AM	0.09
3/15/2025	2:45:00 AM	0.09
3/15/2025	3:00:00 AM	0.09
3/15/2025	3:15:00 AM	0.09
3/15/2025	3:30:00 AM	0.08
3/15/2025	3:45:00 AM	0.08
3/15/2025	4:00:00 AM	0.08
3/15/2025	4:15:00 AM	0.08
3/15/2025	4:30:00 AM	0.08
3/15/2025	4:45:00 AM	0.08
3/15/2025	5:00:00 AM	0.08
3/15/2025	5:15:00 AM	0.08
3/15/2025	5:30:00 AM	0.08
3/15/2025	5:45:00 AM	0.08
3/15/2025	6:00:00 AM	0.08
3/15/2025	6:15:00 AM	0.08
3/15/2025	6:30:00 AM	0.08
3/15/2025	6:45:00 AM	0.08
3/15/2025	7:00:00 AM	0.08
3/15/2025	7:15:00 AM	0.08
3/15/2025	7:30:00 AM	0.08
3/15/2025	7:45:00 AM	0.08
3/15/2025	8:00:00 AM	0.08
3/15/2025	8:15:00 AM	0.08
3/15/2025	8:30:00 AM	0.08
3/15/2025	8:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/15/2025	9:00:00 AM	0.08
3/15/2025	9:15:00 AM	0.08
3/15/2025	9:30:00 AM	0.08
3/15/2025	9:45:00 AM	0.08
3/15/2025	10:00:00 AM	0.08
3/15/2025	10:15:00 AM	0.08
3/15/2025	10:30:00 AM	0.08
3/15/2025	10:45:00 AM	0.08
3/15/2025	11:00:00 AM	0.08
3/15/2025	11:15:00 AM	0.08
3/15/2025	11:30:00 AM	0.08
3/15/2025	11:45:00 AM	0.08
3/15/2025	12:00:00 PM	0.08
3/15/2025	12:15:00 PM	0.08
3/15/2025	12:30:00 PM	0.08
3/15/2025	12:45:00 PM	0.08
3/15/2025	1:00:00 PM	0.08
3/15/2025	1:15:00 PM	0.08
3/15/2025	1:30:00 PM	0.08
3/15/2025	1:45:00 PM	0.08
3/15/2025	2:00:00 PM	0.08
3/15/2025	2:15:00 PM	0.08
3/15/2025	2:30:00 PM	0.08
3/15/2025	2:45:00 PM	0.08
3/15/2025	3:00:00 PM	0.08
3/15/2025	3:15:00 PM	0.08
3/15/2025	3:30:00 PM	0.08
3/15/2025	3:45:00 PM	0.08
3/15/2025	4:00:00 PM	0.08
3/15/2025	4:15:00 PM	0.08
3/15/2025	4:30:00 PM	0.08
3/15/2025	4:45:00 PM	0.08
3/15/2025	5:00:00 PM	0.08
3/15/2025	5:15:00 PM	0.08
3/15/2025	5:30:00 PM	0.08
3/15/2025	5:45:00 PM	0.08
3/15/2025	6:00:00 PM	0.08
3/15/2025	6:15:00 PM	0.09
3/15/2025	6:30:00 PM	0.1
3/15/2025	6:45:00 PM	0.1
3/15/2025	7:00:00 PM	0.11
3/15/2025	7:15:00 PM	0.11
3/15/2025	7:30:00 PM	0.11
3/15/2025	7:45:00 PM	0.11
3/15/2025	8:00:00 PM	0.11
3/15/2025	8:15:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/15/2025	8:30:00 PM	0.11
3/15/2025	8:45:00 PM	0.1
3/15/2025	9:00:00 PM	0.1
3/15/2025	9:15:00 PM	0.1
3/15/2025	9:30:00 PM	0.1
3/15/2025	9:45:00 PM	0.1
3/15/2025	10:00:00 PM	0.1
3/15/2025	10:15:00 PM	0.1
3/15/2025	10:30:00 PM	0.1
3/15/2025	10:45:00 PM	0.1
3/15/2025	11:00:00 PM	0.1
3/15/2025	11:15:00 PM	0.1
3/15/2025	11:30:00 PM	0.09
3/15/2025	11:45:00 PM	0.09
3/16/2025	12:00:00 AM	0.09
3/16/2025	12:15:00 AM	0.09
3/16/2025	12:30:00 AM	0.09
3/16/2025	12:45:00 AM	0.09
3/16/2025	1:00:00 AM	0.09
3/16/2025	1:15:00 AM	0.09
3/16/2025	1:30:00 AM	0.09
3/16/2025	1:45:00 AM	0.09
3/16/2025	2:00:00 AM	0.09
3/16/2025	2:15:00 AM	0.09
3/16/2025	2:30:00 AM	0.09
3/16/2025	2:45:00 AM	0.09
3/16/2025	3:00:00 AM	0.09
3/16/2025	3:15:00 AM	0.09
3/16/2025	3:30:00 AM	0.09
3/16/2025	3:45:00 AM	0.09
3/16/2025	4:00:00 AM	0.09
3/16/2025	4:15:00 AM	0.09
3/16/2025	4:30:00 AM	0.09
3/16/2025	4:45:00 AM	0.09
3/16/2025	5:00:00 AM	0.09
3/16/2025	5:15:00 AM	0.09
3/16/2025	5:30:00 AM	0.09
3/16/2025	5:45:00 AM	0.09
3/16/2025	6:00:00 AM	0.09
3/16/2025	6:15:00 AM	0.09
3/16/2025	6:30:00 AM	0.09
3/16/2025	6:45:00 AM	0.09
3/16/2025	7:00:00 AM	0.09
3/16/2025	7:15:00 AM	0.09
3/16/2025	7:30:00 AM	0.09
3/16/2025	7:45:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/16/2025	8:00:00 AM	0.09
3/16/2025	8:15:00 AM	0.09
3/16/2025	8:30:00 AM	0.09
3/16/2025	8:45:00 AM	0.09
3/16/2025	9:00:00 AM	0.09
3/16/2025	9:15:00 AM	0.09
3/16/2025	9:30:00 AM	0.09
3/16/2025	9:45:00 AM	0.09
3/16/2025	10:00:00 AM	0.09
3/16/2025	10:15:00 AM	0.09
3/16/2025	10:30:00 AM	0.09
3/16/2025	10:45:00 AM	0.09
3/16/2025	11:00:00 AM	0.09
3/16/2025	11:15:00 AM	0.09
3/16/2025	11:30:00 AM	0.09
3/16/2025	11:45:00 AM	0.09
3/16/2025	12:00:00 PM	0.09
3/16/2025	12:15:00 PM	0.09
3/16/2025	12:30:00 PM	0.09
3/16/2025	12:45:00 PM	0.09
3/16/2025	1:00:00 PM	0.09
3/16/2025	1:15:00 PM	0.09
3/16/2025	1:30:00 PM	0.09
3/16/2025	1:45:00 PM	0.09
3/16/2025	2:00:00 PM	0.09
3/16/2025	2:15:00 PM	0.09
3/16/2025	2:30:00 PM	0.09
3/16/2025	2:45:00 PM	0.09
3/16/2025	3:00:00 PM	0.09
3/16/2025	3:15:00 PM	0.09
3/16/2025	3:30:00 PM	0.09
3/16/2025	3:45:00 PM	0.09
3/16/2025	4:00:00 PM	0.09
3/16/2025	4:15:00 PM	0.09
3/16/2025	4:30:00 PM	0.09
3/16/2025	4:45:00 PM	0.09
3/16/2025	5:00:00 PM	0.09
3/16/2025	5:15:00 PM	0.09
3/16/2025	5:30:00 PM	0.09
3/16/2025	5:45:00 PM	0.09
3/16/2025	6:00:00 PM	0.09
3/16/2025	6:15:00 PM	0.09
3/16/2025	6:30:00 PM	0.09
3/16/2025	6:45:00 PM	0.09
3/16/2025	7:00:00 PM	0.09
3/16/2025	7:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/16/2025	7:30:00 PM	0.09
3/16/2025	7:45:00 PM	0.09
3/16/2025	8:00:00 PM	0.09
3/16/2025	8:15:00 PM	0.09
3/16/2025	8:30:00 PM	0.09
3/16/2025	8:45:00 PM	0.09
3/16/2025	9:00:00 PM	0.09
3/16/2025	9:15:00 PM	0.09
3/16/2025	9:30:00 PM	0.09
3/16/2025	9:45:00 PM	0.09
3/16/2025	10:00:00 PM	0.09
3/16/2025	10:15:00 PM	0.09
3/16/2025	10:30:00 PM	0.09
3/16/2025	10:45:00 PM	0.09
3/16/2025	11:00:00 PM	0.09
3/16/2025	11:15:00 PM	0.09
3/16/2025	11:30:00 PM	0.09
3/16/2025	11:45:00 PM	0.09
3/17/2025	12:00:00 AM	0.09
3/17/2025	12:15:00 AM	0.09
3/17/2025	12:30:00 AM	0.09
3/17/2025	12:45:00 AM	0.09
3/17/2025	1:00:00 AM	0.09
3/17/2025	1:15:00 AM	0.09
3/17/2025	1:30:00 AM	0.09
3/17/2025	1:45:00 AM	0.09
3/17/2025	2:00:00 AM	0.09
3/17/2025	2:15:00 AM	0.09
3/17/2025	2:30:00 AM	0.08
3/17/2025	2:45:00 AM	0.08
3/17/2025	3:00:00 AM	0.08
3/17/2025	3:15:00 AM	0.08
3/17/2025	3:30:00 AM	0.08
3/17/2025	3:45:00 AM	0.08
3/17/2025	4:00:00 AM	0.08
3/17/2025	4:15:00 AM	0.09
3/17/2025	4:30:00 AM	0.09
3/17/2025	4:45:00 AM	0.09
3/17/2025	5:00:00 AM	0.09
3/17/2025	5:15:00 AM	0.09
3/17/2025	5:30:00 AM	0.09
3/17/2025	5:45:00 AM	0.09
3/17/2025	6:00:00 AM	0.09
3/17/2025	6:15:00 AM	0.09
3/17/2025	6:30:00 AM	0.09
3/17/2025	6:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/17/2025	7:00:00 AM	0.08
3/17/2025	7:15:00 AM	0.08
3/17/2025	7:30:00 AM	0.08
3/17/2025	7:45:00 AM	0.08
3/17/2025	8:00:00 AM	0.08
3/17/2025	8:15:00 AM	0.08
3/17/2025	8:30:00 AM	0.08
3/17/2025	8:45:00 AM	0.08
3/17/2025	9:00:00 AM	0.08
3/17/2025	9:15:00 AM	0.08
3/17/2025	9:30:00 AM	0.07
3/17/2025	9:45:00 AM	0.07
3/17/2025	10:00:00 AM	0.07
3/17/2025	10:15:00 AM	0.07
3/17/2025	10:30:00 AM	0.07
3/17/2025	10:45:00 AM	0.07
3/17/2025	11:00:00 AM	0.07
3/17/2025	11:15:00 AM	0.07
3/17/2025	11:30:00 AM	0.07
3/17/2025	11:45:00 AM	0.08
3/17/2025	12:00:00 PM	0.08
3/17/2025	12:15:00 PM	0.08
3/17/2025	12:30:00 PM	0.08
3/17/2025	12:45:00 PM	0.08
3/17/2025	1:00:00 PM	0.08
3/17/2025	1:15:00 PM	0.08
3/17/2025	1:30:00 PM	0.08
3/17/2025	1:45:00 PM	0.08
3/17/2025	2:00:00 PM	0.08
3/17/2025	2:15:00 PM	0.08
3/17/2025	2:30:00 PM	0.08
3/17/2025	2:45:00 PM	0.08
3/17/2025	3:00:00 PM	0.08
3/17/2025	3:15:00 PM	0.08
3/17/2025	3:30:00 PM	0.08
3/17/2025	3:45:00 PM	0.08
3/17/2025	4:00:00 PM	0.08
3/17/2025	4:15:00 PM	0.08
3/17/2025	4:30:00 PM	0.08
3/17/2025	4:45:00 PM	0.08
3/17/2025	5:00:00 PM	0.08
3/17/2025	5:15:00 PM	0.08
3/17/2025	5:30:00 PM	0.08
3/17/2025	5:45:00 PM	0.08
3/17/2025	6:00:00 PM	0.08
3/17/2025	6:15:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/17/2025	6:30:00 PM	0.08
3/17/2025	6:45:00 PM	0.08
3/17/2025	7:00:00 PM	0.08
3/17/2025	7:15:00 PM	0.08
3/17/2025	7:30:00 PM	0.08
3/17/2025	7:45:00 PM	0.08
3/17/2025	8:00:00 PM	0.08
3/17/2025	8:15:00 PM	0.08
3/17/2025	8:30:00 PM	0.08
3/17/2025	8:45:00 PM	0.08
3/17/2025	9:00:00 PM	0.08
3/17/2025	9:15:00 PM	0.08
3/17/2025	9:30:00 PM	0.08
3/17/2025	9:45:00 PM	0.08
3/17/2025	10:00:00 PM	0.08
3/17/2025	10:15:00 PM	0.08
3/17/2025	10:30:00 PM	0.08
3/17/2025	10:45:00 PM	0.08
3/17/2025	11:00:00 PM	0.08
3/17/2025	11:15:00 PM	0.08
3/17/2025	11:30:00 PM	0.08
3/17/2025	11:45:00 PM	0.08
3/18/2025	12:00:00 AM	0.08
3/18/2025	12:15:00 AM	0.08
3/18/2025	12:30:00 AM	0.08
3/18/2025	12:45:00 AM	0.08
3/18/2025	1:00:00 AM	0.08
3/18/2025	1:15:00 AM	0.08
3/18/2025	1:30:00 AM	0.08
3/18/2025	1:45:00 AM	0.08
3/18/2025	2:00:00 AM	0.08
3/18/2025	2:15:00 AM	0.08
3/18/2025	2:30:00 AM	0.08
3/18/2025	2:45:00 AM	0.08
3/18/2025	3:00:00 AM	0.08
3/18/2025	3:15:00 AM	0.08
3/18/2025	3:30:00 AM	0.08
3/18/2025	3:45:00 AM	0.08
3/18/2025	4:00:00 AM	0.08
3/18/2025	4:15:00 AM	0.08
3/18/2025	4:30:00 AM	0.08
3/18/2025	4:45:00 AM	0.08
3/18/2025	5:00:00 AM	0.08
3/18/2025	5:15:00 AM	0.08
3/18/2025	5:30:00 AM	0.08
3/18/2025	5:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/18/2025	6:00:00 AM	0.08
3/18/2025	6:15:00 AM	0.08
3/18/2025	6:30:00 AM	0.08
3/18/2025	6:45:00 AM	0.08
3/18/2025	7:00:00 AM	0.08
3/18/2025	7:15:00 AM	0.08
3/18/2025	7:30:00 AM	0.08
3/18/2025	7:45:00 AM	0.08
3/18/2025	8:00:00 AM	0.08
3/18/2025	8:15:00 AM	0.08
3/18/2025	8:30:00 AM	0.08
3/18/2025	8:45:00 AM	0.08
3/18/2025	9:00:00 AM	0.08
3/18/2025	9:15:00 AM	0.07
3/18/2025	9:30:00 AM	0.07
3/18/2025	9:45:00 AM	0.08
3/18/2025	10:00:00 AM	0.08
3/18/2025	10:15:00 AM	0.08
3/18/2025	10:30:00 AM	0.07
3/18/2025	10:45:00 AM	0.07
3/18/2025	11:00:00 AM	0.07
3/18/2025	11:15:00 AM	0.07
3/18/2025	11:30:00 AM	0.07
3/18/2025	11:45:00 AM	0.07
3/18/2025	12:00:00 PM	0.07
3/18/2025	12:15:00 PM	0.07
3/18/2025	12:30:00 PM	0.07
3/18/2025	12:45:00 PM	0.07
3/18/2025	1:00:00 PM	0.07
3/18/2025	1:15:00 PM	0.07
3/18/2025	1:30:00 PM	0.07
3/18/2025	1:45:00 PM	0.07
3/18/2025	2:00:00 PM	0.06
3/18/2025	2:15:00 PM	0.06
3/18/2025	2:30:00 PM	0.06
3/18/2025	2:45:00 PM	0.06
3/18/2025	3:00:00 PM	0.07
3/18/2025	3:15:00 PM	0.07
3/18/2025	3:30:00 PM	0.07
3/18/2025	3:45:00 PM	0.07
3/18/2025	4:00:00 PM	0.07
3/18/2025	4:15:00 PM	0.07
3/18/2025	4:30:00 PM	0.07
3/18/2025	4:45:00 PM	0.07
3/18/2025	5:00:00 PM	0.07
3/18/2025	5:15:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/18/2025	5:30:00 PM	0.07
3/18/2025	5:45:00 PM	0.07
3/18/2025	6:00:00 PM	0.07
3/18/2025	6:15:00 PM	0.07
3/18/2025	6:30:00 PM	0.07
3/18/2025	6:45:00 PM	0.07
3/18/2025	7:00:00 PM	0.07
3/18/2025	7:15:00 PM	0.07
3/18/2025	7:30:00 PM	0.07
3/18/2025	7:45:00 PM	0.07
3/18/2025	8:00:00 PM	0.07
3/18/2025	8:15:00 PM	0.07
3/18/2025	8:30:00 PM	0.07
3/18/2025	8:45:00 PM	0.07
3/18/2025	9:00:00 PM	0.08
3/18/2025	9:15:00 PM	0.07
3/18/2025	9:30:00 PM	0.07
3/18/2025	9:45:00 PM	0.07
3/18/2025	10:00:00 PM	0.07
3/18/2025	10:15:00 PM	0.07
3/18/2025	10:30:00 PM	0.07
3/18/2025	10:45:00 PM	0.08
3/18/2025	11:00:00 PM	0.08
3/18/2025	11:15:00 PM	0.08
3/18/2025	11:30:00 PM	0.08
3/18/2025	11:45:00 PM	0.08
3/19/2025	12:00:00 AM	0.09
3/19/2025	12:15:00 AM	0.1
3/19/2025	12:30:00 AM	0.1
3/19/2025	12:45:00 AM	0.1
3/19/2025	1:00:00 AM	0.11
3/19/2025	1:15:00 AM	0.11
3/19/2025	1:30:00 AM	0.1
3/19/2025	1:45:00 AM	0.1
3/19/2025	2:00:00 AM	0.1
3/19/2025	2:15:00 AM	0.1
3/19/2025	2:30:00 AM	0.1
3/19/2025	2:45:00 AM	0.1
3/19/2025	3:00:00 AM	0.1
3/19/2025	3:15:00 AM	0.1
3/19/2025	3:30:00 AM	0.1
3/19/2025	3:45:00 AM	0.1
3/19/2025	4:00:00 AM	0.1
3/19/2025	4:15:00 AM	0.1
3/19/2025	4:30:00 AM	0.1
3/19/2025	4:45:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/19/2025	5:00:00 AM	0.09
3/19/2025	5:15:00 AM	0.09
3/19/2025	5:30:00 AM	0.09
3/19/2025	5:45:00 AM	0.09
3/19/2025	6:00:00 AM	0.09
3/19/2025	6:15:00 AM	0.09
3/19/2025	6:30:00 AM	0.09
3/19/2025	6:45:00 AM	0.09
3/19/2025	7:00:00 AM	0.09
3/19/2025	7:15:00 AM	0.09
3/19/2025	7:30:00 AM	0.09
3/19/2025	7:45:00 AM	0.09
3/19/2025	8:00:00 AM	0.08
3/19/2025	8:15:00 AM	0.08
3/19/2025	8:30:00 AM	0.08
3/19/2025	8:45:00 AM	0.08
3/19/2025	9:00:00 AM	0.09
3/19/2025	9:15:00 AM	0.08
3/19/2025	9:30:00 AM	0.09
3/19/2025	9:45:00 AM	0.09
3/19/2025	10:00:00 AM	0.09
3/19/2025	10:15:00 AM	0.09
3/19/2025	10:30:00 AM	0.09
3/19/2025	10:45:00 AM	0.09
3/19/2025	11:00:00 AM	0.09
3/19/2025	11:15:00 AM	0.09
3/19/2025	11:30:00 AM	0.09
3/19/2025	11:45:00 AM	0.09
3/19/2025	12:00:00 PM	0.09
3/19/2025	12:15:00 PM	0.09
3/19/2025	12:30:00 PM	0.09
3/19/2025	12:45:00 PM	0.09
3/19/2025	1:00:00 PM	0.09
3/19/2025	1:15:00 PM	0.09
3/19/2025	1:30:00 PM	0.09
3/19/2025	1:45:00 PM	0.09
3/19/2025	2:00:00 PM	0.09
3/19/2025	2:15:00 PM	0.09
3/19/2025	2:30:00 PM	0.09
3/19/2025	2:45:00 PM	0.09
3/19/2025	3:00:00 PM	0.09
3/19/2025	3:15:00 PM	0.09
3/19/2025	3:30:00 PM	0.09
3/19/2025	3:45:00 PM	0.09
3/19/2025	4:00:00 PM	0.09
3/19/2025	4:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/19/2025	4:30:00 PM	0.09
3/19/2025	4:45:00 PM	0.09
3/19/2025	5:00:00 PM	0.09
3/19/2025	5:15:00 PM	0.09
3/19/2025	5:30:00 PM	0.09
3/19/2025	5:45:00 PM	0.09
3/19/2025	6:00:00 PM	0.09
3/19/2025	6:15:00 PM	0.09
3/19/2025	6:30:00 PM	0.09
3/19/2025	6:45:00 PM	0.09
3/19/2025	7:00:00 PM	0.09
3/19/2025	7:15:00 PM	0.09
3/19/2025	7:30:00 PM	0.09
3/19/2025	7:45:00 PM	0.09
3/19/2025	8:00:00 PM	0.09
3/19/2025	8:15:00 PM	0.1
3/19/2025	8:30:00 PM	0.1
3/19/2025	8:45:00 PM	0.1
3/19/2025	9:00:00 PM	0.1
3/19/2025	9:15:00 PM	0.09
3/19/2025	9:30:00 PM	0.09
3/19/2025	9:45:00 PM	0.09
3/19/2025	10:00:00 PM	0.09
3/19/2025	10:15:00 PM	0.09
3/19/2025	10:30:00 PM	0.09
3/19/2025	10:45:00 PM	0.09
3/19/2025	11:00:00 PM	0.09
3/19/2025	11:15:00 PM	0.09
3/19/2025	11:30:00 PM	0.09
3/19/2025	11:45:00 PM	0.09
3/20/2025	12:00:00 AM	0.09
3/20/2025	12:15:00 AM	0.09
3/20/2025	12:30:00 AM	0.09
3/20/2025	12:45:00 AM	0.09
3/20/2025	1:00:00 AM	0.09
3/20/2025	1:15:00 AM	0.09
3/20/2025	1:30:00 AM	0.09
3/20/2025	1:45:00 AM	0.09
3/20/2025	2:00:00 AM	0.09
3/20/2025	2:15:00 AM	0.09
3/20/2025	2:30:00 AM	0.08
3/20/2025	2:45:00 AM	0.08
3/20/2025	3:00:00 AM	0.08
3/20/2025	3:15:00 AM	0.08
3/20/2025	3:30:00 AM	0.08
3/20/2025	3:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/20/2025	4:00:00 AM	0.08
3/20/2025	4:15:00 AM	0.08
3/20/2025	4:30:00 AM	0.08
3/20/2025	4:45:00 AM	0.08
3/20/2025	5:00:00 AM	0.08
3/20/2025	5:15:00 AM	0.08
3/20/2025	5:30:00 AM	0.08
3/20/2025	5:45:00 AM	0.08
3/20/2025	6:00:00 AM	0.08
3/20/2025	6:15:00 AM	0.08
3/20/2025	6:30:00 AM	0.08
3/20/2025	6:45:00 AM	0.08
3/20/2025	7:00:00 AM	0.08
3/20/2025	7:15:00 AM	0.08
3/20/2025	7:30:00 AM	0.08
3/20/2025	7:45:00 AM	0.08
3/20/2025	8:00:00 AM	0.08
3/20/2025	8:15:00 AM	0.08
3/20/2025	8:30:00 AM	0.08
3/20/2025	8:45:00 AM	0.08
3/20/2025	9:00:00 AM	0.08
3/20/2025	9:15:00 AM	0.07
3/20/2025	9:30:00 AM	0.07
3/20/2025	9:45:00 AM	0.07
3/20/2025	10:00:00 AM	0.07
3/20/2025	10:15:00 AM	0.07
3/20/2025	10:30:00 AM	0.07
3/20/2025	10:45:00 AM	0.07
3/20/2025	11:00:00 AM	0.07
3/20/2025	11:15:00 AM	0.07
3/20/2025	11:30:00 AM	0.07
3/20/2025	11:45:00 AM	0.07
3/20/2025	12:00:00 PM	0.07
3/20/2025	12:15:00 PM	0.07
3/20/2025	12:30:00 PM	0.07
3/20/2025	12:45:00 PM	0.07
3/20/2025	1:00:00 PM	0.07
3/20/2025	1:15:00 PM	0.07
3/20/2025	1:30:00 PM	0.07
3/20/2025	1:45:00 PM	0.07
3/20/2025	2:00:00 PM	0.07
3/20/2025	2:15:00 PM	0.07
3/20/2025	2:30:00 PM	0.07
3/20/2025	2:45:00 PM	0.07
3/20/2025	3:00:00 PM	0.08
3/20/2025	3:15:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/20/2025	3:30:00 PM	0.08
3/20/2025	3:45:00 PM	0.08
3/20/2025	4:00:00 PM	0.08
3/20/2025	4:15:00 PM	0.08
3/20/2025	4:30:00 PM	0.08
3/20/2025	4:45:00 PM	0.08
3/20/2025	5:00:00 PM	0.08
3/20/2025	5:15:00 PM	0.08
3/20/2025	5:30:00 PM	0.08
3/20/2025	5:45:00 PM	0.08
3/20/2025	6:00:00 PM	0.08
3/20/2025	6:15:00 PM	0.08
3/20/2025	6:30:00 PM	0.08
3/20/2025	6:45:00 PM	0.08
3/20/2025	7:00:00 PM	0.08
3/20/2025	7:15:00 PM	0.08
3/20/2025	7:30:00 PM	0.08
3/20/2025	7:45:00 PM	0.08
3/20/2025	8:00:00 PM	0.08
3/20/2025	8:15:00 PM	0.08
3/20/2025	8:30:00 PM	0.08
3/20/2025	8:45:00 PM	0.08
3/20/2025	9:00:00 PM	0.08
3/20/2025	9:15:00 PM	0.08
3/20/2025	9:30:00 PM	0.08
3/20/2025	9:45:00 PM	0.08
3/20/2025	10:00:00 PM	0.08
3/20/2025	10:15:00 PM	0.08
3/20/2025	10:30:00 PM	0.08
3/20/2025	10:45:00 PM	0.08
3/20/2025	11:00:00 PM	0.08
3/20/2025	11:15:00 PM	0.08
3/20/2025	11:30:00 PM	0.08
3/20/2025	11:45:00 PM	0.08
3/21/2025	12:00:00 AM	0.08
3/21/2025	12:15:00 AM	0.08
3/21/2025	12:30:00 AM	0.08
3/21/2025	12:45:00 AM	0.08
3/21/2025	1:00:00 AM	0.08
3/21/2025	1:15:00 AM	0.08
3/21/2025	1:30:00 AM	0.08
3/21/2025	1:45:00 AM	0.08
3/21/2025	2:00:00 AM	0.08
3/21/2025	2:15:00 AM	0.08
3/21/2025	2:30:00 AM	0.08
3/21/2025	2:45:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/21/2025	3:00:00 AM	0.08
3/21/2025	3:15:00 AM	0.08
3/21/2025	3:30:00 AM	0.08
3/21/2025	3:45:00 AM	0.08
3/21/2025	4:00:00 AM	0.08
3/21/2025	4:15:00 AM	0.08
3/21/2025	4:30:00 AM	0.08
3/21/2025	4:45:00 AM	0.08
3/21/2025	5:00:00 AM	0.08
3/21/2025	5:15:00 AM	0.08
3/21/2025	5:30:00 AM	0.08
3/21/2025	5:45:00 AM	0.08
3/21/2025	6:00:00 AM	0.08
3/21/2025	6:15:00 AM	0.08
3/21/2025	6:30:00 AM	0.08
3/21/2025	6:45:00 AM	0.08
3/21/2025	7:00:00 AM	0.08
3/21/2025	7:15:00 AM	0.08
3/21/2025	7:30:00 AM	0.08
3/21/2025	7:45:00 AM	0.08
3/21/2025	8:00:00 AM	0.08
3/21/2025	8:15:00 AM	0.08
3/21/2025	8:30:00 AM	0.08
3/21/2025	8:45:00 AM	0.08
3/21/2025	9:00:00 AM	0.08
3/21/2025	9:15:00 AM	0.08
3/21/2025	9:30:00 AM	0.07
3/21/2025	9:45:00 AM	0.07
3/21/2025	10:00:00 AM	0.07
3/21/2025	10:15:00 AM	0.07
3/21/2025	10:30:00 AM	0.07
3/21/2025	10:45:00 AM	0.07
3/21/2025	11:00:00 AM	0.07
3/21/2025	11:15:00 AM	0.07
3/21/2025	11:30:00 AM	0.07
3/21/2025	11:45:00 AM	0.07
3/21/2025	12:00:00 PM	0.06
3/21/2025	12:15:00 PM	0.06
3/21/2025	12:30:00 PM	0.06
3/21/2025	12:45:00 PM	0.06
3/21/2025	1:00:00 PM	0.06
3/21/2025	1:15:00 PM	0.06
3/21/2025	1:30:00 PM	0.06
3/21/2025	1:45:00 PM	0.06
3/21/2025	2:00:00 PM	0.06
3/21/2025	2:15:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
3/21/2025	2:30:00 PM	0.07
3/21/2025	2:45:00 PM	0.07
3/21/2025	3:00:00 PM	0.07
3/21/2025	3:15:00 PM	0.07
3/21/2025	3:30:00 PM	0.07
3/21/2025	3:45:00 PM	0.07
3/21/2025	4:00:00 PM	0.07
3/21/2025	4:15:00 PM	0.07
3/21/2025	4:30:00 PM	0.07
3/21/2025	4:45:00 PM	0.07
3/21/2025	5:00:00 PM	0.07
3/21/2025	5:15:00 PM	0.07
3/21/2025	5:30:00 PM	0.08
3/21/2025	5:45:00 PM	0.08
3/21/2025	6:00:00 PM	0.08
3/21/2025	6:15:00 PM	0.08
3/21/2025	6:30:00 PM	0.08
3/21/2025	6:45:00 PM	0.08
3/21/2025	7:00:00 PM	0.08
3/21/2025	7:15:00 PM	0.08
3/21/2025	7:30:00 PM	0.08
3/21/2025	7:45:00 PM	0.08
3/21/2025	8:00:00 PM	0.08
3/21/2025	8:15:00 PM	0.08
3/21/2025	8:30:00 PM	0.08
3/21/2025	8:45:00 PM	0.08
3/21/2025	9:00:00 PM	0.08
3/21/2025	9:15:00 PM	0.08
3/21/2025	9:30:00 PM	0.08
3/21/2025	9:45:00 PM	0.09
3/21/2025	10:00:00 PM	0.09
3/21/2025	10:15:00 PM	0.09
3/21/2025	10:30:00 PM	0.09
3/21/2025	10:45:00 PM	0.1
3/21/2025	11:00:00 PM	0.1
3/21/2025	11:15:00 PM	0.1
3/21/2025	11:30:00 PM	0.1
3/21/2025	11:45:00 PM	0.1
3/22/2025	12:00:00 AM	0.1
3/22/2025	12:15:00 AM	0.1
3/22/2025	12:30:00 AM	0.1
3/22/2025	12:45:00 AM	0.1
3/22/2025	1:00:00 AM	0.1
3/22/2025	1:15:00 AM	0.1
3/22/2025	1:30:00 AM	0.1
3/22/2025	1:45:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/22/2025	2:00:00 AM	0.1
3/22/2025	2:15:00 AM	0.1
3/22/2025	2:30:00 AM	0.1
3/22/2025	2:45:00 AM	0.1
3/22/2025	3:00:00 AM	0.1
3/22/2025	3:15:00 AM	0.1
3/22/2025	3:30:00 AM	0.1
3/22/2025	3:45:00 AM	0.1
3/22/2025	4:00:00 AM	0.1
3/22/2025	4:15:00 AM	0.1
3/22/2025	4:30:00 AM	0.1
3/22/2025	4:45:00 AM	0.1
3/22/2025	5:00:00 AM	0.1
3/22/2025	5:15:00 AM	0.1
3/22/2025	5:30:00 AM	0.1
3/22/2025	5:45:00 AM	0.1
3/22/2025	6:00:00 AM	0.1
3/22/2025	6:15:00 AM	0.1
3/22/2025	6:30:00 AM	0.09
3/22/2025	6:45:00 AM	0.09
3/22/2025	7:00:00 AM	0.09
3/22/2025	7:15:00 AM	0.09
3/22/2025	7:30:00 AM	0.09
3/22/2025	7:45:00 AM	0.09
3/22/2025	8:00:00 AM	0.09
3/22/2025	8:15:00 AM	0.08
3/22/2025	8:30:00 AM	0.08
3/22/2025	8:45:00 AM	0.08
3/22/2025	9:00:00 AM	0.08
3/22/2025	9:15:00 AM	0.08
3/22/2025	9:30:00 AM	0.08
3/22/2025	9:45:00 AM	0.08
3/22/2025	10:00:00 AM	0.08
3/22/2025	10:15:00 AM	0.08
3/22/2025	10:30:00 AM	0.08
3/22/2025	10:45:00 AM	0.08
3/22/2025	11:00:00 AM	0.08
3/22/2025	11:15:00 AM	0.09
3/22/2025	11:30:00 AM	0.09
3/22/2025	11:45:00 AM	0.09
3/22/2025	12:00:00 PM	0.09
3/22/2025	12:15:00 PM	0.09
3/22/2025	12:30:00 PM	0.09
3/22/2025	12:45:00 PM	0.09
3/22/2025	1:00:00 PM	0.09
3/22/2025	1:15:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/22/2025	1:30:00 PM	0.09
3/22/2025	1:45:00 PM	0.09
3/22/2025	2:00:00 PM	0.09
3/22/2025	2:15:00 PM	0.09
3/22/2025	2:30:00 PM	0.09
3/22/2025	2:45:00 PM	0.09
3/22/2025	3:00:00 PM	0.09
3/22/2025	3:15:00 PM	0.09
3/22/2025	3:30:00 PM	0.09
3/22/2025	3:45:00 PM	0.09
3/22/2025	4:00:00 PM	0.09
3/22/2025	4:15:00 PM	0.09
3/22/2025	4:30:00 PM	0.09
3/22/2025	4:45:00 PM	0.09
3/22/2025	5:00:00 PM	0.09
3/22/2025	5:15:00 PM	0.09
3/22/2025	5:30:00 PM	0.09
3/22/2025	5:45:00 PM	0.09
3/22/2025	6:00:00 PM	0.09
3/22/2025	6:15:00 PM	0.09
3/22/2025	6:30:00 PM	0.09
3/22/2025	6:45:00 PM	0.09
3/22/2025	7:00:00 PM	0.09
3/22/2025	7:15:00 PM	0.09
3/22/2025	7:30:00 PM	0.09
3/22/2025	7:45:00 PM	0.09
3/22/2025	8:00:00 PM	0.09
3/22/2025	8:15:00 PM	0.09
3/22/2025	8:30:00 PM	0.1
3/22/2025	8:45:00 PM	0.1
3/22/2025	9:00:00 PM	0.1
3/22/2025	9:15:00 PM	0.1
3/22/2025	9:30:00 PM	0.1
3/22/2025	9:45:00 PM	0.1
3/22/2025	10:00:00 PM	0.1
3/22/2025	10:15:00 PM	0.1
3/22/2025	10:30:00 PM	0.1
3/22/2025	10:45:00 PM	0.1
3/22/2025	11:00:00 PM	0.09
3/22/2025	11:15:00 PM	0.1
3/22/2025	11:30:00 PM	0.09
3/22/2025	11:45:00 PM	0.09
3/23/2025	12:00:00 AM	0.09
3/23/2025	12:15:00 AM	0.09
3/23/2025	12:30:00 AM	0.09
3/23/2025	12:45:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/23/2025	1:00:00 AM	0.09
3/23/2025	1:15:00 AM	0.09
3/23/2025	1:30:00 AM	0.09
3/23/2025	1:45:00 AM	0.09
3/23/2025	2:00:00 AM	0.09
3/23/2025	2:15:00 AM	0.09
3/23/2025	2:30:00 AM	0.09
3/23/2025	2:45:00 AM	0.09
3/23/2025	3:00:00 AM	0.09
3/23/2025	3:15:00 AM	0.09
3/23/2025	3:30:00 AM	0.09
3/23/2025	3:45:00 AM	0.09
3/23/2025	4:00:00 AM	0.09
3/23/2025	4:15:00 AM	0.1
3/23/2025	4:30:00 AM	0.1
3/23/2025	4:45:00 AM	0.1
3/23/2025	5:00:00 AM	0.1
3/23/2025	5:15:00 AM	0.09
3/23/2025	5:30:00 AM	0.09
3/23/2025	5:45:00 AM	0.09
3/23/2025	6:00:00 AM	0.09
3/23/2025	6:15:00 AM	0.09
3/23/2025	6:30:00 AM	0.09
3/23/2025	6:45:00 AM	0.09
3/23/2025	7:00:00 AM	0.09
3/23/2025	7:15:00 AM	0.09
3/23/2025	7:30:00 AM	0.09
3/23/2025	7:45:00 AM	0.09
3/23/2025	8:00:00 AM	0.09
3/23/2025	8:15:00 AM	0.09
3/23/2025	8:30:00 AM	0.08
3/23/2025	8:45:00 AM	0.08
3/23/2025	9:00:00 AM	0.08
3/23/2025	9:15:00 AM	0.08
3/23/2025	9:30:00 AM	0.08
3/23/2025	9:45:00 AM	0.08
3/23/2025	10:00:00 AM	0.08
3/23/2025	10:15:00 AM	0.08
3/23/2025	10:30:00 AM	0.08
3/23/2025	10:45:00 AM	0.08
3/23/2025	11:00:00 AM	0.08
3/23/2025	11:15:00 AM	0.08
3/23/2025	11:30:00 AM	0.08
3/23/2025	11:45:00 AM	0.08
3/23/2025	12:00:00 PM	0.08
3/23/2025	12:15:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/23/2025	12:30:00 PM	0.08
3/23/2025	12:45:00 PM	0.08
3/23/2025	1:00:00 PM	0.08
3/23/2025	1:15:00 PM	0.08
3/23/2025	1:30:00 PM	0.08
3/23/2025	1:45:00 PM	0.08
3/23/2025	2:00:00 PM	0.08
3/23/2025	2:15:00 PM	0.08
3/23/2025	2:30:00 PM	0.08
3/23/2025	2:45:00 PM	0.08
3/23/2025	3:00:00 PM	0.08
3/23/2025	3:15:00 PM	0.08
3/23/2025	3:30:00 PM	0.08
3/23/2025	3:45:00 PM	0.08
3/23/2025	4:00:00 PM	0.08
3/23/2025	4:15:00 PM	0.08
3/23/2025	4:30:00 PM	0.08
3/23/2025	4:45:00 PM	0.09
3/23/2025	5:00:00 PM	0.09
3/23/2025	5:15:00 PM	0.09
3/23/2025	5:30:00 PM	0.09
3/23/2025	5:45:00 PM	0.09
3/23/2025	6:00:00 PM	0.09
3/23/2025	6:15:00 PM	0.09
3/23/2025	6:30:00 PM	0.09
3/23/2025	6:45:00 PM	0.09
3/23/2025	7:00:00 PM	0.09
3/23/2025	7:15:00 PM	0.09
3/23/2025	7:30:00 PM	0.09
3/23/2025	7:45:00 PM	0.09
3/23/2025	8:00:00 PM	0.09
3/23/2025	8:15:00 PM	0.09
3/23/2025	8:30:00 PM	0.09
3/23/2025	8:45:00 PM	0.09
3/23/2025	9:00:00 PM	0.09
3/23/2025	9:15:00 PM	0.08
3/23/2025	9:30:00 PM	0.08
3/23/2025	9:45:00 PM	0.08
3/23/2025	10:00:00 PM	0.08
3/23/2025	10:15:00 PM	0.08
3/23/2025	10:30:00 PM	0.08
3/23/2025	10:45:00 PM	0.08
3/23/2025	11:00:00 PM	0.08
3/23/2025	11:15:00 PM	0.08
3/23/2025	11:30:00 PM	0.08
3/23/2025	11:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	12:00:00 AM	0.08
3/24/2025	12:15:00 AM	0.08
3/24/2025	12:30:00 AM	0.08
3/24/2025	12:45:00 AM	0.08
3/24/2025	1:00:00 AM	0.08
3/24/2025	1:15:00 AM	0.08
3/24/2025	1:30:00 AM	0.08
3/24/2025	1:45:00 AM	0.08
3/24/2025	2:00:00 AM	0.08
3/24/2025	2:15:00 AM	0.08
3/24/2025	2:30:00 AM	0.08
3/24/2025	2:45:00 AM	0.08
3/24/2025	3:00:00 AM	0.08
3/24/2025	3:15:00 AM	0.08
3/24/2025	3:30:00 AM	0.08
3/24/2025	3:45:00 AM	0.08
3/24/2025	4:00:00 AM	0.08
3/24/2025	4:15:00 AM	0.08
3/24/2025	4:30:00 AM	0.08
3/24/2025	4:45:00 AM	0.08
3/24/2025	5:00:00 AM	0.08
3/24/2025	5:15:00 AM	0.08
3/24/2025	5:30:00 AM	0.08
3/24/2025	5:45:00 AM	0.08
3/24/2025	6:00:00 AM	0.08
3/24/2025	6:15:00 AM	0.08
3/24/2025	6:30:00 AM	0.08
3/24/2025	6:45:00 AM	0.08
3/24/2025	7:00:00 AM	0.08
3/24/2025	7:15:00 AM	0.08
3/24/2025	7:30:00 AM	0.08
3/24/2025	7:45:00 AM	0.07
3/24/2025	8:00:00 AM	0.07
3/24/2025	8:15:00 AM	0.07
3/24/2025	8:30:00 AM	0.07
3/24/2025	8:45:00 AM	0.07
3/24/2025	9:00:00 AM	0.07
3/24/2025	9:15:00 AM	0.07
3/24/2025	9:30:00 AM	0.07
3/24/2025	9:45:00 AM	0.07
3/24/2025	10:00:00 AM	0.07
3/24/2025	10:15:00 AM	0.07
3/24/2025	10:30:00 AM	0.07
3/24/2025	10:45:00 AM	0.07
3/24/2025	11:00:00 AM	0.08
3/24/2025	11:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	11:30:00 AM	0.07
3/24/2025	11:45:00 AM	0.07
3/24/2025	12:00:00 PM	0.07
3/24/2025	12:15:00 PM	0.07
3/24/2025	12:30:00 PM	0.07
3/24/2025	12:45:00 PM	0.07
3/24/2025	1:00:00 PM	0.07
3/24/2025	1:15:00 PM	0.07
3/24/2025	1:30:00 PM	0.07
3/24/2025	1:45:00 PM	0.07
3/24/2025	2:00:00 PM	0.07
3/24/2025	2:15:00 PM	0.07
3/24/2025	2:30:00 PM	0.07
3/24/2025	2:45:00 PM	0.06
3/24/2025	3:00:00 PM	0.07
3/24/2025	3:15:00 PM	0.06
3/24/2025	3:30:00 PM	0.07
3/24/2025	3:45:00 PM	0.06
3/24/2025	4:00:00 PM	0.06
3/24/2025	4:15:00 PM	0.06
3/24/2025	4:30:00 PM	0.06
3/24/2025	4:45:00 PM	0.06
3/24/2025	5:00:00 PM	0.06
3/24/2025	5:15:00 PM	0.06
3/24/2025	5:30:00 PM	0.07
3/24/2025	5:45:00 PM	0.07
3/24/2025	6:00:00 PM	0.07
3/24/2025	6:15:00 PM	0.07
3/24/2025	6:30:00 PM	0.07
3/24/2025	6:45:00 PM	0.07
3/24/2025	7:00:00 PM	0.07
3/24/2025	7:15:00 PM	0.07
3/24/2025	7:30:00 PM	0.07
3/24/2025	7:45:00 PM	0.07
3/24/2025	8:00:00 PM	0.07
3/24/2025	8:15:00 PM	0.07
3/24/2025	8:30:00 PM	0.07
3/24/2025	8:45:00 PM	0.07
3/24/2025	9:00:00 PM	0.07
3/24/2025	9:15:00 PM	0.07
3/24/2025	9:30:00 PM	0.07
3/24/2025	9:45:00 PM	0.07
3/24/2025	10:00:00 PM	0.07
3/24/2025	10:15:00 PM	0.07
3/24/2025	10:30:00 PM	0.07
3/24/2025	10:45:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/24/2025	11:00:00 PM	0.08
3/24/2025	11:15:00 PM	0.08
3/24/2025	11:30:00 PM	0.08
3/24/2025	11:45:00 PM	0.08
3/25/2025	12:00:00 AM	0.08
3/25/2025	12:15:00 AM	0.08
3/25/2025	12:30:00 AM	0.08
3/25/2025	12:45:00 AM	0.09
3/25/2025	1:00:00 AM	0.09
3/25/2025	1:15:00 AM	0.09
3/25/2025	1:30:00 AM	0.09
3/25/2025	1:45:00 AM	0.09
3/25/2025	2:00:00 AM	0.09
3/25/2025	2:15:00 AM	0.09
3/25/2025	2:30:00 AM	0.09
3/25/2025	2:45:00 AM	0.09
3/25/2025	3:00:00 AM	0.09
3/25/2025	3:15:00 AM	0.09
3/25/2025	3:30:00 AM	0.09
3/25/2025	3:45:00 AM	0.09
3/25/2025	4:00:00 AM	0.09
3/25/2025	4:15:00 AM	0.09
3/25/2025	4:30:00 AM	0.1
3/25/2025	4:45:00 AM	0.1
3/25/2025	5:00:00 AM	0.1
3/25/2025	5:15:00 AM	0.1
3/25/2025	5:30:00 AM	0.1
3/25/2025	5:45:00 AM	0.1
3/25/2025	6:00:00 AM	0.09
3/25/2025	6:15:00 AM	0.09
3/25/2025	6:30:00 AM	0.09
3/25/2025	6:45:00 AM	0.09
3/25/2025	7:00:00 AM	0.09
3/25/2025	7:15:00 AM	0.09
3/25/2025	7:30:00 AM	0.09
3/25/2025	7:45:00 AM	0.09
3/25/2025	8:00:00 AM	0.1
3/25/2025	8:15:00 AM	0.1
3/25/2025	8:30:00 AM	0.1
3/25/2025	8:45:00 AM	0.1
3/25/2025	9:00:00 AM	0.1
3/25/2025	9:15:00 AM	0.1
3/25/2025	9:30:00 AM	0.1
3/25/2025	9:45:00 AM	0.09
3/25/2025	10:00:00 AM	0.1
3/25/2025	10:15:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/25/2025	10:30:00 AM	0.1
3/25/2025	10:45:00 AM	0.1
3/25/2025	11:00:00 AM	0.1
3/25/2025	11:15:00 AM	0.1
3/25/2025	11:30:00 AM	0.1
3/25/2025	11:45:00 AM	0.1
3/25/2025	12:00:00 PM	0.1
3/25/2025	12:15:00 PM	0.1
3/25/2025	12:30:00 PM	0.1
3/25/2025	12:45:00 PM	0.09
3/25/2025	1:00:00 PM	0.09
3/25/2025	1:15:00 PM	0.09
3/25/2025	1:30:00 PM	0.09
3/25/2025	1:45:00 PM	0.09
3/25/2025	2:00:00 PM	0.09
3/25/2025	2:15:00 PM	0.09
3/25/2025	2:30:00 PM	0.09
3/25/2025	2:45:00 PM	0.09
3/25/2025	3:00:00 PM	0.09
3/25/2025	3:15:00 PM	0.09
3/25/2025	3:30:00 PM	0.09
3/25/2025	3:45:00 PM	0.09
3/25/2025	4:00:00 PM	0.09
3/25/2025	4:15:00 PM	0.09
3/25/2025	4:30:00 PM	0.09
3/25/2025	4:45:00 PM	0.1
3/25/2025	5:00:00 PM	0.1
3/25/2025	5:15:00 PM	0.1
3/25/2025	5:30:00 PM	0.1
3/25/2025	5:45:00 PM	0.1
3/25/2025	6:00:00 PM	0.1
3/25/2025	6:15:00 PM	0.1
3/25/2025	6:30:00 PM	0.1
3/25/2025	6:45:00 PM	0.1
3/25/2025	7:00:00 PM	0.1
3/25/2025	7:15:00 PM	0.1
3/25/2025	7:30:00 PM	0.1
3/25/2025	7:45:00 PM	0.1
3/25/2025	8:00:00 PM	0.1
3/25/2025	8:15:00 PM	0.1
3/25/2025	8:30:00 PM	0.1
3/25/2025	8:45:00 PM	0.1
3/25/2025	9:00:00 PM	0.1
3/25/2025	9:15:00 PM	0.1
3/25/2025	9:30:00 PM	0.1
3/25/2025	9:45:00 PM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/25/2025	10:00:00 PM	0.1
3/25/2025	10:15:00 PM	0.1
3/25/2025	10:30:00 PM	0.1
3/25/2025	10:45:00 PM	0.1
3/25/2025	11:00:00 PM	0.1
3/25/2025	11:15:00 PM	0.1
3/25/2025	11:30:00 PM	0.1
3/25/2025	11:45:00 PM	0.1
3/26/2025	12:00:00 AM	0.1
3/26/2025	12:15:00 AM	0.1
3/26/2025	12:30:00 AM	0.1
3/26/2025	12:45:00 AM	0.1
3/26/2025	1:00:00 AM	0.1
3/26/2025	1:15:00 AM	0.1
3/26/2025	1:30:00 AM	0.1
3/26/2025	1:45:00 AM	0.1
3/26/2025	2:00:00 AM	0.1
3/26/2025	2:15:00 AM	0.1
3/26/2025	2:30:00 AM	0.1
3/26/2025	2:45:00 AM	0.1
3/26/2025	3:00:00 AM	0.1
3/26/2025	3:15:00 AM	0.1
3/26/2025	3:30:00 AM	0.1
3/26/2025	3:45:00 AM	0.1
3/26/2025	4:00:00 AM	0.1
3/26/2025	4:15:00 AM	0.1
3/26/2025	4:30:00 AM	0.1
3/26/2025	4:45:00 AM	0.1
3/26/2025	5:00:00 AM	0.1
3/26/2025	5:15:00 AM	0.1
3/26/2025	5:30:00 AM	0.1
3/26/2025	5:45:00 AM	.
3/26/2025	6:00:00 AM	0.07
3/26/2025	6:15:00 AM	0.07
3/26/2025	6:30:00 AM	0.07
3/26/2025	6:45:00 AM	0.07
3/26/2025	7:00:00 AM	0.07
3/26/2025	7:15:00 AM	0.07
3/26/2025	7:30:00 AM	0.07
3/26/2025	7:45:00 AM	0.07
3/26/2025	8:00:00 AM	0.07
3/26/2025	8:15:00 AM	0.07
3/26/2025	8:30:00 AM	0.06
3/26/2025	8:45:00 AM	0.06
3/26/2025	9:00:00 AM	0.06
3/26/2025	9:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
3/26/2025	9:30:00 AM	0.06
3/26/2025	9:45:00 AM	0.06
3/26/2025	10:00:00 AM	0.06
3/26/2025	10:15:00 AM	0.06
3/26/2025	10:30:00 AM	0.06
3/26/2025	10:45:00 AM	0.06
3/26/2025	11:00:00 AM	0.06
3/26/2025	11:15:00 AM	0.06
3/26/2025	11:30:00 AM	0.06
3/26/2025	11:45:00 AM	0.06
3/26/2025	12:00:00 PM	0.06
3/26/2025	12:15:00 PM	0.06
3/26/2025	12:30:00 PM	0.06
3/26/2025	12:45:00 PM	0.06
3/26/2025	1:00:00 PM	0.06
3/26/2025	1:15:00 PM	0.06
3/26/2025	1:30:00 PM	0.06
3/26/2025	1:45:00 PM	0.06
3/26/2025	2:00:00 PM	0.06
3/26/2025	2:15:00 PM	0.06
3/26/2025	2:30:00 PM	0.06
3/26/2025	2:45:00 PM	0.06
3/26/2025	3:00:00 PM	0.06
3/26/2025	3:15:00 PM	0.06
3/26/2025	3:30:00 PM	0.06
3/26/2025	3:45:00 PM	0.06
3/26/2025	4:00:00 PM	0.06
3/26/2025	4:15:00 PM	0.06
3/26/2025	4:30:00 PM	0.06
3/26/2025	4:45:00 PM	0.06
3/26/2025	5:00:00 PM	0.06
3/26/2025	5:15:00 PM	0.06
3/26/2025	5:30:00 PM	0.06
3/26/2025	5:45:00 PM	0.06
3/26/2025	6:00:00 PM	0.06
3/26/2025	6:15:00 PM	0.06
3/26/2025	6:30:00 PM	0.06
3/26/2025	6:45:00 PM	0.06
3/26/2025	7:00:00 PM	0.06
3/26/2025	7:15:00 PM	0.06
3/26/2025	7:30:00 PM	0.06
3/26/2025	7:45:00 PM	0.06
3/26/2025	8:00:00 PM	0.07
3/26/2025	8:15:00 PM	0.07
3/26/2025	8:30:00 PM	0.07
3/26/2025	8:45:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
3/26/2025	9:00:00 PM	0.07
3/26/2025	9:15:00 PM	0.07
3/26/2025	9:30:00 PM	0.07
3/26/2025	9:45:00 PM	0.07
3/26/2025	10:00:00 PM	0.07
3/26/2025	10:15:00 PM	0.07
3/26/2025	10:30:00 PM	0.07
3/26/2025	10:45:00 PM	0.07
3/26/2025	11:00:00 PM	0.07
3/26/2025	11:15:00 PM	0.07
3/26/2025	11:30:00 PM	0.07
3/26/2025	11:45:00 PM	0.07
3/27/2025	12:00:00 AM	0.07
3/27/2025	12:15:00 AM	0.07
3/27/2025	12:30:00 AM	0.07
3/27/2025	12:45:00 AM	0.07
3/27/2025	1:00:00 AM	0.08
3/27/2025	1:15:00 AM	0.07
3/27/2025	1:30:00 AM	0.08
3/27/2025	1:45:00 AM	0.08
3/27/2025	2:00:00 AM	0.08
3/27/2025	2:15:00 AM	0.08
3/27/2025	2:30:00 AM	0.07
3/27/2025	2:45:00 AM	0.07
3/27/2025	3:00:00 AM	0.07
3/27/2025	3:15:00 AM	0.07
3/27/2025	3:30:00 AM	0.07
3/27/2025	3:45:00 AM	0.07
3/27/2025	4:00:00 AM	0.07
3/27/2025	4:15:00 AM	0.07
3/27/2025	4:30:00 AM	0.07
3/27/2025	4:45:00 AM	0.07
3/27/2025	5:00:00 AM	0.07
3/27/2025	5:15:00 AM	0.07
3/27/2025	5:30:00 AM	0.07
3/27/2025	5:45:00 AM	0.07
3/27/2025	6:00:00 AM	0.07
3/27/2025	6:15:00 AM	0.07
3/27/2025	6:30:00 AM	0.06
3/27/2025	6:45:00 AM	0.06
3/27/2025	7:00:00 AM	0.06
3/27/2025	7:15:00 AM	0.06
3/27/2025	7:30:00 AM	0.06
3/27/2025	7:45:00 AM	0.06
3/27/2025	8:00:00 AM	0.06
3/27/2025	8:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
3/27/2025	8:30:00 AM	0.06
3/27/2025	8:45:00 AM	0.06
3/27/2025	9:00:00 AM	0.06
3/27/2025	9:15:00 AM	0.06
3/27/2025	9:30:00 AM	0.06
3/27/2025	9:45:00 AM	0.05
3/27/2025	10:00:00 AM	0.05
3/27/2025	10:15:00 AM	0.05
3/27/2025	10:30:00 AM	0.05
3/27/2025	10:45:00 AM	0.05
3/27/2025	11:00:00 AM	0.05
3/27/2025	11:15:00 AM	0.05
3/27/2025	11:30:00 AM	0.05
3/27/2025	11:45:00 AM	0.05
3/27/2025	12:00:00 PM	0.05
3/27/2025	12:15:00 PM	0.05
3/27/2025	12:30:00 PM	0.05
3/27/2025	12:45:00 PM	0.05
3/27/2025	1:00:00 PM	0.05
3/27/2025	1:15:00 PM	0.05
3/27/2025	1:30:00 PM	0.05
3/27/2025	1:45:00 PM	0.04
3/27/2025	2:00:00 PM	0.06
3/27/2025	2:15:00 PM	0.11
3/27/2025	2:30:00 PM	0.12
3/27/2025	2:45:00 PM	0.12
3/27/2025	3:00:00 PM	0.12
3/27/2025	3:15:00 PM	0.12
3/27/2025	3:30:00 PM	0.13
3/27/2025	3:45:00 PM	0.12
3/27/2025	4:00:00 PM	0.13
3/27/2025	4:15:00 PM	0.12
3/27/2025	4:30:00 PM	0.12
3/27/2025	4:45:00 PM	0.12
3/27/2025	5:00:00 PM	0.12
3/27/2025	5:15:00 PM	0.12
3/27/2025	5:30:00 PM	0.12
3/27/2025	5:45:00 PM	0.12
3/27/2025	6:00:00 PM	0.12
3/27/2025	6:15:00 PM	0.12
3/27/2025	6:30:00 PM	0.12
3/27/2025	6:45:00 PM	0.12
3/27/2025	7:00:00 PM	0.12
3/27/2025	7:15:00 PM	0.12
3/27/2025	7:30:00 PM	0.12
3/27/2025	7:45:00 PM	0.12

Georges Ditch Return Gage

DATE	TIME	GAGE
3/27/2025	8:00:00 PM	0.13
3/27/2025	8:15:00 PM	0.12
3/27/2025	8:30:00 PM	0.13
3/27/2025	8:45:00 PM	0.13
3/27/2025	9:00:00 PM	0.12
3/27/2025	9:15:00 PM	0.13
3/27/2025	9:30:00 PM	0.13
3/27/2025	9:45:00 PM	0.13
3/27/2025	10:00:00 PM	0.13
3/27/2025	10:15:00 PM	0.13
3/27/2025	10:30:00 PM	0.13
3/27/2025	10:45:00 PM	0.12
3/27/2025	11:00:00 PM	0.13
3/27/2025	11:15:00 PM	0.12
3/27/2025	11:30:00 PM	0.12
3/27/2025	11:45:00 PM	0.12
3/28/2025	12:00:00 AM	0.12
3/28/2025	12:15:00 AM	0.12
3/28/2025	12:30:00 AM	0.12
3/28/2025	12:45:00 AM	0.12
3/28/2025	1:00:00 AM	0.12
3/28/2025	1:15:00 AM	0.12
3/28/2025	1:30:00 AM	0.12
3/28/2025	1:45:00 AM	0.12
3/28/2025	2:00:00 AM	0.12
3/28/2025	2:15:00 AM	0.12
3/28/2025	2:30:00 AM	0.13
3/28/2025	2:45:00 AM	0.12
3/28/2025	3:00:00 AM	0.12
3/28/2025	3:15:00 AM	0.12
3/28/2025	3:30:00 AM	0.12
3/28/2025	3:45:00 AM	0.12
3/28/2025	4:00:00 AM	0.12
3/28/2025	4:15:00 AM	0.12
3/28/2025	4:30:00 AM	0.12
3/28/2025	4:45:00 AM	0.12
3/28/2025	5:00:00 AM	0.12
3/28/2025	5:15:00 AM	0.12
3/28/2025	5:30:00 AM	0.12
3/28/2025	5:45:00 AM	0.12
3/28/2025	6:00:00 AM	0.12
3/28/2025	6:15:00 AM	0.12
3/28/2025	6:30:00 AM	0.12
3/28/2025	6:45:00 AM	0.12
3/28/2025	7:00:00 AM	0.12
3/28/2025	7:15:00 AM	0.12

Georges Ditch Return Gage

DATE	TIME	GAGE
3/28/2025	7:30:00 AM	0.12
3/28/2025	7:45:00 AM	0.12
3/28/2025	8:00:00 AM	0.12
3/28/2025	8:15:00 AM	0.12
3/28/2025	8:30:00 AM	0.12
3/28/2025	8:45:00 AM	0.12
3/28/2025	9:00:00 AM	0.12
3/28/2025	9:15:00 AM	0.11
3/28/2025	9:30:00 AM	0.11
3/28/2025	9:45:00 AM	0.11
3/28/2025	10:00:00 AM	0.11
3/28/2025	10:15:00 AM	0.11
3/28/2025	10:30:00 AM	0.11
3/28/2025	10:45:00 AM	0.11
3/28/2025	11:00:00 AM	0.1
3/28/2025	11:15:00 AM	0.1
3/28/2025	11:30:00 AM	0.1
3/28/2025	11:45:00 AM	0.1
3/28/2025	12:00:00 PM	0.1
3/28/2025	12:15:00 PM	0.1
3/28/2025	12:30:00 PM	0.1
3/28/2025	12:45:00 PM	0.1
3/28/2025	1:00:00 PM	0.1
3/28/2025	1:15:00 PM	0.11
3/28/2025	1:30:00 PM	0.11
3/28/2025	1:45:00 PM	0.11
3/28/2025	2:00:00 PM	0.11
3/28/2025	2:15:00 PM	0.11
3/28/2025	2:30:00 PM	0.11
3/28/2025	2:45:00 PM	0.11
3/28/2025	3:00:00 PM	0.11
3/28/2025	3:15:00 PM	0.11
3/28/2025	3:30:00 PM	0.11
3/28/2025	3:45:00 PM	0.11
3/28/2025	4:00:00 PM	0.11
3/28/2025	4:15:00 PM	0.11
3/28/2025	4:30:00 PM	0.11
3/28/2025	4:45:00 PM	0.11
3/28/2025	5:00:00 PM	0.11
3/28/2025	5:15:00 PM	0.11
3/28/2025	5:30:00 PM	0.11
3/28/2025	5:45:00 PM	0.11
3/28/2025	6:00:00 PM	0.11
3/28/2025	6:15:00 PM	0.11
3/28/2025	6:30:00 PM	0.11
3/28/2025	6:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
3/28/2025	7:00:00 PM	0.11
3/28/2025	7:15:00 PM	0.11
3/28/2025	7:30:00 PM	0.11
3/28/2025	7:45:00 PM	0.11
3/28/2025	8:00:00 PM	0.11
3/28/2025	8:15:00 PM	0.11
3/28/2025	8:30:00 PM	0.1
3/28/2025	8:45:00 PM	0.11
3/28/2025	9:00:00 PM	0.11
3/28/2025	9:15:00 PM	0.11
3/28/2025	9:30:00 PM	0.11
3/28/2025	9:45:00 PM	0.11
3/28/2025	10:00:00 PM	0.11
3/28/2025	10:15:00 PM	0.1
3/28/2025	10:30:00 PM	0.1
3/28/2025	10:45:00 PM	0.1
3/28/2025	11:00:00 PM	0.1
3/28/2025	11:15:00 PM	0.1
3/28/2025	11:30:00 PM	0.1
3/28/2025	11:45:00 PM	0.1
3/29/2025	12:00:00 AM	0.1
3/29/2025	12:15:00 AM	0.1
3/29/2025	12:30:00 AM	0.1
3/29/2025	12:45:00 AM	0.1
3/29/2025	1:00:00 AM	0.1
3/29/2025	1:15:00 AM	0.11
3/29/2025	1:30:00 AM	0.1
3/29/2025	1:45:00 AM	0.1
3/29/2025	2:00:00 AM	0.1
3/29/2025	2:15:00 AM	0.1
3/29/2025	2:30:00 AM	0.1
3/29/2025	2:45:00 AM	0.1
3/29/2025	3:00:00 AM	0.1
3/29/2025	3:15:00 AM	0.1
3/29/2025	3:30:00 AM	0.1
3/29/2025	3:45:00 AM	0.1
3/29/2025	4:00:00 AM	0.1
3/29/2025	4:15:00 AM	0.1
3/29/2025	4:30:00 AM	0.1
3/29/2025	4:45:00 AM	0.1
3/29/2025	5:00:00 AM	0.1
3/29/2025	5:15:00 AM	0.1
3/29/2025	5:30:00 AM	0.1
3/29/2025	5:45:00 AM	0.1
3/29/2025	6:00:00 AM	0.1
3/29/2025	6:15:00 AM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/29/2025	6:30:00 AM	0.1
3/29/2025	6:45:00 AM	0.1
3/29/2025	7:00:00 AM	0.1
3/29/2025	7:15:00 AM	0.1
3/29/2025	7:30:00 AM	0.1
3/29/2025	7:45:00 AM	0.09
3/29/2025	8:00:00 AM	0.09
3/29/2025	8:15:00 AM	0.09
3/29/2025	8:30:00 AM	0.09
3/29/2025	8:45:00 AM	0.09
3/29/2025	9:00:00 AM	0.09
3/29/2025	9:15:00 AM	0.09
3/29/2025	9:30:00 AM	0.09
3/29/2025	9:45:00 AM	0.09
3/29/2025	10:00:00 AM	0.09
3/29/2025	10:15:00 AM	0.09
3/29/2025	10:30:00 AM	0.09
3/29/2025	10:45:00 AM	0.09
3/29/2025	11:00:00 AM	0.09
3/29/2025	11:15:00 AM	0.09
3/29/2025	11:30:00 AM	0.09
3/29/2025	11:45:00 AM	0.09
3/29/2025	12:00:00 PM	0.09
3/29/2025	12:15:00 PM	0.09
3/29/2025	12:30:00 PM	0.09
3/29/2025	12:45:00 PM	0.09
3/29/2025	1:00:00 PM	0.09
3/29/2025	1:15:00 PM	0.09
3/29/2025	1:30:00 PM	0.09
3/29/2025	1:45:00 PM	0.09
3/29/2025	2:00:00 PM	0.09
3/29/2025	2:15:00 PM	0.09
3/29/2025	2:30:00 PM	0.1
3/29/2025	2:45:00 PM	0.1
3/29/2025	3:00:00 PM	0.1
3/29/2025	3:15:00 PM	0.1
3/29/2025	3:30:00 PM	0.1
3/29/2025	3:45:00 PM	0.1
3/29/2025	4:00:00 PM	0.1
3/29/2025	4:15:00 PM	0.1
3/29/2025	4:30:00 PM	0.1
3/29/2025	4:45:00 PM	0.1
3/29/2025	5:00:00 PM	0.1
3/29/2025	5:15:00 PM	0.1
3/29/2025	5:30:00 PM	0.1
3/29/2025	5:45:00 PM	0.1

Georges Ditch Return Gage

DATE	TIME	GAGE
3/29/2025	6:00:00 PM	0.1
3/29/2025	6:15:00 PM	0.09
3/29/2025	6:30:00 PM	0.09
3/29/2025	6:45:00 PM	0.09
3/29/2025	7:00:00 PM	0.09
3/29/2025	7:15:00 PM	0.09
3/29/2025	7:30:00 PM	0.09
3/29/2025	7:45:00 PM	0.09
3/29/2025	8:00:00 PM	0.09
3/29/2025	8:15:00 PM	0.09
3/29/2025	8:30:00 PM	0.09
3/29/2025	8:45:00 PM	0.09
3/29/2025	9:00:00 PM	0.1
3/29/2025	9:15:00 PM	0.1
3/29/2025	9:30:00 PM	0.1
3/29/2025	9:45:00 PM	0.1
3/29/2025	10:00:00 PM	0.1
3/29/2025	10:15:00 PM	0.1
3/29/2025	10:30:00 PM	0.1
3/29/2025	10:45:00 PM	0.1
3/29/2025	11:00:00 PM	0.1
3/29/2025	11:15:00 PM	0.1
3/29/2025	11:30:00 PM	0.1
3/29/2025	11:45:00 PM	0.1
3/30/2025	12:00:00 AM	0.09
3/30/2025	12:15:00 AM	0.09
3/30/2025	12:30:00 AM	0.09
3/30/2025	12:45:00 AM	0.09
3/30/2025	1:00:00 AM	0.09
3/30/2025	1:15:00 AM	0.09
3/30/2025	1:30:00 AM	0.09
3/30/2025	1:45:00 AM	0.09
3/30/2025	2:00:00 AM	0.09
3/30/2025	2:15:00 AM	0.09
3/30/2025	2:30:00 AM	0.09
3/30/2025	2:45:00 AM	0.09
3/30/2025	3:00:00 AM	0.09
3/30/2025	3:15:00 AM	0.09
3/30/2025	3:30:00 AM	0.09
3/30/2025	3:45:00 AM	0.09
3/30/2025	4:00:00 AM	0.09
3/30/2025	4:15:00 AM	0.09
3/30/2025	4:30:00 AM	0.09
3/30/2025	4:45:00 AM	0.09
3/30/2025	5:00:00 AM	0.09
3/30/2025	5:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/30/2025	5:30:00 AM	0.09
3/30/2025	5:45:00 AM	0.09
3/30/2025	6:00:00 AM	0.09
3/30/2025	6:15:00 AM	0.08
3/30/2025	6:30:00 AM	0.08
3/30/2025	6:45:00 AM	0.08
3/30/2025	7:00:00 AM	0.08
3/30/2025	7:15:00 AM	0.08
3/30/2025	7:30:00 AM	0.08
3/30/2025	7:45:00 AM	0.08
3/30/2025	8:00:00 AM	0.08
3/30/2025	8:15:00 AM	0.08
3/30/2025	8:30:00 AM	0.08
3/30/2025	8:45:00 AM	0.08
3/30/2025	9:00:00 AM	0.08
3/30/2025	9:15:00 AM	0.09
3/30/2025	9:30:00 AM	0.09
3/30/2025	9:45:00 AM	0.09
3/30/2025	10:00:00 AM	0.09
3/30/2025	10:15:00 AM	0.09
3/30/2025	10:30:00 AM	0.09
3/30/2025	10:45:00 AM	0.08
3/30/2025	11:00:00 AM	0.08
3/30/2025	11:15:00 AM	0.08
3/30/2025	11:30:00 AM	0.08
3/30/2025	11:45:00 AM	0.08
3/30/2025	12:00:00 PM	0.08
3/30/2025	12:15:00 PM	0.08
3/30/2025	12:30:00 PM	0.08
3/30/2025	12:45:00 PM	0.08
3/30/2025	1:00:00 PM	0.08
3/30/2025	1:15:00 PM	0.08
3/30/2025	1:30:00 PM	0.08
3/30/2025	1:45:00 PM	0.08
3/30/2025	2:00:00 PM	0.08
3/30/2025	2:15:00 PM	0.08
3/30/2025	2:30:00 PM	0.09
3/30/2025	2:45:00 PM	0.08
3/30/2025	3:00:00 PM	0.09
3/30/2025	3:15:00 PM	0.09
3/30/2025	3:30:00 PM	0.09
3/30/2025	3:45:00 PM	0.09
3/30/2025	4:00:00 PM	0.09
3/30/2025	4:15:00 PM	0.09
3/30/2025	4:30:00 PM	0.09
3/30/2025	4:45:00 PM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/30/2025	5:00:00 PM	0.09
3/30/2025	5:15:00 PM	0.09
3/30/2025	5:30:00 PM	0.09
3/30/2025	5:45:00 PM	0.09
3/30/2025	6:00:00 PM	0.09
3/30/2025	6:15:00 PM	0.09
3/30/2025	6:30:00 PM	0.09
3/30/2025	6:45:00 PM	0.09
3/30/2025	7:00:00 PM	0.09
3/30/2025	7:15:00 PM	0.09
3/30/2025	7:30:00 PM	0.09
3/30/2025	7:45:00 PM	0.09
3/30/2025	8:00:00 PM	0.09
3/30/2025	8:15:00 PM	0.09
3/30/2025	8:30:00 PM	0.09
3/30/2025	8:45:00 PM	0.09
3/30/2025	9:00:00 PM	0.09
3/30/2025	9:15:00 PM	0.09
3/30/2025	9:30:00 PM	0.09
3/30/2025	9:45:00 PM	0.09
3/30/2025	10:00:00 PM	0.09
3/30/2025	10:15:00 PM	0.09
3/30/2025	10:30:00 PM	0.09
3/30/2025	10:45:00 PM	0.09
3/30/2025	11:00:00 PM	0.09
3/30/2025	11:15:00 PM	0.09
3/30/2025	11:30:00 PM	0.09
3/30/2025	11:45:00 PM	0.09
3/31/2025	12:00:00 AM	0.09
3/31/2025	12:15:00 AM	0.09
3/31/2025	12:30:00 AM	0.09
3/31/2025	12:45:00 AM	0.09
3/31/2025	1:00:00 AM	0.09
3/31/2025	1:15:00 AM	0.09
3/31/2025	1:30:00 AM	0.09
3/31/2025	1:45:00 AM	0.09
3/31/2025	2:00:00 AM	0.09
3/31/2025	2:15:00 AM	0.09
3/31/2025	2:30:00 AM	0.09
3/31/2025	2:45:00 AM	0.09
3/31/2025	3:00:00 AM	0.09
3/31/2025	3:15:00 AM	0.09
3/31/2025	3:30:00 AM	0.09
3/31/2025	3:45:00 AM	0.09
3/31/2025	4:00:00 AM	0.09
3/31/2025	4:15:00 AM	0.09

Georges Ditch Return Gage

DATE	TIME	GAGE
3/31/2025	4:30:00 AM	0.09
3/31/2025	4:45:00 AM	0.08
3/31/2025	5:00:00 AM	0.08
3/31/2025	5:15:00 AM	0.08
3/31/2025	5:30:00 AM	0.08
3/31/2025	5:45:00 AM	0.08
3/31/2025	6:00:00 AM	0.08
3/31/2025	6:15:00 AM	0.08
3/31/2025	6:30:00 AM	0.08
3/31/2025	6:45:00 AM	0.08
3/31/2025	7:00:00 AM	0.08
3/31/2025	7:15:00 AM	0.08
3/31/2025	7:30:00 AM	0.08
3/31/2025	7:45:00 AM	0.08
3/31/2025	8:00:00 AM	0.08
3/31/2025	8:15:00 AM	0.08
3/31/2025	8:30:00 AM	0.08
3/31/2025	8:45:00 AM	0.08
3/31/2025	9:00:00 AM	0.08
3/31/2025	9:15:00 AM	0.08
3/31/2025	9:30:00 AM	0.08
3/31/2025	9:45:00 AM	0.08
3/31/2025	10:00:00 AM	0.08
3/31/2025	10:15:00 AM	0.08
3/31/2025	10:30:00 AM	0.08
3/31/2025	10:45:00 AM	0.08
3/31/2025	11:00:00 AM	0.08
3/31/2025	11:15:00 AM	0.08
3/31/2025	11:30:00 AM	0.08
3/31/2025	11:45:00 AM	0.08
3/31/2025	12:00:00 PM	0.08
3/31/2025	12:15:00 PM	0.08
3/31/2025	12:30:00 PM	0.08
3/31/2025	12:45:00 PM	0.08
3/31/2025	1:00:00 PM	0.08
3/31/2025	1:15:00 PM	0.08
3/31/2025	1:30:00 PM	0.08
3/31/2025	1:45:00 PM	0.08
3/31/2025	2:00:00 PM	0.08
3/31/2025	2:15:00 PM	0.08
3/31/2025	2:30:00 PM	0.08
3/31/2025	2:45:00 PM	0.08
3/31/2025	3:00:00 PM	0.08
3/31/2025	3:15:00 PM	0.08
3/31/2025	3:30:00 PM	0.08
3/31/2025	3:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
3/31/2025	4:00:00 PM	0.08
3/31/2025	4:15:00 PM	0.08
3/31/2025	4:30:00 PM	0.08
3/31/2025	4:45:00 PM	0.08
3/31/2025	5:00:00 PM	0.08
3/31/2025	5:15:00 PM	0.08
3/31/2025	5:30:00 PM	0.08
3/31/2025	5:45:00 PM	0.08
3/31/2025	6:00:00 PM	0.08
3/31/2025	6:15:00 PM	0.08
3/31/2025	6:30:00 PM	0.08
3/31/2025	6:45:00 PM	0.08
3/31/2025	7:00:00 PM	0.08
3/31/2025	7:15:00 PM	0.08
3/31/2025	7:30:00 PM	0.08
3/31/2025	7:45:00 PM	0.09
3/31/2025	8:00:00 PM	0.09
3/31/2025	8:15:00 PM	0.09
3/31/2025	8:30:00 PM	0.09
3/31/2025	8:45:00 PM	0.09
3/31/2025	9:00:00 PM	0.09
3/31/2025	9:15:00 PM	0.09
3/31/2025	9:30:00 PM	0.09
3/31/2025	9:45:00 PM	0.09
3/31/2025	10:00:00 PM	0.09
3/31/2025	10:15:00 PM	0.09
3/31/2025	10:30:00 PM	0.09
3/31/2025	10:45:00 PM	0.09
3/31/2025	11:00:00 PM	0.09
3/31/2025	11:15:00 PM	0.09
3/31/2025	11:30:00 PM	0.09
3/31/2025	11:45:00 PM	0.09

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	1	0	1	26	0.696	-0.089	3.54	0.016	0.013	0	37.8	31.8	75.7	123	108	0	35	34	35
2025	3	1	0	11	26	0.676	-0.105	3.54	0.01	0.007	0	37	31.4	76.5	122	106	0	36	33	34
2025	3	1	0	21	26	0.666	-0.069	3.54	0.01	0.007	0	37	31	76.5	121	106	0	35	34	34
2025	3	1	0	31	26	0.676	-0.098	3.54	0.013	0.01	0	37.4	31	77	122	106	0	35	34	35
2025	3	1	0	41	26	0.686	-0.098	3.54	0.01	0.007	0	36.5	30.5	76.5	120	105	0	35	34	35
2025	3	1	0	51	26	0.689	-0.118	3.54	0.013	0.01	0	36.5	30.5	76.1	121	105	0	36	34	35
2025	3	1	1	1	26	0.709	-0.098	3.54	0.013	0.01	0	37	30.5	77	121	105	0	35	34	35
2025	3	1	1	11	26	0.666	-0.118	3.54	0.013	0.01	0	36.5	30.5	76.5	120	105	0	35	34	35
2025	3	1	1	21	26	0.65	-0.098	3.54	0.013	0.01	0	37	30.5	76.5	121	105	0	35	34	35
2025	3	1	1	31	26	0.646	-0.046	3.54	0.016	0.013	0	36.1	30.1	76.1	120	104	0	36	34	35
2025	3	1	1	41	26	0.702	-0.108	3.54	0.013	0.01	0	36.5	30.1	76.1	120	104	0	35	34	35
2025	3	1	1	51	26	0.659	-0.085	3.54	0.013	0.01	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	1	2	1	26	0.643	-0.098	3.54	0.013	0.01	0	36.5	30.5	76.1	120	105	0	35	34	35
2025	3	1	2	11	26	0.705	-0.115	3.54	0.01	0.007	0	36.1	30.1	76.5	119	104	0	35	34	35
2025	3	1	2	21	26	0.705	-0.089	3.54	0.016	0.013	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	1	2	31	26	0.666	-0.075	3.537	0.01	0.007	0	35.7	29.7	76.5	119	103	0	36	34	34
2025	3	1	2	41	26	0.699	-0.151	3.537	0.013	0.01	0	35.7	30.1	76.1	119	104	0	36	34	35
2025	3	1	2	51	26	0.722	-0.105	3.54	0.013	0.01	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	1	3	1	26	0.705	-0.079	3.537	0.01	0.007	0	35.7	30.1	76.1	119	104	0	36	34	35
2025	3	1	3	11	26	0.705	-0.125	3.537	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	3	21	26	0.709	-0.102	3.537	0.01	0.007	0	35.7	29.7	76.5	118	103	0	35	34	35
2025	3	1	3	31	26	0.679	-0.095	3.537	0.01	0.007	0	36.1	30.1	76.1	119	104	0	35	34	35
2025	3	1	3	41	26	0.646	-0.072	3.537	0.016	0.013	0	36.1	29.7	75.7	119	103	0	35	34	35
2025	3	1	3	51	26	0.64	-0.112	3.537	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	4	1	26	0.673	-0.089	3.54	0.01	0.007	0	35.7	29.7	75.7	118	103	0	35	34	35
2025	3	1	4	11	26	0.699	-0.066	3.537	0.013	0.01	0	36.1	29.2	75.7	119	103	0	35	35	35
2025	3	1	4	21	26	0.663	-0.082	3.54	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	4	31	26	0.741	-0.108	3.537	0.013	0.01	0	35.3	29.7	76.5	118	103	0	36	34	34
2025	3	1	4	41	26	0.663	-0.105	3.54	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	4	51	26	0.702	-0.092	3.54	0.013	0.01	0	35.7	29.7	76.5	118	103	0	35	34	35
2025	3	1	5	1	26	0.686	-0.118	3.54	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	1	5	11	26	0.705	-0.112	3.54	0.01	0.007	0	35.7	29.7	76.1	119	103	0	36	34	35
2025	3	1	5	21	26	0.699	-0.102	3.54	0.01	0.007	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	5	31	26	0.673	-0.095	3.54	0.016	0.016	0	35.7	29.7	76.1	119	103	0	36	34	35
2025	3	1	5	41	26	0.728	-0.079	3.54	0.01	0.007	0	35.3	29.2	75.7	118	102	0	36	34	35
2025	3	1	5	51	26	0.669	-0.095	3.54	0.013	0.01	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	1	6	1	26	0.689	-0.105	3.54	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	1	6	11	26	0.689	-0.089	3.54	0.013	0.01	0	35.7	29.2	76.5	118	102	0	35	34	35
2025	3	1	6	21	26	0.673	-0.098	3.54	0.01	0.007	0	35.3	29.2	76.5	118	102	0	36	34	35
2025	3	1	6	31	26	0.735	-0.118	3.54	0.016	0.013	0	35.7	29.7	74	118	103	0	35	34	35
2025	3	1	6	41	26	0.686	-0.092	3.54	0.013	0.01	0	35.3	29.2	76.5	118	102	0	36	34	35
2025	3	1	6	51	26	0.715	-0.102	3.54	0.01	0.007	0	35.3	28.8	75.7	117	101	0	35	34	35
2025	3	1	7	1	26	0.686	-0.082	3.54	0.016	0.013	0	34.8	28.8	76.5	117	102	0	36	35	35
2025	3	1	7	11	26	0.709	-0.098	3.54	0.013	0.01	0	34.8	28.8	76.5	116	101	0	35	34	35
2025	3	1	7	21	26	0.666	-0.082	3.54	0.01	0.007	0	34.8	28.8	76.5	116	101	0	35	34	35
2025	3	1	7	31	26	0.669	-0.105	3.54	0.013	0.01	0	34.8	28.8	76.5	116	101	0	35	34	34
2025	3	1	7	41	26	0.702	-0.056	3.54	0.01	0.007	0	35.3	28.8	74.4	117	101	0	35	34	34
2025	3	1	7	51	26	0.689	-0.115	3.54	0.01	0.007	0	34.4	28.8	76.5	116	101	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	1	8	1	26	0.686	-0.105	3.54	0.013	0.01	0	34.8	28	76.1	116	100	0	35	35	35
2025	3	1	8	11	26	0.696	-0.121	3.54	0.01	0.007	0	34	28.8	76.5	115	100	0	36	33	35
2025	3	1	8	21	26	0.715	-0.108	3.54	0.01	0.007	0	34.4	28.4	72.2	116	101	0	36	35	35
2025	3	1	8	31	26	0.699	-0.092	3.54	0.016	0.013	0	34.8	28.8	73.5	116	101	0	35	34	35
2025	3	1	8	41	26	0.673	-0.098	3.54	0.01	0.007	0	34.8	29.2	63.6	116	102	0	35	34	35
2025	3	1	8	51	26	0.646	-0.108	3.54	0.01	0.007	0	34.8	29.7	56.3	117	102	0	36	33	35
2025	3	1	9	1	26	0.679	-0.112	3.543	0.01	0.007	0	35.3	29.2	71.4	117	102	0	35	34	34
2025	3	1	9	11	26	0.682	-0.098	3.54	0.01	0.007	0	35.3	28.8	68.8	117	101	0	35	34	35
2025	3	1	9	21	26	0.673	-0.082	3.543	0.01	0.007	0	34.4	28.4	70.5	116	100	0	36	34	35
2025	3	1	9	31	26	0.705	-0.095	3.543	0.01	0.007	0	34.8	28.4	75.3	116	101	0	35	35	35
2025	3	1	9	41	26	0.659	-0.105	3.543	0.016	0.013	0	35.7	29.2	77	118	102	0	35	34	34
2025	3	1	9	51	26	0.673	-0.102	3.543	0.016	0.013	0	35.3	29.2	76.1	117	102	0	35	34	35
2025	3	1	10	1	26	0.705	-0.102	3.543	0.01	0.007	0	35.3	29.2	76.5	117	102	0	35	34	35
2025	3	1	10	11	26	0.659	-0.112	3.543	0.013	0.01	0	36.5	30.1	74.4	120	104	0	35	34	35
2025	3	1	10	21	26	0.702	-0.112	3.543	0.013	0.01	0	35.7	29.2	73.1	118	102	0	35	34	35
2025	3	1	10	31	26	0.682	-0.079	3.543	0.013	0.01	0	35.3	29.7	74.4	118	103	0	36	34	35
2025	3	1	10	41	26	0.702	-0.095	3.547	0.013	0.01	0	35.7	30.1	59.3	119	104	0	36	34	35
2025	3	1	10	51	26	0.673	-0.125	3.547	0.01	0.007	0	35.7	28.8	55.5	118	102	0	35	35	35
2025	3	1	11	1	26	0.699	-0.072	3.547	0.01	0.007	0	36.5	30.1	64.1	120	104	0	35	34	35
2025	3	1	11	11	26	0.669	-0.118	3.547	0.013	0.01	0	37.4	31	63.2	122	106	0	35	34	35
2025	3	1	11	21	26	0.689	-0.092	3.547	0.013	0.01	0	37.4	31.4	58.9	122	107	0	35	34	34
2025	3	1	11	31	26	0.673	-0.115	3.547	0.01	0.007	0	37	30.5	67.5	121	105	0	35	34	34
2025	3	1	11	41	26	0.673	-0.075	3.547	0.013	0.01	0	36.5	30.5	58.9	120	105	0	35	34	35
2025	3	1	11	51	26	0.696	-0.108	3.547	0.013	0.01	0	38.7	32.7	71.4	125	110	0	35	34	34
2025	3	1	12	1	26	0.669	-0.098	3.55	0.01	0.007	0	36.5	30.5	73.5	120	105	0	35	34	35
2025	3	1	12	11	26	0.686	-0.121	3.55	0.013	0.01	0	36.1	29.7	71	119	103	0	35	34	35
2025	3	1	12	21	26	0.669	-0.141	3.55	0.013	0.01	0	35.7	29.7	68.4	119	103	0	36	34	34
2025	3	1	12	31	26	0.679	-0.125	3.55	0.013	0.01	0	35.7	29.7	74	118	103	0	35	34	35
2025	3	1	12	41	26	0.676	-0.089	3.547	0.01	0.007	0	35.3	29.2	67.1	118	102	0	36	34	35
2025	3	1	12	51	26	0.715	-0.105	3.55	0.016	0.013	0	35.3	29.2	74.8	117	102	0	35	34	35
2025	3	1	13	1	26	0.748	-0.098	3.55	0.01	0.007	0	35.7	29.2	74.8	118	102	0	35	34	34
2025	3	1	13	11	26	0.696	-0.112	3.55	0.016	0.013	0	35.3	29.7	76.1	117	102	0	35	33	35
2025	3	1	13	21	26	0.699	-0.105	3.55	0.016	0.013	0	35.3	28.4	75.7	117	101	0	35	35	35
2025	3	1	13	31	26	0.659	-0.108	3.55	0.01	0.007	0	36.1	30.1	77.4	118	103	0	34	33	34
2025	3	1	13	41	26	0.738	-0.092	3.553	0.016	0.013	0	34.8	29.2	76.5	116	102	0	35	34	35
2025	3	1	13	51	26	0.689	-0.085	3.553	0.013	0.01	0	36.1	30.1	75.7	119	104	0	35	34	34
2025	3	1	14	1	26	0.709	-0.121	3.55	0.01	0.007	0	35.7	29.7	75.7	118	104	0	35	35	35
2025	3	1	14	11	26	0.715	-0.131	3.553	0.01	0.007	0	36.1	30.5	76.1	120	105	0	36	34	34
2025	3	1	14	21	26	0.702	-0.085	3.553	0.01	0.007	0	35.7	29.7	75.3	118	103	0	35	34	34
2025	3	1	14	31	26	0.682	-0.095	3.553	0.013	0.01	0	35.7	30.1	76.1	119	104	0	36	34	35
2025	3	1	14	41	26	0.679	-0.089	3.553	0.01	0.007	0	36.1	30.1	75.7	119	104	0	35	34	34
2025	3	1	14	51	26	0.709	-0.108	3.553	0.016	0.013	0	35.7	29.7	76.5	118	103	0	35	34	34
2025	3	1	15	1	26	0.705	-0.128	3.553	0.016	0.013	0	36.5	30.5	76.1	120	105	0	35	34	35
2025	3	1	15	11	26	0.702	-0.102	3.553	0.016	0.016	0	36.5	30.5	76.1	120	105	0	35	34	35
2025	3	1	15	21	26	0.719	-0.125	3.553	0.01	0.007	0	35.7	30.1	76.5	118	104	0	35	34	34
2025	3	1	15	31	26	0.666	-0.102	3.553	0.01	0.007	0	36.1	30.1	76.5	119	104	0	35	34	34
2025	3	1	15	41	26	0.679	-0.115	3.553	0.016	0.016	0	35.7	29.7	76.5	118	103	0	35	34	34
2025	3	1	15	51	26	0.722	-0.102	3.553	0.013	0.01	0	36.1	30.1	75.7	119	104	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	1	16	1	26	0.682	-0.092	3.553	0.013	0.01	0	35.3	29.2	76.1	117	102	0	35	34	34
2025	3	1	16	11	26	0.686	-0.115	3.553	0.01	0.007	0	34.8	28.8	75.7	116	101	0	35	34	34
2025	3	1	16	21	26	0.712	-0.075	3.553	0.01	0.007	0	35.7	29.7	75.7	118	102	0	35	33	35
2025	3	1	16	31	26	0.689	-0.095	3.553	0.013	0.01	0	34.8	28.8	75.7	116	101	0	35	34	34
2025	3	1	16	41	26	0.705	-0.102	3.553	0.013	0.01	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	1	16	51	26	0.686	-0.098	3.553	0.013	0.01	0	34.8	28.8	74.8	116	101	0	35	34	34
2025	3	1	17	1	26	0.699	-0.089	3.553	0.016	0.013	0	34.8	28.4	74.8	116	100	0	35	34	35
2025	3	1	17	11	26	0.673	-0.069	3.553	0.013	0.01	0	35.3	28.8	75.7	117	101	0	35	34	34
2025	3	1	17	21	26	0.686	-0.085	3.553	0.01	0.007	0	35.3	29.2	75.3	117	102	0	35	34	35
2025	3	1	17	31	26	0.725	-0.092	3.553	0.013	0.01	0	37	31	75.3	121	105	0	35	33	35
2025	3	1	17	41	26	0.64	-0.062	3.553	0.013	0.01	0	37	31	71.8	121	105	0	35	33	35
2025	3	1	17	51	26	0.709	-0.085	3.55	0.016	0.013	0	36.5	30.1	74	120	104	0	35	34	34
2025	3	1	18	1	26	0.699	-0.102	3.55	0.013	0.01	0	37.4	31	67.9	122	106	0	35	34	34
2025	3	1	18	11	26	0.699	-0.085	3.55	0.01	0.007	0	36.1	29.7	74.8	119	103	0	35	34	34
2025	3	1	18	21	26	0.679	-0.095	3.55	0.01	0.007	0	36.5	30.5	73.5	120	104	0	35	33	35
2025	3	1	18	31	26	0.682	-0.095	3.55	0.01	0.007	0	36.5	30.1	70.1	120	104	0	35	34	34
2025	3	1	18	41	26	0.705	-0.072	3.55	0.013	0.01	0	37	31	71.8	121	105	0	35	33	35
2025	3	1	18	51	26	0.666	-0.075	3.55	0.01	0.007	0	36.5	30.5	74.8	120	105	0	35	34	34
2025	3	1	19	1	26	0.692	-0.075	3.553	0.01	0.007	0	37.4	30.5	74	121	105	0	34	34	34
2025	3	1	19	11	26	0.696	-0.108	3.55	0.01	0.007	0	37	31	74	121	106	0	35	34	35
2025	3	1	19	21	26	0.673	-0.089	3.55	0.01	0.007	0	37	31.4	74.4	121	107	0	35	34	35
2025	3	1	19	31	26	0.686	-0.098	3.55	0.013	0.01	0	37	31	74.8	121	106	0	35	34	34
2025	3	1	19	41	26	0.656	-0.102	3.55	0.013	0.01	0	37	31.4	74.8	121	107	0	35	34	34
2025	3	1	19	51	26	0.738	-0.131	3.553	0.01	0.007	0	37	31	74.8	121	106	0	35	34	34
2025	3	1	20	1	26	0.666	-0.059	3.55	0.016	0.013	0	37	31.4	74.4	122	107	0	36	34	35
2025	3	1	20	11	26	0.725	-0.092	3.55	0.013	0.01	0	37	31	74.8	121	106	0	35	34	34
2025	3	1	20	21	26	0.659	-0.098	3.55	0.013	0.01	0	37	31	74.4	121	106	0	35	34	35
2025	3	1	20	31	26	0.709	-0.121	3.55	0.016	0.013	0	37.4	31.4	75.3	122	107	0	35	34	34
2025	3	1	20	41	26	0.673	-0.128	3.55	0.013	0.01	0	37	31	74.8	121	106	0	35	34	34
2025	3	1	20	51	26	0.689	-0.079	3.55	0.013	0.01	0	37	31	75.3	121	106	0	35	34	34
2025	3	1	21	1	26	0.663	-0.128	3.55	0.01	0.007	0	37	31.4	75.3	121	106	0	35	33	34
2025	3	1	21	11	26	0.705	-0.089	3.55	0.01	0.007	0	37	30.5	75.3	121	105	0	35	34	35
2025	3	1	21	21	26	0.702	-0.072	3.55	0.013	0.01	0	37	31	74.8	121	105	0	35	33	34
2025	3	1	21	31	26	0.663	-0.125	3.55	0.01	0.007	0	39.6	33.1	74.4	127	111	0	35	34	34
2025	3	1	21	41	26	0.702	-0.108	3.55	0.016	0.013	0	37.4	31	75.7	121	105	0	34	33	35
2025	3	1	21	51	26	0.679	-0.102	3.55	0.01	0.007	0	37	30.5	75.7	121	105	0	35	34	34
2025	3	1	22	1	26	0.689	-0.105	3.55	0.013	0.01	0	36.5	30.1	75.7	120	104	0	35	34	35
2025	3	1	22	11	26	0.673	-0.089	3.55	0.013	0.01	0	36.5	30.5	75.7	120	104	0	35	33	35
2025	3	1	22	21	26	0.709	-0.115	3.55	0.01	0.007	0	36.5	30.1	76.1	120	104	0	35	34	35
2025	3	1	22	31	26	0.633	-0.062	3.55	0.013	0.01	0	36.5	30.5	76.1	120	105	0	35	34	35
2025	3	1	22	41	26	0.696	-0.075	3.55	0.01	0.007	0	36.5	31	71.8	120	105	0	35	33	35
2025	3	1	22	51	26	0.686	-0.092	3.55	0.013	0.01	0	37	31	76.5	121	105	0	35	33	34
2025	3	1	23	1	26	0.676	-0.085	3.55	0.016	0.013	0	37	31	76.1	121	105	0	35	33	35
2025	3	1	23	11	26	0.722	-0.056	3.55	0.01	0.007	0	37	30.1	76.5	120	104	0	34	34	34
2025	3	1	23	21	26	0.65	-0.115	3.55	0.01	0.007	0	36.5	30.5	76.5	120	104	0	35	33	35
2025	3	1	23	31	26	0.696	-0.118	3.55	0.016	0.013	0	36.5	30.5	76.1	120	104	0	35	33	35
2025	3	1	23	41	26	0.689	-0.118	3.55	0.016	0.016	0	36.1	29.7	75.7	119	103	0	35	34	35
2025	3	1	23	51	26	0.702	-0.112	3.55	0.01	0.007	0	36.5	29.7	77.4	120	103	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	2	0	1	26	0.715	-0.092	3.55	0.013	0.01	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	2	0	11	26	0.669	-0.118	3.55	0.01	0.007	0	36.1	30.5	77	120	104	0	36	33	34
2025	3	2	0	21	26	0.686	-0.108	3.55	0.016	0.013	0	36.1	30.1	76.5	120	104	0	36	34	35
2025	3	2	0	31	26	0.676	-0.128	3.55	0.016	0.013	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	2	0	41	26	0.696	-0.108	3.55	0.016	0.013	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	2	0	51	26	0.725	-0.121	3.55	0.013	0.01	0	36.5	30.5	75.7	120	104	0	35	33	35
2025	3	2	1	1	26	0.646	-0.108	3.55	0.016	0.016	0	37	30.1	76.1	121	104	0	35	34	34
2025	3	2	1	11	26	0.656	-0.095	3.55	0.01	0.007	0	36.5	30.1	77	120	104	0	35	34	34
2025	3	2	1	21	26	0.696	-0.092	3.55	0.01	0.007	0	36.5	30.5	76.1	120	105	0	35	34	35
2025	3	2	1	31	26	0.702	-0.082	3.55	0.01	0.007	0	36.5	30.5	76.5	120	105	0	35	34	35
2025	3	2	1	41	26	0.653	-0.085	3.55	0.01	0.007	0	36.5	30.5	76.5	121	105	0	36	34	35
2025	3	2	1	51	26	0.663	-0.082	3.55	0.016	0.016	0	37	30.5	75.7	121	105	0	35	34	36
2025	3	2	2	1	26	0.669	-0.105	3.55	0.013	0.01	0	39.6	33.5	75.7	127	112	0	35	34	35
2025	3	2	2	11	26	0.689	-0.125	3.55	0.01	0.007	0	37.4	31.4	76.5	122	106	0	35	33	34
2025	3	2	2	21	26	0.709	-0.098	3.55	0.01	0.007	0	37	31	76.1	121	106	0	35	34	35
2025	3	2	2	31	26	0.732	-0.102	3.55	0.013	0.01	0	37	30.5	76.5	121	105	0	35	34	34
2025	3	2	2	41	26	0.719	-0.108	3.55	0.01	0.007	0	36.5	30.1	75.7	120	104	0	35	34	34
2025	3	2	2	51	26	0.659	-0.115	3.55	0.013	0.01	0	37.4	31.4	75.7	123	107	0	36	34	35
2025	3	2	3	1	26	0.689	-0.075	3.55	0.013	0.01	0	37.8	31.4	75.7	123	107	0	35	34	35
2025	3	2	3	11	26	0.725	-0.118	3.55	0.013	0.01	0	37.4	31.4	75.7	123	107	0	36	34	34
2025	3	2	3	21	26	0.722	-0.085	3.55	0.016	0.016	0	37	30.5	75.3	121	105	0	35	34	35
2025	3	2	3	31	26	0.705	-0.112	3.55	0.01	0.007	0	36.5	30.5	74.4	120	105	0	35	34	35
2025	3	2	3	41	26	0.686	-0.112	3.55	0.016	0.013	0	36.5	30.5	75.3	120	105	0	35	34	35
2025	3	2	3	51	26	0.653	-0.092	3.55	0.013	0.01	0	37	30.1	75.7	121	105	0	35	35	35
2025	3	2	4	1	26	0.653	-0.069	3.55	0.016	0.013	0	36.1	30.5	75.7	120	105	0	36	34	34
2025	3	2	4	11	26	0.676	-0.121	3.55	0.01	0.007	0	36.5	30.1	75.7	120	104	0	35	34	34
2025	3	2	4	21	26	0.725	-0.095	3.55	0.013	0.01	0	36.5	30.1	74.8	120	104	0	35	34	35
2025	3	2	4	31	26	0.682	-0.089	3.55	0.01	0.007	0	36.5	30.5	75.3	120	105	0	35	34	35
2025	3	2	4	41	26	0.653	-0.121	3.553	0.013	0.01	0	36.1	30.1	75.7	120	104	0	36	34	34
2025	3	2	4	51	26	0.719	-0.089	3.553	0.01	0.007	0	36.5	30.1	75.3	120	104	0	35	34	34
2025	3	2	5	1	26	0.702	-0.115	3.55	0.013	0.01	0	36.5	30.5	75.3	120	105	0	35	34	34
2025	3	2	5	11	26	0.696	-0.108	3.553	0.013	0.01	0	36.5	30.5	75.3	120	104	0	35	33	34
2025	3	2	5	21	26	0.676	-0.105	3.553	0.016	0.013	0	37	30.5	74.8	121	105	0	35	34	35
2025	3	2	5	31	26	0.699	-0.085	3.553	0.016	0.016	0	37	31.4	74.8	122	107	0	36	34	35
2025	3	2	5	41	26	0.653	-0.089	3.553	0.013	0.01	0	36.5	31	74	121	106	0	36	34	34
2025	3	2	5	51	26	0.682	-0.089	3.553	0.013	0.01	0	37.4	31.4	74.4	122	107	0	35	34	35
2025	3	2	6	1	26	0.682	-0.089	3.553	0.01	0.007	0	37	31	75.3	121	106	0	35	34	34
2025	3	2	6	11	26	0.699	-0.085	3.553	0.01	0.007	0	37	31	74.4	122	106	0	36	34	35
2025	3	2	6	21	26	0.663	-0.112	3.553	0.013	0.01	0	36.5	31	74.8	121	106	0	36	34	35
2025	3	2	6	31	26	0.709	-0.108	3.553	0.01	0.007	0	37	30.5	74.8	121	106	0	35	35	35
2025	3	2	6	41	26	0.689	-0.098	3.553	0.01	0.007	0	37	31	74.8	121	106	0	35	34	35
2025	3	2	6	51	26	0.728	-0.121	3.55	0.016	0.013	0	36.5	30.5	67.9	121	105	0	36	34	35
2025	3	2	7	1	26	0.692	-0.125	3.55	0.013	0.01	0	36.5	30.5	60.6	120	105	0	35	34	35
2025	3	2	7	11	26	0.699	-0.085	3.553	0.013	0.01	0	37	31.4	49.9	121	106	0	35	33	35
2025	3	2	7	21	26	0.692	-0.105	3.553	0.013	0.01	0	36.5	30.5	51.2	120	105	0	35	34	35
2025	3	2	7	31	26	0.679	-0.131	3.55	0.013	0.01	0	37	31.4	65.4	121	107	0	35	34	35
2025	3	2	7	41	26	0.692	-0.095	3.55	0.016	0.013	0	36.5	30.5	53.3	120	105	0	35	34	35
2025	3	2	7	51	26	0.696	-0.095	3.553	0.013	0.01	0	35.7	30.1	75.3	118	104	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	2	8	1	26	0.682	-0.098	3.553	0.016	0.013	0	36.1	30.1	74.4	119	104	0	35	34	35
2025	3	2	8	11	26	0.751	-0.112	3.55	0.01	0.007	0	35.7	29.2	74.8	118	102	0	35	34	35
2025	3	2	8	21	26	0.699	-0.108	3.55	0.013	0.01	0	36.1	30.1	64.5	119	104	0	35	34	34
2025	3	2	8	31	26	0.686	-0.095	3.553	0.01	0.007	0	35.3	29.7	54.6	118	103	0	36	34	35
2025	3	2	8	41	26	0.676	-0.105	3.553	0.013	0.01	0	35.3	29.7	59.3	118	103	0	36	34	34
2025	3	2	8	51	26	0.673	-0.075	3.553	0.016	0.016	0	36.1	29.7	52.9	119	103	0	35	34	34
2025	3	2	9	1	26	0.712	-0.125	3.553	0.013	0.01	0	36.5	30.5	54.2	120	105	0	35	34	35
2025	3	2	9	11	26	0.686	-0.092	3.553	0.013	0.01	0	37.4	31.8	54.2	122	108	0	35	34	35
2025	3	2	9	21	26	0.705	-0.098	3.553	0.013	0.01	0	37.8	32.7	55	123	109	0	35	33	35
2025	3	2	9	31	26	0.699	-0.095	3.553	0.016	0.013	0	37.4	31.8	52.5	123	108	0	36	34	35
2025	3	2	9	41	26	0.692	-0.105	3.553	0.01	0.007	0	37.8	32.3	63.6	123	108	0	35	33	35
2025	3	2	9	51	26	0.696	-0.098	3.553	0.01	0.007	0	38.3	32.3	63.6	124	109	0	35	34	35
2025	3	2	10	1	26	0.673	-0.102	3.553	0.013	0.01	0	37.8	32.3	61.1	123	108	0	35	33	35
2025	3	2	10	11	26	0.735	-0.131	3.553	0.013	0.01	0	37	31.8	64.1	122	108	0	36	34	34
2025	3	2	10	21	26	0.689	-0.151	3.553	0.01	0.007	0	43.4	38.3	51.6	137	123	0	36	34	35
2025	3	2	10	31	26	0.712	-0.092	3.553	0.013	0.01	0	39.1	33.1	58.5	126	111	0	35	34	35
2025	3	2	10	41	26	0.725	-0.121	3.553	0.013	0.01	0	38.7	33.1	68.8	125	110	0	35	33	34
2025	3	2	10	51	26	0.722	-0.125	3.553	0.01	0.007	0	37.8	32.3	64.9	123	109	0	35	34	35
2025	3	2	11	1	26	0.689	-0.066	3.553	0.016	0.013	0	38.3	32.3	68.8	123	109	0	34	34	35
2025	3	2	11	11	26	0.689	-0.102	3.556	0.013	0.01	0	37.4	31.4	62.8	122	107	0	35	34	34
2025	3	2	11	21	26	0.676	-0.089	3.556	0.016	0.013	0	37	31.8	54.2	122	108	0	36	34	35
2025	3	2	11	31	26	0.709	-0.095	3.553	0.01	0.007	0	38.3	32.7	63.6	124	109	0	35	33	34
2025	3	2	11	41	26	0.696	-0.112	3.553	0.013	0.01	0	37.8	32.3	55.9	123	109	0	35	34	35
2025	3	2	11	51	26	0.725	-0.112	3.553	0.01	0.007	0	37.4	31.4	58.5	122	107	0	35	34	34
2025	3	2	12	1	26	0.689	-0.072	3.556	0.013	0.01	0	37	31.4	58	121	107	0	35	34	36
2025	3	2	12	11	26	0.705	-0.108	3.553	0.016	0.013	0	37	31.4	64.5	121	107	0	35	34	35
2025	3	2	12	21	26	0.682	-0.089	3.553	0.016	0.013	0	37	31.4	55.5	122	107	0	36	34	34
2025	3	2	12	31	26	0.689	-0.085	3.553	0.016	0.013	0	37.8	31.8	57.2	123	108	0	35	34	34
2025	3	2	12	41	26	0.712	-0.115	3.556	0.013	0.01	0	37.4	31.4	58	122	107	0	35	34	34
2025	3	2	12	51	26	0.686	-0.135	3.556	0.01	0.007	0	37.4	31.8	58	122	108	0	35	34	35
2025	3	2	13	1	26	0.705	-0.131	3.556	0.016	0.013	0	37.4	31.4	57.6	122	107	0	35	34	34
2025	3	2	13	11	26	0.692	-0.118	3.556	0.013	0.01	0	37	31	67.1	121	106	0	35	34	35
2025	3	2	13	21	26	0.722	-0.095	3.556	0.013	0.01	0	37	31.4	56.3	121	107	0	35	34	34
2025	3	2	13	31	26	0.722	-0.115	3.556	0.013	0.01	0	37.4	31.8	76.1	122	108	0	35	34	35
2025	3	2	13	41	26	0.715	-0.095	3.556	0.01	0.007	0	37	31.4	74	122	107	0	36	34	35
2025	3	2	13	51	26	0.702	-0.108	3.553	0.01	0.007	0	37	31	72.2	121	106	0	35	34	35
2025	3	2	14	1	26	0.705	-0.138	3.556	0.013	0.01	0	37.4	31.4	77	122	107	0	35	34	35
2025	3	2	14	11	26	0.728	-0.128	3.556	0.01	0.007	0	37	31	62.4	121	106	0	35	34	34
2025	3	2	14	21	26	0.689	-0.085	3.556	0.016	0.013	0	37.8	32.3	62.4	123	108	0	35	33	35
2025	3	2	14	31	26	0.682	-0.089	3.553	0.01	0.007	0	38.3	32.3	54.6	124	109	0	35	34	34
2025	3	2	14	41	26	0.709	-0.098	3.553	0.01	0.007	0	37.8	32.7	64.9	123	109	0	35	33	34
2025	3	2	14	51	26	0.666	-0.062	3.553	0.01	0.007	0	37.4	31.8	57.2	122	108	0	35	34	35
2025	3	2	15	1	26	0.692	-0.108	3.553	0.01	0.007	0	37.4	31.4	75.7	122	107	0	35	34	34
2025	3	2	15	11	26	0.666	-0.102	3.553	0.013	0.01	0	37	31.4	75.3	121	106	0	35	33	35
2025	3	2	15	21	26	0.696	-0.115	3.553	0.01	0.007	0	36.5	30.5	64.5	120	105	0	35	34	35
2025	3	2	15	31	26	0.659	-0.135	3.553	0.01	0.007	0	36.1	31	71.4	120	106	0	36	34	35
2025	3	2	15	41	26	0.699	-0.085	3.553	0.016	0.013	0	36.5	31	53.3	120	106	0	35	34	35
2025	3	2	15	51	26	0.709	-0.095	3.55	0.01	0.007	0	37	31	51.2	121	106	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	2	16	1	26	0.682	-0.102	3.55	0.013	0.01	0	37.4	31.8	52.9	122	107	0	35	33	34
2025	3	2	16	11	26	0.676	-0.085	3.547	0.013	0.01	0	37	31.8	52.5	121	107	0	35	33	34
2025	3	2	16	21	26	0.679	-0.102	3.55	0.013	0.01	0	37	31	57.6	120	105	0	34	33	34
2025	3	2	16	31	26	0.696	-0.098	3.547	0.013	0.01	0	36.5	30.5	64.5	120	105	0	35	34	34
2025	3	2	16	41	26	0.692	-0.085	3.547	0.016	0.013	0	36.1	30.5	59.8	119	104	0	35	33	34
2025	3	2	16	51	26	0.673	-0.085	3.547	0.013	0.01	0	36.1	30.1	52.9	119	104	0	35	34	35
2025	3	2	17	1	26	0.705	-0.095	3.547	0.013	0.01	0	37	31	60.6	121	106	0	35	34	35
2025	3	2	17	11	26	0.682	-0.072	3.547	0.01	0.007	0	36.1	30.5	52.5	119	104	0	35	33	35
2025	3	2	17	21	26	0.689	-0.089	3.547	0.016	0.013	0	37	31	53.3	121	106	0	35	34	35
2025	3	2	17	31	26	0.692	-0.108	3.543	0.013	0.01	0	36.5	30.1	70.1	120	104	0	35	34	35
2025	3	2	17	41	26	0.682	-0.082	3.547	0.01	0.007	0	37	30.5	73.1	121	105	0	35	34	34
2025	3	2	17	51	26	0.676	-0.072	3.547	0.01	0.007	0	36.5	30.1	72.7	120	104	0	35	34	35
2025	3	2	18	1	26	0.666	-0.115	3.547	0.01	0.007	0	37	30.1	73.5	120	104	0	34	34	34
2025	3	2	18	11	26	0.712	-0.098	3.543	0.013	0.01	0	36.5	30.5	73.5	120	104	0	35	33	34
2025	3	2	18	21	26	0.686	-0.118	3.543	0.016	0.013	0	36.1	30.1	73.1	119	103	0	35	33	34
2025	3	2	18	31	26	0.659	-0.082	3.54	0.013	0.01	0	36.5	30.5	72.7	120	104	0	35	33	35
2025	3	2	18	41	26	0.666	-0.115	3.54	0.013	0.01	0	37	30.5	72.7	120	105	0	34	34	34
2025	3	2	18	51	26	0.741	-0.112	3.54	0.013	0.01	0	37	31	72.7	121	105	0	35	33	34
2025	3	2	19	1	26	0.682	-0.069	3.54	0.013	0.01	0	37.4	31	67.1	122	106	0	35	34	35
2025	3	2	19	11	26	0.748	-0.098	3.54	0.013	0.01	0	37.4	31.8	55.5	122	107	0	35	33	35
2025	3	2	19	21	26	0.65	-0.121	3.537	0.016	0.013	0	37.4	31.8	63.6	122	108	0	35	34	34
2025	3	2	19	31	26	0.696	-0.075	3.537	0.013	0.01	0	37.4	31	70.1	121	105	0	34	33	35
2025	3	2	19	41	26	0.682	-0.098	3.537	0.013	0.01	0	37	30.5	72.2	121	105	0	35	34	35
2025	3	2	19	51	26	0.676	-0.148	3.537	0.013	0.01	0	37.4	30.5	72.2	121	105	0	34	34	34
2025	3	2	20	1	26	0.735	-0.098	3.533	0.013	0.01	0	37.4	31.4	72.2	122	107	0	35	34	35
2025	3	2	20	11	26	0.712	-0.085	3.537	0.013	0.01	0	37.4	31.8	71.4	122	107	0	35	33	35
2025	3	2	20	21	26	0.715	-0.085	3.533	0.016	0.013	0	37.4	31.8	57.2	122	107	0	35	33	34
2025	3	2	20	31	26	0.679	-0.121	3.533	0.013	0.01	0	37	31.4	68.8	121	107	0	35	34	35
2025	3	2	20	41	26	0.702	-0.085	3.533	0.01	0.007	0	37.4	31.4	59.3	122	107	0	35	34	34
2025	3	2	20	51	26	0.709	-0.079	3.537	0.013	0.01	0	37.4	31.4	54.2	122	107	0	35	34	35
2025	3	2	21	1	26	0.705	-0.095	3.533	0.01	0.007	0	37	31	52.5	121	106	0	35	34	35
2025	3	2	21	11	26	0.679	-0.079	3.537	0.013	0.01	0	36.5	30.5	51.6	120	104	0	35	33	35
2025	3	2	21	21	26	0.705	-0.108	3.533	0.013	0.01	0	36.5	30.1	52.9	120	104	0	35	34	35
2025	3	2	21	31	26	0.722	-0.098	3.533	0.013	0.01	0	36.5	30.5	58	120	104	0	35	33	34
2025	3	2	21	41	26	0.682	-0.095	3.533	0.016	0.016	0	36.5	30.1	57.6	120	104	0	35	34	34
2025	3	2	21	51	26	0.715	-0.112	3.533	0.01	0.007	0	36.5	30.1	52.9	120	104	0	35	34	35
2025	3	2	22	1	26	0.709	-0.079	3.533	0.01	0.007	0	37	31	52.5	120	105	0	34	33	34
2025	3	2	22	11	26	0.679	-0.059	3.533	0.01	0.007	0	36.5	31	52	120	105	0	35	33	36
2025	3	2	22	21	26	0.673	-0.102	3.533	0.01	0.007	0	36.5	30.5	63.6	120	105	0	35	34	35
2025	3	2	22	31	26	0.715	-0.112	3.533	0.013	0.01	0	36.5	30.1	55.5	120	104	0	35	34	35
2025	3	2	22	41	26	0.705	-0.108	3.533	0.016	0.013	0	36.5	30.5	71	120	105	0	35	34	35
2025	3	2	22	51	26	0.656	-0.102	3.537	0.013	0.01	0	36.1	30.1	73.1	120	104	0	36	34	34
2025	3	2	23	1	26	0.692	-0.112	3.537	0.01	0.007	0	36.1	30.5	70.5	119	104	0	35	33	35
2025	3	2	23	11	26	0.692	-0.112	3.533	0.013	0.01	0	36.5	29.7	55	120	104	0	35	35	34
2025	3	2	23	21	26	0.673	-0.092	3.537	0.016	0.016	0	36.5	30.1	59.8	120	104	0	35	34	34
2025	3	2	23	31	26	0.686	-0.095	3.537	0.013	0.01	0	36.5	30.5	61.9	120	105	0	35	34	35
2025	3	2	23	41	26	0.686	-0.102	3.537	0.01	0.007	0	36.5	30.1	73.1	120	104	0	35	34	35
2025	3	2	23	51	26	0.689	-0.075	3.537	0.013	0.01	0	36.5	30.1	70.1	120	104	0	35	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	3	0	1	26	0.686	-0.075	3.537	0.016	0.013	0	36.5	30.1	70.5	120	104	0	35	34	35	
2025	3	3	0	11	26	0.696	-0.092	3.537	0.013	0.01	0	36.5	30.5	69.7	120	105	0	35	34	33	
2025	3	3	0	21	26	0.705	-0.098	3.537	0.01	0.007	0	36.5	30.1	73.1	120	104	0	35	34	35	
2025	3	3	0	31	26	0.669	-0.098	3.537	0.013	0.01	0	36.5	30.5	73.5	120	105	0	35	34	35	
2025	3	3	0	41	26	0.669	-0.079	3.54	0.01	0.007	0	36.1	30.1	74.8	120	104	0	36	34	35	
2025	3	3	0	51	26	0.63	-0.059	3.54	0.013	0.01	0	36.1	30.1	74.8	120	104	0	36	34	35	
2025	3	3	1	1	26	0.676	-0.098	3.54	0.01	0.007	0	36.1	30.1	75.7	120	104	0	36	34	34	
2025	3	3	1	11	26	0.702	-0.121	3.54	0.013	0.01	0	36.1	29.2	75.3	119	103	0	35	35	34	
2025	3	3	1	21	26	0.702	-0.072	3.54	0.013	0.01	0	36.5	30.1	75.7	120	104	0	35	34	35	
2025	3	3	1	31	26	0.659	-0.095	3.54	0.01	0.007	0	36.5	30.5	76.1	120	104	0	35	33	34	
2025	3	3	1	41	26	0.692	-0.112	3.54	0.013	0.01	0	36.5	30.1	76.1	120	104	0	35	34	35	
2025	3	3	1	51	26	0.702	-0.098	3.54	0.01	0.007	0	36.1	29.7	76.5	119	104	0	35	35	35	
2025	3	3	2	1	26	0.696	-0.095	3.54	0.013	0.01	0	35.7	29.7	77	119	103	0	36	34	34	
2025	3	3	2	11	26	0.689	-0.098	3.54	0.01	0.007	0	35.7	30.1	76.5	119	104	0	36	34	35	
2025	3	3	2	21	26	0.656	-0.102	3.54	0.013	0.01	0	36.1	30.1	76.5	119	104	0	35	34	35	
2025	3	3	2	31	26	0.709	-0.092	3.54	0.013	0.01	0	36.5	30.1	76.5	120	104	0	35	34	34	
2025	3	3	2	41	26	0.696	-0.079	3.54	0.013	0.01	0	35.7	30.1	55.5	119	104	0	36	34	35	
2025	3	3	2	51	26	0.719	-0.118	3.537	0.013	0.01	0	36.5	30.1	50.7	120	104	0	35	34	35	
2025	3	3	3	1	26	0.705	-0.118	3.537	0.01	0.007	0	36.1	29.7	59.3	119	103	0	35	34	34	
2025	3	3	3	11	26	0.705	-0.125	3.54	0.016	0.013	0	36.1	30.1	67.9	119	104	0	35	34	35	
2025	3	3	3	21	26	0.692	-0.108	3.54	0.016	0.016	0	36.5	30.1	63.2	120	104	0	35	34	35	
2025	3	3	3	31	26	0.636	-0.079	3.54	0.013	0.01	0	36.1	29.7	76.5	119	103	0	35	34	34	
2025	3	3	3	41	26	0.692	-0.089	3.54	0.01	0.007	0	36.5	30.1	74.8	120	104	0	35	34	35	
2025	3	3	3	51	26	0.702	-0.115	3.54	0.013	0.01	0	36.1	29.7	64.1	119	103	0	35	34	34	
2025	3	3	4	1	26	0.732	-0.085	3.54	0.016	0.013	0	36.1	29.7	75.3	119	103	0	35	34	35	
2025	3	3	4	11	26	0.679	-0.121	3.54	0.01	0.007	0	36.5	31	53.8	121	106	0	36	34	35	
2025	3	3	4	21	26	0.722	-0.121	3.54	0.01	0.007	0	36.5	30.1	75.3	120	104	0	35	34	34	
2025	3	3	4	31	26	0.659	-0.108	3.54	0.016	0.013	0	36.1	29.7	73.1	119	103	0	35	34	35	
2025	3	3	4	41	26	0.679	-0.082	3.54	0.013	0.01	0	37	30.5	76.5	121	105	0	35	34	34	
2025	3	3	4	51	26	0.699	-0.092	3.54	0.013	0.01	0	37.4	30.5	76.5	122	106	0	35	35	35	
2025	3	3	5	1	26	0.686	-0.089	3.54	0.016	0.013	0	36.5	30.5	76.1	121	106	0	36	35	35	
2025	3	3	5	11	26	0.676	-0.079	3.54	0.01	0.007	0	36.5	30.1	76.5	120	104	0	35	34	35	
2025	3	3	5	21	26	0.712	-0.125	3.54	0.013	0.01	0	36.5	30.1	75.7	120	104	0	35	34	35	
2025	3	3	5	31	26	0.673	-0.112	3.54	0.01	0.007	0	36.1	30.1	76.5	119	104	0	35	34	35	
2025	3	3	5	41	26	0.692	-0.092	3.54	0.016	0.013	0	36.5	29.7	76.5	120	104	0	35	35	35	
2025	3	3	5	51	26	0.689	-0.098	3.54	0.013	0.01	0	36.5	30.1	76.1	120	104	0	35	34	36	
2025	3	3	6	1	26	0.705	-0.095	3.54	0.016	0.013	0	36.1	30.1	75.7	120	104	0	36	34	35	
2025	3	3	6	11	26	0.719	-0.082	3.54	0.016	0.013	0	36.1	30.1	76.1	120	104	0	36	34	35	
2025	3	3	6	21	26	0.732	-0.098	3.54	0.013	0.01	0	36.5	29.7	53.8	120	103	0	35	34	35	
2025	3	3	6	31	26	0.676	-0.075	3.54	0.013	0.01	0	36.5	30.1	51.6	120	104	0	35	34	35	
2025	3	3	6	41	26	0.627	-0.112	3.54	0.013	0.01	0	38.3	31.4	51.6	124	108	0	35	35	34	
2025	3	3	6	51	26	0.702	-0.112	3.54	0.01	0.007	0	37.8	31.4	55.9	123	107	0	35	34	35	
2025	3	3	7	1	26	0.705	-0.105	3.54	0.013	0.01	0	38.3	31.8	50.7	124	108	0	35	34	35	
2025	3	3	7	11	26	0.709	-0.108	3.54	0.016	0.013	0	37	31	61.9	122	107	0	36	35	35	
2025	3	3	7	21	26	0.712	-0.098	3.54	0.013	0.01	0	37.4	31	75.3	122	106	0	35	34	35	
2025	3	3	7	31	26	0.725	-0.095	3.54	0.016	0.013	0	37.8	31.4	75.7	124	107	0	36	34	35	
2025	3	3	7	41	26	0.653	-0.098	3.54	0.016	0.016	0	38.3	31.8	75.3	124	108	0	35	34	35	
2025	3	3	7	51	26	0.715	-0.112	3.54	0.016	0.013	0	38.3	31.4	75.3	124	108	0	35	35	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	3	8	1	26	0.699	-0.102	3.54	0.01	0.007	0	36.5	30.1	66.7	120	104	0	35	34	35
2025	3	3	8	11	26	0.715	-0.118	3.543	0.013	0.01	0	36.5	30.1	52.5	120	104	0	35	34	35
2025	3	3	8	21	26	0.682	-0.085	3.543	0.013	0.01	0	38.3	31.8	57.2	124	108	0	35	34	35
2025	3	3	8	31	26	0.715	-0.085	3.543	0.01	0.007	0	36.1	30.1	70.5	120	104	0	36	34	35
2025	3	3	8	41	26	0.686	-0.089	3.543	0.016	0.013	0	36.5	30.1	65.8	120	104	0	35	34	35
2025	3	3	8	51	26	0.705	-0.105	3.543	0.01	0.007	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	3	9	1	26	0.689	-0.082	3.543	0.01	0.007	0	35.3	29.2	75.3	118	102	0	36	34	34
2025	3	3	9	11	26	0.705	-0.092	3.543	0.013	0.01	0	36.1	30.5	74	120	105	0	36	34	35
2025	3	3	9	21	26	0.722	-0.115	3.543	0.013	0.01	0	37	30.1	75.3	121	105	0	35	35	35
2025	3	3	9	31	26	0.745	-0.108	3.543	0.016	0.013	0	35.7	29.7	75.7	119	103	0	36	34	35
2025	3	3	9	41	26	0.679	-0.092	3.547	0.013	0.01	0	36.1	30.1	52.9	120	104	0	36	34	35
2025	3	3	9	51	26	0.686	-0.115	3.55	0.013	0.01	0	36.1	30.1	51.2	120	104	0	36	34	35
2025	3	3	10	1	26	0.715	-0.102	3.547	0.016	0.013	0	36.1	30.5	51.2	120	105	0	36	34	35
2025	3	3	10	11	26	0.702	-0.095	3.547	0.013	0.01	0	37	30.5	50.3	121	105	0	35	34	35
2025	3	3	10	21	26	0.696	-0.082	3.547	0.01	0.007	0	36.1	30.5	51.6	119	105	0	35	34	35
2025	3	3	10	31	26	0.679	-0.102	3.547	0.016	0.016	0	36.5	30.5	52.5	120	105	0	35	34	35
2025	3	3	10	41	26	0.738	-0.108	3.55	0.013	0.01	0	37	31	52.5	121	106	0	35	34	35
2025	3	3	10	51	26	0.666	-0.098	3.55	0.01	0.007	0	36.5	30.5	50.3	120	105	0	35	34	35
2025	3	3	11	1	26	0.696	-0.082	3.55	0.013	0.01	0	36.5	30.5	51.6	120	105	0	35	34	35
2025	3	3	11	11	26	0.692	-0.089	3.55	0.01	0.007	0	37	31	49.9	121	106	0	35	34	35
2025	3	3	11	21	26	0.705	-0.085	3.55	0.013	0.01	0	37.4	31.4	52.5	122	107	0	35	34	35
2025	3	3	11	31	26	0.676	-0.112	3.55	0.01	0.007	0	37	31	51.6	121	106	0	35	34	35
2025	3	3	11	41	26	0.669	-0.082	3.55	0.01	0.007	0	37	31	52	121	106	0	35	34	35
2025	3	3	11	51	26	0.745	-0.112	3.553	0.01	0.007	0	36.5	30.5	52	120	105	0	35	34	35
2025	3	3	12	1	26	0.745	-0.079	3.55	0.01	0.007	0	36.5	30.5	50.7	120	105	0	35	34	35
2025	3	3	12	11	26	0.705	-0.085	3.55	0.013	0.01	0	37	31	52.5	121	106	0	35	34	35
2025	3	3	12	21	26	0.686	-0.105	3.55	0.01	0.007	0	36.5	30.5	52.9	120	105	0	35	34	35
2025	3	3	12	31	26	0.761	-0.125	3.55	0.013	0.01	0	36.5	31	50.7	121	106	0	36	34	34
2025	3	3	12	41	26	0.673	-0.095	3.55	0.01	0.007	0	36.5	31	50.3	121	106	0	36	34	35
2025	3	3	12	51	26	0.725	-0.112	3.55	0.01	0.007	0	36.1	30.1	51.6	120	104	0	36	34	34
2025	3	3	13	1	26	0.738	-0.098	3.55	0.013	0.01	0	36.5	30.5	50.7	120	105	0	35	34	35
2025	3	3	13	11	26	0.738	-0.092	3.553	0.01	0.007	0	37	31	49.9	121	106	0	35	34	35
2025	3	3	13	21	26	0.689	-0.115	3.553	0.013	0.01	0	37.4	31.4	50.3	122	107	0	35	34	35
2025	3	3	13	31	26	0.699	-0.135	3.55	0.013	0.01	0	36.1	30.5	52.5	120	105	0	36	34	34
2025	3	3	13	41	26	0.679	-0.092	3.553	0.01	0.007	0	36.5	30.5	51.2	120	105	0	35	34	35
2025	3	3	13	51	26	0.689	-0.075	3.553	0.013	0.01	0	36.1	30.5	51.2	120	105	0	36	34	35
2025	3	3	14	1	26	0.702	-0.069	3.55	0.01	0.007	0	36.5	30.5	50.7	120	105	0	35	34	34
2025	3	3	14	11	26	0.702	-0.102	3.55	0.016	0.013	0	35.7	30.1	50.7	119	104	0	36	34	35
2025	3	3	14	21	26	0.686	-0.092	3.553	0.01	0.007	0	37	31	51.6	121	105	0	35	33	35
2025	3	3	14	31	26	0.702	-0.102	3.553	0.013	0.01	0	37	30.5	49.5	121	105	0	35	34	35
2025	3	3	14	41	26	0.735	-0.105	3.55	0.01	0.007	0	37	31.4	50.7	121	106	0	35	33	34
2025	3	3	14	51	26	0.692	-0.121	3.553	0.016	0.013	0	37.4	31	51.2	122	106	0	35	34	35
2025	3	3	15	1	26	0.702	-0.105	3.553	0.013	0.01	0	38.7	32.3	50.7	125	110	0	35	35	35
2025	3	3	15	11	26	0.702	-0.089	3.55	0.016	0.013	0	37.4	31	49	122	106	0	35	34	35
2025	3	3	15	21	26	0.676	-0.095	3.55	0.01	0.007	0	37	31	51.6	122	107	0	36	35	34
2025	3	3	15	31	26	0.722	-0.082	3.55	0.013	0.01	0	37.4	31.4	49.5	122	107	0	35	34	34
2025	3	3	15	41	26	0.692	-0.095	3.55	0.013	0.01	0	36.5	31	49.9	121	106	0	36	34	34
2025	3	3	15	51	26	0.745	-0.118	3.55	0.013	0.01	0	37	30.1	52.9	121	105	0	35	35	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	3	16	1	26	0.686	-0.154	3.55	0.013	0.01	0	37	31	49.5	121	106	0	35	34	34
2025	3	3	16	11	26	0.673	-0.072	3.55	0.013	0.01	0	36.1	30.1	49.5	119	104	0	35	34	35
2025	3	3	16	21	26	0.676	-0.102	3.55	0.01	0.007	0	35.7	29.2	52.5	119	102	0	36	34	34
2025	3	3	16	31	26	0.732	-0.089	3.55	0.01	0.007	0	35.7	29.2	52.9	118	102	0	35	34	35
2025	3	3	16	41	26	0.728	-0.118	3.55	0.01	0.007	0	35.7	29.2	53.3	118	102	0	35	34	34
2025	3	3	16	51	26	0.709	-0.105	3.55	0.013	0.01	0	35.7	29.2	52	118	102	0	35	34	34
2025	3	3	17	1	26	0.679	-0.082	3.55	0.013	0.01	0	35.7	29.2	51.2	118	102	0	35	34	35
2025	3	3	17	11	26	0.722	-0.125	3.55	0.013	0.01	0	35.3	28.8	55	117	101	0	35	34	34
2025	3	3	17	21	26	0.745	-0.112	3.55	0.01	0.007	0	35.3	28.4	70.5	117	100	0	35	34	34
2025	3	3	17	31	26	0.669	-0.092	3.55	0.01	0.007	0	35.7	28.8	74	118	101	0	35	34	35
2025	3	3	17	41	26	0.679	-0.092	3.55	0.01	0.007	0	35.7	28.8	71	118	101	0	35	34	35
2025	3	3	17	51	26	0.699	-0.056	3.55	0.016	0.013	0	35.3	28.8	72.2	117	101	0	35	34	35
2025	3	3	18	1	26	0.689	-0.095	3.55	0.013	0.01	0	36.1	29.2	73.5	118	102	0	34	34	34
2025	3	3	18	11	26	0.689	-0.072	3.55	0.013	0.01	0	35.3	29.2	74	117	101	0	35	33	35
2025	3	3	18	21	26	0.676	-0.102	3.55	0.01	0.007	0	35.7	28.8	74	118	101	0	35	34	35
2025	3	3	18	31	26	0.705	-0.102	3.55	0.013	0.01	0	35.7	29.7	75.3	118	102	0	35	33	35
2025	3	3	18	41	26	0.705	-0.108	3.547	0.013	0.01	0	36.1	29.2	72.7	119	102	0	35	34	34
2025	3	3	18	51	26	0.715	-0.089	3.547	0.013	0.01	0	36.1	29.7	73.1	119	103	0	35	34	34
2025	3	3	19	1	26	0.696	-0.102	3.547	0.016	0.013	0	36.5	29.7	74.4	120	103	0	35	34	35
2025	3	3	19	11	26	0.689	-0.095	3.547	0.016	0.016	0	36.5	30.1	66.7	120	104	0	35	34	35
2025	3	3	19	21	26	0.709	-0.115	3.547	0.013	0.01	0	36.1	30.1	57.2	120	104	0	36	34	35
2025	3	3	19	31	26	0.696	-0.118	3.547	0.016	0.016	0	36.1	30.1	56.3	120	104	0	36	34	35
2025	3	3	19	41	26	0.715	-0.108	3.547	0.013	0.01	0	36.5	29.7	66.2	120	103	0	35	34	35
2025	3	3	19	51	26	0.669	-0.082	3.547	0.01	0.007	0	36.5	29.7	70.1	120	104	0	35	35	35
2025	3	3	20	1	26	0.712	-0.098	3.547	0.013	0.01	0	36.1	29.7	70.5	119	103	0	35	34	35
2025	3	3	20	11	26	0.689	-0.118	3.547	0.013	0.01	0	36.5	30.1	74.4	120	104	0	35	34	35
2025	3	3	20	21	26	0.659	-0.095	3.547	0.013	0.01	0	36.1	29.7	74.8	119	103	0	35	34	34
2025	3	3	20	31	26	0.686	-0.089	3.547	0.013	0.01	0	36.5	30.1	76.5	120	104	0	35	34	34
2025	3	3	20	41	26	0.699	-0.079	3.547	0.013	0.01	0	36.1	29.7	77	120	103	0	36	34	34
2025	3	3	20	51	26	0.699	-0.069	3.547	0.016	0.013	0	36.1	29.7	75.3	120	103	0	36	34	34
2025	3	3	21	1	26	0.686	-0.079	3.547	0.01	0.007	0	36.5	29.7	77	120	103	0	35	34	34
2025	3	3	21	11	26	0.692	-0.105	3.547	0.013	0.01	0	36.5	30.1	76.1	120	104	0	35	34	35
2025	3	3	21	21	26	0.722	-0.128	3.547	0.01	0.007	0	37	30.5	76.5	121	105	0	35	34	35
2025	3	3	21	31	26	0.696	-0.069	3.547	0.016	0.013	0	36.5	30.1	77.4	120	104	0	35	34	35
2025	3	3	21	41	26	0.669	-0.066	3.547	0.013	0.01	0	36.5	30.1	77	120	104	0	35	34	35
2025	3	3	21	51	26	0.653	-0.115	3.547	0.016	0.013	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	3	22	1	26	0.656	-0.115	3.547	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	3	22	11	26	0.696	-0.112	3.543	0.013	0.01	0	36.1	30.1	77.4	120	104	0	36	34	34
2025	3	3	22	21	26	0.682	-0.125	3.547	0.01	0.007	0	36.1	29.7	77	119	103	0	35	34	35
2025	3	3	22	31	26	0.696	-0.108	3.543	0.016	0.013	0	36.1	29.7	77	119	103	0	35	34	35
2025	3	3	22	41	26	0.696	-0.095	3.543	0.013	0.01	0	36.1	29.2	76.5	119	102	0	35	34	35
2025	3	3	22	51	26	0.689	-0.059	3.543	0.013	0.01	0	36.1	29.2	77	119	103	0	35	35	35
2025	3	3	23	1	26	0.682	-0.082	3.543	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	34
2025	3	3	23	11	26	0.705	-0.098	3.543	0.016	0.013	0	35.7	29.7	77	118	103	0	35	34	34
2025	3	3	23	21	26	0.699	-0.082	3.543	0.016	0.016	0	36.1	29.2	76.5	119	102	0	35	34	35
2025	3	3	23	31	26	0.679	-0.069	3.543	0.016	0.016	0	35.7	29.2	76.5	118	102	0	35	34	35
2025	3	3	23	41	26	0.699	-0.092	3.543	0.013	0.01	0	35.7	29.2	76.5	118	102	0	35	34	35
2025	3	3	23	51	26	0.679	-0.095	3.543	0.013	0.01	0	35.7	29.7	76.1	119	103	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	4	0	1	26	0.715	-0.082	3.543	0.013	0.01	0	37	31	75.7	121	106	0	35	34	35
2025	3	4	0	11	26	0.696	-0.079	3.543	0.013	0.01	0	36.1	30.5	76.1	120	105	0	36	34	35
2025	3	4	0	21	26	0.686	-0.089	3.543	0.016	0.013	0	35.7	30.5	76.1	119	104	0	36	33	35
2025	3	4	0	31	26	0.656	-0.118	3.543	0.016	0.013	0	35.7	30.1	74	119	104	0	36	34	34
2025	3	4	0	41	26	0.679	-0.066	3.543	0.013	0.01	0	35.7	30.1	75.7	119	104	0	36	34	34
2025	3	4	0	51	26	0.686	-0.062	3.543	0.016	0.013	0	37	30.5	76.1	121	105	0	35	34	34
2025	3	4	1	1	26	0.646	-0.072	3.543	0.013	0.01	0	36.1	30.1	75.7	119	104	0	35	34	35
2025	3	4	1	11	26	0.669	-0.098	3.543	0.01	0.007	0	36.1	30.1	75.7	119	103	0	35	33	35
2025	3	4	1	21	26	0.689	-0.082	3.543	0.013	0.01	0	35.7	29.7	75.7	119	103	0	36	34	35
2025	3	4	1	31	26	0.689	-0.102	3.543	0.013	0.01	0	36.1	29.7	75.7	119	103	0	35	34	35
2025	3	4	1	41	26	0.699	-0.066	3.543	0.013	0.01	0	35.7	29.7	75.3	119	103	0	36	34	35
2025	3	4	1	51	26	0.705	-0.079	3.543	0.01	0.007	0	35.7	29.7	75.3	119	103	0	36	34	36
2025	3	4	2	1	26	0.715	-0.095	3.543	0.01	0.007	0	36.1	29.7	75.3	119	103	0	35	34	35
2025	3	4	2	11	26	0.686	-0.125	3.543	0.01	0.007	0	36.1	29.7	75.7	119	103	0	35	34	34
2025	3	4	2	21	26	0.696	-0.131	3.543	0.013	0.01	0	36.1	29.2	75.3	119	102	0	35	34	35
2025	3	4	2	31	26	0.689	-0.085	3.543	0.01	0.007	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	4	2	41	26	0.689	-0.108	3.543	0.01	0.007	0	36.5	30.5	75.3	121	105	0	36	34	35
2025	3	4	2	51	26	0.705	-0.115	3.543	0.013	0.01	0	36.5	30.1	75.3	120	104	0	35	34	35
2025	3	4	3	1	26	0.699	-0.108	3.543	0.016	0.013	0	35.7	29.7	75.3	119	103	0	36	34	35
2025	3	4	3	11	26	0.689	-0.098	3.543	0.013	0.01	0	35.3	29.2	75.3	118	102	0	36	34	35
2025	3	4	3	21	26	0.722	-0.105	3.543	0.01	0.007	0	35.3	28.8	74.8	118	102	0	36	35	35
2025	3	4	3	31	26	0.692	-0.098	3.543	0.01	0.007	0	35.7	29.2	74.4	118	102	0	35	34	35
2025	3	4	3	41	26	0.725	-0.121	3.543	0.01	0.007	0	35.3	29.7	74.8	118	103	0	36	34	34
2025	3	4	3	51	26	0.705	-0.095	3.543	0.01	0.007	0	35.3	28.4	74.4	118	101	0	36	35	36
2025	3	4	4	1	26	0.673	-0.095	3.543	0.016	0.013	0	35.7	29.2	74.4	118	102	0	35	34	35
2025	3	4	4	11	26	0.686	-0.118	3.543	0.01	0.007	0	35.7	29.2	74	118	102	0	35	34	36
2025	3	4	4	21	26	0.666	-0.098	3.543	0.013	0.01	0	36.1	30.1	74.8	119	104	0	35	34	35
2025	3	4	4	31	26	0.692	-0.108	3.543	0.01	0.007	0	35.7	30.1	74.4	119	104	0	36	34	35
2025	3	4	4	41	26	0.682	-0.102	3.543	0.01	0.007	0	36.1	30.1	74.4	120	104	0	36	34	35
2025	3	4	4	51	26	0.673	-0.079	3.543	0.01	0.007	0	36.5	30.1	74.4	120	104	0	35	34	35
2025	3	4	5	1	26	0.673	-0.095	3.543	0.016	0.013	0	35.7	30.1	74.4	119	104	0	36	34	35
2025	3	4	5	11	26	0.666	-0.128	3.543	0.013	0.01	0	35.7	30.1	74.8	119	104	0	36	34	34
2025	3	4	5	21	26	0.679	-0.089	3.543	0.013	0.01	0	36.1	30.1	74.8	119	104	0	35	34	34
2025	3	4	5	31	26	0.666	-0.085	3.543	0.016	0.016	0	36.1	30.1	74.4	119	104	0	35	34	35
2025	3	4	5	41	26	0.699	-0.079	3.543	0.016	0.013	0	36.1	30.1	74.4	119	104	0	35	34	35
2025	3	4	5	51	26	0.692	-0.082	3.543	0.01	0.007	0	35.7	30.1	74	119	103	0	36	33	35
2025	3	4	6	1	26	0.673	-0.112	3.543	0.016	0.013	0	35.7	29.2	74.4	118	102	0	35	34	35
2025	3	4	6	11	26	0.656	-0.105	3.543	0.01	0.007	0	35.7	29.7	74.4	118	103	0	35	34	35
2025	3	4	6	21	26	0.712	-0.118	3.543	0.016	0.013	0	36.1	29.7	74	119	103	0	35	34	35
2025	3	4	6	31	26	0.709	-0.102	3.543	0.01	0.007	0	35.7	29.2	74.4	118	102	0	35	34	35
2025	3	4	6	41	26	0.643	-0.069	3.543	0.013	0.01	0	36.1	29.7	74.4	119	103	0	35	34	35
2025	3	4	6	51	26	0.732	-0.115	3.543	0.01	0.007	0	35.3	28.8	74.4	117	101	0	35	34	35
2025	3	4	7	1	26	0.751	-0.075	3.543	0.013	0.01	0	35.3	29.2	74.4	118	102	0	36	34	35
2025	3	4	7	11	26	0.715	-0.098	3.543	0.01	0.007	0	35.3	28.8	74.4	118	102	0	36	35	35
2025	3	4	7	21	26	0.63	-0.082	3.543	0.013	0.01	0	35.3	29.2	74.4	118	102	0	36	34	35
2025	3	4	7	31	26	0.682	-0.125	3.543	0.01	0.007	0	35.3	28.8	74.4	117	101	0	35	34	35
2025	3	4	7	41	26	0.692	-0.108	3.543	0.013	0.01	0	35.3	29.2	74	117	101	0	35	33	35
2025	3	4	7	51	26	0.686	-0.066	3.543	0.013	0.01	0	36.5	30.1	74.4	120	105	0	35	35	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	4	8	1	26	0.715	-0.102	3.543	0.01	0.007	0	36.5	31.4	74.4	121	106	0	36	33	35
2025	3	4	8	11	26	0.686	-0.098	3.543	0.013	0.01	0	36.1	29.7	74.8	119	103	0	35	34	35
2025	3	4	8	21	26	0.689	-0.089	3.547	0.013	0.01	0	36.5	30.1	74.8	120	105	0	35	35	35
2025	3	4	8	31	26	0.686	-0.098	3.543	0.01	0.007	0	36.5	30.5	75.3	120	105	0	35	34	35
2025	3	4	8	41	26	0.696	-0.125	3.547	0.013	0.01	0	36.1	30.1	74.8	119	104	0	35	34	35
2025	3	4	8	51	26	0.696	-0.105	3.543	0.01	0.007	0	37.4	31.4	74.8	122	107	0	35	34	35
2025	3	4	9	1	26	0.715	-0.075	3.547	0.013	0.01	0	36.1	30.5	75.3	120	105	0	36	34	35
2025	3	4	9	11	26	0.705	-0.125	3.547	0.01	0.007	0	37.4	31.8	74.4	122	108	0	35	34	35
2025	3	4	9	21	26	0.712	-0.082	3.547	0.013	0.01	0	36.5	30.5	73.5	120	105	0	35	34	35
2025	3	4	9	31	26	0.719	-0.082	3.547	0.016	0.013	0	40.4	34.8	73.1	130	115	0	36	34	35
2025	3	4	9	41	26	0.709	-0.092	3.547	0.013	0.01	0	37	31	75.3	121	106	0	35	34	35
2025	3	4	9	51	26	0.686	-0.089	3.547	0.013	0.01	0	37	31.4	71.4	122	107	0	36	34	35
2025	3	4	10	1	26	0.712	-0.082	3.547	0.01	0.007	0	37	31.4	74.4	121	107	0	35	34	35
2025	3	4	10	11	26	0.679	-0.082	3.547	0.01	0.007	0	37	31.4	74	122	107	0	36	34	35
2025	3	4	10	21	26	0.715	-0.102	3.547	0.016	0.013	0	37	30.5	71	121	106	0	35	35	35
2025	3	4	10	31	26	0.741	-0.092	3.547	0.01	0.007	0	36.1	30.5	71.8	119	105	0	35	34	35
2025	3	4	10	41	26	0.702	-0.121	3.547	0.013	0.01	0	37.8	32.7	62.4	123	109	0	35	33	35
2025	3	4	10	51	26	0.679	-0.102	3.55	0.01	0.007	0	37.8	31.8	53.3	123	108	0	35	34	34
2025	3	4	11	1	26	0.659	-0.098	3.547	0.01	0.007	0	40	34	61.9	128	113	0	35	34	35
2025	3	4	11	11	26	0.676	-0.089	3.547	0.01	0.007	0	41.7	36.1	52.9	133	118	0	36	34	35
2025	3	4	11	21	26	0.719	-0.098	3.547	0.01	0.007	0	38.7	33.1	61.5	126	111	0	36	34	34
2025	3	4	11	31	26	0.692	-0.095	3.547	0.013	0.01	0	38.7	32.7	61.5	125	110	0	35	34	36
2025	3	4	11	41	26	0.676	-0.102	3.55	0.01	0.007	0	37.8	31.8	52	123	108	0	35	34	35
2025	3	4	11	51	26	0.692	-0.098	3.55	0.016	0.013	0	36.5	30.5	64.9	120	105	0	35	34	35
2025	3	4	12	1	26	0.689	-0.092	3.55	0.016	0.016	0	36.5	31	52.5	121	106	0	36	34	35
2025	3	4	12	11	26	0.705	-0.085	3.55	0.013	0.01	0	36.5	30.5	52.5	120	105	0	35	34	35
2025	3	4	12	21	26	0.702	-0.082	3.55	0.01	0.007	0	36.1	30.1	72.7	119	104	0	35	34	34
2025	3	4	12	31	26	0.682	-0.089	3.55	0.016	0.013	0	38.3	32.3	48.6	124	109	0	35	34	35
2025	3	4	12	41	26	0.689	-0.118	3.55	0.013	0.01	0	36.5	31	50.7	120	106	0	35	34	35
2025	3	4	12	51	26	0.673	-0.098	3.553	0.01	0.007	0	39.6	33.1	48.6	127	112	0	35	35	35
2025	3	4	13	1	26	0.676	-0.072	3.55	0.01	0.007	0	39.1	33.1	46.4	126	111	0	35	34	35
2025	3	4	13	11	26	0.696	-0.085	3.553	0.01	0.007	0	37	31	49.9	121	106	0	35	34	35
2025	3	4	13	21	26	0.673	-0.102	3.55	0.013	0.01	0	36.5	30.5	50.7	120	105	0	35	34	35
2025	3	4	13	31	26	0.643	-0.105	3.553	0.013	0.01	0	37.4	31.8	48.2	122	108	0	35	34	34
2025	3	4	13	41	26	0.666	-0.089	3.553	0.016	0.013	0	37.4	31	49.9	122	107	0	35	35	34
2025	3	4	13	51	26	0.679	-0.069	3.553	0.013	0.01	0	37.4	31.4	49.5	122	107	0	35	34	35
2025	3	4	14	1	26	0.673	-0.102	3.553	0.013	0.01	0	36.5	30.5	48.6	120	105	0	35	34	34
2025	3	4	14	11	26	0.689	-0.108	3.55	0.01	0.007	0	36.1	30.1	47.7	119	104	0	35	34	35
2025	3	4	14	21	26	0.689	-0.092	3.55	0.013	0.01	0	36.5	31	46.4	120	105	0	35	33	35
2025	3	4	14	31	26	0.656	-0.085	3.55	0.013	0.01	0	36.5	31	48.6	120	106	0	35	34	34
2025	3	4	14	41	26	0.686	-0.125	3.55	0.016	0.016	0	36.1	30.1	51.2	119	105	0	35	35	35
2025	3	4	14	51	26	0.705	-0.102	3.553	0.013	0.01	0	36.1	30.5	51.6	120	105	0	36	34	35
2025	3	4	15	1	26	0.696	-0.108	3.55	0.01	0.007	0	37	31	49.5	121	106	0	35	34	35
2025	3	4	15	11	26	0.686	-0.092	3.55	0.016	0.013	0	36.1	31	48.6	119	105	0	35	33	35
2025	3	4	15	21	26	0.702	-0.095	3.55	0.013	0.01	0	36.5	30.5	51.2	120	105	0	35	34	34
2025	3	4	15	31	26	0.689	-0.135	3.55	0.013	0.01	0	35.7	30.1	49.9	119	104	0	36	34	34
2025	3	4	15	41	26	0.722	-0.125	3.553	0.013	0.01	0	35.7	29.7	63.6	119	104	0	36	35	35
2025	3	4	15	51	26	0.689	-0.112	3.55	0.013	0.01	0	35.7	29.7	49.9	118	103	0	35	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	4	16	1	26	0.676	-0.098	3.55	0.013	0.01	0	35.7	29.7	52	118	103	0	35	34	35	
2025	3	4	16	11	26	0.699	-0.121	3.55	0.013	0.01	0	36.1	29.2	52.9	118	102	0	34	34	34	
2025	3	4	16	21	26	0.722	-0.135	3.55	0.016	0.013	0	35.7	29.7	54.2	118	103	0	35	34	34	
2025	3	4	16	31	26	0.719	-0.092	3.55	0.016	0.013	0	35.3	29.2	61.9	117	102	0	35	34	35	
2025	3	4	16	41	26	0.709	-0.079	3.55	0.01	0.007	0	34.8	28.8	60.6	117	101	0	36	34	34	
2025	3	4	16	51	26	0.676	-0.115	3.55	0.013	0.01	0	35.3	28.8	64.5	117	101	0	35	34	34	
2025	3	4	17	1	26	0.653	-0.115	3.55	0.013	0.01	0	35.7	29.2	73.1	117	102	0	34	34	35	
2025	3	4	17	11	26	0.659	-0.098	3.553	0.013	0.01	0	35.7	29.2	77.8	118	102	0	35	34	34	
2025	3	4	17	21	26	0.728	-0.098	3.55	0.013	0.01	0	35.7	29.7	77	118	103	0	35	34	35	
2025	3	4	17	31	26	0.705	-0.059	3.55	0.013	0.01	0	35.3	29.7	76.5	117	102	0	35	33	35	
2025	3	4	17	41	26	0.728	-0.092	3.55	0.013	0.01	0	35.3	28.8	77	117	101	0	35	34	34	
2025	3	4	17	51	26	0.653	-0.108	3.55	0.013	0.01	0	35.3	28.8	76.5	117	101	0	35	34	35	
2025	3	4	18	1	26	0.682	-0.085	3.55	0.016	0.013	0	35.3	28.8	76.5	117	101	0	35	34	34	
2025	3	4	18	11	26	0.741	-0.115	3.55	0.016	0.016	0	35.7	29.7	76.1	118	102	0	35	33	34	
2025	3	4	18	21	26	0.64	-0.131	3.55	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	34	
2025	3	4	18	31	26	0.676	-0.102	3.55	0.013	0.01	0	36.1	30.1	75.3	119	104	0	35	34	34	
2025	3	4	18	41	26	0.679	-0.059	3.55	0.016	0.013	0	37	30.5	75.3	121	105	0	35	34	34	
2025	3	4	18	51	26	0.659	-0.075	3.55	0.013	0.01	0	36.5	30.1	75.7	120	104	0	35	34	34	
2025	3	4	19	1	26	0.686	-0.082	3.55	0.013	0.01	0	36.5	30.5	74.4	120	104	0	35	33	35	
2025	3	4	19	11	26	0.676	-0.102	3.55	0.016	0.013	0	37	30.1	75.3	120	104	0	34	34	34	
2025	3	4	19	21	26	0.692	-0.092	3.547	0.01	0.007	0	36.5	30.1	75.7	120	104	0	35	34	34	
2025	3	4	19	31	26	0.705	-0.095	3.547	0.013	0.01	0	37	30.5	74.4	121	105	0	35	34	34	
2025	3	4	19	41	26	0.673	-0.115	3.547	0.01	0.007	0	36.5	30.1	74.4	120	104	0	35	34	35	
2025	3	4	19	51	26	0.699	-0.105	3.547	0.013	0.01	0	36.5	30.5	74.8	120	105	0	35	34	35	
2025	3	4	20	1	26	0.692	-0.089	3.547	0.01	0.007	0	36.1	30.1	74.8	120	104	0	36	34	34	
2025	3	4	20	11	26	0.692	-0.115	3.547	0.01	0.007	0	37	30.5	74.4	121	105	0	35	34	35	
2025	3	4	20	21	26	0.663	-0.108	3.547	0.013	0.01	0	37	30.5	75.3	121	105	0	35	34	34	
2025	3	4	20	31	26	0.722	-0.102	3.547	0.013	0.01	0	36.5	31	73.5	121	105	0	36	33	35	
2025	3	4	20	41	26	0.702	-0.128	3.547	0.016	0.013	0	37	30.1	74.4	121	105	0	35	35	35	
2025	3	4	20	51	26	0.682	-0.095	3.543	0.016	0.013	0	37.8	31.4	72.7	123	107	0	35	34	35	
2025	3	4	21	1	26	0.702	-0.098	3.547	0.016	0.013	0	37.4	31	74.8	121	105	0	34	33	34	
2025	3	4	21	11	26	0.663	-0.098	3.543	0.01	0.007	0	37.8	31.8	73.5	123	107	0	35	33	35	
2025	3	4	21	21	26	0.702	-0.105	3.543	0.016	0.016	0	37	30.5	75.3	121	105	0	35	34	34	
2025	3	4	21	31	26	0.673	-0.082	3.543	0.01	0.007	0	38.3	31.4	63.6	124	108	0	35	35	35	
2025	3	4	21	41	26	0.686	-0.085	3.543	0.01	0.007	0	37	30.5	47.7	121	105	0	35	34	34	
2025	3	4	21	51	26	0.715	-0.118	3.54	0.01	0.007	0	37	30.1	52	121	104	0	35	34	35	
2025	3	4	22	1	26	0.686	-0.079	3.543	0.01	0.007	0	36.5	30.1	67.5	120	104	0	35	34	35	
2025	3	4	22	11	26	0.699	-0.085	3.543	0.01	0.007	0	36.5	30.1	62.8	120	103	0	35	33	34	
2025	3	4	22	21	26	0.682	-0.095	3.543	0.013	0.01	0	36.5	30.1	61.9	120	103	0	35	33	35	
2025	3	4	22	31	26	0.709	-0.089	3.543	0.013	0.01	0	36.5	30.1	62.8	120	104	0	35	34	34	
2025	3	4	22	41	26	0.722	-0.085	3.543	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35	
2025	3	4	22	51	26	0.689	-0.118	3.543	0.016	0.013	0	37	30.5	76.5	121	105	0	35	34	34	
2025	3	4	23	1	26	0.712	-0.082	3.543	0.016	0.013	0	37	31	76.1	121	106	0	35	34	35	
2025	3	4	23	11	26	0.669	-0.085	3.543	0.016	0.013	0	37	31	77	121	106	0	35	34	35	
2025	3	4	23	21	26	0.689	-0.108	3.543	0.01	0.007	0	37	31	77	121	106	0	35	34	35	
2025	3	4	23	31	26	0.699	-0.082	3.543	0.01	0.007	0	36.5	30.5	77.4	120	105	0	35	34	34	
2025	3	4	23	41	26	0.656	-0.115	3.543	0.013	0.01	0	37	30.5	77	121	105	0	35	34	35	
2025	3	4	23	51	26	0.705	-0.151	3.543	0.01	0.007	0	37	31	77	121	106	0	35	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	5	0	1	26	0.659	-0.089	3.543	0.013	0.01	0	36.5	31	76.5	121	106	0	36	34	35
2025	3	5	0	11	26	0.709	-0.112	3.543	0.013	0.01	0	36.5	31	76.5	121	106	0	36	34	35
2025	3	5	0	21	26	0.692	-0.095	3.543	0.016	0.013	0	37	30.5	77	121	105	0	35	34	35
2025	3	5	0	31	26	0.705	-0.138	3.543	0.01	0.007	0	36.5	30.5	77	120	105	0	35	34	35
2025	3	5	0	41	26	0.692	-0.105	3.543	0.01	0.007	0	36.1	30.5	76.5	120	105	0	36	34	35
2025	3	5	0	51	26	0.705	-0.102	3.543	0.013	0.01	0	36.1	30.5	76.5	120	105	0	36	34	35
2025	3	5	1	1	26	0.702	-0.125	3.543	0.01	0.007	0	37	31	76.5	121	106	0	35	34	35
2025	3	5	1	11	26	0.682	-0.092	3.543	0.01	0.007	0	36.1	30.1	76.5	119	104	0	35	34	35
2025	3	5	1	21	26	0.692	-0.112	3.543	0.016	0.013	0	35.7	30.1	76.5	119	104	0	36	34	35
2025	3	5	1	31	26	0.659	-0.079	3.543	0.016	0.013	0	36.5	30.1	76.1	120	104	0	35	34	35
2025	3	5	1	41	26	0.64	-0.043	3.543	0.016	0.013	0	36.5	30.5	74.8	121	105	0	36	34	35
2025	3	5	1	51	26	0.715	-0.102	3.543	0.01	0.007	0	36.5	30.1	75.7	120	104	0	35	34	35
2025	3	5	2	1	26	0.689	-0.098	3.543	0.013	0.01	0	36.1	29.7	76.1	120	104	0	36	35	35
2025	3	5	2	11	26	0.715	-0.125	3.543	0.01	0.007	0	35.7	29.7	75.3	119	103	0	36	34	35
2025	3	5	2	21	26	0.673	-0.102	3.543	0.01	0.007	0	36.5	30.1	75.7	120	104	0	35	34	35
2025	3	5	2	31	26	0.719	-0.108	3.543	0.016	0.013	0	36.1	29.7	75.7	119	103	0	35	34	35
2025	3	5	2	41	26	0.719	-0.102	3.543	0.013	0.01	0	36.5	30.1	75.7	120	104	0	35	34	35
2025	3	5	2	51	26	0.679	-0.112	3.543	0.01	0.007	0	37	30.5	75.7	121	105	0	35	34	35
2025	3	5	3	1	26	0.692	-0.108	3.543	0.013	0.01	0	36.1	30.1	75.7	120	104	0	36	34	35
2025	3	5	3	11	26	0.669	-0.095	3.543	0.01	0.007	0	35.7	30.1	75.7	119	104	0	36	34	35
2025	3	5	3	21	26	0.728	-0.089	3.543	0.01	0.007	0	36.1	30.1	75.7	120	104	0	36	34	35
2025	3	5	3	31	26	0.669	-0.079	3.543	0.01	0.007	0	35.7	30.1	74.8	119	104	0	36	34	35
2025	3	5	3	41	26	0.682	-0.092	3.543	0.013	0.01	0	35.7	30.1	74.8	119	104	0	36	34	35
2025	3	5	3	51	26	0.712	-0.108	3.543	0.013	0.01	0	36.1	30.1	75.3	119	103	0	35	33	35
2025	3	5	4	1	26	0.702	-0.112	3.543	0.01	0.007	0	36.5	30.1	74.8	120	104	0	35	34	34
2025	3	5	4	11	26	0.709	-0.108	3.543	0.013	0.01	0	35.7	29.7	75.7	119	103	0	36	34	34
2025	3	5	4	21	26	0.689	-0.092	3.543	0.016	0.016	0	36.1	30.1	74.4	119	104	0	35	34	35
2025	3	5	4	31	26	0.617	-0.079	3.543	0.013	0.01	0	36.5	30.1	75.3	120	104	0	35	34	35
2025	3	5	4	41	26	0.702	-0.112	3.547	0.01	0.007	0	36.1	29.7	74.8	119	104	0	35	35	35
2025	3	5	4	51	26	0.705	-0.089	3.547	0.013	0.01	0	36.5	30.1	74.8	120	104	0	35	34	35
2025	3	5	5	1	26	0.705	-0.112	3.547	0.01	0.007	0	36.1	30.1	74.8	119	104	0	35	34	35
2025	3	5	5	11	26	0.679	-0.072	3.547	0.016	0.013	0	35.7	30.1	74.8	119	104	0	36	34	35
2025	3	5	5	21	26	0.692	-0.102	3.547	0.016	0.016	0	35.7	30.1	74.8	119	104	0	36	34	35
2025	3	5	5	31	26	0.735	-0.102	3.547	0.01	0.007	0	35.7	30.1	74.8	119	104	0	36	34	35
2025	3	5	5	41	26	0.656	-0.102	3.547	0.01	0.007	0	36.1	29.7	74.4	119	104	0	35	35	35
2025	3	5	5	51	26	0.656	-0.098	3.547	0.016	0.013	0	36.1	29.7	74.4	119	104	0	35	35	35
2025	3	5	6	1	26	0.712	-0.098	3.547	0.013	0.01	0	36.5	30.1	74.4	120	104	0	35	34	35
2025	3	5	6	11	26	0.676	-0.102	3.547	0.013	0.01	0	36.5	30.1	72.2	120	104	0	35	34	34
2025	3	5	6	21	26	0.725	-0.125	3.547	0.016	0.013	0	37	30.5	74.4	121	105	0	35	34	35
2025	3	5	6	31	26	0.722	-0.095	3.547	0.013	0.01	0	37	30.5	74	122	106	0	36	35	35
2025	3	5	6	41	26	0.719	-0.108	3.55	0.01	0.007	0	36.5	31	73.5	121	105	0	36	33	35
2025	3	5	6	51	26	0.699	-0.128	3.55	0.013	0.01	0	37	31	73.5	121	106	0	35	34	35
2025	3	5	7	1	26	0.663	-0.079	3.55	0.013	0.01	0	36.5	30.5	74	121	105	0	36	34	35
2025	3	5	7	11	26	0.676	-0.095	3.55	0.016	0.013	0	36.5	30.1	73.5	120	104	0	35	34	35
2025	3	5	7	21	26	0.682	-0.125	3.55	0.016	0.013	0	36.1	29.7	73.5	120	104	0	36	35	35
2025	3	5	7	31	26	0.712	-0.098	3.55	0.016	0.013	0	36.1	31	72.7	120	105	0	36	33	35
2025	3	5	7	41	26	0.65	-0.092	3.55	0.01	0.007	0	36.1	29.7	73.5	120	104	0	36	35	35
2025	3	5	7	51	26	0.656	-0.075	3.55	0.016	0.016	0	36.5	30.1	73.5	120	104	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	5	8	1	26	0.722	-0.105	3.553	0.013	0.01	0	35.7	29.7	73.1	118	103	0	35	34	35
2025	3	5	8	11	26	0.705	-0.082	3.553	0.016	0.013	0	35.3	29.2	73.5	117	101	0	35	33	35
2025	3	5	8	21	26	0.689	-0.075	3.553	0.016	0.013	0	34.4	28.4	72.7	116	101	0	36	35	35
2025	3	5	8	31	26	0.676	-0.092	3.553	0.01	0.007	0	34.8	29.2	72.7	117	102	0	36	34	35
2025	3	5	8	41	26	0.709	-0.108	3.553	0.013	0.01	0	34.8	28.8	73.1	116	101	0	35	34	35
2025	3	5	8	51	26	0.676	-0.089	3.553	0.013	0.01	0	34.4	28.8	72.7	116	101	0	36	34	35
2025	3	5	9	1	26	0.732	-0.108	3.553	0.01	0.007	0	35.3	29.2	72.2	117	101	0	35	33	35
2025	3	5	9	11	26	0.722	-0.105	3.556	0.016	0.013	0	34.4	28.8	73.1	116	101	0	36	34	35
2025	3	5	9	21	26	0.705	-0.108	3.556	0.01	0.007	0	34.8	28.4	72.7	116	101	0	35	35	35
2025	3	5	9	31	26	0.725	-0.102	3.556	0.013	0.01	0	34.8	28.8	69.7	116	101	0	35	34	35
2025	3	5	9	41	26	0.676	-0.121	3.56	0.01	0.007	0	35.3	29.7	49.5	117	103	0	35	34	35
2025	3	5	9	51	26	0.722	-0.085	3.56	0.01	0.007	0	35.3	29.7	49.9	118	103	0	36	34	34
2025	3	5	10	1	26	0.702	-0.112	3.56	0.016	0.013	0	35.7	29.7	48.2	118	103	0	35	34	35
2025	3	5	10	11	26	0.689	-0.092	3.563	0.01	0.007	0	34.8	29.2	47.7	117	102	0	36	34	35
2025	3	5	10	21	26	0.679	-0.112	3.56	0.013	0.01	0	34.8	28.8	48.6	116	101	0	35	34	35
2025	3	5	10	31	26	0.679	-0.082	3.563	0.016	0.013	0	34.8	28.8	46.4	116	101	0	35	34	35
2025	3	5	10	41	26	0.696	-0.115	3.56	0.01	0.007	0	34.8	28.4	47.3	116	100	0	35	34	35
2025	3	5	10	51	26	0.686	-0.105	3.56	0.013	0.01	0	34.8	28.8	48.2	117	101	0	36	34	35
2025	3	5	11	1	26	0.699	-0.102	3.563	0.013	0.01	0	34.8	28.4	47.7	116	100	0	35	34	35
2025	3	5	11	11	26	0.722	-0.115	3.563	0.013	0.01	0	34.8	28	46.9	116	99	0	35	34	35
2025	3	5	11	21	26	0.696	-0.098	3.563	0.013	0.01	0	34.4	28.4	47.7	116	100	0	36	34	35
2025	3	5	11	31	26	0.679	-0.092	3.563	0.01	0.007	0	34	28	47.3	115	99	0	36	34	34
2025	3	5	11	41	26	0.673	-0.125	3.563	0.013	0.01	0	34.4	28	46.9	115	99	0	35	34	35
2025	3	5	11	51	26	0.719	-0.108	3.566	0.01	0.007	0	34.4	28	46.9	115	99	0	35	34	34
2025	3	5	12	1	26	0.682	-0.128	3.566	0.016	0.013	0	34.4	28.4	48.2	115	99	0	35	33	35
2025	3	5	12	11	26	0.715	-0.092	3.566	0.01	0.007	0	34.8	28.4	49.9	116	100	0	35	34	35
2025	3	5	12	21	26	0.686	-0.105	3.566	0.013	0.01	0	34	28	48.2	115	99	0	36	34	34
2025	3	5	12	31	26	0.636	-0.082	3.57	0.013	0.01	0	34.8	28	47.7	116	100	0	35	35	35
2025	3	5	12	41	26	0.692	-0.105	3.566	0.013	0.01	0	35.3	28.8	46.9	117	101	0	35	34	35
2025	3	5	12	51	26	0.679	-0.115	3.566	0.01	0.007	0	35.3	28.8	49.5	117	101	0	35	34	35
2025	3	5	13	1	26	0.722	-0.115	3.573	0.016	0.013	0	35.3	29.7	62.8	118	103	0	36	34	35
2025	3	5	13	11	26	0.715	-0.092	3.57	0.01	0.007	0	34.8	28.8	56.3	117	101	0	36	34	35
2025	3	5	13	21	26	0.669	-0.108	3.57	0.01	0.007	0	35.3	29.2	56.8	117	102	0	35	34	35
2025	3	5	13	31	26	0.676	-0.105	3.566	0.013	0.01	0	34.4	28.8	51.6	115	100	0	35	33	35
2025	3	5	13	41	26	0.682	-0.108	3.57	0.01	0.007	0	34.8	28.8	52	116	100	0	35	33	34
2025	3	5	13	51	26	0.682	-0.095	3.57	0.013	0.01	0	34.8	29.2	48.6	117	102	0	36	34	35
2025	3	5	14	1	26	0.725	-0.135	3.566	0.01	0.007	0	34.4	28	48.2	116	100	0	36	35	35
2025	3	5	14	11	26	0.663	-0.082	3.57	0.01	0.007	0	34.4	28.4	46.9	115	100	0	35	34	35
2025	3	5	14	21	26	0.689	-0.118	3.57	0.01	0.007	0	35.3	28.8	48.2	117	101	0	35	34	35
2025	3	5	14	31	26	0.712	-0.082	3.573	0.013	0.01	0	34.4	28.4	48.6	115	100	0	35	34	35
2025	3	5	14	41	26	0.692	-0.079	3.57	0.013	0.01	0	34.4	28.4	47.7	115	100	0	35	34	34
2025	3	5	14	51	26	0.669	-0.082	3.57	0.013	0.01	0	34.4	28.8	46	115	100	0	35	33	35
2025	3	5	15	1	26	0.682	-0.092	3.57	0.013	0.01	0	34.4	28.4	49	115	100	0	35	34	35
2025	3	5	15	11	26	0.656	-0.098	3.573	0.013	0.01	0	34.4	28.4	48.2	115	100	0	35	34	35
2025	3	5	15	21	26	0.669	-0.102	3.57	0.013	0.01	0	34.8	28.4	45.6	116	100	0	35	34	36
2025	3	5	15	31	26	0.676	-0.105	3.573	0.013	0.01	0	34.8	28.8	45.6	116	101	0	35	34	34
2025	3	5	15	41	26	0.699	-0.082	3.573	0.01	0.007	0	34.8	28.4	46.4	116	100	0	35	34	34
2025	3	5	15	51	26	0.686	-0.112	3.573	0.01	0.007	0	34.4	28.4	47.3	116	100	0	36	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	5	16	1	26	0.65	-0.079	3.573	0.01	0.007	0	35.3	28.8	48.6	117	101	0	35	34	34
2025	3	5	16	11	26	0.719	-0.141	3.573	0.013	0.01	0	34.4	28.4	49.5	115	100	0	35	34	35
2025	3	5	16	21	26	0.692	-0.131	3.573	0.01	0.007	0	34.8	28.4	48.6	116	100	0	35	34	35
2025	3	5	16	31	26	0.686	-0.092	3.576	0.013	0.01	0	36.1	29.7	52.9	119	103	0	35	34	35
2025	3	5	16	41	26	0.699	-0.135	3.579	0.016	0.013	0	35.7	29.7	74.4	119	103	0	36	34	34
2025	3	5	16	51	26	0.696	-0.098	3.579	0.01	0.007	0	37	31	63.2	121	105	0	35	33	35
2025	3	5	17	1	26	0.696	-0.069	3.573	0.01	0.007	0	36.1	29.7	45.6	119	103	0	35	34	34
2025	3	5	17	11	26	0.65	-0.085	3.576	0.01	0.007	0	36.5	30.5	48.2	120	105	0	35	34	35
2025	3	5	17	21	26	0.663	-0.115	3.573	0.01	0.007	0	35.3	29.7	47.7	118	103	0	36	34	34
2025	3	5	17	31	26	0.689	-0.102	3.576	0.01	0.007	0	34.8	28.8	46	116	101	0	35	34	34
2025	3	5	17	41	26	0.669	-0.082	3.579	0.01	0.007	0	34.8	28.8	45.6	117	101	0	36	34	35
2025	3	5	17	51	26	0.689	-0.092	3.576	0.016	0.013	0	34.4	28.8	44.3	116	101	0	36	34	35
2025	3	5	18	1	26	0.709	-0.125	3.576	0.01	0.007	0	34.8	28.4	46.9	116	101	0	35	35	35
2025	3	5	18	11	26	0.722	-0.098	3.576	0.013	0.01	0	35.3	28.8	46.4	117	101	0	35	34	34
2025	3	5	18	21	26	0.702	-0.089	3.576	0.016	0.013	0	35.7	29.2	49	118	102	0	35	34	34
2025	3	5	18	31	26	0.696	-0.102	3.579	0.013	0.01	0	35.7	29.7	50.7	118	102	0	35	33	34
2025	3	5	18	41	26	0.719	-0.115	3.579	0.01	0.007	0	35.7	29.7	51.2	118	102	0	35	33	34
2025	3	5	18	51	26	0.689	-0.085	3.576	0.01	0.007	0	35.7	29.7	47.7	119	103	0	36	34	35
2025	3	5	19	1	26	0.732	-0.102	3.579	0.016	0.013	0	36.1	29.7	67.1	119	103	0	35	34	35
2025	3	5	19	11	26	0.712	-0.095	3.583	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	5	19	21	26	0.699	-0.108	3.579	0.013	0.01	0	36.1	30.1	64.5	120	104	0	36	34	35
2025	3	5	19	31	26	0.702	-0.082	3.579	0.01	0.007	0	35.7	29.7	52.9	119	103	0	36	34	35
2025	3	5	19	41	26	0.764	-0.059	3.583	0.01	0.007	0	36.1	29.7	77.4	119	103	0	35	34	34
2025	3	5	19	51	26	0.689	-0.066	3.583	0.01	0.007	0	36.1	29.7	72.7	119	104	0	35	35	35
2025	3	5	20	1	26	0.745	-0.108	3.583	0.01	0.007	0	36.1	29.7	77	119	103	0	35	34	34
2025	3	5	20	11	26	0.732	-0.085	3.583	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	5	20	21	26	0.673	-0.108	3.583	0.01	0.007	0	36.1	29.7	75.7	119	103	0	35	34	34
2025	3	5	20	31	26	0.699	-0.098	3.583	0.016	0.013	0	36.1	29.7	68.4	119	103	0	35	34	34
2025	3	5	20	41	26	0.728	-0.089	3.583	0.013	0.01	0	35.3	29.7	71.4	118	103	0	36	34	35
2025	3	5	20	51	26	0.689	-0.141	3.583	0.013	0.01	0	35.7	29.7	76.5	118	103	0	35	34	35
2025	3	5	21	1	26	0.712	-0.095	3.583	0.01	0.007	0	35.7	29.7	77	119	103	0	36	34	35
2025	3	5	21	11	26	0.666	-0.098	3.583	0.013	0.01	0	36.1	29.7	77	119	103	0	35	34	35
2025	3	5	21	21	26	0.728	-0.072	3.579	0.013	0.01	0	36.1	29.7	77	119	103	0	35	34	35
2025	3	5	21	31	26	0.705	-0.131	3.583	0.01	0.007	0	36.5	30.1	77	120	104	0	35	34	35
2025	3	5	21	41	26	0.692	-0.098	3.583	0.01	0.007	0	35.7	29.7	76.5	119	103	0	36	34	35
2025	3	5	21	51	26	0.673	-0.098	3.579	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	35
2025	3	5	22	1	26	0.715	-0.085	3.579	0.01	0.007	0	36.1	29.7	76.5	119	103	0	35	34	34
2025	3	5	22	11	26	0.682	-0.098	3.579	0.01	0.007	0	35.7	29.7	76.5	118	103	0	35	34	35
2025	3	5	22	21	26	0.748	-0.118	3.579	0.01	0.007	0	36.1	29.7	77	119	103	0	35	34	34
2025	3	5	22	31	26	0.732	-0.089	3.579	0.013	0.01	0	36.5	30.5	76.5	120	105	0	35	34	35
2025	3	5	22	41	26	0.653	-0.089	3.579	0.01	0.007	0	36.1	29.7	77	119	104	0	35	35	34
2025	3	5	22	51	26	0.705	-0.112	3.579	0.01	0.007	0	36.5	29.7	76.5	120	104	0	35	35	35
2025	3	5	23	1	26	0.659	-0.069	3.579	0.013	0.01	0	36.1	30.1	76.5	120	104	0	36	34	34
2025	3	5	23	11	26	0.686	-0.079	3.579	0.01	0.007	0	36.1	30.1	77	119	104	0	35	34	34
2025	3	5	23	21	26	0.679	-0.098	3.579	0.01	0.007	0	36.1	30.1	77	119	104	0	35	34	34
2025	3	5	23	31	26	0.692	-0.069	3.579	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	5	23	41	26	0.758	-0.131	3.579	0.01	0.007	0	35.7	29.7	76.1	119	103	0	36	34	35
2025	3	5	23	51	26	0.705	-0.082	3.579	0.01	0.007	0	36.5	30.5	75.3	120	105	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	6	0	1	26	0.686	-0.098	3.579	0.01	0.007	0	35.7	29.7	76.1	119	103	0	36	34	35
2025	3	6	0	11	26	0.709	-0.108	3.579	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	6	0	21	26	0.702	-0.075	3.579	0.01	0.007	0	35.7	29.7	75.7	118	103	0	35	34	36
2025	3	6	0	31	26	0.712	-0.121	3.579	0.013	0.01	0	36.1	30.5	75.7	119	104	0	35	33	35
2025	3	6	0	41	26	0.676	-0.098	3.579	0.01	0.007	0	35.7	29.7	75.7	119	103	0	36	34	35
2025	3	6	0	51	26	0.709	-0.098	3.579	0.01	0.007	0	35.3	29.2	76.1	118	102	0	36	34	35
2025	3	6	1	1	26	0.732	-0.121	3.579	0.01	0.007	0	35.7	29.7	75.7	118	102	0	35	33	35
2025	3	6	1	11	26	0.696	-0.095	3.579	0.013	0.01	0	35.7	28.8	75.7	118	102	0	35	35	35
2025	3	6	1	21	26	0.669	-0.105	3.576	0.013	0.01	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	6	1	31	26	0.699	-0.108	3.576	0.013	0.01	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	6	1	41	26	0.719	-0.102	3.576	0.016	0.013	0	35.3	28.8	75.7	118	102	0	36	35	35
2025	3	6	1	51	26	0.725	-0.092	3.579	0.01	0.007	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	6	2	1	26	0.679	-0.121	3.576	0.016	0.013	0	35.7	29.7	75.3	118	103	0	35	34	36
2025	3	6	2	11	26	0.738	-0.105	3.576	0.01	0.007	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	6	2	21	26	0.715	-0.098	3.576	0.01	0.007	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	6	2	31	26	0.643	-0.079	3.576	0.01	0.007	0	35.3	29.2	74.8	118	102	0	36	34	35
2025	3	6	2	41	26	0.732	-0.121	3.576	0.01	0.007	0	35.7	29.2	74.4	118	102	0	35	34	35
2025	3	6	2	51	26	0.643	-0.085	3.579	0.013	0.01	0	35.7	29.2	75.7	118	102	0	35	34	35
2025	3	6	3	1	26	0.682	-0.059	3.579	0.01	0.007	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	6	3	11	26	0.709	-0.108	3.579	0.01	0.007	0	35.7	29.2	75.3	118	102	0	35	34	35
2025	3	6	3	21	26	0.715	-0.105	3.579	0.013	0.01	0	35.7	28.8	75.7	118	102	0	35	35	35
2025	3	6	3	31	26	0.699	-0.089	3.579	0.01	0.007	0	35.3	28.8	74.8	118	102	0	36	35	35
2025	3	6	3	41	26	0.696	-0.098	3.579	0.013	0.01	0	35.7	29.2	74.8	118	102	0	35	34	35
2025	3	6	3	51	26	0.745	-0.092	3.579	0.013	0.01	0	35.7	29.2	74.8	118	102	0	35	34	35
2025	3	6	4	1	26	0.735	-0.118	3.579	0.013	0.01	0	35.3	28.8	73.1	118	102	0	36	35	35
2025	3	6	4	11	26	0.682	-0.115	3.579	0.01	0.007	0	36.1	30.1	74.4	119	104	0	35	34	35
2025	3	6	4	21	26	0.686	-0.118	3.579	0.01	0.007	0	36.1	29.7	74.4	119	103	0	35	34	35
2025	3	6	4	31	26	0.705	-0.105	3.579	0.016	0.013	0	36.1	29.2	74.4	119	103	0	35	35	35
2025	3	6	4	41	26	0.696	-0.115	3.579	0.013	0.01	0	35.3	29.2	67.9	118	102	0	36	34	35
2025	3	6	4	51	26	0.696	-0.082	3.579	0.013	0.01	0	38.3	32.3	71	124	109	0	35	34	35
2025	3	6	5	1	26	0.696	-0.095	3.579	0.013	0.01	0	36.1	30.5	72.7	120	105	0	36	34	36
2025	3	6	5	11	26	0.764	-0.089	3.579	0.01	0.007	0	35.7	30.1	73.5	119	104	0	36	34	35
2025	3	6	5	21	26	0.656	-0.138	3.579	0.016	0.013	0	35.7	29.7	73.1	118	103	0	35	34	35
2025	3	6	5	31	26	0.712	-0.092	3.583	0.013	0.01	0	35.3	29.2	72.7	118	102	0	36	34	35
2025	3	6	5	41	26	0.702	-0.108	3.583	0.01	0.007	0	35.7	29.2	72.2	118	102	0	35	34	36
2025	3	6	5	51	26	0.696	-0.095	3.583	0.013	0.01	0	35.7	29.7	72.2	119	103	0	36	34	35
2025	3	6	6	1	26	0.758	-0.089	3.583	0.013	0.01	0	35.7	29.7	72.2	119	103	0	36	34	35
2025	3	6	6	11	26	0.666	-0.069	3.583	0.01	0.007	0	36.1	29.7	70.5	119	103	0	35	34	35
2025	3	6	6	21	26	0.696	-0.089	3.586	0.016	0.013	0	35.7	29.2	71.8	118	102	0	35	34	35
2025	3	6	6	31	26	0.784	-0.092	3.586	0.016	0.016	0	35.7	29.7	70.5	118	103	0	35	34	35
2025	3	6	6	41	26	0.719	-0.098	3.589	0.016	0.013	0	35.7	29.2	71.8	119	103	0	36	35	35
2025	3	6	6	51	26	0.686	-0.108	3.589	0.01	0.007	0	36.1	30.1	68.8	120	104	0	36	34	35
2025	3	6	7	1	26	0.699	-0.095	3.589	0.01	0.007	0	37	31	70.5	121	106	0	35	34	35
2025	3	6	7	11	26	0.719	-0.095	3.593	0.01	0.007	0	37	30.1	72.2	121	105	0	35	35	35
2025	3	6	7	21	26	0.689	-0.089	3.593	0.013	0.01	0	37	31.4	72.2	122	107	0	36	34	35
2025	3	6	7	31	26	0.669	-0.098	3.593	0.016	0.016	0	37	31	72.2	121	106	0	35	34	35
2025	3	6	7	41	26	0.705	-0.092	3.596	0.01	0.007	0	37.4	30.5	73.5	122	106	0	35	35	35
2025	3	6	7	51	26	0.715	-0.098	3.596	0.01	0.007	0	36.5	30.5	72.7	121	105	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	6	8	1	26	0.719	-0.092	3.596	0.016	0.013	0	37	31	72.2	121	106	0	35	34	35
2025	3	6	8	11	26	0.751	-0.098	3.596	0.013	0.01	0	36.5	30.5	72.2	120	105	0	35	34	36
2025	3	6	8	21	26	0.699	-0.105	3.596	0.013	0.01	0	37	31.4	74	122	107	0	36	34	35
2025	3	6	8	31	26	0.709	-0.108	3.596	0.013	0.01	0	37	31	73.5	121	106	0	35	34	35
2025	3	6	8	41	26	0.699	-0.095	3.593	0.01	0.007	0	37	30.5	56.3	121	106	0	35	35	35
2025	3	6	8	51	26	0.719	-0.102	3.599	0.013	0.01	0	36.5	31.4	74	121	107	0	36	34	35
2025	3	6	9	1	26	0.712	-0.085	3.596	0.013	0.01	0	38.3	31.8	71.4	124	108	0	35	34	35
2025	3	6	9	11	26	0.722	-0.095	3.599	0.01	0.007	0	37.8	32.3	73.5	124	109	0	36	34	35
2025	3	6	9	21	26	0.705	-0.121	3.599	0.01	0.007	0	38.3	32.7	68.4	124	109	0	35	33	36
2025	3	6	9	31	26	0.696	-0.069	3.596	0.01	0.007	0	37.8	31.8	65.4	123	108	0	35	34	35
2025	3	6	9	41	26	0.712	-0.128	3.599	0.01	0.007	0	38.3	32.3	68.8	124	109	0	35	34	35
2025	3	6	9	51	26	0.745	-0.095	3.599	0.01	0.007	0	39.1	33.1	73.5	126	111	0	35	34	35
2025	3	6	10	1	26	0.751	-0.098	3.599	0.01	0.007	0	38.3	32.3	58.5	124	109	0	35	34	35
2025	3	6	10	11	26	0.712	-0.102	3.599	0.01	0.007	0	38.3	32.7	68.4	125	110	0	36	34	35
2025	3	6	10	21	26	0.699	-0.131	3.599	0.013	0.01	0	38.3	32.7	55.9	125	111	0	36	35	35
2025	3	6	10	31	26	0.676	-0.069	3.599	0.01	0.007	0	38.3	32.3	63.2	124	109	0	35	34	35
2025	3	6	10	41	26	0.722	-0.115	3.599	0.01	0.007	0	38.3	32.3	61.5	124	109	0	35	34	34
2025	3	6	10	51	26	0.705	-0.095	3.599	0.01	0.007	0	38.3	32.7	72.2	125	110	0	36	34	35
2025	3	6	11	1	26	0.722	-0.115	3.602	0.016	0.013	0	38.3	31.8	72.7	124	108	0	35	34	35
2025	3	6	11	11	26	0.764	-0.082	3.602	0.016	0.013	0	37	31	70.5	121	106	0	35	34	35
2025	3	6	11	21	26	0.719	-0.125	3.602	0.01	0.007	0	37.8	31.8	69.2	123	108	0	35	34	35
2025	3	6	11	31	26	0.722	-0.105	3.602	0.01	0.007	0	37.8	32.3	72.2	124	109	0	36	34	35
2025	3	6	11	41	26	0.705	-0.112	3.602	0.01	0.007	0	40.4	34.4	72.7	129	114	0	35	34	35
2025	3	6	11	51	26	0.692	-0.092	3.602	0.01	0.007	0	37.4	31	73.1	122	107	0	35	35	35
2025	3	6	12	1	26	0.719	-0.098	3.602	0.016	0.013	0	39.1	33.1	67.5	126	111	0	35	34	35
2025	3	6	12	11	26	0.761	-0.092	3.602	0.01	0.007	0	38.7	33.1	68.4	126	111	0	36	34	35
2025	3	6	12	21	26	0.699	-0.098	3.602	0.01	0.007	0	39.6	33.5	73.1	127	112	0	35	34	35
2025	3	6	12	31	26	0.761	-0.075	3.602	0.01	0.007	0	39.6	33.5	63.6	127	112	0	35	34	35
2025	3	6	12	41	26	0.755	-0.115	3.602	0.01	0.007	0	40	33.5	72.2	128	113	0	35	35	35
2025	3	6	12	51	26	0.738	-0.115	3.606	0.01	0.007	0	38.3	32.3	73.5	125	110	0	36	35	34
2025	3	6	13	1	26	0.715	-0.092	3.602	0.01	0.007	0	36.5	30.5	74	121	106	0	36	35	35
2025	3	6	13	11	26	0.741	-0.069	3.606	0.01	0.007	0	37.8	32.3	71.4	123	109	0	35	34	35
2025	3	6	13	21	26	0.735	-0.092	3.606	0.016	0.013	0	37.8	31.8	70.5	123	108	0	35	34	35
2025	3	6	13	31	26	0.709	-0.118	3.606	0.013	0.01	0	37.8	31.4	71.4	123	108	0	35	35	35
2025	3	6	13	41	26	0.712	-0.069	3.606	0.016	0.016	0	39.6	33.5	73.1	127	112	0	35	34	35
2025	3	6	13	51	26	0.676	-0.125	3.606	0.01	0.007	0	40.4	34.4	73.1	129	114	0	35	34	35
2025	3	6	14	1	26	0.745	-0.121	3.606	0.01	0.007	0	37.4	31.8	73.5	123	108	0	36	34	35
2025	3	6	14	11	26	0.709	-0.098	3.606	0.013	0.01	0	37	31.4	73.5	121	107	0	35	34	35
2025	3	6	14	21	26	0.761	-0.092	3.606	0.01	0.007	0	37	31.4	73.5	121	107	0	35	34	35
2025	3	6	14	31	26	0.692	-0.069	3.606	0.016	0.013	0	37.4	31.8	73.1	122	108	0	35	34	35
2025	3	6	14	41	26	0.722	-0.115	3.606	0.01	0.007	0	37.8	32.7	71	124	110	0	36	34	35
2025	3	6	14	51	26	0.748	-0.102	3.606	0.013	0.01	0	36.5	31	73.1	120	106	0	35	34	36
2025	3	6	15	1	26	0.725	-0.085	3.606	0.013	0.01	0	36.5	30.5	70.1	120	105	0	35	34	35
2025	3	6	15	11	26	0.755	-0.079	3.606	0.016	0.013	0	35.7	29.2	61.1	118	103	0	35	35	35
2025	3	6	15	21	26	0.712	-0.095	3.606	0.013	0.01	0	36.5	30.5	71.8	120	105	0	35	34	35
2025	3	6	15	31	26	0.735	-0.125	3.606	0.01	0.007	0	35.3	29.2	72.7	117	102	0	35	34	34
2025	3	6	15	41	26	0.719	-0.108	3.606	0.013	0.01	0	35.3	29.2	73.1	118	102	0	36	34	35
2025	3	6	15	51	26	0.735	-0.095	3.602	0.016	0.013	0	35.7	29.7	52	118	103	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	6	16	1	26	0.709	-0.098	3.602	0.013	0.01	0	37	30.5	50.7	121	106	0	35	35	35
2025	3	6	16	11	26	0.722	-0.072	3.602	0.01	0.007	0	34.8	29.2	52.9	117	102	0	36	34	35
2025	3	6	16	21	26	0.725	-0.108	3.599	0.016	0.013	0	36.1	30.1	61.5	119	103	0	35	33	34
2025	3	6	16	31	26	0.748	-0.082	3.606	0.016	0.013	0	35.7	29.7	71.8	118	103	0	35	34	34
2025	3	6	16	41	26	0.738	-0.108	3.606	0.013	0.01	0	34.8	29.7	73.5	117	102	0	36	33	35
2025	3	6	16	51	26	0.745	-0.121	3.606	0.01	0.007	0	34.8	29.2	72.2	116	102	0	35	34	35
2025	3	6	17	1	26	0.728	-0.105	3.606	0.01	0.007	0	35.3	29.7	70.5	118	103	0	36	34	35
2025	3	6	17	11	26	0.732	-0.102	3.602	0.016	0.013	0	34.8	28.8	50.3	116	101	0	35	34	35
2025	3	6	17	21	26	0.732	-0.098	3.602	0.01	0.007	0	34.8	29.2	49.5	116	102	0	35	34	34
2025	3	6	17	31	26	0.689	-0.108	3.599	0.013	0.01	0	35.3	28.8	47.7	117	101	0	35	34	35
2025	3	6	17	41	26	0.725	-0.108	3.602	0.01	0.007	0	34.8	29.7	59.3	117	102	0	36	33	34
2025	3	6	17	51	26	0.715	-0.092	3.609	0.013	0.01	0	35.7	29.7	72.7	118	103	0	35	34	36
2025	3	6	18	1	26	0.682	-0.085	3.602	0.013	0.01	0	34.8	29.2	53.8	117	102	0	36	34	34
2025	3	6	18	11	26	0.722	-0.108	3.602	0.013	0.01	0	35.7	29.7	62.8	118	103	0	35	34	36
2025	3	6	18	21	26	0.732	-0.121	3.606	0.01	0.007	0	36.1	30.5	73.1	119	105	0	35	34	34
2025	3	6	18	31	26	0.738	-0.095	3.606	0.013	0.01	0	36.5	30.5	71.8	120	105	0	35	34	35
2025	3	6	18	41	26	0.682	-0.108	3.606	0.01	0.007	0	36.5	30.5	72.7	120	105	0	35	34	35
2025	3	6	18	51	26	0.705	-0.079	3.606	0.01	0.007	0	36.1	30.5	72.2	120	105	0	36	34	34
2025	3	6	19	1	26	0.768	-0.128	3.609	0.013	0.01	0	35.7	30.5	72.7	119	105	0	36	34	35
2025	3	6	19	11	26	0.774	-0.131	3.606	0.013	0.01	0	36.5	30.5	72.2	120	105	0	35	34	35
2025	3	6	19	21	26	0.751	-0.108	3.606	0.013	0.01	0	36.5	30.5	73.1	120	105	0	35	34	35
2025	3	6	19	31	26	0.735	-0.112	3.609	0.013	0.01	0	36.5	30.5	73.5	120	105	0	35	34	35
2025	3	6	19	41	26	0.689	-0.066	3.606	0.01	0.007	0	37	31	67.9	121	106	0	35	34	34
2025	3	6	19	51	26	0.728	-0.125	3.602	0.013	0.01	0	36.5	30.5	52.9	120	105	0	35	34	35
2025	3	6	20	1	26	0.719	-0.108	3.606	0.013	0.01	0	36.5	30.5	52.9	120	105	0	35	34	35
2025	3	6	20	11	26	0.781	-0.115	3.602	0.01	0.007	0	36.5	30.5	50.7	120	105	0	35	34	36
2025	3	6	20	21	26	0.702	-0.131	3.602	0.013	0.01	0	36.5	30.5	54.6	120	105	0	35	34	35
2025	3	6	20	31	26	0.758	-0.085	3.606	0.01	0.007	0	36.1	30.1	71.4	120	105	0	36	35	35
2025	3	6	20	41	26	0.719	-0.098	3.602	0.01	0.007	0	36.1	30.5	58.9	119	105	0	35	34	35
2025	3	6	20	51	26	0.719	-0.095	3.602	0.013	0.01	0	36.5	30.5	59.3	120	105	0	35	34	35
2025	3	6	21	1	26	0.758	-0.118	3.602	0.013	0.01	0	36.5	30.5	56.3	120	105	0	35	34	35
2025	3	6	21	11	26	0.735	-0.082	3.602	0.013	0.01	0	35.7	30.5	51.2	119	105	0	36	34	35
2025	3	6	21	21	26	0.741	-0.102	3.606	0.013	0.01	0	37	31.4	58.5	121	107	0	35	34	35
2025	3	6	21	31	26	0.712	-0.115	3.606	0.013	0.01	0	36.1	31	60.2	120	106	0	36	34	35
2025	3	6	21	41	26	0.741	-0.112	3.606	0.01	0.007	0	36.5	31	68.4	120	106	0	35	34	35
2025	3	6	21	51	26	0.699	-0.098	3.606	0.013	0.01	0	37	31	57.2	121	106	0	35	34	35
2025	3	6	22	1	26	0.728	-0.112	3.606	0.013	0.01	0	35.7	30.1	71.8	119	105	0	36	35	34
2025	3	6	22	11	26	0.699	-0.092	3.606	0.013	0.01	0	36.5	30.5	74	120	105	0	35	34	34
2025	3	6	22	21	26	0.715	-0.082	3.606	0.013	0.01	0	35.7	30.5	61.5	119	105	0	36	34	35
2025	3	6	22	31	26	0.715	-0.089	3.606	0.01	0.007	0	36.1	30.5	61.1	119	105	0	35	34	35
2025	3	6	22	41	26	0.728	-0.089	3.606	0.01	0.007	0	36.1	30.5	74.8	119	105	0	35	34	35
2025	3	6	22	51	26	0.761	-0.108	3.606	0.013	0.01	0	36.1	31	74.4	119	105	0	35	33	35
2025	3	6	23	1	26	0.699	-0.105	3.606	0.013	0.01	0	35.7	30.5	74	119	105	0	36	34	35
2025	3	6	23	11	26	0.741	-0.102	3.606	0.01	0.007	0	35.7	30.1	63.6	118	104	0	35	34	34
2025	3	6	23	21	26	0.692	-0.102	3.606	0.013	0.01	0	35.7	30.5	64.1	119	105	0	36	34	35
2025	3	6	23	31	26	0.686	-0.131	3.606	0.016	0.013	0	36.1	30.1	71	119	104	0	35	34	35
2025	3	6	23	41	26	0.732	-0.121	3.602	0.013	0.01	0	36.1	30.1	58.9	119	104	0	35	34	35
2025	3	6	23	51	26	0.735	-0.085	3.606	0.016	0.013	0	36.1	30.1	59.8	119	104	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	7	0	1	26	0.702	-0.112	3.606	0.013	0.01	0	36.1	29.7	56.3	119	104	0	35	35	35
2025	3	7	0	11	26	0.696	-0.128	3.606	0.016	0.013	0	35.7	29.7	55.5	118	104	0	35	35	35
2025	3	7	0	21	26	0.696	-0.072	3.606	0.01	0.007	0	35.7	30.5	59.8	119	104	0	36	33	35
2025	3	7	0	31	26	0.728	-0.092	3.606	0.01	0.007	0	35.3	30.1	67.1	118	104	0	36	34	35
2025	3	7	0	41	26	0.728	-0.112	3.606	0.016	0.013	0	35.7	29.7	54.6	118	104	0	35	35	35
2025	3	7	0	51	26	0.745	-0.121	3.602	0.01	0.007	0	35.3	29.7	63.2	118	103	0	36	34	35
2025	3	7	1	1	26	0.751	-0.125	3.606	0.016	0.013	0	35.7	30.1	62.8	118	104	0	35	34	35
2025	3	7	1	11	26	0.702	-0.128	3.606	0.013	0.01	0	35.3	30.1	64.9	118	104	0	36	34	35
2025	3	7	1	21	26	0.751	-0.105	3.606	0.013	0.01	0	35.7	29.7	70.5	118	103	0	35	34	35
2025	3	7	1	31	26	0.735	-0.102	3.602	0.013	0.01	0	35.7	30.1	69.7	118	103	0	35	33	35
2025	3	7	1	41	26	0.705	-0.098	3.602	0.013	0.01	0	35.7	29.7	66.7	118	103	0	35	34	35
2025	3	7	1	51	26	0.686	-0.059	3.602	0.013	0.01	0	35.7	30.1	60.6	119	104	0	36	34	35
2025	3	7	2	1	26	0.712	-0.121	3.602	0.01	0.007	0	37.4	31.8	63.6	122	108	0	35	34	35
2025	3	7	2	11	26	0.709	-0.118	3.602	0.01	0.007	0	37.4	31.4	62.8	122	107	0	35	34	35
2025	3	7	2	21	26	0.712	-0.089	3.602	0.013	0.01	0	35.7	30.1	58.5	119	104	0	36	34	35
2025	3	7	2	31	26	0.699	-0.108	3.602	0.01	0.007	0	35.7	29.7	55.5	118	104	0	35	35	35
2025	3	7	2	41	26	0.712	-0.118	3.602	0.013	0.01	0	35.7	30.1	53.3	118	104	0	35	34	35
2025	3	7	2	51	26	0.735	-0.095	3.602	0.01	0.007	0	36.1	30.5	58	119	105	0	35	34	35
2025	3	7	3	1	26	0.719	-0.102	3.602	0.013	0.01	0	35.7	29.7	56.8	119	104	0	36	35	35
2025	3	7	3	11	26	0.679	-0.082	3.602	0.01	0.007	0	35.3	29.7	53.3	118	104	0	36	35	35
2025	3	7	3	21	26	0.745	-0.112	3.602	0.01	0.007	0	35.7	30.5	57.2	118	104	0	35	33	34
2025	3	7	3	31	26	0.725	-0.098	3.602	0.013	0.01	0	35.7	29.7	61.5	119	104	0	36	35	35
2025	3	7	3	41	26	0.722	-0.079	3.602	0.013	0.01	0	36.1	30.1	59.8	119	104	0	35	34	35
2025	3	7	3	51	26	0.735	-0.121	3.602	0.016	0.016	0	35.7	29.7	64.9	118	103	0	35	34	35
2025	3	7	4	1	26	0.764	-0.108	3.602	0.013	0.01	0	35.3	29.2	58	118	103	0	36	35	35
2025	3	7	4	11	26	0.696	-0.102	3.602	0.016	0.013	0	36.1	30.1	55	119	104	0	35	34	34
2025	3	7	4	21	26	0.735	-0.105	3.602	0.013	0.01	0	35.3	30.1	51.6	118	104	0	36	34	35
2025	3	7	4	31	26	0.748	-0.105	3.602	0.013	0.01	0	35.3	30.5	51.2	118	104	0	36	33	34
2025	3	7	4	41	26	0.712	-0.095	3.599	0.01	0.007	0	35.3	29.7	51.2	117	103	0	35	34	35
2025	3	7	4	51	26	0.702	-0.112	3.602	0.013	0.01	0	34.8	29.7	53.8	117	103	0	36	34	35
2025	3	7	5	1	26	0.709	-0.059	3.602	0.016	0.013	0	35.7	30.1	54.6	118	104	0	35	34	35
2025	3	7	5	11	26	0.712	-0.095	3.602	0.01	0.007	0	35.3	29.7	58.9	118	104	0	36	35	35
2025	3	7	5	21	26	0.692	-0.082	3.599	0.016	0.013	0	35.3	30.1	58.9	118	104	0	36	34	35
2025	3	7	5	31	26	0.715	-0.115	3.602	0.01	0.007	0	35.7	30.1	54.6	118	104	0	35	34	35
2025	3	7	5	41	26	0.722	-0.108	3.599	0.013	0.01	0	35.3	30.1	55.9	118	104	0	36	34	35
2025	3	7	5	51	26	0.738	-0.092	3.602	0.01	0.007	0	35.3	30.1	72.2	118	104	0	36	34	36
2025	3	7	6	1	26	0.732	-0.108	3.602	0.01	0.007	0	35.3	29.7	58	118	104	0	36	35	35
2025	3	7	6	11	26	0.735	-0.112	3.599	0.01	0.007	0	35.7	29.7	53.8	118	103	0	35	34	34
2025	3	7	6	21	26	0.719	-0.082	3.599	0.01	0.007	0	35.3	29.7	59.8	118	103	0	36	34	35
2025	3	7	6	31	26	0.719	-0.069	3.602	0.01	0.007	0	35.3	30.1	65.8	117	103	0	35	33	35
2025	3	7	6	41	26	0.705	-0.098	3.599	0.013	0.01	0	34.8	29.7	59.3	117	103	0	36	34	34
2025	3	7	6	51	26	0.712	-0.092	3.602	0.01	0.007	0	34.8	29.2	63.6	117	102	0	36	34	35
2025	3	7	7	1	26	0.755	-0.085	3.599	0.01	0.007	0	34.8	29.7	58	117	103	0	36	34	35
2025	3	7	7	11	26	0.732	-0.141	3.599	0.01	0.007	0	34.8	29.2	57.6	117	103	0	36	35	35
2025	3	7	7	21	26	0.735	-0.095	3.599	0.01	0.007	0	35.3	29.2	51.6	117	102	0	35	34	35
2025	3	7	7	31	26	0.715	-0.108	3.602	0.016	0.013	0	35.7	30.1	52	118	104	0	35	34	35
2025	3	7	7	41	26	0.741	-0.098	3.599	0.01	0.007	0	35.7	29.7	51.2	118	103	0	35	34	34
2025	3	7	7	51	26	0.722	-0.095	3.599	0.01	0.007	0	34.8	29.7	52.5	117	103	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	7	8	1	26	0.722	-0.105	3.599	0.013	0.01	0	35.3	29.2	51.6	117	103	0	35	35	35
2025	3	7	8	11	26	0.755	-0.102	3.599	0.016	0.013	0	34.4	29.2	52	116	102	0	36	34	35
2025	3	7	8	21	26	0.738	-0.118	3.599	0.01	0.007	0	34.4	29.2	51.2	116	103	0	36	35	35
2025	3	7	8	31	26	0.745	-0.121	3.599	0.01	0.007	0	34.8	29.2	50.3	116	102	0	35	34	35
2025	3	7	8	41	26	0.781	-0.075	3.599	0.01	0.007	0	35.3	30.1	49.9	117	104	0	35	34	35
2025	3	7	8	51	26	0.712	-0.115	3.599	0.013	0.01	0	34.8	29.7	50.7	117	103	0	36	34	35
2025	3	7	9	1	26	0.761	-0.102	3.599	0.013	0.01	0	35.7	29.7	49.9	118	103	0	35	34	35
2025	3	7	9	11	26	0.699	-0.098	3.596	0.01	0.007	0	34.8	30.1	48.6	117	104	0	36	34	35
2025	3	7	9	21	26	0.748	-0.121	3.599	0.013	0.01	0	35.3	30.1	49.9	118	104	0	36	34	35
2025	3	7	9	31	26	0.768	-0.092	3.602	0.01	0.007	0	35.7	30.5	49.9	118	105	0	35	34	35
2025	3	7	9	41	26	0.735	-0.085	3.599	0.01	0.007	0	36.1	31	52	119	106	0	35	34	35
2025	3	7	9	51	26	0.735	-0.135	3.599	0.01	0.007	0	35.7	30.5	50.3	119	105	0	36	34	35
2025	3	7	10	1	26	0.771	-0.095	3.599	0.013	0.01	0	35.7	30.5	50.3	119	105	0	36	34	35
2025	3	7	10	11	26	0.755	-0.082	3.599	0.013	0.01	0	35.7	30.5	52	118	104	0	35	33	34
2025	3	7	10	21	26	0.768	-0.102	3.599	0.01	0.007	0	35.7	30.5	49.5	119	105	0	36	34	36
2025	3	7	10	31	26	0.728	-0.079	3.599	0.01	0.007	0	36.1	31	50.3	119	105	0	35	33	35
2025	3	7	10	41	26	0.722	-0.115	3.599	0.013	0.01	0	36.1	30.5	49.9	119	105	0	35	34	35
2025	3	7	10	51	26	0.719	-0.108	3.599	0.01	0.007	0	36.5	31	50.3	120	106	0	35	34	35
2025	3	7	11	1	26	0.735	-0.085	3.599	0.016	0.016	0	35.7	30.1	50.7	119	105	0	36	35	35
2025	3	7	11	11	26	0.728	-0.125	3.599	0.013	0.01	0	36.1	30.1	50.7	119	105	0	35	35	35
2025	3	7	11	21	26	0.801	-0.135	3.596	0.013	0.01	0	35.7	30.1	51.2	118	104	0	35	34	35
2025	3	7	11	31	26	0.761	-0.118	3.599	0.01	0.007	0	35.7	30.1	49.5	118	104	0	35	34	36
2025	3	7	11	41	26	0.709	-0.092	3.599	0.01	0.007	0	35.7	31	48.2	118	105	0	35	33	35
2025	3	7	11	51	26	0.682	-0.056	3.599	0.01	0.007	0	36.1	31	50.3	120	106	0	36	34	35
2025	3	7	12	1	26	0.735	-0.075	3.599	0.013	0.01	0	35.7	30.5	51.6	118	105	0	35	34	34
2025	3	7	12	11	26	0.712	-0.105	3.599	0.013	0.01	0	36.5	31.8	51.6	121	108	0	36	34	35
2025	3	7	12	21	26	0.748	-0.102	3.599	0.013	0.01	0	36.1	30.5	50.3	119	105	0	35	34	35
2025	3	7	12	31	26	0.699	-0.092	3.599	0.01	0.007	0	36.1	30.5	52.5	119	105	0	35	34	35
2025	3	7	12	41	26	0.686	-0.098	3.599	0.013	0.01	0	35.7	30.1	50.7	118	104	0	35	34	35
2025	3	7	12	51	26	0.738	-0.131	3.596	0.016	0.013	0	35.3	29.2	50.3	117	103	0	35	35	35
2025	3	7	13	1	26	0.709	-0.108	3.599	0.013	0.01	0	35.3	30.1	50.3	118	104	0	36	34	35
2025	3	7	13	11	26	0.732	-0.089	3.596	0.013	0.01	0	35.7	30.1	50.7	118	104	0	35	34	35
2025	3	7	13	21	26	0.758	-0.092	3.596	0.013	0.01	0	35.3	30.1	51.2	118	104	0	36	34	35
2025	3	7	13	31	26	0.745	-0.062	3.596	0.013	0.01	0	35.7	30.1	52	118	104	0	35	34	35
2025	3	7	13	41	26	0.748	-0.108	3.596	0.016	0.016	0	35.3	30.1	51.2	118	104	0	36	34	35
2025	3	7	13	51	26	0.787	-0.098	3.593	0.01	0.007	0	34.8	29.7	52	117	103	0	36	34	35
2025	3	7	14	1	26	0.748	-0.128	3.596	0.01	0.007	0	35.7	30.5	52	118	104	0	35	33	35
2025	3	7	14	11	26	0.719	-0.098	3.596	0.016	0.013	0	35.3	30.5	52	118	104	0	36	33	35
2025	3	7	14	21	26	0.732	-0.075	3.593	0.013	0.01	0	35.3	29.7	53.8	117	103	0	35	34	34
2025	3	7	14	31	26	0.758	-0.102	3.593	0.01	0.007	0	35.7	30.1	52	118	104	0	35	34	35
2025	3	7	14	41	26	0.719	-0.098	3.596	0.013	0.01	0	35.3	30.1	51.6	118	104	0	36	34	34
2025	3	7	14	51	26	0.735	-0.079	3.593	0.01	0.007	0	35.7	30.5	50.7	118	105	0	35	34	35
2025	3	7	15	1	26	0.751	-0.118	3.593	0.013	0.01	0	35.7	30.1	52	118	104	0	35	34	35
2025	3	7	15	11	26	0.761	-0.108	3.593	0.013	0.01	0	35.3	30.5	50.7	118	105	0	36	34	35
2025	3	7	15	21	26	0.738	-0.138	3.593	0.013	0.01	0	35.7	30.1	51.2	118	104	0	35	34	35
2025	3	7	15	31	26	0.712	-0.121	3.593	0.01	0.007	0	35.7	30.1	51.2	118	105	0	35	35	35
2025	3	7	15	41	26	0.764	-0.095	3.589	0.01	0.007	0	36.1	30.5	51.6	119	105	0	35	34	35
2025	3	7	15	51	26	0.725	-0.108	3.589	0.01	0.007	0	35.7	30.5	51.2	119	105	0	36	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	7	16	1	26	0.735	-0.125	3.593	0.013	0.01	0	36.1	30.5	51.6	119	105	0	35	34	35
2025	3	7	16	11	26	0.709	-0.089	3.589	0.013	0.01	0	36.1	30.5	51.2	120	106	0	36	35	35
2025	3	7	16	21	26	0.735	-0.098	3.589	0.016	0.013	0	35.3	29.7	50.3	117	103	0	35	34	35
2025	3	7	16	31	26	0.732	-0.085	3.586	0.01	0.007	0	35.7	30.1	50.3	118	104	0	35	34	34
2025	3	7	16	41	26	0.735	-0.105	3.589	0.01	0.007	0	35.3	29.7	48.6	117	103	0	35	34	35
2025	3	7	16	51	26	0.709	-0.069	3.586	0.013	0.01	0	35.3	29.7	49.9	117	103	0	35	34	35
2025	3	7	17	1	26	0.722	-0.092	3.586	0.01	0.007	0	34.4	30.1	51.2	116	103	0	36	33	34
2025	3	7	17	11	26	0.682	-0.098	3.586	0.013	0.01	0	34.4	29.2	50.7	116	102	0	36	34	35
2025	3	7	17	21	26	0.741	-0.112	3.586	0.013	0.01	0	34.8	28.4	52.5	116	101	0	35	35	35
2025	3	7	17	31	26	0.722	-0.089	3.586	0.01	0.007	0	34.4	29.2	52	116	102	0	36	34	35
2025	3	7	17	41	26	0.761	-0.108	3.586	0.013	0.01	0	34.4	28.8	51.6	116	101	0	36	34	35
2025	3	7	17	51	26	0.738	-0.072	3.586	0.01	0.007	0	35.3	29.2	52.5	117	102	0	35	34	35
2025	3	7	18	1	26	0.741	-0.108	3.586	0.01	0.007	0	34.8	29.2	51.6	116	102	0	35	34	35
2025	3	7	18	11	26	0.722	-0.108	3.583	0.01	0.007	0	34.4	29.2	53.3	116	102	0	36	34	35
2025	3	7	18	21	26	0.696	-0.095	3.583	0.01	0.007	0	34.8	29.2	56.8	117	103	0	36	35	35
2025	3	7	18	31	26	0.719	-0.089	3.583	0.016	0.013	0	35.7	30.1	55.5	118	104	0	35	34	35
2025	3	7	18	41	26	0.689	-0.112	3.583	0.013	0.01	0	35.7	30.1	55.9	118	104	0	35	34	35
2025	3	7	18	51	26	0.705	-0.082	3.583	0.013	0.01	0	35.7	30.5	55.5	119	105	0	36	34	35
2025	3	7	19	1	26	0.692	-0.125	3.583	0.013	0.01	0	36.5	30.5	55.5	120	105	0	35	34	35
2025	3	7	19	11	26	0.696	-0.098	3.583	0.01	0.007	0	36.1	30.5	52.5	119	105	0	35	34	35
2025	3	7	19	21	26	0.722	-0.082	3.583	0.01	0.007	0	36.1	30.5	53.8	119	105	0	35	34	35
2025	3	7	19	31	26	0.696	-0.089	3.583	0.016	0.013	0	36.1	30.5	53.3	119	105	0	35	34	35
2025	3	7	19	41	26	0.719	-0.066	3.583	0.013	0.01	0	35.7	31	56.3	118	105	0	35	33	35
2025	3	7	19	51	26	0.663	-0.102	3.583	0.01	0.007	0	35.7	30.5	53.8	119	105	0	36	34	35
2025	3	7	20	1	26	0.728	-0.105	3.583	0.01	0.007	0	35.7	30.5	54.2	119	105	0	36	34	34
2025	3	7	20	11	26	0.699	-0.085	3.583	0.01	0.007	0	36.5	30.5	52	119	105	0	34	34	35
2025	3	7	20	21	26	0.728	-0.102	3.579	0.01	0.007	0	35.7	29.7	53.8	118	104	0	35	35	35
2025	3	7	20	31	26	0.732	-0.105	3.579	0.01	0.007	0	36.1	30.1	53.8	119	104	0	35	34	35
2025	3	7	20	41	26	0.715	-0.082	3.579	0.013	0.01	0	36.1	30.1	54.6	119	104	0	35	34	34
2025	3	7	20	51	26	0.735	-0.102	3.579	0.016	0.013	0	35.3	30.1	54.2	118	104	0	36	34	35
2025	3	7	21	1	26	0.696	-0.079	3.579	0.013	0.01	0	35.7	30.1	53.8	118	104	0	35	34	35
2025	3	7	21	11	26	0.689	-0.092	3.579	0.013	0.01	0	35.3	29.7	53.3	118	104	0	36	35	34
2025	3	7	21	21	26	0.728	-0.082	3.579	0.01	0.007	0	35.3	30.1	76.5	118	104	0	36	34	34
2025	3	7	21	31	26	0.725	-0.118	3.576	0.013	0.01	0	35.3	29.7	76.1	118	103	0	36	34	35
2025	3	7	21	41	26	0.686	-0.108	3.576	0.01	0.007	0	35.7	30.1	76.1	118	104	0	35	34	35
2025	3	7	21	51	26	0.725	-0.112	3.576	0.01	0.007	0	34.8	29.7	76.1	117	104	0	36	35	35
2025	3	7	22	1	26	0.715	-0.089	3.576	0.01	0.007	0	35.3	29.7	75.7	118	104	0	36	35	35
2025	3	7	22	11	26	0.702	-0.118	3.576	0.01	0.007	0	34.8	29.7	53.8	117	103	0	36	34	35
2025	3	7	22	21	26	0.702	-0.108	3.576	0.01	0.007	0	35.3	29.7	53.8	117	103	0	35	34	35
2025	3	7	22	31	26	0.738	-0.095	3.579	0.013	0.01	0	35.3	30.1	50.3	118	104	0	36	34	35
2025	3	7	22	41	26	0.728	-0.095	3.576	0.01	0.007	0	35.3	29.2	52.9	117	103	0	35	35	35
2025	3	7	22	51	26	0.699	-0.089	3.576	0.013	0.01	0	35.3	30.1	55.9	118	104	0	36	34	35
2025	3	7	23	1	26	0.682	-0.098	3.576	0.013	0.01	0	35.3	29.7	75.7	118	104	0	36	35	35
2025	3	7	23	11	26	0.679	-0.112	3.573	0.01	0.007	0	35.3	30.1	75.7	117	104	0	35	34	35
2025	3	7	23	21	26	0.692	-0.092	3.573	0.013	0.01	0	34.8	29.7	75.3	117	103	0	36	34	35
2025	3	7	23	31	26	0.745	-0.092	3.576	0.013	0.01	0	35.3	29.7	75.7	117	103	0	35	34	35
2025	3	7	23	41	26	0.679	-0.128	3.576	0.01	0.007	0	34.8	29.2	75.7	116	102	0	35	34	35
2025	3	7	23	51	26	0.722	-0.108	3.573	0.01	0.007	0	34.8	29.7	76.1	117	103	0	36	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	8	0	1	26	0.692	-0.125	3.573	0.013	0.01	0	34.8	29.7	74.8	117	103	0	36	34	35
2025	3	8	0	11	26	0.705	-0.089	3.573	0.01	0.007	0	35.3	29.7	75.3	117	103	0	35	34	35
2025	3	8	0	21	26	0.709	-0.089	3.573	0.01	0.007	0	34.8	29.7	75.3	117	103	0	36	34	35
2025	3	8	0	31	26	0.735	-0.108	3.573	0.016	0.013	0	34.8	28.8	75.3	117	102	0	36	35	35
2025	3	8	0	41	26	0.758	-0.105	3.573	0.01	0.007	0	34.8	29.2	75.3	116	102	0	35	34	35
2025	3	8	0	51	26	0.682	-0.089	3.573	0.016	0.013	0	34.4	29.2	75.3	116	102	0	36	34	35
2025	3	8	1	1	26	0.719	-0.118	3.573	0.01	0.007	0	34.8	29.2	75.3	116	102	0	35	34	35
2025	3	8	1	11	26	0.712	-0.128	3.573	0.01	0.007	0	34.8	29.2	74.8	116	102	0	35	34	35
2025	3	8	1	21	26	0.725	-0.098	3.573	0.01	0.007	0	34.4	29.2	55.9	116	102	0	36	34	35
2025	3	8	1	31	26	0.682	-0.105	3.573	0.01	0.007	0	34.4	29.2	61.9	116	102	0	36	34	35
2025	3	8	1	41	26	0.699	-0.108	3.573	0.01	0.007	0	34.4	28.8	70.5	116	102	0	36	35	35
2025	3	8	1	51	26	0.719	-0.105	3.573	0.013	0.01	0	34.8	29.2	74.4	116	102	0	35	34	35
2025	3	8	2	1	26	0.705	-0.095	3.573	0.01	0.007	0	34.4	29.2	74.8	116	102	0	36	34	35
2025	3	8	2	11	26	0.679	-0.112	3.57	0.013	0.01	0	34.4	29.2	61.9	116	102	0	36	34	35
2025	3	8	2	21	26	0.705	-0.085	3.573	0.01	0.007	0	34.4	29.2	73.5	116	102	0	36	34	35
2025	3	8	2	31	26	0.738	-0.118	3.573	0.01	0.007	0	34.4	29.2	72.7	116	102	0	36	34	35
2025	3	8	2	41	26	0.719	-0.125	3.57	0.013	0.01	0	34.8	28.4	68.8	116	101	0	35	35	35
2025	3	8	2	51	26	0.702	-0.105	3.57	0.01	0.007	0	34.4	29.2	71.8	116	102	0	36	34	35
2025	3	8	3	1	26	0.728	-0.102	3.57	0.01	0.007	0	34	29.2	73.1	116	102	0	37	34	35
2025	3	8	3	11	26	0.676	-0.095	3.57	0.01	0.007	0	34.8	29.2	73.5	117	102	0	36	34	35
2025	3	8	3	21	26	0.702	-0.108	3.57	0.013	0.01	0	34.4	28.8	71.4	116	102	0	36	35	35
2025	3	8	3	31	26	0.735	-0.131	3.57	0.016	0.013	0	34.4	28.8	72.7	116	102	0	36	35	36
2025	3	8	3	41	26	0.725	-0.121	3.57	0.01	0.007	0	34.4	29.2	72.7	116	102	0	36	34	35
2025	3	8	3	51	26	0.702	-0.072	3.57	0.01	0.007	0	34.4	29.2	69.2	116	102	0	36	34	35
2025	3	8	4	1	26	0.728	-0.108	3.57	0.013	0.01	0	34.4	29.2	73.5	116	102	0	36	34	35
2025	3	8	4	11	26	0.692	-0.105	3.57	0.01	0.007	0	34.4	29.2	73.1	116	102	0	36	34	35
2025	3	8	4	21	26	0.719	-0.092	3.57	0.01	0.007	0	34.8	29.2	74	116	102	0	35	34	35
2025	3	8	4	31	26	0.722	-0.105	3.57	0.01	0.007	0	34.4	29.2	72.2	116	102	0	36	34	35
2025	3	8	4	41	26	0.748	-0.112	3.57	0.01	0.007	0	34.4	29.2	72.7	116	102	0	36	34	35
2025	3	8	4	51	26	0.741	-0.115	3.57	0.016	0.013	0	34.4	28.8	74	116	102	0	36	35	35
2025	3	8	5	1	26	0.732	-0.138	3.57	0.01	0.007	0	34.4	29.2	73.1	116	102	0	36	34	36
2025	3	8	5	11	26	0.745	-0.115	3.57	0.016	0.016	0	34.4	29.2	71.4	116	102	0	36	34	35
2025	3	8	5	21	26	0.686	-0.095	3.57	0.013	0.01	0	34.4	29.2	74.4	116	102	0	36	34	35
2025	3	8	5	31	26	0.715	-0.125	3.57	0.01	0.007	0	34.8	29.2	71.8	116	102	0	35	34	35
2025	3	8	5	41	26	0.679	-0.128	3.57	0.016	0.013	0	34.4	28.8	69.2	116	101	0	36	34	36
2025	3	8	5	51	26	0.702	-0.118	3.57	0.013	0.01	0	35.3	29.2	73.1	117	103	0	35	35	35
2025	3	8	6	1	26	0.692	-0.089	3.57	0.01	0.007	0	35.7	30.5	74.8	119	105	0	36	34	35
2025	3	8	6	11	26	0.696	-0.121	3.57	0.013	0.01	0	35.3	29.7	70.1	118	103	0	36	34	35
2025	3	8	6	21	26	0.682	-0.148	3.57	0.013	0.01	0	35.7	30.5	74.4	119	105	0	36	34	35
2025	3	8	6	31	26	0.728	-0.098	3.57	0.01	0.007	0	34.8	29.7	74	117	103	0	36	34	36
2025	3	8	6	41	26	0.702	-0.108	3.57	0.01	0.007	0	34.8	29.2	74.8	117	102	0	36	34	35
2025	3	8	6	51	26	0.702	-0.095	3.57	0.016	0.013	0	34.8	29.2	75.3	117	103	0	36	35	35
2025	3	8	7	1	26	0.702	-0.118	3.57	0.01	0.007	0	35.3	29.2	74.8	117	103	0	35	35	35
2025	3	8	7	11	26	0.735	-0.121	3.57	0.013	0.01	0	36.1	30.1	74	119	105	0	35	35	35
2025	3	8	7	21	26	0.673	-0.089	3.57	0.01	0.007	0	36.5	31.4	74.8	121	107	0	36	34	35
2025	3	8	7	31	26	0.699	-0.105	3.57	0.013	0.01	0	36.1	30.5	74.8	120	106	0	36	35	35
2025	3	8	7	41	26	0.676	-0.092	3.57	0.01	0.007	0	39.1	33.1	71	126	111	0	35	34	36
2025	3	8	7	51	26	0.712	-0.128	3.57	0.01	0.007	0	37	31.8	73.5	122	109	0	36	35	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	8	8	1	26	0.715	-0.105	3.57	0.01	0.007	0	37.8	31.4	75.3	123	108	0	35	35	36
2025	3	8	8	11	26	0.676	-0.092	3.57	0.01	0.007	0	37	31.4	75.7	122	107	0	36	34	35
2025	3	8	8	21	26	0.735	-0.089	3.57	0.016	0.013	0	35.7	31	75.7	119	106	0	36	34	35
2025	3	8	8	31	26	0.709	-0.095	3.57	0.013	0.01	0	36.5	31.4	75.7	121	107	0	36	34	35
2025	3	8	8	41	26	0.679	-0.112	3.57	0.013	0.01	0	36.1	30.5	74	120	105	0	36	34	35
2025	3	8	8	51	26	0.659	-0.082	3.57	0.01	0.007	0	37.8	32.7	75.7	124	110	0	36	34	35
2025	3	8	9	1	26	0.712	-0.135	3.57	0.01	0.007	0	37.4	31.8	76.1	122	108	0	35	34	35
2025	3	8	9	11	26	0.758	-0.115	3.57	0.013	0.01	0	36.1	30.5	76.1	120	106	0	36	35	35
2025	3	8	9	21	26	0.692	-0.105	3.57	0.01	0.007	0	35.7	30.1	76.1	119	105	0	36	35	35
2025	3	8	9	31	26	0.715	-0.115	3.57	0.016	0.013	0	37.8	32.3	76.5	123	109	0	35	34	34
2025	3	8	9	41	26	0.705	-0.105	3.57	0.013	0.01	0	35.7	30.5	75.7	119	105	0	36	34	35
2025	3	8	9	51	26	0.719	-0.105	3.57	0.01	0.007	0	37.8	32.7	74.8	124	110	0	36	34	34
2025	3	8	10	1	26	0.712	-0.118	3.57	0.01	0.007	0	35.3	30.1	76.1	118	104	0	36	34	35
2025	3	8	10	11	26	0.696	-0.118	3.57	0.01	0.007	0	37	31.4	76.1	121	107	0	35	34	35
2025	3	8	10	21	26	0.745	-0.118	3.57	0.01	0.007	0	36.5	31.8	76.1	121	108	0	36	34	35
2025	3	8	10	31	26	0.689	-0.108	3.57	0.016	0.013	0	37	31.4	76.1	121	107	0	35	34	35
2025	3	8	10	41	26	0.715	-0.082	3.573	0.01	0.007	0	37	31.4	77	121	108	0	35	35	34
2025	3	8	10	51	26	0.735	-0.108	3.573	0.01	0.007	0	36.1	30.5	73.1	119	105	0	35	34	35
2025	3	8	11	1	26	0.696	-0.062	3.573	0.01	0.007	0	35.3	29.7	76.5	117	103	0	35	34	35
2025	3	8	11	11	26	0.719	-0.095	3.573	0.01	0.007	0	34.8	29.7	76.5	117	104	0	36	35	35
2025	3	8	11	21	26	0.712	-0.105	3.573	0.013	0.01	0	34.4	28.8	77	116	102	0	36	35	35
2025	3	8	11	31	26	0.699	-0.108	3.573	0.01	0.007	0	34.8	29.7	76.5	117	103	0	36	34	35
2025	3	8	11	41	26	0.699	-0.108	3.573	0.013	0.01	0	34.4	28.8	77	115	101	0	35	34	35
2025	3	8	11	51	26	0.728	-0.085	3.573	0.013	0.01	0	34.8	29.2	76.1	116	102	0	35	34	35
2025	3	8	12	1	26	0.709	-0.151	3.573	0.01	0.007	0	34.4	29.2	77.4	116	102	0	36	34	34
2025	3	8	12	11	26	0.679	-0.105	3.573	0.013	0.01	0	34.8	29.2	77	116	102	0	35	34	35
2025	3	8	12	21	26	0.659	-0.102	3.576	0.016	0.013	0	34.8	29.2	75.3	116	102	0	35	34	35
2025	3	8	12	31	26	0.702	-0.125	3.576	0.01	0.007	0	35.7	30.5	75.7	118	105	0	35	34	35
2025	3	8	12	41	26	0.692	-0.112	3.576	0.01	0.007	0	36.1	30.5	76.1	119	105	0	35	34	35
2025	3	8	12	51	26	0.709	-0.108	3.573	0.013	0.01	0	37.8	32.3	60.2	124	110	0	36	35	35
2025	3	8	13	1	26	0.722	-0.105	3.576	0.013	0.01	0	38.3	33.1	71.8	125	111	0	36	34	35
2025	3	8	13	11	26	0.719	-0.085	3.573	0.01	0.007	0	36.5	30.1	52.5	120	105	0	35	35	35
2025	3	8	13	21	26	0.692	-0.108	3.576	0.01	0.007	0	37.4	31.8	60.2	122	108	0	35	34	35
2025	3	8	13	31	26	0.715	-0.075	3.576	0.01	0.007	0	38.3	32.7	54.2	124	110	0	35	34	35
2025	3	8	13	41	26	0.702	-0.082	3.576	0.01	0.007	0	38.3	33.1	52.5	124	111	0	35	34	35
2025	3	8	13	51	26	0.692	-0.098	3.576	0.016	0.013	0	37.4	31.4	47.7	122	107	0	35	34	35
2025	3	8	14	1	26	0.682	-0.085	3.576	0.013	0.01	0	37.8	32.7	51.6	123	110	0	35	34	35
2025	3	8	14	11	26	0.699	-0.098	3.576	0.013	0.01	0	38.7	33.1	51.2	125	111	0	35	34	35
2025	3	8	14	21	26	0.696	-0.141	3.576	0.01	0.007	0	38.7	33.5	54.6	126	112	0	36	34	34
2025	3	8	14	31	26	0.735	-0.102	3.576	0.01	0.007	0	36.1	31	49.9	120	106	0	36	34	35
2025	3	8	14	41	26	0.728	-0.072	3.576	0.01	0.007	0	34.8	29.2	49.9	116	102	0	35	34	34
2025	3	8	14	51	26	0.676	-0.121	3.576	0.01	0.007	0	35.3	29.2	51.6	117	102	0	35	34	35
2025	3	8	15	1	26	0.709	-0.108	3.576	0.013	0.01	0	35.3	29.7	49.5	117	103	0	35	34	35
2025	3	8	15	11	26	0.663	-0.092	3.576	0.013	0.01	0	36.1	30.1	47.3	119	104	0	35	34	35
2025	3	8	15	21	26	0.709	-0.108	3.576	0.01	0.007	0	35.3	29.2	49.5	117	102	0	35	34	35
2025	3	8	15	31	26	0.689	-0.128	3.576	0.013	0.01	0	35.7	29.7	52.5	118	103	0	35	34	35
2025	3	8	15	41	26	0.699	-0.085	3.576	0.013	0.01	0	35.7	29.7	52.5	118	103	0	35	34	35
2025	3	8	15	51	26	0.696	-0.112	3.576	0.01	0.007	0	34.8	29.7	49.9	117	103	0	36	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	8	16	1	26	0.679	-0.098	3.573	0.01	0.007	0	34.8	29.2	50.3	117	102	0	36	34	35	
2025	3	8	16	11	26	0.735	-0.135	3.576	0.013	0.01	0	34.4	28.8	52	115	101	0	35	34	35	
2025	3	8	16	21	26	0.705	-0.089	3.576	0.013	0.01	0	34.4	29.2	55.5	116	101	0	36	33	35	
2025	3	8	16	31	26	0.709	-0.112	3.573	0.01	0.007	0	34	28.4	55.9	115	100	0	36	34	35	
2025	3	8	16	41	26	0.748	-0.125	3.576	0.01	0.007	0	34.4	28.4	64.1	115	100	0	35	34	35	
2025	3	8	16	51	26	0.689	-0.112	3.576	0.01	0.007	0	34	28.4	75.7	115	100	0	36	34	35	
2025	3	8	17	1	26	0.686	-0.089	3.576	0.013	0.01	0	34.8	28.4	76.5	116	100	0	35	34	34	
2025	3	8	17	11	26	0.719	-0.144	3.576	0.016	0.016	0	34.8	28	76.1	116	100	0	35	35	34	
2025	3	8	17	21	26	0.705	-0.112	3.576	0.013	0.01	0	35.7	30.1	75.7	118	103	0	35	33	35	
2025	3	8	17	31	26	0.689	-0.092	3.576	0.013	0.01	0	37.8	31.8	75.3	123	108	0	35	34	35	
2025	3	8	17	41	26	0.692	-0.079	3.576	0.01	0.007	0	36.1	30.1	75.3	119	104	0	35	34	35	
2025	3	8	17	51	26	0.705	-0.128	3.573	0.013	0.01	0	36.1	29.2	75.7	118	103	0	34	35	35	
2025	3	8	18	1	26	0.728	-0.131	3.573	0.01	0.007	0	36.5	30.5	75.7	120	105	0	35	34	34	
2025	3	8	18	11	26	0.673	-0.112	3.573	0.013	0.01	0	36.1	30.5	74.8	119	104	0	35	33	35	
2025	3	8	18	21	26	0.719	-0.115	3.573	0.01	0.007	0	35.3	28.8	74.8	117	101	0	35	34	35	
2025	3	8	18	31	26	0.719	-0.112	3.573	0.013	0.01	0	35.3	29.2	75.3	117	102	0	35	34	35	
2025	3	8	18	41	26	0.686	-0.115	3.573	0.013	0.01	0	35.7	29.7	74.8	118	103	0	35	34	35	
2025	3	8	18	51	26	0.709	-0.138	3.573	0.013	0.01	0	34.8	29.2	74.8	117	102	0	36	34	35	
2025	3	8	19	1	26	0.709	-0.128	3.57	0.01	0.007	0	35.3	29.7	74.4	118	103	0	36	34	35	
2025	3	8	19	11	26	0.659	-0.115	3.57	0.016	0.016	0	36.1	30.1	74.4	119	104	0	35	34	35	
2025	3	8	19	21	26	0.686	-0.105	3.57	0.01	0.007	0	35.7	29.7	74.4	118	104	0	35	35	35	
2025	3	8	19	31	26	0.686	-0.112	3.57	0.013	0.01	0	35.7	29.7	74.4	118	103	0	35	34	34	
2025	3	8	19	41	26	0.719	-0.131	3.57	0.013	0.01	0	35.7	29.7	74	118	103	0	35	34	35	
2025	3	8	19	51	26	0.732	-0.131	3.57	0.013	0.01	0	35.7	29.7	74	118	103	0	35	34	35	
2025	3	8	20	1	26	0.676	-0.125	3.566	0.013	0.01	0	35.7	30.1	74	119	104	0	36	34	35	
2025	3	8	20	11	26	0.686	-0.125	3.57	0.013	0.01	0	36.1	30.1	74	120	105	0	36	35	35	
2025	3	8	20	21	26	0.709	-0.118	3.566	0.013	0.01	0	36.5	30.1	74	120	104	0	35	34	35	
2025	3	8	20	31	26	0.689	-0.112	3.566	0.013	0.01	0	35.7	30.5	74.4	119	105	0	36	34	35	
2025	3	8	20	41	26	0.725	-0.128	3.566	0.01	0.007	0	36.1	30.5	74.4	119	105	0	35	34	35	
2025	3	8	20	51	26	0.715	-0.112	3.566	0.013	0.01	0	36.1	30.1	74.8	119	104	0	35	34	34	
2025	3	8	21	1	26	0.686	-0.098	3.566	0.016	0.016	0	36.1	30.1	74	119	104	0	35	34	35	
2025	3	8	21	11	26	0.689	-0.089	3.566	0.01	0.007	0	35.7	30.1	74	119	104	0	36	34	35	
2025	3	8	21	21	26	0.682	-0.135	3.563	0.013	0.01	0	37	31.4	73.1	121	107	0	35	34	34	
2025	3	8	21	31	26	0.692	-0.102	3.566	0.013	0.01	0	35.7	30.5	74	119	105	0	36	34	35	
2025	3	8	21	41	26	0.715	-0.098	3.563	0.013	0.01	0	36.1	30.5	73.1	119	105	0	35	34	35	
2025	3	8	21	51	26	0.692	-0.102	3.563	0.013	0.01	0	36.5	31	74	120	106	0	35	34	35	
2025	3	8	22	1	26	0.712	-0.108	3.563	0.013	0.01	0	35.7	29.7	74	118	104	0	35	35	35	
2025	3	8	22	11	26	0.715	-0.105	3.563	0.013	0.01	0	36.5	30.5	74	120	106	0	35	35	35	
2025	3	8	22	21	26	0.699	-0.095	3.563	0.013	0.01	0	37.8	31.8	74.4	123	108	0	35	34	34	
2025	3	8	22	31	26	0.725	-0.121	3.563	0.01	0.007	0	42.6	37	72.7	134	120	0	35	34	35	
2025	3	8	22	41	26	0.686	-0.102	3.563	0.01	0.007	0	38.7	33.1	74	126	111	0	36	34	35	
2025	3	8	22	51	26	0.669	-0.092	3.563	0.016	0.013	0	38.3	32.7	74.4	125	110	0	36	34	35	
2025	3	8	23	1	26	0.735	-0.072	3.563	0.01	0.007	0	37.8	32.7	74.8	124	110	0	36	34	35	
2025	3	8	23	11	26	0.653	-0.072	3.563	0.013	0.01	0	40.9	34.8	74	130	115	0	35	34	35	
2025	3	8	23	21	26	0.692	-0.092	3.563	0.016	0.013	0	39.1	33.1	74.8	126	112	0	35	35	34	
2025	3	8	23	31	26	0.682	-0.095	3.56	0.01	0.007	0	37	32.3	74.8	122	108	0	36	33	35	
2025	3	8	23	41	26	0.709	-0.098	3.563	0.016	0.013	0	36.5	30.5	75.7	120	106	0	35	35	35	
2025	3	8	23	51	26	0.705	-0.082	3.563	0.01	0.007	0	37.8	32.3	75.3	123	109	0	35	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	9	0	1	26	0.712	-0.128	3.563	0.016	0.013	0	37	31.4	75.3	122	108	0	36	35	35
2025	3	9	0	11	26	0.673	-0.125	3.56	0.013	0.01	0	37.4	31.8	75.7	122	108	0	35	34	35
2025	3	9	0	21	26	0.673	-0.105	3.56	0.016	0.016	0	37.4	31.4	75.7	122	108	0	35	35	35
2025	3	9	0	31	26	0.725	-0.082	3.56	0.01	0.007	0	37	30.5	76.1	121	106	0	35	35	35
2025	3	9	0	41	26	0.689	-0.105	3.56	0.013	0.01	0	36.1	30.5	76.1	120	105	0	36	34	34
2025	3	9	0	51	26	0.689	-0.095	3.56	0.01	0.007	0	36.1	29.7	76.1	119	104	0	35	35	35
2025	3	9	1	1	26	0.702	-0.069	3.56	0.01	0.007	0	35.7	29.7	75.3	118	104	0	35	35	35
2025	3	9	1	11	26	0.702	-0.128	3.56	0.013	0.01	0	35.7	29.7	76.1	118	104	0	35	35	35
2025	3	9	1	21	26	0.666	-0.098	3.56	0.013	0.01	0	35.3	29.2	76.5	118	103	0	36	35	34
2025	3	9	1	31	26	0.702	-0.121	3.56	0.01	0.007	0	35.7	30.1	76.1	118	104	0	35	34	35
2025	3	9	1	41	26	0.722	-0.144	3.56	0.01	0.007	0	38.3	31.8	75.7	124	109	0	35	35	35
2025	3	9	1	51	26	0.702	-0.105	3.56	0.01	0.007	0	36.1	30.5	76.1	119	105	0	35	34	35
2025	3	9	2	1	26	0.669	-0.112	3.556	0.013	0.01	0	35.7	29.7	76.5	119	104	0	36	35	35
2025	3	9	2	11	26	0.679	-0.148	3.556	0.01	0.007	0	35.3	29.7	76.1	118	104	0	36	35	35
2025	3	9	2	21	26	0.712	-0.115	3.556	0.013	0.01	0	34.8	30.1	76.1	117	104	0	36	34	35
2025	3	9	2	31	26	0.702	-0.056	3.556	0.01	0.007	0	34.8	29.7	75.7	117	103	0	36	34	35
2025	3	9	2	41	26	0.732	-0.095	3.556	0.013	0.01	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	9	2	51	26	0.715	-0.105	3.556	0.01	0.007	0	35.7	29.7	75.7	118	103	0	35	34	36
2025	3	9	3	1	26	0.699	-0.118	3.556	0.016	0.013	0	35.7	30.5	76.1	119	105	0	36	34	35
2025	3	9	3	11	26	0.715	-0.089	3.556	0.01	0.007	0	35.3	30.1	75.3	118	104	0	36	34	36
2025	3	9	3	21	26	0.689	-0.108	3.556	0.01	0.007	0	35.3	29.2	76.1	117	102	0	35	34	35
2025	3	9	3	31	26	0.696	-0.102	3.556	0.01	0.007	0	34.8	29.2	75.3	117	102	0	36	34	35
2025	3	9	3	41	26	0.725	-0.138	3.556	0.01	0.007	0	34.4	29.2	76.1	116	102	0	36	34	35
2025	3	9	3	51	26	0.679	-0.118	3.556	0.013	0.01	0	34.4	28.8	75.3	116	101	0	36	34	36
2025	3	9	4	1	26	0.673	-0.089	3.553	0.013	0.01	0	34.4	29.2	75.3	116	102	0	36	34	36
2025	3	9	4	11	26	0.673	-0.089	3.553	0.01	0.007	0	34.4	29.2	75.7	116	102	0	36	34	35
2025	3	9	4	21	26	0.673	-0.095	3.553	0.01	0.007	0	34.4	28.8	75.3	116	101	0	36	34	35
2025	3	9	4	31	26	0.659	-0.131	3.553	0.01	0.007	0	34.4	28.4	75.3	116	101	0	36	35	35
2025	3	9	4	41	26	0.679	-0.102	3.553	0.01	0.007	0	34.8	28.4	75.3	116	101	0	35	35	35
2025	3	9	4	51	26	0.689	-0.118	3.553	0.01	0.007	0	34	28.8	75.3	115	101	0	36	34	35
2025	3	9	5	1	26	0.679	-0.085	3.553	0.01	0.007	0	34.4	28.4	75.3	116	100	0	36	34	35
2025	3	9	5	11	26	0.682	-0.141	3.553	0.01	0.007	0	34.4	28.4	75.3	116	101	0	36	35	35
2025	3	9	5	21	26	0.709	-0.135	3.553	0.013	0.01	0	33.5	28	74.4	115	100	0	37	35	36
2025	3	9	5	31	26	0.709	-0.135	3.553	0.016	0.013	0	34	28.4	74.8	115	101	0	36	35	35
2025	3	9	5	41	26	0.676	-0.095	3.553	0.01	0.007	0	34.4	28.4	74.8	116	101	0	36	35	35
2025	3	9	5	51	26	0.709	-0.095	3.553	0.01	0.007	0	34.4	29.2	74.4	116	102	0	36	34	35
2025	3	9	6	1	26	0.673	-0.108	3.553	0.013	0.01	0	34.8	28.8	74.8	117	102	0	36	35	35
2025	3	9	6	11	26	0.692	-0.095	3.55	0.01	0.007	0	35.7	29.2	74.4	118	103	0	35	35	35
2025	3	9	6	21	26	0.643	-0.112	3.55	0.01	0.007	0	35.7	30.1	74.4	119	104	0	36	34	35
2025	3	9	6	31	26	0.673	-0.098	3.55	0.013	0.01	0	36.5	30.5	74.8	121	106	0	36	35	35
2025	3	9	6	41	26	0.673	-0.108	3.55	0.013	0.01	0	36.1	30.5	72.7	120	105	0	36	34	35
2025	3	9	6	51	26	0.696	-0.131	3.55	0.01	0.007	0	35.7	29.7	74.8	119	103	0	36	34	35
2025	3	9	7	1	26	0.689	-0.092	3.55	0.013	0.01	0	35.3	30.1	76.1	118	104	0	36	34	35
2025	3	9	7	11	26	0.656	-0.089	3.55	0.016	0.013	0	37	31.8	72.2	122	108	0	36	34	35
2025	3	9	7	21	26	0.659	-0.115	3.55	0.01	0.007	0	35.3	28.8	72.2	117	102	0	35	35	35
2025	3	9	7	31	26	0.663	-0.108	3.55	0.016	0.013	0	34.4	28.8	73.1	116	102	0	36	35	35
2025	3	9	7	41	26	0.689	-0.144	3.55	0.01	0.007	0	34.8	29.2	74.8	117	102	0	36	34	35
2025	3	9	7	51	26	0.673	-0.112	3.55	0.01	0.007	0	34	28.4	75.3	115	101	0	36	35	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	9	8	1	26	0.699	-0.125	3.55	0.013	0.01	0	34.4	28.8	75.3	116	102	0	36	35	35
2025	3	9	8	11	26	0.696	-0.082	3.55	0.013	0.01	0	35.7	30.5	74.8	119	105	0	36	34	35
2025	3	9	8	21	26	0.699	-0.115	3.55	0.01	0.007	0	35.7	30.1	74	119	105	0	36	35	36
2025	3	9	8	31	26	0.715	-0.105	3.547	0.01	0.007	0	35.7	30.1	73.5	119	105	0	36	35	35
2025	3	9	8	41	26	0.702	-0.075	3.547	0.013	0.01	0	35.3	29.7	75.3	117	103	0	35	34	34
2025	3	9	8	51	26	0.715	-0.125	3.547	0.013	0.01	0	36.1	30.1	74	119	105	0	35	35	35
2025	3	9	9	1	26	0.702	-0.105	3.543	0.016	0.013	0	35.7	30.1	72.2	119	105	0	36	35	35
2025	3	9	9	11	26	0.682	-0.095	3.543	0.01	0.007	0	36.1	30.5	74.4	120	105	0	36	34	35
2025	3	9	9	21	26	0.689	-0.131	3.543	0.013	0.01	0	36.1	30.5	74.4	120	105	0	36	34	35
2025	3	9	9	31	26	0.692	-0.108	3.54	0.013	0.01	0	35.7	30.1	67.1	119	104	0	36	34	35
2025	3	9	9	41	26	0.699	-0.131	3.54	0.013	0.01	0	35.3	30.1	71	118	104	0	36	34	36
2025	3	9	9	51	26	0.676	-0.141	3.54	0.016	0.013	0	34.8	29.7	74	117	103	0	36	34	35
2025	3	9	10	1	26	0.656	-0.131	3.54	0.01	0.007	0	35.7	30.5	74.8	119	105	0	36	34	35
2025	3	9	10	11	26	0.643	-0.118	3.54	0.01	0.007	0	35.7	30.5	73.5	119	105	0	36	34	35
2025	3	9	10	21	26	0.656	-0.131	3.537	0.01	0.007	0	34.4	29.7	56.3	116	103	0	36	34	35
2025	3	9	10	31	26	0.709	-0.128	3.54	0.016	0.013	0	35.3	30.1	74.8	118	104	0	36	34	35
2025	3	9	10	41	26	0.692	-0.125	3.54	0.013	0.01	0	37	31.8	74.4	122	108	0	36	34	35
2025	3	9	10	51	26	0.696	-0.108	3.54	0.013	0.01	0	35.7	30.5	49	119	105	0	36	34	35
2025	3	9	11	1	26	0.63	-0.062	3.54	0.01	0.007	0	34.8	29.7	47.3	117	103	0	36	34	35
2025	3	9	11	11	26	0.696	-0.105	3.54	0.01	0.007	0	35.7	29.7	45.2	119	103	0	36	34	35
2025	3	9	11	21	26	0.679	-0.112	3.543	0.016	0.013	0	36.5	29.7	49.5	120	103	0	35	34	36
2025	3	9	11	31	26	0.709	-0.125	3.543	0.013	0.01	0	35.7	29.7	46.9	119	103	0	36	34	36
2025	3	9	11	41	26	0.676	-0.082	3.543	0.01	0.007	0	35.3	28.8	47.3	118	102	0	36	35	35
2025	3	9	11	51	26	0.65	-0.059	3.54	0.01	0.007	0	35.7	29.2	46.4	119	103	0	36	35	35
2025	3	9	12	1	26	0.676	-0.092	3.54	0.01	0.007	0	35.3	28.8	47.3	118	102	0	36	35	35
2025	3	9	12	11	26	0.653	-0.089	3.543	0.01	0.007	0	35.3	28.4	47.7	117	101	0	35	35	35
2025	3	9	12	21	26	0.692	-0.098	3.54	0.016	0.013	0	35.3	29.2	44.3	118	102	0	36	34	36
2025	3	9	12	31	26	0.617	-0.082	3.543	0.016	0.013	0	35.7	29.2	46.9	118	102	0	35	34	35
2025	3	9	12	41	26	0.659	-0.089	3.54	0.01	0.007	0	35.3	29.2	47.3	118	102	0	36	34	35
2025	3	9	12	51	26	0.676	-0.098	3.543	0.013	0.01	0	35.3	28.8	46.4	117	101	0	35	34	36
2025	3	9	13	1	26	0.646	-0.102	3.543	0.016	0.013	0	35.7	28.8	46.4	118	102	0	35	35	35
2025	3	9	13	11	26	0.656	-0.098	3.543	0.01	0.007	0	34.8	28.8	48.2	117	101	0	36	34	35
2025	3	9	13	21	26	0.679	-0.079	3.543	0.01	0.007	0	35.7	29.2	48.6	118	102	0	35	34	35
2025	3	9	13	31	26	0.679	-0.089	3.54	0.01	0.007	0	35.7	29.2	47.3	119	102	0	36	34	35
2025	3	9	13	41	26	0.689	-0.085	3.54	0.016	0.013	0	36.1	29.7	48.6	119	103	0	35	34	35
2025	3	9	13	51	26	0.673	-0.102	3.54	0.01	0.007	0	36.1	30.1	49	120	104	0	36	34	34
2025	3	9	14	1	26	0.656	-0.082	3.543	0.01	0.007	0	35.7	29.2	49	118	102	0	35	34	35
2025	3	9	14	11	26	0.669	-0.095	3.54	0.01	0.007	0	35.3	28.8	48.2	118	101	0	36	34	35
2025	3	9	14	21	26	0.653	-0.085	3.54	0.016	0.013	0	35.3	28.8	46	117	101	0	35	34	35
2025	3	9	14	31	26	0.669	-0.072	3.54	0.01	0.007	0	35.7	29.2	47.7	118	102	0	35	34	35
2025	3	9	14	41	26	0.682	-0.092	3.54	0.013	0.01	0	35.7	29.2	46.9	118	102	0	35	34	35
2025	3	9	14	51	26	0.669	-0.095	3.537	0.01	0.007	0	34.8	28.8	46.4	117	101	0	36	34	35
2025	3	9	15	1	26	0.663	-0.085	3.54	0.013	0.01	0	35.7	28.8	50.3	118	101	0	35	34	35
2025	3	9	15	11	26	0.659	-0.112	3.54	0.016	0.013	0	35.7	28.8	45.6	118	101	0	35	34	35
2025	3	9	15	21	26	0.676	-0.115	3.54	0.01	0.007	0	35.7	28.8	46.4	118	101	0	35	34	35
2025	3	9	15	31	26	0.663	-0.069	3.537	0.01	0.007	0	36.1	29.2	45.6	119	102	0	35	34	35
2025	3	9	15	41	26	0.702	-0.079	3.533	0.013	0.01	0	36.1	29.2	44.3	119	102	0	35	34	35
2025	3	9	15	51	26	0.676	-0.079	3.533	0.013	0.01	0	35.7	29.2	46.4	119	103	0	36	35	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	9	16	1	26	0.646	-0.085	3.537	0.013	0.01	0	35.7	29.2	46	118	102	0	35	34	35	
2025	3	9	16	11	26	0.696	-0.082	3.54	0.01	0.007	0	35.3	29.2	46	118	101	0	36	33	35	
2025	3	9	16	21	26	0.699	-0.108	3.533	0.01	0.007	0	35.3	28	47.7	117	100	0	35	35	34	
2025	3	9	16	31	26	0.663	-0.092	3.537	0.013	0.01	0	35.3	28.4	45.6	117	100	0	35	34	35	
2025	3	9	16	41	26	0.666	-0.082	3.533	0.016	0.013	0	35.3	28	45.6	117	99	0	35	34	35	
2025	3	9	16	51	26	0.64	-0.072	3.533	0.016	0.013	0	35.3	28.4	47.3	117	100	0	35	34	34	
2025	3	9	17	1	26	0.686	-0.089	3.533	0.013	0.01	0	35.7	28.8	46.4	118	101	0	35	34	35	
2025	3	9	17	11	26	0.692	-0.098	3.537	0.01	0.007	0	34.8	28.4	74	117	100	0	36	34	35	
2025	3	9	17	21	26	0.679	-0.102	3.537	0.013	0.01	0	35.7	28.4	61.9	118	100	0	35	34	35	
2025	3	9	17	31	26	0.689	-0.075	3.537	0.01	0.007	0	35.7	28.8	70.5	118	101	0	35	34	35	
2025	3	9	17	41	26	0.679	-0.108	3.537	0.01	0.007	0	35.3	28	76.5	117	100	0	35	35	35	
2025	3	9	17	51	26	0.696	-0.154	3.537	0.01	0.007	0	34.4	27.5	74.8	116	99	0	36	35	35	
2025	3	9	18	1	26	0.682	-0.144	3.527	0.01	0.007	0	34.8	28	55	116	99	0	35	34	35	
2025	3	9	18	11	26	0.699	-0.108	3.527	0.01	0.007	0	34.8	28	53.3	116	99	0	35	34	35	
2025	3	9	18	21	26	0.679	-0.092	3.527	0.01	0.007	0	35.7	28.8	59.3	118	101	0	35	34	35	
2025	3	9	18	31	26	0.686	-0.098	3.533	0.01	0.007	0	36.1	28.8	74.8	119	101	0	35	34	35	
2025	3	9	18	41	26	0.705	-0.125	3.53	0.01	0.007	0	36.1	29.7	74.4	120	103	0	36	34	34	
2025	3	9	18	51	26	0.692	-0.118	3.53	0.013	0.01	0	36.5	29.2	74.4	120	102	0	35	34	35	
2025	3	9	19	1	26	0.686	-0.112	3.527	0.013	0.01	0	35.7	29.2	74.4	119	102	0	36	34	35	
2025	3	9	19	11	26	0.692	-0.128	3.524	0.013	0.01	0	36.5	28.8	73.5	120	102	0	35	35	35	
2025	3	9	19	21	26	0.696	-0.112	3.524	0.01	0.007	0	36.1	28.8	74	119	101	0	35	34	35	
2025	3	9	19	31	26	0.656	-0.102	3.524	0.016	0.013	0	37	29.7	74.4	121	103	0	35	34	34	
2025	3	9	19	41	26	0.689	-0.115	3.524	0.01	0.007	0	36.5	29.7	73.5	120	103	0	35	34	35	
2025	3	9	19	51	26	0.712	-0.098	3.52	0.013	0.01	0	36.5	30.1	74.4	121	104	0	36	34	34	
2025	3	9	20	1	26	0.686	-0.095	3.52	0.016	0.013	0	37.4	29.7	74	121	103	0	34	34	35	
2025	3	9	20	11	26	0.696	-0.098	3.52	0.016	0.016	0	37	29.7	74	121	103	0	35	34	35	
2025	3	9	20	21	26	0.696	-0.105	3.52	0.01	0.007	0	36.5	29.7	74	121	103	0	36	34	35	
2025	3	9	20	31	26	0.682	-0.092	3.52	0.01	0.007	0	36.5	29.2	74.4	120	102	0	35	34	34	
2025	3	9	20	41	26	0.699	-0.082	3.52	0.01	0.007	0	36.5	29.2	74.4	120	102	0	35	34	34	
2025	3	9	20	51	26	0.709	-0.085	3.52	0.013	0.01	0	36.1	29.2	74	120	102	0	36	34	35	
2025	3	9	21	1	26	0.741	-0.095	3.52	0.01	0.007	0	36.5	29.2	73.1	120	102	0	35	34	35	
2025	3	9	21	11	26	0.692	-0.082	3.52	0.013	0.01	0	36.5	29.2	73.5	120	102	0	35	34	36	
2025	3	9	21	21	26	0.676	-0.069	3.524	0.016	0.013	0	36.5	29.2	73.5	120	102	0	35	34	35	
2025	3	9	21	31	26	0.719	-0.092	3.52	0.01	0.007	0	35.7	29.2	73.5	119	102	0	36	34	35	
2025	3	9	21	41	26	0.715	-0.092	3.52	0.013	0.01	0	36.1	29.2	74	119	102	0	35	34	34	
2025	3	9	21	51	26	0.689	-0.066	3.52	0.01	0.007	0	35.7	29.2	73.5	119	102	0	36	34	35	
2025	3	9	22	1	26	0.636	-0.072	3.52	0.016	0.013	0	36.1	29.2	73.5	120	102	0	36	34	35	
2025	3	9	22	11	26	0.682	-0.098	3.524	0.013	0.01	0	36.5	27.1	74	120	97	0	35	34	35	
2025	3	9	22	21	26	0.676	-0.089	3.52	0.01	0.007	0	36.5	29.2	74	120	102	0	35	34	35	
2025	3	9	22	31	26	0.682	-0.128	3.52	0.01	0.007	0	36.1	28.8	74	119	102	0	35	35	35	
2025	3	9	22	41	26	0.676	-0.066	3.52	0.013	0.01	0	36.1	29.2	73.5	119	102	0	35	34	36	
2025	3	9	22	51	26	0.696	-0.072	3.527	0.01	0.007	0	36.5	29.2	74.8	120	103	0	35	35	34	
2025	3	9	23	1	26	0.705	-0.069	3.527	0.01	0.007	0	36.5	29.7	75.3	120	103	0	35	34	35	
2025	3	9	23	11	26	0.725	-0.095	3.524	0.016	0.013	0	36.5	30.1	74	120	104	0	35	34	35	
2025	3	9	23	21	26	0.656	-0.115	3.524	0.01	0.007	0	37	30.1	75.3	121	104	0	35	34	35	
2025	3	9	23	31	26	0.725	-0.095	3.524	0.01	0.007	0	36.1	29.7	75.7	120	104	0	36	35	35	
2025	3	9	23	41	26	0.712	-0.098	3.524	0.016	0.013	0	36.1	30.1	75.3	120	104	0	36	34	35	
2025	3	9	23	51	26	0.669	-0.098	3.524	0.013	0.01	0	36.5	29.7	76.1	120	104	0	35	35	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	10	0	1	26	0.696	-0.115	3.524	0.013	0.01	0	36.1	29.7	75.7	120	103	0	36	34	35
2025	3	10	0	11	26	0.702	-0.118	3.524	0.01	0.007	0	36.5	30.1	76.1	121	104	0	36	34	35
2025	3	10	0	21	26	0.689	-0.082	3.524	0.013	0.01	0	37	29.7	75.7	121	104	0	35	35	34
2025	3	10	0	31	26	0.712	-0.128	3.524	0.016	0.013	0	36.1	30.1	76.1	120	104	0	36	34	35
2025	3	10	0	41	26	0.679	-0.112	3.524	0.016	0.016	0	36.5	30.1	75.7	121	104	0	36	34	35
2025	3	10	0	51	26	0.712	-0.095	3.524	0.016	0.013	0	36.5	30.1	76.5	120	104	0	35	34	35
2025	3	10	1	1	26	0.653	-0.092	3.524	0.01	0.007	0	36.5	29.7	76.5	120	103	0	35	34	35
2025	3	10	1	11	26	0.643	-0.075	3.524	0.013	0.01	0	36.5	29.7	76.5	120	103	0	35	34	35
2025	3	10	1	21	26	0.696	-0.095	3.524	0.013	0.01	0	35.7	29.7	77	119	103	0	36	34	34
2025	3	10	1	31	26	0.702	-0.138	3.524	0.013	0.01	0	36.1	29.2	76.5	120	103	0	36	35	35
2025	3	10	1	41	26	0.689	-0.105	3.524	0.01	0.007	0	36.1	29.7	77	120	103	0	36	34	35
2025	3	10	1	51	26	0.663	-0.069	3.524	0.016	0.013	0	36.5	29.7	77	120	103	0	35	34	35
2025	3	10	2	1	26	0.686	-0.102	3.524	0.013	0.01	0	36.1	29.7	77.4	120	103	0	36	34	35
2025	3	10	2	11	26	0.653	-0.108	3.524	0.01	0.007	0	36.1	29.7	77.8	120	103	0	36	34	35
2025	3	10	2	21	26	0.699	-0.105	3.524	0.013	0.01	0	35.7	28.8	77.8	119	102	0	36	35	35
2025	3	10	2	31	26	0.64	-0.098	3.52	0.01	0.007	0	36.1	29.7	77.4	119	103	0	35	34	35
2025	3	10	2	41	26	0.719	-0.082	3.524	0.013	0.01	0	36.1	29.2	77.8	119	103	0	35	35	35
2025	3	10	2	51	26	0.748	-0.092	3.524	0.01	0.007	0	35.7	29.7	78.3	119	102	0	36	33	35
2025	3	10	3	1	26	0.679	-0.102	3.52	0.013	0.01	0	36.1	29.7	77.8	119	103	0	35	34	35
2025	3	10	3	11	26	0.712	-0.082	3.524	0.01	0.007	0	36.1	29.2	78.7	119	102	0	35	34	35
2025	3	10	3	21	26	0.719	-0.062	3.524	0.01	0.007	0	35.7	28.8	77.8	119	102	0	36	35	35
2025	3	10	3	31	26	0.673	-0.056	3.52	0.016	0.013	0	35.7	28.8	77.8	119	102	0	36	35	35
2025	3	10	3	41	26	0.673	-0.052	3.52	0.01	0.007	0	36.1	28.8	77.8	119	102	0	35	35	35
2025	3	10	3	51	26	0.686	-0.075	3.52	0.016	0.013	0	35.7	28.8	78.3	119	102	0	36	35	35
2025	3	10	4	1	26	0.715	-0.072	3.52	0.01	0.007	0	35.7	29.2	78.7	119	102	0	36	34	35
2025	3	10	4	11	26	0.689	-0.085	3.524	0.013	0.01	0	36.1	29.2	78.7	119	102	0	35	34	35
2025	3	10	4	21	26	0.725	-0.082	3.524	0.013	0.01	0	36.1	28.8	78.3	119	102	0	35	35	35
2025	3	10	4	31	26	0.673	-0.105	3.52	0.01	0.007	0	36.1	29.7	78.3	119	103	0	35	34	35
2025	3	10	4	41	26	0.643	-0.085	3.52	0.013	0.01	0	35.7	28.8	77.8	118	102	0	35	35	35
2025	3	10	4	51	26	0.676	-0.115	3.524	0.01	0.007	0	36.1	29.2	77.8	119	102	0	35	34	36
2025	3	10	5	1	26	0.692	-0.082	3.52	0.01	0.007	0	35.3	29.2	78.3	118	102	0	36	34	35
2025	3	10	5	11	26	0.725	-0.095	3.52	0.013	0.01	0	35.7	29.2	78.3	118	102	0	35	34	35
2025	3	10	5	21	26	0.712	-0.095	3.524	0.013	0.01	0	35.3	29.2	78.3	118	102	0	36	34	35
2025	3	10	5	31	26	0.705	-0.095	3.524	0.013	0.01	0	36.1	29.2	78.3	119	102	0	35	34	35
2025	3	10	5	41	26	0.673	-0.082	3.524	0.01	0.007	0	35.3	28.8	77.4	118	101	0	36	34	35
2025	3	10	5	51	26	0.676	-0.098	3.524	0.013	0.01	0	36.1	29.7	78.3	120	103	0	36	34	35
2025	3	10	6	1	26	0.702	-0.089	3.52	0.013	0.01	0	38.3	31	74	124	107	0	35	35	35
2025	3	10	6	11	26	0.699	-0.131	3.524	0.013	0.01	0	39.6	32.7	77.8	127	110	0	35	34	35
2025	3	10	6	21	26	0.696	-0.108	3.52	0.013	0.01	0	38.3	31.8	77.8	125	108	0	36	34	35
2025	3	10	6	31	26	0.689	-0.112	3.52	0.013	0.01	0	40.4	33.1	75.3	129	112	0	35	35	35
2025	3	10	6	41	26	0.659	-0.131	3.52	0.013	0.01	0	37.8	31	77.4	123	106	0	35	34	35
2025	3	10	6	51	26	0.722	-0.112	3.524	0.01	0.007	0	36.5	30.1	78.3	121	104	0	36	34	35
2025	3	10	7	1	26	0.715	-0.075	3.52	0.013	0.01	0	36.5	30.1	77.8	121	104	0	36	34	35
2025	3	10	7	11	26	0.676	-0.089	3.52	0.01	0.007	0	35.3	29.2	78.3	118	102	0	36	34	35
2025	3	10	7	21	26	0.686	-0.095	3.524	0.016	0.013	0	35.3	28.8	78.3	118	101	0	36	34	35
2025	3	10	7	31	26	0.705	-0.112	3.524	0.01	0.007	0	35.3	28.8	78.7	118	101	0	36	34	35
2025	3	10	7	41	26	0.673	-0.098	3.524	0.013	0.01	0	35.7	28.8	78.7	118	101	0	35	34	35
2025	3	10	7	51	26	0.696	-0.108	3.524	0.013	0.01	0	34.8	28.4	79.1	117	100	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	10	8	1	26	0.656	-0.121	3.524	0.016	0.016	0	34.4	28	78.7	116	100	0	36	35	35
2025	3	10	8	11	26	0.663	-0.125	3.524	0.01	0.007	0	34.4	27.5	79.1	116	99	0	36	35	35
2025	3	10	8	21	26	0.659	-0.121	3.524	0.01	0.007	0	34.4	27.5	78.3	116	99	0	36	35	36
2025	3	10	8	31	26	0.692	-0.105	3.524	0.016	0.013	0	34	27.5	78.7	115	99	0	36	35	35
2025	3	10	8	41	26	0.702	-0.092	3.524	0.013	0.01	0	34.4	28	79.1	115	99	0	35	34	35
2025	3	10	8	51	26	0.689	-0.085	3.524	0.013	0.01	0	35.7	29.2	79.1	118	102	0	35	34	35
2025	3	10	9	1	26	0.686	-0.112	3.524	0.01	0.007	0	36.5	30.1	78.3	121	105	0	36	35	35
2025	3	10	9	11	26	0.722	-0.102	3.524	0.01	0.007	0	35.7	29.2	78.3	119	103	0	36	35	35
2025	3	10	9	21	26	0.732	-0.092	3.524	0.013	0.01	0	37	31	77.8	122	106	0	36	34	35
2025	3	10	9	31	26	0.692	-0.115	3.524	0.01	0.007	0	37	30.5	77.4	122	106	0	36	35	35
2025	3	10	9	41	26	0.679	-0.095	3.524	0.013	0.01	0	37	31	77.4	122	106	0	36	34	35
2025	3	10	9	51	26	0.676	-0.095	3.524	0.016	0.013	0	37	30.5	75.7	122	105	0	36	34	35
2025	3	10	10	1	26	0.636	-0.098	3.524	0.01	0.007	0	36.1	29.2	76.5	119	103	0	35	35	34
2025	3	10	10	11	26	0.712	-0.095	3.524	0.016	0.013	0	37.4	31.4	77.4	123	107	0	36	34	35
2025	3	10	10	21	26	0.705	-0.089	3.524	0.013	0.01	0	38.7	31.8	75.3	125	109	0	35	35	35
2025	3	10	10	31	26	0.696	-0.095	3.524	0.01	0.007	0	36.5	30.1	77	120	104	0	35	34	35
2025	3	10	10	41	26	0.715	-0.121	3.52	0.013	0.01	0	34.4	28.4	61.1	116	100	0	36	34	35
2025	3	10	10	51	26	0.669	-0.112	3.517	0.013	0.01	0	35.7	29.2	47.7	118	102	0	35	34	35
2025	3	10	11	1	26	0.666	-0.125	3.524	0.016	0.016	0	36.1	29.7	75.7	119	103	0	35	34	34
2025	3	10	11	11	26	0.692	-0.128	3.527	0.013	0.01	0	35.3	28.8	77	117	101	0	35	34	35
2025	3	10	11	21	26	0.709	-0.157	3.527	0.013	0.01	0	35.3	28.8	73.1	118	102	0	36	35	35
2025	3	10	11	31	26	0.689	-0.141	3.527	0.01	0.007	0	37	31	75.7	122	106	0	36	34	35
2025	3	10	11	41	26	0.673	-0.141	3.527	0.01	0.007	0	39.1	32.3	75.7	126	109	0	35	34	35
2025	3	10	11	51	26	0.686	-0.128	3.527	0.01	0.007	0	35.7	28.8	76.1	118	101	0	35	34	35
2025	3	10	12	1	26	0.663	-0.115	3.527	0.01	0.007	0	35.7	29.2	76.5	118	102	0	35	34	35
2025	3	10	12	11	26	0.709	-0.102	3.527	0.016	0.013	0	34.8	29.2	71	117	102	0	36	34	35
2025	3	10	12	21	26	0.709	-0.092	3.524	0.01	0.007	0	35.7	29.7	59.3	119	103	0	36	34	35
2025	3	10	12	31	26	0.702	-0.082	3.527	0.01	0.007	0	35.3	29.2	76.1	118	102	0	36	34	35
2025	3	10	12	41	26	0.702	-0.085	3.52	0.013	0.01	0	34.4	28.4	47.7	116	100	0	36	34	35
2025	3	10	12	51	26	0.676	-0.075	3.524	0.01	0.007	0	35.3	28.8	47.7	117	101	0	35	34	35
2025	3	10	13	1	26	0.673	-0.085	3.524	0.01	0.007	0	34.8	28.8	46	117	101	0	36	34	35
2025	3	10	13	11	26	0.653	-0.098	3.52	0.016	0.013	0	35.7	28.8	48.6	118	102	0	35	35	35
2025	3	10	13	21	26	0.646	-0.102	3.524	0.01	0.007	0	35.3	29.2	47.7	117	102	0	35	34	35
2025	3	10	13	31	26	0.65	-0.098	3.524	0.013	0.01	0	35.3	29.2	46	118	102	0	36	34	35
2025	3	10	13	41	26	0.64	-0.066	3.524	0.013	0.01	0	34.8	28.8	46	117	101	0	36	34	35
2025	3	10	13	51	26	0.682	-0.082	3.524	0.013	0.01	0	34.8	28.8	49	116	100	0	35	33	35
2025	3	10	14	1	26	0.663	-0.092	3.524	0.01	0.007	0	35.3	28.8	48.6	117	101	0	35	34	35
2025	3	10	14	11	26	0.673	-0.082	3.52	0.013	0.01	0	34.8	28.4	47.3	116	100	0	35	34	34
2025	3	10	14	21	26	0.666	-0.112	3.524	0.013	0.01	0	34.8	28.8	48.6	117	101	0	36	34	35
2025	3	10	14	31	26	0.65	-0.085	3.524	0.01	0.007	0	35.3	28.4	45.6	117	100	0	35	34	35
2025	3	10	14	41	26	0.656	-0.082	3.524	0.016	0.013	0	34.8	28.4	47.3	116	100	0	35	34	35
2025	3	10	14	51	26	0.676	-0.112	3.524	0.01	0.007	0	34.4	28	47.7	116	99	0	36	34	35
2025	3	10	15	1	26	0.686	-0.072	3.52	0.013	0.01	0	34.4	27.1	47.7	115	98	0	35	35	35
2025	3	10	15	11	26	0.666	-0.069	3.524	0.013	0.01	0	35.7	28.8	45.6	118	101	0	35	34	34
2025	3	10	15	21	26	0.653	-0.066	3.52	0.01	0.007	0	34.8	28.4	46	116	100	0	35	34	34
2025	3	10	15	31	26	0.65	-0.102	3.524	0.01	0.007	0	35.7	28.8	47.7	118	101	0	35	34	35
2025	3	10	15	41	26	0.666	-0.075	3.524	0.016	0.013	0	35.7	29.2	48.2	118	102	0	35	34	35
2025	3	10	15	51	26	0.682	-0.098	3.524	0.016	0.016	0	35.3	29.2	46	118	102	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	10	16	1	26	0.686	-0.128	3.52	0.016	0.013	0	35.7	29.2	47.3	118	102	0	35	34	35
2025	3	10	16	11	26	0.673	-0.135	3.52	0.01	0.007	0	34.8	28.4	58.9	117	100	0	36	34	34
2025	3	10	16	21	26	0.673	-0.098	3.52	0.01	0.007	0	36.5	28.8	45.6	120	102	0	35	35	35
2025	3	10	16	31	26	0.669	-0.121	3.52	0.013	0.01	0	35.3	28	48.2	116	99	0	34	34	35
2025	3	10	16	41	26	0.715	-0.092	3.52	0.013	0.01	0	34.8	28	62.4	116	99	0	35	34	35
2025	3	10	16	51	26	0.656	-0.082	3.517	0.013	0.01	0	34.4	27.5	58.5	115	98	0	35	34	35
2025	3	10	17	1	26	0.666	-0.105	3.517	0.016	0.013	0	34.8	27.5	58.9	116	98	0	35	34	34
2025	3	10	17	11	26	0.682	-0.069	3.517	0.016	0.013	0	34.8	28	58	116	99	0	35	34	34
2025	3	10	17	21	26	0.696	-0.098	3.52	0.016	0.013	0	34	27.1	76.1	114	97	0	35	34	35
2025	3	10	17	31	26	0.676	-0.121	3.52	0.016	0.013	0	34	27.1	75.7	114	97	0	35	34	35
2025	3	10	17	41	26	0.682	-0.072	3.52	0.013	0.01	0	34.8	28	76.5	116	99	0	35	34	34
2025	3	10	17	51	26	0.705	-0.098	3.52	0.01	0.007	0	34.4	28.4	76.1	116	100	0	36	34	35
2025	3	10	18	1	26	0.643	-0.062	3.52	0.013	0.01	0	35.3	28.4	73.5	117	100	0	35	34	35
2025	3	10	18	11	26	0.669	-0.089	3.517	0.01	0.007	0	35.3	28	58	117	100	0	35	35	35
2025	3	10	18	21	26	0.696	-0.092	3.517	0.013	0.01	0	35.3	28.4	51.6	117	100	0	35	34	35
2025	3	10	18	31	26	0.705	-0.085	3.517	0.01	0.007	0	35.3	28.8	69.2	117	101	0	35	34	34
2025	3	10	18	41	26	0.699	-0.118	3.517	0.01	0.007	0	36.1	29.2	75.3	118	101	0	34	33	34
2025	3	10	18	51	26	0.669	-0.095	3.52	0.013	0.01	0	35.3	29.2	76.5	118	102	0	36	34	34
2025	3	10	19	1	26	0.712	-0.079	3.52	0.01	0.007	0	36.1	29.2	76.5	119	102	0	35	34	35
2025	3	10	19	11	26	0.696	-0.092	3.517	0.013	0.01	0	36.1	29.2	76.5	119	102	0	35	34	35
2025	3	10	19	21	26	0.666	-0.069	3.517	0.01	0.007	0	36.1	29.7	76.1	119	102	0	35	33	35
2025	3	10	19	31	26	0.696	-0.082	3.517	0.01	0.007	0	36.1	29.7	76.1	119	103	0	35	34	35
2025	3	10	19	41	26	0.682	-0.082	3.517	0.013	0.01	0	36.1	29.2	76.5	119	102	0	35	34	34
2025	3	10	19	51	26	0.696	-0.125	3.517	0.013	0.01	0	36.1	29.2	76.1	119	102	0	35	34	34
2025	3	10	20	1	26	0.692	-0.082	3.517	0.013	0.01	0	35.7	28.8	75.7	119	102	0	36	35	34
2025	3	10	20	11	26	0.65	-0.095	3.517	0.016	0.013	0	35.7	29.2	76.5	119	102	0	36	34	35
2025	3	10	20	21	26	0.653	-0.075	3.517	0.016	0.013	0	36.1	29.2	76.1	119	102	0	35	34	34
2025	3	10	20	31	26	0.696	-0.072	3.517	0.013	0.01	0	35.7	29.2	75.7	119	102	0	36	34	35
2025	3	10	20	41	26	0.669	-0.079	3.517	0.013	0.01	0	36.1	29.2	75.3	119	102	0	35	34	35
2025	3	10	20	51	26	0.689	-0.102	3.517	0.013	0.01	0	35.7	29.2	76.5	118	102	0	35	34	34
2025	3	10	21	1	26	0.64	-0.112	3.517	0.01	0.007	0	35.7	29.2	76.1	118	102	0	35	34	34
2025	3	10	21	11	26	0.666	-0.066	3.517	0.01	0.007	0	36.1	29.2	65.4	119	102	0	35	34	35
2025	3	10	21	21	26	0.65	-0.098	3.517	0.013	0.01	0	36.1	29.7	76.1	120	103	0	36	34	35
2025	3	10	21	31	26	0.702	-0.095	3.517	0.01	0.007	0	35.7	29.7	75.3	119	103	0	36	34	35
2025	3	10	21	41	26	0.719	-0.095	3.517	0.016	0.013	0	35.7	29.7	75.7	119	103	0	36	34	35
2025	3	10	21	51	26	0.692	-0.095	3.517	0.01	0.007	0	36.1	29.2	75.3	119	102	0	35	34	35
2025	3	10	22	1	26	0.676	-0.089	3.517	0.01	0.007	0	36.1	29.7	75.3	119	103	0	35	34	35
2025	3	10	22	11	26	0.679	-0.069	3.517	0.016	0.016	0	36.1	29.7	75.7	119	103	0	35	34	34
2025	3	10	22	21	26	0.676	-0.095	3.517	0.013	0.01	0	36.1	29.7	75.3	119	103	0	35	34	35
2025	3	10	22	31	26	0.689	-0.092	3.517	0.016	0.013	0	35.7	29.7	74.8	119	103	0	36	34	35
2025	3	10	22	41	26	0.702	-0.066	3.517	0.013	0.01	0	35.7	29.2	75.3	118	102	0	35	34	34
2025	3	10	22	51	26	0.673	-0.085	3.517	0.01	0.007	0	36.1	29.2	74.8	119	102	0	35	34	35
2025	3	10	23	1	26	0.682	-0.085	3.517	0.013	0.01	0	35.7	29.2	74.8	118	102	0	35	34	35
2025	3	10	23	11	26	0.673	-0.121	3.52	0.013	0.01	0	37.8	31	74	123	107	0	35	35	35
2025	3	10	23	21	26	0.669	-0.095	3.52	0.013	0.01	0	37.8	31	74.4	123	107	0	35	35	35
2025	3	10	23	31	26	0.686	-0.115	3.524	0.01	0.007	0	37.4	31.4	74.4	123	107	0	36	34	35
2025	3	10	23	41	26	0.679	-0.125	3.52	0.013	0.01	0	37.4	31	74.4	122	106	0	35	34	34
2025	3	10	23	51	26	0.682	-0.066	3.524	0.013	0.01	0	36.5	29.7	75.3	120	103	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	11	0	1	26	0.686	-0.092	3.524	0.013	0.01	0	36.1	29.2	74.8	119	102	0	35	34	35
2025	3	11	0	11	26	0.682	-0.095	3.524	0.01	0.007	0	35.7	29.2	74.8	119	102	0	36	34	35
2025	3	11	0	21	26	0.679	-0.072	3.524	0.013	0.01	0	36.1	29.2	75.3	119	102	0	35	34	35
2025	3	11	0	31	26	0.692	-0.082	3.52	0.016	0.013	0	35.7	29.2	64.5	118	102	0	35	34	34
2025	3	11	0	41	26	0.679	-0.098	3.524	0.016	0.013	0	35.7	29.2	75.3	118	102	0	35	34	36
2025	3	11	0	51	26	0.705	-0.079	3.524	0.013	0.01	0	35.7	28.8	77	119	102	0	36	35	35
2025	3	11	1	1	26	0.696	-0.092	3.524	0.013	0.01	0	35.3	28.8	77	118	101	0	36	34	34
2025	3	11	1	11	26	0.676	-0.085	3.524	0.01	0.007	0	35.3	28.4	77	118	101	0	36	35	35
2025	3	11	1	21	26	0.666	-0.082	3.527	0.013	0.01	0	35.3	28.8	75.3	118	101	0	36	34	36
2025	3	11	1	31	26	0.673	-0.095	3.524	0.013	0.01	0	35.3	29.2	77.8	118	102	0	36	34	35
2025	3	11	1	41	26	0.705	-0.069	3.524	0.013	0.01	0	35.3	29.2	77	118	102	0	36	34	36
2025	3	11	1	51	26	0.682	-0.092	3.524	0.013	0.01	0	35.7	29.2	69.7	118	102	0	35	34	35
2025	3	11	2	1	26	0.663	-0.079	3.524	0.013	0.01	0	35.7	28.4	77.8	118	101	0	35	35	35
2025	3	11	2	11	26	0.673	-0.089	3.527	0.013	0.01	0	35.7	29.7	76.5	119	103	0	36	34	36
2025	3	11	2	21	26	0.702	-0.092	3.527	0.013	0.01	0	35.7	29.2	77.8	119	102	0	36	34	35
2025	3	11	2	31	26	0.712	-0.102	3.527	0.016	0.013	0	35.3	28.8	77.4	117	101	0	35	34	35
2025	3	11	2	41	26	0.705	-0.135	3.527	0.01	0.007	0	35.3	28.4	78.3	117	100	0	35	34	35
2025	3	11	2	51	26	0.705	-0.092	3.527	0.016	0.013	0	35.3	28.8	78.3	117	101	0	35	34	35
2025	3	11	3	1	26	0.692	-0.128	3.524	0.01	0.007	0	35.3	28.8	77.4	118	101	0	36	34	35
2025	3	11	3	11	26	0.646	-0.125	3.527	0.01	0.007	0	34.8	28.4	77.8	116	100	0	35	34	35
2025	3	11	3	21	26	0.715	-0.098	3.527	0.01	0.007	0	35.3	28.4	78.3	117	101	0	35	35	35
2025	3	11	3	31	26	0.696	-0.085	3.527	0.01	0.007	0	34.4	28.4	78.3	116	100	0	36	34	35
2025	3	11	3	41	26	0.689	-0.108	3.527	0.01	0.007	0	34.4	28	78.7	116	99	0	36	34	35
2025	3	11	3	51	26	0.663	-0.112	3.527	0.01	0.007	0	34.8	28.8	78.7	117	101	0	36	34	35
2025	3	11	4	1	26	0.715	-0.072	3.527	0.016	0.013	0	35.7	29.7	74.4	119	103	0	36	34	35
2025	3	11	4	11	26	0.692	-0.092	3.527	0.01	0.007	0	34.8	28.8	78.7	117	101	0	36	34	35
2025	3	11	4	21	26	0.692	-0.092	3.527	0.01	0.007	0	34.8	28.4	79.1	116	100	0	35	34	34
2025	3	11	4	31	26	0.715	-0.089	3.527	0.016	0.013	0	34.8	28.4	78.7	116	100	0	35	34	34
2025	3	11	4	41	26	0.679	-0.072	3.524	0.016	0.013	0	35.3	28.4	78.3	117	100	0	35	34	35
2025	3	11	4	51	26	0.692	-0.082	3.527	0.013	0.01	0	34	28	77.8	115	99	0	36	34	36
2025	3	11	5	1	26	0.702	-0.121	3.527	0.013	0.01	0	34.4	28	78.3	116	99	0	36	34	35
2025	3	11	5	11	26	0.719	-0.131	3.524	0.01	0.007	0	34.4	27.5	77.8	116	99	0	36	35	35
2025	3	11	5	21	26	0.666	-0.069	3.524	0.016	0.013	0	34.8	28	77.8	116	100	0	35	35	35
2025	3	11	5	31	26	0.705	-0.105	3.524	0.013	0.01	0	34.8	28.4	78.7	117	100	0	36	34	35
2025	3	11	5	41	26	0.692	-0.092	3.527	0.013	0.01	0	34.8	28	78.3	116	99	0	35	34	35
2025	3	11	5	51	26	0.656	-0.098	3.524	0.013	0.01	0	35.3	28.4	78.3	117	100	0	35	34	35
2025	3	11	6	1	26	0.666	-0.108	3.527	0.013	0.01	0	34.8	28.8	77.8	117	101	0	36	34	35
2025	3	11	6	11	26	0.722	-0.069	3.524	0.013	0.01	0	35.3	28.8	77.8	118	101	0	36	34	35
2025	3	11	6	21	26	0.643	-0.108	3.524	0.013	0.01	0	36.1	29.7	77.4	120	103	0	36	34	35
2025	3	11	6	31	26	0.682	-0.112	3.524	0.01	0.007	0	38.3	31.8	76.5	125	108	0	36	34	35
2025	3	11	6	41	26	0.679	-0.102	3.524	0.013	0.01	0	36.5	30.5	77	121	105	0	36	34	36
2025	3	11	6	51	26	0.673	-0.105	3.527	0.016	0.013	0	37.4	30.5	77	122	106	0	35	35	35
2025	3	11	7	1	26	0.692	-0.115	3.524	0.01	0.007	0	39.1	32.3	77.8	126	109	0	35	34	34
2025	3	11	7	11	26	0.679	-0.069	3.527	0.016	0.013	0	37	30.1	77.8	122	105	0	36	35	35
2025	3	11	7	21	26	0.673	-0.121	3.524	0.01	0.007	0	35.7	29.7	77.4	119	103	0	36	34	36
2025	3	11	7	31	26	0.689	-0.089	3.524	0.013	0.01	0	36.1	30.1	78.3	120	104	0	36	34	35
2025	3	11	7	41	26	0.659	-0.108	3.524	0.01	0.007	0	37.4	31.4	77	123	107	0	36	34	35
2025	3	11	7	51	26	0.666	-0.121	3.527	0.013	0.01	0	36.1	20.6	77.8	120	82	0	36	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	11	8	1	26	0.712	-0.102	3.527	0.016	0.016	0	37.4	21.5	77.8	122	84	0	35	34	35	
2025	3	11	8	11	26	0.692	-0.102	3.524	0.013	0.01	0	36.5	20.6	77.8	121	83	0	36	35	35	
2025	3	11	8	21	26	0.673	-0.095	3.527	0.013	0.01	0	34.8	19.8	77	117	81	0	36	35	35	
2025	3	11	8	31	26	0.719	-0.121	3.527	0.013	0.01	0	35.7	20.2	76.5	119	82	0	36	35	36	
2025	3	11	8	41	26	0.676	-0.135	3.527	0.013	0.01	0	35.7	21.1	69.2	119	83	0	36	34	35	
2025	3	11	8	51	26	0.692	-0.085	3.52	0.016	0.013	0	34.4	19.8	46.9	116	81	0	36	35	36	
2025	3	11	9	1	26	0.61	-0.079	3.517	0.016	0.013	0	34.8	21.1	46	117	83	0	36	34	35	
2025	3	11	9	11	26	0.653	-0.098	3.52	0.016	0.013	0	34.8	20.6	49	117	83	0	36	35	36	
2025	3	11	9	21	26	0.65	-0.092	3.52	0.016	0.013	0	34.4	20.6	48.2	116	82	0	36	34	35	
2025	3	11	9	31	26	0.64	-0.092	3.52	0.016	0.013	0	34.8	21.1	49	117	83	0	36	34	35	
2025	3	11	9	41	26	0.646	-0.062	3.52	0.016	0.013	0	36.1	21.9	47.7	120	85	0	36	34	35	
2025	3	11	9	51	26	0.656	-0.069	3.52	0.01	0.007	0	36.1	21.9	47.3	119	85	0	35	34	35	
2025	3	11	10	1	26	0.669	-0.115	3.517	0.01	0.007	0	35.3	21.5	46.9	118	84	0	36	34	35	
2025	3	11	10	11	26	0.636	-0.069	3.52	0.013	0.01	0	36.1	21.9	46	119	85	0	35	34	35	
2025	3	11	10	21	26	0.627	-0.089	3.517	0.016	0.013	0	36.5	21.9	44.7	121	86	0	36	35	35	
2025	3	11	10	31	26	0.676	-0.066	3.52	0.013	0.01	0	37.4	22.8	44.3	122	87	0	35	34	35	
2025	3	11	10	41	26	0.653	-0.052	3.517	0.013	0.01	0	36.5	22.4	44.7	120	87	0	35	35	35	
2025	3	11	10	51	26	0.633	-0.112	3.524	0.01	0.007	0	36.5	22.4	46	121	86	0	36	34	35	
2025	3	11	11	1	26	0.669	-0.089	3.52	0.016	0.013	0	35.7	22.4	46.9	119	86	0	36	34	35	
2025	3	11	11	11	26	0.659	-0.082	3.524	0.01	0.007	0	36.5	22.4	46.4	120	86	0	35	34	35	
2025	3	11	11	21	26	0.636	-0.056	3.524	0.013	0.01	0	35.7	21.5	45.6	118	84	0	35	34	35	
2025	3	11	11	31	26	0.689	-0.082	3.52	0.016	0.013	0	37.4	23.2	46	123	88	0	36	34	35	
2025	3	11	11	41	26	0.656	-0.092	3.524	0.016	0.013	0	36.5	22.4	46	120	86	0	35	34	35	
2025	3	11	11	51	26	0.676	-0.069	3.52	0.013	0.01	0	37	22.4	48.2	121	86	0	35	34	35	
2025	3	11	12	1	26	0.636	-0.079	3.52	0.013	0.01	0	36.5	22.8	45.6	121	88	0	36	35	35	
2025	3	11	12	11	26	0.653	-0.072	3.524	0.013	0.01	0	37	23.2	48.2	122	88	0	36	34	34	
2025	3	11	12	21	26	0.643	-0.089	3.524	0.013	0.01	0	35.7	21.9	44.3	118	85	0	35	34	35	
2025	3	11	12	31	26	0.643	-0.069	3.52	0.013	0.01	0	35.3	21.5	46.9	118	85	0	36	35	35	
2025	3	11	12	41	26	0.643	-0.052	3.524	0.016	0.013	0	35.7	21.9	46.9	118	85	0	35	34	35	
2025	3	11	12	51	26	0.653	-0.069	3.52	0.013	0.01	0	35.3	21.9	46	118	85	0	36	34	35	
2025	3	11	13	1	26	0.659	-0.105	3.52	0.016	0.013	0	36.5	22.8	43.9	120	87	0	35	34	35	
2025	3	11	13	11	26	0.646	-0.066	3.52	0.01	0.007	0	36.5	22.4	46	120	86	0	35	34	35	
2025	3	11	13	21	26	0.679	-0.079	3.524	0.016	0.013	0	36.1	21.9	48.2	118	85	0	34	34	34	
2025	3	11	13	31	26	0.646	-0.112	3.524	0.013	0.01	0	35.7	22.4	46	119	86	0	36	34	35	
2025	3	11	13	41	26	0.646	-0.092	3.524	0.013	0.01	0	35.7	21.9	46	118	85	0	35	34	35	
2025	3	11	13	51	26	0.659	-0.069	3.524	0.016	0.013	0	35.7	21.5	49	118	85	0	35	35	35	
2025	3	11	14	1	26	0.646	-0.059	3.524	0.013	0.01	0	35.3	22.8	46.4	118	86	0	36	33	35	
2025	3	11	14	11	26	0.62	-0.072	3.524	0.016	0.016	0	35.7	22.4	47.3	118	86	0	35	34	35	
2025	3	11	14	21	26	0.653	-0.089	3.527	0.013	0.01	0	35.7	22.4	47.3	119	86	0	36	34	35	
2025	3	11	14	31	26	0.627	-0.049	3.527	0.016	0.013	0	35.7	22.4	47.3	118	86	0	35	34	35	
2025	3	11	14	41	26	0.61	-0.072	3.527	0.013	0.01	0	35.7	22.4	45.2	118	86	0	35	34	35	
2025	3	11	14	51	26	0.666	-0.072	3.517	0.016	0.013	0	35.7	22.8	46.4	118	86	0	35	33	34	
2025	3	11	15	1	26	0.653	-0.075	3.527	0.016	0.016	0	36.1	22.8	46.9	120	87	0	36	34	35	
2025	3	11	15	11	26	0.597	-0.056	3.524	0.016	0.013	0	35.7	22.4	46.9	118	86	0	35	34	34	
2025	3	11	15	21	26	0.659	-0.069	3.52	0.016	0.013	0	35.7	22.4	46.9	118	86	0	35	34	35	
2025	3	11	15	31	26	0.61	-0.056	3.527	0.016	0.013	0	35.7	22.4	47.7	118	86	0	35	34	35	
2025	3	11	15	41	26	0.669	-0.066	3.52	0.016	0.013	0	35.7	21.9	48.6	118	85	0	35	34	35	
2025	3	11	15	51	26	0.636	-0.056	3.524	0.013	0.01	0	34.8	21.1	46.4	116	83	0	35	34	35	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	11	16	1	26	0.614	-0.072	3.52	0.016	0.016	0	35.3	21.5	44.7	117	84	0	35	34	35	
2025	3	11	16	11	26	0.676	-0.056	3.524	0.013	0.01	0	35.7	21.5	44.7	118	84	0	35	34	35	
2025	3	11	16	21	26	0.679	-0.092	3.524	0.01	0.007	0	35.3	21.1	46.9	117	83	0	35	34	35	
2025	3	11	16	31	26	0.65	-0.062	3.524	0.016	0.016	0	35.3	22.4	45.6	117	85	0	35	33	35	
2025	3	11	16	41	26	0.689	-0.098	3.524	0.013	0.01	0	35.3	22.4	46.9	117	86	0	35	34	34	
2025	3	11	16	51	26	0.699	-0.115	3.52	0.013	0.01	0	34.8	21.9	47.3	116	85	0	35	34	35	
2025	3	11	17	1	26	0.719	-0.095	3.52	0.016	0.013	0	34.4	21.5	46	115	84	0	35	34	35	
2025	3	11	17	11	26	0.643	-0.098	3.52	0.016	0.013	0	34.4	21.5	45.6	115	84	0	35	34	35	
2025	3	11	17	21	26	0.673	-0.082	3.524	0.013	0.01	0	34.8	21.9	46	116	85	0	35	34	34	
2025	3	11	17	31	26	0.64	-0.135	3.52	0.013	0.01	0	34.8	21.9	47.7	116	85	0	35	34	35	
2025	3	11	17	41	26	0.673	-0.148	3.517	0.016	0.013	0	34.8	21.9	45.6	116	85	0	35	34	35	
2025	3	11	17	51	26	0.696	-0.098	3.52	0.013	0.01	0	34.4	21.5	44.7	115	85	0	35	35	35	
2025	3	11	18	1	26	0.679	-0.102	3.52	0.01	0.007	0	35.3	21.9	46	117	85	0	35	34	35	
2025	3	11	18	11	26	0.699	-0.085	3.52	0.01	0.007	0	35.3	22.4	43.4	117	86	0	35	34	35	
2025	3	11	18	21	26	0.666	-0.112	3.517	0.013	0.01	0	34.8	22.4	43	117	86	0	36	34	35	
2025	3	11	18	31	26	0.728	-0.092	3.517	0.013	0.01	0	35.3	22.4	44.7	117	86	0	35	34	35	
2025	3	11	18	41	26	0.682	-0.112	3.517	0.013	0.01	0	35.7	23.2	46.9	118	87	0	35	33	34	
2025	3	11	18	51	26	0.643	-0.102	3.52	0.013	0.01	0	35.7	22.8	45.6	118	87	0	35	34	34	
2025	3	11	19	1	26	0.643	-0.115	3.52	0.013	0.01	0	35.7	22.4	45.6	118	87	0	35	35	34	
2025	3	11	19	11	26	0.656	-0.082	3.517	0.016	0.013	0	36.1	23.2	45.6	119	88	0	35	34	34	
2025	3	11	19	21	26	0.669	-0.079	3.517	0.016	0.013	0	35.3	23.2	44.7	118	88	0	36	34	35	
2025	3	11	19	31	26	0.692	-0.128	3.517	0.016	0.013	0	36.1	23.2	45.6	119	88	0	35	34	35	
2025	3	11	19	41	26	0.669	-0.079	3.517	0.013	0.01	0	36.1	23.2	45.6	119	88	0	35	34	35	
2025	3	11	19	51	26	0.673	-0.098	3.517	0.016	0.013	0	36.1	23.2	46	119	88	0	35	34	35	
2025	3	11	20	1	26	0.686	-0.079	3.517	0.013	0.01	0	35.7	22.8	46.4	118	87	0	35	34	35	
2025	3	11	20	11	26	0.699	-0.112	3.517	0.013	0.01	0	35.3	22.8	45.2	118	87	0	36	34	35	
2025	3	11	20	21	26	0.689	-0.135	3.517	0.013	0.01	0	35.7	22.8	46.4	118	87	0	35	34	34	
2025	3	11	20	31	26	0.676	-0.089	3.514	0.013	0.01	0	35.7	23.2	43	118	88	0	35	34	35	
2025	3	11	20	41	26	0.673	-0.082	3.52	0.016	0.016	0	35.7	22.8	44.3	118	87	0	35	34	35	
2025	3	11	20	51	26	0.669	-0.072	3.517	0.01	0.007	0	35.7	22.8	44.7	118	87	0	35	34	35	
2025	3	11	21	1	26	0.673	-0.075	3.517	0.013	0.01	0	36.1	23.6	46.4	119	89	0	35	34	35	
2025	3	11	21	11	26	0.696	-0.118	3.517	0.016	0.013	0	35.7	24.1	46	119	90	0	36	34	34	
2025	3	11	21	21	26	0.669	-0.069	3.517	0.013	0.01	0	36.1	23.6	46	119	89	0	35	34	35	
2025	3	11	21	31	26	0.682	-0.115	3.517	0.013	0.01	0	36.1	23.6	46.9	119	89	0	35	34	35	
2025	3	11	21	41	26	0.699	-0.098	3.517	0.01	0.007	0	35.7	22.8	46	118	88	0	35	35	35	
2025	3	11	21	51	26	0.663	-0.112	3.514	0.013	0.01	0	35.7	23.2	51.6	118	88	0	35	34	34	
2025	3	11	22	1	26	0.679	-0.102	3.514	0.013	0.01	0	35.7	23.2	48.6	118	88	0	35	34	35	
2025	3	11	22	11	26	0.702	-0.121	3.514	0.016	0.016	0	35.3	23.2	51.6	118	88	0	36	34	35	
2025	3	11	22	21	26	0.699	-0.082	3.514	0.013	0.01	0	35.7	23.2	51.6	118	88	0	35	34	35	
2025	3	11	22	31	26	0.689	-0.098	3.517	0.016	0.013	0	35.7	23.2	74.8	118	88	0	35	34	34	
2025	3	11	22	41	26	0.692	-0.118	3.517	0.016	0.013	0	35.3	23.2	70.5	117	88	0	35	34	35	
2025	3	11	22	51	26	0.709	-0.128	3.517	0.013	0.01	0	35.7	23.6	68.8	118	89	0	35	34	35	
2025	3	11	23	1	26	0.719	-0.082	3.517	0.016	0.013	0	35.7	23.2	74.8	118	88	0	35	34	35	
2025	3	11	23	11	26	0.705	-0.115	3.517	0.016	0.013	0	36.1	24.5	74	120	90	0	36	33	35	
2025	3	11	23	21	26	0.699	-0.092	3.517	0.013	0.01	0	36.1	23.2	73.5	119	89	0	35	35	35	
2025	3	11	23	31	26	0.705	-0.112	3.517	0.013	0.01	0	35.3	22.8	74	118	88	0	36	35	35	
2025	3	11	23	41	26	0.689	-0.125	3.517	0.016	0.013	0	35.7	23.2	74.8	118	88	0	35	34	34	
2025	3	11	23	51	26	0.709	-0.118	3.517	0.01	0.007	0	36.1	23.6	74.4	119	89	0	35	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	12	0	1	26	0.692	-0.118	3.517	0.016	0.016	0	35.7	23.6	74.4	118	89	0	35	34	34
2025	3	12	0	11	26	0.679	-0.079	3.52	0.02	0.016	0	36.1	23.6	74.4	119	89	0	35	34	35
2025	3	12	0	21	26	0.673	-0.112	3.52	0.016	0.013	0	36.5	24.1	74.4	120	90	0	35	34	34
2025	3	12	0	31	26	0.682	-0.125	3.52	0.01	0.007	0	36.1	24.1	74	119	90	0	35	34	35
2025	3	12	0	41	26	0.705	-0.115	3.52	0.013	0.01	0	37	25.4	69.7	122	93	0	36	34	35
2025	3	12	0	51	26	0.659	-0.082	3.524	0.013	0.01	0	36.1	24.5	74.8	119	91	0	35	34	35
2025	3	12	1	1	26	0.715	-0.098	3.527	0.013	0.01	0	37.4	25.4	74.8	122	93	0	35	34	35
2025	3	12	1	11	26	0.719	-0.154	3.527	0.013	0.01	0	35.7	24.1	75.3	118	90	0	35	34	34
2025	3	12	1	21	26	0.682	-0.102	3.527	0.01	0.007	0	35.7	24.1	75.3	118	90	0	35	34	35
2025	3	12	1	31	26	0.715	-0.138	3.527	0.013	0.01	0	35.7	23.6	75.3	118	90	0	35	35	35
2025	3	12	1	41	26	0.686	-0.131	3.527	0.016	0.013	0	35.7	28.8	75.3	118	101	0	35	34	35
2025	3	12	1	51	26	0.656	-0.112	3.527	0.01	0.007	0	36.1	29.2	75.7	119	102	0	35	34	35
2025	3	12	2	1	26	0.686	-0.125	3.527	0.01	0.007	0	35.3	28.8	76.5	117	101	0	35	34	35
2025	3	12	2	11	26	0.699	-0.098	3.527	0.01	0.007	0	35.7	28.8	76.1	118	101	0	35	34	35
2025	3	12	2	21	26	0.705	-0.098	3.527	0.01	0.007	0	34.8	28.4	76.5	117	101	0	36	35	35
2025	3	12	2	31	26	0.656	-0.112	3.527	0.01	0.007	0	35.7	28.8	76.1	118	101	0	35	34	35
2025	3	12	2	41	26	0.679	-0.112	3.527	0.013	0.01	0	35.3	29.2	77	118	102	0	36	34	35
2025	3	12	2	51	26	0.692	-0.102	3.527	0.01	0.007	0	35.3	28.8	76.1	117	101	0	35	34	35
2025	3	12	3	1	26	0.705	-0.115	3.527	0.013	0.01	0	35.3	28.8	77	117	101	0	35	34	35
2025	3	12	3	11	26	0.659	-0.102	3.527	0.013	0.01	0	35.3	28.4	77	117	101	0	35	35	35
2025	3	12	3	21	26	0.682	-0.112	3.527	0.016	0.013	0	35.3	28	76.5	117	100	0	35	35	35
2025	3	12	3	31	26	0.715	-0.131	3.527	0.01	0.007	0	35.3	28.4	77	117	100	0	35	34	35
2025	3	12	3	41	26	0.669	-0.108	3.527	0.01	0.007	0	35.3	28	77.4	117	100	0	35	35	35
2025	3	12	3	51	26	0.705	-0.121	3.53	0.016	0.016	0	35.3	28.4	77.4	117	100	0	35	34	35
2025	3	12	4	1	26	0.673	-0.112	3.527	0.013	0.01	0	35.3	28.4	77	117	100	0	35	34	35
2025	3	12	4	11	26	0.702	-0.092	3.527	0.013	0.01	0	34.8	28.8	77	117	100	0	36	33	35
2025	3	12	4	21	26	0.689	-0.105	3.527	0.013	0.01	0	34.8	28	76.5	117	100	0	36	35	35
2025	3	12	4	31	26	0.646	-0.105	3.53	0.01	0.007	0	35.3	28.8	77.4	117	101	0	35	34	35
2025	3	12	4	41	26	0.663	-0.112	3.53	0.01	0.007	0	35.3	28.4	77	117	100	0	35	34	36
2025	3	12	4	51	26	0.682	-0.102	3.53	0.01	0.007	0	35.3	28.4	77.8	117	100	0	35	34	35
2025	3	12	5	1	26	0.692	-0.085	3.53	0.013	0.01	0	35.3	28.4	77.8	117	100	0	35	34	35
2025	3	12	5	11	26	0.682	-0.095	3.53	0.013	0.01	0	34.8	28.4	77.8	117	100	0	36	34	35
2025	3	12	5	21	26	0.663	-0.098	3.53	0.01	0.007	0	35.3	28.4	77.8	117	100	0	35	34	35
2025	3	12	5	31	26	0.646	-0.079	3.53	0.01	0.007	0	34.8	28.4	78.3	117	100	0	36	34	35
2025	3	12	5	41	26	0.725	-0.115	3.53	0.016	0.016	0	35.7	28.8	77.8	118	101	0	35	34	35
2025	3	12	5	51	26	0.696	-0.108	3.53	0.016	0.013	0	36.5	30.1	77.4	121	104	0	36	34	35
2025	3	12	6	1	26	0.682	-0.095	3.53	0.016	0.013	0	35.7	29.2	76.5	118	102	0	35	34	36
2025	3	12	6	11	26	0.696	-0.082	3.53	0.01	0.007	0	36.1	29.2	77.8	119	102	0	35	34	34
2025	3	12	6	21	26	0.722	-0.095	3.53	0.013	0.01	0	36.5	29.2	75.3	120	103	0	35	35	35
2025	3	12	6	31	26	0.666	-0.108	3.53	0.01	0.007	0	35.7	28.8	74.8	118	101	0	35	34	36
2025	3	12	6	41	26	0.686	-0.082	3.53	0.01	0.007	0	36.5	30.1	77.8	121	104	0	36	34	35
2025	3	12	6	51	26	0.663	-0.095	3.53	0.013	0.01	0	37	30.1	77.4	121	104	0	35	34	35
2025	3	12	7	1	26	0.696	-0.121	3.53	0.013	0.01	0	35.3	28.4	74.8	118	101	0	36	35	35
2025	3	12	7	11	26	0.699	-0.089	3.53	0.016	0.013	0	36.5	28.8	77.4	120	101	0	35	34	34
2025	3	12	7	21	26	0.689	-0.089	3.527	0.01	0.007	0	35.7	28.4	76.5	119	100	0	36	34	35
2025	3	12	7	31	26	0.676	-0.092	3.53	0.01	0.007	0	37.8	30.5	77.4	124	105	0	36	34	35
2025	3	12	7	41	26	0.676	-0.085	3.53	0.016	0.013	0	36.5	28.8	77.4	120	101	0	35	34	35
2025	3	12	7	51	26	0.663	-0.105	3.53	0.01	0.007	0	37	28.8	75.3	121	101	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	12	8	1	26	0.709	-0.082	3.53	0.01	0.007	0	36.1	28	73.5	119	99	0	35	34	35
2025	3	12	8	11	26	0.673	-0.121	3.53	0.01	0.007	0	34.8	27.1	75.7	116	97	0	35	34	35
2025	3	12	8	21	26	0.682	-0.092	3.53	0.01	0.007	0	35.7	28	77.4	118	99	0	35	34	35
2025	3	12	8	31	26	0.696	-0.095	3.53	0.01	0.007	0	34	27.1	77	115	97	0	36	34	34
2025	3	12	8	41	26	0.719	-0.075	3.53	0.01	0.007	0	34.4	26.7	52.9	115	96	0	35	34	35
2025	3	12	8	51	26	0.696	-0.098	3.53	0.01	0.007	0	34.4	27.5	50.7	116	98	0	36	34	35
2025	3	12	9	1	26	0.666	-0.112	3.53	0.01	0.007	0	35.3	28	56.8	118	99	0	36	34	35
2025	3	12	9	11	26	0.633	-0.085	3.53	0.013	0.01	0	35.7	28.4	49	118	101	0	35	35	35
2025	3	12	9	21	26	0.65	-0.069	3.527	0.016	0.013	0	36.5	29.2	46.4	120	103	0	35	35	35
2025	3	12	9	31	26	0.679	-0.082	3.527	0.013	0.01	0	36.1	29.2	46.9	120	103	0	36	35	35
2025	3	12	9	41	26	0.646	-0.089	3.527	0.01	0.007	0	36.5	29.7	43.9	120	103	0	35	34	35
2025	3	12	9	51	26	0.659	-0.095	3.527	0.013	0.01	0	36.1	28.8	47.7	119	101	0	35	34	35
2025	3	12	10	1	26	0.63	-0.072	3.527	0.013	0.01	0	35.7	28.4	46.9	119	101	0	36	35	35
2025	3	12	10	11	26	0.682	-0.075	3.53	0.016	0.013	0	36.5	29.7	45.6	120	103	0	35	34	35
2025	3	12	10	21	26	0.682	-0.108	3.527	0.013	0.01	0	36.1	29.2	46.4	120	102	0	36	34	35
2025	3	12	10	31	26	0.689	-0.105	3.53	0.016	0.013	0	36.5	29.7	46	121	103	0	36	34	34
2025	3	12	10	41	26	0.62	-0.062	3.527	0.013	0.01	0	36.5	29.7	46.9	121	103	0	36	34	35
2025	3	12	10	51	26	0.679	-0.079	3.527	0.01	0.007	0	37.4	30.5	44.7	122	105	0	35	34	35
2025	3	12	11	1	26	0.679	-0.062	3.533	0.016	0.013	0	37.8	31	46.4	124	107	0	36	35	35
2025	3	12	11	11	26	0.656	-0.069	3.53	0.016	0.013	0	39.6	31.8	46	127	109	0	35	35	35
2025	3	12	11	21	26	0.673	-0.039	3.533	0.01	0.007	0	40.9	33.5	45.2	130	112	0	35	34	35
2025	3	12	11	31	26	0.689	-0.059	3.533	0.016	0.016	0	40.9	34	46.4	130	113	0	35	34	35
2025	3	12	11	41	26	0.673	-0.056	3.533	0.013	0.01	0	40.9	33.5	45.6	130	113	0	35	35	35
2025	3	12	11	51	26	0.659	-0.069	3.53	0.01	0.007	0	41.3	34	45.6	131	113	0	35	34	35
2025	3	12	12	1	26	0.653	-0.059	3.53	0.016	0.013	0	42.6	35.7	45.2	134	117	0	35	34	35
2025	3	12	12	11	26	0.682	-0.049	3.53	0.01	0.007	0	42.1	34.8	43.9	133	116	0	35	35	35
2025	3	12	12	21	26	0.663	-0.075	3.533	0.013	0.01	0	41.3	34.4	45.6	131	114	0	35	34	34
2025	3	12	12	31	26	0.633	-0.072	3.533	0.01	0.007	0	41.7	34.8	45.6	132	114	0	35	33	35
2025	3	12	12	41	26	0.686	-0.105	3.53	0.01	0.007	0	41.7	34.4	44.3	131	114	0	34	34	35
2025	3	12	12	51	26	0.669	-0.075	3.527	0.013	0.01	0	41.3	34.4	46.9	131	114	0	35	34	35
2025	3	12	13	1	26	0.64	-0.075	3.537	0.013	0.01	0	40.4	33.5	46	129	112	0	35	34	34
2025	3	12	13	11	26	0.663	-0.069	3.527	0.013	0.01	0	40.9	34	46.9	130	113	0	35	34	35
2025	3	12	13	21	26	0.682	-0.069	3.533	0.01	0.007	0	40.4	34	46.9	130	113	0	36	34	35
2025	3	12	13	31	26	0.686	-0.085	3.53	0.013	0.01	0	40.4	33.5	45.6	129	112	0	35	34	36
2025	3	12	13	41	26	0.659	-0.036	3.533	0.013	0.01	0	39.6	32.7	46.9	127	110	0	35	34	34
2025	3	12	13	51	26	0.719	-0.095	3.537	0.013	0.01	0	40.4	33.5	44.7	129	112	0	35	34	35
2025	3	12	14	1	26	0.646	-0.043	3.537	0.013	0.01	0	40	33.1	47.7	128	111	0	35	34	35
2025	3	12	14	11	26	0.666	-0.072	3.533	0.013	0.01	0	39.6	33.5	45.6	127	111	0	35	33	35
2025	3	12	14	21	26	0.673	-0.072	3.533	0.01	0.007	0	40	33.5	45.6	129	112	0	36	34	35
2025	3	12	14	31	26	0.656	-0.085	3.533	0.01	0.007	0	40	32.7	44.7	128	110	0	35	34	35
2025	3	12	14	41	26	0.659	-0.049	3.53	0.013	0.01	0	39.1	31.8	44.7	126	108	0	35	34	35
2025	3	12	14	51	26	0.623	-0.069	3.53	0.01	0.007	0	38.7	30.5	45.2	124	105	0	34	34	35
2025	3	12	15	1	26	0.686	-0.069	3.533	0.016	0.013	0	38.3	31	45.6	124	106	0	35	34	35
2025	3	12	15	11	26	0.65	-0.089	3.527	0.013	0.01	0	38.3	31.4	45.2	124	106	0	35	33	34
2025	3	12	15	21	26	0.679	-0.066	3.533	0.016	0.013	0	37.8	30.5	44.7	123	105	0	35	34	35
2025	3	12	15	31	26	0.679	-0.092	3.524	0.013	0.01	0	38.7	32.3	45.2	125	108	0	35	33	35
2025	3	12	15	41	26	0.653	-0.075	3.527	0.01	0.007	0	37.8	30.5	43.9	123	105	0	35	34	35
2025	3	12	15	51	26	0.646	-0.052	3.53	0.016	0.013	0	38.7	32.3	46	126	109	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	12	16	1	26	0.663	-0.085	3.533	0.01	0.007	0	39.1	31.4	46.4	126	107	0	35	34	35
2025	3	12	16	11	26	0.686	-0.072	3.53	0.01	0.007	0	39.1	32.3	48.6	126	109	0	35	34	34
2025	3	12	16	21	26	0.719	-0.082	3.524	0.013	0.01	0	38.3	31.8	44.7	125	107	0	36	33	35
2025	3	12	16	31	26	0.682	-0.089	3.527	0.013	0.01	0	39.1	31.8	43.9	126	108	0	35	34	35
2025	3	12	16	41	26	0.656	-0.062	3.527	0.01	0.007	0	38.7	31.4	46.9	125	107	0	35	34	35
2025	3	12	16	51	26	0.666	-0.079	3.53	0.016	0.016	0	37.8	30.5	46.9	124	105	0	36	34	34
2025	3	12	17	1	26	0.666	-0.072	3.524	0.016	0.016	0	37.4	30.5	45.6	123	105	0	36	34	35
2025	3	12	17	11	26	0.663	-0.098	3.53	0.013	0.01	0	37.8	31	47.7	123	106	0	35	34	34
2025	3	12	17	21	26	0.689	-0.069	3.53	0.01	0.007	0	37.4	30.5	44.7	122	104	0	35	33	34
2025	3	12	17	31	26	0.673	-0.056	3.524	0.01	0.007	0	36.5	29.7	46.9	121	103	0	36	34	34
2025	3	12	17	41	26	0.663	-0.085	3.527	0.01	0.007	0	37	29.7	45.2	121	103	0	35	34	35
2025	3	12	17	51	26	0.679	-0.059	3.524	0.01	0.007	0	37	29.7	43.4	121	103	0	35	34	35
2025	3	12	18	1	26	0.679	-0.085	3.527	0.016	0.013	0	37.4	29.7	44.7	122	103	0	35	34	35
2025	3	12	18	11	26	0.669	-0.082	3.52	0.01	0.007	0	37	30.1	47.3	122	104	0	36	34	34
2025	3	12	18	21	26	0.682	-0.089	3.524	0.013	0.01	0	37.8	30.5	46.4	123	105	0	35	34	34
2025	3	12	18	31	26	0.659	-0.075	3.53	0.01	0.007	0	37.8	30.1	45.2	123	104	0	35	34	35
2025	3	12	18	41	26	0.633	-0.043	3.52	0.01	0.007	0	37.8	30.5	44.3	123	105	0	35	34	35
2025	3	12	18	51	26	0.666	-0.085	3.524	0.01	0.007	0	37.8	30.5	46	123	105	0	35	34	34
2025	3	12	19	1	26	0.659	-0.036	3.524	0.013	0.01	0	38.3	31	45.2	124	106	0	35	34	35
2025	3	12	19	11	26	0.646	-0.085	3.527	0.013	0.01	0	38.7	31.4	44.7	125	107	0	35	34	35
2025	3	12	19	21	26	0.676	-0.062	3.517	0.013	0.01	0	38.7	31.8	44.3	125	108	0	35	34	35
2025	3	12	19	31	26	0.663	-0.072	3.524	0.013	0.01	0	39.1	31.8	45.2	126	108	0	35	34	35
2025	3	12	19	41	26	0.646	-0.059	3.52	0.016	0.013	0	39.1	31.4	44.3	126	108	0	35	35	34
2025	3	12	19	51	26	0.666	-0.052	3.51	0.013	0.01	0	39.1	31.8	45.6	126	108	0	35	34	34
2025	3	12	20	1	26	0.676	-0.062	3.527	0.016	0.013	0	40.4	32.7	43	129	110	0	35	34	35
2025	3	12	20	11	26	0.659	-0.066	3.524	0.013	0.01	0	40.9	34	46	131	113	0	36	34	34
2025	3	12	20	21	26	0.656	-0.062	3.52	0.01	0.007	0	41.3	34	45.2	131	113	0	35	34	35
2025	3	12	20	31	26	0.656	-0.082	3.52	0.01	0.007	0	41.7	34	45.2	132	114	0	35	35	34
2025	3	12	20	41	26	0.676	-0.069	3.524	0.013	0.01	0	42.6	35.3	45.2	134	116	0	35	34	34
2025	3	12	20	51	26	0.669	-0.072	3.52	0.01	0.007	0	43	35.3	42.6	135	116	0	35	34	35
2025	3	12	21	1	26	0.715	-0.089	3.517	0.01	0.007	0	42.6	34.8	44.7	134	115	0	35	34	35
2025	3	12	21	11	26	0.699	-0.085	3.517	0.01	0.007	0	42.1	34.8	45.2	133	115	0	35	34	35
2025	3	12	21	21	26	0.673	-0.059	3.514	0.01	0.007	0	42.1	34.8	41.7	133	115	0	35	34	35
2025	3	12	21	31	26	0.696	-0.075	3.517	0.016	0.013	0	41.3	33.5	44.3	131	113	0	35	35	35
2025	3	12	21	41	26	0.659	-0.069	3.517	0.013	0.01	0	40.9	33.5	44.3	130	112	0	35	34	34
2025	3	12	21	51	26	0.686	-0.082	3.514	0.013	0.01	0	41.3	34	44.7	131	113	0	35	34	34
2025	3	12	22	1	26	0.679	-0.082	3.52	0.01	0.007	0	41.3	33.5	44.7	131	112	0	35	34	35
2025	3	12	22	11	26	0.666	-0.069	3.524	0.016	0.013	0	40.9	33.5	45.2	130	112	0	35	34	34
2025	3	12	22	21	26	0.673	-0.125	3.514	0.013	0.01	0	41.3	33.5	43.4	131	112	0	35	34	35
2025	3	12	22	31	26	0.633	-0.098	3.52	0.01	0.007	0	40.9	33.1	44.7	130	111	0	35	34	34
2025	3	12	22	41	26	0.682	-0.089	3.524	0.013	0.01	0	40.4	33.1	45.6	129	110	0	35	33	35
2025	3	12	22	51	26	0.679	-0.082	3.517	0.013	0.01	0	40.9	33.1	42.6	130	111	0	35	34	35
2025	3	12	23	1	26	0.633	-0.089	3.517	0.013	0.01	0	40.9	33.1	44.3	130	111	0	35	34	35
2025	3	12	23	11	26	0.663	-0.075	3.514	0.01	0.007	0	40	32.3	43.4	128	109	0	35	34	35
2025	3	12	23	21	26	0.633	-0.072	3.514	0.016	0.013	0	40.9	33.5	42.6	130	112	0	35	34	35
2025	3	12	23	31	26	0.65	-0.072	3.517	0.013	0.01	0	40.4	33.1	43.9	129	111	0	35	34	35
2025	3	12	23	41	26	0.686	-0.062	3.52	0.013	0.01	0	38.3	31.8	44.7	125	108	0	36	34	34
2025	3	12	23	51	26	0.666	-0.085	3.517	0.013	0.01	0	37.8	30.5	45.2	124	105	0	36	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	13	0	1	26	0.65	-0.112	3.517	0.01	0.007	0	38.3	31	42.6	124	106	0	35	34	35	
2025	3	13	0	11	26	0.666	-0.075	3.514	0.013	0.01	0	37.4	31	43.4	123	105	0	36	33	35	
2025	3	13	0	21	26	0.65	-0.056	3.514	0.01	0.007	0	38.3	31	44.7	124	106	0	35	34	35	
2025	3	13	0	31	26	0.666	-0.098	3.52	0.013	0.01	0	38.3	31	45.2	124	106	0	35	34	35	
2025	3	13	0	41	26	0.62	-0.085	3.52	0.01	0.007	0	37.8	30.1	43.9	123	104	0	35	34	35	
2025	3	13	0	51	26	0.659	-0.079	3.514	0.01	0.007	0	37.4	30.5	43.4	123	105	0	36	34	35	
2025	3	13	1	1	26	0.663	-0.121	3.514	0.01	0.007	0	37.8	29.7	44.7	123	104	0	35	35	35	
2025	3	13	1	11	26	0.676	-0.069	3.514	0.01	0.007	0	37.8	30.5	43	124	105	0	36	34	35	
2025	3	13	1	21	26	0.676	-0.062	3.517	0.013	0.01	0	37	29.7	44.7	122	103	0	36	34	34	
2025	3	13	1	31	26	0.679	-0.089	3.514	0.01	0.007	0	37	29.2	44.3	121	102	0	35	34	35	
2025	3	13	1	41	26	0.646	-0.056	3.517	0.01	0.007	0	37	29.2	43.9	121	103	0	35	35	35	
2025	3	13	1	51	26	0.689	-0.069	3.517	0.01	0.007	0	37	29.2	44.3	121	102	0	35	34	34	
2025	3	13	2	1	26	0.686	-0.062	3.514	0.013	0.01	0	36.1	28.8	43	120	101	0	36	34	35	
2025	3	13	2	11	26	0.666	-0.102	3.514	0.013	0.01	0	36.1	29.2	43.4	120	102	0	36	34	35	
2025	3	13	2	21	26	0.643	-0.072	3.517	0.016	0.016	0	37	29.7	41.7	121	103	0	35	34	35	
2025	3	13	2	31	26	0.627	-0.089	3.517	0.016	0.016	0	36.1	29.2	43.9	120	102	0	36	34	35	
2025	3	13	2	41	26	0.646	-0.082	3.517	0.013	0.01	0	36.5	28.8	43	120	101	0	35	34	35	
2025	3	13	2	51	26	0.669	-0.098	3.517	0.016	0.016	0	36.5	28.8	42.1	121	102	0	36	35	35	
2025	3	13	3	1	26	0.669	-0.105	3.517	0.013	0.01	0	36.5	29.2	45.6	120	101	0	35	33	35	
2025	3	13	3	11	26	0.64	-0.108	3.517	0.013	0.01	0	36.1	28.8	42.1	120	101	0	36	34	35	
2025	3	13	3	21	26	0.663	-0.069	3.514	0.013	0.01	0	36.5	28.8	43	120	101	0	35	34	35	
2025	3	13	3	31	26	0.666	-0.082	3.514	0.016	0.013	0	36.1	28.4	41.7	119	100	0	35	34	35	
2025	3	13	3	41	26	0.659	-0.079	3.517	0.01	0.007	0	36.5	28.8	41.7	120	101	0	35	34	35	
2025	3	13	3	51	26	0.666	-0.075	3.514	0.01	0.007	0	36.1	28.8	43.9	119	100	0	35	33	35	
2025	3	13	4	1	26	0.659	-0.098	3.514	0.013	0.01	0	36.5	28.8	44.3	120	101	0	35	34	35	
2025	3	13	4	11	26	0.676	-0.092	3.517	0.013	0.01	0	36.5	29.7	43.4	120	103	0	35	34	35	
2025	3	13	4	21	26	0.646	-0.095	3.514	0.01	0.007	0	37	29.2	41.7	121	103	0	35	35	35	
2025	3	13	4	31	26	0.686	-0.082	3.514	0.013	0.01	0	36.5	29.7	42.6	120	103	0	35	34	35	
2025	3	13	4	41	26	0.653	-0.052	3.52	0.016	0.016	0	36.5	29.7	46	121	103	0	36	34	35	
2025	3	13	4	51	26	0.669	-0.069	3.517	0.01	0.007	0	36.1	28.8	44.7	120	102	0	36	35	35	
2025	3	13	5	1	26	0.712	-0.105	3.517	0.016	0.016	0	36.5	29.2	43.4	121	102	0	36	34	35	
2025	3	13	5	11	26	0.643	-0.108	3.517	0.013	0.01	0	36.1	29.2	43.4	120	102	0	36	34	34	
2025	3	13	5	21	26	0.676	-0.056	3.52	0.01	0.007	0	36.5	29.2	44.7	120	102	0	35	34	35	
2025	3	13	5	31	26	0.686	-0.125	3.52	0.01	0.007	0	36.5	28.8	44.7	120	101	0	35	34	35	
2025	3	13	5	41	26	0.679	-0.079	3.517	0.01	0.007	0	36.5	29.2	43.9	120	102	0	35	34	35	
2025	3	13	5	51	26	0.673	-0.098	3.517	0.013	0.01	0	36.5	29.2	44.7	120	102	0	35	34	36	
2025	3	13	6	1	26	0.676	-0.092	3.52	0.013	0.01	0	36.1	29.2	44.7	120	101	0	36	33	35	
2025	3	13	6	11	26	0.686	-0.089	3.52	0.013	0.01	0	36.1	28.8	43.9	119	101	0	35	34	35	
2025	3	13	6	21	26	0.728	-0.095	3.52	0.01	0.007	0	36.1	28.4	55.9	119	100	0	35	34	36	
2025	3	13	6	31	26	0.686	-0.082	3.52	0.013	0.01	0	36.1	28.8	55.9	119	101	0	35	34	35	
2025	3	13	6	41	26	0.702	-0.108	3.524	0.01	0.007	0	35.7	28.4	64.1	118	100	0	35	34	34	
2025	3	13	6	51	26	0.682	-0.125	3.527	0.01	0.007	0	36.1	28	74.4	119	100	0	35	35	35	
2025	3	13	7	1	26	0.702	-0.085	3.527	0.013	0.01	0	35.7	28	74.4	118	100	0	35	35	35	
2025	3	13	7	11	26	0.65	-0.059	3.52	0.013	0.01	0	35.7	28.4	42.6	118	100	0	35	34	34	
2025	3	13	7	21	26	0.673	-0.098	3.52	0.01	0.007	0	35.3	27.5	44.7	118	99	0	36	35	35	
2025	3	13	7	31	26	0.633	-0.095	3.52	0.01	0.007	0	35.7	28.8	43.4	119	101	0	36	34	35	
2025	3	13	7	41	26	0.663	-0.105	3.52	0.016	0.013	0	34.8	28	43.4	117	99	0	36	34	34	
2025	3	13	7	51	26	0.686	-0.082	3.52	0.013	0.01	0	34.8	28	43.4	117	99	0	36	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	13	8	1	26	0.702	-0.118	3.52	0.013	0.01	0	35.7	28	46	118	99	0	35	34	34
2025	3	13	8	11	26	0.65	-0.069	3.524	0.01	0.007	0	34.8	27.5	45.6	117	99	0	36	35	35
2025	3	13	8	21	26	0.692	-0.075	3.524	0.013	0.01	0	34.4	27.5	45.6	116	98	0	36	34	35
2025	3	13	8	31	26	0.712	-0.082	3.524	0.01	0.007	0	34	26.2	46.9	115	96	0	36	35	35
2025	3	13	8	41	26	0.633	-0.098	3.524	0.01	0.007	0	35.3	28	43.9	117	99	0	35	34	35
2025	3	13	8	51	26	0.692	-0.082	3.524	0.01	0.007	0	34.4	27.5	48.6	116	98	0	36	34	35
2025	3	13	9	1	26	0.699	-0.069	3.524	0.01	0.007	0	34.8	27.1	47.3	116	98	0	35	35	35
2025	3	13	9	11	26	0.673	-0.102	3.53	0.013	0.01	0	34.4	27.1	71	115	97	0	35	34	34
2025	3	13	9	21	26	0.676	-0.082	3.527	0.01	0.007	0	34.8	28	55.9	116	99	0	35	34	34
2025	3	13	9	31	26	0.686	-0.095	3.53	0.01	0.007	0	34.8	28	68.4	116	99	0	35	34	35
2025	3	13	9	41	26	0.65	-0.082	3.53	0.013	0.01	0	34.8	28.4	74.8	117	100	0	36	34	35
2025	3	13	9	51	26	0.705	-0.112	3.527	0.01	0.007	0	34.4	28	63.2	116	98	0	36	33	35
2025	3	13	10	1	26	0.712	-0.105	3.53	0.013	0.01	0	34.8	27.5	64.9	116	98	0	35	34	34
2025	3	13	10	11	26	0.653	-0.121	3.527	0.013	0.01	0	35.3	28	64.9	117	99	0	35	34	35
2025	3	13	10	21	26	0.709	-0.098	3.527	0.01	0.007	0	35.3	28.8	64.9	118	101	0	36	34	35
2025	3	13	10	31	26	0.689	-0.092	3.527	0.01	0.007	0	34.8	27.5	67.1	116	98	0	35	34	34
2025	3	13	10	41	26	0.663	-0.112	3.527	0.013	0.01	0	35.7	28.8	65.4	118	101	0	35	34	35
2025	3	13	10	51	26	0.768	-0.102	3.524	0.01	0.007	0	35.3	28	47.7	117	99	0	35	34	36
2025	3	13	11	1	26	0.705	-0.082	3.524	0.013	0.01	0	35.7	28.4	48.6	118	100	0	35	34	34
2025	3	13	11	11	26	0.666	-0.095	3.527	0.013	0.01	0	35.7	28	70.5	118	100	0	35	35	35
2025	3	13	11	21	26	0.719	-0.082	3.527	0.013	0.01	0	35.3	28	57.2	117	99	0	35	34	35
2025	3	13	11	31	26	0.725	-0.108	3.53	0.016	0.013	0	36.1	29.2	74	119	102	0	35	34	34
2025	3	13	11	41	26	0.656	-0.069	3.527	0.01	0.007	0	36.5	29.2	64.9	120	102	0	35	34	35
2025	3	13	11	51	26	0.689	-0.115	3.53	0.01	0.007	0	36.1	29.2	67.9	119	102	0	35	34	34
2025	3	13	12	1	26	0.676	-0.089	3.527	0.013	0.01	0	35.7	28.8	52	118	101	0	35	34	34
2025	3	13	12	11	26	0.738	-0.095	3.524	0.01	0.007	0	35.3	28.8	48.2	118	100	0	36	33	34
2025	3	13	12	21	26	0.705	-0.098	3.527	0.01	0.007	0	36.1	28.8	46.9	119	101	0	35	34	34
2025	3	13	12	31	26	0.705	-0.069	3.527	0.013	0.01	0	36.5	29.2	47.3	120	102	0	35	34	34
2025	3	13	12	41	26	0.673	-0.075	3.527	0.01	0.007	0	36.5	28.8	46	120	101	0	35	34	35
2025	3	13	12	51	26	0.709	-0.082	3.527	0.013	0.01	0	36.1	30.1	47.7	120	104	0	36	34	35
2025	3	13	13	1	26	0.699	-0.102	3.524	0.01	0.007	0	36.5	30.5	49.9	121	105	0	36	34	34
2025	3	13	13	11	26	0.702	-0.089	3.524	0.013	0.01	0	37	30.5	49.9	121	104	0	35	33	34
2025	3	13	13	21	26	0.696	-0.066	3.524	0.016	0.013	0	37	30.1	51.2	121	104	0	35	34	35
2025	3	13	13	31	26	0.669	-0.102	3.524	0.013	0.01	0	36.5	29.7	50.7	120	103	0	35	34	35
2025	3	13	13	41	26	0.725	-0.112	3.524	0.013	0.01	0	36.1	29.7	51.2	120	103	0	36	34	34
2025	3	13	13	51	26	0.679	-0.092	3.527	0.013	0.01	0	37	30.1	51.2	121	104	0	35	34	35
2025	3	13	14	1	26	0.715	-0.092	3.524	0.013	0.01	0	36.5	29.7	51.6	120	103	0	35	34	35
2025	3	13	14	11	26	0.673	-0.085	3.527	0.01	0.007	0	37.4	30.5	49	122	105	0	35	34	35
2025	3	13	14	21	26	0.696	-0.098	3.524	0.01	0.007	0	37	29.7	50.7	121	103	0	35	34	35
2025	3	13	14	31	26	0.686	-0.098	3.524	0.013	0.01	0	37.4	31	51.2	122	105	0	35	33	34
2025	3	13	14	41	26	0.696	-0.069	3.524	0.013	0.01	0	37.4	30.5	50.3	122	105	0	35	34	36
2025	3	13	14	51	26	0.692	-0.098	3.524	0.013	0.01	0	37.4	30.5	50.7	122	105	0	35	34	35
2025	3	13	15	1	26	0.676	-0.085	3.524	0.016	0.013	0	37	30.1	55.5	121	104	0	35	34	35
2025	3	13	15	11	26	0.692	-0.098	3.524	0.013	0.01	0	36.1	29.7	55	120	103	0	36	34	35
2025	3	13	15	21	26	0.715	-0.098	3.524	0.016	0.013	0	36.5	29.2	49.5	120	102	0	35	34	35
2025	3	13	15	31	26	0.689	-0.102	3.524	0.013	0.01	0	36.5	30.1	47.7	120	103	0	35	33	35
2025	3	13	15	41	26	0.725	-0.079	3.527	0.01	0.007	0	36.5	29.7	47.7	120	103	0	35	34	35
2025	3	13	15	51	26	0.725	-0.095	3.524	0.01	0.007	0	37	30.1	52.5	121	104	0	35	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	13	16	1	26	0.715	-0.079	3.524	0.013	0.01	0	36.5	29.7	51.2	120	103	0	35	34	34	
2025	3	13	16	11	26	0.699	-0.089	3.52	0.01	0.007	0	36.5	29.7	50.7	120	103	0	35	34	35	
2025	3	13	16	21	26	0.709	-0.098	3.52	0.013	0.01	0	35.3	28.4	54.2	117	100	0	35	34	35	
2025	3	13	16	31	26	0.656	-0.092	3.52	0.02	0.016	0	35.7	28.4	67.5	118	100	0	35	34	35	
2025	3	13	16	41	26	0.689	-0.115	3.524	0.01	0.007	0	34.8	28	74.8	117	99	0	36	34	34	
2025	3	13	16	51	26	0.682	-0.082	3.52	0.01	0.007	0	35.3	28	51.2	117	99	0	35	34	34	
2025	3	13	17	1	26	0.686	-0.108	3.52	0.013	0.01	0	34.8	28.4	53.3	117	99	0	36	33	35	
2025	3	13	17	11	26	0.656	-0.072	3.52	0.01	0.007	0	35.3	28.4	58	117	99	0	35	33	34	
2025	3	13	17	21	26	0.679	-0.092	3.52	0.01	0.007	0	35.3	28.4	51.6	117	100	0	35	34	35	
2025	3	13	17	31	26	0.656	-0.075	3.52	0.016	0.013	0	35.3	28	75.3	117	99	0	35	34	34	
2025	3	13	17	41	26	0.673	-0.108	3.517	0.013	0.01	0	35.7	28.4	53.8	118	100	0	35	34	34	
2025	3	13	17	51	26	0.732	-0.112	3.517	0.01	0.007	0	36.1	28.8	60.6	119	101	0	35	34	35	
2025	3	13	18	1	26	0.686	-0.075	3.52	0.01	0.007	0	35.7	28.4	66.7	118	100	0	35	34	35	
2025	3	13	18	11	26	0.656	-0.085	3.517	0.01	0.007	0	36.1	28.8	64.5	119	101	0	35	34	34	
2025	3	13	18	21	26	0.712	-0.115	3.52	0.013	0.01	0	35.7	28.4	71	118	100	0	35	34	35	
2025	3	13	18	31	26	0.725	-0.095	3.517	0.013	0.01	0	36.1	28.4	74.8	119	100	0	35	34	35	
2025	3	13	18	41	26	0.709	-0.079	3.517	0.013	0.01	0	36.1	28.8	68.4	119	101	0	35	34	34	
2025	3	13	18	51	26	0.682	-0.118	3.517	0.016	0.013	0	36.1	28.8	75.3	119	101	0	35	34	35	
2025	3	13	19	1	26	0.699	-0.102	3.517	0.01	0.007	0	36.5	29.2	75.3	120	102	0	35	34	35	
2025	3	13	19	11	26	0.715	-0.092	3.517	0.01	0.007	0	37	30.1	76.1	121	103	0	35	33	34	
2025	3	13	19	21	26	0.643	-0.089	3.517	0.01	0.007	0	36.5	29.7	74.8	120	103	0	35	34	35	
2025	3	13	19	31	26	0.699	-0.102	3.517	0.016	0.013	0	37	29.2	71	121	102	0	35	34	35	
2025	3	13	19	41	26	0.627	-0.062	3.517	0.013	0.01	0	36.1	28.8	71.4	120	101	0	36	34	35	
2025	3	13	19	51	26	0.709	-0.075	3.517	0.01	0.007	0	37	29.7	75.3	121	103	0	35	34	35	
2025	3	13	20	1	26	0.696	-0.079	3.517	0.016	0.013	0	37.4	30.1	74.8	122	104	0	35	34	35	
2025	3	13	20	11	26	0.653	-0.095	3.517	0.01	0.007	0	38.7	31	73.5	125	106	0	35	34	35	
2025	3	13	20	21	26	0.65	-0.089	3.517	0.013	0.01	0	37	30.1	73.1	122	104	0	36	34	35	
2025	3	13	20	31	26	0.722	-0.105	3.517	0.016	0.013	0	36.5	29.7	72.2	121	103	0	36	34	35	
2025	3	13	20	41	26	0.673	-0.118	3.517	0.016	0.013	0	37	29.2	71.8	121	102	0	35	34	35	
2025	3	13	20	51	26	0.679	-0.098	3.517	0.013	0.01	0	37.4	29.7	72.2	122	103	0	35	34	34	
2025	3	13	21	1	26	0.715	-0.102	3.514	0.01	0.007	0	40	32.7	75.3	128	110	0	35	34	35	
2025	3	13	21	11	26	0.719	-0.125	3.517	0.013	0.01	0	38.3	31	75.3	124	106	0	35	34	35	
2025	3	13	21	21	26	0.689	-0.115	3.514	0.013	0.01	0	37.4	30.1	55.5	123	104	0	36	34	35	
2025	3	13	21	31	26	0.692	-0.075	3.514	0.01	0.007	0	37.8	30.1	49.9	123	104	0	35	34	35	
2025	3	13	21	41	26	0.692	-0.066	3.51	0.01	0.007	0	37.4	29.7	53.8	122	103	0	35	34	35	
2025	3	13	21	51	26	0.679	-0.082	3.514	0.013	0.01	0	37	29.7	74	121	103	0	35	34	35	
2025	3	13	22	1	26	0.689	-0.092	3.514	0.013	0.01	0	37	29.2	74	121	102	0	35	34	35	
2025	3	13	22	11	26	0.686	-0.079	3.514	0.01	0.007	0	36.5	29.2	69.7	120	102	0	35	34	34	
2025	3	13	22	21	26	0.712	-0.072	3.514	0.013	0.01	0	36.1	28.8	73.5	120	102	0	36	35	35	
2025	3	13	22	31	26	0.702	-0.108	3.51	0.01	0.007	0	36.5	28.8	74	120	101	0	35	34	35	
2025	3	13	22	41	26	0.682	-0.102	3.51	0.01	0.007	0	36.5	28.4	71.4	120	100	0	35	34	34	
2025	3	13	22	51	26	0.709	-0.112	3.51	0.013	0.01	0	36.5	29.2	73.5	120	102	0	35	34	34	
2025	3	13	23	1	26	0.722	-0.098	3.514	0.013	0.01	0	36.1	28.8	74.4	120	101	0	36	34	35	
2025	3	13	23	11	26	0.656	-0.108	3.51	0.01	0.007	0	36.1	28.4	71.8	119	101	0	35	35	35	
2025	3	13	23	21	26	0.686	-0.128	3.51	0.013	0.01	0	36.5	28.8	73.1	120	101	0	35	34	35	
2025	3	13	23	31	26	0.689	-0.082	3.51	0.01	0.007	0	36.5	28.8	73.5	120	101	0	35	34	34	
2025	3	13	23	41	26	0.705	-0.098	3.51	0.01	0.007	0	36.5	30.1	75.7	121	103	0	36	33	34	
2025	3	13	23	51	26	0.646	-0.085	3.51	0.01	0.007	0	36.5	29.2	74.4	120	102	0	35	34	35	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	14	0	1	26	0.682	-0.112	3.51	0.013	0.01	0	35.7	28.8	74.8	119	101	0	36	34	35	
2025	3	14	0	11	26	0.715	-0.098	3.51	0.01	0.007	0	36.1	28.4	74.4	119	101	0	35	35	35	
2025	3	14	0	21	26	0.689	-0.069	3.51	0.016	0.013	0	35.7	28.8	74	119	101	0	36	34	35	
2025	3	14	0	31	26	0.715	-0.059	3.51	0.01	0.007	0	36.1	29.2	74.4	120	102	0	36	34	35	
2025	3	14	0	41	26	0.676	-0.135	3.51	0.016	0.016	0	36.5	29.2	74	120	102	0	35	34	35	
2025	3	14	0	51	26	0.699	-0.085	3.51	0.013	0.01	0	36.1	29.2	73.5	120	102	0	36	34	35	
2025	3	14	1	1	26	0.725	-0.079	3.51	0.01	0.007	0	36.5	28.4	73.5	120	101	0	35	35	35	
2025	3	14	1	11	26	0.692	-0.102	3.51	0.01	0.007	0	36.5	29.2	73.5	120	102	0	35	34	35	
2025	3	14	1	21	26	0.676	-0.085	3.51	0.016	0.013	0	36.5	29.2	73.5	120	102	0	35	34	35	
2025	3	14	1	31	26	0.692	-0.082	3.51	0.013	0.01	0	37.4	30.5	73.5	123	105	0	36	34	35	
2025	3	14	1	41	26	0.696	-0.085	3.51	0.013	0.01	0	36.5	29.2	73.5	120	102	0	35	34	35	
2025	3	14	1	51	26	0.666	-0.069	3.51	0.013	0.01	0	36.5	29.2	73.5	120	102	0	35	34	35	
2025	3	14	2	1	26	0.682	-0.112	3.51	0.013	0.01	0	37	29.7	73.5	121	103	0	35	34	35	
2025	3	14	2	11	26	0.689	-0.108	3.514	0.013	0.01	0	36.1	29.2	73.5	120	102	0	36	34	35	
2025	3	14	2	21	26	0.709	-0.098	3.51	0.013	0.01	0	36.5	28.8	73.5	120	101	0	35	34	35	
2025	3	14	2	31	26	0.663	-0.095	3.514	0.013	0.01	0	36.5	28.8	73.5	120	101	0	35	34	35	
2025	3	14	2	41	26	0.653	-0.098	3.51	0.016	0.013	0	36.1	28.8	73.1	119	101	0	35	34	35	
2025	3	14	2	51	26	0.666	-0.112	3.514	0.013	0.01	0	36.1	28.4	73.1	119	101	0	35	35	35	
2025	3	14	3	1	26	0.673	-0.098	3.517	0.01	0.007	0	35.7	28.8	73.5	119	101	0	36	34	35	
2025	3	14	3	11	26	0.666	-0.112	3.517	0.013	0.01	0	35.7	28.8	74	118	100	0	35	33	35	
2025	3	14	3	21	26	0.705	-0.115	3.517	0.013	0.01	0	35.3	28.4	73.5	118	100	0	36	34	35	
2025	3	14	3	31	26	0.686	-0.092	3.517	0.016	0.013	0	35.7	28.4	74	118	100	0	35	34	35	
2025	3	14	3	41	26	0.659	-0.075	3.517	0.013	0.01	0	35.3	28.4	73.5	118	100	0	36	34	34	
2025	3	14	3	51	26	0.64	-0.069	3.52	0.016	0.013	0	35.7	28.8	74	119	101	0	36	34	35	
2025	3	14	4	1	26	0.679	-0.082	3.52	0.01	0.007	0	35.3	28.4	74	118	100	0	36	34	35	
2025	3	14	4	11	26	0.722	-0.085	3.52	0.013	0.01	0	35.7	28	74.4	118	99	0	35	34	35	
2025	3	14	4	21	26	0.682	-0.121	3.52	0.013	0.01	0	35.3	28.4	74.4	118	100	0	36	34	35	
2025	3	14	4	31	26	0.689	-0.108	3.52	0.013	0.01	0	35.7	28	74.4	118	99	0	35	34	35	
2025	3	14	4	41	26	0.732	-0.095	3.52	0.01	0.007	0	34.8	27.5	74.4	117	99	0	36	35	35	
2025	3	14	4	51	26	0.702	-0.112	3.52	0.016	0.013	0	34.8	28	75.3	117	99	0	36	34	35	
2025	3	14	5	1	26	0.669	-0.118	3.52	0.01	0.007	0	35.3	27.5	74.4	117	99	0	35	35	35	
2025	3	14	5	11	26	0.712	-0.112	3.52	0.016	0.013	0	35.3	27.5	74.8	117	99	0	35	35	35	
2025	3	14	5	21	26	0.689	-0.095	3.52	0.013	0.01	0	35.3	28	75.3	117	99	0	35	34	35	
2025	3	14	5	31	26	0.705	-0.118	3.52	0.01	0.007	0	34.4	27.5	74.4	116	98	0	36	34	35	
2025	3	14	5	41	26	0.686	-0.075	3.52	0.01	0.007	0	35.7	28.8	75.3	119	101	0	36	34	35	
2025	3	14	5	51	26	0.679	-0.085	3.52	0.013	0.01	0	36.1	28.8	75.3	119	101	0	35	34	35	
2025	3	14	6	1	26	0.663	-0.089	3.52	0.013	0.01	0	36.5	28.4	75.7	120	101	0	35	35	35	
2025	3	14	6	11	26	0.659	-0.069	3.52	0.01	0.007	0	36.1	28.4	75.3	120	101	0	36	35	35	
2025	3	14	6	21	26	0.666	-0.082	3.52	0.016	0.016	0	36.1	28.8	76.1	119	101	0	35	34	35	
2025	3	14	6	31	26	0.679	-0.128	3.524	0.016	0.016	0	36.1	28.8	76.1	119	101	0	35	34	35	
2025	3	14	6	41	26	0.679	-0.125	3.524	0.016	0.013	0	38.3	31.4	74	125	107	0	36	34	35	
2025	3	14	6	51	26	0.673	-0.095	3.524	0.016	0.013	0	38.3	31	74.4	124	106	0	35	34	35	
2025	3	14	7	1	26	0.679	-0.092	3.524	0.016	0.013	0	39.6	31.8	76.1	127	109	0	35	35	35	
2025	3	14	7	11	26	0.699	-0.082	3.524	0.013	0.01	0	38.7	31.4	77	126	107	0	36	34	35	
2025	3	14	7	21	26	0.676	-0.125	3.524	0.01	0.007	0	38.3	31	76.5	125	106	0	36	34	36	
2025	3	14	7	31	26	0.722	-0.092	3.524	0.01	0.007	0	37.8	30.5	76.5	124	105	0	36	34	35	
2025	3	14	7	41	26	0.712	-0.102	3.524	0.016	0.013	0	37	29.7	74	122	103	0	36	34	35	
2025	3	14	7	51	26	0.696	-0.125	3.524	0.016	0.013	0	37	29.2	51.2	121	102	0	35	34	35	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	14	8	1	26	0.696	-0.102	3.524	0.013	0.01	0	38.3	30.5	54.2	124	105	0	35	34	36	
2025	3	14	8	11	26	0.702	-0.144	3.527	0.01	0.007	0	35.7	28.4	73.5	119	100	0	36	34	35	
2025	3	14	8	21	26	0.65	-0.069	3.527	0.013	0.01	0	36.1	28.4	67.1	119	100	0	35	34	35	
2025	3	14	8	31	26	0.682	-0.095	3.527	0.01	0.007	0	34	26.7	67.1	115	96	0	36	34	35	
2025	3	14	8	41	26	0.699	-0.082	3.527	0.013	0.01	0	34	25.8	61.9	114	94	0	35	34	35	
2025	3	14	8	51	26	0.676	-0.095	3.524	0.013	0.01	0	34	26.7	58.5	115	97	0	36	35	35	
2025	3	14	9	1	26	0.696	-0.095	3.527	0.01	0.007	0	34.4	26.2	73.1	115	96	0	35	35	35	
2025	3	14	9	11	26	0.722	-0.108	3.527	0.016	0.013	0	34	26.7	77.8	114	96	0	35	34	35	
2025	3	14	9	21	26	0.679	-0.112	3.527	0.013	0.01	0	34	26.7	75.3	114	96	0	35	34	35	
2025	3	14	9	31	26	0.732	-0.095	3.527	0.013	0.01	0	34	26.7	64.5	114	96	0	35	34	35	
2025	3	14	9	41	26	0.692	-0.112	3.527	0.013	0.01	0	33.5	27.1	76.5	114	97	0	36	34	35	
2025	3	14	9	51	26	0.699	-0.098	3.53	0.01	0.007	0	33.5	26.7	77.4	114	96	0	36	34	35	
2025	3	14	10	1	26	0.686	-0.085	3.53	0.013	0.01	0	34.8	27.5	77.4	116	98	0	35	34	35	
2025	3	14	10	11	26	0.719	-0.085	3.53	0.01	0.007	0	34	26.7	77.4	114	96	0	35	34	35	
2025	3	14	10	21	26	0.732	-0.092	3.53	0.013	0.01	0	34	27.1	72.7	115	98	0	36	35	36	
2025	3	14	10	31	26	0.696	-0.079	3.53	0.01	0.007	0	34.4	27.1	54.2	116	97	0	36	34	36	
2025	3	14	10	41	26	0.702	-0.085	3.53	0.013	0.01	0	35.3	28	77	117	99	0	35	34	36	
2025	3	14	10	51	26	0.689	-0.121	3.527	0.013	0.01	0	35.3	28	45.2	117	100	0	35	35	35	
2025	3	14	11	1	26	0.686	-0.066	3.53	0.01	0.007	0	35.3	28	46.9	118	100	0	36	35	35	
2025	3	14	11	11	26	0.682	-0.085	3.53	0.01	0.007	0	34.8	27.1	44.7	116	98	0	35	35	35	
2025	3	14	11	21	26	0.666	-0.118	3.53	0.01	0.007	0	34.4	26.7	46	115	97	0	35	35	35	
2025	3	14	11	31	26	0.653	-0.108	3.53	0.013	0.01	0	34.8	27.5	45.6	116	98	0	35	34	34	
2025	3	14	11	41	26	0.686	-0.059	3.53	0.016	0.016	0	35.3	28	43	117	99	0	35	34	36	
2025	3	14	11	51	26	0.682	-0.095	3.53	0.016	0.013	0	37.4	30.5	45.6	123	105	0	36	34	35	
2025	3	14	12	1	26	0.696	-0.108	3.53	0.013	0.01	0	36.1	28.8	44.3	119	101	0	35	34	35	
2025	3	14	12	11	26	0.682	-0.082	3.533	0.01	0.007	0	35.3	28	43.4	118	100	0	36	35	35	
2025	3	14	12	21	26	0.636	-0.046	3.533	0.013	0.01	0	34.8	27.5	43.9	117	99	0	36	35	35	
2025	3	14	12	31	26	0.686	-0.059	3.533	0.013	0.01	0	35.7	28.4	45.6	118	101	0	35	35	35	
2025	3	14	12	41	26	0.705	-0.082	3.533	0.01	0.007	0	36.1	28.4	45.2	119	101	0	35	35	35	
2025	3	14	12	51	26	0.659	-0.085	3.533	0.01	0.007	0	36.1	29.7	43	120	103	0	36	34	35	
2025	3	14	13	1	26	0.666	-0.098	3.533	0.01	0.007	0	35.7	29.2	44.7	119	102	0	36	34	35	
2025	3	14	13	11	26	0.692	-0.085	3.537	0.01	0.007	0	35.7	28.4	45.6	118	100	0	35	34	35	
2025	3	14	13	21	26	0.676	-0.075	3.533	0.01	0.007	0	35.3	28	42.1	118	99	0	36	34	34	
2025	3	14	13	31	26	0.686	-0.092	3.537	0.01	0.007	0	34.8	28.4	45.2	117	100	0	36	34	35	
2025	3	14	13	41	26	0.679	-0.079	3.537	0.01	0.007	0	35.3	28.4	46	117	100	0	35	34	35	
2025	3	14	13	51	26	0.659	-0.098	3.537	0.016	0.013	0	35.3	28	45.2	117	99	0	35	34	35	
2025	3	14	14	1	26	0.659	-0.092	3.537	0.01	0.007	0	34.4	27.5	43	116	98	0	36	34	35	
2025	3	14	14	11	26	0.653	-0.056	3.533	0.01	0.007	0	35.3	28	43	117	99	0	35	34	35	
2025	3	14	14	21	26	0.659	-0.082	3.54	0.013	0.01	0	34.8	28	44.7	116	99	0	35	34	35	
2025	3	14	14	31	26	0.676	-0.102	3.543	0.01	0.007	0	34.8	27.5	42.1	117	98	0	36	34	35	
2025	3	14	14	41	26	0.679	-0.079	3.54	0.016	0.013	0	34.8	28	41.7	117	99	0	36	34	35	
2025	3	14	14	51	26	0.679	-0.098	3.54	0.013	0.01	0	34.4	27.5	44.7	116	98	0	36	34	35	
2025	3	14	15	1	26	0.656	-0.075	3.54	0.013	0.01	0	34.8	28	42.1	116	99	0	35	34	35	
2025	3	14	15	11	26	0.673	-0.085	3.54	0.013	0.01	0	34.4	27.5	42.1	115	98	0	35	34	35	
2025	3	14	15	21	26	0.673	-0.105	3.54	0.013	0.01	0	34.4	27.5	41.7	116	98	0	36	34	35	
2025	3	14	15	31	26	0.673	-0.092	3.54	0.01	0.007	0	34.8	27.1	47.3	116	98	0	35	35	35	
2025	3	14	15	41	26	0.702	-0.108	3.54	0.01	0.007	0	33.5	27.1	62.4	114	97	0	36	34	35	
2025	3	14	15	51	26	0.748	-0.105	3.54	0.01	0.007	0	33.5	26.7	49	114	96	0	36	34	35	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	14	16	1	26	0.738	-0.105	3.54	0.01	0.007	0	34	27.1	46	115	97	0	36	34	35	
2025	3	14	16	11	26	0.719	-0.075	3.543	0.013	0.01	0	34.4	27.5	44.7	116	99	0	36	35	35	
2025	3	14	16	21	26	0.719	-0.082	3.54	0.013	0.01	0	34.8	27.5	46	116	98	0	35	34	35	
2025	3	14	16	31	26	0.735	-0.085	3.54	0.01	0.007	0	34.4	26.7	46.4	115	97	0	35	35	35	
2025	3	14	16	41	26	0.689	-0.062	3.54	0.013	0.01	0	35.3	27.5	48.2	117	98	0	35	34	35	
2025	3	14	16	51	26	0.646	-0.098	3.543	0.01	0.007	0	34.4	26.2	55.9	115	96	0	35	35	35	
2025	3	14	17	1	26	0.673	-0.108	3.543	0.016	0.013	0	34	27.1	61.9	115	97	0	36	34	35	
2025	3	14	17	11	26	0.715	-0.098	3.543	0.013	0.01	0	34.4	27.1	55.9	115	97	0	35	34	35	
2025	3	14	17	21	26	0.725	-0.108	3.543	0.01	0.007	0	34.4	27.1	66.7	115	97	0	35	34	35	
2025	3	14	17	31	26	0.705	-0.115	3.543	0.01	0.007	0	34	27.1	66.7	115	97	0	36	34	35	
2025	3	14	17	41	26	0.705	-0.072	3.543	0.016	0.013	0	34.8	27.1	63.6	116	97	0	35	34	35	
2025	3	14	17	51	26	0.686	-0.082	3.543	0.013	0.01	0	34.4	27.1	73.1	115	97	0	35	34	35	
2025	3	14	18	1	26	0.705	-0.115	3.543	0.013	0.01	0	35.3	28.4	72.2	117	99	0	35	33	35	
2025	3	14	18	11	26	0.692	-0.125	3.543	0.013	0.01	0	34.8	28	73.1	117	99	0	36	34	35	
2025	3	14	18	21	26	0.774	-0.115	3.54	0.013	0.01	0	34.8	27.5	73.5	116	98	0	35	34	35	
2025	3	14	18	31	26	0.728	-0.052	3.54	0.013	0.01	0	35.3	28	76.5	117	99	0	35	34	35	
2025	3	14	18	41	26	0.715	-0.108	3.54	0.013	0.01	0	35.3	28	76.1	117	99	0	35	34	35	
2025	3	14	18	51	26	0.732	-0.121	3.543	0.013	0.01	0	35.3	28.4	76.5	118	100	0	36	34	34	
2025	3	14	19	1	26	0.692	-0.056	3.543	0.013	0.01	0	35.7	28.8	76.1	118	101	0	35	34	35	
2025	3	14	19	11	26	0.699	-0.108	3.543	0.013	0.01	0	35.3	28.4	76.1	118	100	0	36	34	35	
2025	3	14	19	21	26	0.699	-0.082	3.543	0.016	0.016	0	35.3	28.4	76.1	118	100	0	36	34	35	
2025	3	14	19	31	26	0.653	-0.072	3.543	0.016	0.016	0	35.7	28.4	75.7	119	100	0	36	34	35	
2025	3	14	19	41	26	0.689	-0.082	3.543	0.01	0.007	0	35.3	28.4	75.7	118	100	0	36	34	35	
2025	3	14	19	51	26	0.705	-0.105	3.543	0.01	0.007	0	35.7	28.4	75.7	118	100	0	35	34	35	
2025	3	14	20	1	26	0.705	-0.121	3.543	0.016	0.013	0	35.7	28.4	75.3	118	100	0	35	34	35	
2025	3	14	20	11	26	0.689	-0.082	3.543	0.01	0.007	0	35.3	28	75.7	118	99	0	36	34	35	
2025	3	14	20	21	26	0.676	-0.108	3.543	0.01	0.007	0	35.7	28	75.7	118	99	0	35	34	35	
2025	3	14	20	31	26	0.686	-0.102	3.543	0.013	0.01	0	35.7	28.4	74	118	99	0	35	33	36	
2025	3	14	20	41	26	0.715	-0.082	3.543	0.01	0.007	0	35.3	28	73.5	118	99	0	36	34	35	
2025	3	14	20	51	26	0.725	-0.108	3.543	0.013	0.01	0	35.3	28	75.7	117	99	0	35	34	34	
2025	3	14	21	1	26	0.712	-0.095	3.543	0.016	0.013	0	35.7	28	74.4	118	99	0	35	34	35	
2025	3	14	21	11	26	0.699	-0.115	3.543	0.01	0.007	0	35.3	28	74.8	118	99	0	36	34	35	
2025	3	14	21	21	26	0.656	-0.105	3.543	0.013	0.01	0	35.3	27.5	74.8	117	98	0	35	34	35	
2025	3	14	21	31	26	0.669	-0.098	3.543	0.013	0.01	0	34.8	27.5	74.4	117	98	0	36	34	35	
2025	3	14	21	41	26	0.712	-0.098	3.543	0.016	0.013	0	35.7	27.5	74.4	118	98	0	35	34	35	
2025	3	14	21	51	26	0.715	-0.082	3.543	0.01	0.007	0	36.1	28.4	73.5	119	100	0	35	34	35	
2025	3	14	22	1	26	0.728	-0.102	3.543	0.01	0.007	0	36.1	28.4	73.5	119	100	0	35	34	35	
2025	3	14	22	11	26	0.725	-0.079	3.543	0.01	0.007	0	34.8	27.5	73.1	117	98	0	36	34	36	
2025	3	14	22	21	26	0.682	-0.115	3.543	0.016	0.013	0	36.5	28.8	73.5	120	101	0	35	34	35	
2025	3	14	22	31	26	0.663	-0.121	3.543	0.01	0.007	0	35.3	27.5	74	117	98	0	35	34	35	
2025	3	14	22	41	26	0.696	-0.072	3.543	0.01	0.007	0	35.3	27.1	73.5	118	98	0	36	35	35	
2025	3	14	22	51	26	0.686	-0.128	3.543	0.01	0.007	0	35.7	28	73.5	119	100	0	36	35	35	
2025	3	14	23	1	26	0.741	-0.108	3.543	0.01	0.007	0	35.3	28.4	73.5	118	100	0	36	34	35	
2025	3	14	23	11	26	0.663	-0.079	3.543	0.013	0.01	0	36.1	28.8	73.1	119	101	0	35	34	35	
2025	3	14	23	21	26	0.679	-0.092	3.543	0.01	0.007	0	35.3	28.4	73.1	118	100	0	36	34	35	
2025	3	14	23	31	26	0.696	-0.085	3.543	0.01	0.007	0	35.3	28	72.7	118	99	0	36	34	35	
2025	3	14	23	41	26	0.705	-0.105	3.547	0.013	0.01	0	34.8	26.2	72.7	117	96	0	36	35	35	
2025	3	14	23	51	26	0.699	-0.105	3.55	0.013	0.01	0	35.3	28	71.4	118	99	0	36	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	15	0	1	26	0.676	-0.105	3.55	0.01	0.007	0	35.3	27.1	72.2	117	98	0	35	35	36
2025	3	15	0	11	26	0.709	-0.098	3.553	0.01	0.007	0	35.3	27.5	72.7	117	98	0	35	34	35
2025	3	15	0	21	26	0.712	-0.102	3.553	0.013	0.01	0	34.4	27.1	73.1	116	97	0	36	34	35
2025	3	15	0	31	26	0.748	-0.075	3.553	0.01	0.007	0	34.8	27.1	73.1	116	97	0	35	34	35
2025	3	15	0	41	26	0.745	-0.079	3.553	0.01	0.007	0	34.8	26.7	73.1	116	97	0	35	35	35
2025	3	15	0	51	26	0.679	-0.075	3.553	0.013	0.01	0	34.8	26.7	73.1	116	96	0	35	34	36
2025	3	15	1	1	26	0.709	-0.082	3.553	0.016	0.013	0	34.4	26.7	74.8	116	96	0	36	34	35
2025	3	15	1	11	26	0.705	-0.082	3.553	0.01	0.007	0	34	26.7	73.5	115	96	0	36	34	35
2025	3	15	1	21	26	0.719	-0.089	3.553	0.013	0.01	0	34.4	26.7	74.8	115	96	0	35	34	34
2025	3	15	1	31	26	0.719	-0.098	3.553	0.013	0.01	0	34.4	26.2	74.4	116	96	0	36	35	35
2025	3	15	1	41	26	0.696	-0.092	3.553	0.01	0.007	0	34.8	26.7	74.4	116	96	0	35	34	35
2025	3	15	1	51	26	0.673	-0.095	3.553	0.01	0.007	0	34	26.7	74.8	115	96	0	36	34	35
2025	3	15	2	1	26	0.686	-0.092	3.556	0.01	0.007	0	33.5	25.4	75.3	114	94	0	36	35	35
2025	3	15	2	11	26	0.725	-0.112	3.556	0.01	0.007	0	34	26.2	74.8	115	95	0	36	34	35
2025	3	15	2	21	26	0.712	-0.095	3.556	0.013	0.01	0	33.5	26.2	75.7	114	95	0	36	34	35
2025	3	15	2	31	26	0.719	-0.108	3.556	0.013	0.01	0	34	26.2	75.7	115	96	0	36	35	35
2025	3	15	2	41	26	0.712	-0.095	3.556	0.013	0.01	0	34.4	26.2	75.7	115	96	0	35	35	35
2025	3	15	2	51	26	0.738	-0.095	3.556	0.013	0.01	0	34.8	26.7	76.5	116	96	0	35	34	34
2025	3	15	3	1	26	0.689	-0.118	3.556	0.01	0.007	0	34	25.8	76.1	115	95	0	36	35	35
2025	3	15	3	11	26	0.712	-0.082	3.556	0.013	0.01	0	34.4	26.7	75.7	115	96	0	35	34	35
2025	3	15	3	21	26	0.755	-0.115	3.556	0.01	0.007	0	34.4	26.2	75.7	115	95	0	35	34	35
2025	3	15	3	31	26	0.689	-0.135	3.556	0.016	0.013	0	34	26.2	75.7	114	95	0	35	34	36
2025	3	15	3	41	26	0.705	-0.102	3.556	0.013	0.01	0	34	25.8	76.5	115	95	0	36	35	35
2025	3	15	3	51	26	0.659	-0.089	3.556	0.01	0.007	0	33.5	25.8	76.1	114	95	0	36	35	36
2025	3	15	4	1	26	0.719	-0.098	3.556	0.01	0.007	0	34.8	27.5	76.1	116	98	0	35	34	36
2025	3	15	4	11	26	0.692	-0.089	3.556	0.016	0.016	0	34.8	27.1	76.1	116	98	0	35	35	36
2025	3	15	4	21	26	0.732	-0.105	3.556	0.013	0.01	0	34.4	27.5	76.5	116	98	0	36	34	35
2025	3	15	4	31	26	0.712	-0.075	3.556	0.01	0.007	0	34	26.7	77.8	115	97	0	36	35	35
2025	3	15	4	41	26	0.699	-0.102	3.556	0.01	0.007	0	34.4	27.5	76.5	116	98	0	36	34	35
2025	3	15	4	51	26	0.732	-0.095	3.556	0.013	0.01	0	34.4	27.1	77	116	98	0	36	35	35
2025	3	15	5	1	26	0.725	-0.102	3.556	0.01	0.007	0	34	27.1	77	115	97	0	36	34	35
2025	3	15	5	11	26	0.722	-0.082	3.556	0.01	0.007	0	34	26.2	77.8	115	96	0	36	35	35
2025	3	15	5	21	26	0.696	-0.066	3.556	0.016	0.013	0	34	27.1	76.1	115	97	0	36	34	36
2025	3	15	5	31	26	0.755	-0.125	3.556	0.013	0.01	0	36.1	28.8	73.5	120	101	0	36	34	36
2025	3	15	5	41	26	0.738	-0.098	3.556	0.016	0.016	0	35.7	28.8	76.1	119	101	0	36	34	35
2025	3	15	5	51	26	0.696	-0.095	3.556	0.013	0.01	0	36.1	28.8	75.7	120	101	0	36	34	35
2025	3	15	6	1	26	0.676	-0.121	3.556	0.01	0.007	0	36.1	28.8	76.1	120	102	0	36	35	35
2025	3	15	6	11	26	0.702	-0.095	3.556	0.01	0.007	0	36.5	29.2	77	121	103	0	36	35	35
2025	3	15	6	21	26	0.735	-0.095	3.556	0.013	0.01	0	37.8	31	76.5	124	106	0	36	34	35
2025	3	15	6	31	26	0.689	-0.112	3.556	0.013	0.01	0	38.7	31.4	76.5	126	108	0	36	35	35
2025	3	15	6	41	26	0.669	-0.069	3.556	0.01	0.007	0	37.8	30.1	75.3	124	105	0	36	35	35
2025	3	15	6	51	26	0.692	-0.089	3.556	0.01	0.007	0	35.7	28	75.7	119	100	0	36	35	35
2025	3	15	7	1	26	0.682	-0.115	3.556	0.01	0.007	0	38.3	31	75.7	125	106	0	36	34	35
2025	3	15	7	11	26	0.719	-0.098	3.56	0.013	0.01	0	38.3	30.1	72.2	125	105	0	36	35	35
2025	3	15	7	21	26	0.738	-0.108	3.56	0.013	0.01	0	40.4	33.1	76.1	130	111	0	36	34	35
2025	3	15	7	31	26	0.719	-0.105	3.56	0.01	0.007	0	38.7	31.4	75.3	126	107	0	36	34	36
2025	3	15	7	41	26	0.686	-0.089	3.56	0.013	0.01	0	37	29.2	76.5	121	103	0	35	35	35
2025	3	15	7	51	26	0.709	-0.089	3.56	0.016	0.013	0	38.7	31.4	75.7	126	107	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	15	8	1	26	0.686	-0.108	3.56	0.013	0.01	0	36.5	29.7	74.8	121	103	0	36	34	35
2025	3	15	8	11	26	0.696	-0.121	3.56	0.01	0.007	0	36.1	28.4	76.5	120	101	0	36	35	36
2025	3	15	8	21	26	0.689	-0.108	3.56	0.01	0.007	0	35.7	28	77	118	99	0	35	34	35
2025	3	15	8	31	26	0.686	-0.092	3.56	0.01	0.007	0	36.5	29.2	76.1	121	103	0	36	35	35
2025	3	15	8	41	26	0.696	-0.115	3.56	0.01	0.007	0	37.4	30.5	76.5	123	105	0	36	34	35
2025	3	15	8	51	26	0.676	-0.105	3.56	0.013	0.01	0	36.1	28.4	76.5	119	101	0	35	35	35
2025	3	15	9	1	26	0.699	-0.108	3.56	0.01	0.007	0	38.3	30.1	77.4	124	105	0	35	35	35
2025	3	15	9	11	26	0.715	-0.118	3.56	0.016	0.013	0	37.8	31	75.7	124	106	0	36	34	36
2025	3	15	9	21	26	0.735	-0.131	3.56	0.01	0.007	0	38.7	31.4	73.5	126	107	0	36	34	35
2025	3	15	9	31	26	0.719	-0.105	3.56	0.01	0.007	0	37.4	30.1	73.5	123	104	0	36	34	35
2025	3	15	9	41	26	0.712	-0.135	3.563	0.016	0.013	0	36.5	29.2	76.5	121	103	0	36	35	36
2025	3	15	9	51	26	0.699	-0.128	3.563	0.013	0.01	0	37	29.2	77.4	121	102	0	35	34	34
2025	3	15	10	1	26	0.722	-0.095	3.563	0.013	0.01	0	37.8	30.5	71.8	124	105	0	36	34	35
2025	3	15	10	11	26	0.666	-0.125	3.566	0.01	0.007	0	37.8	30.5	77.8	123	105	0	35	34	35
2025	3	15	10	21	26	0.692	-0.089	3.566	0.013	0.01	0	36.1	28.8	77	120	101	0	36	34	36
2025	3	15	10	31	26	0.692	-0.098	3.566	0.013	0.01	0	36.5	28.4	77.8	120	101	0	35	35	35
2025	3	15	10	41	26	0.719	-0.082	3.566	0.01	0.007	0	36.1	28.8	77.4	119	101	0	35	34	35
2025	3	15	10	51	26	0.666	-0.098	3.566	0.013	0.01	0	37	29.2	73.5	122	103	0	36	35	35
2025	3	15	11	1	26	0.735	-0.098	3.566	0.016	0.013	0	37	30.1	54.6	122	104	0	36	34	35
2025	3	15	11	11	26	0.748	-0.098	3.563	0.01	0.007	0	37	29.7	47.7	122	103	0	36	34	35
2025	3	15	11	21	26	0.692	-0.108	3.566	0.01	0.007	0	37	30.1	77	122	104	0	36	34	35
2025	3	15	11	31	26	0.679	-0.108	3.566	0.016	0.016	0	38.3	31	62.4	125	107	0	36	35	35
2025	3	15	11	41	26	0.719	-0.082	3.57	0.013	0.01	0	39.1	31.8	77.8	126	108	0	35	34	35
2025	3	15	11	51	26	0.722	-0.085	3.566	0.01	0.007	0	37.4	30.5	58	123	105	0	36	34	35
2025	3	15	12	1	26	0.705	-0.115	3.566	0.013	0.01	0	37.4	30.5	61.5	123	105	0	36	34	35
2025	3	15	12	11	26	0.702	-0.108	3.566	0.016	0.013	0	36.1	28.8	54.6	120	102	0	36	35	35
2025	3	15	12	21	26	0.709	-0.112	3.57	0.01	0.007	0	37	29.7	63.6	121	103	0	35	34	35
2025	3	15	12	31	26	0.686	-0.118	3.566	0.01	0.007	0	38.7	31	51.6	126	107	0	36	35	35
2025	3	15	12	41	26	0.682	-0.108	3.566	0.013	0.01	0	38.7	31	46	125	106	0	35	34	35
2025	3	15	12	51	26	0.709	-0.138	3.566	0.01	0.007	0	36.1	28.4	49	119	100	0	35	34	35
2025	3	15	13	1	26	0.712	-0.085	3.566	0.013	0.01	0	34.8	27.1	44.7	116	97	0	35	34	35
2025	3	15	13	11	26	0.692	-0.082	3.566	0.013	0.01	0	34	26.7	46.4	115	96	0	36	34	35
2025	3	15	13	21	26	0.741	-0.105	3.57	0.013	0.01	0	34.4	26.2	50.7	115	96	0	35	35	35
2025	3	15	13	31	26	0.715	-0.069	3.57	0.01	0.007	0	34.4	27.1	48.2	116	97	0	36	34	35
2025	3	15	13	41	26	0.728	-0.138	3.566	0.013	0.01	0	35.7	28	44.3	118	99	0	35	34	35
2025	3	15	13	51	26	0.732	-0.138	3.57	0.01	0.007	0	34.8	28	46.9	116	98	0	35	33	35
2025	3	15	14	1	26	0.696	-0.112	3.57	0.013	0.01	0	34.4	27.1	48.6	115	97	0	35	34	35
2025	3	15	14	11	26	0.705	-0.082	3.566	0.013	0.01	0	34	27.1	49	115	97	0	36	34	35
2025	3	15	14	21	26	0.673	-0.105	3.566	0.01	0.007	0	34.4	27.1	46.9	115	97	0	35	34	35
2025	3	15	14	31	26	0.709	-0.069	3.57	0.013	0.01	0	34	27.1	46	115	97	0	36	34	35
2025	3	15	14	41	26	0.663	-0.098	3.566	0.013	0.01	0	34.4	27.1	47.7	116	97	0	36	34	35
2025	3	15	14	51	26	0.676	-0.095	3.563	0.01	0.007	0	34.8	27.5	47.3	116	98	0	35	34	35
2025	3	15	15	1	26	0.709	-0.092	3.566	0.01	0.007	0	35.3	28	49	117	99	0	35	34	35
2025	3	15	15	11	26	0.725	-0.128	3.57	0.016	0.013	0	34.8	27.5	53.3	117	98	0	36	34	35
2025	3	15	15	21	26	0.719	-0.098	3.566	0.01	0.007	0	34.4	27.1	46	116	98	0	36	35	35
2025	3	15	15	31	26	0.758	-0.125	3.576	0.016	0.013	0	35.7	28	50.7	118	99	0	35	34	35
2025	3	15	15	41	26	0.728	-0.098	3.576	0.01	0.007	0	37	29.2	48.6	121	102	0	35	34	35
2025	3	15	15	51	26	0.712	-0.089	3.576	0.01	0.007	0	37.4	29.2	44.7	122	103	0	35	35	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	15	16	1	26	0.728	-0.108	3.576	0.013	0.01	0	36.5	28.8	47.3	120	101	0	35	34	35
2025	3	15	16	11	26	0.709	-0.118	3.573	0.016	0.013	0	36.1	28.4	44.3	120	100	0	36	34	35
2025	3	15	16	21	26	0.676	-0.115	3.573	0.013	0.01	0	35.3	28	46.9	118	99	0	36	34	35
2025	3	15	16	31	26	0.689	-0.108	3.57	0.01	0.007	0	35.7	27.1	45.6	118	98	0	35	35	35
2025	3	15	16	41	26	0.699	-0.098	3.57	0.013	0.01	0	34.8	26.7	48.6	117	96	0	36	34	34
2025	3	15	16	51	26	0.682	-0.075	3.57	0.013	0.01	0	34.8	26.7	46.4	116	96	0	35	34	35
2025	3	15	17	1	26	0.689	-0.075	3.566	0.013	0.01	0	34.8	26.7	46.4	116	96	0	35	34	35
2025	3	15	17	11	26	0.682	-0.092	3.566	0.01	0.007	0	35.3	27.1	47.7	117	97	0	35	34	35
2025	3	15	17	21	26	0.745	-0.102	3.57	0.01	0.007	0	34.8	26.7	51.2	116	96	0	35	34	34
2025	3	15	17	31	26	0.719	-0.098	3.566	0.013	0.01	0	34.8	27.1	48.2	116	97	0	35	34	35
2025	3	15	17	41	26	0.682	-0.108	3.57	0.01	0.007	0	34.8	27.5	60.6	117	98	0	36	34	34
2025	3	15	17	51	26	0.738	-0.098	3.566	0.01	0.007	0	34.8	26.2	51.2	116	96	0	35	35	35
2025	3	15	18	1	26	0.673	-0.092	3.563	0.01	0.007	0	34.4	26.2	46.9	115	95	0	35	34	35
2025	3	15	18	11	26	0.679	-0.105	3.566	0.013	0.01	0	34.4	26.2	64.5	115	95	0	35	34	35
2025	3	15	18	21	26	0.745	-0.085	3.566	0.016	0.013	0	34.4	25.8	57.6	115	95	0	35	35	35
2025	3	15	18	31	26	0.699	-0.098	3.563	0.01	0.007	0	34	26.2	48.6	115	95	0	36	34	35
2025	3	15	18	41	26	0.719	-0.108	3.563	0.01	0.007	0	34.8	26.2	47.7	116	95	0	35	34	35
2025	3	15	18	51	26	0.741	-0.102	3.56	0.013	0.01	0	35.3	27.1	48.6	117	97	0	35	34	35
2025	3	15	19	1	26	0.669	-0.072	3.56	0.016	0.013	0	35.3	27.5	46	117	98	0	35	34	35
2025	3	15	19	11	26	0.65	-0.085	3.56	0.013	0.01	0	35.7	28	48.2	118	99	0	35	34	35
2025	3	15	19	21	26	0.719	-0.075	3.566	0.01	0.007	0	35.7	27.5	67.9	118	98	0	35	34	35
2025	3	15	19	31	26	0.728	-0.098	3.566	0.01	0.007	0	34.8	27.1	73.5	117	97	0	36	34	35
2025	3	15	19	41	26	0.719	-0.102	3.566	0.013	0.01	0	36.5	28.8	74.8	120	101	0	35	34	35
2025	3	15	19	51	26	0.705	-0.098	3.566	0.013	0.01	0	36.5	28.8	74.4	120	101	0	35	34	35
2025	3	15	20	1	26	0.725	-0.082	3.566	0.01	0.007	0	35.7	28.4	74.4	119	101	0	36	35	35
2025	3	15	20	11	26	0.712	-0.095	3.566	0.013	0.01	0	36.1	28.8	75.3	119	101	0	35	34	35
2025	3	15	20	21	26	0.709	-0.082	3.566	0.013	0.01	0	36.1	28.8	75.7	119	101	0	35	34	35
2025	3	15	20	31	26	0.715	-0.108	3.566	0.01	0.007	0	37	29.7	75.7	121	103	0	35	34	35
2025	3	15	20	41	26	0.699	-0.102	3.566	0.013	0.01	0	38.3	30.1	76.1	124	105	0	35	35	35
2025	3	15	20	51	26	0.728	-0.082	3.563	0.013	0.01	0	38.3	30.5	75.7	124	105	0	35	34	35
2025	3	15	21	1	26	0.712	-0.072	3.566	0.013	0.01	0	38.7	31	76.1	125	106	0	35	34	35
2025	3	15	21	11	26	0.719	-0.085	3.563	0.013	0.01	0	38.7	31	75.3	125	107	0	35	35	36
2025	3	15	21	21	26	0.676	-0.112	3.566	0.016	0.013	0	38.3	31	76.5	125	106	0	36	34	35
2025	3	15	21	31	26	0.686	-0.085	3.563	0.013	0.01	0	37.8	30.5	76.5	123	105	0	35	34	35
2025	3	15	21	41	26	0.722	-0.105	3.563	0.013	0.01	0	38.7	31.4	76.1	125	107	0	35	34	35
2025	3	15	21	51	26	0.699	-0.082	3.563	0.013	0.01	0	38.3	31.4	76.1	125	107	0	36	34	34
2025	3	15	22	1	26	0.719	-0.128	3.563	0.013	0.01	0	37	30.1	75.7	122	104	0	36	34	35
2025	3	15	22	11	26	0.702	-0.095	3.563	0.016	0.013	0	36.5	29.2	76.1	121	103	0	36	35	35
2025	3	15	22	21	26	0.702	-0.075	3.563	0.016	0.013	0	36.1	29.2	75.7	120	102	0	36	34	35
2025	3	15	22	31	26	0.696	-0.082	3.563	0.013	0.01	0	36.5	29.2	76.5	120	102	0	35	34	35
2025	3	15	22	41	26	0.699	-0.095	3.563	0.01	0.007	0	36.5	29.2	76.5	120	102	0	35	34	35
2025	3	15	22	51	26	0.696	-0.082	3.563	0.01	0.007	0	36.1	29.2	76.1	120	102	0	36	34	35
2025	3	15	23	1	26	0.702	-0.082	3.563	0.013	0.01	0	36.5	28.8	76.5	121	102	0	36	35	35
2025	3	15	23	11	26	0.722	-0.102	3.563	0.013	0.01	0	36.5	29.7	76.5	121	103	0	36	34	35
2025	3	15	23	21	26	0.722	-0.144	3.563	0.01	0.007	0	36.5	28.8	76.5	120	102	0	35	35	35
2025	3	15	23	31	26	0.715	-0.095	3.563	0.01	0.007	0	36.1	28.8	75.7	120	101	0	36	34	35
2025	3	15	23	41	26	0.755	-0.112	3.563	0.013	0.01	0	35.7	28.8	77	119	101	0	36	34	35
2025	3	15	23	51	26	0.719	-0.075	3.563	0.01	0.007	0	36.1	28.8	76.1	120	102	0	36	35	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	16	0	1	26	0.686	-0.095	3.563	0.01	0.007	0	36.1	28.8	76.5	120	101	0	36	34	35	
2025	3	16	0	11	26	0.709	-0.072	3.563	0.01	0.007	0	35.3	28	76.5	118	100	0	36	35	35	
2025	3	16	0	21	26	0.669	-0.102	3.563	0.01	0.007	0	36.1	28.8	77.4	119	101	0	35	34	35	
2025	3	16	0	31	26	0.719	-0.089	3.563	0.01	0.007	0	35.7	28.4	77.8	119	100	0	36	34	35	
2025	3	16	0	41	26	0.741	-0.121	3.563	0.01	0.007	0	35.7	28	77.4	118	100	0	35	35	35	
2025	3	16	0	51	26	0.689	-0.075	3.563	0.016	0.013	0	35.7	28.8	77.8	119	101	0	36	34	35	
2025	3	16	1	1	26	0.669	-0.098	3.563	0.01	0.007	0	37	29.2	77.8	121	102	0	35	34	34	
2025	3	16	1	11	26	0.722	-0.105	3.563	0.01	0.007	0	35.3	28.4	77.8	118	100	0	36	34	35	
2025	3	16	1	21	26	0.715	-0.128	3.563	0.013	0.01	0	35.7	28	77.8	118	99	0	35	34	35	
2025	3	16	1	31	26	0.702	-0.095	3.563	0.01	0.007	0	35.3	27.5	77.8	118	99	0	36	35	35	
2025	3	16	1	41	26	0.705	-0.102	3.563	0.01	0.007	0	35.3	27.5	78.3	117	99	0	35	35	35	
2025	3	16	1	51	26	0.692	-0.105	3.563	0.013	0.01	0	34.8	27.5	78.7	117	98	0	36	34	35	
2025	3	16	2	1	26	0.702	-0.095	3.563	0.013	0.01	0	35.3	28	78.7	117	99	0	35	34	35	
2025	3	16	2	11	26	0.715	-0.105	3.563	0.013	0.01	0	35.3	27.5	77.8	117	99	0	35	35	36	
2025	3	16	2	21	26	0.696	-0.118	3.563	0.01	0.007	0	34.8	27.1	78.3	117	98	0	36	35	35	
2025	3	16	2	31	26	0.732	-0.102	3.563	0.01	0.007	0	34.8	28	78.3	117	99	0	36	34	35	
2025	3	16	2	41	26	0.728	-0.082	3.56	0.01	0.007	0	35.3	27.5	78.3	117	98	0	35	34	35	
2025	3	16	2	51	26	0.699	-0.105	3.563	0.01	0.007	0	34.8	27.5	78.3	117	98	0	36	34	35	
2025	3	16	3	1	26	0.705	-0.082	3.563	0.016	0.013	0	34.4	27.1	78.7	116	98	0	36	35	35	
2025	3	16	3	11	26	0.659	-0.085	3.563	0.016	0.016	0	34.8	27.1	77.8	117	98	0	36	35	36	
2025	3	16	3	21	26	0.699	-0.121	3.56	0.01	0.007	0	34.4	27.5	78.3	116	98	0	36	34	35	
2025	3	16	3	31	26	0.699	-0.118	3.56	0.013	0.01	0	34.8	27.1	79.1	116	98	0	35	35	35	
2025	3	16	3	41	26	0.705	-0.112	3.56	0.01	0.007	0	34.4	27.5	78.7	116	98	0	36	34	34	
2025	3	16	3	51	26	0.709	-0.105	3.56	0.01	0.007	0	34.8	27.5	78.3	117	98	0	36	34	35	
2025	3	16	4	1	26	0.663	-0.092	3.56	0.016	0.013	0	35.3	27.5	78.7	117	98	0	35	34	35	
2025	3	16	4	11	26	0.709	-0.098	3.56	0.01	0.007	0	34.4	27.5	78.3	116	98	0	36	34	35	
2025	3	16	4	21	26	0.696	-0.082	3.56	0.013	0.01	0	34.4	27.5	77.4	116	98	0	36	34	36	
2025	3	16	4	31	26	0.738	-0.138	3.56	0.01	0.007	0	34.4	27.5	77	116	98	0	36	34	36	
2025	3	16	4	41	26	0.709	-0.079	3.56	0.01	0.007	0	34.4	27.1	78.3	116	98	0	36	35	35	
2025	3	16	4	51	26	0.712	-0.085	3.56	0.01	0.007	0	34.4	26.2	78.3	116	96	0	36	35	35	
2025	3	16	5	1	26	0.722	-0.118	3.56	0.016	0.013	0	34.4	27.1	78.3	116	98	0	36	35	35	
2025	3	16	5	11	26	0.686	-0.082	3.56	0.013	0.01	0	35.7	28.4	78.3	118	100	0	35	34	35	
2025	3	16	5	21	26	0.682	-0.079	3.56	0.013	0.01	0	35.3	27.5	78.7	117	99	0	35	35	35	
2025	3	16	5	31	26	0.653	-0.075	3.56	0.01	0.007	0	35.7	28.8	75.7	119	101	0	36	34	35	
2025	3	16	5	41	26	0.679	-0.102	3.56	0.01	0.007	0	35.7	28.4	78.3	119	100	0	36	34	35	
2025	3	16	5	51	26	0.663	-0.082	3.56	0.013	0.01	0	36.1	28.8	78.3	120	101	0	36	34	35	
2025	3	16	6	1	26	0.712	-0.115	3.56	0.016	0.013	0	34.8	28	78.7	118	100	0	37	35	35	
2025	3	16	6	11	26	0.679	-0.059	3.56	0.01	0.007	0	37.8	30.1	77.8	123	105	0	35	35	35	
2025	3	16	6	21	26	0.689	-0.085	3.56	0.01	0.007	0	36.1	28	77.8	119	100	0	35	35	35	
2025	3	16	6	31	26	0.686	-0.095	3.56	0.016	0.016	0	35.3	27.5	78.7	118	99	0	36	35	35	
2025	3	16	6	41	26	0.699	-0.098	3.56	0.013	0.01	0	34.8	27.1	78.3	117	98	0	36	35	36	
2025	3	16	6	51	26	0.719	-0.108	3.56	0.013	0.01	0	36.1	28.8	77.8	120	102	0	36	35	35	
2025	3	16	7	1	26	0.709	-0.108	3.56	0.013	0.01	0	34.8	28	78.3	117	99	0	36	34	35	
2025	3	16	7	11	26	0.682	-0.072	3.56	0.01	0.007	0	34.4	27.1	78.3	115	97	0	35	34	35	
2025	3	16	7	21	26	0.725	-0.105	3.56	0.01	0.007	0	34	26.7	77.8	114	96	0	35	34	35	
2025	3	16	7	31	26	0.705	-0.108	3.56	0.016	0.013	0	34	26.7	77.4	115	96	0	36	34	35	
2025	3	16	7	41	26	0.669	-0.092	3.56	0.013	0.01	0	34.8	27.5	78.3	117	98	0	36	34	35	
2025	3	16	7	51	26	0.659	-0.079	3.56	0.01	0.007	0	34.8	27.1	75.3	116	98	0	35	35	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	16	8	1	26	0.709	-0.131	3.56	0.013	0.01	0	35.7	28.4	71.8	119	101	0	36	35	35
2025	3	16	8	11	26	0.659	-0.118	3.563	0.013	0.01	0	33.5	25.8	78.3	113	95	0	35	35	35
2025	3	16	8	21	26	0.692	-0.115	3.56	0.013	0.01	0	34	26.7	78.7	114	96	0	35	34	35
2025	3	16	8	31	26	0.696	-0.102	3.563	0.01	0.007	0	34	26.2	78.3	114	96	0	35	35	35
2025	3	16	8	41	26	0.692	-0.125	3.563	0.01	0.007	0	34	26.7	78.7	114	97	0	35	35	35
2025	3	16	8	51	26	0.696	-0.102	3.563	0.01	0.007	0	33.5	26.7	78.3	114	96	0	36	34	35
2025	3	16	9	1	26	0.663	-0.069	3.563	0.01	0.007	0	34	27.1	78.3	115	98	0	36	35	36
2025	3	16	9	11	26	0.692	-0.131	3.563	0.01	0.007	0	33.5	27.1	79.1	114	97	0	36	34	35
2025	3	16	9	21	26	0.689	-0.128	3.563	0.013	0.01	0	33.5	27.1	78.3	114	97	0	36	34	35
2025	3	16	9	31	26	0.686	-0.102	3.563	0.016	0.013	0	33.5	26.2	77.8	114	96	0	36	35	36
2025	3	16	9	41	26	0.722	-0.118	3.563	0.013	0.01	0	34	27.1	77.8	114	96	0	35	33	35
2025	3	16	9	51	26	0.663	-0.112	3.563	0.01	0.007	0	33.5	27.1	77	114	97	0	36	34	35
2025	3	16	10	1	26	0.679	-0.108	3.56	0.01	0.007	0	34.4	27.1	53.3	115	97	0	35	34	35
2025	3	16	10	11	26	0.679	-0.118	3.56	0.01	0.007	0	34	27.1	53.8	115	97	0	36	34	35
2025	3	16	10	21	26	0.692	-0.125	3.56	0.01	0.007	0	34.8	27.5	48.2	117	99	0	36	35	35
2025	3	16	10	31	26	0.705	-0.112	3.56	0.01	0.007	0	34.4	27.5	50.3	116	98	0	36	34	35
2025	3	16	10	41	26	0.696	-0.092	3.56	0.016	0.013	0	34.4	27.5	53.8	115	98	0	35	34	35
2025	3	16	10	51	26	0.673	-0.095	3.556	0.01	0.007	0	35.3	27.5	48.2	117	99	0	35	35	35
2025	3	16	11	1	26	0.702	-0.092	3.556	0.013	0.01	0	34.8	28.4	47.3	117	100	0	36	34	35
2025	3	16	11	11	26	0.659	-0.082	3.56	0.013	0.01	0	35.3	28	48.6	117	100	0	35	35	35
2025	3	16	11	21	26	0.689	-0.105	3.56	0.01	0.007	0	35.3	28.4	48.6	118	100	0	36	34	35
2025	3	16	11	31	26	0.682	-0.112	3.56	0.01	0.007	0	34	27.5	51.2	115	98	0	36	34	35
2025	3	16	11	41	26	0.722	-0.098	3.56	0.013	0.01	0	35.3	28.4	56.8	118	100	0	36	34	34
2025	3	16	11	51	26	0.682	-0.108	3.56	0.013	0.01	0	35.3	28	48.2	117	99	0	35	34	35
2025	3	16	12	1	26	0.709	-0.095	3.56	0.013	0.01	0	35.7	28.8	47.3	118	101	0	35	34	36
2025	3	16	12	11	26	0.673	-0.072	3.556	0.01	0.007	0	35.3	28	46.4	117	99	0	35	34	35
2025	3	16	12	21	26	0.696	-0.098	3.56	0.013	0.01	0	34.8	28.4	52.9	117	100	0	36	34	35
2025	3	16	12	31	26	0.686	-0.151	3.56	0.01	0.007	0	34.8	28	48.2	117	100	0	36	35	36
2025	3	16	12	41	26	0.669	-0.102	3.56	0.01	0.007	0	34.8	28	47.7	116	99	0	35	34	35
2025	3	16	12	51	26	0.699	-0.128	3.556	0.016	0.013	0	34.8	28	48.2	116	99	0	35	34	35
2025	3	16	13	1	26	0.686	-0.095	3.556	0.01	0.007	0	35.7	28	47.7	118	100	0	35	35	35
2025	3	16	13	11	26	0.699	-0.125	3.56	0.013	0.01	0	34.8	27.5	48.2	116	98	0	35	34	35
2025	3	16	13	21	26	0.702	-0.062	3.556	0.013	0.01	0	34.4	27.5	50.3	116	98	0	36	34	35
2025	3	16	13	31	26	0.686	-0.112	3.556	0.016	0.013	0	34.8	28	49.5	117	100	0	36	35	36
2025	3	16	13	41	26	0.696	-0.105	3.556	0.013	0.01	0	34.8	28	45.6	116	99	0	35	34	35
2025	3	16	13	51	26	0.669	-0.115	3.556	0.013	0.01	0	35.3	28.4	45.6	117	100	0	35	34	35
2025	3	16	14	1	26	0.712	-0.069	3.556	0.013	0.01	0	34.8	28.4	49.9	117	100	0	36	34	34
2025	3	16	14	11	26	0.656	-0.066	3.556	0.013	0.01	0	35.7	28.4	44.3	118	100	0	35	34	35
2025	3	16	14	21	26	0.682	-0.082	3.556	0.01	0.007	0	34.4	28	46	116	99	0	36	34	35
2025	3	16	14	31	26	0.666	-0.069	3.56	0.016	0.013	0	34.4	27.5	46.9	115	98	0	35	34	35
2025	3	16	14	41	26	0.692	-0.072	3.56	0.01	0.007	0	34.4	27.5	46.4	116	98	0	36	34	35
2025	3	16	14	51	26	0.702	-0.121	3.556	0.01	0.007	0	35.3	28	48.6	117	99	0	35	34	35
2025	3	16	15	1	26	0.715	-0.102	3.556	0.01	0.007	0	35.3	28	48.6	117	99	0	35	34	35
2025	3	16	15	11	26	0.696	-0.105	3.556	0.013	0.01	0	35.7	29.2	49	119	102	0	36	34	35
2025	3	16	15	21	26	0.705	-0.085	3.556	0.01	0.007	0	36.5	28.8	46.9	120	101	0	35	34	35
2025	3	16	15	31	26	0.666	-0.069	3.556	0.013	0.01	0	36.5	29.2	46.4	120	102	0	35	34	35
2025	3	16	15	41	26	0.696	-0.112	3.556	0.01	0.007	0	35.7	28	44.7	118	100	0	35	35	35
2025	3	16	15	51	26	0.686	-0.112	3.556	0.013	0.01	0	35.7	28.4	46	119	100	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	16	16	1	26	0.689	-0.092	3.553	0.013	0.01	0	36.1	28.8	47.7	119	101	0	35	34	35
2025	3	16	16	11	26	0.663	-0.092	3.556	0.01	0.007	0	35.3	28	45.6	117	98	0	35	33	35
2025	3	16	16	21	26	0.682	-0.095	3.553	0.016	0.016	0	36.1	29.2	45.2	119	101	0	35	33	35
2025	3	16	16	31	26	0.673	-0.066	3.553	0.016	0.013	0	35.7	28	47.3	118	99	0	35	34	35
2025	3	16	16	41	26	0.709	-0.082	3.553	0.016	0.013	0	34.8	27.1	58.5	116	97	0	35	34	35
2025	3	16	16	51	26	0.666	-0.128	3.553	0.016	0.013	0	34.8	27.5	75.3	117	98	0	36	34	35
2025	3	16	17	1	26	0.705	-0.118	3.553	0.013	0.01	0	34.4	26.7	44.7	115	96	0	35	34	35
2025	3	16	17	11	26	0.679	-0.115	3.553	0.01	0.007	0	34.4	26.7	75.7	115	96	0	35	34	35
2025	3	16	17	21	26	0.663	-0.082	3.553	0.013	0.01	0	34.8	27.5	76.5	117	98	0	36	34	35
2025	3	16	17	31	26	0.725	-0.082	3.553	0.013	0.01	0	34.4	27.1	77	115	97	0	35	34	34
2025	3	16	17	41	26	0.705	-0.085	3.553	0.013	0.01	0	34	27.1	76.1	115	97	0	36	34	35
2025	3	16	17	51	26	0.682	-0.075	3.553	0.013	0.01	0	34.4	27.1	76.5	116	97	0	36	34	35
2025	3	16	18	1	26	0.676	-0.089	3.553	0.013	0.01	0	34	27.1	76.5	115	97	0	36	34	35
2025	3	16	18	11	26	0.705	-0.082	3.553	0.01	0.007	0	34.4	27.1	74.4	115	97	0	35	34	35
2025	3	16	18	21	26	0.682	-0.102	3.553	0.01	0.007	0	34.8	27.1	77.4	116	97	0	35	34	35
2025	3	16	18	31	26	0.699	-0.085	3.55	0.016	0.013	0	35.7	28	59.3	118	99	0	35	34	35
2025	3	16	18	41	26	0.696	-0.115	3.55	0.01	0.007	0	35.3	28	47.3	117	99	0	35	34	35
2025	3	16	18	51	26	0.686	-0.121	3.55	0.01	0.007	0	35.7	28.4	76.5	118	100	0	35	34	34
2025	3	16	19	1	26	0.679	-0.092	3.55	0.013	0.01	0	36.1	28.4	77	119	100	0	35	34	35
2025	3	16	19	11	26	0.732	-0.085	3.55	0.013	0.01	0	35.7	28.8	77	119	101	0	36	34	35
2025	3	16	19	21	26	0.692	-0.118	3.553	0.016	0.013	0	36.1	28.4	77.8	119	100	0	35	34	35
2025	3	16	19	31	26	0.669	-0.112	3.55	0.013	0.01	0	35.7	28.4	77.4	119	100	0	36	34	35
2025	3	16	19	41	26	0.656	-0.085	3.55	0.01	0.007	0	36.5	28.8	77.4	120	101	0	35	34	35
2025	3	16	19	51	26	0.709	-0.112	3.55	0.013	0.01	0	36.5	28.8	76.5	120	101	0	35	34	35
2025	3	16	20	1	26	0.673	-0.098	3.55	0.016	0.013	0	35.7	28.8	78.7	119	101	0	36	34	34
2025	3	16	20	11	26	0.748	-0.095	3.55	0.01	0.007	0	36.1	28.4	77.8	119	100	0	35	34	35
2025	3	16	20	21	26	0.699	-0.082	3.55	0.013	0.01	0	36.1	28.8	78.3	119	101	0	35	34	35
2025	3	16	20	31	26	0.705	-0.098	3.55	0.01	0.007	0	36.1	28.8	77.8	119	101	0	35	34	35
2025	3	16	20	41	26	0.676	-0.089	3.55	0.013	0.01	0	37.4	30.1	78.3	122	104	0	35	34	35
2025	3	16	20	51	26	0.676	-0.098	3.547	0.01	0.007	0	36.5	29.7	78.3	121	103	0	36	34	35
2025	3	16	21	1	26	0.702	-0.105	3.55	0.01	0.007	0	36.5	28.8	77.8	120	101	0	35	34	35
2025	3	16	21	11	26	0.699	-0.098	3.547	0.01	0.007	0	36.1	28.4	75.7	119	100	0	35	34	35
2025	3	16	21	21	26	0.696	-0.089	3.547	0.016	0.016	0	38.3	30.5	70.5	124	105	0	35	34	34
2025	3	16	21	31	26	0.696	-0.089	3.547	0.01	0.007	0	37	29.2	78.3	121	102	0	35	34	35
2025	3	16	21	41	26	0.679	-0.098	3.547	0.013	0.01	0	36.5	28.4	78.3	120	100	0	35	34	34
2025	3	16	21	51	26	0.705	-0.072	3.547	0.01	0.007	0	36.1	28.4	77.8	119	100	0	35	34	36
2025	3	16	22	1	26	0.709	-0.118	3.547	0.013	0.01	0	36.1	28	78.3	119	100	0	35	35	35
2025	3	16	22	11	26	0.712	-0.089	3.547	0.013	0.01	0	38.3	30.1	78.3	124	105	0	35	35	35
2025	3	16	22	21	26	0.728	-0.112	3.547	0.013	0.01	0	37.8	30.1	78.7	123	104	0	35	34	35
2025	3	16	22	31	26	0.696	-0.115	3.547	0.013	0.01	0	37	29.2	78.3	121	103	0	35	35	35
2025	3	16	22	41	26	0.663	-0.098	3.547	0.013	0.01	0	36.5	29.2	77.8	120	102	0	35	34	35
2025	3	16	22	51	26	0.715	-0.121	3.547	0.01	0.007	0	36.5	29.2	78.7	120	102	0	35	34	35
2025	3	16	23	1	26	0.663	-0.098	3.547	0.01	0.007	0	35.3	28.8	78.7	119	101	0	37	34	35
2025	3	16	23	11	26	0.715	-0.121	3.543	0.01	0.007	0	35.3	28.4	78.7	118	100	0	36	34	35
2025	3	16	23	21	26	0.673	-0.105	3.547	0.01	0.007	0	35.7	28.4	78.3	118	100	0	35	34	35
2025	3	16	23	31	26	0.732	-0.105	3.543	0.01	0.007	0	35.7	28	78.3	118	100	0	35	35	35
2025	3	16	23	41	26	0.673	-0.092	3.543	0.01	0.007	0	35.7	28	77.4	118	100	0	35	35	36
2025	3	16	23	51	26	0.686	-0.095	3.543	0.01	0.007	0	35.3	28.4	77.8	118	100	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	17	0	1	26	0.702	-0.098	3.543	0.016	0.013	0	35.7	28	78.3	118	100	0	35	35	35
2025	3	17	0	11	26	0.696	-0.108	3.543	0.013	0.01	0	34.8	28	77.4	117	99	0	36	34	35
2025	3	17	0	21	26	0.689	-0.082	3.543	0.01	0.007	0	35.7	28	77.8	118	99	0	35	34	35
2025	3	17	0	31	26	0.673	-0.138	3.543	0.016	0.013	0	35.7	28	77.4	118	99	0	35	34	35
2025	3	17	0	41	26	0.705	-0.095	3.54	0.01	0.007	0	34.8	27.5	68.4	117	99	0	36	35	35
2025	3	17	0	51	26	0.666	-0.066	3.54	0.013	0.01	0	36.1	28.8	74.4	119	101	0	35	34	35
2025	3	17	1	1	26	0.712	-0.105	3.543	0.013	0.01	0	35.3	28.4	77.4	118	100	0	36	34	35
2025	3	17	1	11	26	0.673	-0.082	3.543	0.013	0.01	0	35.3	28	77.4	117	99	0	35	34	35
2025	3	17	1	21	26	0.715	-0.105	3.54	0.01	0.007	0	35.3	28	77.4	117	99	0	35	34	35
2025	3	17	1	31	26	0.692	-0.138	3.54	0.013	0.01	0	34.8	27.1	76.5	116	98	0	35	35	35
2025	3	17	1	41	26	0.748	-0.121	3.54	0.016	0.013	0	35.3	27.1	76.5	117	98	0	35	35	35
2025	3	17	1	51	26	0.715	-0.131	3.54	0.01	0.007	0	35.3	27.5	75.7	117	98	0	35	34	35
2025	3	17	2	1	26	0.699	-0.095	3.54	0.01	0.007	0	34.8	27.5	76.5	117	99	0	36	35	35
2025	3	17	2	11	26	0.712	-0.095	3.54	0.01	0.007	0	34.8	28	75.7	117	99	0	36	34	35
2025	3	17	2	21	26	0.669	-0.125	3.54	0.013	0.01	0	34.8	28	74.8	117	99	0	36	34	35
2025	3	17	2	31	26	0.699	-0.121	3.54	0.013	0.01	0	34.8	28.4	75.7	117	99	0	36	33	35
2025	3	17	2	41	26	0.715	-0.062	3.54	0.016	0.013	0	35.3	27.5	75.3	117	99	0	35	35	35
2025	3	17	2	51	26	0.699	-0.082	3.537	0.013	0.01	0	35.3	27.5	75.3	117	98	0	35	34	35
2025	3	17	3	1	26	0.709	-0.098	3.537	0.01	0.007	0	34.8	28	75.3	117	99	0	36	34	35
2025	3	17	3	11	26	0.692	-0.098	3.537	0.01	0.007	0	34.4	27.5	75.7	116	98	0	36	34	35
2025	3	17	3	21	26	0.705	-0.135	3.537	0.016	0.013	0	35.7	28	75.3	118	99	0	35	34	35
2025	3	17	3	31	26	0.745	-0.125	3.537	0.01	0.007	0	34.8	27.1	75.3	116	97	0	35	34	35
2025	3	17	3	41	26	0.663	-0.128	3.537	0.013	0.01	0	34.8	27.5	74.8	116	98	0	35	34	35
2025	3	17	3	51	26	0.682	-0.079	3.537	0.01	0.007	0	35.3	27.5	75.3	118	98	0	36	34	35
2025	3	17	4	1	26	0.669	-0.082	3.537	0.016	0.013	0	34.8	27.1	75.3	116	97	0	35	34	35
2025	3	17	4	11	26	0.682	-0.105	3.537	0.01	0.007	0	34	26.7	75.3	115	96	0	36	34	35
2025	3	17	4	21	26	0.682	-0.121	3.537	0.013	0.01	0	34.4	26.2	75.3	115	96	0	35	35	35
2025	3	17	4	31	26	0.689	-0.072	3.537	0.013	0.01	0	34	26.7	75.3	115	97	0	36	35	35
2025	3	17	4	41	26	0.709	-0.135	3.537	0.013	0.01	0	34	26.7	74.8	116	97	0	37	35	35
2025	3	17	4	51	26	0.715	-0.079	3.537	0.013	0.01	0	34.4	26.2	75.3	115	95	0	35	34	35
2025	3	17	5	1	26	0.702	-0.095	3.537	0.01	0.007	0	34.4	26.2	74.8	115	96	0	35	35	35
2025	3	17	5	11	26	0.676	-0.092	3.537	0.013	0.01	0	34.4	27.1	75.3	116	97	0	36	34	35
2025	3	17	5	21	26	0.689	-0.108	3.537	0.01	0.007	0	34.8	27.1	74.8	117	97	0	36	34	35
2025	3	17	5	31	26	0.702	-0.112	3.537	0.016	0.013	0	34	25.8	74.4	114	94	0	35	34	35
2025	3	17	5	41	26	0.696	-0.092	3.537	0.01	0.007	0	35.3	27.1	74.4	117	97	0	35	34	35
2025	3	17	5	51	26	0.636	-0.082	3.537	0.01	0.007	0	35.3	26.7	73.1	117	97	0	35	35	35
2025	3	17	6	1	26	0.715	-0.118	3.537	0.013	0.01	0	34.8	27.5	74.8	117	98	0	36	34	34
2025	3	17	6	11	26	0.673	-0.105	3.537	0.01	0.007	0	34.8	27.1	74.4	117	97	0	36	34	35
2025	3	17	6	21	26	0.702	-0.112	3.537	0.01	0.007	0	36.5	28.8	74.4	121	101	0	36	34	35
2025	3	17	6	31	26	0.702	-0.118	3.537	0.016	0.016	0	35.7	28.4	74	119	100	0	36	34	35
2025	3	17	6	41	26	0.702	-0.082	3.537	0.01	0.007	0	34.4	27.1	74	116	97	0	36	34	35
2025	3	17	6	51	26	0.702	-0.105	3.537	0.01	0.007	0	34.8	27.1	74.4	117	98	0	36	35	35
2025	3	17	7	1	26	0.702	-0.095	3.533	0.01	0.007	0	34.4	26.2	74	116	96	0	36	35	35
2025	3	17	7	11	26	0.689	-0.069	3.537	0.013	0.01	0	35.7	27.5	74.4	118	98	0	35	34	35
2025	3	17	7	21	26	0.702	-0.108	3.533	0.016	0.013	0	34.8	27.5	75.3	117	99	0	36	35	35
2025	3	17	7	31	26	0.732	-0.075	3.537	0.013	0.01	0	35.3	27.5	75.7	117	99	0	35	35	35
2025	3	17	7	41	26	0.676	-0.108	3.537	0.01	0.007	0	34.8	27.5	75.7	117	99	0	36	35	35
2025	3	17	7	51	26	0.741	-0.121	3.533	0.01	0.007	0	35.3	27.5	55.5	117	99	0	35	35	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	17	8	1	26	0.656	-0.082	3.533	0.016	0.013	0	33.5	26.2	49	114	96	0	36	35	35
2025	3	17	8	11	26	0.656	-0.082	3.537	0.01	0.007	0	33.5	26.7	45.2	113	96	0	35	34	35
2025	3	17	8	21	26	0.682	-0.105	3.537	0.01	0.007	0	33.5	26.7	45.2	114	96	0	36	34	35
2025	3	17	8	31	26	0.65	-0.095	3.537	0.016	0.013	0	33.1	25.8	43.9	113	95	0	36	35	35
2025	3	17	8	41	26	0.636	-0.072	3.537	0.01	0.007	0	34	27.1	45.2	115	97	0	36	34	35
2025	3	17	8	51	26	0.653	-0.085	3.537	0.013	0.01	0	33.5	26.2	44.3	114	96	0	36	35	35
2025	3	17	9	1	26	0.623	-0.075	3.533	0.013	0.01	0	33.5	26.7	46.9	114	97	0	36	35	35
2025	3	17	9	11	26	0.643	-0.075	3.537	0.01	0.007	0	34.4	27.1	43.4	115	98	0	35	35	36
2025	3	17	9	21	26	0.659	-0.082	3.537	0.013	0.01	0	34.4	27.5	44.3	115	98	0	35	34	34
2025	3	17	9	31	26	0.62	-0.062	3.537	0.013	0.01	0	34	27.1	46.4	115	98	0	36	35	35
2025	3	17	9	41	26	0.636	-0.121	3.537	0.01	0.007	0	34.8	28.4	44.3	117	100	0	36	34	35
2025	3	17	9	51	26	0.63	-0.098	3.537	0.01	0.007	0	35.7	28.8	46.4	118	101	0	35	34	35
2025	3	17	10	1	26	0.633	-0.092	3.533	0.01	0.007	0	35.3	28.8	44.7	117	101	0	35	34	35
2025	3	17	10	11	26	0.643	-0.082	3.53	0.013	0.01	0	36.5	29.7	44.7	121	104	0	36	35	35
2025	3	17	10	21	26	0.663	-0.089	3.533	0.01	0.007	0	37.4	31.4	45.6	123	107	0	36	34	35
2025	3	17	10	31	26	0.669	-0.072	3.537	0.01	0.007	0	37.8	30.5	46.9	123	106	0	35	35	35
2025	3	17	10	41	26	0.646	-0.079	3.54	0.013	0.01	0	38.3	31.4	45.2	124	107	0	35	34	35
2025	3	17	10	51	26	0.676	-0.098	3.53	0.013	0.01	0	40	33.5	43.9	128	112	0	35	34	35
2025	3	17	11	1	26	0.64	-0.043	3.537	0.01	0.007	0	40	33.1	43.9	128	111	0	35	34	35
2025	3	17	11	11	26	0.663	-0.069	3.533	0.013	0.01	0	40	32.7	42.6	128	110	0	35	34	35
2025	3	17	11	21	26	0.633	-0.085	3.537	0.013	0.01	0	38.7	32.3	44.3	126	109	0	36	34	35
2025	3	17	11	31	26	0.659	-0.121	3.537	0.01	0.007	0	38.7	31.8	45.2	125	108	0	35	34	35
2025	3	17	11	41	26	0.679	-0.079	3.537	0.01	0.007	0	37.4	31	45.6	123	106	0	36	34	35
2025	3	17	11	51	26	0.65	-0.089	3.537	0.013	0.01	0	36.5	29.7	46.4	121	103	0	36	34	35
2025	3	17	12	1	26	0.699	-0.112	3.54	0.016	0.016	0	36.1	28.8	53.8	119	102	0	35	35	35
2025	3	17	12	11	26	0.705	-0.105	3.54	0.01	0.007	0	36.1	28.8	75.7	119	101	0	35	34	35
2025	3	17	12	21	26	0.715	-0.108	3.54	0.01	0.007	0	36.5	29.2	69.2	120	102	0	35	34	35
2025	3	17	12	31	26	0.692	-0.085	3.54	0.01	0.007	0	35.7	28.8	73.1	119	102	0	36	35	34
2025	3	17	12	41	26	0.656	-0.118	3.54	0.013	0.01	0	35.7	28.4	76.1	118	100	0	35	34	35
2025	3	17	12	51	26	0.676	-0.105	3.54	0.01	0.007	0	34.8	27.5	78.7	117	98	0	36	34	35
2025	3	17	13	1	26	0.679	-0.062	3.537	0.013	0.01	0	34.8	28	50.7	116	99	0	35	34	35
2025	3	17	13	11	26	0.666	-0.069	3.537	0.016	0.013	0	34.8	28	55	116	99	0	35	34	35
2025	3	17	13	21	26	0.676	-0.098	3.537	0.016	0.013	0	34.4	28	55	116	99	0	36	34	35
2025	3	17	13	31	26	0.666	-0.108	3.537	0.01	0.007	0	34	27.1	71.8	115	97	0	36	34	35
2025	3	17	13	41	26	0.725	-0.085	3.537	0.016	0.016	0	34.8	28	60.6	116	99	0	35	34	35
2025	3	17	13	51	26	0.643	-0.079	3.537	0.01	0.007	0	34.4	27.1	51.6	115	97	0	35	34	35
2025	3	17	14	1	26	0.705	-0.135	3.537	0.01	0.007	0	34.4	27.1	63.6	115	98	0	35	35	34
2025	3	17	14	11	26	0.682	-0.118	3.54	0.01	0.007	0	34	27.1	73.1	115	97	0	36	34	34
2025	3	17	14	21	26	0.692	-0.098	3.533	0.013	0.01	0	34.4	27.1	44.7	115	97	0	35	34	35
2025	3	17	14	31	26	0.663	-0.069	3.53	0.01	0.007	0	34	26.7	45.2	115	97	0	36	35	35
2025	3	17	14	41	26	0.722	-0.098	3.53	0.013	0.01	0	34	26.2	46	114	96	0	35	35	34
2025	3	17	14	51	26	0.682	-0.056	3.53	0.016	0.013	0	34.4	27.1	44.3	115	97	0	35	34	34
2025	3	17	15	1	26	0.676	-0.095	3.53	0.016	0.013	0	34.4	27.1	45.6	115	97	0	35	34	35
2025	3	17	15	11	26	0.666	-0.108	3.53	0.01	0.007	0	34	26.7	46.4	114	96	0	35	34	35
2025	3	17	15	21	26	0.666	-0.082	3.53	0.01	0.007	0	34.4	27.5	47.3	116	98	0	36	34	35
2025	3	17	15	31	26	0.669	-0.102	3.537	0.01	0.007	0	34.4	26.2	72.2	115	96	0	35	35	35
2025	3	17	15	41	26	0.666	-0.072	3.527	0.016	0.016	0	34	26.7	44.7	114	96	0	35	34	35
2025	3	17	15	51	26	0.679	-0.098	3.527	0.01	0.007	0	34.4	27.1	44.7	115	97	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	17	16	1	26	0.669	-0.082	3.527	0.01	0.007	0	34	26.2	45.2	115	96	0	36	35	35
2025	3	17	16	11	26	0.699	-0.098	3.527	0.01	0.007	0	34.4	26.7	49.5	115	96	0	35	34	35
2025	3	17	16	21	26	0.673	-0.085	3.524	0.01	0.007	0	34.4	26.7	51.6	115	97	0	35	35	35
2025	3	17	16	31	26	0.653	-0.115	3.524	0.016	0.013	0	34.8	27.5	49.9	116	98	0	35	34	34
2025	3	17	16	41	26	0.728	-0.082	3.52	0.016	0.013	0	35.3	27.5	48.2	117	98	0	35	34	35
2025	3	17	16	51	26	0.682	-0.098	3.52	0.016	0.013	0	34.4	27.1	48.6	115	97	0	35	34	34
2025	3	17	17	1	26	0.663	-0.082	3.52	0.013	0.01	0	34.4	26.7	55.5	115	96	0	35	34	34
2025	3	17	17	11	26	0.725	-0.082	3.52	0.01	0.007	0	34	25.8	50.3	114	95	0	35	35	35
2025	3	17	17	21	26	0.653	-0.108	3.52	0.013	0.01	0	34	26.2	50.7	114	95	0	35	34	35
2025	3	17	17	31	26	0.696	-0.082	3.52	0.013	0.01	0	34.4	26.7	52	115	96	0	35	34	35
2025	3	17	17	41	26	0.702	-0.112	3.52	0.013	0.01	0	34.4	26.7	47.7	115	96	0	35	34	34
2025	3	17	17	51	26	0.705	-0.085	3.52	0.016	0.013	0	34.8	27.1	47.3	116	97	0	35	34	35
2025	3	17	18	1	26	0.699	-0.098	3.517	0.013	0.01	0	34.8	26.7	46.4	116	96	0	35	34	35
2025	3	17	18	11	26	0.669	-0.102	3.517	0.01	0.007	0	36.5	29.2	48.6	120	101	0	35	33	35
2025	3	17	18	21	26	0.669	-0.059	3.517	0.013	0.01	0	36.5	28.4	49.5	120	100	0	35	34	35
2025	3	17	18	31	26	0.712	-0.082	3.517	0.01	0.007	0	36.1	28.4	48.6	120	100	0	36	34	34
2025	3	17	18	41	26	0.656	-0.075	3.517	0.01	0.007	0	36.5	28.8	47.3	121	101	0	36	34	35
2025	3	17	18	51	26	0.696	-0.095	3.517	0.01	0.007	0	36.5	28.4	47.3	120	100	0	35	34	35
2025	3	17	19	1	26	0.682	-0.102	3.517	0.01	0.007	0	36.1	28.4	47.3	119	100	0	35	34	35
2025	3	17	19	11	26	0.702	-0.121	3.514	0.016	0.013	0	36.1	28	49.5	118	99	0	34	34	34
2025	3	17	19	21	26	0.725	-0.128	3.517	0.013	0.01	0	36.5	28.8	70.5	120	101	0	35	34	35
2025	3	17	19	31	26	0.679	-0.115	3.514	0.01	0.007	0	36.5	28.4	68.8	120	100	0	35	34	35
2025	3	17	19	41	26	0.676	-0.105	3.514	0.01	0.007	0	36.1	28.8	76.5	119	101	0	35	34	35
2025	3	17	19	51	26	0.709	-0.095	3.517	0.01	0.007	0	35.7	28.4	77	119	100	0	36	34	34
2025	3	17	20	1	26	0.65	-0.089	3.517	0.016	0.013	0	35.7	28	76.5	118	99	0	35	34	35
2025	3	17	20	11	26	0.676	-0.121	3.514	0.013	0.01	0	35.7	27.5	75.7	118	98	0	35	34	35
2025	3	17	20	21	26	0.699	-0.118	3.514	0.01	0.007	0	36.1	28.4	63.2	119	100	0	35	34	35
2025	3	17	20	31	26	0.692	-0.098	3.514	0.01	0.007	0	35.7	27.5	71.8	119	99	0	36	35	35
2025	3	17	20	41	26	0.679	-0.112	3.514	0.013	0.01	0	35.7	28	75.7	119	99	0	36	34	35
2025	3	17	20	51	26	0.722	-0.108	3.514	0.013	0.01	0	35.3	27.5	75.7	118	99	0	36	35	34
2025	3	17	21	1	26	0.705	-0.112	3.514	0.016	0.016	0	35.7	27.5	71.8	118	98	0	35	34	34
2025	3	17	21	11	26	0.722	-0.089	3.514	0.013	0.01	0	35.3	27.1	74.8	117	97	0	35	34	35
2025	3	17	21	21	26	0.715	-0.085	3.51	0.016	0.016	0	34.8	26.7	74.4	117	97	0	36	35	35
2025	3	17	21	31	26	0.679	-0.095	3.514	0.013	0.01	0	34.4	26.2	76.5	116	95	0	36	34	34
2025	3	17	21	41	26	0.722	-0.098	3.51	0.013	0.01	0	35.7	27.5	75.3	118	98	0	35	34	35
2025	3	17	21	51	26	0.692	-0.069	3.514	0.013	0.01	0	35.7	28	75.7	118	99	0	35	34	34
2025	3	17	22	1	26	0.682	-0.092	3.51	0.013	0.01	0	36.1	28.4	59.8	119	100	0	35	34	35
2025	3	17	22	11	26	0.705	-0.112	3.51	0.016	0.016	0	36.1	28.4	65.8	119	100	0	35	34	35
2025	3	17	22	21	26	0.728	-0.082	3.51	0.01	0.007	0	37	29.2	76.1	121	102	0	35	34	35
2025	3	17	22	31	26	0.65	-0.092	3.51	0.01	0.007	0	36.5	28.8	76.5	120	101	0	35	34	34
2025	3	17	22	41	26	0.702	-0.085	3.507	0.013	0.01	0	36.1	28.4	62.8	119	100	0	35	34	35
2025	3	17	22	51	26	0.663	-0.105	3.51	0.01	0.007	0	36.1	28.4	69.2	119	100	0	35	34	35
2025	3	17	23	1	26	0.699	-0.092	3.507	0.013	0.01	0	35.7	28	63.6	118	99	0	35	34	36
2025	3	17	23	11	26	0.682	-0.085	3.507	0.013	0.01	0	35.7	27.5	52.9	118	99	0	35	35	35
2025	3	17	23	21	26	0.669	-0.079	3.507	0.013	0.01	0	36.1	28.4	49.5	119	100	0	35	34	35
2025	3	17	23	31	26	0.702	-0.098	3.507	0.013	0.01	0	36.5	29.2	51.2	120	102	0	35	34	35
2025	3	17	23	41	26	0.65	-0.085	3.507	0.01	0.007	0	36.5	28.8	49.9	120	101	0	35	34	35
2025	3	17	23	51	26	0.725	-0.082	3.507	0.016	0.016	0	35.7	28	53.3	118	99	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	18	0	1	26	0.689	-0.105	3.507	0.016	0.016	0	35.7	28	74.8	118	99	0	35	34	34
2025	3	18	0	11	26	0.696	-0.115	3.507	0.01	0.007	0	35.7	28	75.7	118	99	0	35	34	35
2025	3	18	0	21	26	0.712	-0.098	3.507	0.013	0.01	0	35.7	27.1	75.3	118	98	0	35	35	35
2025	3	18	0	31	26	0.686	-0.128	3.507	0.016	0.013	0	34.8	27.5	74.8	117	98	0	36	34	35
2025	3	18	0	41	26	0.666	-0.085	3.507	0.013	0.01	0	35.3	27.5	74.8	117	98	0	35	34	35
2025	3	18	0	51	26	0.669	-0.112	3.507	0.016	0.013	0	34.8	27.5	74.4	117	97	0	36	33	35
2025	3	18	1	1	26	0.709	-0.108	3.504	0.013	0.01	0	35.3	27.5	74.4	117	98	0	35	34	35
2025	3	18	1	11	26	0.653	-0.062	3.504	0.01	0.007	0	35.3	26.7	53.3	117	97	0	35	35	35
2025	3	18	1	21	26	0.689	-0.082	3.504	0.016	0.013	0	34.8	27.1	74	116	97	0	35	34	35
2025	3	18	1	31	26	0.673	-0.105	3.504	0.013	0.01	0	35.3	27.1	74	117	97	0	35	34	36
2025	3	18	1	41	26	0.689	-0.095	3.504	0.013	0.01	0	34.8	27.1	74.4	116	97	0	35	34	35
2025	3	18	1	51	26	0.712	-0.102	3.504	0.013	0.01	0	34.4	27.1	74.4	116	97	0	36	34	35
2025	3	18	2	1	26	0.692	-0.089	3.504	0.013	0.01	0	34.4	26.7	75.3	116	97	0	36	35	35
2025	3	18	2	11	26	0.696	-0.102	3.504	0.013	0.01	0	34.4	27.1	74.8	116	97	0	36	34	35
2025	3	18	2	21	26	0.666	-0.135	3.504	0.016	0.013	0	34.4	27.1	74.8	116	97	0	36	34	35
2025	3	18	2	31	26	0.689	-0.108	3.504	0.013	0.01	0	34.4	27.1	74.8	116	97	0	36	34	35
2025	3	18	2	41	26	0.679	-0.125	3.504	0.01	0.007	0	34.8	26.7	74.8	116	97	0	35	35	35
2025	3	18	2	51	26	0.696	-0.118	3.504	0.016	0.013	0	34	26.2	75.7	115	96	0	36	35	35
2025	3	18	3	1	26	0.633	-0.112	3.504	0.013	0.01	0	34.4	27.1	75.3	116	97	0	36	34	35
2025	3	18	3	11	26	0.636	-0.118	3.504	0.013	0.01	0	34.4	26.7	75.3	116	96	0	36	34	35
2025	3	18	3	21	26	0.689	-0.082	3.501	0.016	0.016	0	34.8	27.1	70.5	116	96	0	35	33	35
2025	3	18	3	31	26	0.666	-0.102	3.504	0.01	0.007	0	34.8	26.7	75.3	116	96	0	35	34	35
2025	3	18	3	41	26	0.666	-0.095	3.504	0.01	0.007	0	34.8	26.7	75.3	116	96	0	35	34	35
2025	3	18	3	51	26	0.64	-0.115	3.501	0.013	0.01	0	34.4	25.8	74.8	115	95	0	35	35	35
2025	3	18	4	1	26	0.686	-0.108	3.501	0.013	0.01	0	34	26.2	75.3	115	95	0	36	34	35
2025	3	18	4	11	26	0.692	-0.095	3.501	0.01	0.007	0	34	26.2	75.3	115	95	0	36	34	35
2025	3	18	4	21	26	0.617	-0.112	3.501	0.01	0.007	0	34	25.8	75.3	114	94	0	35	34	35
2025	3	18	4	31	26	0.636	-0.085	3.501	0.016	0.013	0	34	25.4	75.3	115	94	0	36	35	35
2025	3	18	4	41	26	0.636	-0.075	3.501	0.016	0.013	0	34.8	26.7	76.5	116	96	0	35	34	34
2025	3	18	4	51	26	0.666	-0.095	3.501	0.01	0.007	0	34.4	26.7	76.5	116	97	0	36	35	35
2025	3	18	5	1	26	0.676	-0.105	3.501	0.016	0.013	0	34.4	26.7	76.1	116	96	0	36	34	35
2025	3	18	5	11	26	0.663	-0.069	3.501	0.013	0.01	0	34.8	26.7	76.5	116	97	0	35	35	34
2025	3	18	5	21	26	0.686	-0.102	3.501	0.013	0.01	0	34.8	26.7	75.7	116	96	0	35	34	35
2025	3	18	5	31	26	0.689	-0.118	3.501	0.01	0.007	0	34.4	26.7	75.7	115	96	0	35	34	35
2025	3	18	5	41	26	0.666	-0.125	3.501	0.01	0.007	0	34.4	26.7	76.5	116	96	0	36	34	35
2025	3	18	5	51	26	0.673	-0.095	3.501	0.01	0.007	0	34.8	26.7	76.5	117	97	0	36	35	35
2025	3	18	6	1	26	0.636	-0.108	3.501	0.016	0.013	0	35.3	27.1	77.4	118	98	0	36	35	34
2025	3	18	6	11	26	0.669	-0.102	3.501	0.013	0.01	0	35.7	27.5	76.5	118	98	0	35	34	35
2025	3	18	6	21	26	0.692	-0.121	3.501	0.01	0.007	0	35.3	27.5	77	118	98	0	36	34	35
2025	3	18	6	31	26	0.676	-0.108	3.501	0.013	0.01	0	35.7	27.5	76.1	118	98	0	35	34	36
2025	3	18	6	41	26	0.709	-0.121	3.501	0.016	0.013	0	36.5	28.4	76.1	120	100	0	35	34	36
2025	3	18	6	51	26	0.692	-0.098	3.501	0.016	0.013	0	35.7	27.5	76.5	118	99	0	35	35	35
2025	3	18	7	1	26	0.627	-0.135	3.501	0.01	0.007	0	35.3	27.1	77	118	98	0	36	35	35
2025	3	18	7	11	26	0.659	-0.125	3.501	0.013	0.01	0	35.3	27.5	76.5	118	98	0	36	34	35
2025	3	18	7	21	26	0.659	-0.135	3.501	0.016	0.013	0	35.3	27.5	76.1	117	98	0	35	34	35
2025	3	18	7	31	26	0.682	-0.089	3.497	0.01	0.007	0	36.1	28.8	58	119	101	0	35	34	35
2025	3	18	7	41	26	0.705	-0.118	3.497	0.013	0.01	0	35.3	27.1	58	117	98	0	35	35	34
2025	3	18	7	51	26	0.65	-0.085	3.497	0.013	0.01	0	35.7	28	62.4	118	99	0	35	34	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	18	8	1	26	0.725	-0.108	3.497	0.01	0.007	0	34.8	27.1	54.2	116	98	0	35	35	35	
2025	3	18	8	11	26	0.61	-0.095	3.497	0.013	0.01	0	35.3	27.5	48.2	118	98	0	36	34	35	
2025	3	18	8	21	26	0.696	-0.092	3.497	0.013	0.01	0	34.8	26.7	51.2	116	97	0	35	35	35	
2025	3	18	8	31	26	0.705	-0.135	3.497	0.013	0.01	0	34.4	27.1	53.3	116	97	0	36	34	35	
2025	3	18	8	41	26	0.656	-0.062	3.497	0.013	0.01	0	34	26.7	51.2	115	96	0	36	34	36	
2025	3	18	8	51	26	0.696	-0.118	3.497	0.013	0.01	0	33.5	26.2	51.6	114	95	0	36	34	35	
2025	3	18	9	1	26	0.722	-0.072	3.501	0.01	0.007	0	34	25.8	50.3	114	95	0	35	35	35	
2025	3	18	9	11	26	0.656	-0.079	3.501	0.013	0.01	0	34.8	27.5	47.7	116	98	0	35	34	35	
2025	3	18	9	21	26	0.679	-0.121	3.501	0.01	0.007	0	34.4	27.1	49	116	98	0	36	35	35	
2025	3	18	9	31	26	0.702	-0.092	3.501	0.01	0.007	0	34.4	27.5	49.5	116	98	0	36	34	35	
2025	3	18	9	41	26	0.659	-0.075	3.501	0.013	0.01	0	34.4	27.5	46.4	116	98	0	36	34	35	
2025	3	18	9	51	26	0.669	-0.092	3.497	0.01	0.007	0	34.8	27.5	49.5	116	98	0	35	34	35	
2025	3	18	10	1	26	0.692	-0.112	3.501	0.016	0.013	0	34	27.5	49.9	115	97	0	36	33	35	
2025	3	18	10	11	26	0.663	-0.079	3.501	0.01	0.007	0	34	26.7	49.5	115	96	0	36	34	36	
2025	3	18	10	21	26	0.686	-0.112	3.501	0.013	0.01	0	35.3	28.4	50.7	118	100	0	36	34	35	
2025	3	18	10	31	26	0.715	-0.131	3.501	0.013	0.01	0	34.8	28	54.6	117	99	0	36	34	34	
2025	3	18	10	41	26	0.709	-0.082	3.501	0.013	0.01	0	35.3	27.5	49.9	117	98	0	35	34	35	
2025	3	18	10	51	26	0.702	-0.089	3.501	0.016	0.016	0	35.7	28	55.5	119	100	0	36	35	36	
2025	3	18	11	1	26	0.709	-0.108	3.501	0.01	0.007	0	35.7	28	51.6	118	99	0	35	34	35	
2025	3	18	11	11	26	0.725	-0.102	3.501	0.016	0.013	0	37	28.8	50.3	121	102	0	35	35	35	
2025	3	18	11	21	26	0.659	-0.112	3.501	0.01	0.007	0	36.1	28	53.3	119	100	0	35	35	35	
2025	3	18	11	31	26	0.689	-0.082	3.501	0.013	0.01	0	36.1	28.4	49.5	119	100	0	35	34	35	
2025	3	18	11	41	26	0.65	-0.082	3.501	0.016	0.013	0	37	29.7	52	121	103	0	35	34	34	
2025	3	18	11	51	26	0.673	-0.082	3.501	0.01	0.007	0	36.5	29.7	52.9	121	103	0	36	34	34	
2025	3	18	12	1	26	0.656	-0.092	3.501	0.01	0.007	0	36.1	28.8	56.8	120	101	0	36	34	35	
2025	3	18	12	11	26	0.696	-0.079	3.501	0.016	0.013	0	35.7	28.4	59.8	118	100	0	35	34	35	
2025	3	18	12	21	26	0.659	-0.105	3.501	0.01	0.007	0	36.1	27.5	53.3	118	99	0	34	35	35	
2025	3	18	12	31	26	0.705	-0.125	3.501	0.01	0.007	0	34.4	27.5	52.5	116	98	0	36	34	36	
2025	3	18	12	41	26	0.663	-0.102	3.501	0.01	0.007	0	34.8	27.5	50.7	116	97	0	35	33	35	
2025	3	18	12	51	26	0.692	-0.082	3.504	0.01	0.007	0	34.4	27.1	63.6	116	98	0	36	35	35	
2025	3	18	13	1	26	0.659	-0.095	3.501	0.013	0.01	0	35.3	28	49.9	117	99	0	35	34	35	
2025	3	18	13	11	26	0.646	-0.098	3.501	0.01	0.007	0	35.7	28.4	51.2	119	100	0	36	34	36	
2025	3	18	13	21	26	0.669	-0.062	3.504	0.013	0.01	0	35.3	27.5	56.8	117	98	0	35	34	34	
2025	3	18	13	31	26	0.666	-0.102	3.501	0.01	0.007	0	35.7	28.4	52	118	100	0	35	34	34	
2025	3	18	13	41	26	0.722	-0.102	3.501	0.01	0.007	0	35.3	27.5	50.3	117	98	0	35	34	35	
2025	3	18	13	51	26	0.676	-0.098	3.501	0.013	0.01	0	34.8	27.5	49	116	98	0	35	34	34	
2025	3	18	14	1	26	0.705	-0.131	3.501	0.01	0.007	0	34.8	27.1	53.3	116	97	0	35	34	35	
2025	3	18	14	11	26	0.682	-0.075	3.501	0.01	0.007	0	34.8	27.5	53.3	116	98	0	35	34	35	
2025	3	18	14	21	26	0.666	-0.098	3.501	0.01	0.007	0	35.3	27.5	52.9	117	98	0	35	34	35	
2025	3	18	14	31	26	0.676	-0.095	3.501	0.013	0.01	0	35.3	27.5	52.5	117	98	0	35	34	34	
2025	3	18	14	41	26	0.686	-0.089	3.501	0.01	0.007	0	35.7	28.4	57.2	118	100	0	35	34	34	
2025	3	18	14	51	26	0.682	-0.069	3.501	0.013	0.01	0	37	28.8	54.6	120	101	0	34	34	35	
2025	3	18	15	1	26	0.676	-0.095	3.501	0.01	0.007	0	35.7	28	55.9	118	99	0	35	34	35	
2025	3	18	15	11	26	0.699	-0.102	3.501	0.01	0.007	0	35.3	28	54.2	117	99	0	35	34	34	
2025	3	18	15	21	26	0.646	-0.115	3.501	0.01	0.007	0	35.3	28.4	66.7	117	99	0	35	33	34	
2025	3	18	15	31	26	0.669	-0.112	3.501	0.016	0.013	0	34.8	27.1	59.3	116	97	0	35	34	35	
2025	3	18	15	41	26	0.705	-0.082	3.504	0.01	0.007	0	34.8	28	72.2	116	98	0	35	33	35	
2025	3	18	15	51	26	0.699	-0.082	3.501	0.01	0.007	0	34.4	27.5	61.1	116	98	0	36	34	35	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	18	16	1	26	0.732	-0.095	3.501	0.013	0.01	0	34.8	27.5	77	116	98	0	35	34	34
2025	3	18	16	11	26	0.669	-0.108	3.501	0.016	0.013	0	34.4	27.1	64.9	115	97	0	35	34	34
2025	3	18	16	21	26	0.692	-0.105	3.501	0.013	0.01	0	34	26.7	65.8	114	95	0	35	33	35
2025	3	18	16	31	26	0.676	-0.082	3.497	0.016	0.013	0	34	26.2	56.8	114	95	0	35	34	34
2025	3	18	16	41	26	0.689	-0.069	3.501	0.01	0.007	0	33.5	25.8	73.1	113	94	0	35	34	34
2025	3	18	16	51	26	0.692	-0.098	3.497	0.01	0.007	0	34	26.2	58	114	95	0	35	34	34
2025	3	18	17	1	26	0.696	-0.098	3.497	0.01	0.007	0	34	26.2	59.3	114	95	0	35	34	35
2025	3	18	17	11	26	0.686	-0.095	3.501	0.016	0.013	0	34	25.8	75.7	114	95	0	35	35	35
2025	3	18	17	21	26	0.702	-0.082	3.501	0.01	0.007	0	34	26.2	75.7	114	95	0	35	34	35
2025	3	18	17	31	26	0.666	-0.105	3.501	0.013	0.01	0	34	25.8	77	114	94	0	35	34	34
2025	3	18	17	41	26	0.669	-0.102	3.501	0.016	0.013	0	34	26.2	77	114	95	0	35	34	35
2025	3	18	17	51	26	0.679	-0.102	3.501	0.013	0.01	0	34.4	26.2	76.5	115	95	0	35	34	35
2025	3	18	18	1	26	0.663	-0.085	3.501	0.01	0.007	0	33.5	26.2	77	114	95	0	36	34	34
2025	3	18	18	11	26	0.666	-0.115	3.501	0.01	0.007	0	34	26.2	77	115	95	0	36	34	34
2025	3	18	18	21	26	0.646	-0.056	3.501	0.016	0.016	0	34.8	26.7	77	116	96	0	35	34	35
2025	3	18	18	31	26	0.712	-0.089	3.501	0.01	0.007	0	34.8	26.7	77	116	96	0	35	34	35
2025	3	18	18	41	26	0.669	-0.102	3.497	0.013	0.01	0	34.8	26.7	76.5	116	96	0	35	34	34
2025	3	18	18	51	26	0.653	-0.079	3.497	0.01	0.007	0	35.3	27.1	76.5	117	97	0	35	34	35
2025	3	18	19	1	26	0.653	-0.118	3.497	0.01	0.007	0	35.3	27.5	75.7	117	98	0	35	34	35
2025	3	18	19	11	26	0.719	-0.072	3.497	0.013	0.01	0	35.3	27.5	74.8	118	98	0	36	34	34
2025	3	18	19	21	26	0.696	-0.082	3.497	0.01	0.007	0	35.3	27.1	74.8	117	97	0	35	34	35
2025	3	18	19	31	26	0.656	-0.069	3.494	0.01	0.007	0	35.7	27.5	74	119	98	0	36	34	35
2025	3	18	19	41	26	0.63	-0.085	3.497	0.01	0.007	0	35.7	27.1	74.4	118	97	0	35	34	35
2025	3	18	19	51	26	0.676	-0.128	3.494	0.013	0.01	0	35.3	27.1	74	117	96	0	35	33	35
2025	3	18	20	1	26	0.689	-0.082	3.494	0.013	0.01	0	34.8	26.7	74	117	96	0	36	34	35
2025	3	18	20	11	26	0.64	-0.108	3.494	0.01	0.007	0	35.3	26.7	74.4	117	96	0	35	34	35
2025	3	18	20	21	26	0.659	-0.121	3.494	0.013	0.01	0	34.8	26.7	74.4	116	95	0	35	33	35
2025	3	18	20	31	26	0.679	-0.115	3.494	0.016	0.013	0	34.8	25.4	74.4	116	94	0	35	35	35
2025	3	18	20	41	26	0.679	-0.105	3.494	0.01	0.007	0	35.3	26.2	74.4	117	95	0	35	34	35
2025	3	18	20	51	26	0.656	-0.075	3.494	0.01	0.007	0	35.7	27.5	77	118	97	0	35	33	35
2025	3	18	21	1	26	0.696	-0.082	3.494	0.01	0.007	0	35.7	26.7	75.3	118	96	0	35	34	35
2025	3	18	21	11	26	0.686	-0.089	3.494	0.01	0.007	0	36.5	28	74.8	120	99	0	35	34	35
2025	3	18	21	21	26	0.666	-0.089	3.494	0.016	0.013	0	36.1	27.1	75.7	119	97	0	35	34	35
2025	3	18	21	31	26	0.669	-0.079	3.494	0.01	0.007	0	36.5	27.5	75.7	120	98	0	35	34	35
2025	3	18	21	41	26	0.682	-0.075	3.494	0.013	0.01	0	35.7	27.5	76.1	119	97	0	36	33	35
2025	3	18	21	51	26	0.682	-0.112	3.494	0.013	0.01	0	35.3	26.7	75.3	118	96	0	36	34	35
2025	3	18	22	1	26	0.663	-0.079	3.491	0.013	0.01	0	35.7	27.1	74.8	119	97	0	36	34	35
2025	3	18	22	11	26	0.682	-0.069	3.494	0.013	0.01	0	35.7	26.2	75.7	118	95	0	35	34	34
2025	3	18	22	21	26	0.689	-0.102	3.491	0.013	0.01	0	35.3	25.8	75.3	117	94	0	35	34	35
2025	3	18	22	31	26	0.666	-0.125	3.491	0.01	0.007	0	35.3	25.8	76.1	117	94	0	35	34	34
2025	3	18	22	41	26	0.663	-0.098	3.491	0.01	0.007	0	35.3	25.8	76.5	117	94	0	35	34	35
2025	3	18	22	51	26	0.712	-0.062	3.491	0.01	0.007	0	34.8	25.4	76.1	116	93	0	35	34	35
2025	3	18	23	1	26	0.709	-0.092	3.491	0.01	0.007	0	34.4	24.9	76.1	116	92	0	36	34	35
2025	3	18	23	11	26	0.656	-0.085	3.491	0.016	0.013	0	34.8	25.4	76.5	116	93	0	35	34	35
2025	3	18	23	21	26	0.686	-0.125	3.491	0.013	0.01	0	34	24.9	76.1	115	92	0	36	34	35
2025	3	18	23	31	26	0.659	-0.085	3.491	0.01	0.007	0	34.4	24.9	76.1	115	92	0	35	34	36
2025	3	18	23	41	26	0.673	-0.085	3.488	0.01	0.007	0	34.4	24.9	75.7	115	92	0	35	34	35
2025	3	18	23	51	26	0.686	-0.069	3.488	0.013	0.01	0	34	24.9	75.7	115	92	0	36	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	19	0	1	26	0.653	-0.072	3.488	0.01	0.007	0	34.4	24.5	73.5	116	91	0	36	34	35
2025	3	19	0	11	26	0.682	-0.128	3.488	0.016	0.013	0	34	24.5	75.7	115	91	0	36	34	35
2025	3	19	0	21	26	0.65	-0.108	3.488	0.01	0.007	0	34	24.5	75.7	115	91	0	36	34	35
2025	3	19	0	31	26	0.65	-0.069	3.484	0.013	0.01	0	34.8	24.9	75.7	116	92	0	35	34	35
2025	3	19	0	41	26	0.696	-0.108	3.488	0.013	0.01	0	34.4	24.9	76.1	116	93	0	36	35	35
2025	3	19	0	51	26	0.653	-0.089	3.484	0.01	0.007	0	34.8	25.8	75.7	116	94	0	35	34	35
2025	3	19	1	1	26	0.663	-0.072	3.484	0.01	0.007	0	34.8	25.4	74.4	116	93	0	35	34	36
2025	3	19	1	11	26	0.686	-0.092	3.484	0.013	0.01	0	34.4	25.4	75.3	116	92	0	36	33	35
2025	3	19	1	21	26	0.666	-0.095	3.484	0.013	0.01	0	34.8	25.4	75.3	117	93	0	36	34	35
2025	3	19	1	31	26	0.696	-0.115	3.484	0.013	0.01	0	35.3	24.9	73.5	117	93	0	35	35	36
2025	3	19	1	41	26	0.656	-0.098	3.484	0.01	0.007	0	35.3	24.9	74.8	117	93	0	35	35	36
2025	3	19	1	51	26	0.62	-0.098	3.484	0.01	0.007	0	34.8	24.9	75.3	116	93	0	35	35	35
2025	3	19	2	1	26	0.653	-0.085	3.484	0.013	0.01	0	34.8	24.9	75.3	116	92	0	35	34	35
2025	3	19	2	11	26	0.63	-0.079	3.484	0.013	0.01	0	34.8	24.9	76.1	116	92	0	35	34	35
2025	3	19	2	21	26	0.633	-0.098	3.484	0.01	0.007	0	34.8	24.9	76.1	116	92	0	35	34	35
2025	3	19	2	31	26	0.65	-0.082	3.484	0.01	0.007	0	34	24.5	75.7	115	92	0	36	35	35
2025	3	19	2	41	26	0.659	-0.092	3.484	0.016	0.013	0	34.4	24.5	75.7	116	92	0	36	35	35
2025	3	19	2	51	26	0.663	-0.108	3.481	0.013	0.01	0	34.4	24.1	75.7	115	91	0	35	35	35
2025	3	19	3	1	26	0.646	-0.072	3.481	0.013	0.01	0	34.4	24.1	75.3	116	91	0	36	35	35
2025	3	19	3	11	26	0.659	-0.069	3.484	0.013	0.01	0	34	24.9	76.5	115	92	0	36	34	35
2025	3	19	3	21	26	0.686	-0.108	3.481	0.016	0.013	0	34.4	24.5	76.1	115	91	0	35	34	35
2025	3	19	3	31	26	0.636	-0.098	3.484	0.01	0.007	0	34.4	24.9	76.1	116	92	0	36	34	35
2025	3	19	3	41	26	0.689	-0.105	3.484	0.013	0.01	0	34	24.5	76.5	115	91	0	36	34	35
2025	3	19	3	51	26	0.653	-0.082	3.484	0.016	0.013	0	34.8	24.5	76.5	116	91	0	35	34	35
2025	3	19	4	1	26	0.669	-0.112	3.484	0.013	0.01	0	34	24.5	77.4	115	91	0	36	34	34
2025	3	19	4	11	26	0.728	-0.112	3.484	0.01	0.007	0	34.4	24.1	77.4	115	91	0	35	35	35
2025	3	19	4	21	26	0.673	-0.072	3.484	0.01	0.007	0	34.4	24.5	77	115	91	0	35	34	35
2025	3	19	4	31	26	0.696	-0.135	3.484	0.013	0.01	0	34	24.1	76.5	115	91	0	36	35	35
2025	3	19	4	41	26	0.705	-0.118	3.484	0.016	0.013	0	34	24.1	77.8	115	91	0	36	35	35
2025	3	19	4	51	26	0.65	-0.105	3.484	0.01	0.007	0	34	23.6	78.3	115	90	0	36	35	35
2025	3	19	5	1	26	0.663	-0.095	3.484	0.01	0.007	0	34.4	24.1	78.7	115	91	0	35	35	35
2025	3	19	5	11	26	0.676	-0.121	3.484	0.016	0.013	0	34.4	24.1	77.8	115	90	0	35	34	35
2025	3	19	5	21	26	0.686	-0.085	3.484	0.016	0.016	0	34.4	24.5	77	116	92	0	36	35	35
2025	3	19	5	31	26	0.653	-0.066	3.484	0.013	0.01	0	35.3	25.4	77.8	117	93	0	35	34	35
2025	3	19	5	41	26	0.663	-0.085	3.484	0.013	0.01	0	36.1	26.2	70.5	119	95	0	35	34	35
2025	3	19	5	51	26	0.686	-0.082	3.488	0.01	0.007	0	34.8	24.5	78.3	116	92	0	35	35	35
2025	3	19	6	1	26	0.65	-0.121	3.488	0.016	0.013	0	34.4	24.5	78.7	115	91	0	35	34	35
2025	3	19	6	11	26	0.65	-0.082	3.488	0.016	0.013	0	34	24.1	78.7	115	91	0	36	35	35
2025	3	19	6	21	26	0.702	-0.102	3.488	0.013	0.01	0	34.4	24.9	78.7	116	92	0	36	34	35
2025	3	19	6	31	26	0.702	-0.112	3.488	0.01	0.007	0	34.8	24.9	78.3	117	92	0	36	34	35
2025	3	19	6	41	26	0.663	-0.098	3.488	0.01	0.007	0	36.5	26.7	77.8	120	96	0	35	34	35
2025	3	19	6	51	26	0.679	-0.095	3.488	0.01	0.007	0	34.8	24.9	78.7	116	92	0	35	34	35
2025	3	19	7	1	26	0.666	-0.112	3.488	0.01	0.007	0	35.3	24.9	79.6	117	93	0	35	35	35
2025	3	19	7	11	26	0.643	-0.102	3.488	0.013	0.01	0	35.3	25.4	77.8	118	94	0	36	35	35
2025	3	19	7	21	26	0.676	-0.098	3.488	0.013	0.01	0	38.7	28.4	78.3	125	100	0	35	34	35
2025	3	19	7	31	26	0.663	-0.089	3.488	0.01	0.007	0	37	26.7	79.1	121	96	0	35	34	35
2025	3	19	7	41	26	0.64	-0.079	3.488	0.013	0.01	0	38.7	28.8	79.1	126	102	0	36	35	35
2025	3	19	7	51	26	0.673	-0.105	3.488	0.013	0.01	0	39.1	29.2	78.3	126	103	0	35	35	35

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	19	8	1	26	0.627	-0.098	3.488	0.013	0.01	0	37.4	29.2	79.6	123	102	0	36	34	34	
2025	3	19	8	11	26	0.686	-0.092	3.488	0.01	0.007	0	39.1	30.1	77.8	126	104	0	35	34	35	
2025	3	19	8	21	26	0.699	-0.131	3.491	0.01	0.007	0	35.7	27.1	79.6	119	98	0	36	35	35	
2025	3	19	8	31	26	0.663	-0.148	3.491	0.013	0.01	0	35.7	27.1	79.1	119	98	0	36	35	35	
2025	3	19	8	41	26	0.65	-0.075	3.491	0.016	0.013	0	35.3	27.1	79.6	117	97	0	35	34	35	
2025	3	19	8	51	26	0.643	-0.118	3.491	0.01	0.007	0	34.8	25.8	79.1	116	95	0	35	35	35	
2025	3	19	9	1	26	0.65	-0.089	3.491	0.013	0.01	0	34.4	26.2	79.1	115	95	0	35	34	35	
2025	3	19	9	11	26	0.65	-0.092	3.491	0.01	0.007	0	33.5	25.8	78.7	114	94	0	36	34	35	
2025	3	19	9	21	26	0.722	-0.115	3.491	0.01	0.007	0	34.4	26.2	76.5	115	95	0	35	34	35	
2025	3	19	9	31	26	0.656	-0.112	3.491	0.01	0.007	0	33.5	25.8	68.8	114	95	0	36	35	35	
2025	3	19	9	41	26	0.673	-0.089	3.491	0.016	0.013	0	34	24.9	53.8	114	93	0	35	35	34	
2025	3	19	9	51	26	0.653	-0.085	3.491	0.01	0.007	0	34	25.8	51.2	115	95	0	36	35	35	
2025	3	19	10	1	26	0.669	-0.125	3.491	0.01	0.007	0	34	25.8	46.9	114	94	0	35	34	35	
2025	3	19	10	11	26	0.63	-0.089	3.488	0.016	0.013	0	33.5	25.8	47.3	114	95	0	36	35	35	
2025	3	19	10	21	26	0.673	-0.112	3.488	0.01	0.007	0	34	26.2	47.7	114	95	0	35	34	35	
2025	3	19	10	31	26	0.682	-0.112	3.491	0.01	0.007	0	34.4	26.2	45.6	115	95	0	35	34	35	
2025	3	19	10	41	26	0.653	-0.095	3.491	0.013	0.01	0	33.5	26.2	44.7	114	95	0	36	34	35	
2025	3	19	10	51	26	0.633	-0.092	3.491	0.01	0.007	0	34	26.2	47.3	114	95	0	35	34	35	
2025	3	19	11	1	26	0.633	-0.108	3.491	0.01	0.007	0	34	26.2	46	114	95	0	35	34	35	
2025	3	19	11	11	26	0.673	-0.098	3.491	0.01	0.007	0	34	26.2	46	114	95	0	35	34	35	
2025	3	19	11	21	26	0.663	-0.089	3.491	0.016	0.013	0	33.5	25.8	46.4	113	94	0	35	34	35	
2025	3	19	11	31	26	0.659	-0.069	3.494	0.013	0.01	0	33.5	25.4	43	113	94	0	35	35	35	
2025	3	19	11	41	26	0.623	-0.072	3.494	0.01	0.007	0	34	26.7	46	115	96	0	36	34	35	
2025	3	19	11	51	26	0.663	-0.075	3.494	0.016	0.016	0	33.5	26.2	45.2	114	95	0	36	34	35	
2025	3	19	12	1	26	0.659	-0.092	3.494	0.01	0.007	0	34	26.2	47.3	114	95	0	35	34	35	
2025	3	19	12	11	26	0.676	-0.138	3.497	0.016	0.013	0	33.5	26.2	46.4	114	95	0	36	34	35	
2025	3	19	12	21	26	0.636	-0.079	3.494	0.01	0.007	0	34.4	27.1	45.2	115	97	0	35	34	35	
2025	3	19	12	31	26	0.676	-0.089	3.494	0.016	0.013	0	34.4	27.1	44.7	115	97	0	35	34	35	
2025	3	19	12	41	26	0.65	-0.098	3.497	0.01	0.007	0	34	26.2	44.3	114	95	0	35	34	35	
2025	3	19	12	51	26	0.65	-0.072	3.491	0.013	0.01	0	34.4	26.2	47.3	115	96	0	35	35	34	
2025	3	19	13	1	26	0.636	-0.098	3.494	0.01	0.007	0	34	26.2	44.3	114	95	0	35	34	35	
2025	3	19	13	11	26	0.617	-0.085	3.497	0.013	0.01	0	34.4	26.7	44.7	115	97	0	35	35	35	
2025	3	19	13	21	26	0.663	-0.075	3.497	0.01	0.007	0	34.8	27.5	45.2	116	98	0	35	34	35	
2025	3	19	13	31	26	0.64	-0.095	3.501	0.016	0.013	0	34.8	28	45.6	117	99	0	36	34	35	
2025	3	19	13	41	26	0.659	-0.072	3.497	0.013	0.01	0	34.4	27.5	46	116	98	0	36	34	35	
2025	3	19	13	51	26	0.663	-0.102	3.497	0.013	0.01	0	34.8	27.5	45.2	116	98	0	35	34	35	
2025	3	19	14	1	26	0.653	-0.098	3.494	0.01	0.007	0	34.8	27.5	43.9	116	98	0	35	34	35	
2025	3	19	14	11	26	0.633	-0.089	3.497	0.013	0.01	0	34.4	26.7	45.6	115	97	0	35	35	35	
2025	3	19	14	21	26	0.659	-0.105	3.497	0.013	0.01	0	34.4	27.1	43.9	115	97	0	35	34	35	
2025	3	19	14	31	26	0.63	-0.108	3.497	0.013	0.01	0	34.8	27.1	44.7	116	97	0	35	34	35	
2025	3	19	14	41	26	0.669	-0.112	3.501	0.013	0.01	0	34.4	27.1	45.2	115	97	0	35	34	34	
2025	3	19	14	51	26	0.643	-0.062	3.497	0.01	0.007	0	34.8	27.1	45.2	116	97	0	35	34	35	
2025	3	19	15	1	26	0.643	-0.082	3.501	0.01	0.007	0	34	26.7	43.9	115	96	0	36	34	35	
2025	3	19	15	11	26	0.676	-0.089	3.494	0.01	0.007	0	34	26.7	43.4	114	95	0	35	33	35	
2025	3	19	15	21	26	0.636	-0.072	3.497	0.01	0.007	0	34.4	26.2	43.4	115	95	0	35	34	35	
2025	3	19	15	31	26	0.676	-0.105	3.501	0.016	0.013	0	34.4	26.7	43.9	115	96	0	35	34	34	
2025	3	19	15	41	26	0.659	-0.102	3.501	0.013	0.01	0	33.1	24.9	44.3	112	92	0	35	34	35	
2025	3	19	15	51	26	0.63	-0.072	3.497	0.016	0.013	0	34	26.7	44.7	115	96	0	36	34	34	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	19	16	1	26	0.643	-0.072	3.497	0.01	0.007	0	34	25.8	45.2	113	94	0	34	34	35
2025	3	19	16	11	26	0.643	-0.085	3.497	0.013	0.01	0	34.8	27.5	41.7	117	98	0	36	34	35
2025	3	19	16	21	26	0.679	-0.098	3.501	0.013	0.01	0	34	26.2	45.6	114	95	0	35	34	35
2025	3	19	16	31	26	0.659	-0.112	3.501	0.01	0.007	0	33.5	25.4	45.2	113	93	0	35	34	34
2025	3	19	16	41	26	0.705	-0.098	3.501	0.013	0.01	0	34	25.8	46	114	94	0	35	34	34
2025	3	19	16	51	26	0.653	-0.085	3.501	0.01	0.007	0	33.5	25.8	42.6	113	93	0	35	33	34
2025	3	19	17	1	26	0.656	-0.092	3.501	0.01	0.007	0	33.5	25.4	43.9	113	92	0	35	33	35
2025	3	19	17	11	26	0.656	-0.089	3.501	0.016	0.016	0	33.1	24.9	43.4	112	92	0	35	34	35
2025	3	19	17	21	26	0.673	-0.059	3.501	0.013	0.01	0	33.1	25.4	46.9	112	92	0	35	33	35
2025	3	19	17	31	26	0.656	-0.112	3.501	0.016	0.016	0	33.1	25.4	45.2	112	92	0	35	33	35
2025	3	19	17	41	26	0.63	-0.075	3.501	0.01	0.007	0	33.5	25.4	49	113	93	0	35	34	34
2025	3	19	17	51	26	0.659	-0.095	3.504	0.013	0.01	0	34	25.8	52	114	94	0	35	34	35
2025	3	19	18	1	26	0.669	-0.069	3.507	0.013	0.01	0	34.4	26.7	75.7	115	96	0	35	34	34
2025	3	19	18	11	26	0.692	-0.095	3.507	0.01	0.007	0	34.4	26.7	64.5	115	96	0	35	34	34
2025	3	19	18	21	26	0.705	-0.085	3.507	0.01	0.007	0	34.4	26.7	75.3	115	96	0	35	34	34
2025	3	19	18	31	26	0.673	-0.102	3.501	0.013	0.01	0	34.4	26.7	49.5	115	96	0	35	34	34
2025	3	19	18	41	26	0.689	-0.125	3.501	0.013	0.01	0	34.8	26.7	50.3	116	96	0	35	34	34
2025	3	19	18	51	26	0.669	-0.092	3.497	0.016	0.013	0	35.3	28	43.4	117	98	0	35	33	35
2025	3	19	19	1	26	0.669	-0.066	3.497	0.01	0.007	0	35.3	27.5	44.7	117	98	0	35	34	35
2025	3	19	19	11	26	0.656	-0.085	3.497	0.016	0.013	0	35.7	27.5	43.4	118	98	0	35	34	35
2025	3	19	19	21	26	0.669	-0.092	3.497	0.01	0.007	0	34.8	27.5	43	117	98	0	36	34	35
2025	3	19	19	31	26	0.653	-0.082	3.497	0.013	0.01	0	35.3	27.5	46	117	98	0	35	34	35
2025	3	19	19	41	26	0.663	-0.075	3.497	0.013	0.01	0	35.3	27.5	43.9	117	97	0	35	33	34
2025	3	19	19	51	26	0.656	-0.118	3.497	0.016	0.013	0	34.8	27.1	43.4	117	97	0	36	34	34
2025	3	19	20	1	26	0.715	-0.095	3.501	0.016	0.013	0	35.3	27.1	49.9	117	97	0	35	34	35
2025	3	19	20	11	26	0.686	-0.092	3.507	0.016	0.013	0	35.3	27.1	73.5	117	97	0	35	34	35
2025	3	19	20	21	26	0.669	-0.115	3.507	0.01	0.007	0	35.3	27.5	77	117	97	0	35	33	34
2025	3	19	20	31	26	0.659	-0.079	3.501	0.013	0.01	0	35.3	27.1	55.5	117	97	0	35	34	35
2025	3	19	20	41	26	0.676	-0.105	3.501	0.01	0.007	0	34.8	27.5	48.2	116	98	0	35	34	35
2025	3	19	20	51	26	0.696	-0.121	3.501	0.02	0.016	0	34	26.2	52.9	114	96	0	35	35	35
2025	3	19	21	1	26	0.666	-0.095	3.504	0.016	0.016	0	34	27.1	77.4	114	96	0	35	33	35
2025	3	19	21	11	26	0.673	-0.108	3.504	0.013	0.01	0	33.5	27.1	78.3	114	96	0	36	33	35
2025	3	19	21	21	26	0.627	-0.082	3.504	0.01	0.007	0	34.4	26.7	80	115	97	0	35	35	34
2025	3	19	21	31	26	0.692	-0.121	3.504	0.013	0.01	0	34.4	27.1	79.1	115	97	0	35	34	35
2025	3	19	21	41	26	0.653	-0.089	3.501	0.013	0.01	0	34.8	27.1	49.9	116	97	0	35	34	34
2025	3	19	21	51	26	0.702	-0.082	3.504	0.013	0.01	0	34	27.1	80	114	97	0	35	34	35
2025	3	19	22	1	26	0.669	-0.112	3.504	0.013	0.01	0	34.4	28	77.8	116	99	0	36	34	35
2025	3	19	22	11	26	0.64	-0.089	3.504	0.01	0.007	0	36.1	27.5	77.8	119	98	0	35	34	34
2025	3	19	22	21	26	0.659	-0.095	3.504	0.01	0.007	0	36.5	28	77.4	120	99	0	35	34	34
2025	3	19	22	31	26	0.702	-0.069	3.504	0.013	0.01	0	37	27.5	77.8	121	98	0	35	34	35
2025	3	19	22	41	26	0.666	-0.082	3.504	0.01	0.007	0	35.7	27.1	78.3	118	97	0	35	34	35
2025	3	19	22	51	26	0.732	-0.092	3.504	0.013	0.01	0	35.7	26.7	78.7	118	97	0	35	35	35
2025	3	19	23	1	26	0.689	-0.085	3.504	0.013	0.01	0	35.7	27.5	79.6	118	98	0	35	34	35
2025	3	19	23	11	26	0.682	-0.092	3.504	0.016	0.013	0	35.7	27.1	79.1	118	97	0	35	34	35
2025	3	19	23	21	26	0.676	-0.112	3.504	0.016	0.013	0	35.7	27.1	79.1	118	97	0	35	34	35
2025	3	19	23	31	26	0.682	-0.098	3.504	0.01	0.007	0	35.7	27.5	78.7	118	97	0	35	33	35
2025	3	19	23	41	26	0.679	-0.079	3.504	0.01	0.007	0	36.5	28	79.6	120	99	0	35	34	34
2025	3	19	23	51	26	0.653	-0.052	3.504	0.013	0.01	0	36.1	27.1	80	119	98	0	35	35	34

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	20	0	1	26	0.686	-0.089	3.504	0.013	0.01	0	36.5	28	80.4	121	99	0	36	34	35	
2025	3	20	0	11	26	0.65	-0.075	3.501	0.016	0.013	0	37.4	29.2	77.8	123	102	0	36	34	35	
2025	3	20	0	21	26	0.699	-0.138	3.504	0.013	0.01	0	36.5	27.5	78.7	120	98	0	35	34	35	
2025	3	20	0	31	26	0.702	-0.095	3.501	0.01	0.007	0	35.3	26.7	78.7	118	96	0	36	34	35	
2025	3	20	0	41	26	0.636	-0.052	3.501	0.013	0.01	0	36.1	27.1	78.7	119	97	0	35	34	35	
2025	3	20	0	51	26	0.725	-0.125	3.501	0.01	0.007	0	34.8	26.2	78.3	117	95	0	36	34	34	
2025	3	20	1	1	26	0.679	-0.069	3.501	0.013	0.01	0	34.8	26.2	77.4	116	95	0	35	34	35	
2025	3	20	1	11	26	0.682	-0.056	3.501	0.016	0.013	0	34.8	26.2	77.8	116	95	0	35	34	35	
2025	3	20	1	21	26	0.709	-0.092	3.501	0.013	0.01	0	34.8	25.4	76.5	116	94	0	35	35	35	
2025	3	20	1	31	26	0.643	-0.092	3.501	0.01	0.007	0	34.4	25.4	72.7	115	93	0	35	34	35	
2025	3	20	1	41	26	0.633	-0.082	3.501	0.01	0.007	0	34.8	26.2	76.1	116	95	0	35	34	35	
2025	3	20	1	51	26	0.702	-0.092	3.501	0.013	0.01	0	34.4	25.8	76.5	115	94	0	35	34	35	
2025	3	20	2	1	26	0.692	-0.075	3.501	0.01	0.007	0	34.4	25.8	77.4	115	94	0	35	34	35	
2025	3	20	2	11	26	0.653	-0.085	3.501	0.013	0.01	0	34.4	25.8	77	116	94	0	36	34	35	
2025	3	20	2	21	26	0.696	-0.105	3.501	0.016	0.016	0	34.4	25.4	77	115	93	0	35	34	35	
2025	3	20	2	31	26	0.676	-0.095	3.501	0.013	0.01	0	34.8	25.8	77.4	116	94	0	35	34	35	
2025	3	20	2	41	26	0.686	-0.105	3.501	0.013	0.01	0	34.8	27.1	77.4	117	97	0	36	34	35	
2025	3	20	2	51	26	0.686	-0.105	3.501	0.013	0.01	0	34.4	27.1	77.4	116	97	0	36	34	35	
2025	3	20	3	1	26	0.65	-0.092	3.501	0.01	0.007	0	34.8	27.1	77.4	116	97	0	35	34	35	
2025	3	20	3	11	26	0.653	-0.112	3.501	0.01	0.007	0	34.8	26.7	77.4	116	96	0	35	34	35	
2025	3	20	3	21	26	0.679	-0.072	3.501	0.013	0.01	0	34.8	26.7	77.4	117	97	0	36	35	35	
2025	3	20	3	31	26	0.682	-0.098	3.501	0.01	0.007	0	35.3	27.5	77.8	117	98	0	35	34	35	
2025	3	20	3	41	26	0.669	-0.105	3.501	0.013	0.01	0	35.3	27.1	77.8	117	97	0	35	34	35	
2025	3	20	3	51	26	0.682	-0.108	3.501	0.013	0.01	0	34.8	27.1	78.3	116	96	0	35	33	35	
2025	3	20	4	1	26	0.679	-0.105	3.501	0.01	0.007	0	34.8	26.7	77.8	116	96	0	35	34	35	
2025	3	20	4	11	26	0.705	-0.072	3.501	0.01	0.007	0	35.3	26.7	77.8	117	96	0	35	34	35	
2025	3	20	4	21	26	0.656	-0.059	3.501	0.01	0.007	0	34.8	26.2	77.8	116	96	0	35	35	35	
2025	3	20	4	31	26	0.669	-0.108	3.501	0.016	0.013	0	34.4	26.7	77.4	116	96	0	36	34	35	
2025	3	20	4	41	26	0.686	-0.095	3.501	0.013	0.01	0	34.8	26.2	77	116	96	0	35	35	35	
2025	3	20	4	51	26	0.679	-0.095	3.501	0.01	0.007	0	34.8	26.2	77	116	96	0	35	35	35	
2025	3	20	5	1	26	0.699	-0.098	3.501	0.013	0.01	0	34.8	26.2	77	116	96	0	35	35	35	
2025	3	20	5	11	26	0.669	-0.069	3.501	0.013	0.01	0	34.8	26.7	75.3	116	96	0	35	34	35	
2025	3	20	5	21	26	0.673	-0.082	3.501	0.01	0.007	0	34.4	25.8	76.5	115	94	0	35	34	36	
2025	3	20	5	31	26	0.679	-0.108	3.501	0.013	0.01	0	34	25.4	76.5	115	94	0	36	35	35	
2025	3	20	5	41	26	0.65	-0.085	3.501	0.01	0.007	0	34.4	25.8	76.5	115	94	0	35	34	35	
2025	3	20	5	51	26	0.682	-0.069	3.501	0.016	0.013	0	34.8	25.4	76.1	116	94	0	35	35	35	
2025	3	20	6	1	26	0.627	-0.092	3.504	0.01	0.007	0	34.4	26.2	77	116	95	0	36	34	35	
2025	3	20	6	11	26	0.702	-0.108	3.501	0.013	0.01	0	34.8	26.2	75.7	116	95	0	35	34	35	
2025	3	20	6	21	26	0.646	-0.082	3.504	0.01	0.007	0	34.8	25.8	75.7	116	94	0	35	34	36	
2025	3	20	6	31	26	0.692	-0.092	3.504	0.016	0.013	0	34.4	25.4	76.1	116	94	0	36	35	35	
2025	3	20	6	41	26	0.646	-0.062	3.504	0.01	0.007	0	34	25.4	76.1	115	93	0	36	34	35	
2025	3	20	6	51	26	0.666	-0.082	3.504	0.01	0.007	0	34.4	25.8	76.1	116	94	0	36	34	35	
2025	3	20	7	1	26	0.673	-0.079	3.504	0.016	0.016	0	35.3	26.2	76.1	117	95	0	35	34	34	
2025	3	20	7	11	26	0.669	-0.052	3.504	0.01	0.007	0	34	25.4	75.7	114	93	0	35	34	35	
2025	3	20	7	21	26	0.682	-0.108	3.504	0.013	0.01	0	34.4	26.2	76.5	116	95	0	36	34	35	
2025	3	20	7	31	26	0.686	-0.092	3.504	0.016	0.016	0	36.1	27.1	75.7	120	98	0	36	35	35	
2025	3	20	7	41	26	0.715	-0.098	3.504	0.01	0.007	0	35.7	27.1	76.1	118	97	0	35	34	35	
2025	3	20	7	51	26	0.676	-0.125	3.501	0.016	0.013	0	36.1	27.5	76.5	120	98	0	36	34	34	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	3	20	8	1	26	0.646	-0.079	3.504	0.013	0.01	0	35.7	27.1	76.1	118	97	0	35	34	35	
2025	3	20	8	11	26	0.656	-0.089	3.504	0.01	0.007	0	35.7	27.1	76.1	118	97	0	35	34	35	
2025	3	20	8	21	26	0.673	-0.095	3.501	0.013	0.01	0	33.5	24.9	76.1	114	93	0	36	35	35	
2025	3	20	8	31	26	0.682	-0.085	3.501	0.013	0.01	0	34.8	25.4	76.5	116	94	0	35	35	35	
2025	3	20	8	41	26	0.673	-0.079	3.504	0.013	0.01	0	35.3	26.7	77.8	117	96	0	35	34	35	
2025	3	20	8	51	26	0.653	-0.098	3.504	0.013	0.01	0	34.4	25.4	77.8	115	94	0	35	35	35	
2025	3	20	9	1	26	0.666	-0.066	3.504	0.01	0.007	0	35.7	28	78.3	119	99	0	36	34	35	
2025	3	20	9	11	26	0.686	-0.069	3.504	0.016	0.013	0	37	28.4	78.3	121	101	0	35	35	35	
2025	3	20	9	21	26	0.656	-0.112	3.504	0.013	0.01	0	37.4	30.1	78.7	123	104	0	36	34	35	
2025	3	20	9	31	26	0.682	-0.102	3.504	0.013	0.01	0	38.3	30.5	78.7	124	105	0	35	34	35	
2025	3	20	9	41	26	0.702	-0.112	3.504	0.01	0.007	0	38.3	29.2	78.3	124	103	0	35	35	35	
2025	3	20	9	51	26	0.653	-0.098	3.504	0.01	0.007	0	36.1	28	79.1	119	100	0	35	35	35	
2025	3	20	10	1	26	0.623	-0.102	3.504	0.01	0.007	0	36.1	28.4	77	119	100	0	35	34	35	
2025	3	20	10	11	26	0.692	-0.128	3.504	0.016	0.013	0	37.8	29.7	78.7	123	103	0	35	34	35	
2025	3	20	10	21	26	0.686	-0.098	3.504	0.013	0.01	0	35.3	28	78.3	118	99	0	36	34	35	
2025	3	20	10	31	26	0.663	-0.095	3.504	0.01	0.007	0	37	29.2	74.8	121	102	0	35	34	35	
2025	3	20	10	41	26	0.689	-0.128	3.504	0.013	0.01	0	36.5	28.4	76.1	120	100	0	35	34	35	
2025	3	20	10	51	26	0.656	-0.112	3.504	0.01	0.007	0	36.5	28.8	71.8	120	101	0	35	34	35	
2025	3	20	11	1	26	0.669	-0.089	3.507	0.01	0.007	0	36.1	28	78.3	120	100	0	36	35	35	
2025	3	20	11	11	26	0.709	-0.102	3.504	0.01	0.007	0	34.8	26.7	77.8	116	97	0	35	35	35	
2025	3	20	11	21	26	0.705	-0.108	3.507	0.013	0.01	0	35.3	27.5	74	118	98	0	36	34	35	
2025	3	20	11	31	26	0.692	-0.082	3.507	0.01	0.007	0	36.1	28.4	78.7	119	100	0	35	34	35	
2025	3	20	11	41	26	0.702	-0.115	3.507	0.013	0.01	0	36.5	28.4	79.6	120	100	0	35	34	35	
2025	3	20	11	51	26	0.673	-0.085	3.507	0.013	0.01	0	36.1	28.4	69.7	120	100	0	36	34	35	
2025	3	20	12	1	26	0.659	-0.079	3.507	0.013	0.01	0	35.3	27.1	80	117	97	0	35	34	34	
2025	3	20	12	11	26	0.673	-0.118	3.507	0.016	0.013	0	34.8	27.1	79.6	116	96	0	35	33	35	
2025	3	20	12	21	26	0.653	-0.085	3.507	0.013	0.01	0	35.7	27.5	79.6	118	98	0	35	34	35	
2025	3	20	12	31	26	0.686	-0.069	3.51	0.01	0.007	0	35.7	28.4	79.6	119	99	0	36	33	34	
2025	3	20	12	41	26	0.689	-0.108	3.51	0.01	0.007	0	35.7	27.5	80.4	118	98	0	35	34	35	
2025	3	20	12	51	26	0.692	-0.095	3.51	0.01	0.007	0	34.8	27.5	80	116	97	0	35	33	35	
2025	3	20	13	1	26	0.676	-0.095	3.51	0.013	0.01	0	34.8	27.1	61.5	117	97	0	36	34	35	
2025	3	20	13	11	26	0.669	-0.082	3.51	0.01	0.007	0	35.3	27.1	70.1	117	97	0	35	34	35	
2025	3	20	13	21	26	0.682	-0.112	3.51	0.016	0.016	0	34	26.7	79.1	115	96	0	36	34	34	
2025	3	20	13	31	26	0.679	-0.125	3.51	0.01	0.007	0	34.4	26.7	80	115	96	0	35	34	35	
2025	3	20	13	41	26	0.682	-0.121	3.51	0.013	0.01	0	34.4	26.7	80.4	115	96	0	35	34	34	
2025	3	20	13	51	26	0.679	-0.043	3.514	0.013	0.01	0	34.4	26.7	76.1	115	96	0	35	34	35	
2025	3	20	14	2	55	0.666	-0.079	3.514	0.013	0.01	0	34.8	27.1	80	116	97	0	35	34	35	
2025	3	20	14	12	55	0.712	-0.082	3.514	0.01	0.007	0	35.3	27.5	77.4	118	98	0	36	34	35	
2025	3	20	14	22	55	0.666	-0.131	3.514	0.01	0.007	0	35.7	28	78.3	118	99	0	35	34	35	
2025	3	20	14	32	55	0.659	-0.066	3.514	0.01	0.007	0	35.7	27.5	80.4	118	99	0	35	35	34	
2025	3	20	14	42	55	0.676	-0.105	3.514	0.01	0.007	0	35.7	28	80.4	118	99	0	35	34	35	
2025	3	20	14	52	55	0.692	-0.121	3.514	0.013	0.01	0	35.3	27.5	80	117	98	0	35	34	35	
2025	3	20	15	2	55	0.64	-0.069	3.514	0.013	0.01	0	35.3	28.4	78.7	118	99	0	36	33	35	
2025	3	20	15	12	55	0.646	-0.069	3.514	0.013	0.01	0	34.8	27.5	78.3	117	98	0	36	34	35	
2025	3	20	15	22	55	0.699	-0.105	3.514	0.01	0.007	0	35.7	27.5	79.1	117	98	0	34	34	34	
2025	3	20	15	32	55	0.705	-0.102	3.514	0.013	0.01	0	35.3	27.5	77.4	117	98	0	35	34	35	
2025	3	20	15	42	55	0.659	-0.118	3.514	0.013	0.01	0	36.1	28	79.1	119	99	0	35	34	34	
2025	3	20	15	52	55	0.676	-0.138	3.514	0.01	0.007	0	35.7	27.5	79.1	118	98	0	35	34	34	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	20	16	2	55	0.689	-0.128	3.514	0.016	0.013	0	36.1	28.4	75.3	119	99	0	35	33	35
2025	3	20	16	12	55	0.666	-0.089	3.514	0.013	0.01	0	35.7	27.5	55.5	118	98	0	35	34	34
2025	3	20	16	22	55	0.712	-0.085	3.514	0.016	0.013	0	36.1	28.4	78.7	119	100	0	35	34	35
2025	3	20	16	32	55	0.679	-0.102	3.514	0.013	0.01	0	36.5	28.4	77.8	120	100	0	35	34	36
2025	3	20	16	42	55	0.646	-0.059	3.514	0.016	0.013	0	35.7	28	78.7	118	98	0	35	33	34
2025	3	20	16	52	55	0.689	-0.105	3.514	0.013	0.01	0	37	29.2	71.4	121	101	0	35	33	35
2025	3	20	17	2	55	0.679	-0.098	3.514	0.01	0.007	0	35.7	28	78.3	118	99	0	35	34	34
2025	3	20	17	12	55	0.686	-0.092	3.514	0.01	0.007	0	36.5	28.4	55.5	120	100	0	35	34	35
2025	3	20	17	22	55	0.715	-0.115	3.514	0.013	0.01	0	35.3	27.1	78.7	117	97	0	35	34	35
2025	3	20	17	32	55	0.679	-0.066	3.514	0.01	0.007	0	36.5	28.4	78.3	120	100	0	35	34	35
2025	3	20	17	42	55	0.686	-0.098	3.514	0.013	0.01	0	36.1	28	78.7	119	99	0	35	34	35
2025	3	20	17	52	55	0.686	-0.115	3.514	0.01	0.007	0	35.7	27.5	78.7	118	97	0	35	33	35
2025	3	20	18	2	55	0.659	-0.085	3.514	0.01	0.007	0	36.5	28	78.3	120	99	0	35	34	34
2025	3	20	18	12	55	0.679	-0.049	3.514	0.01	0.007	0	37	28	79.6	120	99	0	34	34	34
2025	3	20	18	22	55	0.636	-0.069	3.514	0.013	0.01	0	35.7	27.5	79.1	118	98	0	35	34	34
2025	3	20	18	32	55	0.686	-0.098	3.514	0.013	0.01	0	36.1	28	78.7	118	98	0	34	33	34
2025	3	20	18	42	55	0.719	-0.085	3.514	0.013	0.01	0	35.7	27.5	78.3	118	98	0	35	34	35
2025	3	20	18	52	55	0.696	-0.072	3.514	0.016	0.013	0	36.5	28.4	77.8	120	100	0	35	34	34
2025	3	20	19	2	55	0.696	-0.092	3.514	0.01	0.007	0	36.5	28.4	78.7	120	100	0	35	34	35
2025	3	20	19	12	55	0.636	-0.075	3.514	0.01	0.007	0	36.5	28.4	79.1	120	100	0	35	34	35
2025	3	20	19	22	55	0.653	-0.072	3.514	0.013	0.01	0	36.5	28.4	77.8	119	100	0	34	34	34
2025	3	20	19	32	55	0.653	-0.098	3.514	0.013	0.01	0	36.5	28.8	77.8	120	100	0	35	33	34
2025	3	20	19	42	55	0.705	-0.112	3.514	0.01	0.007	0	36.1	28	77	119	99	0	35	34	35
2025	3	20	19	52	55	0.666	-0.089	3.514	0.016	0.013	0	36.1	28.4	77.8	119	100	0	35	34	34
2025	3	20	20	2	55	0.689	-0.069	3.514	0.013	0.01	0	36.5	28.4	78.3	120	100	0	35	34	35
2025	3	20	20	12	55	0.676	-0.082	3.514	0.016	0.013	0	36.5	28.8	77.8	120	100	0	35	33	35
2025	3	20	20	22	55	0.712	-0.085	3.514	0.013	0.01	0	36.5	29.2	77.8	120	101	0	35	33	35
2025	3	20	20	32	55	0.659	-0.102	3.51	0.01	0.007	0	36.5	28.8	78.3	120	101	0	35	34	34
2025	3	20	20	42	55	0.676	-0.092	3.51	0.016	0.013	0	36.1	28.4	78.3	119	100	0	35	34	34
2025	3	20	20	52	55	0.732	-0.095	3.51	0.013	0.01	0	36.5	28.4	76.5	120	100	0	35	34	35
2025	3	20	21	2	55	0.745	-0.075	3.51	0.013	0.01	0	36.5	28	77	120	100	0	35	35	35
2025	3	20	21	12	55	0.702	-0.105	3.51	0.013	0.01	0	36.5	28.4	78.3	120	100	0	35	34	35
2025	3	20	21	22	55	0.679	-0.108	3.51	0.01	0.007	0	36.5	28.8	78.3	121	101	0	36	34	34
2025	3	20	21	32	55	0.676	-0.098	3.51	0.013	0.01	0	36.1	28.4	77.8	119	100	0	35	34	35
2025	3	20	21	42	55	0.715	-0.148	3.51	0.01	0.007	0	36.1	28.8	78.3	119	100	0	35	33	35
2025	3	20	21	52	55	0.676	-0.085	3.51	0.013	0.01	0	36.5	28.4	78.7	120	100	0	35	34	35
2025	3	20	22	2	55	0.692	-0.115	3.51	0.013	0.01	0	36.1	28	79.1	119	99	0	35	34	35
2025	3	20	22	12	55	0.673	-0.112	3.51	0.016	0.013	0	36.5	28.4	78.7	120	100	0	35	34	35
2025	3	20	22	22	55	0.715	-0.079	3.51	0.01	0.007	0	36.1	28.4	78.7	119	100	0	35	34	35
2025	3	20	22	32	55	0.699	-0.075	3.51	0.013	0.01	0	36.1	28	79.6	119	99	0	35	34	34
2025	3	20	22	42	55	0.686	-0.095	3.51	0.013	0.01	0	36.1	28.4	79.1	119	100	0	35	34	35
2025	3	20	22	52	55	0.679	-0.102	3.507	0.01	0.007	0	36.1	28	78.7	119	99	0	35	34	35
2025	3	20	23	2	55	0.636	-0.085	3.507	0.016	0.013	0	35.7	28	78.7	119	99	0	36	34	35
2025	3	20	23	12	55	0.689	-0.128	3.507	0.013	0.01	0	36.1	28	78.7	119	99	0	35	34	35
2025	3	20	23	22	55	0.715	-0.069	3.507	0.01	0.007	0	35.7	28	79.6	118	99	0	35	34	34
2025	3	20	23	32	55	0.663	-0.098	3.507	0.01	0.007	0	36.1	28	79.6	119	99	0	35	34	35
2025	3	20	23	42	55	0.669	-0.128	3.507	0.013	0.01	0	36.1	28	80.4	119	99	0	35	34	35
2025	3	20	23	52	55	0.666	-0.089	3.507	0.013	0.01	0	36.1	28	80.4	119	99	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	21	0	2	55	0.676	-0.079	3.507	0.01	0.007	0	35.3	27.5	80.4	118	98	0	36	34	35
2025	3	21	0	12	55	0.702	-0.082	3.507	0.013	0.01	0	35.7	28	80.4	119	99	0	36	34	35
2025	3	21	0	22	55	0.653	-0.095	3.507	0.016	0.013	0	35.3	28	77.4	118	99	0	36	34	35
2025	3	21	0	32	55	0.663	-0.125	3.507	0.01	0.007	0	35.7	27.5	80.4	119	99	0	36	35	35
2025	3	21	0	42	55	0.669	-0.095	3.504	0.01	0.007	0	36.1	28.4	80	119	100	0	35	34	35
2025	3	21	0	52	55	0.65	-0.085	3.504	0.013	0.01	0	36.1	28.4	79.6	119	100	0	35	34	35
2025	3	21	1	2	55	0.653	-0.089	3.507	0.01	0.007	0	36.1	28	80.4	119	99	0	35	34	35
2025	3	21	1	12	55	0.663	-0.102	3.504	0.01	0.007	0	36.1	28	79.1	119	99	0	35	34	35
2025	3	21	1	22	55	0.676	-0.102	3.504	0.01	0.007	0	35.7	27.5	78.3	118	98	0	35	34	35
2025	3	21	1	32	55	0.663	-0.079	3.504	0.013	0.01	0	35.7	28	79.6	118	99	0	35	34	35
2025	3	21	1	42	55	0.673	-0.092	3.504	0.016	0.013	0	35.7	27.5	80	118	98	0	35	34	35
2025	3	21	1	52	55	0.676	-0.098	3.504	0.01	0.007	0	36.1	28	79.1	119	99	0	35	34	35
2025	3	21	2	2	55	0.65	-0.069	3.504	0.01	0.007	0	35.3	28	79.6	118	99	0	36	34	35
2025	3	21	2	12	55	0.666	-0.098	3.504	0.01	0.007	0	35.7	27.5	81.3	118	98	0	35	34	34
2025	3	21	2	22	55	0.682	-0.098	3.504	0.01	0.007	0	35.3	27.5	80.4	118	98	0	36	34	35
2025	3	21	2	32	55	0.689	-0.095	3.504	0.013	0.01	0	36.1	28	79.6	119	99	0	35	34	35
2025	3	21	2	42	55	0.689	-0.095	3.501	0.016	0.013	0	36.1	28	79.1	119	99	0	35	34	35
2025	3	21	2	52	55	0.65	-0.069	3.501	0.013	0.01	0	35.7	28.4	80.8	118	99	0	35	33	34
2025	3	21	3	2	55	0.673	-0.115	3.501	0.01	0.007	0	35.7	27.5	80	118	98	0	35	34	35
2025	3	21	3	12	55	0.663	-0.082	3.501	0.013	0.01	0	35.3	27.5	79.6	117	98	0	35	34	35
2025	3	21	3	22	55	0.656	-0.102	3.501	0.013	0.01	0	35.3	27.5	80.4	118	98	0	36	34	35
2025	3	21	3	32	55	0.673	-0.098	3.501	0.016	0.016	0	34.8	27.5	80.4	117	98	0	36	34	35
2025	3	21	3	42	55	0.643	-0.098	3.501	0.013	0.01	0	35.7	28.4	79.6	119	100	0	36	34	35
2025	3	21	3	52	55	0.643	-0.102	3.501	0.016	0.013	0	36.5	28.4	80	120	100	0	35	34	35
2025	3	21	4	2	55	0.636	-0.098	3.501	0.016	0.016	0	36.5	28.4	79.6	120	100	0	35	34	35
2025	3	21	4	12	55	0.663	-0.082	3.501	0.01	0.007	0	35.7	28.4	79.6	119	100	0	36	34	35
2025	3	21	4	22	55	0.673	-0.075	3.501	0.01	0.007	0	35.3	27.1	80	118	98	0	36	35	35
2025	3	21	4	32	55	0.686	-0.089	3.501	0.016	0.016	0	35.7	27.5	80	118	98	0	35	34	35
2025	3	21	4	42	55	0.689	-0.095	3.501	0.01	0.007	0	35.3	27.5	80	117	98	0	35	34	35
2025	3	21	4	52	55	0.643	-0.112	3.497	0.01	0.007	0	34.8	27.1	79.1	117	97	0	36	34	34
2025	3	21	5	2	55	0.682	-0.049	3.497	0.013	0.01	0	35.3	27.1	79.1	117	98	0	35	35	35
2025	3	21	5	12	55	0.673	-0.082	3.497	0.016	0.013	0	34.8	27.5	80.4	117	98	0	36	34	35
2025	3	21	5	22	55	0.643	-0.125	3.497	0.01	0.007	0	34.8	26.7	80	116	97	0	35	35	34
2025	3	21	5	32	55	0.679	-0.131	3.497	0.013	0.01	0	35.3	27.5	79.1	117	98	0	35	34	35
2025	3	21	5	42	55	0.663	-0.095	3.497	0.01	0.007	0	36.1	27.5	77.4	119	99	0	35	35	36
2025	3	21	5	52	55	0.646	-0.079	3.497	0.013	0.01	0	35.3	27.5	79.6	117	98	0	35	34	35
2025	3	21	6	2	55	0.673	-0.092	3.497	0.01	0.007	0	35.3	28	77.8	118	99	0	36	34	35
2025	3	21	6	12	55	0.646	-0.095	3.497	0.013	0.01	0	34.8	26.7	80	117	97	0	36	35	35
2025	3	21	6	22	55	0.669	-0.125	3.497	0.013	0.01	0	36.5	28.4	79.1	120	100	0	35	34	35
2025	3	21	6	32	55	0.679	-0.105	3.494	0.01	0.007	0	36.1	28.4	79.1	120	100	0	36	34	34
2025	3	21	6	42	55	0.669	-0.072	3.494	0.01	0.007	0	36.1	28	71.4	119	99	0	35	34	35
2025	3	21	6	52	55	0.663	-0.121	3.494	0.01	0.007	0	34.4	26.2	77.8	115	96	0	35	35	35
2025	3	21	7	2	55	0.63	-0.085	3.494	0.01	0.007	0	34.4	26.2	78.3	116	96	0	36	35	34
2025	3	21	7	12	55	0.656	-0.098	3.494	0.01	0.007	0	34	26.2	77	115	95	0	36	34	36
2025	3	21	7	22	55	0.653	-0.089	3.494	0.013	0.01	0	34	25.8	78.3	115	94	0	36	34	35
2025	3	21	7	32	55	0.725	-0.082	3.494	0.013	0.01	0	34	24.9	78.3	115	92	0	36	34	34
2025	3	21	7	42	55	0.656	-0.095	3.494	0.01	0.007	0	35.3	27.1	78.3	117	97	0	35	34	34
2025	3	21	7	52	55	0.633	-0.082	3.494	0.013	0.01	0	35.7	27.5	77	118	98	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	21	8	2	55	0.686	-0.085	3.494	0.01	0.007	0	38.3	29.7	74.4	124	104	0	35	35	35
2025	3	21	8	12	55	0.692	-0.098	3.494	0.013	0.01	0	34.4	26.2	77	115	96	0	35	35	35
2025	3	21	8	22	55	0.633	-0.108	3.494	0.01	0.007	0	34	26.2	76.5	114	96	0	35	35	35
2025	3	21	8	32	55	0.676	-0.108	3.494	0.013	0.01	0	34	26.7	77.8	115	96	0	36	34	35
2025	3	21	8	42	55	0.676	-0.069	3.494	0.01	0.007	0	34.4	26.7	77.8	115	96	0	35	34	35
2025	3	21	8	52	55	0.673	-0.056	3.494	0.01	0.007	0	34.4	26.7	76.1	115	96	0	35	34	35
2025	3	21	9	2	55	0.715	-0.105	3.494	0.013	0.01	0	33.5	25.8	75.7	113	94	0	35	34	35
2025	3	21	9	12	55	0.692	-0.125	3.494	0.01	0.007	0	34	26.7	77.4	114	96	0	35	34	35
2025	3	21	9	22	55	0.663	-0.079	3.494	0.01	0.007	0	33.5	26.2	77	114	95	0	36	34	35
2025	3	21	9	32	55	0.689	-0.148	3.494	0.013	0.01	0	34	26.7	74	114	96	0	35	34	35
2025	3	21	9	42	55	0.676	-0.089	3.491	0.01	0.007	0	34	27.1	74	114	96	0	35	33	35
2025	3	21	9	52	55	0.679	-0.125	3.484	0.016	0.013	0	34	27.5	51.6	115	97	0	36	33	35
2025	3	21	10	2	55	0.719	-0.095	3.491	0.01	0.007	0	34.4	26.7	68.8	115	96	0	35	34	35
2025	3	21	10	12	55	0.679	-0.115	3.494	0.01	0.007	0	34.8	27.5	75.3	117	98	0	36	34	35
2025	3	21	10	22	55	0.653	-0.085	3.491	0.01	0.007	0	34.8	27.5	74.8	117	98	0	36	34	35
2025	3	21	10	32	55	0.653	-0.095	3.488	0.013	0.01	0	34.4	27.1	67.5	116	97	0	36	34	34
2025	3	21	10	42	55	0.666	-0.072	3.491	0.01	0.007	0	34.8	27.1	74.4	116	97	0	35	34	35
2025	3	21	10	52	55	0.656	-0.085	3.491	0.01	0.007	0	34	26.2	75.3	114	95	0	35	34	35
2025	3	21	11	2	55	0.725	-0.085	3.494	0.01	0.007	0	34	26.2	76.1	114	95	0	35	34	34
2025	3	21	11	12	55	0.682	-0.121	3.491	0.01	0.007	0	34.4	27.1	75.3	115	96	0	35	33	35
2025	3	21	11	22	55	0.682	-0.082	3.491	0.013	0.01	0	34	26.7	74.8	114	95	0	35	33	35
2025	3	21	11	32	55	0.673	-0.102	3.491	0.01	0.007	0	34.4	26.2	74	115	95	0	35	34	34
2025	3	21	11	42	55	0.682	-0.138	3.488	0.013	0.01	0	33.5	26.2	51.6	113	95	0	35	34	34
2025	3	21	11	52	55	0.65	-0.115	3.488	0.013	0.01	0	34.4	26.7	50.7	115	96	0	35	34	35
2025	3	21	12	2	55	0.669	-0.102	3.491	0.016	0.013	0	34.4	26.7	51.6	115	96	0	35	34	35
2025	3	21	12	12	55	0.676	-0.115	3.488	0.016	0.013	0	33.1	26.2	49.9	113	95	0	36	34	35
2025	3	21	12	22	55	0.636	-0.135	3.488	0.016	0.013	0	34.4	26.7	44.7	115	96	0	35	34	35
2025	3	21	12	32	55	0.656	-0.108	3.488	0.013	0.01	0	34	26.2	51.6	114	95	0	35	34	34
2025	3	21	12	42	55	0.65	-0.085	3.491	0.01	0.007	0	34	26.2	45.2	114	95	0	35	34	35
2025	3	21	12	52	55	0.663	-0.108	3.488	0.01	0.007	0	34.8	26.7	48.2	116	96	0	35	34	34
2025	3	21	13	2	55	0.663	-0.108	3.491	0.013	0.01	0	35.3	27.1	45.6	116	97	0	34	34	35
2025	3	21	13	12	55	0.669	-0.098	3.491	0.01	0.007	0	34	26.2	46.4	114	95	0	35	34	35
2025	3	21	13	22	55	0.656	-0.095	3.491	0.016	0.013	0	35.3	27.5	48.6	117	98	0	35	34	35
2025	3	21	13	32	55	0.659	-0.085	3.491	0.013	0.01	0	34.8	27.1	46.9	116	97	0	35	34	34
2025	3	21	13	42	55	0.682	-0.062	3.491	0.01	0.007	0	34.4	27.1	47.3	115	97	0	35	34	34
2025	3	21	13	52	55	0.653	-0.102	3.491	0.01	0.007	0	34.4	26.7	48.6	115	96	0	35	34	34
2025	3	21	14	2	55	0.686	-0.085	3.491	0.01	0.007	0	34.4	26.7	46	115	96	0	35	34	35
2025	3	21	14	12	55	0.686	-0.098	3.491	0.01	0.007	0	34.4	27.1	46	115	96	0	35	33	35
2025	3	21	14	22	55	0.659	-0.118	3.491	0.01	0.007	0	34	26.2	46.4	114	95	0	35	34	34
2025	3	21	14	32	55	0.679	-0.089	3.491	0.01	0.007	0	34	26.2	46.9	114	95	0	35	34	35
2025	3	21	14	42	55	0.705	-0.085	3.491	0.013	0.01	0	34.4	27.1	45.6	115	96	0	35	33	34
2025	3	21	14	52	55	0.663	-0.089	3.491	0.01	0.007	0	34	26.7	44.3	114	96	0	35	34	34
2025	3	21	15	2	55	0.663	-0.102	3.491	0.013	0.01	0	34.8	27.5	48.6	116	98	0	35	34	34
2025	3	21	15	12	55	0.682	-0.085	3.491	0.01	0.007	0	35.3	28	44.3	117	98	0	35	33	34
2025	3	21	15	22	55	0.699	-0.095	3.491	0.01	0.007	0	34.8	27.5	46	116	97	0	35	33	35
2025	3	21	15	32	55	0.696	-0.102	3.494	0.013	0.01	0	34.4	26.7	45.2	115	97	0	35	35	34
2025	3	21	15	42	55	0.623	-0.092	3.491	0.016	0.013	0	35.7	28	45.2	118	99	0	35	34	35
2025	3	21	15	52	55	0.663	-0.102	3.494	0.01	0.007	0	34.4	27.5	46.4	116	98	0	36	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	21	16	2	55	0.669	-0.085	3.491	0.01	0.007	0	34.8	27.5	46	116	97	0	35	33	35
2025	3	21	16	12	55	0.669	-0.072	3.491	0.01	0.007	0	34	26.7	45.6	115	96	0	36	34	34
2025	3	21	16	22	55	0.659	-0.102	3.491	0.01	0.007	0	34	26.7	47.3	114	96	0	35	34	34
2025	3	21	16	32	55	0.682	-0.115	3.494	0.013	0.01	0	33.5	26.2	44.7	113	95	0	35	34	34
2025	3	21	16	42	55	0.676	-0.092	3.491	0.01	0.007	0	34.4	26.7	48.2	115	96	0	35	34	35
2025	3	21	16	52	55	0.636	-0.085	3.491	0.01	0.007	0	34.8	26.7	49.9	116	96	0	35	34	34
2025	3	21	17	2	55	0.682	-0.075	3.491	0.01	0.007	0	35.7	28	58.9	118	99	0	35	34	34
2025	3	21	17	12	55	0.682	-0.115	3.494	0.01	0.007	0	34.4	27.1	71.8	115	97	0	35	34	35
2025	3	21	17	22	55	0.705	-0.115	3.494	0.016	0.013	0	35.3	27.1	74.4	117	97	0	35	34	35
2025	3	21	17	32	55	0.682	-0.128	3.494	0.01	0.007	0	35.3	27.5	77.8	117	97	0	35	33	35
2025	3	21	17	42	55	0.679	-0.115	3.494	0.01	0.007	0	34.8	26.7	78.3	115	96	0	34	34	35
2025	3	21	17	52	55	0.659	-0.056	3.494	0.013	0.01	0	37.4	30.1	78.7	121	103	0	34	33	35
2025	3	21	18	2	55	0.669	-0.092	3.494	0.016	0.013	0	36.1	28.4	80	119	100	0	35	34	34
2025	3	21	18	12	55	0.653	-0.085	3.494	0.01	0.007	0	36.1	28.4	78.7	118	100	0	34	34	34
2025	3	21	18	22	55	0.692	-0.072	3.494	0.016	0.016	0	35.7	28	78.3	118	99	0	35	34	34
2025	3	21	18	32	55	0.702	-0.089	3.491	0.013	0.01	0	34.8	27.5	78.3	117	98	0	36	34	34
2025	3	21	18	42	55	0.692	-0.092	3.491	0.016	0.013	0	35.3	27.5	77.4	117	98	0	35	34	34
2025	3	21	18	52	55	0.686	-0.108	3.491	0.01	0.007	0	35.7	28	77.4	118	99	0	35	34	34
2025	3	21	19	2	55	0.682	-0.075	3.491	0.016	0.013	0	35.7	28.8	77.4	118	100	0	35	33	35
2025	3	21	19	12	55	0.682	-0.105	3.491	0.016	0.013	0	35.7	28.4	77.4	118	99	0	35	33	35
2025	3	21	19	22	55	0.679	-0.102	3.491	0.013	0.01	0	35.3	28	78.3	117	99	0	35	34	34
2025	3	21	19	32	55	0.696	-0.072	3.491	0.01	0.007	0	35.7	28	77.8	118	99	0	35	34	34
2025	3	21	19	42	55	0.709	-0.072	3.491	0.013	0.01	0	36.1	28	76.5	118	99	0	34	34	35
2025	3	21	19	52	55	0.676	-0.102	3.491	0.01	0.007	0	35.7	28	77.4	118	99	0	35	34	34
2025	3	21	20	2	55	0.676	-0.108	3.491	0.01	0.007	0	35.7	28	77.4	118	99	0	35	34	34
2025	3	21	20	12	55	0.663	-0.079	3.491	0.013	0.01	0	36.5	28.4	77	119	100	0	34	34	35
2025	3	21	20	22	55	0.653	-0.098	3.491	0.013	0.01	0	36.1	28.8	78.3	119	100	0	35	33	34
2025	3	21	20	32	55	0.666	-0.082	3.491	0.01	0.007	0	36.1	28.8	77.8	119	101	0	35	34	35
2025	3	21	20	42	55	0.636	-0.095	3.491	0.013	0.01	0	36.1	28.8	77.8	119	101	0	35	34	34
2025	3	21	20	52	55	0.653	-0.079	3.491	0.013	0.01	0	37.4	30.5	76.1	122	104	0	35	33	34
2025	3	21	21	2	55	0.646	-0.112	3.491	0.016	0.016	0	37.4	30.1	78.3	122	104	0	35	34	34
2025	3	21	21	12	55	0.682	-0.089	3.488	0.016	0.013	0	37	29.7	77.4	121	103	0	35	34	34
2025	3	21	21	22	55	0.682	-0.102	3.488	0.016	0.013	0	37.4	30.1	77.4	122	104	0	35	34	35
2025	3	21	21	32	55	0.696	-0.082	3.491	0.01	0.007	0	37.4	29.7	77.8	122	103	0	35	34	34
2025	3	21	21	42	55	0.673	-0.089	3.488	0.016	0.013	0	39.6	32.3	76.5	127	109	0	35	34	34
2025	3	21	21	52	55	0.669	-0.115	3.488	0.01	0.007	0	37	30.5	71.4	121	104	0	35	33	34
2025	3	21	22	2	55	0.64	-0.105	3.488	0.013	0.01	0	37.4	29.7	77.8	122	104	0	35	35	34
2025	3	21	22	12	55	0.633	-0.085	3.488	0.01	0.007	0	37.8	30.5	77.4	123	105	0	35	34	35
2025	3	21	22	22	55	0.692	-0.102	3.488	0.013	0.01	0	37	29.7	76.5	121	103	0	35	34	35
2025	3	21	22	32	55	0.656	-0.112	3.488	0.02	0.016	0	36.5	28.8	77.4	120	101	0	35	34	34
2025	3	21	22	42	55	0.666	-0.079	3.488	0.016	0.013	0	37.4	30.1	77.8	122	104	0	35	34	34
2025	3	21	22	52	55	0.653	-0.049	3.488	0.013	0.01	0	37.4	29.7	77.4	122	103	0	35	34	35
2025	3	21	23	2	55	0.643	-0.102	3.488	0.013	0.01	0	38.7	31.4	77	125	107	0	35	34	34
2025	3	21	23	12	55	0.646	-0.079	3.488	0.016	0.013	0	37	29.7	77.4	121	103	0	35	34	34
2025	3	21	23	22	55	0.64	-0.095	3.484	0.01	0.007	0	37.8	29.7	76.1	123	103	0	35	34	35
2025	3	21	23	32	55	0.686	-0.125	3.484	0.01	0.007	0	37	29.2	77.4	121	102	0	35	34	34
2025	3	21	23	42	55	0.636	-0.059	3.484	0.013	0.01	0	36.5	28.8	77	120	101	0	35	34	34
2025	3	21	23	52	55	0.669	-0.118	3.484	0.016	0.013	0	36.1	28.4	77.4	119	100	0	35	34	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	22	0	2	55	0.676	-0.112	3.484	0.016	0.013	0	36.1	28.4	76.5	119	100	0	35	34	35
2025	3	22	0	12	55	0.65	-0.056	3.484	0.01	0.007	0	35.7	28.4	75.7	119	100	0	36	34	34
2025	3	22	0	22	55	0.689	-0.108	3.484	0.01	0.007	0	36.1	28	74	119	100	0	35	35	35
2025	3	22	0	32	55	0.682	-0.079	3.484	0.01	0.007	0	37.4	30.1	76.5	122	103	0	35	33	35
2025	3	22	0	42	55	0.617	-0.079	3.484	0.013	0.01	0	37.8	29.2	76.1	122	102	0	34	34	35
2025	3	22	0	52	55	0.663	-0.108	3.484	0.01	0.007	0	36.1	28.8	76.5	119	100	0	35	33	35
2025	3	22	1	2	55	0.666	-0.095	3.484	0.01	0.007	0	36.5	28.8	76.5	120	101	0	35	34	34
2025	3	22	1	12	55	0.669	-0.108	3.484	0.013	0.01	0	35.3	28	76.1	118	99	0	36	34	35
2025	3	22	1	22	55	0.63	-0.075	3.484	0.01	0.007	0	35.7	28.4	75.7	119	100	0	36	34	35
2025	3	22	1	32	55	0.64	-0.131	3.484	0.013	0.01	0	37	28.8	75.3	121	101	0	35	34	35
2025	3	22	1	42	55	0.653	-0.085	3.484	0.016	0.013	0	35.7	28	76.1	119	99	0	36	34	34
2025	3	22	1	52	55	0.692	-0.095	3.484	0.013	0.01	0	36.1	28	74.8	119	99	0	35	34	35
2025	3	22	2	2	55	0.627	-0.128	3.484	0.013	0.01	0	36.1	28	76.1	119	99	0	35	34	34
2025	3	22	2	12	55	0.663	-0.082	3.484	0.013	0.01	0	35.7	28	76.1	118	99	0	35	34	35
2025	3	22	2	22	55	0.656	-0.102	3.484	0.01	0.007	0	36.1	28.4	75.7	119	100	0	35	34	35
2025	3	22	2	32	55	0.696	-0.108	3.484	0.016	0.013	0	36.1	28	74.8	119	99	0	35	34	35
2025	3	22	2	42	55	0.666	-0.112	3.484	0.013	0.01	0	35.7	28	75.7	119	100	0	36	35	35
2025	3	22	2	52	55	0.633	-0.128	3.484	0.016	0.013	0	35.7	28	76.1	118	99	0	35	34	35
2025	3	22	3	2	55	0.653	-0.085	3.484	0.01	0.007	0	36.1	28	75.7	119	99	0	35	34	35
2025	3	22	3	12	55	0.646	-0.092	3.484	0.016	0.016	0	35.3	27.1	75.7	117	98	0	35	35	34
2025	3	22	3	22	55	0.653	-0.085	3.484	0.01	0.007	0	34.8	27.5	75.3	117	98	0	36	34	35
2025	3	22	3	32	55	0.643	-0.098	3.488	0.016	0.013	0	36.1	28.4	74.8	119	100	0	35	34	35
2025	3	22	3	42	55	0.653	-0.121	3.484	0.016	0.013	0	36.1	27.5	75.3	118	99	0	34	35	35
2025	3	22	3	52	55	0.65	-0.125	3.488	0.01	0.007	0	36.1	28.4	75.7	119	100	0	35	34	35
2025	3	22	4	2	55	0.656	-0.098	3.484	0.016	0.013	0	36.1	28.4	75.7	119	100	0	35	34	34
2025	3	22	4	12	55	0.653	-0.121	3.484	0.01	0.007	0	35.3	28	75.3	118	99	0	36	34	35
2025	3	22	4	22	55	0.666	-0.098	3.488	0.013	0.01	0	36.1	28.4	75.3	119	100	0	35	34	34
2025	3	22	4	32	55	0.676	-0.112	3.491	0.013	0.01	0	35.7	28	77	118	99	0	35	34	34
2025	3	22	4	42	55	0.692	-0.118	3.488	0.013	0.01	0	34.8	27.5	75.3	117	98	0	36	34	35
2025	3	22	4	52	55	0.699	-0.092	3.491	0.013	0.01	0	35.3	28	76.5	117	99	0	35	34	35
2025	3	22	5	2	55	0.646	-0.072	3.488	0.013	0.01	0	35.7	28	75.3	118	99	0	35	34	35
2025	3	22	5	12	55	0.633	-0.089	3.491	0.01	0.007	0	35.7	28	76.1	118	99	0	35	34	35
2025	3	22	5	22	55	0.656	-0.108	3.494	0.01	0.007	0	35.3	28.4	77	118	100	0	36	34	35
2025	3	22	5	32	55	0.686	-0.072	3.491	0.01	0.007	0	35.7	28	75.7	118	100	0	35	35	35
2025	3	22	5	42	55	0.673	-0.085	3.494	0.016	0.013	0	36.5	28.8	75.3	120	101	0	35	34	35
2025	3	22	5	52	55	0.633	-0.062	3.494	0.016	0.013	0	36.1	28.4	76.1	119	100	0	35	34	35
2025	3	22	6	2	55	0.636	-0.089	3.494	0.013	0.01	0	35.7	28	75.7	118	100	0	35	35	35
2025	3	22	6	12	55	0.673	-0.108	3.491	0.01	0.007	0	38.3	31	71.8	124	106	0	35	34	35
2025	3	22	6	22	55	0.669	-0.112	3.491	0.013	0.01	0	37.4	29.2	71	121	102	0	34	34	34
2025	3	22	6	32	55	0.627	-0.069	3.491	0.016	0.013	0	35.3	28	75.3	117	99	0	35	34	34
2025	3	22	6	42	55	0.646	-0.092	3.491	0.01	0.007	0	34.8	28	72.7	117	99	0	36	34	35
2025	3	22	6	52	55	0.656	-0.075	3.491	0.013	0.01	0	34.8	27.1	74	116	97	0	35	34	35
2025	3	22	7	2	55	0.653	-0.115	3.488	0.013	0.01	0	35.3	28	74.4	117	99	0	35	34	34
2025	3	22	7	12	55	0.656	-0.098	3.491	0.01	0.007	0	36.5	29.2	74	121	102	0	36	34	35
2025	3	22	7	22	55	0.673	-0.102	3.491	0.01	0.007	0	37.4	30.5	74.4	123	105	0	36	34	35
2025	3	22	7	32	55	0.679	-0.128	3.488	0.013	0.01	0	36.1	28.4	73.1	119	100	0	35	34	35
2025	3	22	7	42	55	0.653	-0.089	3.488	0.01	0.007	0	35.3	28.4	74	118	99	0	36	33	35
2025	3	22	7	52	55	0.669	-0.105	3.488	0.01	0.007	0	34.8	28	74.4	116	98	0	35	33	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	22	8	2	55	0.673	-0.098	3.491	0.01	0.007	0	34.4	26.2	74.4	115	96	0	35	35	35
2025	3	22	8	12	55	0.636	-0.085	3.488	0.01	0.007	0	34	26.7	74	114	96	0	35	34	35
2025	3	22	8	22	55	0.653	-0.082	3.488	0.013	0.01	0	37.8	30.1	72.7	123	104	0	35	34	35
2025	3	22	8	32	55	0.682	-0.115	3.491	0.013	0.01	0	36.5	29.2	75.3	120	102	0	35	34	35
2025	3	22	8	42	55	0.653	-0.089	3.488	0.01	0.007	0	36.1	28.8	74.4	119	101	0	35	34	35
2025	3	22	8	52	55	0.653	-0.115	3.488	0.01	0.007	0	35.7	28.4	75.3	119	100	0	36	34	34
2025	3	22	9	2	55	0.673	-0.115	3.488	0.013	0.01	0	36.5	29.7	74.8	120	103	0	35	34	35
2025	3	22	9	12	55	0.686	-0.102	3.488	0.01	0.007	0	38.7	31.4	75.3	125	107	0	35	34	35
2025	3	22	9	22	55	0.676	-0.089	3.488	0.016	0.016	0	36.5	29.7	75.3	121	103	0	36	34	35
2025	3	22	9	32	55	0.646	-0.066	3.488	0.016	0.013	0	37.8	31	75.7	124	106	0	36	34	35
2025	3	22	9	42	55	0.633	-0.102	3.488	0.013	0.01	0	36.5	29.2	75.7	120	102	0	35	34	34
2025	3	22	9	52	55	0.679	-0.092	3.488	0.01	0.007	0	37.4	30.1	75.3	122	104	0	35	34	34
2025	3	22	10	2	55	0.702	-0.098	3.488	0.013	0.01	0	37	29.7	66.7	121	103	0	35	34	35
2025	3	22	10	12	55	0.686	-0.098	3.484	0.013	0.01	0	37	29.2	49.5	121	102	0	35	34	34
2025	3	22	10	22	55	0.673	-0.089	3.484	0.01	0.007	0	37.4	30.5	55	122	104	0	35	33	35
2025	3	22	10	32	55	0.666	-0.102	3.488	0.016	0.013	0	36.5	29.7	64.1	121	103	0	36	34	35
2025	3	22	10	42	55	0.692	-0.115	3.488	0.01	0.007	0	35.7	28.4	75.7	119	100	0	36	34	34
2025	3	22	10	52	55	0.689	-0.118	3.488	0.016	0.013	0	37	29.7	60.2	121	103	0	35	34	35
2025	3	22	11	2	55	0.676	-0.072	3.488	0.016	0.013	0	37	29.7	61.1	121	102	0	35	33	35
2025	3	22	11	12	55	0.636	-0.108	3.488	0.013	0.01	0	36.5	29.2	77	120	102	0	35	34	35
2025	3	22	11	22	55	0.686	-0.092	3.488	0.013	0.01	0	36.1	29.2	60.2	119	102	0	35	34	35
2025	3	22	11	32	55	0.692	-0.095	3.491	0.01	0.007	0	35.7	27.5	76.5	117	98	0	34	34	35
2025	3	22	11	42	55	0.663	-0.102	3.491	0.013	0.01	0	35.7	28.8	67.1	118	100	0	35	33	35
2025	3	22	11	52	55	0.692	-0.085	3.491	0.016	0.013	0	36.1	29.2	76.1	120	102	0	36	34	35
2025	3	22	12	2	55	0.722	-0.089	3.491	0.01	0.007	0	35.7	28.8	77.4	118	100	0	35	33	34
2025	3	22	12	12	55	0.669	-0.135	3.491	0.01	0.007	0	35.7	28.4	77	118	100	0	35	34	34
2025	3	22	12	22	55	0.673	-0.105	3.488	0.013	0.01	0	35.3	27.5	49.9	117	98	0	35	34	35
2025	3	22	12	32	55	0.673	-0.112	3.491	0.01	0.007	0	34.8	27.5	74.8	116	98	0	35	34	35
2025	3	22	12	42	55	0.709	-0.095	3.491	0.013	0.01	0	35.7	28.8	54.6	118	100	0	35	33	34
2025	3	22	12	52	55	0.666	-0.089	3.491	0.013	0.01	0	35.7	28.4	71.8	118	100	0	35	34	34
2025	3	22	13	2	55	0.676	-0.141	3.488	0.01	0.007	0	35.3	28.4	50.3	118	100	0	36	34	34
2025	3	22	13	12	55	0.725	-0.112	3.491	0.013	0.01	0	34.8	27.5	47.7	116	98	0	35	34	34
2025	3	22	13	22	55	0.682	-0.102	3.488	0.01	0.007	0	34.4	27.5	46.4	116	98	0	36	34	35
2025	3	22	13	32	55	0.699	-0.121	3.491	0.016	0.016	0	34.8	28	44.3	116	99	0	35	34	34
2025	3	22	13	42	55	0.673	-0.085	3.491	0.013	0.01	0	34.4	27.5	49.9	115	97	0	35	33	34
2025	3	22	13	52	55	0.689	-0.121	3.491	0.013	0.01	0	35.3	28	51.2	117	99	0	35	34	35
2025	3	22	14	2	55	0.666	-0.118	3.491	0.013	0.01	0	34	27.1	46.9	115	97	0	36	34	34
2025	3	22	14	12	55	0.673	-0.085	3.491	0.016	0.013	0	34	27.1	44.3	114	96	0	35	33	35
2025	3	22	14	22	55	0.705	-0.115	3.491	0.01	0.007	0	34	27.1	48.6	114	96	0	35	33	34
2025	3	22	14	32	55	0.669	-0.115	3.491	0.016	0.013	0	34.4	26.7	49	115	96	0	35	34	34
2025	3	22	14	42	55	0.659	-0.115	3.491	0.016	0.013	0	34.4	26.7	49.5	115	96	0	35	34	35
2025	3	22	14	52	55	0.669	-0.085	3.491	0.016	0.013	0	35.3	27.5	49.5	117	98	0	35	34	34
2025	3	22	15	2	55	0.646	-0.131	3.491	0.01	0.007	0	34	26.7	53.8	114	96	0	35	34	34
2025	3	22	15	12	55	0.669	-0.089	3.491	0.013	0.01	0	37	29.2	45.6	120	101	0	34	33	34
2025	3	22	15	22	55	0.682	-0.089	3.491	0.013	0.01	0	34.8	27.5	46.4	115	97	0	34	33	35
2025	3	22	15	32	55	0.676	-0.102	3.491	0.01	0.007	0	34.4	27.5	47.3	115	97	0	35	33	34
2025	3	22	15	42	55	0.666	-0.089	3.491	0.01	0.007	0	34.8	26.2	47.3	115	95	0	34	34	35
2025	3	22	15	52	55	0.653	-0.095	3.491	0.01	0.007	0	34.4	26.7	45.2	115	95	0	35	33	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	22	16	2	55	0.689	-0.085	3.491	0.01	0.007	0	33.5	26.2	46.4	113	95	0	35	34	35
2025	3	22	16	12	55	0.682	-0.108	3.491	0.013	0.01	0	35.3	27.5	50.3	117	98	0	35	34	34
2025	3	22	16	22	55	0.699	-0.131	3.494	0.016	0.016	0	33.5	26.7	58.5	113	96	0	35	34	34
2025	3	22	16	32	55	0.676	-0.131	3.494	0.013	0.01	0	34	27.1	49	114	97	0	35	34	34
2025	3	22	16	42	55	0.696	-0.128	3.491	0.013	0.01	0	34.4	27.1	49.5	115	97	0	35	34	35
2025	3	22	16	52	55	0.686	-0.108	3.494	0.013	0.01	0	34	26.7	46	114	96	0	35	34	34
2025	3	22	17	2	55	0.686	-0.118	3.491	0.013	0.01	0	34.8	28	49.5	116	98	0	35	33	35
2025	3	22	17	12	55	0.676	-0.092	3.494	0.01	0.007	0	34.4	27.1	53.3	114	96	0	34	33	34
2025	3	22	17	22	55	0.722	-0.079	3.494	0.013	0.01	0	34	26.7	50.7	114	96	0	35	34	34
2025	3	22	17	32	55	0.689	-0.102	3.494	0.016	0.013	0	34.4	27.1	57.6	115	96	0	35	33	35
2025	3	22	17	42	55	0.676	-0.098	3.497	0.01	0.007	0	34	26.7	72.7	114	96	0	35	34	34
2025	3	22	17	52	55	0.699	-0.108	3.497	0.01	0.007	0	34	26.7	76.1	114	96	0	35	34	35
2025	3	22	18	2	55	0.712	-0.095	3.497	0.016	0.013	0	34.4	26.7	77	115	96	0	35	34	34
2025	3	22	18	12	55	0.692	-0.131	3.497	0.01	0.007	0	34.4	27.1	74	115	97	0	35	34	34
2025	3	22	18	22	55	0.696	-0.089	3.497	0.013	0.01	0	34	27.1	77.8	114	97	0	35	34	35
2025	3	22	18	32	55	0.689	-0.105	3.497	0.01	0.007	0	34.4	28	78.3	115	98	0	35	33	34
2025	3	22	18	42	55	0.732	-0.075	3.497	0.01	0.007	0	34.8	27.5	76.5	116	98	0	35	34	34
2025	3	22	18	52	55	0.712	-0.102	3.497	0.01	0.007	0	35.3	28.4	77	117	99	0	35	33	34
2025	3	22	19	2	55	0.669	-0.105	3.497	0.013	0.01	0	37	30.1	78.7	121	104	0	35	34	34
2025	3	22	19	12	55	0.689	-0.102	3.497	0.01	0.007	0	37	29.7	79.1	120	102	0	34	33	34
2025	3	22	19	22	55	0.673	-0.092	3.497	0.013	0.01	0	36.1	28.8	77.8	119	101	0	35	34	34
2025	3	22	19	32	55	0.719	-0.082	3.497	0.016	0.013	0	36.1	28.8	77.4	119	101	0	35	34	35
2025	3	22	19	42	55	0.669	-0.112	3.497	0.013	0.01	0	35.7	28.8	77.4	118	100	0	35	33	34
2025	3	22	19	52	55	0.692	-0.075	3.497	0.016	0.016	0	36.1	29.2	77.8	119	101	0	35	33	34
2025	3	22	20	2	55	0.659	-0.089	3.497	0.016	0.013	0	35.3	28.8	76.1	117	101	0	35	34	35
2025	3	22	20	12	55	0.673	-0.102	3.497	0.01	0.007	0	37.4	28.8	77.4	121	101	0	34	34	34
2025	3	22	20	22	55	0.696	-0.079	3.497	0.016	0.016	0	36.5	28.4	77	119	100	0	34	34	34
2025	3	22	20	32	55	0.719	-0.095	3.497	0.013	0.01	0	36.1	28.8	77.4	119	100	0	35	33	34
2025	3	22	20	42	55	0.659	-0.128	3.497	0.016	0.013	0	36.5	28.4	77.4	119	100	0	34	34	34
2025	3	22	20	52	55	0.663	-0.138	3.497	0.013	0.01	0	36.5	28.4	77.4	120	100	0	35	34	34
2025	3	22	21	2	55	0.676	-0.098	3.497	0.016	0.013	0	36.5	28.8	76.1	120	100	0	35	33	35
2025	3	22	21	12	55	0.682	-0.075	3.497	0.013	0.01	0	36.5	28.8	76.1	120	100	0	35	33	35
2025	3	22	21	22	55	0.673	-0.085	3.497	0.01	0.007	0	37	28.8	75.7	121	101	0	35	34	35
2025	3	22	21	32	55	0.63	-0.082	3.497	0.016	0.013	0	37.8	29.2	76.1	122	102	0	34	34	35
2025	3	22	21	42	55	0.682	-0.066	3.497	0.016	0.013	0	37.4	29.2	75.3	122	102	0	35	34	34
2025	3	22	21	52	55	0.653	-0.069	3.497	0.013	0.01	0	37.4	29.2	74.4	121	102	0	34	34	35
2025	3	22	22	2	55	0.705	-0.095	3.497	0.013	0.01	0	37	29.7	74.8	121	102	0	35	33	34
2025	3	22	22	12	55	0.673	-0.082	3.497	0.01	0.007	0	37.4	29.7	76.5	122	103	0	35	34	34
2025	3	22	22	22	55	0.696	-0.085	3.497	0.013	0.01	0	37.4	29.7	76.1	122	103	0	35	34	34
2025	3	22	22	32	55	0.673	-0.079	3.497	0.016	0.013	0	36.5	29.2	75.3	120	101	0	35	33	34
2025	3	22	22	42	55	0.673	-0.079	3.494	0.016	0.013	0	36.5	29.2	54.6	120	101	0	35	33	34
2025	3	22	22	52	55	0.712	-0.089	3.494	0.013	0.01	0	36.5	28.4	51.2	120	100	0	35	34	35
2025	3	22	23	2	55	0.669	-0.095	3.494	0.013	0.01	0	36.1	28.4	50.3	119	100	0	35	34	34
2025	3	22	23	12	55	0.709	-0.089	3.494	0.016	0.013	0	36.1	28.8	48.2	119	100	0	35	33	34
2025	3	22	23	22	55	0.696	-0.102	3.494	0.01	0.007	0	36.5	29.2	50.3	120	101	0	35	33	34
2025	3	22	23	32	55	0.633	-0.072	3.494	0.016	0.013	0	36.5	28.8	56.8	120	101	0	35	34	34
2025	3	22	23	42	55	0.663	-0.072	3.494	0.013	0.01	0	36.5	28.8	57.2	120	101	0	35	34	34
2025	3	22	23	52	55	0.673	-0.102	3.497	0.013	0.01	0	37	28.8	71	120	101	0	34	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	23	0	2	55	0.696	-0.118	3.497	0.013	0.01	0	36.1	28.4	73.1	119	100	0	35	34	34
2025	3	23	0	12	55	0.682	-0.066	3.497	0.013	0.01	0	36.5	29.2	72.7	120	101	0	35	33	35
2025	3	23	0	22	55	0.666	-0.102	3.497	0.016	0.013	0	36.5	29.2	74	120	101	0	35	33	34
2025	3	23	0	32	55	0.686	-0.085	3.497	0.01	0.007	0	36.5	28.8	75.3	120	101	0	35	34	33
2025	3	23	0	42	55	0.715	-0.102	3.501	0.01	0.007	0	36.5	29.2	74.8	120	102	0	35	34	34
2025	3	23	0	52	55	0.682	-0.082	3.501	0.013	0.01	0	37	29.7	74.8	120	102	0	34	33	35
2025	3	23	1	2	55	0.702	-0.102	3.501	0.01	0.007	0	36.1	28.8	74	119	101	0	35	34	35
2025	3	23	1	12	55	0.666	-0.085	3.504	0.01	0.007	0	36.5	28.8	74.8	120	101	0	35	34	34
2025	3	23	1	22	55	0.699	-0.095	3.504	0.016	0.013	0	36.5	28.8	74.4	120	101	0	35	34	34
2025	3	23	1	32	55	0.666	-0.085	3.501	0.013	0.01	0	36.5	28.8	73.5	120	101	0	35	34	35
2025	3	23	1	42	55	0.65	-0.072	3.504	0.016	0.013	0	37	28.8	74	121	102	0	35	35	35
2025	3	23	1	52	55	0.686	-0.108	3.507	0.013	0.01	0	36.5	29.7	74.8	120	102	0	35	33	35
2025	3	23	2	2	55	0.696	-0.098	3.507	0.01	0.007	0	36.5	28.8	75.3	120	101	0	35	34	34
2025	3	23	2	12	55	0.699	-0.098	3.504	0.01	0.007	0	36.5	29.2	73.5	120	102	0	35	34	35
2025	3	23	2	22	55	0.653	-0.118	3.504	0.013	0.01	0	36.1	28.8	73.5	119	101	0	35	34	35
2025	3	23	2	32	55	0.686	-0.108	3.501	0.013	0.01	0	36.1	28.8	71	119	101	0	35	34	35
2025	3	23	2	42	55	0.679	-0.092	3.504	0.01	0.007	0	36.5	28.8	73.1	119	101	0	34	34	34
2025	3	23	2	52	55	0.643	-0.026	3.507	0.01	0.007	0	36.5	29.2	74	120	102	0	35	34	34
2025	3	23	3	2	55	0.666	-0.085	3.507	0.013	0.01	0	36.5	28.8	75.7	120	101	0	35	34	35
2025	3	23	3	12	55	0.673	-0.085	3.504	0.013	0.01	0	37	29.7	73.1	121	103	0	35	34	35
2025	3	23	3	22	55	0.722	-0.108	3.507	0.01	0.007	0	36.5	28.4	74.4	120	101	0	35	35	34
2025	3	23	3	32	55	0.692	-0.105	3.507	0.01	0.007	0	36.5	28.8	75.3	120	101	0	35	34	35
2025	3	23	3	42	55	0.663	-0.121	3.507	0.01	0.007	0	36.5	28.8	74.8	120	101	0	35	34	34
2025	3	23	3	52	55	0.676	-0.112	3.507	0.01	0.007	0	36.1	28.8	75.3	119	101	0	35	34	34
2025	3	23	4	2	55	0.65	-0.059	3.507	0.016	0.013	0	37.4	29.7	74.8	122	103	0	35	34	34
2025	3	23	4	12	55	0.696	-0.108	3.507	0.01	0.007	0	36.5	28.8	74	120	101	0	35	34	34
2025	3	23	4	22	55	0.666	-0.062	3.507	0.01	0.007	0	36.5	28.8	77.4	120	101	0	35	34	34
2025	3	23	4	32	55	0.692	-0.089	3.507	0.013	0.01	0	36.5	28.8	75.3	120	101	0	35	34	34
2025	3	23	4	42	55	0.663	-0.085	3.507	0.013	0.01	0	36.5	28.8	73.5	120	101	0	35	34	34
2025	3	23	4	52	55	0.692	-0.066	3.507	0.01	0.007	0	36.5	29.2	74.4	120	101	0	35	33	35
2025	3	23	5	2	55	0.679	-0.082	3.507	0.01	0.007	0	36.5	28.8	74.8	120	101	0	35	34	34
2025	3	23	5	12	55	0.656	-0.079	3.507	0.013	0.01	0	37.8	30.1	75.3	123	104	0	35	34	34
2025	3	23	5	22	55	0.636	-0.102	3.507	0.01	0.007	0	36.5	28.8	74.4	120	101	0	35	34	35
2025	3	23	5	32	55	0.692	-0.092	3.507	0.016	0.013	0	36.1	28	74	119	99	0	35	34	34
2025	3	23	5	42	55	0.643	-0.085	3.507	0.016	0.013	0	35.7	28	74.4	118	99	0	35	34	35
2025	3	23	5	52	55	0.686	-0.098	3.507	0.01	0.007	0	35.3	28	74	118	99	0	36	34	35
2025	3	23	6	2	55	0.682	-0.112	3.507	0.016	0.013	0	36.5	28.8	74	120	101	0	35	34	34
2025	3	23	6	12	55	0.679	-0.098	3.507	0.013	0.01	0	36.1	28.4	73.5	119	100	0	35	34	35
2025	3	23	6	22	55	0.692	-0.072	3.504	0.013	0.01	0	36.5	28.8	73.1	120	101	0	35	34	35
2025	3	23	6	32	55	0.686	-0.043	3.504	0.013	0.01	0	34.8	27.5	72.2	116	98	0	35	34	35
2025	3	23	6	42	55	0.702	-0.066	3.504	0.013	0.01	0	34.8	27.5	72.7	116	97	0	35	33	35
2025	3	23	6	52	55	0.686	-0.102	3.507	0.01	0.007	0	34.8	27.1	74	116	97	0	35	34	35
2025	3	23	7	2	55	0.705	-0.085	3.504	0.013	0.01	0	34.4	27.1	71	115	97	0	35	34	35
2025	3	23	7	12	55	0.646	-0.098	3.504	0.016	0.013	0	35.3	27.5	71.8	116	98	0	34	34	35
2025	3	23	7	22	55	0.653	-0.108	3.504	0.016	0.013	0	34.8	27.1	69.2	116	96	0	35	33	35
2025	3	23	7	32	55	0.692	-0.072	3.504	0.01	0.007	0	36.1	28.8	76.5	119	101	0	35	34	34
2025	3	23	7	42	55	0.666	-0.069	3.504	0.013	0.01	0	37	29.7	75.7	121	103	0	35	34	35
2025	3	23	7	52	55	0.705	-0.079	3.497	0.01	0.007	0	37.8	30.5	60.6	123	105	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	23	8	2	55	0.673	-0.072	3.494	0.013	0.01	0	37	30.1	56.3	121	103	0	35	33	34
2025	3	23	8	12	55	0.653	-0.098	3.494	0.01	0.007	0	37	29.7	54.2	121	102	0	35	33	35
2025	3	23	8	22	55	0.663	-0.085	3.494	0.013	0.01	0	37	29.2	49.9	121	102	0	35	34	34
2025	3	23	8	32	55	0.669	-0.056	3.494	0.01	0.007	0	37.4	30.1	52.5	122	104	0	35	34	35
2025	3	23	8	42	55	0.679	-0.092	3.494	0.013	0.01	0	37	30.5	51.2	121	105	0	35	34	34
2025	3	23	8	52	55	0.636	-0.098	3.494	0.016	0.013	0	37.4	31.8	52.5	123	107	0	36	33	34
2025	3	23	9	2	55	0.702	-0.082	3.494	0.01	0.007	0	36.5	30.5	52.9	120	105	0	35	34	33
2025	3	23	9	12	55	0.636	-0.072	3.494	0.01	0.007	0	37	31.4	52.9	121	106	0	35	33	35
2025	3	23	9	22	55	0.686	-0.092	3.494	0.01	0.007	0	38.3	31.8	54.6	124	108	0	35	34	35
2025	3	23	9	32	55	0.676	-0.056	3.494	0.013	0.01	0	37.8	31.4	57.2	123	107	0	35	34	34
2025	3	23	9	42	55	0.653	-0.098	3.494	0.01	0.007	0	35.7	29.2	59.3	118	102	0	35	34	34
2025	3	23	9	52	55	0.696	-0.072	3.494	0.013	0.01	0	36.1	29.7	53.3	119	103	0	35	34	35
2025	3	23	10	2	55	0.669	-0.092	3.494	0.01	0.007	0	37	30.5	53.8	121	104	0	35	33	35
2025	3	23	10	12	55	0.65	-0.072	3.494	0.013	0.01	0	36.5	30.1	56.3	119	104	0	34	34	35
2025	3	23	10	22	55	0.65	-0.072	3.497	0.01	0.007	0	35.7	29.2	65.8	118	102	0	35	34	34
2025	3	23	10	32	55	0.686	-0.095	3.497	0.01	0.007	0	35.3	29.2	64.1	117	101	0	35	33	35
2025	3	23	10	42	55	0.689	-0.105	3.497	0.01	0.007	0	36.5	30.1	66.2	120	104	0	35	34	34
2025	3	23	10	52	55	0.669	-0.102	3.501	0.01	0.007	0	36.1	30.1	77	119	104	0	35	34	34
2025	3	23	11	2	55	0.686	-0.056	3.501	0.01	0.007	0	37	31	75.7	121	105	0	35	33	35
2025	3	23	11	12	55	0.666	-0.089	3.501	0.013	0.01	0	37	31	78.3	121	105	0	35	33	34
2025	3	23	11	22	55	0.692	-0.108	3.501	0.013	0.01	0	35.7	29.7	75.7	118	103	0	35	34	34
2025	3	23	11	32	55	0.692	-0.089	3.501	0.013	0.01	0	37.4	31.4	77.8	122	106	0	35	33	35
2025	3	23	11	42	55	0.65	-0.082	3.501	0.013	0.01	0	37.4	31	77.8	122	106	0	35	34	35
2025	3	23	11	52	55	0.643	-0.085	3.501	0.01	0.007	0	37	30.5	78.3	120	104	0	34	33	35
2025	3	23	12	2	55	0.65	-0.075	3.501	0.013	0.01	0	36.1	29.7	77.4	118	103	0	34	34	34
2025	3	23	12	12	55	0.699	-0.098	3.501	0.013	0.01	0	36.1	29.7	78.7	119	103	0	35	34	35
2025	3	23	12	22	55	0.673	-0.089	3.501	0.016	0.013	0	35.3	29.7	80	117	102	0	35	33	34
2025	3	23	12	32	55	0.663	-0.075	3.501	0.01	0.007	0	36.5	31.4	79.1	121	106	0	36	33	35
2025	3	23	12	42	55	0.692	-0.092	3.501	0.013	0.01	0	35.7	29.2	79.6	118	102	0	35	34	34
2025	3	23	12	52	55	0.676	-0.085	3.501	0.013	0.01	0	35.3	29.2	79.6	117	101	0	35	33	35
2025	3	23	13	2	55	0.679	-0.095	3.501	0.013	0.01	0	35.3	29.7	80	117	102	0	35	33	34
2025	3	23	13	12	55	0.682	-0.059	3.504	0.01	0.007	0	36.5	30.1	80	120	104	0	35	34	34
2025	3	23	13	22	55	0.646	-0.092	3.504	0.01	0.007	0	35.7	29.2	80	118	102	0	35	34	35
2025	3	23	13	32	55	0.689	-0.066	3.504	0.01	0.007	0	35.7	30.1	78.7	118	103	0	35	33	35
2025	3	23	13	42	55	0.676	-0.052	3.504	0.01	0.007	0	35.7	29.7	80.4	118	103	0	35	34	34
2025	3	23	13	52	55	0.673	-0.059	3.504	0.01	0.007	0	35.7	30.1	79.6	118	103	0	35	33	34
2025	3	23	14	2	55	0.705	-0.092	3.504	0.016	0.013	0	35.7	29.7	80.4	117	102	0	34	33	34
2025	3	23	14	12	55	0.682	-0.098	3.504	0.013	0.01	0	36.1	30.1	80.8	119	103	0	35	33	34
2025	3	23	14	22	55	0.659	-0.105	3.504	0.01	0.007	0	36.1	30.1	80	119	103	0	35	33	34
2025	3	23	14	32	55	0.673	-0.059	3.504	0.013	0.01	0	35.3	29.7	80.8	117	102	0	35	33	34
2025	3	23	14	42	55	0.643	-0.075	3.504	0.013	0.01	0	36.5	30.1	80.4	119	104	0	34	34	34
2025	3	23	14	52	55	0.676	-0.085	3.504	0.01	0.007	0	35.3	29.2	75.7	117	101	0	35	33	34
2025	3	23	15	2	55	0.679	-0.056	3.504	0.016	0.013	0	34.8	29.2	80.8	116	101	0	35	33	34
2025	3	23	15	12	55	0.669	-0.082	3.504	0.013	0.01	0	35.7	30.1	80	118	103	0	35	33	34
2025	3	23	15	22	55	0.692	-0.089	3.507	0.013	0.01	0	37.4	30.1	80	121	104	0	34	34	35
2025	3	23	15	32	55	0.689	-0.075	3.507	0.016	0.013	0	37	29.7	80.8	121	103	0	35	34	34
2025	3	23	15	42	55	0.682	-0.102	3.507	0.013	0.01	0	37.4	29.7	79.6	121	103	0	34	34	34
2025	3	23	15	52	55	0.699	-0.059	3.504	0.01	0.007	0	37	29.7	58.9	121	103	0	35	34	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	23	16	2	55	0.719	-0.079	3.504	0.013	0.01	0	36.5	29.7	71.4	120	102	0	35	33	34
2025	3	23	16	12	55	0.666	-0.079	3.504	0.016	0.013	0	37.4	30.1	53.3	121	103	0	34	33	34
2025	3	23	16	22	55	0.699	-0.102	3.504	0.013	0.01	0	37.4	29.7	52	121	102	0	34	33	35
2025	3	23	16	32	55	0.669	-0.115	3.504	0.013	0.01	0	37	29.2	54.2	121	102	0	35	34	34
2025	3	23	16	42	55	0.676	-0.095	3.501	0.016	0.013	0	36.1	28.8	57.6	119	100	0	35	33	34
2025	3	23	16	52	55	0.689	-0.089	3.504	0.016	0.013	0	36.1	28.4	53.8	119	100	0	35	34	34
2025	3	23	17	2	55	0.663	-0.082	3.504	0.016	0.013	0	37	29.7	58.9	121	102	0	35	33	34
2025	3	23	17	12	55	0.699	-0.131	3.504	0.013	0.01	0	36.1	29.2	70.5	119	101	0	35	33	34
2025	3	23	17	22	55	0.719	-0.102	3.507	0.013	0.01	0	37	28.4	78.3	120	100	0	34	34	34
2025	3	23	17	32	55	0.715	-0.105	3.507	0.01	0.007	0	36.1	28.4	80.8	119	100	0	35	34	34
2025	3	23	17	42	55	0.659	-0.072	3.507	0.013	0.01	0	36.1	28.4	80.4	119	100	0	35	34	34
2025	3	23	17	52	55	0.673	-0.062	3.507	0.013	0.01	0	35.7	28.4	80.4	118	99	0	35	33	34
2025	3	23	18	2	55	0.692	-0.102	3.507	0.013	0.01	0	36.5	28.4	80.4	119	100	0	34	34	34
2025	3	23	18	12	55	0.659	-0.095	3.507	0.013	0.01	0	36.1	29.2	80	119	101	0	35	33	34
2025	3	23	18	22	55	0.673	-0.072	3.507	0.01	0.007	0	37.4	30.1	81.3	121	103	0	34	33	34
2025	3	23	18	32	55	0.699	-0.089	3.507	0.01	0.007	0	36.5	29.2	81.3	120	102	0	35	34	34
2025	3	23	18	42	55	0.676	-0.105	3.507	0.013	0.01	0	36.5	30.1	80.8	120	102	0	35	32	34
2025	3	23	18	52	55	0.689	-0.072	3.507	0.01	0.007	0	37.4	30.1	81.7	122	103	0	35	33	33
2025	3	23	19	2	55	0.663	-0.059	3.504	0.01	0.007	0	38.3	30.5	78.7	123	105	0	34	34	34
2025	3	23	19	12	55	0.699	-0.072	3.504	0.013	0.01	0	37.8	30.5	80.4	123	104	0	35	33	34
2025	3	23	19	22	55	0.669	-0.105	3.507	0.01	0.007	0	37.8	30.5	80.8	122	104	0	34	33	33
2025	3	23	19	32	55	0.686	-0.118	3.507	0.016	0.013	0	37	29.2	80	121	102	0	35	34	35
2025	3	23	19	42	55	0.646	-0.092	3.504	0.016	0.013	0	37.4	30.1	80.4	122	103	0	35	33	34
2025	3	23	19	52	55	0.696	-0.049	3.504	0.013	0.01	0	37.8	30.1	80.4	123	103	0	35	33	34
2025	3	23	20	2	55	0.715	-0.089	3.507	0.01	0.007	0	37.8	30.1	81.3	123	103	0	35	33	33
2025	3	23	20	12	55	0.653	-0.115	3.507	0.013	0.01	0	38.3	30.1	80	123	103	0	34	33	35
2025	3	23	20	22	55	0.659	-0.118	3.507	0.013	0.01	0	37.4	30.1	81.3	122	103	0	35	33	33
2025	3	23	20	32	55	0.692	-0.095	3.504	0.013	0.01	0	37.8	30.5	75.7	123	104	0	35	33	34
2025	3	23	20	42	55	0.673	-0.105	3.507	0.01	0.007	0	37.8	30.5	80.4	123	104	0	35	33	34
2025	3	23	20	52	55	0.656	-0.046	3.507	0.016	0.016	0	39.6	31.8	80	126	108	0	34	34	34
2025	3	23	21	2	55	0.673	-0.089	3.504	0.013	0.01	0	39.1	31.8	80	126	107	0	35	33	34
2025	3	23	21	12	55	0.643	-0.079	3.504	0.016	0.013	0	39.6	31.8	80	127	108	0	35	34	34
2025	3	23	21	22	55	0.682	-0.112	3.504	0.016	0.016	0	39.1	31.8	80	125	107	0	34	33	34
2025	3	23	21	32	55	0.64	-0.092	3.507	0.013	0.01	0	39.1	31.8	79.6	125	107	0	34	33	34
2025	3	23	21	42	55	0.689	-0.141	3.504	0.016	0.013	0	38.7	31.4	79.6	124	106	0	34	33	35
2025	3	23	21	52	55	0.666	-0.066	3.504	0.01	0.007	0	39.6	32.3	79.1	126	108	0	34	33	34
2025	3	23	22	2	55	0.627	-0.069	3.504	0.01	0.007	0	38.3	30.5	79.1	124	105	0	35	34	34
2025	3	23	22	12	55	0.696	-0.075	3.504	0.01	0.007	0	38.3	30.5	78.3	123	105	0	34	34	35
2025	3	23	22	22	55	0.659	-0.089	3.507	0.01	0.007	0	40	32.7	78.7	128	110	0	35	34	34
2025	3	23	22	32	55	0.702	-0.079	3.504	0.013	0.01	0	39.6	33.1	78.3	127	110	0	35	33	35
2025	3	23	22	42	55	0.679	-0.131	3.507	0.01	0.007	0	40	32.7	79.6	128	110	0	35	34	34
2025	3	23	22	52	55	0.666	-0.089	3.504	0.016	0.013	0	39.1	32.7	78.7	126	110	0	35	34	34
2025	3	23	23	2	55	0.686	-0.112	3.504	0.013	0.01	0	40	32.3	78.7	127	109	0	34	34	34
2025	3	23	23	12	55	0.682	-0.098	3.504	0.01	0.007	0	39.6	32.3	78.7	126	109	0	34	34	34
2025	3	23	23	22	55	0.692	-0.085	3.504	0.01	0.007	0	39.6	32.3	78.7	127	109	0	35	34	34
2025	3	23	23	32	55	0.692	-0.089	3.504	0.01	0.007	0	38.7	31.8	78.7	125	108	0	35	34	34
2025	3	23	23	42	55	0.692	-0.082	3.504	0.013	0.01	0	39.1	32.3	74	126	109	0	35	34	34
2025	3	23	23	52	55	0.682	-0.089	3.504	0.016	0.013	0	39.1	32.3	77.8	126	109	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	24	0	2	55	0.659	-0.089	3.507	0.013	0.01	0	39.1	32.3	78.7	126	109	0	35	34	34
2025	3	24	0	12	55	0.676	-0.098	3.507	0.016	0.013	0	39.6	32.7	78.7	127	109	0	35	33	34
2025	3	24	0	22	55	0.679	-0.105	3.504	0.013	0.01	0	40	32.7	77.4	127	109	0	34	33	34
2025	3	24	0	32	55	0.719	-0.079	3.504	0.013	0.01	0	39.1	32.7	77.8	126	109	0	35	33	34
2025	3	24	0	42	55	0.659	-0.089	3.504	0.013	0.01	0	40.4	33.5	76.5	129	111	0	35	33	35
2025	3	24	0	52	55	0.669	-0.085	3.504	0.01	0.007	0	40.4	33.5	77.4	129	111	0	35	33	34
2025	3	24	1	2	55	0.689	-0.089	3.504	0.013	0.01	0	39.6	32.7	77	127	110	0	35	34	34
2025	3	24	1	12	55	0.65	-0.108	3.504	0.01	0.007	0	40	32.7	76.5	127	110	0	34	34	35
2025	3	24	1	22	55	0.663	-0.089	3.504	0.016	0.013	0	40	32.3	76.5	127	109	0	34	34	34
2025	3	24	1	32	55	0.643	-0.105	3.504	0.01	0.007	0	39.6	32.3	77	127	109	0	35	34	34
2025	3	24	1	42	55	0.669	-0.102	3.504	0.013	0.01	0	40	32.7	76.5	128	110	0	35	34	34
2025	3	24	1	52	55	0.696	-0.085	3.504	0.01	0.007	0	39.6	32.7	76.1	127	110	0	35	34	34
2025	3	24	2	2	55	0.64	-0.082	3.507	0.01	0.007	0	40	32.3	75.7	128	109	0	35	34	35
2025	3	24	2	12	55	0.682	-0.092	3.51	0.01	0.007	0	41.7	33.1	75.7	132	110	0	35	33	35
2025	3	24	2	22	55	0.679	-0.089	3.51	0.01	0.007	0	41.7	33.1	77	132	110	0	35	33	34
2025	3	24	2	32	55	0.709	-0.108	3.514	0.016	0.013	0	42.6	33.5	77.8	134	111	0	35	33	34
2025	3	24	2	42	55	0.659	-0.069	3.514	0.01	0.007	0	42.1	32.7	77.8	133	110	0	35	34	34
2025	3	24	2	52	55	0.682	-0.075	3.514	0.01	0.007	0	42.1	33.1	78.3	133	110	0	35	33	34
2025	3	24	3	2	55	0.663	-0.105	3.514	0.01	0.007	0	42.6	34	77	134	112	0	35	33	35
2025	3	24	3	12	55	0.709	-0.102	3.514	0.016	0.016	0	42.1	33.1	75.7	133	110	0	35	33	34
2025	3	24	3	22	55	0.64	-0.075	3.514	0.013	0.01	0	42.6	33.5	77.4	134	112	0	35	34	34
2025	3	24	3	32	55	0.728	-0.072	3.514	0.01	0.007	0	42.6	33.1	77.4	134	111	0	35	34	35
2025	3	24	3	42	55	0.673	-0.121	3.514	0.01	0.007	0	42.6	33.1	77.8	133	111	0	34	34	35
2025	3	24	3	52	55	0.679	-0.102	3.514	0.013	0.01	0	42.1	32.7	77.8	133	110	0	35	34	34
2025	3	24	4	2	55	0.669	-0.095	3.514	0.01	0.007	0	42.1	33.1	78.3	133	111	0	35	34	34
2025	3	24	4	12	55	0.679	-0.102	3.514	0.01	0.007	0	41.7	33.1	78.3	132	110	0	35	33	34
2025	3	24	4	22	55	0.686	-0.082	3.514	0.013	0.01	0	41.3	32.3	77	131	109	0	35	34	35
2025	3	24	4	32	55	0.65	-0.089	3.517	0.01	0.007	0	42.6	33.5	78.3	134	112	0	35	34	34
2025	3	24	4	42	55	0.679	-0.089	3.517	0.01	0.007	0	42.1	34	78.3	133	112	0	35	33	34
2025	3	24	4	52	55	0.673	-0.085	3.517	0.013	0.01	0	42.1	34	78.7	132	112	0	34	33	34
2025	3	24	5	2	55	0.663	-0.085	3.517	0.01	0.007	0	41.7	34	77.8	132	112	0	35	33	34
2025	3	24	5	12	55	0.712	-0.105	3.517	0.01	0.007	0	40.9	33.1	77.4	131	111	0	36	34	35
2025	3	24	5	22	55	0.659	-0.118	3.517	0.013	0.01	0	40.4	32.7	78.3	130	110	0	36	34	34
2025	3	24	5	32	55	0.65	-0.089	3.517	0.013	0.01	0	42.6	34.4	78.7	134	113	0	35	33	34
2025	3	24	5	42	55	0.699	-0.102	3.517	0.013	0.01	0	40.4	31.4	80	129	107	0	35	34	35
2025	3	24	5	52	55	0.689	-0.115	3.517	0.013	0.01	0	41.3	32.3	80	131	109	0	35	34	35
2025	3	24	6	2	55	0.705	-0.085	3.517	0.01	0.007	0	42.1	33.1	81.3	132	110	0	34	33	34
2025	3	24	6	12	55	0.643	-0.092	3.517	0.016	0.016	0	42.1	33.1	80.4	133	111	0	35	34	34
2025	3	24	6	22	55	0.719	-0.108	3.517	0.013	0.01	0	41.7	32.3	79.1	132	109	0	35	34	35
2025	3	24	6	32	55	0.682	-0.089	3.52	0.016	0.013	0	42.6	33.1	81.3	134	111	0	35	34	34
2025	3	24	6	42	55	0.669	-0.118	3.52	0.01	0.007	0	41.7	31.8	80.4	131	108	0	34	34	35
2025	3	24	6	52	55	0.686	-0.095	3.52	0.016	0.016	0	40.4	31.8	81.3	129	107	0	35	33	34
2025	3	24	7	2	55	0.689	-0.112	3.52	0.016	0.013	0	42.6	33.1	80.8	134	111	0	35	34	35
2025	3	24	7	12	55	0.659	-0.066	3.52	0.01	0.007	0	43.9	34.4	80.4	136	113	0	34	33	35
2025	3	24	7	22	55	0.646	-0.105	3.52	0.013	0.01	0	41.7	32.3	81.3	132	108	0	35	33	34
2025	3	24	7	32	55	0.656	-0.102	3.52	0.016	0.013	0	41.7	32.3	81.3	132	109	0	35	34	34
2025	3	24	7	42	55	0.676	-0.092	3.52	0.016	0.013	0	41.7	31.8	80.8	132	108	0	35	34	34
2025	3	24	7	52	55	0.669	-0.072	3.52	0.01	0.007	0	42.1	32.3	81.3	132	109	0	34	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	24	8	2	55	0.686	-0.125	3.52	0.01	0.007	0	43	33.1	80.8	135	111	0	35	34	34
2025	3	24	8	12	55	0.656	-0.102	3.52	0.01	0.007	0	42.1	32.7	81.3	133	110	0	35	34	34
2025	3	24	8	22	55	0.653	-0.089	3.52	0.01	0.007	0	42.6	33.1	80.8	134	111	0	35	34	34
2025	3	24	8	32	55	0.666	-0.089	3.52	0.01	0.007	0	43.4	33.5	80.8	136	112	0	35	34	34
2025	3	24	8	42	55	0.636	-0.059	3.524	0.016	0.013	0	42.6	33.1	81.7	134	111	0	35	34	34
2025	3	24	8	52	55	0.64	-0.092	3.524	0.01	0.007	0	43	33.1	80.8	135	111	0	35	34	35
2025	3	24	9	2	55	0.663	-0.131	3.52	0.01	0.007	0	42.6	33.1	79.1	134	110	0	35	33	34
2025	3	24	9	12	55	0.663	-0.105	3.524	0.013	0.01	0	41.7	32.7	80	132	110	0	35	34	34
2025	3	24	9	22	55	0.646	-0.082	3.524	0.013	0.01	0	42.1	32.3	75.3	133	109	0	35	34	34
2025	3	24	9	32	55	0.696	-0.105	3.524	0.013	0.01	0	41.7	32.3	79.1	132	109	0	35	34	34
2025	3	24	9	42	55	0.686	-0.062	3.524	0.01	0.007	0	42.6	33.1	78.7	133	111	0	34	34	34
2025	3	24	9	52	55	0.656	-0.105	3.524	0.016	0.013	0	42.1	32.7	78.7	132	109	0	34	33	34
2025	3	24	10	2	55	0.705	-0.108	3.524	0.01	0.007	0	42.1	32.7	78.3	133	110	0	35	34	34
2025	3	24	10	12	55	0.686	-0.089	3.524	0.016	0.013	0	41.3	32.7	77.8	131	109	0	35	33	34
2025	3	24	10	22	55	0.702	-0.105	3.524	0.013	0.01	0	42.1	33.5	75.3	133	111	0	35	33	35
2025	3	24	10	32	55	0.653	-0.112	3.524	0.013	0.01	0	41.7	34	77.8	132	112	0	35	33	34
2025	3	24	10	42	55	0.666	-0.072	3.527	0.01	0.007	0	40.4	32.7	79.1	128	109	0	34	33	35
2025	3	24	10	52	55	0.63	-0.075	3.527	0.013	0.01	0	40.4	32.7	78.3	129	109	0	35	33	34
2025	3	24	11	2	55	0.643	-0.105	3.527	0.013	0.01	0	40	31.8	77.4	127	108	0	34	34	34
2025	3	24	11	12	55	0.656	-0.059	3.527	0.016	0.013	0	43	32.7	80	134	109	0	34	33	33
2025	3	24	11	22	55	0.65	-0.118	3.524	0.013	0.01	0	42.6	32.3	77	133	108	0	34	33	35
2025	3	24	11	32	55	0.666	-0.089	3.527	0.016	0.013	0	41.3	31	75.3	131	106	0	35	34	34
2025	3	24	11	42	55	0.63	-0.066	3.524	0.013	0.01	0	40.9	30.5	76.1	130	105	0	35	34	35
2025	3	24	11	52	55	0.673	-0.069	3.52	0.01	0.007	0	43.4	33.1	75.3	135	110	0	34	33	34
2025	3	24	12	2	55	0.656	-0.128	3.524	0.013	0.01	0	43.4	33.5	77	136	111	0	35	33	34
2025	3	24	12	12	55	0.696	-0.066	3.524	0.013	0.01	0	43.4	33.5	75.7	136	111	0	35	33	34
2025	3	24	12	22	55	0.676	-0.112	3.52	0.01	0.007	0	43.4	33.1	68.8	136	111	0	35	34	34
2025	3	24	12	32	55	0.64	-0.079	3.52	0.013	0.01	0	43.4	33.5	69.2	136	111	0	35	33	34
2025	3	24	12	42	55	0.679	-0.098	3.52	0.016	0.016	0	43	33.1	77.4	135	110	0	35	33	34
2025	3	24	12	52	55	0.666	-0.079	3.52	0.013	0.01	0	42.1	32.3	75.7	133	108	0	35	33	34
2025	3	24	13	2	55	0.705	-0.135	3.52	0.016	0.013	0	42.6	32.3	64.5	133	108	0	34	33	34
2025	3	24	13	12	55	0.636	-0.098	3.524	0.01	0.007	0	43.4	32.7	76.5	135	109	0	34	33	34
2025	3	24	13	22	55	0.669	-0.059	3.52	0.016	0.013	0	43	32.3	75.7	134	109	0	34	34	34
2025	3	24	13	32	55	0.686	-0.108	3.52	0.013	0.01	0	42.6	31.8	56.3	133	108	0	34	34	34
2025	3	24	13	42	55	0.686	-0.089	3.52	0.01	0.007	0	43.4	33.1	63.6	136	110	0	35	33	34
2025	3	24	13	52	55	0.715	-0.095	3.52	0.013	0.01	0	43.4	33.1	62.8	135	110	0	34	33	34
2025	3	24	14	2	55	0.679	-0.089	3.517	0.013	0.01	0	42.1	31.8	48.6	133	108	0	35	34	34
2025	3	24	14	12	55	0.663	-0.075	3.517	0.013	0.01	0	43	33.1	52	135	109	0	35	32	34
2025	3	24	14	22	55	0.686	-0.131	3.52	0.01	0.007	0	43.4	33.1	75.7	135	110	0	34	33	35
2025	3	24	14	32	55	0.673	-0.102	3.517	0.016	0.013	0	43	33.1	49.5	135	110	0	35	33	34
2025	3	24	14	42	55	0.643	-0.115	3.517	0.013	0.01	0	42.1	32.3	56.8	133	108	0	35	33	34
2025	3	24	14	52	55	0.666	-0.105	3.52	0.01	0.007	0	43	32.7	73.1	135	109	0	35	33	34
2025	3	24	15	2	55	0.696	-0.131	3.524	0.01	0.007	0	42.6	33.1	67.5	134	110	0	35	33	33
2025	3	24	15	12	55	0.673	-0.121	3.52	0.016	0.013	0	42.6	33.1	57.2	134	110	0	35	33	34
2025	3	24	15	22	55	0.705	-0.079	3.52	0.013	0.01	0	44.3	34.4	52.9	137	112	0	34	32	34
2025	3	24	15	32	55	0.682	-0.128	3.524	0.016	0.013	0	43	32.7	78.7	135	110	0	35	34	34
2025	3	24	15	42	55	0.686	-0.108	3.52	0.013	0.01	0	43.9	34	67.9	136	112	0	34	33	34
2025	3	24	15	52	55	0.689	-0.112	3.52	0.01	0.007	0	42.6	32.7	64.5	134	109	0	35	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	24	16	2	55	0.676	-0.082	3.52	0.01	0.007	0	43	33.1	64.5	135	110	0	35	33	34
2025	3	24	16	12	55	0.692	-0.098	3.524	0.013	0.01	0	43	33.1	78.7	134	110	0	34	33	34
2025	3	24	16	22	55	0.705	-0.085	3.52	0.016	0.013	0	43.4	33.5	78.7	135	111	0	34	33	34
2025	3	24	16	32	55	0.669	-0.108	3.52	0.016	0.013	0	43.9	33.5	79.1	136	111	0	34	33	34
2025	3	24	16	42	55	0.679	-0.069	3.517	0.013	0.01	0	43	33.5	57.2	135	110	0	35	32	34
2025	3	24	16	52	55	0.686	-0.098	3.524	0.016	0.013	0	42.6	32.3	80.8	133	108	0	34	33	33
2025	3	24	17	2	55	0.682	-0.089	3.52	0.01	0.007	0	43	32.7	77.8	134	110	0	34	34	34
2025	3	24	17	12	55	0.646	-0.095	3.52	0.013	0.01	0	42.6	33.1	78.7	134	110	0	35	33	34
2025	3	24	17	22	55	0.659	-0.105	3.52	0.01	0.007	0	43.4	33.1	80	135	110	0	34	33	34
2025	3	24	17	32	55	0.682	-0.082	3.52	0.016	0.016	0	43	33.1	80	135	110	0	35	33	34
2025	3	24	17	42	55	0.659	-0.089	3.52	0.01	0.007	0	43.9	33.5	78.7	137	111	0	35	33	34
2025	3	24	17	52	55	0.656	-0.059	3.52	0.013	0.01	0	44.3	34	79.6	137	112	0	34	33	34
2025	3	24	18	2	55	0.669	-0.098	3.52	0.013	0.01	0	43	33.1	79.6	134	110	0	34	33	34
2025	3	24	18	12	55	0.646	-0.03	3.52	0.013	0.01	0	43.4	33.5	79.6	135	111	0	34	33	34
2025	3	24	18	22	55	0.676	-0.098	3.52	0.01	0.007	0	43	33.1	79.1	135	110	0	35	33	34
2025	3	24	18	32	55	0.627	-0.092	3.52	0.013	0.01	0	43.9	32.7	79.1	136	108	0	34	32	34
2025	3	24	18	42	55	0.705	-0.062	3.52	0.01	0.007	0	43	33.5	81.3	135	111	0	35	33	34
2025	3	24	18	52	55	0.679	-0.079	3.52	0.016	0.013	0	42.6	33.5	80.8	133	111	0	34	33	34
2025	3	24	19	2	55	0.702	-0.115	3.52	0.016	0.016	0	43.9	33.1	80	136	110	0	34	33	34
2025	3	24	19	12	55	0.663	-0.112	3.52	0.01	0.007	0	43.9	32.7	80.8	137	110	0	35	34	34
2025	3	24	19	22	55	0.669	-0.089	3.514	0.01	0.007	0	43.4	32.7	79.1	136	109	0	35	33	34
2025	3	24	19	32	55	0.709	-0.072	3.517	0.01	0.007	0	44.3	33.1	79.1	137	110	0	34	33	34
2025	3	24	19	42	55	0.692	-0.121	3.514	0.013	0.01	0	44.3	33.1	79.1	137	110	0	34	33	34
2025	3	24	19	52	55	0.659	-0.092	3.514	0.013	0.01	0	43.9	32.7	79.1	136	109	0	34	33	34
2025	3	24	20	2	55	0.64	-0.095	3.514	0.01	0.007	0	42.6	32.7	79.6	134	109	0	35	33	34
2025	3	24	20	12	55	0.673	-0.118	3.514	0.016	0.013	0	42.6	32.7	78.7	134	109	0	35	33	34
2025	3	24	20	22	55	0.705	-0.079	3.514	0.013	0.01	0	42.6	33.1	78.7	133	110	0	34	33	34
2025	3	24	20	32	55	0.696	-0.092	3.514	0.01	0.007	0	43.9	33.5	77.8	136	111	0	34	33	35
2025	3	24	20	42	55	0.663	-0.095	3.514	0.013	0.01	0	42.1	33.1	78.7	133	110	0	35	33	34
2025	3	24	20	52	55	0.643	-0.066	3.514	0.016	0.013	0	43	33.5	78.7	134	111	0	34	33	33
2025	3	24	21	2	55	0.636	-0.075	3.514	0.013	0.01	0	44.3	32.7	78.7	137	110	0	34	34	34
2025	3	24	21	12	55	0.676	-0.092	3.514	0.01	0.007	0	44.3	33.5	78.7	137	110	0	34	32	34
2025	3	24	21	22	55	0.722	-0.112	3.514	0.01	0.007	0	44.3	33.1	77.4	137	110	0	34	33	34
2025	3	24	21	32	55	0.659	-0.082	3.514	0.013	0.01	0	43.9	33.1	78.3	137	110	0	35	33	34
2025	3	24	21	42	55	0.673	-0.095	3.514	0.016	0.016	0	43.9	33.1	78.7	137	110	0	35	33	33
2025	3	24	21	52	55	0.676	-0.075	3.514	0.013	0.01	0	44.3	33.1	77.4	137	110	0	34	33	34
2025	3	24	22	2	55	0.643	-0.066	3.514	0.016	0.013	0	44.3	33.5	77.4	138	111	0	35	33	34
2025	3	24	22	12	55	0.676	-0.095	3.514	0.013	0.01	0	44.7	33.5	78.3	138	111	0	34	33	33
2025	3	24	22	22	55	0.659	-0.092	3.514	0.013	0.01	0	44.7	34	77.4	139	112	0	35	33	34
2025	3	24	22	32	55	0.659	-0.098	3.514	0.016	0.013	0	45.2	34	77.8	139	112	0	34	33	34
2025	3	24	22	42	55	0.689	-0.069	3.514	0.013	0.01	0	43.9	33.1	77.8	137	110	0	35	33	34
2025	3	24	22	52	55	0.702	-0.072	3.51	0.016	0.013	0	44.3	33.1	75.7	137	110	0	34	33	34
2025	3	24	23	2	55	0.689	-0.075	3.51	0.013	0.01	0	44.3	32.3	76.1	137	108	0	34	33	34
2025	3	24	23	12	55	0.682	-0.085	3.51	0.013	0.01	0	45.2	33.5	75.7	139	111	0	34	33	34
2025	3	24	23	22	55	0.699	-0.089	3.51	0.013	0.01	0	44.3	33.1	74.8	138	110	0	35	33	34
2025	3	24	23	32	55	0.715	-0.098	3.51	0.016	0.013	0	44.3	32.7	75.7	137	109	0	34	33	34
2025	3	24	23	42	55	0.65	-0.075	3.51	0.01	0.007	0	44.3	33.1	74.4	137	110	0	34	33	34
2025	3	24	23	52	55	0.702	-0.105	3.514	0.013	0.01	0	45.6	34	73.1	141	113	0	35	34	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	25	0	2	55	0.663	-0.056	3.514	0.013	0.01	0	44.3	33.1	74.8	137	110	0	34	33	34
2025	3	25	0	12	55	0.669	-0.062	3.514	0.016	0.013	0	44.7	32.7	74	138	110	0	34	34	34
2025	3	25	0	22	55	0.659	-0.072	3.52	0.016	0.016	0	44.7	33.5	74	139	111	0	35	33	34
2025	3	25	0	32	55	0.666	-0.118	3.524	0.016	0.013	0	45.2	34	73.5	140	112	0	35	33	34
2025	3	25	0	42	55	0.646	-0.115	3.527	0.016	0.013	0	43.9	33.1	74.4	137	110	0	35	33	34
2025	3	25	0	52	55	0.715	-0.108	3.527	0.013	0.01	0	45.6	34	75.3	141	112	0	35	33	34
2025	3	25	1	2	55	0.656	-0.072	3.527	0.01	0.007	0	45.6	33.1	76.1	140	111	0	34	34	34
2025	3	25	1	12	55	0.682	-0.082	3.527	0.016	0.013	0	45.2	33.5	76.5	140	112	0	35	34	34
2025	3	25	1	22	55	0.623	-0.085	3.53	0.01	0.007	0	45.6	34	77.4	141	112	0	35	33	34
2025	3	25	1	32	55	0.686	-0.062	3.53	0.01	0.007	0	45.6	33.5	73.5	141	112	0	35	34	35
2025	3	25	1	42	55	0.659	-0.095	3.53	0.013	0.01	0	46	34.4	77.8	141	112	0	34	32	34
2025	3	25	1	52	55	0.646	-0.089	3.53	0.013	0.01	0	45.2	33.5	78.3	140	112	0	35	34	34
2025	3	25	2	2	55	0.666	-0.072	3.53	0.013	0.01	0	45.2	34.4	78.3	140	113	0	35	33	34
2025	3	25	2	12	55	0.692	-0.131	3.53	0.013	0.01	0	45.6	33.5	78.3	141	112	0	35	34	34
2025	3	25	2	22	55	0.646	-0.082	3.533	0.01	0.007	0	45.2	33.5	79.6	140	111	0	35	33	34
2025	3	25	2	32	55	0.682	-0.105	3.533	0.016	0.016	0	45.6	33.5	78.7	141	112	0	35	34	34
2025	3	25	2	42	55	0.65	-0.062	3.533	0.013	0.01	0	46	34.8	74.8	142	114	0	35	33	34
2025	3	25	2	52	55	0.666	-0.079	3.533	0.013	0.01	0	46.9	35.3	78.7	143	115	0	34	33	34
2025	3	25	3	2	55	0.679	-0.089	3.533	0.013	0.01	0	45.6	34.4	77.8	141	114	0	35	34	34
2025	3	25	3	12	55	0.676	-0.069	3.533	0.01	0.007	0	45.6	34.4	78.7	141	113	0	35	33	34
2025	3	25	3	22	55	0.673	-0.059	3.533	0.01	0.007	0	45.2	34	78.3	140	112	0	35	33	34
2025	3	25	3	32	55	0.663	-0.118	3.533	0.01	0.007	0	45.2	34	78.7	140	112	0	35	33	34
2025	3	25	3	42	55	0.663	-0.072	3.533	0.016	0.013	0	46.4	34.4	78.3	142	113	0	34	33	34
2025	3	25	3	52	55	0.692	-0.108	3.533	0.01	0.007	0	45.6	34	79.6	141	112	0	35	33	33
2025	3	25	4	2	55	0.682	-0.092	3.533	0.016	0.016	0	45.6	34	80	141	113	0	35	34	33
2025	3	25	4	12	55	0.679	-0.102	3.533	0.013	0.01	0	45.6	34	79.6	141	113	0	35	34	34
2025	3	25	4	22	55	0.682	-0.082	3.533	0.016	0.013	0	46.4	34.8	78.7	142	114	0	34	33	35
2025	3	25	4	32	55	0.676	-0.085	3.533	0.01	0.007	0	45.2	34	80	140	112	0	35	33	34
2025	3	25	4	42	55	0.702	-0.059	3.533	0.01	0.007	0	45.2	34	79.1	140	112	0	35	33	34
2025	3	25	4	52	55	0.63	-0.105	3.533	0.016	0.013	0	45.6	34.4	79.1	141	113	0	35	33	34
2025	3	25	5	2	55	0.659	-0.121	3.53	0.01	0.007	0	43.4	35.3	77	135	115	0	34	33	34
2025	3	25	5	12	55	0.712	-0.105	3.53	0.01	0.007	0	46	38.3	75.3	141	122	0	34	33	34
2025	3	25	5	22	55	0.65	-0.056	3.53	0.01	0.007	0	45.6	38.3	75.3	140	122	0	34	33	34
2025	3	25	5	32	55	0.663	-0.102	3.53	0.016	0.016	0	45.2	38.3	74.4	140	122	0	35	33	34
2025	3	25	5	42	55	0.666	-0.075	3.53	0.016	0.013	0	46.9	39.6	74.4	144	126	0	35	34	35
2025	3	25	5	52	55	0.692	-0.095	3.53	0.01	0.007	0	46.4	38.7	74.4	142	123	0	34	33	35
2025	3	25	6	2	55	0.663	-0.066	3.53	0.013	0.01	0	45.6	37.8	75.3	141	122	0	35	34	34
2025	3	25	6	12	55	0.659	-0.069	3.53	0.01	0.007	0	45.2	37.8	75.3	140	121	0	35	33	34
2025	3	25	6	22	55	0.682	-0.115	3.53	0.013	0.01	0	44.3	37	76.1	138	119	0	35	33	34
2025	3	25	6	32	55	0.646	-0.092	3.53	0.01	0.007	0	43.9	36.5	77	137	118	0	35	33	34
2025	3	25	6	42	55	0.682	-0.089	3.53	0.01	0.007	0	43.9	37	76.5	138	119	0	36	33	34
2025	3	25	6	52	55	0.692	-0.079	3.53	0.01	0.007	0	44.7	36.5	77	138	119	0	34	34	34
2025	3	25	7	2	55	0.646	-0.089	3.53	0.01	0.007	0	45.6	37.4	76.1	140	121	0	34	34	34
2025	3	25	7	12	55	0.679	-0.062	3.53	0.01	0.007	0	44.7	37	76.5	139	120	0	35	34	34
2025	3	25	7	22	55	0.663	-0.075	3.53	0.013	0.01	0	44.3	37.4	76.5	138	120	0	35	33	34
2025	3	25	7	32	55	0.659	-0.118	3.53	0.013	0.01	0	45.2	37.8	76.1	140	121	0	35	33	34
2025	3	25	7	42	55	0.636	-0.052	3.53	0.01	0.007	0	46.4	38.7	75.3	142	124	0	34	34	34
2025	3	25	7	52	55	0.666	-0.069	3.53	0.013	0.01	0	45.6	38.3	74.8	141	122	0	35	33	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	25	8	2	55	0.709	-0.092	3.53	0.013	0.01	0	45.2	37.8	75.3	140	122	0	35	34	34
2025	3	25	8	12	55	0.659	-0.085	3.53	0.013	0.01	0	46.4	39.1	74.8	143	125	0	35	34	34
2025	3	25	8	22	55	0.663	-0.105	3.53	0.013	0.01	0	46.9	38.7	74.8	143	124	0	34	34	34
2025	3	25	8	32	55	0.666	-0.089	3.53	0.01	0.007	0	46	37.8	74.8	141	122	0	34	34	35
2025	3	25	8	42	55	0.682	-0.105	3.53	0.016	0.013	0	45.6	38.7	74.8	141	123	0	35	33	34
2025	3	25	8	52	55	0.636	-0.075	3.53	0.01	0.007	0	44.7	37.8	75.3	139	122	0	35	34	34
2025	3	25	9	2	55	0.696	-0.092	3.53	0.013	0.01	0	45.2	38.3	74.8	139	122	0	34	33	34
2025	3	25	9	12	55	0.653	-0.072	3.53	0.016	0.013	0	45.2	37.8	74.4	139	121	0	34	33	34
2025	3	25	9	22	55	0.646	-0.115	3.53	0.016	0.013	0	42.1	37.4	70.1	132	121	0	34	34	34
2025	3	25	9	32	55	0.699	-0.092	3.53	0.016	0.013	0	43.9	37.8	74	137	121	0	35	33	34
2025	3	25	9	42	55	0.643	-0.079	3.53	0.01	0.007	0	43.9	38.3	73.1	137	122	0	35	33	34
2025	3	25	9	52	55	0.725	-0.102	3.53	0.013	0.01	0	45.2	38.7	71.8	139	123	0	34	33	35
2025	3	25	10	2	55	0.705	-0.092	3.53	0.013	0.01	0	44.7	38.7	67.9	139	123	0	35	33	34
2025	3	25	10	12	55	0.686	-0.118	3.53	0.013	0.01	0	44.7	38.7	70.5	139	123	0	35	33	34
2025	3	25	10	22	55	0.692	-0.089	3.53	0.01	0.007	0	44.3	38.7	71.8	138	123	0	35	33	34
2025	3	25	10	32	55	0.715	-0.095	3.527	0.016	0.013	0	45.2	39.1	66.7	139	124	0	34	33	35
2025	3	25	10	42	55	0.659	-0.089	3.53	0.016	0.013	0	44.3	38.3	71.8	137	122	0	34	33	34
2025	3	25	10	52	55	0.653	-0.092	3.53	0.013	0.01	0	44.7	38.7	71.4	138	123	0	34	33	34
2025	3	25	11	2	55	0.676	-0.062	3.53	0.013	0.01	0	44.3	38.3	71.4	138	122	0	35	33	34
2025	3	25	11	12	55	0.673	-0.079	3.527	0.01	0.007	0	44.7	38.7	71	139	124	0	35	34	35
2025	3	25	11	22	55	0.705	-0.069	3.527	0.013	0.01	0	44.7	37.8	71	138	122	0	34	34	34
2025	3	25	11	32	55	0.676	-0.098	3.527	0.016	0.016	0	43.4	37.4	71.8	136	120	0	35	33	34
2025	3	25	11	42	55	0.679	-0.148	3.524	0.016	0.013	0	42.6	37	64.9	134	118	0	35	32	34
2025	3	25	11	52	55	0.682	-0.121	3.524	0.013	0.01	0	44.3	38.3	58.5	137	122	0	34	33	34
2025	3	25	12	2	55	0.663	-0.082	3.524	0.01	0.007	0	43	37	55.5	135	119	0	35	33	34
2025	3	25	12	12	55	0.65	-0.079	3.524	0.013	0.01	0	44.3	37.8	50.3	137	121	0	34	33	34
2025	3	25	12	22	55	0.669	-0.082	3.524	0.013	0.01	0	43.9	37.8	50.3	136	121	0	34	33	34
2025	3	25	12	32	55	0.669	-0.082	3.527	0.01	0.007	0	43	37	51.2	135	119	0	35	33	34
2025	3	25	12	42	55	0.682	-0.075	3.524	0.013	0.01	0	43.9	37.4	56.3	136	120	0	34	33	34
2025	3	25	12	52	55	0.699	-0.105	3.527	0.01	0.007	0	43	37.4	52	135	120	0	35	33	34
2025	3	25	13	2	55	0.653	-0.095	3.527	0.01	0.007	0	43.9	37.4	51.2	136	121	0	34	34	34
2025	3	25	13	12	55	0.666	-0.095	3.524	0.013	0.01	0	43.4	37.4	58.5	135	120	0	34	33	34
2025	3	25	13	22	55	0.699	-0.095	3.524	0.016	0.013	0	43.4	37.4	51.6	135	120	0	34	33	34
2025	3	25	13	32	55	0.725	-0.089	3.524	0.013	0.01	0	43	37.4	54.6	134	120	0	34	33	34
2025	3	25	13	42	55	0.699	-0.092	3.524	0.013	0.01	0	43.4	37.4	53.3	135	120	0	34	33	34
2025	3	25	13	52	55	0.686	-0.092	3.524	0.013	0.01	0	44.3	37.8	56.8	137	121	0	34	33	34
2025	3	25	14	2	55	0.702	-0.108	3.527	0.016	0.013	0	44.3	38.3	51.6	137	122	0	34	33	34
2025	3	25	14	12	55	0.65	-0.082	3.527	0.013	0.01	0	43.9	37.8	58	136	121	0	34	33	34
2025	3	25	14	22	55	0.715	-0.105	3.527	0.016	0.013	0	43.9	37.8	50.7	136	121	0	34	33	34
2025	3	25	14	32	55	0.696	-0.128	3.524	0.016	0.016	0	43	37	65.4	135	119	0	35	33	34
2025	3	25	14	42	55	0.686	-0.118	3.527	0.01	0.007	0	43.4	37.8	51.2	135	120	0	34	32	34
2025	3	25	14	52	55	0.702	-0.079	3.527	0.013	0.01	0	43.9	37.4	49	136	120	0	34	33	34
2025	3	25	15	2	55	0.676	-0.115	3.527	0.01	0.007	0	43.9	37.8	51.6	136	120	0	34	32	34
2025	3	25	15	12	55	0.666	-0.089	3.527	0.013	0.01	0	44.7	39.1	49	139	123	0	35	32	33
2025	3	25	15	22	55	0.673	-0.089	3.527	0.013	0.01	0	43.9	37	51.2	136	120	0	34	34	33
2025	3	25	15	32	55	0.705	-0.069	3.524	0.013	0.01	0	44.3	37.8	55	137	121	0	34	33	33
2025	3	25	15	42	55	0.646	-0.085	3.524	0.01	0.007	0	44.3	37.8	53.3	137	121	0	34	33	34
2025	3	25	15	52	55	0.673	-0.075	3.527	0.013	0.01	0	44.3	37.8	50.3	137	121	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	25	16	2	55	0.686	-0.102	3.527	0.013	0.01	0	44.7	38.3	49.9	138	121	0	34	32	33
2025	3	25	16	12	55	0.669	-0.095	3.527	0.013	0.01	0	44.3	37.8	51.2	137	121	0	34	33	34
2025	3	25	16	22	55	0.676	-0.095	3.527	0.013	0.01	0	43.4	37.8	51.6	135	120	0	34	32	33
2025	3	25	16	32	55	0.676	-0.108	3.524	0.01	0.007	0	42.6	37	50.3	134	119	0	35	33	33
2025	3	25	16	42	55	0.656	-0.079	3.524	0.016	0.013	0	42.6	36.5	53.8	133	118	0	34	33	33
2025	3	25	16	52	55	0.686	-0.092	3.524	0.01	0.007	0	42.1	36.5	53.8	132	118	0	34	33	33
2025	3	25	17	2	55	0.696	-0.075	3.524	0.016	0.013	0	42.6	36.1	55.9	133	117	0	34	33	34
2025	3	25	17	12	55	0.679	-0.095	3.524	0.01	0.007	0	42.1	37	54.6	133	119	0	35	33	33
2025	3	25	17	22	55	0.712	-0.105	3.524	0.013	0.01	0	42.6	36.5	59.3	133	118	0	34	33	34
2025	3	25	17	32	55	0.689	-0.062	3.524	0.01	0.007	0	43	37	74.8	134	119	0	34	33	33
2025	3	25	17	42	55	0.712	-0.095	3.524	0.01	0.007	0	43.4	37.4	74.4	135	120	0	34	33	33
2025	3	25	17	52	55	0.679	-0.079	3.524	0.016	0.013	0	42.6	37	74.8	133	119	0	34	33	34
2025	3	25	18	2	55	0.709	-0.115	3.524	0.016	0.013	0	43	37	75.7	134	119	0	34	33	33
2025	3	25	18	12	55	0.705	-0.082	3.524	0.013	0.01	0	43.4	37.8	75.7	135	120	0	34	32	33
2025	3	25	18	22	55	0.656	-0.079	3.524	0.013	0.01	0	43.4	37.4	75.3	135	120	0	34	33	33
2025	3	25	18	32	55	0.679	-0.092	3.524	0.013	0.01	0	44.3	38.3	74	137	122	0	34	33	34
2025	3	25	18	42	55	0.669	-0.102	3.524	0.016	0.016	0	44.3	38.7	74.8	137	122	0	34	32	33
2025	3	25	18	52	55	0.663	-0.092	3.524	0.016	0.013	0	44.3	39.1	74.4	138	123	0	35	32	34
2025	3	25	19	2	55	0.673	-0.092	3.524	0.016	0.013	0	45.2	39.1	73.5	139	123	0	34	32	34
2025	3	25	19	12	55	0.682	-0.072	3.524	0.013	0.01	0	44.7	38.3	74	138	123	0	34	34	34
2025	3	25	19	22	55	0.63	-0.075	3.524	0.01	0.007	0	44.7	39.6	74	139	124	0	35	32	34
2025	3	25	19	32	55	0.676	-0.056	3.524	0.013	0.01	0	44.7	39.1	74.4	139	124	0	35	33	33
2025	3	25	19	42	55	0.627	-0.092	3.524	0.016	0.013	0	44.7	39.1	73.5	138	124	0	34	33	34
2025	3	25	19	52	55	0.663	-0.075	3.52	0.01	0.007	0	46	39.6	74	141	124	0	34	32	33
2025	3	25	20	2	55	0.682	-0.082	3.52	0.013	0.01	0	46	38.7	74	141	124	0	34	34	33
2025	3	25	20	12	55	0.689	-0.092	3.52	0.013	0.01	0	46	39.1	74	141	124	0	34	33	33
2025	3	25	20	22	55	0.656	-0.092	3.52	0.016	0.013	0	46.4	39.1	72.7	142	124	0	34	33	34
2025	3	25	20	32	55	0.673	-0.079	3.52	0.013	0.01	0	46	39.1	74.4	141	124	0	34	33	33
2025	3	25	20	42	55	0.679	-0.108	3.52	0.016	0.016	0	46.4	39.1	74	142	124	0	34	33	34
2025	3	25	20	52	55	0.64	-0.121	3.52	0.016	0.013	0	46.4	39.6	73.5	142	125	0	34	33	34
2025	3	25	21	2	55	0.669	-0.075	3.52	0.013	0.01	0	46.4	39.1	74	142	124	0	34	33	33
2025	3	25	21	12	55	0.705	-0.118	3.52	0.013	0.01	0	45.6	39.1	74	141	124	0	35	33	33
2025	3	25	21	22	55	0.682	-0.092	3.52	0.013	0.01	0	46	39.1	72.7	141	124	0	34	33	34
2025	3	25	21	32	55	0.656	-0.102	3.52	0.013	0.01	0	46.4	39.6	73.1	143	125	0	35	33	34
2025	3	25	21	42	55	0.65	-0.092	3.52	0.016	0.013	0	46.4	39.6	73.1	142	125	0	34	33	34
2025	3	25	21	52	55	0.702	-0.056	3.517	0.013	0.01	0	46	39.6	72.2	141	124	0	34	32	34
2025	3	25	22	2	55	0.646	-0.069	3.52	0.016	0.013	0	46.4	39.6	73.1	142	125	0	34	33	34
2025	3	25	22	12	55	0.656	-0.121	3.52	0.01	0.007	0	46	38.3	74	141	123	0	34	34	32
2025	3	25	22	22	55	0.653	-0.075	3.52	0.01	0.007	0	45.6	38.7	72.2	141	123	0	35	33	34
2025	3	25	22	32	55	0.666	-0.089	3.517	0.016	0.013	0	46	39.1	73.1	141	123	0	34	32	34
2025	3	25	22	42	55	0.636	-0.082	3.52	0.013	0.01	0	45.6	38.7	73.1	140	123	0	34	33	34
2025	3	25	22	52	55	0.636	-0.052	3.517	0.01	0.007	0	46	39.1	72.7	141	124	0	34	33	34
2025	3	25	23	2	55	0.646	-0.079	3.517	0.013	0.01	0	46	39.1	72.2	141	124	0	34	33	34
2025	3	25	23	12	55	0.663	-0.089	3.517	0.013	0.01	0	46	39.6	72.2	141	124	0	34	32	34
2025	3	25	23	22	55	0.659	-0.039	3.517	0.01	0.007	0	46	38.7	72.2	141	123	0	34	33	33
2025	3	25	23	32	55	0.673	-0.095	3.517	0.013	0.01	0	45.2	38.3	71.8	140	122	0	35	33	35
2025	3	25	23	42	55	0.663	-0.082	3.517	0.01	0.007	0	45.6	38.3	70.5	141	123	0	35	34	34
2025	3	25	23	52	55	0.659	-0.089	3.517	0.01	0.007	0	45.2	38.7	71.4	140	123	0	35	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	26	0	2	55	0.659	-0.105	3.517	0.013	0.01	0	46	38.3	71.4	141	123	0	34	34	33
2025	3	26	0	12	55	0.669	-0.082	3.517	0.013	0.01	0	46.4	39.6	71	142	124	0	34	32	34
2025	3	26	0	22	55	0.692	-0.085	3.517	0.013	0.01	0	46	39.1	70.1	141	124	0	34	33	34
2025	3	26	0	32	55	0.653	-0.098	3.517	0.01	0.007	0	46	38.7	69.2	141	123	0	34	33	34
2025	3	26	0	42	55	0.689	-0.075	3.52	0.016	0.013	0	46	39.1	70.1	142	124	0	35	33	35
2025	3	26	0	52	55	0.686	-0.082	3.53	0.01	0.007	0	46	37.4	74.4	141	120	0	34	33	34
2025	3	26	1	2	55	0.689	-0.098	3.527	0.016	0.013	0	46	38.7	70.5	141	123	0	34	33	34
2025	3	26	1	12	55	0.676	-0.072	3.524	0.013	0.01	0	45.6	38.7	69.2	140	123	0	34	33	34
2025	3	26	1	22	55	0.64	-0.118	3.527	0.013	0.01	0	45.6	38.3	71.4	140	122	0	34	33	34
2025	3	26	1	32	55	0.669	-0.098	3.527	0.01	0.007	0	45.6	39.1	70.5	141	124	0	35	33	34
2025	3	26	1	42	55	0.692	-0.105	3.527	0.013	0.01	0	46	38.7	71.4	141	123	0	34	33	34
2025	3	26	1	52	55	0.712	-0.108	3.53	0.013	0.01	0	46	38.7	71.8	141	123	0	34	33	34
2025	3	26	2	2	55	0.65	-0.079	3.53	0.016	0.013	0	46	39.1	71.4	141	124	0	34	33	34
2025	3	26	2	12	55	0.679	-0.082	3.53	0.013	0.01	0	45.6	39.1	72.2	141	124	0	35	33	34
2025	3	26	2	22	55	0.646	-0.089	3.53	0.013	0.01	0	46	39.1	72.2	142	124	0	35	33	34
2025	3	26	2	32	55	0.673	-0.125	3.53	0.013	0.01	0	45.6	39.1	71.8	141	124	0	35	33	35
2025	3	26	2	42	55	0.679	-0.089	3.53	0.016	0.013	0	46	39.1	72.7	142	124	0	35	33	34
2025	3	26	2	52	55	0.669	-0.066	3.53	0.013	0.01	0	45.6	39.1	71.8	141	124	0	35	33	35
2025	3	26	3	2	55	0.692	-0.089	3.53	0.013	0.01	0	46	38.7	73.1	141	124	0	34	34	34
2025	3	26	3	12	55	0.673	-0.115	3.53	0.013	0.01	0	46	39.1	72.7	141	124	0	34	33	33
2025	3	26	3	22	55	0.699	-0.102	3.53	0.016	0.013	0	46	39.1	72.7	141	124	0	34	33	34
2025	3	26	3	32	55	0.653	-0.075	3.53	0.01	0.007	0	46.4	39.1	72.7	142	124	0	34	33	34
2025	3	26	3	42	55	0.64	-0.105	3.53	0.013	0.01	0	46.4	39.6	72.2	143	125	0	35	33	34
2025	3	26	3	52	55	0.682	-0.105	3.53	0.013	0.01	0	45.6	38.7	73.5	141	123	0	35	33	34
2025	3	26	4	2	55	0.702	-0.069	3.53	0.013	0.01	0	46	39.1	72.7	141	124	0	34	33	34
2025	3	26	4	12	55	0.666	-0.108	3.53	0.013	0.01	0	46	38.7	71.8	142	124	0	35	34	34
2025	3	26	4	22	55	0.682	-0.059	3.53	0.016	0.013	0	46.4	39.1	73.1	142	124	0	34	33	34
2025	3	26	4	32	55	0.696	-0.121	3.53	0.01	0.007	0	46	39.1	72.7	141	124	0	34	33	35
2025	3	26	4	42	55	0.666	-0.108	3.53	0.01	0.007	0	46	38.7	73.5	141	124	0	34	34	33
2025	3	26	4	52	55	0.682	-0.085	3.53	0.01	0.007	0	45.6	38.7	72.7	141	123	0	35	33	34
2025	3	26	5	2	55	0.709	-0.085	3.53	0.016	0.013	0	45.6	38.3	73.5	141	123	0	35	34	34
2025	3	26	5	12	55	0.656	-0.105	3.53	0.01	0.007	0	45.6	38.7	73.5	140	123	0	34	33	34
2025	3	26	5	22	55	0.682	-0.125	3.53	0.01	0.007	0	45.2	38.3	74	140	122	0	35	33	34
2025	3	26	5	32	55	0.653	-0.082	3.53	0.016	0.013	0	46	38.7	73.5	142	123	0	35	33	34
2025	3	26	5	42	55	0.646	-0.075	3.53	0.013	0.01	0	45.6	38.7	73.5	141	123	0	35	33	34
2025	3	26	5	52	55	0.676	-0.089	3.53	0.013	0.01	0	46	38.7	73.5	142	124	0	35	34	34
2025	3	26	6	2	55	0.696	-0.108	3.53	0.01	0.007	0	45.6	39.1	74	141	124	0	35	33	33
2025	3	26	6	12	55	0.673	-0.105	3.53	0.013	0.01	0	46.4	39.6	74	142	125	0	34	33	34
2025	3	26	6	22	55	0.653	-0.069	3.53	0.013	0.01	0	45.6	38.7	73.5	141	123	0	35	33	34
2025	3	26	6	32	55	0.663	-0.108	3.53	0.01	0.007	0	45.6	39.1	73.5	141	124	0	35	33	34
2025	3	26	6	42	55	0.666	-0.095	3.53	0.016	0.013	0	46	38.7	74	141	123	0	34	33	34
2025	3	26	6	52	55	0.656	-0.056	3.53	0.016	0.013	0	46.4	39.1	74	143	124	0	35	33	34
2025	3	26	7	2	55	0.692	-0.085	3.53	0.013	0.01	0	46.4	38.7	73.1	142	124	0	34	34	34
2025	3	26	7	12	55	0.696	-0.072	3.53	0.013	0.01	0	46.4	39.1	74.4	142	124	0	34	33	34
2025	3	26	7	22	55	0.702	-0.095	3.53	0.016	0.013	0	46	38.7	73.5	142	123	0	35	33	34
2025	3	26	7	32	55	0.633	-0.079	3.533	0.01	0.007	0	46.9	39.1	74	144	125	0	35	34	34
2025	3	26	7	42	55	0.686	-0.105	3.53	0.013	0.01	0	45.6	38.3	73.5	141	123	0	35	34	35
2025	3	26	7	52	55	0.669	-0.079	3.53	0.013	0.01	0	46.4	39.1	74	142	124	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	26	8	2	55	0.669	-0.082	3.533	0.016	0.013	0	45.2	38.3	73.1	140	123	0	35	34	34
2025	3	26	8	12	55	0.699	-0.102	3.533	0.013	0.01	0	46.4	39.1	74	142	124	0	34	33	34
2025	3	26	8	22	55	0.656	-0.059	3.533	0.013	0.01	0	46.9	40	73.5	144	126	0	35	33	34
2025	3	26	8	32	55	0.709	-0.072	3.533	0.013	0.01	0	46.9	39.6	74.4	143	126	0	34	34	33
2025	3	26	8	42	55	0.689	-0.102	3.533	0.013	0.01	0	46.9	39.1	73.1	143	125	0	34	34	34
2025	3	26	8	52	55	0.65	-0.102	3.533	0.016	0.013	0	46.9	40	72.7	143	126	0	34	33	34
2025	3	26	9	2	55	0.666	-0.062	3.533	0.01	0.007	0	46.9	39.6	73.5	143	125	0	34	33	34
2025	3	26	9	12	55	0.65	-0.079	3.533	0.016	0.013	0	46	39.1	73.5	142	124	0	35	33	34
2025	3	26	9	22	55	0.653	-0.118	3.533	0.01	0.007	0	46.4	39.6	73.5	142	125	0	34	33	33
2025	3	26	9	32	55	0.682	-0.089	3.533	0.016	0.013	0	46.4	40	72.2	143	126	0	35	33	34
2025	3	26	9	42	55	0.663	-0.105	3.533	0.016	0.013	0	46	39.1	73.1	141	124	0	34	33	34
2025	3	26	9	52	55	0.659	-0.089	3.533	0.013	0.01	0	45.6	38.7	72.2	141	124	0	35	34	34
2025	3	26	10	2	55	0.65	-0.069	3.533	0.01	0.007	0	46	39.1	72.7	142	124	0	35	33	34
2025	3	26	10	12	55	0.646	-0.115	3.533	0.013	0.01	0	45.6	38.3	72.7	140	122	0	34	33	35
2025	3	26	10	22	55	0.643	-0.075	3.533	0.01	0.007	0	46	38.7	72.2	141	123	0	34	33	34
2025	3	26	10	32	55	0.696	-0.079	3.533	0.01	0.007	0	45.6	38.7	71	140	123	0	34	33	34
2025	3	26	10	42	55	0.656	-0.079	3.533	0.01	0.007	0	45.6	37.8	70.5	140	122	0	34	34	34
2025	3	26	10	52	55	0.699	-0.112	3.533	0.013	0.01	0	46.4	38.7	69.2	142	123	0	34	33	34
2025	3	26	11	2	55	0.682	-0.085	3.527	0.01	0.007	0	45.2	37.8	58	139	121	0	34	33	34
2025	3	26	11	12	55	0.682	-0.079	3.53	0.016	0.013	0	45.6	37.8	64.1	140	122	0	34	34	33
2025	3	26	11	22	55	0.633	-0.066	3.527	0.013	0.01	0	45.6	38.7	49	141	123	0	35	33	33
2025	3	26	11	32	55	0.659	-0.082	3.53	0.01	0.007	0	45.6	38.3	50.3	140	122	0	34	33	34
2025	3	26	11	42	55	0.646	-0.112	3.53	0.013	0.01	0	45.6	38.7	49.5	140	123	0	34	33	34
2025	3	26	11	52	55	0.623	-0.066	3.53	0.013	0.01	0	45.6	38.3	47.7	140	122	0	34	33	33
2025	3	26	12	2	55	0.653	-0.089	3.53	0.013	0.01	0	45.6	37.8	46.4	140	122	0	34	34	34
2025	3	26	12	12	55	0.65	-0.039	3.53	0.013	0.01	0	45.6	38.3	47.7	140	122	0	34	33	34
2025	3	26	12	22	55	0.63	-0.062	3.53	0.01	0.007	0	45.6	38.3	49.9	140	122	0	34	33	34
2025	3	26	12	32	55	0.617	-0.089	3.53	0.013	0.01	0	46.4	39.6	47.7	142	124	0	34	32	34
2025	3	26	12	42	55	0.663	-0.102	3.53	0.01	0.007	0	46	39.6	47.7	142	124	0	35	32	34
2025	3	26	12	52	55	0.669	-0.059	3.53	0.016	0.013	0	46.9	40	46	143	126	0	34	33	33
2025	3	26	13	2	55	0.679	-0.085	3.533	0.01	0.007	0	45.2	38.3	49	139	122	0	34	33	34
2025	3	26	13	12	55	0.65	-0.082	3.53	0.01	0.007	0	46	38.7	49	141	123	0	34	33	33
2025	3	26	13	22	55	0.656	-0.105	3.53	0.013	0.01	0	45.6	38.3	49.5	140	122	0	34	33	34
2025	3	26	13	32	55	0.673	-0.066	3.53	0.01	0.007	0	44.7	38.3	49	139	121	0	35	32	34
2025	3	26	13	42	55	0.653	-0.085	3.53	0.016	0.016	0	44.3	37.8	48.6	138	120	0	35	32	33
2025	3	26	13	52	55	0.676	-0.102	3.53	0.016	0.013	0	44.3	37	48.2	137	119	0	34	33	34
2025	3	26	14	2	55	0.65	-0.082	3.533	0.016	0.013	0	44.7	37.4	47.7	138	120	0	34	33	33
2025	3	26	14	12	55	0.676	-0.075	3.53	0.016	0.013	0	44.7	38.3	48.2	139	121	0	35	32	33
2025	3	26	14	22	55	0.663	-0.069	3.53	0.016	0.013	0	44.7	37.4	50.7	138	120	0	34	33	34
2025	3	26	14	32	55	0.669	-0.085	3.527	0.013	0.01	0	45.2	37.8	49	139	121	0	34	33	34
2025	3	26	14	42	55	0.666	-0.056	3.53	0.013	0.01	0	44.3	37.8	48.6	137	121	0	34	33	33
2025	3	26	14	52	55	0.65	-0.089	3.53	0.013	0.01	0	43.9	37.4	48.2	136	119	0	34	32	34
2025	3	26	15	2	55	0.643	-0.069	3.53	0.016	0.013	0	44.7	37.4	49.5	138	120	0	34	33	33
2025	3	26	15	12	55	0.653	-0.079	3.527	0.01	0.007	0	44.7	37.4	48.2	138	120	0	34	33	33
2025	3	26	15	22	55	0.64	-0.066	3.527	0.013	0.01	0	44.3	37.4	50.3	138	120	0	35	33	33
2025	3	26	15	32	55	0.663	-0.066	3.527	0.016	0.013	0	44.7	37.8	48.6	138	121	0	34	33	34
2025	3	26	15	42	55	0.666	-0.082	3.53	0.013	0.01	0	45.2	38.3	46.4	139	122	0	34	33	34
2025	3	26	15	52	55	0.64	-0.082	3.527	0.013	0.01	0	44.3	37.4	49	138	120	0	35	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	26	16	2	55	0.653	-0.075	3.524	0.016	0.013	0	44.3	37	48.2	137	119	0	34	33	33
2025	3	26	16	12	55	0.669	-0.046	3.527	0.013	0.01	0	44.7	37.8	49.9	138	120	0	34	32	33
2025	3	26	16	22	55	0.696	-0.089	3.524	0.01	0.007	0	43.9	36.5	49.5	136	118	0	34	33	34
2025	3	26	16	32	55	0.656	-0.079	3.524	0.01	0.007	0	44.7	37.8	49	137	120	0	33	32	33
2025	3	26	16	42	55	0.676	-0.079	3.524	0.016	0.013	0	44.3	37.4	48.6	137	120	0	34	33	34
2025	3	26	16	52	55	0.696	-0.075	3.524	0.016	0.013	0	44.3	37.4	48.2	137	119	0	34	32	34
2025	3	26	17	2	55	0.666	-0.105	3.52	0.013	0.01	0	44.7	37.4	49.5	137	119	0	33	32	33
2025	3	26	17	12	55	0.623	-0.082	3.524	0.01	0.007	0	44.3	37	48.2	137	119	0	34	33	33
2025	3	26	17	22	55	0.696	-0.085	3.524	0.013	0.01	0	44.3	36.5	47.7	137	118	0	34	33	34
2025	3	26	17	32	55	0.679	-0.108	3.524	0.016	0.013	0	44.3	37	50.7	137	119	0	34	33	33
2025	3	26	17	42	55	0.659	-0.062	3.524	0.013	0.01	0	43.9	36.5	63.2	136	118	0	34	33	34
2025	3	26	17	52	55	0.679	-0.056	3.524	0.013	0.01	0	43.9	36.5	73.5	136	118	0	34	33	33
2025	3	26	18	2	55	0.656	-0.089	3.524	0.016	0.016	0	44.3	37	71	137	119	0	34	33	33
2025	3	26	18	12	55	0.643	-0.118	3.52	0.016	0.013	0	43.9	37	58.5	136	119	0	34	33	33
2025	3	26	18	22	55	0.682	-0.075	3.52	0.01	0.007	0	44.3	37	73.5	137	119	0	34	33	33
2025	3	26	18	32	55	0.656	-0.092	3.52	0.013	0.01	0	45.2	38.3	76.1	139	121	0	34	32	34
2025	3	26	18	42	55	0.692	-0.085	3.52	0.01	0.007	0	45.6	38.7	76.1	140	122	0	34	32	33
2025	3	26	18	52	55	0.692	-0.069	3.52	0.01	0.007	0	45.6	39.1	76.5	140	123	0	34	32	33
2025	3	26	19	2	55	0.679	-0.098	3.52	0.013	0.01	0	45.6	38.7	76.1	140	122	0	34	32	33
2025	3	26	19	12	55	0.666	-0.089	3.52	0.01	0.007	0	45.2	38.3	75.3	139	122	0	34	33	33
2025	3	26	19	22	55	0.666	-0.075	3.52	0.013	0.01	0	45.2	38.7	67.5	140	123	0	35	33	34
2025	3	26	19	32	55	0.676	-0.095	3.517	0.016	0.013	0	46	39.1	55.5	141	123	0	34	32	33
2025	3	26	19	42	55	0.673	-0.072	3.517	0.016	0.013	0	45.6	38.3	52.5	140	122	0	34	33	33
2025	3	26	19	52	55	0.643	-0.108	3.52	0.013	0.01	0	45.2	38.3	74.4	139	122	0	34	33	33
2025	3	26	20	2	55	0.689	-0.098	3.517	0.013	0.01	0	45.2	38.3	64.5	139	122	0	34	33	34
2025	3	26	20	12	55	0.702	-0.085	3.517	0.016	0.013	0	45.6	38.3	49	140	122	0	34	33	34
2025	3	26	20	22	55	0.673	-0.082	3.514	0.013	0.01	0	45.6	38.7	48.2	140	123	0	34	33	34
2025	3	26	20	32	55	0.663	-0.095	3.514	0.013	0.01	0	45.6	38.7	49	140	123	0	34	33	33
2025	3	26	20	42	55	0.65	-0.108	3.517	0.013	0.01	0	45.6	39.1	50.3	140	123	0	34	32	33
2025	3	26	20	52	55	0.673	-0.092	3.514	0.016	0.016	0	46	39.6	52.9	141	124	0	34	32	33
2025	3	26	21	2	55	0.636	-0.075	3.514	0.01	0.007	0	45.6	38.7	51.6	140	123	0	34	33	33
2025	3	26	21	12	55	0.719	-0.108	3.514	0.013	0.01	0	45.6	38.7	61.1	140	123	0	34	33	34
2025	3	26	21	22	55	0.676	-0.089	3.514	0.01	0.007	0	46	39.1	49.5	141	124	0	34	33	33
2025	3	26	21	32	55	0.659	-0.079	3.514	0.016	0.013	0	45.2	38.7	66.2	140	123	0	35	33	34
2025	3	26	21	42	55	0.705	-0.121	3.514	0.016	0.013	0	46	39.1	59.8	141	124	0	34	33	33
2025	3	26	21	52	55	0.692	-0.108	3.514	0.01	0.007	0	45.6	38.7	75.7	140	123	0	34	33	33
2025	3	26	22	2	55	0.692	-0.072	3.514	0.013	0.01	0	46	38.7	75.3	141	123	0	34	33	34
2025	3	26	22	12	55	0.712	-0.059	3.514	0.013	0.01	0	46	39.1	75.3	141	124	0	34	33	34
2025	3	26	22	22	55	0.692	-0.062	3.514	0.016	0.013	0	46.4	39.6	75.7	141	124	0	33	32	33
2025	3	26	22	32	55	0.666	-0.075	3.514	0.013	0.01	0	45.6	39.1	75.7	141	124	0	35	33	34
2025	3	26	22	42	55	0.669	-0.095	3.514	0.01	0.007	0	46	39.1	75.7	141	124	0	34	33	33
2025	3	26	22	52	55	0.666	-0.098	3.514	0.01	0.007	0	46	39.1	74.8	142	124	0	35	33	34
2025	3	26	23	2	55	0.653	-0.092	3.514	0.013	0.01	0	45.6	38.7	75.3	141	124	0	35	34	33
2025	3	26	23	12	55	0.6	-0.082	3.514	0.016	0.013	0	46.4	39.6	75.7	142	125	0	34	33	33
2025	3	26	23	22	55	0.669	-0.105	3.514	0.013	0.01	0	46	39.1	74	142	124	0	35	33	34
2025	3	26	23	32	55	0.705	-0.069	3.514	0.01	0.007	0	46.4	39.1	75.7	141	124	0	33	33	34
2025	3	26	23	42	55	0.62	-0.108	3.51	0.013	0.01	0	46.9	40	75.3	143	126	0	34	33	34
2025	3	26	23	52	55	0.696	-0.095	3.51	0.013	0.01	0	46.4	39.6	75.7	142	125	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	27	0	2	55	0.689	-0.085	3.51	0.013	0.01	0	46.4	39.6	75.7	142	125	0	34	33	34
2025	3	27	0	12	55	0.679	-0.079	3.51	0.01	0.007	0	46.4	40	74.8	142	125	0	34	32	34
2025	3	27	0	22	55	0.682	-0.079	3.51	0.016	0.013	0	46	39.1	74.8	141	124	0	34	33	33
2025	3	27	0	32	55	0.673	-0.105	3.51	0.013	0.01	0	46	39.6	75.3	141	125	0	34	33	34
2025	3	27	0	42	55	0.653	-0.092	3.51	0.01	0.007	0	46	39.1	74.8	141	124	0	34	33	34
2025	3	27	0	52	55	0.64	-0.069	3.51	0.013	0.01	0	46.4	39.6	75.3	142	125	0	34	33	34
2025	3	27	1	2	55	0.63	-0.112	3.51	0.013	0.01	0	46	39.6	75.7	142	125	0	35	33	34
2025	3	27	1	12	55	0.666	-0.072	3.51	0.016	0.013	0	46.9	39.6	75.7	143	126	0	34	34	33
2025	3	27	1	22	55	0.646	-0.069	3.51	0.013	0.01	0	46.4	40	75.3	142	126	0	34	33	34
2025	3	27	1	32	55	0.666	-0.075	3.51	0.013	0.01	0	46.4	39.6	75.3	142	125	0	34	33	34
2025	3	27	1	42	55	0.663	-0.043	3.51	0.016	0.013	0	46	39.6	74.8	141	125	0	34	33	34
2025	3	27	1	52	55	0.656	-0.085	3.51	0.016	0.013	0	46.4	39.6	75.3	142	125	0	34	33	34
2025	3	27	2	2	55	0.705	-0.043	3.51	0.01	0.007	0	46.4	40	75.3	143	126	0	35	33	34
2025	3	27	2	12	55	0.682	-0.095	3.51	0.016	0.016	0	46	39.6	74.8	142	125	0	35	33	34
2025	3	27	2	22	55	0.689	-0.062	3.51	0.016	0.013	0	46.4	39.6	74.4	142	125	0	34	33	33
2025	3	27	2	32	55	0.676	-0.092	3.51	0.016	0.013	0	46.4	39.6	74.8	142	125	0	34	33	34
2025	3	27	2	42	55	0.682	-0.069	3.51	0.01	0.007	0	46	39.6	74.4	142	125	0	35	33	34
2025	3	27	2	52	55	0.643	-0.072	3.51	0.016	0.013	0	46.9	40	74	143	126	0	34	33	34
2025	3	27	3	2	55	0.686	-0.082	3.51	0.013	0.01	0	47.3	39.1	74.4	144	125	0	34	34	34
2025	3	27	3	12	55	0.725	-0.079	3.51	0.013	0.01	0	47.3	39.1	74.4	144	125	0	34	34	34
2025	3	27	3	22	55	0.709	-0.118	3.51	0.013	0.01	0	46.9	39.6	74.8	144	125	0	35	33	33
2025	3	27	3	32	55	0.643	-0.082	3.51	0.01	0.007	0	47.3	39.1	74.4	144	125	0	34	34	33
2025	3	27	3	42	55	0.659	-0.118	3.51	0.013	0.01	0	47.3	40	74.4	144	126	0	34	33	34
2025	3	27	3	52	55	0.656	-0.079	3.51	0.016	0.013	0	46.9	40	73.5	144	126	0	35	33	35
2025	3	27	4	2	55	0.656	-0.089	3.51	0.016	0.013	0	47.3	40	74	145	126	0	35	33	34
2025	3	27	4	12	55	0.702	-0.089	3.514	0.013	0.01	0	47.3	40	74.4	144	126	0	34	33	34
2025	3	27	4	22	55	0.696	-0.072	3.51	0.013	0.01	0	47.3	40	74	144	126	0	34	33	34
2025	3	27	4	32	55	0.712	-0.108	3.514	0.01	0.007	0	46.4	39.6	73.5	143	125	0	35	33	34
2025	3	27	4	42	55	0.653	-0.072	3.514	0.01	0.007	0	46.9	40	74	144	125	0	35	32	34
2025	3	27	4	52	55	0.682	-0.102	3.514	0.013	0.01	0	46	39.1	74	142	124	0	35	33	34
2025	3	27	5	2	55	0.666	-0.059	3.514	0.01	0.007	0	46.9	39.6	74	143	125	0	34	33	33
2025	3	27	5	12	55	0.663	-0.066	3.514	0.016	0.016	0	46.9	39.6	72.7	143	125	0	34	33	34
2025	3	27	5	22	55	0.679	-0.072	3.514	0.013	0.01	0	46.4	39.6	73.5	143	124	0	35	32	34
2025	3	27	5	32	55	0.692	-0.105	3.514	0.01	0.007	0	46	38.7	73.5	142	123	0	35	33	34
2025	3	27	5	42	55	0.682	-0.059	3.517	0.016	0.013	0	46.4	39.1	73.5	142	124	0	34	33	34
2025	3	27	5	52	55	0.676	-0.095	3.517	0.016	0.013	0	45.6	38.7	73.5	141	123	0	35	33	34
2025	3	27	6	2	55	0.663	-0.075	3.517	0.013	0.01	0	46	38.7	73.5	141	123	0	34	33	34
2025	3	27	6	12	55	0.676	-0.079	3.517	0.01	0.007	0	45.2	38.3	73.5	140	122	0	35	33	34
2025	3	27	6	22	55	0.636	-0.098	3.517	0.013	0.01	0	45.6	38.3	73.1	140	122	0	34	33	34
2025	3	27	6	32	55	0.705	-0.075	3.517	0.016	0.013	0	45.6	38.3	72.7	141	123	0	35	34	34
2025	3	27	6	42	55	0.699	-0.069	3.517	0.01	0.007	0	45.2	38.3	72.2	140	122	0	35	33	34
2025	3	27	6	52	55	0.699	-0.089	3.517	0.013	0.01	0	45.6	38.3	71.8	140	122	0	34	33	35
2025	3	27	7	2	55	0.689	-0.085	3.52	0.013	0.01	0	45.6	38.7	71.8	140	123	0	34	33	34
2025	3	27	7	12	55	0.65	-0.079	3.52	0.013	0.01	0	45.6	38.3	73.5	140	122	0	34	33	33
2025	3	27	7	22	55	0.646	-0.089	3.52	0.01	0.007	0	45.2	38.3	73.1	139	121	0	34	32	34
2025	3	27	7	32	55	0.702	-0.072	3.52	0.016	0.016	0	44.7	37.8	73.1	139	121	0	35	33	33
2025	3	27	7	42	55	0.725	-0.105	3.52	0.016	0.013	0	44.7	37.8	73.1	139	121	0	35	33	34
2025	3	27	7	52	55	0.676	-0.079	3.52	0.016	0.013	0	44.7	37.8	73.5	139	121	0	35	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	27	8	2	55	0.65	-0.075	3.52	0.013	0.01	0	45.6	39.1	72.2	141	123	0	35	32	34
2025	3	27	8	12	55	0.666	-0.072	3.524	0.01	0.007	0	45.6	38.3	72.7	140	122	0	34	33	34
2025	3	27	8	22	55	0.656	-0.095	3.524	0.013	0.01	0	45.2	38.3	72.7	140	122	0	35	33	34
2025	3	27	8	32	55	0.643	-0.072	3.524	0.013	0.01	0	46	38.7	72.7	141	123	0	34	33	34
2025	3	27	8	42	55	0.666	-0.079	3.524	0.01	0.007	0	45.2	38.3	73.1	139	122	0	34	33	34
2025	3	27	8	52	55	0.653	-0.092	3.524	0.016	0.013	0	45.6	39.1	73.5	141	124	0	35	33	33
2025	3	27	9	2	55	0.712	-0.105	3.524	0.01	0.007	0	45.6	38.7	73.1	140	123	0	34	33	34
2025	3	27	9	12	55	0.673	-0.079	3.524	0.01	0.007	0	45.2	38.7	73.1	140	123	0	35	33	33
2025	3	27	9	22	55	0.699	-0.072	3.524	0.01	0.007	0	45.6	39.1	51.2	141	124	0	35	33	34
2025	3	27	9	32	55	0.656	-0.108	3.524	0.01	0.007	0	45.6	38.3	49	140	122	0	34	33	34
2025	3	27	9	42	55	0.689	-0.095	3.524	0.016	0.013	0	44.7	37.8	51.6	138	121	0	34	33	33
2025	3	27	9	52	55	0.656	-0.079	3.527	0.013	0.01	0	45.2	38.3	45.6	139	122	0	34	33	34
2025	3	27	10	2	55	0.676	-0.098	3.527	0.013	0.01	0	45.2	38.7	45.6	139	122	0	34	32	34
2025	3	27	10	12	55	0.669	-0.098	3.527	0.013	0.01	0	44.7	37.8	47.7	139	121	0	35	33	34
2025	3	27	10	22	55	0.686	-0.092	3.527	0.01	0.007	0	44.7	38.3	49	139	122	0	35	33	33
2025	3	27	10	32	55	0.653	-0.075	3.527	0.016	0.013	0	44.7	37.8	48.2	138	121	0	34	33	34
2025	3	27	10	42	55	0.679	-0.092	3.527	0.013	0.01	0	44.3	37.8	46	138	121	0	35	33	34
2025	3	27	10	52	55	0.673	-0.085	3.53	0.01	0.007	0	43.4	37.4	47.7	136	119	0	35	32	33
2025	3	27	11	2	55	0.686	-0.079	3.527	0.016	0.013	0	43.9	37.4	50.7	137	120	0	35	33	34
2025	3	27	11	12	55	0.673	-0.079	3.527	0.013	0.01	0	44.3	37.4	49.5	137	120	0	34	33	34
2025	3	27	11	22	55	0.65	-0.092	3.527	0.013	0.01	0	44.7	37.4	47.7	138	120	0	34	33	34
2025	3	27	11	32	55	0.676	-0.098	3.527	0.01	0.007	0	43.4	36.5	54.2	136	118	0	35	33	34
2025	3	27	11	42	55	0.696	-0.079	3.53	0.01	0.007	0	43.9	37	48.6	136	119	0	34	33	34
2025	3	27	11	52	55	0.65	-0.098	3.53	0.013	0.01	0	44.3	37.4	45.6	137	119	0	34	32	34
2025	3	27	12	2	55	0.656	-0.092	3.53	0.013	0.01	0	44.3	37	50.3	137	119	0	34	33	33
2025	3	27	12	12	55	0.686	-0.102	3.527	0.01	0.007	0	43.9	37.8	49.5	137	120	0	35	32	33
2025	3	27	12	22	55	0.705	-0.098	3.53	0.013	0.01	0	43.9	36.5	49	136	118	0	34	33	34
2025	3	27	12	32	55	0.663	-0.079	3.527	0.01	0.007	0	44.3	37.4	49.5	137	119	0	34	32	34
2025	3	27	12	42	55	0.65	-0.089	3.527	0.016	0.013	0	44.3	36.5	48.2	137	119	0	34	34	34
2025	3	27	12	52	55	0.646	-0.082	3.527	0.013	0.01	0	44.3	37.4	52.5	138	120	0	35	33	34
2025	3	27	13	2	55	0.659	-0.062	3.527	0.01	0.007	0	43.9	37.4	76.1	136	119	0	34	32	33
2025	3	27	13	12	55	0.676	-0.092	3.527	0.016	0.013	0	43.9	36.5	55.9	136	118	0	34	33	34
2025	3	27	13	22	55	0.696	-0.112	3.53	0.013	0.01	0	43.9	36.5	76.5	136	118	0	34	33	34
2025	3	27	13	32	55	0.682	-0.092	3.527	0.016	0.016	0	43.9	37	76.1	136	118	0	34	32	33
2025	3	27	13	42	55	0.676	-0.079	3.53	0.013	0.01	0	43.9	37	76.5	136	119	0	34	33	33
2025	3	27	13	52	55	0.686	-0.085	3.53	0.01	0.007	0	43.9	37	75.7	137	119	0	35	33	34
2025	3	27	14	2	55	0.653	-0.069	3.527	0.016	0.013	0	43.9	36.5	76.1	136	118	0	34	33	34
2025	3	27	14	12	55	0.653	-0.059	3.527	0.013	0.01	0	44.3	37.4	70.5	137	119	0	34	32	34
2025	3	27	14	22	55	0.682	-0.092	3.527	0.016	0.013	0	43.9	36.5	71.4	136	118	0	34	33	33
2025	3	27	14	32	55	0.676	-0.092	3.527	0.013	0.01	0	44.3	37	68.8	137	119	0	34	33	34
2025	3	27	14	42	55	0.656	-0.098	3.527	0.013	0.01	0	43.4	37	73.5	136	119	0	35	33	33
2025	3	27	14	52	55	0.682	-0.089	3.527	0.016	0.013	0	43.9	37	67.1	136	119	0	34	33	34
2025	3	27	15	2	55	0.689	-0.082	3.527	0.013	0.01	0	44.3	37	58.5	137	119	0	34	33	33
2025	3	27	15	12	55	0.669	-0.062	3.527	0.01	0.007	0	43.9	36.5	60.2	136	118	0	34	33	33
2025	3	27	15	22	55	0.692	-0.095	3.527	0.016	0.013	0	44.3	37	61.1	137	119	0	34	33	34
2025	3	27	15	32	55	0.659	-0.085	3.527	0.013	0.01	0	43.9	36.5	61.5	136	118	0	34	33	33
2025	3	27	15	42	55	0.669	-0.075	3.527	0.013	0.01	0	44.3	36.1	57.6	137	118	0	34	34	33
2025	3	27	15	52	55	0.653	-0.072	3.527	0.01	0.007	0	44.3	37.4	59.8	137	120	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	27	16	2	55	0.679	-0.089	3.527	0.013	0.01	0	44.7	37.4	61.9	138	120	0	34	33	33
2025	3	27	16	12	55	0.663	-0.079	3.527	0.01	0.007	0	45.2	37	61.9	139	120	0	34	34	33
2025	3	27	16	22	55	0.686	-0.079	3.527	0.01	0.007	0	44.7	37.8	64.9	138	120	0	34	32	34
2025	3	27	16	32	55	0.682	-0.079	3.527	0.013	0.01	0	44.3	37	55.9	137	119	0	34	33	34
2025	3	27	16	42	55	0.722	-0.105	3.524	0.013	0.01	0	44.7	37.4	55.9	138	119	0	34	32	33
2025	3	27	16	52	55	0.699	-0.079	3.524	0.01	0.007	0	44.7	37.4	60.2	138	119	0	34	32	34
2025	3	27	17	2	55	0.715	-0.092	3.524	0.013	0.01	0	44.7	37.4	60.2	138	120	0	34	33	34
2025	3	27	17	12	55	0.689	-0.075	3.524	0.013	0.01	0	44.7	36.5	51.2	138	119	0	34	34	33
2025	3	27	17	22	55	0.676	-0.075	3.524	0.013	0.01	0	44.7	37.8	61.5	138	120	0	34	32	33
2025	3	27	17	32	55	0.696	-0.049	3.52	0.013	0.01	0	44.7	37.8	55	138	120	0	34	32	33
2025	3	27	17	42	55	0.656	-0.056	3.524	0.01	0.007	0	45.2	38.3	55.5	139	121	0	34	32	33
2025	3	27	17	52	55	0.686	-0.079	3.524	0.013	0.01	0	45.2	37.4	60.2	139	120	0	34	33	33
2025	3	27	18	2	55	0.728	-0.085	3.524	0.013	0.01	0	45.2	37.4	52	139	120	0	34	33	34
2025	3	27	18	12	55	0.682	-0.092	3.524	0.016	0.013	0	45.2	38.3	59.8	140	121	0	35	32	33
2025	3	27	18	22	55	0.689	-0.082	3.524	0.01	0.007	0	45.2	37.8	70.1	139	121	0	34	33	33
2025	3	27	18	32	55	0.719	-0.112	3.524	0.013	0.01	0	45.2	38.3	58.9	139	121	0	34	32	33
2025	3	27	18	42	55	0.65	-0.095	3.524	0.01	0.007	0	46	38.7	57.6	141	122	0	34	32	33
2025	3	27	18	52	55	0.646	-0.089	3.524	0.013	0.01	0	46	38.7	66.2	141	122	0	34	32	34
2025	3	27	19	2	55	0.666	-0.098	3.524	0.01	0.007	0	47.3	39.1	76.1	144	124	0	34	33	33
2025	3	27	19	12	55	0.666	-0.108	3.524	0.013	0.01	0	47.3	38.7	74	143	123	0	33	33	33
2025	3	27	19	22	55	0.679	-0.072	3.524	0.013	0.01	0	46.9	39.6	76.1	143	124	0	34	32	34
2025	3	27	19	32	55	0.673	-0.072	3.524	0.013	0.01	0	47.3	38.7	76.1	144	123	0	34	33	34
2025	3	27	19	42	55	0.719	-0.075	3.524	0.01	0.007	0	47.3	39.1	76.5	144	123	0	34	32	33
2025	3	27	19	52	55	0.676	-0.052	3.524	0.013	0.01	0	47.3	39.1	75.7	144	124	0	34	33	33
2025	3	27	20	2	55	0.663	-0.066	3.524	0.01	0.007	0	47.3	39.1	75.3	144	124	0	34	33	33
2025	3	27	20	12	55	0.682	-0.098	3.524	0.013	0.01	0	47.3	39.1	75.3	144	124	0	34	33	34
2025	3	27	20	22	55	0.696	-0.105	3.524	0.01	0.007	0	46.9	38.7	74.8	144	123	0	35	33	33
2025	3	27	20	32	55	0.666	-0.089	3.524	0.013	0.01	0	47.3	39.1	67.1	144	123	0	34	32	33
2025	3	27	20	42	55	0.656	-0.066	3.524	0.013	0.01	0	47.7	39.1	71	144	123	0	33	32	34
2025	3	27	20	52	55	0.709	-0.079	3.524	0.01	0.007	0	47.3	39.1	54.6	144	124	0	34	33	33
2025	3	27	21	2	55	0.702	-0.102	3.524	0.013	0.01	0	46.9	38.3	72.2	143	122	0	34	33	33
2025	3	27	21	12	55	0.646	-0.102	3.524	0.013	0.01	0	47.7	39.1	73.5	145	124	0	34	33	34
2025	3	27	21	22	55	0.679	-0.062	3.524	0.016	0.013	0	47.3	38.7	74	144	124	0	34	34	34
2025	3	27	21	32	55	0.676	-0.075	3.524	0.01	0.007	0	47.3	38.7	75.3	144	123	0	34	33	33
2025	3	27	21	42	55	0.666	-0.056	3.524	0.016	0.013	0	47.3	38.7	75.3	144	123	0	34	33	33
2025	3	27	21	52	55	0.699	-0.072	3.524	0.016	0.013	0	47.3	38.7	76.1	144	123	0	34	33	33
2025	3	27	22	2	55	0.679	-0.075	3.527	0.013	0.01	0	47.3	38.7	75.3	144	123	0	34	33	34
2025	3	27	22	12	55	0.682	-0.092	3.524	0.013	0.01	0	46.9	38.7	74.4	143	122	0	34	32	33
2025	3	27	22	22	55	0.65	-0.082	3.524	0.013	0.01	0	47.3	38.7	74.4	144	123	0	34	33	34
2025	3	27	22	32	55	0.699	-0.056	3.527	0.016	0.013	0	47.3	38.7	74	144	123	0	34	33	34
2025	3	27	22	42	55	0.679	-0.069	3.524	0.01	0.007	0	47.3	39.1	73.5	144	123	0	34	32	33
2025	3	27	22	52	55	0.676	-0.082	3.524	0.013	0.01	0	46.4	38.7	73.1	143	123	0	35	33	34
2025	3	27	23	2	55	0.673	-0.089	3.524	0.01	0.007	0	47.3	39.1	74.4	144	123	0	34	32	33
2025	3	27	23	12	55	0.689	-0.075	3.524	0.013	0.01	0	47.3	39.1	74	144	123	0	34	32	34
2025	3	27	23	22	55	0.666	-0.075	3.524	0.013	0.01	0	47.3	39.1	73.5	144	123	0	34	32	34
2025	3	27	23	32	55	0.64	-0.108	3.524	0.01	0.007	0	47.3	38.3	73.5	144	122	0	34	33	34
2025	3	27	23	42	55	0.679	-0.102	3.524	0.013	0.01	0	47.3	38.3	73.5	144	122	0	34	33	34
2025	3	27	23	52	55	0.659	-0.082	3.524	0.013	0.01	0	46.9	38.3	73.5	143	122	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	28	0	2	55	0.689	-0.102	3.524	0.016	0.013	0	47.3	38.3	73.5	144	122	0	34	33	33
2025	3	28	0	12	55	0.673	-0.036	3.524	0.01	0.007	0	47.3	37.8	72.7	144	121	0	34	33	33
2025	3	28	0	22	55	0.699	-0.092	3.524	0.01	0.007	0	47.3	38.3	73.1	144	122	0	34	33	34
2025	3	28	0	32	55	0.719	-0.075	3.524	0.013	0.01	0	46.9	38.3	72.7	144	122	0	35	33	34
2025	3	28	0	42	55	0.682	-0.089	3.524	0.01	0.007	0	47.3	38.7	73.5	144	123	0	34	33	34
2025	3	28	0	52	55	0.659	-0.046	3.524	0.013	0.01	0	47.3	39.1	73.1	145	124	0	35	33	33
2025	3	28	1	2	55	0.656	-0.062	3.524	0.016	0.013	0	47.3	38.7	73.1	144	123	0	34	33	34
2025	3	28	1	12	55	0.676	-0.082	3.524	0.016	0.013	0	47.3	38.7	72.2	144	122	0	34	32	34
2025	3	28	1	22	55	0.666	-0.079	3.524	0.01	0.007	0	47.7	39.1	73.1	145	124	0	34	33	34
2025	3	28	1	32	55	0.65	-0.092	3.524	0.016	0.013	0	46.9	38.3	72.7	143	122	0	34	33	33
2025	3	28	1	42	55	0.682	-0.082	3.524	0.02	0.016	0	46.9	38.3	73.1	143	122	0	34	33	34
2025	3	28	1	52	55	0.673	-0.095	3.524	0.013	0.01	0	46.9	38.3	72.7	143	122	0	34	33	34
2025	3	28	2	2	55	0.696	-0.105	3.52	0.013	0.01	0	46.4	38.7	63.2	143	122	0	35	32	34
2025	3	28	2	12	55	0.679	-0.082	3.524	0.013	0.01	0	46.9	38.3	65.4	143	122	0	34	33	34
2025	3	28	2	22	55	0.686	-0.115	3.524	0.013	0.01	0	46.4	38.7	72.7	143	122	0	35	32	34
2025	3	28	2	32	55	0.673	-0.092	3.524	0.016	0.013	0	46.9	37.8	72.7	143	121	0	34	33	34
2025	3	28	2	42	55	0.679	-0.131	3.524	0.016	0.013	0	46.9	37.8	73.5	143	121	0	34	33	34
2025	3	28	2	52	55	0.679	-0.072	3.524	0.016	0.013	0	46.9	37.8	72.7	143	121	0	34	33	34
2025	3	28	3	2	55	0.686	-0.108	3.524	0.016	0.013	0	46.9	37.8	72.2	143	121	0	34	33	34
2025	3	28	3	12	55	0.673	-0.062	3.524	0.016	0.016	0	46.4	37.8	71.4	143	121	0	35	33	34
2025	3	28	3	22	55	0.627	-0.072	3.524	0.016	0.013	0	46.9	38.3	71.8	143	122	0	34	33	34
2025	3	28	3	32	55	0.709	-0.089	3.524	0.01	0.007	0	46.4	37.8	70.5	143	121	0	35	33	34
2025	3	28	3	42	55	0.679	-0.043	3.524	0.013	0.01	0	46.9	38.7	68.8	144	122	0	35	32	34
2025	3	28	3	52	55	0.712	-0.105	3.527	0.01	0.007	0	46.4	37.4	70.1	143	121	0	35	34	34
2025	3	28	4	2	55	0.663	-0.112	3.527	0.013	0.01	0	46.9	37.8	71.4	143	121	0	34	33	34
2025	3	28	4	12	55	0.676	-0.108	3.527	0.016	0.013	0	46.9	37.8	72.2	143	121	0	34	33	34
2025	3	28	4	22	55	0.692	-0.108	3.524	0.016	0.013	0	46.9	38.3	63.2	143	122	0	34	33	33
2025	3	28	4	32	55	0.659	-0.098	3.527	0.013	0.01	0	46.9	37.8	70.1	143	121	0	34	33	33
2025	3	28	4	42	55	0.696	-0.085	3.527	0.016	0.013	0	46.9	37.8	65.4	143	121	0	34	33	35
2025	3	28	4	52	55	0.65	-0.069	3.527	0.013	0.01	0	46.9	37.4	64.1	143	121	0	34	34	33
2025	3	28	5	2	55	0.676	-0.092	3.53	0.016	0.013	0	46.9	37.8	70.5	143	121	0	34	33	34
2025	3	28	5	12	55	0.627	-0.092	3.527	0.016	0.013	0	46.9	37.8	70.5	143	121	0	34	33	34
2025	3	28	5	22	55	0.682	-0.079	3.527	0.01	0.007	0	46.9	37.4	68.4	143	120	0	34	33	34
2025	3	28	5	32	55	0.659	-0.072	3.53	0.013	0.01	0	46.4	37.8	71.4	143	121	0	35	33	34
2025	3	28	5	42	55	0.712	-0.066	3.53	0.013	0.01	0	47.3	38.3	71.4	144	122	0	34	33	34
2025	3	28	5	52	55	0.682	-0.089	3.527	0.016	0.016	0	47.3	38.3	70.5	144	122	0	34	33	34
2025	3	28	6	2	55	0.722	-0.108	3.527	0.016	0.013	0	46	37.8	71.8	142	121	0	35	33	34
2025	3	28	6	12	55	0.696	-0.075	3.527	0.01	0.007	0	46.9	37	71	142	120	0	33	34	34
2025	3	28	6	22	55	0.663	-0.089	3.53	0.01	0.007	0	46	37.4	67.5	142	120	0	35	33	34
2025	3	28	6	32	55	0.679	-0.072	3.53	0.01	0.007	0	45.6	36.5	71.8	140	118	0	34	33	34
2025	3	28	6	42	55	0.686	-0.082	3.53	0.013	0.01	0	45.6	37	72.2	140	119	0	34	33	34
2025	3	28	6	52	55	0.686	-0.082	3.527	0.01	0.007	0	45.6	36.1	71	140	118	0	34	34	34
2025	3	28	7	2	55	0.669	-0.105	3.527	0.01	0.007	0	44.3	35.7	71.8	138	116	0	35	33	34
2025	3	28	7	12	55	0.686	-0.059	3.524	0.01	0.007	0	44.7	35.7	72.7	138	116	0	34	33	34
2025	3	28	7	22	55	0.682	-0.085	3.524	0.013	0.01	0	44.3	35.3	72.2	137	116	0	34	34	34
2025	3	28	7	32	55	0.735	-0.118	3.524	0.016	0.013	0	44.3	35.3	72.2	137	115	0	34	33	34
2025	3	28	7	42	55	0.663	-0.079	3.524	0.016	0.013	0	44.3	35.7	72.7	137	115	0	34	32	33
2025	3	28	7	52	55	0.663	-0.085	3.524	0.01	0.007	0	45.2	36.1	71.8	139	117	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	28	8	2	55	0.669	-0.121	3.524	0.013	0.01	0	43.9	35.3	72.7	136	115	0	34	33	34
2025	3	28	8	12	55	0.673	-0.085	3.52	0.01	0.007	0	44.3	35.3	71.8	137	115	0	34	33	34
2025	3	28	8	22	55	0.673	-0.092	3.524	0.016	0.013	0	43.9	34.8	72.2	136	114	0	34	33	34
2025	3	28	8	32	55	0.696	-0.059	3.524	0.013	0.01	0	44.3	35.7	73.1	137	115	0	34	32	34
2025	3	28	8	42	55	0.676	-0.092	3.52	0.01	0.007	0	43.9	35.7	72.2	136	115	0	34	32	34
2025	3	28	8	52	55	0.63	-0.102	3.52	0.013	0.01	0	44.7	35.7	69.2	138	116	0	34	33	34
2025	3	28	9	2	55	0.682	-0.085	3.52	0.01	0.007	0	43.9	35.7	70.5	137	116	0	35	33	34
2025	3	28	9	12	55	0.682	-0.069	3.52	0.013	0.01	0	43.9	36.1	68.4	137	116	0	35	32	34
2025	3	28	9	22	55	0.696	-0.079	3.52	0.013	0.01	0	44.3	35.7	54.6	137	115	0	34	32	34
2025	3	28	9	32	55	0.673	-0.095	3.52	0.01	0.007	0	43.9	35.3	51.2	136	115	0	34	33	33
2025	3	28	9	42	55	0.666	-0.066	3.524	0.016	0.013	0	45.2	36.5	52	139	118	0	34	33	33
2025	3	28	9	52	55	0.656	-0.059	3.52	0.013	0.01	0	44.7	36.1	51.2	138	117	0	34	33	34
2025	3	28	10	2	55	0.653	-0.056	3.52	0.016	0.013	0	44.7	36.1	50.7	138	117	0	34	33	33
2025	3	28	10	12	55	0.686	-0.082	3.524	0.013	0.01	0	44.3	35.7	49.5	138	117	0	35	34	33
2025	3	28	10	22	55	0.656	-0.075	3.52	0.013	0.01	0	44.7	35.7	50.3	138	117	0	34	34	34
2025	3	28	10	32	55	0.692	-0.082	3.524	0.013	0.01	0	45.6	37	51.2	140	119	0	34	33	33
2025	3	28	10	42	55	0.679	-0.095	3.524	0.013	0.01	0	44.7	37	54.6	138	118	0	34	32	34
2025	3	28	10	52	55	0.653	-0.082	3.524	0.01	0.007	0	44.3	36.1	55.9	138	117	0	35	33	34
2025	3	28	11	2	55	0.653	-0.046	3.524	0.016	0.013	0	44.3	36.1	53.8	137	117	0	34	33	34
2025	3	28	11	12	55	0.682	-0.105	3.524	0.01	0.007	0	43.9	35.7	64.9	137	116	0	35	33	34
2025	3	28	11	22	55	0.656	-0.072	3.524	0.01	0.007	0	44.7	36.5	75.7	139	118	0	35	33	33
2025	3	28	11	32	55	0.709	-0.118	3.524	0.013	0.01	0	44.7	35.7	72.7	138	116	0	34	33	34
2025	3	28	11	42	55	0.686	-0.079	3.527	0.016	0.013	0	44.3	36.1	75.3	138	117	0	35	33	33
2025	3	28	11	52	55	0.676	-0.108	3.527	0.016	0.013	0	45.2	36.1	74.8	139	117	0	34	33	33
2025	3	28	12	2	55	0.702	-0.095	3.527	0.013	0.01	0	44.7	36.1	75.7	138	116	0	34	32	34
2025	3	28	12	12	55	0.682	-0.075	3.527	0.016	0.013	0	44.7	36.1	74.4	138	117	0	34	33	34
2025	3	28	12	22	55	0.669	-0.095	3.527	0.013	0.01	0	44.7	35.7	75.7	138	116	0	34	33	34
2025	3	28	12	32	55	0.676	-0.072	3.527	0.016	0.016	0	44.3	35.3	76.5	137	115	0	34	33	33
2025	3	28	12	42	55	0.699	-0.075	3.527	0.01	0.007	0	43.9	35.7	75.7	137	116	0	35	33	34
2025	3	28	12	52	55	0.65	-0.046	3.527	0.01	0.007	0	44.3	36.1	76.1	138	117	0	35	33	34
2025	3	28	13	2	55	0.666	-0.082	3.527	0.013	0.01	0	45.2	36.1	72.7	139	117	0	34	33	34
2025	3	28	13	12	55	0.653	-0.085	3.527	0.01	0.007	0	44.3	35.7	76.1	137	116	0	34	33	34
2025	3	28	13	22	55	0.705	-0.072	3.527	0.013	0.01	0	44.3	35.3	75.7	137	115	0	34	33	33
2025	3	28	13	32	55	0.709	-0.066	3.527	0.01	0.007	0	43.9	35.3	75.7	136	115	0	34	33	34
2025	3	28	13	42	55	0.692	-0.115	3.527	0.013	0.01	0	43.4	35.3	75.7	136	115	0	35	33	33
2025	3	28	13	52	55	0.663	-0.105	3.527	0.01	0.007	0	44.3	36.1	74.8	137	116	0	34	32	34
2025	3	28	14	2	55	0.646	-0.095	3.527	0.01	0.007	0	44.3	35.3	75.7	137	115	0	34	33	34
2025	3	28	14	12	55	0.646	-0.102	3.527	0.016	0.013	0	43.4	34.8	76.1	136	114	0	35	33	33
2025	3	28	14	22	55	0.722	-0.092	3.527	0.016	0.013	0	44.3	35.3	72.7	137	115	0	34	33	34
2025	3	28	14	32	55	0.679	-0.085	3.527	0.013	0.01	0	44.3	35.3	75.7	137	115	0	34	33	33
2025	3	28	14	42	55	0.686	-0.095	3.527	0.016	0.013	0	43.4	34.4	73.5	135	113	0	34	33	34
2025	3	28	14	52	55	0.692	-0.062	3.527	0.016	0.013	0	43.4	34.4	76.5	135	113	0	34	33	34
2025	3	28	15	2	55	0.673	-0.072	3.527	0.013	0.01	0	43.4	34.4	76.1	135	113	0	34	33	33
2025	3	28	15	12	55	0.689	-0.082	3.527	0.016	0.013	0	43.9	35.3	75.7	136	115	0	34	33	33
2025	3	28	15	22	55	0.669	-0.046	3.527	0.013	0.01	0	44.3	35.7	66.2	137	115	0	34	32	33
2025	3	28	15	32	55	0.65	-0.062	3.527	0.013	0.01	0	43.9	34.8	49.5	136	114	0	34	33	33
2025	3	28	15	42	55	0.663	-0.062	3.527	0.016	0.013	0	44.3	35.3	50.3	137	115	0	34	33	34
2025	3	28	15	52	55	0.666	-0.075	3.527	0.01	0.007	0	44.3	35.7	50.3	137	115	0	34	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	28	16	2	55	0.666	-0.082	3.527	0.013	0.01	0	43.4	34.8	48.6	135	113	0	34	32	34
2025	3	28	16	12	55	0.653	-0.085	3.527	0.016	0.013	0	43.9	34	49.9	136	113	0	34	34	34
2025	3	28	16	22	55	0.656	-0.079	3.527	0.013	0.01	0	43.9	34.8	46.9	136	114	0	34	33	34
2025	3	28	16	32	55	0.679	-0.121	3.527	0.016	0.016	0	43.9	34.4	54.2	136	113	0	34	33	33
2025	3	28	16	42	55	0.653	-0.069	3.524	0.02	0.016	0	44.7	35.3	50.7	138	115	0	34	33	33
2025	3	28	16	52	55	0.692	-0.092	3.527	0.016	0.013	0	43.9	34.4	57.2	136	113	0	34	33	33
2025	3	28	17	2	55	0.663	-0.085	3.524	0.01	0.007	0	43.4	34.8	56.3	135	113	0	34	32	33
2025	3	28	17	12	55	0.656	-0.079	3.524	0.013	0.01	0	44.3	34.4	55.5	136	113	0	33	33	33
2025	3	28	17	22	55	0.633	-0.089	3.524	0.016	0.016	0	44.7	35.3	53.8	138	115	0	34	33	33
2025	3	28	17	32	55	0.656	-0.089	3.527	0.016	0.016	0	44.3	35.3	76.1	137	114	0	34	32	34
2025	3	28	17	42	55	0.666	-0.075	3.527	0.013	0.01	0	43.9	34.8	76.5	136	113	0	34	32	33
2025	3	28	17	52	55	0.679	-0.092	3.527	0.013	0.01	0	43.4	34.4	77	136	113	0	35	33	33
2025	3	28	18	2	55	0.673	-0.075	3.524	0.013	0.01	0	43.9	34.8	75.7	136	113	0	34	32	34
2025	3	28	18	12	55	0.673	-0.105	3.524	0.016	0.013	0	43.9	35.3	74	136	114	0	34	32	33
2025	3	28	18	22	55	0.682	-0.072	3.527	0.013	0.01	0	44.3	34.8	76.5	137	114	0	34	33	34
2025	3	28	18	32	55	0.646	-0.046	3.524	0.013	0.01	0	45.6	36.1	76.1	140	116	0	34	32	33
2025	3	28	18	42	55	0.653	-0.052	3.524	0.013	0.01	0	46.4	36.5	75.7	142	117	0	34	32	34
2025	3	28	18	52	55	0.659	-0.059	3.524	0.013	0.01	0	46.4	36.5	75.7	142	118	0	34	33	33
2025	3	28	19	2	55	0.679	-0.075	3.524	0.016	0.013	0	46.4	36.5	75.7	142	118	0	34	33	33
2025	3	28	19	12	55	0.65	-0.059	3.524	0.01	0.007	0	46.9	37	75.7	143	119	0	34	33	34
2025	3	28	19	22	55	0.663	-0.082	3.524	0.01	0.007	0	47.7	37.8	75.7	144	120	0	33	32	32
2025	3	28	19	32	55	0.64	-0.049	3.524	0.013	0.01	0	47.3	36.5	75.3	144	119	0	34	34	34
2025	3	28	19	42	55	0.676	-0.089	3.524	0.016	0.013	0	46.4	37	75.7	143	119	0	35	33	33
2025	3	28	19	52	55	0.663	-0.102	3.524	0.016	0.013	0	47.3	37	74.8	144	119	0	34	33	33
2025	3	28	20	2	55	0.663	-0.085	3.524	0.013	0.01	0	47.3	37	74.8	144	119	0	34	33	34
2025	3	28	20	12	55	0.709	-0.089	3.524	0.016	0.013	0	46.9	36.5	74.4	143	118	0	34	33	34
2025	3	28	20	22	55	0.728	-0.075	3.524	0.013	0.01	0	47.3	37	75.7	144	119	0	34	33	33
2025	3	28	20	32	55	0.676	-0.092	3.524	0.01	0.007	0	46.9	36.5	75.7	143	118	0	34	33	33
2025	3	28	20	42	55	0.679	-0.092	3.524	0.016	0.013	0	46.9	36.5	75.3	143	118	0	34	33	33
2025	3	28	20	52	55	0.692	-0.062	3.524	0.013	0.01	0	47.3	37.4	75.3	144	119	0	34	32	33
2025	3	28	21	2	55	0.666	-0.075	3.52	0.013	0.01	0	46.9	36.5	75.3	143	118	0	34	33	33
2025	3	28	21	12	55	0.659	-0.062	3.524	0.016	0.016	0	46.9	36.1	75.3	143	118	0	34	34	33
2025	3	28	21	22	55	0.659	-0.069	3.524	0.01	0.007	0	46.9	37	74.4	143	118	0	34	32	34
2025	3	28	21	32	55	0.646	-0.069	3.52	0.013	0.01	0	46.9	36.5	74.8	143	118	0	34	33	34
2025	3	28	21	42	55	0.669	-0.075	3.52	0.013	0.01	0	47.3	37.4	74	144	119	0	34	32	33
2025	3	28	21	52	55	0.636	-0.079	3.52	0.016	0.013	0	47.7	37.4	74.4	145	120	0	34	33	34
2025	3	28	22	2	55	0.656	-0.079	3.52	0.016	0.013	0	47.3	37	74	144	119	0	34	33	32
2025	3	28	22	12	55	0.663	-0.092	3.52	0.013	0.01	0	47.3	37	74.8	144	119	0	34	33	34
2025	3	28	22	22	55	0.64	-0.102	3.52	0.01	0.007	0	47.3	36.5	75.3	144	118	0	34	33	33
2025	3	28	22	32	55	0.659	-0.066	3.52	0.01	0.007	0	47.3	37	74.8	144	119	0	34	33	34
2025	3	28	22	42	55	0.64	-0.075	3.52	0.01	0.007	0	46.9	36.5	73.1	144	118	0	35	33	34
2025	3	28	22	52	55	0.669	-0.089	3.52	0.013	0.01	0	47.3	37	74.4	144	118	0	34	32	34
2025	3	28	23	2	55	0.633	-0.089	3.52	0.016	0.013	0	47.3	36.5	74.8	144	118	0	34	33	34
2025	3	28	23	12	55	0.699	-0.043	3.52	0.013	0.01	0	46.9	36.1	73.5	144	118	0	35	34	34
2025	3	28	23	22	55	0.696	-0.069	3.52	0.01	0.007	0	46.9	36.1	74.4	143	118	0	34	34	33
2025	3	28	23	32	55	0.666	-0.052	3.52	0.016	0.013	0	46.4	36.1	73.1	143	118	0	35	34	34
2025	3	28	23	42	55	0.646	-0.085	3.52	0.016	0.013	0	46.9	36.1	74	144	117	0	35	33	33
2025	3	28	23	52	55	0.646	-0.102	3.52	0.01	0.007	0	46.9	35.7	73.1	143	116	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	29	0	2	55	0.666	-0.095	3.52	0.013	0.01	0	46.9	35.7	73.1	143	116	0	34	33	34
2025	3	29	0	12	55	0.709	-0.066	3.52	0.01	0.007	0	46.9	35.7	73.5	144	116	0	35	33	33
2025	3	29	0	22	55	0.682	-0.089	3.517	0.013	0.01	0	46.9	35.7	74	143	116	0	34	33	33
2025	3	29	0	32	55	0.692	-0.066	3.517	0.013	0.01	0	46.4	35.7	73.1	142	116	0	34	33	34
2025	3	29	0	42	55	0.653	-0.082	3.52	0.01	0.007	0	46.9	35.7	73.5	143	116	0	34	33	33
2025	3	29	0	52	55	0.663	-0.072	3.517	0.016	0.013	0	46.4	35.3	72.7	142	115	0	34	33	34
2025	3	29	1	2	55	0.692	-0.066	3.517	0.01	0.007	0	46.4	35.7	73.5	142	116	0	34	33	33
2025	3	29	1	12	55	0.686	-0.082	3.517	0.01	0.007	0	46.4	35.3	73.1	142	115	0	34	33	33
2025	3	29	1	22	55	0.627	-0.033	3.52	0.01	0.007	0	46.4	34.8	72.2	142	115	0	34	34	34
2025	3	29	1	32	55	0.705	-0.092	3.517	0.013	0.01	0	46.9	35.7	72.2	143	116	0	34	33	34
2025	3	29	1	42	55	0.689	-0.102	3.517	0.013	0.01	0	46.4	35.7	71.8	142	116	0	34	33	34
2025	3	29	1	52	55	0.676	-0.075	3.517	0.013	0.01	0	46.4	35.7	72.2	142	116	0	34	33	34
2025	3	29	2	2	55	0.699	-0.089	3.517	0.013	0.01	0	46	35.7	61.5	141	116	0	34	33	34
2025	3	29	2	12	55	0.689	-0.079	3.517	0.013	0.01	0	46	35.3	54.2	141	116	0	34	34	34
2025	3	29	2	22	55	0.715	-0.085	3.517	0.013	0.01	0	45.6	35.3	59.3	141	115	0	35	33	34
2025	3	29	2	32	55	0.715	-0.095	3.52	0.013	0.01	0	45.6	35.3	49.9	141	115	0	35	33	34
2025	3	29	2	42	55	0.676	-0.089	3.517	0.016	0.013	0	46.4	35.7	51.6	142	116	0	34	33	34
2025	3	29	2	52	55	0.682	-0.085	3.517	0.013	0.01	0	46	35.3	52.9	141	115	0	34	33	33
2025	3	29	3	2	55	0.682	-0.062	3.517	0.016	0.016	0	46.9	35.3	54.2	143	116	0	34	34	34
2025	3	29	3	12	55	0.673	-0.089	3.52	0.016	0.013	0	46.4	35.3	53.8	142	115	0	34	33	34
2025	3	29	3	22	55	0.679	-0.089	3.517	0.013	0.01	0	46.4	35.3	67.5	142	115	0	34	33	34
2025	3	29	3	32	55	0.705	-0.098	3.52	0.013	0.01	0	46.4	35.3	71	142	115	0	34	33	35
2025	3	29	3	42	55	0.689	-0.079	3.524	0.013	0.01	0	46	35.3	70.5	142	115	0	35	33	34
2025	3	29	3	52	55	0.653	-0.118	3.524	0.013	0.01	0	46.4	35.3	70.5	142	115	0	34	33	35
2025	3	29	4	2	55	0.702	-0.072	3.524	0.01	0.007	0	46	35.3	71	141	115	0	34	33	34
2025	3	29	4	12	55	0.656	-0.105	3.524	0.016	0.013	0	46.4	35.3	71.4	142	115	0	34	33	34
2025	3	29	4	22	55	0.656	-0.098	3.524	0.013	0.01	0	46.4	35.7	71	142	116	0	34	33	33
2025	3	29	4	32	55	0.673	-0.092	3.527	0.016	0.013	0	46.9	35.7	71.8	143	116	0	34	33	34
2025	3	29	4	42	55	0.722	-0.089	3.527	0.016	0.013	0	46.4	34.8	72.2	142	114	0	34	33	34
2025	3	29	4	52	55	0.686	-0.062	3.524	0.016	0.013	0	46.4	35.7	71	142	116	0	34	33	34
2025	3	29	5	2	55	0.722	-0.089	3.527	0.013	0.01	0	46	34.8	71.8	141	115	0	34	34	34
2025	3	29	5	12	55	0.705	-0.049	3.524	0.01	0.007	0	46	35.3	71	141	115	0	34	33	34
2025	3	29	5	22	55	0.709	-0.105	3.524	0.013	0.01	0	45.6	34.4	67.5	141	114	0	35	34	34
2025	3	29	5	32	55	0.715	-0.079	3.524	0.01	0.007	0	46	34.8	67.1	141	114	0	34	33	34
2025	3	29	5	42	55	0.699	-0.089	3.524	0.013	0.01	0	45.6	35.3	63.2	141	115	0	35	33	33
2025	3	29	5	52	55	0.715	-0.056	3.524	0.01	0.007	0	45.6	34.8	68.8	140	114	0	34	33	34
2025	3	29	6	2	55	0.689	-0.089	3.527	0.01	0.007	0	45.6	34.8	71	140	114	0	34	33	34
2025	3	29	6	12	55	0.663	-0.066	3.527	0.013	0.01	0	46	34	71.8	141	113	0	34	34	34
2025	3	29	6	22	55	0.669	-0.072	3.527	0.01	0.007	0	46	34.4	71.8	141	113	0	34	33	34
2025	3	29	6	32	55	0.669	-0.066	3.527	0.01	0.007	0	45.2	34	72.7	140	112	0	35	33	34
2025	3	29	6	42	55	0.702	-0.072	3.527	0.016	0.013	0	44.7	33.1	73.1	139	111	0	35	34	34
2025	3	29	6	52	55	0.676	-0.079	3.527	0.013	0.01	0	45.2	33.5	73.1	139	111	0	34	33	34
2025	3	29	7	2	55	0.679	-0.056	3.527	0.016	0.016	0	44.7	33.5	72.7	139	111	0	35	33	34
2025	3	29	7	12	55	0.669	-0.112	3.527	0.01	0.007	0	45.2	33.5	70.1	139	111	0	34	33	34
2025	3	29	7	22	55	0.636	-0.056	3.527	0.013	0.01	0	45.6	34	72.7	140	112	0	34	33	34
2025	3	29	7	32	55	0.633	-0.062	3.524	0.01	0.007	0	45.6	34	62.8	140	112	0	34	33	34
2025	3	29	7	42	55	0.65	-0.079	3.524	0.013	0.01	0	45.2	33.5	49.5	139	111	0	34	33	34
2025	3	29	7	52	55	0.653	-0.098	3.52	0.013	0.01	0	45.6	34	51.2	140	112	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	29	8	2	55	0.679	-0.098	3.52	0.013	0.01	0	45.2	34	56.3	140	112	0	35	33	34
2025	3	29	8	12	55	0.676	-0.069	3.517	0.013	0.01	0	44.7	33.5	52.5	139	111	0	35	33	34
2025	3	29	8	22	55	0.656	-0.069	3.517	0.01	0.007	0	45.6	34	51.6	140	112	0	34	33	34
2025	3	29	8	32	55	0.689	-0.066	3.517	0.016	0.013	0	44.7	33.5	51.6	139	111	0	35	33	34
2025	3	29	8	42	55	0.656	-0.098	3.517	0.013	0.01	0	45.2	34	51.2	140	112	0	35	33	34
2025	3	29	8	52	55	0.656	-0.089	3.517	0.016	0.016	0	45.2	34	51.6	139	112	0	34	33	34
2025	3	29	9	2	55	0.659	-0.069	3.514	0.013	0.01	0	45.2	34.4	54.2	140	113	0	35	33	33
2025	3	29	9	12	55	0.669	-0.039	3.514	0.016	0.013	0	44.7	34	54.6	139	112	0	35	33	34
2025	3	29	9	22	55	0.663	-0.059	3.514	0.016	0.013	0	45.6	34.8	60.2	141	114	0	35	33	34
2025	3	29	9	32	55	0.676	-0.082	3.514	0.01	0.007	0	45.6	34.4	57.6	140	112	0	34	32	35
2025	3	29	9	42	55	0.709	-0.079	3.514	0.013	0.01	0	44.7	34	57.6	139	112	0	35	33	34
2025	3	29	9	52	55	0.65	-0.062	3.51	0.013	0.01	0	44.7	33.5	58.5	138	111	0	34	33	34
2025	3	29	10	2	55	0.663	-0.056	3.51	0.01	0.007	0	45.2	33.5	71.8	139	111	0	34	33	34
2025	3	29	10	12	55	0.646	-0.089	3.514	0.013	0.01	0	44.3	33.5	70.1	138	111	0	35	33	34
2025	3	29	10	22	55	0.669	-0.082	3.51	0.013	0.01	0	45.2	34	67.5	140	111	0	35	32	34
2025	3	29	10	32	55	0.62	-0.072	3.514	0.013	0.01	0	45.6	34	74.8	140	112	0	34	33	34
2025	3	29	10	42	55	0.659	-0.049	3.51	0.01	0.007	0	45.6	34	56.3	140	112	0	34	33	34
2025	3	29	10	52	55	0.65	-0.069	3.51	0.016	0.016	0	45.2	34.4	74.4	140	113	0	35	33	33
2025	3	29	11	2	55	0.696	-0.069	3.514	0.016	0.013	0	45.2	33.5	76.1	139	112	0	34	34	33
2025	3	29	11	12	55	0.64	-0.095	3.514	0.01	0.007	0	44.7	33.5	76.1	139	111	0	35	33	34
2025	3	29	11	22	55	0.673	-0.092	3.514	0.01	0.007	0	44.7	33.1	77	139	111	0	35	34	34
2025	3	29	11	32	55	0.633	-0.082	3.514	0.013	0.01	0	44.7	33.1	77	139	111	0	35	34	34
2025	3	29	11	42	55	0.65	-0.075	3.514	0.013	0.01	0	43.9	33.1	77.4	137	110	0	35	33	34
2025	3	29	11	52	55	0.663	-0.079	3.514	0.01	0.007	0	44.3	33.1	75.3	138	110	0	35	33	34
2025	3	29	12	2	55	0.6	-0.066	3.514	0.01	0.007	0	44.3	33.5	76.1	138	111	0	35	33	34
2025	3	29	12	12	55	0.64	-0.075	3.514	0.01	0.007	0	44.3	33.1	77.4	137	110	0	34	33	34
2025	3	29	12	22	55	0.686	-0.075	3.514	0.013	0.01	0	44.3	33.5	77.8	137	110	0	34	32	33
2025	3	29	12	32	55	0.663	-0.059	3.514	0.016	0.013	0	44.3	32.7	77	137	109	0	34	33	33
2025	3	29	12	42	55	0.643	-0.056	3.514	0.01	0.007	0	44.3	32.7	76.5	137	109	0	34	33	34
2025	3	29	12	52	55	0.676	-0.089	3.514	0.01	0.007	0	44.3	32.7	76.5	138	109	0	35	33	33
2025	3	29	13	2	55	0.702	-0.069	3.514	0.01	0.007	0	44.3	33.1	74.4	138	110	0	35	33	34
2025	3	29	13	12	55	0.705	-0.062	3.514	0.013	0.01	0	44.3	33.1	75.7	137	109	0	34	32	34
2025	3	29	13	22	55	0.696	-0.092	3.517	0.01	0.007	0	44.3	31.8	78.3	137	108	0	34	34	33
2025	3	29	13	32	55	0.699	-0.082	3.517	0.01	0.007	0	44.7	33.1	77.8	138	110	0	34	33	34
2025	3	29	13	42	55	0.676	-0.089	3.517	0.013	0.01	0	44.3	32.7	73.1	137	109	0	34	33	34
2025	3	29	13	52	55	0.673	-0.079	3.517	0.013	0.01	0	44.7	32.7	77	138	109	0	34	33	34
2025	3	29	14	2	55	0.659	-0.092	3.517	0.01	0.007	0	44.7	33.1	55	138	110	0	34	33	34
2025	3	29	14	12	55	0.653	-0.095	3.517	0.01	0.007	0	43.9	32.3	77.8	136	108	0	34	33	33
2025	3	29	14	22	55	0.633	-0.072	3.517	0.013	0.01	0	43.9	32.7	51.6	137	109	0	35	33	34
2025	3	29	14	32	55	0.633	-0.062	3.517	0.013	0.01	0	44.3	33.1	49.9	137	109	0	34	32	34
2025	3	29	14	42	55	0.656	-0.102	3.517	0.016	0.013	0	43.9	32.3	64.5	136	108	0	34	33	33
2025	3	29	14	52	55	0.686	-0.085	3.517	0.013	0.01	0	43	31.8	50.7	135	107	0	35	33	34
2025	3	29	15	2	55	0.673	-0.059	3.517	0.013	0.01	0	43.9	31.8	51.6	136	107	0	34	33	33
2025	3	29	15	12	55	0.669	-0.092	3.514	0.016	0.013	0	43.9	32.7	48.2	136	108	0	34	32	33
2025	3	29	15	22	55	0.636	-0.059	3.517	0.013	0.01	0	43.4	32.7	49.9	136	109	0	35	33	33
2025	3	29	15	32	55	0.663	-0.075	3.517	0.013	0.01	0	43.9	32.7	49.5	136	109	0	34	33	34
2025	3	29	15	42	55	0.666	-0.062	3.514	0.01	0.007	0	43.9	32.7	49	136	109	0	34	33	33
2025	3	29	15	52	55	0.636	-0.036	3.517	0.01	0.007	0	43.9	32.7	51.6	136	108	0	34	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	29	16	2	55	0.659	-0.072	3.514	0.016	0.013	0	43.4	31.8	49.5	135	107	0	34	33	34
2025	3	29	16	12	55	0.653	-0.085	3.517	0.013	0.01	0	43.4	31.8	48.6	135	107	0	34	33	34
2025	3	29	16	22	55	0.65	-0.082	3.514	0.013	0.01	0	43.9	32.3	49.5	136	108	0	34	33	34
2025	3	29	16	32	55	0.682	-0.082	3.517	0.013	0.01	0	43.4	31.8	48.2	136	107	0	35	33	33
2025	3	29	16	42	55	0.673	-0.046	3.517	0.013	0.01	0	43.4	31.8	50.3	135	107	0	34	33	34
2025	3	29	16	52	55	0.646	-0.075	3.514	0.013	0.01	0	43	32.3	52	134	108	0	34	33	34
2025	3	29	17	2	55	0.643	-0.062	3.514	0.01	0.007	0	43.9	32.3	49.9	136	108	0	34	33	34
2025	3	29	17	12	55	0.673	-0.079	3.517	0.01	0.007	0	43	31.8	51.2	135	107	0	35	33	34
2025	3	29	17	22	55	0.653	-0.069	3.517	0.01	0.007	0	43.4	31.8	64.9	135	107	0	34	33	33
2025	3	29	17	32	55	0.699	-0.049	3.517	0.013	0.01	0	43.9	32.7	58	137	108	0	35	32	34
2025	3	29	17	42	55	0.659	-0.089	3.517	0.016	0.016	0	43.9	31.8	57.2	136	107	0	34	33	33
2025	3	29	17	52	55	0.689	-0.082	3.517	0.01	0.007	0	44.3	32.3	65.8	137	108	0	34	33	34
2025	3	29	18	2	55	0.673	-0.089	3.517	0.013	0.01	0	43.9	32.3	55	137	108	0	35	33	33
2025	3	29	18	12	55	0.61	-0.049	3.517	0.013	0.01	0	44.3	33.1	77	137	110	0	34	33	33
2025	3	29	18	22	55	0.63	-0.075	3.517	0.01	0.007	0	44.7	33.5	77	138	110	0	34	32	33
2025	3	29	18	32	55	0.643	-0.036	3.517	0.01	0.007	0	44.7	33.1	76.5	138	110	0	34	33	34
2025	3	29	18	42	55	0.65	-0.092	3.517	0.016	0.013	0	44.7	33.5	57.6	139	110	0	35	32	34
2025	3	29	18	52	55	0.62	-0.092	3.517	0.016	0.013	0	45.2	33.1	57.2	139	110	0	34	33	34
2025	3	29	19	2	55	0.689	-0.092	3.517	0.01	0.007	0	44.7	33.5	71.4	139	111	0	35	33	34
2025	3	29	19	12	55	0.659	-0.069	3.517	0.013	0.01	0	45.2	34	76.1	140	112	0	35	33	34
2025	3	29	19	22	55	0.659	-0.059	3.517	0.013	0.01	0	45.6	33.5	75.7	140	111	0	34	33	34
2025	3	29	19	32	55	0.617	-0.089	3.517	0.013	0.01	0	45.6	33.5	76.5	140	111	0	34	33	33
2025	3	29	19	42	55	0.646	-0.062	3.517	0.01	0.007	0	45.6	34.4	76.1	140	112	0	34	32	34
2025	3	29	19	52	55	0.676	-0.066	3.517	0.013	0.01	0	46	34	75.7	141	112	0	34	33	34
2025	3	29	20	2	55	0.65	-0.072	3.517	0.01	0.007	0	46	34.4	76.1	141	112	0	34	32	33
2025	3	29	20	12	55	0.659	-0.03	3.517	0.016	0.013	0	45.6	33.5	76.5	140	111	0	34	33	33
2025	3	29	20	22	55	0.692	-0.049	3.517	0.013	0.01	0	46	34	77	141	112	0	34	33	33
2025	3	29	20	32	55	0.682	-0.072	3.514	0.013	0.01	0	46.4	38.7	74.4	141	123	0	33	33	34
2025	3	29	20	42	55	0.715	-0.095	3.514	0.01	0.007	0	46	38.7	74	141	123	0	34	33	34
2025	3	29	20	52	55	0.709	-0.092	3.514	0.01	0.007	0	46	38.7	75.3	141	123	0	34	33	33
2025	3	29	21	2	55	0.722	-0.085	3.514	0.013	0.01	0	46	38.7	74.8	141	123	0	34	33	34
2025	3	29	21	12	55	0.669	-0.115	3.514	0.01	0.007	0	46.4	38.3	74.8	141	123	0	33	34	34
2025	3	29	21	22	55	0.682	-0.066	3.514	0.01	0.007	0	45.6	38.7	74.8	140	123	0	34	33	34
2025	3	29	21	32	55	0.653	-0.079	3.514	0.01	0.007	0	46.4	39.1	74	142	124	0	34	33	34
2025	3	29	21	42	55	0.699	-0.082	3.514	0.013	0.01	0	46	39.1	75.3	141	123	0	34	32	33
2025	3	29	21	52	55	0.679	-0.121	3.514	0.01	0.007	0	46.4	39.1	74	142	124	0	34	33	34
2025	3	29	22	2	55	0.653	-0.062	3.514	0.016	0.016	0	46	38.7	74.8	141	123	0	34	33	33
2025	3	29	22	12	55	0.689	-0.075	3.514	0.016	0.013	0	46	38.3	75.3	142	122	0	35	33	33
2025	3	29	22	22	55	0.679	-0.095	3.514	0.016	0.013	0	46.4	38.7	73.5	143	123	0	35	33	34
2025	3	29	22	32	55	0.663	-0.079	3.51	0.013	0.01	0	46.9	39.1	74.4	143	124	0	34	33	34
2025	3	29	22	42	55	0.663	-0.079	3.51	0.01	0.007	0	46.9	38.7	74.4	143	123	0	34	33	33
2025	3	29	22	52	55	0.702	-0.066	3.51	0.013	0.01	0	46.9	38.3	74.4	143	123	0	34	34	33
2025	3	29	23	2	55	0.666	-0.043	3.51	0.01	0.007	0	46.9	39.6	74.4	144	125	0	35	33	34
2025	3	29	23	12	55	0.676	-0.089	3.51	0.013	0.01	0	46.9	39.1	74	144	124	0	35	33	34
2025	3	29	23	22	55	0.709	-0.089	3.51	0.016	0.013	0	46.9	39.1	73.5	144	124	0	35	33	33
2025	3	29	23	32	55	0.673	-0.085	3.51	0.016	0.016	0	46.4	38.7	74	143	123	0	35	33	34
2025	3	29	23	42	55	0.676	-0.089	3.51	0.016	0.016	0	46.4	37.8	73.5	142	122	0	34	34	34
2025	3	29	23	52	55	0.689	-0.072	3.51	0.013	0.01	0	46.9	38.7	73.1	143	123	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	30	0	2	55	0.659	-0.089	3.51	0.013	0.01	0	46	38.3	73.1	142	122	0	35	33	34
2025	3	30	0	12	55	0.705	-0.108	3.51	0.01	0.007	0	46.9	38.3	73.1	143	122	0	34	33	34
2025	3	30	0	22	55	0.702	-0.085	3.51	0.016	0.013	0	46.4	38.3	73.5	143	122	0	35	33	34
2025	3	30	0	32	55	0.712	-0.089	3.51	0.013	0.01	0	46.4	38.3	73.5	143	122	0	35	33	34
2025	3	30	0	42	55	0.666	-0.085	3.507	0.016	0.013	0	45.6	37.8	73.5	141	121	0	35	33	34
2025	3	30	0	52	55	0.646	-0.089	3.51	0.01	0.007	0	45.6	37.8	74	141	121	0	35	33	34
2025	3	30	1	2	55	0.669	-0.115	3.507	0.013	0.01	0	46.9	37.8	73.1	143	121	0	34	33	34
2025	3	30	1	12	55	0.699	-0.125	3.51	0.01	0.007	0	46.4	37.8	73.1	143	121	0	35	33	34
2025	3	30	1	22	55	0.715	-0.089	3.507	0.013	0.01	0	46.9	37.4	73.5	143	121	0	34	34	34
2025	3	30	1	32	55	0.679	-0.072	3.507	0.013	0.01	0	46.9	37.8	73.1	143	121	0	34	33	35
2025	3	30	1	42	55	0.692	-0.102	3.507	0.013	0.01	0	46.4	37.8	73.1	143	121	0	35	33	34
2025	3	30	1	52	55	0.719	-0.095	3.51	0.01	0.007	0	46	37.4	72.7	142	120	0	35	33	34
2025	3	30	2	2	55	0.673	-0.072	3.507	0.016	0.013	0	46.4	37.4	73.5	142	120	0	34	33	34
2025	3	30	2	12	55	0.646	-0.108	3.507	0.01	0.007	0	46	37.4	73.1	142	120	0	35	33	35
2025	3	30	2	22	55	0.699	-0.059	3.507	0.016	0.016	0	46.4	37.4	74	142	120	0	34	33	33
2025	3	30	2	32	55	0.676	-0.069	3.507	0.016	0.013	0	46.4	39.6	73.5	143	125	0	35	33	34
2025	3	30	2	42	55	0.669	-0.072	3.507	0.013	0.01	0	46	39.1	73.5	142	124	0	35	33	34
2025	3	30	2	52	55	0.676	-0.072	3.507	0.013	0.01	0	46.4	40	73.1	143	125	0	35	32	34
2025	3	30	3	2	55	0.679	-0.082	3.507	0.013	0.01	0	46.9	39.6	73.1	143	125	0	34	33	34
2025	3	30	3	12	55	0.65	-0.095	3.507	0.01	0.007	0	46.4	39.6	73.5	143	125	0	35	33	34
2025	3	30	3	22	55	0.725	-0.089	3.507	0.016	0.013	0	46	39.6	73.5	142	125	0	35	33	33
2025	3	30	3	32	55	0.689	-0.075	3.507	0.013	0.01	0	46.9	39.1	70.5	143	125	0	34	34	34
2025	3	30	3	42	55	0.686	-0.049	3.507	0.016	0.013	0	46.4	39.6	72.7	142	125	0	34	33	34
2025	3	30	3	52	55	0.666	-0.102	3.507	0.013	0.01	0	46.4	38.7	72.2	143	124	0	35	34	35
2025	3	30	4	2	55	0.679	-0.089	3.507	0.013	0.01	0	46.4	39.1	59.8	142	124	0	34	33	34
2025	3	30	4	12	55	0.709	-0.121	3.507	0.016	0.013	0	45.6	39.1	64.9	141	124	0	35	33	34
2025	3	30	4	22	55	0.679	-0.105	3.507	0.01	0.007	0	46	39.1	71	142	124	0	35	33	35
2025	3	30	4	32	55	0.633	-0.062	3.507	0.01	0.007	0	46.4	39.1	73.5	142	124	0	34	33	34
2025	3	30	4	42	55	0.666	-0.092	3.507	0.01	0.007	0	46	39.1	73.1	142	124	0	35	33	34
2025	3	30	4	52	55	0.696	-0.072	3.507	0.016	0.013	0	46.9	39.6	73.1	143	125	0	34	33	33
2025	3	30	5	2	55	0.669	-0.108	3.507	0.013	0.01	0	46	39.1	62.8	141	124	0	34	33	34
2025	3	30	5	12	55	0.682	-0.079	3.507	0.01	0.007	0	46.4	39.1	73.5	142	124	0	34	33	34
2025	3	30	5	22	55	0.663	-0.082	3.507	0.013	0.01	0	45.6	38.3	74	141	123	0	35	34	34
2025	3	30	5	32	55	0.699	-0.089	3.507	0.016	0.016	0	45.6	39.1	73.1	141	124	0	35	33	34
2025	3	30	5	42	55	0.663	-0.072	3.507	0.013	0.01	0	45.6	38.7	73.5	141	124	0	35	34	34
2025	3	30	5	52	55	0.679	-0.089	3.507	0.016	0.013	0	45.6	39.1	73.1	141	124	0	35	33	34
2025	3	30	6	2	55	0.679	-0.049	3.507	0.016	0.013	0	45.6	38.3	73.5	141	123	0	35	34	34
2025	3	30	6	12	55	0.666	-0.089	3.507	0.01	0.007	0	45.6	37.8	73.1	140	122	0	34	34	34
2025	3	30	6	22	55	0.666	-0.108	3.507	0.013	0.01	0	45.2	37.4	73.5	139	121	0	34	34	35
2025	3	30	6	32	55	0.679	-0.092	3.51	0.013	0.01	0	45.2	38.3	74.4	139	122	0	34	33	34
2025	3	30	6	42	55	0.699	-0.105	3.51	0.016	0.016	0	45.2	37.4	74	139	121	0	34	34	34
2025	3	30	6	52	55	0.705	-0.098	3.51	0.01	0.007	0	44.3	37.4	73.1	137	120	0	34	33	34
2025	3	30	7	2	55	0.686	-0.059	3.51	0.013	0.01	0	45.2	38.3	73.5	140	122	0	35	33	34
2025	3	30	7	12	55	0.682	-0.102	3.51	0.013	0.01	0	44.7	37.8	73.5	138	121	0	34	33	35
2025	3	30	7	22	55	0.692	-0.105	3.51	0.013	0.01	0	45.2	37.8	73.1	139	122	0	34	34	34
2025	3	30	7	32	55	0.666	-0.079	3.51	0.013	0.01	0	44.7	37.8	73.1	138	121	0	34	33	34
2025	3	30	7	42	55	0.666	-0.062	3.51	0.013	0.01	0	44.3	37.8	74	138	121	0	35	33	34
2025	3	30	7	52	55	0.715	-0.118	3.51	0.016	0.016	0	44.3	37.8	73.5	138	121	0	35	33	35

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	30	8	2	55	0.643	-0.135	3.51	0.01	0.007	0	43.9	37.8	73.5	137	121	0	35	33	34
2025	3	30	8	12	55	0.705	-0.135	3.51	0.01	0.007	0	45.2	38.3	73.1	139	122	0	34	33	35
2025	3	30	8	22	55	0.659	-0.089	3.51	0.013	0.01	0	44.3	37.4	74.4	138	121	0	35	34	34
2025	3	30	8	32	55	0.673	-0.089	3.51	0.013	0.01	0	43.4	37.4	72.2	136	120	0	35	33	34
2025	3	30	8	42	55	0.673	-0.056	3.51	0.01	0.007	0	45.6	39.1	72.7	141	124	0	35	33	34
2025	3	30	8	52	55	0.666	-0.069	3.51	0.01	0.007	0	45.6	38.7	61.5	141	124	0	35	34	34
2025	3	30	9	2	55	0.712	-0.108	3.51	0.013	0.01	0	45.2	38.7	71	140	123	0	35	33	34
2025	3	30	9	12	55	0.689	-0.098	3.51	0.013	0.01	0	45.6	38.7	59.3	141	123	0	35	33	34
2025	3	30	9	22	55	0.692	-0.079	3.51	0.013	0.01	0	45.6	38.3	63.2	140	122	0	34	33	34
2025	3	30	9	32	55	0.699	-0.105	3.51	0.013	0.01	0	45.6	38.7	61.9	140	123	0	34	33	35
2025	3	30	9	42	55	0.659	-0.089	3.51	0.013	0.01	0	46	39.1	55.5	141	124	0	34	33	34
2025	3	30	9	52	55	0.663	-0.102	3.514	0.01	0.007	0	46	39.1	54.6	141	124	0	34	33	33
2025	3	30	10	2	55	0.659	-0.092	3.51	0.013	0.01	0	46	39.1	62.8	141	124	0	34	33	34
2025	3	30	10	12	55	0.65	-0.069	3.514	0.01	0.007	0	45.6	38.7	73.1	140	123	0	34	33	34
2025	3	30	10	22	55	0.646	-0.062	3.514	0.01	0.007	0	45.2	38.7	74	140	123	0	35	33	34
2025	3	30	10	32	55	0.699	-0.089	3.514	0.01	0.007	0	44.3	37.8	74.8	138	121	0	35	33	34
2025	3	30	10	42	55	0.676	-0.089	3.514	0.016	0.013	0	44.7	37.8	74	138	121	0	34	33	34
2025	3	30	10	52	55	0.722	-0.092	3.514	0.016	0.013	0	43.9	37	75.3	137	120	0	35	34	33
2025	3	30	11	2	55	0.686	-0.089	3.514	0.01	0.007	0	45.6	38.7	74.4	140	123	0	34	33	34
2025	3	30	11	12	55	0.728	-0.062	3.514	0.01	0.007	0	46.4	39.1	73.1	142	124	0	34	33	34
2025	3	30	11	22	55	0.699	-0.098	3.514	0.016	0.016	0	45.6	38.3	74.8	140	122	0	34	33	34
2025	3	30	11	32	55	0.659	-0.098	3.514	0.013	0.01	0	44.7	38.3	74.4	139	122	0	35	33	34
2025	3	30	11	42	55	0.673	-0.108	3.514	0.01	0.007	0	44.3	37.4	67.1	138	121	0	35	34	34
2025	3	30	11	52	55	0.676	-0.082	3.514	0.01	0.007	0	45.2	38.3	74.4	139	122	0	34	33	33
2025	3	30	12	2	55	0.696	-0.138	3.514	0.013	0.01	0	44.7	37.8	74	138	121	0	34	33	34
2025	3	30	12	12	55	0.653	-0.095	3.517	0.013	0.01	0	44.7	37.8	59.8	138	121	0	34	33	34
2025	3	30	12	22	55	0.715	-0.105	3.517	0.013	0.01	0	44.7	37.8	75.7	138	121	0	34	33	34
2025	3	30	12	32	55	0.689	-0.102	3.517	0.016	0.013	0	44.7	38.3	66.7	138	121	0	34	32	33
2025	3	30	12	42	55	0.679	-0.112	3.514	0.013	0.01	0	44.7	37.8	71	138	121	0	34	33	34
2025	3	30	12	52	55	0.735	-0.102	3.517	0.013	0.01	0	45.2	37.8	55	138	121	0	33	33	33
2025	3	30	13	2	55	0.686	-0.105	3.517	0.013	0.01	0	44.7	38.3	56.3	138	121	0	34	32	33
2025	3	30	13	12	55	0.696	-0.085	3.517	0.01	0.007	0	44.7	37.8	57.6	138	121	0	34	33	34
2025	3	30	13	22	55	0.712	-0.095	3.514	0.016	0.013	0	44.7	38.3	55	138	121	0	34	32	34
2025	3	30	13	32	55	0.692	-0.092	3.514	0.016	0.013	0	44.7	38.7	68.4	138	122	0	34	32	34
2025	3	30	13	42	55	0.666	-0.115	3.514	0.016	0.013	0	44.7	38.7	59.8	139	122	0	35	32	33
2025	3	30	13	52	55	0.732	-0.085	3.514	0.01	0.007	0	44.7	37.8	55	138	121	0	34	33	34
2025	3	30	14	2	55	0.689	-0.069	3.517	0.01	0.007	0	44.7	38.3	54.2	139	122	0	35	33	34
2025	3	30	14	12	55	0.686	-0.079	3.514	0.01	0.007	0	44.7	37.8	57.2	138	121	0	34	33	33
2025	3	30	14	22	55	0.715	-0.056	3.514	0.01	0.007	0	45.2	39.1	70.5	139	123	0	34	32	34
2025	3	30	14	32	55	0.692	-0.072	3.514	0.01	0.007	0	45.2	38.7	76.1	139	122	0	34	32	33
2025	3	30	14	42	55	0.712	-0.085	3.517	0.01	0.007	0	44.7	37.8	76.1	138	121	0	34	33	33
2025	3	30	14	52	55	0.689	-0.046	3.514	0.016	0.016	0	44.3	38.3	64.1	138	121	0	35	32	34
2025	3	30	15	2	55	0.659	-0.079	3.517	0.01	0.007	0	45.2	38.3	74	139	122	0	34	33	33
2025	3	30	15	12	55	0.702	-0.121	3.514	0.016	0.013	0	45.2	38.7	61.5	139	122	0	34	32	33
2025	3	30	15	22	55	0.712	-0.092	3.514	0.016	0.013	0	45.2	37.8	53.3	139	121	0	34	33	34
2025	3	30	15	32	55	0.735	-0.102	3.514	0.01	0.007	0	45.2	37.8	52.5	139	121	0	34	33	34
2025	3	30	15	42	55	0.676	-0.098	3.51	0.01	0.007	0	45.2	37.8	54.6	139	121	0	34	33	34
2025	3	30	15	52	55	0.676	-0.075	3.514	0.016	0.016	0	45.6	38.7	74	139	122	0	33	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	30	16	2	55	0.692	-0.082	3.514	0.01	0.007	0	45.2	38.3	74	139	121	0	34	32	34
2025	3	30	16	12	55	0.702	-0.079	3.51	0.01	0.007	0	44.7	37.8	51.2	138	120	0	34	32	33
2025	3	30	16	22	55	0.699	-0.075	3.51	0.016	0.013	0	44.7	38.3	52.9	138	121	0	34	32	33
2025	3	30	16	32	55	0.712	-0.079	3.51	0.016	0.013	0	45.2	38.3	53.3	139	121	0	34	32	34
2025	3	30	16	42	55	0.669	-0.085	3.507	0.013	0.01	0	44.7	37.8	54.6	138	120	0	34	32	33
2025	3	30	16	52	55	0.686	-0.079	3.51	0.016	0.013	0	44.3	37	71.8	137	119	0	34	33	34
2025	3	30	17	2	55	0.712	-0.102	3.51	0.016	0.013	0	44.3	37.4	74	137	120	0	34	33	34
2025	3	30	17	12	55	0.663	-0.085	3.51	0.016	0.013	0	44.3	37	74	137	119	0	34	33	33
2025	3	30	17	22	55	0.702	-0.059	3.51	0.013	0.01	0	44.3	37.4	73.1	138	120	0	35	33	33
2025	3	30	17	32	55	0.692	-0.115	3.51	0.016	0.013	0	44.7	37.8	72.7	138	120	0	34	32	33
2025	3	30	17	42	55	0.715	-0.115	3.51	0.013	0.01	0	44.7	37.4	73.1	138	120	0	34	33	34
2025	3	30	17	52	55	0.712	-0.095	3.51	0.01	0.007	0	44.7	37.4	72.7	138	120	0	34	33	34
2025	3	30	18	2	55	0.686	-0.075	3.507	0.013	0.01	0	45.2	37	68.8	138	120	0	33	34	33
2025	3	30	18	12	55	0.686	-0.075	3.507	0.013	0.01	0	44.7	37.8	68.4	138	121	0	34	33	34
2025	3	30	18	22	55	0.676	-0.085	3.507	0.016	0.013	0	44.7	37.8	70.5	138	120	0	34	32	34
2025	3	30	18	32	55	0.659	-0.089	3.507	0.01	0.007	0	45.2	37.8	72.2	139	121	0	34	33	32
2025	3	30	18	42	55	0.673	-0.092	3.507	0.016	0.013	0	45.2	38.7	71.4	140	123	0	35	33	34
2025	3	30	18	52	55	0.676	-0.056	3.507	0.013	0.01	0	45.6	38.3	71.8	140	122	0	34	33	33
2025	3	30	19	2	55	0.64	-0.066	3.507	0.01	0.007	0	46.4	39.6	70.5	142	124	0	34	32	34
2025	3	30	19	12	55	0.715	-0.089	3.507	0.016	0.013	0	46	38.7	71.8	141	123	0	34	33	33
2025	3	30	19	22	55	0.692	-0.089	3.507	0.013	0.01	0	46.4	39.1	71	142	124	0	34	33	33
2025	3	30	19	32	55	0.653	-0.069	3.504	0.016	0.013	0	46.4	38.7	68.8	142	123	0	34	33	34
2025	3	30	19	42	55	0.627	-0.056	3.504	0.016	0.013	0	46.9	39.6	71	143	125	0	34	33	33
2025	3	30	19	52	55	0.666	-0.082	3.504	0.016	0.013	0	46	39.1	70.5	142	124	0	35	33	34
2025	3	30	20	2	55	0.696	-0.075	3.501	0.01	0.007	0	46.4	39.6	61.1	142	124	0	34	32	33
2025	3	30	20	12	55	0.656	-0.082	3.501	0.01	0.007	0	46.9	40	55	143	125	0	34	32	34
2025	3	30	20	22	55	0.686	-0.121	3.501	0.01	0.007	0	46	38.7	55.9	142	124	0	35	34	34
2025	3	30	20	32	55	0.686	-0.069	3.501	0.013	0.01	0	46.4	40	67.9	143	125	0	35	32	34
2025	3	30	20	42	55	0.696	-0.085	3.501	0.016	0.016	0	46.9	40	65.4	144	126	0	35	33	33
2025	3	30	20	52	55	0.686	-0.108	3.501	0.016	0.016	0	46	39.1	71.4	142	124	0	35	33	33
2025	3	30	21	2	55	0.656	-0.085	3.497	0.013	0.01	0	47.3	39.6	52	144	125	0	34	33	34
2025	3	30	21	12	55	0.686	-0.092	3.501	0.013	0.01	0	46.9	39.6	70.1	143	125	0	34	33	34
2025	3	30	21	22	55	0.709	-0.075	3.501	0.013	0.01	0	46.9	39.6	71	143	125	0	34	33	34
2025	3	30	21	32	55	0.686	-0.069	3.501	0.016	0.013	0	46.4	39.6	71.4	143	125	0	35	33	33
2025	3	30	21	42	55	0.699	-0.092	3.501	0.016	0.013	0	46	39.1	71.8	142	124	0	35	33	34
2025	3	30	21	52	55	0.679	-0.092	3.501	0.01	0.007	0	46.9	39.6	72.2	143	125	0	34	33	33
2025	3	30	22	2	55	0.705	-0.079	3.501	0.013	0.01	0	46.9	39.6	71.8	143	125	0	34	33	34
2025	3	30	22	12	55	0.696	-0.095	3.501	0.016	0.013	0	46.4	39.1	71.8	143	125	0	35	34	33
2025	3	30	22	22	55	0.702	-0.089	3.501	0.016	0.013	0	46.9	39.1	72.7	142	124	0	33	33	34
2025	3	30	22	32	55	0.686	-0.075	3.501	0.016	0.013	0	46.4	38.7	73.1	142	123	0	34	33	34
2025	3	30	22	42	55	0.712	-0.072	3.501	0.016	0.013	0	46.9	39.6	73.5	143	125	0	34	33	33
2025	3	30	22	52	55	0.679	-0.118	3.501	0.013	0.01	0	46.9	39.6	73.5	143	125	0	34	33	34
2025	3	30	23	2	55	0.663	-0.079	3.501	0.013	0.01	0	47.3	40	73.5	145	126	0	35	33	34
2025	3	30	23	12	55	0.679	-0.052	3.501	0.013	0.01	0	46.9	39.6	73.5	143	125	0	34	33	34
2025	3	30	23	22	55	0.659	-0.075	3.501	0.013	0.01	0	46.9	39.6	73.1	144	125	0	35	33	34
2025	3	30	23	32	55	0.666	-0.079	3.501	0.013	0.01	0	46.9	39.1	74	143	125	0	34	34	34
2025	3	30	23	42	55	0.692	-0.072	3.501	0.01	0.007	0	46.9	39.6	74	143	124	0	34	32	34
2025	3	30	23	52	55	0.656	-0.079	3.501	0.013	0.01	0	46.9	39.1	74.4	143	124	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	31	0	2	55	0.692	-0.098	3.501	0.013	0.01	0	46.9	39.6	74.4	143	125	0	34	33	34
2025	3	31	0	12	55	0.663	-0.072	3.501	0.013	0.01	0	46.4	39.6	75.3	143	125	0	35	33	34
2025	3	31	0	22	55	0.669	-0.089	3.501	0.013	0.01	0	46.4	39.6	74.8	143	125	0	35	33	34
2025	3	31	0	32	55	0.669	-0.105	3.501	0.01	0.007	0	47.3	39.6	74.8	144	125	0	34	33	34
2025	3	31	0	42	55	0.633	-0.112	3.501	0.016	0.013	0	46.9	39.6	74.8	143	125	0	34	33	34
2025	3	31	0	52	55	0.669	-0.108	3.501	0.013	0.01	0	46.4	39.6	74.8	143	125	0	35	33	34
2025	3	31	1	2	55	0.669	-0.092	3.501	0.02	0.016	0	46.4	39.1	74.8	143	124	0	35	33	34
2025	3	31	1	12	55	0.702	-0.092	3.497	0.013	0.01	0	46.4	39.1	74.8	142	124	0	34	33	34
2025	3	31	1	22	55	0.669	-0.131	3.497	0.016	0.013	0	46	39.1	74.8	142	124	0	35	33	34
2025	3	31	1	32	55	0.702	-0.102	3.501	0.013	0.01	0	46	39.1	74	142	124	0	35	33	35
2025	3	31	1	42	55	0.712	-0.098	3.497	0.016	0.013	0	46	39.1	74.4	142	124	0	35	33	34
2025	3	31	1	52	55	0.679	-0.082	3.497	0.016	0.013	0	46.4	39.1	74.4	142	124	0	34	33	34
2025	3	31	2	2	55	0.719	-0.118	3.497	0.01	0.007	0	46.4	38.7	74.8	142	124	0	34	34	34
2025	3	31	2	12	55	0.686	-0.072	3.497	0.013	0.01	0	46	38.7	75.3	142	124	0	35	34	33
2025	3	31	2	22	55	0.686	-0.098	3.497	0.01	0.007	0	45.6	38.7	75.3	141	123	0	35	33	33
2025	3	31	2	32	55	0.692	-0.105	3.497	0.01	0.007	0	46	39.1	74	142	124	0	35	33	35
2025	3	31	2	42	55	0.673	-0.095	3.497	0.01	0.007	0	45.6	39.1	74	141	124	0	35	33	34
2025	3	31	2	52	55	0.686	-0.098	3.497	0.013	0.01	0	46	39.1	73.1	142	124	0	35	33	34
2025	3	31	3	2	55	0.689	-0.089	3.497	0.01	0.007	0	46.4	38.7	74.8	142	124	0	34	34	33
2025	3	31	3	12	55	0.673	-0.098	3.497	0.016	0.013	0	46	39.1	74	142	124	0	35	33	34
2025	3	31	3	22	55	0.715	-0.121	3.497	0.013	0.01	0	46.4	39.1	71.8	142	124	0	34	33	34
2025	3	31	3	32	55	0.702	-0.108	3.494	0.01	0.007	0	46	38.7	58	142	123	0	35	33	33
2025	3	31	3	42	55	0.702	-0.102	3.497	0.013	0.01	0	46.4	39.1	73.5	143	124	0	35	33	34
2025	3	31	3	52	55	0.705	-0.102	3.494	0.016	0.013	0	46.9	39.1	65.4	143	124	0	34	33	34
2025	3	31	4	2	55	0.669	-0.089	3.494	0.013	0.01	0	46.4	38.7	46.4	143	124	0	35	34	35
2025	3	31	4	12	55	0.666	-0.105	3.494	0.01	0.007	0	46	39.1	60.2	142	124	0	35	33	34
2025	3	31	4	22	55	0.715	-0.095	3.494	0.013	0.01	0	46	38.7	74	142	124	0	35	34	33
2025	3	31	4	32	55	0.699	-0.085	3.497	0.013	0.01	0	46	38.7	73.1	141	123	0	34	33	35
2025	3	31	4	42	55	0.666	-0.112	3.497	0.01	0.007	0	46	38.7	74.4	142	123	0	35	33	34
2025	3	31	4	52	55	0.669	-0.098	3.497	0.016	0.013	0	46	38.7	74	141	123	0	34	33	34
2025	3	31	5	2	55	0.682	-0.062	3.494	0.016	0.013	0	45.6	38.7	74	141	123	0	35	33	34
2025	3	31	5	12	55	0.705	-0.098	3.497	0.013	0.01	0	46	38.7	74.8	141	123	0	34	33	34
2025	3	31	5	22	55	0.699	-0.105	3.497	0.016	0.013	0	46.4	39.1	74.4	143	124	0	35	33	34
2025	3	31	5	32	55	0.686	-0.112	3.494	0.013	0.01	0	46	39.1	74	142	124	0	35	33	34
2025	3	31	5	42	55	0.653	-0.115	3.494	0.013	0.01	0	46.4	39.6	72.7	143	125	0	35	33	34
2025	3	31	5	52	55	0.705	-0.082	3.494	0.016	0.013	0	46.4	38.7	73.5	143	123	0	35	33	34
2025	3	31	6	2	55	0.692	-0.069	3.494	0.013	0.01	0	46	38.7	74	142	123	0	35	33	34
2025	3	31	6	12	55	0.682	-0.079	3.494	0.013	0.01	0	46.4	38.3	74.4	142	122	0	34	33	34
2025	3	31	6	22	55	0.696	-0.098	3.494	0.013	0.01	0	45.6	37.4	74	140	121	0	34	34	34
2025	3	31	6	32	55	0.656	-0.085	3.494	0.016	0.013	0	45.6	37.8	65.4	140	121	0	34	33	34
2025	3	31	6	42	55	0.673	-0.112	3.494	0.013	0.01	0	45.2	37.4	64.1	140	120	0	35	33	33
2025	3	31	6	52	55	0.699	-0.085	3.494	0.016	0.013	0	45.2	37	71.8	139	120	0	34	34	34
2025	3	31	7	2	55	0.669	-0.072	3.494	0.013	0.01	0	46.4	38.3	58	141	122	0	33	33	34
2025	3	31	7	12	55	0.699	-0.105	3.494	0.013	0.01	0	45.2	37.4	64.9	140	121	0	35	34	34
2025	3	31	7	22	55	0.656	-0.089	3.494	0.013	0.01	0	44.7	37.4	72.2	138	120	0	34	33	34
2025	3	31	7	32	55	0.679	-0.092	3.494	0.01	0.007	0	46	38.7	67.5	141	123	0	34	33	34
2025	3	31	7	42	55	0.659	-0.118	3.491	0.01	0.007	0	45.6	37.8	49.9	140	122	0	34	34	34
2025	3	31	7	52	55	0.676	-0.102	3.491	0.016	0.013	0	45.6	38.3	52.5	140	122	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	31	8	2	55	0.676	-0.085	3.491	0.01	0.007	0	45.2	37.8	64.9	139	121	0	34	33	34
2025	3	31	8	12	55	0.669	-0.089	3.491	0.013	0.01	0	45.2	37.8	60.6	139	121	0	34	33	34
2025	3	31	8	22	55	0.692	-0.098	3.494	0.01	0.007	0	45.2	37.4	55.9	139	121	0	34	34	34
2025	3	31	8	32	55	0.692	-0.089	3.494	0.016	0.013	0	44.7	37.4	72.2	138	120	0	34	33	34
2025	3	31	8	42	55	0.676	-0.059	3.488	0.01	0.007	0	46	38.7	49.5	141	123	0	34	33	34
2025	3	31	8	52	55	0.689	-0.112	3.491	0.01	0.007	0	45.2	37.4	62.4	140	121	0	35	34	34
2025	3	31	9	2	55	0.686	-0.089	3.488	0.013	0.01	0	46	38.7	56.8	142	123	0	35	33	34
2025	3	31	9	12	55	0.673	-0.089	3.488	0.013	0.01	0	45.6	39.1	53.8	141	123	0	35	32	33
2025	3	31	9	22	55	0.699	-0.069	3.488	0.013	0.01	0	45.2	37.4	53.3	139	121	0	34	34	34
2025	3	31	9	32	55	0.666	-0.085	3.488	0.01	0.007	0	45.6	37.8	49.9	140	122	0	34	34	34
2025	3	31	9	42	55	0.669	-0.115	3.488	0.013	0.01	0	45.6	38.3	49.9	140	122	0	34	33	34
2025	3	31	9	52	55	0.725	-0.089	3.484	0.01	0.007	0	45.2	37.4	61.1	140	121	0	35	34	34
2025	3	31	10	2	55	0.676	-0.115	3.484	0.013	0.01	0	44.7	37.8	60.6	139	121	0	35	33	34
2025	3	31	10	12	55	0.633	-0.095	3.488	0.016	0.013	0	44.7	38.3	50.7	139	121	0	35	32	34
2025	3	31	10	22	55	0.709	-0.102	3.484	0.013	0.01	0	45.2	37.8	69.7	139	121	0	34	33	34
2025	3	31	10	32	55	0.705	-0.128	3.484	0.013	0.01	0	44.7	37	72.2	138	119	0	34	33	34
2025	3	31	10	42	55	0.659	-0.092	3.481	0.016	0.013	0	44.3	37	71.8	137	119	0	34	33	34
2025	3	31	10	52	55	0.682	-0.112	3.481	0.013	0.01	0	44.3	37	72.2	138	119	0	35	33	34
2025	3	31	11	2	55	0.676	-0.082	3.481	0.016	0.013	0	44.3	37	72.7	138	119	0	35	33	34
2025	3	31	11	12	55	0.689	-0.092	3.481	0.013	0.01	0	44.7	37.4	72.7	138	120	0	34	33	34
2025	3	31	11	22	55	0.669	-0.108	3.481	0.016	0.013	0	43.9	36.5	73.1	137	118	0	35	33	34
2025	3	31	11	32	55	0.682	-0.112	3.481	0.013	0.01	0	45.2	37.8	71.4	139	121	0	34	33	34
2025	3	31	11	42	55	0.699	-0.062	3.481	0.01	0.007	0	44.3	37	68.8	138	119	0	35	33	34
2025	3	31	11	52	55	0.705	-0.062	3.484	0.016	0.013	0	45.2	37	72.7	139	120	0	34	34	34
2025	3	31	12	2	55	0.725	-0.079	3.484	0.013	0.01	0	44.7	37	71.4	138	119	0	34	33	34
2025	3	31	12	12	55	0.682	-0.098	3.484	0.013	0.01	0	44.7	37	57.6	138	119	0	34	33	34
2025	3	31	12	22	55	0.682	-0.118	3.484	0.013	0.01	0	44.7	37.8	73.1	138	120	0	34	32	33
2025	3	31	12	32	55	0.646	-0.102	3.481	0.013	0.01	0	44.3	37.4	72.7	137	119	0	34	32	34
2025	3	31	12	42	55	0.673	-0.105	3.481	0.016	0.013	0	43.9	37	71	137	119	0	35	33	33
2025	3	31	12	52	55	0.692	-0.092	3.481	0.016	0.016	0	44.7	37	55.5	138	119	0	34	33	34
2025	3	31	13	2	55	0.673	-0.085	3.484	0.013	0.01	0	44.7	36.1	59.3	138	118	0	34	34	34
2025	3	31	13	12	55	0.712	-0.102	3.484	0.013	0.01	0	44.3	37	64.1	137	119	0	34	33	34
2025	3	31	13	22	55	0.643	-0.115	3.481	0.01	0.007	0	45.6	37.8	68.4	140	122	0	34	34	34
2025	3	31	13	32	55	0.712	-0.121	3.484	0.016	0.013	0	44.3	36.5	69.2	137	118	0	34	33	34
2025	3	31	13	42	55	0.682	-0.072	3.484	0.013	0.01	0	43.9	36.5	74	136	118	0	34	33	33
2025	3	31	13	52	55	0.712	-0.108	3.484	0.01	0.007	0	43	36.1	74	135	117	0	35	33	34
2025	3	31	14	2	55	0.722	-0.079	3.484	0.01	0.007	0	43.4	36.1	54.2	135	117	0	34	33	34
2025	3	31	14	12	55	0.653	-0.089	3.484	0.013	0.01	0	44.3	37.4	51.6	138	120	0	35	33	34
2025	3	31	14	22	55	0.682	-0.062	3.481	0.013	0.01	0	44.7	37.4	59.3	138	120	0	34	33	34
2025	3	31	14	32	55	0.699	-0.102	3.481	0.01	0.007	0	44.7	37.4	55	138	119	0	34	32	34
2025	3	31	14	42	55	0.682	-0.062	3.481	0.013	0.01	0	44.3	36.5	53.8	137	118	0	34	33	34
2025	3	31	14	52	55	0.682	-0.098	3.484	0.013	0.01	0	44.3	37	49.5	137	119	0	34	33	34
2025	3	31	15	2	55	0.669	-0.089	3.488	0.016	0.013	0	45.6	38.3	49	140	122	0	34	33	34
2025	3	31	15	12	55	0.679	-0.052	3.484	0.013	0.01	0	44.7	37	48.2	138	119	0	34	33	34
2025	3	31	15	22	55	0.679	-0.046	3.488	0.016	0.016	0	45.2	37.8	47.3	139	121	0	34	33	33
2025	3	31	15	32	55	0.666	-0.131	3.488	0.016	0.013	0	44.7	37.4	49.9	138	120	0	34	33	32
2025	3	31	15	42	55	0.669	-0.092	3.484	0.016	0.013	0	45.2	38.3	53.8	139	121	0	34	32	33
2025	3	31	15	52	55	0.702	-0.121	3.484	0.01	0.007	0	44.3	37	73.5	138	119	0	35	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	3	31	16	2	55	0.673	-0.128	3.484	0.013	0.01	0	44.7	37	54.6	138	120	0	34	34	33
2025	3	31	16	12	55	0.679	-0.105	3.481	0.016	0.013	0	44.7	37.4	53.8	138	120	0	34	33	34
2025	3	31	16	22	55	0.673	-0.079	3.484	0.013	0.01	0	44.3	37.4	48.2	138	120	0	35	33	34
2025	3	31	16	32	55	0.666	-0.082	3.484	0.013	0.01	0	45.6	38.3	47.3	140	122	0	34	33	34
2025	3	31	16	42	55	0.673	-0.075	3.488	0.01	0.007	0	44.7	37.8	49	139	121	0	35	33	34
2025	3	31	16	52	55	0.653	-0.098	3.484	0.016	0.013	0	44.3	37.4	53.3	138	120	0	35	33	34
2025	3	31	17	2	55	0.679	-0.095	3.488	0.013	0.01	0	45.2	37.8	46.9	139	121	0	34	33	33
2025	3	31	17	12	55	0.666	-0.092	3.488	0.013	0.01	0	44.7	37	46.4	138	120	0	34	34	34
2025	3	31	17	22	55	0.682	-0.052	3.488	0.01	0.007	0	44.7	37.8	48.6	138	120	0	34	32	34
2025	3	31	17	32	55	0.666	-0.105	3.484	0.016	0.013	0	44.7	37.4	50.3	138	120	0	34	33	34
2025	3	31	17	42	55	0.702	-0.108	3.484	0.01	0.007	0	44.3	37	49.9	137	119	0	34	33	34
2025	3	31	17	52	55	0.673	-0.079	3.484	0.016	0.016	0	44.3	37	46.4	137	119	0	34	33	34
2025	3	31	18	2	55	0.679	-0.046	3.484	0.016	0.016	0	45.2	37.4	47.3	139	121	0	34	34	34
2025	3	31	18	12	55	0.663	-0.092	3.488	0.013	0.01	0	44.7	37.4	47.7	138	120	0	34	33	34
2025	3	31	18	22	55	0.673	-0.102	3.488	0.013	0.01	0	45.2	37.4	46	139	120	0	34	33	34
2025	3	31	18	32	55	0.656	-0.095	3.488	0.016	0.016	0	45.6	38.7	46	140	122	0	34	32	34
2025	3	31	18	42	55	0.673	-0.092	3.488	0.01	0.007	0	45.6	38.7	49.5	141	123	0	35	33	34
2025	3	31	18	52	55	0.669	-0.082	3.488	0.013	0.01	0	45.6	37.8	48.6	141	122	0	35	34	34
2025	3	31	19	2	55	0.666	-0.072	3.488	0.013	0.01	0	45.6	38.3	47.7	140	122	0	34	33	34
2025	3	31	19	12	55	0.682	-0.079	3.488	0.013	0.01	0	45.6	38.7	44.7	141	123	0	35	33	35
2025	3	31	19	22	55	0.686	-0.072	3.488	0.013	0.01	0	45.6	38.7	46.9	141	123	0	35	33	34
2025	3	31	19	32	55	0.65	-0.075	3.484	0.016	0.013	0	46.4	38.7	50.7	141	123	0	33	33	34
2025	3	31	19	42	55	0.692	-0.098	3.484	0.016	0.013	0	45.6	38.7	59.8	141	123	0	35	33	34
2025	3	31	19	52	55	0.64	-0.118	3.488	0.013	0.01	0	46.4	38.7	49	142	123	0	34	33	34
2025	3	31	20	2	55	0.656	-0.075	3.488	0.013	0.01	0	45.6	38.7	63.2	141	123	0	35	33	34
2025	3	31	20	12	55	0.722	-0.118	3.491	0.01	0.007	0	46	38.7	71	141	123	0	34	33	34
2025	3	31	20	22	55	0.702	-0.092	3.491	0.013	0.01	0	45.6	38.7	70.5	141	123	0	35	33	34
2025	3	31	20	32	55	0.696	-0.092	3.491	0.013	0.01	0	46	38.3	70.5	141	122	0	34	33	34
2025	3	31	20	42	55	0.659	-0.082	3.494	0.013	0.01	0	46.4	39.1	71	142	124	0	34	33	34
2025	3	31	20	52	55	0.676	-0.085	3.491	0.013	0.01	0	45.6	38.7	70.5	141	123	0	35	33	34
2025	3	31	21	2	55	0.666	-0.095	3.491	0.013	0.01	0	45.6	38.3	71	141	123	0	35	34	34
2025	3	31	21	12	55	0.692	-0.095	3.494	0.016	0.013	0	46	38.7	71.4	141	123	0	34	33	34
2025	3	31	21	22	55	0.699	-0.062	3.494	0.016	0.013	0	45.6	38.7	71	141	123	0	35	33	34
2025	3	31	21	32	55	0.669	-0.115	3.494	0.016	0.013	0	45.6	38.7	71.8	141	123	0	35	33	34
2025	3	31	21	42	55	0.705	-0.095	3.494	0.013	0.01	0	46	38.7	71.8	141	123	0	34	33	34
2025	3	31	21	52	55	0.689	-0.072	3.494	0.01	0.007	0	46	39.1	71.8	141	123	0	34	32	34
2025	3	31	22	2	55	0.689	-0.072	3.494	0.01	0.007	0	46	38.7	71	141	124	0	34	34	34
2025	3	31	22	12	55	0.682	-0.089	3.494	0.016	0.016	0	46	38.3	72.2	141	123	0	34	34	34
2025	3	31	22	22	55	0.686	-0.098	3.494	0.013	0.01	0	46	38.7	72.2	141	123	0	34	33	34
2025	3	31	22	32	55	0.682	-0.112	3.494	0.013	0.01	0	46	38.7	71.8	141	124	0	34	34	34
2025	3	31	22	42	55	0.673	-0.069	3.494	0.013	0.01	0	45.6	38.7	72.7	140	123	0	34	33	34
2025	3	31	22	52	55	0.673	-0.062	3.494	0.013	0.01	0	46	38.7	71.4	141	123	0	34	33	34
2025	3	31	23	2	55	0.686	-0.089	3.491	0.016	0.013	0	45.6	38.3	72.7	140	122	0	34	33	34
2025	3	31	23	12	55	0.682	-0.069	3.491	0.013	0.01	0	46	39.1	72.2	142	124	0	35	33	34
2025	3	31	23	22	55	0.725	-0.079	3.491	0.01	0.007	0	46	38.3	70.1	141	122	0	34	33	34
2025	3	31	23	32	55	0.722	-0.066	3.491	0.013	0.01	0	46	38.3	64.1	141	123	0	34	34	34
2025	3	31	23	42	55	0.705	-0.072	3.491	0.01	0.007	0	45.6	38.3	52.5	141	123	0	35	34	34
2025	3	31	23	52	55	0.705	-0.115	3.491	0.01	0.007	0	45.6	38.7	72.7	141	123	0	35	33	35

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	1	0	1	26	0	0	0	0	0	0	0	46.24	0	0	11.2	0.3	3.3
2025	3	1	0	11	26	0	0	0	0	0	0	0	46.17	0	0	11.2	0.3	3.3
2025	3	1	0	21	26	0	0	0	0	0	0	0	46.09	0	0	11.2	0.3	3.3
2025	3	1	0	31	26	0	0	0	0	0	0	0	46.02	0	0	11.2	0.3	3.3
2025	3	1	0	41	26	0	0	0	0	0	0	0	45.93	0	0	11.2	0.3	3.3
2025	3	1	0	51	26	0	0	0	0	0	0	0	45.86	0	0	11.2	0.3	3.3
2025	3	1	1	1	26	0	0	0	0	0	0	0	45.81	0	0	11.2	0.3	3.3
2025	3	1	1	11	26	0	0	0	0	0	0	0	45.75	0	0	11.2	0.3	3.3
2025	3	1	1	21	26	0	0	0	0	0	0	0	45.7	0	0	11.2	0.3	3.3
2025	3	1	1	31	26	0	0	0	0	0	0	0	45.64	0	0	11.2	0.3	3.3
2025	3	1	1	41	26	0	0	0	0	0	0	0	45.59	0	0	11.2	0.3	3.3
2025	3	1	1	51	26	0	0	0	0	0	0	0	45.54	0	0	11.2	0.3	3.3
2025	3	1	2	1	26	0	0	0	0	0	0	0	45.5	0	0	11.2	0.3	3.3
2025	3	1	2	11	26	0	0	0	0	0	0	0	45.46	0	0	11.2	0.3	3.3
2025	3	1	2	21	26	0	0	0	0	0	0	0	45.41	0	0	11.2	0.3	3.6
2025	3	1	2	31	26	0	0	0	0	0	0	0	45.37	0	0	11.2	0.3	3.6
2025	3	1	2	41	26	0	0	0	0	0	0	0	45.36	0	0	11.2	0.3	3.6
2025	3	1	2	51	26	0	0	0	0	0	0	0	45.32	0	0	11.2	0.3	3.6
2025	3	1	3	1	26	0	0	0	0	0	0	0	45.28	0	0	11.2	0.3	3.6
2025	3	1	3	11	26	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.6
2025	3	1	3	21	26	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.6
2025	3	1	3	31	26	0	0	0	0	0	0	0	45.23	0	0	11.2	0.3	3.6
2025	3	1	3	41	26	0	0	0	0	0	0	0	45.21	0	0	11.2	0.3	3.6
2025	3	1	3	51	26	0	0	0	0	0	0	0	45.21	0	0	11.2	0.3	3.6
2025	3	1	4	1	26	0	0	0	0	0	0	0	45.19	0	0	11.2	0.3	3.6
2025	3	1	4	11	26	0	0	0	0	0	0	0	45.19	0	0	11.2	0.3	3.6
2025	3	1	4	21	26	0	0	0	0	0	0	0	45.19	0	0	11.2	0.3	3.6
2025	3	1	4	31	26	0	0	0	0	0	0	0	45.19	0	0	11.2	0.3	3.6
2025	3	1	4	41	26	0	0	0	0	0	0	0	45.19	0	0	11.2	0.3	3.6
2025	3	1	4	51	26	0	0	0	0	0	0	0	45.21	0	0	11.2	0.3	3.6
2025	3	1	5	1	26	0	0	0	0	0	0	0	45.21	0	0	11.2	0.3	3.6
2025	3	1	5	11	26	0	0	0	0	0	0	0	45.21	0	0	11.2	0.3	3.6
2025	3	1	5	21	26	0	0	0	0	0	0	0	45.23	0	0	11.2	0.3	3.6
2025	3	1	5	31	26	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.6
2025	3	1	5	41	26	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.6
2025	3	1	5	51	26	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.6
2025	3	1	6	1	26	0	0	0	0	0	0	0	45.28	0	0	11.2	0.3	3.6
2025	3	1	6	11	26	0	0	0	0	0	0	0	45.3	0	0	11.2	0.3	3.6
2025	3	1	6	21	26	0	0	0	0	0	0	0	45.32	0	0	11.2	0.3	3.6
2025	3	1	6	31	26	0	0	0	0	0	0	0	45.34	0	0	11.2	0.3	3.6
2025	3	1	6	41	26	0	0	0	0	0	0	0	45.37	0	0	11.2	0.3	3.6
2025	3	1	6	51	26	0	0	0	0	0	0	0	45.39	0	0	11.2	0.3	3.6
2025	3	1	7	1	26	0	0	0	0	0	0	0	45.43	0	0	11.2	0.3	3.6
2025	3	1	7	11	26	0	0	0	0	0	0	0	45.45	0	0	11.2	0.3	3.6
2025	3	1	7	21	26	0	0	0	0	0	0	0	45.48	0	0	11.2	0.3	3.6
2025	3	1	7	31	26	0	0	0	0	0	0	0	45.52	0	0	11.2	0.3	3.3
2025	3	1	7	41	26	0	0	0	0	0	0	0	45.55	0	0	11.2	0.3	3.3
2025	3	1	7	51	26	0	0	0	0	0	0	0	45.59	0	0	11.2	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	1	8	1	26	0	0	0	0	0	0	0	45.64	0	0	11.2	0.3	3.3
2025	3	1	8	11	26	0	0	0	0	0	0	0	45.7	0	0	11.4	0.3	3.3
2025	3	1	8	21	26	0	0	0	0	0	0	0	45.79	0	0	11.6	0.3	3.3
2025	3	1	8	31	26	0	0	0	0	0	0	0	45.88	0	0	12	0.3	3.3
2025	3	1	8	41	26	0	0	0	0	0	0	0	46.04	0	0	12.4	0.3	3.3
2025	3	1	8	51	26	0	0	0	0	0	0	0	46.13	0	0	12.4	0.3	3.3
2025	3	1	9	1	26	0	0	0	0	0	0	0	46.22	0	0	12.2	0.3	3.3
2025	3	1	9	11	26	0	0	0	0	0	0	0	46.29	0	0	11.6	0.3	3.3
2025	3	1	9	21	26	0	0	0	0	0	0	0	46.38	0	0	11.6	0.3	3.3
2025	3	1	9	31	26	0	0	0	0	0	0	0	46.47	0	0	11.6	0.3	3.3
2025	3	1	9	41	26	0	0	0	0	0	0	0	46.56	0	0	11.8	0.3	3.3
2025	3	1	9	51	26	0	0	0	0	0	0	0	46.67	0	0	12	0.3	3.3
2025	3	1	10	1	26	0	0	0	0	0	0	0	46.78	0	0	12.2	0.3	3.3
2025	3	1	10	11	26	0	0	0	0	0	0	0	46.87	0	0	12.2	0.3	3.3
2025	3	1	10	21	26	0	0	0	0	0	0	0	46.96	0	0	12.2	0.3	3.3
2025	3	1	10	31	26	0	0	0	0	0	0	0	47.05	0	0	12.2	0.3	3.3
2025	3	1	10	41	26	0	0	0	0	0	0	0	47.14	0	0	12	0.3	3.3
2025	3	1	10	51	26	0	0	0	0	0	0	0	47.25	0	0	11.8	0.3	3.3
2025	3	1	11	1	26	0	0	0	0	0	0	0	47.34	0	0	11.8	0.3	3.6
2025	3	1	11	11	26	0	0	0	0	0	0	0	47.41	0	0	11.8	0.3	3.6
2025	3	1	11	21	26	0	0	0	0	0	0	0	47.52	0	0	12.6	0.3	3.6
2025	3	1	11	31	26	0	0	0	0	0	0	0	47.61	0	0	12.4	0.3	3.6
2025	3	1	11	41	26	0	0	0	0	0	0	0	47.71	0	0	12.4	0.3	3.6
2025	3	1	11	51	26	0	0	0	0	0	0	0	47.79	0	0	12.4	0.3	3.6
2025	3	1	12	1	26	0	0	0	0	0	0	0	47.89	0	0	12.2	0.3	3.6
2025	3	1	12	11	26	0	0	0	0	0	0	0	47.98	0	0	12.4	0.3	3.6
2025	3	1	12	21	26	0	0	0	0	0	0	0	48.06	0	0	12.4	0.3	3.6
2025	3	1	12	31	26	0	0	0	0	0	0	0	48.15	0	0	12.4	0.3	3.6
2025	3	1	12	41	26	0	0	0	0	0	0	0	48.22	0	0	12.4	0.3	3.6
2025	3	1	12	51	26	0	0	0	0	0	0	0	48.29	0	0	12.4	0.3	3.6
2025	3	1	13	1	26	0	0	0	0	0	0	0	48.36	0	0	12.4	0.3	3.6
2025	3	1	13	11	26	0	0	0	0	0	0	0	48.43	0	0	12.4	0.3	3.6
2025	3	1	13	21	26	0	0	0	0	0	0	0	48.51	0	0	12.4	0.3	3.6
2025	3	1	13	31	26	0	0	0	0	0	0	0	48.56	0	0	12.4	0.3	3.6
2025	3	1	13	41	26	0	0	0	0	0	0	0	48.63	0	0	12.4	0.3	3.6
2025	3	1	13	51	26	0	0	0	0	0	0	0	48.69	0	0	12.2	0.3	3.6
2025	3	1	14	1	26	0	0	0	0	0	0	0	48.74	0	0	12.4	0.3	3.6
2025	3	1	14	11	26	0	0	0	0	0	0	0	48.79	0	0	12.4	0.3	3.6
2025	3	1	14	21	26	0	0	0	0	0	0	0	48.83	0	0	12.2	0.3	3.6
2025	3	1	14	31	26	0	0	0	0	0	0	0	48.88	0	0	12.2	0.3	3.6
2025	3	1	14	41	26	0	0	0	0	0	0	0	48.92	0	0	12.2	0.3	3.6
2025	3	1	14	51	26	0	0	0	0	0	0	0	48.96	0	0	12.4	0.3	3.6
2025	3	1	15	1	26	0	0	0	0	0	0	0	48.99	0	0	12.4	0.3	3.6
2025	3	1	15	11	26	0	0	0	0	0	0	0	49.03	0	0	12.4	0.3	3.6
2025	3	1	15	21	26	0	0	0	0	0	0	0	49.06	0	0	12.2	0.3	3.6
2025	3	1	15	31	26	0	0	0	0	0	0	0	49.1	0	0	12	0.3	3.6
2025	3	1	15	41	26	0	0	0	0	0	0	0	49.12	0	0	12	0.3	3.6
2025	3	1	15	51	26	0	0	0	0	0	0	0	49.14	0	0	12	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	1	16	1	26	0	0	0	0	0	0	0	49.15	0	0	11.8	0.3	3.6
2025	3	1	16	11	26	0	0	0	0	0	0	0	49.15	0	0	11.2	0.3	3.6
2025	3	1	16	21	26	0	0	0	0	0	0	0	49.15	0	0	11	0.3	3.6
2025	3	1	16	31	26	0	0	0	0	0	0	0	49.17	0	0	10.8	0.3	3.6
2025	3	1	16	41	26	0	0	0	0	0	0	0	49.21	0	0	10.6	0.3	3.6
2025	3	1	16	51	26	0	0	0	0	0	0	0	49.24	0	0	10.6	0.3	3.6
2025	3	1	17	1	26	0	0	0	0	0	0	0	49.26	0	0	10.4	0.3	3.6
2025	3	1	17	11	26	0	0	0	0	0	0	0	49.3	0	0	10.6	0.3	3.6
2025	3	1	17	21	26	0	0	0	0	0	0	0	49.32	0	0	10.6	0.3	3.6
2025	3	1	17	31	26	0	0	0	0	0	0	0	49.33	0	0	10.6	0.3	3.6
2025	3	1	17	41	26	0	0	0	0	0	0	0	49.35	0	0	10.4	0.3	3.6
2025	3	1	17	51	26	0	0	0	0	0	0	0	49.37	0	0	10.6	0.3	3.6
2025	3	1	18	1	26	0	0	0	0	0	0	0	49.39	0	0	10.4	0.3	3.6
2025	3	1	18	11	26	0	0	0	0	0	0	0	49.39	0	0	10.2	0.3	3.6
2025	3	1	18	21	26	0	0	0	0	0	0	0	49.41	0	0	10.4	0.3	3.6
2025	3	1	18	31	26	0	0	0	0	0	0	0	49.42	0	0	10.8	0.3	3.6
2025	3	1	18	41	26	0	0	0	0	0	0	0	49.42	0	0	10.4	0.3	3.6
2025	3	1	18	51	26	0	0	0	0	0	0	0	49.42	0	0	10.4	0.3	3.6
2025	3	1	19	1	26	0	0	0	0	0	0	0	49.42	0	0	10.6	0.3	3.6
2025	3	1	19	11	26	0	0	0	0	0	0	0	49.42	0	0	10.8	0.3	3.6
2025	3	1	19	21	26	0	0	0	0	0	0	0	49.41	0	0	11.6	0.3	3.6
2025	3	1	19	31	26	0	0	0	0	0	0	0	49.41	0	0	11.6	0.3	3.6
2025	3	1	19	41	26	0	0	0	0	0	0	0	49.39	0	0	11.6	0.3	3.6
2025	3	1	19	51	26	0	0	0	0	0	0	0	49.37	0	0	11.6	0.3	3.6
2025	3	1	20	1	26	0	0	0	0	0	0	0	49.33	0	0	11.6	0.3	3.6
2025	3	1	20	11	26	0	0	0	0	0	0	0	49.32	0	0	11.6	0.3	3.6
2025	3	1	20	21	26	0	0	0	0	0	0	0	49.26	0	0	11.6	0.3	3.6
2025	3	1	20	31	26	0	0	0	0	0	0	0	49.24	0	0	11.6	0.3	3.6
2025	3	1	20	41	26	0	0	0	0	0	0	0	49.19	0	0	11.6	0.3	3.6
2025	3	1	20	51	26	0	0	0	0	0	0	0	49.14	0	0	11.6	0.3	3.6
2025	3	1	21	1	26	0	0	0	0	0	0	0	49.08	0	0	11.4	0.3	3.6
2025	3	1	21	11	26	0	0	0	0	0	0	0	49.03	0	0	11.2	0.3	3.6
2025	3	1	21	21	26	0	0	0	0	0	0	0	48.97	0	0	10.6	0.3	3.6
2025	3	1	21	31	26	0	0	0	0	0	0	0	48.9	0	0	10.4	0.3	3.6
2025	3	1	21	41	26	0	0	0	0	0	0	0	48.83	0	0	10.4	0.3	3.6
2025	3	1	21	51	26	0	0	0	0	0	0	0	48.78	0	0	10.4	0.3	3.6
2025	3	1	22	1	26	0	0	0	0	0	0	0	48.7	0	0	10.4	0.3	3.6
2025	3	1	22	11	26	0	0	0	0	0	0	0	48.63	0	0	10.4	0.3	3.6
2025	3	1	22	21	26	0	0	0	0	0	0	0	48.58	0	0	10.2	0.3	3.6
2025	3	1	22	31	26	0	0	0	0	0	0	0	48.51	0	0	10.2	0.3	3.6
2025	3	1	22	41	26	0	0	0	0	0	0	0	48.45	0	0	10.2	0.3	3.6
2025	3	1	22	51	26	0	0	0	0	0	0	0	48.38	0	0	10.2	0.3	3.6
2025	3	1	23	1	26	0	0	0	0	0	0	0	48.29	0	0	10.2	0.3	3.6
2025	3	1	23	11	26	0	0	0	0	0	0	0	48.22	0	0	10.2	0.3	3.6
2025	3	1	23	21	26	0	0	0	0	0	0	0	48.15	0	0	10.2	0.3	3.6
2025	3	1	23	31	26	0	0	0	0	0	0	0	48.07	0	0	10.2	0.3	3.6
2025	3	1	23	41	26	0	0	0	0	0	0	0	48	0	0	10.4	0.3	3.6
2025	3	1	23	51	26	0	0	0	0	0	0	0	47.93	0	0	10.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	2	0	1	26	0	0	0	0	0	0	0	47.86	0	0	10.4	0.3	3.6
2025	3	2	0	11	26	0	0	0	0	0	0	0	47.79	0	0	10.2	0.3	3.6
2025	3	2	0	21	26	0	0	0	0	0	0	0	47.71	0	0	10.2	0.3	3.6
2025	3	2	0	31	26	0	0	0	0	0	0	0	47.64	0	0	10.2	0.3	3.6
2025	3	2	0	41	26	0	0	0	0	0	0	0	47.59	0	0	10.2	0.3	3.6
2025	3	2	0	51	26	0	0	0	0	0	0	0	47.52	0	0	10.2	0.3	3.6
2025	3	2	1	1	26	0	0	0	0	0	0	0	47.44	0	0	10.2	0.3	3.6
2025	3	2	1	11	26	0	0	0	0	0	0	0	47.39	0	0	10.2	0.3	3.6
2025	3	2	1	21	26	0	0	0	0	0	0	0	47.34	0	0	10.4	0.3	3.6
2025	3	2	1	31	26	0	0	0	0	0	0	0	47.28	0	0	10.4	0.3	3.3
2025	3	2	1	41	26	0	0	0	0	0	0	0	47.23	0	0	10.4	0.3	3.3
2025	3	2	1	51	26	0	0	0	0	0	0	0	47.16	0	0	10.2	0.3	3.3
2025	3	2	2	1	26	0	0	0	0	0	0	0	47.12	0	0	10.2	0.3	3.3
2025	3	2	2	11	26	0	0	0	0	0	0	0	47.07	0	0	10.2	0.3	3.3
2025	3	2	2	21	26	0	0	0	0	0	0	0	47.03	0	0	10.4	0.3	3.3
2025	3	2	2	31	26	0	0	0	0	0	0	0	46.98	0	0	10.4	0.3	3.3
2025	3	2	2	41	26	0	0	0	0	0	0	0	46.94	0	0	10.6	0.3	3.3
2025	3	2	2	51	26	0	0	0	0	0	0	0	46.9	0	0	10.4	0.3	3.3
2025	3	2	3	1	26	0	0	0	0	0	0	0	46.87	0	0	10.6	0.3	3.3
2025	3	2	3	11	26	0	0	0	0	0	0	0	46.83	0	0	10.2	0.3	3.3
2025	3	2	3	21	26	0	0	0	0	0	0	0	46.81	0	0	10.2	0.3	3.3
2025	3	2	3	31	26	0	0	0	0	0	0	0	46.78	0	0	10.2	0.3	3.3
2025	3	2	3	41	26	0	0	0	0	0	0	0	46.76	0	0	10.4	0.3	3.3
2025	3	2	3	51	26	0	0	0	0	0	0	0	46.74	0	0	10.2	0.3	3.3
2025	3	2	4	1	26	0	0	0	0	0	0	0	46.72	0	0	10.4	0.3	3.3
2025	3	2	4	11	26	0	0	0	0	0	0	0	46.71	0	0	10.4	0.3	3.3
2025	3	2	4	21	26	0	0	0	0	0	0	0	46.71	0	0	10.2	0.3	3.3
2025	3	2	4	31	26	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	2	4	41	26	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	2	4	51	26	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	2	5	1	26	0	0	0	0	0	0	0	46.67	0	0	10.2	0.3	3.3
2025	3	2	5	11	26	0	0	0	0	0	0	0	46.67	0	0	10.2	0.3	3.3
2025	3	2	5	21	26	0	0	0	0	0	0	0	46.67	0	0	10.2	0.3	3.3
2025	3	2	5	31	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	5	41	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	5	51	26	0	0	0	0	0	0	0	46.65	0	0	11.4	0.3	3.3
2025	3	2	6	1	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	6	11	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	6	21	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	6	31	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	6	41	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	6	51	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	7	1	26	0	0	0	0	0	0	0	46.67	0	0	11.4	0.3	3.3
2025	3	2	7	11	26	0	0	0	0	0	0	0	46.69	0	0	11.6	0.3	3.3
2025	3	2	7	21	26	0	0	0	0	0	0	0	46.69	0	0	11.8	0.3	3.3
2025	3	2	7	31	26	0	0	0	0	0	0	0	46.71	0	0	12	0.3	3.3
2025	3	2	7	41	26	0	0	0	0	0	0	0	46.74	0	0	12	0.3	3.3
2025	3	2	7	51	26	0	0	0	0	0	0	0	46.8	0	0	11.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	2	8	1	26	0	0	0	0	0	0	0	46.85	0	0	11.8	0.3	3.3
2025	3	2	8	11	26	0	0	0	0	0	0	0	46.94	0	0	12	0.3	3.3
2025	3	2	8	21	26	0	0	0	0	0	0	0	47.03	0	0	11.8	0.3	3.3
2025	3	2	8	31	26	0	0	0	0	0	0	0	47.1	0	0	11.6	0.3	3.3
2025	3	2	8	41	26	0	0	0	0	0	0	0	47.17	0	0	11.6	0.3	3.3
2025	3	2	8	51	26	0	0	0	0	0	0	0	47.17	0	0	11.4	0.3	3.3
2025	3	2	9	1	26	0	0	0	0	0	0	0	47.3	0	0	12.8	0.3	3.6
2025	3	2	9	11	26	0	0	0	0	0	0	0	47.39	0	0	13.4	0.3	3.6
2025	3	2	9	21	26	0	0	0	0	0	0	0	47.43	0	0	13.6	0.3	3.6
2025	3	2	9	31	26	0	0	0	0	0	0	0	47.52	0	0	13.6	0.3	3.6
2025	3	2	9	41	26	0	0	0	0	0	0	0	47.46	0	0	12.8	0.3	3.6
2025	3	2	9	51	26	0	0	0	0	0	0	0	47.48	0	0	13.2	0.3	3.6
2025	3	2	10	1	26	0	0	0	0	0	0	0	47.59	0	0	13.6	0.3	3.6
2025	3	2	10	11	26	0	0	0	0	0	0	0	47.75	0	0	13.4	0.3	3.6
2025	3	2	10	21	26	0	0	0	0	0	0	0	47.82	0	0	13.6	0.3	3.6
2025	3	2	10	31	26	0	0	0	0	0	0	0	47.88	0	0	13.4	0.3	3.6
2025	3	2	10	41	26	0	0	0	0	0	0	0	47.68	0	0	12.4	0.3	3.6
2025	3	2	10	51	26	0	0	0	0	0	0	0	47.7	0	0	13.4	0.3	3.6
2025	3	2	11	1	26	0	0	0	0	0	0	0	47.97	0	0	13.6	0.3	3.6
2025	3	2	11	11	26	0	0	0	0	0	0	0	48.09	0	0	13.6	0.3	3.6
2025	3	2	11	21	26	0	0	0	0	0	0	0	48.2	0	0	13.6	0.3	3.6
2025	3	2	11	31	26	0	0	0	0	0	0	0	48.25	0	0	13.6	0.3	3.6
2025	3	2	11	41	26	0	0	0	0	0	0	0	48.34	0	0	13.6	0.3	3.6
2025	3	2	11	51	26	0	0	0	0	0	0	0	48.45	0	0	13.6	0.3	3.6
2025	3	2	12	1	26	0	0	0	0	0	0	0	48.56	0	0	13.6	0.3	3.6
2025	3	2	12	11	26	0	0	0	0	0	0	0	48.61	0	0	13.6	0.3	3.6
2025	3	2	12	21	26	0	0	0	0	0	0	0	48.7	0	0	13.6	0.3	3.6
2025	3	2	12	31	26	0	0	0	0	0	0	0	48.78	0	0	13.6	0.3	3.6
2025	3	2	12	41	26	0	0	0	0	0	0	0	48.83	0	0	13.6	0.3	3.6
2025	3	2	12	51	26	0	0	0	0	0	0	0	48.87	0	0	13.6	0.3	3.6
2025	3	2	13	1	26	0	0	0	0	0	0	0	48.94	0	0	13.6	0.3	3.6
2025	3	2	13	11	26	0	0	0	0	0	0	0	48.99	0	0	13.6	0.3	3.6
2025	3	2	13	21	26	0	0	0	0	0	0	0	49.05	0	0	13.6	0.3	3.6
2025	3	2	13	31	26	0	0	0	0	0	0	0	49.08	0	0	13.4	0.3	3.6
2025	3	2	13	41	26	0	0	0	0	0	0	0	49.12	0	0	13.4	0.3	3.6
2025	3	2	13	51	26	0	0	0	0	0	0	0	49.15	0	0	13.4	0.3	3.6
2025	3	2	14	1	26	0	0	0	0	0	0	0	49.19	0	0	13.4	0.3	3.6
2025	3	2	14	11	26	0	0	0	0	0	0	0	49.23	0	0	13.4	0.3	3.6
2025	3	2	14	21	26	0	0	0	0	0	0	0	49.28	0	0	13.4	0.3	3.6
2025	3	2	14	31	26	0	0	0	0	0	0	0	49.28	0	0	13.4	0.3	3.6
2025	3	2	14	41	26	0	0	0	0	0	0	0	49.32	0	0	13.4	0.3	3.6
2025	3	2	14	51	26	0	0	0	0	0	0	0	49.33	0	0	13.2	0.3	3.6
2025	3	2	15	1	26	0	0	0	0	0	0	0	49.37	0	0	13.2	0.3	3.6
2025	3	2	15	11	26	0	0	0	0	0	0	0	49.37	0	0	13.4	0.3	3.6
2025	3	2	15	21	26	0	0	0	0	0	0	0	49.39	0	0	13.4	0.3	3.6
2025	3	2	15	31	26	0	0	0	0	0	0	0	49.39	0	0	13.4	0.3	3.6
2025	3	2	15	41	26	0	0	0	0	0	0	0	49.41	0	0	13.4	0.3	3.6
2025	3	2	15	51	26	0	0	0	0	0	0	0	49.41	0	0	13.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	2	16	1	26	0	0	0	0	0	0	0	49.37	0	0	13.4	0.3	3.6
2025	3	2	16	11	26	0	0	0	0	0	0	0	49.35	0	0	13	0.3	3.6
2025	3	2	16	21	26	0	0	0	0	0	0	0	49.32	0	0	12.4	0.3	3.6
2025	3	2	16	31	26	0	0	0	0	0	0	0	49.32	0	0	12.2	0.3	3.6
2025	3	2	16	41	26	0	0	0	0	0	0	0	49.32	0	0	12	0.3	3.6
2025	3	2	16	51	26	0	0	0	0	0	0	0	49.32	0	0	12	0.3	3.6
2025	3	2	17	1	26	0	0	0	0	0	0	0	49.32	0	0	11.8	0.3	3.6
2025	3	2	17	11	26	0	0	0	0	0	0	0	49.32	0	0	11.6	0.3	3.6
2025	3	2	17	21	26	0	0	0	0	0	0	0	49.32	0	0	11.6	0.3	3.6
2025	3	2	17	31	26	0	0	0	0	0	0	0	49.3	0	0	10.8	0.3	3.6
2025	3	2	17	41	26	0	0	0	0	0	0	0	49.3	0	0	10.6	0.3	3.6
2025	3	2	17	51	26	0	0	0	0	0	0	0	49.3	0	0	10.4	0.3	3.6
2025	3	2	18	1	26	0	0	0	0	0	0	0	49.28	0	0	10.4	0.3	3.6
2025	3	2	18	11	26	0	0	0	0	0	0	0	49.3	0	0	10.4	0.3	3.6
2025	3	2	18	21	26	0	0	0	0	0	0	0	49.28	0	0	10.4	0.3	3.6
2025	3	2	18	31	26	0	0	0	0	0	0	0	49.28	0	0	10.6	0.3	3.6
2025	3	2	18	41	26	0	0	0	0	0	0	0	49.26	0	0	10.4	0.3	3.6
2025	3	2	18	51	26	0	0	0	0	0	0	0	49.26	0	0	10.6	0.3	3.6
2025	3	2	19	1	26	0	0	0	0	0	0	0	49.23	0	0	11.2	0.3	3.6
2025	3	2	19	11	26	0	0	0	0	0	0	0	49.19	0	0	11.6	0.3	3.6
2025	3	2	19	21	26	0	0	0	0	0	0	0	49.15	0	0	11.4	0.3	3.6
2025	3	2	19	31	26	0	0	0	0	0	0	0	49.14	0	0	10.4	0.3	3.6
2025	3	2	19	41	26	0	0	0	0	0	0	0	49.08	0	0	10.2	0.3	3.6
2025	3	2	19	51	26	0	0	0	0	0	0	0	49.05	0	0	10.2	0.3	3.6
2025	3	2	20	1	26	0	0	0	0	0	0	0	49.01	0	0	11.4	0.3	3.6
2025	3	2	20	11	26	0	0	0	0	0	0	0	48.96	0	0	11.4	0.3	3.6
2025	3	2	20	21	26	0	0	0	0	0	0	0	48.92	0	0	11.4	0.3	3.6
2025	3	2	20	31	26	0	0	0	0	0	0	0	48.87	0	0	11.4	0.3	3.6
2025	3	2	20	41	26	0	0	0	0	0	0	0	48.79	0	0	11.4	0.3	3.6
2025	3	2	20	51	26	0	0	0	0	0	0	0	48.74	0	0	11.4	0.3	3.6
2025	3	2	21	1	26	0	0	0	0	0	0	0	48.69	0	0	11.2	0.3	3.6
2025	3	2	21	11	26	0	0	0	0	0	0	0	48.61	0	0	10.4	0.3	3.6
2025	3	2	21	21	26	0	0	0	0	0	0	0	48.52	0	0	10.2	0.3	3.6
2025	3	2	21	31	26	0	0	0	0	0	0	0	48.45	0	0	10.2	0.3	3.6
2025	3	2	21	41	26	0	0	0	0	0	0	0	48.36	0	0	10.4	0.3	3.6
2025	3	2	21	51	26	0	0	0	0	0	0	0	48.29	0	0	10.2	0.3	3.6
2025	3	2	22	1	26	0	0	0	0	0	0	0	48.2	0	0	10.2	0.3	3.6
2025	3	2	22	11	26	0	0	0	0	0	0	0	48.13	0	0	10.6	0.3	3.6
2025	3	2	22	21	26	0	0	0	0	0	0	0	48.04	0	0	10.6	0.3	3.6
2025	3	2	22	31	26	0	0	0	0	0	0	0	47.97	0	0	10.4	0.3	3.6
2025	3	2	22	41	26	0	0	0	0	0	0	0	47.86	0	0	10.4	0.3	3.6
2025	3	2	22	51	26	0	0	0	0	0	0	0	47.8	0	0	10.2	0.3	3.6
2025	3	2	23	1	26	0	0	0	0	0	0	0	47.71	0	0	10.2	0.3	3.6
2025	3	2	23	11	26	0	0	0	0	0	0	0	47.62	0	0	10.2	0.3	3.6
2025	3	2	23	21	26	0	0	0	0	0	0	0	47.55	0	0	10.6	0.3	3.6
2025	3	2	23	31	26	0	0	0	0	0	0	0	47.46	0	0	10.4	0.3	3.6
2025	3	2	23	41	26	0	0	0	0	0	0	0	47.39	0	0	10.4	0.3	3.6
2025	3	2	23	51	26	0	0	0	0	0	0	0	47.3	0	0	10.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	3	0	1	26	0	0	0	0	0	0	0	47.23	0	0	10.4	0.3	3.6
2025	3	3	0	11	26	0	0	0	0	0	0	0	47.14	0	0	10.4	0.3	3.3
2025	3	3	0	21	26	0	0	0	0	0	0	0	47.07	0	0	10.4	0.3	3.3
2025	3	3	0	31	26	0	0	0	0	0	0	0	46.99	0	0	10.4	0.3	3.3
2025	3	3	0	41	26	0	0	0	0	0	0	0	46.92	0	0	10.4	0.3	3.3
2025	3	3	0	51	26	0	0	0	0	0	0	0	46.87	0	0	10.4	0.3	3.3
2025	3	3	1	1	26	0	0	0	0	0	0	0	46.8	0	0	10.2	0.3	3.3
2025	3	3	1	11	26	0	0	0	0	0	0	0	46.74	0	0	10.2	0.3	3.3
2025	3	3	1	21	26	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	3	1	31	26	0	0	0	0	0	0	0	46.62	0	0	10.2	0.3	3.3
2025	3	3	1	41	26	0	0	0	0	0	0	0	46.56	0	0	10.2	0.3	3.3
2025	3	3	1	51	26	0	0	0	0	0	0	0	46.51	0	0	10.2	0.3	3.3
2025	3	3	2	1	26	0	0	0	0	0	0	0	46.45	0	0	10.2	0.3	3.3
2025	3	3	2	11	26	0	0	0	0	0	0	0	46.4	0	0	10.2	0.3	3.3
2025	3	3	2	21	26	0	0	0	0	0	0	0	46.35	0	0	10.2	0.3	3.3
2025	3	3	2	31	26	0	0	0	0	0	0	0	46.29	0	0	10	0.3	3.3
2025	3	3	2	41	26	0	0	0	0	0	0	0	46.24	0	0	10.2	0.3	3.3
2025	3	3	2	51	26	0	0	0	0	0	0	0	46.18	0	0	10.2	0.3	3.3
2025	3	3	3	1	26	0	0	0	0	0	0	0	46.15	0	0	10.2	0.3	3.3
2025	3	3	3	11	26	0	0	0	0	0	0	0	46.09	0	0	10.2	0.3	3.3
2025	3	3	3	21	26	0	0	0	0	0	0	0	46.08	0	0	10.2	0.3	3.3
2025	3	3	3	31	26	0	0	0	0	0	0	0	46.04	0	0	10	0.3	3.3
2025	3	3	3	41	26	0	0	0	0	0	0	0	46.02	0	0	10	0.3	3.3
2025	3	3	3	51	26	0	0	0	0	0	0	0	45.99	0	0	10	0.3	3.3
2025	3	3	4	1	26	0	0	0	0	0	0	0	45.97	0	0	10	0.3	3.3
2025	3	3	4	11	26	0	0	0	0	0	0	0	45.97	0	0	11.2	0.3	3.3
2025	3	3	4	21	26	0	0	0	0	0	0	0	45.93	0	0	10.4	0.3	3.3
2025	3	3	4	31	26	0	0	0	0	0	0	0	45.93	0	0	10	0.3	3.3
2025	3	3	4	41	26	0	0	0	0	0	0	0	45.9	0	0	10.8	0.3	3.3
2025	3	3	4	51	26	0	0	0	0	0	0	0	45.88	0	0	11.4	0.3	3.3
2025	3	3	5	1	26	0	0	0	0	0	0	0	45.88	0	0	11	0.3	3.3
2025	3	3	5	11	26	0	0	0	0	0	0	0	45.86	0	0	10.4	0.3	3.3
2025	3	3	5	21	26	0	0	0	0	0	0	0	45.86	0	0	10.4	0.3	3.3
2025	3	3	5	31	26	0	0	0	0	0	0	0	45.84	0	0	10.2	0.3	3.3
2025	3	3	5	41	26	0	0	0	0	0	0	0	45.82	0	0	10.2	0.3	3.3
2025	3	3	5	51	26	0	0	0	0	0	0	0	45.82	0	0	10.2	0.3	3.3
2025	3	3	6	1	26	0	0	0	0	0	0	0	45.82	0	0	10	0.3	3.3
2025	3	3	6	11	26	0	0	0	0	0	0	0	45.81	0	0	10	0.3	3.3
2025	3	3	6	21	26	0	0	0	0	0	0	0	45.81	0	0	10	0.3	3.3
2025	3	3	6	31	26	0	0	0	0	0	0	0	45.79	0	0	10	0.3	3.3
2025	3	3	6	41	26	0	0	0	0	0	0	0	45.79	0	0	10	0.3	3.3
2025	3	3	6	51	26	0	0	0	0	0	0	0	45.77	0	0	10	0.3	3.3
2025	3	3	7	1	26	0	0	0	0	0	0	0	45.75	0	0	10	0.3	3.3
2025	3	3	7	11	26	0	0	0	0	0	0	0	45.75	0	0	10	0.3	3.3
2025	3	3	7	21	26	0	0	0	0	0	0	0	45.77	0	0	10	0.3	3.3
2025	3	3	7	31	26	0	0	0	0	0	0	0	45.77	0	0	10	0.3	3.3
2025	3	3	7	41	26	0	0	0	0	0	0	0	45.79	0	0	10.2	0.3	3.3
2025	3	3	7	51	26	0	0	0	0	0	0	0	45.81	0	0	10.2	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	3	8	1	26	0	0	0	0	0	0	0	45.81	0	0	10.2	0.3	3.3
2025	3	3	8	11	26	0	0	0	0	0	0	0	45.84	0	0	10.2	0.3	3.3
2025	3	3	8	21	26	0	0	0	0	0	0	0	45.82	0	0	10.2	0.3	3.3
2025	3	3	8	31	26	0	0	0	0	0	0	0	45.84	0	0	10.2	0.3	3.3
2025	3	3	8	41	26	0	0	0	0	0	0	0	45.93	0	0	10.8	0.3	3.3
2025	3	3	8	51	26	0	0	0	0	0	0	0	45.99	0	0	11.2	0.3	3.3
2025	3	3	9	1	26	0	0	0	0	0	0	0	46.04	0	0	11.2	0.3	3.3
2025	3	3	9	11	26	0	0	0	0	0	0	0	46	0	0	10.8	0.3	3.3
2025	3	3	9	21	26	0	0	0	0	0	0	0	46.15	0	0	11.6	0.3	3.3
2025	3	3	9	31	26	0	0	0	0	0	0	0	46.09	0	0	11	0.3	3.3
2025	3	3	9	41	26	0	0	0	0	0	0	0	46.22	0	0	11.8	0.3	3.3
2025	3	3	9	51	26	0	0	0	0	0	0	0	46.31	0	0	11.8	0.3	3.3
2025	3	3	10	1	26	0	0	0	0	0	0	0	46.45	0	0	12	0.3	3.3
2025	3	3	10	11	26	0	0	0	0	0	0	0	46.54	0	0	12.2	0.3	3.3
2025	3	3	10	21	26	0	0	0	0	0	0	0	46.63	0	0	12.4	0.3	3.3
2025	3	3	10	31	26	0	0	0	0	0	0	0	46.74	0	0	12.4	0.3	3.3
2025	3	3	10	41	26	0	0	0	0	0	0	0	46.81	0	0	12.4	0.3	3.3
2025	3	3	10	51	26	0	0	0	0	0	0	0	46.87	0	0	12.4	0.3	3.3
2025	3	3	11	1	26	0	0	0	0	0	0	0	46.96	0	0	12.4	0.3	3.3
2025	3	3	11	11	26	0	0	0	0	0	0	0	47.03	0	0	12.4	0.3	3.3
2025	3	3	11	21	26	0	0	0	0	0	0	0	47.1	0	0	12.4	0.3	3.3
2025	3	3	11	31	26	0	0	0	0	0	0	0	47.16	0	0	12.4	0.3	3.3
2025	3	3	11	41	26	0	0	0	0	0	0	0	47.23	0	0	12.4	0.3	3.3
2025	3	3	11	51	26	0	0	0	0	0	0	0	47.28	0	0	12.4	0.3	3.6
2025	3	3	12	1	26	0	0	0	0	0	0	0	47.35	0	0	12.4	0.3	3.6
2025	3	3	12	11	26	0	0	0	0	0	0	0	47.41	0	0	12.4	0.3	3.6
2025	3	3	12	21	26	0	0	0	0	0	0	0	47.48	0	0	12.4	0.3	3.6
2025	3	3	12	31	26	0	0	0	0	0	0	0	47.53	0	0	12.4	0.3	3.6
2025	3	3	12	41	26	0	0	0	0	0	0	0	47.59	0	0	12.4	0.3	3.6
2025	3	3	12	51	26	0	0	0	0	0	0	0	47.64	0	0	12.2	0.3	3.6
2025	3	3	13	1	26	0	0	0	0	0	0	0	47.7	0	0	12.2	0.3	3.6
2025	3	3	13	11	26	0	0	0	0	0	0	0	47.73	0	0	12.2	0.3	3.6
2025	3	3	13	21	26	0	0	0	0	0	0	0	47.77	0	0	12.2	0.3	3.6
2025	3	3	13	31	26	0	0	0	0	0	0	0	47.8	0	0	12.2	0.3	3.6
2025	3	3	13	41	26	0	0	0	0	0	0	0	47.86	0	0	12.2	0.3	3.6
2025	3	3	13	51	26	0	0	0	0	0	0	0	47.93	0	0	12.2	0.3	3.6
2025	3	3	14	1	26	0	0	0	0	0	0	0	47.95	0	0	12.2	0.3	3.6
2025	3	3	14	11	26	0	0	0	0	0	0	0	47.97	0	0	12.2	0.3	3.6
2025	3	3	14	21	26	0	0	0	0	0	0	0	48	0	0	12.2	0.3	3.6
2025	3	3	14	31	26	0	0	0	0	0	0	0	48.02	0	0	12.2	0.3	3.6
2025	3	3	14	41	26	0	0	0	0	0	0	0	48.04	0	0	12.2	0.3	3.6
2025	3	3	14	51	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	1	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	11	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	21	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	31	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	41	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6
2025	3	3	15	51	26	0	0	0	0	0	0	0	48.06	0	0	12.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	3	16	1	26	0	0	0	0	0	0	0	48.04	0	0	12.2	0.3	3.6
2025	3	3	16	11	26	0	0	0	0	0	0	0	48.04	0	0	11.2	0.3	3.6
2025	3	3	16	21	26	0	0	0	0	0	0	0	48.02	0	0	10.8	0.3	3.6
2025	3	3	16	31	26	0	0	0	0	0	0	0	48	0	0	10.6	0.3	3.6
2025	3	3	16	41	26	0	0	0	0	0	0	0	48	0	0	10.4	0.3	3.6
2025	3	3	16	51	26	0	0	0	0	0	0	0	48	0	0	10.4	0.3	3.6
2025	3	3	17	1	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	17	11	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	17	21	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	17	31	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	17	41	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	17	51	26	0	0	0	0	0	0	0	48	0	0	10.2	0.3	3.6
2025	3	3	18	1	26	0	0	0	0	0	0	0	47.98	0	0	10.2	0.3	3.6
2025	3	3	18	11	26	0	0	0	0	0	0	0	47.98	0	0	10	0.3	3.6
2025	3	3	18	21	26	0	0	0	0	0	0	0	47.98	0	0	10	0.3	3.6
2025	3	3	18	31	26	0	0	0	0	0	0	0	47.97	0	0	9.8	0.3	3.6
2025	3	3	18	41	26	0	0	0	0	0	0	0	47.95	0	0	9.8	0.3	3.6
2025	3	3	18	51	26	0	0	0	0	0	0	0	47.93	0	0	9.8	0.3	3.6
2025	3	3	19	1	26	0	0	0	0	0	0	0	47.91	0	0	10	0.3	3.6
2025	3	3	19	11	26	0	0	0	0	0	0	0	47.89	0	0	10.2	0.3	3.6
2025	3	3	19	21	26	0	0	0	0	0	0	0	47.86	0	0	10	0.3	3.6
2025	3	3	19	31	26	0	0	0	0	0	0	0	47.84	0	0	10	0.3	3.6
2025	3	3	19	41	26	0	0	0	0	0	0	0	47.8	0	0	9.8	0.3	3.6
2025	3	3	19	51	26	0	0	0	0	0	0	0	47.77	0	0	9.8	0.3	3.6
2025	3	3	20	1	26	0	0	0	0	0	0	0	47.73	0	0	9.8	0.3	3.6
2025	3	3	20	11	26	0	0	0	0	0	0	0	47.7	0	0	9.8	0.3	3.6
2025	3	3	20	21	26	0	0	0	0	0	0	0	47.66	0	0	10	0.3	3.6
2025	3	3	20	31	26	0	0	0	0	0	0	0	47.61	0	0	10	0.3	3.6
2025	3	3	20	41	26	0	0	0	0	0	0	0	47.55	0	0	10	0.3	3.6
2025	3	3	20	51	26	0	0	0	0	0	0	0	47.52	0	0	10	0.3	3.6
2025	3	3	21	1	26	0	0	0	0	0	0	0	47.46	0	0	9.8	0.3	3.6
2025	3	3	21	11	26	0	0	0	0	0	0	0	47.41	0	0	10	0.3	3.6
2025	3	3	21	21	26	0	0	0	0	0	0	0	47.35	0	0	10.8	0.3	3.6
2025	3	3	21	31	26	0	0	0	0	0	0	0	47.3	0	0	10.6	0.3	3.6
2025	3	3	21	41	26	0	0	0	0	0	0	0	47.25	0	0	10.2	0.3	3.3
2025	3	3	21	51	26	0	0	0	0	0	0	0	47.17	0	0	10	0.3	3.3
2025	3	3	22	1	26	0	0	0	0	0	0	0	47.1	0	0	10	0.3	3.3
2025	3	3	22	11	26	0	0	0	0	0	0	0	47.03	0	0	10	0.3	3.3
2025	3	3	22	21	26	0	0	0	0	0	0	0	46.98	0	0	10	0.3	3.3
2025	3	3	22	31	26	0	0	0	0	0	0	0	46.89	0	0	10	0.3	3.3
2025	3	3	22	41	26	0	0	0	0	0	0	0	46.81	0	0	10	0.3	3.3
2025	3	3	22	51	26	0	0	0	0	0	0	0	46.76	0	0	10	0.3	3.3
2025	3	3	23	1	26	0	0	0	0	0	0	0	46.67	0	0	9.8	0.3	3.3
2025	3	3	23	11	26	0	0	0	0	0	0	0	46.6	0	0	10	0.3	3.3
2025	3	3	23	21	26	0	0	0	0	0	0	0	46.53	0	0	9.8	0.3	3.3
2025	3	3	23	31	26	0	0	0	0	0	0	0	46.47	0	0	9.8	0.3	3.3
2025	3	3	23	41	26	0	0	0	0	0	0	0	46.4	0	0	9.6	0.3	3.3
2025	3	3	23	51	26	0	0	0	0	0	0	0	46.33	0	0	10	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	4	0	1	26	0	0	0	0	0	0	0	46.26	0	0	11.2	0.3	3.3
2025	3	4	0	11	26	0	0	0	0	0	0	0	46.18	0	0	11.2	0.3	3.3
2025	3	4	0	21	26	0	0	0	0	0	0	0	46.13	0	0	10.6	0.3	3.3
2025	3	4	0	31	26	0	0	0	0	0	0	0	46.08	0	0	10.4	0.3	3.3
2025	3	4	0	41	26	0	0	0	0	0	0	0	46	0	0	10.6	0.3	3.3
2025	3	4	0	51	26	0	0	0	0	0	0	0	45.93	0	0	10.4	0.3	3.3
2025	3	4	1	1	26	0	0	0	0	0	0	0	45.88	0	0	10.4	0.3	3.3
2025	3	4	1	11	26	0	0	0	0	0	0	0	45.81	0	0	10.2	0.3	3.3
2025	3	4	1	21	26	0	0	0	0	0	0	0	45.75	0	0	10.2	0.3	3.3
2025	3	4	1	31	26	0	0	0	0	0	0	0	45.7	0	0	10.2	0.3	3.3
2025	3	4	1	41	26	0	0	0	0	0	0	0	45.66	0	0	10.2	0.3	3.3
2025	3	4	1	51	26	0	0	0	0	0	0	0	45.61	0	0	10.2	0.3	3.3
2025	3	4	2	1	26	0	0	0	0	0	0	0	45.57	0	0	10.2	0.3	3.3
2025	3	4	2	11	26	0	0	0	0	0	0	0	45.52	0	0	10.2	0.3	3.3
2025	3	4	2	21	26	0	0	0	0	0	0	0	45.48	0	0	10.2	0.3	3.6
2025	3	4	2	31	26	0	0	0	0	0	0	0	45.45	0	0	10.2	0.3	3.6
2025	3	4	2	41	26	0	0	0	0	0	0	0	45.41	0	0	10.4	0.3	3.6
2025	3	4	2	51	26	0	0	0	0	0	0	0	45.39	0	0	10.2	0.3	3.6
2025	3	4	3	1	26	0	0	0	0	0	0	0	45.36	0	0	10.2	0.3	3.6
2025	3	4	3	11	26	0	0	0	0	0	0	0	45.32	0	0	10.2	0.3	3.6
2025	3	4	3	21	26	0	0	0	0	0	0	0	45.3	0	0	10.2	0.3	3.6
2025	3	4	3	31	26	0	0	0	0	0	0	0	45.27	0	0	10.2	0.3	3.6
2025	3	4	3	41	26	0	0	0	0	0	0	0	45.27	0	0	10.2	0.3	3.6
2025	3	4	3	51	26	0	0	0	0	0	0	0	45.25	0	0	10.2	0.3	3.6
2025	3	4	4	1	26	0	0	0	0	0	0	0	45.23	0	0	10	0.3	3.6
2025	3	4	4	11	26	0	0	0	0	0	0	0	45.19	0	0	10.2	0.3	3.6
2025	3	4	4	21	26	0	0	0	0	0	0	0	45.19	0	0	11	0.3	3.6
2025	3	4	4	31	26	0	0	0	0	0	0	0	45.19	0	0	11	0.3	3.6
2025	3	4	4	41	26	0	0	0	0	0	0	0	45.18	0	0	11.4	0.3	3.6
2025	3	4	4	51	26	0	0	0	0	0	0	0	45.16	0	0	11.4	0.3	3.6
2025	3	4	5	1	26	0	0	0	0	0	0	0	45.16	0	0	11.4	0.3	3.6
2025	3	4	5	11	26	0	0	0	0	0	0	0	45.14	0	0	11.4	0.3	3.6
2025	3	4	5	21	26	0	0	0	0	0	0	0	45.12	0	0	11.4	0.3	3.6
2025	3	4	5	31	26	0	0	0	0	0	0	0	45.12	0	0	11.4	0.3	3.6
2025	3	4	5	41	26	0	0	0	0	0	0	0	45.1	0	0	11.4	0.3	3.6
2025	3	4	5	51	26	0	0	0	0	0	0	0	45.09	0	0	10.4	0.3	3.6
2025	3	4	6	1	26	0	0	0	0	0	0	0	45.09	0	0	10.4	0.3	3.6
2025	3	4	6	11	26	0	0	0	0	0	0	0	45.07	0	0	10.2	0.3	3.6
2025	3	4	6	21	26	0	0	0	0	0	0	0	45.07	0	0	10.2	0.3	3.6
2025	3	4	6	31	26	0	0	0	0	0	0	0	45.05	0	0	10.2	0.3	3.6
2025	3	4	6	41	26	0	0	0	0	0	0	0	45.05	0	0	10.2	0.3	3.6
2025	3	4	6	51	26	0	0	0	0	0	0	0	45.03	0	0	10.2	0.3	3.6
2025	3	4	7	1	26	0	0	0	0	0	0	0	45.03	0	0	10.4	0.3	3.6
2025	3	4	7	11	26	0	0	0	0	0	0	0	45.03	0	0	10.6	0.3	3.6
2025	3	4	7	21	26	0	0	0	0	0	0	0	45.03	0	0	10.8	0.3	3.6
2025	3	4	7	31	26	0	0	0	0	0	0	0	45.05	0	0	11	0.3	3.6
2025	3	4	7	41	26	0	0	0	0	0	0	0	45.07	0	0	11.4	0.3	3.6
2025	3	4	7	51	26	0	0	0	0	0	0	0	45.09	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	4	8	1	26	0	0	0	0	0	0	0	45.14	0	0	11.6	0.3	3.6
2025	3	4	8	11	26	0	0	0	0	0	0	0	45.23	0	0	11.6	0.3	3.6
2025	3	4	8	21	26	0	0	0	0	0	0	0	45.34	0	0	12	0.3	3.6
2025	3	4	8	31	26	0	0	0	0	0	0	0	45.39	0	0	12	0.3	3.6
2025	3	4	8	41	26	0	0	0	0	0	0	0	45.48	0	0	12	0.3	3.3
2025	3	4	8	51	26	0	0	0	0	0	0	0	45.55	0	0	12.2	0.3	3.3
2025	3	4	9	1	26	0	0	0	0	0	0	0	45.64	0	0	12.2	0.3	3.3
2025	3	4	9	11	26	0	0	0	0	0	0	0	45.7	0	0	12.2	0.3	3.3
2025	3	4	9	21	26	0	0	0	0	0	0	0	45.79	0	0	13	0.3	3.3
2025	3	4	9	31	26	0	0	0	0	0	0	0	45.86	0	0	13.2	0.3	3.3
2025	3	4	9	41	26	0	0	0	0	0	0	0	45.95	0	0	13.2	0.3	3.3
2025	3	4	9	51	26	0	0	0	0	0	0	0	46.02	0	0	13	0.3	3.3
2025	3	4	10	1	26	0	0	0	0	0	0	0	46.11	0	0	13	0.3	3.3
2025	3	4	10	11	26	0	0	0	0	0	0	0	46.2	0	0	12.4	0.3	3.3
2025	3	4	10	21	26	0	0	0	0	0	0	0	46.27	0	0	12.4	0.3	3.3
2025	3	4	10	31	26	0	0	0	0	0	0	0	46.36	0	0	12.2	0.3	3.3
2025	3	4	10	41	26	0	0	0	0	0	0	0	46.42	0	0	12.8	0.3	3.3
2025	3	4	10	51	26	0	0	0	0	0	0	0	46.51	0	0	12.6	0.3	3.3
2025	3	4	11	1	26	0	0	0	0	0	0	0	46.58	0	0	12.6	0.3	3.3
2025	3	4	11	11	26	0	0	0	0	0	0	0	46.67	0	0	12.4	0.3	3.3
2025	3	4	11	21	26	0	0	0	0	0	0	0	46.76	0	0	12.6	0.3	3.3
2025	3	4	11	31	26	0	0	0	0	0	0	0	46.83	0	0	12.4	0.3	3.3
2025	3	4	11	41	26	0	0	0	0	0	0	0	46.89	0	0	12.6	0.3	3.3
2025	3	4	11	51	26	0	0	0	0	0	0	0	46.99	0	0	12.6	0.3	3.3
2025	3	4	12	1	26	0	0	0	0	0	0	0	47.07	0	0	12.6	0.3	3.3
2025	3	4	12	11	26	0	0	0	0	0	0	0	47.14	0	0	12.6	0.3	3.3
2025	3	4	12	21	26	0	0	0	0	0	0	0	47.23	0	0	12.4	0.3	3.3
2025	3	4	12	31	26	0	0	0	0	0	0	0	47.3	0	0	12.6	0.3	3.3
2025	3	4	12	41	26	0	0	0	0	0	0	0	47.37	0	0	12.4	0.3	3.6
2025	3	4	12	51	26	0	0	0	0	0	0	0	47.43	0	0	12.4	0.3	3.6
2025	3	4	13	1	26	0	0	0	0	0	0	0	47.5	0	0	12.4	0.3	3.6
2025	3	4	13	11	26	0	0	0	0	0	0	0	47.57	0	0	12.4	0.3	3.6
2025	3	4	13	21	26	0	0	0	0	0	0	0	47.64	0	0	12.6	0.3	3.6
2025	3	4	13	31	26	0	0	0	0	0	0	0	47.68	0	0	12.8	0.3	3.6
2025	3	4	13	41	26	0	0	0	0	0	0	0	47.73	0	0	12.6	0.3	3.6
2025	3	4	13	51	26	0	0	0	0	0	0	0	47.79	0	0	12.6	0.3	3.6
2025	3	4	14	1	26	0	0	0	0	0	0	0	47.84	0	0	12.6	0.3	3.6
2025	3	4	14	11	26	0	0	0	0	0	0	0	47.89	0	0	12.6	0.3	3.6
2025	3	4	14	21	26	0	0	0	0	0	0	0	47.93	0	0	12.6	0.3	3.6
2025	3	4	14	31	26	0	0	0	0	0	0	0	48	0	0	12.6	0.3	3.6
2025	3	4	14	41	26	0	0	0	0	0	0	0	48.04	0	0	12.6	0.3	3.6
2025	3	4	14	51	26	0	0	0	0	0	0	0	48.07	0	0	12.8	0.3	3.6
2025	3	4	15	1	26	0	0	0	0	0	0	0	48.11	0	0	12.8	0.3	3.6
2025	3	4	15	11	26	0	0	0	0	0	0	0	48.15	0	0	12.8	0.3	3.6
2025	3	4	15	21	26	0	0	0	0	0	0	0	48.18	0	0	12.6	0.3	3.6
2025	3	4	15	31	26	0	0	0	0	0	0	0	48.22	0	0	12.6	0.3	3.6
2025	3	4	15	41	26	0	0	0	0	0	0	0	48.25	0	0	12.6	0.3	3.6
2025	3	4	15	51	26	0	0	0	0	0	0	0	48.27	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	4	16	1	26	0	0	0	0	0	0	0	48.27	0	0	12.6	0.3	3.6
2025	3	4	16	11	26	0	0	0	0	0	0	0	48.33	0	0	11.6	0.3	3.6
2025	3	4	16	21	26	0	0	0	0	0	0	0	48.33	0	0	11.4	0.3	3.6
2025	3	4	16	31	26	0	0	0	0	0	0	0	48.34	0	0	11.2	0.3	3.6
2025	3	4	16	41	26	0	0	0	0	0	0	0	48.36	0	0	11	0.3	3.6
2025	3	4	16	51	26	0	0	0	0	0	0	0	48.4	0	0	11	0.3	3.6
2025	3	4	17	1	26	0	0	0	0	0	0	0	48.43	0	0	10.8	0.3	3.6
2025	3	4	17	11	26	0	0	0	0	0	0	0	48.45	0	0	10.8	0.3	3.6
2025	3	4	17	21	26	0	0	0	0	0	0	0	48.47	0	0	10.8	0.3	3.6
2025	3	4	17	31	26	0	0	0	0	0	0	0	48.49	0	0	10.8	0.3	3.6
2025	3	4	17	41	26	0	0	0	0	0	0	0	48.51	0	0	10.8	0.3	3.6
2025	3	4	17	51	26	0	0	0	0	0	0	0	48.52	0	0	10.6	0.3	3.6
2025	3	4	18	1	26	0	0	0	0	0	0	0	48.52	0	0	10.8	0.3	3.6
2025	3	4	18	11	26	0	0	0	0	0	0	0	48.54	0	0	10.8	0.3	3.6
2025	3	4	18	21	26	0	0	0	0	0	0	0	48.54	0	0	10.6	0.3	3.6
2025	3	4	18	31	26	0	0	0	0	0	0	0	48.54	0	0	10.6	0.3	3.6
2025	3	4	18	41	26	0	0	0	0	0	0	0	48.52	0	0	10.4	0.3	3.6
2025	3	4	18	51	26	0	0	0	0	0	0	0	48.51	0	0	10.4	0.3	3.6
2025	3	4	19	1	26	0	0	0	0	0	0	0	48.49	0	0	10.4	0.3	3.6
2025	3	4	19	11	26	0	0	0	0	0	0	0	48.47	0	0	10.4	0.3	3.6
2025	3	4	19	21	26	0	0	0	0	0	0	0	48.45	0	0	10.4	0.3	3.6
2025	3	4	19	31	26	0	0	0	0	0	0	0	48.42	0	0	10.4	0.3	3.6
2025	3	4	19	41	26	0	0	0	0	0	0	0	48.38	0	0	10.6	0.3	3.6
2025	3	4	19	51	26	0	0	0	0	0	0	0	48.34	0	0	10.8	0.3	3.6
2025	3	4	20	1	26	0	0	0	0	0	0	0	48.31	0	0	10.6	0.3	3.6
2025	3	4	20	11	26	0	0	0	0	0	0	0	48.25	0	0	10.4	0.3	3.6
2025	3	4	20	21	26	0	0	0	0	0	0	0	48.2	0	0	10.4	0.3	3.6
2025	3	4	20	31	26	0	0	0	0	0	0	0	48.15	0	0	10.2	0.3	3.6
2025	3	4	20	41	26	0	0	0	0	0	0	0	48.07	0	0	10.2	0.3	3.6
2025	3	4	20	51	26	0	0	0	0	0	0	0	48.02	0	0	10.2	0.3	3.6
2025	3	4	21	1	26	0	0	0	0	0	0	0	47.95	0	0	10	0.3	3.6
2025	3	4	21	11	26	0	0	0	0	0	0	0	47.89	0	0	10	0.3	3.6
2025	3	4	21	21	26	0	0	0	0	0	0	0	47.82	0	0	10	0.3	3.6
2025	3	4	21	31	26	0	0	0	0	0	0	0	47.77	0	0	10	0.3	3.6
2025	3	4	21	41	26	0	0	0	0	0	0	0	47.68	0	0	10	0.3	3.6
2025	3	4	21	51	26	0	0	0	0	0	0	0	47.62	0	0	10.2	0.3	3.6
2025	3	4	22	1	26	0	0	0	0	0	0	0	47.55	0	0	10	0.3	3.6
2025	3	4	22	11	26	0	0	0	0	0	0	0	47.48	0	0	10	0.3	3.6
2025	3	4	22	21	26	0	0	0	0	0	0	0	47.41	0	0	10	0.3	3.6
2025	3	4	22	31	26	0	0	0	0	0	0	0	47.34	0	0	9.8	0.3	3.6
2025	3	4	22	41	26	0	0	0	0	0	0	0	47.26	0	0	9.8	0.3	3.6
2025	3	4	22	51	26	0	0	0	0	0	0	0	47.17	0	0	11	0.3	3.3
2025	3	4	23	1	26	0	0	0	0	0	0	0	47.12	0	0	11.6	0.3	3.3
2025	3	4	23	11	26	0	0	0	0	0	0	0	47.03	0	0	11.6	0.3	3.3
2025	3	4	23	21	26	0	0	0	0	0	0	0	46.96	0	0	11.6	0.3	3.3
2025	3	4	23	31	26	0	0	0	0	0	0	0	46.87	0	0	11.6	0.3	3.3
2025	3	4	23	41	26	0	0	0	0	0	0	0	46.8	0	0	11.6	0.3	3.3
2025	3	4	23	51	26	0	0	0	0	0	0	0	46.72	0	0	11.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	5	0	1	26	0	0	0	0	0	0	0	46.63	0	0	11.4	0.3	3.3
2025	3	5	0	11	26	0	0	0	0	0	0	0	46.54	0	0	11.4	0.3	3.3
2025	3	5	0	21	26	0	0	0	0	0	0	0	46.49	0	0	11.4	0.3	3.3
2025	3	5	0	31	26	0	0	0	0	0	0	0	46.4	0	0	11.4	0.3	3.3
2025	3	5	0	41	26	0	0	0	0	0	0	0	46.33	0	0	11.4	0.3	3.3
2025	3	5	0	51	26	0	0	0	0	0	0	0	46.26	0	0	11.4	0.3	3.3
2025	3	5	1	1	26	0	0	0	0	0	0	0	46.2	0	0	11.4	0.3	3.3
2025	3	5	1	11	26	0	0	0	0	0	0	0	46.15	0	0	10.6	0.3	3.3
2025	3	5	1	21	26	0	0	0	0	0	0	0	46.08	0	0	10.4	0.3	3.3
2025	3	5	1	31	26	0	0	0	0	0	0	0	46.02	0	0	10.4	0.3	3.3
2025	3	5	1	41	26	0	0	0	0	0	0	0	45.97	0	0	10.4	0.3	3.3
2025	3	5	1	51	26	0	0	0	0	0	0	0	45.91	0	0	10.4	0.3	3.3
2025	3	5	2	1	26	0	0	0	0	0	0	0	45.88	0	0	10.4	0.3	3.3
2025	3	5	2	11	26	0	0	0	0	0	0	0	45.82	0	0	10.2	0.3	3.3
2025	3	5	2	21	26	0	0	0	0	0	0	0	45.79	0	0	10.4	0.3	3.3
2025	3	5	2	31	26	0	0	0	0	0	0	0	45.73	0	0	10.4	0.3	3.3
2025	3	5	2	41	26	0	0	0	0	0	0	0	45.73	0	0	10.6	0.3	3.3
2025	3	5	2	51	26	0	0	0	0	0	0	0	45.7	0	0	10.6	0.3	3.3
2025	3	5	3	1	26	0	0	0	0	0	0	0	45.66	0	0	10.6	0.3	3.3
2025	3	5	3	11	26	0	0	0	0	0	0	0	45.64	0	0	10.6	0.3	3.3
2025	3	5	3	21	26	0	0	0	0	0	0	0	45.64	0	0	10.6	0.3	3.3
2025	3	5	3	31	26	0	0	0	0	0	0	0	45.63	0	0	10.6	0.3	3.3
2025	3	5	3	41	26	0	0	0	0	0	0	0	45.61	0	0	10.4	0.3	3.3
2025	3	5	3	51	26	0	0	0	0	0	0	0	45.61	0	0	10.2	0.3	3.3
2025	3	5	4	1	26	0	0	0	0	0	0	0	45.59	0	0	10.2	0.3	3.3
2025	3	5	4	11	26	0	0	0	0	0	0	0	45.59	0	0	10.2	0.3	3.3
2025	3	5	4	21	26	0	0	0	0	0	0	0	45.59	0	0	10.2	0.3	3.3
2025	3	5	4	31	26	0	0	0	0	0	0	0	45.59	0	0	10.2	0.3	3.3
2025	3	5	4	41	26	0	0	0	0	0	0	0	45.59	0	0	10.4	0.3	3.3
2025	3	5	4	51	26	0	0	0	0	0	0	0	45.61	0	0	10.6	0.3	3.3
2025	3	5	5	1	26	0	0	0	0	0	0	0	45.61	0	0	10.6	0.3	3.3
2025	3	5	5	11	26	0	0	0	0	0	0	0	45.61	0	0	10.4	0.3	3.3
2025	3	5	5	21	26	0	0	0	0	0	0	0	45.63	0	0	10.4	0.3	3.3
2025	3	5	5	31	26	0	0	0	0	0	0	0	45.63	0	0	10.4	0.3	3.3
2025	3	5	5	41	26	0	0	0	0	0	0	0	45.63	0	0	10.2	0.3	3.3
2025	3	5	5	51	26	0	0	0	0	0	0	0	45.64	0	0	10.4	0.3	3.3
2025	3	5	6	1	26	0	0	0	0	0	0	0	45.64	0	0	10.4	0.3	3.3
2025	3	5	6	11	26	0	0	0	0	0	0	0	45.66	0	0	10.4	0.3	3.3
2025	3	5	6	21	26	0	0	0	0	0	0	0	45.64	0	0	10.4	0.3	3.3
2025	3	5	6	31	26	0	0	0	0	0	0	0	45.66	0	0	10.4	0.3	3.3
2025	3	5	6	41	26	0	0	0	0	0	0	0	45.68	0	0	10.4	0.3	3.3
2025	3	5	6	51	26	0	0	0	0	0	0	0	45.7	0	0	10.4	0.3	3.3
2025	3	5	7	1	26	0	0	0	0	0	0	0	45.72	0	0	10.4	0.3	3.3
2025	3	5	7	11	26	0	0	0	0	0	0	0	45.73	0	0	10.4	0.3	3.3
2025	3	5	7	21	26	0	0	0	0	0	0	0	45.77	0	0	10.4	0.3	3.3
2025	3	5	7	31	26	0	0	0	0	0	0	0	45.77	0	0	10.6	0.3	3.3
2025	3	5	7	41	26	0	0	0	0	0	0	0	45.79	0	0	10.6	0.3	3.3
2025	3	5	7	51	26	0	0	0	0	0	0	0	45.82	0	0	10.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	5	8	1	26	0	0	0	0	0	0	0	45.84	0	0	10.8	0.3	3.3
2025	3	5	8	11	26	0	0	0	0	0	0	0	45.86	0	0	10.8	0.3	3.3
2025	3	5	8	21	26	0	0	0	0	0	0	0	45.9	0	0	10.8	0.3	3.3
2025	3	5	8	31	26	0	0	0	0	0	0	0	45.93	0	0	10.8	0.3	3.3
2025	3	5	8	41	26	0	0	0	0	0	0	0	45.97	0	0	10.8	0.3	3.3
2025	3	5	8	51	26	0	0	0	0	0	0	0	45.99	0	0	10.8	0.3	3.3
2025	3	5	9	1	26	0	0	0	0	0	0	0	46.06	0	0	10.8	0.3	3.3
2025	3	5	9	11	26	0	0	0	0	0	0	0	46.11	0	0	10.8	0.3	3.3
2025	3	5	9	21	26	0	0	0	0	0	0	0	46.18	0	0	11	0.3	3.3
2025	3	5	9	31	26	0	0	0	0	0	0	0	46.24	0	0	11	0.3	3.3
2025	3	5	9	41	26	0	0	0	0	0	0	0	46.26	0	0	11	0.3	3.6
2025	3	5	9	51	26	0	0	0	0	0	0	0	46.29	0	0	11.2	0.3	3.6
2025	3	5	10	1	26	0	0	0	0	0	0	0	46.35	0	0	11.2	0.3	3.6
2025	3	5	10	11	26	0	0	0	0	0	0	0	46.38	0	0	11.2	0.3	3.6
2025	3	5	10	21	26	0	0	0	0	0	0	0	46.44	0	0	11.2	0.3	3.6
2025	3	5	10	31	26	0	0	0	0	0	0	0	46.45	0	0	11	0.3	3.6
2025	3	5	10	41	26	0	0	0	0	0	0	0	46.45	0	0	10.8	0.3	3.6
2025	3	5	10	51	26	0	0	0	0	0	0	0	46.45	0	0	10.6	0.3	3.6
2025	3	5	11	1	26	0	0	0	0	0	0	0	46.47	0	0	10.6	0.3	3.6
2025	3	5	11	11	26	0	0	0	0	0	0	0	46.51	0	0	10.6	0.3	3.6
2025	3	5	11	21	26	0	0	0	0	0	0	0	46.51	0	0	10.6	0.3	3.6
2025	3	5	11	31	26	0	0	0	0	0	0	0	46.53	0	0	10.6	0.3	3.6
2025	3	5	11	41	26	0	0	0	0	0	0	0	46.54	0	0	10.4	0.3	3.6
2025	3	5	11	51	26	0	0	0	0	0	0	0	46.58	0	0	10.4	0.3	3.6
2025	3	5	12	1	26	0	0	0	0	0	0	0	46.62	0	0	10.4	0.3	3.6
2025	3	5	12	11	26	0	0	0	0	0	0	0	46.65	0	0	10.4	0.3	3.6
2025	3	5	12	21	26	0	0	0	0	0	0	0	46.67	0	0	10.4	0.3	3.6
2025	3	5	12	31	26	0	0	0	0	0	0	0	46.69	0	0	10.4	0.3	3.6
2025	3	5	12	41	26	0	0	0	0	0	0	0	46.74	0	0	10.8	0.3	3.6
2025	3	5	12	51	26	0	0	0	0	0	0	0	46.76	0	0	11.2	0.3	3.6
2025	3	5	13	1	26	0	0	0	0	0	0	0	46.8	0	0	11.2	0.3	3.6
2025	3	5	13	11	26	0	0	0	0	0	0	0	46.83	0	0	11	0.3	3.6
2025	3	5	13	21	26	0	0	0	0	0	0	0	46.85	0	0	11	0.3	3.6
2025	3	5	13	31	26	0	0	0	0	0	0	0	46.89	0	0	11	0.3	3.6
2025	3	5	13	41	26	0	0	0	0	0	0	0	46.9	0	0	10.8	0.3	3.6
2025	3	5	13	51	26	0	0	0	0	0	0	0	46.94	0	0	10.6	0.3	3.6
2025	3	5	14	1	26	0	0	0	0	0	0	0	46.98	0	0	10.6	0.3	3.6
2025	3	5	14	11	26	0	0	0	0	0	0	0	47.01	0	0	10.8	0.3	3.6
2025	3	5	14	21	26	0	0	0	0	0	0	0	47.05	0	0	10.6	0.3	3.6
2025	3	5	14	31	26	0	0	0	0	0	0	0	47.07	0	0	10.6	0.3	3.6
2025	3	5	14	41	26	0	0	0	0	0	0	0	47.1	0	0	10.6	0.3	3.6
2025	3	5	14	51	26	0	0	0	0	0	0	0	47.12	0	0	10.6	0.3	3.6
2025	3	5	15	1	26	0	0	0	0	0	0	0	47.14	0	0	10.6	0.3	3.6
2025	3	5	15	11	26	0	0	0	0	0	0	0	47.17	0	0	10.6	0.3	3.6
2025	3	5	15	21	26	0	0	0	0	0	0	0	47.19	0	0	10.6	0.3	3.6
2025	3	5	15	31	26	0	0	0	0	0	0	0	47.21	0	0	10.6	0.3	3.6
2025	3	5	15	41	26	0	0	0	0	0	0	0	47.23	0	0	10.6	0.3	3.6
2025	3	5	15	51	26	0	0	0	0	0	0	0	47.25	0	0	10.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	5	16	1	26	0	0	0	0	0	0	0	47.28	0	0	10.6	0.3	3.6
2025	3	5	16	11	26	0	0	0	0	0	0	0	47.28	0	0	10.6	0.3	3.6
2025	3	5	16	21	26	0	0	0	0	0	0	0	47.28	0	0	10.6	0.3	3.6
2025	3	5	16	31	26	0	0	0	0	0	0	0	47.3	0	0	10.6	0.3	3.6
2025	3	5	16	41	26	0	0	0	0	0	0	0	47.3	0	0	10.4	0.3	3.6
2025	3	5	16	51	26	0	0	0	0	0	0	0	47.32	0	0	10.4	0.3	3.6
2025	3	5	17	1	26	0	0	0	0	0	0	0	47.32	0	0	10.6	0.3	3.6
2025	3	5	17	11	26	0	0	0	0	0	0	0	47.32	0	0	10.6	0.3	3.6
2025	3	5	17	21	26	0	0	0	0	0	0	0	47.3	0	0	10.6	0.3	3.6
2025	3	5	17	31	26	0	0	0	0	0	0	0	47.3	0	0	10.4	0.3	3.6
2025	3	5	17	41	26	0	0	0	0	0	0	0	47.28	0	0	10.4	0.3	3.6
2025	3	5	17	51	26	0	0	0	0	0	0	0	47.26	0	0	10.4	0.3	3.6
2025	3	5	18	1	26	0	0	0	0	0	0	0	47.23	0	0	10.4	0.3	3.6
2025	3	5	18	11	26	0	0	0	0	0	0	0	47.21	0	0	10.4	0.3	3.6
2025	3	5	18	21	26	0	0	0	0	0	0	0	47.19	0	0	10.4	0.3	3.6
2025	3	5	18	31	26	0	0	0	0	0	0	0	47.17	0	0	10.4	0.3	3.6
2025	3	5	18	41	26	0	0	0	0	0	0	0	47.14	0	0	10.4	0.3	3.6
2025	3	5	18	51	26	0	0	0	0	0	0	0	47.12	0	0	10.4	0.3	3.6
2025	3	5	19	1	26	0	0	0	0	0	0	0	47.08	0	0	10.4	0.3	3.6
2025	3	5	19	11	26	0	0	0	0	0	0	0	47.07	0	0	10.4	0.3	3.6
2025	3	5	19	21	26	0	0	0	0	0	0	0	47.05	0	0	10.4	0.3	3.6
2025	3	5	19	31	26	0	0	0	0	0	0	0	47.01	0	0	10.4	0.3	3.6
2025	3	5	19	41	26	0	0	0	0	0	0	0	46.98	0	0	10.4	0.3	3.6
2025	3	5	19	51	26	0	0	0	0	0	0	0	46.94	0	0	10.4	0.3	3.6
2025	3	5	20	1	26	0	0	0	0	0	0	0	46.9	0	0	10.4	0.3	3.6
2025	3	5	20	11	26	0	0	0	0	0	0	0	46.87	0	0	10.4	0.3	3.6
2025	3	5	20	21	26	0	0	0	0	0	0	0	46.83	0	0	10.4	0.3	3.6
2025	3	5	20	31	26	0	0	0	0	0	0	0	46.8	0	0	10.4	0.3	3.6
2025	3	5	20	41	26	0	0	0	0	0	0	0	46.76	0	0	10.2	0.3	3.6
2025	3	5	20	51	26	0	0	0	0	0	0	0	46.71	0	0	10.2	0.3	3.6
2025	3	5	21	1	26	0	0	0	0	0	0	0	46.67	0	0	10.4	0.3	3.6
2025	3	5	21	11	26	0	0	0	0	0	0	0	46.62	0	0	10.4	0.3	3.6
2025	3	5	21	21	26	0	0	0	0	0	0	0	46.58	0	0	10.4	0.3	3.6
2025	3	5	21	31	26	0	0	0	0	0	0	0	46.54	0	0	10.4	0.3	3.6
2025	3	5	21	41	26	0	0	0	0	0	0	0	46.49	0	0	10.4	0.3	3.6
2025	3	5	21	51	26	0	0	0	0	0	0	0	46.44	0	0	10.4	0.3	3.6
2025	3	5	22	1	26	0	0	0	0	0	0	0	46.38	0	0	10.4	0.3	3.6
2025	3	5	22	11	26	0	0	0	0	0	0	0	46.33	0	0	10.4	0.3	3.6
2025	3	5	22	21	26	0	0	0	0	0	0	0	46.27	0	0	10.8	0.3	3.6
2025	3	5	22	31	26	0	0	0	0	0	0	0	46.22	0	0	11.2	0.3	3.6
2025	3	5	22	41	26	0	0	0	0	0	0	0	46.18	0	0	11.2	0.3	3.6
2025	3	5	22	51	26	0	0	0	0	0	0	0	46.13	0	0	11.2	0.3	3.6
2025	3	5	23	1	26	0	0	0	0	0	0	0	46.08	0	0	11.2	0.3	3.6
2025	3	5	23	11	26	0	0	0	0	0	0	0	46.04	0	0	11.2	0.3	3.6
2025	3	5	23	21	26	0	0	0	0	0	0	0	45.99	0	0	10.4	0.3	3.6
2025	3	5	23	31	26	0	0	0	0	0	0	0	45.93	0	0	10.4	0.3	3.6
2025	3	5	23	41	26	0	0	0	0	0	0	0	45.88	0	0	10.4	0.3	3.6
2025	3	5	23	51	26	0	0	0	0	0	0	0	45.84	0	0	10.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	6	0	1	26	0	0	0	0	0	0	0	45.81	0	0	10.2	0.3	3.6
2025	3	6	0	11	26	0	0	0	0	0	0	0	45.77	0	0	10.2	0.3	3.6
2025	3	6	0	21	26	0	0	0	0	0	0	0	45.72	0	0	10.2	0.3	3.6
2025	3	6	0	31	26	0	0	0	0	0	0	0	45.68	0	0	10.2	0.3	3.6
2025	3	6	0	41	26	0	0	0	0	0	0	0	45.63	0	0	10.2	0.3	3.6
2025	3	6	0	51	26	0	0	0	0	0	0	0	45.59	0	0	10.2	0.3	3.6
2025	3	6	1	1	26	0	0	0	0	0	0	0	45.55	0	0	10.2	0.3	3.6
2025	3	6	1	11	26	0	0	0	0	0	0	0	45.52	0	0	10.2	0.3	3.6
2025	3	6	1	21	26	0	0	0	0	0	0	0	45.46	0	0	10.2	0.3	3.6
2025	3	6	1	31	26	0	0	0	0	0	0	0	45.43	0	0	10.4	0.3	3.6
2025	3	6	1	41	26	0	0	0	0	0	0	0	45.37	0	0	10.4	0.3	3.6
2025	3	6	1	51	26	0	0	0	0	0	0	0	45.34	0	0	10.2	0.3	3.6
2025	3	6	2	1	26	0	0	0	0	0	0	0	45.3	0	0	10.2	0.3	3.6
2025	3	6	2	11	26	0	0	0	0	0	0	0	45.25	0	0	10.4	0.3	3.6
2025	3	6	2	21	26	0	0	0	0	0	0	0	45.21	0	0	10.2	0.3	3.6
2025	3	6	2	31	26	0	0	0	0	0	0	0	45.16	0	0	10.2	0.3	3.6
2025	3	6	2	41	26	0	0	0	0	0	0	0	45.12	0	0	10.2	0.3	3.6
2025	3	6	2	51	26	0	0	0	0	0	0	0	45.09	0	0	10.2	0.3	3.6
2025	3	6	3	1	26	0	0	0	0	0	0	0	45.05	0	0	10.2	0.3	3.6
2025	3	6	3	11	26	0	0	0	0	0	0	0	45.01	0	0	10.2	0.3	3.6
2025	3	6	3	21	26	0	0	0	0	0	0	0	44.98	0	0	10.2	0.3	3.6
2025	3	6	3	31	26	0	0	0	0	0	0	0	44.94	0	0	10.2	0.3	3.6
2025	3	6	3	41	26	0	0	0	0	0	0	0	44.91	0	0	10.2	0.3	3.6
2025	3	6	3	51	26	0	0	0	0	0	0	0	44.85	0	0	10.2	0.3	3.6
2025	3	6	4	1	26	0	0	0	0	0	0	0	44.82	0	0	10.2	0.3	3.6
2025	3	6	4	11	26	0	0	0	0	0	0	0	44.78	0	0	10.2	0.3	3.6
2025	3	6	4	21	26	0	0	0	0	0	0	0	44.74	0	0	10	0.3	3.6
2025	3	6	4	31	26	0	0	0	0	0	0	0	44.69	0	0	10	0.3	3.6
2025	3	6	4	41	26	0	0	0	0	0	0	0	44.65	0	0	10	0.3	3.6
2025	3	6	4	51	26	0	0	0	0	0	0	0	44.62	0	0	10.2	0.3	3.6
2025	3	6	5	1	26	0	0	0	0	0	0	0	44.58	0	0	10.2	0.3	3.6
2025	3	6	5	11	26	0	0	0	0	0	0	0	44.55	0	0	10.2	0.3	3.6
2025	3	6	5	21	26	0	0	0	0	0	0	0	44.49	0	0	10	0.3	3.6
2025	3	6	5	31	26	0	0	0	0	0	0	0	44.47	0	0	10	0.3	3.6
2025	3	6	5	41	26	0	0	0	0	0	0	0	44.44	0	0	10	0.3	3.6
2025	3	6	5	51	26	0	0	0	0	0	0	0	44.4	0	0	10	0.3	3.6
2025	3	6	6	1	26	0	0	0	0	0	0	0	44.37	0	0	10	0.3	3.6
2025	3	6	6	11	26	0	0	0	0	0	0	0	44.33	0	0	10	0.3	3.6
2025	3	6	6	21	26	0	0	0	0	0	0	0	44.31	0	0	10	0.3	3.6
2025	3	6	6	31	26	0	0	0	0	0	0	0	44.28	0	0	10.2	0.3	3.6
2025	3	6	6	41	26	0	0	0	0	0	0	0	44.24	0	0	10	0.3	3.6
2025	3	6	6	51	26	0	0	0	0	0	0	0	44.2	0	0	10	0.3	3.6
2025	3	6	7	1	26	0	0	0	0	0	0	0	44.19	0	0	10.4	0.3	3.6
2025	3	6	7	11	26	0	0	0	0	0	0	0	44.17	0	0	10.6	0.3	3.6
2025	3	6	7	21	26	0	0	0	0	0	0	0	44.15	0	0	11	0.3	3.6
2025	3	6	7	31	26	0	0	0	0	0	0	0	44.15	0	0	11.2	0.3	3.6
2025	3	6	7	41	26	0	0	0	0	0	0	0	44.17	0	0	11.4	0.3	3.6
2025	3	6	7	51	26	0	0	0	0	0	0	0	44.19	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	6	8	1	26	0	0	0	0	0	0	0	44.2	0	0	11.6	0.3	3.6
2025	3	6	8	11	26	0	0	0	0	0	0	0	44.26	0	0	11.6	0.3	3.6
2025	3	6	8	21	26	0	0	0	0	0	0	0	44.33	0	0	11.6	0.3	3.6
2025	3	6	8	31	26	0	0	0	0	0	0	0	44.37	0	0	12	0.3	3.6
2025	3	6	8	41	26	0	0	0	0	0	0	0	44.44	0	0	12.2	0.3	3.6
2025	3	6	8	51	26	0	0	0	0	0	0	0	44.47	0	0	12.2	0.3	3.6
2025	3	6	9	1	26	0	0	0	0	0	0	0	44.53	0	0	12.2	0.3	3.6
2025	3	6	9	11	26	0	0	0	0	0	0	0	44.58	0	0	11.8	0.3	3.6
2025	3	6	9	21	26	0	0	0	0	0	0	0	44.64	0	0	12	0.3	3.6
2025	3	6	9	31	26	0	0	0	0	0	0	0	44.71	0	0	12	0.3	3.6
2025	3	6	9	41	26	0	0	0	0	0	0	0	44.76	0	0	12	0.3	3.6
2025	3	6	9	51	26	0	0	0	0	0	0	0	44.8	0	0	12.2	0.3	3.6
2025	3	6	10	1	26	0	0	0	0	0	0	0	44.87	0	0	12.2	0.3	3.6
2025	3	6	10	11	26	0	0	0	0	0	0	0	44.94	0	0	12.2	0.3	3.6
2025	3	6	10	21	26	0	0	0	0	0	0	0	45.01	0	0	12.2	0.3	3.6
2025	3	6	10	31	26	0	0	0	0	0	0	0	45.07	0	0	12.2	0.3	3.6
2025	3	6	10	41	26	0	0	0	0	0	0	0	45.14	0	0	12.2	0.3	3.6
2025	3	6	10	51	26	0	0	0	0	0	0	0	45.19	0	0	12.2	0.3	3.6
2025	3	6	11	1	26	0	0	0	0	0	0	0	45.25	0	0	12.2	0.3	3.6
2025	3	6	11	11	26	0	0	0	0	0	0	0	45.32	0	0	12.4	0.3	3.6
2025	3	6	11	21	26	0	0	0	0	0	0	0	45.37	0	0	12.6	0.3	3.6
2025	3	6	11	31	26	0	0	0	0	0	0	0	45.43	0	0	12.6	0.3	3.6
2025	3	6	11	41	26	0	0	0	0	0	0	0	45.5	0	0	12.6	0.3	3.6
2025	3	6	11	51	26	0	0	0	0	0	0	0	45.57	0	0	12.6	0.3	3.6
2025	3	6	12	1	26	0	0	0	0	0	0	0	45.64	0	0	12.4	0.3	3.6
2025	3	6	12	11	26	0	0	0	0	0	0	0	45.68	0	0	12.6	0.3	3.6
2025	3	6	12	21	26	0	0	0	0	0	0	0	45.66	0	0	12.2	0.3	3.6
2025	3	6	12	31	26	0	0	0	0	0	0	0	45.59	0	0	11.8	0.3	3.6
2025	3	6	12	41	26	0	0	0	0	0	0	0	45.61	0	0	12.4	0.3	3.6
2025	3	6	12	51	26	0	0	0	0	0	0	0	45.55	0	0	11.2	0.3	3.6
2025	3	6	13	1	26	0	0	0	0	0	0	0	45.54	0	0	12.4	0.3	3.6
2025	3	6	13	11	26	0	0	0	0	0	0	0	45.61	0	0	14	0.3	3.6
2025	3	6	13	21	26	0	0	0	0	0	0	0	45.66	0	0	14	0.3	3.6
2025	3	6	13	31	26	0	0	0	0	0	0	0	45.7	0	0	14	0.3	3.6
2025	3	6	13	41	26	0	0	0	0	0	0	0	45.72	0	0	14	0.3	3.6
2025	3	6	13	51	26	0	0	0	0	0	0	0	45.79	0	0	14	0.3	3.6
2025	3	6	14	1	26	0	0	0	0	0	0	0	45.86	0	0	13.8	0.3	3.6
2025	3	6	14	11	26	0	0	0	0	0	0	0	45.99	0	0	13.8	0.3	3.6
2025	3	6	14	21	26	0	0	0	0	0	0	0	46.06	0	0	13.8	0.3	3.6
2025	3	6	14	31	26	0	0	0	0	0	0	0	46.13	0	0	13.8	0.3	3.6
2025	3	6	14	41	26	0	0	0	0	0	0	0	46.18	0	0	13.8	0.3	3.6
2025	3	6	14	51	26	0	0	0	0	0	0	0	46.24	0	0	12.8	0.3	3.6
2025	3	6	15	1	26	0	0	0	0	0	0	0	46.29	0	0	12.6	0.3	3.6
2025	3	6	15	11	26	0	0	0	0	0	0	0	46.35	0	0	12.6	0.3	3.6
2025	3	6	15	21	26	0	0	0	0	0	0	0	46.42	0	0	12.6	0.3	3.6
2025	3	6	15	31	26	0	0	0	0	0	0	0	46.45	0	0	12.6	0.3	3.6
2025	3	6	15	41	26	0	0	0	0	0	0	0	46.45	0	0	11.8	0.3	3.6
2025	3	6	15	51	26	0	0	0	0	0	0	0	46.42	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	6	16	1	26	0	0	0	0	0	0	0	46.45	0	0	12.8	0.3	3.6
2025	3	6	16	11	26	0	0	0	0	0	0	0	46.42	0	0	11	0.3	3.6
2025	3	6	16	21	26	0	0	0	0	0	0	0	46.4	0	0	11	0.3	3.6
2025	3	6	16	31	26	0	0	0	0	0	0	0	46.38	0	0	11.4	0.3	3.6
2025	3	6	16	41	26	0	0	0	0	0	0	0	46.4	0	0	11.8	0.3	3.6
2025	3	6	16	51	26	0	0	0	0	0	0	0	46.4	0	0	11.8	0.3	3.6
2025	3	6	17	1	26	0	0	0	0	0	0	0	46.4	0	0	11.8	0.3	3.6
2025	3	6	17	11	26	0	0	0	0	0	0	0	46.4	0	0	11.8	0.3	3.6
2025	3	6	17	21	26	0	0	0	0	0	0	0	46.4	0	0	11.6	0.3	3.6
2025	3	6	17	31	26	0	0	0	0	0	0	0	46.42	0	0	11.6	0.3	3.6
2025	3	6	17	41	26	0	0	0	0	0	0	0	46.4	0	0	11.6	0.3	3.6
2025	3	6	17	51	26	0	0	0	0	0	0	0	46.42	0	0	11.6	0.3	3.6
2025	3	6	18	1	26	0	0	0	0	0	0	0	46.44	0	0	11.6	0.3	3.6
2025	3	6	18	11	26	0	0	0	0	0	0	0	46.44	0	0	11.6	0.3	3.6
2025	3	6	18	21	26	0	0	0	0	0	0	0	46.44	0	0	11.6	0.3	3.6
2025	3	6	18	31	26	0	0	0	0	0	0	0	46.44	0	0	11.6	0.3	3.6
2025	3	6	18	41	26	0	0	0	0	0	0	0	46.44	0	0	11.6	0.3	3.6
2025	3	6	18	51	26	0	0	0	0	0	0	0	46.42	0	0	11.6	0.3	3.6
2025	3	6	19	1	26	0	0	0	0	0	0	0	46.4	0	0	11.6	0.3	3.6
2025	3	6	19	11	26	0	0	0	0	0	0	0	46.4	0	0	11.6	0.3	3.6
2025	3	6	19	21	26	0	0	0	0	0	0	0	46.38	0	0	11.6	0.3	3.6
2025	3	6	19	31	26	0	0	0	0	0	0	0	46.36	0	0	11.6	0.3	3.6
2025	3	6	19	41	26	0	0	0	0	0	0	0	46.35	0	0	11.6	0.3	3.6
2025	3	6	19	51	26	0	0	0	0	0	0	0	46.29	0	0	11.6	0.3	3.6
2025	3	6	20	1	26	0	0	0	0	0	0	0	46.26	0	0	11.6	0.3	3.6
2025	3	6	20	11	26	0	0	0	0	0	0	0	46.22	0	0	11.6	0.3	3.6
2025	3	6	20	21	26	0	0	0	0	0	0	0	46.17	0	0	11.6	0.3	3.6
2025	3	6	20	31	26	0	0	0	0	0	0	0	46.13	0	0	11.6	0.3	3.6
2025	3	6	20	41	26	0	0	0	0	0	0	0	46.08	0	0	11.6	0.3	3.6
2025	3	6	20	51	26	0	0	0	0	0	0	0	46.02	0	0	11.6	0.3	3.6
2025	3	6	21	1	26	0	0	0	0	0	0	0	45.97	0	0	11.6	0.3	3.6
2025	3	6	21	11	26	0	0	0	0	0	0	0	45.93	0	0	11.6	0.3	3.6
2025	3	6	21	21	26	0	0	0	0	0	0	0	45.88	0	0	11.6	0.3	3.6
2025	3	6	21	31	26	0	0	0	0	0	0	0	45.82	0	0	11.6	0.3	3.6
2025	3	6	21	41	26	0	0	0	0	0	0	0	45.77	0	0	11.6	0.3	3.6
2025	3	6	21	51	26	0	0	0	0	0	0	0	45.72	0	0	11.6	0.3	3.6
2025	3	6	22	1	26	0	0	0	0	0	0	0	45.66	0	0	11.6	0.3	3.6
2025	3	6	22	11	26	0	0	0	0	0	0	0	45.61	0	0	11.6	0.3	3.6
2025	3	6	22	21	26	0	0	0	0	0	0	0	45.55	0	0	11.4	0.3	3.6
2025	3	6	22	31	26	0	0	0	0	0	0	0	45.5	0	0	11.4	0.3	3.6
2025	3	6	22	41	26	0	0	0	0	0	0	0	45.45	0	0	11.4	0.3	3.6
2025	3	6	22	51	26	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.6
2025	3	6	23	1	26	0	0	0	0	0	0	0	45.36	0	0	11.4	0.3	3.6
2025	3	6	23	11	26	0	0	0	0	0	0	0	45.3	0	0	11.4	0.3	3.6
2025	3	6	23	21	26	0	0	0	0	0	0	0	45.25	0	0	11.4	0.3	3.6
2025	3	6	23	31	26	0	0	0	0	0	0	0	45.21	0	0	11.4	0.3	3.6
2025	3	6	23	41	26	0	0	0	0	0	0	0	45.16	0	0	11.4	0.3	3.6
2025	3	6	23	51	26	0	0	0	0	0	0	0	45.1	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	7	0	1	26	0	0	0	0	0	0	0	45.07	0	0	11.4	0.3	3.6
2025	3	7	0	11	26	0	0	0	0	0	0	0	45.03	0	0	11.4	0.3	3.6
2025	3	7	0	21	26	0	0	0	0	0	0	0	44.98	0	0	11.4	0.3	3.6
2025	3	7	0	31	26	0	0	0	0	0	0	0	44.94	0	0	11.4	0.3	3.6
2025	3	7	0	41	26	0	0	0	0	0	0	0	44.91	0	0	11.4	0.3	3.6
2025	3	7	0	51	26	0	0	0	0	0	0	0	44.87	0	0	11.4	0.3	3.6
2025	3	7	1	1	26	0	0	0	0	0	0	0	44.83	0	0	11.4	0.3	3.6
2025	3	7	1	11	26	0	0	0	0	0	0	0	44.8	0	0	11.4	0.3	3.6
2025	3	7	1	21	26	0	0	0	0	0	0	0	44.76	0	0	11.4	0.3	3.6
2025	3	7	1	31	26	0	0	0	0	0	0	0	44.74	0	0	11.4	0.3	3.6
2025	3	7	1	41	26	0	0	0	0	0	0	0	44.71	0	0	11.4	0.3	3.6
2025	3	7	1	51	26	0	0	0	0	0	0	0	44.69	0	0	11.4	0.3	3.6
2025	3	7	2	1	26	0	0	0	0	0	0	0	44.65	0	0	11.4	0.3	3.6
2025	3	7	2	11	26	0	0	0	0	0	0	0	44.64	0	0	11.4	0.3	3.6
2025	3	7	2	21	26	0	0	0	0	0	0	0	44.62	0	0	11.4	0.3	3.6
2025	3	7	2	31	26	0	0	0	0	0	0	0	44.6	0	0	11.4	0.3	3.6
2025	3	7	2	41	26	0	0	0	0	0	0	0	44.58	0	0	11.4	0.3	3.6
2025	3	7	2	51	26	0	0	0	0	0	0	0	44.56	0	0	11.4	0.3	3.6
2025	3	7	3	1	26	0	0	0	0	0	0	0	44.53	0	0	11.4	0.3	3.6
2025	3	7	3	11	26	0	0	0	0	0	0	0	44.51	0	0	11.4	0.3	3.6
2025	3	7	3	21	26	0	0	0	0	0	0	0	44.49	0	0	11.4	0.3	3.6
2025	3	7	3	31	26	0	0	0	0	0	0	0	44.49	0	0	11.4	0.3	3.6
2025	3	7	3	41	26	0	0	0	0	0	0	0	44.47	0	0	11.4	0.3	3.6
2025	3	7	3	51	26	0	0	0	0	0	0	0	44.46	0	0	11.4	0.3	3.6
2025	3	7	4	1	26	0	0	0	0	0	0	0	44.46	0	0	11.4	0.3	3.6
2025	3	7	4	11	26	0	0	0	0	0	0	0	44.44	0	0	11.4	0.3	3.6
2025	3	7	4	21	26	0	0	0	0	0	0	0	44.44	0	0	11.4	0.3	3.6
2025	3	7	4	31	26	0	0	0	0	0	0	0	44.42	0	0	11.4	0.3	3.6
2025	3	7	4	41	26	0	0	0	0	0	0	0	44.42	0	0	11.4	0.3	3.6
2025	3	7	4	51	26	0	0	0	0	0	0	0	44.4	0	0	11.4	0.3	3.6
2025	3	7	5	1	26	0	0	0	0	0	0	0	44.4	0	0	11.4	0.3	3.6
2025	3	7	5	11	26	0	0	0	0	0	0	0	44.4	0	0	11.4	0.3	3.6
2025	3	7	5	21	26	0	0	0	0	0	0	0	44.4	0	0	11.4	0.3	3.6
2025	3	7	5	31	26	0	0	0	0	0	0	0	44.4	0	0	11.4	0.3	3.6
2025	3	7	5	41	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	5	51	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	6	1	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	6	11	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	6	21	26	0	0	0	0	0	0	0	44.37	0	0	11.4	0.3	3.6
2025	3	7	6	31	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	6	41	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	6	51	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	7	7	1	26	0	0	0	0	0	0	0	44.38	0	0	11.6	0.3	3.6
2025	3	7	7	11	26	0	0	0	0	0	0	0	44.38	0	0	11.8	0.3	3.6
2025	3	7	7	21	26	0	0	0	0	0	0	0	44.38	0	0	12	0.3	3.6
2025	3	7	7	31	26	0	0	0	0	0	0	0	44.4	0	0	12.2	0.3	3.6
2025	3	7	7	41	26	0	0	0	0	0	0	0	44.44	0	0	12.2	0.3	3.6
2025	3	7	7	51	26	0	0	0	0	0	0	0	44.47	0	0	12.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	7	8	1	26	0	0	0	0	0	0	0	44.51	0	0	12.4	0.3	3.6
2025	3	7	8	11	26	0	0	0	0	0	0	0	44.58	0	0	12.6	0.3	3.6
2025	3	7	8	21	26	0	0	0	0	0	0	0	44.67	0	0	12.6	0.3	3.6
2025	3	7	8	31	26	0	0	0	0	0	0	0	44.73	0	0	12.8	0.3	3.6
2025	3	7	8	41	26	0	0	0	0	0	0	0	44.78	0	0	13	0.3	3.6
2025	3	7	8	51	26	0	0	0	0	0	0	0	44.83	0	0	13.2	0.3	3.6
2025	3	7	9	1	26	0	0	0	0	0	0	0	44.91	0	0	13.2	0.3	3.6
2025	3	7	9	11	26	0	0	0	0	0	0	0	44.96	0	0	13.6	0.3	3.6
2025	3	7	9	21	26	0	0	0	0	0	0	0	45.01	0	0	14	0.3	3.6
2025	3	7	9	31	26	0	0	0	0	0	0	0	45.1	0	0	14	0.3	3.6
2025	3	7	9	41	26	0	0	0	0	0	0	0	45.16	0	0	14	0.3	3.6
2025	3	7	9	51	26	0	0	0	0	0	0	0	45.25	0	0	14	0.3	3.6
2025	3	7	10	1	26	0	0	0	0	0	0	0	45.3	0	0	14	0.3	3.6
2025	3	7	10	11	26	0	0	0	0	0	0	0	45.37	0	0	14	0.3	3.6
2025	3	7	10	21	26	0	0	0	0	0	0	0	45.45	0	0	14	0.3	3.6
2025	3	7	10	31	26	0	0	0	0	0	0	0	45.5	0	0	14	0.3	3.6
2025	3	7	10	41	26	0	0	0	0	0	0	0	45.57	0	0	14	0.3	3.6
2025	3	7	10	51	26	0	0	0	0	0	0	0	45.66	0	0	14	0.3	3.6
2025	3	7	11	1	26	0	0	0	0	0	0	0	45.73	0	0	14	0.3	3.6
2025	3	7	11	11	26	0	0	0	0	0	0	0	45.81	0	0	14	0.3	3.6
2025	3	7	11	21	26	0	0	0	0	0	0	0	45.7	0	0	13.8	0.3	3.6
2025	3	7	11	31	26	0	0	0	0	0	0	0	45.88	0	0	14	0.3	3.6
2025	3	7	11	41	26	0	0	0	0	0	0	0	45.97	0	0	14	0.3	3.6
2025	3	7	11	51	26	0	0	0	0	0	0	0	46.04	0	0	14	0.3	3.6
2025	3	7	12	1	26	0	0	0	0	0	0	0	46.11	0	0	14	0.3	3.6
2025	3	7	12	11	26	0	0	0	0	0	0	0	46.2	0	0	14	0.3	3.6
2025	3	7	12	21	26	0	0	0	0	0	0	0	46.22	0	0	13.8	0.3	3.6
2025	3	7	12	31	26	0	0	0	0	0	0	0	46.24	0	0	14	0.3	3.6
2025	3	7	12	41	26	0	0	0	0	0	0	0	46.31	0	0	13.8	0.3	3.6
2025	3	7	12	51	26	0	0	0	0	0	0	0	46.27	0	0	14	0.3	3.6
2025	3	7	13	1	26	0	0	0	0	0	0	0	46.47	0	0	14	0.3	3.6
2025	3	7	13	11	26	0	0	0	0	0	0	0	46.49	0	0	14	0.3	3.6
2025	3	7	13	21	26	0	0	0	0	0	0	0	46.49	0	0	14	0.3	3.6
2025	3	7	13	31	26	0	0	0	0	0	0	0	46.53	0	0	13.8	0.3	3.6
2025	3	7	13	41	26	0	0	0	0	0	0	0	46.58	0	0	13.8	0.3	3.6
2025	3	7	13	51	26	0	0	0	0	0	0	0	46.65	0	0	13.8	0.3	3.6
2025	3	7	14	1	26	0	0	0	0	0	0	0	46.69	0	0	13.8	0.3	3.6
2025	3	7	14	11	26	0	0	0	0	0	0	0	46.71	0	0	13.8	0.3	3.6
2025	3	7	14	21	26	0	0	0	0	0	0	0	46.76	0	0	13.8	0.3	3.6
2025	3	7	14	31	26	0	0	0	0	0	0	0	46.78	0	0	13.8	0.3	3.6
2025	3	7	14	41	26	0	0	0	0	0	0	0	46.81	0	0	13.8	0.3	3.6
2025	3	7	14	51	26	0	0	0	0	0	0	0	46.8	0	0	13.8	0.3	3.6
2025	3	7	15	1	26	0	0	0	0	0	0	0	46.8	0	0	13.8	0.3	3.6
2025	3	7	15	11	26	0	0	0	0	0	0	0	46.81	0	0	13.8	0.3	3.6
2025	3	7	15	21	26	0	0	0	0	0	0	0	46.8	0	0	13.8	0.3	3.6
2025	3	7	15	31	26	0	0	0	0	0	0	0	46.8	0	0	13.8	0.3	3.6
2025	3	7	15	41	26	0	0	0	0	0	0	0	46.8	0	0	13.8	0.3	3.6
2025	3	7	15	51	26	0	0	0	0	0	0	0	46.78	0	0	13.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	7	16	1	26	0	0	0	0	0	0	0	46.74	0	0	13.8	0.3	3.6
2025	3	7	16	11	26	0	0	0	0	0	0	0	46.76	0	0	13.2	0.3	3.6
2025	3	7	16	21	26	0	0	0	0	0	0	0	46.72	0	0	12.2	0.3	3.6
2025	3	7	16	31	26	0	0	0	0	0	0	0	46.69	0	0	12	0.3	3.6
2025	3	7	16	41	26	0	0	0	0	0	0	0	46.67	0	0	12	0.3	3.6
2025	3	7	16	51	26	0	0	0	0	0	0	0	46.65	0	0	11.8	0.3	3.6
2025	3	7	17	1	26	0	0	0	0	0	0	0	46.65	0	0	11.6	0.3	3.6
2025	3	7	17	11	26	0	0	0	0	0	0	0	46.63	0	0	11.6	0.3	3.6
2025	3	7	17	21	26	0	0	0	0	0	0	0	46.6	0	0	11.6	0.3	3.6
2025	3	7	17	31	26	0	0	0	0	0	0	0	46.58	0	0	11.6	0.3	3.6
2025	3	7	17	41	26	0	0	0	0	0	0	0	46.56	0	0	11.6	0.3	3.6
2025	3	7	17	51	26	0	0	0	0	0	0	0	46.54	0	0	11.4	0.3	3.6
2025	3	7	18	1	26	0	0	0	0	0	0	0	46.51	0	0	11.4	0.3	3.6
2025	3	7	18	11	26	0	0	0	0	0	0	0	46.49	0	0	11.4	0.3	3.6
2025	3	7	18	21	26	0	0	0	0	0	0	0	46.47	0	0	11.4	0.3	3.6
2025	3	7	18	31	26	0	0	0	0	0	0	0	46.44	0	0	11.4	0.3	3.6
2025	3	7	18	41	26	0	0	0	0	0	0	0	46.42	0	0	11.4	0.3	3.6
2025	3	7	18	51	26	0	0	0	0	0	0	0	46.36	0	0	11.4	0.3	3.6
2025	3	7	19	1	26	0	0	0	0	0	0	0	46.33	0	0	11.4	0.3	3.6
2025	3	7	19	11	26	0	0	0	0	0	0	0	46.29	0	0	11.4	0.3	3.6
2025	3	7	19	21	26	0	0	0	0	0	0	0	46.26	0	0	11.4	0.3	3.6
2025	3	7	19	31	26	0	0	0	0	0	0	0	46.2	0	0	11.4	0.3	3.6
2025	3	7	19	41	26	0	0	0	0	0	0	0	46.15	0	0	11.4	0.3	3.6
2025	3	7	19	51	26	0	0	0	0	0	0	0	46.09	0	0	11.4	0.3	3.6
2025	3	7	20	1	26	0	0	0	0	0	0	0	46.04	0	0	11.4	0.3	3.6
2025	3	7	20	11	26	0	0	0	0	0	0	0	45.97	0	0	11.4	0.3	3.6
2025	3	7	20	21	26	0	0	0	0	0	0	0	45.91	0	0	11.4	0.3	3.6
2025	3	7	20	31	26	0	0	0	0	0	0	0	45.84	0	0	11.4	0.3	3.6
2025	3	7	20	41	26	0	0	0	0	0	0	0	45.77	0	0	11.4	0.3	3.6
2025	3	7	20	51	26	0	0	0	0	0	0	0	45.68	0	0	11.4	0.3	3.6
2025	3	7	21	1	26	0	0	0	0	0	0	0	45.61	0	0	11.4	0.3	3.6
2025	3	7	21	11	26	0	0	0	0	0	0	0	45.54	0	0	11.4	0.3	3.6
2025	3	7	21	21	26	0	0	0	0	0	0	0	45.46	0	0	11.4	0.3	3.6
2025	3	7	21	31	26	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.6
2025	3	7	21	41	26	0	0	0	0	0	0	0	45.34	0	0	11.4	0.3	3.6
2025	3	7	21	51	26	0	0	0	0	0	0	0	45.28	0	0	11.4	0.3	3.6
2025	3	7	22	1	26	0	0	0	0	0	0	0	45.19	0	0	11.4	0.3	3.6
2025	3	7	22	11	26	0	0	0	0	0	0	0	45.12	0	0	11.4	0.3	3.6
2025	3	7	22	21	26	0	0	0	0	0	0	0	45.05	0	0	11.4	0.3	3.6
2025	3	7	22	31	26	0	0	0	0	0	0	0	44.96	0	0	11.4	0.3	3.6
2025	3	7	22	41	26	0	0	0	0	0	0	0	44.87	0	0	11.4	0.3	3.6
2025	3	7	22	51	26	0	0	0	0	0	0	0	44.8	0	0	11.4	0.3	3.6
2025	3	7	23	1	26	0	0	0	0	0	0	0	44.73	0	0	11.4	0.3	3.6
2025	3	7	23	11	26	0	0	0	0	0	0	0	44.65	0	0	11.4	0.3	3.6
2025	3	7	23	21	26	0	0	0	0	0	0	0	44.58	0	0	11.4	0.3	3.6
2025	3	7	23	31	26	0	0	0	0	0	0	0	44.51	0	0	11.4	0.3	3.6
2025	3	7	23	41	26	0	0	0	0	0	0	0	44.44	0	0	11.4	0.3	3.6
2025	3	7	23	51	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	8	0	1	26	0	0	0	0	0	0	0	44.33	0	0	11.4	0.3	3.6
2025	3	8	0	11	26	0	0	0	0	0	0	0	44.26	0	0	11.4	0.3	3.6
2025	3	8	0	21	26	0	0	0	0	0	0	0	44.2	0	0	11.4	0.3	3.6
2025	3	8	0	31	26	0	0	0	0	0	0	0	44.13	0	0	11.4	0.3	3.6
2025	3	8	0	41	26	0	0	0	0	0	0	0	44.1	0	0	11.4	0.3	3.6
2025	3	8	0	51	26	0	0	0	0	0	0	0	44.02	0	0	11.4	0.3	3.6
2025	3	8	1	1	26	0	0	0	0	0	0	0	43.99	0	0	11.4	0.3	3.6
2025	3	8	1	11	26	0	0	0	0	0	0	0	43.93	0	0	11.2	0.3	3.6
2025	3	8	1	21	26	0	0	0	0	0	0	0	43.88	0	0	11.2	0.3	3.6
2025	3	8	1	31	26	0	0	0	0	0	0	0	43.84	0	0	11.2	0.3	3.6
2025	3	8	1	41	26	0	0	0	0	0	0	0	43.79	0	0	11.2	0.3	3.6
2025	3	8	1	51	26	0	0	0	0	0	0	0	43.75	0	0	11.2	0.3	3.6
2025	3	8	2	1	26	0	0	0	0	0	0	0	43.72	0	0	11.2	0.3	3.6
2025	3	8	2	11	26	0	0	0	0	0	0	0	43.68	0	0	11.2	0.3	3.6
2025	3	8	2	21	26	0	0	0	0	0	0	0	43.65	0	0	11.2	0.3	3.6
2025	3	8	2	31	26	0	0	0	0	0	0	0	43.61	0	0	11.2	0.3	3.6
2025	3	8	2	41	26	0	0	0	0	0	0	0	43.59	0	0	11.2	0.3	3.6
2025	3	8	2	51	26	0	0	0	0	0	0	0	43.57	0	0	11.2	0.3	3.6
2025	3	8	3	1	26	0	0	0	0	0	0	0	43.54	0	0	11.2	0.3	3.6
2025	3	8	3	11	26	0	0	0	0	0	0	0	43.52	0	0	11.2	0.3	3.6
2025	3	8	3	21	26	0	0	0	0	0	0	0	43.5	0	0	11.2	0.3	3.6
2025	3	8	3	31	26	0	0	0	0	0	0	0	43.5	0	0	11.2	0.3	3.6
2025	3	8	3	41	26	0	0	0	0	0	0	0	43.48	0	0	11.2	0.3	3.6
2025	3	8	3	51	26	0	0	0	0	0	0	0	43.48	0	0	11.2	0.3	3.6
2025	3	8	4	1	26	0	0	0	0	0	0	0	43.45	0	0	11.2	0.3	3.6
2025	3	8	4	11	26	0	0	0	0	0	0	0	43.45	0	0	11.2	0.3	3.6
2025	3	8	4	21	26	0	0	0	0	0	0	0	43.45	0	0	11.2	0.3	3.6
2025	3	8	4	31	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	4	41	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	4	51	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	5	1	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	5	11	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	5	21	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	5	31	26	0	0	0	0	0	0	0	43.43	0	0	11.2	0.3	3.6
2025	3	8	5	41	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	5	51	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	6	1	26	0	0	0	0	0	0	0	43.39	0	0	11.2	0.3	3.6
2025	3	8	6	11	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	6	21	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	6	31	26	0	0	0	0	0	0	0	43.39	0	0	11.2	0.3	3.6
2025	3	8	6	41	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	8	6	51	26	0	0	0	0	0	0	0	43.39	0	0	11.2	0.3	3.6
2025	3	8	7	1	26	0	0	0	0	0	0	0	43.41	0	0	11.6	0.3	3.6
2025	3	8	7	11	26	0	0	0	0	0	0	0	43.41	0	0	11.8	0.3	3.6
2025	3	8	7	21	26	0	0	0	0	0	0	0	43.41	0	0	12	0.3	3.6
2025	3	8	7	31	26	0	0	0	0	0	0	0	43.43	0	0	12	0.3	3.6
2025	3	8	7	41	26	0	0	0	0	0	0	0	43.47	0	0	12.2	0.3	3.6
2025	3	8	7	51	26	0	0	0	0	0	0	0	43.48	0	0	12.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	8	8	1	26	0	0	0	0	0	0	0	43.52	0	0	12.4	0.3	3.6
2025	3	8	8	11	26	0	0	0	0	0	0	0	43.57	0	0	12.6	0.3	3.6
2025	3	8	8	21	26	0	0	0	0	0	0	0	43.63	0	0	12.6	0.3	3.6
2025	3	8	8	31	26	0	0	0	0	0	0	0	43.7	0	0	12.8	0.3	3.6
2025	3	8	8	41	26	0	0	0	0	0	0	0	43.75	0	0	12.8	0.3	3.6
2025	3	8	8	51	26	0	0	0	0	0	0	0	43.81	0	0	13	0.3	3.6
2025	3	8	9	1	26	0	0	0	0	0	0	0	43.88	0	0	13.2	0.3	3.6
2025	3	8	9	11	26	0	0	0	0	0	0	0	43.95	0	0	13.4	0.3	3.6
2025	3	8	9	21	26	0	0	0	0	0	0	0	44.02	0	0	13.8	0.3	3.6
2025	3	8	9	31	26	0	0	0	0	0	0	0	44.1	0	0	13.8	0.3	3.6
2025	3	8	9	41	26	0	0	0	0	0	0	0	44.15	0	0	13.6	0.3	3.6
2025	3	8	9	51	26	0	0	0	0	0	0	0	44.24	0	0	13.8	0.3	3.6
2025	3	8	10	1	26	0	0	0	0	0	0	0	44.31	0	0	13.6	0.3	3.6
2025	3	8	10	11	26	0	0	0	0	0	0	0	44.4	0	0	13.6	0.3	3.6
2025	3	8	10	21	26	0	0	0	0	0	0	0	44.47	0	0	13.4	0.3	3.6
2025	3	8	10	31	26	0	0	0	0	0	0	0	44.56	0	0	13.6	0.3	3.6
2025	3	8	10	41	26	0	0	0	0	0	0	0	44.65	0	0	13.6	0.3	3.6
2025	3	8	10	51	26	0	0	0	0	0	0	0	44.74	0	0	13.6	0.3	3.6
2025	3	8	11	1	26	0	0	0	0	0	0	0	44.82	0	0	13.6	0.3	3.6
2025	3	8	11	11	26	0	0	0	0	0	0	0	44.91	0	0	13.6	0.3	3.6
2025	3	8	11	21	26	0	0	0	0	0	0	0	44.98	0	0	13.4	0.3	3.6
2025	3	8	11	31	26	0	0	0	0	0	0	0	45.07	0	0	13.4	0.3	3.6
2025	3	8	11	41	26	0	0	0	0	0	0	0	45.12	0	0	13.6	0.3	3.6
2025	3	8	11	51	26	0	0	0	0	0	0	0	45.19	0	0	13.6	0.3	3.6
2025	3	8	12	1	26	0	0	0	0	0	0	0	45.28	0	0	13.4	0.3	3.6
2025	3	8	12	11	26	0	0	0	0	0	0	0	45.36	0	0	13.4	0.3	3.6
2025	3	8	12	21	26	0	0	0	0	0	0	0	45.43	0	0	13.4	0.3	3.6
2025	3	8	12	31	26	0	0	0	0	0	0	0	45.5	0	0	13.4	0.3	3.6
2025	3	8	12	41	26	0	0	0	0	0	0	0	45.55	0	0	13.2	0.3	3.6
2025	3	8	12	51	26	0	0	0	0	0	0	0	45.63	0	0	13.2	0.3	3.6
2025	3	8	13	1	26	0	0	0	0	0	0	0	45.68	0	0	13	0.3	3.6
2025	3	8	13	11	26	0	0	0	0	0	0	0	45.81	0	0	13	0.3	3.6
2025	3	8	13	21	26	0	0	0	0	0	0	0	45.95	0	0	13	0.3	3.6
2025	3	8	13	31	26	0	0	0	0	0	0	0	45.95	0	0	13.2	0.3	3.6
2025	3	8	13	41	26	0	0	0	0	0	0	0	46.02	0	0	13.4	0.3	3.6
2025	3	8	13	51	26	0	0	0	0	0	0	0	46.08	0	0	13.2	0.3	3.6
2025	3	8	14	1	26	0	0	0	0	0	0	0	46.13	0	0	13.4	0.3	3.6
2025	3	8	14	11	26	0	0	0	0	0	0	0	46.15	0	0	13.2	0.3	3.6
2025	3	8	14	21	26	0	0	0	0	0	0	0	46.17	0	0	12.8	0.3	3.6
2025	3	8	14	31	26	0	0	0	0	0	0	0	46.22	0	0	13	0.3	3.6
2025	3	8	14	41	26	0	0	0	0	0	0	0	46.26	0	0	12.8	0.3	3.6
2025	3	8	14	51	26	0	0	0	0	0	0	0	46.29	0	0	12.6	0.3	3.6
2025	3	8	15	1	26	0	0	0	0	0	0	0	46.31	0	0	12.6	0.3	3.6
2025	3	8	15	11	26	0	0	0	0	0	0	0	46.35	0	0	12.6	0.3	3.6
2025	3	8	15	21	26	0	0	0	0	0	0	0	46.35	0	0	12.4	0.3	3.6
2025	3	8	15	31	26	0	0	0	0	0	0	0	46.36	0	0	12.4	0.3	3.6
2025	3	8	15	41	26	0	0	0	0	0	0	0	46.38	0	0	12.6	0.3	3.6
2025	3	8	15	51	26	0	0	0	0	0	0	0	46.35	0	0	12.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	8	16	1	26	0	0	0	0	0	0	0	46.4	0	0	12.4	0.3	3.6
2025	3	8	16	11	26	0	0	0	0	0	0	0	46.4	0	0	11.6	0.3	3.6
2025	3	8	16	21	26	0	0	0	0	0	0	0	46.38	0	0	11.2	0.3	3.6
2025	3	8	16	31	26	0	0	0	0	0	0	0	46.38	0	0	11	0.3	3.6
2025	3	8	16	41	26	0	0	0	0	0	0	0	46.4	0	0	10.8	0.3	3.6
2025	3	8	16	51	26	0	0	0	0	0	0	0	46.4	0	0	10.6	0.3	3.6
2025	3	8	17	1	26	0	0	0	0	0	0	0	46.42	0	0	10.6	0.3	3.6
2025	3	8	17	11	26	0	0	0	0	0	0	0	46.44	0	0	10.4	0.3	3.6
2025	3	8	17	21	26	0	0	0	0	0	0	0	46.44	0	0	10.6	0.3	3.6
2025	3	8	17	31	26	0	0	0	0	0	0	0	46.44	0	0	10.8	0.3	3.6
2025	3	8	17	41	26	0	0	0	0	0	0	0	46.45	0	0	10.8	0.3	3.6
2025	3	8	17	51	26	0	0	0	0	0	0	0	46.44	0	0	10.8	0.3	3.6
2025	3	8	18	1	26	0	0	0	0	0	0	0	46.42	0	0	10.4	0.3	3.6
2025	3	8	18	11	26	0	0	0	0	0	0	0	46.4	0	0	10.8	0.3	3.6
2025	3	8	18	21	26	0	0	0	0	0	0	0	46.38	0	0	10.8	0.3	3.6
2025	3	8	18	31	26	0	0	0	0	0	0	0	46.35	0	0	10.8	0.3	3.6
2025	3	8	18	41	26	0	0	0	0	0	0	0	46.33	0	0	10.8	0.3	3.6
2025	3	8	18	51	26	0	0	0	0	0	0	0	46.29	0	0	10.6	0.3	3.6
2025	3	8	19	1	26	0	0	0	0	0	0	0	46.26	0	0	11	0.3	3.6
2025	3	8	19	11	26	0	0	0	0	0	0	0	46.2	0	0	11.4	0.3	3.6
2025	3	8	19	21	26	0	0	0	0	0	0	0	46.17	0	0	11.2	0.3	3.6
2025	3	8	19	31	26	0	0	0	0	0	0	0	46.11	0	0	11.2	0.3	3.6
2025	3	8	19	41	26	0	0	0	0	0	0	0	46.08	0	0	11	0.3	3.6
2025	3	8	19	51	26	0	0	0	0	0	0	0	46	0	0	10.8	0.3	3.6
2025	3	8	20	1	26	0	0	0	0	0	0	0	45.95	0	0	11.2	0.3	3.6
2025	3	8	20	11	26	0	0	0	0	0	0	0	45.9	0	0	11.4	0.3	3.6
2025	3	8	20	21	26	0	0	0	0	0	0	0	45.82	0	0	11.4	0.3	3.6
2025	3	8	20	31	26	0	0	0	0	0	0	0	45.77	0	0	11.4	0.3	3.6
2025	3	8	20	41	26	0	0	0	0	0	0	0	45.68	0	0	11.4	0.3	3.6
2025	3	8	20	51	26	0	0	0	0	0	0	0	45.63	0	0	11.4	0.3	3.6
2025	3	8	21	1	26	0	0	0	0	0	0	0	45.55	0	0	11.4	0.3	3.6
2025	3	8	21	11	26	0	0	0	0	0	0	0	45.46	0	0	11.4	0.3	3.6
2025	3	8	21	21	26	0	0	0	0	0	0	0	45.39	0	0	11.4	0.3	3.6
2025	3	8	21	31	26	0	0	0	0	0	0	0	45.3	0	0	11.4	0.3	3.6
2025	3	8	21	41	26	0	0	0	0	0	0	0	45.23	0	0	11.4	0.3	3.6
2025	3	8	21	51	26	0	0	0	0	0	0	0	45.14	0	0	11.4	0.3	3.6
2025	3	8	22	1	26	0	0	0	0	0	0	0	45.05	0	0	11.4	0.3	3.6
2025	3	8	22	11	26	0	0	0	0	0	0	0	44.98	0	0	11.4	0.3	3.6
2025	3	8	22	21	26	0	0	0	0	0	0	0	44.89	0	0	11.4	0.3	3.6
2025	3	8	22	31	26	0	0	0	0	0	0	0	44.8	0	0	11.4	0.3	3.6
2025	3	8	22	41	26	0	0	0	0	0	0	0	44.71	0	0	11.4	0.3	3.6
2025	3	8	22	51	26	0	0	0	0	0	0	0	44.6	0	0	11.4	0.3	3.6
2025	3	8	23	1	26	0	0	0	0	0	0	0	44.51	0	0	11.4	0.3	3.6
2025	3	8	23	11	26	0	0	0	0	0	0	0	44.44	0	0	11.4	0.3	3.6
2025	3	8	23	21	26	0	0	0	0	0	0	0	44.35	0	0	11.4	0.3	3.6
2025	3	8	23	31	26	0	0	0	0	0	0	0	44.26	0	0	11.4	0.3	3.6
2025	3	8	23	41	26	0	0	0	0	0	0	0	44.15	0	0	11.4	0.3	3.6
2025	3	8	23	51	26	0	0	0	0	0	0	0	44.06	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	9	0	1	26	0	0	0	0	0	0	0	43.97	0	0	11.2	0.3	3.6
2025	3	9	0	11	26	0	0	0	0	0	0	0	43.9	0	0	11.2	0.3	3.6
2025	3	9	0	21	26	0	0	0	0	0	0	0	43.83	0	0	11.2	0.3	3.6
2025	3	9	0	31	26	0	0	0	0	0	0	0	43.74	0	0	11.2	0.3	3.6
2025	3	9	0	41	26	0	0	0	0	0	0	0	43.66	0	0	11.2	0.3	3.6
2025	3	9	0	51	26	0	0	0	0	0	0	0	43.59	0	0	11	0.3	3.6
2025	3	9	1	1	26	0	0	0	0	0	0	0	43.54	0	0	11.2	0.3	3.6
2025	3	9	1	11	26	0	0	0	0	0	0	0	43.47	0	0	11.2	0.3	3.6
2025	3	9	1	21	26	0	0	0	0	0	0	0	43.41	0	0	11.2	0.3	3.6
2025	3	9	1	31	26	0	0	0	0	0	0	0	43.38	0	0	11	0.3	3.6
2025	3	9	1	41	26	0	0	0	0	0	0	0	43.32	0	0	11	0.3	3.6
2025	3	9	1	51	26	0	0	0	0	0	0	0	43.27	0	0	11.2	0.3	3.6
2025	3	9	2	1	26	0	0	0	0	0	0	0	43.23	0	0	11.2	0.3	3.6
2025	3	9	2	11	26	0	0	0	0	0	0	0	43.18	0	0	11.2	0.3	3.6
2025	3	9	2	21	26	0	0	0	0	0	0	0	43.14	0	0	11.2	0.3	3.6
2025	3	9	2	31	26	0	0	0	0	0	0	0	43.11	0	0	11.2	0.3	3.6
2025	3	9	2	41	26	0	0	0	0	0	0	0	43.07	0	0	11.2	0.3	3.6
2025	3	9	2	51	26	0	0	0	0	0	0	0	43.07	0	0	11.2	0.3	3.6
2025	3	9	3	1	26	0	0	0	0	0	0	0	43.03	0	0	11.2	0.3	3.6
2025	3	9	3	11	26	0	0	0	0	0	0	0	43	0	0	11.2	0.3	3.6
2025	3	9	3	21	26	0	0	0	0	0	0	0	42.98	0	0	11.2	0.3	3.6
2025	3	9	3	31	26	0	0	0	0	0	0	0	42.94	0	0	11.2	0.3	3.6
2025	3	9	3	41	26	0	0	0	0	0	0	0	42.94	0	0	11.2	0.3	3.6
2025	3	9	3	51	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	9	4	1	26	0	0	0	0	0	0	0	42.93	0	0	11	0.3	3.6
2025	3	9	4	11	26	0	0	0	0	0	0	0	42.93	0	0	11	0.3	3.6
2025	3	9	4	21	26	0	0	0	0	0	0	0	42.91	0	0	11	0.3	3.6
2025	3	9	4	31	26	0	0	0	0	0	0	0	42.89	0	0	11	0.3	3.6
2025	3	9	4	41	26	0	0	0	0	0	0	0	42.87	0	0	11	0.3	3.6
2025	3	9	4	51	26	0	0	0	0	0	0	0	42.87	0	0	11	0.3	3.6
2025	3	9	5	1	26	0	0	0	0	0	0	0	42.89	0	0	11	0.3	3.6
2025	3	9	5	11	26	0	0	0	0	0	0	0	42.87	0	0	11	0.3	3.6
2025	3	9	5	21	26	0	0	0	0	0	0	0	42.87	0	0	11	0.3	3.6
2025	3	9	5	31	26	0	0	0	0	0	0	0	42.87	0	0	11	0.3	3.6
2025	3	9	5	41	26	0	0	0	0	0	0	0	42.85	0	0	11	0.3	3.6
2025	3	9	5	51	26	0	0	0	0	0	0	0	42.84	0	0	11	0.3	3.6
2025	3	9	6	1	26	0	0	0	0	0	0	0	42.85	0	0	11	0.3	3.6
2025	3	9	6	11	26	0	0	0	0	0	0	0	42.85	0	0	11.2	0.3	3.6
2025	3	9	6	21	26	0	0	0	0	0	0	0	42.85	0	0	11.2	0.3	3.6
2025	3	9	6	31	26	0	0	0	0	0	0	0	42.84	0	0	11	0.3	3.6
2025	3	9	6	41	26	0	0	0	0	0	0	0	42.84	0	0	10.6	0.3	3.6
2025	3	9	6	51	26	0	0	0	0	0	0	0	42.84	0	0	10.6	0.3	3.6
2025	3	9	7	1	26	0	0	0	0	0	0	0	42.85	0	0	11.2	0.3	3.6
2025	3	9	7	11	26	0	0	0	0	0	0	0	42.84	0	0	11.2	0.3	3.6
2025	3	9	7	21	26	0	0	0	0	0	0	0	42.87	0	0	11.6	0.3	3.6
2025	3	9	7	31	26	0	0	0	0	0	0	0	42.89	0	0	11.6	0.3	3.6
2025	3	9	7	41	26	0	0	0	0	0	0	0	42.91	0	0	11.6	0.3	3.6
2025	3	9	7	51	26	0	0	0	0	0	0	0	42.96	0	0	12	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	9	8	1	26	0	0	0	0	0	0	0	43	0	0	12.2	0.3	3.6
2025	3	9	8	11	26	0	0	0	0	0	0	0	43.05	0	0	12.2	0.3	3.6
2025	3	9	8	21	26	0	0	0	0	0	0	0	43.12	0	0	12.6	0.3	3.6
2025	3	9	8	31	26	0	0	0	0	0	0	0	43.2	0	0	12.2	0.3	3.6
2025	3	9	8	41	26	0	0	0	0	0	0	0	43.27	0	0	12.2	0.3	3.6
2025	3	9	8	51	26	0	0	0	0	0	0	0	43.34	0	0	12.8	0.3	3.6
2025	3	9	9	1	26	0	0	0	0	0	0	0	43.43	0	0	13	0.3	3.6
2025	3	9	9	11	26	0	0	0	0	0	0	0	43.52	0	0	13	0.3	3.6
2025	3	9	9	21	26	0	0	0	0	0	0	0	43.59	0	0	12.8	0.3	3.6
2025	3	9	9	31	26	0	0	0	0	0	0	0	43.68	0	0	12.8	0.3	3.6
2025	3	9	9	41	26	0	0	0	0	0	0	0	43.77	0	0	13	0.3	3.6
2025	3	9	9	51	26	0	0	0	0	0	0	0	43.88	0	0	13	0.3	3.6
2025	3	9	10	1	26	0	0	0	0	0	0	0	43.97	0	0	13	0.3	3.6
2025	3	9	10	11	26	0	0	0	0	0	0	0	44.08	0	0	12.8	0.3	3.6
2025	3	9	10	21	26	0	0	0	0	0	0	0	44.17	0	0	12.8	0.3	3.6
2025	3	9	10	31	26	0	0	0	0	0	0	0	44.26	0	0	12.8	0.3	3.6
2025	3	9	10	41	26	0	0	0	0	0	0	0	44.35	0	0	12.6	0.3	3.6
2025	3	9	10	51	26	0	0	0	0	0	0	0	44.46	0	0	12.6	0.3	3.6
2025	3	9	11	1	26	0	0	0	0	0	0	0	44.56	0	0	12.6	0.3	3.6
2025	3	9	11	11	26	0	0	0	0	0	0	0	44.64	0	0	12.6	0.3	3.6
2025	3	9	11	21	26	0	0	0	0	0	0	0	44.74	0	0	12.6	0.3	3.6
2025	3	9	11	31	26	0	0	0	0	0	0	0	44.83	0	0	12.6	0.3	3.6
2025	3	9	11	41	26	0	0	0	0	0	0	0	44.94	0	0	12.6	0.3	3.6
2025	3	9	11	51	26	0	0	0	0	0	0	0	45.05	0	0	12.6	0.3	3.6
2025	3	9	12	1	26	0	0	0	0	0	0	0	45.16	0	0	12.6	0.3	3.6
2025	3	9	12	11	26	0	0	0	0	0	0	0	45.25	0	0	12.6	0.3	3.6
2025	3	9	12	21	26	0	0	0	0	0	0	0	45.32	0	0	12.8	0.3	3.6
2025	3	9	12	31	26	0	0	0	0	0	0	0	45.45	0	0	12.6	0.3	3.6
2025	3	9	12	41	26	0	0	0	0	0	0	0	45.52	0	0	13	0.3	3.3
2025	3	9	12	51	26	0	0	0	0	0	0	0	45.63	0	0	12.8	0.3	3.3
2025	3	9	13	1	26	0	0	0	0	0	0	0	45.7	0	0	12.8	0.3	3.3
2025	3	9	13	11	26	0	0	0	0	0	0	0	45.79	0	0	12.8	0.3	3.3
2025	3	9	13	21	26	0	0	0	0	0	0	0	45.86	0	0	12.8	0.3	3.3
2025	3	9	13	31	26	0	0	0	0	0	0	0	45.93	0	0	12.6	0.3	3.3
2025	3	9	13	41	26	0	0	0	0	0	0	0	46	0	0	12.6	0.3	3.3
2025	3	9	13	51	26	0	0	0	0	0	0	0	46.08	0	0	12.6	0.3	3.3
2025	3	9	14	1	26	0	0	0	0	0	0	0	46.17	0	0	12.6	0.3	3.3
2025	3	9	14	11	26	0	0	0	0	0	0	0	46.22	0	0	12.6	0.3	3.3
2025	3	9	14	21	26	0	0	0	0	0	0	0	46.29	0	0	12.6	0.3	3.3
2025	3	9	14	31	26	0	0	0	0	0	0	0	46.35	0	0	12.4	0.3	3.3
2025	3	9	14	41	26	0	0	0	0	0	0	0	46.4	0	0	12.4	0.3	3.3
2025	3	9	14	51	26	0	0	0	0	0	0	0	46.47	0	0	12.4	0.3	3.3
2025	3	9	15	1	26	0	0	0	0	0	0	0	46.51	0	0	12.4	0.3	3.3
2025	3	9	15	11	26	0	0	0	0	0	0	0	46.56	0	0	12.4	0.3	3.3
2025	3	9	15	21	26	0	0	0	0	0	0	0	46.62	0	0	12.4	0.3	3.3
2025	3	9	15	31	26	0	0	0	0	0	0	0	46.65	0	0	12.2	0.3	3.3
2025	3	9	15	41	26	0	0	0	0	0	0	0	46.67	0	0	12.4	0.3	3.3
2025	3	9	15	51	26	0	0	0	0	0	0	0	46.69	0	0	12.4	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	9	16	1	26	0	0	0	0	0	0	0	46.74	0	0	12.4	0.3	3.3
2025	3	9	16	11	26	0	0	0	0	0	0	0	46.76	0	0	11.6	0.3	3.3
2025	3	9	16	21	26	0	0	0	0	0	0	0	46.78	0	0	11	0.3	3.3
2025	3	9	16	31	26	0	0	0	0	0	0	0	46.78	0	0	10.8	0.3	3.3
2025	3	9	16	41	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	9	16	51	26	0	0	0	0	0	0	0	46.83	0	0	10.4	0.3	3.3
2025	3	9	17	1	26	0	0	0	0	0	0	0	46.85	0	0	10.4	0.3	3.3
2025	3	9	17	11	26	0	0	0	0	0	0	0	46.87	0	0	10.2	0.3	3.3
2025	3	9	17	21	26	0	0	0	0	0	0	0	46.89	0	0	10.4	0.3	3.3
2025	3	9	17	31	26	0	0	0	0	0	0	0	46.9	0	0	10.4	0.3	3.3
2025	3	9	17	41	26	0	0	0	0	0	0	0	46.9	0	0	10.4	0.3	3.3
2025	3	9	17	51	26	0	0	0	0	0	0	0	46.92	0	0	10.2	0.3	3.3
2025	3	9	18	1	26	0	0	0	0	0	0	0	46.92	0	0	10.2	0.3	3.3
2025	3	9	18	11	26	0	0	0	0	0	0	0	46.92	0	0	10.2	0.3	3.3
2025	3	9	18	21	26	0	0	0	0	0	0	0	46.92	0	0	10.4	0.3	3.3
2025	3	9	18	31	26	0	0	0	0	0	0	0	46.92	0	0	10.2	0.3	3.3
2025	3	9	18	41	26	0	0	0	0	0	0	0	46.92	0	0	10.2	0.3	3.3
2025	3	9	18	51	26	0	0	0	0	0	0	0	46.9	0	0	10.2	0.3	3.3
2025	3	9	19	1	26	0	0	0	0	0	0	0	46.89	0	0	10.2	0.3	3.3
2025	3	9	19	11	26	0	0	0	0	0	0	0	46.87	0	0	10	0.3	3.3
2025	3	9	19	21	26	0	0	0	0	0	0	0	46.83	0	0	10	0.3	3.3
2025	3	9	19	31	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	9	19	41	26	0	0	0	0	0	0	0	46.76	0	0	10.4	0.3	3.3
2025	3	9	19	51	26	0	0	0	0	0	0	0	46.71	0	0	10.2	0.3	3.3
2025	3	9	20	1	26	0	0	0	0	0	0	0	46.67	0	0	10.4	0.3	3.3
2025	3	9	20	11	26	0	0	0	0	0	0	0	46.62	0	0	10.4	0.3	3.3
2025	3	9	20	21	26	0	0	0	0	0	0	0	46.54	0	0	10.4	0.3	3.3
2025	3	9	20	31	26	0	0	0	0	0	0	0	46.49	0	0	10.4	0.3	3.3
2025	3	9	20	41	26	0	0	0	0	0	0	0	46.42	0	0	10.4	0.3	3.3
2025	3	9	20	51	26	0	0	0	0	0	0	0	46.35	0	0	10.2	0.3	3.3
2025	3	9	21	1	26	0	0	0	0	0	0	0	46.27	0	0	10.2	0.3	3.3
2025	3	9	21	11	26	0	0	0	0	0	0	0	46.18	0	0	10.2	0.3	3.3
2025	3	9	21	21	26	0	0	0	0	0	0	0	46.11	0	0	10	0.3	3.3
2025	3	9	21	31	26	0	0	0	0	0	0	0	46.02	0	0	10.2	0.3	3.3
2025	3	9	21	41	26	0	0	0	0	0	0	0	45.93	0	0	10.2	0.3	3.3
2025	3	9	21	51	26	0	0	0	0	0	0	0	45.84	0	0	10	0.3	3.3
2025	3	9	22	1	26	0	0	0	0	0	0	0	45.75	0	0	10.2	0.3	3.3
2025	3	9	22	11	26	0	0	0	0	0	0	0	45.66	0	0	10.2	0.3	3.3
2025	3	9	22	21	26	0	0	0	0	0	0	0	45.57	0	0	10	0.3	3.3
2025	3	9	22	31	26	0	0	0	0	0	0	0	45.46	0	0	10	0.3	3.3
2025	3	9	22	41	26	0	0	0	0	0	0	0	45.36	0	0	10	0.3	3.3
2025	3	9	22	51	26	0	0	0	0	0	0	0	45.27	0	0	11.6	0.3	3.6
2025	3	9	23	1	26	0	0	0	0	0	0	0	45.18	0	0	11.4	0.3	3.6
2025	3	9	23	11	26	0	0	0	0	0	0	0	45.1	0	0	11.4	0.3	3.3
2025	3	9	23	21	26	0	0	0	0	0	0	0	45	0	0	11.4	0.3	3.3
2025	3	9	23	31	26	0	0	0	0	0	0	0	44.89	0	0	11.4	0.3	3.3
2025	3	9	23	41	26	0	0	0	0	0	0	0	44.8	0	0	11.4	0.3	3.3
2025	3	9	23	51	26	0	0	0	0	0	0	0	44.71	0	0	11.4	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	10	0	1	26	0	0	0	0	0	0	0	44.62	0	0	11.4	0.3	3.3
2025	3	10	0	11	26	0	0	0	0	0	0	0	44.53	0	0	11.4	0.3	3.3
2025	3	10	0	21	26	0	0	0	0	0	0	0	44.44	0	0	11.4	0.3	3.3
2025	3	10	0	31	26	0	0	0	0	0	0	0	44.37	0	0	11.4	0.3	3.3
2025	3	10	0	41	26	0	0	0	0	0	0	0	44.28	0	0	11.4	0.3	3.3
2025	3	10	0	51	26	0	0	0	0	0	0	0	44.19	0	0	11.4	0.3	3.3
2025	3	10	1	1	26	0	0	0	0	0	0	0	44.11	0	0	11.4	0.3	3.3
2025	3	10	1	11	26	0	0	0	0	0	0	0	44.04	0	0	11.4	0.3	3.3
2025	3	10	1	21	26	0	0	0	0	0	0	0	43.97	0	0	11.4	0.3	3.3
2025	3	10	1	31	26	0	0	0	0	0	0	0	43.9	0	0	11.4	0.3	3.3
2025	3	10	1	41	26	0	0	0	0	0	0	0	43.83	0	0	11.4	0.3	3.3
2025	3	10	1	51	26	0	0	0	0	0	0	0	43.77	0	0	11.4	0.3	3.3
2025	3	10	2	1	26	0	0	0	0	0	0	0	43.7	0	0	11.4	0.3	3.3
2025	3	10	2	11	26	0	0	0	0	0	0	0	43.66	0	0	11.4	0.3	3.3
2025	3	10	2	21	26	0	0	0	0	0	0	0	43.59	0	0	11.4	0.3	3.3
2025	3	10	2	31	26	0	0	0	0	0	0	0	43.56	0	0	11.4	0.3	3.3
2025	3	10	2	41	26	0	0	0	0	0	0	0	43.5	0	0	11.4	0.3	3.3
2025	3	10	2	51	26	0	0	0	0	0	0	0	43.47	0	0	11.4	0.3	3.3
2025	3	10	3	1	26	0	0	0	0	0	0	0	43.41	0	0	11.4	0.3	3.3
2025	3	10	3	11	26	0	0	0	0	0	0	0	43.38	0	0	11.4	0.3	3.3
2025	3	10	3	21	26	0	0	0	0	0	0	0	43.36	0	0	11.4	0.3	3.3
2025	3	10	3	31	26	0	0	0	0	0	0	0	43.3	0	0	11.4	0.3	3.3
2025	3	10	3	41	26	0	0	0	0	0	0	0	43.29	0	0	11.4	0.3	3.3
2025	3	10	3	51	26	0	0	0	0	0	0	0	43.25	0	0	11.4	0.3	3.3
2025	3	10	4	1	26	0	0	0	0	0	0	0	43.23	0	0	11.4	0.3	3.3
2025	3	10	4	11	26	0	0	0	0	0	0	0	43.2	0	0	11.4	0.3	3.3
2025	3	10	4	21	26	0	0	0	0	0	0	0	43.18	0	0	11.4	0.3	3.3
2025	3	10	4	31	26	0	0	0	0	0	0	0	43.16	0	0	11.4	0.3	3.3
2025	3	10	4	41	26	0	0	0	0	0	0	0	43.14	0	0	11.4	0.3	3.3
2025	3	10	4	51	26	0	0	0	0	0	0	0	43.12	0	0	11.4	0.3	3.3
2025	3	10	5	1	26	0	0	0	0	0	0	0	43.12	0	0	11.4	0.3	3.3
2025	3	10	5	11	26	0	0	0	0	0	0	0	43.11	0	0	11.4	0.3	3.3
2025	3	10	5	21	26	0	0	0	0	0	0	0	43.09	0	0	11.4	0.3	3.3
2025	3	10	5	31	26	0	0	0	0	0	0	0	43.09	0	0	11.4	0.3	3.3
2025	3	10	5	41	26	0	0	0	0	0	0	0	43.07	0	0	11	0.3	3.3
2025	3	10	5	51	26	0	0	0	0	0	0	0	43.07	0	0	10.4	0.3	3.3
2025	3	10	6	1	26	0	0	0	0	0	0	0	43.07	0	0	10.4	0.3	3.3
2025	3	10	6	11	26	0	0	0	0	0	0	0	43.05	0	0	10.4	0.3	3.3
2025	3	10	6	21	26	0	0	0	0	0	0	0	43.03	0	0	10.4	0.3	3.3
2025	3	10	6	31	26	0	0	0	0	0	0	0	43.05	0	0	10.4	0.3	3.3
2025	3	10	6	41	26	0	0	0	0	0	0	0	43.05	0	0	10.4	0.3	3.3
2025	3	10	6	51	26	0	0	0	0	0	0	0	43.05	0	0	10.4	0.3	3.3
2025	3	10	7	1	26	0	0	0	0	0	0	0	43.05	0	0	10.6	0.3	3.3
2025	3	10	7	11	26	0	0	0	0	0	0	0	43.07	0	0	11	0.3	3.3
2025	3	10	7	21	26	0	0	0	0	0	0	0	43.11	0	0	11.2	0.3	3.3
2025	3	10	7	31	26	0	0	0	0	0	0	0	43.12	0	0	11.4	0.3	3.3
2025	3	10	7	41	26	0	0	0	0	0	0	0	43.16	0	0	11.4	0.3	3.3
2025	3	10	7	51	26	0	0	0	0	0	0	0	43.2	0	0	11.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	10	8	1	26	0	0	0	0	0	0	0	43.25	0	0	11.8	0.3	3.3
2025	3	10	8	11	26	0	0	0	0	0	0	0	43.32	0	0	11.8	0.3	3.3
2025	3	10	8	21	26	0	0	0	0	0	0	0	43.38	0	0	12	0.3	3.3
2025	3	10	8	31	26	0	0	0	0	0	0	0	43.45	0	0	12	0.3	3.3
2025	3	10	8	41	26	0	0	0	0	0	0	0	43.5	0	0	12.2	0.3	3.3
2025	3	10	8	51	26	0	0	0	0	0	0	0	43.59	0	0	12.4	0.3	3.3
2025	3	10	9	1	26	0	0	0	0	0	0	0	43.66	0	0	12.8	0.3	3.3
2025	3	10	9	11	26	0	0	0	0	0	0	0	43.75	0	0	12.8	0.3	3.3
2025	3	10	9	21	26	0	0	0	0	0	0	0	43.83	0	0	12.4	0.3	3.3
2025	3	10	9	31	26	0	0	0	0	0	0	0	43.92	0	0	12.2	0.3	3.3
2025	3	10	9	41	26	0	0	0	0	0	0	0	44.01	0	0	12.8	0.3	3.3
2025	3	10	9	51	26	0	0	0	0	0	0	0	44.1	0	0	12.8	0.3	3.3
2025	3	10	10	1	26	0	0	0	0	0	0	0	44.2	0	0	12.8	0.3	3.3
2025	3	10	10	11	26	0	0	0	0	0	0	0	44.29	0	0	12.4	0.3	3.3
2025	3	10	10	21	26	0	0	0	0	0	0	0	44.38	0	0	12.4	0.3	3.3
2025	3	10	10	31	26	0	0	0	0	0	0	0	44.49	0	0	12.2	0.3	3.3
2025	3	10	10	41	26	0	0	0	0	0	0	0	44.58	0	0	12.2	0.3	3.3
2025	3	10	10	51	26	0	0	0	0	0	0	0	44.67	0	0	12.2	0.3	3.3
2025	3	10	11	1	26	0	0	0	0	0	0	0	44.74	0	0	12.2	0.3	3.3
2025	3	10	11	11	26	0	0	0	0	0	0	0	44.82	0	0	12	0.3	3.6
2025	3	10	11	21	26	0	0	0	0	0	0	0	44.87	0	0	12	0.3	3.6
2025	3	10	11	31	26	0	0	0	0	0	0	0	44.94	0	0	12.4	0.3	3.6
2025	3	10	11	41	26	0	0	0	0	0	0	0	45.07	0	0	12.2	0.3	3.6
2025	3	10	11	51	26	0	0	0	0	0	0	0	45.23	0	0	12.2	0.3	3.6
2025	3	10	12	1	26	0	0	0	0	0	0	0	45.37	0	0	12.2	0.3	3.6
2025	3	10	12	11	26	0	0	0	0	0	0	0	45.46	0	0	12	0.3	3.3
2025	3	10	12	21	26	0	0	0	0	0	0	0	45.55	0	0	12	0.3	3.3
2025	3	10	12	31	26	0	0	0	0	0	0	0	45.68	0	0	12	0.3	3.3
2025	3	10	12	41	26	0	0	0	0	0	0	0	45.77	0	0	12.2	0.3	3.3
2025	3	10	12	51	26	0	0	0	0	0	0	0	45.86	0	0	12.2	0.3	3.3
2025	3	10	13	1	26	0	0	0	0	0	0	0	45.95	0	0	12	0.3	3.3
2025	3	10	13	11	26	0	0	0	0	0	0	0	46.02	0	0	12	0.3	3.3
2025	3	10	13	21	26	0	0	0	0	0	0	0	46.11	0	0	12.2	0.3	3.3
2025	3	10	13	31	26	0	0	0	0	0	0	0	46.2	0	0	12	0.3	3.3
2025	3	10	13	41	26	0	0	0	0	0	0	0	46.24	0	0	12	0.3	3.3
2025	3	10	13	51	26	0	0	0	0	0	0	0	46.31	0	0	12	0.3	3.3
2025	3	10	14	1	26	0	0	0	0	0	0	0	46.35	0	0	12	0.3	3.3
2025	3	10	14	11	26	0	0	0	0	0	0	0	46.4	0	0	12	0.3	3.3
2025	3	10	14	21	26	0	0	0	0	0	0	0	46.47	0	0	12	0.3	3.3
2025	3	10	14	31	26	0	0	0	0	0	0	0	46.54	0	0	11.8	0.3	3.3
2025	3	10	14	41	26	0	0	0	0	0	0	0	46.62	0	0	11.8	0.3	3.3
2025	3	10	14	51	26	0	0	0	0	0	0	0	46.65	0	0	11.8	0.3	3.3
2025	3	10	15	1	26	0	0	0	0	0	0	0	46.65	0	0	11	0.3	3.3
2025	3	10	15	11	26	0	0	0	0	0	0	0	46.72	0	0	11.8	0.3	3.3
2025	3	10	15	21	26	0	0	0	0	0	0	0	46.78	0	0	11.4	0.3	3.3
2025	3	10	15	31	26	0	0	0	0	0	0	0	46.78	0	0	11.8	0.3	3.3
2025	3	10	15	41	26	0	0	0	0	0	0	0	46.83	0	0	12.2	0.3	3.3
2025	3	10	15	51	26	0	0	0	0	0	0	0	46.89	0	0	12.2	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	10	16	1	26	0	0	0	0	0	0	0	46.94	0	0	11.6	0.3	3.3
2025	3	10	16	11	26	0	0	0	0	0	0	0	46.96	0	0	10.4	0.3	3.3
2025	3	10	16	21	26	0	0	0	0	0	0	0	46.98	0	0	10.4	0.3	3.3
2025	3	10	16	31	26	0	0	0	0	0	0	0	47.01	0	0	10.2	0.3	3.3
2025	3	10	16	41	26	0	0	0	0	0	0	0	47.03	0	0	10	0.3	3.3
2025	3	10	16	51	26	0	0	0	0	0	0	0	47.07	0	0	10	0.3	3.3
2025	3	10	17	1	26	0	0	0	0	0	0	0	47.1	0	0	10	0.3	3.3
2025	3	10	17	11	26	0	0	0	0	0	0	0	47.12	0	0	9.8	0.3	3.3
2025	3	10	17	21	26	0	0	0	0	0	0	0	47.14	0	0	9.8	0.3	3.3
2025	3	10	17	31	26	0	0	0	0	0	0	0	47.16	0	0	9.8	0.3	3.3
2025	3	10	17	41	26	0	0	0	0	0	0	0	47.17	0	0	10.6	0.3	3.3
2025	3	10	17	51	26	0	0	0	0	0	0	0	47.19	0	0	10.8	0.3	3.3
2025	3	10	18	1	26	0	0	0	0	0	0	0	47.19	0	0	10.6	0.3	3.3
2025	3	10	18	11	26	0	0	0	0	0	0	0	47.19	0	0	10.6	0.3	3.3
2025	3	10	18	21	26	0	0	0	0	0	0	0	47.19	0	0	10.4	0.3	3.3
2025	3	10	18	31	26	0	0	0	0	0	0	0	47.19	0	0	10.4	0.3	3.3
2025	3	10	18	41	26	0	0	0	0	0	0	0	47.17	0	0	10.4	0.3	3.3
2025	3	10	18	51	26	0	0	0	0	0	0	0	47.17	0	0	10.4	0.3	3.3
2025	3	10	19	1	26	0	0	0	0	0	0	0	47.16	0	0	10.4	0.3	3.3
2025	3	10	19	11	26	0	0	0	0	0	0	0	47.14	0	0	10.2	0.3	3.3
2025	3	10	19	21	26	0	0	0	0	0	0	0	47.12	0	0	10.2	0.3	3.3
2025	3	10	19	31	26	0	0	0	0	0	0	0	47.08	0	0	10.2	0.3	3.3
2025	3	10	19	41	26	0	0	0	0	0	0	0	47.03	0	0	10.2	0.3	3.3
2025	3	10	19	51	26	0	0	0	0	0	0	0	46.99	0	0	10.2	0.3	3.3
2025	3	10	20	1	26	0	0	0	0	0	0	0	46.96	0	0	10.2	0.3	3.3
2025	3	10	20	11	26	0	0	0	0	0	0	0	46.9	0	0	10.2	0.3	3.3
2025	3	10	20	21	26	0	0	0	0	0	0	0	46.83	0	0	10	0.3	3.3
2025	3	10	20	31	26	0	0	0	0	0	0	0	46.78	0	0	10.4	0.3	3.3
2025	3	10	20	41	26	0	0	0	0	0	0	0	46.72	0	0	10.2	0.3	3.3
2025	3	10	20	51	26	0	0	0	0	0	0	0	46.63	0	0	10.2	0.3	3.3
2025	3	10	21	1	26	0	0	0	0	0	0	0	46.58	0	0	9.8	0.3	3.3
2025	3	10	21	11	26	0	0	0	0	0	0	0	46.49	0	0	10	0.3	3.3
2025	3	10	21	21	26	0	0	0	0	0	0	0	46.42	0	0	10.4	0.3	3.3
2025	3	10	21	31	26	0	0	0	0	0	0	0	46.35	0	0	10.4	0.3	3.3
2025	3	10	21	41	26	0	0	0	0	0	0	0	46.24	0	0	10.4	0.3	3.3
2025	3	10	21	51	26	0	0	0	0	0	0	0	46.17	0	0	10.2	0.3	3.3
2025	3	10	22	1	26	0	0	0	0	0	0	0	46.09	0	0	10.2	0.3	3.3
2025	3	10	22	11	26	0	0	0	0	0	0	0	46	0	0	10.6	0.3	3.3
2025	3	10	22	21	26	0	0	0	0	0	0	0	45.91	0	0	10.6	0.3	3.3
2025	3	10	22	31	26	0	0	0	0	0	0	0	45.82	0	0	10.4	0.3	3.3
2025	3	10	22	41	26	0	0	0	0	0	0	0	45.75	0	0	10.4	0.3	3.3
2025	3	10	22	51	26	0	0	0	0	0	0	0	45.66	0	0	10.4	0.3	3.3
2025	3	10	23	1	26	0	0	0	0	0	0	0	45.57	0	0	10.2	0.3	3.3
2025	3	10	23	11	26	0	0	0	0	0	0	0	45.48	0	0	10.2	0.3	3.3
2025	3	10	23	21	26	0	0	0	0	0	0	0	45.41	0	0	10.2	0.3	3.3
2025	3	10	23	31	26	0	0	0	0	0	0	0	45.32	0	0	10.2	0.3	3.3
2025	3	10	23	41	26	0	0	0	0	0	0	0	45.23	0	0	10.2	0.3	3.3
2025	3	10	23	51	26	0	0	0	0	0	0	0	45.14	0	0	10.2	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	11	0	1	26	0	0	0	0	0	0	0	45.07	0	0	10.2	0.3	3.3
2025	3	11	0	11	26	0	0	0	0	0	0	0	45	0	0	10.2	0.3	3.3
2025	3	11	0	21	26	0	0	0	0	0	0	0	44.91	0	0	10.2	0.3	3.3
2025	3	11	0	31	26	0	0	0	0	0	0	0	44.83	0	0	10.2	0.3	3.3
2025	3	11	0	41	26	0	0	0	0	0	0	0	44.76	0	0	10.2	0.3	3.3
2025	3	11	0	51	26	0	0	0	0	0	0	0	44.67	0	0	10.2	0.3	3.3
2025	3	11	1	1	26	0	0	0	0	0	0	0	44.62	0	0	10.2	0.3	3.3
2025	3	11	1	11	26	0	0	0	0	0	0	0	44.55	0	0	10.2	0.3	3.3
2025	3	11	1	21	26	0	0	0	0	0	0	0	44.47	0	0	10.6	0.3	3.6
2025	3	11	1	31	26	0	0	0	0	0	0	0	44.42	0	0	10.8	0.3	3.3
2025	3	11	1	41	26	0	0	0	0	0	0	0	44.37	0	0	10.8	0.3	3.3
2025	3	11	1	51	26	0	0	0	0	0	0	0	44.31	0	0	10.6	0.3	3.3
2025	3	11	2	1	26	0	0	0	0	0	0	0	44.26	0	0	10.4	0.3	3.3
2025	3	11	2	11	26	0	0	0	0	0	0	0	44.2	0	0	10.4	0.3	3.6
2025	3	11	2	21	26	0	0	0	0	0	0	0	44.17	0	0	10.4	0.3	3.6
2025	3	11	2	31	26	0	0	0	0	0	0	0	44.13	0	0	10.4	0.3	3.6
2025	3	11	2	41	26	0	0	0	0	0	0	0	44.1	0	0	10.4	0.3	3.6
2025	3	11	2	51	26	0	0	0	0	0	0	0	44.08	0	0	10.4	0.3	3.6
2025	3	11	3	1	26	0	0	0	0	0	0	0	44.04	0	0	10.4	0.3	3.3
2025	3	11	3	11	26	0	0	0	0	0	0	0	44.01	0	0	10.4	0.3	3.6
2025	3	11	3	21	26	0	0	0	0	0	0	0	43.99	0	0	10.4	0.3	3.6
2025	3	11	3	31	26	0	0	0	0	0	0	0	43.97	0	0	10.4	0.3	3.6
2025	3	11	3	41	26	0	0	0	0	0	0	0	43.95	0	0	10.4	0.3	3.6
2025	3	11	3	51	26	0	0	0	0	0	0	0	43.93	0	0	10.4	0.3	3.6
2025	3	11	4	1	26	0	0	0	0	0	0	0	43.93	0	0	10.2	0.3	3.6
2025	3	11	4	11	26	0	0	0	0	0	0	0	43.93	0	0	10.2	0.3	3.6
2025	3	11	4	21	26	0	0	0	0	0	0	0	43.93	0	0	10	0.3	3.6
2025	3	11	4	31	26	0	0	0	0	0	0	0	43.92	0	0	10	0.3	3.6
2025	3	11	4	41	26	0	0	0	0	0	0	0	43.92	0	0	10	0.3	3.3
2025	3	11	4	51	26	0	0	0	0	0	0	0	43.92	0	0	10	0.3	3.6
2025	3	11	5	1	26	0	0	0	0	0	0	0	43.92	0	0	10.2	0.3	3.6
2025	3	11	5	11	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.3
2025	3	11	5	21	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.3
2025	3	11	5	31	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.3
2025	3	11	5	41	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.6
2025	3	11	5	51	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.3
2025	3	11	6	1	26	0	0	0	0	0	0	0	43.92	0	0	9.8	0.3	3.6
2025	3	11	6	11	26	0	0	0	0	0	0	0	43.92	0	0	9.8	0.3	3.3
2025	3	11	6	21	26	0	0	0	0	0	0	0	43.92	0	0	10.2	0.3	3.3
2025	3	11	6	31	26	0	0	0	0	0	0	0	43.93	0	0	10.2	0.3	3.3
2025	3	11	6	41	26	0	0	0	0	0	0	0	43.93	0	0	10.2	0.3	3.3
2025	3	11	6	51	26	0	0	0	0	0	0	0	43.95	0	0	10.2	0.3	3.6
2025	3	11	7	1	26	0	0	0	0	0	0	0	43.97	0	0	10.4	0.3	3.3
2025	3	11	7	11	26	0	0	0	0	0	0	0	43.99	0	0	10.6	0.3	3.6
2025	3	11	7	21	26	0	0	0	0	0	0	0	44.01	0	0	10.8	0.3	3.3
2025	3	11	7	31	26	0	0	0	0	0	0	0	44.02	0	0	10.8	0.3	3.3
2025	3	11	7	41	26	0	0	0	0	0	0	0	44.06	0	0	10.8	0.3	3.3
2025	3	11	7	51	26	0	0	0	0	0	0	0	44.08	0	0	11	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	11	8	1	26	0	0	0	0	0	0	0	44.13	0	0	11	0.3	3.6
2025	3	11	8	11	26	0	0	0	0	0	0	0	44.19	0	0	11.2	0.3	3.3
2025	3	11	8	21	26	0	0	0	0	0	0	0	44.26	0	0	11.2	0.3	3.6
2025	3	11	8	31	26	0	0	0	0	0	0	0	44.31	0	0	11.4	0.3	3.6
2025	3	11	8	41	26	0	0	0	0	0	0	0	44.4	0	0	12	0.3	3.6
2025	3	11	8	51	26	0	0	0	0	0	0	0	44.47	0	0	11.8	0.3	3.3
2025	3	11	9	1	26	0	0	0	0	0	0	0	44.55	0	0	12.2	0.3	3.3
2025	3	11	9	11	26	0	0	0	0	0	0	0	44.64	0	0	12.4	0.3	3.3
2025	3	11	9	21	26	0	0	0	0	0	0	0	44.71	0	0	12.2	0.3	3.3
2025	3	11	9	31	26	0	0	0	0	0	0	0	44.76	0	0	12.6	0.3	3.3
2025	3	11	9	41	26	0	0	0	0	0	0	0	44.83	0	0	13	0.3	3.3
2025	3	11	9	51	26	0	0	0	0	0	0	0	44.94	0	0	12.8	0.3	3.3
2025	3	11	10	1	26	0	0	0	0	0	0	0	45.01	0	0	12.6	0.3	3.3
2025	3	11	10	11	26	0	0	0	0	0	0	0	45.09	0	0	12.6	0.3	3.3
2025	3	11	10	21	26	0	0	0	0	0	0	0	45.18	0	0	12.4	0.3	3.3
2025	3	11	10	31	26	0	0	0	0	0	0	0	45.27	0	0	12.2	0.3	3.3
2025	3	11	10	41	26	0	0	0	0	0	0	0	45.39	0	0	12.6	0.3	3.3
2025	3	11	10	51	26	0	0	0	0	0	0	0	45.54	0	0	12.8	0.3	3.3
2025	3	11	11	1	26	0	0	0	0	0	0	0	45.63	0	0	12.6	0.3	3.3
2025	3	11	11	11	26	0	0	0	0	0	0	0	45.61	0	0	12.4	0.3	3.3
2025	3	11	11	21	26	0	0	0	0	0	0	0	45.64	0	0	12.4	0.3	3.3
2025	3	11	11	31	26	0	0	0	0	0	0	0	45.64	0	0	11.8	0.3	3.3
2025	3	11	11	41	26	0	0	0	0	0	0	0	45.66	0	0	12	0.3	3.3
2025	3	11	11	51	26	0	0	0	0	0	0	0	45.73	0	0	12.6	0.3	3.3
2025	3	11	12	1	26	0	0	0	0	0	0	0	45.79	0	0	12.6	0.3	3.3
2025	3	11	12	11	26	0	0	0	0	0	0	0	45.9	0	0	12.8	0.3	3.3
2025	3	11	12	21	26	0	0	0	0	0	0	0	45.95	0	0	12.6	0.3	3.3
2025	3	11	12	31	26	0	0	0	0	0	0	0	46.02	0	0	12.6	0.3	3.3
2025	3	11	12	41	26	0	0	0	0	0	0	0	46.09	0	0	12.6	0.3	3.3
2025	3	11	12	51	26	0	0	0	0	0	0	0	46.22	0	0	13	0.3	3.3
2025	3	11	13	1	26	0	0	0	0	0	0	0	46.29	0	0	12.8	0.3	3.3
2025	3	11	13	11	26	0	0	0	0	0	0	0	46.36	0	0	12.8	0.3	3.3
2025	3	11	13	21	26	0	0	0	0	0	0	0	46.47	0	0	12.8	0.3	3.3
2025	3	11	13	31	26	0	0	0	0	0	0	0	46.56	0	0	13	0.3	3.3
2025	3	11	13	41	26	0	0	0	0	0	0	0	46.69	0	0	13	0.3	3.3
2025	3	11	13	51	26	0	0	0	0	0	0	0	46.76	0	0	12.8	0.3	3.3
2025	3	11	14	1	26	0	0	0	0	0	0	0	46.85	0	0	12.8	0.3	3.3
2025	3	11	14	11	26	0	0	0	0	0	0	0	46.94	0	0	12.8	0.3	3.3
2025	3	11	14	21	26	0	0	0	0	0	0	0	46.98	0	0	12.8	0.3	3.3
2025	3	11	14	31	26	0	0	0	0	0	0	0	47.03	0	0	12.8	0.3	3.3
2025	3	11	14	41	26	0	0	0	0	0	0	0	47.08	0	0	12.8	0.3	3.3
2025	3	11	14	51	26	0	0	0	0	0	0	0	47.16	0	0	12.8	0.3	3.3
2025	3	11	15	1	26	0	0	0	0	0	0	0	47.21	0	0	12.8	0.3	3.3
2025	3	11	15	11	26	0	0	0	0	0	0	0	47.25	0	0	12.8	0.3	3.3
2025	3	11	15	21	26	0	0	0	0	0	0	0	47.3	0	0	12.8	0.3	3.3
2025	3	11	15	31	26	0	0	0	0	0	0	0	47.34	0	0	12.8	0.3	3.6
2025	3	11	15	41	26	0	0	0	0	0	0	0	47.35	0	0	12.8	0.3	3.6
2025	3	11	15	51	26	0	0	0	0	0	0	0	47.34	0	0	11	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	11	16	1	26	0	0	0	0	0	0	0	47.34	0	0	11	0.3	3.6
2025	3	11	16	11	26	0	0	0	0	0	0	0	47.35	0	0	11	0.3	3.6
2025	3	11	16	21	26	0	0	0	0	0	0	0	47.37	0	0	10.8	0.3	3.6
2025	3	11	16	31	26	0	0	0	0	0	0	0	47.39	0	0	10.6	0.3	3.6
2025	3	11	16	41	26	0	0	0	0	0	0	0	47.41	0	0	10.6	0.3	3.6
2025	3	11	16	51	26	0	0	0	0	0	0	0	47.43	0	0	10.6	0.3	3.6
2025	3	11	17	1	26	0	0	0	0	0	0	0	47.44	0	0	10.4	0.3	3.6
2025	3	11	17	11	26	0	0	0	0	0	0	0	47.44	0	0	10.4	0.3	3.6
2025	3	11	17	21	26	0	0	0	0	0	0	0	47.46	0	0	10.4	0.3	3.6
2025	3	11	17	31	26	0	0	0	0	0	0	0	47.48	0	0	10.4	0.3	3.6
2025	3	11	17	41	26	0	0	0	0	0	0	0	47.48	0	0	10.2	0.3	3.6
2025	3	11	17	51	26	0	0	0	0	0	0	0	47.48	0	0	10.2	0.3	3.6
2025	3	11	18	1	26	0	0	0	0	0	0	0	47.5	0	0	10	0.3	3.6
2025	3	11	18	11	26	0	0	0	0	0	0	0	47.5	0	0	10	0.3	3.6
2025	3	11	18	21	26	0	0	0	0	0	0	0	47.48	0	0	10	0.3	3.6
2025	3	11	18	31	26	0	0	0	0	0	0	0	47.46	0	0	10	0.3	3.6
2025	3	11	18	41	26	0	0	0	0	0	0	0	47.44	0	0	9.8	0.3	3.6
2025	3	11	18	51	26	0	0	0	0	0	0	0	47.43	0	0	9.8	0.3	3.6
2025	3	11	19	1	26	0	0	0	0	0	0	0	47.41	0	0	9.8	0.3	3.6
2025	3	11	19	11	26	0	0	0	0	0	0	0	47.39	0	0	9.8	0.3	3.6
2025	3	11	19	21	26	0	0	0	0	0	0	0	47.37	0	0	10	0.3	3.6
2025	3	11	19	31	26	0	0	0	0	0	0	0	47.34	0	0	10	0.3	3.6
2025	3	11	19	41	26	0	0	0	0	0	0	0	47.3	0	0	9.6	0.3	3.6
2025	3	11	19	51	26	0	0	0	0	0	0	0	47.26	0	0	9.6	0.3	3.6
2025	3	11	20	1	26	0	0	0	0	0	0	0	47.23	0	0	9.8	0.3	3.3
2025	3	11	20	11	26	0	0	0	0	0	0	0	47.19	0	0	9.8	0.3	3.3
2025	3	11	20	21	26	0	0	0	0	0	0	0	47.14	0	0	9.8	0.3	3.3
2025	3	11	20	31	26	0	0	0	0	0	0	0	47.1	0	0	9.6	0.3	3.3
2025	3	11	20	41	26	0	0	0	0	0	0	0	47.05	0	0	9.6	0.3	3.3
2025	3	11	20	51	26	0	0	0	0	0	0	0	46.99	0	0	9.6	0.3	3.3
2025	3	11	21	1	26	0	0	0	0	0	0	0	46.96	0	0	10.6	0.3	3.3
2025	3	11	21	11	26	0	0	0	0	0	0	0	46.89	0	0	10.2	0.3	3.3
2025	3	11	21	21	26	0	0	0	0	0	0	0	46.85	0	0	10.4	0.3	3.3
2025	3	11	21	31	26	0	0	0	0	0	0	0	46.78	0	0	10.6	0.3	3.3
2025	3	11	21	41	26	0	0	0	0	0	0	0	46.72	0	0	10.4	0.3	3.3
2025	3	11	21	51	26	0	0	0	0	0	0	0	46.67	0	0	10.2	0.3	3.3
2025	3	11	22	1	26	0	0	0	0	0	0	0	46.6	0	0	10.2	0.3	3.3
2025	3	11	22	11	26	0	0	0	0	0	0	0	46.53	0	0	10.4	0.3	3.3
2025	3	11	22	21	26	0	0	0	0	0	0	0	46.47	0	0	10.2	0.3	3.3
2025	3	11	22	31	26	0	0	0	0	0	0	0	46.4	0	0	10.2	0.3	3.3
2025	3	11	22	41	26	0	0	0	0	0	0	0	46.35	0	0	10.2	0.3	3.3
2025	3	11	22	51	26	0	0	0	0	0	0	0	46.27	0	0	10.2	0.3	3.3
2025	3	11	23	1	26	0	0	0	0	0	0	0	46.22	0	0	10	0.3	3.3
2025	3	11	23	11	26	0	0	0	0	0	0	0	46.17	0	0	10	0.3	3.3
2025	3	11	23	21	26	0	0	0	0	0	0	0	46.09	0	0	10	0.3	3.3
2025	3	11	23	31	26	0	0	0	0	0	0	0	46.04	0	0	9.8	0.3	3.3
2025	3	11	23	41	26	0	0	0	0	0	0	0	45.99	0	0	9.8	0.3	3.3
2025	3	11	23	51	26	0	0	0	0	0	0	0	45.91	0	0	10.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	12	0	1	26	0	0	0	0	0	0	0	45.88	0	0	10.6	0.3	3.3
2025	3	12	0	11	26	0	0	0	0	0	0	0	45.81	0	0	10.4	0.3	3.3
2025	3	12	0	21	26	0	0	0	0	0	0	0	45.75	0	0	10.6	0.3	3.3
2025	3	12	0	31	26	0	0	0	0	0	0	0	45.7	0	0	10.6	0.3	3.3
2025	3	12	0	41	26	0	0	0	0	0	0	0	45.63	0	0	10.4	0.3	3.3
2025	3	12	0	51	26	0	0	0	0	0	0	0	45.59	0	0	10.4	0.3	3.3
2025	3	12	1	1	26	0	0	0	0	0	0	0	45.52	0	0	10.4	0.3	3.3
2025	3	12	1	11	26	0	0	0	0	0	0	0	45.46	0	0	10.6	0.3	3.6
2025	3	12	1	21	26	0	0	0	0	0	0	0	45.41	0	0	10.4	0.3	3.6
2025	3	12	1	31	26	0	0	0	0	0	0	0	45.37	0	0	10.4	0.3	3.6
2025	3	12	1	41	26	0	0	0	0	0	0	0	45.32	0	0	10.2	0.3	3.6
2025	3	12	1	51	26	0	0	0	0	0	0	0	45.28	0	0	10.2	0.3	3.6
2025	3	12	2	1	26	0	0	0	0	0	0	0	45.25	0	0	10	0.3	3.6
2025	3	12	2	11	26	0	0	0	0	0	0	0	45.19	0	0	10	0.3	3.6
2025	3	12	2	21	26	0	0	0	0	0	0	0	45.16	0	0	10.2	0.3	3.6
2025	3	12	2	31	26	0	0	0	0	0	0	0	45.1	0	0	10.4	0.3	3.6
2025	3	12	2	41	26	0	0	0	0	0	0	0	45.09	0	0	10.4	0.3	3.6
2025	3	12	2	51	26	0	0	0	0	0	0	0	45.05	0	0	10.4	0.3	3.6
2025	3	12	3	1	26	0	0	0	0	0	0	0	45.03	0	0	10.4	0.3	3.6
2025	3	12	3	11	26	0	0	0	0	0	0	0	45	0	0	10.4	0.3	3.6
2025	3	12	3	21	26	0	0	0	0	0	0	0	44.96	0	0	10.2	0.3	3.6
2025	3	12	3	31	26	0	0	0	0	0	0	0	44.94	0	0	10.2	0.3	3.6
2025	3	12	3	41	26	0	0	0	0	0	0	0	44.92	0	0	10.2	0.3	3.6
2025	3	12	3	51	26	0	0	0	0	0	0	0	44.89	0	0	10	0.3	3.6
2025	3	12	4	1	26	0	0	0	0	0	0	0	44.87	0	0	10	0.3	3.6
2025	3	12	4	11	26	0	0	0	0	0	0	0	44.85	0	0	10	0.3	3.6
2025	3	12	4	21	26	0	0	0	0	0	0	0	44.83	0	0	10.2	0.3	3.6
2025	3	12	4	31	26	0	0	0	0	0	0	0	44.83	0	0	10.2	0.3	3.6
2025	3	12	4	41	26	0	0	0	0	0	0	0	44.8	0	0	9.8	0.3	3.6
2025	3	12	4	51	26	0	0	0	0	0	0	0	44.8	0	0	10.2	0.3	3.6
2025	3	12	5	1	26	0	0	0	0	0	0	0	44.78	0	0	10.2	0.3	3.6
2025	3	12	5	11	26	0	0	0	0	0	0	0	44.76	0	0	10.2	0.3	3.6
2025	3	12	5	21	26	0	0	0	0	0	0	0	44.76	0	0	10.2	0.3	3.6
2025	3	12	5	31	26	0	0	0	0	0	0	0	44.74	0	0	10.2	0.3	3.6
2025	3	12	5	41	26	0	0	0	0	0	0	0	44.73	0	0	10.2	0.3	3.6
2025	3	12	5	51	26	0	0	0	0	0	0	0	44.73	0	0	10.2	0.3	3.6
2025	3	12	6	1	26	0	0	0	0	0	0	0	44.71	0	0	10.2	0.3	3.6
2025	3	12	6	11	26	0	0	0	0	0	0	0	44.71	0	0	10.2	0.3	3.6
2025	3	12	6	21	26	0	0	0	0	0	0	0	44.69	0	0	10.2	0.3	3.6
2025	3	12	6	31	26	0	0	0	0	0	0	0	44.69	0	0	10.2	0.3	3.6
2025	3	12	6	41	26	0	0	0	0	0	0	0	44.69	0	0	10.2	0.3	3.6
2025	3	12	6	51	26	0	0	0	0	0	0	0	44.69	0	0	10.2	0.3	3.6
2025	3	12	7	1	26	0	0	0	0	0	0	0	44.69	0	0	10.4	0.3	3.6
2025	3	12	7	11	26	0	0	0	0	0	0	0	44.69	0	0	10.6	0.3	3.6
2025	3	12	7	21	26	0	0	0	0	0	0	0	44.71	0	0	10.4	0.3	3.6
2025	3	12	7	31	26	0	0	0	0	0	0	0	44.73	0	0	10.6	0.3	3.6
2025	3	12	7	41	26	0	0	0	0	0	0	0	44.74	0	0	11	0.3	3.6
2025	3	12	7	51	26	0	0	0	0	0	0	0	44.8	0	0	11.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	12	8	1	26	0	0	0	0	0	0	0	44.83	0	0	11	0.3	3.6
2025	3	12	8	11	26	0	0	0	0	0	0	0	44.85	0	0	10.8	0.3	3.6
2025	3	12	8	21	26	0	0	0	0	0	0	0	44.91	0	0	11.2	0.3	3.6
2025	3	12	8	31	26	0	0	0	0	0	0	0	44.96	0	0	10.8	0.3	3.6
2025	3	12	8	41	26	0	0	0	0	0	0	0	45	0	0	11	0.3	3.6
2025	3	12	8	51	26	0	0	0	0	0	0	0	45.07	0	0	11.6	0.3	3.6
2025	3	12	9	1	26	0	0	0	0	0	0	0	45.16	0	0	11.6	0.3	3.6
2025	3	12	9	11	26	0	0	0	0	0	0	0	45.23	0	0	13.2	0.3	3.6
2025	3	12	9	21	26	0	0	0	0	0	0	0	45.3	0	0	13.4	0.3	3.6
2025	3	12	9	31	26	0	0	0	0	0	0	0	45.37	0	0	14	0.3	3.6
2025	3	12	9	41	26	0	0	0	0	0	0	0	45.46	0	0	13.6	0.3	3.6
2025	3	12	9	51	26	0	0	0	0	0	0	0	45.55	0	0	12.8	0.3	3.3
2025	3	12	10	1	26	0	0	0	0	0	0	0	45.64	0	0	12.4	0.3	3.3
2025	3	12	10	11	26	0	0	0	0	0	0	0	45.73	0	0	12.6	0.3	3.3
2025	3	12	10	21	26	0	0	0	0	0	0	0	45.81	0	0	12.6	0.3	3.3
2025	3	12	10	31	26	0	0	0	0	0	0	0	45.88	0	0	12.6	0.3	3.3
2025	3	12	10	41	26	0	0	0	0	0	0	0	45.97	0	0	12.6	0.3	3.3
2025	3	12	10	51	26	0	0	0	0	0	0	0	46.06	0	0	12.4	0.3	3.3
2025	3	12	11	1	26	0	0	0	0	0	0	0	46.15	0	0	12.4	0.3	3.3
2025	3	12	11	11	26	0	0	0	0	0	0	0	46.22	0	0	12.4	0.3	3.3
2025	3	12	11	21	26	0	0	0	0	0	0	0	46.33	0	0	12.8	0.3	3.3
2025	3	12	11	31	26	0	0	0	0	0	0	0	46.42	0	0	12.6	0.3	3.3
2025	3	12	11	41	26	0	0	0	0	0	0	0	46.51	0	0	12.4	0.3	3.3
2025	3	12	11	51	26	0	0	0	0	0	0	0	46.6	0	0	12.4	0.3	3.3
2025	3	12	12	1	26	0	0	0	0	0	0	0	46.67	0	0	12.4	0.3	3.3
2025	3	12	12	11	26	0	0	0	0	0	0	0	46.78	0	0	12.4	0.3	3.3
2025	3	12	12	21	26	0	0	0	0	0	0	0	46.85	0	0	12.4	0.3	3.3
2025	3	12	12	31	26	0	0	0	0	0	0	0	46.9	0	0	12.6	0.3	3.3
2025	3	12	12	41	26	0	0	0	0	0	0	0	46.99	0	0	13	0.3	3.3
2025	3	12	12	51	26	0	0	0	0	0	0	0	46.99	0	0	13	0.3	3.3
2025	3	12	13	1	26	0	0	0	0	0	0	0	47.12	0	0	13.2	0.3	3.3
2025	3	12	13	11	26	0	0	0	0	0	0	0	47.23	0	0	13	0.3	3.3
2025	3	12	13	21	26	0	0	0	0	0	0	0	47.34	0	0	12.6	0.3	3.6
2025	3	12	13	31	26	0	0	0	0	0	0	0	47.43	0	0	12.4	0.3	3.6
2025	3	12	13	41	26	0	0	0	0	0	0	0	47.52	0	0	12.4	0.3	3.6
2025	3	12	13	51	26	0	0	0	0	0	0	0	47.59	0	0	12.2	0.3	3.6
2025	3	12	14	1	26	0	0	0	0	0	0	0	47.68	0	0	12.2	0.3	3.6
2025	3	12	14	11	26	0	0	0	0	0	0	0	47.75	0	0	12.4	0.3	3.6
2025	3	12	14	21	26	0	0	0	0	0	0	0	47.8	0	0	12.2	0.3	3.6
2025	3	12	14	31	26	0	0	0	0	0	0	0	47.88	0	0	12	0.3	3.6
2025	3	12	14	41	26	0	0	0	0	0	0	0	47.82	0	0	10.6	0.3	3.6
2025	3	12	14	51	26	0	0	0	0	0	0	0	47.79	0	0	10.2	0.3	3.6
2025	3	12	15	1	26	0	0	0	0	0	0	0	47.79	0	0	10.6	0.3	3.6
2025	3	12	15	11	26	0	0	0	0	0	0	0	47.8	0	0	10.6	0.3	3.6
2025	3	12	15	21	26	0	0	0	0	0	0	0	47.84	0	0	10.6	0.3	3.6
2025	3	12	15	31	26	0	0	0	0	0	0	0	47.93	0	0	12	0.3	3.6
2025	3	12	15	41	26	0	0	0	0	0	0	0	47.93	0	0	10.6	0.3	3.6
2025	3	12	15	51	26	0	0	0	0	0	0	0	48	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	12	16	1	26	0	0	0	0	0	0	0	48.02	0	0	10.6	0.3	3.6
2025	3	12	16	11	26	0	0	0	0	0	0	0	48.07	0	0	11.6	0.3	3.6
2025	3	12	16	21	26	0	0	0	0	0	0	0	48.11	0	0	10.6	0.3	3.6
2025	3	12	16	31	26	0	0	0	0	0	0	0	48.13	0	0	10.4	0.3	3.6
2025	3	12	16	41	26	0	0	0	0	0	0	0	48.16	0	0	10.2	0.3	3.6
2025	3	12	16	51	26	0	0	0	0	0	0	0	48.16	0	0	10.2	0.3	3.6
2025	3	12	17	1	26	0	0	0	0	0	0	0	48.18	0	0	10	0.3	3.6
2025	3	12	17	11	26	0	0	0	0	0	0	0	48.18	0	0	10.4	0.3	3.6
2025	3	12	17	21	26	0	0	0	0	0	0	0	48.18	0	0	10.2	0.3	3.6
2025	3	12	17	31	26	0	0	0	0	0	0	0	48.18	0	0	10.2	0.3	3.6
2025	3	12	17	41	26	0	0	0	0	0	0	0	48.18	0	0	10	0.3	3.6
2025	3	12	17	51	26	0	0	0	0	0	0	0	48.18	0	0	10	0.3	3.6
2025	3	12	18	1	26	0	0	0	0	0	0	0	48.16	0	0	10	0.3	3.6
2025	3	12	18	11	26	0	0	0	0	0	0	0	48.16	0	0	10	0.3	3.6
2025	3	12	18	21	26	0	0	0	0	0	0	0	48.15	0	0	10	0.3	3.6
2025	3	12	18	31	26	0	0	0	0	0	0	0	48.11	0	0	9.8	0.3	3.6
2025	3	12	18	41	26	0	0	0	0	0	0	0	48.09	0	0	10.2	0.3	3.6
2025	3	12	18	51	26	0	0	0	0	0	0	0	48.07	0	0	10.2	0.3	3.6
2025	3	12	19	1	26	0	0	0	0	0	0	0	48.04	0	0	10	0.3	3.6
2025	3	12	19	11	26	0	0	0	0	0	0	0	48.02	0	0	10.4	0.3	3.6
2025	3	12	19	21	26	0	0	0	0	0	0	0	47.97	0	0	10.4	0.3	3.6
2025	3	12	19	31	26	0	0	0	0	0	0	0	47.93	0	0	10.4	0.3	3.6
2025	3	12	19	41	26	0	0	0	0	0	0	0	47.89	0	0	10.4	0.3	3.6
2025	3	12	19	51	26	0	0	0	0	0	0	0	47.86	0	0	10.2	0.3	3.6
2025	3	12	20	1	26	0	0	0	0	0	0	0	47.8	0	0	10.2	0.3	3.6
2025	3	12	20	11	26	0	0	0	0	0	0	0	47.75	0	0	10.2	0.3	3.6
2025	3	12	20	21	26	0	0	0	0	0	0	0	47.7	0	0	10.2	0.3	3.6
2025	3	12	20	31	26	0	0	0	0	0	0	0	47.62	0	0	10.2	0.3	3.6
2025	3	12	20	41	26	0	0	0	0	0	0	0	47.55	0	0	10	0.3	3.6
2025	3	12	20	51	26	0	0	0	0	0	0	0	47.5	0	0	10	0.3	3.6
2025	3	12	21	1	26	0	0	0	0	0	0	0	47.43	0	0	10	0.3	3.6
2025	3	12	21	11	26	0	0	0	0	0	0	0	47.35	0	0	10	0.3	3.6
2025	3	12	21	21	26	0	0	0	0	0	0	0	47.28	0	0	10	0.3	3.6
2025	3	12	21	31	26	0	0	0	0	0	0	0	47.19	0	0	9.8	0.3	3.6
2025	3	12	21	41	26	0	0	0	0	0	0	0	47.14	0	0	9.8	0.3	3.3
2025	3	12	21	51	26	0	0	0	0	0	0	0	47.05	0	0	9.8	0.3	3.3
2025	3	12	22	1	26	0	0	0	0	0	0	0	46.98	0	0	9.6	0.3	3.3
2025	3	12	22	11	26	0	0	0	0	0	0	0	46.89	0	0	9.6	0.3	3.3
2025	3	12	22	21	26	0	0	0	0	0	0	0	46.81	0	0	9.6	0.3	3.3
2025	3	12	22	31	26	0	0	0	0	0	0	0	46.74	0	0	9.4	0.3	3.3
2025	3	12	22	41	26	0	0	0	0	0	0	0	46.65	0	0	9.4	0.3	3.3
2025	3	12	22	51	26	0	0	0	0	0	0	0	46.56	0	0	9.4	0.3	3.3
2025	3	12	23	1	26	0	0	0	0	0	0	0	46.51	0	0	9.4	0.3	3.3
2025	3	12	23	11	26	0	0	0	0	0	0	0	46.44	0	0	9.2	0.3	3.3
2025	3	12	23	21	26	0	0	0	0	0	0	0	46.35	0	0	9.6	0.3	3.3
2025	3	12	23	31	26	0	0	0	0	0	0	0	46.29	0	0	10.2	0.3	3.3
2025	3	12	23	41	26	0	0	0	0	0	0	0	46.22	0	0	9.8	0.3	3.3
2025	3	12	23	51	26	0	0	0	0	0	0	0	46.15	0	0	9.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	13	0	1	26	0	0	0	0	0	0	0	46.08	0	0	9.6	0.3	3.3
2025	3	13	0	11	26	0	0	0	0	0	0	0	46.02	0	0	9.6	0.3	3.3
2025	3	13	0	21	26	0	0	0	0	0	0	0	45.97	0	0	9.4	0.3	3.3
2025	3	13	0	31	26	0	0	0	0	0	0	0	45.9	0	0	9.4	0.3	3.3
2025	3	13	0	41	26	0	0	0	0	0	0	0	45.84	0	0	9.4	0.3	3.3
2025	3	13	0	51	26	0	0	0	0	0	0	0	45.79	0	0	9.4	0.3	3.3
2025	3	13	1	1	26	0	0	0	0	0	0	0	45.75	0	0	9.4	0.3	3.3
2025	3	13	1	11	26	0	0	0	0	0	0	0	45.7	0	0	9.4	0.3	3.3
2025	3	13	1	21	26	0	0	0	0	0	0	0	45.66	0	0	9.4	0.3	3.3
2025	3	13	1	31	26	0	0	0	0	0	0	0	45.63	0	0	9.4	0.3	3.3
2025	3	13	1	41	26	0	0	0	0	0	0	0	45.59	0	0	9.4	0.3	3.3
2025	3	13	1	51	26	0	0	0	0	0	0	0	45.57	0	0	9.4	0.3	3.3
2025	3	13	2	1	26	0	0	0	0	0	0	0	45.54	0	0	9.4	0.3	3.3
2025	3	13	2	11	26	0	0	0	0	0	0	0	45.52	0	0	9.4	0.3	3.3
2025	3	13	2	21	26	0	0	0	0	0	0	0	45.5	0	0	9.4	0.3	3.3
2025	3	13	2	31	26	0	0	0	0	0	0	0	45.48	0	0	9.4	0.3	3.3
2025	3	13	2	41	26	0	0	0	0	0	0	0	45.48	0	0	9.2	0.3	3.3
2025	3	13	2	51	26	0	0	0	0	0	0	0	45.46	0	0	9.2	0.3	3.3
2025	3	13	3	1	26	0	0	0	0	0	0	0	45.45	0	0	9.2	0.3	3.3
2025	3	13	3	11	26	0	0	0	0	0	0	0	45.45	0	0	9.2	0.3	3.3
2025	3	13	3	21	26	0	0	0	0	0	0	0	45.43	0	0	9.2	0.3	3.3
2025	3	13	3	31	26	0	0	0	0	0	0	0	45.41	0	0	9	0.3	3.3
2025	3	13	3	41	26	0	0	0	0	0	0	0	45.39	0	0	9	0.3	3.3
2025	3	13	3	51	26	0	0	0	0	0	0	0	45.37	0	0	9	0.3	3.3
2025	3	13	4	1	26	0	0	0	0	0	0	0	45.37	0	0	9	0.3	3.3
2025	3	13	4	11	26	0	0	0	0	0	0	0	45.36	0	0	10.6	0.3	3.3
2025	3	13	4	21	26	0	0	0	0	0	0	0	45.36	0	0	10.4	0.3	3.3
2025	3	13	4	31	26	0	0	0	0	0	0	0	45.36	0	0	10	0.3	3.3
2025	3	13	4	41	26	0	0	0	0	0	0	0	45.36	0	0	10	0.3	3.3
2025	3	13	4	51	26	0	0	0	0	0	0	0	45.36	0	0	10	0.3	3.3
2025	3	13	5	1	26	0	0	0	0	0	0	0	45.37	0	0	10	0.3	3.3
2025	3	13	5	11	26	0	0	0	0	0	0	0	45.39	0	0	10	0.3	3.3
2025	3	13	5	21	26	0	0	0	0	0	0	0	45.39	0	0	9.8	0.3	3.3
2025	3	13	5	31	26	0	0	0	0	0	0	0	45.41	0	0	9.8	0.3	3.3
2025	3	13	5	41	26	0	0	0	0	0	0	0	45.45	0	0	9.8	0.3	3.3
2025	3	13	5	51	26	0	0	0	0	0	0	0	45.45	0	0	9.8	0.3	3.3
2025	3	13	6	1	26	0	0	0	0	0	0	0	45.46	0	0	9.8	0.3	3.3
2025	3	13	6	11	26	0	0	0	0	0	0	0	45.46	0	0	9.6	0.3	3.3
2025	3	13	6	21	26	0	0	0	0	0	0	0	45.48	0	0	9.6	0.3	3.3
2025	3	13	6	31	26	0	0	0	0	0	0	0	45.52	0	0	9.6	0.3	3.3
2025	3	13	6	41	26	0	0	0	0	0	0	0	45.52	0	0	9.6	0.3	3.3
2025	3	13	6	51	26	0	0	0	0	0	0	0	45.55	0	0	9.6	0.3	3.3
2025	3	13	7	1	26	0	0	0	0	0	0	0	45.59	0	0	9.8	0.3	3.3
2025	3	13	7	11	26	0	0	0	0	0	0	0	45.63	0	0	10	0.3	3.3
2025	3	13	7	21	26	0	0	0	0	0	0	0	45.68	0	0	10.4	0.3	3.3
2025	3	13	7	31	26	0	0	0	0	0	0	0	45.72	0	0	10.4	0.3	3.3
2025	3	13	7	41	26	0	0	0	0	0	0	0	45.73	0	0	10	0.3	3.3
2025	3	13	7	51	26	0	0	0	0	0	0	0	45.75	0	0	10	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	13	8	1	26	0	0	0	0	0	0	0	45.79	0	0	10.6	0.3	3.3
2025	3	13	8	11	26	0	0	0	0	0	0	0	45.88	0	0	10.6	0.3	3.3
2025	3	13	8	21	26	0	0	0	0	0	0	0	45.91	0	0	10.4	0.3	3.3
2025	3	13	8	31	26	0	0	0	0	0	0	0	45.91	0	0	10.2	0.3	3.3
2025	3	13	8	41	26	0	0	0	0	0	0	0	45.99	0	0	11.2	0.3	3.3
2025	3	13	8	51	26	0	0	0	0	0	0	0	46.04	0	0	11	0.3	3.3
2025	3	13	9	1	26	0	0	0	0	0	0	0	46.11	0	0	10.6	0.3	3.3
2025	3	13	9	11	26	0	0	0	0	0	0	0	46.11	0	0	10.4	0.3	3.3
2025	3	13	9	21	26	0	0	0	0	0	0	0	46.15	0	0	10.8	0.3	3.3
2025	3	13	9	31	26	0	0	0	0	0	0	0	46.2	0	0	11.4	0.3	3.3
2025	3	13	9	41	26	0	0	0	0	0	0	0	46.33	0	0	11.8	0.3	3.3
2025	3	13	9	51	26	0	0	0	0	0	0	0	46.45	0	0	11.2	0.3	3.3
2025	3	13	10	1	26	0	0	0	0	0	0	0	46.49	0	0	10.8	0.3	3.3
2025	3	13	10	11	26	0	0	0	0	0	0	0	46.51	0	0	11.2	0.3	3.3
2025	3	13	10	21	26	0	0	0	0	0	0	0	46.54	0	0	12	0.3	3.3
2025	3	13	10	31	26	0	0	0	0	0	0	0	46.69	0	0	10.8	0.3	3.3
2025	3	13	10	41	26	0	0	0	0	0	0	0	46.71	0	0	12.2	0.3	3.3
2025	3	13	10	51	26	0	0	0	0	0	0	0	46.74	0	0	10.8	0.3	3.3
2025	3	13	11	1	26	0	0	0	0	0	0	0	46.72	0	0	10.4	0.3	3.3
2025	3	13	11	11	26	0	0	0	0	0	0	0	46.71	0	0	10.8	0.3	3.3
2025	3	13	11	21	26	0	0	0	0	0	0	0	46.71	0	0	10.4	0.3	3.3
2025	3	13	11	31	26	0	0	0	0	0	0	0	46.8	0	0	12.4	0.3	3.3
2025	3	13	11	41	26	0	0	0	0	0	0	0	46.96	0	0	12.4	0.3	3.3
2025	3	13	11	51	26	0	0	0	0	0	0	0	47.1	0	0	12.4	0.3	3.3
2025	3	13	12	1	26	0	0	0	0	0	0	0	47.21	0	0	12.2	0.3	3.3
2025	3	13	12	11	26	0	0	0	0	0	0	0	47.19	0	0	11.2	0.3	3.3
2025	3	13	12	21	26	0	0	0	0	0	0	0	47.14	0	0	11	0.3	3.3
2025	3	13	12	31	26	0	0	0	0	0	0	0	47.16	0	0	10.8	0.3	3.3
2025	3	13	12	41	26	0	0	0	0	0	0	0	47.14	0	0	10.4	0.3	3.3
2025	3	13	12	51	26	0	0	0	0	0	0	0	47.14	0	0	11.8	0.3	3.3
2025	3	13	13	1	26	0	0	0	0	0	0	0	47.14	0	0	13.4	0.3	3.3
2025	3	13	13	11	26	0	0	0	0	0	0	0	47.3	0	0	13	0.3	3.3
2025	3	13	13	21	26	0	0	0	0	0	0	0	47.43	0	0	13	0.3	3.6
2025	3	13	13	31	26	0	0	0	0	0	0	0	47.52	0	0	12.6	0.3	3.6
2025	3	13	13	41	26	0	0	0	0	0	0	0	47.59	0	0	12.6	0.3	3.6
2025	3	13	13	51	26	0	0	0	0	0	0	0	47.64	0	0	12.6	0.3	3.6
2025	3	13	14	1	26	0	0	0	0	0	0	0	47.71	0	0	12.4	0.3	3.6
2025	3	13	14	11	26	0	0	0	0	0	0	0	47.77	0	0	12.4	0.3	3.6
2025	3	13	14	21	26	0	0	0	0	0	0	0	47.7	0	0	11.6	0.3	3.6
2025	3	13	14	31	26	0	0	0	0	0	0	0	47.73	0	0	12.8	0.3	3.6
2025	3	13	14	41	26	0	0	0	0	0	0	0	47.75	0	0	13.4	0.3	3.6
2025	3	13	14	51	26	0	0	0	0	0	0	0	47.75	0	0	13	0.3	3.6
2025	3	13	15	1	26	0	0	0	0	0	0	0	47.73	0	0	13.2	0.3	3.6
2025	3	13	15	11	26	0	0	0	0	0	0	0	47.75	0	0	12.8	0.3	3.6
2025	3	13	15	21	26	0	0	0	0	0	0	0	47.75	0	0	12.2	0.3	3.6
2025	3	13	15	31	26	0	0	0	0	0	0	0	47.73	0	0	12	0.3	3.6
2025	3	13	15	41	26	0	0	0	0	0	0	0	47.68	0	0	12.4	0.3	3.6
2025	3	13	15	51	26	0	0	0	0	0	0	0	47.7	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	13	16	1	26	0	0	0	0	0	0	0	47.68	0	0	12.6	0.3	3.6
2025	3	13	16	11	26	0	0	0	0	0	0	0	47.68	0	0	12.6	0.3	3.6
2025	3	13	16	21	26	0	0	0	0	0	0	0	47.64	0	0	11.4	0.3	3.6
2025	3	13	16	31	26	0	0	0	0	0	0	0	47.59	0	0	10.8	0.3	3.6
2025	3	13	16	41	26	0	0	0	0	0	0	0	47.55	0	0	10.6	0.3	3.6
2025	3	13	16	51	26	0	0	0	0	0	0	0	47.53	0	0	10.4	0.3	3.6
2025	3	13	17	1	26	0	0	0	0	0	0	0	47.5	0	0	10.2	0.3	3.6
2025	3	13	17	11	26	0	0	0	0	0	0	0	47.46	0	0	10.4	0.3	3.6
2025	3	13	17	21	26	0	0	0	0	0	0	0	47.43	0	0	10.4	0.3	3.6
2025	3	13	17	31	26	0	0	0	0	0	0	0	47.39	0	0	10.4	0.3	3.6
2025	3	13	17	41	26	0	0	0	0	0	0	0	47.35	0	0	10.2	0.3	3.6
2025	3	13	17	51	26	0	0	0	0	0	0	0	47.32	0	0	10.2	0.3	3.6
2025	3	13	18	1	26	0	0	0	0	0	0	0	47.28	0	0	10	0.3	3.3
2025	3	13	18	11	26	0	0	0	0	0	0	0	47.25	0	0	10	0.3	3.3
2025	3	13	18	21	26	0	0	0	0	0	0	0	47.19	0	0	10	0.3	3.3
2025	3	13	18	31	26	0	0	0	0	0	0	0	47.17	0	0	10	0.3	3.3
2025	3	13	18	41	26	0	0	0	0	0	0	0	47.12	0	0	9.8	0.3	3.3
2025	3	13	18	51	26	0	0	0	0	0	0	0	47.08	0	0	9.8	0.3	3.3
2025	3	13	19	1	26	0	0	0	0	0	0	0	47.05	0	0	10	0.3	3.3
2025	3	13	19	11	26	0	0	0	0	0	0	0	47.01	0	0	10	0.3	3.3
2025	3	13	19	21	26	0	0	0	0	0	0	0	46.96	0	0	10	0.3	3.3
2025	3	13	19	31	26	0	0	0	0	0	0	0	46.92	0	0	9.8	0.3	3.3
2025	3	13	19	41	26	0	0	0	0	0	0	0	46.87	0	0	9.8	0.3	3.3
2025	3	13	19	51	26	0	0	0	0	0	0	0	46.81	0	0	10.2	0.3	3.3
2025	3	13	20	1	26	0	0	0	0	0	0	0	46.78	0	0	10.2	0.3	3.3
2025	3	13	20	11	26	0	0	0	0	0	0	0	46.72	0	0	10.2	0.3	3.3
2025	3	13	20	21	26	0	0	0	0	0	0	0	46.65	0	0	10.2	0.3	3.3
2025	3	13	20	31	26	0	0	0	0	0	0	0	46.58	0	0	10.2	0.3	3.3
2025	3	13	20	41	26	0	0	0	0	0	0	0	46.53	0	0	10.2	0.3	3.3
2025	3	13	20	51	26	0	0	0	0	0	0	0	46.45	0	0	10.2	0.3	3.3
2025	3	13	21	1	26	0	0	0	0	0	0	0	46.4	0	0	10.2	0.3	3.3
2025	3	13	21	11	26	0	0	0	0	0	0	0	46.33	0	0	10.2	0.3	3.3
2025	3	13	21	21	26	0	0	0	0	0	0	0	46.26	0	0	10.2	0.3	3.3
2025	3	13	21	31	26	0	0	0	0	0	0	0	46.18	0	0	10	0.3	3.3
2025	3	13	21	41	26	0	0	0	0	0	0	0	46.11	0	0	10	0.3	3.3
2025	3	13	21	51	26	0	0	0	0	0	0	0	46.04	0	0	10	0.3	3.3
2025	3	13	22	1	26	0	0	0	0	0	0	0	45.99	0	0	9.8	0.3	3.3
2025	3	13	22	11	26	0	0	0	0	0	0	0	45.9	0	0	9.8	0.3	3.3
2025	3	13	22	21	26	0	0	0	0	0	0	0	45.82	0	0	9.8	0.3	3.3
2025	3	13	22	31	26	0	0	0	0	0	0	0	45.75	0	0	9.8	0.3	3.3
2025	3	13	22	41	26	0	0	0	0	0	0	0	45.7	0	0	9.8	0.3	3.3
2025	3	13	22	51	26	0	0	0	0	0	0	0	45.63	0	0	9.8	0.3	3.3
2025	3	13	23	1	26	0	0	0	0	0	0	0	45.57	0	0	9.6	0.3	3.3
2025	3	13	23	11	26	0	0	0	0	0	0	0	45.5	0	0	9.6	0.3	3.3
2025	3	13	23	21	26	0	0	0	0	0	0	0	45.45	0	0	9.6	0.3	3.3
2025	3	13	23	31	26	0	0	0	0	0	0	0	45.37	0	0	9.4	0.3	3.3
2025	3	13	23	41	26	0	0	0	0	0	0	0	45.32	0	0	10.8	0.3	3.3
2025	3	13	23	51	26	0	0	0	0	0	0	0	45.27	0	0	10.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	14	0	1	26	0	0	0	0	0	0	0	45.19	0	0	10.4	0.3	3.3
2025	3	14	0	11	26	0	0	0	0	0	0	0	45.14	0	0	10.4	0.3	3.3
2025	3	14	0	21	26	0	0	0	0	0	0	0	45.07	0	0	10.4	0.3	3.3
2025	3	14	0	31	26	0	0	0	0	0	0	0	45.01	0	0	10.2	0.3	3.3
2025	3	14	0	41	26	0	0	0	0	0	0	0	44.96	0	0	10.2	0.3	3.3
2025	3	14	0	51	26	0	0	0	0	0	0	0	44.91	0	0	10.2	0.3	3.3
2025	3	14	1	1	26	0	0	0	0	0	0	0	44.85	0	0	10.2	0.3	3.3
2025	3	14	1	11	26	0	0	0	0	0	0	0	44.82	0	0	10.2	0.3	3.3
2025	3	14	1	21	26	0	0	0	0	0	0	0	44.74	0	0	10.2	0.3	3.3
2025	3	14	1	31	26	0	0	0	0	0	0	0	44.69	0	0	10.2	0.3	3.3
2025	3	14	1	41	26	0	0	0	0	0	0	0	44.64	0	0	10.2	0.3	3.3
2025	3	14	1	51	26	0	0	0	0	0	0	0	44.6	0	0	10.2	0.3	3.3
2025	3	14	2	1	26	0	0	0	0	0	0	0	44.55	0	0	10.2	0.3	3.3
2025	3	14	2	11	26	0	0	0	0	0	0	0	44.49	0	0	10	0.3	3.3
2025	3	14	2	21	26	0	0	0	0	0	0	0	44.44	0	0	10	0.3	3.3
2025	3	14	2	31	26	0	0	0	0	0	0	0	44.4	0	0	10.2	0.3	3.3
2025	3	14	2	41	26	0	0	0	0	0	0	0	44.35	0	0	10.2	0.3	3.3
2025	3	14	2	51	26	0	0	0	0	0	0	0	44.31	0	0	10.2	0.3	3.3
2025	3	14	3	1	26	0	0	0	0	0	0	0	44.28	0	0	10.2	0.3	3.3
2025	3	14	3	11	26	0	0	0	0	0	0	0	44.22	0	0	10.2	0.3	3.3
2025	3	14	3	21	26	0	0	0	0	0	0	0	44.19	0	0	10.2	0.3	3.3
2025	3	14	3	31	26	0	0	0	0	0	0	0	44.17	0	0	10.2	0.3	3.3
2025	3	14	3	41	26	0	0	0	0	0	0	0	44.13	0	0	10	0.3	3.3
2025	3	14	3	51	26	0	0	0	0	0	0	0	44.1	0	0	10	0.3	3.3
2025	3	14	4	1	26	0	0	0	0	0	0	0	44.06	0	0	10	0.3	3.3
2025	3	14	4	11	26	0	0	0	0	0	0	0	44.04	0	0	9.8	0.3	3.3
2025	3	14	4	21	26	0	0	0	0	0	0	0	44.02	0	0	10	0.3	3.3
2025	3	14	4	31	26	0	0	0	0	0	0	0	43.99	0	0	10	0.3	3.3
2025	3	14	4	41	26	0	0	0	0	0	0	0	43.97	0	0	9.8	0.3	3.3
2025	3	14	4	51	26	0	0	0	0	0	0	0	43.93	0	0	9.6	0.3	3.3
2025	3	14	5	1	26	0	0	0	0	0	0	0	43.92	0	0	9.8	0.3	3.3
2025	3	14	5	11	26	0	0	0	0	0	0	0	43.9	0	0	9.8	0.3	3.3
2025	3	14	5	21	26	0	0	0	0	0	0	0	43.88	0	0	9.8	0.3	3.3
2025	3	14	5	31	26	0	0	0	0	0	0	0	43.86	0	0	9.8	0.3	3.3
2025	3	14	5	41	26	0	0	0	0	0	0	0	43.84	0	0	9.8	0.3	3.3
2025	3	14	5	51	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.3
2025	3	14	6	1	26	0	0	0	0	0	0	0	43.81	0	0	9.6	0.3	3.3
2025	3	14	6	11	26	0	0	0	0	0	0	0	43.79	0	0	9.6	0.3	3.3
2025	3	14	6	21	26	0	0	0	0	0	0	0	43.79	0	0	9.6	0.3	3.3
2025	3	14	6	31	26	0	0	0	0	0	0	0	43.77	0	0	9.6	0.3	3.3
2025	3	14	6	41	26	0	0	0	0	0	0	0	43.79	0	0	9.6	0.3	3.3
2025	3	14	6	51	26	0	0	0	0	0	0	0	43.79	0	0	9.8	0.3	3.3
2025	3	14	7	1	26	0	0	0	0	0	0	0	43.77	0	0	9.8	0.3	3.3
2025	3	14	7	11	26	0	0	0	0	0	0	0	43.79	0	0	9.6	0.3	3.3
2025	3	14	7	21	26	0	0	0	0	0	0	0	43.79	0	0	9.6	0.3	3.3
2025	3	14	7	31	26	0	0	0	0	0	0	0	43.81	0	0	9.6	0.3	3.3
2025	3	14	7	41	26	0	0	0	0	0	0	0	43.81	0	0	9.6	0.3	3.3
2025	3	14	7	51	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	14	8	1	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.3
2025	3	14	8	11	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.6
2025	3	14	8	21	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.6
2025	3	14	8	31	26	0	0	0	0	0	0	0	43.81	0	0	9.6	0.3	3.6
2025	3	14	8	41	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.6
2025	3	14	8	51	26	0	0	0	0	0	0	0	43.83	0	0	9.6	0.3	3.3
2025	3	14	9	1	26	0	0	0	0	0	0	0	43.84	0	0	9.8	0.3	3.6
2025	3	14	9	11	26	0	0	0	0	0	0	0	43.86	0	0	10	0.3	3.6
2025	3	14	9	21	26	0	0	0	0	0	0	0	43.92	0	0	10.2	0.3	3.6
2025	3	14	9	31	26	0	0	0	0	0	0	0	43.93	0	0	10.6	0.3	3.6
2025	3	14	9	41	26	0	0	0	0	0	0	0	44.02	0	0	11.4	0.3	3.6
2025	3	14	9	51	26	0	0	0	0	0	0	0	44.11	0	0	11.6	0.3	3.6
2025	3	14	10	1	26	0	0	0	0	0	0	0	44.24	0	0	11.2	0.3	3.6
2025	3	14	10	11	26	0	0	0	0	0	0	0	44.2	0	0	10.8	0.3	3.6
2025	3	14	10	21	26	0	0	0	0	0	0	0	44.24	0	0	11	0.3	3.6
2025	3	14	10	31	26	0	0	0	0	0	0	0	44.22	0	0	10.6	0.3	3.6
2025	3	14	10	41	26	0	0	0	0	0	0	0	44.24	0	0	11	0.3	3.6
2025	3	14	10	51	26	0	0	0	0	0	0	0	44.33	0	0	11.6	0.3	3.6
2025	3	14	11	1	26	0	0	0	0	0	0	0	44.44	0	0	11.2	0.3	3.6
2025	3	14	11	11	26	0	0	0	0	0	0	0	44.4	0	0	11	0.3	3.6
2025	3	14	11	21	26	0	0	0	0	0	0	0	44.42	0	0	11	0.3	3.6
2025	3	14	11	31	26	0	0	0	0	0	0	0	44.42	0	0	10.8	0.3	3.6
2025	3	14	11	41	26	0	0	0	0	0	0	0	44.42	0	0	10.6	0.3	3.6
2025	3	14	11	51	26	0	0	0	0	0	0	0	44.44	0	0	11	0.3	3.6
2025	3	14	12	1	26	0	0	0	0	0	0	0	44.51	0	0	11.4	0.3	3.6
2025	3	14	12	11	26	0	0	0	0	0	0	0	44.58	0	0	11.2	0.3	3.6
2025	3	14	12	21	26	0	0	0	0	0	0	0	44.65	0	0	11.2	0.3	3.6
2025	3	14	12	31	26	0	0	0	0	0	0	0	44.78	0	0	12.6	0.3	3.6
2025	3	14	12	41	26	0	0	0	0	0	0	0	44.87	0	0	11.6	0.3	3.6
2025	3	14	12	51	26	0	0	0	0	0	0	0	44.98	0	0	12.2	0.3	3.6
2025	3	14	13	1	26	0	0	0	0	0	0	0	45.09	0	0	12.4	0.3	3.6
2025	3	14	13	11	26	0	0	0	0	0	0	0	45.16	0	0	12.2	0.3	3.6
2025	3	14	13	21	26	0	0	0	0	0	0	0	45.27	0	0	12.4	0.3	3.6
2025	3	14	13	31	26	0	0	0	0	0	0	0	45.34	0	0	12.4	0.3	3.6
2025	3	14	13	41	26	0	0	0	0	0	0	0	45.41	0	0	12.2	0.3	3.6
2025	3	14	13	51	26	0	0	0	0	0	0	0	45.39	0	0	11.8	0.3	3.6
2025	3	14	14	1	26	0	0	0	0	0	0	0	45.37	0	0	11.8	0.3	3.6
2025	3	14	14	11	26	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.6
2025	3	14	14	21	26	0	0	0	0	0	0	0	45.39	0	0	11.6	0.3	3.6
2025	3	14	14	31	26	0	0	0	0	0	0	0	45.39	0	0	10.6	0.3	3.3
2025	3	14	14	41	26	0	0	0	0	0	0	0	45.37	0	0	10.8	0.3	3.6
2025	3	14	14	51	26	0	0	0	0	0	0	0	45.37	0	0	10.4	0.3	3.6
2025	3	14	15	1	26	0	0	0	0	0	0	0	45.37	0	0	11.2	0.3	3.6
2025	3	14	15	11	26	0	0	0	0	0	0	0	45.37	0	0	11	0.3	3.6
2025	3	14	15	21	26	0	0	0	0	0	0	0	45.36	0	0	10.8	0.3	3.6
2025	3	14	15	31	26	0	0	0	0	0	0	0	45.37	0	0	10.6	0.3	3.6
2025	3	14	15	41	26	0	0	0	0	0	0	0	45.39	0	0	10.4	0.3	3.6
2025	3	14	15	51	26	0	0	0	0	0	0	0	45.39	0	0	10.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	14	16	1	26	0	0	0	0	0	0	0	45.39	0	0	10.4	0.3	3.6
2025	3	14	16	11	26	0	0	0	0	0	0	0	45.41	0	0	10.4	0.3	3.6
2025	3	14	16	21	26	0	0	0	0	0	0	0	45.41	0	0	10.2	0.3	3.6
2025	3	14	16	31	26	0	0	0	0	0	0	0	45.41	0	0	10.2	0.3	3.6
2025	3	14	16	41	26	0	0	0	0	0	0	0	45.41	0	0	10	0.3	3.3
2025	3	14	16	51	26	0	0	0	0	0	0	0	45.43	0	0	9.6	0.3	3.6
2025	3	14	17	1	26	0	0	0	0	0	0	0	45.41	0	0	10.8	0.3	3.6
2025	3	14	17	11	26	0	0	0	0	0	0	0	45.43	0	0	10.8	0.3	3.6
2025	3	14	17	21	26	0	0	0	0	0	0	0	45.43	0	0	10.8	0.3	3.6
2025	3	14	17	31	26	0	0	0	0	0	0	0	45.41	0	0	10.8	0.3	3.6
2025	3	14	17	41	26	0	0	0	0	0	0	0	45.41	0	0	10.6	0.3	3.6
2025	3	14	17	51	26	0	0	0	0	0	0	0	45.41	0	0	10.6	0.3	3.6
2025	3	14	18	1	26	0	0	0	0	0	0	0	45.39	0	0	10.6	0.3	3.6
2025	3	14	18	11	26	0	0	0	0	0	0	0	45.39	0	0	10.6	0.3	3.6
2025	3	14	18	21	26	0	0	0	0	0	0	0	45.37	0	0	10.6	0.3	3.6
2025	3	14	18	31	26	0	0	0	0	0	0	0	45.37	0	0	10.6	0.3	3.6
2025	3	14	18	41	26	0	0	0	0	0	0	0	45.37	0	0	10.6	0.3	3.6
2025	3	14	18	51	26	0	0	0	0	0	0	0	45.37	0	0	10.6	0.3	3.6
2025	3	14	19	1	26	0	0	0	0	0	0	0	45.36	0	0	10.6	0.3	3.6
2025	3	14	19	11	26	0	0	0	0	0	0	0	45.36	0	0	10.4	0.3	3.6
2025	3	14	19	21	26	0	0	0	0	0	0	0	45.34	0	0	10.4	0.3	3.6
2025	3	14	19	31	26	0	0	0	0	0	0	0	45.32	0	0	10.4	0.3	3.6
2025	3	14	19	41	26	0	0	0	0	0	0	0	45.28	0	0	10.4	0.3	3.6
2025	3	14	19	51	26	0	0	0	0	0	0	0	45.27	0	0	10.4	0.3	3.6
2025	3	14	20	1	26	0	0	0	0	0	0	0	45.23	0	0	10.4	0.3	3.6
2025	3	14	20	11	26	0	0	0	0	0	0	0	45.19	0	0	10.2	0.3	3.6
2025	3	14	20	21	26	0	0	0	0	0	0	0	45.16	0	0	10.2	0.3	3.6
2025	3	14	20	31	26	0	0	0	0	0	0	0	45.12	0	0	10.2	0.3	3.6
2025	3	14	20	41	26	0	0	0	0	0	0	0	45.07	0	0	10.4	0.3	3.6
2025	3	14	20	51	26	0	0	0	0	0	0	0	45.01	0	0	10	0.3	3.6
2025	3	14	21	1	26	0	0	0	0	0	0	0	44.94	0	0	10	0.3	3.6
2025	3	14	21	11	26	0	0	0	0	0	0	0	44.89	0	0	10	0.3	3.6
2025	3	14	21	21	26	0	0	0	0	0	0	0	44.82	0	0	10	0.3	3.6
2025	3	14	21	31	26	0	0	0	0	0	0	0	44.74	0	0	9.8	0.3	3.6
2025	3	14	21	41	26	0	0	0	0	0	0	0	44.69	0	0	9.8	0.3	3.6
2025	3	14	21	51	26	0	0	0	0	0	0	0	44.62	0	0	9.8	0.3	3.6
2025	3	14	22	1	26	0	0	0	0	0	0	0	44.53	0	0	9.8	0.3	3.6
2025	3	14	22	11	26	0	0	0	0	0	0	0	44.46	0	0	9.8	0.3	3.6
2025	3	14	22	21	26	0	0	0	0	0	0	0	44.38	0	0	9.8	0.3	3.6
2025	3	14	22	31	26	0	0	0	0	0	0	0	44.33	0	0	9.6	0.3	3.6
2025	3	14	22	41	26	0	0	0	0	0	0	0	44.26	0	0	9.4	0.3	3.6
2025	3	14	22	51	26	0	0	0	0	0	0	0	44.17	0	0	10.6	0.3	3.6
2025	3	14	23	1	26	0	0	0	0	0	0	0	44.1	0	0	10.6	0.3	3.6
2025	3	14	23	11	26	0	0	0	0	0	0	0	44.02	0	0	10.4	0.3	3.6
2025	3	14	23	21	26	0	0	0	0	0	0	0	43.97	0	0	10.2	0.3	3.6
2025	3	14	23	31	26	0	0	0	0	0	0	0	43.9	0	0	10	0.3	3.6
2025	3	14	23	41	26	0	0	0	0	0	0	0	43.83	0	0	10	0.3	3.6
2025	3	14	23	51	26	0	0	0	0	0	0	0	43.75	0	0	10	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	15	0	1	26	0	0	0	0	0	0	0	43.68	0	0	9.8	0.3	3.6
2025	3	15	0	11	26	0	0	0	0	0	0	0	43.61	0	0	9.6	0.3	3.6
2025	3	15	0	21	26	0	0	0	0	0	0	0	43.54	0	0	9.6	0.3	3.6
2025	3	15	0	31	26	0	0	0	0	0	0	0	43.47	0	0	9.8	0.3	3.6
2025	3	15	0	41	26	0	0	0	0	0	0	0	43.41	0	0	9.8	0.3	3.6
2025	3	15	0	51	26	0	0	0	0	0	0	0	43.34	0	0	9.6	0.3	3.6
2025	3	15	1	1	26	0	0	0	0	0	0	0	43.29	0	0	9.4	0.3	3.6
2025	3	15	1	11	26	0	0	0	0	0	0	0	43.21	0	0	9.4	0.3	3.6
2025	3	15	1	21	26	0	0	0	0	0	0	0	43.16	0	0	9.4	0.3	3.6
2025	3	15	1	31	26	0	0	0	0	0	0	0	43.09	0	0	9.4	0.3	3.6
2025	3	15	1	41	26	0	0	0	0	0	0	0	43.05	0	0	9.2	0.3	3.6
2025	3	15	1	51	26	0	0	0	0	0	0	0	43	0	0	9.2	0.3	3.6
2025	3	15	2	1	26	0	0	0	0	0	0	0	42.94	0	0	9.2	0.3	3.6
2025	3	15	2	11	26	0	0	0	0	0	0	0	42.89	0	0	9.2	0.3	3.6
2025	3	15	2	21	26	0	0	0	0	0	0	0	42.84	0	0	9	0.3	3.6
2025	3	15	2	31	26	0	0	0	0	0	0	0	42.8	0	0	9.4	0.3	3.6
2025	3	15	2	41	26	0	0	0	0	0	0	0	42.76	0	0	9.6	0.3	3.6
2025	3	15	2	51	26	0	0	0	0	0	0	0	42.71	0	0	9.6	0.3	3.6
2025	3	15	3	1	26	0	0	0	0	0	0	0	42.67	0	0	9.4	0.3	3.6
2025	3	15	3	11	26	0	0	0	0	0	0	0	42.64	0	0	9	0.3	3.6
2025	3	15	3	21	26	0	0	0	0	0	0	0	42.6	0	0	9	0.3	3.6
2025	3	15	3	31	26	0	0	0	0	0	0	0	42.58	0	0	9	0.3	3.6
2025	3	15	3	41	26	0	0	0	0	0	0	0	42.55	0	0	9	0.3	3.6
2025	3	15	3	51	26	0	0	0	0	0	0	0	42.53	0	0	9	0.3	3.6
2025	3	15	4	1	26	0	0	0	0	0	0	0	42.48	0	0	10.4	0.3	3.6
2025	3	15	4	11	26	0	0	0	0	0	0	0	42.48	0	0	10.4	0.3	3.6
2025	3	15	4	21	26	0	0	0	0	0	0	0	42.44	0	0	10.4	0.3	3.6
2025	3	15	4	31	26	0	0	0	0	0	0	0	42.42	0	0	10.4	0.3	3.6
2025	3	15	4	41	26	0	0	0	0	0	0	0	42.4	0	0	10.4	0.3	3.6
2025	3	15	4	51	26	0	0	0	0	0	0	0	42.39	0	0	10.4	0.3	3.6
2025	3	15	5	1	26	0	0	0	0	0	0	0	42.35	0	0	10.2	0.3	3.6
2025	3	15	5	11	26	0	0	0	0	0	0	0	42.33	0	0	10.2	0.3	3.6
2025	3	15	5	21	26	0	0	0	0	0	0	0	42.31	0	0	10.2	0.3	3.6
2025	3	15	5	31	26	0	0	0	0	0	0	0	42.3	0	0	10.2	0.3	3.6
2025	3	15	5	41	26	0	0	0	0	0	0	0	42.28	0	0	10	0.3	3.6
2025	3	15	5	51	26	0	0	0	0	0	0	0	42.26	0	0	10	0.3	3.6
2025	3	15	6	1	26	0	0	0	0	0	0	0	42.26	0	0	10	0.3	3.6
2025	3	15	6	11	26	0	0	0	0	0	0	0	42.24	0	0	10	0.3	3.6
2025	3	15	6	21	26	0	0	0	0	0	0	0	42.24	0	0	10	0.3	3.6
2025	3	15	6	31	26	0	0	0	0	0	0	0	42.21	0	0	10	0.3	3.6
2025	3	15	6	41	26	0	0	0	0	0	0	0	42.21	0	0	9.8	0.3	3.6
2025	3	15	6	51	26	0	0	0	0	0	0	0	42.21	0	0	10.2	0.3	3.6
2025	3	15	7	1	26	0	0	0	0	0	0	0	42.19	0	0	10.4	0.3	3.6
2025	3	15	7	11	26	0	0	0	0	0	0	0	42.19	0	0	10.6	0.3	3.6
2025	3	15	7	21	26	0	0	0	0	0	0	0	42.19	0	0	11	0.3	3.6
2025	3	15	7	31	26	0	0	0	0	0	0	0	42.22	0	0	11.2	0.3	3.6
2025	3	15	7	41	26	0	0	0	0	0	0	0	42.24	0	0	11.4	0.3	3.6
2025	3	15	7	51	26	0	0	0	0	0	0	0	42.26	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	15	8	1	26	0	0	0	0	0	0	0	42.31	0	0	11.4	0.3	3.6
2025	3	15	8	11	26	0	0	0	0	0	0	0	42.37	0	0	11.4	0.3	3.6
2025	3	15	8	21	26	0	0	0	0	0	0	0	42.42	0	0	11.6	0.3	3.6
2025	3	15	8	31	26	0	0	0	0	0	0	0	42.48	0	0	11.6	0.3	3.6
2025	3	15	8	41	26	0	0	0	0	0	0	0	42.53	0	0	11.8	0.3	3.6
2025	3	15	8	51	26	0	0	0	0	0	0	0	42.62	0	0	11.8	0.3	3.6
2025	3	15	9	1	26	0	0	0	0	0	0	0	42.67	0	0	11.8	0.3	3.6
2025	3	15	9	11	26	0	0	0	0	0	0	0	42.75	0	0	12	0.3	3.6
2025	3	15	9	21	26	0	0	0	0	0	0	0	42.84	0	0	12	0.3	3.6
2025	3	15	9	31	26	0	0	0	0	0	0	0	42.91	0	0	11.8	0.3	3.6
2025	3	15	9	41	26	0	0	0	0	0	0	0	42.98	0	0	12	0.3	3.6
2025	3	15	9	51	26	0	0	0	0	0	0	0	43.07	0	0	11.6	0.3	3.6
2025	3	15	10	1	26	0	0	0	0	0	0	0	43.38	0	0	11.8	0.3	3.6
2025	3	15	10	11	26	0	0	0	0	0	0	0	43.56	0	0	11.8	0.3	3.6
2025	3	15	10	21	26	0	0	0	0	0	0	0	43.7	0	0	12.6	0.3	3.6
2025	3	15	10	31	26	0	0	0	0	0	0	0	43.77	0	0	12.4	0.3	3.6
2025	3	15	10	41	26	0	0	0	0	0	0	0	43.86	0	0	12.4	0.3	3.6
2025	3	15	10	51	26	0	0	0	0	0	0	0	43.95	0	0	12.4	0.3	3.6
2025	3	15	11	1	26	0	0	0	0	0	0	0	44.04	0	0	12.2	0.3	3.6
2025	3	15	11	11	26	0	0	0	0	0	0	0	44.13	0	0	12.2	0.3	3.6
2025	3	15	11	21	26	0	0	0	0	0	0	0	44.22	0	0	12.4	0.3	3.6
2025	3	15	11	31	26	0	0	0	0	0	0	0	44.31	0	0	13.2	0.3	3.6
2025	3	15	11	41	26	0	0	0	0	0	0	0	44.38	0	0	12.8	0.3	3.6
2025	3	15	11	51	26	0	0	0	0	0	0	0	44.49	0	0	12.6	0.3	3.6
2025	3	15	12	1	26	0	0	0	0	0	0	0	44.56	0	0	12.4	0.3	3.6
2025	3	15	12	11	26	0	0	0	0	0	0	0	44.69	0	0	12.4	0.3	3.6
2025	3	15	12	21	26	0	0	0	0	0	0	0	44.76	0	0	12.2	0.3	3.6
2025	3	15	12	31	26	0	0	0	0	0	0	0	44.82	0	0	12.2	0.3	3.6
2025	3	15	12	41	26	0	0	0	0	0	0	0	44.91	0	0	12.2	0.3	3.6
2025	3	15	12	51	26	0	0	0	0	0	0	0	45	0	0	12	0.3	3.6
2025	3	15	13	1	26	0	0	0	0	0	0	0	45.09	0	0	12	0.3	3.6
2025	3	15	13	11	26	0	0	0	0	0	0	0	45.18	0	0	12	0.3	3.6
2025	3	15	13	21	26	0	0	0	0	0	0	0	45.23	0	0	12	0.3	3.6
2025	3	15	13	31	26	0	0	0	0	0	0	0	45.27	0	0	12	0.3	3.6
2025	3	15	13	41	26	0	0	0	0	0	0	0	45.36	0	0	12	0.3	3.6
2025	3	15	13	51	26	0	0	0	0	0	0	0	45.39	0	0	12	0.3	3.6
2025	3	15	14	1	26	0	0	0	0	0	0	0	45.46	0	0	12	0.3	3.6
2025	3	15	14	11	26	0	0	0	0	0	0	0	45.45	0	0	12	0.3	3.6
2025	3	15	14	21	26	0	0	0	0	0	0	0	45.52	0	0	12	0.3	3.6
2025	3	15	14	31	26	0	0	0	0	0	0	0	45.55	0	0	12	0.3	3.6
2025	3	15	14	41	26	0	0	0	0	0	0	0	45.61	0	0	12	0.3	3.6
2025	3	15	14	51	26	0	0	0	0	0	0	0	45.64	0	0	11.8	0.3	3.6
2025	3	15	15	1	26	0	0	0	0	0	0	0	45.7	0	0	11.8	0.3	3.6
2025	3	15	15	11	26	0	0	0	0	0	0	0	45.72	0	0	11.8	0.3	3.6
2025	3	15	15	21	26	0	0	0	0	0	0	0	45.75	0	0	11.8	0.3	3.6
2025	3	15	15	31	26	0	0	0	0	0	0	0	45.77	0	0	11.8	0.3	3.6
2025	3	15	15	41	26	0	0	0	0	0	0	0	45.75	0	0	11.8	0.3	3.6
2025	3	15	15	51	26	0	0	0	0	0	0	0	45.81	0	0	11.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	15	16	1	26	0	0	0	0	0	0	0	45.84	0	0	11.6	0.3	3.6
2025	3	15	16	11	26	0	0	0	0	0	0	0	45.86	0	0	10.6	0.3	3.6
2025	3	15	16	21	26	0	0	0	0	0	0	0	45.88	0	0	10	0.3	3.6
2025	3	15	16	31	26	0	0	0	0	0	0	0	45.84	0	0	9.8	0.3	3.6
2025	3	15	16	41	26	0	0	0	0	0	0	0	45.86	0	0	9.8	0.3	3.6
2025	3	15	16	51	26	0	0	0	0	0	0	0	45.88	0	0	9.6	0.3	3.6
2025	3	15	17	1	26	0	0	0	0	0	0	0	45.9	0	0	9.6	0.3	3.6
2025	3	15	17	11	26	0	0	0	0	0	0	0	45.91	0	0	10	0.3	3.6
2025	3	15	17	21	26	0	0	0	0	0	0	0	45.93	0	0	10.2	0.3	3.6
2025	3	15	17	31	26	0	0	0	0	0	0	0	45.93	0	0	10	0.3	3.6
2025	3	15	17	41	26	0	0	0	0	0	0	0	45.95	0	0	9.8	0.3	3.6
2025	3	15	17	51	26	0	0	0	0	0	0	0	45.95	0	0	9.8	0.3	3.6
2025	3	15	18	1	26	0	0	0	0	0	0	0	45.95	0	0	9.6	0.3	3.6
2025	3	15	18	11	26	0	0	0	0	0	0	0	45.95	0	0	9.6	0.3	3.6
2025	3	15	18	21	26	0	0	0	0	0	0	0	45.95	0	0	9.6	0.3	3.6
2025	3	15	18	31	26	0	0	0	0	0	0	0	45.93	0	0	9.6	0.3	3.6
2025	3	15	18	41	26	0	0	0	0	0	0	0	45.93	0	0	9.4	0.3	3.6
2025	3	15	18	51	26	0	0	0	0	0	0	0	45.91	0	0	9.8	0.3	3.6
2025	3	15	19	1	26	0	0	0	0	0	0	0	45.9	0	0	9.6	0.3	3.6
2025	3	15	19	11	26	0	0	0	0	0	0	0	45.86	0	0	10	0.3	3.6
2025	3	15	19	21	26	0	0	0	0	0	0	0	45.84	0	0	10.2	0.3	3.6
2025	3	15	19	31	26	0	0	0	0	0	0	0	45.81	0	0	9.4	0.3	3.6
2025	3	15	19	41	26	0	0	0	0	0	0	0	45.77	0	0	11.4	0.3	3.6
2025	3	15	19	51	26	0	0	0	0	0	0	0	45.73	0	0	11.4	0.3	3.6
2025	3	15	20	1	26	0	0	0	0	0	0	0	45.68	0	0	11.4	0.3	3.6
2025	3	15	20	11	26	0	0	0	0	0	0	0	45.64	0	0	11.4	0.3	3.6
2025	3	15	20	21	26	0	0	0	0	0	0	0	45.59	0	0	11.4	0.3	3.6
2025	3	15	20	31	26	0	0	0	0	0	0	0	45.52	0	0	11.4	0.3	3.6
2025	3	15	20	41	26	0	0	0	0	0	0	0	45.48	0	0	11.4	0.3	3.6
2025	3	15	20	51	26	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.6
2025	3	15	21	1	26	0	0	0	0	0	0	0	45.34	0	0	11.4	0.3	3.6
2025	3	15	21	11	26	0	0	0	0	0	0	0	45.27	0	0	11.4	0.3	3.6
2025	3	15	21	21	26	0	0	0	0	0	0	0	45.19	0	0	11.4	0.3	3.6
2025	3	15	21	31	26	0	0	0	0	0	0	0	45.12	0	0	11.4	0.3	3.6
2025	3	15	21	41	26	0	0	0	0	0	0	0	45.05	0	0	11.4	0.3	3.6
2025	3	15	21	51	26	0	0	0	0	0	0	0	44.98	0	0	11.4	0.3	3.6
2025	3	15	22	1	26	0	0	0	0	0	0	0	44.89	0	0	11.4	0.3	3.6
2025	3	15	22	11	26	0	0	0	0	0	0	0	44.8	0	0	11.4	0.3	3.6
2025	3	15	22	21	26	0	0	0	0	0	0	0	44.71	0	0	11.4	0.3	3.6
2025	3	15	22	31	26	0	0	0	0	0	0	0	44.64	0	0	11.4	0.3	3.6
2025	3	15	22	41	26	0	0	0	0	0	0	0	44.55	0	0	11.4	0.3	3.6
2025	3	15	22	51	26	0	0	0	0	0	0	0	44.46	0	0	11.4	0.3	3.6
2025	3	15	23	1	26	0	0	0	0	0	0	0	44.38	0	0	11.4	0.3	3.6
2025	3	15	23	11	26	0	0	0	0	0	0	0	44.29	0	0	11.4	0.3	3.6
2025	3	15	23	21	26	0	0	0	0	0	0	0	44.22	0	0	11.4	0.3	3.6
2025	3	15	23	31	26	0	0	0	0	0	0	0	44.13	0	0	11.4	0.3	3.6
2025	3	15	23	41	26	0	0	0	0	0	0	0	44.06	0	0	11.4	0.3	3.6
2025	3	15	23	51	26	0	0	0	0	0	0	0	44.01	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	16	0	1	26	0	0	0	0	0	0	0	43.92	0	0	11.4	0.3	3.6
2025	3	16	0	11	26	0	0	0	0	0	0	0	43.84	0	0	11.4	0.3	3.6
2025	3	16	0	21	26	0	0	0	0	0	0	0	43.77	0	0	11.4	0.3	3.6
2025	3	16	0	31	26	0	0	0	0	0	0	0	43.72	0	0	11.4	0.3	3.6
2025	3	16	0	41	26	0	0	0	0	0	0	0	43.65	0	0	11.4	0.3	3.6
2025	3	16	0	51	26	0	0	0	0	0	0	0	43.59	0	0	11.4	0.3	3.6
2025	3	16	1	1	26	0	0	0	0	0	0	0	43.54	0	0	11.4	0.3	3.6
2025	3	16	1	11	26	0	0	0	0	0	0	0	43.47	0	0	11.4	0.3	3.6
2025	3	16	1	21	26	0	0	0	0	0	0	0	43.43	0	0	11.4	0.3	3.6
2025	3	16	1	31	26	0	0	0	0	0	0	0	43.38	0	0	11.4	0.3	3.6
2025	3	16	1	41	26	0	0	0	0	0	0	0	43.32	0	0	11.4	0.3	3.6
2025	3	16	1	51	26	0	0	0	0	0	0	0	43.29	0	0	11.4	0.3	3.6
2025	3	16	2	1	26	0	0	0	0	0	0	0	43.23	0	0	11.4	0.3	3.6
2025	3	16	2	11	26	0	0	0	0	0	0	0	43.18	0	0	11.4	0.3	3.6
2025	3	16	2	21	26	0	0	0	0	0	0	0	43.16	0	0	11.4	0.3	3.6
2025	3	16	2	31	26	0	0	0	0	0	0	0	43.12	0	0	11.4	0.3	3.6
2025	3	16	2	41	26	0	0	0	0	0	0	0	43.09	0	0	11.4	0.3	3.6
2025	3	16	2	51	26	0	0	0	0	0	0	0	43.07	0	0	11.2	0.3	3.6
2025	3	16	3	1	26	0	0	0	0	0	0	0	43.03	0	0	11.2	0.3	3.6
2025	3	16	3	11	26	0	0	0	0	0	0	0	43	0	0	11.2	0.3	3.6
2025	3	16	3	21	26	0	0	0	0	0	0	0	42.98	0	0	11.2	0.3	3.6
2025	3	16	3	31	26	0	0	0	0	0	0	0	42.96	0	0	11.2	0.3	3.6
2025	3	16	3	41	26	0	0	0	0	0	0	0	42.96	0	0	11.2	0.3	3.6
2025	3	16	3	51	26	0	0	0	0	0	0	0	42.94	0	0	11.2	0.3	3.6
2025	3	16	4	1	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	4	11	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	4	21	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	4	31	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	4	41	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	4	51	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	1	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	11	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	21	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	31	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	41	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	5	51	26	0	0	0	0	0	0	0	42.91	0	0	11.2	0.3	3.6
2025	3	16	6	1	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	6	11	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	6	21	26	0	0	0	0	0	0	0	42.93	0	0	11.2	0.3	3.6
2025	3	16	6	31	26	0	0	0	0	0	0	0	42.94	0	0	11.2	0.3	3.6
2025	3	16	6	41	26	0	0	0	0	0	0	0	42.96	0	0	11.2	0.3	3.6
2025	3	16	6	51	26	0	0	0	0	0	0	0	43	0	0	11.2	0.3	3.6
2025	3	16	7	1	26	0	0	0	0	0	0	0	43.02	0	0	11.2	0.3	3.6
2025	3	16	7	11	26	0	0	0	0	0	0	0	43.03	0	0	11.4	0.3	3.6
2025	3	16	7	21	26	0	0	0	0	0	0	0	43.07	0	0	11.4	0.3	3.6
2025	3	16	7	31	26	0	0	0	0	0	0	0	43.11	0	0	11.4	0.3	3.6
2025	3	16	7	41	26	0	0	0	0	0	0	0	43.14	0	0	11.6	0.3	3.6
2025	3	16	7	51	26	0	0	0	0	0	0	0	43.18	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	16	8	1	26	0	0	0	0	0	0	0	43.23	0	0	12	0.3	3.6
2025	3	16	8	11	26	0	0	0	0	0	0	0	43.32	0	0	12.2	0.3	3.6
2025	3	16	8	21	26	0	0	0	0	0	0	0	43.41	0	0	12.4	0.3	3.6
2025	3	16	8	31	26	0	0	0	0	0	0	0	43.48	0	0	12.4	0.3	3.6
2025	3	16	8	41	26	0	0	0	0	0	0	0	43.5	0	0	12.2	0.3	3.6
2025	3	16	8	51	26	0	0	0	0	0	0	0	43.57	0	0	12.4	0.3	3.6
2025	3	16	9	1	26	0	0	0	0	0	0	0	43.68	0	0	12.6	0.3	3.6
2025	3	16	9	11	26	0	0	0	0	0	0	0	43.79	0	0	12.6	0.3	3.6
2025	3	16	9	21	26	0	0	0	0	0	0	0	43.81	0	0	12.4	0.3	3.6
2025	3	16	9	31	26	0	0	0	0	0	0	0	43.83	0	0	12.2	0.3	3.6
2025	3	16	9	41	26	0	0	0	0	0	0	0	43.86	0	0	12.2	0.3	3.6
2025	3	16	9	51	26	0	0	0	0	0	0	0	43.93	0	0	12.4	0.3	3.6
2025	3	16	10	1	26	0	0	0	0	0	0	0	43.97	0	0	12.2	0.3	3.6
2025	3	16	10	11	26	0	0	0	0	0	0	0	44.06	0	0	12.4	0.3	3.6
2025	3	16	10	21	26	0	0	0	0	0	0	0	44.13	0	0	12.4	0.3	3.6
2025	3	16	10	31	26	0	0	0	0	0	0	0	44.2	0	0	12.4	0.3	3.6
2025	3	16	10	41	26	0	0	0	0	0	0	0	44.26	0	0	12.4	0.3	3.6
2025	3	16	10	51	26	0	0	0	0	0	0	0	44.29	0	0	12.4	0.3	3.6
2025	3	16	11	1	26	0	0	0	0	0	0	0	44.38	0	0	12.4	0.3	3.6
2025	3	16	11	11	26	0	0	0	0	0	0	0	44.44	0	0	12.4	0.3	3.6
2025	3	16	11	21	26	0	0	0	0	0	0	0	44.46	0	0	12.4	0.3	3.6
2025	3	16	11	31	26	0	0	0	0	0	0	0	44.53	0	0	12.4	0.3	3.6
2025	3	16	11	41	26	0	0	0	0	0	0	0	44.62	0	0	12.6	0.3	3.6
2025	3	16	11	51	26	0	0	0	0	0	0	0	44.73	0	0	13	0.3	3.6
2025	3	16	12	1	26	0	0	0	0	0	0	0	44.83	0	0	13.4	0.3	3.6
2025	3	16	12	11	26	0	0	0	0	0	0	0	44.89	0	0	13.4	0.3	3.6
2025	3	16	12	21	26	0	0	0	0	0	0	0	44.96	0	0	13.4	0.3	3.6
2025	3	16	12	31	26	0	0	0	0	0	0	0	45	0	0	13.2	0.3	3.6
2025	3	16	12	41	26	0	0	0	0	0	0	0	45.09	0	0	13.4	0.3	3.6
2025	3	16	12	51	26	0	0	0	0	0	0	0	45.19	0	0	13.4	0.3	3.6
2025	3	16	13	1	26	0	0	0	0	0	0	0	45.21	0	0	13.4	0.3	3.6
2025	3	16	13	11	26	0	0	0	0	0	0	0	45.32	0	0	13.4	0.3	3.6
2025	3	16	13	21	26	0	0	0	0	0	0	0	45.45	0	0	13.4	0.3	3.6
2025	3	16	13	31	26	0	0	0	0	0	0	0	45.63	0	0	13.6	0.3	3.3
2025	3	16	13	41	26	0	0	0	0	0	0	0	45.77	0	0	13.6	0.3	3.3
2025	3	16	13	51	26	0	0	0	0	0	0	0	45.88	0	0	13.6	0.3	3.3
2025	3	16	14	1	26	0	0	0	0	0	0	0	46.08	0	0	13.6	0.3	3.3
2025	3	16	14	11	26	0	0	0	0	0	0	0	46.18	0	0	13.6	0.3	3.3
2025	3	16	14	21	26	0	0	0	0	0	0	0	46.27	0	0	13.6	0.3	3.3
2025	3	16	14	31	26	0	0	0	0	0	0	0	46.38	0	0	13	0.3	3.6
2025	3	16	14	41	26	0	0	0	0	0	0	0	46.47	0	0	12.8	0.3	3.6
2025	3	16	14	51	26	0	0	0	0	0	0	0	46.53	0	0	12.6	0.3	3.3
2025	3	16	15	1	26	0	0	0	0	0	0	0	46.54	0	0	12.6	0.3	3.3
2025	3	16	15	11	26	0	0	0	0	0	0	0	46.58	0	0	12.2	0.3	3.3
2025	3	16	15	21	26	0	0	0	0	0	0	0	46.6	0	0	12.2	0.3	3.3
2025	3	16	15	31	26	0	0	0	0	0	0	0	46.65	0	0	12	0.3	3.3
2025	3	16	15	41	26	0	0	0	0	0	0	0	46.65	0	0	12	0.3	3.3
2025	3	16	15	51	26	0	0	0	0	0	0	0	46.71	0	0	12	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	16	16	1	26	0	0	0	0	0	0	0	46.72	0	0	12	0.3	3.3
2025	3	16	16	11	26	0	0	0	0	0	0	0	46.72	0	0	11.4	0.3	3.3
2025	3	16	16	21	26	0	0	0	0	0	0	0	46.74	0	0	11.2	0.3	3.3
2025	3	16	16	31	26	0	0	0	0	0	0	0	46.74	0	0	11	0.3	3.3
2025	3	16	16	41	26	0	0	0	0	0	0	0	46.74	0	0	11	0.3	3.3
2025	3	16	16	51	26	0	0	0	0	0	0	0	46.76	0	0	10.8	0.3	3.3
2025	3	16	17	1	26	0	0	0	0	0	0	0	46.78	0	0	10.8	0.3	3.3
2025	3	16	17	11	26	0	0	0	0	0	0	0	46.78	0	0	10.6	0.3	3.3
2025	3	16	17	21	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	17	31	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	17	41	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	17	51	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	18	1	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	18	11	26	0	0	0	0	0	0	0	46.8	0	0	10.6	0.3	3.3
2025	3	16	18	21	26	0	0	0	0	0	0	0	46.8	0	0	11	0.3	3.3
2025	3	16	18	31	26	0	0	0	0	0	0	0	46.8	0	0	11.2	0.3	3.3
2025	3	16	18	41	26	0	0	0	0	0	0	0	46.78	0	0	11.2	0.3	3.3
2025	3	16	18	51	26	0	0	0	0	0	0	0	46.76	0	0	11.2	0.3	3.3
2025	3	16	19	1	26	0	0	0	0	0	0	0	46.74	0	0	11.2	0.3	3.3
2025	3	16	19	11	26	0	0	0	0	0	0	0	46.72	0	0	11	0.3	3.3
2025	3	16	19	21	26	0	0	0	0	0	0	0	46.71	0	0	11	0.3	3.3
2025	3	16	19	31	26	0	0	0	0	0	0	0	46.67	0	0	11	0.3	3.3
2025	3	16	19	41	26	0	0	0	0	0	0	0	46.65	0	0	11	0.3	3.3
2025	3	16	19	51	26	0	0	0	0	0	0	0	46.63	0	0	11	0.3	3.3
2025	3	16	20	1	26	0	0	0	0	0	0	0	46.6	0	0	11	0.3	3.3
2025	3	16	20	11	26	0	0	0	0	0	0	0	46.56	0	0	10.8	0.3	3.3
2025	3	16	20	21	26	0	0	0	0	0	0	0	46.51	0	0	10.8	0.3	3.3
2025	3	16	20	31	26	0	0	0	0	0	0	0	46.47	0	0	10.8	0.3	3.3
2025	3	16	20	41	26	0	0	0	0	0	0	0	46.42	0	0	11	0.3	3.3
2025	3	16	20	51	26	0	0	0	0	0	0	0	46.38	0	0	11	0.3	3.3
2025	3	16	21	1	26	0	0	0	0	0	0	0	46.33	0	0	10.8	0.3	3.3
2025	3	16	21	11	26	0	0	0	0	0	0	0	46.26	0	0	10.4	0.3	3.3
2025	3	16	21	21	26	0	0	0	0	0	0	0	46.2	0	0	10.4	0.3	3.3
2025	3	16	21	31	26	0	0	0	0	0	0	0	46.13	0	0	10.2	0.3	3.3
2025	3	16	21	41	26	0	0	0	0	0	0	0	46.08	0	0	10.2	0.3	3.3
2025	3	16	21	51	26	0	0	0	0	0	0	0	46	0	0	10.2	0.3	3.3
2025	3	16	22	1	26	0	0	0	0	0	0	0	45.93	0	0	10.2	0.3	3.3
2025	3	16	22	11	26	0	0	0	0	0	0	0	45.86	0	0	10	0.3	3.3
2025	3	16	22	21	26	0	0	0	0	0	0	0	45.79	0	0	11.2	0.3	3.3
2025	3	16	22	31	26	0	0	0	0	0	0	0	45.72	0	0	11.4	0.3	3.3
2025	3	16	22	41	26	0	0	0	0	0	0	0	45.64	0	0	11.4	0.3	3.3
2025	3	16	22	51	26	0	0	0	0	0	0	0	45.57	0	0	11.4	0.3	3.3
2025	3	16	23	1	26	0	0	0	0	0	0	0	45.5	0	0	11.4	0.3	3.3
2025	3	16	23	11	26	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.6
2025	3	16	23	21	26	0	0	0	0	0	0	0	45.32	0	0	11.4	0.3	3.6
2025	3	16	23	31	26	0	0	0	0	0	0	0	45.25	0	0	11.4	0.3	3.6
2025	3	16	23	41	26	0	0	0	0	0	0	0	45.18	0	0	11.2	0.3	3.6
2025	3	16	23	51	26	0	0	0	0	0	0	0	45.09	0	0	11.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	17	0	1	26	0	0	0	0	0	0	0	45.01	0	0	11.2	0.3	3.6
2025	3	17	0	11	26	0	0	0	0	0	0	0	44.94	0	0	11.2	0.3	3.6
2025	3	17	0	21	26	0	0	0	0	0	0	0	44.87	0	0	11.2	0.3	3.6
2025	3	17	0	31	26	0	0	0	0	0	0	0	44.8	0	0	11.2	0.3	3.6
2025	3	17	0	41	26	0	0	0	0	0	0	0	44.73	0	0	11.2	0.3	3.6
2025	3	17	0	51	26	0	0	0	0	0	0	0	44.64	0	0	11.2	0.3	3.6
2025	3	17	1	1	26	0	0	0	0	0	0	0	44.58	0	0	11.2	0.3	3.6
2025	3	17	1	11	26	0	0	0	0	0	0	0	44.51	0	0	11.2	0.3	3.6
2025	3	17	1	21	26	0	0	0	0	0	0	0	44.44	0	0	11.2	0.3	3.6
2025	3	17	1	31	26	0	0	0	0	0	0	0	44.37	0	0	11.2	0.3	3.6
2025	3	17	1	41	26	0	0	0	0	0	0	0	44.29	0	0	11.2	0.3	3.6
2025	3	17	1	51	26	0	0	0	0	0	0	0	44.22	0	0	11.2	0.3	3.6
2025	3	17	2	1	26	0	0	0	0	0	0	0	44.17	0	0	11.2	0.3	3.6
2025	3	17	2	11	26	0	0	0	0	0	0	0	44.1	0	0	11.2	0.3	3.6
2025	3	17	2	21	26	0	0	0	0	0	0	0	44.06	0	0	11.2	0.3	3.6
2025	3	17	2	31	26	0	0	0	0	0	0	0	44.01	0	0	11	0.3	3.6
2025	3	17	2	41	26	0	0	0	0	0	0	0	43.95	0	0	11	0.3	3.6
2025	3	17	2	51	26	0	0	0	0	0	0	0	43.9	0	0	10.6	0.3	3.6
2025	3	17	3	1	26	0	0	0	0	0	0	0	43.84	0	0	10.6	0.3	3.6
2025	3	17	3	11	26	0	0	0	0	0	0	0	43.79	0	0	10.6	0.3	3.6
2025	3	17	3	21	26	0	0	0	0	0	0	0	43.77	0	0	10.2	0.3	3.6
2025	3	17	3	31	26	0	0	0	0	0	0	0	43.74	0	0	10.4	0.3	3.6
2025	3	17	3	41	26	0	0	0	0	0	0	0	43.7	0	0	10.4	0.3	3.6
2025	3	17	3	51	26	0	0	0	0	0	0	0	43.66	0	0	10.4	0.3	3.6
2025	3	17	4	1	26	0	0	0	0	0	0	0	43.63	0	0	10.4	0.3	3.6
2025	3	17	4	11	26	0	0	0	0	0	0	0	43.61	0	0	10.4	0.3	3.6
2025	3	17	4	21	26	0	0	0	0	0	0	0	43.57	0	0	10.4	0.3	3.6
2025	3	17	4	31	26	0	0	0	0	0	0	0	43.56	0	0	10.4	0.3	3.6
2025	3	17	4	41	26	0	0	0	0	0	0	0	43.54	0	0	10.2	0.3	3.6
2025	3	17	4	51	26	0	0	0	0	0	0	0	43.5	0	0	10	0.3	3.6
2025	3	17	5	1	26	0	0	0	0	0	0	0	43.48	0	0	10	0.3	3.6
2025	3	17	5	11	26	0	0	0	0	0	0	0	43.48	0	0	10	0.3	3.6
2025	3	17	5	21	26	0	0	0	0	0	0	0	43.45	0	0	9.8	0.3	3.6
2025	3	17	5	31	26	0	0	0	0	0	0	0	43.43	0	0	9.8	0.3	3.6
2025	3	17	5	41	26	0	0	0	0	0	0	0	43.41	0	0	9.8	0.3	3.6
2025	3	17	5	51	26	0	0	0	0	0	0	0	43.39	0	0	9.8	0.3	3.6
2025	3	17	6	1	26	0	0	0	0	0	0	0	43.39	0	0	9.8	0.3	3.6
2025	3	17	6	11	26	0	0	0	0	0	0	0	43.39	0	0	9.8	0.3	3.6
2025	3	17	6	21	26	0	0	0	0	0	0	0	43.36	0	0	9.8	0.3	3.6
2025	3	17	6	31	26	0	0	0	0	0	0	0	43.38	0	0	9.8	0.3	3.6
2025	3	17	6	41	26	0	0	0	0	0	0	0	43.36	0	0	9.4	0.3	3.6
2025	3	17	6	51	26	0	0	0	0	0	0	0	43.36	0	0	9.6	0.3	3.6
2025	3	17	7	1	26	0	0	0	0	0	0	0	43.38	0	0	9.8	0.3	3.6
2025	3	17	7	11	26	0	0	0	0	0	0	0	43.39	0	0	10.6	0.3	3.6
2025	3	17	7	21	26	0	0	0	0	0	0	0	43.41	0	0	12	0.3	3.6
2025	3	17	7	31	26	0	0	0	0	0	0	0	43.47	0	0	12.2	0.3	3.6
2025	3	17	7	41	26	0	0	0	0	0	0	0	43.5	0	0	12.2	0.3	3.6
2025	3	17	7	51	26	0	0	0	0	0	0	0	43.57	0	0	12	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	17	8	1	26	0	0	0	0	0	0	0	43.66	0	0	12	0.3	3.6
2025	3	17	8	11	26	0	0	0	0	0	0	0	43.75	0	0	12	0.3	3.6
2025	3	17	8	21	26	0	0	0	0	0	0	0	43.86	0	0	12	0.3	3.6
2025	3	17	8	31	26	0	0	0	0	0	0	0	43.95	0	0	12	0.3	3.6
2025	3	17	8	41	26	0	0	0	0	0	0	0	44.06	0	0	12.2	0.3	3.6
2025	3	17	8	51	26	0	0	0	0	0	0	0	44.15	0	0	12.2	0.3	3.6
2025	3	17	9	1	26	0	0	0	0	0	0	0	44.24	0	0	12.4	0.3	3.6
2025	3	17	9	11	26	0	0	0	0	0	0	0	44.35	0	0	12.4	0.3	3.6
2025	3	17	9	21	26	0	0	0	0	0	0	0	44.47	0	0	12.6	0.3	3.6
2025	3	17	9	31	26	0	0	0	0	0	0	0	44.58	0	0	12.8	0.3	3.6
2025	3	17	9	41	26	0	0	0	0	0	0	0	44.71	0	0	12.8	0.3	3.6
2025	3	17	9	51	26	0	0	0	0	0	0	0	44.8	0	0	12.8	0.3	3.6
2025	3	17	10	1	26	0	0	0	0	0	0	0	44.94	0	0	12.6	0.3	3.6
2025	3	17	10	11	26	0	0	0	0	0	0	0	45.07	0	0	12.8	0.3	3.6
2025	3	17	10	21	26	0	0	0	0	0	0	0	45.19	0	0	12.8	0.3	3.6
2025	3	17	10	31	26	0	0	0	0	0	0	0	45.32	0	0	12.8	0.3	3.6
2025	3	17	10	41	26	0	0	0	0	0	0	0	45.46	0	0	12.8	0.3	3.6
2025	3	17	10	51	26	0	0	0	0	0	0	0	45.57	0	0	12.8	0.3	3.3
2025	3	17	11	1	26	0	0	0	0	0	0	0	45.68	0	0	12.8	0.3	3.3
2025	3	17	11	11	26	0	0	0	0	0	0	0	45.81	0	0	12.8	0.3	3.3
2025	3	17	11	21	26	0	0	0	0	0	0	0	45.86	0	0	12.8	0.3	3.3
2025	3	17	11	31	26	0	0	0	0	0	0	0	45.95	0	0	12.8	0.3	3.3
2025	3	17	11	41	26	0	0	0	0	0	0	0	46.06	0	0	12.8	0.3	3.3
2025	3	17	11	51	26	0	0	0	0	0	0	0	46.15	0	0	12.8	0.3	3.3
2025	3	17	12	1	26	0	0	0	0	0	0	0	46.18	0	0	12.8	0.3	3.3
2025	3	17	12	11	26	0	0	0	0	0	0	0	46	0	0	12	0.3	3.3
2025	3	17	12	21	26	0	0	0	0	0	0	0	46.27	0	0	12.8	0.3	3.3
2025	3	17	12	31	26	0	0	0	0	0	0	0	46.47	0	0	12.8	0.3	3.3
2025	3	17	12	41	26	0	0	0	0	0	0	0	46.44	0	0	12.8	0.3	3.3
2025	3	17	12	51	26	0	0	0	0	0	0	0	46.38	0	0	12.6	0.3	3.3
2025	3	17	13	1	26	0	0	0	0	0	0	0	46.38	0	0	12.6	0.3	3.3
2025	3	17	13	11	26	0	0	0	0	0	0	0	46.4	0	0	12.6	0.3	3.3
2025	3	17	13	21	26	0	0	0	0	0	0	0	46.42	0	0	12.6	0.3	3.3
2025	3	17	13	31	26	0	0	0	0	0	0	0	46.38	0	0	11.4	0.3	3.3
2025	3	17	13	41	26	0	0	0	0	0	0	0	46.4	0	0	12.2	0.3	3.3
2025	3	17	13	51	26	0	0	0	0	0	0	0	46.44	0	0	11.8	0.3	3.3
2025	3	17	14	1	26	0	0	0	0	0	0	0	46.49	0	0	12.4	0.3	3.3
2025	3	17	14	11	26	0	0	0	0	0	0	0	46.53	0	0	11.6	0.3	3.3
2025	3	17	14	21	26	0	0	0	0	0	0	0	46.54	0	0	11.4	0.3	3.3
2025	3	17	14	31	26	0	0	0	0	0	0	0	46.58	0	0	11.4	0.3	3.3
2025	3	17	14	41	26	0	0	0	0	0	0	0	46.63	0	0	11.2	0.3	3.3
2025	3	17	14	51	26	0	0	0	0	0	0	0	46.72	0	0	11.4	0.3	3.3
2025	3	17	15	1	26	0	0	0	0	0	0	0	46.74	0	0	11.2	0.3	3.3
2025	3	17	15	11	26	0	0	0	0	0	0	0	46.78	0	0	11	0.3	3.3
2025	3	17	15	21	26	0	0	0	0	0	0	0	46.85	0	0	11.2	0.3	3.3
2025	3	17	15	31	26	0	0	0	0	0	0	0	46.89	0	0	11	0.3	3.3
2025	3	17	15	41	26	0	0	0	0	0	0	0	46.94	0	0	11	0.3	3.3
2025	3	17	15	51	26	0	0	0	0	0	0	0	46.99	0	0	11	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	17	16	1	26	0	0	0	0	0	0	0	47.03	0	0	10.8	0.3	3.3
2025	3	17	16	11	26	0	0	0	0	0	0	0	47.07	0	0	10.8	0.3	3.3
2025	3	17	16	21	26	0	0	0	0	0	0	0	47.1	0	0	10.8	0.3	3.3
2025	3	17	16	31	26	0	0	0	0	0	0	0	47.14	0	0	10.8	0.3	3.3
2025	3	17	16	41	26	0	0	0	0	0	0	0	47.17	0	0	10.6	0.3	3.3
2025	3	17	16	51	26	0	0	0	0	0	0	0	47.19	0	0	10.4	0.3	3.3
2025	3	17	17	1	26	0	0	0	0	0	0	0	47.21	0	0	10.2	0.3	3.3
2025	3	17	17	11	26	0	0	0	0	0	0	0	47.23	0	0	10.2	0.3	3.6
2025	3	17	17	21	26	0	0	0	0	0	0	0	47.25	0	0	10.2	0.3	3.3
2025	3	17	17	31	26	0	0	0	0	0	0	0	47.25	0	0	10	0.3	3.6
2025	3	17	17	41	26	0	0	0	0	0	0	0	47.25	0	0	10	0.3	3.3
2025	3	17	17	51	26	0	0	0	0	0	0	0	47.23	0	0	10.6	0.3	3.6
2025	3	17	18	1	26	0	0	0	0	0	0	0	47.21	0	0	9.8	0.3	3.3
2025	3	17	18	11	26	0	0	0	0	0	0	0	47.17	0	0	9.8	0.3	3.3
2025	3	17	18	21	26	0	0	0	0	0	0	0	47.14	0	0	9.8	0.3	3.3
2025	3	17	18	31	26	0	0	0	0	0	0	0	47.1	0	0	9.8	0.3	3.3
2025	3	17	18	41	26	0	0	0	0	0	0	0	47.05	0	0	9.6	0.3	3.3
2025	3	17	18	51	26	0	0	0	0	0	0	0	46.99	0	0	9.6	0.3	3.3
2025	3	17	19	1	26	0	0	0	0	0	0	0	46.96	0	0	9.4	0.3	3.3
2025	3	17	19	11	26	0	0	0	0	0	0	0	46.9	0	0	9.2	0.3	3.3
2025	3	17	19	21	26	0	0	0	0	0	0	0	46.85	0	0	10.8	0.3	3.3
2025	3	17	19	31	26	0	0	0	0	0	0	0	46.81	0	0	10.8	0.3	3.3
2025	3	17	19	41	26	0	0	0	0	0	0	0	46.76	0	0	10.8	0.3	3.3
2025	3	17	19	51	26	0	0	0	0	0	0	0	46.72	0	0	10.6	0.3	3.3
2025	3	17	20	1	26	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	17	20	11	26	0	0	0	0	0	0	0	46.62	0	0	10.2	0.3	3.3
2025	3	17	20	21	26	0	0	0	0	0	0	0	46.56	0	0	10.8	0.3	3.3
2025	3	17	20	31	26	0	0	0	0	0	0	0	46.49	0	0	10.8	0.3	3.3
2025	3	17	20	41	26	0	0	0	0	0	0	0	46.44	0	0	10.6	0.3	3.3
2025	3	17	20	51	26	0	0	0	0	0	0	0	46.38	0	0	10.4	0.3	3.3
2025	3	17	21	1	26	0	0	0	0	0	0	0	46.31	0	0	9.8	0.3	3.3
2025	3	17	21	11	26	0	0	0	0	0	0	0	46.24	0	0	9.6	0.3	3.3
2025	3	17	21	21	26	0	0	0	0	0	0	0	46.15	0	0	9.8	0.3	3.3
2025	3	17	21	31	26	0	0	0	0	0	0	0	46.08	0	0	9.4	0.3	3.3
2025	3	17	21	41	26	0	0	0	0	0	0	0	46	0	0	10.8	0.3	3.3
2025	3	17	21	51	26	0	0	0	0	0	0	0	45.91	0	0	11.2	0.3	3.3
2025	3	17	22	1	26	0	0	0	0	0	0	0	45.84	0	0	11.2	0.3	3.3
2025	3	17	22	11	26	0	0	0	0	0	0	0	45.75	0	0	11.2	0.3	3.3
2025	3	17	22	21	26	0	0	0	0	0	0	0	45.66	0	0	11.2	0.3	3.3
2025	3	17	22	31	26	0	0	0	0	0	0	0	45.59	0	0	11.2	0.3	3.3
2025	3	17	22	41	26	0	0	0	0	0	0	0	45.5	0	0	11.2	0.3	3.3
2025	3	17	22	51	26	0	0	0	0	0	0	0	45.41	0	0	11.2	0.3	3.3
2025	3	17	23	1	26	0	0	0	0	0	0	0	45.32	0	0	11.2	0.3	3.3
2025	3	17	23	11	26	0	0	0	0	0	0	0	45.23	0	0	11.2	0.3	3.3
2025	3	17	23	21	26	0	0	0	0	0	0	0	45.16	0	0	11.2	0.3	3.3
2025	3	17	23	31	26	0	0	0	0	0	0	0	45.07	0	0	11.2	0.3	3.3
2025	3	17	23	41	26	0	0	0	0	0	0	0	44.98	0	0	11	0.3	3.3
2025	3	17	23	51	26	0	0	0	0	0	0	0	44.91	0	0	11	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	18	0	1	26	0	0	0	0	0	0	0	44.83	0	0	11	0.3	3.3
2025	3	18	0	11	26	0	0	0	0	0	0	0	44.76	0	0	11	0.3	3.3
2025	3	18	0	21	26	0	0	0	0	0	0	0	44.71	0	0	11	0.3	3.3
2025	3	18	0	31	26	0	0	0	0	0	0	0	44.64	0	0	10.8	0.3	3.3
2025	3	18	0	41	26	0	0	0	0	0	0	0	44.58	0	0	10.8	0.3	3.3
2025	3	18	0	51	26	0	0	0	0	0	0	0	44.51	0	0	10.6	0.3	3.3
2025	3	18	1	1	26	0	0	0	0	0	0	0	44.46	0	0	10.6	0.3	3.3
2025	3	18	1	11	26	0	0	0	0	0	0	0	44.4	0	0	10.6	0.3	3.3
2025	3	18	1	21	26	0	0	0	0	0	0	0	44.35	0	0	10.6	0.3	3.3
2025	3	18	1	31	26	0	0	0	0	0	0	0	44.31	0	0	10.6	0.3	3.3
2025	3	18	1	41	26	0	0	0	0	0	0	0	44.26	0	0	10.6	0.3	3.3
2025	3	18	1	51	26	0	0	0	0	0	0	0	44.22	0	0	10.6	0.3	3.3
2025	3	18	2	1	26	0	0	0	0	0	0	0	44.19	0	0	10.6	0.3	3.3
2025	3	18	2	11	26	0	0	0	0	0	0	0	44.15	0	0	10.6	0.3	3.3
2025	3	18	2	21	26	0	0	0	0	0	0	0	44.13	0	0	10.6	0.3	3.3
2025	3	18	2	31	26	0	0	0	0	0	0	0	44.1	0	0	10.4	0.3	3.3
2025	3	18	2	41	26	0	0	0	0	0	0	0	44.08	0	0	10.4	0.3	3.3
2025	3	18	2	51	26	0	0	0	0	0	0	0	44.06	0	0	10.4	0.3	3.3
2025	3	18	3	1	26	0	0	0	0	0	0	0	44.04	0	0	10.4	0.3	3.3
2025	3	18	3	11	26	0	0	0	0	0	0	0	44.01	0	0	10.4	0.3	3.3
2025	3	18	3	21	26	0	0	0	0	0	0	0	43.99	0	0	10.4	0.3	3.3
2025	3	18	3	31	26	0	0	0	0	0	0	0	43.97	0	0	10.2	0.3	3.3
2025	3	18	3	41	26	0	0	0	0	0	0	0	43.95	0	0	10.2	0.3	3.3
2025	3	18	3	51	26	0	0	0	0	0	0	0	43.93	0	0	10	0.3	3.3
2025	3	18	4	1	26	0	0	0	0	0	0	0	43.93	0	0	9.8	0.3	3.3
2025	3	18	4	11	26	0	0	0	0	0	0	0	43.9	0	0	9.8	0.3	3.3
2025	3	18	4	21	26	0	0	0	0	0	0	0	43.9	0	0	9.6	0.3	3.3
2025	3	18	4	31	26	0	0	0	0	0	0	0	43.88	0	0	9.6	0.3	3.3
2025	3	18	4	41	26	0	0	0	0	0	0	0	43.86	0	0	10.6	0.3	3.3
2025	3	18	4	51	26	0	0	0	0	0	0	0	43.86	0	0	10.6	0.3	3.3
2025	3	18	5	1	26	0	0	0	0	0	0	0	43.84	0	0	10.6	0.3	3.3
2025	3	18	5	11	26	0	0	0	0	0	0	0	43.84	0	0	10.6	0.3	3.3
2025	3	18	5	21	26	0	0	0	0	0	0	0	43.84	0	0	10.6	0.3	3.3
2025	3	18	5	31	26	0	0	0	0	0	0	0	43.84	0	0	10.4	0.3	3.3
2025	3	18	5	41	26	0	0	0	0	0	0	0	43.83	0	0	10.6	0.3	3.3
2025	3	18	5	51	26	0	0	0	0	0	0	0	43.84	0	0	10.4	0.3	3.3
2025	3	18	6	1	26	0	0	0	0	0	0	0	43.83	0	0	10.4	0.3	3.3
2025	3	18	6	11	26	0	0	0	0	0	0	0	43.83	0	0	10.4	0.3	3.3
2025	3	18	6	21	26	0	0	0	0	0	0	0	43.83	0	0	10.4	0.3	3.3
2025	3	18	6	31	26	0	0	0	0	0	0	0	43.83	0	0	10.6	0.3	3.3
2025	3	18	6	41	26	0	0	0	0	0	0	0	43.83	0	0	10.6	0.3	3.3
2025	3	18	6	51	26	0	0	0	0	0	0	0	43.83	0	0	10.8	0.3	3.3
2025	3	18	7	1	26	0	0	0	0	0	0	0	43.84	0	0	11.2	0.3	3.3
2025	3	18	7	11	26	0	0	0	0	0	0	0	43.84	0	0	11.4	0.3	3.3
2025	3	18	7	21	26	0	0	0	0	0	0	0	43.88	0	0	11.6	0.3	3.3
2025	3	18	7	31	26	0	0	0	0	0	0	0	43.92	0	0	11.6	0.3	3.3
2025	3	18	7	41	26	0	0	0	0	0	0	0	43.95	0	0	11.8	0.3	3.3
2025	3	18	7	51	26	0	0	0	0	0	0	0	43.99	0	0	11.8	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	18	8	1	26	0	0	0	0	0	0	0	44.04	0	0	11.8	0.3	3.3
2025	3	18	8	11	26	0	0	0	0	0	0	0	44.13	0	0	12	0.3	3.3
2025	3	18	8	21	26	0	0	0	0	0	0	0	44.2	0	0	12.2	0.3	3.3
2025	3	18	8	31	26	0	0	0	0	0	0	0	44.28	0	0	12.4	0.3	3.3
2025	3	18	8	41	26	0	0	0	0	0	0	0	44.35	0	0	12	0.3	3.3
2025	3	18	8	51	26	0	0	0	0	0	0	0	44.42	0	0	12.2	0.3	3.3
2025	3	18	9	1	26	0	0	0	0	0	0	0	44.51	0	0	12.6	0.3	3.3
2025	3	18	9	11	26	0	0	0	0	0	0	0	44.58	0	0	13	0.3	3.3
2025	3	18	9	21	26	0	0	0	0	0	0	0	44.69	0	0	13	0.3	3.3
2025	3	18	9	31	26	0	0	0	0	0	0	0	44.76	0	0	13	0.3	3.3
2025	3	18	9	41	26	0	0	0	0	0	0	0	44.85	0	0	13	0.3	3.3
2025	3	18	9	51	26	0	0	0	0	0	0	0	44.96	0	0	13.2	0.3	3.3
2025	3	18	10	1	26	0	0	0	0	0	0	0	45.03	0	0	13	0.3	3.3
2025	3	18	10	11	26	0	0	0	0	0	0	0	45.12	0	0	13	0.3	3.3
2025	3	18	10	21	26	0	0	0	0	0	0	0	45.21	0	0	13	0.3	3.3
2025	3	18	10	31	26	0	0	0	0	0	0	0	45.3	0	0	13	0.3	3.3
2025	3	18	10	41	26	0	0	0	0	0	0	0	45.41	0	0	13	0.3	3.3
2025	3	18	10	51	26	0	0	0	0	0	0	0	45.5	0	0	13.2	0.3	3.3
2025	3	18	11	1	26	0	0	0	0	0	0	0	45.59	0	0	13	0.3	3.3
2025	3	18	11	11	26	0	0	0	0	0	0	0	45.68	0	0	13	0.3	3.3
2025	3	18	11	21	26	0	0	0	0	0	0	0	45.77	0	0	13	0.3	3.3
2025	3	18	11	31	26	0	0	0	0	0	0	0	45.88	0	0	13	0.3	3.3
2025	3	18	11	41	26	0	0	0	0	0	0	0	45.97	0	0	13	0.3	3.3
2025	3	18	11	51	26	0	0	0	0	0	0	0	46.04	0	0	13	0.3	3.3
2025	3	18	12	1	26	0	0	0	0	0	0	0	46.17	0	0	13	0.3	3.3
2025	3	18	12	11	26	0	0	0	0	0	0	0	46.22	0	0	13	0.3	3.3
2025	3	18	12	21	26	0	0	0	0	0	0	0	46.29	0	0	13	0.3	3.3
2025	3	18	12	31	26	0	0	0	0	0	0	0	46.36	0	0	13	0.3	3.3
2025	3	18	12	41	26	0	0	0	0	0	0	0	46.42	0	0	13	0.3	3.3
2025	3	18	12	51	26	0	0	0	0	0	0	0	46.51	0	0	13	0.3	3.3
2025	3	18	13	1	26	0	0	0	0	0	0	0	46.58	0	0	13	0.3	3.3
2025	3	18	13	11	26	0	0	0	0	0	0	0	46.62	0	0	13	0.3	3.3
2025	3	18	13	21	26	0	0	0	0	0	0	0	46.67	0	0	13	0.3	3.3
2025	3	18	13	31	26	0	0	0	0	0	0	0	46.72	0	0	13	0.3	3.3
2025	3	18	13	41	26	0	0	0	0	0	0	0	46.8	0	0	12.8	0.3	3.3
2025	3	18	13	51	26	0	0	0	0	0	0	0	46.83	0	0	13	0.3	3.3
2025	3	18	14	1	26	0	0	0	0	0	0	0	46.87	0	0	13	0.3	3.3
2025	3	18	14	11	26	0	0	0	0	0	0	0	46.9	0	0	12.8	0.3	3.3
2025	3	18	14	21	26	0	0	0	0	0	0	0	46.94	0	0	12.8	0.3	3.3
2025	3	18	14	31	26	0	0	0	0	0	0	0	46.98	0	0	12.8	0.3	3.3
2025	3	18	14	41	26	0	0	0	0	0	0	0	47.01	0	0	12.8	0.3	3.3
2025	3	18	14	51	26	0	0	0	0	0	0	0	47.05	0	0	12.8	0.3	3.3
2025	3	18	15	1	26	0	0	0	0	0	0	0	47.07	0	0	13	0.3	3.3
2025	3	18	15	11	26	0	0	0	0	0	0	0	47.1	0	0	12.8	0.3	3.3
2025	3	18	15	21	26	0	0	0	0	0	0	0	47.12	0	0	12.8	0.3	3.3
2025	3	18	15	31	26	0	0	0	0	0	0	0	47.12	0	0	12.8	0.3	3.3
2025	3	18	15	41	26	0	0	0	0	0	0	0	47.14	0	0	12.8	0.3	3.3
2025	3	18	15	51	26	0	0	0	0	0	0	0	47.16	0	0	12.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	18	16	1	26	0	0	0	0	0	0	0	47.16	0	0	12.8	0.3	3.3
2025	3	18	16	11	26	0	0	0	0	0	0	0	47.17	0	0	12	0.3	3.3
2025	3	18	16	21	26	0	0	0	0	0	0	0	47.17	0	0	11.2	0.3	3.3
2025	3	18	16	31	26	0	0	0	0	0	0	0	47.16	0	0	11.2	0.3	3.3
2025	3	18	16	41	26	0	0	0	0	0	0	0	47.16	0	0	11	0.3	3.3
2025	3	18	16	51	26	0	0	0	0	0	0	0	47.16	0	0	10.8	0.3	3.3
2025	3	18	17	1	26	0	0	0	0	0	0	0	47.16	0	0	10.8	0.3	3.3
2025	3	18	17	11	26	0	0	0	0	0	0	0	47.16	0	0	10.8	0.3	3.3
2025	3	18	17	21	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	17	31	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	17	41	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	17	51	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	18	1	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	18	11	26	0	0	0	0	0	0	0	47.16	0	0	10.6	0.3	3.3
2025	3	18	18	21	26	0	0	0	0	0	0	0	47.14	0	0	10.6	0.3	3.3
2025	3	18	18	31	26	0	0	0	0	0	0	0	47.12	0	0	10.4	0.3	3.3
2025	3	18	18	41	26	0	0	0	0	0	0	0	47.1	0	0	10.4	0.3	3.3
2025	3	18	18	51	26	0	0	0	0	0	0	0	47.08	0	0	10.4	0.3	3.3
2025	3	18	19	1	26	0	0	0	0	0	0	0	47.05	0	0	10.4	0.3	3.3
2025	3	18	19	11	26	0	0	0	0	0	0	0	47.03	0	0	10.6	0.3	3.3
2025	3	18	19	21	26	0	0	0	0	0	0	0	46.99	0	0	10.4	0.3	3.3
2025	3	18	19	31	26	0	0	0	0	0	0	0	46.94	0	0	10.4	0.3	3.3
2025	3	18	19	41	26	0	0	0	0	0	0	0	46.89	0	0	10.4	0.3	3.3
2025	3	18	19	51	26	0	0	0	0	0	0	0	46.85	0	0	10.2	0.3	3.3
2025	3	18	20	1	26	0	0	0	0	0	0	0	46.8	0	0	10.2	0.3	3.3
2025	3	18	20	11	26	0	0	0	0	0	0	0	46.74	0	0	10	0.3	3.3
2025	3	18	20	21	26	0	0	0	0	0	0	0	46.67	0	0	9.8	0.3	3.3
2025	3	18	20	31	26	0	0	0	0	0	0	0	46.62	0	0	9.8	0.3	3.3
2025	3	18	20	41	26	0	0	0	0	0	0	0	46.56	0	0	10.2	0.3	3.3
2025	3	18	20	51	26	0	0	0	0	0	0	0	46.49	0	0	10.6	0.3	3.3
2025	3	18	21	1	26	0	0	0	0	0	0	0	46.42	0	0	10.6	0.3	3.3
2025	3	18	21	11	26	0	0	0	0	0	0	0	46.35	0	0	10.4	0.3	3.3
2025	3	18	21	21	26	0	0	0	0	0	0	0	46.26	0	0	10.2	0.3	3.3
2025	3	18	21	31	26	0	0	0	0	0	0	0	46.18	0	0	10.2	0.3	3.3
2025	3	18	21	41	26	0	0	0	0	0	0	0	46.11	0	0	10.2	0.3	3.3
2025	3	18	21	51	26	0	0	0	0	0	0	0	46.02	0	0	10.2	0.3	3.3
2025	3	18	22	1	26	0	0	0	0	0	0	0	45.95	0	0	10	0.3	3.3
2025	3	18	22	11	26	0	0	0	0	0	0	0	45.84	0	0	10	0.3	3.3
2025	3	18	22	21	26	0	0	0	0	0	0	0	45.77	0	0	10	0.3	3.3
2025	3	18	22	31	26	0	0	0	0	0	0	0	45.66	0	0	10	0.3	3.3
2025	3	18	22	41	26	0	0	0	0	0	0	0	45.59	0	0	9.8	0.3	3.3
2025	3	18	22	51	26	0	0	0	0	0	0	0	45.5	0	0	9.8	0.3	3.3
2025	3	18	23	1	26	0	0	0	0	0	0	0	45.41	0	0	9.6	0.3	3.3
2025	3	18	23	11	26	0	0	0	0	0	0	0	45.34	0	0	9.6	0.3	3.3
2025	3	18	23	21	26	0	0	0	0	0	0	0	45.25	0	0	9.6	0.3	3.3
2025	3	18	23	31	26	0	0	0	0	0	0	0	45.14	0	0	9.6	0.3	3.3
2025	3	18	23	41	26	0	0	0	0	0	0	0	45.07	0	0	9.4	0.3	3.3
2025	3	18	23	51	26	0	0	0	0	0	0	0	45	0	0	9.6	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	19	0	1	26	0	0	0	0	0	0	0	44.91	0	0	9.4	0.3	3.3
2025	3	19	0	11	26	0	0	0	0	0	0	0	44.83	0	0	9.4	0.3	3.3
2025	3	19	0	21	26	0	0	0	0	0	0	0	44.76	0	0	9.4	0.3	3.3
2025	3	19	0	31	26	0	0	0	0	0	0	0	44.65	0	0	10.2	0.3	3.3
2025	3	19	0	41	26	0	0	0	0	0	0	0	44.58	0	0	11	0.3	3.3
2025	3	19	0	51	26	0	0	0	0	0	0	0	44.53	0	0	11	0.3	3.3
2025	3	19	1	1	26	0	0	0	0	0	0	0	44.44	0	0	11	0.3	3.3
2025	3	19	1	11	26	0	0	0	0	0	0	0	44.37	0	0	11	0.3	3.3
2025	3	19	1	21	26	0	0	0	0	0	0	0	44.31	0	0	11	0.3	3.3
2025	3	19	1	31	26	0	0	0	0	0	0	0	44.24	0	0	11	0.3	3.3
2025	3	19	1	41	26	0	0	0	0	0	0	0	44.19	0	0	11	0.3	3.3
2025	3	19	1	51	26	0	0	0	0	0	0	0	44.13	0	0	10.8	0.3	3.3
2025	3	19	2	1	26	0	0	0	0	0	0	0	44.08	0	0	10.8	0.3	3.3
2025	3	19	2	11	26	0	0	0	0	0	0	0	44.02	0	0	10.8	0.3	3.3
2025	3	19	2	21	26	0	0	0	0	0	0	0	43.97	0	0	10.8	0.3	3.3
2025	3	19	2	31	26	0	0	0	0	0	0	0	43.92	0	0	10.8	0.3	3.3
2025	3	19	2	41	26	0	0	0	0	0	0	0	43.88	0	0	10.8	0.3	3.3
2025	3	19	2	51	26	0	0	0	0	0	0	0	43.83	0	0	10.8	0.3	3.3
2025	3	19	3	1	26	0	0	0	0	0	0	0	43.79	0	0	10.8	0.3	3.3
2025	3	19	3	11	26	0	0	0	0	0	0	0	43.77	0	0	10.8	0.3	3.3
2025	3	19	3	21	26	0	0	0	0	0	0	0	43.74	0	0	10.8	0.3	3.3
2025	3	19	3	31	26	0	0	0	0	0	0	0	43.7	0	0	10.8	0.3	3.3
2025	3	19	3	41	26	0	0	0	0	0	0	0	43.66	0	0	10.8	0.3	3.3
2025	3	19	3	51	26	0	0	0	0	0	0	0	43.63	0	0	10.8	0.3	3.3
2025	3	19	4	1	26	0	0	0	0	0	0	0	43.63	0	0	10.6	0.3	3.3
2025	3	19	4	11	26	0	0	0	0	0	0	0	43.61	0	0	10.6	0.3	3.3
2025	3	19	4	21	26	0	0	0	0	0	0	0	43.59	0	0	10.6	0.3	3.3
2025	3	19	4	31	26	0	0	0	0	0	0	0	43.56	0	0	10.8	0.3	3.3
2025	3	19	4	41	26	0	0	0	0	0	0	0	43.56	0	0	10.8	0.3	3.3
2025	3	19	4	51	26	0	0	0	0	0	0	0	43.54	0	0	10.6	0.3	3.3
2025	3	19	5	1	26	0	0	0	0	0	0	0	43.52	0	0	10.6	0.3	3.3
2025	3	19	5	11	26	0	0	0	0	0	0	0	43.52	0	0	10.6	0.3	3.3
2025	3	19	5	21	26	0	0	0	0	0	0	0	43.5	0	0	10.6	0.3	3.3
2025	3	19	5	31	26	0	0	0	0	0	0	0	43.5	0	0	10.6	0.3	3.3
2025	3	19	5	41	26	0	0	0	0	0	0	0	43.48	0	0	10.6	0.3	3.3
2025	3	19	5	51	26	0	0	0	0	0	0	0	43.48	0	0	10.6	0.3	3.3
2025	3	19	6	1	26	0	0	0	0	0	0	0	43.48	0	0	10.6	0.3	3.3
2025	3	19	6	11	26	0	0	0	0	0	0	0	43.48	0	0	10.6	0.3	3.3
2025	3	19	6	21	26	0	0	0	0	0	0	0	43.47	0	0	10.6	0.3	3.3
2025	3	19	6	31	26	0	0	0	0	0	0	0	43.47	0	0	10.6	0.3	3.3
2025	3	19	6	41	26	0	0	0	0	0	0	0	43.47	0	0	10.6	0.3	3.3
2025	3	19	6	51	26	0	0	0	0	0	0	0	43.47	0	0	11	0.3	3.3
2025	3	19	7	1	26	0	0	0	0	0	0	0	43.47	0	0	11.2	0.3	3.3
2025	3	19	7	11	26	0	0	0	0	0	0	0	43.48	0	0	11.6	0.3	3.3
2025	3	19	7	21	26	0	0	0	0	0	0	0	43.5	0	0	11.8	0.3	3.3
2025	3	19	7	31	26	0	0	0	0	0	0	0	43.56	0	0	12	0.3	3.3
2025	3	19	7	41	26	0	0	0	0	0	0	0	43.57	0	0	12	0.3	3.3
2025	3	19	7	51	26	0	0	0	0	0	0	0	43.63	0	0	12	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	19	8	1	26	0	0	0	0	0	0	0	43.7	0	0	12.2	0.3	3.3
2025	3	19	8	11	26	0	0	0	0	0	0	0	43.79	0	0	12.2	0.3	3.3
2025	3	19	8	21	26	0	0	0	0	0	0	0	43.86	0	0	12	0.3	3.3
2025	3	19	8	31	26	0	0	0	0	0	0	0	43.93	0	0	12	0.3	3.3
2025	3	19	8	41	26	0	0	0	0	0	0	0	44.02	0	0	12.4	0.3	3.3
2025	3	19	8	51	26	0	0	0	0	0	0	0	44.11	0	0	12.6	0.3	3.3
2025	3	19	9	1	26	0	0	0	0	0	0	0	44.2	0	0	12.8	0.3	3.3
2025	3	19	9	11	26	0	0	0	0	0	0	0	44.31	0	0	12.6	0.3	3.3
2025	3	19	9	21	26	0	0	0	0	0	0	0	44.38	0	0	12.6	0.3	3.3
2025	3	19	9	31	26	0	0	0	0	0	0	0	44.51	0	0	12.4	0.3	3.3
2025	3	19	9	41	26	0	0	0	0	0	0	0	44.62	0	0	12.2	0.3	3.3
2025	3	19	9	51	26	0	0	0	0	0	0	0	44.71	0	0	12.4	0.3	3.3
2025	3	19	10	1	26	0	0	0	0	0	0	0	44.82	0	0	12.6	0.3	3.3
2025	3	19	10	11	26	0	0	0	0	0	0	0	44.91	0	0	12.6	0.3	3.3
2025	3	19	10	21	26	0	0	0	0	0	0	0	45.01	0	0	12.4	0.3	3.3
2025	3	19	10	31	26	0	0	0	0	0	0	0	45.1	0	0	12.2	0.3	3.3
2025	3	19	10	41	26	0	0	0	0	0	0	0	45.19	0	0	12	0.3	3.3
2025	3	19	10	51	26	0	0	0	0	0	0	0	45.32	0	0	12	0.3	3.3
2025	3	19	11	1	26	0	0	0	0	0	0	0	45.43	0	0	12	0.3	3.3
2025	3	19	11	11	26	0	0	0	0	0	0	0	45.54	0	0	12	0.3	3.3
2025	3	19	11	21	26	0	0	0	0	0	0	0	45.61	0	0	12	0.3	3.3
2025	3	19	11	31	26	0	0	0	0	0	0	0	45.7	0	0	12	0.3	3.3
2025	3	19	11	41	26	0	0	0	0	0	0	0	45.82	0	0	12	0.3	3.3
2025	3	19	11	51	26	0	0	0	0	0	0	0	45.9	0	0	12	0.3	3.3
2025	3	19	12	1	26	0	0	0	0	0	0	0	45.97	0	0	11.8	0.3	3.3
2025	3	19	12	11	26	0	0	0	0	0	0	0	46.06	0	0	11.6	0.3	3.3
2025	3	19	12	21	26	0	0	0	0	0	0	0	46.13	0	0	12.4	0.3	3.3
2025	3	19	12	31	26	0	0	0	0	0	0	0	46.22	0	0	11.6	0.3	3.3
2025	3	19	12	41	26	0	0	0	0	0	0	0	46.29	0	0	11.6	0.3	3.3
2025	3	19	12	51	26	0	0	0	0	0	0	0	46.4	0	0	11.8	0.3	3.3
2025	3	19	13	1	26	0	0	0	0	0	0	0	46.47	0	0	11.4	0.3	3.3
2025	3	19	13	11	26	0	0	0	0	0	0	0	46.54	0	0	11.8	0.3	3.3
2025	3	19	13	21	26	0	0	0	0	0	0	0	46.67	0	0	12.4	0.3	3.3
2025	3	19	13	31	26	0	0	0	0	0	0	0	46.78	0	0	12.4	0.3	3.3
2025	3	19	13	41	26	0	0	0	0	0	0	0	46.8	0	0	12.4	0.3	3.3
2025	3	19	13	51	26	0	0	0	0	0	0	0	46.87	0	0	12	0.3	3.3
2025	3	19	14	1	26	0	0	0	0	0	0	0	46.96	0	0	12	0.3	3.3
2025	3	19	14	11	26	0	0	0	0	0	0	0	47.05	0	0	12	0.3	3.3
2025	3	19	14	21	26	0	0	0	0	0	0	0	47.03	0	0	11.8	0.3	3.3
2025	3	19	14	31	26	0	0	0	0	0	0	0	47.1	0	0	11.8	0.3	3.3
2025	3	19	14	41	26	0	0	0	0	0	0	0	47.21	0	0	11.8	0.3	3.3
2025	3	19	14	51	26	0	0	0	0	0	0	0	47.25	0	0	11.8	0.3	3.3
2025	3	19	15	1	26	0	0	0	0	0	0	0	47.28	0	0	11.8	0.3	3.6
2025	3	19	15	11	26	0	0	0	0	0	0	0	47.35	0	0	11.8	0.3	3.6
2025	3	19	15	21	26	0	0	0	0	0	0	0	47.37	0	0	10.8	0.3	3.6
2025	3	19	15	31	26	0	0	0	0	0	0	0	47.43	0	0	11.6	0.3	3.6
2025	3	19	15	41	26	0	0	0	0	0	0	0	47.43	0	0	9.6	0.3	3.6
2025	3	19	15	51	26	0	0	0	0	0	0	0	47.46	0	0	11.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	19	16	1	26	0	0	0	0	0	0	0	47.5	0	0	10.4	0.3	3.6
2025	3	19	16	11	26	0	0	0	0	0	0	0	47.53	0	0	11.2	0.3	3.6
2025	3	19	16	21	26	0	0	0	0	0	0	0	47.57	0	0	10	0.3	3.6
2025	3	19	16	31	26	0	0	0	0	0	0	0	47.59	0	0	10	0.3	3.6
2025	3	19	16	41	26	0	0	0	0	0	0	0	47.61	0	0	9.8	0.3	3.6
2025	3	19	16	51	26	0	0	0	0	0	0	0	47.61	0	0	9.6	0.3	3.6
2025	3	19	17	1	26	0	0	0	0	0	0	0	47.64	0	0	9.4	0.3	3.6
2025	3	19	17	11	26	0	0	0	0	0	0	0	47.64	0	0	9.4	0.3	3.6
2025	3	19	17	21	26	0	0	0	0	0	0	0	47.68	0	0	9.4	0.3	3.6
2025	3	19	17	31	26	0	0	0	0	0	0	0	47.68	0	0	9.4	0.3	3.6
2025	3	19	17	41	26	0	0	0	0	0	0	0	47.7	0	0	9.4	0.3	3.6
2025	3	19	17	51	26	0	0	0	0	0	0	0	47.7	0	0	10.2	0.3	3.6
2025	3	19	18	1	26	0	0	0	0	0	0	0	47.7	0	0	11	0.3	3.6
2025	3	19	18	11	26	0	0	0	0	0	0	0	47.71	0	0	10.8	0.3	3.6
2025	3	19	18	21	26	0	0	0	0	0	0	0	47.71	0	0	10.8	0.3	3.6
2025	3	19	18	31	26	0	0	0	0	0	0	0	47.71	0	0	10.8	0.3	3.6
2025	3	19	18	41	26	0	0	0	0	0	0	0	47.71	0	0	10.8	0.3	3.6
2025	3	19	18	51	26	0	0	0	0	0	0	0	47.71	0	0	10.8	0.3	3.6
2025	3	19	19	1	26	0	0	0	0	0	0	0	47.7	0	0	10.6	0.3	3.6
2025	3	19	19	11	26	0	0	0	0	0	0	0	47.66	0	0	10.6	0.3	3.6
2025	3	19	19	21	26	0	0	0	0	0	0	0	47.64	0	0	10.6	0.3	3.6
2025	3	19	19	31	26	0	0	0	0	0	0	0	47.61	0	0	10.4	0.3	3.6
2025	3	19	19	41	26	0	0	0	0	0	0	0	47.57	0	0	10.4	0.3	3.6
2025	3	19	19	51	26	0	0	0	0	0	0	0	47.53	0	0	10.4	0.3	3.6
2025	3	19	20	1	26	0	0	0	0	0	0	0	47.48	0	0	10.2	0.3	3.6
2025	3	19	20	11	26	0	0	0	0	0	0	0	47.44	0	0	10.2	0.3	3.6
2025	3	19	20	21	26	0	0	0	0	0	0	0	47.39	0	0	10.2	0.3	3.6
2025	3	19	20	31	26	0	0	0	0	0	0	0	47.34	0	0	10	0.3	3.6
2025	3	19	20	41	26	0	0	0	0	0	0	0	47.3	0	0	10	0.3	3.6
2025	3	19	20	51	26	0	0	0	0	0	0	0	47.25	0	0	9.8	0.3	3.6
2025	3	19	21	1	26	0	0	0	0	0	0	0	47.19	0	0	9.6	0.3	3.3
2025	3	19	21	11	26	0	0	0	0	0	0	0	47.12	0	0	9.6	0.3	3.3
2025	3	19	21	21	26	0	0	0	0	0	0	0	47.07	0	0	9.6	0.3	3.3
2025	3	19	21	31	26	0	0	0	0	0	0	0	46.99	0	0	9.4	0.3	3.3
2025	3	19	21	41	26	0	0	0	0	0	0	0	46.92	0	0	9.4	0.3	3.3
2025	3	19	21	51	26	0	0	0	0	0	0	0	46.85	0	0	9.4	0.3	3.3
2025	3	19	22	1	26	0	0	0	0	0	0	0	46.78	0	0	9.6	0.3	3.3
2025	3	19	22	11	26	0	0	0	0	0	0	0	46.69	0	0	9.4	0.3	3.3
2025	3	19	22	21	26	0	0	0	0	0	0	0	46.6	0	0	9.4	0.3	3.3
2025	3	19	22	31	26	0	0	0	0	0	0	0	46.51	0	0	9.4	0.3	3.3
2025	3	19	22	41	26	0	0	0	0	0	0	0	46.44	0	0	9.2	0.3	3.3
2025	3	19	22	51	26	0	0	0	0	0	0	0	46.35	0	0	9	0.3	3.3
2025	3	19	23	1	26	0	0	0	0	0	0	0	46.26	0	0	10	0.3	3.3
2025	3	19	23	11	26	0	0	0	0	0	0	0	46.18	0	0	9.8	0.3	3.3
2025	3	19	23	21	26	0	0	0	0	0	0	0	46.09	0	0	9.4	0.3	3.3
2025	3	19	23	31	26	0	0	0	0	0	0	0	46.02	0	0	9.2	0.3	3.3
2025	3	19	23	41	26	0	0	0	0	0	0	0	45.91	0	0	9.2	0.3	3.3
2025	3	19	23	51	26	0	0	0	0	0	0	0	45.84	0	0	9.4	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	20	0	1	26	0	0	0	0	0	0	0	45.77	0	0	9.2	0.3	3.3
2025	3	20	0	11	26	0	0	0	0	0	0	0	45.7	0	0	9.2	0.3	3.3
2025	3	20	0	21	26	0	0	0	0	0	0	0	45.63	0	0	9.2	0.3	3.3
2025	3	20	0	31	26	0	0	0	0	0	0	0	45.55	0	0	9	0.3	3.3
2025	3	20	0	41	26	0	0	0	0	0	0	0	45.48	0	0	9	0.3	3.3
2025	3	20	0	51	26	0	0	0	0	0	0	0	45.41	0	0	9	0.3	3.3
2025	3	20	1	1	26	0	0	0	0	0	0	0	45.34	0	0	9	0.3	3.3
2025	3	20	1	11	26	0	0	0	0	0	0	0	45.25	0	0	9	0.3	3.3
2025	3	20	1	21	26	0	0	0	0	0	0	0	45.21	0	0	9	0.3	3.3
2025	3	20	1	31	26	0	0	0	0	0	0	0	45.16	0	0	9	0.3	3.3
2025	3	20	1	41	26	0	0	0	0	0	0	0	45.1	0	0	9	0.3	3.3
2025	3	20	1	51	26	0	0	0	0	0	0	0	45.05	0	0	9	0.3	3.3
2025	3	20	2	1	26	0	0	0	0	0	0	0	45	0	0	9	0.3	3.3
2025	3	20	2	11	26	0	0	0	0	0	0	0	44.96	0	0	9	0.3	3.3
2025	3	20	2	21	26	0	0	0	0	0	0	0	44.92	0	0	9	0.3	3.3
2025	3	20	2	31	26	0	0	0	0	0	0	0	44.87	0	0	9.6	0.3	3.3
2025	3	20	2	41	26	0	0	0	0	0	0	0	44.85	0	0	10.8	0.3	3.3
2025	3	20	2	51	26	0	0	0	0	0	0	0	44.82	0	0	10.6	0.3	3.3
2025	3	20	3	1	26	0	0	0	0	0	0	0	44.78	0	0	10.6	0.3	3.3
2025	3	20	3	11	26	0	0	0	0	0	0	0	44.74	0	0	10.6	0.3	3.3
2025	3	20	3	21	26	0	0	0	0	0	0	0	44.71	0	0	10.6	0.3	3.3
2025	3	20	3	31	26	0	0	0	0	0	0	0	44.69	0	0	10.6	0.3	3.3
2025	3	20	3	41	26	0	0	0	0	0	0	0	44.67	0	0	10.6	0.3	3.3
2025	3	20	3	51	26	0	0	0	0	0	0	0	44.64	0	0	10.6	0.3	3.3
2025	3	20	4	1	26	0	0	0	0	0	0	0	44.62	0	0	10.6	0.3	3.3
2025	3	20	4	11	26	0	0	0	0	0	0	0	44.6	0	0	10.6	0.3	3.3
2025	3	20	4	21	26	0	0	0	0	0	0	0	44.58	0	0	10.6	0.3	3.3
2025	3	20	4	31	26	0	0	0	0	0	0	0	44.56	0	0	10.6	0.3	3.3
2025	3	20	4	41	26	0	0	0	0	0	0	0	44.55	0	0	10.4	0.3	3.3
2025	3	20	4	51	26	0	0	0	0	0	0	0	44.55	0	0	10.4	0.3	3.3
2025	3	20	5	1	26	0	0	0	0	0	0	0	44.51	0	0	10.4	0.3	3.3
2025	3	20	5	11	26	0	0	0	0	0	0	0	44.51	0	0	10.2	0.3	3.3
2025	3	20	5	21	26	0	0	0	0	0	0	0	44.51	0	0	9.8	0.3	3.3
2025	3	20	5	31	26	0	0	0	0	0	0	0	44.49	0	0	9.6	0.3	3.3
2025	3	20	5	41	26	0	0	0	0	0	0	0	44.51	0	0	9.4	0.3	3.3
2025	3	20	5	51	26	0	0	0	0	0	0	0	44.49	0	0	9.4	0.3	3.3
2025	3	20	6	1	26	0	0	0	0	0	0	0	44.49	0	0	10	0.3	3.3
2025	3	20	6	11	26	0	0	0	0	0	0	0	44.51	0	0	9.8	0.3	3.3
2025	3	20	6	21	26	0	0	0	0	0	0	0	44.49	0	0	9.4	0.3	3.3
2025	3	20	6	31	26	0	0	0	0	0	0	0	44.49	0	0	9.2	0.3	3.3
2025	3	20	6	41	26	0	0	0	0	0	0	0	44.51	0	0	9.2	0.3	3.3
2025	3	20	6	51	26	0	0	0	0	0	0	0	44.51	0	0	9.6	0.3	3.3
2025	3	20	7	1	26	0	0	0	0	0	0	0	44.55	0	0	9.6	0.3	3.3
2025	3	20	7	11	26	0	0	0	0	0	0	0	44.56	0	0	9.4	0.3	3.3
2025	3	20	7	21	26	0	0	0	0	0	0	0	44.6	0	0	9.8	0.3	3.3
2025	3	20	7	31	26	0	0	0	0	0	0	0	44.64	0	0	9.8	0.3	3.3
2025	3	20	7	41	26	0	0	0	0	0	0	0	44.65	0	0	10.2	0.3	3.3
2025	3	20	7	51	26	0	0	0	0	0	0	0	44.73	0	0	10.2	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	20	8	1	26	0	0	0	0	0	0	0	44.78	0	0	9.8	0.3	3.3
2025	3	20	8	11	26	0	0	0	0	0	0	0	44.82	0	0	9.8	0.3	3.3
2025	3	20	8	21	26	0	0	0	0	0	0	0	44.85	0	0	9.8	0.3	3.3
2025	3	20	8	31	26	0	0	0	0	0	0	0	44.91	0	0	10	0.3	3.3
2025	3	20	8	41	26	0	0	0	0	0	0	0	44.96	0	0	10.8	0.3	3.3
2025	3	20	8	51	26	0	0	0	0	0	0	0	45.01	0	0	10.4	0.3	3.3
2025	3	20	9	1	26	0	0	0	0	0	0	0	45.09	0	0	11.8	0.3	3.3
2025	3	20	9	11	26	0	0	0	0	0	0	0	45.16	0	0	12.8	0.3	3.3
2025	3	20	9	21	26	0	0	0	0	0	0	0	45.21	0	0	12.2	0.3	3.3
2025	3	20	9	31	26	0	0	0	0	0	0	0	45.3	0	0	12.6	0.3	3.3
2025	3	20	9	41	26	0	0	0	0	0	0	0	45.37	0	0	12.6	0.3	3.3
2025	3	20	9	51	26	0	0	0	0	0	0	0	45.45	0	0	13	0.3	3.3
2025	3	20	10	1	26	0	0	0	0	0	0	0	45.52	0	0	13	0.3	3.3
2025	3	20	10	11	26	0	0	0	0	0	0	0	45.63	0	0	13	0.3	3.3
2025	3	20	10	21	26	0	0	0	0	0	0	0	45.72	0	0	12.8	0.3	3.3
2025	3	20	10	31	26	0	0	0	0	0	0	0	45.82	0	0	12.6	0.3	3.3
2025	3	20	10	41	26	0	0	0	0	0	0	0	45.91	0	0	12.4	0.3	3.3
2025	3	20	10	51	26	0	0	0	0	0	0	0	46	0	0	12.2	0.3	3.3
2025	3	20	11	1	26	0	0	0	0	0	0	0	46.09	0	0	12.4	0.3	3.3
2025	3	20	11	11	26	0	0	0	0	0	0	0	46.18	0	0	12.2	0.3	3.3
2025	3	20	11	21	26	0	0	0	0	0	0	0	46.27	0	0	12.2	0.3	3.3
2025	3	20	11	31	26	0	0	0	0	0	0	0	46.38	0	0	12	0.3	3.3
2025	3	20	11	41	26	0	0	0	0	0	0	0	46.49	0	0	11.8	0.3	3.3
2025	3	20	11	51	26	0	0	0	0	0	0	0	46.58	0	0	11.8	0.3	3.3
2025	3	20	12	1	26	0	0	0	0	0	0	0	46.69	0	0	11.8	0.3	3.3
2025	3	20	12	11	26	0	0	0	0	0	0	0	46.78	0	0	11.6	0.3	3.3
2025	3	20	12	21	26	0	0	0	0	0	0	0	46.87	0	0	11.8	0.3	3.3
2025	3	20	12	31	26	0	0	0	0	0	0	0	46.96	0	0	11.6	0.3	3.3
2025	3	20	12	41	26	0	0	0	0	0	0	0	47.07	0	0	11.4	0.3	3.3
2025	3	20	12	51	26	0	0	0	0	0	0	0	47.16	0	0	11.4	0.3	3.3
2025	3	20	13	1	26	0	0	0	0	0	0	0	47.25	0	0	11.8	0.3	3.3
2025	3	20	13	11	26	0	0	0	0	0	0	0	47.34	0	0	12.4	0.3	3.3
2025	3	20	13	21	26	0	0	0	0	0	0	0	47.44	0	0	12	0.3	3.6
2025	3	20	13	31	26	0	0	0	0	0	0	0	47.53	0	0	12.2	0.3	3.6
2025	3	20	13	41	26	0	0	0	0	0	0	0	47.62	0	0	12	0.3	3.6
2025	3	20	13	51	26	0	0	0	0	0	0	0	47.71	0	0	12	0.3	3.6
2025	3	20	14	2	55	0	0	0	0	0	0	0	47.82	0	0	11.8	0.3	3.6
2025	3	20	14	12	55	0	0	0	0	0	0	0	47.93	0	0	12	0.3	3.6
2025	3	20	14	22	55	0	0	0	0	0	0	0	48	0	0	13.2	0.3	3.6
2025	3	20	14	32	55	0	0	0	0	0	0	0	48.09	0	0	13	0.3	3.6
2025	3	20	14	42	55	0	0	0	0	0	0	0	48.16	0	0	12.8	0.3	3.6
2025	3	20	14	52	55	0	0	0	0	0	0	0	48.24	0	0	13.2	0.3	3.6
2025	3	20	15	2	55	0	0	0	0	0	0	0	48.29	0	0	13	0.3	3.6
2025	3	20	15	12	55	0	0	0	0	0	0	0	48.36	0	0	13	0.3	3.6
2025	3	20	15	22	55	0	0	0	0	0	0	0	48.42	0	0	12.8	0.3	3.6
2025	3	20	15	32	55	0	0	0	0	0	0	0	48.47	0	0	12.8	0.3	3.6
2025	3	20	15	42	55	0	0	0	0	0	0	0	48.54	0	0	12.6	0.3	3.6
2025	3	20	15	52	55	0	0	0	0	0	0	0	48.6	0	0	12.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	20	16	2	55	0	0	0	0	0	0	0	48.63	0	0	12	0.3	3.6
2025	3	20	16	12	55	0	0	0	0	0	0	0	48.69	0	0	11.6	0.3	3.6
2025	3	20	16	22	55	0	0	0	0	0	0	0	48.72	0	0	11.2	0.3	3.6
2025	3	20	16	32	55	0	0	0	0	0	0	0	48.76	0	0	11.2	0.3	3.6
2025	3	20	16	42	55	0	0	0	0	0	0	0	48.78	0	0	11	0.3	3.6
2025	3	20	16	52	55	0	0	0	0	0	0	0	48.83	0	0	11.2	0.3	3.6
2025	3	20	17	2	55	0	0	0	0	0	0	0	48.83	0	0	11.2	0.3	3.6
2025	3	20	17	12	55	0	0	0	0	0	0	0	48.87	0	0	11	0.3	3.6
2025	3	20	17	22	55	0	0	0	0	0	0	0	48.88	0	0	11	0.3	3.6
2025	3	20	17	32	55	0	0	0	0	0	0	0	48.9	0	0	10.4	0.3	3.6
2025	3	20	17	42	55	0	0	0	0	0	0	0	48.92	0	0	10.2	0.3	3.6
2025	3	20	17	52	55	0	0	0	0	0	0	0	48.94	0	0	10	0.3	3.6
2025	3	20	18	2	55	0	0	0	0	0	0	0	48.94	0	0	9.8	0.3	3.6
2025	3	20	18	12	55	0	0	0	0	0	0	0	48.94	0	0	10.8	0.3	3.6
2025	3	20	18	22	55	0	0	0	0	0	0	0	48.94	0	0	10.8	0.3	3.6
2025	3	20	18	32	55	0	0	0	0	0	0	0	48.94	0	0	10.6	0.3	3.6
2025	3	20	18	42	55	0	0	0	0	0	0	0	48.92	0	0	10.8	0.3	3.6
2025	3	20	18	52	55	0	0	0	0	0	0	0	48.9	0	0	11	0.3	3.6
2025	3	20	19	2	55	0	0	0	0	0	0	0	48.88	0	0	11.2	0.3	3.6
2025	3	20	19	12	55	0	0	0	0	0	0	0	48.85	0	0	11.2	0.3	3.6
2025	3	20	19	22	55	0	0	0	0	0	0	0	48.83	0	0	11.2	0.3	3.6
2025	3	20	19	32	55	0	0	0	0	0	0	0	48.79	0	0	11.2	0.3	3.6
2025	3	20	19	42	55	0	0	0	0	0	0	0	48.76	0	0	11	0.3	3.6
2025	3	20	19	52	55	0	0	0	0	0	0	0	48.72	0	0	11.2	0.3	3.6
2025	3	20	20	2	55	0	0	0	0	0	0	0	48.67	0	0	11.6	0.3	3.6
2025	3	20	20	12	55	0	0	0	0	0	0	0	48.63	0	0	11.4	0.3	3.6
2025	3	20	20	22	55	0	0	0	0	0	0	0	48.58	0	0	11.4	0.3	3.6
2025	3	20	20	32	55	0	0	0	0	0	0	0	48.51	0	0	11.4	0.3	3.6
2025	3	20	20	42	55	0	0	0	0	0	0	0	48.45	0	0	11.4	0.3	3.6
2025	3	20	20	52	55	0	0	0	0	0	0	0	48.4	0	0	11.4	0.3	3.6
2025	3	20	21	2	55	0	0	0	0	0	0	0	48.33	0	0	11.4	0.3	3.6
2025	3	20	21	12	55	0	0	0	0	0	0	0	48.25	0	0	11.4	0.3	3.6
2025	3	20	21	22	55	0	0	0	0	0	0	0	48.2	0	0	11.4	0.3	3.6
2025	3	20	21	32	55	0	0	0	0	0	0	0	48.13	0	0	11.4	0.3	3.6
2025	3	20	21	42	55	0	0	0	0	0	0	0	48.06	0	0	11.4	0.3	3.6
2025	3	20	21	52	55	0	0	0	0	0	0	0	47.97	0	0	11.4	0.3	3.6
2025	3	20	22	2	55	0	0	0	0	0	0	0	47.89	0	0	11.4	0.3	3.6
2025	3	20	22	12	55	0	0	0	0	0	0	0	47.82	0	0	11.4	0.3	3.6
2025	3	20	22	22	55	0	0	0	0	0	0	0	47.73	0	0	11.4	0.3	3.6
2025	3	20	22	32	55	0	0	0	0	0	0	0	47.64	0	0	11.4	0.3	3.6
2025	3	20	22	42	55	0	0	0	0	0	0	0	47.55	0	0	11.4	0.3	3.6
2025	3	20	22	52	55	0	0	0	0	0	0	0	47.44	0	0	11.2	0.3	3.6
2025	3	20	23	2	55	0	0	0	0	0	0	0	47.35	0	0	11	0.3	3.6
2025	3	20	23	12	55	0	0	0	0	0	0	0	47.25	0	0	11	0.3	3.3
2025	3	20	23	22	55	0	0	0	0	0	0	0	47.16	0	0	10.8	0.3	3.3
2025	3	20	23	32	55	0	0	0	0	0	0	0	47.07	0	0	10.8	0.3	3.3
2025	3	20	23	42	55	0	0	0	0	0	0	0	46.96	0	0	10.8	0.3	3.3
2025	3	20	23	52	55	0	0	0	0	0	0	0	46.87	0	0	11	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	21	0	2	55	0	0	0	0	0	0	0	46.76	0	0	11.2	0.3	3.3
2025	3	21	0	12	55	0	0	0	0	0	0	0	46.67	0	0	11.2	0.3	3.3
2025	3	21	0	22	55	0	0	0	0	0	0	0	46.58	0	0	11.2	0.3	3.3
2025	3	21	0	32	55	0	0	0	0	0	0	0	46.51	0	0	11.2	0.3	3.3
2025	3	21	0	42	55	0	0	0	0	0	0	0	46.42	0	0	11.2	0.3	3.3
2025	3	21	0	52	55	0	0	0	0	0	0	0	46.33	0	0	11.2	0.3	3.3
2025	3	21	1	2	55	0	0	0	0	0	0	0	46.26	0	0	11.2	0.3	3.3
2025	3	21	1	12	55	0	0	0	0	0	0	0	46.18	0	0	11.2	0.3	3.3
2025	3	21	1	22	55	0	0	0	0	0	0	0	46.11	0	0	11	0.3	3.3
2025	3	21	1	32	55	0	0	0	0	0	0	0	46.04	0	0	11	0.3	3.3
2025	3	21	1	42	55	0	0	0	0	0	0	0	45.97	0	0	11	0.3	3.3
2025	3	21	1	52	55	0	0	0	0	0	0	0	45.91	0	0	11	0.3	3.3
2025	3	21	2	2	55	0	0	0	0	0	0	0	45.84	0	0	11.2	0.3	3.3
2025	3	21	2	12	55	0	0	0	0	0	0	0	45.79	0	0	11.4	0.3	3.3
2025	3	21	2	22	55	0	0	0	0	0	0	0	45.73	0	0	11.2	0.3	3.3
2025	3	21	2	32	55	0	0	0	0	0	0	0	45.68	0	0	11.2	0.3	3.3
2025	3	21	2	42	55	0	0	0	0	0	0	0	45.63	0	0	11.2	0.3	3.3
2025	3	21	2	52	55	0	0	0	0	0	0	0	45.59	0	0	11.2	0.3	3.3
2025	3	21	3	2	55	0	0	0	0	0	0	0	45.54	0	0	11.2	0.3	3.3
2025	3	21	3	12	55	0	0	0	0	0	0	0	45.5	0	0	11.2	0.3	3.3
2025	3	21	3	22	55	0	0	0	0	0	0	0	45.48	0	0	11.2	0.3	3.3
2025	3	21	3	32	55	0	0	0	0	0	0	0	45.45	0	0	11.2	0.3	3.3
2025	3	21	3	42	55	0	0	0	0	0	0	0	45.43	0	0	11.2	0.3	3.3
2025	3	21	3	52	55	0	0	0	0	0	0	0	45.39	0	0	11.2	0.3	3.3
2025	3	21	4	2	55	0	0	0	0	0	0	0	45.37	0	0	11.2	0.3	3.3
2025	3	21	4	12	55	0	0	0	0	0	0	0	45.36	0	0	11.2	0.3	3.3
2025	3	21	4	22	55	0	0	0	0	0	0	0	45.34	0	0	11.2	0.3	3.3
2025	3	21	4	32	55	0	0	0	0	0	0	0	45.3	0	0	11.2	0.3	3.3
2025	3	21	4	42	55	0	0	0	0	0	0	0	45.28	0	0	11.2	0.3	3.3
2025	3	21	4	52	55	0	0	0	0	0	0	0	45.28	0	0	11.2	0.3	3.3
2025	3	21	5	2	55	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.3
2025	3	21	5	12	55	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.3
2025	3	21	5	22	55	0	0	0	0	0	0	0	45.27	0	0	11	0.3	3.3
2025	3	21	5	32	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	5	42	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	5	52	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	6	2	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	6	12	55	0	0	0	0	0	0	0	45.23	0	0	11.2	0.3	3.3
2025	3	21	6	22	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	6	32	55	0	0	0	0	0	0	0	45.25	0	0	11.2	0.3	3.3
2025	3	21	6	42	55	0	0	0	0	0	0	0	45.27	0	0	11.2	0.3	3.3
2025	3	21	6	52	55	0	0	0	0	0	0	0	45.27	0	0	11.4	0.3	3.3
2025	3	21	7	2	55	0	0	0	0	0	0	0	45.28	0	0	11.4	0.3	3.3
2025	3	21	7	12	55	0	0	0	0	0	0	0	45.3	0	0	11.4	0.3	3.3
2025	3	21	7	22	55	0	0	0	0	0	0	0	45.34	0	0	11.4	0.3	3.3
2025	3	21	7	32	55	0	0	0	0	0	0	0	45.36	0	0	11.4	0.3	3.3
2025	3	21	7	42	55	0	0	0	0	0	0	0	45.39	0	0	11.4	0.3	3.3
2025	3	21	7	52	55	0	0	0	0	0	0	0	45.41	0	0	11.4	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	21	8	2	55	0	0	0	0	0	0	0	45.45	0	0	11.4	0.3	3.3
2025	3	21	8	12	55	0	0	0	0	0	0	0	45.46	0	0	11.4	0.3	3.3
2025	3	21	8	22	55	0	0	0	0	0	0	0	45.48	0	0	11.8	0.3	3.3
2025	3	21	8	32	55	0	0	0	0	0	0	0	45.54	0	0	12.2	0.3	3.3
2025	3	21	8	42	55	0	0	0	0	0	0	0	45.59	0	0	12.2	0.3	3.3
2025	3	21	8	52	55	0	0	0	0	0	0	0	45.66	0	0	12.6	0.3	3.3
2025	3	21	9	2	55	0	0	0	0	0	0	0	45.73	0	0	12.2	0.3	3.3
2025	3	21	9	12	55	0	0	0	0	0	0	0	45.82	0	0	12.6	0.3	3.3
2025	3	21	9	22	55	0	0	0	0	0	0	0	45.9	0	0	12.8	0.3	3.3
2025	3	21	9	32	55	0	0	0	0	0	0	0	45.99	0	0	12.8	0.3	3.3
2025	3	21	9	42	55	0	0	0	0	0	0	0	46.08	0	0	13	0.3	3.3
2025	3	21	9	52	55	0	0	0	0	0	0	0	46.17	0	0	13.2	0.3	3.3
2025	3	21	10	2	55	0	0	0	0	0	0	0	46.27	0	0	13	0.3	3.3
2025	3	21	10	12	55	0	0	0	0	0	0	0	46.36	0	0	12.8	0.3	3.3
2025	3	21	10	22	55	0	0	0	0	0	0	0	46.45	0	0	12.8	0.3	3.3
2025	3	21	10	32	55	0	0	0	0	0	0	0	46.54	0	0	13	0.3	3.3
2025	3	21	10	42	55	0	0	0	0	0	0	0	46.65	0	0	12.6	0.3	3.3
2025	3	21	10	52	55	0	0	0	0	0	0	0	46.72	0	0	12.2	0.3	3.3
2025	3	21	11	2	55	0	0	0	0	0	0	0	46.83	0	0	12.8	0.3	3.3
2025	3	21	11	12	55	0	0	0	0	0	0	0	46.94	0	0	12.4	0.3	3.3
2025	3	21	11	22	55	0	0	0	0	0	0	0	47.03	0	0	12	0.3	3.3
2025	3	21	11	32	55	0	0	0	0	0	0	0	47.12	0	0	11.8	0.3	3.3
2025	3	21	11	42	55	0	0	0	0	0	0	0	47.21	0	0	12	0.3	3.3
2025	3	21	11	52	55	0	0	0	0	0	0	0	47.34	0	0	12.4	0.3	3.6
2025	3	21	12	2	55	0	0	0	0	0	0	0	47.43	0	0	12.2	0.3	3.6
2025	3	21	12	12	55	0	0	0	0	0	0	0	47.53	0	0	12.2	0.3	3.6
2025	3	21	12	22	55	0	0	0	0	0	0	0	47.62	0	0	12.6	0.3	3.6
2025	3	21	12	32	55	0	0	0	0	0	0	0	47.73	0	0	12.4	0.3	3.6
2025	3	21	12	42	55	0	0	0	0	0	0	0	47.82	0	0	12.4	0.3	3.6
2025	3	21	12	52	55	0	0	0	0	0	0	0	47.95	0	0	12.4	0.3	3.6
2025	3	21	13	2	55	0	0	0	0	0	0	0	48.04	0	0	12.2	0.3	3.6
2025	3	21	13	12	55	0	0	0	0	0	0	0	48.15	0	0	12.2	0.3	3.6
2025	3	21	13	22	55	0	0	0	0	0	0	0	48.24	0	0	12.2	0.3	3.6
2025	3	21	13	32	55	0	0	0	0	0	0	0	48.33	0	0	12.2	0.3	3.6
2025	3	21	13	42	55	0	0	0	0	0	0	0	48.43	0	0	12	0.3	3.6
2025	3	21	13	52	55	0	0	0	0	0	0	0	48.52	0	0	12	0.3	3.6
2025	3	21	14	2	55	0	0	0	0	0	0	0	48.61	0	0	12	0.3	3.6
2025	3	21	14	12	55	0	0	0	0	0	0	0	48.69	0	0	12	0.3	3.6
2025	3	21	14	22	55	0	0	0	0	0	0	0	48.78	0	0	12	0.3	3.6
2025	3	21	14	32	55	0	0	0	0	0	0	0	48.87	0	0	12	0.3	3.6
2025	3	21	14	42	55	0	0	0	0	0	0	0	48.94	0	0	12	0.3	3.6
2025	3	21	14	52	55	0	0	0	0	0	0	0	48.99	0	0	12	0.3	3.6
2025	3	21	15	2	55	0	0	0	0	0	0	0	49.08	0	0	12.8	0.3	3.6
2025	3	21	15	12	55	0	0	0	0	0	0	0	49.15	0	0	12.8	0.3	3.6
2025	3	21	15	22	55	0	0	0	0	0	0	0	49.21	0	0	12.4	0.3	3.6
2025	3	21	15	32	55	0	0	0	0	0	0	0	49.28	0	0	12.4	0.3	3.6
2025	3	21	15	42	55	0	0	0	0	0	0	0	49.35	0	0	12.2	0.3	3.6
2025	3	21	15	52	55	0	0	0	0	0	0	0	49.41	0	0	12.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	21	16	2	55	0	0	0	0	0	0	0	49.46	0	0	12.2	0.3	3.6
2025	3	21	16	12	55	0	0	0	0	0	0	0	49.51	0	0	11.2	0.3	3.6
2025	3	21	16	22	55	0	0	0	0	0	0	0	49.57	0	0	11.4	0.3	3.6
2025	3	21	16	32	55	0	0	0	0	0	0	0	49.62	0	0	10.8	0.3	3.6
2025	3	21	16	42	55	0	0	0	0	0	0	0	49.66	0	0	10.6	0.3	3.6
2025	3	21	16	52	55	0	0	0	0	0	0	0	49.68	0	0	10.4	0.3	3.6
2025	3	21	17	2	55	0	0	0	0	0	0	0	49.71	0	0	10.4	0.3	3.6
2025	3	21	17	12	55	0	0	0	0	0	0	0	49.75	0	0	10.2	0.3	3.6
2025	3	21	17	22	55	0	0	0	0	0	0	0	49.78	0	0	10.2	0.3	3.6
2025	3	21	17	32	55	0	0	0	0	0	0	0	49.82	0	0	10	0.3	3.6
2025	3	21	17	42	55	0	0	0	0	0	0	0	49.84	0	0	9.8	0.3	3.6
2025	3	21	17	52	55	0	0	0	0	0	0	0	49.87	0	0	11	0.3	3.6
2025	3	21	18	2	55	0	0	0	0	0	0	0	49.91	0	0	11.2	0.3	3.6
2025	3	21	18	12	55	0	0	0	0	0	0	0	49.93	0	0	11.2	0.3	3.6
2025	3	21	18	22	55	0	0	0	0	0	0	0	49.93	0	0	11.2	0.3	3.6
2025	3	21	18	32	55	0	0	0	0	0	0	0	49.95	0	0	11	0.3	3.6
2025	3	21	18	42	55	0	0	0	0	0	0	0	49.95	0	0	10.4	0.3	3.6
2025	3	21	18	52	55	0	0	0	0	0	0	0	49.95	0	0	10.4	0.3	3.6
2025	3	21	19	2	55	0	0	0	0	0	0	0	49.93	0	0	10.4	0.3	3.6
2025	3	21	19	12	55	0	0	0	0	0	0	0	49.91	0	0	10.2	0.3	3.6
2025	3	21	19	22	55	0	0	0	0	0	0	0	49.89	0	0	10.2	0.3	3.6
2025	3	21	19	32	55	0	0	0	0	0	0	0	49.86	0	0	10.2	0.3	3.6
2025	3	21	19	42	55	0	0	0	0	0	0	0	49.84	0	0	10	0.3	3.6
2025	3	21	19	52	55	0	0	0	0	0	0	0	49.8	0	0	9.8	0.3	3.6
2025	3	21	20	2	55	0	0	0	0	0	0	0	49.77	0	0	10.4	0.3	3.6
2025	3	21	20	12	55	0	0	0	0	0	0	0	49.73	0	0	10.8	0.3	3.6
2025	3	21	20	22	55	0	0	0	0	0	0	0	49.69	0	0	10.8	0.3	3.6
2025	3	21	20	32	55	0	0	0	0	0	0	0	49.64	0	0	10.8	0.3	3.6
2025	3	21	20	42	55	0	0	0	0	0	0	0	49.59	0	0	11	0.3	3.6
2025	3	21	20	52	55	0	0	0	0	0	0	0	49.51	0	0	11.2	0.3	3.6
2025	3	21	21	2	55	0	0	0	0	0	0	0	49.46	0	0	11	0.3	3.6
2025	3	21	21	12	55	0	0	0	0	0	0	0	49.39	0	0	11	0.3	3.6
2025	3	21	21	22	55	0	0	0	0	0	0	0	49.32	0	0	11	0.3	3.6
2025	3	21	21	32	55	0	0	0	0	0	0	0	49.24	0	0	11.2	0.3	3.6
2025	3	21	21	42	55	0	0	0	0	0	0	0	49.15	0	0	11.2	0.3	3.6
2025	3	21	21	52	55	0	0	0	0	0	0	0	49.08	0	0	11.4	0.3	3.6
2025	3	21	22	2	55	0	0	0	0	0	0	0	48.99	0	0	11.4	0.3	3.6
2025	3	21	22	12	55	0	0	0	0	0	0	0	48.9	0	0	11.4	0.3	3.6
2025	3	21	22	22	55	0	0	0	0	0	0	0	48.81	0	0	11.4	0.3	3.6
2025	3	21	22	32	55	0	0	0	0	0	0	0	48.72	0	0	11.4	0.3	3.6
2025	3	21	22	42	55	0	0	0	0	0	0	0	48.63	0	0	11.4	0.3	3.6
2025	3	21	22	52	55	0	0	0	0	0	0	0	48.54	0	0	11.2	0.3	3.6
2025	3	21	23	2	55	0	0	0	0	0	0	0	48.45	0	0	11	0.3	3.6
2025	3	21	23	12	55	0	0	0	0	0	0	0	48.36	0	0	11	0.3	3.6
2025	3	21	23	22	55	0	0	0	0	0	0	0	48.27	0	0	11	0.3	3.6
2025	3	21	23	32	55	0	0	0	0	0	0	0	48.18	0	0	10.8	0.3	3.6
2025	3	21	23	42	55	0	0	0	0	0	0	0	48.11	0	0	10.8	0.3	3.6
2025	3	21	23	52	55	0	0	0	0	0	0	0	48.04	0	0	10.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	22	0	2	55	0	0	0	0	0	0	0	47.97	0	0	10.8	0.3	3.6
2025	3	22	0	12	55	0	0	0	0	0	0	0	47.86	0	0	10.6	0.3	3.6
2025	3	22	0	22	55	0	0	0	0	0	0	0	47.75	0	0	10.6	0.3	3.6
2025	3	22	0	32	55	0	0	0	0	0	0	0	47.66	0	0	10.6	0.3	3.6
2025	3	22	0	42	55	0	0	0	0	0	0	0	47.57	0	0	10.6	0.3	3.6
2025	3	22	0	52	55	0	0	0	0	0	0	0	47.48	0	0	10.8	0.3	3.6
2025	3	22	1	2	55	0	0	0	0	0	0	0	47.43	0	0	10.8	0.3	3.6
2025	3	22	1	12	55	0	0	0	0	0	0	0	47.34	0	0	10.6	0.3	3.6
2025	3	22	1	22	55	0	0	0	0	0	0	0	47.28	0	0	10.4	0.3	3.6
2025	3	22	1	32	55	0	0	0	0	0	0	0	47.19	0	0	10.4	0.3	3.6
2025	3	22	1	42	55	0	0	0	0	0	0	0	47.14	0	0	10.6	0.3	3.3
2025	3	22	1	52	55	0	0	0	0	0	0	0	47.08	0	0	10.6	0.3	3.3
2025	3	22	2	2	55	0	0	0	0	0	0	0	47.03	0	0	10.6	0.3	3.3
2025	3	22	2	12	55	0	0	0	0	0	0	0	46.98	0	0	10.6	0.3	3.3
2025	3	22	2	22	55	0	0	0	0	0	0	0	46.92	0	0	10.8	0.3	3.3
2025	3	22	2	32	55	0	0	0	0	0	0	0	46.87	0	0	10.6	0.3	3.3
2025	3	22	2	42	55	0	0	0	0	0	0	0	46.81	0	0	10.8	0.3	3.3
2025	3	22	2	52	55	0	0	0	0	0	0	0	46.78	0	0	10.6	0.3	3.3
2025	3	22	3	2	55	0	0	0	0	0	0	0	46.76	0	0	10.4	0.3	3.3
2025	3	22	3	12	55	0	0	0	0	0	0	0	46.72	0	0	10.4	0.3	3.3
2025	3	22	3	22	55	0	0	0	0	0	0	0	46.69	0	0	10.2	0.3	3.3
2025	3	22	3	32	55	0	0	0	0	0	0	0	46.67	0	0	10.6	0.3	3.3
2025	3	22	3	42	55	0	0	0	0	0	0	0	46.65	0	0	10.8	0.3	3.3
2025	3	22	3	52	55	0	0	0	0	0	0	0	46.63	0	0	11	0.3	3.3
2025	3	22	4	2	55	0	0	0	0	0	0	0	46.62	0	0	11	0.3	3.3
2025	3	22	4	12	55	0	0	0	0	0	0	0	46.6	0	0	10.6	0.3	3.3
2025	3	22	4	22	55	0	0	0	0	0	0	0	46.58	0	0	10.6	0.3	3.3
2025	3	22	4	32	55	0	0	0	0	0	0	0	46.58	0	0	10.4	0.3	3.3
2025	3	22	4	42	55	0	0	0	0	0	0	0	46.56	0	0	10.2	0.3	3.3
2025	3	22	4	52	55	0	0	0	0	0	0	0	46.56	0	0	10.2	0.3	3.3
2025	3	22	5	2	55	0	0	0	0	0	0	0	46.56	0	0	10	0.3	3.3
2025	3	22	5	12	55	0	0	0	0	0	0	0	46.54	0	0	10	0.3	3.3
2025	3	22	5	22	55	0	0	0	0	0	0	0	46.56	0	0	10	0.3	3.3
2025	3	22	5	32	55	0	0	0	0	0	0	0	46.54	0	0	10.4	0.3	3.3
2025	3	22	5	42	55	0	0	0	0	0	0	0	46.54	0	0	10.4	0.3	3.3
2025	3	22	5	52	55	0	0	0	0	0	0	0	46.56	0	0	10.6	0.3	3.3
2025	3	22	6	2	55	0	0	0	0	0	0	0	46.56	0	0	10.8	0.3	3.3
2025	3	22	6	12	55	0	0	0	0	0	0	0	46.58	0	0	10.8	0.3	3.3
2025	3	22	6	22	55	0	0	0	0	0	0	0	46.58	0	0	11	0.3	3.3
2025	3	22	6	32	55	0	0	0	0	0	0	0	46.6	0	0	10.8	0.3	3.3
2025	3	22	6	42	55	0	0	0	0	0	0	0	46.62	0	0	10.8	0.3	3.3
2025	3	22	6	52	55	0	0	0	0	0	0	0	46.63	0	0	11	0.3	3.3
2025	3	22	7	2	55	0	0	0	0	0	0	0	46.67	0	0	11	0.3	3.3
2025	3	22	7	12	55	0	0	0	0	0	0	0	46.71	0	0	10.8	0.3	3.3
2025	3	22	7	22	55	0	0	0	0	0	0	0	46.76	0	0	11.2	0.3	3.3
2025	3	22	7	32	55	0	0	0	0	0	0	0	46.8	0	0	10.8	0.3	3.3
2025	3	22	7	42	55	0	0	0	0	0	0	0	46.85	0	0	10.8	0.3	3.3
2025	3	22	7	52	55	0	0	0	0	0	0	0	46.9	0	0	10.8	0.3	3.3

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	22	8	2	55	0	0	0	0	0	0	0	46.94	0	0	10.6	0.3	3.3
2025	3	22	8	12	55	0	0	0	0	0	0	0	46.99	0	0	10.6	0.3	3.3
2025	3	22	8	22	55	0	0	0	0	0	0	0	47.05	0	0	11.4	0.3	3.3
2025	3	22	8	32	55	0	0	0	0	0	0	0	47.1	0	0	11.8	0.3	3.3
2025	3	22	8	42	55	0	0	0	0	0	0	0	47.16	0	0	11.4	0.3	3.3
2025	3	22	8	52	55	0	0	0	0	0	0	0	47.21	0	0	11.2	0.3	3.3
2025	3	22	9	2	55	0	0	0	0	0	0	0	47.28	0	0	12.4	0.3	3.3
2025	3	22	9	12	55	0	0	0	0	0	0	0	47.35	0	0	13	0.3	3.6
2025	3	22	9	22	55	0	0	0	0	0	0	0	47.44	0	0	13.2	0.3	3.6
2025	3	22	9	32	55	0	0	0	0	0	0	0	47.55	0	0	13.4	0.3	3.6
2025	3	22	9	42	55	0	0	0	0	0	0	0	47.66	0	0	13.2	0.3	3.6
2025	3	22	9	52	55	0	0	0	0	0	0	0	47.75	0	0	12.6	0.3	3.6
2025	3	22	10	2	55	0	0	0	0	0	0	0	47.86	0	0	12.4	0.3	3.6
2025	3	22	10	12	55	0	0	0	0	0	0	0	47.95	0	0	11.8	0.3	3.6
2025	3	22	10	22	55	0	0	0	0	0	0	0	48.02	0	0	12.8	0.3	3.6
2025	3	22	10	32	55	0	0	0	0	0	0	0	48.13	0	0	13	0.3	3.6
2025	3	22	10	42	55	0	0	0	0	0	0	0	48.24	0	0	12.4	0.3	3.6
2025	3	22	10	52	55	0	0	0	0	0	0	0	48.31	0	0	13	0.3	3.6
2025	3	22	11	2	55	0	0	0	0	0	0	0	48.4	0	0	12.8	0.3	3.6
2025	3	22	11	12	55	0	0	0	0	0	0	0	48.49	0	0	12.8	0.3	3.6
2025	3	22	11	22	55	0	0	0	0	0	0	0	48.56	0	0	12.8	0.3	3.6
2025	3	22	11	32	55	0	0	0	0	0	0	0	48.65	0	0	12.4	0.3	3.6
2025	3	22	11	42	55	0	0	0	0	0	0	0	48.74	0	0	13	0.3	3.6
2025	3	22	11	52	55	0	0	0	0	0	0	0	48.83	0	0	12.6	0.3	3.6
2025	3	22	12	2	55	0	0	0	0	0	0	0	48.92	0	0	12.6	0.3	3.6
2025	3	22	12	12	55	0	0	0	0	0	0	0	49.01	0	0	12.4	0.3	3.6
2025	3	22	12	22	55	0	0	0	0	0	0	0	49.08	0	0	12	0.3	3.6
2025	3	22	12	32	55	0	0	0	0	0	0	0	49.17	0	0	12	0.3	3.6
2025	3	22	12	42	55	0	0	0	0	0	0	0	49.26	0	0	12.4	0.3	3.6
2025	3	22	12	52	55	0	0	0	0	0	0	0	49.33	0	0	12.4	0.3	3.6
2025	3	22	13	2	55	0	0	0	0	0	0	0	49.42	0	0	12.4	0.3	3.6
2025	3	22	13	12	55	0	0	0	0	0	0	0	49.48	0	0	12.4	0.3	3.6
2025	3	22	13	22	55	0	0	0	0	0	0	0	49.53	0	0	12.2	0.3	3.6
2025	3	22	13	32	55	0	0	0	0	0	0	0	49.59	0	0	12.2	0.3	3.6
2025	3	22	13	42	55	0	0	0	0	0	0	0	49.62	0	0	12.2	0.3	3.6
2025	3	22	13	52	55	0	0	0	0	0	0	0	49.68	0	0	12.2	0.3	3.6
2025	3	22	14	2	55	0	0	0	0	0	0	0	49.69	0	0	12	0.3	3.6
2025	3	22	14	12	55	0	0	0	0	0	0	0	49.73	0	0	11.2	0.3	3.6
2025	3	22	14	22	55	0	0	0	0	0	0	0	49.77	0	0	11	0.3	3.6
2025	3	22	14	32	55	0	0	0	0	0	0	0	49.82	0	0	10.8	0.3	3.6
2025	3	22	14	42	55	0	0	0	0	0	0	0	49.86	0	0	10.6	0.3	3.6
2025	3	22	14	52	55	0	0	0	0	0	0	0	49.91	0	0	10.6	0.3	3.6
2025	3	22	15	2	55	0	0	0	0	0	0	0	49.95	0	0	10.8	0.3	3.6
2025	3	22	15	12	55	0	0	0	0	0	0	0	50	0	0	10.6	0.3	3.6
2025	3	22	15	22	55	0	0	0	0	0	0	0	50.07	0	0	10.4	0.3	3.6
2025	3	22	15	32	55	0	0	0	0	0	0	0	50.13	0	0	10.2	0.3	3.6
2025	3	22	15	42	55	0	0	0	0	0	0	0	50.18	0	0	9.8	0.3	3.6
2025	3	22	15	52	55	0	0	0	0	0	0	0	50.23	0	0	9.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	22	16	2	55	0	0	0	0	0	0	0	50.29	0	0	9.6	0.3	3.6
2025	3	22	16	12	55	0	0	0	0	0	0	0	50.34	0	0	11	0.3	3.6
2025	3	22	16	22	55	0	0	0	0	0	0	0	50.41	0	0	11.2	0.3	3.6
2025	3	22	16	32	55	0	0	0	0	0	0	0	50.47	0	0	11.2	0.3	3.6
2025	3	22	16	42	55	0	0	0	0	0	0	0	50.52	0	0	11.2	0.3	3.6
2025	3	22	16	52	55	0	0	0	0	0	0	0	50.56	0	0	11	0.3	3.6
2025	3	22	17	2	55	0	0	0	0	0	0	0	50.61	0	0	11	0.3	3.6
2025	3	22	17	12	55	0	0	0	0	0	0	0	50.65	0	0	11	0.3	3.6
2025	3	22	17	22	55	0	0	0	0	0	0	0	50.67	0	0	11	0.3	3.6
2025	3	22	17	32	55	0	0	0	0	0	0	0	50.7	0	0	10.8	0.3	3.6
2025	3	22	17	42	55	0	0	0	0	0	0	0	50.7	0	0	10.6	0.3	3.6
2025	3	22	17	52	55	0	0	0	0	0	0	0	50.72	0	0	10.6	0.3	3.6
2025	3	22	18	2	55	0	0	0	0	0	0	0	50.74	0	0	10.6	0.3	3.6
2025	3	22	18	12	55	0	0	0	0	0	0	0	50.74	0	0	10.6	0.3	3.6
2025	3	22	18	22	55	0	0	0	0	0	0	0	50.76	0	0	10.6	0.3	3.6
2025	3	22	18	32	55	0	0	0	0	0	0	0	50.76	0	0	10.6	0.3	3.6
2025	3	22	18	42	55	0	0	0	0	0	0	0	50.76	0	0	10.6	0.3	3.6
2025	3	22	18	52	55	0	0	0	0	0	0	0	50.77	0	0	10.4	0.3	3.6
2025	3	22	19	2	55	0	0	0	0	0	0	0	50.76	0	0	10.6	0.3	3.6
2025	3	22	19	12	55	0	0	0	0	0	0	0	50.76	0	0	10.8	0.3	3.6
2025	3	22	19	22	55	0	0	0	0	0	0	0	50.76	0	0	10.8	0.3	3.6
2025	3	22	19	32	55	0	0	0	0	0	0	0	50.74	0	0	10.6	0.3	3.6
2025	3	22	19	42	55	0	0	0	0	0	0	0	50.74	0	0	10.6	0.3	3.6
2025	3	22	19	52	55	0	0	0	0	0	0	0	50.7	0	0	10.6	0.3	3.6
2025	3	22	20	2	55	0	0	0	0	0	0	0	50.68	0	0	10.6	0.3	3.6
2025	3	22	20	12	55	0	0	0	0	0	0	0	50.67	0	0	10.6	0.3	3.6
2025	3	22	20	22	55	0	0	0	0	0	0	0	50.63	0	0	10.6	0.3	3.6
2025	3	22	20	32	55	0	0	0	0	0	0	0	50.59	0	0	10.6	0.3	3.6
2025	3	22	20	42	55	0	0	0	0	0	0	0	50.56	0	0	10.6	0.3	3.6
2025	3	22	20	52	55	0	0	0	0	0	0	0	50.5	0	0	10.6	0.3	3.6
2025	3	22	21	2	55	0	0	0	0	0	0	0	50.47	0	0	10.6	0.3	3.6
2025	3	22	21	12	55	0	0	0	0	0	0	0	50.43	0	0	10.6	0.3	3.6
2025	3	22	21	22	55	0	0	0	0	0	0	0	50.36	0	0	10.4	0.3	3.6
2025	3	22	21	32	55	0	0	0	0	0	0	0	50.32	0	0	10.2	0.3	3.6
2025	3	22	21	42	55	0	0	0	0	0	0	0	50.29	0	0	10.4	0.3	3.6
2025	3	22	21	52	55	0	0	0	0	0	0	0	50.23	0	0	10.4	0.3	3.6
2025	3	22	22	2	55	0	0	0	0	0	0	0	50.18	0	0	10.6	0.3	3.6
2025	3	22	22	12	55	0	0	0	0	0	0	0	50.11	0	0	10.8	0.3	3.6
2025	3	22	22	22	55	0	0	0	0	0	0	0	50.05	0	0	10.8	0.3	3.6
2025	3	22	22	32	55	0	0	0	0	0	0	0	50	0	0	10.8	0.3	3.6
2025	3	22	22	42	55	0	0	0	0	0	0	0	49.93	0	0	10.8	0.3	3.6
2025	3	22	22	52	55	0	0	0	0	0	0	0	49.87	0	0	10.8	0.3	3.6
2025	3	22	23	2	55	0	0	0	0	0	0	0	49.8	0	0	10.8	0.3	3.6
2025	3	22	23	12	55	0	0	0	0	0	0	0	49.75	0	0	10.8	0.3	3.6
2025	3	22	23	22	55	0	0	0	0	0	0	0	49.69	0	0	10.8	0.3	3.6
2025	3	22	23	32	55	0	0	0	0	0	0	0	49.62	0	0	10.8	0.3	3.6
2025	3	22	23	42	55	0	0	0	0	0	0	0	49.57	0	0	10.8	0.3	3.6
2025	3	22	23	52	55	0	0	0	0	0	0	0	49.51	0	0	10.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	23	0	2	55	0	0	0	0	0	0	0	49.44	0	0	10.6	0.3	3.6
2025	3	23	0	12	55	0	0	0	0	0	0	0	49.39	0	0	10.6	0.3	3.6
2025	3	23	0	22	55	0	0	0	0	0	0	0	49.33	0	0	10.4	0.3	3.6
2025	3	23	0	32	55	0	0	0	0	0	0	0	49.28	0	0	10.8	0.3	3.6
2025	3	23	0	42	55	0	0	0	0	0	0	0	49.23	0	0	10.8	0.3	3.6
2025	3	23	0	52	55	0	0	0	0	0	0	0	49.17	0	0	10.8	0.3	3.6
2025	3	23	1	2	55	0	0	0	0	0	0	0	49.14	0	0	10.8	0.3	3.6
2025	3	23	1	12	55	0	0	0	0	0	0	0	49.06	0	0	10.8	0.3	3.6
2025	3	23	1	22	55	0	0	0	0	0	0	0	49.03	0	0	10.8	0.3	3.6
2025	3	23	1	32	55	0	0	0	0	0	0	0	48.99	0	0	10.8	0.3	3.6
2025	3	23	1	42	55	0	0	0	0	0	0	0	48.94	0	0	10.8	0.3	3.6
2025	3	23	1	52	55	0	0	0	0	0	0	0	48.9	0	0	10.8	0.3	3.6
2025	3	23	2	2	55	0	0	0	0	0	0	0	48.87	0	0	10.8	0.3	3.6
2025	3	23	2	12	55	0	0	0	0	0	0	0	48.83	0	0	10.8	0.3	3.6
2025	3	23	2	22	55	0	0	0	0	0	0	0	48.79	0	0	10.8	0.3	3.6
2025	3	23	2	32	55	0	0	0	0	0	0	0	48.78	0	0	10.8	0.3	3.6
2025	3	23	2	42	55	0	0	0	0	0	0	0	48.74	0	0	10.6	0.3	3.6
2025	3	23	2	52	55	0	0	0	0	0	0	0	48.72	0	0	10.6	0.3	3.6
2025	3	23	3	2	55	0	0	0	0	0	0	0	48.69	0	0	10.6	0.3	3.6
2025	3	23	3	12	55	0	0	0	0	0	0	0	48.67	0	0	10.6	0.3	3.6
2025	3	23	3	22	55	0	0	0	0	0	0	0	48.65	0	0	10.6	0.3	3.6
2025	3	23	3	32	55	0	0	0	0	0	0	0	48.63	0	0	10.6	0.3	3.6
2025	3	23	3	42	55	0	0	0	0	0	0	0	48.63	0	0	10.4	0.3	3.6
2025	3	23	3	52	55	0	0	0	0	0	0	0	48.61	0	0	10.4	0.3	3.6
2025	3	23	4	2	55	0	0	0	0	0	0	0	48.6	0	0	10.4	0.3	3.6
2025	3	23	4	12	55	0	0	0	0	0	0	0	48.58	0	0	10.4	0.3	3.6
2025	3	23	4	22	55	0	0	0	0	0	0	0	48.58	0	0	10.4	0.3	3.6
2025	3	23	4	32	55	0	0	0	0	0	0	0	48.56	0	0	10.4	0.3	3.6
2025	3	23	4	42	55	0	0	0	0	0	0	0	48.56	0	0	10.4	0.3	3.6
2025	3	23	4	52	55	0	0	0	0	0	0	0	48.54	0	0	10.4	0.3	3.6
2025	3	23	5	2	55	0	0	0	0	0	0	0	48.52	0	0	10.4	0.3	3.6
2025	3	23	5	12	55	0	0	0	0	0	0	0	48.52	0	0	10.6	0.3	3.6
2025	3	23	5	22	55	0	0	0	0	0	0	0	48.52	0	0	10.2	0.3	3.6
2025	3	23	5	32	55	0	0	0	0	0	0	0	48.51	0	0	10	0.3	3.6
2025	3	23	5	42	55	0	0	0	0	0	0	0	48.51	0	0	10	0.3	3.6
2025	3	23	5	52	55	0	0	0	0	0	0	0	48.51	0	0	9.8	0.3	3.6
2025	3	23	6	2	55	0	0	0	0	0	0	0	48.49	0	0	10	0.3	3.6
2025	3	23	6	12	55	0	0	0	0	0	0	0	48.49	0	0	10.2	0.3	3.6
2025	3	23	6	22	55	0	0	0	0	0	0	0	48.47	0	0	10.2	0.3	3.6
2025	3	23	6	32	55	0	0	0	0	0	0	0	48.47	0	0	10	0.3	3.6
2025	3	23	6	42	55	0	0	0	0	0	0	0	48.47	0	0	10.2	0.3	3.6
2025	3	23	6	52	55	0	0	0	0	0	0	0	48.47	0	0	10.4	0.3	3.6
2025	3	23	7	2	55	0	0	0	0	0	0	0	48.49	0	0	10.4	0.3	3.6
2025	3	23	7	12	55	0	0	0	0	0	0	0	48.49	0	0	10.6	0.3	3.6
2025	3	23	7	22	55	0	0	0	0	0	0	0	48.51	0	0	11	0.3	3.6
2025	3	23	7	32	55	0	0	0	0	0	0	0	48.56	0	0	11	0.3	3.6
2025	3	23	7	42	55	0	0	0	0	0	0	0	48.65	0	0	11	0.3	3.6
2025	3	23	7	52	55	0	0	0	0	0	0	0	48.72	0	0	10.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	23	8	2	55	0	0	0	0	0	0	0	48.81	0	0	10.6	0.3	3.6
2025	3	23	8	12	55	0	0	0	0	0	0	0	48.85	0	0	10.6	0.3	3.6
2025	3	23	8	22	55	0	0	0	0	0	0	0	48.9	0	0	10.6	0.3	3.6
2025	3	23	8	32	55	0	0	0	0	0	0	0	48.96	0	0	11	0.3	3.6
2025	3	23	8	42	55	0	0	0	0	0	0	0	49.03	0	0	11.8	0.3	3.6
2025	3	23	8	52	55	0	0	0	0	0	0	0	49.1	0	0	12.6	0.3	3.6
2025	3	23	9	2	55	0	0	0	0	0	0	0	49.19	0	0	12.8	0.3	3.6
2025	3	23	9	12	55	0	0	0	0	0	0	0	49.26	0	0	13	0.3	3.6
2025	3	23	9	22	55	0	0	0	0	0	0	0	49.32	0	0	13	0.3	3.6
2025	3	23	9	32	55	0	0	0	0	0	0	0	49.42	0	0	12.8	0.3	3.6
2025	3	23	9	42	55	0	0	0	0	0	0	0	49.48	0	0	12.6	0.3	3.6
2025	3	23	9	52	55	0	0	0	0	0	0	0	49.55	0	0	12.2	0.3	3.6
2025	3	23	10	2	55	0	0	0	0	0	0	0	49.64	0	0	12	0.3	3.6
2025	3	23	10	12	55	0	0	0	0	0	0	0	49.73	0	0	12.4	0.3	3.6
2025	3	23	10	22	55	0	0	0	0	0	0	0	49.78	0	0	11.8	0.3	3.6
2025	3	23	10	32	55	0	0	0	0	0	0	0	49.8	0	0	12	0.3	3.6
2025	3	23	10	42	55	0	0	0	0	0	0	0	49.82	0	0	11.8	0.3	3.6
2025	3	23	10	52	55	0	0	0	0	0	0	0	49.87	0	0	12	0.3	3.6
2025	3	23	11	2	55	0	0	0	0	0	0	0	49.93	0	0	12	0.3	3.6
2025	3	23	11	12	55	0	0	0	0	0	0	0	50	0	0	12	0.3	3.6
2025	3	23	11	22	55	0	0	0	0	0	0	0	50.11	0	0	12	0.3	3.6
2025	3	23	11	32	55	0	0	0	0	0	0	0	50.22	0	0	11.8	0.3	3.6
2025	3	23	11	42	55	0	0	0	0	0	0	0	50.32	0	0	11.8	0.3	3.6
2025	3	23	11	52	55	0	0	0	0	0	0	0	50.41	0	0	12	0.3	3.6
2025	3	23	12	2	55	0	0	0	0	0	0	0	50.52	0	0	12.2	0.3	3.6
2025	3	23	12	12	55	0	0	0	0	0	0	0	50.65	0	0	12	0.3	3.6
2025	3	23	12	22	55	0	0	0	0	0	0	0	50.76	0	0	11.8	0.3	3.6
2025	3	23	12	32	55	0	0	0	0	0	0	0	50.86	0	0	12	0.3	3.6
2025	3	23	12	42	55	0	0	0	0	0	0	0	50.95	0	0	11.8	0.3	3.6
2025	3	23	12	52	55	0	0	0	0	0	0	0	51.06	0	0	12.6	0.3	3.6
2025	3	23	13	2	55	0	0	0	0	0	0	0	51.15	0	0	11.8	0.3	3.6
2025	3	23	13	12	55	0	0	0	0	0	0	0	51.26	0	0	11.6	0.3	3.6
2025	3	23	13	22	55	0	0	0	0	0	0	0	51.33	0	0	12.2	0.3	3.6
2025	3	23	13	32	55	0	0	0	0	0	0	0	51.42	0	0	12.2	0.3	3.6
2025	3	23	13	42	55	0	0	0	0	0	0	0	51.51	0	0	12.2	0.3	3.6
2025	3	23	13	52	55	0	0	0	0	0	0	0	51.58	0	0	12.2	0.3	3.6
2025	3	23	14	2	55	0	0	0	0	0	0	0	51.67	0	0	12.2	0.3	3.6
2025	3	23	14	12	55	0	0	0	0	0	0	0	51.75	0	0	12.8	0.3	3.6
2025	3	23	14	22	55	0	0	0	0	0	0	0	51.82	0	0	12.8	0.3	3.6
2025	3	23	14	32	55	0	0	0	0	0	0	0	51.89	0	0	12.2	0.3	3.6
2025	3	23	14	42	55	0	0	0	0	0	0	0	51.96	0	0	12.2	0.3	3.6
2025	3	23	14	52	55	0	0	0	0	0	0	0	52.03	0	0	12	0.3	3.6
2025	3	23	15	2	55	0	0	0	0	0	0	0	52.11	0	0	12	0.3	3.6
2025	3	23	15	12	55	0	0	0	0	0	0	0	52.16	0	0	12.2	0.3	3.6
2025	3	23	15	22	55	0	0	0	0	0	0	0	52.23	0	0	12.2	0.3	3.6
2025	3	23	15	32	55	0	0	0	0	0	0	0	52.29	0	0	12.2	0.3	3.6
2025	3	23	15	42	55	0	0	0	0	0	0	0	52.36	0	0	12.2	0.3	3.6
2025	3	23	15	52	55	0	0	0	0	0	0	0	52.41	0	0	12.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	23	16	2	55	0	0	0	0	0	0	0	52.47	0	0	11.6	0.3	3.6
2025	3	23	16	12	55	0	0	0	0	0	0	0	52.52	0	0	11.4	0.3	3.6
2025	3	23	16	22	55	0	0	0	0	0	0	0	52.56	0	0	11.2	0.3	3.6
2025	3	23	16	32	55	0	0	0	0	0	0	0	52.59	0	0	11.2	0.3	3.6
2025	3	23	16	42	55	0	0	0	0	0	0	0	52.61	0	0	11	0.3	3.6
2025	3	23	16	52	55	0	0	0	0	0	0	0	52.65	0	0	11	0.3	3.6
2025	3	23	17	2	55	0	0	0	0	0	0	0	52.68	0	0	11	0.3	3.6
2025	3	23	17	12	55	0	0	0	0	0	0	0	52.7	0	0	11	0.3	3.6
2025	3	23	17	22	55	0	0	0	0	0	0	0	52.74	0	0	10.8	0.3	3.6
2025	3	23	17	32	55	0	0	0	0	0	0	0	52.74	0	0	10.4	0.3	3.6
2025	3	23	17	42	55	0	0	0	0	0	0	0	52.75	0	0	10	0.3	3.6
2025	3	23	17	52	55	0	0	0	0	0	0	0	52.77	0	0	9.8	0.3	3.6
2025	3	23	18	2	55	0	0	0	0	0	0	0	52.79	0	0	10	0.3	3.6
2025	3	23	18	12	55	0	0	0	0	0	0	0	52.79	0	0	10	0.3	3.6
2025	3	23	18	22	55	0	0	0	0	0	0	0	52.79	0	0	10.6	0.3	3.6
2025	3	23	18	32	55	0	0	0	0	0	0	0	52.79	0	0	10.4	0.3	3.6
2025	3	23	18	42	55	0	0	0	0	0	0	0	52.79	0	0	10.8	0.3	3.6
2025	3	23	18	52	55	0	0	0	0	0	0	0	52.79	0	0	10.6	0.3	3.6
2025	3	23	19	2	55	0	0	0	0	0	0	0	52.77	0	0	10.4	0.3	3.6
2025	3	23	19	12	55	0	0	0	0	0	0	0	52.77	0	0	10.2	0.3	3.6
2025	3	23	19	22	55	0	0	0	0	0	0	0	52.75	0	0	10.2	0.3	3.6
2025	3	23	19	32	55	0	0	0	0	0	0	0	52.74	0	0	9.6	0.3	3.6
2025	3	23	19	42	55	0	0	0	0	0	0	0	52.7	0	0	9.4	0.3	3.6
2025	3	23	19	52	55	0	0	0	0	0	0	0	52.66	0	0	9.6	0.3	3.6
2025	3	23	20	2	55	0	0	0	0	0	0	0	52.63	0	0	9.6	0.3	3.6
2025	3	23	20	12	55	0	0	0	0	0	0	0	52.61	0	0	9.8	0.3	3.6
2025	3	23	20	22	55	0	0	0	0	0	0	0	52.56	0	0	9.8	0.3	3.6
2025	3	23	20	32	55	0	0	0	0	0	0	0	52.5	0	0	9.6	0.3	3.6
2025	3	23	20	42	55	0	0	0	0	0	0	0	52.45	0	0	9.6	0.3	3.6
2025	3	23	20	52	55	0	0	0	0	0	0	0	52.39	0	0	9.8	0.3	3.6
2025	3	23	21	2	55	0	0	0	0	0	0	0	52.36	0	0	10.4	0.3	3.6
2025	3	23	21	12	55	0	0	0	0	0	0	0	52.29	0	0	10.4	0.3	3.6
2025	3	23	21	22	55	0	0	0	0	0	0	0	52.23	0	0	10.4	0.3	3.6
2025	3	23	21	32	55	0	0	0	0	0	0	0	52.16	0	0	10.2	0.3	3.6
2025	3	23	21	42	55	0	0	0	0	0	0	0	52.09	0	0	10.2	0.3	3.6
2025	3	23	21	52	55	0	0	0	0	0	0	0	52.02	0	0	10	0.3	3.6
2025	3	23	22	2	55	0	0	0	0	0	0	0	51.94	0	0	9.2	0.3	3.6
2025	3	23	22	12	55	0	0	0	0	0	0	0	51.87	0	0	9	0.3	3.6
2025	3	23	22	22	55	0	0	0	0	0	0	0	51.8	0	0	10.6	0.3	3.6
2025	3	23	22	32	55	0	0	0	0	0	0	0	51.73	0	0	11.6	0.3	3.6
2025	3	23	22	42	55	0	0	0	0	0	0	0	51.64	0	0	11.6	0.3	3.6
2025	3	23	22	52	55	0	0	0	0	0	0	0	51.57	0	0	11.6	0.3	3.6
2025	3	23	23	2	55	0	0	0	0	0	0	0	51.49	0	0	11.4	0.3	3.6
2025	3	23	23	12	55	0	0	0	0	0	0	0	51.42	0	0	11.4	0.3	3.6
2025	3	23	23	22	55	0	0	0	0	0	0	0	51.33	0	0	11.4	0.3	3.6
2025	3	23	23	32	55	0	0	0	0	0	0	0	51.24	0	0	11.4	0.3	3.6
2025	3	23	23	42	55	0	0	0	0	0	0	0	51.17	0	0	11.4	0.3	3.6
2025	3	23	23	52	55	0	0	0	0	0	0	0	51.1	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	24	0	2	55	0	0	0	0	0	0	0	51.03	0	0	11.4	0.3	3.6
2025	3	24	0	12	55	0	0	0	0	0	0	0	50.95	0	0	11.4	0.3	3.6
2025	3	24	0	22	55	0	0	0	0	0	0	0	50.88	0	0	11.4	0.3	3.6
2025	3	24	0	32	55	0	0	0	0	0	0	0	50.83	0	0	11.4	0.3	3.6
2025	3	24	0	42	55	0	0	0	0	0	0	0	50.76	0	0	11.4	0.3	3.6
2025	3	24	0	52	55	0	0	0	0	0	0	0	50.7	0	0	11.4	0.3	3.6
2025	3	24	1	2	55	0	0	0	0	0	0	0	50.63	0	0	11.4	0.3	3.6
2025	3	24	1	12	55	0	0	0	0	0	0	0	50.58	0	0	11.4	0.3	3.6
2025	3	24	1	22	55	0	0	0	0	0	0	0	50.5	0	0	11.4	0.3	3.6
2025	3	24	1	32	55	0	0	0	0	0	0	0	50.45	0	0	11.4	0.3	3.6
2025	3	24	1	42	55	0	0	0	0	0	0	0	50.4	0	0	11.4	0.3	3.6
2025	3	24	1	52	55	0	0	0	0	0	0	0	50.36	0	0	11.4	0.3	3.6
2025	3	24	2	2	55	0	0	0	0	0	0	0	50.31	0	0	11.4	0.3	3.6
2025	3	24	2	12	55	0	0	0	0	0	0	0	50.25	0	0	11.4	0.3	3.6
2025	3	24	2	22	55	0	0	0	0	0	0	0	50.22	0	0	11.4	0.3	3.6
2025	3	24	2	32	55	0	0	0	0	0	0	0	50.14	0	0	11.4	0.3	3.6
2025	3	24	2	42	55	0	0	0	0	0	0	0	50.11	0	0	11.4	0.3	3.6
2025	3	24	2	52	55	0	0	0	0	0	0	0	50.07	0	0	11.4	0.3	3.6
2025	3	24	3	2	55	0	0	0	0	0	0	0	50.04	0	0	11.4	0.3	3.6
2025	3	24	3	12	55	0	0	0	0	0	0	0	50.02	0	0	11.4	0.3	3.6
2025	3	24	3	22	55	0	0	0	0	0	0	0	49.98	0	0	11.4	0.3	3.6
2025	3	24	3	32	55	0	0	0	0	0	0	0	49.96	0	0	11.4	0.3	3.6
2025	3	24	3	42	55	0	0	0	0	0	0	0	49.95	0	0	11.4	0.3	3.6
2025	3	24	3	52	55	0	0	0	0	0	0	0	49.91	0	0	11.4	0.3	3.6
2025	3	24	4	2	55	0	0	0	0	0	0	0	49.89	0	0	11.4	0.3	3.6
2025	3	24	4	12	55	0	0	0	0	0	0	0	49.89	0	0	11.4	0.3	3.6
2025	3	24	4	22	55	0	0	0	0	0	0	0	49.89	0	0	11.4	0.3	3.6
2025	3	24	4	32	55	0	0	0	0	0	0	0	49.89	0	0	11.4	0.3	3.6
2025	3	24	4	42	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	4	52	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	5	2	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	5	12	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	5	22	55	0	0	0	0	0	0	0	49.84	0	0	11.4	0.3	3.6
2025	3	24	5	32	55	0	0	0	0	0	0	0	49.84	0	0	11.4	0.3	3.6
2025	3	24	5	42	55	0	0	0	0	0	0	0	49.84	0	0	11.4	0.3	3.6
2025	3	24	5	52	55	0	0	0	0	0	0	0	49.84	0	0	11.4	0.3	3.6
2025	3	24	6	2	55	0	0	0	0	0	0	0	49.84	0	0	11.4	0.3	3.6
2025	3	24	6	12	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	6	22	55	0	0	0	0	0	0	0	49.86	0	0	11.4	0.3	3.6
2025	3	24	6	32	55	0	0	0	0	0	0	0	49.87	0	0	11.4	0.3	3.6
2025	3	24	6	42	55	0	0	0	0	0	0	0	49.89	0	0	11.6	0.3	3.6
2025	3	24	6	52	55	0	0	0	0	0	0	0	49.91	0	0	11.8	0.3	3.6
2025	3	24	7	2	55	0	0	0	0	0	0	0	49.95	0	0	12	0.3	3.6
2025	3	24	7	12	55	0	0	0	0	0	0	0	49.96	0	0	12.2	0.3	3.6
2025	3	24	7	22	55	0	0	0	0	0	0	0	50.04	0	0	12.4	0.3	3.6
2025	3	24	7	32	55	0	0	0	0	0	0	0	50.09	0	0	12.4	0.3	3.6
2025	3	24	7	42	55	0	0	0	0	0	0	0	50.13	0	0	12.6	0.3	3.6
2025	3	24	7	52	55	0	0	0	0	0	0	0	50.22	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	24	8	2	55	0	0	0	0	0	0	0	50.29	0	0	12.6	0.3	3.6
2025	3	24	8	12	55	0	0	0	0	0	0	0	50.4	0	0	12.6	0.3	3.6
2025	3	24	8	22	55	0	0	0	0	0	0	0	50.47	0	0	12.4	0.3	3.6
2025	3	24	8	32	55	0	0	0	0	0	0	0	50.54	0	0	12.2	0.3	3.6
2025	3	24	8	42	55	0	0	0	0	0	0	0	50.63	0	0	12.4	0.3	3.6
2025	3	24	8	52	55	0	0	0	0	0	0	0	50.7	0	0	12.8	0.3	3.6
2025	3	24	9	2	55	0	0	0	0	0	0	0	50.79	0	0	13	0.3	3.6
2025	3	24	9	12	55	0	0	0	0	0	0	0	51.04	0	0	12.8	0.3	3.6
2025	3	24	9	22	55	0	0	0	0	0	0	0	51.28	0	0	11.6	0.3	3.6
2025	3	24	9	32	55	0	0	0	0	0	0	0	51.4	0	0	12.6	0.3	3.6
2025	3	24	9	42	55	0	0	0	0	0	0	0	51.51	0	0	12.6	0.3	3.6
2025	3	24	9	52	55	0	0	0	0	0	0	0	51.64	0	0	12.4	0.3	3.6
2025	3	24	10	2	55	0	0	0	0	0	0	0	51.78	0	0	12.6	0.3	3.6
2025	3	24	10	12	55	0	0	0	0	0	0	0	51.91	0	0	12.8	0.3	3.6
2025	3	24	10	22	55	0	0	0	0	0	0	0	52.02	0	0	12.2	0.3	3.6
2025	3	24	10	32	55	0	0	0	0	0	0	0	52.16	0	0	12.6	0.3	3.6
2025	3	24	10	42	55	0	0	0	0	0	0	0	52.3	0	0	12.6	0.3	3.6
2025	3	24	10	52	55	0	0	0	0	0	0	0	52.43	0	0	12.6	0.3	3.6
2025	3	24	11	2	55	0	0	0	0	0	0	0	52.54	0	0	12.4	0.3	3.6
2025	3	24	11	12	55	0	0	0	0	0	0	0	52.57	0	0	12.2	0.3	3.6
2025	3	24	11	22	55	0	0	0	0	0	0	0	52.7	0	0	12	0.3	3.6
2025	3	24	11	32	55	0	0	0	0	0	0	0	52.79	0	0	12.2	0.3	3.6
2025	3	24	11	42	55	0	0	0	0	0	0	0	52.92	0	0	12.4	0.3	3.6
2025	3	24	11	52	55	0	0	0	0	0	0	0	53.04	0	0	12.4	0.3	3.6
2025	3	24	12	2	55	0	0	0	0	0	0	0	53.11	0	0	12.4	0.3	3.6
2025	3	24	12	12	55	0	0	0	0	0	0	0	53.24	0	0	12.4	0.3	3.6
2025	3	24	12	22	55	0	0	0	0	0	0	0	53.35	0	0	12.2	0.3	3.6
2025	3	24	12	32	55	0	0	0	0	0	0	0	53.44	0	0	12.2	0.3	3.6
2025	3	24	12	42	55	0	0	0	0	0	0	0	53.55	0	0	12.2	0.3	3.6
2025	3	24	12	52	55	0	0	0	0	0	0	0	53.65	0	0	12.2	0.3	3.6
2025	3	24	13	2	55	0	0	0	0	0	0	0	53.73	0	0	12	0.3	3.6
2025	3	24	13	12	55	0	0	0	0	0	0	0	53.8	0	0	12	0.3	3.6
2025	3	24	13	22	55	0	0	0	0	0	0	0	53.89	0	0	12.2	0.3	3.6
2025	3	24	13	32	55	0	0	0	0	0	0	0	53.98	0	0	12	0.3	3.6
2025	3	24	13	42	55	0	0	0	0	0	0	0	54.05	0	0	12	0.3	3.6
2025	3	24	13	52	55	0	0	0	0	0	0	0	54.1	0	0	12	0.3	3.6
2025	3	24	14	2	55	0	0	0	0	0	0	0	54.19	0	0	12	0.3	3.6
2025	3	24	14	12	55	0	0	0	0	0	0	0	54.27	0	0	12	0.3	3.6
2025	3	24	14	22	55	0	0	0	0	0	0	0	54.32	0	0	12	0.3	3.6
2025	3	24	14	32	55	0	0	0	0	0	0	0	54.37	0	0	12.2	0.3	3.6
2025	3	24	14	42	55	0	0	0	0	0	0	0	54.46	0	0	12	0.3	3.6
2025	3	24	14	52	55	0	0	0	0	0	0	0	54.52	0	0	12.2	0.3	3.6
2025	3	24	15	2	55	0	0	0	0	0	0	0	54.57	0	0	12.8	0.3	3.6
2025	3	24	15	12	55	0	0	0	0	0	0	0	54.63	0	0	12.8	0.3	3.6
2025	3	24	15	22	55	0	0	0	0	0	0	0	54.68	0	0	12.8	0.3	3.6
2025	3	24	15	32	55	0	0	0	0	0	0	0	54.73	0	0	12.8	0.3	3.6
2025	3	24	15	42	55	0	0	0	0	0	0	0	54.77	0	0	12.8	0.3	3.6
2025	3	24	15	52	55	0	0	0	0	0	0	0	54.81	0	0	12.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	24	16	2	55	0	0	0	0	0	0	0	54.84	0	0	12.4	0.3	3.6
2025	3	24	16	12	55	0	0	0	0	0	0	0	54.88	0	0	12.2	0.3	3.6
2025	3	24	16	22	55	0	0	0	0	0	0	0	54.91	0	0	12	0.3	3.6
2025	3	24	16	32	55	0	0	0	0	0	0	0	54.93	0	0	11.8	0.3	3.6
2025	3	24	16	42	55	0	0	0	0	0	0	0	54.97	0	0	11.6	0.3	3.6
2025	3	24	16	52	55	0	0	0	0	0	0	0	54.99	0	0	11.6	0.3	3.6
2025	3	24	17	2	55	0	0	0	0	0	0	0	55.02	0	0	11.6	0.3	3.6
2025	3	24	17	12	55	0	0	0	0	0	0	0	55.06	0	0	11.6	0.3	3.6
2025	3	24	17	22	55	0	0	0	0	0	0	0	55.08	0	0	11.4	0.3	3.6
2025	3	24	17	32	55	0	0	0	0	0	0	0	55.11	0	0	11.4	0.3	3.6
2025	3	24	17	42	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	17	52	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	18	2	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	18	12	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	18	22	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	18	32	55	0	0	0	0	0	0	0	55.13	0	0	11.4	0.3	3.6
2025	3	24	18	42	55	0	0	0	0	0	0	0	55.11	0	0	11.4	0.3	3.6
2025	3	24	18	52	55	0	0	0	0	0	0	0	55.09	0	0	11.4	0.3	3.6
2025	3	24	19	2	55	0	0	0	0	0	0	0	55.06	0	0	11.4	0.3	3.6
2025	3	24	19	12	55	0	0	0	0	0	0	0	55.04	0	0	11.4	0.3	3.6
2025	3	24	19	22	55	0	0	0	0	0	0	0	54.99	0	0	11	0.3	3.6
2025	3	24	19	32	55	0	0	0	0	0	0	0	54.93	0	0	11	0.3	3.6
2025	3	24	19	42	55	0	0	0	0	0	0	0	54.9	0	0	11	0.3	3.6
2025	3	24	19	52	55	0	0	0	0	0	0	0	54.84	0	0	11	0.3	3.6
2025	3	24	20	2	55	0	0	0	0	0	0	0	54.79	0	0	11	0.3	3.6
2025	3	24	20	12	55	0	0	0	0	0	0	0	54.73	0	0	11	0.3	3.6
2025	3	24	20	22	55	0	0	0	0	0	0	0	54.66	0	0	11	0.3	3.6
2025	3	24	20	32	55	0	0	0	0	0	0	0	54.57	0	0	11.4	0.3	3.6
2025	3	24	20	42	55	0	0	0	0	0	0	0	54.52	0	0	11.4	0.3	3.6
2025	3	24	20	52	55	0	0	0	0	0	0	0	54.45	0	0	11.4	0.3	3.6
2025	3	24	21	2	55	0	0	0	0	0	0	0	54.36	0	0	11.2	0.3	3.6
2025	3	24	21	12	55	0	0	0	0	0	0	0	54.27	0	0	11	0.3	3.6
2025	3	24	21	22	55	0	0	0	0	0	0	0	54.18	0	0	10.8	0.3	3.6
2025	3	24	21	32	55	0	0	0	0	0	0	0	54.09	0	0	10.8	0.3	3.6
2025	3	24	21	42	55	0	0	0	0	0	0	0	54	0	0	11	0.3	3.6
2025	3	24	21	52	55	0	0	0	0	0	0	0	53.91	0	0	10.8	0.3	3.6
2025	3	24	22	2	55	0	0	0	0	0	0	0	53.8	0	0	10.8	0.3	3.6
2025	3	24	22	12	55	0	0	0	0	0	0	0	53.71	0	0	10.6	0.3	3.6
2025	3	24	22	22	55	0	0	0	0	0	0	0	53.6	0	0	11.2	0.3	3.6
2025	3	24	22	32	55	0	0	0	0	0	0	0	53.49	0	0	11	0.3	3.6
2025	3	24	22	42	55	0	0	0	0	0	0	0	53.38	0	0	10.6	0.3	3.6
2025	3	24	22	52	55	0	0	0	0	0	0	0	53.31	0	0	10.2	0.3	3.6
2025	3	24	23	2	55	0	0	0	0	0	0	0	53.19	0	0	10.6	0.3	3.6
2025	3	24	23	12	55	0	0	0	0	0	0	0	53.08	0	0	11.6	0.3	3.6
2025	3	24	23	22	55	0	0	0	0	0	0	0	52.99	0	0	11.4	0.3	3.6
2025	3	24	23	32	55	0	0	0	0	0	0	0	52.9	0	0	11.4	0.3	3.6
2025	3	24	23	42	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	24	23	52	55	0	0	0	0	0	0	0	52.72	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	25	0	2	55	0	0	0	0	0	0	0	52.61	0	0	11.4	0.3	3.6
2025	3	25	0	12	55	0	0	0	0	0	0	0	52.52	0	0	11.4	0.3	3.6
2025	3	25	0	22	55	0	0	0	0	0	0	0	52.43	0	0	11.4	0.3	3.6
2025	3	25	0	32	55	0	0	0	0	0	0	0	52.36	0	0	11.4	0.3	3.6
2025	3	25	0	42	55	0	0	0	0	0	0	0	52.27	0	0	11.4	0.3	3.6
2025	3	25	0	52	55	0	0	0	0	0	0	0	52.18	0	0	11.4	0.3	3.6
2025	3	25	1	2	55	0	0	0	0	0	0	0	52.11	0	0	11.4	0.3	3.6
2025	3	25	1	12	55	0	0	0	0	0	0	0	52.03	0	0	11.4	0.3	3.6
2025	3	25	1	22	55	0	0	0	0	0	0	0	51.96	0	0	11.4	0.3	3.6
2025	3	25	1	32	55	0	0	0	0	0	0	0	51.91	0	0	11.4	0.3	3.6
2025	3	25	1	42	55	0	0	0	0	0	0	0	51.84	0	0	11.4	0.3	3.6
2025	3	25	1	52	55	0	0	0	0	0	0	0	51.78	0	0	11.4	0.3	3.6
2025	3	25	2	2	55	0	0	0	0	0	0	0	51.71	0	0	11.4	0.3	3.6
2025	3	25	2	12	55	0	0	0	0	0	0	0	51.66	0	0	11.4	0.3	3.6
2025	3	25	2	22	55	0	0	0	0	0	0	0	51.6	0	0	11.4	0.3	3.6
2025	3	25	2	32	55	0	0	0	0	0	0	0	51.57	0	0	11.4	0.3	3.6
2025	3	25	2	42	55	0	0	0	0	0	0	0	51.51	0	0	11.4	0.3	3.6
2025	3	25	2	52	55	0	0	0	0	0	0	0	51.46	0	0	11.4	0.3	3.6
2025	3	25	3	2	55	0	0	0	0	0	0	0	51.42	0	0	11.4	0.3	3.6
2025	3	25	3	12	55	0	0	0	0	0	0	0	51.39	0	0	11.4	0.3	3.6
2025	3	25	3	22	55	0	0	0	0	0	0	0	51.35	0	0	11.4	0.3	3.6
2025	3	25	3	32	55	0	0	0	0	0	0	0	51.31	0	0	11.4	0.3	3.6
2025	3	25	3	42	55	0	0	0	0	0	0	0	51.3	0	0	11.4	0.3	3.6
2025	3	25	3	52	55	0	0	0	0	0	0	0	51.26	0	0	11.4	0.3	3.6
2025	3	25	4	2	55	0	0	0	0	0	0	0	51.24	0	0	11.4	0.3	3.6
2025	3	25	4	12	55	0	0	0	0	0	0	0	51.22	0	0	11.4	0.3	3.6
2025	3	25	4	22	55	0	0	0	0	0	0	0	51.21	0	0	11.4	0.3	3.6
2025	3	25	4	32	55	0	0	0	0	0	0	0	51.21	0	0	11.4	0.3	3.6
2025	3	25	4	42	55	0	0	0	0	0	0	0	51.19	0	0	11.4	0.3	3.6
2025	3	25	4	52	55	0	0	0	0	0	0	0	51.19	0	0	11.4	0.3	3.6
2025	3	25	5	2	55	0	0	0	0	0	0	0	51.19	0	0	11.4	0.3	3.6
2025	3	25	5	12	55	0	0	0	0	0	0	0	51.19	0	0	11.2	0.3	3.6
2025	3	25	5	22	55	0	0	0	0	0	0	0	51.17	0	0	11.2	0.3	3.6
2025	3	25	5	32	55	0	0	0	0	0	0	0	51.19	0	0	11.2	0.3	3.6
2025	3	25	5	42	55	0	0	0	0	0	0	0	51.19	0	0	11.2	0.3	3.6
2025	3	25	5	52	55	0	0	0	0	0	0	0	51.19	0	0	11.2	0.3	3.6
2025	3	25	6	2	55	0	0	0	0	0	0	0	51.19	0	0	11.2	0.3	3.6
2025	3	25	6	12	55	0	0	0	0	0	0	0	51.21	0	0	11.2	0.3	3.6
2025	3	25	6	22	55	0	0	0	0	0	0	0	51.21	0	0	11.2	0.3	3.6
2025	3	25	6	32	55	0	0	0	0	0	0	0	51.21	0	0	11.2	0.3	3.6
2025	3	25	6	42	55	0	0	0	0	0	0	0	51.22	0	0	11.6	0.3	3.6
2025	3	25	6	52	55	0	0	0	0	0	0	0	51.24	0	0	11.8	0.3	3.6
2025	3	25	7	2	55	0	0	0	0	0	0	0	51.26	0	0	12	0.3	3.6
2025	3	25	7	12	55	0	0	0	0	0	0	0	51.3	0	0	12.2	0.3	3.6
2025	3	25	7	22	55	0	0	0	0	0	0	0	51.35	0	0	12.4	0.3	3.6
2025	3	25	7	32	55	0	0	0	0	0	0	0	51.4	0	0	12.4	0.3	3.6
2025	3	25	7	42	55	0	0	0	0	0	0	0	51.46	0	0	12.6	0.3	3.6
2025	3	25	7	52	55	0	0	0	0	0	0	0	51.57	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	25	8	2	55	0	0	0	0	0	0	0	51.66	0	0	12.6	0.3	3.6
2025	3	25	8	12	55	0	0	0	0	0	0	0	51.75	0	0	12.8	0.3	3.6
2025	3	25	8	22	55	0	0	0	0	0	0	0	51.84	0	0	13	0.3	3.6
2025	3	25	8	32	55	0	0	0	0	0	0	0	51.94	0	0	13	0.3	3.6
2025	3	25	8	42	55	0	0	0	0	0	0	0	52.05	0	0	13.6	0.3	3.6
2025	3	25	8	52	55	0	0	0	0	0	0	0	52.14	0	0	13.6	0.3	3.6
2025	3	25	9	2	55	0	0	0	0	0	0	0	52.27	0	0	13.6	0.3	3.6
2025	3	25	9	12	55	0	0	0	0	0	0	0	52.38	0	0	13.2	0.3	3.6
2025	3	25	9	22	55	0	0	0	0	0	0	0	52.48	0	0	13.2	0.3	3.6
2025	3	25	9	32	55	0	0	0	0	0	0	0	52.61	0	0	13.2	0.3	3.6
2025	3	25	9	42	55	0	0	0	0	0	0	0	52.72	0	0	13.2	0.3	3.6
2025	3	25	9	52	55	0	0	0	0	0	0	0	52.81	0	0	13.2	0.3	3.6
2025	3	25	10	2	55	0	0	0	0	0	0	0	52.95	0	0	13.2	0.3	3.6
2025	3	25	10	12	55	0	0	0	0	0	0	0	53.04	0	0	13.2	0.3	3.6
2025	3	25	10	22	55	0	0	0	0	0	0	0	53.15	0	0	13.2	0.3	3.6
2025	3	25	10	32	55	0	0	0	0	0	0	0	53.29	0	0	13.2	0.3	3.6
2025	3	25	10	42	55	0	0	0	0	0	0	0	53.44	0	0	13.2	0.3	3.6
2025	3	25	10	52	55	0	0	0	0	0	0	0	53.55	0	0	13.2	0.3	3.6
2025	3	25	11	2	55	0	0	0	0	0	0	0	53.67	0	0	13	0.3	3.6
2025	3	25	11	12	55	0	0	0	0	0	0	0	53.76	0	0	13	0.3	3.6
2025	3	25	11	22	55	0	0	0	0	0	0	0	53.89	0	0	13	0.3	3.6
2025	3	25	11	32	55	0	0	0	0	0	0	0	54.01	0	0	13	0.3	3.6
2025	3	25	11	42	55	0	0	0	0	0	0	0	54.14	0	0	13	0.3	3.6
2025	3	25	11	52	55	0	0	0	0	0	0	0	54.27	0	0	13	0.3	3.6
2025	3	25	12	2	55	0	0	0	0	0	0	0	54.36	0	0	13	0.3	3.6
2025	3	25	12	12	55	0	0	0	0	0	0	0	54.48	0	0	13	0.3	3.6
2025	3	25	12	22	55	0	0	0	0	0	0	0	54.59	0	0	13	0.3	3.6
2025	3	25	12	32	55	0	0	0	0	0	0	0	54.7	0	0	13	0.3	3.6
2025	3	25	12	42	55	0	0	0	0	0	0	0	54.81	0	0	13	0.3	3.6
2025	3	25	12	52	55	0	0	0	0	0	0	0	54.9	0	0	13	0.3	3.6
2025	3	25	13	2	55	0	0	0	0	0	0	0	55	0	0	13	0.3	3.6
2025	3	25	13	12	55	0	0	0	0	0	0	0	55.09	0	0	13	0.3	3.6
2025	3	25	13	22	55	0	0	0	0	0	0	0	55.17	0	0	13	0.3	3.6
2025	3	25	13	32	55	0	0	0	0	0	0	0	55.27	0	0	13	0.3	3.6
2025	3	25	13	42	55	0	0	0	0	0	0	0	55.35	0	0	13	0.3	3.6
2025	3	25	13	52	55	0	0	0	0	0	0	0	55.44	0	0	13	0.3	3.6
2025	3	25	14	2	55	0	0	0	0	0	0	0	55.53	0	0	13	0.3	3.6
2025	3	25	14	12	55	0	0	0	0	0	0	0	55.6	0	0	13	0.3	3.6
2025	3	25	14	22	55	0	0	0	0	0	0	0	55.67	0	0	13	0.3	3.6
2025	3	25	14	32	55	0	0	0	0	0	0	0	55.74	0	0	13	0.3	3.6
2025	3	25	14	42	55	0	0	0	0	0	0	0	55.83	0	0	13	0.3	3.6
2025	3	25	14	52	55	0	0	0	0	0	0	0	55.89	0	0	13	0.3	3.6
2025	3	25	15	2	55	0	0	0	0	0	0	0	55.96	0	0	13	0.3	3.6
2025	3	25	15	12	55	0	0	0	0	0	0	0	56.01	0	0	13	0.3	3.6
2025	3	25	15	22	55	0	0	0	0	0	0	0	56.07	0	0	13	0.3	3.6
2025	3	25	15	32	55	0	0	0	0	0	0	0	56.1	0	0	13	0.3	3.6
2025	3	25	15	42	55	0	0	0	0	0	0	0	56.16	0	0	13	0.3	3.6
2025	3	25	15	52	55	0	0	0	0	0	0	0	56.17	0	0	13	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	25	16	2	55	0	0	0	0	0	0	0	56.23	0	0	12.6	0.3	3.6
2025	3	25	16	12	55	0	0	0	0	0	0	0	56.25	0	0	12.4	0.3	3.6
2025	3	25	16	22	55	0	0	0	0	0	0	0	56.25	0	0	12.2	0.3	3.6
2025	3	25	16	32	55	0	0	0	0	0	0	0	56.25	0	0	12	0.3	3.6
2025	3	25	16	42	55	0	0	0	0	0	0	0	56.28	0	0	12	0.3	3.6
2025	3	25	16	52	55	0	0	0	0	0	0	0	56.3	0	0	11.8	0.3	3.6
2025	3	25	17	2	55	0	0	0	0	0	0	0	56.32	0	0	11.8	0.3	3.6
2025	3	25	17	12	55	0	0	0	0	0	0	0	56.34	0	0	11.8	0.3	3.6
2025	3	25	17	22	55	0	0	0	0	0	0	0	56.35	0	0	11.8	0.3	3.6
2025	3	25	17	32	55	0	0	0	0	0	0	0	56.37	0	0	11.6	0.3	3.6
2025	3	25	17	42	55	0	0	0	0	0	0	0	56.39	0	0	11.6	0.3	3.6
2025	3	25	17	52	55	0	0	0	0	0	0	0	56.39	0	0	11.6	0.3	3.6
2025	3	25	18	2	55	0	0	0	0	0	0	0	56.41	0	0	11.6	0.3	3.6
2025	3	25	18	12	55	0	0	0	0	0	0	0	56.39	0	0	11.6	0.3	3.6
2025	3	25	18	22	55	0	0	0	0	0	0	0	56.39	0	0	11.6	0.3	3.6
2025	3	25	18	32	55	0	0	0	0	0	0	0	56.37	0	0	11.6	0.3	3.6
2025	3	25	18	42	55	0	0	0	0	0	0	0	56.35	0	0	11.6	0.3	3.6
2025	3	25	18	52	55	0	0	0	0	0	0	0	56.32	0	0	11.6	0.3	3.6
2025	3	25	19	2	55	0	0	0	0	0	0	0	56.3	0	0	11.6	0.3	3.6
2025	3	25	19	12	55	0	0	0	0	0	0	0	56.26	0	0	11.6	0.3	3.6
2025	3	25	19	22	55	0	0	0	0	0	0	0	56.21	0	0	11.6	0.3	3.6
2025	3	25	19	32	55	0	0	0	0	0	0	0	56.17	0	0	11.6	0.3	3.6
2025	3	25	19	42	55	0	0	0	0	0	0	0	56.1	0	0	11.6	0.3	3.6
2025	3	25	19	52	55	0	0	0	0	0	0	0	56.07	0	0	11.6	0.3	3.6
2025	3	25	20	2	55	0	0	0	0	0	0	0	55.99	0	0	11.6	0.3	3.6
2025	3	25	20	12	55	0	0	0	0	0	0	0	55.92	0	0	11.6	0.3	3.6
2025	3	25	20	22	55	0	0	0	0	0	0	0	55.85	0	0	11.6	0.3	3.6
2025	3	25	20	32	55	0	0	0	0	0	0	0	55.76	0	0	11.6	0.3	3.6
2025	3	25	20	42	55	0	0	0	0	0	0	0	55.69	0	0	11.6	0.3	3.6
2025	3	25	20	52	55	0	0	0	0	0	0	0	55.6	0	0	11.6	0.3	3.6
2025	3	25	21	2	55	0	0	0	0	0	0	0	55.53	0	0	11.6	0.3	3.6
2025	3	25	21	12	55	0	0	0	0	0	0	0	55.44	0	0	11.6	0.3	3.6
2025	3	25	21	22	55	0	0	0	0	0	0	0	55.35	0	0	11.6	0.3	3.6
2025	3	25	21	32	55	0	0	0	0	0	0	0	55.24	0	0	11.6	0.3	3.6
2025	3	25	21	42	55	0	0	0	0	0	0	0	55.15	0	0	11.6	0.3	3.6
2025	3	25	21	52	55	0	0	0	0	0	0	0	55.04	0	0	11.6	0.3	3.6
2025	3	25	22	2	55	0	0	0	0	0	0	0	54.95	0	0	11.6	0.3	3.6
2025	3	25	22	12	55	0	0	0	0	0	0	0	54.84	0	0	11.6	0.3	3.6
2025	3	25	22	22	55	0	0	0	0	0	0	0	54.73	0	0	11.6	0.3	3.6
2025	3	25	22	32	55	0	0	0	0	0	0	0	54.64	0	0	11.6	0.3	3.6
2025	3	25	22	42	55	0	0	0	0	0	0	0	54.52	0	0	11.6	0.3	3.6
2025	3	25	22	52	55	0	0	0	0	0	0	0	54.41	0	0	11.6	0.3	3.6
2025	3	25	23	2	55	0	0	0	0	0	0	0	54.3	0	0	11.4	0.3	3.6
2025	3	25	23	12	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	25	23	22	55	0	0	0	0	0	0	0	54.09	0	0	11.4	0.3	3.6
2025	3	25	23	32	55	0	0	0	0	0	0	0	53.98	0	0	11.4	0.3	3.6
2025	3	25	23	42	55	0	0	0	0	0	0	0	53.89	0	0	11.4	0.3	3.6
2025	3	25	23	52	55	0	0	0	0	0	0	0	53.78	0	0	11.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	26	0	2	55	0	0	0	0	0	0	0	53.67	0	0	11.4	0.3	3.6
2025	3	26	0	12	55	0	0	0	0	0	0	0	53.58	0	0	11.4	0.3	3.6
2025	3	26	0	22	55	0	0	0	0	0	0	0	53.49	0	0	11.4	0.3	3.6
2025	3	26	0	32	55	0	0	0	0	0	0	0	53.4	0	0	11.4	0.3	3.6
2025	3	26	0	42	55	0	0	0	0	0	0	0	53.29	0	0	11.4	0.3	3.6
2025	3	26	0	52	55	0	0	0	0	0	0	0	53.22	0	0	11.4	0.3	3.6
2025	3	26	1	2	55	0	0	0	0	0	0	0	53.13	0	0	11.4	0.3	3.6
2025	3	26	1	12	55	0	0	0	0	0	0	0	53.06	0	0	11.4	0.3	3.6
2025	3	26	1	22	55	0	0	0	0	0	0	0	52.99	0	0	11.4	0.3	3.6
2025	3	26	1	32	55	0	0	0	0	0	0	0	52.92	0	0	11.4	0.3	3.6
2025	3	26	1	42	55	0	0	0	0	0	0	0	52.84	0	0	11.4	0.3	3.6
2025	3	26	1	52	55	0	0	0	0	0	0	0	52.79	0	0	11.4	0.3	3.6
2025	3	26	2	2	55	0	0	0	0	0	0	0	52.74	0	0	11.4	0.3	3.6
2025	3	26	2	12	55	0	0	0	0	0	0	0	52.66	0	0	11.4	0.3	3.6
2025	3	26	2	22	55	0	0	0	0	0	0	0	52.61	0	0	11.4	0.3	3.6
2025	3	26	2	32	55	0	0	0	0	0	0	0	52.56	0	0	11.4	0.3	3.6
2025	3	26	2	42	55	0	0	0	0	0	0	0	52.5	0	0	11.4	0.3	3.6
2025	3	26	2	52	55	0	0	0	0	0	0	0	52.45	0	0	11.4	0.3	3.6
2025	3	26	3	2	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	26	3	12	55	0	0	0	0	0	0	0	52.38	0	0	11.4	0.3	3.6
2025	3	26	3	22	55	0	0	0	0	0	0	0	52.34	0	0	11.4	0.3	3.6
2025	3	26	3	32	55	0	0	0	0	0	0	0	52.3	0	0	11.4	0.3	3.6
2025	3	26	3	42	55	0	0	0	0	0	0	0	52.29	0	0	11.4	0.3	3.6
2025	3	26	3	52	55	0	0	0	0	0	0	0	52.25	0	0	11.4	0.3	3.6
2025	3	26	4	2	55	0	0	0	0	0	0	0	52.23	0	0	11.4	0.3	3.6
2025	3	26	4	12	55	0	0	0	0	0	0	0	52.21	0	0	11.4	0.3	3.6
2025	3	26	4	22	55	0	0	0	0	0	0	0	52.2	0	0	11.4	0.3	3.6
2025	3	26	4	32	55	0	0	0	0	0	0	0	52.18	0	0	11.4	0.3	3.6
2025	3	26	4	42	55	0	0	0	0	0	0	0	52.16	0	0	11.4	0.3	3.6
2025	3	26	4	52	55	0	0	0	0	0	0	0	52.14	0	0	11.4	0.3	3.6
2025	3	26	5	2	55	0	0	0	0	0	0	0	52.14	0	0	11.4	0.3	3.6
2025	3	26	5	12	55	0	0	0	0	0	0	0	52.14	0	0	11.4	0.3	3.6
2025	3	26	5	22	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	5	32	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	5	42	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	5	52	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	6	2	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	6	12	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	6	22	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	6	32	55	0	0	0	0	0	0	0	52.12	0	0	11.4	0.3	3.6
2025	3	26	6	42	55	0	0	0	0	0	0	0	52.12	0	0	11.6	0.3	3.6
2025	3	26	6	52	55	0	0	0	0	0	0	0	52.14	0	0	11.8	0.3	3.6
2025	3	26	7	2	55	0	0	0	0	0	0	0	52.18	0	0	12	0.3	3.6
2025	3	26	7	12	55	0	0	0	0	0	0	0	52.21	0	0	12.2	0.3	3.6
2025	3	26	7	22	55	0	0	0	0	0	0	0	52.25	0	0	12.4	0.3	3.6
2025	3	26	7	32	55	0	0	0	0	0	0	0	52.32	0	0	12.4	0.3	3.6
2025	3	26	7	42	55	0	0	0	0	0	0	0	52.39	0	0	12.6	0.3	3.6
2025	3	26	7	52	55	0	0	0	0	0	0	0	52.5	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	26	8	2	55	0	0	0	0	0	0	0	52.61	0	0	12.6	0.3	3.6
2025	3	26	8	12	55	0	0	0	0	0	0	0	52.7	0	0	12.8	0.3	3.6
2025	3	26	8	22	55	0	0	0	0	0	0	0	52.79	0	0	13	0.3	3.6
2025	3	26	8	32	55	0	0	0	0	0	0	0	52.88	0	0	13.6	0.3	3.6
2025	3	26	8	42	55	0	0	0	0	0	0	0	52.99	0	0	13.8	0.3	3.6
2025	3	26	8	52	55	0	0	0	0	0	0	0	53.08	0	0	13.8	0.3	3.6
2025	3	26	9	2	55	0	0	0	0	0	0	0	53.19	0	0	13.8	0.3	3.6
2025	3	26	9	12	55	0	0	0	0	0	0	0	53.29	0	0	13.8	0.3	3.6
2025	3	26	9	22	55	0	0	0	0	0	0	0	53.4	0	0	13.6	0.3	3.6
2025	3	26	9	32	55	0	0	0	0	0	0	0	53.53	0	0	13.2	0.3	3.6
2025	3	26	9	42	55	0	0	0	0	0	0	0	53.65	0	0	13.2	0.3	3.6
2025	3	26	9	52	55	0	0	0	0	0	0	0	53.78	0	0	13.2	0.3	3.6
2025	3	26	10	2	55	0	0	0	0	0	0	0	53.89	0	0	13.2	0.3	3.6
2025	3	26	10	12	55	0	0	0	0	0	0	0	54.03	0	0	13.4	0.3	3.6
2025	3	26	10	22	55	0	0	0	0	0	0	0	54.14	0	0	13.4	0.3	3.6
2025	3	26	10	32	55	0	0	0	0	0	0	0	54.25	0	0	13.4	0.3	3.6
2025	3	26	10	42	55	0	0	0	0	0	0	0	54.34	0	0	13.4	0.3	3.6
2025	3	26	10	52	55	0	0	0	0	0	0	0	54.46	0	0	13.2	0.3	3.6
2025	3	26	11	2	55	0	0	0	0	0	0	0	54.59	0	0	13.2	0.3	3.6
2025	3	26	11	12	55	0	0	0	0	0	0	0	54.7	0	0	13.2	0.3	3.6
2025	3	26	11	22	55	0	0	0	0	0	0	0	54.82	0	0	13.2	0.3	3.6
2025	3	26	11	32	55	0	0	0	0	0	0	0	54.93	0	0	13.2	0.3	3.6
2025	3	26	11	42	55	0	0	0	0	0	0	0	55.04	0	0	13.2	0.3	3.6
2025	3	26	11	52	55	0	0	0	0	0	0	0	55.17	0	0	13.2	0.3	3.6
2025	3	26	12	2	55	0	0	0	0	0	0	0	55.24	0	0	13.2	0.3	3.6
2025	3	26	12	12	55	0	0	0	0	0	0	0	55.33	0	0	13.2	0.3	3.6
2025	3	26	12	22	55	0	0	0	0	0	0	0	55.45	0	0	13.2	0.3	3.6
2025	3	26	12	32	55	0	0	0	0	0	0	0	55.56	0	0	13.2	0.3	3.6
2025	3	26	12	42	55	0	0	0	0	0	0	0	55.67	0	0	13.2	0.3	3.6
2025	3	26	12	52	55	0	0	0	0	0	0	0	55.74	0	0	13.2	0.3	3.6
2025	3	26	13	2	55	0	0	0	0	0	0	0	55.87	0	0	13.2	0.3	3.6
2025	3	26	13	12	55	0	0	0	0	0	0	0	55.96	0	0	13.2	0.3	3.6
2025	3	26	13	22	55	0	0	0	0	0	0	0	56.05	0	0	13.2	0.3	3.6
2025	3	26	13	32	55	0	0	0	0	0	0	0	56.14	0	0	13.2	0.3	3.6
2025	3	26	13	42	55	0	0	0	0	0	0	0	56.23	0	0	13.2	0.3	3.6
2025	3	26	13	52	55	0	0	0	0	0	0	0	56.3	0	0	13.2	0.3	3.6
2025	3	26	14	2	55	0	0	0	0	0	0	0	56.37	0	0	13.2	0.3	3.6
2025	3	26	14	12	55	0	0	0	0	0	0	0	56.44	0	0	13.2	0.3	3.6
2025	3	26	14	22	55	0	0	0	0	0	0	0	56.52	0	0	13.2	0.3	3.6
2025	3	26	14	32	55	0	0	0	0	0	0	0	56.59	0	0	13.2	0.3	3.6
2025	3	26	14	42	55	0	0	0	0	0	0	0	56.64	0	0	13.2	0.3	3.6
2025	3	26	14	52	55	0	0	0	0	0	0	0	56.7	0	0	13.2	0.3	3.6
2025	3	26	15	2	55	0	0	0	0	0	0	0	56.7	0	0	13.2	0.3	3.6
2025	3	26	15	12	55	0	0	0	0	0	0	0	56.77	0	0	13.2	0.3	3.6
2025	3	26	15	22	55	0	0	0	0	0	0	0	56.8	0	0	13.2	0.3	3.6
2025	3	26	15	32	55	0	0	0	0	0	0	0	56.89	0	0	13.2	0.3	3.6
2025	3	26	15	42	55	0	0	0	0	0	0	0	56.93	0	0	13.2	0.3	3.6
2025	3	26	15	52	55	0	0	0	0	0	0	0	56.97	0	0	13.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	26	16	2	55	0	0	0	0	0	0	0	57.02	0	0	12.8	0.3	3.6
2025	3	26	16	12	55	0	0	0	0	0	0	0	57.06	0	0	12.4	0.3	3.6
2025	3	26	16	22	55	0	0	0	0	0	0	0	57.06	0	0	12.4	0.3	3.6
2025	3	26	16	32	55	0	0	0	0	0	0	0	57.06	0	0	12.2	0.3	3.6
2025	3	26	16	42	55	0	0	0	0	0	0	0	57.07	0	0	12	0.3	3.6
2025	3	26	16	52	55	0	0	0	0	0	0	0	57.09	0	0	12	0.3	3.6
2025	3	26	17	2	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	26	17	12	55	0	0	0	0	0	0	0	57.13	0	0	11.8	0.3	3.6
2025	3	26	17	22	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	26	17	32	55	0	0	0	0	0	0	0	57.13	0	0	11.8	0.3	3.6
2025	3	26	17	42	55	0	0	0	0	0	0	0	57.15	0	0	11.8	0.3	3.6
2025	3	26	17	52	55	0	0	0	0	0	0	0	57.15	0	0	11.8	0.3	3.6
2025	3	26	18	2	55	0	0	0	0	0	0	0	57.15	0	0	11.8	0.3	3.6
2025	3	26	18	12	55	0	0	0	0	0	0	0	57.13	0	0	11.8	0.3	3.6
2025	3	26	18	22	55	0	0	0	0	0	0	0	57.13	0	0	11.8	0.3	3.6
2025	3	26	18	32	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	26	18	42	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	26	18	52	55	0	0	0	0	0	0	0	57.09	0	0	11.8	0.3	3.6
2025	3	26	19	2	55	0	0	0	0	0	0	0	57.06	0	0	11.8	0.3	3.6
2025	3	26	19	12	55	0	0	0	0	0	0	0	57.02	0	0	11.8	0.3	3.6
2025	3	26	19	22	55	0	0	0	0	0	0	0	56.98	0	0	11.8	0.3	3.6
2025	3	26	19	32	55	0	0	0	0	0	0	0	56.93	0	0	11.6	0.3	3.6
2025	3	26	19	42	55	0	0	0	0	0	0	0	56.88	0	0	11.6	0.3	3.6
2025	3	26	19	52	55	0	0	0	0	0	0	0	56.82	0	0	11.6	0.3	3.6
2025	3	26	20	2	55	0	0	0	0	0	0	0	56.75	0	0	11.6	0.3	3.6
2025	3	26	20	12	55	0	0	0	0	0	0	0	56.7	0	0	11.6	0.3	3.6
2025	3	26	20	22	55	0	0	0	0	0	0	0	56.62	0	0	11.6	0.3	3.6
2025	3	26	20	32	55	0	0	0	0	0	0	0	56.55	0	0	11.6	0.3	3.6
2025	3	26	20	42	55	0	0	0	0	0	0	0	56.48	0	0	11.6	0.3	3.6
2025	3	26	20	52	55	0	0	0	0	0	0	0	56.43	0	0	11.6	0.3	3.6
2025	3	26	21	2	55	0	0	0	0	0	0	0	56.34	0	0	11.6	0.3	3.6
2025	3	26	21	12	55	0	0	0	0	0	0	0	56.26	0	0	11.6	0.3	3.6
2025	3	26	21	22	55	0	0	0	0	0	0	0	56.19	0	0	11.6	0.3	3.6
2025	3	26	21	32	55	0	0	0	0	0	0	0	56.1	0	0	11.6	0.3	3.6
2025	3	26	21	42	55	0	0	0	0	0	0	0	56.03	0	0	11.6	0.3	3.6
2025	3	26	21	52	55	0	0	0	0	0	0	0	55.94	0	0	11.6	0.3	3.6
2025	3	26	22	2	55	0	0	0	0	0	0	0	55.87	0	0	11.6	0.3	3.6
2025	3	26	22	12	55	0	0	0	0	0	0	0	55.8	0	0	11.6	0.3	3.6
2025	3	26	22	22	55	0	0	0	0	0	0	0	55.71	0	0	11.6	0.3	3.6
2025	3	26	22	32	55	0	0	0	0	0	0	0	55.62	0	0	11.6	0.3	3.6
2025	3	26	22	42	55	0	0	0	0	0	0	0	55.54	0	0	11.6	0.3	3.6
2025	3	26	22	52	55	0	0	0	0	0	0	0	55.47	0	0	11.6	0.3	3.6
2025	3	26	23	2	55	0	0	0	0	0	0	0	55.38	0	0	11.6	0.3	3.6
2025	3	26	23	12	55	0	0	0	0	0	0	0	55.29	0	0	11.6	0.3	3.6
2025	3	26	23	22	55	0	0	0	0	0	0	0	55.2	0	0	11.6	0.3	3.6
2025	3	26	23	32	55	0	0	0	0	0	0	0	55.13	0	0	11.6	0.3	3.6
2025	3	26	23	42	55	0	0	0	0	0	0	0	55.04	0	0	11.6	0.3	3.6
2025	3	26	23	52	55	0	0	0	0	0	0	0	54.95	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	27	0	2	55	0	0	0	0	0	0	0	54.88	0	0	11.6	0.3	3.6
2025	3	27	0	12	55	0	0	0	0	0	0	0	54.79	0	0	11.6	0.3	3.6
2025	3	27	0	22	55	0	0	0	0	0	0	0	54.72	0	0	11.6	0.3	3.6
2025	3	27	0	32	55	0	0	0	0	0	0	0	54.63	0	0	11.6	0.3	3.6
2025	3	27	0	42	55	0	0	0	0	0	0	0	54.55	0	0	11.6	0.3	3.6
2025	3	27	0	52	55	0	0	0	0	0	0	0	54.5	0	0	11.6	0.3	3.6
2025	3	27	1	2	55	0	0	0	0	0	0	0	54.43	0	0	11.6	0.3	3.6
2025	3	27	1	12	55	0	0	0	0	0	0	0	54.36	0	0	11.6	0.3	3.6
2025	3	27	1	22	55	0	0	0	0	0	0	0	54.3	0	0	11.6	0.3	3.6
2025	3	27	1	32	55	0	0	0	0	0	0	0	54.25	0	0	11.6	0.3	3.6
2025	3	27	1	42	55	0	0	0	0	0	0	0	54.19	0	0	11.6	0.3	3.6
2025	3	27	1	52	55	0	0	0	0	0	0	0	54.14	0	0	11.6	0.3	3.6
2025	3	27	2	2	55	0	0	0	0	0	0	0	54.1	0	0	11.6	0.3	3.6
2025	3	27	2	12	55	0	0	0	0	0	0	0	54.05	0	0	11.6	0.3	3.6
2025	3	27	2	22	55	0	0	0	0	0	0	0	54.01	0	0	11.6	0.3	3.6
2025	3	27	2	32	55	0	0	0	0	0	0	0	53.98	0	0	11.6	0.3	3.6
2025	3	27	2	42	55	0	0	0	0	0	0	0	53.94	0	0	11.6	0.3	3.6
2025	3	27	2	52	55	0	0	0	0	0	0	0	53.91	0	0	11.6	0.3	3.6
2025	3	27	3	2	55	0	0	0	0	0	0	0	53.89	0	0	11.6	0.3	3.6
2025	3	27	3	12	55	0	0	0	0	0	0	0	53.85	0	0	11.6	0.3	3.6
2025	3	27	3	22	55	0	0	0	0	0	0	0	53.83	0	0	11.6	0.3	3.6
2025	3	27	3	32	55	0	0	0	0	0	0	0	53.82	0	0	11.6	0.3	3.6
2025	3	27	3	42	55	0	0	0	0	0	0	0	53.78	0	0	11.6	0.3	3.6
2025	3	27	3	52	55	0	0	0	0	0	0	0	53.78	0	0	11.6	0.3	3.6
2025	3	27	4	2	55	0	0	0	0	0	0	0	53.76	0	0	11.6	0.3	3.6
2025	3	27	4	12	55	0	0	0	0	0	0	0	53.76	0	0	11.6	0.3	3.6
2025	3	27	4	22	55	0	0	0	0	0	0	0	53.74	0	0	11.6	0.3	3.6
2025	3	27	4	32	55	0	0	0	0	0	0	0	53.74	0	0	11.6	0.3	3.6
2025	3	27	4	42	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	4	52	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	5	2	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	27	5	12	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	27	5	22	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	27	5	32	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	27	5	42	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	27	5	52	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	6	2	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	6	12	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	6	22	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	6	32	55	0	0	0	0	0	0	0	53.74	0	0	11.4	0.3	3.6
2025	3	27	6	42	55	0	0	0	0	0	0	0	53.74	0	0	11.6	0.3	3.6
2025	3	27	6	52	55	0	0	0	0	0	0	0	53.76	0	0	11.8	0.3	3.6
2025	3	27	7	2	55	0	0	0	0	0	0	0	53.78	0	0	12	0.3	3.6
2025	3	27	7	12	55	0	0	0	0	0	0	0	53.82	0	0	12.2	0.3	3.6
2025	3	27	7	22	55	0	0	0	0	0	0	0	53.85	0	0	12.4	0.3	3.6
2025	3	27	7	32	55	0	0	0	0	0	0	0	53.91	0	0	12.4	0.3	3.6
2025	3	27	7	42	55	0	0	0	0	0	0	0	53.98	0	0	12.6	0.3	3.6
2025	3	27	7	52	55	0	0	0	0	0	0	0	54.07	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	27	8	2	55	0	0	0	0	0	0	0	54.18	0	0	13	0.3	3.6
2025	3	27	8	12	55	0	0	0	0	0	0	0	54.25	0	0	13.2	0.3	3.6
2025	3	27	8	22	55	0	0	0	0	0	0	0	54.32	0	0	13.2	0.3	3.6
2025	3	27	8	32	55	0	0	0	0	0	0	0	54.43	0	0	13.2	0.3	3.6
2025	3	27	8	42	55	0	0	0	0	0	0	0	54.52	0	0	13.4	0.3	3.6
2025	3	27	8	52	55	0	0	0	0	0	0	0	54.63	0	0	13.4	0.3	3.6
2025	3	27	9	2	55	0	0	0	0	0	0	0	54.72	0	0	13.4	0.3	3.6
2025	3	27	9	12	55	0	0	0	0	0	0	0	54.82	0	0	13.4	0.3	3.6
2025	3	27	9	22	55	0	0	0	0	0	0	0	54.93	0	0	13.4	0.3	3.6
2025	3	27	9	32	55	0	0	0	0	0	0	0	55.02	0	0	13.4	0.3	3.6
2025	3	27	9	42	55	0	0	0	0	0	0	0	55.09	0	0	13.4	0.3	3.6
2025	3	27	9	52	55	0	0	0	0	0	0	0	55.11	0	0	13.4	0.3	3.6
2025	3	27	10	2	55	0	0	0	0	0	0	0	55.22	0	0	13.4	0.3	3.6
2025	3	27	10	12	55	0	0	0	0	0	0	0	55.35	0	0	13.4	0.3	3.6
2025	3	27	10	22	55	0	0	0	0	0	0	0	55.35	0	0	13.4	0.3	3.6
2025	3	27	10	32	55	0	0	0	0	0	0	0	55.29	0	0	13.4	0.3	3.6
2025	3	27	10	42	55	0	0	0	0	0	0	0	55.53	0	0	13.4	0.3	3.6
2025	3	27	10	52	55	0	0	0	0	0	0	0	55.63	0	0	13.4	0.3	3.6
2025	3	27	11	2	55	0	0	0	0	0	0	0	55.8	0	0	13.4	0.3	3.6
2025	3	27	11	12	55	0	0	0	0	0	0	0	55.81	0	0	13.4	0.3	3.6
2025	3	27	11	22	55	0	0	0	0	0	0	0	55.89	0	0	13.4	0.3	3.6
2025	3	27	11	32	55	0	0	0	0	0	0	0	56.07	0	0	13.4	0.3	3.6
2025	3	27	11	42	55	0	0	0	0	0	0	0	56.19	0	0	13.4	0.3	3.6
2025	3	27	11	52	55	0	0	0	0	0	0	0	56.28	0	0	13.4	0.3	3.6
2025	3	27	12	2	55	0	0	0	0	0	0	0	56.41	0	0	13.4	0.3	3.6
2025	3	27	12	12	55	0	0	0	0	0	0	0	56.5	0	0	13.4	0.3	3.6
2025	3	27	12	22	55	0	0	0	0	0	0	0	56.61	0	0	13.4	0.3	3.6
2025	3	27	12	32	55	0	0	0	0	0	0	0	56.71	0	0	13.4	0.3	3.6
2025	3	27	12	42	55	0	0	0	0	0	0	0	56.8	0	0	13.4	0.3	3.6
2025	3	27	12	52	55	0	0	0	0	0	0	0	56.89	0	0	13.4	0.3	3.6
2025	3	27	13	2	55	0	0	0	0	0	0	0	56.98	0	0	13.2	0.3	3.6
2025	3	27	13	12	55	0	0	0	0	0	0	0	57.07	0	0	13.2	0.3	3.6
2025	3	27	13	22	55	0	0	0	0	0	0	0	57.16	0	0	13.2	0.3	3.6
2025	3	27	13	32	55	0	0	0	0	0	0	0	57.25	0	0	13.2	0.3	3.6
2025	3	27	13	42	55	0	0	0	0	0	0	0	57.33	0	0	13.2	0.3	3.6
2025	3	27	13	52	55	0	0	0	0	0	0	0	57.4	0	0	13.2	0.3	3.6
2025	3	27	14	2	55	0	0	0	0	0	0	0	57.45	0	0	13.2	0.3	3.6
2025	3	27	14	12	55	0	0	0	0	0	0	0	57.51	0	0	13.2	0.3	3.6
2025	3	27	14	22	55	0	0	0	0	0	0	0	57.58	0	0	13.2	0.3	3.6
2025	3	27	14	32	55	0	0	0	0	0	0	0	57.65	0	0	13.2	0.3	3.6
2025	3	27	14	42	55	0	0	0	0	0	0	0	57.74	0	0	13.2	0.3	3.6
2025	3	27	14	52	55	0	0	0	0	0	0	0	57.83	0	0	13.2	0.3	3.6
2025	3	27	15	2	55	0	0	0	0	0	0	0	57.88	0	0	13.2	0.3	3.6
2025	3	27	15	12	55	0	0	0	0	0	0	0	57.92	0	0	13.2	0.3	3.6
2025	3	27	15	22	55	0	0	0	0	0	0	0	57.96	0	0	13.2	0.3	3.6
2025	3	27	15	32	55	0	0	0	0	0	0	0	58.01	0	0	13.2	0.3	3.6
2025	3	27	15	42	55	0	0	0	0	0	0	0	58.03	0	0	13.2	0.3	3.6
2025	3	27	15	52	55	0	0	0	0	0	0	0	58.06	0	0	13.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	27	16	2	55	0	0	0	0	0	0	0	58.06	0	0	13.2	0.3	3.6
2025	3	27	16	12	55	0	0	0	0	0	0	0	58.06	0	0	13.4	0.3	3.6
2025	3	27	16	22	55	0	0	0	0	0	0	0	58.05	0	0	12.8	0.3	3.6
2025	3	27	16	32	55	0	0	0	0	0	0	0	58.03	0	0	12.4	0.3	3.6
2025	3	27	16	42	55	0	0	0	0	0	0	0	58.03	0	0	12.4	0.3	3.6
2025	3	27	16	52	55	0	0	0	0	0	0	0	58.01	0	0	12.2	0.3	3.6
2025	3	27	17	2	55	0	0	0	0	0	0	0	57.99	0	0	12	0.3	3.6
2025	3	27	17	12	55	0	0	0	0	0	0	0	57.99	0	0	11.8	0.3	3.6
2025	3	27	17	22	55	0	0	0	0	0	0	0	57.97	0	0	11.8	0.3	3.6
2025	3	27	17	32	55	0	0	0	0	0	0	0	57.96	0	0	11.8	0.3	3.6
2025	3	27	17	42	55	0	0	0	0	0	0	0	57.94	0	0	11.8	0.3	3.6
2025	3	27	17	52	55	0	0	0	0	0	0	0	57.9	0	0	11.8	0.3	3.6
2025	3	27	18	2	55	0	0	0	0	0	0	0	57.88	0	0	11.8	0.3	3.6
2025	3	27	18	12	55	0	0	0	0	0	0	0	57.85	0	0	11.8	0.3	3.6
2025	3	27	18	22	55	0	0	0	0	0	0	0	57.81	0	0	11.8	0.3	3.6
2025	3	27	18	32	55	0	0	0	0	0	0	0	57.78	0	0	11.8	0.3	3.6
2025	3	27	18	42	55	0	0	0	0	0	0	0	57.74	0	0	11.8	0.3	3.6
2025	3	27	18	52	55	0	0	0	0	0	0	0	57.7	0	0	11.8	0.3	3.6
2025	3	27	19	2	55	0	0	0	0	0	0	0	57.67	0	0	11.8	0.3	3.6
2025	3	27	19	12	55	0	0	0	0	0	0	0	57.65	0	0	11.8	0.3	3.6
2025	3	27	19	22	55	0	0	0	0	0	0	0	57.61	0	0	11.8	0.3	3.6
2025	3	27	19	32	55	0	0	0	0	0	0	0	57.58	0	0	11.8	0.3	3.6
2025	3	27	19	42	55	0	0	0	0	0	0	0	57.54	0	0	11.8	0.3	3.6
2025	3	27	19	52	55	0	0	0	0	0	0	0	57.51	0	0	11.6	0.3	3.6
2025	3	27	20	2	55	0	0	0	0	0	0	0	57.45	0	0	11.6	0.3	3.6
2025	3	27	20	12	55	0	0	0	0	0	0	0	57.4	0	0	11.6	0.3	3.6
2025	3	27	20	22	55	0	0	0	0	0	0	0	57.33	0	0	11.6	0.3	3.6
2025	3	27	20	32	55	0	0	0	0	0	0	0	57.25	0	0	11.6	0.3	3.6
2025	3	27	20	42	55	0	0	0	0	0	0	0	57.18	0	0	11.6	0.3	3.6
2025	3	27	20	52	55	0	0	0	0	0	0	0	57.11	0	0	11.6	0.3	3.6
2025	3	27	21	2	55	0	0	0	0	0	0	0	56.98	0	0	11.6	0.3	3.6
2025	3	27	21	12	55	0	0	0	0	0	0	0	56.89	0	0	11.6	0.3	3.6
2025	3	27	21	22	55	0	0	0	0	0	0	0	56.82	0	0	11.6	0.3	3.6
2025	3	27	21	32	55	0	0	0	0	0	0	0	56.73	0	0	11.6	0.3	3.6
2025	3	27	21	42	55	0	0	0	0	0	0	0	56.64	0	0	11.6	0.3	3.6
2025	3	27	21	52	55	0	0	0	0	0	0	0	56.55	0	0	11.6	0.3	3.6
2025	3	27	22	2	55	0	0	0	0	0	0	0	56.46	0	0	11.6	0.3	3.6
2025	3	27	22	12	55	0	0	0	0	0	0	0	56.37	0	0	11.6	0.3	3.6
2025	3	27	22	22	55	0	0	0	0	0	0	0	56.3	0	0	11.6	0.3	3.6
2025	3	27	22	32	55	0	0	0	0	0	0	0	56.19	0	0	11.6	0.3	3.6
2025	3	27	22	42	55	0	0	0	0	0	0	0	56.1	0	0	11.6	0.3	3.6
2025	3	27	22	52	55	0	0	0	0	0	0	0	55.99	0	0	11.6	0.3	3.6
2025	3	27	23	2	55	0	0	0	0	0	0	0	55.89	0	0	11.6	0.3	3.6
2025	3	27	23	12	55	0	0	0	0	0	0	0	55.81	0	0	11.6	0.3	3.6
2025	3	27	23	22	55	0	0	0	0	0	0	0	55.72	0	0	11.6	0.3	3.6
2025	3	27	23	32	55	0	0	0	0	0	0	0	55.63	0	0	11.6	0.3	3.6
2025	3	27	23	42	55	0	0	0	0	0	0	0	55.56	0	0	11.6	0.3	3.6
2025	3	27	23	52	55	0	0	0	0	0	0	0	55.49	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	28	0	2	55	0	0	0	0	0	0	0	55.4	0	0	11.6	0.3	3.6
2025	3	28	0	12	55	0	0	0	0	0	0	0	55.33	0	0	11.6	0.3	3.6
2025	3	28	0	22	55	0	0	0	0	0	0	0	55.27	0	0	11.6	0.3	3.6
2025	3	28	0	32	55	0	0	0	0	0	0	0	55.18	0	0	11.6	0.3	3.6
2025	3	28	0	42	55	0	0	0	0	0	0	0	55.11	0	0	11.6	0.3	3.6
2025	3	28	0	52	55	0	0	0	0	0	0	0	55.04	0	0	11.6	0.3	3.6
2025	3	28	1	2	55	0	0	0	0	0	0	0	54.97	0	0	11.6	0.3	3.6
2025	3	28	1	12	55	0	0	0	0	0	0	0	54.9	0	0	11.6	0.3	3.6
2025	3	28	1	22	55	0	0	0	0	0	0	0	54.84	0	0	11.6	0.3	3.6
2025	3	28	1	32	55	0	0	0	0	0	0	0	54.79	0	0	11.6	0.3	3.6
2025	3	28	1	42	55	0	0	0	0	0	0	0	54.72	0	0	11.6	0.3	3.6
2025	3	28	1	52	55	0	0	0	0	0	0	0	54.66	0	0	11.6	0.3	3.6
2025	3	28	2	2	55	0	0	0	0	0	0	0	54.61	0	0	11.6	0.3	3.6
2025	3	28	2	12	55	0	0	0	0	0	0	0	54.55	0	0	11.6	0.3	3.6
2025	3	28	2	22	55	0	0	0	0	0	0	0	54.5	0	0	11.6	0.3	3.6
2025	3	28	2	32	55	0	0	0	0	0	0	0	54.46	0	0	11.6	0.3	3.6
2025	3	28	2	42	55	0	0	0	0	0	0	0	54.45	0	0	11.6	0.3	3.6
2025	3	28	2	52	55	0	0	0	0	0	0	0	54.41	0	0	11.6	0.3	3.6
2025	3	28	3	2	55	0	0	0	0	0	0	0	54.37	0	0	11.6	0.3	3.6
2025	3	28	3	12	55	0	0	0	0	0	0	0	54.36	0	0	11.6	0.3	3.6
2025	3	28	3	22	55	0	0	0	0	0	0	0	54.34	0	0	11.6	0.3	3.6
2025	3	28	3	32	55	0	0	0	0	0	0	0	54.3	0	0	11.6	0.3	3.6
2025	3	28	3	42	55	0	0	0	0	0	0	0	54.28	0	0	11.6	0.3	3.6
2025	3	28	3	52	55	0	0	0	0	0	0	0	54.27	0	0	11.6	0.3	3.6
2025	3	28	4	2	55	0	0	0	0	0	0	0	54.25	0	0	11.6	0.3	3.6
2025	3	28	4	12	55	0	0	0	0	0	0	0	54.23	0	0	11.6	0.3	3.6
2025	3	28	4	22	55	0	0	0	0	0	0	0	54.21	0	0	11.6	0.3	3.6
2025	3	28	4	32	55	0	0	0	0	0	0	0	54.21	0	0	11.6	0.3	3.6
2025	3	28	4	42	55	0	0	0	0	0	0	0	54.19	0	0	11.6	0.3	3.6
2025	3	28	4	52	55	0	0	0	0	0	0	0	54.19	0	0	11.6	0.3	3.6
2025	3	28	5	2	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	5	12	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	5	22	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	5	32	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	5	42	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	5	52	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	6	2	55	0	0	0	0	0	0	0	54.19	0	0	11.4	0.3	3.6
2025	3	28	6	12	55	0	0	0	0	0	0	0	54.21	0	0	11.4	0.3	3.6
2025	3	28	6	22	55	0	0	0	0	0	0	0	54.21	0	0	11.6	0.3	3.6
2025	3	28	6	32	55	0	0	0	0	0	0	0	54.23	0	0	11.6	0.3	3.6
2025	3	28	6	42	55	0	0	0	0	0	0	0	54.23	0	0	11.6	0.3	3.6
2025	3	28	6	52	55	0	0	0	0	0	0	0	54.27	0	0	11.6	0.3	3.6
2025	3	28	7	2	55	0	0	0	0	0	0	0	54.28	0	0	11.6	0.3	3.6
2025	3	28	7	12	55	0	0	0	0	0	0	0	54.3	0	0	11.6	0.3	3.6
2025	3	28	7	22	55	0	0	0	0	0	0	0	54.34	0	0	11.6	0.3	3.6
2025	3	28	7	32	55	0	0	0	0	0	0	0	54.36	0	0	11.8	0.3	3.6
2025	3	28	7	42	55	0	0	0	0	0	0	0	54.39	0	0	11.6	0.3	3.6
2025	3	28	7	52	55	0	0	0	0	0	0	0	54.41	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	28	8	2	55	0	0	0	0	0	0	0	54.45	0	0	11.8	0.3	3.6
2025	3	28	8	12	55	0	0	0	0	0	0	0	54.46	0	0	11.8	0.3	3.6
2025	3	28	8	22	55	0	0	0	0	0	0	0	54.5	0	0	11.8	0.3	3.6
2025	3	28	8	32	55	0	0	0	0	0	0	0	54.55	0	0	12	0.3	3.6
2025	3	28	8	42	55	0	0	0	0	0	0	0	54.61	0	0	12	0.3	3.6
2025	3	28	8	52	55	0	0	0	0	0	0	0	54.68	0	0	12.2	0.3	3.6
2025	3	28	9	2	55	0	0	0	0	0	0	0	54.72	0	0	12.2	0.3	3.6
2025	3	28	9	12	55	0	0	0	0	0	0	0	54.75	0	0	12.2	0.3	3.6
2025	3	28	9	22	55	0	0	0	0	0	0	0	54.82	0	0	12.4	0.3	3.6
2025	3	28	9	32	55	0	0	0	0	0	0	0	54.86	0	0	12.4	0.3	3.6
2025	3	28	9	42	55	0	0	0	0	0	0	0	54.91	0	0	12.4	0.3	3.6
2025	3	28	9	52	55	0	0	0	0	0	0	0	54.99	0	0	12.6	0.3	3.6
2025	3	28	10	2	55	0	0	0	0	0	0	0	55	0	0	12.4	0.3	3.6
2025	3	28	10	12	55	0	0	0	0	0	0	0	55.09	0	0	12.6	0.3	3.6
2025	3	28	10	22	55	0	0	0	0	0	0	0	55.18	0	0	12.8	0.3	3.6
2025	3	28	10	32	55	0	0	0	0	0	0	0	55.29	0	0	13.4	0.3	3.6
2025	3	28	10	42	55	0	0	0	0	0	0	0	55.36	0	0	13.6	0.3	3.6
2025	3	28	10	52	55	0	0	0	0	0	0	0	55.45	0	0	13.6	0.3	3.6
2025	3	28	11	2	55	0	0	0	0	0	0	0	55.62	0	0	13.6	0.3	3.6
2025	3	28	11	12	55	0	0	0	0	0	0	0	55.72	0	0	13.8	0.3	3.6
2025	3	28	11	22	55	0	0	0	0	0	0	0	55.85	0	0	13.8	0.3	3.6
2025	3	28	11	32	55	0	0	0	0	0	0	0	55.99	0	0	13.6	0.3	3.6
2025	3	28	11	42	55	0	0	0	0	0	0	0	56.12	0	0	13.4	0.3	3.6
2025	3	28	11	52	55	0	0	0	0	0	0	0	56.08	0	0	13.4	0.3	3.6
2025	3	28	12	2	55	0	0	0	0	0	0	0	56.19	0	0	13.4	0.3	3.6
2025	3	28	12	12	55	0	0	0	0	0	0	0	56.16	0	0	13.4	0.3	3.6
2025	3	28	12	22	55	0	0	0	0	0	0	0	56.23	0	0	13.4	0.3	3.6
2025	3	28	12	32	55	0	0	0	0	0	0	0	56.34	0	0	13.4	0.3	3.6
2025	3	28	12	42	55	0	0	0	0	0	0	0	56.32	0	0	13.4	0.3	3.6
2025	3	28	12	52	55	0	0	0	0	0	0	0	56.44	0	0	13.4	0.3	3.6
2025	3	28	13	2	55	0	0	0	0	0	0	0	56.41	0	0	13.4	0.3	3.6
2025	3	28	13	12	55	0	0	0	0	0	0	0	56.57	0	0	13.4	0.3	3.6
2025	3	28	13	22	55	0	0	0	0	0	0	0	56.64	0	0	13.4	0.3	3.6
2025	3	28	13	32	55	0	0	0	0	0	0	0	56.7	0	0	13.2	0.3	3.6
2025	3	28	13	42	55	0	0	0	0	0	0	0	56.77	0	0	13.2	0.3	3.6
2025	3	28	13	52	55	0	0	0	0	0	0	0	56.88	0	0	13.2	0.3	3.6
2025	3	28	14	2	55	0	0	0	0	0	0	0	56.89	0	0	13.4	0.3	3.6
2025	3	28	14	12	55	0	0	0	0	0	0	0	56.97	0	0	13.4	0.3	3.6
2025	3	28	14	22	55	0	0	0	0	0	0	0	57.02	0	0	13.4	0.3	3.6
2025	3	28	14	32	55	0	0	0	0	0	0	0	57.07	0	0	13.4	0.3	3.6
2025	3	28	14	42	55	0	0	0	0	0	0	0	57.11	0	0	13.4	0.3	3.6
2025	3	28	14	52	55	0	0	0	0	0	0	0	57.11	0	0	13.2	0.3	3.6
2025	3	28	15	2	55	0	0	0	0	0	0	0	57.06	0	0	12.6	0.3	3.6
2025	3	28	15	12	55	0	0	0	0	0	0	0	57.18	0	0	13.4	0.3	3.6
2025	3	28	15	22	55	0	0	0	0	0	0	0	57.18	0	0	13.2	0.3	3.6
2025	3	28	15	32	55	0	0	0	0	0	0	0	57.16	0	0	13	0.3	3.6
2025	3	28	15	42	55	0	0	0	0	0	0	0	57.18	0	0	13.4	0.3	3.6
2025	3	28	15	52	55	0	0	0	0	0	0	0	57.18	0	0	13.2	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	28	16	2	55	0	0	0	0	0	0	0	57.18	0	0	12.6	0.3	3.6
2025	3	28	16	12	55	0	0	0	0	0	0	0	57.18	0	0	12.6	0.3	3.6
2025	3	28	16	22	55	0	0	0	0	0	0	0	57.15	0	0	12.4	0.3	3.6
2025	3	28	16	32	55	0	0	0	0	0	0	0	57.11	0	0	12.2	0.3	3.6
2025	3	28	16	42	55	0	0	0	0	0	0	0	57.13	0	0	12.2	0.3	3.6
2025	3	28	16	52	55	0	0	0	0	0	0	0	57.11	0	0	12	0.3	3.6
2025	3	28	17	2	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	28	17	12	55	0	0	0	0	0	0	0	57.11	0	0	11.8	0.3	3.6
2025	3	28	17	22	55	0	0	0	0	0	0	0	57.09	0	0	11.8	0.3	3.6
2025	3	28	17	32	55	0	0	0	0	0	0	0	57.07	0	0	11.8	0.3	3.6
2025	3	28	17	42	55	0	0	0	0	0	0	0	57.07	0	0	11.8	0.3	3.6
2025	3	28	17	52	55	0	0	0	0	0	0	0	57.06	0	0	11.8	0.3	3.6
2025	3	28	18	2	55	0	0	0	0	0	0	0	57.06	0	0	11.8	0.3	3.6
2025	3	28	18	12	55	0	0	0	0	0	0	0	57.02	0	0	11.8	0.3	3.6
2025	3	28	18	22	55	0	0	0	0	0	0	0	57	0	0	11.8	0.3	3.6
2025	3	28	18	32	55	0	0	0	0	0	0	0	56.97	0	0	11.8	0.3	3.6
2025	3	28	18	42	55	0	0	0	0	0	0	0	56.95	0	0	11.6	0.3	3.6
2025	3	28	18	52	55	0	0	0	0	0	0	0	56.91	0	0	11.6	0.3	3.6
2025	3	28	19	2	55	0	0	0	0	0	0	0	56.88	0	0	11.6	0.3	3.6
2025	3	28	19	12	55	0	0	0	0	0	0	0	56.84	0	0	11.6	0.3	3.6
2025	3	28	19	22	55	0	0	0	0	0	0	0	56.8	0	0	11.6	0.3	3.6
2025	3	28	19	32	55	0	0	0	0	0	0	0	56.77	0	0	11.6	0.3	3.6
2025	3	28	19	42	55	0	0	0	0	0	0	0	56.71	0	0	11.6	0.3	3.6
2025	3	28	19	52	55	0	0	0	0	0	0	0	56.66	0	0	11.6	0.3	3.6
2025	3	28	20	2	55	0	0	0	0	0	0	0	56.61	0	0	11.6	0.3	3.6
2025	3	28	20	12	55	0	0	0	0	0	0	0	56.55	0	0	11.6	0.3	3.6
2025	3	28	20	22	55	0	0	0	0	0	0	0	56.5	0	0	11.6	0.3	3.6
2025	3	28	20	32	55	0	0	0	0	0	0	0	56.43	0	0	11.6	0.3	3.6
2025	3	28	20	42	55	0	0	0	0	0	0	0	56.35	0	0	11.6	0.3	3.6
2025	3	28	20	52	55	0	0	0	0	0	0	0	56.28	0	0	11.6	0.3	3.6
2025	3	28	21	2	55	0	0	0	0	0	0	0	56.19	0	0	11.6	0.3	3.6
2025	3	28	21	12	55	0	0	0	0	0	0	0	56.12	0	0	11.6	0.3	3.6
2025	3	28	21	22	55	0	0	0	0	0	0	0	56.03	0	0	11.6	0.3	3.6
2025	3	28	21	32	55	0	0	0	0	0	0	0	55.94	0	0	11.6	0.3	3.6
2025	3	28	21	42	55	0	0	0	0	0	0	0	55.83	0	0	11.6	0.3	3.6
2025	3	28	21	52	55	0	0	0	0	0	0	0	55.74	0	0	11.6	0.3	3.6
2025	3	28	22	2	55	0	0	0	0	0	0	0	55.65	0	0	11.6	0.3	3.6
2025	3	28	22	12	55	0	0	0	0	0	0	0	55.54	0	0	11.6	0.3	3.6
2025	3	28	22	22	55	0	0	0	0	0	0	0	55.44	0	0	11.6	0.3	3.6
2025	3	28	22	32	55	0	0	0	0	0	0	0	55.33	0	0	11.6	0.3	3.6
2025	3	28	22	42	55	0	0	0	0	0	0	0	55.22	0	0	11.6	0.3	3.6
2025	3	28	22	52	55	0	0	0	0	0	0	0	55.13	0	0	11.6	0.3	3.6
2025	3	28	23	2	55	0	0	0	0	0	0	0	55.02	0	0	11.6	0.3	3.6
2025	3	28	23	12	55	0	0	0	0	0	0	0	54.93	0	0	11.6	0.3	3.6
2025	3	28	23	22	55	0	0	0	0	0	0	0	54.84	0	0	11.6	0.3	3.6
2025	3	28	23	32	55	0	0	0	0	0	0	0	54.73	0	0	11.6	0.3	3.6
2025	3	28	23	42	55	0	0	0	0	0	0	0	54.66	0	0	11.6	0.3	3.6
2025	3	28	23	52	55	0	0	0	0	0	0	0	54.55	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	29	0	2	55	0	0	0	0	0	0	0	54.46	0	0	11.6	0.3	3.6
2025	3	29	0	12	55	0	0	0	0	0	0	0	54.37	0	0	11.6	0.3	3.6
2025	3	29	0	22	55	0	0	0	0	0	0	0	54.28	0	0	11.6	0.3	3.6
2025	3	29	0	32	55	0	0	0	0	0	0	0	54.21	0	0	11.6	0.3	3.6
2025	3	29	0	42	55	0	0	0	0	0	0	0	54.1	0	0	11.6	0.3	3.6
2025	3	29	0	52	55	0	0	0	0	0	0	0	54.03	0	0	11.6	0.3	3.6
2025	3	29	1	2	55	0	0	0	0	0	0	0	53.96	0	0	11.6	0.3	3.6
2025	3	29	1	12	55	0	0	0	0	0	0	0	53.89	0	0	11.6	0.3	3.6
2025	3	29	1	22	55	0	0	0	0	0	0	0	53.8	0	0	11.4	0.3	3.6
2025	3	29	1	32	55	0	0	0	0	0	0	0	53.73	0	0	11.4	0.3	3.6
2025	3	29	1	42	55	0	0	0	0	0	0	0	53.67	0	0	11.4	0.3	3.6
2025	3	29	1	52	55	0	0	0	0	0	0	0	53.6	0	0	11.4	0.3	3.6
2025	3	29	2	2	55	0	0	0	0	0	0	0	53.53	0	0	11.4	0.3	3.6
2025	3	29	2	12	55	0	0	0	0	0	0	0	53.46	0	0	11.4	0.3	3.6
2025	3	29	2	22	55	0	0	0	0	0	0	0	53.38	0	0	11.4	0.3	3.6
2025	3	29	2	32	55	0	0	0	0	0	0	0	53.33	0	0	11.4	0.3	3.6
2025	3	29	2	42	55	0	0	0	0	0	0	0	53.28	0	0	11.4	0.3	3.6
2025	3	29	2	52	55	0	0	0	0	0	0	0	53.2	0	0	11.4	0.3	3.6
2025	3	29	3	2	55	0	0	0	0	0	0	0	53.13	0	0	11.4	0.3	3.6
2025	3	29	3	12	55	0	0	0	0	0	0	0	53.08	0	0	11.4	0.3	3.6
2025	3	29	3	22	55	0	0	0	0	0	0	0	53.04	0	0	11.4	0.3	3.6
2025	3	29	3	32	55	0	0	0	0	0	0	0	53.01	0	0	11.4	0.3	3.6
2025	3	29	3	42	55	0	0	0	0	0	0	0	52.99	0	0	11.4	0.3	3.6
2025	3	29	3	52	55	0	0	0	0	0	0	0	52.97	0	0	11.4	0.3	3.6
2025	3	29	4	2	55	0	0	0	0	0	0	0	52.93	0	0	11.4	0.3	3.6
2025	3	29	4	12	55	0	0	0	0	0	0	0	52.9	0	0	11.4	0.3	3.6
2025	3	29	4	22	55	0	0	0	0	0	0	0	52.9	0	0	11.4	0.3	3.6
2025	3	29	4	32	55	0	0	0	0	0	0	0	52.86	0	0	11.4	0.3	3.6
2025	3	29	4	42	55	0	0	0	0	0	0	0	52.83	0	0	11.4	0.3	3.6
2025	3	29	4	52	55	0	0	0	0	0	0	0	52.83	0	0	11.4	0.3	3.6
2025	3	29	5	2	55	0	0	0	0	0	0	0	52.79	0	0	11.4	0.3	3.6
2025	3	29	5	12	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	29	5	22	55	0	0	0	0	0	0	0	52.74	0	0	11.4	0.3	3.6
2025	3	29	5	32	55	0	0	0	0	0	0	0	52.74	0	0	11.4	0.3	3.6
2025	3	29	5	42	55	0	0	0	0	0	0	0	52.7	0	0	11.4	0.3	3.6
2025	3	29	5	52	55	0	0	0	0	0	0	0	52.68	0	0	11.4	0.3	3.6
2025	3	29	6	2	55	0	0	0	0	0	0	0	52.68	0	0	11.4	0.3	3.6
2025	3	29	6	12	55	0	0	0	0	0	0	0	52.68	0	0	11.4	0.3	3.6
2025	3	29	6	22	55	0	0	0	0	0	0	0	52.68	0	0	11.4	0.3	3.6
2025	3	29	6	32	55	0	0	0	0	0	0	0	52.68	0	0	11.6	0.3	3.6
2025	3	29	6	42	55	0	0	0	0	0	0	0	52.68	0	0	11.6	0.3	3.6
2025	3	29	6	52	55	0	0	0	0	0	0	0	52.7	0	0	11.8	0.3	3.6
2025	3	29	7	2	55	0	0	0	0	0	0	0	52.72	0	0	12	0.3	3.6
2025	3	29	7	12	55	0	0	0	0	0	0	0	52.74	0	0	12.2	0.3	3.6
2025	3	29	7	22	55	0	0	0	0	0	0	0	52.77	0	0	12.4	0.3	3.6
2025	3	29	7	32	55	0	0	0	0	0	0	0	52.81	0	0	12.6	0.3	3.6
2025	3	29	7	42	55	0	0	0	0	0	0	0	52.84	0	0	12.6	0.3	3.6
2025	3	29	7	52	55	0	0	0	0	0	0	0	52.9	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	29	8	2	55	0	0	0	0	0	0	0	52.95	0	0	12.8	0.3	3.6
2025	3	29	8	12	55	0	0	0	0	0	0	0	53.01	0	0	12.8	0.3	3.6
2025	3	29	8	22	55	0	0	0	0	0	0	0	53.08	0	0	12.8	0.3	3.6
2025	3	29	8	32	55	0	0	0	0	0	0	0	53.15	0	0	13	0.3	3.6
2025	3	29	8	42	55	0	0	0	0	0	0	0	53.2	0	0	13.2	0.3	3.6
2025	3	29	8	52	55	0	0	0	0	0	0	0	53.28	0	0	13.6	0.3	3.6
2025	3	29	9	2	55	0	0	0	0	0	0	0	53.33	0	0	14	0.3	3.6
2025	3	29	9	12	55	0	0	0	0	0	0	0	53.42	0	0	14	0.3	3.6
2025	3	29	9	22	55	0	0	0	0	0	0	0	53.51	0	0	14	0.3	3.6
2025	3	29	9	32	55	0	0	0	0	0	0	0	53.6	0	0	14	0.3	3.6
2025	3	29	9	42	55	0	0	0	0	0	0	0	53.69	0	0	14	0.3	3.6
2025	3	29	9	52	55	0	0	0	0	0	0	0	53.78	0	0	13.8	0.3	3.6
2025	3	29	10	2	55	0	0	0	0	0	0	0	53.87	0	0	13.8	0.3	3.6
2025	3	29	10	12	55	0	0	0	0	0	0	0	53.98	0	0	13.8	0.3	3.6
2025	3	29	10	22	55	0	0	0	0	0	0	0	54.05	0	0	13.8	0.3	3.6
2025	3	29	10	32	55	0	0	0	0	0	0	0	54.14	0	0	13.6	0.3	3.6
2025	3	29	10	42	55	0	0	0	0	0	0	0	54.23	0	0	13.8	0.3	3.6
2025	3	29	10	52	55	0	0	0	0	0	0	0	54.32	0	0	13.8	0.3	3.6
2025	3	29	11	2	55	0	0	0	0	0	0	0	54.43	0	0	13.8	0.3	3.6
2025	3	29	11	12	55	0	0	0	0	0	0	0	54.54	0	0	13.8	0.3	3.6
2025	3	29	11	22	55	0	0	0	0	0	0	0	54.63	0	0	13.8	0.3	3.6
2025	3	29	11	32	55	0	0	0	0	0	0	0	54.72	0	0	13.8	0.3	3.6
2025	3	29	11	42	55	0	0	0	0	0	0	0	54.81	0	0	13.4	0.3	3.6
2025	3	29	11	52	55	0	0	0	0	0	0	0	54.91	0	0	13.4	0.3	3.6
2025	3	29	12	2	55	0	0	0	0	0	0	0	54.97	0	0	13.4	0.3	3.6
2025	3	29	12	12	55	0	0	0	0	0	0	0	55.06	0	0	13.4	0.3	3.6
2025	3	29	12	22	55	0	0	0	0	0	0	0	55.13	0	0	13.4	0.3	3.6
2025	3	29	12	32	55	0	0	0	0	0	0	0	55.22	0	0	13.4	0.3	3.6
2025	3	29	12	42	55	0	0	0	0	0	0	0	55.27	0	0	13.4	0.3	3.6
2025	3	29	12	52	55	0	0	0	0	0	0	0	55.33	0	0	13.4	0.3	3.6
2025	3	29	13	2	55	0	0	0	0	0	0	0	55.42	0	0	13.4	0.3	3.6
2025	3	29	13	12	55	0	0	0	0	0	0	0	55.47	0	0	13.4	0.3	3.6
2025	3	29	13	22	55	0	0	0	0	0	0	0	55.53	0	0	13.4	0.3	3.6
2025	3	29	13	32	55	0	0	0	0	0	0	0	55.58	0	0	13.4	0.3	3.6
2025	3	29	13	42	55	0	0	0	0	0	0	0	55.65	0	0	13.4	0.3	3.6
2025	3	29	13	52	55	0	0	0	0	0	0	0	55.74	0	0	13.4	0.3	3.6
2025	3	29	14	2	55	0	0	0	0	0	0	0	55.72	0	0	13.2	0.3	3.6
2025	3	29	14	12	55	0	0	0	0	0	0	0	55.8	0	0	13.4	0.3	3.6
2025	3	29	14	22	55	0	0	0	0	0	0	0	55.87	0	0	13.4	0.3	3.6
2025	3	29	14	32	55	0	0	0	0	0	0	0	55.92	0	0	13.4	0.3	3.6
2025	3	29	14	42	55	0	0	0	0	0	0	0	55.96	0	0	13.4	0.3	3.6
2025	3	29	14	52	55	0	0	0	0	0	0	0	55.98	0	0	13.4	0.3	3.6
2025	3	29	15	2	55	0	0	0	0	0	0	0	55.98	0	0	13.4	0.3	3.6
2025	3	29	15	12	55	0	0	0	0	0	0	0	55.99	0	0	13.4	0.3	3.6
2025	3	29	15	22	55	0	0	0	0	0	0	0	55.99	0	0	13.4	0.3	3.6
2025	3	29	15	32	55	0	0	0	0	0	0	0	55.99	0	0	13.4	0.3	3.6
2025	3	29	15	42	55	0	0	0	0	0	0	0	56.01	0	0	13.4	0.3	3.6
2025	3	29	15	52	55	0	0	0	0	0	0	0	55.98	0	0	12.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	29	16	2	55	0	0	0	0	0	0	0	55.98	0	0	12.4	0.3	3.6
2025	3	29	16	12	55	0	0	0	0	0	0	0	55.98	0	0	12.4	0.3	3.6
2025	3	29	16	22	55	0	0	0	0	0	0	0	56.01	0	0	12.6	0.3	3.6
2025	3	29	16	32	55	0	0	0	0	0	0	0	56.01	0	0	12.4	0.3	3.6
2025	3	29	16	42	55	0	0	0	0	0	0	0	56.01	0	0	12.2	0.3	3.6
2025	3	29	16	52	55	0	0	0	0	0	0	0	55.99	0	0	12	0.3	3.6
2025	3	29	17	2	55	0	0	0	0	0	0	0	56.01	0	0	11.8	0.3	3.6
2025	3	29	17	12	55	0	0	0	0	0	0	0	56.01	0	0	11.8	0.3	3.6
2025	3	29	17	22	55	0	0	0	0	0	0	0	56.01	0	0	11.8	0.3	3.6
2025	3	29	17	32	55	0	0	0	0	0	0	0	55.99	0	0	11.8	0.3	3.6
2025	3	29	17	42	55	0	0	0	0	0	0	0	55.99	0	0	11.8	0.3	3.6
2025	3	29	17	52	55	0	0	0	0	0	0	0	55.98	0	0	11.8	0.3	3.6
2025	3	29	18	2	55	0	0	0	0	0	0	0	55.96	0	0	11.8	0.3	3.6
2025	3	29	18	12	55	0	0	0	0	0	0	0	55.94	0	0	11.8	0.3	3.6
2025	3	29	18	22	55	0	0	0	0	0	0	0	55.92	0	0	11.8	0.3	3.6
2025	3	29	18	32	55	0	0	0	0	0	0	0	55.9	0	0	11.8	0.3	3.6
2025	3	29	18	42	55	0	0	0	0	0	0	0	55.87	0	0	11.6	0.3	3.6
2025	3	29	18	52	55	0	0	0	0	0	0	0	55.83	0	0	11.6	0.3	3.6
2025	3	29	19	2	55	0	0	0	0	0	0	0	55.8	0	0	11.6	0.3	3.6
2025	3	29	19	12	55	0	0	0	0	0	0	0	55.76	0	0	11.6	0.3	3.6
2025	3	29	19	22	55	0	0	0	0	0	0	0	55.72	0	0	11.6	0.3	3.6
2025	3	29	19	32	55	0	0	0	0	0	0	0	55.67	0	0	11.6	0.3	3.6
2025	3	29	19	42	55	0	0	0	0	0	0	0	55.63	0	0	11.6	0.3	3.6
2025	3	29	19	52	55	0	0	0	0	0	0	0	55.58	0	0	11.6	0.3	3.6
2025	3	29	20	2	55	0	0	0	0	0	0	0	55.53	0	0	11.6	0.3	3.6
2025	3	29	20	12	55	0	0	0	0	0	0	0	55.45	0	0	11.6	0.3	3.6
2025	3	29	20	22	55	0	0	0	0	0	0	0	55.38	0	0	11.6	0.3	3.6
2025	3	29	20	32	55	0	0	0	0	0	0	0	55.31	0	0	11.6	0.3	3.6
2025	3	29	20	42	55	0	0	0	0	0	0	0	55.22	0	0	11.6	0.3	3.6
2025	3	29	20	52	55	0	0	0	0	0	0	0	55.17	0	0	11.6	0.3	3.6
2025	3	29	21	2	55	0	0	0	0	0	0	0	55.08	0	0	11.6	0.3	3.6
2025	3	29	21	12	55	0	0	0	0	0	0	0	54.99	0	0	11.6	0.3	3.6
2025	3	29	21	22	55	0	0	0	0	0	0	0	54.9	0	0	11.6	0.3	3.6
2025	3	29	21	32	55	0	0	0	0	0	0	0	54.81	0	0	11.6	0.3	3.6
2025	3	29	21	42	55	0	0	0	0	0	0	0	54.73	0	0	11.6	0.3	3.6
2025	3	29	21	52	55	0	0	0	0	0	0	0	54.64	0	0	11.6	0.3	3.6
2025	3	29	22	2	55	0	0	0	0	0	0	0	54.57	0	0	11.6	0.3	3.6
2025	3	29	22	12	55	0	0	0	0	0	0	0	54.48	0	0	11.6	0.3	3.6
2025	3	29	22	22	55	0	0	0	0	0	0	0	54.39	0	0	11.6	0.3	3.6
2025	3	29	22	32	55	0	0	0	0	0	0	0	54.3	0	0	11.6	0.3	3.6
2025	3	29	22	42	55	0	0	0	0	0	0	0	54.21	0	0	11.6	0.3	3.6
2025	3	29	22	52	55	0	0	0	0	0	0	0	54.12	0	0	11.6	0.3	3.6
2025	3	29	23	2	55	0	0	0	0	0	0	0	54.03	0	0	11.6	0.3	3.6
2025	3	29	23	12	55	0	0	0	0	0	0	0	53.92	0	0	11.6	0.3	3.6
2025	3	29	23	22	55	0	0	0	0	0	0	0	53.85	0	0	11.6	0.3	3.6
2025	3	29	23	32	55	0	0	0	0	0	0	0	53.74	0	0	11.6	0.3	3.6
2025	3	29	23	42	55	0	0	0	0	0	0	0	53.65	0	0	11.6	0.3	3.6
2025	3	29	23	52	55	0	0	0	0	0	0	0	53.58	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	30	0	2	55	0	0	0	0	0	0	0	53.49	0	0	11.6	0.3	3.6
2025	3	30	0	12	55	0	0	0	0	0	0	0	53.42	0	0	11.6	0.3	3.6
2025	3	30	0	22	55	0	0	0	0	0	0	0	53.35	0	0	11.6	0.3	3.6
2025	3	30	0	32	55	0	0	0	0	0	0	0	53.26	0	0	11.6	0.3	3.6
2025	3	30	0	42	55	0	0	0	0	0	0	0	53.19	0	0	11.6	0.3	3.6
2025	3	30	0	52	55	0	0	0	0	0	0	0	53.11	0	0	11.6	0.3	3.6
2025	3	30	1	2	55	0	0	0	0	0	0	0	53.04	0	0	11.6	0.3	3.6
2025	3	30	1	12	55	0	0	0	0	0	0	0	52.97	0	0	11.6	0.3	3.6
2025	3	30	1	22	55	0	0	0	0	0	0	0	52.92	0	0	11.6	0.3	3.6
2025	3	30	1	32	55	0	0	0	0	0	0	0	52.86	0	0	11.6	0.3	3.6
2025	3	30	1	42	55	0	0	0	0	0	0	0	52.81	0	0	11.6	0.3	3.6
2025	3	30	1	52	55	0	0	0	0	0	0	0	52.77	0	0	11.6	0.3	3.6
2025	3	30	2	2	55	0	0	0	0	0	0	0	52.74	0	0	11.6	0.3	3.6
2025	3	30	2	12	55	0	0	0	0	0	0	0	52.7	0	0	11.6	0.3	3.6
2025	3	30	2	22	55	0	0	0	0	0	0	0	52.66	0	0	11.6	0.3	3.6
2025	3	30	2	32	55	0	0	0	0	0	0	0	52.65	0	0	11.4	0.3	3.6
2025	3	30	2	42	55	0	0	0	0	0	0	0	52.61	0	0	11.4	0.3	3.6
2025	3	30	2	52	55	0	0	0	0	0	0	0	52.59	0	0	11.4	0.3	3.6
2025	3	30	3	2	55	0	0	0	0	0	0	0	52.59	0	0	11.4	0.3	3.6
2025	3	30	3	12	55	0	0	0	0	0	0	0	52.57	0	0	11.4	0.3	3.6
2025	3	30	3	22	55	0	0	0	0	0	0	0	52.57	0	0	11.4	0.3	3.6
2025	3	30	3	32	55	0	0	0	0	0	0	0	52.54	0	0	11.4	0.3	3.6
2025	3	30	3	42	55	0	0	0	0	0	0	0	52.52	0	0	11.4	0.3	3.6
2025	3	30	3	52	55	0	0	0	0	0	0	0	52.5	0	0	11.4	0.3	3.6
2025	3	30	4	2	55	0	0	0	0	0	0	0	52.47	0	0	11.4	0.3	3.6
2025	3	30	4	12	55	0	0	0	0	0	0	0	52.45	0	0	11.4	0.3	3.6
2025	3	30	4	22	55	0	0	0	0	0	0	0	52.45	0	0	11.4	0.3	3.6
2025	3	30	4	32	55	0	0	0	0	0	0	0	52.43	0	0	11.4	0.3	3.6
2025	3	30	4	42	55	0	0	0	0	0	0	0	52.43	0	0	11.4	0.3	3.6
2025	3	30	4	52	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	30	5	2	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	30	5	12	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	30	5	22	55	0	0	0	0	0	0	0	52.39	0	0	11.4	0.3	3.6
2025	3	30	5	32	55	0	0	0	0	0	0	0	52.39	0	0	11.4	0.3	3.6
2025	3	30	5	42	55	0	0	0	0	0	0	0	52.39	0	0	11.4	0.3	3.6
2025	3	30	5	52	55	0	0	0	0	0	0	0	52.39	0	0	11.4	0.3	3.6
2025	3	30	6	2	55	0	0	0	0	0	0	0	52.39	0	0	11.4	0.3	3.6
2025	3	30	6	12	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	30	6	22	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6
2025	3	30	6	32	55	0	0	0	0	0	0	0	52.41	0	0	11.6	0.3	3.6
2025	3	30	6	42	55	0	0	0	0	0	0	0	52.43	0	0	11.8	0.3	3.6
2025	3	30	6	52	55	0	0	0	0	0	0	0	52.45	0	0	12	0.3	3.6
2025	3	30	7	2	55	0	0	0	0	0	0	0	52.47	0	0	12.2	0.3	3.6
2025	3	30	7	12	55	0	0	0	0	0	0	0	52.52	0	0	12.4	0.3	3.6
2025	3	30	7	22	55	0	0	0	0	0	0	0	52.56	0	0	12.4	0.3	3.6
2025	3	30	7	32	55	0	0	0	0	0	0	0	52.61	0	0	12.6	0.3	3.6
2025	3	30	7	42	55	0	0	0	0	0	0	0	52.68	0	0	12.6	0.3	3.6
2025	3	30	7	52	55	0	0	0	0	0	0	0	52.75	0	0	12.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	30	8	2	55	0	0	0	0	0	0	0	52.86	0	0	12.8	0.3	3.6
2025	3	30	8	12	55	0	0	0	0	0	0	0	52.93	0	0	12.8	0.3	3.6
2025	3	30	8	22	55	0	0	0	0	0	0	0	53.02	0	0	13	0.3	3.6
2025	3	30	8	32	55	0	0	0	0	0	0	0	53.1	0	0	13.2	0.3	3.6
2025	3	30	8	42	55	0	0	0	0	0	0	0	53.2	0	0	13.2	0.3	3.6
2025	3	30	8	52	55	0	0	0	0	0	0	0	53.29	0	0	13.6	0.3	3.6
2025	3	30	9	2	55	0	0	0	0	0	0	0	53.4	0	0	13.8	0.3	3.6
2025	3	30	9	12	55	0	0	0	0	0	0	0	53.49	0	0	13.8	0.3	3.6
2025	3	30	9	22	55	0	0	0	0	0	0	0	53.58	0	0	13.8	0.3	3.6
2025	3	30	9	32	55	0	0	0	0	0	0	0	53.67	0	0	13.6	0.3	3.6
2025	3	30	9	42	55	0	0	0	0	0	0	0	53.76	0	0	13.4	0.3	3.6
2025	3	30	9	52	55	0	0	0	0	0	0	0	53.89	0	0	13.4	0.3	3.6
2025	3	30	10	2	55	0	0	0	0	0	0	0	53.98	0	0	13.4	0.3	3.6
2025	3	30	10	12	55	0	0	0	0	0	0	0	54.09	0	0	13.4	0.3	3.6
2025	3	30	10	22	55	0	0	0	0	0	0	0	54.21	0	0	13.4	0.3	3.6
2025	3	30	10	32	55	0	0	0	0	0	0	0	54.3	0	0	13.4	0.3	3.6
2025	3	30	10	42	55	0	0	0	0	0	0	0	54.43	0	0	13.4	0.3	3.6
2025	3	30	10	52	55	0	0	0	0	0	0	0	54.52	0	0	13.4	0.3	3.6
2025	3	30	11	2	55	0	0	0	0	0	0	0	54.63	0	0	13.4	0.3	3.6
2025	3	30	11	12	55	0	0	0	0	0	0	0	54.73	0	0	13.4	0.3	3.6
2025	3	30	11	22	55	0	0	0	0	0	0	0	54.84	0	0	13.4	0.3	3.6
2025	3	30	11	32	55	0	0	0	0	0	0	0	54.95	0	0	13.4	0.3	3.6
2025	3	30	11	42	55	0	0	0	0	0	0	0	55.04	0	0	13.4	0.3	3.6
2025	3	30	11	52	55	0	0	0	0	0	0	0	55.17	0	0	13.4	0.3	3.6
2025	3	30	12	2	55	0	0	0	0	0	0	0	55.26	0	0	13.4	0.3	3.6
2025	3	30	12	12	55	0	0	0	0	0	0	0	55.36	0	0	13.4	0.3	3.6
2025	3	30	12	22	55	0	0	0	0	0	0	0	55.44	0	0	13.4	0.3	3.6
2025	3	30	12	32	55	0	0	0	0	0	0	0	55.53	0	0	13.4	0.3	3.6
2025	3	30	12	42	55	0	0	0	0	0	0	0	55.62	0	0	13.4	0.3	3.6
2025	3	30	12	52	55	0	0	0	0	0	0	0	55.71	0	0	13.2	0.3	3.6
2025	3	30	13	2	55	0	0	0	0	0	0	0	55.74	0	0	13.2	0.3	3.6
2025	3	30	13	12	55	0	0	0	0	0	0	0	55.69	0	0	13.4	0.3	3.6
2025	3	30	13	22	55	0	0	0	0	0	0	0	55.8	0	0	13.4	0.3	3.6
2025	3	30	13	32	55	0	0	0	0	0	0	0	55.69	0	0	13.4	0.3	3.6
2025	3	30	13	42	55	0	0	0	0	0	0	0	55.69	0	0	13.4	0.3	3.6
2025	3	30	13	52	55	0	0	0	0	0	0	0	55.69	0	0	13	0.3	3.6
2025	3	30	14	2	55	0	0	0	0	0	0	0	55.89	0	0	13.4	0.3	3.6
2025	3	30	14	12	55	0	0	0	0	0	0	0	55.98	0	0	13.4	0.3	3.6
2025	3	30	14	22	55	0	0	0	0	0	0	0	56.07	0	0	13.4	0.3	3.6
2025	3	30	14	32	55	0	0	0	0	0	0	0	56.12	0	0	13.4	0.3	3.6
2025	3	30	14	42	55	0	0	0	0	0	0	0	56.19	0	0	13.4	0.3	3.6
2025	3	30	14	52	55	0	0	0	0	0	0	0	56.25	0	0	13.4	0.3	3.6
2025	3	30	15	2	55	0	0	0	0	0	0	0	56.32	0	0	13.4	0.3	3.6
2025	3	30	15	12	55	0	0	0	0	0	0	0	56.35	0	0	13.2	0.3	3.6
2025	3	30	15	22	55	0	0	0	0	0	0	0	56.37	0	0	13.2	0.3	3.6
2025	3	30	15	32	55	0	0	0	0	0	0	0	56.41	0	0	13.2	0.3	3.6
2025	3	30	15	42	55	0	0	0	0	0	0	0	56.41	0	0	13.2	0.3	3.6
2025	3	30	15	52	55	0	0	0	0	0	0	0	56.44	0	0	13.4	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	30	16	2	55	0	0	0	0	0	0	0	56.46	0	0	13.2	0.3	3.6
2025	3	30	16	12	55	0	0	0	0	0	0	0	56.46	0	0	12.6	0.3	3.6
2025	3	30	16	22	55	0	0	0	0	0	0	0	56.43	0	0	12.4	0.3	3.6
2025	3	30	16	32	55	0	0	0	0	0	0	0	56.43	0	0	12.2	0.3	3.6
2025	3	30	16	42	55	0	0	0	0	0	0	0	56.41	0	0	12.2	0.3	3.6
2025	3	30	16	52	55	0	0	0	0	0	0	0	56.41	0	0	12	0.3	3.6
2025	3	30	17	2	55	0	0	0	0	0	0	0	56.41	0	0	11.8	0.3	3.6
2025	3	30	17	12	55	0	0	0	0	0	0	0	56.41	0	0	11.8	0.3	3.6
2025	3	30	17	22	55	0	0	0	0	0	0	0	56.43	0	0	11.8	0.3	3.6
2025	3	30	17	32	55	0	0	0	0	0	0	0	56.41	0	0	11.8	0.3	3.6
2025	3	30	17	42	55	0	0	0	0	0	0	0	56.39	0	0	11.8	0.3	3.6
2025	3	30	17	52	55	0	0	0	0	0	0	0	56.37	0	0	11.8	0.3	3.6
2025	3	30	18	2	55	0	0	0	0	0	0	0	56.35	0	0	11.8	0.3	3.6
2025	3	30	18	12	55	0	0	0	0	0	0	0	56.32	0	0	11.6	0.3	3.6
2025	3	30	18	22	55	0	0	0	0	0	0	0	56.28	0	0	11.8	0.3	3.6
2025	3	30	18	32	55	0	0	0	0	0	0	0	56.25	0	0	11.6	0.3	3.6
2025	3	30	18	42	55	0	0	0	0	0	0	0	56.23	0	0	11.6	0.3	3.6
2025	3	30	18	52	55	0	0	0	0	0	0	0	56.17	0	0	11.6	0.3	3.6
2025	3	30	19	2	55	0	0	0	0	0	0	0	56.12	0	0	11.6	0.3	3.6
2025	3	30	19	12	55	0	0	0	0	0	0	0	56.08	0	0	11.6	0.3	3.6
2025	3	30	19	22	55	0	0	0	0	0	0	0	56.01	0	0	11.6	0.3	3.6
2025	3	30	19	32	55	0	0	0	0	0	0	0	55.98	0	0	11.6	0.3	3.6
2025	3	30	19	42	55	0	0	0	0	0	0	0	55.9	0	0	11.6	0.3	3.6
2025	3	30	19	52	55	0	0	0	0	0	0	0	55.83	0	0	11.6	0.3	3.6
2025	3	30	20	2	55	0	0	0	0	0	0	0	55.76	0	0	11.6	0.3	3.6
2025	3	30	20	12	55	0	0	0	0	0	0	0	55.69	0	0	11.6	0.3	3.6
2025	3	30	20	22	55	0	0	0	0	0	0	0	55.6	0	0	11.6	0.3	3.6
2025	3	30	20	32	55	0	0	0	0	0	0	0	55.51	0	0	11.6	0.3	3.6
2025	3	30	20	42	55	0	0	0	0	0	0	0	55.42	0	0	11.6	0.3	3.6
2025	3	30	20	52	55	0	0	0	0	0	0	0	55.35	0	0	11.6	0.3	3.6
2025	3	30	21	2	55	0	0	0	0	0	0	0	55.27	0	0	11.6	0.3	3.6
2025	3	30	21	12	55	0	0	0	0	0	0	0	55.18	0	0	11.6	0.3	3.6
2025	3	30	21	22	55	0	0	0	0	0	0	0	55.09	0	0	11.6	0.3	3.6
2025	3	30	21	32	55	0	0	0	0	0	0	0	55	0	0	11.6	0.3	3.6
2025	3	30	21	42	55	0	0	0	0	0	0	0	54.91	0	0	11.6	0.3	3.6
2025	3	30	21	52	55	0	0	0	0	0	0	0	54.84	0	0	11.6	0.3	3.6
2025	3	30	22	2	55	0	0	0	0	0	0	0	54.75	0	0	11.6	0.3	3.6
2025	3	30	22	12	55	0	0	0	0	0	0	0	54.66	0	0	11.6	0.3	3.6
2025	3	30	22	22	55	0	0	0	0	0	0	0	54.59	0	0	11.6	0.3	3.6
2025	3	30	22	32	55	0	0	0	0	0	0	0	54.48	0	0	11.6	0.3	3.6
2025	3	30	22	42	55	0	0	0	0	0	0	0	54.41	0	0	11.6	0.3	3.6
2025	3	30	22	52	55	0	0	0	0	0	0	0	54.32	0	0	11.6	0.3	3.6
2025	3	30	23	2	55	0	0	0	0	0	0	0	54.23	0	0	11.6	0.3	3.6
2025	3	30	23	12	55	0	0	0	0	0	0	0	54.14	0	0	11.6	0.3	3.6
2025	3	30	23	22	55	0	0	0	0	0	0	0	54.05	0	0	11.6	0.3	3.6
2025	3	30	23	32	55	0	0	0	0	0	0	0	53.96	0	0	11.6	0.3	3.6
2025	3	30	23	42	55	0	0	0	0	0	0	0	53.89	0	0	11.6	0.3	3.6
2025	3	30	23	52	55	0	0	0	0	0	0	0	53.82	0	0	11.6	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	31	0	2	55	0	0	0	0	0	0	0	53.74	0	0	11.6	0.3	3.6
2025	3	31	0	12	55	0	0	0	0	0	0	0	53.67	0	0	11.6	0.3	3.6
2025	3	31	0	22	55	0	0	0	0	0	0	0	53.6	0	0	11.6	0.3	3.6
2025	3	31	0	32	55	0	0	0	0	0	0	0	53.53	0	0	11.6	0.3	3.6
2025	3	31	0	42	55	0	0	0	0	0	0	0	53.47	0	0	11.6	0.3	3.6
2025	3	31	0	52	55	0	0	0	0	0	0	0	53.4	0	0	11.6	0.3	3.6
2025	3	31	1	2	55	0	0	0	0	0	0	0	53.35	0	0	11.6	0.3	3.6
2025	3	31	1	12	55	0	0	0	0	0	0	0	53.29	0	0	11.6	0.3	3.6
2025	3	31	1	22	55	0	0	0	0	0	0	0	53.24	0	0	11.6	0.3	3.6
2025	3	31	1	32	55	0	0	0	0	0	0	0	53.19	0	0	11.6	0.3	3.6
2025	3	31	1	42	55	0	0	0	0	0	0	0	53.13	0	0	11.6	0.3	3.6
2025	3	31	1	52	55	0	0	0	0	0	0	0	53.08	0	0	11.6	0.3	3.6
2025	3	31	2	2	55	0	0	0	0	0	0	0	53.04	0	0	11.6	0.3	3.6
2025	3	31	2	12	55	0	0	0	0	0	0	0	53.01	0	0	11.6	0.3	3.6
2025	3	31	2	22	55	0	0	0	0	0	0	0	52.97	0	0	11.4	0.3	3.6
2025	3	31	2	32	55	0	0	0	0	0	0	0	52.93	0	0	11.4	0.3	3.6
2025	3	31	2	42	55	0	0	0	0	0	0	0	52.9	0	0	11.4	0.3	3.6
2025	3	31	2	52	55	0	0	0	0	0	0	0	52.86	0	0	11.4	0.3	3.6
2025	3	31	3	2	55	0	0	0	0	0	0	0	52.84	0	0	11.4	0.3	3.6
2025	3	31	3	12	55	0	0	0	0	0	0	0	52.83	0	0	11.4	0.3	3.6
2025	3	31	3	22	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	31	3	32	55	0	0	0	0	0	0	0	52.79	0	0	11.4	0.3	3.6
2025	3	31	3	42	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	3	52	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	4	2	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	4	12	55	0	0	0	0	0	0	0	52.75	0	0	11.4	0.3	3.6
2025	3	31	4	22	55	0	0	0	0	0	0	0	52.75	0	0	11.4	0.3	3.6
2025	3	31	4	32	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	4	42	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	4	52	55	0	0	0	0	0	0	0	52.79	0	0	11.4	0.3	3.6
2025	3	31	5	2	55	0	0	0	0	0	0	0	52.79	0	0	11.4	0.3	3.6
2025	3	31	5	12	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	31	5	22	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	31	5	32	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	31	5	42	55	0	0	0	0	0	0	0	52.81	0	0	11.4	0.3	3.6
2025	3	31	5	52	55	0	0	0	0	0	0	0	52.83	0	0	11.4	0.3	3.6
2025	3	31	6	2	55	0	0	0	0	0	0	0	52.84	0	0	11.4	0.3	3.6
2025	3	31	6	12	55	0	0	0	0	0	0	0	52.84	0	0	11.4	0.3	3.6
2025	3	31	6	22	55	0	0	0	0	0	0	0	52.88	0	0	11.6	0.3	3.6
2025	3	31	6	32	55	0	0	0	0	0	0	0	52.9	0	0	11.6	0.3	3.6
2025	3	31	6	42	55	0	0	0	0	0	0	0	52.92	0	0	11.8	0.3	3.6
2025	3	31	6	52	55	0	0	0	0	0	0	0	52.97	0	0	11.6	0.3	3.6
2025	3	31	7	2	55	0	0	0	0	0	0	0	53.01	0	0	11.6	0.3	3.6
2025	3	31	7	12	55	0	0	0	0	0	0	0	53.04	0	0	11.8	0.3	3.6
2025	3	31	7	22	55	0	0	0	0	0	0	0	53.1	0	0	12.2	0.3	3.6
2025	3	31	7	32	55	0	0	0	0	0	0	0	53.17	0	0	12.6	0.3	3.6
2025	3	31	7	42	55	0	0	0	0	0	0	0	53.28	0	0	12.6	0.3	3.6
2025	3	31	7	52	55	0	0	0	0	0	0	0	53.38	0	0	12.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	31	8	2	55	0	0	0	0	0	0	0	53.49	0	0	12.8	0.3	3.6
2025	3	31	8	12	55	0	0	0	0	0	0	0	53.58	0	0	13	0.3	3.6
2025	3	31	8	22	55	0	0	0	0	0	0	0	53.69	0	0	13.2	0.3	3.6
2025	3	31	8	32	55	0	0	0	0	0	0	0	53.83	0	0	13.4	0.3	3.6
2025	3	31	8	42	55	0	0	0	0	0	0	0	53.96	0	0	13.6	0.3	3.6
2025	3	31	8	52	55	0	0	0	0	0	0	0	54.1	0	0	13.4	0.3	3.6
2025	3	31	9	2	55	0	0	0	0	0	0	0	54.1	0	0	13.2	0.3	3.6
2025	3	31	9	12	55	0	0	0	0	0	0	0	54.09	0	0	13.2	0.3	3.6
2025	3	31	9	22	55	0	0	0	0	0	0	0	54.05	0	0	12.6	0.3	3.6
2025	3	31	9	32	55	0	0	0	0	0	0	0	54.01	0	0	12.4	0.3	3.6
2025	3	31	9	42	55	0	0	0	0	0	0	0	54	0	0	12.2	0.3	3.6
2025	3	31	9	52	55	0	0	0	0	0	0	0	53.98	0	0	12.2	0.3	3.6
2025	3	31	10	2	55	0	0	0	0	0	0	0	53.96	0	0	12.2	0.3	3.6
2025	3	31	10	12	55	0	0	0	0	0	0	0	54	0	0	12.2	0.3	3.6
2025	3	31	10	22	55	0	0	0	0	0	0	0	54	0	0	12.4	0.3	3.6
2025	3	31	10	32	55	0	0	0	0	0	0	0	54	0	0	12	0.3	3.6
2025	3	31	10	42	55	0	0	0	0	0	0	0	54.05	0	0	11.8	0.3	3.6
2025	3	31	10	52	55	0	0	0	0	0	0	0	54.12	0	0	12	0.3	3.6
2025	3	31	11	2	55	0	0	0	0	0	0	0	54.25	0	0	12.6	0.3	3.6
2025	3	31	11	12	55	0	0	0	0	0	0	0	54.32	0	0	13	0.3	3.6
2025	3	31	11	22	55	0	0	0	0	0	0	0	54.39	0	0	12.4	0.3	3.6
2025	3	31	11	32	55	0	0	0	0	0	0	0	54.45	0	0	13	0.3	3.6
2025	3	31	11	42	55	0	0	0	0	0	0	0	54.52	0	0	13	0.3	3.6
2025	3	31	11	52	55	0	0	0	0	0	0	0	54.55	0	0	12.8	0.3	3.6
2025	3	31	12	2	55	0	0	0	0	0	0	0	54.63	0	0	12.6	0.3	3.6
2025	3	31	12	12	55	0	0	0	0	0	0	0	54.68	0	0	12.8	0.3	3.6
2025	3	31	12	22	55	0	0	0	0	0	0	0	54.68	0	0	12.4	0.3	3.6
2025	3	31	12	32	55	0	0	0	0	0	0	0	54.7	0	0	12.2	0.3	3.6
2025	3	31	12	42	55	0	0	0	0	0	0	0	54.7	0	0	11.8	0.3	3.6
2025	3	31	12	52	55	0	0	0	0	0	0	0	54.7	0	0	11.4	0.3	3.6
2025	3	31	13	2	55	0	0	0	0	0	0	0	54.7	0	0	11	0.3	3.6
2025	3	31	13	12	55	0	0	0	0	0	0	0	54.72	0	0	11.4	0.3	3.6
2025	3	31	13	22	55	0	0	0	0	0	0	0	54.72	0	0	12.4	0.3	3.6
2025	3	31	13	32	55	0	0	0	0	0	0	0	54.72	0	0	12.2	0.3	3.6
2025	3	31	13	42	55	0	0	0	0	0	0	0	54.72	0	0	12.2	0.3	3.6
2025	3	31	13	52	55	0	0	0	0	0	0	0	54.73	0	0	12	0.3	3.6
2025	3	31	14	2	55	0	0	0	0	0	0	0	54.73	0	0	12	0.3	3.6
2025	3	31	14	12	55	0	0	0	0	0	0	0	54.73	0	0	11.8	0.3	3.6
2025	3	31	14	22	55	0	0	0	0	0	0	0	54.75	0	0	11.8	0.3	3.6
2025	3	31	14	32	55	0	0	0	0	0	0	0	54.75	0	0	11.8	0.3	3.6
2025	3	31	14	42	55	0	0	0	0	0	0	0	54.79	0	0	11.8	0.3	3.6
2025	3	31	14	52	55	0	0	0	0	0	0	0	54.79	0	0	11.8	0.3	3.6
2025	3	31	15	2	55	0	0	0	0	0	0	0	54.81	0	0	11.8	0.3	3.6
2025	3	31	15	12	55	0	0	0	0	0	0	0	54.82	0	0	11.8	0.3	3.6
2025	3	31	15	22	55	0	0	0	0	0	0	0	54.84	0	0	11.8	0.3	3.3
2025	3	31	15	32	55	0	0	0	0	0	0	0	54.84	0	0	11.8	0.3	3.3
2025	3	31	15	42	55	0	0	0	0	0	0	0	54.84	0	0	11.8	0.3	3.3
2025	3	31	15	52	55	0	0	0	0	0	0	0	54.84	0	0	11.8	0.3	3.6

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	3	31	16	2	55	0	0	0	0	0	0	0	54.86	0	0	11.8	0.3	3.3
2025	3	31	16	12	55	0	0	0	0	0	0	0	54.84	0	0	11.8	0.3	3.3
2025	3	31	16	22	55	0	0	0	0	0	0	0	54.84	0	0	11.6	0.3	3.3
2025	3	31	16	32	55	0	0	0	0	0	0	0	54.82	0	0	11.6	0.3	3.3
2025	3	31	16	42	55	0	0	0	0	0	0	0	54.81	0	0	11.6	0.3	3.6
2025	3	31	16	52	55	0	0	0	0	0	0	0	54.79	0	0	11.6	0.3	3.6
2025	3	31	17	2	55	0	0	0	0	0	0	0	54.79	0	0	11.6	0.3	3.6
2025	3	31	17	12	55	0	0	0	0	0	0	0	54.73	0	0	11.6	0.3	3.6
2025	3	31	17	22	55	0	0	0	0	0	0	0	54.7	0	0	11.6	0.3	3.6
2025	3	31	17	32	55	0	0	0	0	0	0	0	54.66	0	0	11.6	0.3	3.6
2025	3	31	17	42	55	0	0	0	0	0	0	0	54.63	0	0	11.6	0.3	3.6
2025	3	31	17	52	55	0	0	0	0	0	0	0	54.59	0	0	11.6	0.3	3.6
2025	3	31	18	2	55	0	0	0	0	0	0	0	54.57	0	0	11.6	0.3	3.6
2025	3	31	18	12	55	0	0	0	0	0	0	0	54.54	0	0	11.6	0.3	3.6
2025	3	31	18	22	55	0	0	0	0	0	0	0	54.5	0	0	11.6	0.3	3.6
2025	3	31	18	32	55	0	0	0	0	0	0	0	54.45	0	0	11.6	0.3	3.6
2025	3	31	18	42	55	0	0	0	0	0	0	0	54.39	0	0	11.6	0.3	3.6
2025	3	31	18	52	55	0	0	0	0	0	0	0	54.34	0	0	11.6	0.3	3.6
2025	3	31	19	2	55	0	0	0	0	0	0	0	54.3	0	0	11.6	0.3	3.6
2025	3	31	19	12	55	0	0	0	0	0	0	0	54.25	0	0	11.6	0.3	3.6
2025	3	31	19	22	55	0	0	0	0	0	0	0	54.18	0	0	11.6	0.3	3.6
2025	3	31	19	32	55	0	0	0	0	0	0	0	54.12	0	0	11.6	0.3	3.6
2025	3	31	19	42	55	0	0	0	0	0	0	0	54.05	0	0	11.6	0.3	3.6
2025	3	31	19	52	55	0	0	0	0	0	0	0	54	0	0	11.6	0.3	3.6
2025	3	31	20	2	55	0	0	0	0	0	0	0	53.94	0	0	11.6	0.3	3.6
2025	3	31	20	12	55	0	0	0	0	0	0	0	53.89	0	0	11.6	0.3	3.6
2025	3	31	20	22	55	0	0	0	0	0	0	0	53.82	0	0	11.6	0.3	3.6
2025	3	31	20	32	55	0	0	0	0	0	0	0	53.76	0	0	11.6	0.3	3.6
2025	3	31	20	42	55	0	0	0	0	0	0	0	53.73	0	0	11.6	0.3	3.6
2025	3	31	20	52	55	0	0	0	0	0	0	0	53.65	0	0	11.6	0.3	3.6
2025	3	31	21	2	55	0	0	0	0	0	0	0	53.6	0	0	11.6	0.3	3.6
2025	3	31	21	12	55	0	0	0	0	0	0	0	53.55	0	0	11.6	0.3	3.6
2025	3	31	21	22	55	0	0	0	0	0	0	0	53.47	0	0	11.6	0.3	3.6
2025	3	31	21	32	55	0	0	0	0	0	0	0	53.42	0	0	11.6	0.3	3.6
2025	3	31	21	42	55	0	0	0	0	0	0	0	53.35	0	0	11.6	0.3	3.6
2025	3	31	21	52	55	0	0	0	0	0	0	0	53.29	0	0	11.6	0.3	3.6
2025	3	31	22	2	55	0	0	0	0	0	0	0	53.22	0	0	11.6	0.3	3.6
2025	3	31	22	12	55	0	0	0	0	0	0	0	53.13	0	0	11.6	0.3	3.6
2025	3	31	22	22	55	0	0	0	0	0	0	0	53.08	0	0	11.6	0.3	3.6
2025	3	31	22	32	55	0	0	0	0	0	0	0	53.01	0	0	11.4	0.3	3.6
2025	3	31	22	42	55	0	0	0	0	0	0	0	52.93	0	0	11.4	0.3	3.6
2025	3	31	22	52	55	0	0	0	0	0	0	0	52.86	0	0	11.4	0.3	3.6
2025	3	31	23	2	55	0	0	0	0	0	0	0	52.77	0	0	11.4	0.3	3.6
2025	3	31	23	12	55	0	0	0	0	0	0	0	52.7	0	0	11.4	0.3	3.6
2025	3	31	23	22	55	0	0	0	0	0	0	0	52.63	0	0	11.4	0.3	3.6
2025	3	31	23	32	55	0	0	0	0	0	0	0	52.56	0	0	11.4	0.3	3.6
2025	3	31	23	42	55	0	0	0	0	0	0	0	52.48	0	0	11.4	0.3	3.6
2025	3	31	23	52	55	0	0	0	0	0	0	0	52.41	0	0	11.4	0.3	3.6

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	1	0	1	26	0.7	97.3	76.7979	50.6208
2025	3	1	0	11	26	0.68	98.8	76.7979	49.1882
2025	3	1	0	21	26	0.67	95.9	76.7979	48.4719
2025	3	1	0	31	26	0.68	98.3	76.7979	49.1882
2025	3	1	0	41	26	0.69	98.2	76.7979	49.9046
2025	3	1	0	51	26	0.7	99.7	76.7979	50.1434
2025	3	1	1	1	26	0.72	97.9	76.7979	51.5761
2025	3	1	1	11	26	0.68	100.1	76.7979	48.472
2025	3	1	1	21	26	0.66	98.6	76.7979	47.2782
2025	3	1	1	31	26	0.65	94.1	76.7979	47.0394
2025	3	1	1	41	26	0.71	98.8	76.7979	51.0987
2025	3	1	1	51	26	0.66	97.4	76.7979	47.9946
2025	3	1	2	1	26	0.65	98.7	76.7979	46.8007
2025	3	1	2	11	26	0.71	99.2	76.7979	51.3375
2025	3	1	2	21	26	0.71	97.2	76.7979	51.3375
2025	3	1	2	31	26	0.67	96.5	76.7323	48.4289
2025	3	1	2	41	26	0.71	102.2	76.7323	50.8146
2025	3	1	2	51	26	0.73	98.3	76.7979	52.5315
2025	3	1	3	1	26	0.71	96.4	76.7323	51.2917
2025	3	1	3	11	26	0.72	100	76.7323	51.2917
2025	3	1	3	21	26	0.72	98.2	76.7323	51.5303
2025	3	1	3	31	26	0.69	98	76.7323	49.3832
2025	3	1	3	41	26	0.65	96.4	76.7323	46.9976
2025	3	1	3	51	26	0.65	99.9	76.7323	46.5204
2025	3	1	4	1	26	0.68	97.5	76.7979	48.9499
2025	3	1	4	11	26	0.7	95.4	76.7323	50.8146
2025	3	1	4	21	26	0.67	97.1	76.7979	48.2335
2025	3	1	4	31	26	0.75	98.3	76.7323	53.916
2025	3	1	4	41	26	0.67	99	76.7979	48.2335
2025	3	1	4	51	26	0.71	97.5	76.7979	51.0989
2025	3	1	5	1	26	0.7	99.8	76.7979	49.905
2025	3	1	5	11	26	0.71	99	76.7979	51.3376
2025	3	1	5	21	26	0.71	98.3	76.7979	50.8601
2025	3	1	5	31	26	0.68	98.1	76.7979	48.9498
2025	3	1	5	41	26	0.73	96.2	76.7979	53.0091
2025	3	1	5	51	26	0.68	98.1	76.7979	48.711
2025	3	1	6	1	26	0.7	98.7	76.7979	50.1437
2025	3	1	6	11	26	0.69	97.3	76.7979	50.1437
2025	3	1	6	21	26	0.68	98.3	76.7979	48.9498
2025	3	1	6	31	26	0.74	99.1	76.7979	53.4866
2025	3	1	6	41	26	0.69	97.6	76.7979	49.9049
2025	3	1	6	51	26	0.72	98.1	76.7979	52.0539
2025	3	1	7	1	26	0.69	96.8	76.7979	49.9049
2025	3	1	7	11	26	0.72	97.9	76.7979	51.5763
2025	3	1	7	21	26	0.67	97	76.7979	48.4722
2025	3	1	7	31	26	0.68	98.9	76.7979	48.7109
2025	3	1	7	41	26	0.7	94.5	76.7979	51.0987
2025	3	1	7	51	26	0.7	99.5	76.7979	50.1436

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	1	8	1	26	0.69	98.7	76.7979	49.9047
2025	3	1	8	11	26	0.71	99.9	76.7979	50.6211
2025	3	1	8	21	26	0.72	98.6	76.7979	52.0537
2025	3	1	8	31	26	0.7	97.5	76.7979	50.8597
2025	3	1	8	41	26	0.68	98.3	76.7979	48.9494
2025	3	1	8	51	26	0.66	99.5	76.7979	47.0392
2025	3	1	9	1	26	0.69	99.3	76.8635	49.4711
2025	3	1	9	11	26	0.69	98.2	76.7979	49.6656
2025	3	1	9	21	26	0.68	97	76.8635	48.993
2025	3	1	9	31	26	0.71	97.7	76.8635	51.3829
2025	3	1	9	41	26	0.67	99	76.8635	48.037
2025	3	1	9	51	26	0.68	98.6	76.8635	48.9929
2025	3	1	10	1	26	0.71	98.2	76.8635	51.3827
2025	3	1	10	11	26	0.67	99.6	76.8635	48.0368
2025	3	1	10	21	26	0.71	99	76.8635	51.1436
2025	3	1	10	31	26	0.69	96.6	76.8635	49.7097
2025	3	1	10	41	26	0.71	97.7	76.9291	51.1892
2025	3	1	10	51	26	0.68	100.5	76.9291	49.0363
2025	3	1	11	1	26	0.7	95.9	76.9291	50.9499
2025	3	1	11	11	26	0.68	100	76.9291	48.7971
2025	3	1	11	21	26	0.7	97.6	76.9291	50.2322
2025	3	1	11	31	26	0.68	99.7	76.9291	49.0362
2025	3	1	11	41	26	0.68	96.4	76.9291	49.0361
2025	3	1	11	51	26	0.7	98.8	76.9291	50.7105
2025	3	1	12	1	26	0.68	98.4	76.9948	48.8404
2025	3	1	12	11	26	0.7	100	76.9948	50.0374
2025	3	1	12	21	26	0.68	101.9	76.9948	48.8403
2025	3	1	12	31	26	0.69	100.4	76.9948	49.5585
2025	3	1	12	41	26	0.68	97.5	76.9291	49.2751
2025	3	1	12	51	26	0.72	98.4	76.9948	52.192
2025	3	1	13	1	26	0.75	97.5	76.9948	54.5861
2025	3	1	13	11	26	0.7	99.1	76.9948	50.7554
2025	3	1	13	21	26	0.71	98.5	76.9948	50.9948
2025	3	1	13	31	26	0.67	99.3	76.9948	48.1218
2025	3	1	13	41	26	0.74	97.1	77.0604	53.9157
2025	3	1	13	51	26	0.69	97.1	77.0604	50.3213
2025	3	1	14	1	26	0.72	99.7	76.9948	51.7129
2025	3	1	14	11	26	0.73	100.4	77.0604	52.2382
2025	3	1	14	21	26	0.71	96.9	77.0604	51.2797
2025	3	1	14	31	26	0.69	97.9	77.0604	49.842
2025	3	1	14	41	26	0.68	97.4	77.0604	49.6023
2025	3	1	14	51	26	0.72	98.7	77.0604	51.7589
2025	3	1	15	1	26	0.72	100.3	77.0604	51.5193
2025	3	1	15	11	26	0.71	98.2	77.0604	51.2796
2025	3	1	15	21	26	0.73	99.8	77.0604	52.4777
2025	3	1	15	31	26	0.67	98.7	77.0604	48.6437
2025	3	1	15	41	26	0.69	99.6	77.0604	49.6022
2025	3	1	15	51	26	0.73	98	77.0604	52.7173

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	1	16	1	26	0.69	97.7	77.0604	49.8418
2025	3	1	16	11	26	0.7	99.5	77.0604	50.0814
2025	3	1	16	21	26	0.72	96.1	77.0604	51.9984
2025	3	1	16	31	26	0.7	97.9	77.0604	50.3211
2025	3	1	16	41	26	0.71	98.2	77.0604	51.5192
2025	3	1	16	51	26	0.69	98.2	77.0604	50.0814
2025	3	1	17	1	26	0.7	97.2	77.0604	51.0399
2025	3	1	17	11	26	0.68	95.8	77.0604	49.1229
2025	3	1	17	21	26	0.69	97.1	77.0604	50.0814
2025	3	1	17	31	26	0.73	97.2	77.0604	52.9568
2025	3	1	17	41	26	0.64	95.6	77.0604	46.7266
2025	3	1	17	51	26	0.71	96.9	76.9948	51.7126
2025	3	1	18	1	26	0.71	98.3	76.9948	50.9944
2025	3	1	18	11	26	0.7	97	76.9948	50.9944
2025	3	1	18	21	26	0.69	98	76.9948	49.5579
2025	3	1	18	31	26	0.69	97.9	76.9948	49.7973
2025	3	1	18	41	26	0.71	95.8	76.9948	51.4732
2025	3	1	18	51	26	0.67	96.5	76.9948	48.6003
2025	3	1	19	1	26	0.7	96.2	77.0604	50.5606
2025	3	1	19	11	26	0.7	98.8	76.9948	50.7549
2025	3	1	19	21	26	0.68	97.5	76.9948	49.0791
2025	3	1	19	31	26	0.69	98.2	76.9948	50.0367
2025	3	1	19	41	26	0.66	98.8	76.9948	47.882
2025	3	1	19	51	26	0.75	100.1	77.0604	53.9153
2025	3	1	20	1	26	0.67	95.1	76.9948	48.6003
2025	3	1	20	11	26	0.73	97.2	76.9948	52.9097
2025	3	1	20	21	26	0.67	98.5	76.9948	48.1215
2025	3	1	20	31	26	0.72	99.7	76.9948	51.7127
2025	3	1	20	41	26	0.68	100.8	76.9948	49.0792
2025	3	1	20	51	26	0.69	96.5	76.9948	50.2763
2025	3	1	21	1	26	0.67	100.9	76.9948	48.361
2025	3	1	21	11	26	0.71	97.2	76.9948	51.4734
2025	3	1	21	21	26	0.71	95.9	76.9948	51.234
2025	3	1	21	31	26	0.67	100.7	76.9948	48.3611
2025	3	1	21	41	26	0.71	98.8	76.9948	51.2341
2025	3	1	21	51	26	0.69	98.5	76.9948	49.5582
2025	3	1	22	1	26	0.7	98.7	76.9948	50.2765
2025	3	1	22	11	26	0.68	97.5	76.9948	49.0794
2025	3	1	22	21	26	0.72	99.2	76.9948	51.713
2025	3	1	22	31	26	0.64	95.6	76.9948	46.2066
2025	3	1	22	41	26	0.7	96.2	76.9948	50.7554
2025	3	1	22	51	26	0.69	97.6	76.9948	50.0372
2025	3	1	23	1	26	0.68	97.2	76.9948	49.319
2025	3	1	23	11	26	0.72	94.4	76.9948	52.6708
2025	3	1	23	21	26	0.66	100	76.9948	47.4038
2025	3	1	23	31	26	0.71	99.6	76.9948	50.7556
2025	3	1	23	41	26	0.7	99.7	76.9948	50.2768
2025	3	1	23	51	26	0.71	99	76.9948	51.2345

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	2	0	1	26	0.72	97.3	76.9948	52.1922
2025	3	2	0	11	26	0.68	100	76.9948	48.8404
2025	3	2	0	21	26	0.69	99	76.9948	50.0375
2025	3	2	0	31	26	0.69	100.7	76.9948	49.3193
2025	3	2	0	41	26	0.7	98.8	76.9948	50.7558
2025	3	2	0	51	26	0.74	99.5	76.9948	52.9106
2025	3	2	1	1	26	0.66	99.5	76.9948	47.1647
2025	3	2	1	11	26	0.66	98.3	76.9948	47.883
2025	3	2	1	21	26	0.7	97.5	76.9948	50.756
2025	3	2	1	31	26	0.71	96.7	76.9948	51.2348
2025	3	2	1	41	26	0.66	97.4	76.9948	47.6436
2025	3	2	1	51	26	0.67	97.1	76.9948	48.3619
2025	3	2	2	1	26	0.68	98.9	76.9948	48.8407
2025	3	2	2	11	26	0.7	100.3	76.9948	50.2773
2025	3	2	2	21	26	0.72	97.9	76.9948	51.7138
2025	3	2	2	31	26	0.74	97.9	76.9948	53.3897
2025	3	2	2	41	26	0.73	98.6	76.9948	52.4321
2025	3	2	2	51	26	0.67	99.9	76.9948	48.1226
2025	3	2	3	1	26	0.69	96.3	76.9948	50.2774
2025	3	2	3	11	26	0.73	99.3	76.9948	52.911
2025	3	2	3	21	26	0.73	96.7	76.9948	52.6715
2025	3	2	3	31	26	0.71	99	76.9948	51.4745
2025	3	2	3	41	26	0.69	99.2	76.9948	50.038
2025	3	2	3	51	26	0.66	98	76.9948	47.6438
2025	3	2	4	1	26	0.66	96	76.9948	47.6439
2025	3	2	4	11	26	0.69	100.2	76.9948	49.3198
2025	3	2	4	21	26	0.73	97.5	76.9948	52.911
2025	3	2	4	31	26	0.69	97.4	76.9948	49.7986
2025	3	2	4	41	26	0.66	100.5	77.0604	47.6863
2025	3	2	4	51	26	0.72	97	77.0604	52.4789
2025	3	2	5	1	26	0.71	99.3	76.9948	51.2351
2025	3	2	5	11	26	0.7	98.8	77.0604	50.8015
2025	3	2	5	21	26	0.68	98.8	77.0604	49.3638
2025	3	2	5	31	26	0.7	97	77.0604	51.0412
2025	3	2	5	41	26	0.66	97.7	77.0604	47.6863
2025	3	2	5	51	26	0.69	97.4	77.0604	49.843
2025	3	2	6	1	26	0.69	97.4	77.0604	49.843
2025	3	2	6	11	26	0.7	97	77.0604	51.0412
2025	3	2	6	21	26	0.67	99.6	77.0604	48.4052
2025	3	2	6	31	26	0.72	98.7	77.0604	51.7601
2025	3	2	6	41	26	0.7	98.1	77.0604	50.3223
2025	3	2	6	51	26	0.74	99.5	76.9948	53.1505
2025	3	2	7	1	26	0.7	100.2	76.9948	50.5169
2025	3	2	7	11	26	0.7	97	77.0604	51.0412
2025	3	2	7	21	26	0.7	98.6	77.0604	50.5619
2025	3	2	7	31	26	0.69	100.9	76.9948	49.5592
2025	3	2	7	41	26	0.7	97.8	76.9948	50.5168
2025	3	2	7	51	26	0.7	97.8	77.0604	50.8015

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	2	8	1	26	0.69	98.2	77.0604	49.8429
2025	3	2	8	11	26	0.76	98.4	76.9948	54.8262
2025	3	2	8	21	26	0.71	98.8	76.9948	50.9955
2025	3	2	8	31	26	0.69	97.9	77.0604	50.0824
2025	3	2	8	41	26	0.68	98.8	77.0604	49.3635
2025	3	2	8	51	26	0.68	96.4	77.0604	49.1239
2025	3	2	9	1	26	0.72	99.9	77.0604	51.9994
2025	3	2	9	11	26	0.69	97.6	77.0604	50.0823
2025	3	2	9	21	26	0.71	97.9	77.0604	51.52
2025	3	2	9	31	26	0.71	97.8	77.0604	51.0407
2025	3	2	9	41	26	0.7	98.6	77.0604	50.5615
2025	3	2	9	51	26	0.7	98.1	77.0604	50.8011
2025	3	2	10	1	26	0.68	98.6	77.0604	49.1237
2025	3	2	10	11	26	0.75	100.1	77.0604	53.6765
2025	3	2	10	21	26	0.71	102.4	77.0604	50.3217
2025	3	2	10	31	26	0.72	97.4	77.0604	51.9991
2025	3	2	10	41	26	0.74	99.5	77.0604	52.9577
2025	3	2	10	51	26	0.73	99.8	77.0604	52.718
2025	3	2	11	1	26	0.69	95.4	77.0604	50.3216
2025	3	2	11	11	26	0.7	98.4	77.126	50.3664
2025	3	2	11	21	26	0.68	97.5	77.126	49.407
2025	3	2	11	31	26	0.72	97.6	77.0604	51.7593
2025	3	2	11	41	26	0.7	99.1	77.0604	50.8007
2025	3	2	11	51	26	0.73	98.7	77.0604	52.9573
2025	3	2	12	1	26	0.69	96	77.126	50.3662
2025	3	2	12	11	26	0.71	98.7	77.0604	51.5195
2025	3	2	12	21	26	0.69	97.4	77.0604	49.842
2025	3	2	12	31	26	0.69	97.1	77.0604	50.3213
2025	3	2	12	41	26	0.72	99.2	77.126	52.0449
2025	3	2	12	51	26	0.7	101.1	77.126	50.1262
2025	3	2	13	1	26	0.72	100.5	77.126	51.5652
2025	3	2	13	11	26	0.7	99.7	77.126	50.6058
2025	3	2	13	21	26	0.73	97.5	77.126	52.7643
2025	3	2	13	31	26	0.73	99	77.126	52.7643
2025	3	2	13	41	26	0.72	97.6	77.126	52.2846
2025	3	2	13	51	26	0.71	98.8	77.0604	51.2796
2025	3	2	14	1	26	0.72	101.1	77.126	51.5651
2025	3	2	14	11	26	0.74	100	77.126	53.2439
2025	3	2	14	21	26	0.69	97.1	77.126	50.3658
2025	3	2	14	31	26	0.69	97.4	77.0604	49.8418
2025	3	2	14	41	26	0.72	97.9	77.0604	51.7587
2025	3	2	14	51	26	0.67	95.3	77.0604	48.6436
2025	3	2	15	1	26	0.7	98.9	77.0604	50.5606
2025	3	2	15	11	26	0.67	98.7	77.0604	48.6436
2025	3	2	15	21	26	0.7	99.4	77.0604	50.8002
2025	3	2	15	31	26	0.67	101.5	77.0604	48.1643
2025	3	2	15	41	26	0.7	97	77.0604	51.0398
2025	3	2	15	51	26	0.72	97.6	76.9948	51.7126

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	2	16	1	26	0.69	98.5	76.9948	49.7973
2025	3	2	16	11	26	0.68	97.2	76.9291	49.2746
2025	3	2	16	21	26	0.69	98.5	76.9948	49.5579
2025	3	2	16	31	26	0.7	98.1	76.9291	50.7098
2025	3	2	16	41	26	0.7	97	76.9291	50.4706
2025	3	2	16	51	26	0.68	97.2	76.9291	49.0354
2025	3	2	17	1	26	0.71	97.7	76.9291	51.4273
2025	3	2	17	11	26	0.69	96	76.9291	49.753
2025	3	2	17	21	26	0.69	97.3	76.9291	50.2314
2025	3	2	17	31	26	0.7	98.9	76.8635	50.4255
2025	3	2	17	41	26	0.69	96.9	76.9291	49.753
2025	3	2	17	51	26	0.68	96.1	76.9291	49.2746
2025	3	2	18	1	26	0.68	99.8	76.9291	48.557
2025	3	2	18	11	26	0.72	97.9	76.8635	51.8594
2025	3	2	18	21	26	0.7	99.8	76.8635	49.9476
2025	3	2	18	31	26	0.66	97.1	76.7979	47.9928
2025	3	2	18	41	26	0.68	99.8	76.7979	48.4704
2025	3	2	18	51	26	0.75	98.6	76.7979	53.9621
2025	3	2	19	1	26	0.69	95.8	76.7979	49.6642
2025	3	2	19	11	26	0.75	97.5	76.7979	54.4397
2025	3	2	19	21	26	0.66	100.6	76.7323	47.2343
2025	3	2	19	31	26	0.7	96.2	76.7323	50.5741
2025	3	2	19	41	26	0.69	98.2	76.7323	49.6199
2025	3	2	19	51	26	0.69	102.3	76.7323	49.1428
2025	3	2	20	1	26	0.74	97.6	76.6667	53.3891
2025	3	2	20	11	26	0.72	96.8	76.7323	51.767
2025	3	2	20	21	26	0.72	96.8	76.6667	51.9591
2025	3	2	20	31	26	0.69	100.1	76.6667	49.3373
2025	3	2	20	41	26	0.71	96.9	76.6667	51.0057
2025	3	2	20	51	26	0.71	96.3	76.7323	51.5285
2025	3	2	21	1	26	0.71	97.7	76.6667	51.2441
2025	3	2	21	11	26	0.68	96.6	76.7323	49.3816
2025	3	2	21	21	26	0.71	98.7	76.6667	51.2442
2025	3	2	21	31	26	0.73	97.8	76.6667	52.436
2025	3	2	21	41	26	0.69	97.9	76.6667	49.5759
2025	3	2	21	51	26	0.72	98.9	76.6667	51.9594
2025	3	2	22	1	26	0.71	96.3	76.6667	51.4827
2025	3	2	22	11	26	0.68	95	76.6667	49.3376
2025	3	2	22	21	26	0.68	98.6	76.6667	48.861
2025	3	2	22	31	26	0.72	98.9	76.6667	51.9595
2025	3	2	22	41	26	0.71	98.7	76.6667	51.2445
2025	3	2	22	51	26	0.66	98.8	76.7323	47.712
2025	3	2	23	1	26	0.7	99.2	76.7323	50.3362
2025	3	2	23	11	26	0.7	99.2	76.6667	50.2913
2025	3	2	23	21	26	0.68	97.8	76.7323	48.905
2025	3	2	23	31	26	0.69	97.9	76.7323	49.8592
2025	3	2	23	41	26	0.69	98.4	76.7323	49.8593
2025	3	2	23	51	26	0.69	96.3	76.7323	50.0979

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	3	0	1	26	0.69	96.3	76.7323	49.8594
2025	3	3	0	11	26	0.7	97.5	76.7323	50.5751
2025	3	3	0	21	26	0.71	97.9	76.7323	51.2908
2025	3	3	0	31	26	0.68	98.4	76.7323	48.6667
2025	3	3	0	41	26	0.67	96.7	76.7979	48.7102
2025	3	3	0	51	26	0.63	95.4	76.7979	45.845
2025	3	3	1	1	26	0.68	98.3	76.7979	49.1879
2025	3	3	1	11	26	0.71	99.8	76.7979	51.0981
2025	3	3	1	21	26	0.71	95.9	76.7979	51.0981
2025	3	3	1	31	26	0.67	98.2	76.7979	47.9941
2025	3	3	1	41	26	0.7	99.2	76.7979	50.3818
2025	3	3	1	51	26	0.71	98	76.7979	51.0982
2025	3	3	2	1	26	0.7	97.8	76.7979	50.6207
2025	3	3	2	11	26	0.7	98.1	76.7979	50.1432
2025	3	3	2	21	26	0.66	98.8	76.7979	47.7554
2025	3	3	2	31	26	0.71	97.4	76.7979	51.5759
2025	3	3	2	41	26	0.7	96.5	76.7979	50.6208
2025	3	3	2	51	26	0.73	99.3	76.7323	52.2455
2025	3	3	3	1	26	0.72	99.5	76.7323	51.2913
2025	3	3	3	11	26	0.72	100	76.7979	51.3372
2025	3	3	3	21	26	0.7	98.9	76.7979	50.3821
2025	3	3	3	31	26	0.64	97.1	76.7979	46.3229
2025	3	3	3	41	26	0.7	97.3	76.7979	50.3821
2025	3	3	3	51	26	0.71	99.3	76.7979	51.0985
2025	3	3	4	1	26	0.74	96.7	76.7979	53.2475
2025	3	3	4	11	26	0.69	100.1	76.7979	49.427
2025	3	3	4	21	26	0.73	99.5	76.7979	52.5312
2025	3	3	4	31	26	0.67	99.3	76.7979	47.9944
2025	3	3	4	41	26	0.68	96.9	76.7979	49.4271
2025	3	3	4	51	26	0.7	97.5	76.7979	50.8597
2025	3	3	5	1	26	0.69	97.4	76.7979	49.9046
2025	3	3	5	11	26	0.68	96.6	76.7979	49.1883
2025	3	3	5	21	26	0.72	99.9	76.7979	51.8149
2025	3	3	5	31	26	0.68	99.4	76.7979	48.9495
2025	3	3	5	41	26	0.7	97.6	76.7979	50.3822
2025	3	3	5	51	26	0.7	98.1	76.7979	50.1434
2025	3	3	6	1	26	0.71	97.7	76.7979	51.3373
2025	3	3	6	11	26	0.72	96.5	76.7979	52.2924
2025	3	3	6	21	26	0.74	97.7	76.7979	53.2476
2025	3	3	6	31	26	0.68	96.4	76.7979	49.1883
2025	3	3	6	41	26	0.64	100.1	76.7979	45.6067
2025	3	3	6	51	26	0.71	99	76.7979	51.0986
2025	3	3	7	1	26	0.71	98.5	76.7979	51.3374
2025	3	3	7	11	26	0.72	98.7	76.7979	51.5761
2025	3	3	7	21	26	0.72	97.9	76.7979	51.8149
2025	3	3	7	31	26	0.73	97.5	76.7979	52.77
2025	3	3	7	41	26	0.66	98.6	76.7979	47.5169
2025	3	3	7	51	26	0.72	98.9	76.7979	52.0537

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	3	8	1	26	0.71	98.3	76.7979	50.8598
2025	3	3	8	11	26	0.72	99.4	76.8635	52.1002
2025	3	3	8	21	26	0.69	97.1	76.8635	49.7103
2025	3	3	8	31	26	0.72	96.8	76.8635	52.1002
2025	3	3	8	41	26	0.69	97.4	76.8635	49.9492
2025	3	3	8	51	26	0.71	98.5	76.8635	51.3831
2025	3	3	9	1	26	0.69	96.8	76.8635	50.1881
2025	3	3	9	11	26	0.71	97.4	76.8635	51.3831
2025	3	3	9	21	26	0.73	99	76.8635	52.578
2025	3	3	9	31	26	0.75	98.3	76.8635	54.251
2025	3	3	9	41	26	0.69	97.7	76.9291	49.5153
2025	3	3	9	51	26	0.7	99.5	76.9948	50.0382
2025	3	3	10	1	26	0.72	98.1	76.9291	52.1464
2025	3	3	10	11	26	0.71	97.7	76.9291	51.1895
2025	3	3	10	21	26	0.7	96.7	76.9291	50.7111
2025	3	3	10	31	26	0.69	98.5	76.9291	49.515
2025	3	3	10	41	26	0.75	98.3	76.9948	53.8686
2025	3	3	10	51	26	0.67	98.4	76.9948	48.6014
2025	3	3	11	1	26	0.7	96.7	76.9948	50.7561
2025	3	3	11	11	26	0.7	97.3	76.9948	50.5167
2025	3	3	11	21	26	0.71	96.9	76.9948	51.4743
2025	3	3	11	31	26	0.68	99.4	76.9948	49.3196
2025	3	3	11	41	26	0.67	97	76.9948	48.8407
2025	3	3	11	51	26	0.75	98.5	77.0604	54.3957
2025	3	3	12	1	26	0.75	96	76.9948	54.3472
2025	3	3	12	11	26	0.71	96.9	76.9948	51.4742
2025	3	3	12	21	26	0.69	98.7	76.9948	50.0376
2025	3	3	12	31	26	0.77	99.3	76.9948	55.5442
2025	3	3	12	41	26	0.68	98.1	76.9948	49.0799
2025	3	3	12	51	26	0.73	98.7	76.9948	52.9105
2025	3	3	13	1	26	0.74	97.6	76.9948	53.8682
2025	3	3	13	11	26	0.74	97.1	77.0604	53.9162
2025	3	3	13	21	26	0.7	99.5	77.0604	50.3217
2025	3	3	13	31	26	0.71	100.9	76.9948	50.9951
2025	3	3	13	41	26	0.69	97.7	77.0604	49.6028
2025	3	3	13	51	26	0.69	96.3	77.0604	50.3217
2025	3	3	14	1	26	0.71	95.6	76.9948	51.2345
2025	3	3	14	11	26	0.71	98.2	76.9948	51.2345
2025	3	3	14	21	26	0.69	97.6	77.0604	50.082
2025	3	3	14	31	26	0.71	98.2	77.0604	51.2801
2025	3	3	14	41	26	0.74	98.1	76.9948	53.6286
2025	3	3	14	51	26	0.7	99.9	77.0604	50.5612
2025	3	3	15	1	26	0.71	98.5	77.0604	51.2801
2025	3	3	15	11	26	0.71	97.2	76.9948	51.2344
2025	3	3	15	21	26	0.68	98	76.9948	49.3191
2025	3	3	15	31	26	0.73	96.5	76.9948	52.6709
2025	3	3	15	41	26	0.7	97.8	76.9948	50.5162
2025	3	3	15	51	26	0.75	99	76.9948	54.3468

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	3	16	1	26	0.7	102.7	76.9948	50.0374
2025	3	3	16	11	26	0.68	96.1	76.9948	49.0797
2025	3	3	16	21	26	0.68	98.6	76.9948	49.3191
2025	3	3	16	31	26	0.74	96.9	76.9948	53.3892
2025	3	3	16	41	26	0.74	99.2	76.9948	53.1498
2025	3	3	16	51	26	0.72	98.4	76.9948	51.7133
2025	3	3	17	1	26	0.68	96.9	76.9948	49.5586
2025	3	3	17	11	26	0.73	99.8	76.9948	52.6709
2025	3	3	17	21	26	0.75	98.5	76.9948	54.3468
2025	3	3	17	31	26	0.68	97.8	76.9948	48.8403
2025	3	3	17	41	26	0.69	97.7	76.9948	49.5586
2025	3	3	17	51	26	0.7	94.6	76.9948	50.995
2025	3	3	18	1	26	0.7	97.9	76.9948	50.2768
2025	3	3	18	11	26	0.69	96	76.9948	50.2768
2025	3	3	18	21	26	0.68	98.6	76.9948	49.3192
2025	3	3	18	31	26	0.71	98.2	76.9948	51.4739
2025	3	3	18	41	26	0.71	98.7	76.9291	51.428
2025	3	3	18	51	26	0.72	97.1	76.9291	52.1456
2025	3	3	19	1	26	0.7	98.3	76.9291	50.7104
2025	3	3	19	11	26	0.7	97.9	76.9291	50.232
2025	3	3	19	21	26	0.72	99.2	76.9291	51.6673
2025	3	3	19	31	26	0.71	99.6	76.9291	50.7105
2025	3	3	19	41	26	0.72	98.6	76.9291	52.1457
2025	3	3	19	51	26	0.67	97	76.9291	48.7969
2025	3	3	20	1	26	0.72	97.9	76.9291	51.9065
2025	3	3	20	11	26	0.7	99.7	76.9291	50.2321
2025	3	3	20	21	26	0.67	98.2	76.9291	48.0793
2025	3	3	20	31	26	0.69	97.4	76.9291	49.993
2025	3	3	20	41	26	0.7	96.4	76.9291	50.9498
2025	3	3	20	51	26	0.7	95.6	76.9291	50.9498
2025	3	3	21	1	26	0.69	96.6	76.9291	49.993
2025	3	3	21	11	26	0.7	98.6	76.9291	50.4715
2025	3	3	21	21	26	0.73	100.1	76.9291	52.6243
2025	3	3	21	31	26	0.7	95.7	76.9291	50.7107
2025	3	3	21	41	26	0.67	95.6	76.9291	48.7971
2025	3	3	21	51	26	0.66	100	76.9291	47.6012
2025	3	3	22	1	26	0.67	99.9	76.9291	47.8404
2025	3	3	22	11	26	0.7	99.1	76.8635	50.6656
2025	3	3	22	21	26	0.69	100.4	76.9291	49.7541
2025	3	3	22	31	26	0.7	98.8	76.8635	50.6657
2025	3	3	22	41	26	0.7	97.8	76.8635	50.6657
2025	3	3	22	51	26	0.69	94.9	76.8635	50.1878
2025	3	3	23	1	26	0.69	96.9	76.8635	49.7099
2025	3	3	23	11	26	0.71	97.9	76.8635	51.3828
2025	3	3	23	21	26	0.7	96.7	76.8635	50.9049
2025	3	3	23	31	26	0.68	95.8	76.8635	49.471
2025	3	3	23	41	26	0.7	97.5	76.8635	50.9049
2025	3	3	23	51	26	0.69	98	76.8635	49.471

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	4	0	1	26	0.72	96.5	76.8635	52.1
2025	3	4	0	11	26	0.7	96.5	76.8635	50.6661
2025	3	4	0	21	26	0.69	97.4	76.8635	49.9491
2025	3	4	0	31	26	0.67	100.2	76.8635	47.7982
2025	3	4	0	41	26	0.68	95.5	76.8635	49.4712
2025	3	4	0	51	26	0.69	95.2	76.8635	49.9492
2025	3	4	1	1	26	0.65	96.4	76.8635	47.0813
2025	3	4	1	11	26	0.68	98.4	76.8635	48.7543
2025	3	4	1	21	26	0.69	96.8	76.8635	50.1883
2025	3	4	1	31	26	0.7	98.4	76.8635	50.1883
2025	3	4	1	41	26	0.7	95.4	76.8635	50.9053
2025	3	4	1	51	26	0.71	96.4	76.8635	51.3833
2025	3	4	2	1	26	0.72	97.6	76.8635	52.1003
2025	3	4	2	11	26	0.7	100.3	76.8635	49.9494
2025	3	4	2	21	26	0.71	100.7	76.8635	50.6664
2025	3	4	2	31	26	0.69	97.1	76.8635	50.1884
2025	3	4	2	41	26	0.7	98.9	76.8635	50.1885
2025	3	4	2	51	26	0.71	99.2	76.8635	51.3834
2025	3	4	3	1	26	0.71	98.8	76.8635	50.9055
2025	3	4	3	11	26	0.7	98.1	76.8635	50.1885
2025	3	4	3	21	26	0.73	98.3	76.8635	52.5784
2025	3	4	3	31	26	0.7	98.1	76.8635	50.4275
2025	3	4	3	41	26	0.74	99.5	76.8635	52.8175
2025	3	4	3	51	26	0.71	97.7	76.8635	51.3835
2025	3	4	4	1	26	0.68	98.1	76.8635	48.9936
2025	3	4	4	11	26	0.7	99.8	76.8635	49.9496
2025	3	4	4	21	26	0.67	98.4	76.8635	48.5156
2025	3	4	4	31	26	0.7	98.9	76.8635	50.4276
2025	3	4	4	41	26	0.69	98.5	76.8635	49.7106
2025	3	4	4	51	26	0.68	96.7	76.8635	48.9936
2025	3	4	5	1	26	0.68	98.1	76.8635	48.9936
2025	3	4	5	11	26	0.68	100.9	76.8635	48.5156
2025	3	4	5	21	26	0.68	97.4	76.8635	49.4716
2025	3	4	5	31	26	0.67	97.3	76.8635	48.5156
2025	3	4	5	41	26	0.7	96.4	76.8635	50.9056
2025	3	4	5	51	26	0.7	96.8	76.8635	50.4276
2025	3	4	6	1	26	0.68	99.4	76.8635	48.9937
2025	3	4	6	11	26	0.66	99.1	76.8635	47.7987
2025	3	4	6	21	26	0.72	99.4	76.8635	51.8616
2025	3	4	6	31	26	0.72	98.2	76.8635	51.6226
2025	3	4	6	41	26	0.65	96.1	76.8635	46.8427
2025	3	4	6	51	26	0.74	98.9	76.8635	53.2956
2025	3	4	7	1	26	0.76	95.7	76.8635	54.7295
2025	3	4	7	11	26	0.72	97.8	76.8635	52.1006
2025	3	4	7	21	26	0.64	97.4	76.8635	45.8868
2025	3	4	7	31	26	0.69	100.4	76.8635	49.7107
2025	3	4	7	41	26	0.7	98.9	76.8635	50.4276
2025	3	4	7	51	26	0.69	95.5	76.8635	49.9496

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	4	8	1	26	0.72	98.1	76.8635	52.1005
2025	3	4	8	11	26	0.69	98.2	76.8635	49.9496
2025	3	4	8	21	26	0.69	97.3	76.9291	50.2333
2025	3	4	8	31	26	0.69	98.2	76.8635	49.9495
2025	3	4	8	41	26	0.71	100.2	76.9291	50.7116
2025	3	4	8	51	26	0.7	98.6	76.8635	50.6664
2025	3	4	9	1	26	0.72	96	76.9291	52.1468
2025	3	4	9	11	26	0.72	100	76.9291	51.4291
2025	3	4	9	21	26	0.72	96.6	76.9291	51.9075
2025	3	4	9	31	26	0.72	96.5	76.9291	52.3859
2025	3	4	9	41	26	0.71	97.4	76.9291	51.6682
2025	3	4	9	51	26	0.69	97.4	76.9291	49.9938
2025	3	4	10	1	26	0.72	96.6	76.9291	51.9073
2025	3	4	10	11	26	0.68	96.9	76.9291	49.5153
2025	3	4	10	21	26	0.72	98.1	76.9291	52.1465
2025	3	4	10	31	26	0.75	97.1	76.9291	54.0601
2025	3	4	10	41	26	0.71	99.8	76.9291	51.1896
2025	3	4	10	51	26	0.69	98.5	76.9948	49.5593
2025	3	4	11	1	26	0.67	98.5	76.9291	48.0799
2025	3	4	11	11	26	0.68	97.5	76.9291	49.2758
2025	3	4	11	21	26	0.73	97.8	76.9291	52.3854
2025	3	4	11	31	26	0.7	97.8	76.9291	50.4718
2025	3	4	11	41	26	0.68	98.6	76.9948	49.3197
2025	3	4	11	51	26	0.7	98.1	76.9948	50.5167
2025	3	4	12	1	26	0.7	97.6	76.9948	50.2773
2025	3	4	12	11	26	0.71	96.9	76.9948	51.4743
2025	3	4	12	21	26	0.71	96.7	76.9948	51.2348
2025	3	4	12	31	26	0.69	97.4	76.9948	49.7983
2025	3	4	12	41	26	0.7	99.7	76.9948	50.2771
2025	3	4	12	51	26	0.68	98.3	77.0604	49.1238
2025	3	4	13	1	26	0.68	96.1	76.9948	49.3194
2025	3	4	13	11	26	0.7	97	77.0604	50.8011
2025	3	4	13	21	26	0.68	98.6	76.9948	49.0799
2025	3	4	13	31	26	0.65	99.3	77.0604	46.967
2025	3	4	13	41	26	0.67	97.6	77.0604	48.6444
2025	3	4	13	51	26	0.68	95.8	77.0604	49.6028
2025	3	4	14	1	26	0.68	98.6	77.0604	49.1236
2025	3	4	14	11	26	0.7	98.9	76.9948	50.2769
2025	3	4	14	21	26	0.7	97.6	76.9948	50.2768
2025	3	4	14	31	26	0.66	97.4	76.9948	47.8827
2025	3	4	14	41	26	0.7	100.3	76.9948	50.0374
2025	3	4	14	51	26	0.71	98.2	77.0604	51.5197
2025	3	4	15	1	26	0.7	98.8	76.9948	50.7556
2025	3	4	15	11	26	0.69	97.6	76.9948	50.0373
2025	3	4	15	21	26	0.71	97.7	76.9948	51.2344
2025	3	4	15	31	26	0.7	101	76.9948	50.2767
2025	3	4	15	41	26	0.73	99.8	77.0604	52.7178
2025	3	4	15	51	26	0.7	99.2	76.9948	50.2767

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	4	16	1	26	0.68	98.3	76.9948	49.319
2025	3	4	16	11	26	0.71	99.9	76.9948	50.9949
2025	3	4	16	21	26	0.73	100.6	76.9948	52.6708
2025	3	4	16	31	26	0.72	97.3	76.9948	52.4314
2025	3	4	16	41	26	0.71	96.3	76.9948	51.7131
2025	3	4	16	51	26	0.69	99.6	76.9948	49.319
2025	3	4	17	1	26	0.66	100	76.9948	47.6431
2025	3	4	17	11	26	0.67	98.5	77.0604	48.1648
2025	3	4	17	21	26	0.73	97.7	76.9948	53.1495
2025	3	4	17	31	26	0.71	94.8	76.9948	51.4736
2025	3	4	17	41	26	0.73	97.2	76.9948	53.1495
2025	3	4	17	51	26	0.66	99.4	76.9948	47.643
2025	3	4	18	1	26	0.69	97.1	76.9948	49.7977
2025	3	4	18	11	26	0.75	98.8	76.9948	54.1071
2025	3	4	18	21	26	0.65	101.6	76.9948	46.6854
2025	3	4	18	31	26	0.68	98.6	76.9948	49.3189
2025	3	4	18	41	26	0.68	95	76.9948	49.5583
2025	3	4	18	51	26	0.66	96.5	76.9948	48.1219
2025	3	4	19	1	26	0.69	96.8	76.9948	50.0372
2025	3	4	19	11	26	0.68	98.6	76.9948	49.3189
2025	3	4	19	21	26	0.7	97.6	76.9291	50.471
2025	3	4	19	31	26	0.71	97.7	76.9291	51.4278
2025	3	4	19	41	26	0.68	99.7	76.9291	49.0358
2025	3	4	19	51	26	0.71	98.5	76.9291	50.9494
2025	3	4	20	1	26	0.7	97.3	76.9291	50.471
2025	3	4	20	11	26	0.7	99.4	76.9291	50.4711
2025	3	4	20	21	26	0.67	99.3	76.9291	48.3183
2025	3	4	20	31	26	0.73	98	76.9291	52.6239
2025	3	4	20	41	26	0.71	100.3	76.9291	51.1887
2025	3	4	20	51	26	0.69	97.9	76.8635	49.7092
2025	3	4	21	1	26	0.71	98	76.9291	51.1888
2025	3	4	21	11	26	0.67	98.4	76.8635	48.2753
2025	3	4	21	21	26	0.71	98.5	76.8635	51.1432
2025	3	4	21	31	26	0.68	97	76.8635	48.9924
2025	3	4	21	41	26	0.69	97.1	76.8635	49.9483
2025	3	4	21	51	26	0.72	99.4	76.7979	52.0527
2025	3	4	22	1	26	0.69	96.6	76.8635	49.9484
2025	3	4	22	11	26	0.7	97	76.8635	50.9044
2025	3	4	22	21	26	0.69	97.9	76.8635	49.7095
2025	3	4	22	31	26	0.71	97.1	76.8635	51.6214
2025	3	4	22	41	26	0.73	96.7	76.8635	52.5774
2025	3	4	22	51	26	0.7	99.7	76.8635	50.1876
2025	3	4	23	1	26	0.72	96.6	76.8635	51.8605
2025	3	4	23	11	26	0.67	97.3	76.8635	48.7537
2025	3	4	23	21	26	0.7	98.9	76.8635	50.1877
2025	3	4	23	31	26	0.7	96.7	76.8635	50.9047
2025	3	4	23	41	26	0.67	99.9	76.8635	47.7979
2025	3	4	23	51	26	0.72	102.1	76.8635	51.3828

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	5	0	1	26	0.67	97.7	76.8635	48.0369
2025	3	5	0	11	26	0.72	98.9	76.8635	51.6218
2025	3	5	0	21	26	0.7	97.8	76.8635	50.4269
2025	3	5	0	31	26	0.72	101.1	76.8635	51.3829
2025	3	5	0	41	26	0.7	98.6	76.8635	50.427
2025	3	5	0	51	26	0.71	98.2	76.8635	51.383
2025	3	5	1	1	26	0.71	100.1	76.8635	51.144
2025	3	5	1	11	26	0.69	97.7	76.8635	49.7101
2025	3	5	1	21	26	0.7	99.2	76.8635	50.4271
2025	3	5	1	31	26	0.66	96.8	76.8635	48.0372
2025	3	5	1	41	26	0.64	93.8	76.8635	46.6033
2025	3	5	1	51	26	0.72	98.1	76.8635	52.1001
2025	3	5	2	1	26	0.7	98.1	76.8635	50.1882
2025	3	5	2	11	26	0.73	99.9	76.8635	52.1002
2025	3	5	2	21	26	0.68	98.6	76.8635	48.9933
2025	3	5	2	31	26	0.73	98.6	76.8635	52.3392
2025	3	5	2	41	26	0.73	98.1	76.8635	52.3392
2025	3	5	2	51	26	0.69	99.3	76.8635	49.4713
2025	3	5	3	1	26	0.7	98.9	76.8635	50.4273
2025	3	5	3	11	26	0.68	98.1	76.8635	48.7544
2025	3	5	3	21	26	0.73	96.9	76.8635	53.0562
2025	3	5	3	31	26	0.67	96.7	76.8635	48.7544
2025	3	5	3	41	26	0.69	97.7	76.8635	49.7104
2025	3	5	3	51	26	0.72	98.6	76.8635	51.8613
2025	3	5	4	1	26	0.71	99	76.8635	51.1443
2025	3	5	4	11	26	0.72	98.7	76.8635	51.6223
2025	3	5	4	21	26	0.7	97.6	76.8635	50.1884
2025	3	5	4	31	26	0.62	97.3	76.8635	44.9305
2025	3	5	4	41	26	0.71	99	76.9291	51.19
2025	3	5	4	51	26	0.71	97.2	76.9291	51.4292
2025	3	5	5	1	26	0.71	99	76.9291	51.4292
2025	3	5	5	11	26	0.68	96.1	76.9291	49.5156
2025	3	5	5	21	26	0.7	98.4	76.9291	50.4724
2025	3	5	5	31	26	0.74	97.9	76.9291	53.582
2025	3	5	5	41	26	0.66	98.8	76.9291	47.8411
2025	3	5	5	51	26	0.66	98.5	76.9291	47.8411
2025	3	5	6	1	26	0.72	97.9	76.9291	51.9076
2025	3	5	6	11	26	0.68	98.6	76.9291	49.2763
2025	3	5	6	21	26	0.74	99.8	76.9291	52.8644
2025	3	5	6	31	26	0.73	97.5	76.9291	52.6252
2025	3	5	6	41	26	0.73	98.6	76.9948	52.4327
2025	3	5	6	51	26	0.71	100.4	76.9948	50.9962
2025	3	5	7	1	26	0.67	96.8	76.9948	48.3626
2025	3	5	7	11	26	0.68	98	76.9948	49.3203
2025	3	5	7	21	26	0.69	100.4	76.9948	49.7991
2025	3	5	7	31	26	0.72	97.9	76.9948	51.9538
2025	3	5	7	41	26	0.66	98	76.9948	47.4049
2025	3	5	7	51	26	0.66	96.6	76.9948	47.8837

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	5	8	1	26	0.73	98.3	77.0604	52.719
2025	3	5	8	11	26	0.71	96.6	77.0604	51.5208
2025	3	5	8	21	26	0.69	96.3	77.0604	50.3227
2025	3	5	8	31	26	0.68	97.7	77.0604	49.3641
2025	3	5	8	41	26	0.72	98.7	77.0604	51.7604
2025	3	5	8	51	26	0.68	97.5	77.0604	49.3641
2025	3	5	9	1	26	0.74	98.4	77.0604	53.4378
2025	3	5	9	11	26	0.73	98.3	77.126	52.7658
2025	3	5	9	21	26	0.71	98.7	77.126	51.5666
2025	3	5	9	31	26	0.73	98	77.126	53.0056
2025	3	5	9	41	26	0.69	100.2	77.1916	49.4519
2025	3	5	9	51	26	0.73	96.7	77.1916	52.8127
2025	3	5	10	1	26	0.71	99	77.1916	51.3723
2025	3	5	10	11	26	0.7	97.6	77.2572	50.4569
2025	3	5	10	21	26	0.69	99.3	77.1916	49.6919
2025	3	5	10	31	26	0.68	96.9	77.2572	49.736
2025	3	5	10	41	26	0.7	99.4	77.1916	50.8921
2025	3	5	10	51	26	0.69	98.7	77.1916	50.172
2025	3	5	11	1	26	0.71	98.3	77.2572	51.1776
2025	3	5	11	11	26	0.73	99	77.2572	52.8595
2025	3	5	11	21	26	0.7	98.1	77.2572	50.9373
2025	3	5	11	31	26	0.69	97.7	77.2572	49.736
2025	3	5	11	41	26	0.68	100.5	77.2572	49.2554
2025	3	5	11	51	26	0.73	98.6	77.3228	52.6659
2025	3	5	12	1	26	0.69	100.6	77.3228	50.0206
2025	3	5	12	11	26	0.72	97.3	77.3228	52.4254
2025	3	5	12	21	26	0.69	98.7	77.3228	50.2611
2025	3	5	12	31	26	0.64	97.3	77.3885	46.6952
2025	3	5	12	41	26	0.7	98.6	77.3228	50.742
2025	3	5	12	51	26	0.69	99.6	77.3228	49.7801
2025	3	5	13	1	26	0.73	99	77.4541	53.0002
2025	3	5	13	11	26	0.72	97.3	77.3885	52.4719
2025	3	5	13	21	26	0.68	99.2	77.3885	49.1021
2025	3	5	13	31	26	0.68	98.8	77.3228	49.5395
2025	3	5	13	41	26	0.69	99	77.3885	50.0649
2025	3	5	13	51	26	0.69	97.9	77.3885	50.0648
2025	3	5	14	1	26	0.74	100.5	77.3228	53.1467
2025	3	5	14	11	26	0.67	97.1	77.3885	48.6206
2025	3	5	14	21	26	0.7	99.7	77.3885	50.5462
2025	3	5	14	31	26	0.72	96.6	77.4541	52.2774
2025	3	5	14	41	26	0.7	96.5	77.3885	50.7868
2025	3	5	14	51	26	0.67	97	77.3885	49.102
2025	3	5	15	1	26	0.69	97.7	77.3885	50.0648
2025	3	5	15	11	26	0.66	98.5	77.4541	48.1818
2025	3	5	15	21	26	0.68	98.6	77.3885	49.1019
2025	3	5	15	31	26	0.68	98.8	77.4541	49.6273
2025	3	5	15	41	26	0.7	96.7	77.4541	51.3136
2025	3	5	15	51	26	0.69	99.2	77.4541	50.35

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	5	16	1	26	0.65	96.9	77.4541	47.7
2025	3	5	16	11	26	0.73	101.1	77.4541	52.7591
2025	3	5	16	21	26	0.7	100.7	77.4541	50.8318
2025	3	5	16	31	26	0.69	97.6	77.5197	50.3946
2025	3	5	16	41	26	0.71	100.9	77.5853	51.4045
2025	3	5	16	51	26	0.7	98.1	77.5853	51.1632
2025	3	5	17	1	26	0.7	95.7	77.4541	51.0727
2025	3	5	17	11	26	0.66	97.5	77.5197	47.7422
2025	3	5	17	21	26	0.67	99.8	77.4541	48.6636
2025	3	5	17	31	26	0.7	98.4	77.5197	50.6357
2025	3	5	17	41	26	0.67	97	77.5853	49.2325
2025	3	5	17	51	26	0.7	97.6	77.5197	50.6357
2025	3	5	18	1	26	0.72	100	77.5197	52.0825
2025	3	5	18	11	26	0.73	97.8	77.5197	53.047
2025	3	5	18	21	26	0.71	97.2	77.5197	51.6002
2025	3	5	18	31	26	0.7	98.3	77.5853	51.1633
2025	3	5	18	41	26	0.73	99.1	77.5853	52.8526
2025	3	5	18	51	26	0.69	97.1	77.5197	50.6358
2025	3	5	19	1	26	0.74	97.9	77.5853	53.818
2025	3	5	19	11	26	0.72	97.6	77.6509	52.4163
2025	3	5	19	21	26	0.71	98.8	77.5853	51.4047
2025	3	5	19	31	26	0.71	96.7	77.5853	51.646
2025	3	5	19	41	26	0.77	94.4	77.6509	56.2812
2025	3	5	19	51	26	0.69	95.4	77.6509	50.7255
2025	3	5	20	1	26	0.75	98.3	77.6509	54.8319
2025	3	5	20	11	26	0.74	96.7	77.6509	53.8657
2025	3	5	20	21	26	0.68	99.1	77.6509	49.5178
2025	3	5	20	31	26	0.71	98	77.6509	51.4503
2025	3	5	20	41	26	0.73	96.9	77.6509	53.6242
2025	3	5	20	51	26	0.7	101.6	77.6509	50.7256
2025	3	5	21	1	26	0.72	97.6	77.6509	52.4165
2025	3	5	21	11	26	0.67	98.4	77.6509	49.0348
2025	3	5	21	21	26	0.73	95.7	77.5853	53.5769
2025	3	5	21	31	26	0.72	100.5	77.6509	51.9335
2025	3	5	21	41	26	0.7	98.1	77.6509	50.9673
2025	3	5	21	51	26	0.68	98.3	77.5853	49.4743
2025	3	5	22	1	26	0.72	96.8	77.5853	52.6117
2025	3	5	22	11	26	0.69	98.2	77.5853	50.1983
2025	3	5	22	21	26	0.76	99	77.5853	55.0251
2025	3	5	22	31	26	0.74	96.9	77.5853	53.8185
2025	3	5	22	41	26	0.66	97.7	77.5853	48.0264
2025	3	5	22	51	26	0.71	99	77.5853	51.8878
2025	3	5	23	1	26	0.66	96	77.5853	48.5091
2025	3	5	23	11	26	0.69	96.6	77.5853	50.4398
2025	3	5	23	21	26	0.69	98.2	77.5853	49.9572
2025	3	5	23	31	26	0.7	95.7	77.5853	50.9225
2025	3	5	23	41	26	0.77	99.8	77.5853	55.7494
2025	3	5	23	51	26	0.71	96.6	77.5853	51.888

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	6	0	1	26	0.69	98.2	77.5853	50.4399
2025	3	6	0	11	26	0.72	98.7	77.5853	52.1293
2025	3	6	0	21	26	0.71	96.1	77.5853	51.6467
2025	3	6	0	31	26	0.72	99.7	77.5853	52.3707
2025	3	6	0	41	26	0.68	98.3	77.5853	49.716
2025	3	6	0	51	26	0.72	97.9	77.5853	52.1294
2025	3	6	1	1	26	0.74	99.4	77.5853	53.8188
2025	3	6	1	11	26	0.7	97.8	77.5853	51.1641
2025	3	6	1	21	26	0.68	98.9	77.5197	49.1899
2025	3	6	1	31	26	0.71	98.8	77.5197	51.36
2025	3	6	1	41	26	0.73	98.1	77.5197	52.8068
2025	3	6	1	51	26	0.73	97.2	77.5853	53.3363
2025	3	6	2	1	26	0.69	100.1	77.5197	49.9133
2025	3	6	2	11	26	0.75	98.1	77.5197	54.2536
2025	3	6	2	21	26	0.72	97.8	77.5197	52.5658
2025	3	6	2	31	26	0.65	97	77.5197	47.261
2025	3	6	2	41	26	0.74	99.4	77.5197	53.7715
2025	3	6	2	51	26	0.65	97.6	77.5853	47.3029
2025	3	6	3	1	26	0.68	94.9	77.5853	50.199
2025	3	6	3	11	26	0.72	98.7	77.5853	52.1297
2025	3	6	3	21	26	0.72	98.4	77.5853	52.6124
2025	3	6	3	31	26	0.7	97.2	77.5853	51.4057
2025	3	6	3	41	26	0.7	98.1	77.5853	51.1644
2025	3	6	3	51	26	0.75	97	77.5853	54.7846
2025	3	6	4	1	26	0.74	99.1	77.5853	54.0606
2025	3	6	4	11	26	0.69	99.6	77.5853	50.1991
2025	3	6	4	21	26	0.7	99.8	77.5853	50.4405
2025	3	6	4	31	26	0.71	98.5	77.5853	51.8885
2025	3	6	4	41	26	0.7	99.4	77.5853	51.1645
2025	3	6	4	51	26	0.7	96.7	77.5853	51.1646
2025	3	6	5	1	26	0.7	97.8	77.5853	51.1646
2025	3	6	5	11	26	0.77	96.6	77.5853	56.2328
2025	3	6	5	21	26	0.67	101.9	77.5853	48.2685
2025	3	6	5	31	26	0.72	97.4	77.6509	52.4177
2025	3	6	5	41	26	0.71	98.8	77.6509	51.693
2025	3	6	5	51	26	0.7	97.8	77.6509	51.2099
2025	3	6	6	1	26	0.76	96.7	77.6509	55.7995
2025	3	6	6	11	26	0.67	95.9	77.6509	49.0359
2025	3	6	6	21	26	0.7	97.3	77.7165	51.2552
2025	3	6	6	31	26	0.79	96.7	77.7165	57.783
2025	3	6	6	41	26	0.73	97.8	77.7822	52.9944
2025	3	6	6	51	26	0.69	99	77.7822	50.5746
2025	3	6	7	1	26	0.71	97.8	77.7822	51.5425
2025	3	6	7	11	26	0.72	97.5	77.8478	53.0412
2025	3	6	7	21	26	0.69	97.3	77.8478	50.8614
2025	3	6	7	31	26	0.68	98.4	77.8478	49.4082
2025	3	6	7	41	26	0.71	97.4	77.9134	52.1183
2025	3	6	7	51	26	0.72	97.8	77.9134	52.8455

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	6	8	1	26	0.72	97.3	77.9134	53.0879
2025	3	6	8	11	26	0.76	97.5	77.9134	55.512
2025	3	6	8	21	26	0.71	98.5	77.9134	51.6334
2025	3	6	8	31	26	0.72	98.7	77.9134	52.3606
2025	3	6	8	41	26	0.71	97.8	77.8478	51.5879
2025	3	6	8	51	26	0.73	98.1	77.979	53.1345
2025	3	6	9	1	26	0.72	96.8	77.9134	52.6029
2025	3	6	9	11	26	0.73	97.5	77.979	53.3771
2025	3	6	9	21	26	0.72	99.8	77.979	52.1639
2025	3	6	9	31	26	0.7	95.7	77.9134	51.3908
2025	3	6	9	41	26	0.72	100.2	77.979	52.6491
2025	3	6	9	51	26	0.75	97.3	77.979	55.0753
2025	3	6	10	1	26	0.76	97.5	77.979	55.5605
2025	3	6	10	11	26	0.72	98.1	77.979	52.649
2025	3	6	10	21	26	0.71	100.6	77.979	51.6785
2025	3	6	10	31	26	0.68	95.8	77.979	49.9801
2025	3	6	10	41	26	0.73	99	77.979	53.3768
2025	3	6	10	51	26	0.71	97.7	77.979	52.1637
2025	3	6	11	1	26	0.73	99	78.0446	53.4237
2025	3	6	11	11	26	0.77	96.1	78.0446	56.5805
2025	3	6	11	21	26	0.73	99.8	78.0446	53.1808
2025	3	6	11	31	26	0.73	98.3	78.0446	53.4236
2025	3	6	11	41	26	0.71	99	78.0446	52.2094
2025	3	6	11	51	26	0.7	97.6	78.0446	51.238
2025	3	6	12	1	26	0.73	97.8	78.0446	53.1807
2025	3	6	12	11	26	0.77	96.9	78.0446	56.3375
2025	3	6	12	21	26	0.71	98	78.0446	51.7236
2025	3	6	12	31	26	0.76	95.7	78.0446	56.3375
2025	3	6	12	41	26	0.76	98.7	78.0446	55.8519
2025	3	6	12	51	26	0.75	98.8	78.1102	54.6857
2025	3	6	13	1	26	0.72	97.3	78.0446	52.9379
2025	3	6	13	11	26	0.74	95.3	78.1102	54.9288
2025	3	6	13	21	26	0.74	97.1	78.1102	54.4426
2025	3	6	13	31	26	0.72	99.5	78.1102	52.4982
2025	3	6	13	41	26	0.72	95.5	78.1102	52.7413
2025	3	6	13	51	26	0.69	100.5	78.1102	50.0677
2025	3	6	14	1	26	0.75	99.3	78.1102	55.1717
2025	3	6	14	11	26	0.72	97.9	78.1102	52.4981
2025	3	6	14	21	26	0.77	96.9	78.1102	56.3868
2025	3	6	14	31	26	0.7	95.7	78.1102	51.2828
2025	3	6	14	41	26	0.73	99	78.1102	53.4702
2025	3	6	14	51	26	0.75	97.7	78.1102	55.4145
2025	3	6	15	1	26	0.73	96.7	78.1102	53.7132
2025	3	6	15	11	26	0.76	96	78.1102	55.9005
2025	3	6	15	21	26	0.72	97.6	78.1102	52.7409
2025	3	6	15	31	26	0.75	99.6	78.1102	54.4422
2025	3	6	15	41	26	0.73	98.6	78.1102	53.227
2025	3	6	15	51	26	0.74	97.4	78.0446	54.3944

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	6	16	1	26	0.72	97.9	78.0446	52.4517
2025	3	6	16	11	26	0.73	95.7	78.0446	53.4231
2025	3	6	16	21	26	0.73	98.5	77.979	53.6187
2025	3	6	16	31	26	0.75	96.3	78.1102	55.4144
2025	3	6	16	41	26	0.75	98.3	78.1102	54.6853
2025	3	6	16	51	26	0.75	99.3	78.1102	55.1714
2025	3	6	17	1	26	0.74	98.2	78.1102	53.9562
2025	3	6	17	11	26	0.74	97.9	78.0446	54.1516
2025	3	6	17	21	26	0.74	97.7	78.0446	54.1516
2025	3	6	17	31	26	0.7	98.9	77.979	50.9499
2025	3	6	17	41	26	0.73	98.5	78.0446	53.6659
2025	3	6	17	51	26	0.72	97.3	78.1758	53.0305
2025	3	6	18	1	26	0.69	97.1	78.0446	50.5091
2025	3	6	18	11	26	0.73	98.5	78.0446	53.4231
2025	3	6	18	21	26	0.74	99.4	78.1102	54.1992
2025	3	6	18	31	26	0.74	97.3	78.1102	54.6853
2025	3	6	18	41	26	0.69	99	78.1102	50.5535
2025	3	6	18	51	26	0.71	96.4	78.1102	52.2548
2025	3	6	19	1	26	0.78	99.5	78.1758	56.9226
2025	3	6	19	11	26	0.79	99.6	78.1102	57.3588
2025	3	6	19	21	26	0.76	98.2	78.1102	55.6575
2025	3	6	19	31	26	0.74	98.6	78.1758	54.4901
2025	3	6	19	41	26	0.69	95.4	78.1102	51.0396
2025	3	6	19	51	26	0.74	99.7	78.0446	53.9088
2025	3	6	20	1	26	0.73	98.6	78.1102	53.2271
2025	3	6	20	11	26	0.79	98.4	78.0446	57.7942
2025	3	6	20	21	26	0.71	100.6	78.0446	51.9662
2025	3	6	20	31	26	0.76	96.4	78.1102	56.1437
2025	3	6	20	41	26	0.73	97.8	78.0446	53.1804
2025	3	6	20	51	26	0.72	97.5	78.0446	53.1805
2025	3	6	21	1	26	0.77	98.9	78.0446	56.0945
2025	3	6	21	11	26	0.74	96.4	78.0446	54.3947
2025	3	6	21	21	26	0.75	97.8	78.1102	54.9286
2025	3	6	21	31	26	0.72	99.2	78.1102	52.7412
2025	3	6	21	41	26	0.75	98.6	78.1102	54.9287
2025	3	6	21	51	26	0.71	98	78.1102	51.7691
2025	3	6	22	1	26	0.74	98.7	78.1102	53.9565
2025	3	6	22	11	26	0.7	97.5	78.1102	51.7691
2025	3	6	22	21	26	0.72	96.5	78.1102	52.9844
2025	3	6	22	31	26	0.72	97.1	78.1102	52.9844
2025	3	6	22	41	26	0.73	96.9	78.1102	53.9567
2025	3	6	22	51	26	0.77	98.1	78.1102	56.3872
2025	3	6	23	1	26	0.71	98.5	78.1102	51.7693
2025	3	6	23	11	26	0.75	97.8	78.1102	54.9289
2025	3	6	23	21	26	0.7	98.4	78.1102	51.2832
2025	3	6	23	31	26	0.7	100.8	78.1102	50.7971
2025	3	6	23	41	26	0.74	99.4	78.0446	54.1523
2025	3	6	23	51	26	0.74	96.6	78.1102	54.4429

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	7	0	1	26	0.71	99	78.1102	52.0125
2025	3	7	0	11	26	0.71	100.4	78.1102	51.5264
2025	3	7	0	21	26	0.7	95.9	78.1102	51.5264
2025	3	7	0	31	26	0.73	97.2	78.1102	53.9569
2025	3	7	0	41	26	0.74	98.7	78.1102	53.957
2025	3	7	0	51	26	0.75	99.3	78.0446	55.1238
2025	3	7	1	1	26	0.76	99.4	78.1102	55.6583
2025	3	7	1	11	26	0.71	100.3	78.1102	52.0126
2025	3	7	1	21	26	0.76	98	78.1102	55.6584
2025	3	7	1	31	26	0.74	97.9	78.0446	54.3953
2025	3	7	1	41	26	0.71	97.9	78.0446	52.2098
2025	3	7	1	51	26	0.69	94.9	78.0446	50.7528
2025	3	7	2	1	26	0.72	99.7	78.0446	52.6955
2025	3	7	2	11	26	0.72	99.5	78.0446	52.4527
2025	3	7	2	21	26	0.72	97.1	78.0446	52.6955
2025	3	7	2	31	26	0.71	98.8	78.0446	51.7242
2025	3	7	2	41	26	0.72	99.4	78.0446	52.6955
2025	3	7	2	51	26	0.74	97.4	78.0446	54.3954
2025	3	7	3	1	26	0.73	98.1	78.0446	53.1812
2025	3	7	3	11	26	0.68	96.9	78.0446	50.2672
2025	3	7	3	21	26	0.75	98.5	78.0446	55.124
2025	3	7	3	31	26	0.73	97.7	78.0446	53.6669
2025	3	7	3	41	26	0.73	96.2	78.0446	53.4241
2025	3	7	3	51	26	0.74	99.4	78.0446	54.3955
2025	3	7	4	1	26	0.77	98.1	78.0446	56.581
2025	3	7	4	11	26	0.7	98.3	78.0446	51.4814
2025	3	7	4	21	26	0.74	98.1	78.0446	54.3955
2025	3	7	4	31	26	0.76	98	78.0446	55.3668
2025	3	7	4	41	26	0.72	97.6	77.979	52.6493
2025	3	7	4	51	26	0.71	99	78.0446	51.9671
2025	3	7	5	1	26	0.71	94.8	78.0446	52.4528
2025	3	7	5	11	26	0.72	97.6	78.0446	52.6956
2025	3	7	5	21	26	0.7	96.8	77.979	51.1936
2025	3	7	5	31	26	0.72	99.1	78.0446	52.9385
2025	3	7	5	41	26	0.73	98.5	77.979	53.3772
2025	3	7	5	51	26	0.74	97.1	78.0446	54.6383
2025	3	7	6	1	26	0.74	98.4	78.0446	54.1527
2025	3	7	6	11	26	0.74	98.6	77.979	54.3477
2025	3	7	6	21	26	0.72	96.5	77.979	53.1346
2025	3	7	6	31	26	0.72	95.5	78.0446	53.1813
2025	3	7	6	41	26	0.71	97.9	77.979	52.1641
2025	3	7	6	51	26	0.72	97.4	78.0446	52.6957
2025	3	7	7	1	26	0.76	96.4	77.979	55.8034
2025	3	7	7	11	26	0.75	100.9	77.979	54.1051
2025	3	7	7	21	26	0.74	97.4	77.979	54.3477
2025	3	7	7	31	26	0.72	98.6	78.0446	52.9385
2025	3	7	7	41	26	0.75	97.6	77.979	54.8329
2025	3	7	7	51	26	0.73	97.5	77.979	53.3771

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	7	8	1	26	0.73	98.3	77.979	53.3771
2025	3	7	8	11	26	0.76	97.7	77.979	55.8033
2025	3	7	8	21	26	0.75	99.1	77.979	54.5902
2025	3	7	8	31	26	0.75	99.3	77.979	55.0754
2025	3	7	8	41	26	0.78	95.5	77.979	57.7442
2025	3	7	8	51	26	0.72	99.2	77.979	52.6491
2025	3	7	9	1	26	0.77	97.6	77.979	56.2884
2025	3	7	9	11	26	0.71	98	77.9134	51.6331
2025	3	7	9	21	26	0.76	99.2	77.979	55.3178
2025	3	7	9	31	26	0.77	96.8	78.0446	56.8235
2025	3	7	9	41	26	0.74	96.6	77.979	54.3473
2025	3	7	9	51	26	0.75	100.4	77.979	54.3472
2025	3	7	10	1	26	0.78	97	77.979	57.016
2025	3	7	10	11	26	0.76	96.2	77.979	55.8029
2025	3	7	10	21	26	0.77	97.5	77.979	56.7733
2025	3	7	10	31	26	0.73	96.2	77.979	53.8618
2025	3	7	10	41	26	0.73	99	77.979	53.3766
2025	3	7	10	51	26	0.73	98.6	77.979	53.1339
2025	3	7	11	1	26	0.74	96.6	77.979	54.347
2025	3	7	11	11	26	0.74	99.7	77.979	53.8617
2025	3	7	11	21	26	0.81	99.5	77.9134	59.1473
2025	3	7	11	31	26	0.77	98.8	77.979	56.2878
2025	3	7	11	41	26	0.71	97.4	77.979	52.4059
2025	3	7	11	51	26	0.68	94.7	77.979	50.4649
2025	3	7	12	1	26	0.74	95.9	77.979	54.3468
2025	3	7	12	11	26	0.72	98.4	77.979	52.6484
2025	3	7	12	21	26	0.75	97.7	77.979	55.3172
2025	3	7	12	31	26	0.7	97.5	77.979	51.6779
2025	3	7	12	41	26	0.69	98.2	77.979	50.7074
2025	3	7	12	51	26	0.75	100.1	77.9134	54.5413
2025	3	7	13	1	26	0.72	98.7	77.979	52.4056
2025	3	7	13	11	26	0.74	96.9	77.9134	54.0563
2025	3	7	13	21	26	0.76	96.9	77.9134	55.9956
2025	3	7	13	31	26	0.75	94.8	77.9134	55.0259
2025	3	7	13	41	26	0.76	98.2	77.9134	55.2683
2025	3	7	13	51	26	0.79	97.1	77.8478	58.1259
2025	3	7	14	1	26	0.76	99.7	77.9134	55.2682
2025	3	7	14	11	26	0.73	97.8	77.9134	53.0866
2025	3	7	14	21	26	0.74	95.9	77.8478	54.0086
2025	3	7	14	31	26	0.76	97.6	77.8478	55.9461
2025	3	7	14	41	26	0.73	97.8	77.9134	53.0865
2025	3	7	14	51	26	0.74	96.1	77.8478	54.2508
2025	3	7	15	1	26	0.76	98.9	77.8478	55.4617
2025	3	7	15	11	26	0.77	98.1	77.8478	56.1883
2025	3	7	15	21	26	0.75	100.6	77.8478	54.4929
2025	3	7	15	31	26	0.72	99.7	77.8478	52.5554
2025	3	7	15	41	26	0.77	97.1	77.7822	56.3807
2025	3	7	15	51	26	0.73	98.5	77.7822	53.477

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	7	16	1	26	0.75	99.6	77.8478	54.2508
2025	3	7	16	11	26	0.71	97.1	77.7822	52.2671
2025	3	7	16	21	26	0.74	97.6	77.7822	54.203
2025	3	7	16	31	26	0.74	96.7	77.7165	53.9134
2025	3	7	16	41	26	0.74	98.1	77.7822	54.203
2025	3	7	16	51	26	0.71	95.6	77.7165	52.2211
2025	3	7	17	1	26	0.73	97.3	77.7165	53.1881
2025	3	7	17	11	26	0.69	98.2	77.7165	50.287
2025	3	7	17	21	26	0.75	98.6	77.7165	54.6388
2025	3	7	17	31	26	0.73	97	77.7165	53.1882
2025	3	7	17	41	26	0.77	98.1	77.7165	56.0894
2025	3	7	17	51	26	0.74	95.6	77.7165	54.397
2025	3	7	18	1	26	0.75	98.3	77.7165	54.6388
2025	3	7	18	11	26	0.73	98.5	77.6509	53.1413
2025	3	7	18	21	26	0.7	97.8	77.6509	51.2089
2025	3	7	18	31	26	0.72	97	77.6509	52.8997
2025	3	7	18	41	26	0.7	99.2	77.6509	50.7258
2025	3	7	18	51	26	0.71	96.6	77.6509	51.9336
2025	3	7	19	1	26	0.7	100.2	77.6509	50.9674
2025	3	7	19	11	26	0.7	98.1	77.6509	51.209
2025	3	7	19	21	26	0.73	96.5	77.6509	53.1414
2025	3	7	19	31	26	0.7	97.3	77.6509	51.209
2025	3	7	19	41	26	0.72	95.2	77.6509	52.8999
2025	3	7	19	51	26	0.67	98.7	77.6509	48.7935
2025	3	7	20	1	26	0.74	98.2	77.6509	53.6246
2025	3	7	20	11	26	0.7	97	77.6509	51.4507
2025	3	7	20	21	26	0.74	97.9	77.5853	53.5773
2025	3	7	20	31	26	0.74	98.2	77.5853	53.8187
2025	3	7	20	41	26	0.72	96.5	77.5853	52.612
2025	3	7	20	51	26	0.74	97.9	77.5853	54.0601
2025	3	7	21	1	26	0.7	96.5	77.5853	51.1641
2025	3	7	21	11	26	0.7	97.6	77.5853	50.6814
2025	3	7	21	21	26	0.73	96.4	77.5853	53.5775
2025	3	7	21	31	26	0.73	99.3	77.5197	53.289
2025	3	7	21	41	26	0.69	99	77.5197	50.3955
2025	3	7	21	51	26	0.73	98.7	77.5197	53.2891
2025	3	7	22	1	26	0.72	97.1	77.5197	52.5658
2025	3	7	22	11	26	0.71	99.5	77.5197	51.6013
2025	3	7	22	21	26	0.71	98.8	77.5197	51.6013
2025	3	7	22	31	26	0.74	97.3	77.5853	54.3018
2025	3	7	22	41	26	0.73	97.4	77.5197	53.5305
2025	3	7	22	51	26	0.7	97.2	77.5197	51.3603
2025	3	7	23	1	26	0.69	98.2	77.5197	50.1547
2025	3	7	23	11	26	0.69	99.3	77.4541	49.8695
2025	3	7	23	21	26	0.7	97.6	77.4541	50.8332
2025	3	7	23	31	26	0.75	97	77.5197	54.7363
2025	3	7	23	41	26	0.69	100.7	77.5197	49.9138
2025	3	7	23	51	26	0.73	98.5	77.4541	53.0015

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	8	0	1	26	0.7	100.2	77.4541	50.8333
2025	3	8	0	11	26	0.71	97.2	77.4541	51.797
2025	3	8	0	21	26	0.71	97.1	77.4541	52.0379
2025	3	8	0	31	26	0.74	98.4	77.4541	53.9653
2025	3	8	0	41	26	0.77	97.9	77.4541	55.6517
2025	3	8	0	51	26	0.69	97.4	77.4541	50.1107
2025	3	8	1	1	26	0.73	99.3	77.4541	52.7608
2025	3	8	1	11	26	0.72	100.2	77.4541	52.279
2025	3	8	1	21	26	0.73	97.7	77.4541	53.2427
2025	3	8	1	31	26	0.69	98.7	77.4541	50.1108
2025	3	8	1	41	26	0.71	98.8	77.4541	51.3154
2025	3	8	1	51	26	0.73	98.3	77.4541	52.7609
2025	3	8	2	1	26	0.71	97.7	77.4541	51.7973
2025	3	8	2	11	26	0.69	99.3	77.3885	49.8258
2025	3	8	2	21	26	0.71	96.9	77.4541	51.7973
2025	3	8	2	31	26	0.75	99.1	77.4541	54.2065
2025	3	8	2	41	26	0.73	99.8	77.3885	52.7143
2025	3	8	2	51	26	0.71	98.5	77.3885	51.5108
2025	3	8	3	1	26	0.74	97.9	77.3885	53.4364
2025	3	8	3	11	26	0.68	98	77.3885	49.5852
2025	3	8	3	21	26	0.71	98.8	77.3885	51.5108
2025	3	8	3	31	26	0.75	100.1	77.3885	53.9178
2025	3	8	3	41	26	0.74	99.5	77.3885	53.1957
2025	3	8	3	51	26	0.71	95.9	77.3885	51.5108
2025	3	8	4	1	26	0.74	98.5	77.3885	53.4365
2025	3	8	4	11	26	0.7	98.6	77.3885	50.7887
2025	3	8	4	21	26	0.72	97.3	77.3885	52.7143
2025	3	8	4	31	26	0.73	98.3	77.3885	52.9551
2025	3	8	4	41	26	0.76	98.5	77.3885	54.8807
2025	3	8	4	51	26	0.75	98.8	77.3885	54.3993
2025	3	8	5	1	26	0.74	100.7	77.3885	53.6772
2025	3	8	5	11	26	0.75	98.8	77.3885	54.64
2025	3	8	5	21	26	0.69	97.9	77.3885	50.3073
2025	3	8	5	31	26	0.73	99.9	77.3885	52.4737
2025	3	8	5	41	26	0.69	100.7	77.3885	49.8259
2025	3	8	5	51	26	0.71	99.5	77.3885	51.5108
2025	3	8	6	1	26	0.7	97.3	77.3885	50.7887
2025	3	8	6	11	26	0.71	99.9	77.3885	51.0294
2025	3	8	6	21	26	0.7	102.2	77.3885	50.0666
2025	3	8	6	31	26	0.73	97.7	77.3885	53.4365
2025	3	8	6	41	26	0.71	98.8	77.3885	51.5108
2025	3	8	6	51	26	0.71	97.7	77.3885	51.5108
2025	3	8	7	1	26	0.71	99.5	77.3885	51.5108
2025	3	8	7	11	26	0.74	99.4	77.3885	53.9179
2025	3	8	7	21	26	0.68	97.5	77.3885	49.3445
2025	3	8	7	31	26	0.71	98.5	77.3885	51.2701
2025	3	8	7	41	26	0.68	97.7	77.3885	49.5852
2025	3	8	7	51	26	0.72	100.2	77.3885	52.2329

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	8	8	1	26	0.72	98.4	77.3885	52.4736
2025	3	8	8	11	26	0.68	97.7	77.3885	49.5851
2025	3	8	8	21	26	0.74	96.9	77.3885	53.9178
2025	3	8	8	31	26	0.72	97.6	77.3885	51.9921
2025	3	8	8	41	26	0.69	99.3	77.3885	49.8257
2025	3	8	8	51	26	0.66	97.1	77.3885	48.3815
2025	3	8	9	1	26	0.72	100.7	77.3885	52.2327
2025	3	8	9	11	26	0.77	98.6	77.3885	55.6025
2025	3	8	9	21	26	0.7	98.6	77.3885	50.7884
2025	3	8	9	31	26	0.72	99.1	77.3885	52.4733
2025	3	8	9	41	26	0.71	98.5	77.3885	51.7512
2025	3	8	9	51	26	0.73	98.3	77.3885	52.7139
2025	3	8	10	1	26	0.72	99.4	77.3885	52.2325
2025	3	8	10	11	26	0.71	99.6	77.3885	51.0289
2025	3	8	10	21	26	0.75	99	77.3885	54.6394
2025	3	8	10	31	26	0.7	98.9	77.3885	50.5474
2025	3	8	10	41	26	0.72	96.5	77.4541	52.5195
2025	3	8	10	51	26	0.74	98.4	77.4541	53.965
2025	3	8	11	1	26	0.7	95.1	77.4541	51.074
2025	3	8	11	11	26	0.72	97.5	77.4541	52.7603
2025	3	8	11	21	26	0.72	98.4	77.4541	52.2784
2025	3	8	11	31	26	0.71	98.8	77.4541	51.3147
2025	3	8	11	41	26	0.71	98.8	77.4541	51.3147
2025	3	8	11	51	26	0.73	96.7	77.4541	53.4829
2025	3	8	12	1	26	0.72	102	77.4541	52.0374
2025	3	8	12	11	26	0.69	98.8	77.4541	49.8691
2025	3	8	12	21	26	0.67	98.8	77.5197	48.4665
2025	3	8	12	31	26	0.71	100.1	77.5197	51.6011
2025	3	8	12	41	26	0.7	99.2	77.5197	50.8777
2025	3	8	12	51	26	0.72	98.7	77.4541	52.0372
2025	3	8	13	1	26	0.73	98.3	77.5197	53.0478
2025	3	8	13	11	26	0.72	96.8	77.4541	52.7598
2025	3	8	13	21	26	0.7	98.9	77.5197	50.8775
2025	3	8	13	31	26	0.72	96	77.5197	52.5654
2025	3	8	13	41	26	0.71	96.7	77.5197	51.6008
2025	3	8	13	51	26	0.7	98.1	77.5197	50.8774
2025	3	8	14	1	26	0.69	97.1	77.5197	50.154
2025	3	8	14	11	26	0.71	98	77.5197	51.3597
2025	3	8	14	21	26	0.71	101.5	77.5197	51.1185
2025	3	8	14	31	26	0.74	97.9	77.5197	54.012
2025	3	8	14	41	26	0.73	95.7	77.5197	53.5297
2025	3	8	14	51	26	0.69	100.2	77.5197	49.6717
2025	3	8	15	1	26	0.72	98.7	77.5197	52.0829
2025	3	8	15	11	26	0.67	97.9	77.5197	48.7072
2025	3	8	15	21	26	0.72	98.7	77.5197	52.0829
2025	3	8	15	31	26	0.7	100.5	77.5197	50.6362
2025	3	8	15	41	26	0.7	97	77.5197	51.3595
2025	3	8	15	51	26	0.7	99.1	77.5197	51.1184

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	8	16	1	26	0.69	98.2	77.4541	49.8686
2025	3	8	16	11	26	0.75	100.4	77.5197	54.0119
2025	3	8	16	21	26	0.71	97.2	77.5197	51.8418
2025	3	8	16	31	26	0.72	98.9	77.4541	52.0368
2025	3	8	16	41	26	0.76	99.5	77.5197	54.9764
2025	3	8	16	51	26	0.7	99.2	77.5197	50.6362
2025	3	8	17	1	26	0.69	97.4	77.5197	50.395
2025	3	8	17	11	26	0.73	101.4	77.5197	52.8063
2025	3	8	17	21	26	0.71	99	77.5197	51.8418
2025	3	8	17	31	26	0.7	97.6	77.5197	50.6361
2025	3	8	17	41	26	0.7	96.5	77.5197	50.8772
2025	3	8	17	51	26	0.72	100.3	77.4541	51.7959
2025	3	8	18	1	26	0.74	100.2	77.4541	53.4823
2025	3	8	18	11	26	0.68	99.4	77.4541	49.3868
2025	3	8	18	21	26	0.73	99.1	77.4541	52.7595
2025	3	8	18	31	26	0.73	98.8	77.4541	52.7596
2025	3	8	18	41	26	0.7	99.5	77.4541	50.3504
2025	3	8	18	51	26	0.72	101	77.4541	52.0368
2025	3	8	19	1	26	0.72	100.2	77.3885	51.9908
2025	3	8	19	11	26	0.67	99.9	77.3885	48.3803
2025	3	8	19	21	26	0.69	98.7	77.3885	50.3059
2025	3	8	19	31	26	0.69	99.2	77.3885	50.306
2025	3	8	19	41	26	0.73	100.4	77.3885	52.713
2025	3	8	19	51	26	0.74	100.2	77.3885	53.6758
2025	3	8	20	1	26	0.69	100.5	77.3228	49.54
2025	3	8	20	11	26	0.7	100.3	77.3885	50.3061
2025	3	8	20	21	26	0.72	99.5	77.3228	51.9449
2025	3	8	20	31	26	0.7	99.2	77.3228	50.502
2025	3	8	20	41	26	0.74	100	77.3228	53.1474
2025	3	8	20	51	26	0.72	98.9	77.3228	52.426
2025	3	8	21	1	26	0.69	98.2	77.3228	50.2616
2025	3	8	21	11	26	0.69	97.3	77.3228	50.5022
2025	3	8	21	21	26	0.7	101.2	77.2572	49.9768
2025	3	8	21	31	26	0.7	98.4	77.3228	50.7427
2025	3	8	21	41	26	0.72	97.8	77.2572	52.3796
2025	3	8	21	51	26	0.7	98.4	77.2572	50.6978
2025	3	8	22	1	26	0.72	98.6	77.2572	52.1395
2025	3	8	22	11	26	0.72	98.4	77.2572	52.3798
2025	3	8	22	21	26	0.71	97.8	77.2572	51.1784
2025	3	8	22	31	26	0.74	99.5	77.2572	53.1007
2025	3	8	22	41	26	0.69	98.4	77.2572	50.2174
2025	3	8	22	51	26	0.68	97.8	77.2572	49.0161
2025	3	8	23	1	26	0.74	95.6	77.2572	53.8217
2025	3	8	23	11	26	0.66	96.3	77.2572	47.8148
2025	3	8	23	21	26	0.7	97.6	77.2572	50.6982
2025	3	8	23	31	26	0.69	97.9	77.1916	49.933
2025	3	8	23	41	26	0.72	97.9	77.2572	51.8997
2025	3	8	23	51	26	0.71	96.6	77.2572	51.6594

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	9	0	1	26	0.72	100.2	77.2572	52.14
2025	3	9	0	11	26	0.68	100.5	77.1916	49.213
2025	3	9	0	21	26	0.68	98.9	77.1916	49.213
2025	3	9	0	31	26	0.73	96.5	77.1916	53.0541
2025	3	9	0	41	26	0.7	98.7	77.1916	50.4134
2025	3	9	0	51	26	0.7	97.9	77.1916	50.4135
2025	3	9	1	1	26	0.71	95.6	77.1916	51.3737
2025	3	9	1	11	26	0.71	100.3	77.1916	51.3738
2025	3	9	1	21	26	0.67	98.4	77.1916	48.7331
2025	3	9	1	31	26	0.71	99.8	77.1916	51.3738
2025	3	9	1	41	26	0.74	101.3	77.1916	52.8143
2025	3	9	1	51	26	0.71	98.5	77.1916	51.3739
2025	3	9	2	1	26	0.68	99.5	77.126	48.9297
2025	3	9	2	11	26	0.69	102.3	77.126	49.6493
2025	3	9	2	21	26	0.72	99.2	77.126	52.0478
2025	3	9	2	31	26	0.7	94.5	77.126	51.3283
2025	3	9	2	41	26	0.74	97.4	77.126	53.487
2025	3	9	2	51	26	0.72	98.4	77.126	52.2877
2025	3	9	3	1	26	0.71	99.6	77.126	51.0885
2025	3	9	3	11	26	0.72	97.1	77.126	52.2878
2025	3	9	3	21	26	0.7	98.9	77.126	50.369
2025	3	9	3	31	26	0.7	98.3	77.126	50.8487
2025	3	9	3	41	26	0.74	100.8	77.126	53.0074
2025	3	9	3	51	26	0.69	99.9	77.126	49.6494
2025	3	9	4	1	26	0.68	97.5	77.0604	49.126
2025	3	9	4	11	26	0.68	97.5	77.0604	49.126
2025	3	9	4	21	26	0.68	98.1	77.0604	49.126
2025	3	9	4	31	26	0.67	101.3	77.0604	48.1674
2025	3	9	4	41	26	0.69	98.5	77.0604	49.6053
2025	3	9	4	51	26	0.7	99.7	77.0604	50.3242
2025	3	9	5	1	26	0.68	97.2	77.0604	49.6053
2025	3	9	5	11	26	0.7	101.7	77.0604	49.8449
2025	3	9	5	21	26	0.72	100.7	77.0604	51.762
2025	3	9	5	31	26	0.72	100.7	77.0604	51.762
2025	3	9	5	41	26	0.68	98	77.0604	49.3657
2025	3	9	5	51	26	0.72	97.6	77.0604	51.7621
2025	3	9	6	1	26	0.68	99.1	77.0604	49.126
2025	3	9	6	11	26	0.7	97.8	76.9948	50.5188
2025	3	9	6	21	26	0.65	99.8	76.9948	46.9274
2025	3	9	6	31	26	0.68	98.3	76.9948	49.0823
2025	3	9	6	41	26	0.68	99.1	76.9948	49.0823
2025	3	9	6	51	26	0.71	100.7	76.9948	50.7583
2025	3	9	7	1	26	0.7	97.6	76.9948	50.2794
2025	3	9	7	11	26	0.66	97.7	76.9948	47.8851
2025	3	9	7	21	26	0.67	99.9	76.9948	48.1246
2025	3	9	7	31	26	0.67	99.3	76.9948	48.364
2025	3	9	7	41	26	0.7	101.8	76.9948	50.2794
2025	3	9	7	51	26	0.68	99.4	76.9948	49.0822

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	9	8	1	26	0.71	100.1	76.9948	50.9976
2025	3	9	8	11	26	0.7	96.7	76.9948	50.7581
2025	3	9	8	21	26	0.71	99.3	76.9948	50.9975
2025	3	9	8	31	26	0.72	98.4	76.9291	52.1481
2025	3	9	8	41	26	0.71	96.1	76.9291	51.1912
2025	3	9	8	51	26	0.73	99.9	76.9291	52.148
2025	3	9	9	1	26	0.71	98.5	76.8635	51.1455
2025	3	9	9	11	26	0.69	97.9	76.8635	49.7114
2025	3	9	9	21	26	0.7	100.8	76.8635	50.1894
2025	3	9	9	31	26	0.7	98.9	76.7979	50.3833
2025	3	9	9	41	26	0.71	100.6	76.7979	50.8608
2025	3	9	9	51	26	0.69	101.8	76.7979	49.1893
2025	3	9	10	1	26	0.67	101.3	76.7979	47.7565
2025	3	9	10	11	26	0.65	100.4	76.7979	46.8014
2025	3	9	10	21	26	0.67	101.3	76.7323	47.7138
2025	3	9	10	31	26	0.72	100.2	76.7979	51.5769
2025	3	9	10	41	26	0.7	100.2	76.7979	50.383
2025	3	9	10	51	26	0.7	98.8	76.7979	50.6217
2025	3	9	11	1	26	0.63	95.7	76.7979	45.846
2025	3	9	11	11	26	0.7	98.6	76.7979	50.6216
2025	3	9	11	21	26	0.69	99.3	76.8635	49.4718
2025	3	9	11	31	26	0.72	100	76.8635	51.6227
2025	3	9	11	41	26	0.68	96.9	76.8635	49.2327
2025	3	9	11	51	26	0.65	95.2	76.7979	47.2785
2025	3	9	12	1	26	0.68	97.7	76.7979	49.1887
2025	3	9	12	11	26	0.66	97.7	76.8635	47.5596
2025	3	9	12	21	26	0.7	98.1	76.7979	50.3825
2025	3	9	12	31	26	0.62	97.6	76.8635	44.9306
2025	3	9	12	41	26	0.67	97.7	76.7979	47.9946
2025	3	9	12	51	26	0.68	98.3	76.8635	49.2324
2025	3	9	13	1	26	0.65	98.9	76.8635	47.0814
2025	3	9	13	11	26	0.66	98.5	76.8635	47.7983
2025	3	9	13	21	26	0.68	96.6	76.8635	49.4713
2025	3	9	13	31	26	0.68	97.4	76.7979	49.427
2025	3	9	13	41	26	0.69	97.1	76.7979	50.1433
2025	3	9	13	51	26	0.68	98.6	76.7979	48.9494
2025	3	9	14	1	26	0.66	97.1	76.8635	47.7982
2025	3	9	14	11	26	0.68	98.1	76.7979	48.7106
2025	3	9	14	21	26	0.66	97.4	76.7979	47.5167
2025	3	9	14	31	26	0.67	96.2	76.7979	48.7105
2025	3	9	14	41	26	0.69	97.7	76.7979	49.6656
2025	3	9	14	51	26	0.68	98.1	76.7323	48.6669
2025	3	9	15	1	26	0.67	97.3	76.7979	48.2329
2025	3	9	15	11	26	0.67	99.6	76.7979	47.9941
2025	3	9	15	21	26	0.69	99.6	76.7979	49.1879
2025	3	9	15	31	26	0.67	95.9	76.7323	48.1897
2025	3	9	15	41	26	0.71	96.4	76.6667	51.0068
2025	3	9	15	51	26	0.68	96.6	76.6667	49.1

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	9	16	1	26	0.65	97.5	76.7323	46.9969
2025	3	9	16	11	26	0.7	96.7	76.7979	50.6205
2025	3	9	16	21	26	0.71	98.8	76.6667	50.7684
2025	3	9	16	31	26	0.67	97.9	76.7323	48.1896
2025	3	9	16	41	26	0.67	97	76.6667	48.3849
2025	3	9	16	51	26	0.64	96.4	76.6667	46.4781
2025	3	9	17	1	26	0.69	97.4	76.6667	49.815
2025	3	9	17	11	26	0.7	98.1	76.7323	50.3367
2025	3	9	17	21	26	0.69	98.5	76.7323	49.3824
2025	3	9	17	31	26	0.69	96.3	76.7323	50.0981
2025	3	9	17	41	26	0.69	99.1	76.7323	49.3824
2025	3	9	17	51	26	0.71	102.5	76.7323	50.5752
2025	3	9	18	1	26	0.7	101.9	76.5354	49.4878
2025	3	9	18	11	26	0.71	98.8	76.5354	50.6774
2025	3	9	18	21	26	0.69	97.7	76.5354	49.2499
2025	3	9	18	31	26	0.69	98.2	76.6667	49.8149
2025	3	9	18	41	26	0.72	100	76.6011	51.1991
2025	3	9	18	51	26	0.7	99.7	76.6011	50.2466
2025	3	9	19	1	26	0.69	99.2	76.5354	49.7257
2025	3	9	19	11	26	0.7	100.5	76.4698	50.1566
2025	3	9	19	21	26	0.7	99.1	76.4698	50.3943
2025	3	9	19	31	26	0.66	98.8	76.4698	47.5418
2025	3	9	19	41	26	0.7	99.5	76.4698	49.9189
2025	3	9	19	51	26	0.72	97.9	76.4042	51.5366
2025	3	9	20	1	26	0.69	97.9	76.4042	49.6367
2025	3	9	20	11	26	0.7	98.1	76.4042	50.3492
2025	3	9	20	21	26	0.7	98.6	76.4042	50.3492
2025	3	9	20	31	26	0.69	97.7	76.4042	49.3993
2025	3	9	20	41	26	0.7	96.7	76.4042	50.5868
2025	3	9	20	51	26	0.71	96.9	76.4042	51.2993
2025	3	9	21	1	26	0.75	97.3	76.4042	53.6743
2025	3	9	21	11	26	0.7	96.8	76.4042	50.1119
2025	3	9	21	21	26	0.68	95.8	76.4698	48.9684
2025	3	9	21	31	26	0.72	97.3	76.4042	52.012
2025	3	9	21	41	26	0.72	97.3	76.4042	51.7745
2025	3	9	21	51	26	0.69	95.4	76.4042	49.8746
2025	3	9	22	1	26	0.64	96.5	76.4042	46.0746
2025	3	9	22	11	26	0.69	98.2	76.4698	49.444
2025	3	9	22	21	26	0.68	97.5	76.4042	48.9247
2025	3	9	22	31	26	0.69	100.6	76.4042	49.3998
2025	3	9	22	41	26	0.68	95.5	76.4042	48.9248
2025	3	9	22	51	26	0.7	95.9	76.5354	50.4403
2025	3	9	23	1	26	0.71	95.6	76.5354	51.1541
2025	3	9	23	11	26	0.73	97.5	76.4698	52.5346
2025	3	9	23	21	26	0.67	99.9	76.4698	47.5427
2025	3	9	23	31	26	0.73	97.5	76.4698	52.5347
2025	3	9	23	41	26	0.72	97.9	76.4698	51.5839
2025	3	9	23	51	26	0.68	98.4	76.4698	48.4937

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	10	0	1	26	0.7	99.4	76.4698	50.3954
2025	3	10	0	11	26	0.71	99.5	76.4698	50.8709
2025	3	10	0	21	26	0.69	96.8	76.4698	49.9201
2025	3	10	0	31	26	0.72	100.2	76.4698	51.5841
2025	3	10	0	41	26	0.69	99.3	76.4698	49.207
2025	3	10	0	51	26	0.72	97.6	76.4698	51.5842
2025	3	10	1	1	26	0.66	98	76.4698	47.3054
2025	3	10	1	11	26	0.65	96.7	76.4698	46.5923
2025	3	10	1	21	26	0.7	97.8	76.4698	50.3958
2025	3	10	1	31	26	0.72	101.1	76.4698	50.8712
2025	3	10	1	41	26	0.7	98.7	76.4698	49.9204
2025	3	10	1	51	26	0.67	95.9	76.4698	48.0187
2025	3	10	2	1	26	0.69	98.4	76.4698	49.6827
2025	3	10	2	11	26	0.66	99.4	76.4698	47.3056
2025	3	10	2	21	26	0.71	98.5	76.4698	50.6337
2025	3	10	2	31	26	0.65	98.7	76.4042	46.3132
2025	3	10	2	41	26	0.72	96.5	76.4698	52.06
2025	3	10	2	51	26	0.75	97	76.4698	54.1995
2025	3	10	3	1	26	0.69	98.5	76.4042	49.1633
2025	3	10	3	11	26	0.72	96.6	76.4698	51.5846
2025	3	10	3	21	26	0.72	95	76.4698	52.0601
2025	3	10	3	31	26	0.67	94.7	76.4042	48.6883
2025	3	10	3	41	26	0.67	94.5	76.4042	48.6883
2025	3	10	3	51	26	0.69	96.3	76.4042	49.6384
2025	3	10	4	1	26	0.72	95.8	76.4042	51.7759
2025	3	10	4	11	26	0.69	97.1	76.4698	49.9207
2025	3	10	4	21	26	0.73	96.5	76.4698	52.5356
2025	3	10	4	31	26	0.68	98.9	76.4042	48.6884
2025	3	10	4	41	26	0.65	97.6	76.4042	46.5509
2025	3	10	4	51	26	0.69	99.6	76.4698	48.9699
2025	3	10	5	1	26	0.7	96.8	76.4042	50.1134
2025	3	10	5	11	26	0.73	97.5	76.4042	52.4885
2025	3	10	5	21	26	0.72	97.6	76.4698	51.5848
2025	3	10	5	31	26	0.71	97.7	76.4698	51.1094
2025	3	10	5	41	26	0.68	97	76.4698	48.7322
2025	3	10	5	51	26	0.68	98.3	76.4698	48.9699
2025	3	10	6	1	26	0.71	97.2	76.4042	50.826
2025	3	10	6	11	26	0.71	100.6	76.4698	50.6339
2025	3	10	6	21	26	0.7	98.8	76.4042	50.351
2025	3	10	6	31	26	0.7	99.2	76.4042	49.876
2025	3	10	6	41	26	0.67	101.3	76.4042	47.7384
2025	3	10	6	51	26	0.73	98.8	76.4698	52.298
2025	3	10	7	1	26	0.72	96	76.4042	51.776
2025	3	10	7	11	26	0.68	97.5	76.4042	48.926
2025	3	10	7	21	26	0.69	97.9	76.4698	49.683
2025	3	10	7	31	26	0.71	99	76.4698	51.1093
2025	3	10	7	41	26	0.68	98.3	76.4698	48.7321
2025	3	10	7	51	26	0.7	98.8	76.4698	50.3962

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	10	8	1	26	0.67	100.5	76.4698	47.5435
2025	3	10	8	11	26	0.67	100.7	76.4698	48.0189
2025	3	10	8	21	26	0.67	100.4	76.4698	47.7812
2025	3	10	8	31	26	0.7	98.6	76.4698	50.1583
2025	3	10	8	41	26	0.71	97.5	76.4698	50.8714
2025	3	10	8	51	26	0.69	97.1	76.4698	49.9205
2025	3	10	9	1	26	0.69	99.2	76.4698	49.6828
2025	3	10	9	11	26	0.73	98	76.4698	52.2976
2025	3	10	9	21	26	0.74	97.2	76.4698	53.0107
2025	3	10	9	31	26	0.7	99.4	76.4698	50.1581
2025	3	10	9	41	26	0.69	98	76.4698	49.2072
2025	3	10	9	51	26	0.68	98	76.4698	48.9694
2025	3	10	10	1	26	0.64	98.8	76.4698	46.1168
2025	3	10	10	11	26	0.72	97.6	76.4698	51.5842
2025	3	10	10	21	26	0.71	97.2	76.4698	51.1087
2025	3	10	10	31	26	0.7	97.8	76.4698	50.3955
2025	3	10	10	41	26	0.73	99.6	76.4042	51.7752
2025	3	10	10	51	26	0.68	99.5	76.3386	48.4066
2025	3	10	11	1	26	0.68	100.6	76.4698	48.2559
2025	3	10	11	11	26	0.7	100.5	76.5354	50.2026
2025	3	10	11	21	26	0.73	102.5	76.5354	51.3922
2025	3	10	11	31	26	0.7	101.6	76.5354	49.9646
2025	3	10	11	41	26	0.69	101.8	76.5354	48.7749
2025	3	10	11	51	26	0.7	100.6	76.5354	49.7266
2025	3	10	12	1	26	0.67	99.8	76.5354	48.061
2025	3	10	12	11	26	0.72	98.2	76.5354	51.3919
2025	3	10	12	21	26	0.71	97.4	76.4698	51.3458
2025	3	10	12	31	26	0.71	96.7	76.5354	50.916
2025	3	10	12	41	26	0.71	96.9	76.4042	50.8246
2025	3	10	12	51	26	0.68	96.4	76.4698	48.9685
2025	3	10	13	1	26	0.68	97.2	76.4698	48.7308
2025	3	10	13	11	26	0.66	98.6	76.4042	47.262
2025	3	10	13	21	26	0.65	98.9	76.4698	46.829
2025	3	10	13	31	26	0.66	98.6	76.4698	47.0667
2025	3	10	13	41	26	0.64	95.9	76.4698	46.3535
2025	3	10	13	51	26	0.69	96.9	76.4698	49.4437
2025	3	10	14	1	26	0.67	97.9	76.4698	48.0174
2025	3	10	14	11	26	0.68	97	76.4042	48.6868
2025	3	10	14	21	26	0.68	99.5	76.4698	48.2551
2025	3	10	14	31	26	0.66	97.5	76.4698	47.0665
2025	3	10	14	41	26	0.66	97.1	76.4698	47.5419
2025	3	10	14	51	26	0.68	99.4	76.4698	48.9681
2025	3	10	15	1	26	0.69	96	76.4042	49.6367
2025	3	10	15	11	26	0.67	95.9	76.4698	48.255
2025	3	10	15	21	26	0.66	95.7	76.4042	47.2616
2025	3	10	15	31	26	0.66	98.9	76.4698	47.0664
2025	3	10	15	41	26	0.67	96.5	76.4698	48.2549
2025	3	10	15	51	26	0.69	98.2	76.4698	49.4434

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	10	16	1	26	0.7	100.6	76.4042	49.6365
2025	3	10	16	11	26	0.69	101.3	76.4042	48.6865
2025	3	10	16	21	26	0.68	98.3	76.4042	48.6865
2025	3	10	16	31	26	0.68	100.3	76.4042	48.449
2025	3	10	16	41	26	0.72	97.3	76.4042	51.7739
2025	3	10	16	51	26	0.66	97.1	76.3386	47.4563
2025	3	10	17	1	26	0.67	99	76.3386	48.1682
2025	3	10	17	11	26	0.69	95.8	76.3386	49.3546
2025	3	10	17	21	26	0.7	98.1	76.4042	50.3489
2025	3	10	17	31	26	0.69	100.2	76.4042	48.9239
2025	3	10	17	41	26	0.69	96	76.4042	49.3989
2025	3	10	17	51	26	0.71	97.9	76.4042	51.0614
2025	3	10	18	1	26	0.65	95.5	76.4042	46.549
2025	3	10	18	11	26	0.68	97.5	76.3386	48.4054
2025	3	10	18	21	26	0.7	97.5	76.3386	50.3037
2025	3	10	18	31	26	0.71	96.9	76.3386	51.0155
2025	3	10	18	41	26	0.71	99.6	76.3386	50.541
2025	3	10	18	51	26	0.68	98.1	76.4042	48.4489
2025	3	10	19	1	26	0.72	96.3	76.4042	51.5364
2025	3	10	19	11	26	0.7	97.5	76.3386	50.3037
2025	3	10	19	21	26	0.67	95.9	76.3386	48.1682
2025	3	10	19	31	26	0.7	96.7	76.3386	50.3037
2025	3	10	19	41	26	0.69	96.9	76.3386	49.3546
2025	3	10	19	51	26	0.71	100.2	76.3386	50.3038
2025	3	10	20	1	26	0.7	96.8	76.3386	50.0665
2025	3	10	20	11	26	0.66	98.3	76.3386	46.9819
2025	3	10	20	21	26	0.66	96.6	76.3386	47.2192
2025	3	10	20	31	26	0.7	95.9	76.3386	50.3039
2025	3	10	20	41	26	0.67	96.7	76.3386	48.4056
2025	3	10	20	51	26	0.7	98.4	76.3386	49.8294
2025	3	10	21	1	26	0.65	99.9	76.3386	46.2702
2025	3	10	21	11	26	0.67	95.6	76.3386	48.1685
2025	3	10	21	21	26	0.66	98.6	76.3386	46.9821
2025	3	10	21	31	26	0.71	97.7	76.3386	50.7786
2025	3	10	21	41	26	0.72	97.5	76.3386	51.9651
2025	3	10	21	51	26	0.7	97.8	76.3386	50.0669
2025	3	10	22	1	26	0.68	97.5	76.3386	48.8805
2025	3	10	22	11	26	0.68	95.8	76.3386	49.1178
2025	3	10	22	21	26	0.68	98	76.3386	48.8806
2025	3	10	22	31	26	0.7	97.6	76.3386	49.8298
2025	3	10	22	41	26	0.71	95.3	76.3386	50.7789
2025	3	10	22	51	26	0.68	97.2	76.3386	48.6434
2025	3	10	23	1	26	0.69	97.1	76.3386	49.3553
2025	3	10	23	11	26	0.68	100.2	76.4042	48.6873
2025	3	10	23	21	26	0.68	98.1	76.4042	48.4498
2025	3	10	23	31	26	0.7	99.5	76.4698	49.6819
2025	3	10	23	41	26	0.69	100.4	76.4042	49.1624
2025	3	10	23	51	26	0.69	95.5	76.4698	49.4443

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	11	0	1	26	0.69	97.6	76.4698	49.682
2025	3	11	0	11	26	0.69	97.9	76.4698	49.4444
2025	3	11	0	21	26	0.68	96.1	76.4698	49.2067
2025	3	11	0	31	26	0.7	96.8	76.4042	50.1126
2025	3	11	0	41	26	0.69	98.2	76.4698	49.2068
2025	3	11	0	51	26	0.71	96.4	76.4698	51.1085
2025	3	11	1	1	26	0.7	97.5	76.4698	50.3954
2025	3	11	1	11	26	0.68	97.2	76.4698	48.9692
2025	3	11	1	21	26	0.67	97	76.5354	48.2994
2025	3	11	1	31	26	0.68	98.1	76.4698	48.7315
2025	3	11	1	41	26	0.71	95.6	76.4698	51.1087
2025	3	11	1	51	26	0.69	97.7	76.4698	49.4447
2025	3	11	2	1	26	0.67	96.8	76.4698	48.0185
2025	3	11	2	11	26	0.68	97.5	76.5354	48.7754
2025	3	11	2	21	26	0.71	97.5	76.5354	50.9167
2025	3	11	2	31	26	0.72	98.1	76.5354	51.6305
2025	3	11	2	41	26	0.72	100.8	76.5354	51.1547
2025	3	11	2	51	26	0.71	97.4	76.5354	51.1547
2025	3	11	3	1	26	0.7	100.5	76.4698	50.158
2025	3	11	3	11	26	0.66	100.9	76.5354	46.872
2025	3	11	3	21	26	0.72	97.8	76.5354	51.8685
2025	3	11	3	31	26	0.7	97	76.5354	50.441
2025	3	11	3	41	26	0.7	98.9	76.5354	49.9651
2025	3	11	3	51	26	0.67	99.6	76.5354	48.0617
2025	3	11	4	1	26	0.72	95.8	76.5354	51.8686
2025	3	11	4	11	26	0.7	97.6	76.5354	50.2031
2025	3	11	4	21	26	0.7	97.6	76.5354	50.2031
2025	3	11	4	31	26	0.72	97.1	76.5354	51.8686
2025	3	11	4	41	26	0.68	96.1	76.4698	49.2072
2025	3	11	4	51	26	0.7	96.8	76.5354	50.2031
2025	3	11	5	1	26	0.71	99.8	76.5354	50.9169
2025	3	11	5	11	26	0.73	100.4	76.4698	52.0598
2025	3	11	5	21	26	0.67	95.9	76.4698	48.2563
2025	3	11	5	31	26	0.71	98.5	76.4698	51.1089
2025	3	11	5	41	26	0.7	97.6	76.5354	50.2031
2025	3	11	5	51	26	0.66	98.5	76.4698	47.5432
2025	3	11	6	1	26	0.67	99.2	76.5354	48.2996
2025	3	11	6	11	26	0.73	95.5	76.4698	52.2975
2025	3	11	6	21	26	0.65	99.6	76.4698	46.5923
2025	3	11	6	31	26	0.69	99.3	76.4698	49.4449
2025	3	11	6	41	26	0.69	98.5	76.4698	49.2072
2025	3	11	6	51	26	0.68	98.9	76.5354	48.7755
2025	3	11	7	1	26	0.7	99.4	76.4698	50.158
2025	3	11	7	11	26	0.68	95.8	76.5354	49.2513
2025	3	11	7	21	26	0.68	100.2	76.4698	48.7317
2025	3	11	7	31	26	0.69	97.3	76.4698	49.9203
2025	3	11	7	41	26	0.67	99.3	76.4698	47.7808
2025	3	11	7	51	26	0.68	100.3	76.5354	48.2996

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	11	8	1	26	0.72	98.1	76.5354	51.6305
2025	3	11	8	11	26	0.7	98.4	76.4698	50.1579
2025	3	11	8	21	26	0.68	98.1	76.5354	48.7753
2025	3	11	8	31	26	0.73	99.6	76.5354	52.1063
2025	3	11	8	41	26	0.69	101.3	76.5354	49.0132
2025	3	11	8	51	26	0.7	97	76.4042	50.1128
2025	3	11	9	1	26	0.62	97.4	76.3386	44.1355
2025	3	11	9	11	26	0.66	98.6	76.4042	47.2627
2025	3	11	9	21	26	0.66	98	76.4042	47.0251
2025	3	11	9	31	26	0.65	98.2	76.4042	46.3126
2025	3	11	9	41	26	0.65	95.5	76.4042	46.7876
2025	3	11	9	51	26	0.66	96	76.4042	47.5
2025	3	11	10	1	26	0.68	99.7	76.3386	48.4065
2025	3	11	10	11	26	0.64	96.2	76.4042	46.0749
2025	3	11	10	21	26	0.63	98	76.3386	45.3217
2025	3	11	10	31	26	0.68	95.5	76.4042	48.9249
2025	3	11	10	41	26	0.65	94.6	76.3386	47.2198
2025	3	11	10	51	26	0.64	100	76.4698	45.8784
2025	3	11	11	1	26	0.68	97.5	76.4042	48.4497
2025	3	11	11	11	26	0.66	97.1	76.4698	47.7801
2025	3	11	11	21	26	0.64	95	76.4698	46.1161
2025	3	11	11	31	26	0.69	96.8	76.4042	49.8747
2025	3	11	11	41	26	0.66	98	76.4698	47.5423
2025	3	11	11	51	26	0.68	95.8	76.4042	48.9246
2025	3	11	12	1	26	0.64	97.1	76.4042	46.0746
2025	3	11	12	11	26	0.66	96.3	76.4698	47.3045
2025	3	11	12	21	26	0.65	97.8	76.4698	46.5914
2025	3	11	12	31	26	0.65	96.1	76.4042	46.5495
2025	3	11	12	41	26	0.65	94.7	76.4698	46.5913
2025	3	11	12	51	26	0.66	96	76.4042	47.2619
2025	3	11	13	1	26	0.67	99	76.4042	47.7369
2025	3	11	13	11	26	0.65	95.8	76.4042	46.7868
2025	3	11	13	21	26	0.68	96.6	76.4698	49.2059
2025	3	11	13	31	26	0.66	99.8	76.4698	46.8288
2025	3	11	13	41	26	0.65	98.1	76.4698	46.8287
2025	3	11	13	51	26	0.66	96	76.4698	47.7795
2025	3	11	14	1	26	0.65	95.2	76.4698	46.8287
2025	3	11	14	11	26	0.62	96.6	76.4698	44.9269
2025	3	11	14	21	26	0.66	97.7	76.5354	47.3465
2025	3	11	14	31	26	0.63	94.5	76.5354	45.4431
2025	3	11	14	41	26	0.61	96.7	76.5354	44.2534
2025	3	11	14	51	26	0.67	96.2	76.3386	48.1681
2025	3	11	15	1	26	0.66	96.6	76.5354	47.3464
2025	3	11	15	11	26	0.6	95.3	76.4698	43.2629
2025	3	11	15	21	26	0.66	96	76.4042	47.7364
2025	3	11	15	31	26	0.61	95.2	76.5354	44.2533
2025	3	11	15	41	26	0.67	95.6	76.4042	48.4489
2025	3	11	15	51	26	0.64	95	76.4698	46.1153

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	11	16	1	26	0.62	96.7	76.4042	44.4115
2025	3	11	16	11	26	0.68	94.7	76.4698	48.9678
2025	3	11	16	21	26	0.69	97.7	76.4698	49.2055
2025	3	11	16	31	26	0.65	95.5	76.4698	47.0661
2025	3	11	16	41	26	0.7	98.1	76.4698	49.9186
2025	3	11	16	51	26	0.71	99.3	76.4042	50.5863
2025	3	11	17	1	26	0.72	97.5	76.4042	52.0112
2025	3	11	17	11	26	0.65	98.7	76.4042	46.5489
2025	3	11	17	21	26	0.68	97	76.4698	48.73
2025	3	11	17	31	26	0.65	101.9	76.4042	46.3113
2025	3	11	17	41	26	0.69	102.4	76.3386	48.6426
2025	3	11	17	51	26	0.7	98.1	76.4042	50.3487
2025	3	11	18	1	26	0.69	98.5	76.4042	49.1613
2025	3	11	18	11	26	0.7	97	76.4042	50.5862
2025	3	11	18	21	26	0.68	99.5	76.3386	48.168
2025	3	11	18	31	26	0.73	97.2	76.3386	52.6763
2025	3	11	18	41	26	0.69	99.3	76.3386	49.3544
2025	3	11	18	51	26	0.65	99	76.4042	46.5489
2025	3	11	19	1	26	0.65	100.1	76.4042	46.5489
2025	3	11	19	11	26	0.66	97.1	76.3386	47.4562
2025	3	11	19	21	26	0.67	96.7	76.3386	48.4053
2025	3	11	19	31	26	0.7	100.5	76.3386	50.0663
2025	3	11	19	41	26	0.67	96.7	76.3386	48.4054
2025	3	11	19	51	26	0.68	98.3	76.3386	48.6427
2025	3	11	20	1	26	0.69	96.6	76.3386	49.5918
2025	3	11	20	11	26	0.71	99.1	76.3386	50.5409
2025	3	11	20	21	26	0.7	101	76.3386	49.8291
2025	3	11	20	31	26	0.68	97.5	76.273	48.8361
2025	3	11	20	41	26	0.68	97	76.4042	48.6865
2025	3	11	20	51	26	0.67	96.2	76.3386	48.4055
2025	3	11	21	1	26	0.68	96.4	76.3386	48.6428
2025	3	11	21	11	26	0.71	99.6	76.3386	50.3038
2025	3	11	21	21	26	0.67	95.9	76.3386	48.4056
2025	3	11	21	31	26	0.69	99.6	76.3386	49.3547
2025	3	11	21	41	26	0.71	98	76.3386	50.5412
2025	3	11	21	51	26	0.67	99.6	76.273	47.888
2025	3	11	22	1	26	0.69	98.5	76.273	49.0734
2025	3	11	22	11	26	0.71	99.8	76.273	50.7329
2025	3	11	22	21	26	0.7	96.7	76.273	50.4959
2025	3	11	22	31	26	0.7	98.1	76.3386	49.8295
2025	3	11	22	41	26	0.7	99.7	76.3386	50.0668
2025	3	11	22	51	26	0.72	100.2	76.3386	51.2533
2025	3	11	23	1	26	0.72	96.5	76.3386	51.9651
2025	3	11	23	11	26	0.71	99.2	76.3386	51.016
2025	3	11	23	21	26	0.7	97.5	76.3386	50.5415
2025	3	11	23	31	26	0.71	99	76.3386	51.0161
2025	3	11	23	41	26	0.7	100.3	76.3386	49.8297
2025	3	11	23	51	26	0.72	99.5	76.3386	51.2534

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	12	0	1	26	0.7	99.7	76.3386	50.067
2025	3	12	0	11	26	0.68	96.6	76.4042	49.1621
2025	3	12	0	21	26	0.68	99.4	76.4042	48.6871
2025	3	12	0	31	26	0.69	100.4	76.4042	49.3996
2025	3	12	0	41	26	0.71	99.2	76.4042	51.0622
2025	3	12	0	51	26	0.66	97.1	76.4698	47.7801
2025	3	12	1	1	26	0.72	97.8	76.5354	51.8677
2025	3	12	1	11	26	0.73	102.1	76.5354	52.1057
2025	3	12	1	21	26	0.69	98.5	76.5354	49.4885
2025	3	12	1	31	26	0.73	100.9	76.5354	51.8678
2025	3	12	1	41	26	0.7	100.8	76.5354	49.7265
2025	3	12	1	51	26	0.67	99.6	76.5354	47.5852
2025	3	12	2	1	26	0.7	100.3	76.5354	49.7265
2025	3	12	2	11	26	0.71	98	76.5354	50.6783
2025	3	12	2	21	26	0.71	97.9	76.5354	51.1542
2025	3	12	2	31	26	0.67	99.6	76.5354	47.5853
2025	3	12	2	41	26	0.69	99.3	76.5354	49.2508
2025	3	12	2	51	26	0.7	98.4	76.5354	50.2025
2025	3	12	3	1	26	0.71	99.2	76.5354	51.1542
2025	3	12	3	11	26	0.67	98.8	76.5354	47.8233
2025	3	12	3	21	26	0.69	99.3	76.5354	49.4888
2025	3	12	3	31	26	0.73	100.4	76.5354	51.868
2025	3	12	3	41	26	0.68	99.2	76.5354	48.5371
2025	3	12	3	51	26	0.72	99.8	76.6011	51.2002
2025	3	12	4	1	26	0.68	99.4	76.5354	48.775
2025	3	12	4	11	26	0.71	97.5	76.5354	50.9164
2025	3	12	4	21	26	0.7	98.7	76.5354	49.9647
2025	3	12	4	31	26	0.65	99.2	76.6011	46.9137
2025	3	12	4	41	26	0.67	99.6	76.6011	48.1044
2025	3	12	4	51	26	0.69	98.5	76.6011	49.5332
2025	3	12	5	1	26	0.7	97	76.6011	50.2477
2025	3	12	5	11	26	0.69	97.9	76.6011	49.5333
2025	3	12	5	21	26	0.67	98.4	76.6011	48.1044
2025	3	12	5	31	26	0.65	96.9	76.6011	46.9137
2025	3	12	5	41	26	0.73	99	76.6011	52.6291
2025	3	12	5	51	26	0.7	98.8	76.6011	50.4858
2025	3	12	6	1	26	0.69	97.9	76.6011	49.5333
2025	3	12	6	11	26	0.7	96.7	76.6011	50.4858
2025	3	12	6	21	26	0.73	97.5	76.6011	52.391
2025	3	12	6	31	26	0.67	99.2	76.6011	48.3426
2025	3	12	6	41	26	0.69	96.8	76.6011	49.7714
2025	3	12	6	51	26	0.67	98.2	76.6011	48.1044
2025	3	12	7	1	26	0.71	99.9	76.6011	50.4859
2025	3	12	7	11	26	0.7	97.2	76.6011	50.724
2025	3	12	7	21	26	0.69	97.3	76.5354	49.9648
2025	3	12	7	31	26	0.68	97.7	76.6011	49.057
2025	3	12	7	41	26	0.68	97.2	76.6011	49.057
2025	3	12	7	51	26	0.67	99	76.6011	48.1044

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	12	8	1	26	0.71	96.6	76.6011	51.4383
2025	3	12	8	11	26	0.68	100.2	76.6011	48.8188
2025	3	12	8	21	26	0.69	97.7	76.6011	49.5332
2025	3	12	8	31	26	0.7	97.8	76.6011	50.4857
2025	3	12	8	41	26	0.72	96	76.6011	52.1527
2025	3	12	8	51	26	0.7	98.1	76.6011	50.4857
2025	3	12	9	1	26	0.68	99.5	76.6011	48.3424
2025	3	12	9	11	26	0.64	97.7	76.6011	45.9609
2025	3	12	9	21	26	0.65	96.1	76.5354	47.1093
2025	3	12	9	31	26	0.68	96.9	76.5354	49.2506
2025	3	12	9	41	26	0.65	97.8	76.5354	46.8713
2025	3	12	9	51	26	0.67	98.2	76.5354	47.823
2025	3	12	10	1	26	0.63	96.5	76.5354	45.6816
2025	3	12	10	11	26	0.69	96.3	76.6011	49.5328
2025	3	12	10	21	26	0.69	99	76.5354	49.4883
2025	3	12	10	31	26	0.7	98.7	76.6011	50.009
2025	3	12	10	41	26	0.62	95.7	76.5354	44.9677
2025	3	12	10	51	26	0.68	96.6	76.5354	49.2503
2025	3	12	11	1	26	0.68	95.2	76.6667	49.3386
2025	3	12	11	11	26	0.66	96	76.6011	47.6274
2025	3	12	11	21	26	0.67	93.4	76.6667	48.8618
2025	3	12	11	31	26	0.69	94.9	76.6667	50.0535
2025	3	12	11	41	26	0.67	94.7	76.6667	48.8617
2025	3	12	11	51	26	0.66	96	76.6011	47.8654
2025	3	12	12	1	26	0.66	95.2	76.6011	47.3891
2025	3	12	12	11	26	0.68	94.1	76.6011	49.5323
2025	3	12	12	21	26	0.67	96.5	76.6667	48.1465
2025	3	12	12	31	26	0.64	96.5	76.6667	46.0013
2025	3	12	12	41	26	0.69	98.7	76.6011	49.7703
2025	3	12	12	51	26	0.67	96.4	76.5354	48.5361
2025	3	12	13	1	26	0.64	96.7	76.7323	46.5196
2025	3	12	13	11	26	0.67	95.9	76.5354	48.0601
2025	3	12	13	21	26	0.69	95.8	76.6667	49.5764
2025	3	12	13	31	26	0.69	97.1	76.6011	49.7701
2025	3	12	13	41	26	0.66	93.1	76.6667	47.9078
2025	3	12	13	51	26	0.72	97.5	76.7323	52.2448
2025	3	12	14	1	26	0.65	93.8	76.7323	46.9964
2025	3	12	14	11	26	0.67	96.2	76.6667	48.3844
2025	3	12	14	21	26	0.68	96.1	76.6667	48.8611
2025	3	12	14	31	26	0.66	97.4	76.6667	47.6693
2025	3	12	14	41	26	0.66	94.3	76.6011	47.8648
2025	3	12	14	51	26	0.63	96.3	76.6011	45.2454
2025	3	12	15	1	26	0.69	95.7	76.6667	49.8145
2025	3	12	15	11	26	0.66	97.8	76.5354	47.1082
2025	3	12	15	21	26	0.68	95.5	76.6667	49.3378
2025	3	12	15	31	26	0.69	97.7	76.4698	49.2052
2025	3	12	15	41	26	0.66	96.6	76.5354	47.346
2025	3	12	15	51	26	0.65	94.6	76.6011	46.9122

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	12	16	1	26	0.67	97.3	76.6667	48.146
2025	3	12	16	11	26	0.69	96	76.6011	49.7698
2025	3	12	16	21	26	0.72	96.5	76.4698	52.0576
2025	3	12	16	31	26	0.69	97.4	76.5354	49.4872
2025	3	12	16	41	26	0.66	95.4	76.5354	47.5838
2025	3	12	16	51	26	0.67	96.7	76.6011	48.3409
2025	3	12	17	1	26	0.67	96.2	76.4698	48.2543
2025	3	12	17	11	26	0.67	98.4	76.6011	48.1028
2025	3	12	17	21	26	0.69	95.7	76.6011	50.0078
2025	3	12	17	31	26	0.67	94.7	76.4698	48.7297
2025	3	12	17	41	26	0.67	97.3	76.5354	48.0597
2025	3	12	17	51	26	0.68	95	76.4698	49.2051
2025	3	12	18	1	26	0.68	97.2	76.5354	49.2493
2025	3	12	18	11	26	0.67	97	76.4042	48.4485
2025	3	12	18	21	26	0.69	97.4	76.4698	49.4428
2025	3	12	18	31	26	0.66	96.5	76.6011	47.8647
2025	3	12	18	41	26	0.63	93.9	76.4042	45.8361
2025	3	12	18	51	26	0.67	97.3	76.4698	48.2543
2025	3	12	19	1	26	0.66	93.1	76.4698	47.7789
2025	3	12	19	11	26	0.65	97.5	76.5354	46.8702
2025	3	12	19	21	26	0.68	95.3	76.3386	48.8796
2025	3	12	19	31	26	0.67	96.2	76.4698	48.0167
2025	3	12	19	41	26	0.65	95.2	76.4042	46.7861
2025	3	12	19	51	26	0.67	94.5	76.2074	48.0812
2025	3	12	20	1	26	0.68	95.3	76.5354	49.0115
2025	3	12	20	11	26	0.66	95.7	76.4698	47.7791
2025	3	12	20	21	26	0.66	95.4	76.4042	47.4987
2025	3	12	20	31	26	0.66	97.1	76.4042	47.4987
2025	3	12	20	41	26	0.68	95.8	76.4698	48.9677
2025	3	12	20	51	26	0.67	96.2	76.4042	48.4488
2025	3	12	21	1	26	0.72	97.1	76.3386	51.7272
2025	3	12	21	11	26	0.7	97	76.3386	50.5409
2025	3	12	21	21	26	0.68	95	76.273	48.5989
2025	3	12	21	31	26	0.7	96.2	76.3386	50.3037
2025	3	12	21	41	26	0.66	96	76.3386	47.6936
2025	3	12	21	51	26	0.69	96.8	76.273	49.5473
2025	3	12	22	1	26	0.68	96.9	76.4042	49.1615
2025	3	12	22	11	26	0.67	95.9	76.4698	48.2549
2025	3	12	22	21	26	0.68	100.5	76.273	48.5991
2025	3	12	22	31	26	0.64	98.8	76.4042	45.8367
2025	3	12	22	41	26	0.69	97.4	76.4698	49.4436
2025	3	12	22	51	26	0.68	96.9	76.3386	49.1176
2025	3	12	23	1	26	0.64	98	76.3386	45.7956
2025	3	12	23	11	26	0.67	96.5	76.273	47.8881
2025	3	12	23	21	26	0.64	96.5	76.273	45.7545
2025	3	12	23	31	26	0.65	96.3	76.3386	46.9821
2025	3	12	23	41	26	0.69	95.2	76.4042	49.6369
2025	3	12	23	51	26	0.67	97.3	76.3386	48.1686

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	13	0	1	26	0.66	99.7	76.3386	46.9822
2025	3	13	0	11	26	0.67	96.5	76.273	48.1254
2025	3	13	0	21	26	0.65	94.9	76.273	46.94
2025	3	13	0	31	26	0.67	98.4	76.4042	48.2121
2025	3	13	0	41	26	0.63	97.8	76.4042	44.8871
2025	3	13	0	51	26	0.66	96.8	76.273	47.6513
2025	3	13	1	1	26	0.67	100.4	76.273	47.8884
2025	3	13	1	11	26	0.68	95.8	76.273	48.8367
2025	3	13	1	21	26	0.68	95.3	76.3386	48.8807
2025	3	13	1	31	26	0.68	97.4	76.273	49.0738
2025	3	13	1	41	26	0.65	94.9	76.3386	46.7452
2025	3	13	1	51	26	0.69	95.7	76.3386	49.8299
2025	3	13	2	1	26	0.69	95.2	76.273	49.548
2025	3	13	2	11	26	0.67	98.7	76.273	48.1256
2025	3	13	2	21	26	0.65	96.4	76.3386	46.5079
2025	3	13	2	31	26	0.63	98	76.3386	45.3215
2025	3	13	2	41	26	0.65	97.2	76.3386	46.7452
2025	3	13	2	51	26	0.68	98.4	76.3386	48.4062
2025	3	13	3	1	26	0.68	98.9	76.3386	48.4062
2025	3	13	3	11	26	0.65	99.6	76.3386	46.2707
2025	3	13	3	21	26	0.67	95.9	76.273	47.8886
2025	3	13	3	31	26	0.67	97	76.273	48.1257
2025	3	13	3	41	26	0.66	96.8	76.3386	47.6944
2025	3	13	3	51	26	0.67	96.5	76.273	48.1257
2025	3	13	4	1	26	0.67	98.5	76.273	47.6515
2025	3	13	4	11	26	0.68	97.7	76.3386	48.8809
2025	3	13	4	21	26	0.65	98.4	76.273	46.7033
2025	3	13	4	31	26	0.69	96.8	76.273	49.5481
2025	3	13	4	41	26	0.65	94.6	76.4042	47.2623
2025	3	13	4	51	26	0.67	95.9	76.3386	48.4063
2025	3	13	5	1	26	0.72	98.4	76.3386	51.491
2025	3	13	5	11	26	0.65	99.6	76.3386	46.508
2025	3	13	5	21	26	0.68	94.7	76.4042	48.9248
2025	3	13	5	31	26	0.7	100.3	76.4042	49.6373
2025	3	13	5	41	26	0.68	96.6	76.3386	49.1181
2025	3	13	5	51	26	0.68	98.3	76.3386	48.6435
2025	3	13	6	1	26	0.68	97.7	76.4042	48.9248
2025	3	13	6	11	26	0.69	97.4	76.4042	49.6372
2025	3	13	6	21	26	0.73	97.4	76.4042	52.7247
2025	3	13	6	31	26	0.69	96.8	76.4042	49.6372
2025	3	13	6	41	26	0.71	98.8	76.4698	50.8704
2025	3	13	6	51	26	0.69	100.4	76.5354	49.4885
2025	3	13	7	1	26	0.71	96.9	76.5354	50.916
2025	3	13	7	11	26	0.65	95.2	76.4042	47.0247
2025	3	13	7	21	26	0.68	98.3	76.4042	48.6872
2025	3	13	7	31	26	0.64	98.5	76.4042	45.8372
2025	3	13	7	41	26	0.67	99	76.4042	47.9746
2025	3	13	7	51	26	0.69	96.8	76.4042	49.6371

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	13	8	1	26	0.71	99.5	76.4042	50.8246
2025	3	13	8	11	26	0.65	96.1	76.4698	47.0668
2025	3	13	8	21	26	0.7	96.2	76.4698	50.157
2025	3	13	8	31	26	0.72	96.6	76.4698	51.5833
2025	3	13	8	41	26	0.64	98.8	76.4698	45.8782
2025	3	13	8	51	26	0.7	96.8	76.4698	50.157
2025	3	13	9	1	26	0.7	95.6	76.4698	50.6324
2025	3	13	9	11	26	0.68	98.6	76.6011	48.8182
2025	3	13	9	21	26	0.68	96.9	76.5354	49.0123
2025	3	13	9	31	26	0.69	97.9	76.6011	49.7707
2025	3	13	9	41	26	0.65	97.2	76.6011	47.1511
2025	3	13	9	51	26	0.71	99	76.5354	51.1535
2025	3	13	10	1	26	0.72	98.4	76.6011	51.6756
2025	3	13	10	11	26	0.66	100.5	76.5354	47.3467
2025	3	13	10	21	26	0.72	97.9	76.5354	51.3914
2025	3	13	10	31	26	0.7	97.6	76.5354	49.9638
2025	3	13	10	41	26	0.67	99.6	76.5354	48.0604
2025	3	13	10	51	26	0.77	97.5	76.4698	55.6239
2025	3	13	11	1	26	0.71	96.6	76.4698	51.1075
2025	3	13	11	11	26	0.67	98.1	76.5354	48.2983
2025	3	13	11	21	26	0.72	96.5	76.5354	52.1051
2025	3	13	11	31	26	0.73	98.5	76.6011	52.628
2025	3	13	11	41	26	0.66	96	76.5354	47.5844
2025	3	13	11	51	26	0.7	99.5	76.6011	50.0084
2025	3	13	12	1	26	0.68	97.5	76.5354	49.0118
2025	3	13	12	11	26	0.74	97.3	76.4698	53.4843
2025	3	13	12	21	26	0.71	97.9	76.5354	51.1531
2025	3	13	12	31	26	0.71	95.6	76.5354	51.1531
2025	3	13	12	41	26	0.68	96.4	76.5354	48.7739
2025	3	13	12	51	26	0.71	96.6	76.5354	51.3911
2025	3	13	13	1	26	0.71	98.3	76.4698	50.6319
2025	3	13	13	11	26	0.71	97.2	76.4698	50.8695
2025	3	13	13	21	26	0.7	95.4	76.4698	50.394
2025	3	13	13	31	26	0.68	98.6	76.4698	48.4923
2025	3	13	13	41	26	0.73	98.7	76.4698	52.5333
2025	3	13	13	51	26	0.69	97.7	76.5354	49.2495
2025	3	13	14	1	26	0.72	97.3	76.4698	51.8201
2025	3	13	14	11	26	0.68	97.2	76.5354	48.7736
2025	3	13	14	21	26	0.7	98.1	76.4698	50.3939
2025	3	13	14	31	26	0.69	98.2	76.4698	49.6807
2025	3	13	14	41	26	0.7	95.7	76.4698	50.3939
2025	3	13	14	51	26	0.7	98.1	76.4698	50.1561
2025	3	13	15	1	26	0.68	97.2	76.4698	48.9676
2025	3	13	15	11	26	0.7	98.1	76.4698	50.1561
2025	3	13	15	21	26	0.72	97.8	76.4698	51.8201
2025	3	13	15	31	26	0.7	98.4	76.4698	49.9184
2025	3	13	15	41	26	0.73	96.2	76.5354	52.5804
2025	3	13	15	51	26	0.73	97.5	76.4698	52.5332

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	13	16	1	26	0.72	96.3	76.4698	51.8201
2025	3	13	16	11	26	0.7	97.2	76.4042	50.5861
2025	3	13	16	21	26	0.72	97.9	76.4042	51.2986
2025	3	13	16	31	26	0.66	98	76.4042	47.4988
2025	3	13	16	41	26	0.7	99.5	76.4698	49.9185
2025	3	13	16	51	26	0.69	96.9	76.4042	49.3987
2025	3	13	17	1	26	0.69	99	76.4042	49.6363
2025	3	13	17	11	26	0.66	96.3	76.4042	47.4988
2025	3	13	17	21	26	0.69	97.7	76.4042	49.1613
2025	3	13	17	31	26	0.66	96.6	76.4042	47.4989
2025	3	13	17	41	26	0.68	99.1	76.3386	48.6426
2025	3	13	17	51	26	0.74	98.7	76.3386	52.9137
2025	3	13	18	1	26	0.69	96.3	76.4042	49.6364
2025	3	13	18	11	26	0.66	97.4	76.3386	47.4563
2025	3	13	18	21	26	0.72	99.2	76.4042	51.5364
2025	3	13	18	31	26	0.73	97.5	76.3386	52.4392
2025	3	13	18	41	26	0.71	96.3	76.3386	51.2528
2025	3	13	18	51	26	0.69	99.8	76.3386	49.3546
2025	3	13	19	1	26	0.71	98.3	76.3386	50.541
2025	3	13	19	11	26	0.72	97.3	76.3386	51.7274
2025	3	13	19	21	26	0.65	97.8	76.3386	46.5073
2025	3	13	19	31	26	0.71	98.3	76.3386	50.5411
2025	3	13	19	41	26	0.63	95.7	76.3386	45.3209
2025	3	13	19	51	26	0.71	96.1	76.3386	51.253
2025	3	13	20	1	26	0.7	96.5	76.3386	50.3039
2025	3	13	20	11	26	0.66	98.3	76.3386	47.2192
2025	3	13	20	21	26	0.66	97.8	76.3386	46.982
2025	3	13	20	31	26	0.73	98.3	76.3386	52.2022
2025	3	13	20	41	26	0.68	100	76.3386	48.643
2025	3	13	20	51	26	0.69	98.2	76.3386	49.1176
2025	3	13	21	1	26	0.72	98.1	76.273	51.6812
2025	3	13	21	11	26	0.73	99.8	76.3386	51.9651
2025	3	13	21	21	26	0.7	99.5	76.273	49.7848
2025	3	13	21	31	26	0.7	96.2	76.273	50.0219
2025	3	13	21	41	26	0.7	95.4	76.2074	49.9769
2025	3	13	21	51	26	0.68	96.9	76.273	49.0736
2025	3	13	22	1	26	0.7	97.6	76.273	49.7849
2025	3	13	22	11	26	0.69	96.6	76.273	49.5479
2025	3	13	22	21	26	0.72	95.8	76.273	51.4445
2025	3	13	22	31	26	0.71	98.8	76.2074	50.6876
2025	3	13	22	41	26	0.69	98.5	76.2074	49.2665
2025	3	13	22	51	26	0.72	98.9	76.2074	51.1614
2025	3	13	23	1	26	0.73	97.8	76.273	52.1558
2025	3	13	23	11	26	0.67	99.4	76.2074	47.3717
2025	3	13	23	21	26	0.7	100.6	76.2074	49.5035
2025	3	13	23	31	26	0.69	96.8	76.2074	49.7404
2025	3	13	23	41	26	0.71	97.9	76.2074	50.9247
2025	3	13	23	51	26	0.65	97.5	76.2074	46.6613

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	14	0	1	26	0.69	99.3	76.2074	49.2668
2025	3	14	0	11	26	0.72	97.8	76.2074	51.6354
2025	3	14	0	21	26	0.69	95.7	76.2074	49.7405
2025	3	14	0	31	26	0.72	94.7	76.2074	51.6354
2025	3	14	0	41	26	0.69	101.3	76.2074	48.7931
2025	3	14	0	51	26	0.7	97	76.2074	50.4512
2025	3	14	1	1	26	0.73	96.2	76.2074	52.3461
2025	3	14	1	11	26	0.7	98.4	76.2074	49.9775
2025	3	14	1	21	26	0.68	97.2	76.2074	48.7933
2025	3	14	1	31	26	0.7	96.8	76.2074	49.9776
2025	3	14	1	41	26	0.7	97	76.2074	50.2145
2025	3	14	1	51	26	0.67	95.9	76.2074	48.0827
2025	3	14	2	1	26	0.69	99.3	76.2074	49.2671
2025	3	14	2	11	26	0.7	98.9	76.273	49.7856
2025	3	14	2	21	26	0.72	97.9	76.2074	51.162
2025	3	14	2	31	26	0.67	98.2	76.273	47.8891
2025	3	14	2	41	26	0.66	98.6	76.2074	47.1354
2025	3	14	2	51	26	0.68	99.5	76.273	48.1262
2025	3	14	3	1	26	0.68	98.3	76.3386	48.6441
2025	3	14	3	11	26	0.68	99.5	76.3386	48.1696
2025	3	14	3	21	26	0.71	99.2	76.3386	51.017
2025	3	14	3	31	26	0.69	97.6	76.3386	49.5933
2025	3	14	3	41	26	0.66	96.5	76.3386	47.695
2025	3	14	3	51	26	0.64	96.1	76.4042	46.3129
2025	3	14	4	1	26	0.68	96.9	76.4042	49.163
2025	3	14	4	11	26	0.73	96.7	76.4042	52.2505
2025	3	14	4	21	26	0.69	100.1	76.4042	49.4005
2025	3	14	4	31	26	0.7	98.9	76.4042	49.8755
2025	3	14	4	41	26	0.74	97.4	76.4042	52.963
2025	3	14	4	51	26	0.71	99	76.4042	50.8255
2025	3	14	5	1	26	0.68	100	76.4042	48.4505
2025	3	14	5	11	26	0.72	98.9	76.4042	51.5381
2025	3	14	5	21	26	0.7	97.9	76.4042	49.8756
2025	3	14	5	31	26	0.72	99.5	76.4042	51.0631
2025	3	14	5	41	26	0.69	96.3	76.4042	49.6381
2025	3	14	5	51	26	0.68	97.2	76.4042	49.1631
2025	3	14	6	1	26	0.67	97.6	76.4042	47.9756
2025	3	14	6	11	26	0.66	96	76.4042	47.7381
2025	3	14	6	21	26	0.67	97	76.4042	48.2131
2025	3	14	6	31	26	0.69	100.7	76.4698	49.2073
2025	3	14	6	41	26	0.69	100.4	76.4698	49.2073
2025	3	14	6	51	26	0.68	98.1	76.4698	48.7318
2025	3	14	7	1	26	0.69	97.7	76.4698	49.2073
2025	3	14	7	11	26	0.7	96.7	76.4698	50.6336
2025	3	14	7	21	26	0.69	100.5	76.4698	48.9696
2025	3	14	7	31	26	0.73	97.3	76.4698	52.2976
2025	3	14	7	41	26	0.72	98.1	76.4698	51.5844
2025	3	14	7	51	26	0.71	100.2	76.4698	50.3958

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	14	8	1	26	0.7	98.3	76.4698	50.3958
2025	3	14	8	11	26	0.72	101.6	76.5354	50.9169
2025	3	14	8	21	26	0.65	96.1	76.5354	47.11
2025	3	14	8	31	26	0.69	97.9	76.5354	49.4893
2025	3	14	8	41	26	0.7	96.7	76.5354	50.679
2025	3	14	8	51	26	0.68	98	76.4698	48.9695
2025	3	14	9	1	26	0.7	97.8	76.5354	50.441
2025	3	14	9	11	26	0.73	98.5	76.5354	52.3445
2025	3	14	9	21	26	0.69	99.3	76.5354	49.2514
2025	3	14	9	31	26	0.74	97.4	76.5354	53.0582
2025	3	14	9	41	26	0.7	99.2	76.5354	50.203
2025	3	14	9	51	26	0.71	98	76.6011	50.7243
2025	3	14	10	1	26	0.69	97.1	76.6011	49.7717
2025	3	14	10	11	26	0.72	96.8	76.6011	52.1531
2025	3	14	10	21	26	0.74	97.2	76.6011	53.1056
2025	3	14	10	31	26	0.7	96.5	76.6011	50.4861
2025	3	14	10	41	26	0.71	96.9	76.6011	50.9624
2025	3	14	10	51	26	0.7	100	76.5354	49.9649
2025	3	14	11	1	26	0.69	95.5	76.6011	49.7716
2025	3	14	11	11	26	0.69	97.1	76.6011	49.5334
2025	3	14	11	21	26	0.68	100.1	76.6011	48.3427
2025	3	14	11	31	26	0.66	99.4	76.6011	47.3901
2025	3	14	11	41	26	0.69	94.9	76.6011	49.7716
2025	3	14	11	51	26	0.69	97.9	76.6011	49.5334
2025	3	14	12	1	26	0.7	98.8	76.6011	50.4859
2025	3	14	12	11	26	0.69	96.9	76.6667	49.5777
2025	3	14	12	21	26	0.64	94.1	76.6667	46.2407
2025	3	14	12	31	26	0.69	94.9	76.6667	49.816
2025	3	14	12	41	26	0.71	96.6	76.6667	51.2461
2025	3	14	12	51	26	0.66	97.4	76.6667	47.9091
2025	3	14	13	1	26	0.67	98.4	76.6667	48.3857
2025	3	14	13	11	26	0.7	97	76.7323	50.3375
2025	3	14	13	21	26	0.68	96.4	76.6667	49.1007
2025	3	14	13	31	26	0.69	97.6	76.7323	49.8603
2025	3	14	13	41	26	0.68	96.6	76.7323	49.3831
2025	3	14	13	51	26	0.67	98.5	76.7323	47.9517
2025	3	14	14	1	26	0.67	97.9	76.7323	47.9518
2025	3	14	14	11	26	0.66	94.9	76.6667	47.4321
2025	3	14	14	21	26	0.66	97.1	76.7979	47.9946
2025	3	14	14	31	26	0.68	98.6	76.8635	49.2325
2025	3	14	14	41	26	0.68	96.6	76.7979	49.4273
2025	3	14	14	51	26	0.69	98.2	76.7979	49.4273
2025	3	14	15	1	26	0.66	96.6	76.7979	47.7559
2025	3	14	15	11	26	0.68	97.2	76.7979	48.9498
2025	3	14	15	21	26	0.68	98.9	76.7979	48.9498
2025	3	14	15	31	26	0.68	97.8	76.7979	48.9498
2025	3	14	15	41	26	0.71	98.8	76.7979	51.0988
2025	3	14	15	51	26	0.76	98	76.7979	54.4417

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	14	16	1	26	0.75	98.1	76.7979	53.7253
2025	3	14	16	11	26	0.72	96	76.8635	52.3394
2025	3	14	16	21	26	0.72	96.5	76.7979	52.2927
2025	3	14	16	31	26	0.74	96.6	76.7979	53.4866
2025	3	14	16	41	26	0.69	95.2	76.7979	50.1436
2025	3	14	16	51	26	0.65	98.7	76.8635	47.0815
2025	3	14	17	1	26	0.68	99.1	76.8635	48.9935
2025	3	14	17	11	26	0.72	97.8	76.8635	52.1004
2025	3	14	17	21	26	0.73	98.5	76.8635	52.8174
2025	3	14	17	31	26	0.71	99.2	76.8635	51.3834
2025	3	14	17	41	26	0.71	95.8	76.8635	51.3834
2025	3	14	17	51	26	0.69	96.8	76.8635	49.9495
2025	3	14	18	1	26	0.71	99.2	76.8635	51.3834
2025	3	14	18	11	26	0.7	100.2	76.8635	50.4275
2025	3	14	18	21	26	0.78	98.4	76.7979	56.3519
2025	3	14	18	31	26	0.73	94.1	76.7979	53.009
2025	3	14	18	41	26	0.72	98.6	76.7979	52.0539
2025	3	14	18	51	26	0.74	99.4	76.8635	53.2954
2025	3	14	19	1	26	0.69	94.6	76.8635	50.4275
2025	3	14	19	11	26	0.71	98.8	76.8635	50.9055
2025	3	14	19	21	26	0.7	96.7	76.8635	50.9055
2025	3	14	19	31	26	0.66	96.3	76.8635	47.5596
2025	3	14	19	41	26	0.69	96.8	76.8635	50.1885
2025	3	14	19	51	26	0.71	98.5	76.8635	51.3835
2025	3	14	20	1	26	0.72	99.8	76.8635	51.3835
2025	3	14	20	11	26	0.69	96.8	76.8635	50.1886
2025	3	14	20	21	26	0.68	99.1	76.8635	49.2326
2025	3	14	20	31	26	0.69	98.4	76.8635	49.9496
2025	3	14	20	41	26	0.72	96.5	76.8635	52.1006
2025	3	14	20	51	26	0.73	98.5	76.8635	52.8176
2025	3	14	21	1	26	0.72	97.6	76.8635	51.8617
2025	3	14	21	11	26	0.71	99.3	76.8635	50.9057
2025	3	14	21	21	26	0.66	99.1	76.8635	47.7988
2025	3	14	21	31	26	0.68	98.4	76.8635	48.7548
2025	3	14	21	41	26	0.72	97.9	76.8635	51.8618
2025	3	14	21	51	26	0.72	96.5	76.8635	52.1008
2025	3	14	22	1	26	0.74	97.9	76.8635	53.0568
2025	3	14	22	11	26	0.73	96.2	76.8635	52.8179
2025	3	14	22	21	26	0.69	99.6	76.8635	49.711
2025	3	14	22	31	26	0.67	100.4	76.8635	48.277
2025	3	14	22	41	26	0.7	95.9	76.8635	50.667
2025	3	14	22	51	26	0.7	100.6	76.8635	49.9501
2025	3	14	23	1	26	0.75	98.3	76.8635	54.0131
2025	3	14	23	11	26	0.67	96.8	76.8635	48.2772
2025	3	14	23	21	26	0.69	97.7	76.8635	49.4722
2025	3	14	23	31	26	0.7	97	76.8635	50.6672
2025	3	14	23	41	26	0.71	98.5	76.9291	51.4301
2025	3	14	23	51	26	0.71	98.5	76.9948	50.9972

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	15	0	1	26	0.68	98.8	76.9948	49.3213
2025	3	15	0	11	26	0.72	97.9	77.0604	51.7616
2025	3	15	0	21	26	0.72	98.1	77.0604	52.0013
2025	3	15	0	31	26	0.75	95.8	77.0604	54.6374
2025	3	15	0	41	26	0.75	96	77.0604	54.3978
2025	3	15	0	51	26	0.68	96.3	77.0604	49.605
2025	3	15	1	1	26	0.71	96.6	77.0604	51.7618
2025	3	15	1	11	26	0.71	96.6	77.0604	51.5222
2025	3	15	1	21	26	0.72	97	77.0604	52.4808
2025	3	15	1	31	26	0.73	97.8	77.0604	52.4808
2025	3	15	1	41	26	0.7	97.5	77.0604	50.8034
2025	3	15	1	51	26	0.68	98.1	77.0604	49.1259
2025	3	15	2	1	26	0.69	97.6	77.126	50.1291
2025	3	15	2	11	26	0.73	98.7	77.126	53.0074
2025	3	15	2	21	26	0.72	97.6	77.126	52.048
2025	3	15	2	31	26	0.73	98.6	77.126	52.5277
2025	3	15	2	41	26	0.72	97.6	77.126	52.048
2025	3	15	2	51	26	0.74	97.3	77.126	53.9669
2025	3	15	3	1	26	0.7	99.7	77.126	50.3691
2025	3	15	3	11	26	0.72	96.6	77.126	52.0481
2025	3	15	3	21	26	0.76	98.7	77.126	55.1662
2025	3	15	3	31	26	0.7	101	77.126	50.3692
2025	3	15	3	41	26	0.71	98.2	77.126	51.5685
2025	3	15	3	51	26	0.67	97.7	77.126	48.2105
2025	3	15	4	1	26	0.73	97.8	77.126	52.5279
2025	3	15	4	11	26	0.7	97.3	77.126	50.6091
2025	3	15	4	21	26	0.74	98.2	77.126	53.4873
2025	3	15	4	31	26	0.72	96.1	77.126	52.0482
2025	3	15	4	41	26	0.71	98.3	77.126	51.0888
2025	3	15	4	51	26	0.74	97.4	77.126	53.4874
2025	3	15	5	1	26	0.73	98	77.126	53.0077
2025	3	15	5	11	26	0.73	96.5	77.126	52.7678
2025	3	15	5	21	26	0.7	95.4	77.126	50.849
2025	3	15	5	31	26	0.76	99.4	77.126	55.1664
2025	3	15	5	41	26	0.74	97.6	77.126	53.9671
2025	3	15	5	51	26	0.7	97.8	77.126	50.849
2025	3	15	6	1	26	0.69	100.2	77.126	49.4099
2025	3	15	6	11	26	0.71	97.7	77.126	51.3288
2025	3	15	6	21	26	0.74	97.4	77.126	53.7273
2025	3	15	6	31	26	0.7	99.2	77.126	50.3694
2025	3	15	6	41	26	0.67	95.9	77.126	48.9302
2025	3	15	6	51	26	0.7	97.3	77.126	50.6092
2025	3	15	7	1	26	0.69	99.6	77.126	49.8897
2025	3	15	7	11	26	0.73	97.8	77.1916	52.5748
2025	3	15	7	21	26	0.75	98.3	77.1916	54.0152
2025	3	15	7	31	26	0.73	98.3	77.1916	52.5748
2025	3	15	7	41	26	0.69	97.4	77.1916	50.1741
2025	3	15	7	51	26	0.71	97.1	77.1916	51.8546

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	15	8	1	26	0.69	99	77.1916	50.1741
2025	3	15	8	11	26	0.71	99.9	77.1916	50.8942
2025	3	15	8	21	26	0.7	98.9	77.1916	50.4141
2025	3	15	8	31	26	0.69	97.6	77.1916	50.174
2025	3	15	8	41	26	0.7	99.4	77.1916	50.8942
2025	3	15	8	51	26	0.68	98.8	77.1916	49.4537
2025	3	15	9	1	26	0.71	98.8	77.1916	51.1341
2025	3	15	9	11	26	0.72	99.4	77.1916	52.3344
2025	3	15	9	21	26	0.75	100.1	77.1916	53.7748
2025	3	15	9	31	26	0.73	98.3	77.1916	52.5744
2025	3	15	9	41	26	0.72	100.7	77.2572	52.1406
2025	3	15	9	51	26	0.71	100.4	77.2572	51.1794
2025	3	15	10	1	26	0.73	97.5	77.2572	52.8612
2025	3	15	10	11	26	0.68	100.6	77.3228	48.8197
2025	3	15	10	21	26	0.7	97.3	77.3228	50.7435
2025	3	15	10	31	26	0.7	98.1	77.3228	50.7435
2025	3	15	10	41	26	0.72	96.5	77.3228	52.6674
2025	3	15	10	51	26	0.67	98.4	77.3228	48.8195
2025	3	15	11	1	26	0.74	97.6	77.3228	53.8697
2025	3	15	11	11	26	0.75	97.5	77.2572	54.783
2025	3	15	11	21	26	0.7	98.9	77.3228	50.7433
2025	3	15	11	31	26	0.69	99.1	77.3228	49.7813
2025	3	15	11	41	26	0.72	96.5	77.3885	52.7138
2025	3	15	11	51	26	0.73	96.7	77.3228	52.9075
2025	3	15	12	1	26	0.71	99.2	77.3228	51.7051
2025	3	15	12	11	26	0.71	98.8	77.3228	51.4645
2025	3	15	12	21	26	0.72	98.9	77.3885	51.9915
2025	3	15	12	31	26	0.7	99.8	77.3228	50.262
2025	3	15	12	41	26	0.69	99	77.3228	50.0215
2025	3	15	12	51	26	0.72	101	77.3228	51.9453
2025	3	15	13	1	26	0.72	96.8	77.3228	52.1858
2025	3	15	13	11	26	0.7	96.8	77.3228	50.7428
2025	3	15	13	21	26	0.75	98.1	77.3885	54.3983
2025	3	15	13	31	26	0.72	95.5	77.3885	52.4727
2025	3	15	13	41	26	0.74	100.7	77.3228	53.3881
2025	3	15	13	51	26	0.74	100.7	77.3885	53.6761
2025	3	15	14	1	26	0.7	99.1	77.3885	51.0284
2025	3	15	14	11	26	0.71	96.6	77.3228	51.7046
2025	3	15	14	21	26	0.68	98.9	77.3228	49.2997
2025	3	15	14	31	26	0.71	95.6	77.3885	51.9911
2025	3	15	14	41	26	0.67	98.4	77.3228	48.5782
2025	3	15	14	51	26	0.68	98	77.2572	49.4962
2025	3	15	15	1	26	0.71	97.4	77.3228	51.9449
2025	3	15	15	11	26	0.74	100	77.3885	53.1945
2025	3	15	15	21	26	0.73	97.8	77.3228	52.6664
2025	3	15	15	31	26	0.77	99.3	77.5197	55.7001
2025	3	15	15	41	26	0.73	97.7	77.5197	53.53
2025	3	15	15	51	26	0.72	97.1	77.5197	52.3243

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	15	16	1	26	0.74	98.5	77.5197	53.5299
2025	3	15	16	11	26	0.72	99.5	77.4541	52.0371
2025	3	15	16	21	26	0.69	99.6	77.4541	49.6279
2025	3	15	16	31	26	0.7	98.9	77.3885	50.5468
2025	3	15	16	41	26	0.71	98	77.3885	51.2689
2025	3	15	16	51	26	0.69	96.3	77.3885	50.0654
2025	3	15	17	1	26	0.69	96.3	77.3228	50.5019
2025	3	15	17	11	26	0.69	97.7	77.3228	50.021
2025	3	15	17	21	26	0.75	97.8	77.3885	54.6386
2025	3	15	17	31	26	0.73	97.8	77.3228	52.6663
2025	3	15	17	41	26	0.69	99	77.3885	50.0653
2025	3	15	17	51	26	0.74	97.6	77.3228	54.1092
2025	3	15	18	1	26	0.68	97.8	77.2572	49.2557
2025	3	15	18	11	26	0.69	98.8	77.3228	49.7805
2025	3	15	18	21	26	0.75	96.5	77.3228	54.5902
2025	3	15	18	31	26	0.71	98	77.2572	51.1779
2025	3	15	18	41	26	0.73	98.6	77.2572	52.6195
2025	3	15	18	51	26	0.75	97.8	77.1916	54.2532
2025	3	15	19	1	26	0.67	96.2	77.1916	48.9719
2025	3	15	19	11	26	0.66	97.5	77.1916	47.5316
2025	3	15	19	21	26	0.72	96	77.3228	52.6663
2025	3	15	19	31	26	0.73	97.7	77.3228	53.3878
2025	3	15	19	41	26	0.73	98.1	77.3228	52.6664
2025	3	15	19	51	26	0.71	97.9	77.3228	51.7044
2025	3	15	20	1	26	0.73	96.5	77.3228	53.1474
2025	3	15	20	11	26	0.72	97.6	77.3228	52.1855
2025	3	15	20	21	26	0.71	96.6	77.3228	51.945
2025	3	15	20	31	26	0.72	98.6	77.3228	52.426
2025	3	15	20	41	26	0.71	98.3	77.3228	51.2236
2025	3	15	20	51	26	0.73	96.4	77.2572	53.3406
2025	3	15	21	1	26	0.72	95.8	77.3228	52.1856
2025	3	15	21	11	26	0.72	96.8	77.2572	52.6199
2025	3	15	21	21	26	0.68	99.4	77.3228	49.5403
2025	3	15	21	31	26	0.69	97.1	77.2572	50.2172
2025	3	15	21	41	26	0.73	98.3	77.2572	52.8603
2025	3	15	21	51	26	0.7	96.7	77.2572	51.1784
2025	3	15	22	1	26	0.73	100.1	77.2572	52.6201
2025	3	15	22	11	26	0.71	97.7	77.2572	51.4188
2025	3	15	22	21	26	0.71	96.1	77.2572	51.4188
2025	3	15	22	31	26	0.7	96.7	77.2572	50.9383
2025	3	15	22	41	26	0.71	97.8	77.2572	51.1786
2025	3	15	22	51	26	0.7	96.7	77.2572	50.9384
2025	3	15	23	1	26	0.71	96.7	77.2572	51.419
2025	3	15	23	11	26	0.73	98	77.2572	52.8607
2025	3	15	23	21	26	0.74	101.3	77.2572	52.8607
2025	3	15	23	31	26	0.72	97.6	77.2572	52.3802
2025	3	15	23	41	26	0.76	98.4	77.2572	55.2636
2025	3	15	23	51	26	0.72	96	77.2572	52.6206

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	16	0	1	26	0.69	97.9	77.2572	50.2178
2025	3	16	0	11	26	0.71	95.8	77.2572	51.8998
2025	3	16	0	21	26	0.68	98.6	77.2572	49.0165
2025	3	16	0	31	26	0.72	97	77.2572	52.6207
2025	3	16	0	41	26	0.75	99.3	77.2572	54.3027
2025	3	16	0	51	26	0.69	96.3	77.2572	50.4583
2025	3	16	1	1	26	0.68	98.4	77.2572	49.0166
2025	3	16	1	11	26	0.73	98.3	77.2572	52.8611
2025	3	16	1	21	26	0.73	100.1	77.2572	52.3806
2025	3	16	1	31	26	0.71	97.7	77.2572	51.4195
2025	3	16	1	41	26	0.71	98.2	77.2572	51.6598
2025	3	16	1	51	26	0.7	98.6	77.2572	50.6987
2025	3	16	2	1	26	0.71	97.7	77.2572	51.4196
2025	3	16	2	11	26	0.72	98.4	77.2572	52.3807
2025	3	16	2	21	26	0.71	99.6	77.2572	50.9391
2025	3	16	2	31	26	0.74	97.9	77.2572	53.5821
2025	3	16	2	41	26	0.73	96.4	77.1916	53.2945
2025	3	16	2	51	26	0.71	98.5	77.2572	51.1794
2025	3	16	3	1	26	0.71	96.6	77.2572	51.66
2025	3	16	3	11	26	0.66	97.4	77.2572	48.2961
2025	3	16	3	21	26	0.71	99.9	77.1916	51.134
2025	3	16	3	31	26	0.71	99.6	77.1916	51.134
2025	3	16	3	41	26	0.71	99	77.1916	51.6141
2025	3	16	3	51	26	0.72	98.4	77.1916	51.8542
2025	3	16	4	1	26	0.67	97.9	77.1916	48.4933
2025	3	16	4	11	26	0.72	97.9	77.1916	51.8542
2025	3	16	4	21	26	0.7	96.7	77.1916	50.8939
2025	3	16	4	31	26	0.75	100.6	77.1916	54.0148
2025	3	16	4	41	26	0.71	96.3	77.1916	51.8542
2025	3	16	4	51	26	0.72	96.8	77.1916	52.0943
2025	3	16	5	1	26	0.73	99.3	77.1916	52.8145
2025	3	16	5	11	26	0.69	96.8	77.1916	50.1738
2025	3	16	5	21	26	0.69	96.6	77.1916	49.9337
2025	3	16	5	31	26	0.66	96.6	77.1916	47.7731
2025	3	16	5	41	26	0.69	98.5	77.1916	49.6936
2025	3	16	5	51	26	0.67	97.1	77.1916	48.4933
2025	3	16	6	1	26	0.72	99.2	77.1916	52.0943
2025	3	16	6	11	26	0.68	95	77.1916	49.6936
2025	3	16	6	21	26	0.69	97.1	77.1916	50.4138
2025	3	16	6	31	26	0.69	97.9	77.1916	50.1737
2025	3	16	6	41	26	0.71	98	77.1916	51.134
2025	3	16	6	51	26	0.73	98.6	77.1916	52.5744
2025	3	16	7	1	26	0.72	98.7	77.1916	51.8542
2025	3	16	7	11	26	0.69	96	77.1916	49.9336
2025	3	16	7	21	26	0.73	98.2	77.1916	53.0545
2025	3	16	7	31	26	0.71	98.7	77.1916	51.614
2025	3	16	7	41	26	0.68	97.8	77.1916	48.9733
2025	3	16	7	51	26	0.66	96.8	77.1916	48.2531

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	16	8	1	26	0.72	100.5	77.1916	51.854
2025	3	16	8	11	26	0.67	100.2	77.2572	48.2959
2025	3	16	8	21	26	0.7	99.4	77.1916	50.6536
2025	3	16	8	31	26	0.7	98.3	77.2572	50.9389
2025	3	16	8	41	26	0.7	100.2	77.2572	50.6986
2025	3	16	8	51	26	0.7	98.3	77.2572	50.9388
2025	3	16	9	1	26	0.67	95.9	77.2572	48.536
2025	3	16	9	11	26	0.7	100.7	77.2572	50.6985
2025	3	16	9	21	26	0.7	100.5	77.2572	50.4582
2025	3	16	9	31	26	0.69	98.4	77.2572	50.2179
2025	3	16	9	41	26	0.73	99.3	77.2572	52.8609
2025	3	16	9	51	26	0.67	99.6	77.2572	48.5359
2025	3	16	10	1	26	0.69	99.1	77.1916	49.6931
2025	3	16	10	11	26	0.69	99.9	77.1916	49.693
2025	3	16	10	21	26	0.7	100.2	77.1916	50.6532
2025	3	16	10	31	26	0.71	99	77.1916	51.6135
2025	3	16	10	41	26	0.7	97.5	77.1916	50.8932
2025	3	16	10	51	26	0.68	98.1	77.126	49.169
2025	3	16	11	1	26	0.71	97.5	77.126	51.3276
2025	3	16	11	11	26	0.66	97.1	77.1916	48.2525
2025	3	16	11	21	26	0.7	98.7	77.1916	50.413
2025	3	16	11	31	26	0.69	99.3	77.1916	49.9329
2025	3	16	11	41	26	0.73	97.8	77.1916	52.8136
2025	3	16	11	51	26	0.69	99	77.1916	49.9328
2025	3	16	12	1	26	0.72	97.6	77.1916	51.8532
2025	3	16	12	11	26	0.68	96.1	77.126	49.1687
2025	3	16	12	21	26	0.7	98.1	77.1916	50.8929
2025	3	16	12	31	26	0.7	102.4	77.1916	50.1727
2025	3	16	12	41	26	0.68	98.6	77.1916	48.9723
2025	3	16	12	51	26	0.71	100.4	77.126	51.0874
2025	3	16	13	1	26	0.69	97.9	77.126	50.128
2025	3	16	13	11	26	0.71	100.1	77.1916	51.1328
2025	3	16	13	21	26	0.7	95.1	77.126	51.3271
2025	3	16	13	31	26	0.69	99.2	77.126	50.1278
2025	3	16	13	41	26	0.7	98.6	77.126	50.8472
2025	3	16	13	51	26	0.68	99.7	77.126	48.9284
2025	3	16	14	1	26	0.72	95.5	77.126	52.0463
2025	3	16	14	11	26	0.66	95.7	77.126	47.9689
2025	3	16	14	21	26	0.69	96.9	77.126	49.8876
2025	3	16	14	31	26	0.67	95.9	77.1916	48.7317
2025	3	16	14	41	26	0.7	96	77.1916	50.6521
2025	3	16	14	51	26	0.71	99.8	77.126	51.3265
2025	3	16	15	1	26	0.72	98.1	77.126	52.2859
2025	3	16	15	11	26	0.7	98.6	77.126	50.8468
2025	3	16	15	21	26	0.71	96.9	77.126	51.5663
2025	3	16	15	31	26	0.67	95.9	77.126	48.6882
2025	3	16	15	41	26	0.7	99.1	77.126	50.8468
2025	3	16	15	51	26	0.69	99.2	77.126	50.1272

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	16	16	1	26	0.7	97.6	77.0604	50.3223
2025	3	16	16	11	26	0.67	97.9	77.126	48.4483
2025	3	16	16	21	26	0.69	97.9	77.0604	49.843
2025	3	16	16	31	26	0.68	95.6	77.0604	49.1241
2025	3	16	16	41	26	0.71	96.6	77.0604	51.76
2025	3	16	16	51	26	0.68	100.9	77.0604	48.6448
2025	3	16	17	1	26	0.72	99.5	77.0604	51.5204
2025	3	16	17	11	26	0.69	99.6	77.0604	49.6033
2025	3	16	17	21	26	0.67	97.1	77.0604	48.4052
2025	3	16	17	31	26	0.73	96.5	77.0604	52.9581
2025	3	16	17	41	26	0.71	96.9	77.0604	51.5204
2025	3	16	17	51	26	0.69	96.3	77.0604	49.843
2025	3	16	18	1	26	0.68	97.5	77.0604	49.3637
2025	3	16	18	11	26	0.71	96.6	77.0604	51.5204
2025	3	16	18	21	26	0.69	98.5	77.0604	49.843
2025	3	16	18	31	26	0.7	97	76.9948	50.9956
2025	3	16	18	41	26	0.7	99.4	76.9948	50.7562
2025	3	16	18	51	26	0.7	100	76.9948	50.038
2025	3	16	19	1	26	0.69	97.7	76.9948	49.5592
2025	3	16	19	11	26	0.74	96.7	76.9948	53.3898
2025	3	16	19	21	26	0.7	99.7	77.0604	50.5619
2025	3	16	19	31	26	0.68	99.5	76.9948	48.841
2025	3	16	19	41	26	0.66	97.4	76.9948	47.8833
2025	3	16	19	51	26	0.72	98.9	76.9948	51.714
2025	3	16	20	1	26	0.68	98.3	76.9948	49.0804
2025	3	16	20	11	26	0.75	97.2	76.9948	54.587
2025	3	16	20	21	26	0.7	96.7	76.9948	50.9958
2025	3	16	20	31	26	0.71	97.9	76.9948	51.4746
2025	3	16	20	41	26	0.68	97.5	76.9948	49.3199
2025	3	16	20	51	26	0.68	98.3	76.9291	49.276
2025	3	16	21	1	26	0.71	98.5	76.9948	51.2353
2025	3	16	21	11	26	0.71	98	76.9291	50.9505
2025	3	16	21	21	26	0.7	97.3	76.9291	50.7113
2025	3	16	21	31	26	0.7	97.3	76.9291	50.7113
2025	3	16	21	41	26	0.69	98.2	76.9291	49.5153
2025	3	16	21	51	26	0.71	95.8	76.9291	51.429
2025	3	16	22	1	26	0.72	99.5	76.9291	51.6682
2025	3	16	22	11	26	0.72	97.1	76.9291	51.9075
2025	3	16	22	21	26	0.74	98.7	76.9291	53.1035
2025	3	16	22	31	26	0.7	99.4	76.9291	50.7115
2025	3	16	22	41	26	0.67	98.4	76.9291	48.3195
2025	3	16	22	51	26	0.73	99.6	76.9291	52.1468
2025	3	16	23	1	26	0.67	98.4	76.9291	48.3196
2025	3	16	23	11	26	0.73	99.6	76.8635	52.1004
2025	3	16	23	21	26	0.68	98.9	76.9291	49.0373
2025	3	16	23	31	26	0.74	98.2	76.8635	53.2955
2025	3	16	23	41	26	0.68	97.8	76.8635	48.9936
2025	3	16	23	51	26	0.69	97.9	76.8635	49.9496

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	17	0	1	26	0.71	98	76.8635	51.1446
2025	3	17	0	11	26	0.7	98.8	76.8635	50.6667
2025	3	17	0	21	26	0.69	96.8	76.8635	50.1887
2025	3	17	0	31	26	0.69	101.6	76.8635	48.9938
2025	3	17	0	41	26	0.71	97.7	76.7979	51.3379
2025	3	17	0	51	26	0.67	95.6	76.7979	48.4726
2025	3	17	1	1	26	0.72	98.4	76.8635	51.8618
2025	3	17	1	11	26	0.68	97	76.8635	48.9939
2025	3	17	1	21	26	0.72	98.4	76.7979	52.0544
2025	3	17	1	31	26	0.71	101.3	76.7979	50.3829
2025	3	17	1	41	26	0.76	99.2	76.7979	54.4423
2025	3	17	1	51	26	0.73	100.4	76.7979	52.0545
2025	3	17	2	1	26	0.71	97.8	76.7979	50.8606
2025	3	17	2	11	26	0.72	97.6	76.7979	51.8158
2025	3	17	2	21	26	0.68	100.6	76.7979	48.7116
2025	3	17	2	31	26	0.71	99.9	76.7979	50.8607
2025	3	17	2	41	26	0.72	95	76.7979	52.0546
2025	3	17	2	51	26	0.7	96.7	76.7323	50.8153
2025	3	17	3	1	26	0.72	97.9	76.7323	51.531
2025	3	17	3	11	26	0.7	98.1	76.7323	50.3382
2025	3	17	3	21	26	0.72	100.8	76.7323	51.2925
2025	3	17	3	31	26	0.76	99.5	76.7323	54.1554
2025	3	17	3	41	26	0.67	100.9	76.7323	48.1911
2025	3	17	3	51	26	0.69	96.6	76.7323	49.6226
2025	3	17	4	1	26	0.67	97	76.7323	48.6683
2025	3	17	4	11	26	0.69	98.7	76.7323	49.6226
2025	3	17	4	21	26	0.69	100.1	76.7323	49.6226
2025	3	17	4	31	26	0.69	96	76.7323	50.0998
2025	3	17	4	41	26	0.72	100.7	76.7323	51.5312
2025	3	17	4	51	26	0.72	96.3	76.7323	52.0084
2025	3	17	5	1	26	0.71	97.7	76.7323	51.0541
2025	3	17	5	11	26	0.68	97.7	76.7323	49.1455
2025	3	17	5	21	26	0.7	98.9	76.7323	50.0998
2025	3	17	5	31	26	0.71	99	76.7323	51.0541
2025	3	17	5	41	26	0.7	97.5	76.7323	50.577
2025	3	17	5	51	26	0.64	97.3	76.7323	46.2827
2025	3	17	6	1	26	0.72	99.4	76.7323	52.0084
2025	3	17	6	11	26	0.68	98.9	76.7323	48.907
2025	3	17	6	21	26	0.71	99	76.7323	51.0541
2025	3	17	6	31	26	0.71	99.5	76.7323	51.0541
2025	3	17	6	41	26	0.71	96.7	76.7323	51.0541
2025	3	17	6	51	26	0.71	98.5	76.7323	51.0541
2025	3	17	7	1	26	0.71	97.7	76.6667	51.0085
2025	3	17	7	11	26	0.69	95.7	76.7323	50.0999
2025	3	17	7	21	26	0.71	98.8	76.6667	51.0085
2025	3	17	7	31	26	0.74	95.9	76.7323	53.2012
2025	3	17	7	41	26	0.68	99.1	76.7323	49.1455
2025	3	17	7	51	26	0.75	99.3	76.6667	53.8687

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	17	8	1	26	0.66	97.1	76.6667	47.6713
2025	3	17	8	11	26	0.66	97.1	76.7323	47.714
2025	3	17	8	21	26	0.69	98.7	76.7323	49.6225
2025	3	17	8	31	26	0.66	98.3	76.7323	47.2367
2025	3	17	8	41	26	0.64	96.5	76.7323	46.2824
2025	3	17	8	51	26	0.66	97.4	76.7323	47.4752
2025	3	17	9	1	26	0.63	96.9	76.6667	45.2875
2025	3	17	9	11	26	0.65	96.7	76.7323	46.7594
2025	3	17	9	21	26	0.66	97.1	76.7323	47.9522
2025	3	17	9	31	26	0.62	95.7	76.7323	45.0893
2025	3	17	9	41	26	0.65	100.8	76.7323	46.2821
2025	3	17	9	51	26	0.64	98.9	76.7323	45.8049
2025	3	17	10	1	26	0.64	98.3	76.6667	46.0022
2025	3	17	10	11	26	0.65	97.3	76.6011	46.6754
2025	3	17	10	21	26	0.67	97.6	76.6667	48.1473
2025	3	17	10	31	26	0.67	96.2	76.7323	48.6675
2025	3	17	10	41	26	0.65	96.9	76.7979	47.0395
2025	3	17	10	51	26	0.68	98.3	76.6011	49.0566
2025	3	17	11	1	26	0.64	93.8	76.7323	46.5202
2025	3	17	11	11	26	0.67	95.9	76.6667	48.147
2025	3	17	11	21	26	0.64	97.7	76.7323	46.043
2025	3	17	11	31	26	0.67	100.4	76.7323	47.9515
2025	3	17	11	41	26	0.68	96.6	76.7323	49.3828
2025	3	17	11	51	26	0.66	97.8	76.7323	47.2357
2025	3	17	12	1	26	0.71	99.1	76.7979	50.8596
2025	3	17	12	11	26	0.71	98.5	76.7979	51.3372
2025	3	17	12	21	26	0.72	98.6	76.7979	52.0534
2025	3	17	12	31	26	0.7	97	76.7979	50.3819
2025	3	17	12	41	26	0.67	100.2	76.7979	47.7554
2025	3	17	12	51	26	0.68	98.8	76.7979	49.1881
2025	3	17	13	1	26	0.68	95.2	76.7323	49.3827
2025	3	17	13	11	26	0.67	95.9	76.7323	48.4284
2025	3	17	13	21	26	0.68	98.3	76.7323	49.1441
2025	3	17	13	31	26	0.67	99.2	76.7323	48.4284
2025	3	17	13	41	26	0.73	96.7	76.7323	52.7225
2025	3	17	13	51	26	0.65	97	76.7323	46.7584
2025	3	17	14	1	26	0.72	100.8	76.7323	51.2911
2025	3	17	14	11	26	0.69	99.8	76.7979	49.6655
2025	3	17	14	21	26	0.7	98.1	76.6667	50.2918
2025	3	17	14	31	26	0.67	95.9	76.6011	48.1035
2025	3	17	14	41	26	0.73	97.8	76.6011	52.39
2025	3	17	14	51	26	0.68	94.7	76.6011	49.5323
2025	3	17	15	1	26	0.68	98	76.6011	49.056
2025	3	17	15	11	26	0.67	99.2	76.6011	48.3416
2025	3	17	15	21	26	0.67	97	76.6011	48.3415
2025	3	17	15	31	26	0.68	98.6	76.7323	48.6667
2025	3	17	15	41	26	0.67	96.2	76.5354	48.2982
2025	3	17	15	51	26	0.69	98.2	76.5354	49.2498

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	17	16	1	26	0.67	97	76.5354	48.5361
2025	3	17	16	11	26	0.71	98	76.5354	50.6773
2025	3	17	16	21	26	0.68	97.2	76.4698	48.7302
2025	3	17	16	31	26	0.66	100	76.4698	47.3039
2025	3	17	16	41	26	0.73	96.4	76.4042	52.7238
2025	3	17	16	51	26	0.69	98.2	76.4042	49.3989
2025	3	17	17	1	26	0.67	97.1	76.4042	47.9739
2025	3	17	17	11	26	0.73	96.5	76.4042	52.4863
2025	3	17	17	21	26	0.66	99.4	76.4042	47.2614
2025	3	17	17	31	26	0.7	96.7	76.4042	50.3489
2025	3	17	17	41	26	0.71	99	76.4042	50.8238
2025	3	17	17	51	26	0.71	96.9	76.4042	51.0614
2025	3	17	18	1	26	0.71	98	76.3386	50.5409
2025	3	17	18	11	26	0.68	98.6	76.3386	48.4054
2025	3	17	18	21	26	0.67	95	76.3386	48.4054
2025	3	17	18	31	26	0.72	96.6	76.3386	51.4901
2025	3	17	18	41	26	0.66	96.6	76.3386	47.4563
2025	3	17	18	51	26	0.7	97.8	76.3386	50.3038
2025	3	17	19	1	26	0.69	98.5	76.3386	49.3547
2025	3	17	19	11	26	0.71	99.8	76.273	50.7327
2025	3	17	19	21	26	0.74	100	76.3386	52.4394
2025	3	17	19	31	26	0.69	99.6	76.273	49.0733
2025	3	17	19	41	26	0.68	98.8	76.273	48.8362
2025	3	17	19	51	26	0.72	97.6	76.3386	51.253
2025	3	17	20	1	26	0.66	97.8	76.3386	46.982
2025	3	17	20	11	26	0.69	100.2	76.273	48.8363
2025	3	17	20	21	26	0.71	99.6	76.273	50.4958
2025	3	17	20	31	26	0.7	98.1	76.273	50.0217
2025	3	17	20	41	26	0.69	99.3	76.273	49.0734
2025	3	17	20	51	26	0.73	98.5	76.273	52.1554
2025	3	17	21	1	26	0.71	99	76.273	50.9701
2025	3	17	21	11	26	0.73	97	76.273	52.1555
2025	3	17	21	21	26	0.72	96.8	76.2074	51.6349
2025	3	17	21	31	26	0.69	98	76.273	49.0736
2025	3	17	21	41	26	0.73	97.8	76.2074	52.1086
2025	3	17	21	51	26	0.7	95.7	76.273	50.022
2025	3	17	22	1	26	0.69	97.7	76.2074	49.2664
2025	3	17	22	11	26	0.71	99	76.2074	50.9245
2025	3	17	22	21	26	0.73	96.4	76.2074	52.5825
2025	3	17	22	31	26	0.66	98	76.2074	46.898
2025	3	17	22	41	26	0.71	96.9	76.1417	50.6421
2025	3	17	22	51	26	0.67	99	76.2074	47.8455
2025	3	17	23	1	26	0.7	97.5	76.1417	50.4055
2025	3	17	23	11	26	0.69	97.1	76.1417	49.2224
2025	3	17	23	21	26	0.67	96.7	76.1417	48.2758
2025	3	17	23	31	26	0.71	98	76.1417	50.6423
2025	3	17	23	41	26	0.66	97.5	76.1417	46.856
2025	3	17	23	51	26	0.73	96.5	76.1417	52.2989

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	18	0	1	26	0.7	98.7	76.1417	49.6959
2025	3	18	0	11	26	0.7	99.4	76.1417	50.1692
2025	3	18	0	21	26	0.72	97.9	76.1417	51.3524
2025	3	18	0	31	26	0.7	100.6	76.1417	49.4593
2025	3	18	0	41	26	0.67	97.3	76.1417	48.0394
2025	3	18	0	51	26	0.68	99.5	76.1417	48.2761
2025	3	18	1	1	26	0.72	98.7	76.0761	51.0698
2025	3	18	1	11	26	0.66	95.5	76.0761	47.0505
2025	3	18	1	21	26	0.69	96.8	76.0761	49.6513
2025	3	18	1	31	26	0.68	98.9	76.0761	48.4691
2025	3	18	1	41	26	0.7	97.9	76.0761	49.6513
2025	3	18	1	51	26	0.72	98.1	76.0761	51.3064
2025	3	18	2	1	26	0.7	97.3	76.0761	49.8878
2025	3	18	2	11	26	0.7	98.3	76.0761	50.1243
2025	3	18	2	21	26	0.68	101.4	76.0761	47.9964
2025	3	18	2	31	26	0.7	98.9	76.0761	49.6514
2025	3	18	2	41	26	0.69	100.4	76.0761	48.9421
2025	3	18	2	51	26	0.71	99.6	76.0761	50.1243
2025	3	18	3	1	26	0.64	100	76.0761	45.632
2025	3	18	3	11	26	0.65	100.5	76.0761	45.8685
2025	3	18	3	21	26	0.69	96.8	76.0105	49.6067
2025	3	18	3	31	26	0.67	98.7	76.0761	47.9964
2025	3	18	3	41	26	0.67	98.1	76.0761	47.9964
2025	3	18	3	51	26	0.65	100.2	76.0105	46.0634
2025	3	18	4	1	26	0.69	99	76.0105	49.3705
2025	3	18	4	11	26	0.7	97.8	76.0105	49.8429
2025	3	18	4	21	26	0.63	100.3	76.0105	44.4098
2025	3	18	4	31	26	0.64	97.6	76.0105	45.8272
2025	3	18	4	41	26	0.64	96.8	76.0105	45.8272
2025	3	18	4	51	26	0.67	98.1	76.0105	47.9532
2025	3	18	5	1	26	0.68	98.8	76.0105	48.6619
2025	3	18	5	11	26	0.67	95.9	76.0105	47.717
2025	3	18	5	21	26	0.69	98.4	76.0105	49.3705
2025	3	18	5	31	26	0.7	99.7	76.0105	49.6068
2025	3	18	5	41	26	0.68	100.6	76.0105	47.9532
2025	3	18	5	51	26	0.68	98.1	76.0105	48.4256
2025	3	18	6	1	26	0.65	99.7	76.0105	45.8272
2025	3	18	6	11	26	0.68	98.6	76.0105	48.1894
2025	3	18	6	21	26	0.7	99.9	76.0105	49.843
2025	3	18	6	31	26	0.68	99.1	76.0105	48.6619
2025	3	18	6	41	26	0.72	99.7	76.0105	51.0241
2025	3	18	6	51	26	0.7	98.1	76.0105	49.843
2025	3	18	7	1	26	0.64	102.1	76.0105	45.1185
2025	3	18	7	11	26	0.67	100.7	76.0105	47.4807
2025	3	18	7	21	26	0.67	101.5	76.0105	47.4807
2025	3	18	7	31	26	0.69	97.4	75.9449	49.0899
2025	3	18	7	41	26	0.72	99.5	75.9449	50.7419
2025	3	18	7	51	26	0.66	97.5	75.9449	46.7298

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	18	8	1	26	0.73	98.5	75.9449	52.1579
2025	3	18	8	11	26	0.62	98.9	75.9449	43.8976
2025	3	18	8	21	26	0.7	97.5	75.9449	50.0338
2025	3	18	8	31	26	0.72	100.8	75.9449	50.7418
2025	3	18	8	41	26	0.66	95.4	75.9449	47.2016
2025	3	18	8	51	26	0.71	99.6	75.9449	50.0337
2025	3	18	9	1	26	0.73	95.7	76.0105	51.9686
2025	3	18	9	11	26	0.66	96.8	76.0105	47.2442
2025	3	18	9	21	26	0.69	100.1	76.0105	48.8977
2025	3	18	9	31	26	0.71	97.5	76.0105	50.5512
2025	3	18	9	41	26	0.66	96.5	76.0105	47.4803
2025	3	18	9	51	26	0.68	97.8	75.9449	48.1453
2025	3	18	10	1	26	0.7	99.2	76.0105	49.8424
2025	3	18	10	11	26	0.67	96.8	76.0105	47.7163
2025	3	18	10	21	26	0.69	99.2	76.0105	49.3698
2025	3	18	10	31	26	0.73	100.4	76.0105	51.4958
2025	3	18	10	41	26	0.71	96.6	76.0105	51.0233
2025	3	18	10	51	26	0.71	97.2	76.0105	50.5508
2025	3	18	11	1	26	0.72	98.7	76.0105	51.0232
2025	3	18	11	11	26	0.73	98	76.0105	52.2042
2025	3	18	11	21	26	0.67	99.6	76.0105	47.4798
2025	3	18	11	31	26	0.69	96.8	76.0105	49.6057
2025	3	18	11	41	26	0.65	97.2	76.0105	46.7711
2025	3	18	11	51	26	0.68	97	76.0105	48.4246
2025	3	18	12	1	26	0.66	98	76.0105	47.2434
2025	3	18	12	11	26	0.7	96.5	76.0105	50.078
2025	3	18	12	21	26	0.67	99	76.0105	47.4796
2025	3	18	12	31	26	0.72	100	76.0105	50.7866
2025	3	18	12	41	26	0.67	98.7	76.0105	47.7157
2025	3	18	12	51	26	0.7	96.8	76.0761	49.8866
2025	3	18	13	1	26	0.67	98.2	76.0105	47.4794
2025	3	18	13	11	26	0.65	98.7	76.0105	46.5346
2025	3	18	13	21	26	0.67	95.3	76.0761	48.2316
2025	3	18	13	31	26	0.67	98.7	76.0105	47.9518
2025	3	18	13	41	26	0.73	98	76.0105	51.9674
2025	3	18	13	51	26	0.68	98.3	76.0105	48.6604
2025	3	18	14	1	26	0.72	100.5	76.0105	50.7863
2025	3	18	14	11	26	0.69	96.3	76.0105	49.1328
2025	3	18	14	21	26	0.67	98.4	76.0105	47.9517
2025	3	18	14	31	26	0.68	98	76.0105	48.6603
2025	3	18	14	41	26	0.69	97.4	76.0105	49.369
2025	3	18	14	51	26	0.69	95.8	76.0105	49.1327
2025	3	18	15	1	26	0.68	98	76.0105	48.6603
2025	3	18	15	11	26	0.71	98.3	76.0105	50.3138
2025	3	18	15	21	26	0.66	100.1	76.0105	46.5343
2025	3	18	15	31	26	0.68	99.5	76.0105	48.1878
2025	3	18	15	41	26	0.71	96.6	76.0761	50.832
2025	3	18	15	51	26	0.7	96.7	76.0105	50.3137

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	18	16	1	26	0.74	97.4	76.0105	52.6759
2025	3	18	16	11	26	0.68	99.2	76.0105	48.1878
2025	3	18	16	21	26	0.7	98.6	76.0105	49.8413
2025	3	18	16	31	26	0.68	96.9	75.9449	48.6163
2025	3	18	16	41	26	0.69	95.7	76.0105	49.6051
2025	3	18	16	51	26	0.7	98.1	75.9449	49.7963
2025	3	18	17	1	26	0.7	98.1	75.9449	50.0323
2025	3	18	17	11	26	0.69	97.9	76.0105	49.3689
2025	3	18	17	21	26	0.71	96.7	76.0105	50.55
2025	3	18	17	31	26	0.67	99	76.0105	47.9516
2025	3	18	17	41	26	0.68	98.6	76.0105	48.1878
2025	3	18	17	51	26	0.69	98.5	76.0105	48.8965
2025	3	18	18	1	26	0.67	97.3	76.0105	47.7154
2025	3	18	18	11	26	0.68	99.8	76.0105	47.9516
2025	3	18	18	21	26	0.65	94.9	76.0105	46.5343
2025	3	18	18	31	26	0.72	97.1	76.0105	51.2586
2025	3	18	18	41	26	0.68	98.6	75.9449	48.1443
2025	3	18	18	51	26	0.66	96.9	75.9449	46.9643
2025	3	18	19	1	26	0.66	100.3	75.9449	46.9643
2025	3	18	19	11	26	0.72	95.7	75.9449	51.6844
2025	3	18	19	21	26	0.7	96.7	75.9449	50.0324
2025	3	18	19	31	26	0.66	96	75.8793	47.1577
2025	3	18	19	41	26	0.64	97.7	75.9449	45.3124
2025	3	18	19	51	26	0.69	100.7	75.8793	48.5725
2025	3	18	20	1	26	0.69	96.8	75.8793	49.5157
2025	3	18	20	11	26	0.65	99.6	75.8793	45.9789
2025	3	18	20	21	26	0.67	100.4	75.8793	47.3936
2025	3	18	20	31	26	0.69	99.6	75.8793	48.8084
2025	3	18	20	41	26	0.69	98.8	75.8793	48.8084
2025	3	18	20	51	26	0.66	96.6	75.8793	47.1579
2025	3	18	21	1	26	0.7	96.7	75.8793	49.9874
2025	3	18	21	11	26	0.69	97.4	75.8793	49.2801
2025	3	18	21	21	26	0.67	97.6	75.8793	47.8654
2025	3	18	21	31	26	0.67	96.7	75.8793	48.1012
2025	3	18	21	41	26	0.69	96.3	75.8793	49.0444
2025	3	18	21	51	26	0.69	99.3	75.8793	49.0445
2025	3	18	22	1	26	0.67	96.8	75.8137	47.5867
2025	3	18	22	11	26	0.69	95.8	75.8793	49.0446
2025	3	18	22	21	26	0.7	98.4	75.8137	49.4714
2025	3	18	22	31	26	0.68	100.6	75.8137	47.8224
2025	3	18	22	41	26	0.67	98.4	75.8137	47.5868
2025	3	18	22	51	26	0.71	95	75.8137	51.1206
2025	3	18	23	1	26	0.71	97.4	75.8137	50.885
2025	3	18	23	11	26	0.66	97.4	75.8137	47.1158
2025	3	18	23	21	26	0.7	100.3	75.8137	49.2361
2025	3	18	23	31	26	0.66	97.4	75.8137	47.3515
2025	3	18	23	41	26	0.68	97.2	75.748	48.2501
2025	3	18	23	51	26	0.69	95.7	75.748	49.1916

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	19	0	1	26	0.66	96.3	75.748	46.838
2025	3	19	0	11	26	0.69	100.6	75.748	48.9563
2025	3	19	0	21	26	0.66	99.5	75.748	46.6027
2025	3	19	0	31	26	0.65	96.1	75.6824	46.5605
2025	3	19	0	41	26	0.7	98.8	75.748	49.8979
2025	3	19	0	51	26	0.66	97.7	75.6824	46.7957
2025	3	19	1	1	26	0.67	96.2	75.6824	47.5012
2025	3	19	1	11	26	0.69	97.6	75.6824	49.1473
2025	3	19	1	21	26	0.67	98.1	75.6824	47.7364
2025	3	19	1	31	26	0.7	99.4	75.6824	49.8529
2025	3	19	1	41	26	0.66	98.5	75.6824	47.031
2025	3	19	1	51	26	0.63	99	75.6824	44.4444
2025	3	19	2	1	26	0.66	97.4	75.6824	46.7959
2025	3	19	2	11	26	0.63	97.1	75.6824	45.1499
2025	3	19	2	21	26	0.64	98.8	75.6824	45.385
2025	3	19	2	31	26	0.65	97.2	75.6824	46.5609
2025	3	19	2	41	26	0.67	97.9	75.6824	47.2663
2025	3	19	2	51	26	0.67	99.3	75.6168	47.4584
2025	3	19	3	1	26	0.65	96.4	75.6168	46.2837
2025	3	19	3	11	26	0.66	96	75.6824	47.2664
2025	3	19	3	21	26	0.69	99	75.6168	49.1031
2025	3	19	3	31	26	0.64	98.8	75.6824	45.6203
2025	3	19	3	41	26	0.7	98.7	75.6824	49.3829
2025	3	19	3	51	26	0.66	97.2	75.6824	46.7961
2025	3	19	4	1	26	0.68	99.5	75.6824	47.9719
2025	3	19	4	11	26	0.74	98.7	75.6824	52.2048
2025	3	19	4	21	26	0.68	96.1	75.6824	48.2071
2025	3	19	4	31	26	0.71	100.9	75.6824	49.8532
2025	3	19	4	41	26	0.72	99.5	75.6824	50.5587
2025	3	19	4	51	26	0.66	99.2	75.6824	46.561
2025	3	19	5	1	26	0.67	98.2	75.6824	47.5017
2025	3	19	5	11	26	0.69	100.2	75.6824	48.4423
2025	3	19	5	21	26	0.69	97.1	75.6824	49.1478
2025	3	19	5	31	26	0.66	95.7	75.6824	46.7962
2025	3	19	5	41	26	0.67	97.3	75.6824	47.5017
2025	3	19	5	51	26	0.69	96.8	75.748	49.1924
2025	3	19	6	1	26	0.66	100.6	75.748	46.6033
2025	3	19	6	11	26	0.65	97.2	75.748	46.6033
2025	3	19	6	21	26	0.71	98.2	75.748	50.3692
2025	3	19	6	31	26	0.71	99	75.748	50.3692
2025	3	19	6	41	26	0.67	98.4	75.748	47.5448
2025	3	19	6	51	26	0.69	98	75.748	48.7216
2025	3	19	7	1	26	0.68	99.5	75.748	47.7802
2025	3	19	7	11	26	0.65	99	75.748	46.1326
2025	3	19	7	21	26	0.68	98.3	75.748	48.4863
2025	3	19	7	31	26	0.67	97.6	75.748	47.5447
2025	3	19	7	41	26	0.64	97	75.748	45.8971
2025	3	19	7	51	26	0.68	98.9	75.748	48.2508

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	19	8	1	26	0.63	98.9	75.748	44.9556
2025	3	19	8	11	26	0.69	97.6	75.748	49.1922
2025	3	19	8	21	26	0.71	100.6	75.8137	50.1791
2025	3	19	8	31	26	0.68	102.6	75.8137	47.5876
2025	3	19	8	41	26	0.65	96.6	75.8137	46.6453
2025	3	19	8	51	26	0.65	100.4	75.8137	46.1741
2025	3	19	9	1	26	0.66	97.8	75.8137	46.6452
2025	3	19	9	11	26	0.66	98	75.8137	46.6451
2025	3	19	9	21	26	0.73	99	75.8137	51.8279
2025	3	19	9	31	26	0.67	99.6	75.8137	47.1162
2025	3	19	9	41	26	0.68	97.5	75.8137	48.2941
2025	3	19	9	51	26	0.66	97.4	75.8137	46.8805
2025	3	19	10	1	26	0.68	100.6	75.8137	48.0584
2025	3	19	10	11	26	0.64	98	75.748	45.1904
2025	3	19	10	21	26	0.68	99.4	75.748	48.2501
2025	3	19	10	31	26	0.69	99.3	75.8137	49.0006
2025	3	19	10	41	26	0.66	98.3	75.8137	46.8803
2025	3	19	10	51	26	0.64	98.3	75.8137	45.4668
2025	3	19	11	1	26	0.64	99.7	75.8137	45.4667
2025	3	19	11	11	26	0.68	98.3	75.8137	48.2936
2025	3	19	11	21	26	0.67	97.6	75.8137	47.5868
2025	3	19	11	31	26	0.66	96	75.8793	47.3941
2025	3	19	11	41	26	0.63	96.6	75.8793	44.8003
2025	3	19	11	51	26	0.67	96.5	75.8793	47.6298
2025	3	19	12	1	26	0.67	97.9	75.8793	47.394
2025	3	19	12	11	26	0.69	101.5	75.9449	48.6168
2025	3	19	12	21	26	0.64	97.1	75.8793	45.7434
2025	3	19	12	31	26	0.68	97.5	75.8793	48.5728
2025	3	19	12	41	26	0.66	98.6	75.9449	46.7287
2025	3	19	12	51	26	0.65	96.3	75.8137	46.6442
2025	3	19	13	1	26	0.64	98.8	75.8793	45.7432
2025	3	19	13	11	26	0.62	97.9	75.9449	44.3685
2025	3	19	13	21	26	0.67	96.5	75.9449	47.6725
2025	3	19	13	31	26	0.65	98.5	76.0105	46.062
2025	3	19	13	41	26	0.66	96.2	75.9449	47.4365
2025	3	19	13	51	26	0.67	98.7	75.9449	47.6724
2025	3	19	14	1	26	0.66	98.6	75.8793	46.9219
2025	3	19	14	11	26	0.64	98	75.9449	45.5483
2025	3	19	14	21	26	0.67	99	75.9449	47.4363
2025	3	19	14	31	26	0.64	99.8	75.9449	45.3123
2025	3	19	14	41	26	0.68	99.5	76.0105	48.1878
2025	3	19	14	51	26	0.65	95.5	75.9449	46.2562
2025	3	19	15	1	26	0.65	97.3	76.0105	46.298
2025	3	19	15	11	26	0.68	97.5	75.8793	48.5723
2025	3	19	15	21	26	0.64	96.5	75.9449	45.7842
2025	3	19	15	31	26	0.68	98.8	76.0105	48.6601
2025	3	19	15	41	26	0.67	98.8	76.0105	47.479
2025	3	19	15	51	26	0.63	96.5	75.9449	45.3121

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	19	16	1	26	0.65	96.4	75.9449	46.2561
2025	3	19	16	11	26	0.65	97.6	75.9449	46.2561
2025	3	19	16	21	26	0.69	98.2	76.0105	48.8963
2025	3	19	16	31	26	0.67	99.6	76.0105	47.479
2025	3	19	16	41	26	0.71	97.9	76.0105	50.7859
2025	3	19	16	51	26	0.66	97.4	76.0105	47.0065
2025	3	19	17	1	26	0.66	98	76.0105	47.2427
2025	3	19	17	11	26	0.66	97.7	76.0105	47.2427
2025	3	19	17	21	26	0.68	95	76.0105	48.4238
2025	3	19	17	31	26	0.67	99.6	76.0105	47.2427
2025	3	19	17	41	26	0.63	96.8	76.0105	45.353
2025	3	19	17	51	26	0.67	98.2	76.0761	47.5218
2025	3	19	18	1	26	0.67	95.9	76.1417	48.2746
2025	3	19	18	11	26	0.7	97.8	76.1417	49.9311
2025	3	19	18	21	26	0.71	96.9	76.1417	50.8776
2025	3	19	18	31	26	0.68	98.6	76.0105	48.4238
2025	3	19	18	41	26	0.7	100.3	76.0105	49.6048
2025	3	19	18	51	26	0.68	97.8	75.9449	48.144
2025	3	19	19	1	26	0.67	95.6	75.9449	48.144
2025	3	19	19	11	26	0.66	97.4	75.9449	47.2
2025	3	19	19	21	26	0.68	97.8	75.9449	48.1441
2025	3	19	19	31	26	0.66	97.2	75.9449	46.9641
2025	3	19	19	41	26	0.67	96.5	75.9449	47.6721
2025	3	19	19	51	26	0.67	100.2	75.9449	47.2001
2025	3	19	20	1	26	0.72	97.6	76.0105	51.4947
2025	3	19	20	11	26	0.69	97.6	76.1417	49.4579
2025	3	19	20	21	26	0.68	99.7	76.1417	48.2747
2025	3	19	20	31	26	0.66	96.8	76.0105	47.4791
2025	3	19	20	41	26	0.68	98.8	76.0105	48.6602
2025	3	19	20	51	26	0.71	99.9	76.0105	50.0775
2025	3	19	21	1	26	0.67	98.1	76.0761	47.9949
2025	3	19	21	11	26	0.68	99.1	76.0761	48.4678
2025	3	19	21	21	26	0.63	97.5	76.0761	45.1578
2025	3	19	21	31	26	0.7	99.9	76.0761	49.8864
2025	3	19	21	41	26	0.66	97.7	76.0105	47.0068
2025	3	19	21	51	26	0.71	96.7	76.0761	50.5958
2025	3	19	22	1	26	0.68	99.5	76.0761	48.2315
2025	3	19	22	11	26	0.65	97.9	76.0761	46.1037
2025	3	19	22	21	26	0.67	98.2	76.0761	47.5223
2025	3	19	22	31	26	0.71	95.6	76.0761	50.5959
2025	3	19	22	41	26	0.67	97	76.0761	47.9952
2025	3	19	22	51	26	0.74	97.2	76.0761	52.7239
2025	3	19	23	1	26	0.69	97.1	76.0761	49.6503
2025	3	19	23	11	26	0.69	97.7	76.0761	49.1775
2025	3	19	23	21	26	0.68	99.4	76.0761	48.7047
2025	3	19	23	31	26	0.69	98.2	76.0761	49.1776
2025	3	19	23	41	26	0.68	96.6	76.0761	48.9412
2025	3	19	23	51	26	0.65	94.6	76.0761	47.0498

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	20	0	1	26	0.69	97.4	76.0761	49.4141
2025	3	20	0	11	26	0.65	96.6	76.0105	46.7712
2025	3	20	0	21	26	0.71	101.2	76.0761	50.3599
2025	3	20	0	31	26	0.71	97.7	76.0105	50.5508
2025	3	20	0	41	26	0.64	94.7	76.0105	45.8264
2025	3	20	0	51	26	0.74	99.8	76.0105	52.2044
2025	3	20	1	1	26	0.68	95.8	76.0105	48.8973
2025	3	20	1	11	26	0.68	94.7	76.0105	49.1336
2025	3	20	1	21	26	0.71	97.4	76.0105	51.0234
2025	3	20	1	31	26	0.65	98.1	76.0105	46.299
2025	3	20	1	41	26	0.64	97.4	76.0105	45.5904
2025	3	20	1	51	26	0.71	97.5	76.0105	50.551
2025	3	20	2	1	26	0.7	96.2	76.0105	49.8424
2025	3	20	2	11	26	0.66	97.4	76.0105	47.0078
2025	3	20	2	21	26	0.7	98.6	76.0105	50.0786
2025	3	20	2	31	26	0.68	98	76.0105	48.6614
2025	3	20	2	41	26	0.69	98.7	76.0105	49.37
2025	3	20	2	51	26	0.69	98.7	76.0105	49.37
2025	3	20	3	1	26	0.66	98	76.0105	46.7716
2025	3	20	3	11	26	0.66	99.7	76.0105	47.0079
2025	3	20	3	21	26	0.68	96.1	76.0105	48.8976
2025	3	20	3	31	26	0.69	98.2	76.0105	49.1339
2025	3	20	3	41	26	0.68	98.9	76.0105	48.189
2025	3	20	3	51	26	0.69	99	76.0105	49.1339
2025	3	20	4	1	26	0.69	98.8	76.0105	48.8977
2025	3	20	4	11	26	0.71	95.8	76.0105	50.7875
2025	3	20	4	21	26	0.66	95.1	76.0105	47.2442
2025	3	20	4	31	26	0.68	99.2	76.0105	48.1891
2025	3	20	4	41	26	0.69	97.9	76.0105	49.3702
2025	3	20	4	51	26	0.69	98	76.0105	48.8977
2025	3	20	5	1	26	0.71	98	76.0105	50.3151
2025	3	20	5	11	26	0.67	95.9	76.0105	48.1891
2025	3	20	5	21	26	0.68	97	76.0105	48.4253
2025	3	20	5	31	26	0.69	99.1	76.0105	48.8978
2025	3	20	5	41	26	0.66	97.5	76.0105	46.7718
2025	3	20	5	51	26	0.69	95.8	76.0105	49.134
2025	3	20	6	1	26	0.63	98.3	76.0761	45.159
2025	3	20	6	11	26	0.71	98.8	76.0105	50.5513
2025	3	20	6	21	26	0.65	97.2	76.0761	46.5776
2025	3	20	6	31	26	0.7	97.6	76.0761	49.8877
2025	3	20	6	41	26	0.65	95.5	76.0761	46.5776
2025	3	20	6	51	26	0.67	97	76.0761	47.9962
2025	3	20	7	1	26	0.68	96.7	76.0761	48.469
2025	3	20	7	11	26	0.67	94.5	76.0761	48.2326
2025	3	20	7	21	26	0.69	99	76.0761	49.1783
2025	3	20	7	31	26	0.69	97.6	76.0761	49.4147
2025	3	20	7	41	26	0.72	97.8	76.0761	51.5426
2025	3	20	7	51	26	0.69	100.5	76.0105	48.6614

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	20	8	1	26	0.65	96.9	76.0761	46.5774
2025	3	20	8	11	26	0.66	97.7	76.0761	47.2867
2025	3	20	8	21	26	0.68	98.1	76.0105	48.4251
2025	3	20	8	31	26	0.69	97.1	76.0105	49.1338
2025	3	20	8	41	26	0.68	96.7	76.0761	48.4688
2025	3	20	8	51	26	0.66	98.6	76.0761	47.0502
2025	3	20	9	1	26	0.67	95.6	76.0761	47.9959
2025	3	20	9	11	26	0.69	95.7	76.0761	49.4144
2025	3	20	9	21	26	0.67	99.6	76.0761	47.2865
2025	3	20	9	31	26	0.69	98.5	76.0761	49.1779
2025	3	20	9	41	26	0.71	99	76.0761	50.5965
2025	3	20	9	51	26	0.66	98.6	76.0761	47.05
2025	3	20	10	1	26	0.63	99.3	76.0761	44.9221
2025	3	20	10	11	26	0.7	100.5	76.0761	49.8871
2025	3	20	10	21	26	0.69	98.2	76.0761	49.4142
2025	3	20	10	31	26	0.67	98.2	76.0761	47.7591
2025	3	20	10	41	26	0.7	100.5	76.0761	49.6505
2025	3	20	10	51	26	0.67	99.6	76.0761	47.2862
2025	3	20	11	1	26	0.68	97.5	76.1417	48.2754
2025	3	20	11	11	26	0.72	98.2	76.0761	51.069
2025	3	20	11	21	26	0.71	98.7	76.1417	50.8784
2025	3	20	11	31	26	0.7	96.8	76.1417	49.9317
2025	3	20	11	41	26	0.71	99.3	76.1417	50.6416
2025	3	20	11	51	26	0.68	97.2	76.1417	48.5118
2025	3	20	12	1	26	0.66	96.8	76.1417	47.5651
2025	3	20	12	11	26	0.68	100	76.1417	48.5117
2025	3	20	12	21	26	0.66	97.4	76.1417	47.0918
2025	3	20	12	31	26	0.69	95.7	76.2074	49.5027
2025	3	20	12	41	26	0.7	98.9	76.2074	49.7395
2025	3	20	12	51	26	0.7	97.8	76.2074	49.9764
2025	3	20	13	1	26	0.68	98	76.2074	48.792
2025	3	20	13	11	26	0.67	97	76.2074	48.3183
2025	3	20	13	21	26	0.69	99.3	76.2074	49.2657
2025	3	20	13	31	26	0.69	100.4	76.2074	49.0288
2025	3	20	13	41	26	0.69	100.1	76.2074	49.2656
2025	3	20	13	51	26	0.68	93.6	76.273	49.0728
2025	3	20	14	2	55	0.67	96.7	76.273	48.1245
2025	3	20	14	12	55	0.72	96.6	76.273	51.4434
2025	3	20	14	22	55	0.68	101.1	76.273	48.1244
2025	3	20	14	32	55	0.66	95.7	76.273	47.6503
2025	3	20	14	42	55	0.68	98.8	76.273	48.8356
2025	3	20	14	52	55	0.7	99.9	76.273	50.0208
2025	3	20	15	2	55	0.64	96.1	76.273	46.2278
2025	3	20	15	12	55	0.65	96.1	76.273	46.7019
2025	3	20	15	22	55	0.71	98.5	76.273	50.4949
2025	3	20	15	32	55	0.71	98.2	76.273	50.969
2025	3	20	15	42	55	0.67	100.2	76.273	47.6501
2025	3	20	15	52	55	0.69	101.5	76.273	48.8354

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	20	16	2	55	0.7	100.5	76.273	49.7836
2025	3	20	16	12	55	0.67	97.6	76.273	48.1241
2025	3	20	16	22	55	0.72	96.8	76.273	51.443
2025	3	20	16	32	55	0.69	98.5	76.273	49.0723
2025	3	20	16	42	55	0.65	95.2	76.273	46.7017
2025	3	20	16	52	55	0.7	98.7	76.273	49.7835
2025	3	20	17	2	55	0.69	98.2	76.273	49.0723
2025	3	20	17	12	55	0.69	97.6	76.273	49.5464
2025	3	20	17	22	55	0.72	99.1	76.273	51.68
2025	3	20	17	32	55	0.68	95.5	76.273	49.0723
2025	3	20	17	42	55	0.69	98.2	76.273	49.5464
2025	3	20	17	52	55	0.7	99.5	76.273	49.5464
2025	3	20	18	2	55	0.66	97.4	76.273	47.6499
2025	3	20	18	12	55	0.68	94.1	76.273	49.0723
2025	3	20	18	22	55	0.64	96.2	76.273	45.9904
2025	3	20	18	32	55	0.69	98.2	76.273	49.5464
2025	3	20	18	42	55	0.72	96.8	76.273	51.917
2025	3	20	18	52	55	0.7	95.9	76.273	50.2576
2025	3	20	19	2	55	0.7	97.5	76.273	50.2576
2025	3	20	19	12	55	0.64	96.8	76.273	45.9905
2025	3	20	19	22	55	0.66	96.3	76.273	47.1758
2025	3	20	19	32	55	0.66	98.6	76.273	47.1758
2025	3	20	19	42	55	0.71	99	76.273	50.9689
2025	3	20	19	52	55	0.67	97.6	76.273	48.1241
2025	3	20	20	2	55	0.69	95.7	76.273	49.7836
2025	3	20	20	12	55	0.68	96.9	76.273	48.8353
2025	3	20	20	22	55	0.72	96.8	76.273	51.4431
2025	3	20	20	32	55	0.67	98.8	76.2074	47.6072
2025	3	20	20	42	55	0.68	97.7	76.2074	48.7915
2025	3	20	20	52	55	0.74	97.4	76.2074	52.818
2025	3	20	21	2	55	0.75	95.8	76.2074	53.7654
2025	3	20	21	12	55	0.71	98.5	76.2074	50.6864
2025	3	20	21	22	55	0.69	99.1	76.2074	49.0284
2025	3	20	21	32	55	0.68	98.3	76.2074	48.7916
2025	3	20	21	42	55	0.73	101.7	76.2074	51.6339
2025	3	20	21	52	55	0.68	97.2	76.2074	48.7917
2025	3	20	22	2	55	0.7	99.4	76.2074	49.976
2025	3	20	22	12	55	0.68	99.4	76.2074	48.5549
2025	3	20	22	22	55	0.72	96.3	76.2074	51.634
2025	3	20	22	32	55	0.7	96.2	76.2074	50.4498
2025	3	20	22	42	55	0.69	97.9	76.2074	49.5025
2025	3	20	22	52	55	0.69	98.5	76.1417	48.9846
2025	3	20	23	2	55	0.64	97.6	76.1417	45.9083
2025	3	20	23	12	55	0.7	100.5	76.1417	49.6947
2025	3	20	23	22	55	0.72	95.5	76.1417	51.5878
2025	3	20	23	32	55	0.67	98.4	76.1417	47.8016
2025	3	20	23	42	55	0.68	100.8	76.1417	48.2749
2025	3	20	23	52	55	0.67	97.6	76.1417	48.0383

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	21	0	2	55	0.68	96.6	76.1417	48.7483
2025	3	21	0	12	55	0.71	96.7	76.1417	50.6415
2025	3	21	0	22	55	0.66	98.3	76.1417	47.0919
2025	3	21	0	32	55	0.67	100.7	76.1417	47.8019
2025	3	21	0	42	55	0.68	98.1	76.0761	48.2317
2025	3	21	0	52	55	0.66	97.5	76.0761	46.8131
2025	3	21	1	2	55	0.66	97.7	76.1417	47.0921
2025	3	21	1	12	55	0.67	98.7	76.0761	47.7589
2025	3	21	1	22	55	0.68	98.6	76.0761	48.7047
2025	3	21	1	32	55	0.67	96.8	76.0761	47.759
2025	3	21	1	42	55	0.68	97.8	76.0761	48.4683
2025	3	21	1	52	55	0.68	98.3	76.0761	48.7048
2025	3	21	2	2	55	0.65	96.1	76.0761	46.8134
2025	3	21	2	12	55	0.67	98.4	76.0761	47.9956
2025	3	21	2	22	55	0.69	98.2	76.0761	49.1777
2025	3	21	2	32	55	0.7	97.9	76.0761	49.6506
2025	3	21	2	42	55	0.7	97.9	76.0105	49.6059
2025	3	21	2	52	55	0.65	96.1	76.0105	46.7713
2025	3	21	3	2	55	0.68	99.7	76.0105	48.4248
2025	3	21	3	12	55	0.67	97.1	76.0105	47.7162
2025	3	21	3	22	55	0.66	98.8	76.0105	47.2437
2025	3	21	3	32	55	0.68	98.3	76.0105	48.4248
2025	3	21	3	42	55	0.65	98.7	76.0105	46.2989
2025	3	21	3	52	55	0.65	99	76.0105	46.2989
2025	3	21	4	2	55	0.64	98.8	76.0105	45.8265
2025	3	21	4	12	55	0.67	97.1	76.0105	47.7162
2025	3	21	4	22	55	0.68	96.4	76.0105	48.4249
2025	3	21	4	32	55	0.69	97.4	76.0105	49.3698
2025	3	21	4	42	55	0.7	97.9	76.0105	49.606
2025	3	21	4	52	55	0.65	99.8	75.9449	46.2571
2025	3	21	5	2	55	0.68	94.1	75.9449	49.0892
2025	3	21	5	12	55	0.68	97	75.9449	48.3812
2025	3	21	5	22	55	0.66	101	75.9449	46.2571
2025	3	21	5	32	55	0.69	100.9	75.9449	48.8532
2025	3	21	5	42	55	0.67	98.2	75.9449	47.6732
2025	3	21	5	52	55	0.65	96.9	75.9449	46.4932
2025	3	21	6	2	55	0.68	97.8	75.9449	48.3812
2025	3	21	6	12	55	0.65	98.4	75.9449	46.4932
2025	3	21	6	22	55	0.68	100.6	75.9449	48.1452
2025	3	21	6	32	55	0.69	98.8	75.8793	48.8091
2025	3	21	6	42	55	0.67	96.2	75.8793	48.1017
2025	3	21	6	52	55	0.67	100.4	75.8793	47.6301
2025	3	21	7	2	55	0.64	97.7	75.8793	45.2722
2025	3	21	7	12	55	0.66	98.5	75.8793	47.1585
2025	3	21	7	22	55	0.66	97.7	75.8793	46.9227
2025	3	21	7	32	55	0.73	96.5	75.8793	52.1101
2025	3	21	7	42	55	0.66	98.3	75.8793	47.1584
2025	3	21	7	52	55	0.64	97.4	75.8793	45.5079

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	21	8	2	55	0.69	97.1	75.8793	49.2805
2025	3	21	8	12	55	0.7	98.1	75.8793	49.7521
2025	3	21	8	22	55	0.64	99.7	75.8793	45.5079
2025	3	21	8	32	55	0.68	99.1	75.8793	48.5731
2025	3	21	8	42	55	0.68	95.8	75.8793	48.5731
2025	3	21	8	52	55	0.67	94.7	75.8793	48.3373
2025	3	21	9	2	55	0.72	98.4	75.8793	51.4025
2025	3	21	9	12	55	0.7	100.2	75.8793	49.7519
2025	3	21	9	22	55	0.67	96.8	75.8793	47.6298
2025	3	21	9	32	55	0.7	102.1	75.8793	49.5161
2025	3	21	9	42	55	0.68	97.5	75.8137	48.5289
2025	3	21	9	52	55	0.69	100.4	75.6824	48.6761
2025	3	21	10	2	55	0.72	97.5	75.8137	51.5913
2025	3	21	10	12	55	0.69	99.6	75.8793	48.8085
2025	3	21	10	22	55	0.66	97.4	75.8137	46.8797
2025	3	21	10	32	55	0.66	98.3	75.748	46.8372
2025	3	21	10	42	55	0.67	96.2	75.8137	47.8219
2025	3	21	10	52	55	0.66	97.4	75.8137	47.1152
2025	3	21	11	2	55	0.73	96.7	75.8793	52.1093
2025	3	21	11	12	55	0.69	100.1	75.8137	48.9997
2025	3	21	11	22	55	0.69	96.9	75.8137	48.9996
2025	3	21	11	32	55	0.68	98.6	75.8137	48.2928
2025	3	21	11	42	55	0.7	101.4	75.748	48.9552
2025	3	21	11	52	55	0.66	100	75.748	46.6015
2025	3	21	12	2	55	0.68	98.6	75.8137	48.0571
2025	3	21	12	12	55	0.69	99.6	75.748	48.4843
2025	3	21	12	22	55	0.65	101.9	75.748	45.6599
2025	3	21	12	32	55	0.67	99.4	75.748	47.072
2025	3	21	12	42	55	0.66	97.5	75.8137	46.6435
2025	3	21	12	52	55	0.67	99.3	75.748	47.5426
2025	3	21	13	2	55	0.67	99.3	75.8137	47.5857
2025	3	21	13	12	55	0.68	98.4	75.8137	48.0568
2025	3	21	13	22	55	0.66	98.3	75.8137	47.1145
2025	3	21	13	32	55	0.66	97.4	75.8137	47.35
2025	3	21	13	42	55	0.69	95.2	75.8137	48.9989
2025	3	21	13	52	55	0.66	98.9	75.8137	46.8788
2025	3	21	14	2	55	0.69	97.1	75.8137	49.2344
2025	3	21	14	12	55	0.69	98.2	75.8137	49.2344
2025	3	21	14	22	55	0.67	100.2	75.8137	47.3498
2025	3	21	14	32	55	0.68	97.4	75.8137	48.7632
2025	3	21	14	42	55	0.71	96.9	75.8137	50.6477
2025	3	21	14	52	55	0.67	97.6	75.8137	47.5853
2025	3	21	15	2	55	0.67	98.7	75.8137	47.5852
2025	3	21	15	12	55	0.69	97.1	75.8137	48.9986
2025	3	21	15	22	55	0.71	97.8	75.8137	50.1764
2025	3	21	15	32	55	0.7	98.3	75.8793	49.986
2025	3	21	15	42	55	0.63	98.4	75.8137	44.7583
2025	3	21	15	52	55	0.67	98.7	75.8793	47.6282

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	21	16	2	55	0.67	97.3	75.8137	48.0562
2025	3	21	16	12	55	0.67	96.2	75.8137	48.0562
2025	3	21	16	22	55	0.67	98.8	75.8137	47.3494
2025	3	21	16	32	55	0.69	99.6	75.8793	49.0428
2025	3	21	16	42	55	0.68	97.7	75.8137	48.5272
2025	3	21	16	52	55	0.64	97.6	75.8137	45.7004
2025	3	21	17	2	55	0.69	96.3	75.8137	48.9983
2025	3	21	17	12	55	0.69	99.6	75.8793	49.0427
2025	3	21	17	22	55	0.71	99.2	75.8793	50.6931
2025	3	21	17	32	55	0.69	100.6	75.8793	49.0427
2025	3	21	17	42	55	0.69	99.6	75.8793	48.8069
2025	3	21	17	52	55	0.66	94.8	75.8793	47.3922
2025	3	21	18	2	55	0.68	97.8	75.8793	48.0995
2025	3	21	18	12	55	0.66	97.4	75.8793	46.9206
2025	3	21	18	22	55	0.7	96	75.8793	49.75
2025	3	21	18	32	55	0.71	97.2	75.8137	50.4116
2025	3	21	18	42	55	0.7	97.6	75.8137	49.7049
2025	3	21	18	52	55	0.69	99	75.8137	49.2338
2025	3	21	19	2	55	0.69	96.3	75.8137	48.9982
2025	3	21	19	12	55	0.69	98.7	75.8137	48.9983
2025	3	21	19	22	55	0.69	98.5	75.8137	48.7627
2025	3	21	19	32	55	0.7	95.9	75.8137	49.9406
2025	3	21	19	42	55	0.71	95.8	75.8137	50.8828
2025	3	21	19	52	55	0.68	98.6	75.8137	48.5272
2025	3	21	20	2	55	0.68	99.1	75.8137	48.5272
2025	3	21	20	12	55	0.67	96.8	75.8137	47.5849
2025	3	21	20	22	55	0.66	98.6	75.8137	46.8782
2025	3	21	20	32	55	0.67	97	75.8137	47.8205
2025	3	21	20	42	55	0.64	98.5	75.8137	45.7004
2025	3	21	20	52	55	0.66	96.9	75.8137	46.8783
2025	3	21	21	2	55	0.66	99.8	75.8137	46.4072
2025	3	21	21	12	55	0.69	97.4	75.748	48.9541
2025	3	21	21	22	55	0.69	98.5	75.748	48.9542
2025	3	21	21	32	55	0.7	96.7	75.8137	49.9408
2025	3	21	21	42	55	0.68	97.5	75.748	48.2482
2025	3	21	21	52	55	0.68	99.7	75.748	48.0128
2025	3	21	22	2	55	0.65	99.3	75.748	45.8947
2025	3	21	22	12	55	0.64	97.7	75.748	45.424
2025	3	21	22	22	55	0.7	98.4	75.748	49.6605
2025	3	21	22	32	55	0.67	99.6	75.748	47.0716
2025	3	21	22	42	55	0.67	96.7	75.748	47.7777
2025	3	21	22	52	55	0.65	94.3	75.748	46.8363
2025	3	21	23	2	55	0.65	99	75.748	46.1303
2025	3	21	23	12	55	0.65	96.9	75.748	46.3657
2025	3	21	23	22	55	0.65	98.5	75.6824	45.8534
2025	3	21	23	32	55	0.7	100.3	75.6824	49.1455
2025	3	21	23	42	55	0.64	95.3	75.6824	45.6183
2025	3	21	23	52	55	0.68	100	75.6824	47.9698

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	22	0	2	55	0.68	99.4	75.6824	48.4401
2025	3	22	0	12	55	0.65	94.9	75.6824	46.559
2025	3	22	0	22	55	0.7	98.9	75.6824	49.3808
2025	3	22	0	32	55	0.69	96.6	75.6824	48.9106
2025	3	22	0	42	55	0.62	97.3	75.6824	44.2077
2025	3	22	0	52	55	0.67	99.3	75.6824	47.4998
2025	3	22	1	2	55	0.67	98.1	75.6824	47.7349
2025	3	22	1	12	55	0.68	99.2	75.6824	47.9701
2025	3	22	1	22	55	0.63	96.8	75.6824	45.1484
2025	3	22	1	32	55	0.65	101.6	75.6824	45.8539
2025	3	22	1	42	55	0.66	97.4	75.6824	46.7945
2025	3	22	1	52	55	0.7	97.8	75.6824	49.6163
2025	3	22	2	2	55	0.64	101.5	75.6824	44.9133
2025	3	22	2	12	55	0.67	97.1	75.6824	47.5
2025	3	22	2	22	55	0.66	98.8	75.6824	47.0297
2025	3	22	2	32	55	0.7	98.8	75.6824	49.8516
2025	3	22	2	42	55	0.68	99.5	75.6824	47.7352
2025	3	22	2	52	55	0.65	101.4	75.6824	45.3838
2025	3	22	3	2	55	0.66	97.4	75.6824	46.7947
2025	3	22	3	12	55	0.65	98.1	75.6824	46.3244
2025	3	22	3	22	55	0.66	97.4	75.6824	46.7947
2025	3	22	3	32	55	0.65	98.7	75.748	46.1311
2025	3	22	3	42	55	0.66	100.5	75.6824	46.7947
2025	3	22	3	52	55	0.66	100.9	75.748	46.6018
2025	3	22	4	2	55	0.66	98.5	75.6824	47.0299
2025	3	22	4	12	55	0.66	100.5	75.6824	46.7947
2025	3	22	4	22	55	0.67	98.4	75.748	47.7786
2025	3	22	4	32	55	0.68	99.4	75.8137	48.5287
2025	3	22	4	42	55	0.7	99.7	75.748	49.6616
2025	3	22	4	52	55	0.7	97.5	75.8137	50.1777
2025	3	22	5	2	55	0.65	96.4	75.748	46.3665
2025	3	22	5	12	55	0.64	98	75.8137	45.4662
2025	3	22	5	22	55	0.67	99.4	75.8793	47.1579
2025	3	22	5	32	55	0.69	96	75.8137	49.2354
2025	3	22	5	42	55	0.68	97.2	75.8793	48.3368
2025	3	22	5	52	55	0.64	95.6	75.8793	45.5074
2025	3	22	6	2	55	0.64	97.9	75.8793	45.7432
2025	3	22	6	12	55	0.68	99.1	75.8137	48.2931
2025	3	22	6	22	55	0.68	99.5	75.8137	48.0575
2025	3	22	6	32	55	0.63	96.3	75.8137	44.995
2025	3	22	6	42	55	0.65	98.1	75.8137	46.4085
2025	3	22	6	52	55	0.66	96.6	75.8137	47.1152
2025	3	22	7	2	55	0.66	100	75.748	46.8372
2025	3	22	7	12	55	0.66	98.5	75.8137	47.1152
2025	3	22	7	22	55	0.68	98.6	75.8137	48.293
2025	3	22	7	32	55	0.69	100.7	75.748	48.72
2025	3	22	7	42	55	0.66	97.7	75.748	46.8371
2025	3	22	7	52	55	0.68	98.9	75.748	48.0139

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	22	8	2	55	0.68	98.3	75.8137	48.2929
2025	3	22	8	12	55	0.64	97.6	75.748	45.6602
2025	3	22	8	22	55	0.66	97.2	75.748	46.837
2025	3	22	8	32	55	0.69	99.6	75.8137	48.9996
2025	3	22	8	42	55	0.66	97.7	75.748	46.8369
2025	3	22	8	52	55	0.66	100	75.748	46.8369
2025	3	22	9	2	55	0.68	99.7	75.748	48.249
2025	3	22	9	12	55	0.69	98.4	75.748	49.1904
2025	3	22	9	22	55	0.68	97.5	75.748	48.4843
2025	3	22	9	32	55	0.65	95.8	75.748	46.366
2025	3	22	9	42	55	0.64	99.1	75.748	45.4245
2025	3	22	9	52	55	0.69	97.7	75.748	48.7195
2025	3	22	10	2	55	0.71	98	75.748	50.367
2025	3	22	10	12	55	0.69	98.2	75.6824	49.1456
2025	3	22	10	22	55	0.68	97.5	75.6824	48.205
2025	3	22	10	32	55	0.67	98.7	75.748	47.7779
2025	3	22	10	42	55	0.7	99.4	75.748	49.6607
2025	3	22	10	52	55	0.7	99.7	75.748	49.4254
2025	3	22	11	2	55	0.68	96.1	75.748	48.4839
2025	3	22	11	12	55	0.65	99.7	75.748	45.6595
2025	3	22	11	22	55	0.69	97.6	75.748	49.1899
2025	3	22	11	32	55	0.7	97.8	75.8137	49.7056
2025	3	22	11	42	55	0.67	98.7	75.8137	47.5854
2025	3	22	11	52	55	0.7	97	75.8137	49.7055
2025	3	22	12	2	55	0.73	97	75.8137	51.8256
2025	3	22	12	12	55	0.68	101.4	75.8137	48.0564
2025	3	22	12	22	55	0.68	98.9	75.748	48.2482
2025	3	22	12	32	55	0.68	99.4	75.8137	48.2919
2025	3	22	12	42	55	0.72	97.6	75.8137	50.8831
2025	3	22	12	52	55	0.67	97.6	75.8137	47.8207
2025	3	22	13	2	55	0.69	101.8	75.748	48.4834
2025	3	22	13	12	55	0.73	98.7	75.8137	52.0609
2025	3	22	13	22	55	0.69	98.5	75.748	48.9541
2025	3	22	13	32	55	0.71	99.9	75.8137	50.1762
2025	3	22	13	42	55	0.68	97.2	75.8137	48.2917
2025	3	22	13	52	55	0.7	100	75.8137	49.4695
2025	3	22	14	2	55	0.68	100.1	75.8137	47.8205
2025	3	22	14	12	55	0.68	97.2	75.8137	48.2916
2025	3	22	14	22	55	0.71	99.2	75.8137	50.6473
2025	3	22	14	32	55	0.68	99.7	75.8137	48.056
2025	3	22	14	42	55	0.67	99.9	75.8137	47.3493
2025	3	22	14	52	55	0.67	97.3	75.8137	48.056
2025	3	22	15	2	55	0.66	101.5	75.8137	46.407
2025	3	22	15	12	55	0.68	97.5	75.8137	48.0559
2025	3	22	15	22	55	0.69	97.4	75.8137	48.9982
2025	3	22	15	32	55	0.68	98.6	75.8137	48.527
2025	3	22	15	42	55	0.67	97.6	75.8137	47.8203
2025	3	22	15	52	55	0.66	98.3	75.8137	46.878

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	22	16	2	55	0.69	97.1	75.8137	49.4692
2025	3	22	16	12	55	0.69	99	75.8137	48.9981
2025	3	22	16	22	55	0.71	100.6	75.8793	50.2213
2025	3	22	16	32	55	0.69	101	75.8793	48.5708
2025	3	22	16	42	55	0.71	100.4	75.8137	49.9402
2025	3	22	16	52	55	0.69	99	75.8793	49.2781
2025	3	22	17	2	55	0.7	99.8	75.8137	49.2335
2025	3	22	17	12	55	0.68	97.7	75.8793	48.5707
2025	3	22	17	22	55	0.73	96.2	75.8793	51.8716
2025	3	22	17	32	55	0.7	98.4	75.8793	49.5138
2025	3	22	17	42	55	0.68	98.3	75.9449	48.6146
2025	3	22	17	52	55	0.71	98.8	75.9449	50.2666
2025	3	22	18	2	55	0.72	97.6	75.9449	51.2106
2025	3	22	18	12	55	0.7	100.7	75.9449	49.7946
2025	3	22	18	22	55	0.7	97.3	75.9449	50.0306
2025	3	22	18	32	55	0.7	98.7	75.9449	49.5586
2025	3	22	18	42	55	0.74	95.9	75.9449	52.6265
2025	3	22	18	52	55	0.72	98.1	75.9449	51.2105
2025	3	22	19	2	55	0.68	98.9	75.9449	48.1426
2025	3	22	19	12	55	0.7	98.4	75.9449	49.5586
2025	3	22	19	22	55	0.68	97.8	75.9449	48.3786
2025	3	22	19	32	55	0.72	96.5	75.9449	51.6825
2025	3	22	19	42	55	0.68	99.5	75.9449	48.1426
2025	3	22	19	52	55	0.7	96.2	75.9449	49.7946
2025	3	22	20	2	55	0.67	97.7	75.9449	47.4347
2025	3	22	20	12	55	0.68	98.6	75.9449	48.3787
2025	3	22	20	22	55	0.7	96.5	75.9449	50.0306
2025	3	22	20	32	55	0.72	97.5	75.9449	51.6826
2025	3	22	20	42	55	0.67	101	75.9449	47.4347
2025	3	22	20	52	55	0.68	101.7	75.9449	47.6708
2025	3	22	21	2	55	0.68	98.3	75.9449	48.6147
2025	3	22	21	12	55	0.69	96.3	75.9449	49.0868
2025	3	22	21	22	55	0.68	97.2	75.9449	48.3788
2025	3	22	21	32	55	0.64	97.4	75.9449	45.3109
2025	3	22	21	42	55	0.69	95.5	75.9449	49.0868
2025	3	22	21	52	55	0.66	96	75.9449	46.9629
2025	3	22	22	2	55	0.71	97.7	75.9449	50.7388
2025	3	22	22	12	55	0.68	97	75.9449	48.3789
2025	3	22	22	22	55	0.7	97	75.9449	50.0309
2025	3	22	22	32	55	0.68	96.7	75.9449	48.379
2025	3	22	22	42	55	0.68	96.7	75.8793	48.3353
2025	3	22	22	52	55	0.72	97.1	75.8793	51.1647
2025	3	22	23	2	55	0.68	98.1	75.8793	48.0995
2025	3	22	23	12	55	0.71	97.1	75.8793	50.929
2025	3	22	23	22	55	0.7	98.3	75.8793	49.9858
2025	3	22	23	32	55	0.64	96.5	75.8793	45.506
2025	3	22	23	42	55	0.67	96.2	75.8793	47.6281
2025	3	22	23	52	55	0.68	98.6	75.9449	48.3792

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	23	0	2	55	0.71	99.6	75.9449	50.0312
2025	3	23	0	12	55	0.69	95.5	75.9449	49.0872
2025	3	23	0	22	55	0.67	98.7	75.9449	47.9073
2025	3	23	0	32	55	0.69	97.1	75.9449	49.3233
2025	3	23	0	42	55	0.72	98.1	76.0105	51.4938
2025	3	23	0	52	55	0.69	96.9	76.0105	49.1317
2025	3	23	1	2	55	0.71	98.2	76.0105	50.549
2025	3	23	1	12	55	0.67	97.3	76.0761	47.994
2025	3	23	1	22	55	0.71	97.8	76.0761	50.3583
2025	3	23	1	32	55	0.67	97.3	76.0105	47.9507
2025	3	23	1	42	55	0.65	96.3	76.0761	46.812
2025	3	23	1	52	55	0.69	99	76.1417	49.4572
2025	3	23	2	2	55	0.7	98.1	76.1417	50.1672
2025	3	23	2	12	55	0.71	98	76.0761	50.3584
2025	3	23	2	22	55	0.66	100.3	76.0761	47.0484
2025	3	23	2	32	55	0.69	99	76.0105	49.3681
2025	3	23	2	42	55	0.69	97.7	76.0761	48.9399
2025	3	23	2	52	55	0.64	92.3	76.1417	46.381
2025	3	23	3	2	55	0.67	97.3	76.1417	48.0375
2025	3	23	3	12	55	0.68	97.2	76.0761	48.467
2025	3	23	3	22	55	0.73	98.5	76.1417	52.0604
2025	3	23	3	32	55	0.7	98.6	76.1417	49.9306
2025	3	23	3	42	55	0.67	100.4	76.1417	47.8009
2025	3	23	3	52	55	0.68	99.4	76.1417	48.7474
2025	3	23	4	2	55	0.65	95.2	76.1417	46.8544
2025	3	23	4	12	55	0.7	98.8	76.1417	50.1673
2025	3	23	4	22	55	0.67	95.3	76.1417	48.0375
2025	3	23	4	32	55	0.7	97.3	76.1417	49.9307
2025	3	23	4	42	55	0.67	97.3	76.1417	47.8009
2025	3	23	4	52	55	0.7	95.4	76.1417	49.9307
2025	3	23	5	2	55	0.68	96.9	76.1417	48.9841
2025	3	23	5	12	55	0.66	96.8	76.1417	47.3277
2025	3	23	5	22	55	0.64	99.1	76.1417	45.9078
2025	3	23	5	32	55	0.7	97.6	76.1417	49.9307
2025	3	23	5	42	55	0.65	97.6	76.1417	46.3811
2025	3	23	5	52	55	0.69	98.2	76.1417	49.4574
2025	3	23	6	2	55	0.69	99.3	76.1417	49.2208
2025	3	23	6	12	55	0.69	98.2	76.1417	48.9841
2025	3	23	6	22	55	0.7	96	76.0761	49.8857
2025	3	23	6	32	55	0.69	93.6	76.0761	49.4128
2025	3	23	6	42	55	0.71	95.3	76.0761	50.595
2025	3	23	6	52	55	0.69	98.4	76.1417	49.4574
2025	3	23	7	2	55	0.71	96.9	76.0761	50.8314
2025	3	23	7	12	55	0.65	98.7	76.0761	46.5757
2025	3	23	7	22	55	0.66	99.4	76.0761	47.0486
2025	3	23	7	32	55	0.7	96	76.0761	49.8856
2025	3	23	7	42	55	0.67	95.9	76.0761	47.9942
2025	3	23	7	52	55	0.71	96.4	75.9449	50.7395

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	23	8	2	55	0.68	96.1	75.8793	48.3358
2025	3	23	8	12	55	0.66	98.6	75.8793	46.9211
2025	3	23	8	22	55	0.67	97.3	75.8793	47.6284
2025	3	23	8	32	55	0.67	94.8	75.8793	48.0999
2025	3	23	8	42	55	0.69	97.7	75.8793	48.8072
2025	3	23	8	52	55	0.64	98.8	75.8793	45.742
2025	3	23	9	2	55	0.71	96.7	75.8793	50.4576
2025	3	23	9	12	55	0.64	96.5	75.8793	45.7419
2025	3	23	9	22	55	0.69	97.6	75.8793	49.2787
2025	3	23	9	32	55	0.68	94.7	75.8793	48.5713
2025	3	23	9	42	55	0.66	98.6	75.8793	46.9208
2025	3	23	9	52	55	0.7	95.9	75.8793	49.9859
2025	3	23	10	2	55	0.68	97.8	75.8793	48.0996
2025	3	23	10	12	55	0.65	96.3	75.8793	46.6849
2025	3	23	10	22	55	0.65	96.3	75.9449	46.7271
2025	3	23	10	32	55	0.69	97.9	75.9449	49.323
2025	3	23	10	42	55	0.7	98.7	75.9449	49.559
2025	3	23	10	52	55	0.68	98.6	76.0105	48.1866
2025	3	23	11	2	55	0.69	94.7	76.0105	49.3676
2025	3	23	11	12	55	0.67	97.6	76.0105	47.9503
2025	3	23	11	22	55	0.7	98.9	76.0105	49.8399
2025	3	23	11	32	55	0.7	97.3	76.0105	49.8398
2025	3	23	11	42	55	0.65	97.2	76.0105	46.7691
2025	3	23	11	52	55	0.65	97.6	76.0105	46.2966
2025	3	23	12	2	55	0.65	96.6	76.0105	46.769
2025	3	23	12	12	55	0.71	98	76.0105	50.3121
2025	3	23	12	22	55	0.68	97.5	76.0105	48.4224
2025	3	23	12	32	55	0.67	96.5	76.0105	47.7137
2025	3	23	12	42	55	0.7	97.6	76.0105	49.8395
2025	3	23	12	52	55	0.68	97.2	76.0105	48.6584
2025	3	23	13	2	55	0.69	98	76.0105	48.8946
2025	3	23	13	12	55	0.68	94.9	76.0761	49.1751
2025	3	23	13	22	55	0.65	98.1	76.0761	46.5745
2025	3	23	13	32	55	0.69	95.4	76.0761	49.6479
2025	3	23	13	42	55	0.68	94.4	76.0761	48.7022
2025	3	23	13	52	55	0.68	95	76.0761	48.4657
2025	3	23	14	2	55	0.71	97.4	76.0761	50.8298
2025	3	23	14	12	55	0.69	98.2	76.0761	49.1749
2025	3	23	14	22	55	0.67	99	76.0761	47.5199
2025	3	23	14	32	55	0.68	95	76.0761	48.4656
2025	3	23	14	42	55	0.65	96.7	76.0761	46.3378
2025	3	23	14	52	55	0.68	97.2	76.0761	48.7019
2025	3	23	15	2	55	0.68	94.7	76.0761	48.9383
2025	3	23	15	12	55	0.67	97	76.0761	48.229
2025	3	23	15	22	55	0.7	97.3	76.1417	49.9289
2025	3	23	15	32	55	0.69	96.3	76.1417	49.6923
2025	3	23	15	42	55	0.69	98.5	76.1417	49.219
2025	3	23	15	52	55	0.7	94.8	76.0761	50.3567

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	23	16	2	55	0.72	96.3	76.0761	51.7751
2025	3	23	16	12	55	0.67	96.7	76.0761	47.9925
2025	3	23	16	22	55	0.71	98.3	76.0761	50.3566
2025	3	23	16	32	55	0.68	99.7	76.0761	48.2289
2025	3	23	16	42	55	0.68	98	76.0105	48.6577
2025	3	23	16	52	55	0.69	97.3	76.0761	49.6473
2025	3	23	17	2	55	0.67	97.1	76.0761	47.756
2025	3	23	17	12	55	0.71	100.6	76.0761	50.3565
2025	3	23	17	22	55	0.73	98.1	76.1417	51.8217
2025	3	23	17	32	55	0.72	98.4	76.1417	51.5851
2025	3	23	17	42	55	0.66	96.2	76.1417	47.5624
2025	3	23	17	52	55	0.68	95.3	76.1417	48.5089
2025	3	23	18	2	55	0.7	98.4	76.1417	49.9287
2025	3	23	18	12	55	0.67	98.2	76.1417	47.5624
2025	3	23	18	22	55	0.68	96.1	76.1417	48.5089
2025	3	23	18	32	55	0.7	97.2	76.1417	50.4019
2025	3	23	18	42	55	0.68	98.8	76.1417	48.7455
2025	3	23	18	52	55	0.69	96	76.1417	49.6921
2025	3	23	19	2	55	0.67	95.1	76.0761	47.7559
2025	3	23	19	12	55	0.7	95.9	76.0761	50.3565
2025	3	23	19	22	55	0.68	98.9	76.1417	48.2723
2025	3	23	19	32	55	0.7	99.8	76.1417	49.4554
2025	3	23	19	42	55	0.65	98.1	76.0761	46.5739
2025	3	23	19	52	55	0.7	94	76.0761	50.1201
2025	3	23	20	2	55	0.72	97.1	76.1417	51.5852
2025	3	23	20	12	55	0.66	100	76.1417	47.0892
2025	3	23	20	22	55	0.67	100.2	76.1417	47.5625
2025	3	23	20	32	55	0.7	97.8	76.0761	49.8838
2025	3	23	20	42	55	0.68	98.9	76.1417	48.5091
2025	3	23	20	52	55	0.66	94	76.1417	47.3259
2025	3	23	21	2	55	0.68	97.5	76.0761	48.4654
2025	3	23	21	12	55	0.65	97	76.0761	46.3377
2025	3	23	21	22	55	0.69	99.3	76.0761	49.1747
2025	3	23	21	32	55	0.65	98.2	76.1417	46.1429
2025	3	23	21	42	55	0.7	101.6	76.0761	49.6476
2025	3	23	21	52	55	0.67	95.6	76.0761	47.9927
2025	3	23	22	2	55	0.63	96.3	76.0761	45.1557
2025	3	23	22	12	55	0.7	96.2	76.0761	50.1205
2025	3	23	22	22	55	0.67	97.7	76.1417	47.5628
2025	3	23	22	32	55	0.71	96.4	76.0761	50.5934
2025	3	23	22	42	55	0.69	100.9	76.1417	48.9827
2025	3	23	22	52	55	0.67	97.6	76.0761	47.9929
2025	3	23	23	2	55	0.69	99.2	76.0761	49.4114
2025	3	23	23	12	55	0.69	98.2	76.0761	49.175
2025	3	23	23	22	55	0.7	97	76.0761	49.8843
2025	3	23	23	32	55	0.7	97.3	76.0761	49.8844
2025	3	23	23	42	55	0.7	96.8	76.0761	49.8844
2025	3	23	23	52	55	0.69	97.4	76.0761	49.1752

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	24	0	2	55	0.67	97.7	76.1417	47.5632
2025	3	24	0	12	55	0.68	98.3	76.1417	48.7464
2025	3	24	0	22	55	0.69	98.8	76.0761	48.9389
2025	3	24	0	32	55	0.72	96.3	76.0761	51.7759
2025	3	24	0	42	55	0.67	97.7	76.0761	47.5204
2025	3	24	0	52	55	0.67	97.3	76.0761	48.2297
2025	3	24	1	2	55	0.69	97.3	76.0761	49.6482
2025	3	24	1	12	55	0.66	99.5	76.0761	46.8112
2025	3	24	1	22	55	0.67	97.6	76.0761	47.7569
2025	3	24	1	32	55	0.65	99.3	76.0761	46.3384
2025	3	24	1	42	55	0.68	98.6	76.0761	48.2298
2025	3	24	1	52	55	0.7	97	76.0761	50.1212
2025	3	24	2	2	55	0.65	97.3	76.1417	46.1437
2025	3	24	2	12	55	0.69	97.7	76.2074	49.2643
2025	3	24	2	22	55	0.68	97.4	76.2074	49.0275
2025	3	24	2	32	55	0.72	98.7	76.273	51.2052
2025	3	24	2	42	55	0.66	96	76.273	47.6493
2025	3	24	2	52	55	0.69	96.3	76.273	49.3088
2025	3	24	3	2	55	0.67	99	76.273	47.8864
2025	3	24	3	12	55	0.72	98.2	76.273	51.2053
2025	3	24	3	22	55	0.64	96.7	76.273	46.227
2025	3	24	3	32	55	0.73	95.7	76.273	52.6277
2025	3	24	3	42	55	0.68	100.2	76.273	48.5977
2025	3	24	3	52	55	0.69	98.5	76.273	49.0718
2025	3	24	4	2	55	0.68	98.1	76.273	48.3606
2025	3	24	4	12	55	0.69	98.5	76.273	49.0718
2025	3	24	4	22	55	0.69	96.8	76.273	49.5459
2025	3	24	4	32	55	0.66	97.8	76.3386	46.9805
2025	3	24	4	42	55	0.68	97.4	76.3386	49.116
2025	3	24	4	52	55	0.68	97.2	76.3386	48.6414
2025	3	24	5	2	55	0.67	97.3	76.3386	47.9296
2025	3	24	5	12	55	0.72	98.4	76.3386	51.4888
2025	3	24	5	22	55	0.67	100.2	76.3386	47.6924
2025	3	24	5	32	55	0.66	97.8	76.3386	46.9805
2025	3	24	5	42	55	0.71	98.3	76.3386	50.5397
2025	3	24	5	52	55	0.7	99.5	76.3386	49.8278
2025	3	24	6	2	55	0.71	96.9	76.3386	51.0142
2025	3	24	6	12	55	0.65	98.1	76.3386	46.506
2025	3	24	6	22	55	0.73	98.6	76.3386	51.9633
2025	3	24	6	32	55	0.69	97.4	76.4042	49.3976
2025	3	24	6	42	55	0.68	100	76.4042	48.4477
2025	3	24	6	52	55	0.69	97.9	76.4042	49.6351
2025	3	24	7	2	55	0.7	99.2	76.4042	49.8726
2025	3	24	7	12	55	0.66	95.7	76.4042	47.7352
2025	3	24	7	22	55	0.65	99.2	76.4042	46.7852
2025	3	24	7	32	55	0.66	98.8	76.4042	47.4976
2025	3	24	7	42	55	0.68	97.7	76.4042	48.9225
2025	3	24	7	52	55	0.67	96.2	76.4042	48.4475

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	24	8	2	55	0.7	100.3	76.4042	49.6349
2025	3	24	8	12	55	0.66	98.8	76.4042	47.4975
2025	3	24	8	22	55	0.66	97.7	76.4042	47.26
2025	3	24	8	32	55	0.67	97.6	76.4042	48.2099
2025	3	24	8	42	55	0.64	95.3	76.4698	46.1139
2025	3	24	8	52	55	0.65	98.2	76.4698	46.3515
2025	3	24	9	2	55	0.68	101.2	76.4042	47.9723
2025	3	24	9	12	55	0.67	99	76.4698	48.0153
2025	3	24	9	22	55	0.65	97.2	76.4698	46.8267
2025	3	24	9	32	55	0.7	98.6	76.4698	50.3921
2025	3	24	9	42	55	0.69	95.2	76.4698	49.679
2025	3	24	9	52	55	0.66	99.1	76.4698	47.5396
2025	3	24	10	2	55	0.71	98.7	76.4698	51.105
2025	3	24	10	12	55	0.69	97.4	76.4698	49.6788
2025	3	24	10	22	55	0.71	98.5	76.4698	50.8672
2025	3	24	10	32	55	0.66	99.7	76.4698	47.3017
2025	3	24	10	42	55	0.67	96.2	76.5354	48.2957
2025	3	24	10	52	55	0.63	96.8	76.5354	45.6787
2025	3	24	11	2	55	0.65	99.3	76.5354	46.6303
2025	3	24	11	12	55	0.66	95.1	76.5354	47.5819
2025	3	24	11	22	55	0.66	100.3	76.4698	47.0638
2025	3	24	11	32	55	0.67	97.6	76.5354	48.2955
2025	3	24	11	42	55	0.63	95.9	76.4698	45.6375
2025	3	24	11	52	55	0.68	95.8	76.4042	48.6837
2025	3	24	12	2	55	0.67	101	76.4698	47.539
2025	3	24	12	12	55	0.7	95.4	76.4698	50.3913
2025	3	24	12	22	55	0.68	99.4	76.4042	48.9211
2025	3	24	12	32	55	0.64	97	76.4042	46.3088
2025	3	24	12	42	55	0.69	98.2	76.4042	49.1585
2025	3	24	12	52	55	0.67	96.7	76.4042	48.2085
2025	3	24	13	2	55	0.72	100.8	76.4042	51.0582
2025	3	24	13	12	55	0.64	98.8	76.4698	46.1125
2025	3	24	13	22	55	0.67	95	76.4042	48.4459
2025	3	24	13	32	55	0.69	99	76.4042	49.6333
2025	3	24	13	42	55	0.69	97.4	76.4042	49.6332
2025	3	24	13	52	55	0.72	97.6	76.4042	51.7705
2025	3	24	14	2	55	0.68	97.4	76.3386	49.114
2025	3	24	14	12	55	0.67	96.5	76.3386	47.9277
2025	3	24	14	22	55	0.7	100.8	76.4042	49.6331
2025	3	24	14	32	55	0.68	98.6	76.3386	48.6394
2025	3	24	14	42	55	0.65	100.1	76.3386	46.504
2025	3	24	14	52	55	0.67	99	76.4042	48.2081
2025	3	24	15	2	55	0.71	100.7	76.4698	50.3907
2025	3	24	15	12	55	0.68	100.2	76.4042	48.6831
2025	3	24	15	22	55	0.71	96.4	76.4042	51.0578
2025	3	24	15	32	55	0.69	100.6	76.4698	49.4398
2025	3	24	15	42	55	0.69	99	76.4042	49.6329
2025	3	24	15	52	55	0.7	99.2	76.4042	49.8704

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	24	16	2	55	0.68	96.9	76.4042	48.9204
2025	3	24	16	12	55	0.7	98.1	76.4698	50.1528
2025	3	24	16	22	55	0.71	96.9	76.4042	51.0577
2025	3	24	16	32	55	0.68	99.2	76.4042	48.4454
2025	3	24	16	42	55	0.68	95.8	76.3386	49.1137
2025	3	24	16	52	55	0.69	98.2	76.4698	49.6774
2025	3	24	17	2	55	0.69	97.4	76.4042	49.3953
2025	3	24	17	12	55	0.65	98.4	76.4042	46.7831
2025	3	24	17	22	55	0.67	99	76.4042	47.733
2025	3	24	17	32	55	0.69	96.9	76.4042	49.3953
2025	3	24	17	42	55	0.67	97.7	76.4042	47.7329
2025	3	24	17	52	55	0.66	95.1	76.4042	47.4954
2025	3	24	18	2	55	0.68	98.4	76.4042	48.4454
2025	3	24	18	12	55	0.65	92.6	76.4042	46.783
2025	3	24	18	22	55	0.68	98.3	76.4042	48.9203
2025	3	24	18	32	55	0.63	98.3	76.4042	45.3582
2025	3	24	18	42	55	0.71	95.1	76.4042	51.0576
2025	3	24	18	52	55	0.68	96.6	76.4042	49.1578
2025	3	24	19	2	55	0.71	99.3	76.4042	50.8202
2025	3	24	19	12	55	0.67	99.6	76.4042	47.9704
2025	3	24	19	22	55	0.68	97.5	76.273	48.3584
2025	3	24	19	32	55	0.71	95.8	76.3386	51.2491
2025	3	24	19	42	55	0.7	99.9	76.273	50.0178
2025	3	24	19	52	55	0.67	97.9	76.273	47.6473
2025	3	24	20	2	55	0.65	98.5	76.273	46.225
2025	3	24	20	12	55	0.68	100	76.273	48.5955
2025	3	24	20	22	55	0.71	96.4	76.273	50.9661
2025	3	24	20	32	55	0.7	97.5	76.273	50.255
2025	3	24	20	42	55	0.67	98.2	76.273	47.8845
2025	3	24	20	52	55	0.65	95.8	76.273	46.4622
2025	3	24	21	2	55	0.64	96.8	76.273	45.9881
2025	3	24	21	12	55	0.68	97.7	76.273	48.8328
2025	3	24	21	22	55	0.73	98.8	76.273	52.1516
2025	3	24	21	32	55	0.66	97.1	76.273	47.6476
2025	3	24	21	42	55	0.68	98.1	76.273	48.5959
2025	3	24	21	52	55	0.68	96.4	76.273	48.8329
2025	3	24	22	2	55	0.65	95.8	76.273	46.4625
2025	3	24	22	12	55	0.68	98	76.273	48.833
2025	3	24	22	22	55	0.67	97.9	76.273	47.6478
2025	3	24	22	32	55	0.67	98.5	76.273	47.6479
2025	3	24	22	42	55	0.69	95.7	76.273	49.7814
2025	3	24	22	52	55	0.71	95.9	76.2074	50.684
2025	3	24	23	2	55	0.69	96.3	76.2074	49.7367
2025	3	24	23	12	55	0.69	97.1	76.2074	49.263
2025	3	24	23	22	55	0.7	97.2	76.2074	50.4473
2025	3	24	23	32	55	0.72	97.8	76.2074	51.6315
2025	3	24	23	42	55	0.65	96.6	76.2074	46.8947
2025	3	24	23	52	55	0.71	98.5	76.273	50.7299

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	25	0	2	55	0.67	94.8	76.273	47.8853
2025	3	25	0	12	55	0.67	95.3	76.273	48.3594
2025	3	25	0	22	55	0.66	96.2	76.4042	47.7341
2025	3	25	0	32	55	0.68	100.1	76.4698	48.2524
2025	3	25	0	42	55	0.66	100.1	76.5354	46.8683
2025	3	25	0	52	55	0.72	98.6	76.5354	51.8644
2025	3	25	1	2	55	0.66	96.3	76.5354	47.5821
2025	3	25	1	12	55	0.69	96.9	76.5354	49.4854
2025	3	25	1	22	55	0.63	97.8	76.6011	45.2436
2025	3	25	1	32	55	0.69	95.2	76.6011	49.768
2025	3	25	1	42	55	0.67	98.2	76.6011	47.863
2025	3	25	1	52	55	0.65	97.8	76.6011	46.9105
2025	3	25	2	2	55	0.67	96.2	76.6011	48.3393
2025	3	25	2	12	55	0.7	100.7	76.6011	50.2443
2025	3	25	2	22	55	0.65	97.2	76.6667	46.9526
2025	3	25	2	32	55	0.69	98.7	76.6667	49.5744
2025	3	25	2	42	55	0.65	95.5	76.6667	47.191
2025	3	25	2	52	55	0.67	96.7	76.6667	48.3827
2025	3	25	3	2	55	0.68	97.4	76.6667	49.3361
2025	3	25	3	12	55	0.68	95.8	76.6667	49.0978
2025	3	25	3	22	55	0.68	95	76.6667	48.8595
2025	3	25	3	32	55	0.67	100.1	76.6667	48.1445
2025	3	25	3	42	55	0.67	96.2	76.6667	48.1445
2025	3	25	3	52	55	0.7	98.9	76.6667	50.2895
2025	3	25	4	2	55	0.69	97.7	76.6667	49.5745
2025	3	25	4	12	55	0.69	98.5	76.6667	49.3362
2025	3	25	4	22	55	0.69	96.9	76.6667	49.5746
2025	3	25	4	32	55	0.68	97.2	76.6667	49.0979
2025	3	25	4	42	55	0.7	94.8	76.6667	51.0046
2025	3	25	4	52	55	0.64	99.5	76.6667	45.7611
2025	3	25	5	2	55	0.67	100.4	76.6011	47.8633
2025	3	25	5	12	55	0.72	98.4	76.6011	51.6733
2025	3	25	5	22	55	0.65	94.9	76.6011	47.1489
2025	3	25	5	32	55	0.67	98.7	76.6011	48.1014
2025	3	25	5	42	55	0.67	96.5	76.6011	48.3395
2025	3	25	5	52	55	0.7	97.8	76.6011	50.2445
2025	3	25	6	2	55	0.67	95.7	76.6011	48.1014
2025	3	25	6	12	55	0.66	96	76.6011	47.8633
2025	3	25	6	22	55	0.69	99.6	76.6011	49.5302
2025	3	25	6	32	55	0.65	98.1	76.6011	46.9108
2025	3	25	6	42	55	0.69	97.4	76.6011	49.5302
2025	3	25	6	52	55	0.7	96.5	76.6011	50.2445
2025	3	25	7	2	55	0.65	97.8	76.6011	46.9108
2025	3	25	7	12	55	0.68	95.2	76.6011	49.292
2025	3	25	7	22	55	0.67	96.5	76.6011	48.1013
2025	3	25	7	32	55	0.67	100.2	76.6011	47.8632
2025	3	25	7	42	55	0.64	94.7	76.6011	46.1963
2025	3	25	7	52	55	0.67	95.9	76.6011	48.3394

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	25	8	2	55	0.71	97.4	76.6011	51.435
2025	3	25	8	12	55	0.66	97.4	76.6011	47.863
2025	3	25	8	22	55	0.67	99	76.6011	48.1011
2025	3	25	8	32	55	0.67	97.6	76.6011	48.3392
2025	3	25	8	42	55	0.69	98.7	76.6011	49.5298
2025	3	25	8	52	55	0.64	96.8	76.6011	46.196
2025	3	25	9	2	55	0.7	97.5	76.6011	50.4822
2025	3	25	9	12	55	0.66	96.3	76.6011	47.3865
2025	3	25	9	22	55	0.66	100.1	76.6011	46.9102
2025	3	25	9	32	55	0.7	97.5	76.6011	50.7201
2025	3	25	9	42	55	0.65	97	76.6011	46.672
2025	3	25	9	52	55	0.73	98	76.6011	52.625
2025	3	25	10	2	55	0.71	97.4	76.6011	51.1962
2025	3	25	10	12	55	0.7	99.8	76.6011	49.7674
2025	3	25	10	22	55	0.7	97.3	76.6011	50.2436
2025	3	25	10	32	55	0.72	97.6	76.5354	51.8639
2025	3	25	10	42	55	0.67	97.7	76.6011	47.8623
2025	3	25	10	52	55	0.66	98	76.6011	47.386
2025	3	25	11	2	55	0.68	95.3	76.6011	49.0528
2025	3	25	11	12	55	0.68	96.7	76.5354	48.7709
2025	3	25	11	22	55	0.71	95.6	76.5354	51.1499
2025	3	25	11	32	55	0.68	98.3	76.5354	49.0087
2025	3	25	11	42	55	0.69	102.3	76.4698	49.2024
2025	3	25	11	52	55	0.69	100.1	76.4698	49.44
2025	3	25	12	2	55	0.67	97.1	76.4698	48.0138
2025	3	25	12	12	55	0.65	96.9	76.4698	47.063
2025	3	25	12	22	55	0.67	97	76.4698	48.4891
2025	3	25	12	32	55	0.67	97	76.5354	48.5326
2025	3	25	12	42	55	0.69	96.3	76.4698	49.4398
2025	3	25	12	52	55	0.71	98.5	76.5354	50.6737
2025	3	25	13	2	55	0.66	98.3	76.5354	47.3429
2025	3	25	13	12	55	0.67	98.1	76.4698	48.2512
2025	3	25	13	22	55	0.71	97.8	76.4698	50.6281
2025	3	25	13	32	55	0.73	97	76.4698	52.5296
2025	3	25	13	42	55	0.7	97.5	76.4698	50.628
2025	3	25	13	52	55	0.69	97.6	76.4698	49.6772
2025	3	25	14	2	55	0.71	98.8	76.5354	50.9113
2025	3	25	14	12	55	0.65	97.2	76.5354	47.1048
2025	3	25	14	22	55	0.72	98.4	76.5354	51.8628
2025	3	25	14	32	55	0.71	100.4	76.4698	50.3901
2025	3	25	14	42	55	0.7	99.8	76.5354	49.7216
2025	3	25	14	52	55	0.71	96.4	76.5354	50.9111
2025	3	25	15	2	55	0.69	99.6	76.5354	49.0079
2025	3	25	15	12	55	0.67	97.6	76.5354	48.2941
2025	3	25	15	22	55	0.68	97.5	76.5354	48.7699
2025	3	25	15	32	55	0.71	95.6	76.4698	51.1031
2025	3	25	15	42	55	0.65	97.5	76.4698	46.8246
2025	3	25	15	52	55	0.68	96.4	76.5354	48.7699

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	25	16	2	55	0.69	98.4	76.5354	49.7215
2025	3	25	16	12	55	0.68	98.1	76.5354	48.5319
2025	3	25	16	22	55	0.68	98	76.5354	49.0077
2025	3	25	16	32	55	0.68	99.1	76.4698	48.9638
2025	3	25	16	42	55	0.66	96.8	76.4698	47.5376
2025	3	25	16	52	55	0.69	97.6	76.4698	49.6768
2025	3	25	17	2	55	0.7	96.2	76.4698	50.3899
2025	3	25	17	12	55	0.69	98	76.4698	49.2014
2025	3	25	17	22	55	0.72	98.4	76.4698	51.5783
2025	3	25	17	32	55	0.69	95.2	76.4698	49.9145
2025	3	25	17	42	55	0.72	97.6	76.4698	51.5783
2025	3	25	17	52	55	0.68	96.6	76.4698	49.2014
2025	3	25	18	2	55	0.72	99.2	76.4698	51.3406
2025	3	25	18	12	55	0.71	96.6	76.4698	51.1029
2025	3	25	18	22	55	0.66	96.8	76.4698	47.5376
2025	3	25	18	32	55	0.69	97.7	76.4698	49.2014
2025	3	25	18	42	55	0.68	98.6	76.4698	48.4884
2025	3	25	18	52	55	0.67	97.9	76.4698	48.013
2025	3	25	19	2	55	0.68	97.8	76.4698	48.7261
2025	3	25	19	12	55	0.69	96	76.4698	49.4392
2025	3	25	19	22	55	0.63	96.8	76.4698	45.6362
2025	3	25	19	32	55	0.68	94.7	76.4698	48.9638
2025	3	25	19	42	55	0.63	98.3	76.4698	45.3985
2025	3	25	19	52	55	0.67	96.5	76.4042	47.97
2025	3	25	20	2	55	0.69	96.9	76.4042	49.3949
2025	3	25	20	12	55	0.7	97.6	76.4042	49.8699
2025	3	25	20	22	55	0.66	98	76.4042	47.4952
2025	3	25	20	32	55	0.68	96.7	76.4042	48.6826
2025	3	25	20	42	55	0.69	99.1	76.4042	49.1576
2025	3	25	20	52	55	0.65	100.7	76.4042	46.3079
2025	3	25	21	2	55	0.67	96.4	76.4042	48.4452
2025	3	25	21	12	55	0.72	99.5	76.4042	51.0575
2025	3	25	21	22	55	0.69	97.7	76.4042	49.3952
2025	3	25	21	32	55	0.66	98.8	76.4042	47.4954
2025	3	25	21	42	55	0.66	98	76.4042	47.0205
2025	3	25	21	52	55	0.7	94.5	76.3386	50.7745
2025	3	25	22	2	55	0.65	96.1	76.4042	46.7831
2025	3	25	22	12	55	0.67	100.5	76.4042	47.4956
2025	3	25	22	22	55	0.66	96.6	76.4042	47.2581
2025	3	25	22	32	55	0.67	97.6	76.3386	48.1648
2025	3	25	22	42	55	0.64	97.3	76.4042	46.0708
2025	3	25	22	52	55	0.64	94.7	76.3386	46.0295
2025	3	25	23	2	55	0.65	96.9	76.3386	46.7413
2025	3	25	23	12	55	0.67	97.6	76.3386	47.9277
2025	3	25	23	22	55	0.66	93.4	76.3386	47.6905
2025	3	25	23	32	55	0.68	98.1	76.3386	48.6396
2025	3	25	23	42	55	0.67	97.1	76.3386	47.9278
2025	3	25	23	52	55	0.67	97.7	76.3386	47.6906

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	26	0	2	55	0.67	99	76.3386	47.6907
2025	3	26	0	12	55	0.67	97	76.3386	48.4025
2025	3	26	0	22	55	0.7	97	76.3386	50.0634
2025	3	26	0	32	55	0.66	98.6	76.3386	47.2162
2025	3	26	0	42	55	0.69	96.3	76.4042	49.871
2025	3	26	0	52	55	0.69	96.8	76.6011	49.7674
2025	3	26	1	2	55	0.7	98.1	76.5354	49.9607
2025	3	26	1	12	55	0.68	96.1	76.4698	48.9652
2025	3	26	1	22	55	0.65	100.5	76.5354	46.3922
2025	3	26	1	32	55	0.68	98.4	76.5354	48.5334
2025	3	26	1	42	55	0.7	98.6	76.5354	50.1988
2025	3	26	1	52	55	0.72	98.6	76.6011	51.6725
2025	3	26	2	2	55	0.65	96.9	76.6011	47.1482
2025	3	26	2	12	55	0.68	96.9	76.6011	49.2914
2025	3	26	2	22	55	0.65	97.8	76.6011	46.9102
2025	3	26	2	32	55	0.68	100.5	76.6011	48.8152
2025	3	26	2	42	55	0.68	97.4	76.6011	49.2915
2025	3	26	2	52	55	0.67	95.6	76.6011	48.5771
2025	3	26	3	2	55	0.7	97.3	76.6011	50.244
2025	3	26	3	12	55	0.68	99.7	76.6011	48.8153
2025	3	26	3	22	55	0.71	98.3	76.6011	50.7203
2025	3	26	3	32	55	0.66	96.6	76.6011	47.3866
2025	3	26	3	42	55	0.65	99.3	76.6011	46.4341
2025	3	26	3	52	55	0.69	98.7	76.6011	49.5297
2025	3	26	4	2	55	0.71	95.6	76.6011	50.9584
2025	3	26	4	12	55	0.67	99.2	76.6011	48.3391
2025	3	26	4	22	55	0.68	94.9	76.6011	49.5297
2025	3	26	4	32	55	0.71	99.9	76.6011	50.4822
2025	3	26	4	42	55	0.67	99.2	76.6011	48.3391
2025	3	26	4	52	55	0.69	97.1	76.6011	49.5297
2025	3	26	5	2	55	0.71	96.9	76.6011	51.4347
2025	3	26	5	12	55	0.66	99.1	76.6011	47.6247
2025	3	26	5	22	55	0.69	100.4	76.6011	49.5297
2025	3	26	5	32	55	0.66	97.2	76.6011	47.3866
2025	3	26	5	42	55	0.65	96.7	76.6011	46.9104
2025	3	26	5	52	55	0.68	97.5	76.6011	49.0535
2025	3	26	6	2	55	0.7	98.8	76.6011	50.4822
2025	3	26	6	12	55	0.68	98.9	76.6011	48.8154
2025	3	26	6	22	55	0.66	96	76.6011	47.3866
2025	3	26	6	32	55	0.67	99.3	76.6011	48.101
2025	3	26	6	42	55	0.67	98.1	76.6011	48.3391
2025	3	26	6	52	55	0.66	94.9	76.6011	47.6247
2025	3	26	7	2	55	0.7	97	76.6011	50.2441
2025	3	26	7	12	55	0.7	95.9	76.6011	50.4822
2025	3	26	7	22	55	0.71	97.7	76.6011	50.9584
2025	3	26	7	32	55	0.64	97.1	76.6667	45.999
2025	3	26	7	42	55	0.69	98.7	76.6011	49.7677
2025	3	26	7	52	55	0.67	96.7	76.6011	48.5771

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	26	8	2	55	0.67	97	76.6667	48.6206
2025	3	26	8	12	55	0.71	98.3	76.6667	50.7655
2025	3	26	8	22	55	0.66	95.1	76.6667	47.6671
2025	3	26	8	32	55	0.71	95.8	76.6667	51.4805
2025	3	26	8	42	55	0.7	98.4	76.6667	50.0504
2025	3	26	8	52	55	0.66	98.9	76.6667	47.1903
2025	3	26	9	2	55	0.67	95.3	76.6667	48.382
2025	3	26	9	12	55	0.65	96.9	76.6667	47.1903
2025	3	26	9	22	55	0.66	100.3	76.6667	47.4285
2025	3	26	9	32	55	0.69	97.4	76.6667	49.5735
2025	3	26	9	42	55	0.67	99	76.6667	48.1434
2025	3	26	9	52	55	0.67	97.7	76.6667	47.905
2025	3	26	10	2	55	0.65	96.1	76.6667	47.19
2025	3	26	10	12	55	0.66	100.1	76.6667	46.9516
2025	3	26	10	22	55	0.65	96.7	76.6667	46.7132
2025	3	26	10	32	55	0.7	96.5	76.6667	50.5265
2025	3	26	10	42	55	0.66	96.8	76.6667	47.6665
2025	3	26	10	52	55	0.71	99.1	76.6667	50.7648
2025	3	26	11	2	55	0.69	97.1	76.5354	49.4843
2025	3	26	11	12	55	0.69	96.6	76.6011	49.5286
2025	3	26	11	22	55	0.64	95.9	76.5354	45.9156
2025	3	26	11	32	55	0.66	97.1	76.6011	47.8617
2025	3	26	11	42	55	0.66	99.8	76.6011	46.9092
2025	3	26	11	52	55	0.63	96	76.6011	45.2423
2025	3	26	12	2	55	0.66	97.7	76.6011	47.3853
2025	3	26	12	12	55	0.65	93.5	76.6011	47.1472
2025	3	26	12	22	55	0.63	95.7	76.6011	45.7184
2025	3	26	12	32	55	0.62	98.2	76.6011	44.7659
2025	3	26	12	42	55	0.67	98.7	76.6011	48.0995
2025	3	26	12	52	55	0.67	95	76.6011	48.5757
2025	3	26	13	2	55	0.68	97.2	76.6667	49.3341
2025	3	26	13	12	55	0.65	97.2	76.6011	47.1469
2025	3	26	13	22	55	0.66	99.1	76.6011	47.6231
2025	3	26	13	32	55	0.68	95.6	76.6011	48.8136
2025	3	26	13	42	55	0.66	97.4	76.6011	47.3849
2025	3	26	13	52	55	0.68	98.6	76.6011	49.0517
2025	3	26	14	2	55	0.65	97.2	76.6667	47.189
2025	3	26	14	12	55	0.68	96.4	76.6011	49.0516
2025	3	26	14	22	55	0.67	95.9	76.6011	48.0991
2025	3	26	14	32	55	0.67	97.3	76.5354	48.5318
2025	3	26	14	42	55	0.67	94.8	76.6011	48.3372
2025	3	26	14	52	55	0.66	97.8	76.6011	47.1466
2025	3	26	15	2	55	0.65	96.1	76.6011	46.6704
2025	3	26	15	12	55	0.66	96.9	76.5354	47.3422
2025	3	26	15	22	55	0.64	95.9	76.5354	46.3906
2025	3	26	15	32	55	0.67	95.7	76.5354	48.0559
2025	3	26	15	42	55	0.67	97	76.6011	48.3371
2025	3	26	15	52	55	0.65	97.3	76.5354	46.3905

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	26	16	2	55	0.66	96.6	76.4698	47.2997
2025	3	26	16	12	55	0.67	93.9	76.5354	48.5316
2025	3	26	16	22	55	0.7	97.3	76.4698	50.3896
2025	3	26	16	32	55	0.66	96.8	76.4698	47.5373
2025	3	26	16	42	55	0.68	96.6	76.4698	48.9634
2025	3	26	16	52	55	0.7	96.2	76.4698	50.3896
2025	3	26	17	2	55	0.67	99	76.4042	48.2071
2025	3	26	17	12	55	0.63	97.5	76.4698	45.1604
2025	3	26	17	22	55	0.7	97	76.4698	50.3896
2025	3	26	17	32	55	0.69	99.1	76.4698	49.2011
2025	3	26	17	42	55	0.66	95.4	76.4698	47.775
2025	3	26	17	52	55	0.68	94.7	76.4698	49.2011
2025	3	26	18	2	55	0.66	97.7	76.4698	47.5373
2025	3	26	18	12	55	0.65	100.4	76.4042	46.5447
2025	3	26	18	22	55	0.69	96.3	76.4042	49.3944
2025	3	26	18	32	55	0.66	98	76.4042	47.4946
2025	3	26	18	42	55	0.7	97	76.4042	50.1068
2025	3	26	18	52	55	0.7	95.7	76.4042	50.1068
2025	3	26	19	2	55	0.69	98.2	76.4042	49.157
2025	3	26	19	12	55	0.67	97.6	76.4042	48.2071
2025	3	26	19	22	55	0.67	96.5	76.4042	48.2071
2025	3	26	19	32	55	0.68	98	76.3386	48.8756
2025	3	26	19	42	55	0.68	96.1	76.3386	48.6384
2025	3	26	19	52	55	0.65	99.6	76.4042	46.5449
2025	3	26	20	2	55	0.7	98.1	76.3386	49.8247
2025	3	26	20	12	55	0.71	96.9	76.3386	50.7738
2025	3	26	20	22	55	0.68	97	76.273	48.5947
2025	3	26	20	32	55	0.67	98.2	76.273	47.8836
2025	3	26	20	42	55	0.66	99.5	76.3386	46.9777
2025	3	26	20	52	55	0.68	97.8	76.273	48.5948
2025	3	26	21	2	55	0.64	96.8	76.273	45.9873
2025	3	26	21	12	55	0.73	98.6	76.273	51.9136
2025	3	26	21	22	55	0.68	97.5	76.273	48.832
2025	3	26	21	32	55	0.66	96.8	76.273	47.6468
2025	3	26	21	42	55	0.72	99.8	76.273	50.9655
2025	3	26	21	52	55	0.7	98.9	76.273	50.0173
2025	3	26	22	2	55	0.7	96	76.273	50.0173
2025	3	26	22	12	55	0.71	94.7	76.273	51.4397
2025	3	26	22	22	55	0.7	95.1	76.273	50.0174
2025	3	26	22	32	55	0.67	96.5	76.273	48.1211
2025	3	26	22	42	55	0.68	98.1	76.273	48.3581
2025	3	26	22	52	55	0.67	98.4	76.273	48.1211
2025	3	26	23	2	55	0.66	98	76.273	47.173
2025	3	26	23	12	55	0.61	97.8	76.273	43.3802
2025	3	26	23	22	55	0.68	98.9	76.273	48.3583
2025	3	26	23	32	55	0.71	95.6	76.273	50.9659
2025	3	26	23	42	55	0.63	99.9	76.2074	44.7623
2025	3	26	23	52	55	0.7	97.8	76.2074	50.2096

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	27	0	2	55	0.69	97.1	76.2074	49.7359
2025	3	27	0	12	55	0.68	96.6	76.2074	49.0255
2025	3	27	0	22	55	0.69	96.6	76.2074	49.2623
2025	3	27	0	32	55	0.68	98.9	76.2074	48.5518
2025	3	27	0	42	55	0.66	98	76.2074	47.1308
2025	3	27	0	52	55	0.64	96.1	76.2074	46.1835
2025	3	27	1	2	55	0.64	100	76.2074	45.473
2025	3	27	1	12	55	0.67	96.2	76.2074	48.0783
2025	3	27	1	22	55	0.65	96.1	76.2074	46.6573
2025	3	27	1	32	55	0.67	96.5	76.2074	48.0783
2025	3	27	1	42	55	0.66	93.7	76.2074	47.8415
2025	3	27	1	52	55	0.66	97.4	76.2074	47.3679
2025	3	27	2	2	55	0.71	93.5	76.2074	50.9205
2025	3	27	2	12	55	0.69	97.9	76.2074	49.2626
2025	3	27	2	22	55	0.69	95.2	76.2074	49.7363
2025	3	27	2	32	55	0.68	97.7	76.2074	48.789
2025	3	27	2	42	55	0.69	95.8	76.2074	49.2627
2025	3	27	2	52	55	0.65	96.4	76.2074	46.4206
2025	3	27	3	2	55	0.69	96.8	76.2074	49.4995
2025	3	27	3	12	55	0.73	96.2	76.2074	52.3416
2025	3	27	3	22	55	0.72	99.5	76.2074	51.1574
2025	3	27	3	32	55	0.65	97.3	76.2074	46.4206
2025	3	27	3	42	55	0.67	100.2	76.2074	47.6049
2025	3	27	3	52	55	0.66	96.8	76.2074	47.368
2025	3	27	4	2	55	0.66	97.7	76.2074	47.368
2025	3	27	4	12	55	0.71	97.2	76.273	50.7294
2025	3	27	4	22	55	0.7	95.9	76.2074	50.2101
2025	3	27	4	32	55	0.72	98.6	76.273	51.4406
2025	3	27	4	42	55	0.66	96.3	76.273	47.1736
2025	3	27	4	52	55	0.69	98.5	76.273	49.3071
2025	3	27	5	2	55	0.67	95.1	76.273	48.1219
2025	3	27	5	12	55	0.67	95.7	76.273	47.8848
2025	3	27	5	22	55	0.68	96.1	76.273	49.0701
2025	3	27	5	32	55	0.7	98.6	76.273	50.0183
2025	3	27	5	42	55	0.68	94.9	76.3386	49.3515
2025	3	27	5	52	55	0.68	98	76.3386	48.877
2025	3	27	6	2	55	0.67	96.5	76.3386	47.9279
2025	3	27	6	12	55	0.68	96.6	76.3386	48.877
2025	3	27	6	22	55	0.64	98.8	76.3386	46.0298
2025	3	27	6	32	55	0.71	96.1	76.3386	51.0124
2025	3	27	6	42	55	0.7	95.6	76.3386	50.5378
2025	3	27	6	52	55	0.7	97.2	76.3386	50.5378
2025	3	27	7	2	55	0.69	97.1	76.4042	49.8708
2025	3	27	7	12	55	0.65	96.9	76.4042	47.021
2025	3	27	7	22	55	0.65	97.8	76.4042	46.7836
2025	3	27	7	32	55	0.71	95.9	76.4042	50.8207
2025	3	27	7	42	55	0.73	98.2	76.4042	52.483
2025	3	27	7	52	55	0.68	96.6	76.4042	48.9208

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	27	8	2	55	0.65	96.6	76.4042	47.0209
2025	3	27	8	12	55	0.67	96.2	76.4698	48.2516
2025	3	27	8	22	55	0.66	98.3	76.4698	47.5385
2025	3	27	8	32	55	0.65	96.4	76.4698	46.5877
2025	3	27	8	42	55	0.67	96.7	76.4698	48.2515
2025	3	27	8	52	55	0.66	98	76.4698	47.3006
2025	3	27	9	2	55	0.72	98.4	76.4698	51.5791
2025	3	27	9	12	55	0.68	96.7	76.4698	48.7267
2025	3	27	9	22	55	0.7	95.9	76.4698	50.6282
2025	3	27	9	32	55	0.67	99.4	76.4698	47.5382
2025	3	27	9	42	55	0.7	97.9	76.4698	49.9151
2025	3	27	9	52	55	0.66	96.8	76.5354	47.5808
2025	3	27	10	2	55	0.68	98.3	76.5354	49.0082
2025	3	27	10	12	55	0.68	98.4	76.5354	48.5323
2025	3	27	10	22	55	0.69	97.6	76.5354	49.7218
2025	3	27	10	32	55	0.66	96.6	76.5354	47.3428
2025	3	27	10	42	55	0.69	97.7	76.5354	49.246
2025	3	27	10	52	55	0.68	97.2	76.6011	48.8138
2025	3	27	11	2	55	0.69	96.6	76.5354	49.7216
2025	3	27	11	12	55	0.68	96.7	76.5354	48.77
2025	3	27	11	22	55	0.66	98	76.5354	47.1047
2025	3	27	11	32	55	0.68	98.3	76.5354	49.0078
2025	3	27	11	42	55	0.7	96.5	76.6011	50.4804
2025	3	27	11	52	55	0.66	98.6	76.6011	47.1468
2025	3	27	12	2	55	0.66	98	76.6011	47.6229
2025	3	27	12	12	55	0.69	98.4	76.5354	49.7213
2025	3	27	12	22	55	0.71	97.9	76.6011	51.1946
2025	3	27	12	32	55	0.67	96.8	76.5354	48.0559
2025	3	27	12	42	55	0.66	97.8	76.5354	47.1043
2025	3	27	12	52	55	0.65	97.2	76.5354	46.8664
2025	3	27	13	2	55	0.66	95.4	76.5354	47.8179
2025	3	27	13	12	55	0.68	97.7	76.5354	49.0074
2025	3	27	13	22	55	0.7	99.1	76.6011	50.48
2025	3	27	13	32	55	0.69	97.7	76.5354	49.4831
2025	3	27	13	42	55	0.68	96.6	76.6011	49.0513
2025	3	27	13	52	55	0.69	97.1	76.6011	49.7656
2025	3	27	14	2	55	0.66	96	76.5354	47.3419
2025	3	27	14	12	55	0.66	95.2	76.5354	47.3419
2025	3	27	14	22	55	0.69	97.7	76.5354	49.483
2025	3	27	14	32	55	0.68	97.7	76.5354	49.0072
2025	3	27	14	42	55	0.66	98.5	76.5354	47.5797
2025	3	27	14	52	55	0.69	97.4	76.5354	49.4829
2025	3	27	15	2	55	0.69	96.8	76.5354	49.9587
2025	3	27	15	12	55	0.67	95.3	76.5354	48.5313
2025	3	27	15	22	55	0.7	97.8	76.5354	50.1965
2025	3	27	15	32	55	0.66	97.4	76.5354	47.8175
2025	3	27	15	42	55	0.67	96.4	76.5354	48.5312
2025	3	27	15	52	55	0.66	96.3	76.5354	47.3417

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	27	16	2	55	0.68	97.4	76.5354	49.2449
2025	3	27	16	12	55	0.67	96.8	76.5354	48.0554
2025	3	27	16	22	55	0.69	96.6	76.5354	49.7207
2025	3	27	16	32	55	0.69	96.6	76.5354	49.4828
2025	3	27	16	42	55	0.73	98.3	76.4698	52.2906
2025	3	27	16	52	55	0.7	96.4	76.4698	50.6269
2025	3	27	17	2	55	0.72	97.3	76.4698	51.8153
2025	3	27	17	12	55	0.69	96.3	76.4698	49.9138
2025	3	27	17	22	55	0.68	96.4	76.4698	48.9631
2025	3	27	17	32	55	0.7	94	76.4042	50.344
2025	3	27	17	42	55	0.66	94.9	76.4698	47.537
2025	3	27	17	52	55	0.69	96.6	76.4698	49.6762
2025	3	27	18	2	55	0.73	96.7	76.4698	52.7661
2025	3	27	18	12	55	0.69	97.7	76.4698	49.4385
2025	3	27	18	22	55	0.69	96.8	76.4698	49.9139
2025	3	27	18	32	55	0.73	98.8	76.4698	52.0531
2025	3	27	18	42	55	0.66	98.3	76.4698	47.0617
2025	3	27	18	52	55	0.65	97.8	76.4698	46.824
2025	3	27	19	2	55	0.67	98.4	76.4698	48.2501
2025	3	27	19	12	55	0.67	99.2	76.4698	48.2502
2025	3	27	19	22	55	0.68	96.1	76.4698	49.2009
2025	3	27	19	32	55	0.68	96.1	76.4698	48.7256
2025	3	27	19	42	55	0.72	96	76.4698	52.0532
2025	3	27	19	52	55	0.68	94.4	76.4698	48.9633
2025	3	27	20	2	55	0.67	95.7	76.4698	48.0125
2025	3	27	20	12	55	0.69	98.2	76.4698	49.4387
2025	3	27	20	22	55	0.7	98.6	76.4698	50.3895
2025	3	27	20	32	55	0.67	97.6	76.4698	48.2503
2025	3	27	20	42	55	0.66	95.7	76.4698	47.5373
2025	3	27	20	52	55	0.71	96.3	76.4698	51.3403
2025	3	27	21	2	55	0.71	98.2	76.4698	50.865
2025	3	27	21	12	55	0.65	98.9	76.4698	46.8243
2025	3	27	21	22	55	0.68	95.2	76.4698	49.2012
2025	3	27	21	32	55	0.68	96.4	76.4698	48.9636
2025	3	27	21	42	55	0.67	94.8	76.4698	48.2506
2025	3	27	21	52	55	0.7	95.9	76.4698	50.6275
2025	3	27	22	2	55	0.68	96.3	76.5354	49.2456
2025	3	27	22	12	55	0.69	97.7	76.4698	49.4391
2025	3	27	22	22	55	0.65	97.2	76.4698	47.0623
2025	3	27	22	32	55	0.7	94.6	76.5354	50.6731
2025	3	27	22	42	55	0.68	95.8	76.4698	49.2015
2025	3	27	22	52	55	0.68	96.9	76.4698	48.9639
2025	3	27	23	2	55	0.68	97.5	76.4698	48.7263
2025	3	27	23	12	55	0.69	96.3	76.4698	49.9147
2025	3	27	23	22	55	0.67	96.5	76.4698	48.2509
2025	3	27	23	32	55	0.65	99.6	76.4698	46.3495
2025	3	27	23	42	55	0.69	98.5	76.4698	49.2018
2025	3	27	23	52	55	0.66	97.1	76.4698	47.7757

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	28	0	2	55	0.7	98.4	76.4698	49.9149
2025	3	28	0	12	55	0.67	93.1	76.4698	48.7265
2025	3	28	0	22	55	0.7	97.5	76.4698	50.628
2025	3	28	0	32	55	0.72	96	76.4698	52.0542
2025	3	28	0	42	55	0.69	97.4	76.4698	49.4397
2025	3	28	0	52	55	0.66	94	76.4698	47.7759
2025	3	28	1	2	55	0.66	95.4	76.4698	47.5382
2025	3	28	1	12	55	0.68	96.9	76.4698	48.9644
2025	3	28	1	22	55	0.67	96.7	76.4698	48.2513
2025	3	28	1	32	55	0.66	98	76.4698	47.0629
2025	3	28	1	42	55	0.69	96.9	76.4698	49.4398
2025	3	28	1	52	55	0.68	98.1	76.4698	48.7268
2025	3	28	2	2	55	0.7	98.6	76.4042	50.3454
2025	3	28	2	12	55	0.68	96.9	76.4698	49.2022
2025	3	28	2	22	55	0.7	99.5	76.4698	49.6776
2025	3	28	2	32	55	0.68	97.8	76.4698	48.7269
2025	3	28	2	42	55	0.69	100.9	76.4698	49.2023
2025	3	28	2	52	55	0.68	96.1	76.4698	49.2023
2025	3	28	3	2	55	0.69	99	76.4698	49.6777
2025	3	28	3	12	55	0.68	95.3	76.4698	48.7269
2025	3	28	3	22	55	0.63	96.6	76.4698	45.3992
2025	3	28	3	32	55	0.71	97.1	76.4698	51.3416
2025	3	28	3	42	55	0.68	93.6	76.4698	49.2023
2025	3	28	3	52	55	0.72	98.4	76.5354	51.6256
2025	3	28	4	2	55	0.67	99.6	76.5354	48.057
2025	3	28	4	12	55	0.68	99.1	76.5354	49.0086
2025	3	28	4	22	55	0.7	98.9	76.4698	50.1531
2025	3	28	4	32	55	0.67	98.5	76.5354	47.8191
2025	3	28	4	42	55	0.7	97	76.5354	50.4361
2025	3	28	4	52	55	0.65	96.1	76.5354	47.1054
2025	3	28	5	2	55	0.68	97.7	76.6011	49.0526
2025	3	28	5	12	55	0.63	98.3	76.5354	45.44
2025	3	28	5	22	55	0.69	96.6	76.5354	49.4844
2025	3	28	5	32	55	0.66	96.2	76.6011	47.862
2025	3	28	5	42	55	0.71	95.3	76.6011	51.6719
2025	3	28	5	52	55	0.69	97.4	76.5354	49.4844
2025	3	28	6	2	55	0.73	98.5	76.5354	52.3393
2025	3	28	6	12	55	0.7	96.2	76.5354	50.4361
2025	3	28	6	22	55	0.67	97.6	76.6011	48.1001
2025	3	28	6	32	55	0.68	96.1	76.6011	49.2907
2025	3	28	6	42	55	0.69	96.8	76.6011	49.7669
2025	3	28	6	52	55	0.69	96.8	76.5354	49.7223
2025	3	28	7	2	55	0.68	98.9	76.5354	48.5328
2025	3	28	7	12	55	0.69	94.9	76.4698	49.6777
2025	3	28	7	22	55	0.69	97.1	76.4698	49.44
2025	3	28	7	32	55	0.74	99.1	76.4698	53.2431
2025	3	28	7	42	55	0.67	96.8	76.4698	48.0138
2025	3	28	7	52	55	0.67	97.3	76.4698	48.0138

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	28	8	2	55	0.68	100.3	76.4698	48.4892
2025	3	28	8	12	55	0.68	97.2	76.4042	48.6831
2025	3	28	8	22	55	0.68	97.8	76.4698	48.7268
2025	3	28	8	32	55	0.7	94.9	76.4698	50.3907
2025	3	28	8	42	55	0.68	97.7	76.4042	48.9205
2025	3	28	8	52	55	0.64	99.2	76.4042	45.5958
2025	3	28	9	2	55	0.69	97.1	76.4042	49.3955
2025	3	28	9	12	55	0.69	95.8	76.4042	49.3954
2025	3	28	9	22	55	0.7	96.5	76.4042	50.3453
2025	3	28	9	32	55	0.68	98.1	76.4042	48.683
2025	3	28	9	42	55	0.67	95.6	76.4698	48.2513
2025	3	28	9	52	55	0.66	95.1	76.4042	47.4955
2025	3	28	10	2	55	0.66	94.9	76.4042	47.258
2025	3	28	10	12	55	0.69	96.8	76.4698	49.6774
2025	3	28	10	22	55	0.66	96.6	76.4042	47.4954
2025	3	28	10	32	55	0.7	96.8	76.4698	50.1527
2025	3	28	10	42	55	0.69	98	76.4698	49.2019
2025	3	28	10	52	55	0.66	97.2	76.4698	47.3003
2025	3	28	11	2	55	0.65	94	76.4698	47.3002
2025	3	28	11	12	55	0.69	98.7	76.4698	49.4394
2025	3	28	11	22	55	0.66	96.3	76.4698	47.5378
2025	3	28	11	32	55	0.72	99.5	76.4698	51.3408
2025	3	28	11	42	55	0.69	96.6	76.5354	49.7215
2025	3	28	11	52	55	0.68	99.1	76.5354	49.0078
2025	3	28	12	2	55	0.71	97.7	76.5354	50.911
2025	3	28	12	12	55	0.69	96.3	76.5354	49.4836
2025	3	28	12	22	55	0.68	98.1	76.5354	48.5319
2025	3	28	12	32	55	0.68	96.1	76.5354	49.0077
2025	3	28	12	42	55	0.7	96.2	76.5354	50.673
2025	3	28	12	52	55	0.65	94	76.5354	47.1045
2025	3	28	13	2	55	0.67	97	76.5354	48.294
2025	3	28	13	12	55	0.66	97.4	76.5354	47.3423
2025	3	28	13	22	55	0.71	95.8	76.5354	51.1487
2025	3	28	13	32	55	0.71	95.3	76.5354	51.3866
2025	3	28	13	42	55	0.7	99.4	76.5354	50.197
2025	3	28	13	52	55	0.67	99	76.5354	48.0559
2025	3	28	14	2	55	0.65	98.4	76.5354	46.8664
2025	3	28	14	12	55	0.65	98.9	76.5354	46.8663
2025	3	28	14	22	55	0.73	97.3	76.5354	52.338
2025	3	28	14	32	55	0.68	97.2	76.5354	49.2453
2025	3	28	14	42	55	0.69	97.9	76.5354	49.7211
2025	3	28	14	52	55	0.7	95.1	76.5354	50.1969
2025	3	28	15	2	55	0.68	96.1	76.5354	48.7695
2025	3	28	15	12	55	0.69	96.8	76.5354	49.959
2025	3	28	15	22	55	0.67	93.9	76.5354	48.5316
2025	3	28	15	32	55	0.65	95.5	76.5354	47.1042
2025	3	28	15	42	55	0.67	95.4	76.5354	48.0558
2025	3	28	15	52	55	0.67	96.5	76.5354	48.2937

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	28	16	2	55	0.67	97	76.5354	48.2937
2025	3	28	16	12	55	0.66	97.4	76.5354	47.3421
2025	3	28	16	22	55	0.66	96.8	76.5354	47.58
2025	3	28	16	32	55	0.69	100.1	76.5354	49.2453
2025	3	28	16	42	55	0.66	96	76.4698	47.2996
2025	3	28	16	52	55	0.7	97.6	76.5354	50.1969
2025	3	28	17	2	55	0.67	97.3	76.4698	48.0127
2025	3	28	17	12	55	0.66	96.8	76.4698	47.5373
2025	3	28	17	22	55	0.64	98	76.4698	45.8735
2025	3	28	17	32	55	0.66	97.7	76.5354	47.58
2025	3	28	17	42	55	0.67	96.5	76.5354	48.2937
2025	3	28	17	52	55	0.69	97.7	76.5354	49.2453
2025	3	28	18	2	55	0.68	96.4	76.4698	48.7258
2025	3	28	18	12	55	0.68	98.9	76.4698	48.7258
2025	3	28	18	22	55	0.69	96	76.5354	49.4832
2025	3	28	18	32	55	0.65	94.1	76.4698	46.8243
2025	3	28	18	42	55	0.65	94.6	76.4698	47.2997
2025	3	28	18	52	55	0.66	95.1	76.4698	47.7751
2025	3	28	19	2	55	0.68	96.3	76.4698	49.2012
2025	3	28	19	12	55	0.65	95.2	76.4698	47.062
2025	3	28	19	22	55	0.67	97.1	76.4698	48.0128
2025	3	28	19	32	55	0.64	94.4	76.4698	46.349
2025	3	28	19	42	55	0.68	97.5	76.4698	48.9636
2025	3	28	19	52	55	0.67	98.7	76.4698	48.0129
2025	3	28	20	2	55	0.67	97.3	76.4698	48.0129
2025	3	28	20	12	55	0.71	97.1	76.4698	51.3405
2025	3	28	20	22	55	0.73	95.9	76.4698	52.7667
2025	3	28	20	32	55	0.68	97.7	76.4698	48.9637
2025	3	28	20	42	55	0.69	97.7	76.4698	49.2014
2025	3	28	20	52	55	0.7	95.1	76.4698	50.1522
2025	3	28	21	2	55	0.67	96.5	76.4042	48.2074
2025	3	28	21	12	55	0.66	95.4	76.4698	47.7754
2025	3	28	21	22	55	0.66	96	76.4698	47.7754
2025	3	28	21	32	55	0.65	96.1	76.4042	46.7827
2025	3	28	21	42	55	0.67	96.4	76.4042	48.4451
2025	3	28	21	52	55	0.64	97.1	76.4042	46.0703
2025	3	28	22	2	55	0.66	96.8	76.4042	47.4952
2025	3	28	22	12	55	0.67	97.9	76.4042	47.9702
2025	3	28	22	22	55	0.65	99	76.4042	46.3079
2025	3	28	22	32	55	0.66	95.7	76.4042	47.7328
2025	3	28	22	42	55	0.64	96.7	76.4042	46.308
2025	3	28	22	52	55	0.68	97.5	76.4042	48.4454
2025	3	28	23	2	55	0.64	98	76.4042	45.8332
2025	3	28	23	12	55	0.7	93.5	76.4042	50.5827
2025	3	28	23	22	55	0.7	95.7	76.4042	50.3453
2025	3	28	23	32	55	0.67	94.5	76.4042	48.2081
2025	3	28	23	42	55	0.65	97.5	76.4042	46.7832
2025	3	28	23	52	55	0.65	98.9	76.4042	46.7833

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	29	0	2	55	0.67	98.1	76.4042	48.2082
2025	3	29	0	12	55	0.71	95.3	76.4042	51.2954
2025	3	29	0	22	55	0.69	97.4	76.3386	49.3513
2025	3	29	0	32	55	0.7	95.4	76.3386	50.0631
2025	3	29	0	42	55	0.66	97.2	76.4042	47.2584
2025	3	29	0	52	55	0.67	96.2	76.3386	47.9278
2025	3	29	1	2	55	0.7	95.4	76.3386	50.0632
2025	3	29	1	12	55	0.69	96.8	76.3386	49.5887
2025	3	29	1	22	55	0.63	93	76.4042	45.3587
2025	3	29	1	32	55	0.71	97.4	76.3386	51.0124
2025	3	29	1	42	55	0.7	98.4	76.3386	49.8261
2025	3	29	1	52	55	0.68	96.4	76.3386	48.877
2025	3	29	2	2	55	0.7	97.2	76.3386	50.5379
2025	3	29	2	12	55	0.69	96.5	76.3386	49.8262
2025	3	29	2	22	55	0.72	96.8	76.3386	51.7243
2025	3	29	2	32	55	0.72	97.6	76.4042	51.7709
2025	3	29	2	42	55	0.68	97.5	76.3386	48.8772
2025	3	29	2	52	55	0.69	97.1	76.3386	49.3517
2025	3	29	3	2	55	0.69	95.2	76.3386	49.3518
2025	3	29	3	12	55	0.68	97.5	76.4042	48.6837
2025	3	29	3	22	55	0.68	97.4	76.3386	49.1145
2025	3	29	3	32	55	0.71	97.9	76.4042	51.0586
2025	3	29	3	42	55	0.69	96.5	76.4698	49.916
2025	3	29	3	52	55	0.66	100.3	76.4698	47.3013
2025	3	29	4	2	55	0.71	95.9	76.4698	50.8668
2025	3	29	4	12	55	0.66	99.1	76.4698	47.5391
2025	3	29	4	22	55	0.66	98.5	76.4698	47.5391
2025	3	29	4	32	55	0.68	97.8	76.5354	48.7713
2025	3	29	4	42	55	0.73	97	76.5354	52.3399
2025	3	29	4	52	55	0.69	95.2	76.4698	49.6784
2025	3	29	5	2	55	0.73	97	76.5354	52.34
2025	3	29	5	12	55	0.71	94	76.4698	51.1046
2025	3	29	5	22	55	0.72	98.4	76.4698	51.3423
2025	3	29	5	32	55	0.72	96.3	76.4698	51.8177
2025	3	29	5	42	55	0.7	97.2	76.4698	50.6292
2025	3	29	5	52	55	0.72	94.5	76.4698	51.8177
2025	3	29	6	2	55	0.69	97.3	76.5354	49.9609
2025	3	29	6	12	55	0.67	95.7	76.5354	48.0577
2025	3	29	6	22	55	0.67	96.2	76.5354	48.5335
2025	3	29	6	32	55	0.67	95.6	76.5354	48.5335
2025	3	29	6	42	55	0.71	95.9	76.5354	50.9126
2025	3	29	6	52	55	0.68	96.6	76.5354	49.0093
2025	3	29	7	2	55	0.68	94.7	76.5354	49.2472
2025	3	29	7	12	55	0.68	99.5	76.5354	48.5334
2025	3	29	7	22	55	0.64	95	76.5354	46.1543
2025	3	29	7	32	55	0.64	95.6	76.4698	45.8752
2025	3	29	7	42	55	0.65	96.9	76.4698	47.0637
2025	3	29	7	52	55	0.66	98.6	76.4042	47.2589

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	29	8	2	55	0.69	98.2	76.4042	49.1587
2025	3	29	8	12	55	0.68	95.8	76.3386	48.8773
2025	3	29	8	22	55	0.66	96	76.3386	47.4537
2025	3	29	8	32	55	0.69	95.4	76.3386	49.8263
2025	3	29	8	42	55	0.66	98.5	76.3386	47.4536
2025	3	29	8	52	55	0.66	97.7	76.3386	47.4536
2025	3	29	9	2	55	0.66	96	76.273	47.6479
2025	3	29	9	12	55	0.67	93.4	76.273	48.3591
2025	3	29	9	22	55	0.67	95.1	76.273	47.8849
2025	3	29	9	32	55	0.68	96.9	76.273	48.8331
2025	3	29	9	42	55	0.71	96.3	76.273	51.2036
2025	3	29	9	52	55	0.65	95.5	76.2074	46.8943
2025	3	29	10	2	55	0.67	94.8	76.2074	47.8417
2025	3	29	10	12	55	0.65	97.8	76.273	46.6994
2025	3	29	10	22	55	0.67	97	76.2074	48.3153
2025	3	29	10	32	55	0.62	96.6	76.273	44.8029
2025	3	29	10	42	55	0.66	94.3	76.2074	47.6047
2025	3	29	10	52	55	0.65	96.1	76.2074	46.8941
2025	3	29	11	2	55	0.7	95.7	76.273	50.255
2025	3	29	11	12	55	0.65	98.5	76.273	46.2251
2025	3	29	11	22	55	0.68	97.8	76.273	48.5956
2025	3	29	11	32	55	0.64	97.4	76.273	45.7509
2025	3	29	11	42	55	0.65	96.6	76.273	46.9361
2025	3	29	11	52	55	0.67	96.8	76.273	47.8843
2025	3	29	12	2	55	0.6	96.2	76.273	43.3803
2025	3	29	12	12	55	0.64	96.7	76.273	46.2249
2025	3	29	12	22	55	0.69	96.3	76.273	49.5436
2025	3	29	12	32	55	0.67	95.1	76.273	47.8842
2025	3	29	12	42	55	0.65	95	76.273	46.4619
2025	3	29	12	52	55	0.68	97.5	76.273	48.8323
2025	3	29	13	2	55	0.71	95.6	76.273	50.7287
2025	3	29	13	12	55	0.71	95.1	76.273	50.9657
2025	3	29	13	22	55	0.7	97.5	76.3386	50.2998
2025	3	29	13	32	55	0.7	96.7	76.3386	50.537
2025	3	29	13	42	55	0.68	97.5	76.3386	48.8761
2025	3	29	13	52	55	0.68	96.7	76.3386	48.6388
2025	3	29	14	2	55	0.67	97.9	76.3386	47.6898
2025	3	29	14	12	55	0.66	98.3	76.3386	47.2152
2025	3	29	14	22	55	0.64	96.5	76.3386	45.7916
2025	3	29	14	32	55	0.64	95.6	76.3386	45.7916
2025	3	29	14	42	55	0.66	98.8	76.3386	47.4524
2025	3	29	14	52	55	0.69	97.1	76.3386	49.5878
2025	3	29	15	2	55	0.68	95	76.3386	48.6387
2025	3	29	15	12	55	0.68	97.8	76.273	48.358
2025	3	29	15	22	55	0.64	95.3	76.3386	46.0289
2025	3	29	15	32	55	0.67	96.5	76.3386	47.927
2025	3	29	15	42	55	0.67	95.3	76.273	48.1209
2025	3	29	15	52	55	0.64	93.2	76.3386	46.0289

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	29	16	2	55	0.66	96.2	76.273	47.6468
2025	3	29	16	12	55	0.66	97.4	76.3386	47.2152
2025	3	29	16	22	55	0.65	97.2	76.273	46.9357
2025	3	29	16	32	55	0.69	96.9	76.3386	49.3505
2025	3	29	16	42	55	0.67	93.9	76.3386	48.6387
2025	3	29	16	52	55	0.65	96.7	76.273	46.6986
2025	3	29	17	2	55	0.65	95.5	76.273	46.4616
2025	3	29	17	12	55	0.68	96.7	76.3386	48.6387
2025	3	29	17	22	55	0.66	96	76.3386	47.2152
2025	3	29	17	32	55	0.7	94	76.3386	50.5368
2025	3	29	17	42	55	0.67	97.7	76.3386	47.6897
2025	3	29	17	52	55	0.69	96.8	76.3386	49.8251
2025	3	29	18	2	55	0.68	97.5	76.3386	48.6388
2025	3	29	18	12	55	0.61	94.6	76.3386	44.1308
2025	3	29	18	22	55	0.63	96.8	76.3386	45.5544
2025	3	29	18	32	55	0.64	93.2	76.3386	46.5034
2025	3	29	18	42	55	0.66	98	76.3386	46.978
2025	3	29	18	52	55	0.63	98.4	76.3386	44.8426
2025	3	29	19	2	55	0.7	97.6	76.3386	49.8251
2025	3	29	19	12	55	0.66	96	76.3386	47.6898
2025	3	29	19	22	55	0.66	95.1	76.3386	47.6898
2025	3	29	19	32	55	0.62	98.2	76.3386	44.6054
2025	3	29	19	42	55	0.65	95.5	76.3386	46.7408
2025	3	29	19	52	55	0.68	95.5	76.3386	48.8762
2025	3	29	20	2	55	0.65	96.3	76.3386	46.9781
2025	3	29	20	12	55	0.66	92.6	76.3386	47.6899
2025	3	29	20	22	55	0.69	94.1	76.3386	50.0626
2025	3	29	20	32	55	0.69	96	76.273	49.3064
2025	3	29	20	42	55	0.72	97.6	76.273	51.677
2025	3	29	20	52	55	0.71	97.4	76.273	51.2029
2025	3	29	21	2	55	0.73	96.7	76.273	52.1511
2025	3	29	21	12	55	0.68	99.7	76.273	48.3584
2025	3	29	21	22	55	0.69	95.5	76.273	49.3066
2025	3	29	21	32	55	0.66	96.9	76.273	47.1732
2025	3	29	21	42	55	0.7	96.7	76.273	50.492
2025	3	29	21	52	55	0.69	100.1	76.273	49.0697
2025	3	29	22	2	55	0.66	95.5	76.273	47.1733
2025	3	29	22	12	55	0.69	96.3	76.273	49.7809
2025	3	29	22	22	55	0.69	98	76.273	49.0698
2025	3	29	22	32	55	0.67	96.8	76.2074	47.8415
2025	3	29	22	42	55	0.67	96.8	76.2074	47.8415
2025	3	29	22	52	55	0.71	95.3	76.2074	50.6836
2025	3	29	23	2	55	0.67	93.7	76.2074	48.0784
2025	3	29	23	12	55	0.68	97.5	76.2074	48.789
2025	3	29	23	22	55	0.71	97.1	76.2074	51.1574
2025	3	29	23	32	55	0.68	97.2	76.2074	48.5522
2025	3	29	23	42	55	0.68	97.5	76.2074	48.7891
2025	3	29	23	52	55	0.69	96	76.2074	49.7365

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	30	0	2	55	0.67	97.7	76.2074	47.605
2025	3	30	0	12	55	0.71	98.7	76.2074	50.9208
2025	3	30	0	22	55	0.71	96.9	76.2074	50.684
2025	3	30	0	32	55	0.72	97.1	76.2074	51.3945
2025	3	30	0	42	55	0.67	97.3	76.1417	48.0355
2025	3	30	0	52	55	0.65	97.8	76.2074	46.6578
2025	3	30	1	2	55	0.68	99.7	76.1417	48.2722
2025	3	30	1	12	55	0.71	100.1	76.2074	50.4473
2025	3	30	1	22	55	0.72	97.1	76.1417	51.585
2025	3	30	1	32	55	0.68	96.1	76.1417	48.9821
2025	3	30	1	42	55	0.7	98.4	76.1417	49.9287
2025	3	30	1	52	55	0.72	97.5	76.2074	51.8684
2025	3	30	2	2	55	0.68	96.1	76.1417	48.5089
2025	3	30	2	12	55	0.66	99.5	76.1417	46.6159
2025	3	30	2	22	55	0.7	94.8	76.1417	50.402
2025	3	30	2	32	55	0.68	95.8	76.1417	48.7456
2025	3	30	2	42	55	0.67	96.2	76.1417	48.2724
2025	3	30	2	52	55	0.68	96.1	76.1417	48.7456
2025	3	30	3	2	55	0.68	96.9	76.1417	48.9823
2025	3	30	3	12	55	0.66	98.3	76.1417	46.8526
2025	3	30	3	22	55	0.73	97	76.1417	52.2951
2025	3	30	3	32	55	0.69	96.3	76.1417	49.6922
2025	3	30	3	42	55	0.69	94.1	76.1417	49.4555
2025	3	30	3	52	55	0.67	98.7	76.1417	48.0358
2025	3	30	4	2	55	0.68	97.4	76.1417	48.9823
2025	3	30	4	12	55	0.72	99.7	76.1417	51.112
2025	3	30	4	22	55	0.69	98.8	76.1417	48.9823
2025	3	30	4	32	55	0.64	95.6	76.1417	45.6695
2025	3	30	4	42	55	0.67	97.9	76.1417	48.0358
2025	3	30	4	52	55	0.7	95.9	76.1417	50.1655
2025	3	30	5	2	55	0.68	99.2	76.1417	48.2724
2025	3	30	5	12	55	0.69	96.6	76.1417	49.219
2025	3	30	5	22	55	0.67	97.1	76.1417	47.7992
2025	3	30	5	32	55	0.7	97.2	76.1417	50.4021
2025	3	30	5	42	55	0.67	96.2	76.1417	47.7992
2025	3	30	5	52	55	0.68	97.4	76.1417	48.9823
2025	3	30	6	2	55	0.68	94.1	76.1417	48.9823
2025	3	30	6	12	55	0.67	97.6	76.1417	48.0358
2025	3	30	6	22	55	0.67	99.2	76.1417	48.0358
2025	3	30	6	32	55	0.69	97.7	76.2074	49.0265
2025	3	30	6	42	55	0.71	98.5	76.2074	50.4475
2025	3	30	6	52	55	0.71	97.9	76.2074	50.9212
2025	3	30	7	2	55	0.69	94.9	76.2074	49.5002
2025	3	30	7	12	55	0.69	98.5	76.2074	49.2633
2025	3	30	7	22	55	0.7	98.6	76.2074	49.9738
2025	3	30	7	32	55	0.67	96.7	76.2074	48.079
2025	3	30	7	42	55	0.67	95.3	76.2074	48.079
2025	3	30	7	52	55	0.72	99.4	76.2074	51.6316

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	30	8	2	55	0.66	101.8	76.2074	46.421
2025	3	30	8	12	55	0.72	100.8	76.2074	50.921
2025	3	30	8	22	55	0.67	97.7	76.2074	47.6052
2025	3	30	8	32	55	0.68	97.5	76.2074	48.5525
2025	3	30	8	42	55	0.67	94.7	76.2074	48.5525
2025	3	30	8	52	55	0.67	95.9	76.2074	48.0787
2025	3	30	9	2	55	0.72	98.6	76.2074	51.3945
2025	3	30	9	12	55	0.7	98.1	76.2074	49.7365
2025	3	30	9	22	55	0.7	96.5	76.2074	49.9733
2025	3	30	9	32	55	0.71	98.5	76.2074	50.447
2025	3	30	9	42	55	0.67	97.7	76.2074	47.6049
2025	3	30	9	52	55	0.67	98.7	76.273	47.8847
2025	3	30	10	2	55	0.67	97.9	76.2074	47.6048
2025	3	30	10	12	55	0.65	96.1	76.273	46.9365
2025	3	30	10	22	55	0.65	95.5	76.273	46.6993
2025	3	30	10	32	55	0.7	97.2	76.273	50.4921
2025	3	30	10	42	55	0.68	97.5	76.273	48.8327
2025	3	30	10	52	55	0.73	97.3	76.273	52.1514
2025	3	30	11	2	55	0.69	97.4	76.273	49.5438
2025	3	30	11	12	55	0.73	94.9	76.273	52.6254
2025	3	30	11	22	55	0.71	98	76.273	50.4919
2025	3	30	11	32	55	0.67	98.5	76.273	47.6472
2025	3	30	11	42	55	0.68	99.1	76.273	48.5954
2025	3	30	11	52	55	0.68	96.9	76.273	48.8324
2025	3	30	12	2	55	0.71	101.2	76.273	50.2547
2025	3	30	12	12	55	0.66	98.3	76.3386	47.2154
2025	3	30	12	22	55	0.72	98.4	76.3386	51.7234
2025	3	30	12	32	55	0.7	98.4	76.3386	49.8253
2025	3	30	12	42	55	0.69	99.3	76.273	49.0693
2025	3	30	12	52	55	0.74	97.9	76.3386	53.1469
2025	3	30	13	2	55	0.69	98.7	76.3386	49.5879
2025	3	30	13	12	55	0.7	97	76.3386	50.2997
2025	3	30	13	22	55	0.72	97.6	76.273	51.4397
2025	3	30	13	32	55	0.7	97.6	76.273	50.0174
2025	3	30	13	42	55	0.68	99.8	76.273	48.121
2025	3	30	13	52	55	0.74	96.7	76.273	52.862
2025	3	30	14	2	55	0.69	95.7	76.3386	49.8251
2025	3	30	14	12	55	0.69	96.6	76.273	49.5432
2025	3	30	14	22	55	0.72	94.5	76.273	51.6766
2025	3	30	14	32	55	0.7	96	76.273	50.0172
2025	3	30	14	42	55	0.72	96.8	76.3386	51.4858
2025	3	30	14	52	55	0.69	93.8	76.273	49.7801
2025	3	30	15	2	55	0.66	96.8	76.3386	47.6896
2025	3	30	15	12	55	0.71	99.8	76.273	50.7283
2025	3	30	15	22	55	0.72	97.4	76.273	51.4394
2025	3	30	15	32	55	0.74	97.9	76.273	53.0987
2025	3	30	15	42	55	0.68	98.3	76.2074	48.7879
2025	3	30	15	52	55	0.68	96.4	76.273	48.8319

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	30	16	2	55	0.7	96.8	76.273	50.0171
2025	3	30	16	12	55	0.71	96.4	76.2074	50.6826
2025	3	30	16	22	55	0.7	96.2	76.2074	50.4458
2025	3	30	16	32	55	0.72	96.3	76.2074	51.3931
2025	3	30	16	42	55	0.67	97.3	76.1417	48.2707
2025	3	30	16	52	55	0.69	96.6	76.2074	49.4984
2025	3	30	17	2	55	0.72	98.1	76.2074	51.3931
2025	3	30	17	12	55	0.67	97.3	76.2074	47.8406
2025	3	30	17	22	55	0.7	94.8	76.2074	50.6826
2025	3	30	17	32	55	0.7	99.4	76.2074	49.9721
2025	3	30	17	42	55	0.72	99.1	76.2074	51.6299
2025	3	30	17	52	55	0.72	97.6	76.2074	51.3931
2025	3	30	18	2	55	0.69	96.3	76.1417	49.4539
2025	3	30	18	12	55	0.69	96.3	76.1417	49.4539
2025	3	30	18	22	55	0.68	97.2	76.1417	48.744
2025	3	30	18	32	55	0.67	97.7	76.1417	47.5609
2025	3	30	18	42	55	0.68	97.8	76.1417	48.5074
2025	3	30	18	52	55	0.68	94.7	76.1417	48.7441
2025	3	30	19	2	55	0.64	95.9	76.1417	46.1413
2025	3	30	19	12	55	0.72	97.1	76.1417	51.5836
2025	3	30	19	22	55	0.7	97.3	76.1417	49.9273
2025	3	30	19	32	55	0.66	96	76.0761	47.0453
2025	3	30	19	42	55	0.63	95.1	76.0761	45.1541
2025	3	30	19	52	55	0.67	97	76.0761	47.991
2025	3	30	20	2	55	0.7	96.2	76.0105	50.0735
2025	3	30	20	12	55	0.66	97.1	76.0105	47.2392
2025	3	30	20	22	55	0.7	100	76.0105	49.365
2025	3	30	20	32	55	0.69	95.7	76.0105	49.3651
2025	3	30	20	42	55	0.7	97	76.0105	50.0737
2025	3	30	20	52	55	0.69	99	76.0105	49.3651
2025	3	30	21	2	55	0.66	97.4	75.9449	47.1967
2025	3	30	21	12	55	0.69	97.6	76.0105	49.3652
2025	3	30	21	22	55	0.71	96.1	76.0105	51.0186
2025	3	30	21	32	55	0.69	95.7	76.0105	49.3653
2025	3	30	21	42	55	0.7	97.5	76.0105	50.3101
2025	3	30	21	52	55	0.69	97.7	76.0105	48.893
2025	3	30	22	2	55	0.71	96.4	76.0105	50.7826
2025	3	30	22	12	55	0.7	97.8	76.0105	50.074
2025	3	30	22	22	55	0.71	97.2	76.0105	50.5464
2025	3	30	22	32	55	0.69	96.3	76.0105	49.3655
2025	3	30	22	42	55	0.72	95.8	76.0105	51.2551
2025	3	30	22	52	55	0.69	99.9	76.0105	48.8932
2025	3	30	23	2	55	0.67	96.8	76.0105	47.7122
2025	3	30	23	12	55	0.68	94.4	76.0105	48.8933
2025	3	30	23	22	55	0.66	96.5	76.0105	47.4761
2025	3	30	23	32	55	0.67	96.7	76.0105	47.9485
2025	3	30	23	42	55	0.7	96	76.0105	49.8382
2025	3	30	23	52	55	0.66	96.8	76.0105	47.24

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	31	0	2	55	0.7	98.1	76.0105	49.8382
2025	3	31	0	12	55	0.67	96.2	76.0105	47.7125
2025	3	31	0	22	55	0.68	97.5	76.0105	48.1849
2025	3	31	0	32	55	0.68	98.9	76.0105	48.1849
2025	3	31	0	42	55	0.64	100	76.0105	45.5867
2025	3	31	0	52	55	0.68	99.2	76.0105	48.185
2025	3	31	1	2	55	0.68	97.8	76.0105	48.185
2025	3	31	1	12	55	0.71	97.5	75.9449	50.5014
2025	3	31	1	22	55	0.68	101.1	75.9449	48.1415
2025	3	31	1	32	55	0.71	98.2	76.0105	50.5471
2025	3	31	1	42	55	0.72	97.9	75.9449	51.2094
2025	3	31	1	52	55	0.68	96.9	75.9449	48.8496
2025	3	31	2	2	55	0.73	99.3	75.9449	51.6814
2025	3	31	2	12	55	0.69	96	75.9449	49.3216
2025	3	31	2	22	55	0.69	98.2	75.9449	49.3216
2025	3	31	2	32	55	0.7	98.6	75.9449	49.7936
2025	3	31	2	42	55	0.68	98.1	75.9449	48.3777
2025	3	31	2	52	55	0.69	98.2	75.9449	49.3216
2025	3	31	3	2	55	0.69	97.3	75.9449	49.5576
2025	3	31	3	12	55	0.68	98.3	75.9449	48.3777
2025	3	31	3	22	55	0.73	99.6	75.9449	51.4456
2025	3	31	3	32	55	0.71	98.8	75.8793	50.456
2025	3	31	3	42	55	0.71	98.2	75.9449	50.5016
2025	3	31	3	52	55	0.71	98.2	75.8793	50.6917
2025	3	31	4	2	55	0.68	97.5	75.8793	48.0982
2025	3	31	4	12	55	0.67	99	75.8793	47.8624
2025	3	31	4	22	55	0.72	97.6	75.8793	51.3991
2025	3	31	4	32	55	0.7	97	75.9449	50.2656
2025	3	31	4	42	55	0.68	99.5	75.9449	47.9057
2025	3	31	4	52	55	0.68	98.4	75.9449	48.1417
2025	3	31	5	2	55	0.69	95.2	75.8793	49.0413
2025	3	31	5	12	55	0.71	97.9	75.9449	50.7376
2025	3	31	5	22	55	0.71	98.5	75.9449	50.2656
2025	3	31	5	32	55	0.69	99.2	75.8793	49.2771
2025	3	31	5	42	55	0.66	100	75.8793	46.9193
2025	3	31	5	52	55	0.71	96.6	75.8793	50.6917
2025	3	31	6	2	55	0.7	95.7	75.8793	49.7486
2025	3	31	6	12	55	0.69	96.6	75.8793	49.0413
2025	3	31	6	22	55	0.7	98.1	75.8793	49.9844
2025	3	31	6	32	55	0.66	97.4	75.8793	47.1551
2025	3	31	6	42	55	0.68	99.4	75.8793	48.3339
2025	3	31	6	52	55	0.7	97	75.8793	50.2201
2025	3	31	7	2	55	0.67	96.2	75.8793	48.0981
2025	3	31	7	12	55	0.71	98.5	75.8793	50.2201
2025	3	31	7	22	55	0.66	97.7	75.8793	47.155
2025	3	31	7	32	55	0.69	97.7	75.8793	48.8054
2025	3	31	7	42	55	0.67	100.2	75.8137	47.3478
2025	3	31	7	52	55	0.68	98.6	75.8137	48.5256

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	31	8	2	55	0.68	97.2	75.8137	48.5255
2025	3	31	8	12	55	0.68	97.5	75.8137	48.0543
2025	3	31	8	22	55	0.7	98.1	75.8793	49.7482
2025	3	31	8	32	55	0.7	97.3	75.8793	49.7482
2025	3	31	8	42	55	0.68	95	75.748	48.4814
2025	3	31	8	52	55	0.7	99.2	75.8137	49.4675
2025	3	31	9	2	55	0.69	97.4	75.748	49.1873
2025	3	31	9	12	55	0.68	97.5	75.748	48.246
2025	3	31	9	22	55	0.7	95.6	75.748	50.1287
2025	3	31	9	32	55	0.67	97.3	75.748	47.7753
2025	3	31	9	42	55	0.68	99.7	75.748	48.0107
2025	3	31	9	52	55	0.73	97	75.6824	51.9644
2025	3	31	10	2	55	0.69	99.6	75.6824	48.4374
2025	3	31	10	12	55	0.64	98.5	75.748	45.4218
2025	3	31	10	22	55	0.72	98.2	75.6824	50.7887
2025	3	31	10	32	55	0.72	100.3	75.6824	50.5536
2025	3	31	10	42	55	0.67	97.9	75.6168	47.2188
2025	3	31	10	52	55	0.69	99.3	75.6168	48.8632
2025	3	31	11	2	55	0.68	96.9	75.6168	48.3933
2025	3	31	11	12	55	0.7	97.6	75.6168	49.333
2025	3	31	11	22	55	0.68	99.2	75.6168	47.9235
2025	3	31	11	32	55	0.69	99.3	75.6168	48.8631
2025	3	31	11	42	55	0.7	95.1	75.6168	50.0377
2025	3	31	11	52	55	0.71	95.1	75.6824	50.5534
2025	3	31	12	2	55	0.73	96.2	75.6824	51.9641
2025	3	31	12	12	55	0.69	98.2	75.6824	48.9074
2025	3	31	12	22	55	0.69	99.8	75.6824	48.9074
2025	3	31	12	32	55	0.65	98.9	75.6168	46.2789
2025	3	31	12	42	55	0.68	98.9	75.6168	48.1582
2025	3	31	12	52	55	0.7	97.6	75.6168	49.5677
2025	3	31	13	2	55	0.68	97.2	75.6824	48.202
2025	3	31	13	12	55	0.72	98.1	75.6824	51.0235
2025	3	31	13	22	55	0.65	100.1	75.6168	46.044
2025	3	31	13	32	55	0.72	99.7	75.6824	51.0235
2025	3	31	13	42	55	0.69	96	75.6824	48.9074
2025	3	31	13	52	55	0.72	98.6	75.6824	51.0235
2025	3	31	14	2	55	0.73	96.2	75.6824	51.7289
2025	3	31	14	12	55	0.66	97.7	75.6824	46.7912
2025	3	31	14	22	55	0.69	95.2	75.6168	48.863
2025	3	31	14	32	55	0.71	98.3	75.6168	50.0376
2025	3	31	14	42	55	0.69	95.2	75.6168	48.863
2025	3	31	14	52	55	0.69	98.2	75.6824	48.9073
2025	3	31	15	2	55	0.68	97.5	75.748	48.0103
2025	3	31	15	12	55	0.68	94.4	75.6824	48.6722
2025	3	31	15	22	55	0.68	93.9	75.748	48.7163
2025	3	31	15	32	55	0.68	101.1	75.748	47.7749
2025	3	31	15	42	55	0.68	97.8	75.6824	47.9668
2025	3	31	15	52	55	0.71	99.8	75.6824	50.3181

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	3	31	16	2	55	0.68	100.8	75.6824	48.2019
2025	3	31	16	12	55	0.69	98.8	75.6168	48.628
2025	3	31	16	22	55	0.68	96.7	75.6824	48.2019
2025	3	31	16	32	55	0.67	97	75.6824	47.7317
2025	3	31	16	42	55	0.68	96.4	75.748	48.2457
2025	3	31	16	52	55	0.66	98.6	75.6824	46.7911
2025	3	31	17	2	55	0.69	98	75.748	48.7163
2025	3	31	17	12	55	0.67	97.9	75.748	47.775
2025	3	31	17	22	55	0.68	94.4	75.748	48.9517
2025	3	31	17	32	55	0.67	99	75.6824	47.7317
2025	3	31	17	42	55	0.71	98.8	75.6824	50.3182
2025	3	31	17	52	55	0.68	96.7	75.6824	48.202
2025	3	31	18	2	55	0.68	93.9	75.6824	48.6723
2025	3	31	18	12	55	0.67	97.9	75.748	47.5397
2025	3	31	18	22	55	0.68	98.6	75.748	48.2458
2025	3	31	18	32	55	0.66	98.3	75.748	47.0691
2025	3	31	18	42	55	0.68	97.8	75.748	48.2458
2025	3	31	18	52	55	0.67	97	75.748	48.0105
2025	3	31	19	2	55	0.67	96.2	75.748	47.7752
2025	3	31	19	12	55	0.69	96.6	75.748	48.9519
2025	3	31	19	22	55	0.69	96	75.748	49.1873
2025	3	31	19	32	55	0.65	96.6	75.6824	46.5563
2025	3	31	19	42	55	0.7	98.1	75.6824	49.613
2025	3	31	19	52	55	0.65	100.5	75.748	45.8925
2025	3	31	20	2	55	0.66	96.6	75.748	47.0693
2025	3	31	20	12	55	0.73	99.3	75.8137	51.8232
2025	3	31	20	22	55	0.71	97.5	75.8137	50.4098
2025	3	31	20	32	55	0.7	97.5	75.8137	49.9388
2025	3	31	20	42	55	0.66	97.1	75.8793	47.3905
2025	3	31	20	52	55	0.68	97.2	75.8137	48.5254
2025	3	31	21	2	55	0.67	98.1	75.8137	47.8188
2025	3	31	21	12	55	0.7	97.8	75.8793	49.7483
2025	3	31	21	22	55	0.7	95.1	75.8793	50.2199
2025	3	31	21	32	55	0.68	99.7	75.8793	48.0979
2025	3	31	21	42	55	0.71	97.7	75.8793	50.6915
2025	3	31	21	52	55	0.69	96	75.8793	49.5126
2025	3	31	22	2	55	0.69	96	75.8793	49.5127
2025	3	31	22	12	55	0.69	97.4	75.8793	49.0412
2025	3	31	22	22	55	0.69	98.2	75.8793	49.2769
2025	3	31	22	32	55	0.69	99.3	75.8793	49.0412
2025	3	31	22	42	55	0.68	95.8	75.8793	48.3339
2025	3	31	22	52	55	0.68	95.3	75.8793	48.3339
2025	3	31	23	2	55	0.69	97.4	75.8137	49.2325
2025	3	31	23	12	55	0.69	95.8	75.8137	48.997
2025	3	31	23	22	55	0.73	96.2	75.8137	52.0593
2025	3	31	23	32	55	0.72	95.2	75.8137	51.8238
2025	3	31	23	42	55	0.71	95.8	75.8137	50.646
2025	3	31	23	52	55	0.71	99.2	75.8137	50.646

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
									49.69854341 AILY CFS AVERAGE
									3055.888887 ACRE FEET

Alabama Gates Release

Station 0087

Date	Flow (cfs)
3/1/2025	0.00
3/2/2025	0.00
3/3/2025	0.00
3/4/2025	0.00
3/5/2025	0.00
3/6/2025	0.00
3/7/2025	0.00
3/8/2025	0.00
3/9/2025	0.00
3/10/2025	0.00
3/11/2025	0.00
3/12/2025	0.00
3/13/2025	0.00
3/14/2025	0.00
3/15/2025	0.00
3/16/2025	0.00
3/17/2025	0.00
3/18/2025	0.00
3/19/2025	0.00
3/20/2025	0.00
3/21/2025	0.00
3/22/2025	0.00
3/23/2025	0.00
3/24/2025	0.00
3/25/2025	0.00
3/26/2025	0.00
3/27/2025	0.00
3/28/2025	0.00
3/29/2025	0.00
3/30/2025	0.00
3/31/2025	0.00

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
3/1/2025	9	0	43
3/2/2025	10	0	39
3/3/2025	10	0	40
3/4/2025	10	0	39
3/5/2025	10	0	39
3/6/2025	10	0	39
3/7/2025	10	0	39
3/8/2025	10	0	38
3/9/2025	10	0	39
3/10/2025	10	0	39
3/11/2025	10	0	39
3/12/2025	10	0	39
3/13/2025	10	0	38
3/14/2025	10	0	38
3/15/2025	10	0	38
3/16/2025	10	0	38
3/17/2025	10	0	38
3/18/2025	10	0	38
3/19/2025	10	0	38
3/20/2025	10	0	38
3/21/2025	10	0	38
3/22/2025	10	0	37
3/23/2025	10	0	37
3/24/2025	10	0	37
3/25/2025	10	0	37
3/26/2025	10	0	37
3/27/2025	10	0	37
3/28/2025	10	0	38
3/29/2025	10	0	40
3/30/2025	10	0	40
3/31/2025	10	0	37

Pumpback Station Discharge (0364)

3/1/25 0:00 == 48	3/1/25 4:30 == 47.7	3/1/25 9:00 == 33.1	3/1/25 13:30 == 33.2
3/1/25 0:05 == 48	3/1/25 4:35 == 48	3/1/25 9:05 == 33.1	3/1/25 13:35 == 33.2
3/1/25 0:10 == 47.9	3/1/25 4:40 == 48	3/1/25 9:10 == 33.2	3/1/25 13:40 == 33.2
3/1/25 0:15 == 47.9	3/1/25 4:45 == 47.9	3/1/25 9:15 == 33.2	3/1/25 13:45 == 33.1
3/1/25 0:20 == 47.7	3/1/25 4:50 == 48	3/1/25 9:20 == 33.2	3/1/25 13:50 == 33.2
3/1/25 0:25 == 47.5	3/1/25 4:55 == 48.1	3/1/25 9:25 == 34.2	3/1/25 13:55 == 33.4
3/1/25 0:30 == 47.9	3/1/25 5:00 == 48	3/1/25 9:30 == 43.7	3/1/25 14:00 == 43.7
3/1/25 0:35 == 48	3/1/25 5:05 == 47.8	3/1/25 9:35 == 47.8	3/1/25 14:05 == 47.6
3/1/25 0:40 == 46.4	3/1/25 5:10 == 47.4	3/1/25 9:40 == 47.9	3/1/25 14:10 == 47.8
3/1/25 0:45 == 33.4	3/1/25 5:15 == 47.4	3/1/25 9:45 == 47.9	3/1/25 14:15 == 48.1
3/1/25 0:50 == 33.2	3/1/25 5:20 == 47.5	3/1/25 9:50 == 47.9	3/1/25 14:20 == 47.9
3/1/25 0:55 == 33.1	3/1/25 5:25 == 47.6	3/1/25 9:55 == 47.6	3/1/25 14:25 == 48
3/1/25 1:00 == 33.3	3/1/25 5:30 == 47.8	3/1/25 10:00 == 47.7	3/1/25 14:30 == 48.1
3/1/25 1:05 == 33.3	3/1/25 5:35 == 47.9	3/1/25 10:05 == 47.8	3/1/25 14:35 == 48.2
3/1/25 1:10 == 33.2	3/1/25 5:40 == 47.4	3/1/25 10:10 == 47.6	3/1/25 14:40 == 47.5
3/1/25 1:15 == 33.2	3/1/25 5:45 == 47.9	3/1/25 10:15 == 47.6	3/1/25 14:45 == 47.7
3/1/25 1:20 == 33.2	3/1/25 5:50 == 47.9	3/1/25 10:20 == 47.6	3/1/25 14:50 == 48
3/1/25 1:25 == 34.4	3/1/25 5:55 == 48	3/1/25 10:25 == 44.7	3/1/25 14:55 == 45.5
3/1/25 1:30 == 44.8	3/1/25 6:00 == 47.6	3/1/25 10:30 == 37	3/1/25 15:00 == 37.8
3/1/25 1:35 == 47.8	3/1/25 6:05 == 47.7	3/1/25 10:35 == 33.6	3/1/25 15:05 == 33.4
3/1/25 1:40 == 47.3	3/1/25 6:10 == 46.8	3/1/25 10:40 == 33.7	3/1/25 15:10 == 33.2
3/1/25 1:45 == 47.4	3/1/25 6:15 == 33.9	3/1/25 10:45 == 33.6	3/1/25 15:15 == 33
3/1/25 1:50 == 47.9	3/1/25 6:20 == 33.4	3/1/25 10:50 == 33.7	3/1/25 15:20 == 33.1
3/1/25 1:55 == 47.7	3/1/25 6:25 == 33.1	3/1/25 10:55 == 33.6	3/1/25 15:25 == 33.2
3/1/25 2:00 == 47.8	3/1/25 6:30 == 33	3/1/25 11:00 == 33.2	3/1/25 15:30 == 33.3
3/1/25 2:05 == 48.1	3/1/25 6:35 == 33.1	3/1/25 11:05 == 33.6	3/1/25 15:35 == 33.3
3/1/25 2:10 == 48	3/1/25 6:40 == 33.2	3/1/25 11:10 == 33.2	3/1/25 15:40 == 33.2
3/1/25 2:15 == 48.1	3/1/25 6:45 == 33.1	3/1/25 11:15 == 33.2	3/1/25 15:45 == 33.2
3/1/25 2:20 == 47.8	3/1/25 6:50 == 33.1	3/1/25 11:20 == 33.2	3/1/25 15:50 == 33.3
3/1/25 2:25 == 47.3	3/1/25 6:55 == 33.2	3/1/25 11:25 == 33.1	3/1/25 15:55 == 35
3/1/25 2:30 == 47	3/1/25 7:00 == 33.1	3/1/25 11:30 == 43.6	3/1/25 16:00 == 41.6
3/1/25 2:35 == 47.3	3/1/25 7:05 == 33.2	3/1/25 11:35 == 47.8	3/1/25 16:05 == 47.5
3/1/25 2:40 == 48	3/1/25 7:10 == 34.9	3/1/25 11:40 == 48.1	3/1/25 16:10 == 47.9
3/1/25 2:45 == 48	3/1/25 7:15 == 42.6	3/1/25 11:45 == 48	3/1/25 16:15 == 47.4
3/1/25 2:50 == 48	3/1/25 7:20 == 47.5	3/1/25 11:50 == 48	3/1/25 16:20 == 47.8
3/1/25 2:55 == 48.1	3/1/25 7:25 == 47.4	3/1/25 11:55 == 48	3/1/25 16:25 == 47.7
3/1/25 3:00 == 48.1	3/1/25 7:30 == 47.7	3/1/25 12:00 == 48	3/1/25 16:30 == 47.7
3/1/25 3:05 == 47.9	3/1/25 7:35 == 48	3/1/25 12:05 == 48.1	3/1/25 16:35 == 48.1
3/1/25 3:10 == 47.9	3/1/25 7:40 == 47.8	3/1/25 12:10 == 47.9	3/1/25 16:40 == 47.6
3/1/25 3:15 == 48.1	3/1/25 7:45 == 47.7	3/1/25 12:15 == 48	3/1/25 16:45 == 34.9
3/1/25 3:20 == 48.1	3/1/25 7:50 == 48	3/1/25 12:20 == 48	3/1/25 16:50 == 33.2
3/1/25 3:25 == 47.1	3/1/25 7:55 == 48	3/1/25 12:25 == 44.8	3/1/25 16:55 == 33.2
3/1/25 3:30 == 33.4	3/1/25 8:00 == 47.9	3/1/25 12:30 == 37.4	3/1/25 17:00 == 33.2
3/1/25 3:35 == 33.1	3/1/25 8:05 == 47.8	3/1/25 12:35 == 33.1	3/1/25 17:05 == 33.3
3/1/25 3:40 == 33.3	3/1/25 8:10 == 45.2	3/1/25 12:40 == 33.2	3/1/25 17:10 == 33.2
3/1/25 3:45 == 33	3/1/25 8:15 == 35.9	3/1/25 12:45 == 33.1	3/1/25 17:15 == 33.3
3/1/25 3:50 == 33.1	3/1/25 8:20 == 33.2	3/1/25 12:50 == 33.1	3/1/25 17:20 == 33.3
3/1/25 3:55 == 33.2	3/1/25 8:25 == 33.1	3/1/25 12:55 == 33.2	3/1/25 17:25 == 33.3
3/1/25 4:00 == 33.3	3/1/25 8:30 == 33.1	3/1/25 13:00 == 33.2	3/1/25 17:30 == 33.4
3/1/25 4:05 == 33.3	3/1/25 8:35 == 32.9	3/1/25 13:05 == 33.3	3/1/25 17:35 == 33.3
3/1/25 4:10 == 34.2	3/1/25 8:40 == 33.2	3/1/25 13:10 == 33.3	3/1/25 17:40 == 34.4
3/1/25 4:15 == 44.1	3/1/25 8:45 == 33	3/1/25 13:15 == 33.2	3/1/25 17:45 == 41.5
3/1/25 4:20 == 47.8	3/1/25 8:50 == 33.2	3/1/25 13:20 == 33.3	3/1/25 17:50 == 47.7
3/1/25 4:25 == 47.6	3/1/25 8:55 == 33.2	3/1/25 13:25 == 33.3	3/1/25 17:55 == 48

Pumpback Station Discharge (0364)

3/1/25 18:00 == 48	3/1/25 22:30 == 33.1	3/2/25 3:00 == 33.2	3/2/25 7:30 == 33.3
3/1/25 18:05 == 48	3/1/25 22:35 == 33.1	3/2/25 3:05 == 33.2	3/2/25 7:35 == 33.3
3/1/25 18:10 == 47.7	3/1/25 22:40 == 33.2	3/2/25 3:10 == 33.1	3/2/25 7:40 == 33.5
3/1/25 18:15 == 47.6	3/1/25 22:45 == 33.2	3/2/25 3:15 == 33.1	3/2/25 7:45 == 39.1
3/1/25 18:20 == 48	3/1/25 22:50 == 33.3	3/2/25 3:20 == 33	3/2/25 7:50 == 47.6
3/1/25 18:25 == 45.6	3/1/25 22:55 == 33.2	3/2/25 3:25 == 33.1	3/2/25 7:55 == 47.9
3/1/25 18:30 == 37.2	3/1/25 23:00 == 33.2	3/2/25 3:30 == 33.2	3/2/25 8:00 == 48
3/1/25 18:35 == 33.1	3/1/25 23:05 == 33.2	3/2/25 3:35 == 33.3	3/2/25 8:05 == 47.9
3/1/25 18:40 == 33.3	3/1/25 23:10 == 34.4	3/2/25 3:40 == 33.1	3/2/25 8:10 == 47.4
3/1/25 18:45 == 33.2	3/1/25 23:15 == 40.2	3/2/25 3:45 == 41	3/2/25 8:15 == 47.6
3/1/25 18:50 == 33.2	3/1/25 23:20 == 47.5	3/2/25 3:50 == 47.1	3/2/25 8:20 == 47.8
3/1/25 18:55 == 33.4	3/1/25 23:25 == 48	3/2/25 3:55 == 48	3/2/25 8:25 == 48.1
3/1/25 19:00 == 33.1	3/1/25 23:30 == 48.2	3/2/25 4:00 == 48	3/2/25 8:30 == 37.8
3/1/25 19:05 == 33.5	3/1/25 23:35 == 48	3/2/25 4:05 == 48.1	3/2/25 8:35 == 33.6
3/1/25 19:10 == 33.2	3/1/25 23:40 == 48.1	3/2/25 4:10 == 48	3/2/25 8:40 == 33.1
3/1/25 19:15 == 42.4	3/1/25 23:45 == 48.1	3/2/25 4:15 == 48	3/2/25 8:45 == 33.3
3/1/25 19:20 == 47.5	3/1/25 23:50 == 47.9	3/2/25 4:20 == 47.9	3/2/25 8:50 == 33.2
3/1/25 19:25 == 47.9	3/1/25 23:55 == 48.1	3/2/25 4:25 == 47.7	3/2/25 8:55 == 33.3
3/1/25 19:30 == 48.1	3/2/25 0:00 == 48	3/2/25 4:30 == 47.9	3/2/25 9:00 == 33.3
3/1/25 19:35 == 47.6	3/2/25 0:05 == 48	3/2/25 4:35 == 47.9	3/2/25 9:05 == 33.4
3/1/25 19:40 == 47.8	3/2/25 0:10 == 48	3/2/25 4:40 == 46.2	3/2/25 9:10 == 33.4
3/1/25 19:45 == 47.9	3/2/25 0:15 == 36.4	3/2/25 4:45 == 39.2	3/2/25 9:15 == 33.3
3/1/25 19:50 == 48	3/2/25 0:20 == 33.1	3/2/25 4:50 == 33.3	3/2/25 9:20 == 33.4
3/1/25 19:55 == 48	3/2/25 0:25 == 33.2	3/2/25 4:55 == 33.1	3/2/25 9:25 == 34.1
3/1/25 20:00 == 48	3/2/25 0:30 == 33.2	3/2/25 5:00 == 33.2	3/2/25 9:30 == 39.8
3/1/25 20:05 == 48	3/2/25 0:35 == 33.2	3/2/25 5:05 == 33.2	3/2/25 9:35 == 47.6
3/1/25 20:10 == 45.6	3/2/25 0:40 == 33.3	3/2/25 5:10 == 33.2	3/2/25 9:40 == 48
3/1/25 20:15 == 38.1	3/2/25 0:45 == 33.3	3/2/25 5:15 == 33.3	3/2/25 9:45 == 48.1
3/1/25 20:20 == 33.4	3/2/25 0:50 == 33.2	3/2/25 5:20 == 33.2	3/2/25 9:50 == 47.9
3/1/25 20:25 == 33.4	3/2/25 0:55 == 33.1	3/2/25 5:25 == 33.3	3/2/25 9:55 == 47.4
3/1/25 20:30 == 33.2	3/2/25 1:00 == 33.2	3/2/25 5:30 == 33.2	3/2/25 10:00 == 48
3/1/25 20:35 == 33.3	3/2/25 1:05 == 33.4	3/2/25 5:35 == 33.3	3/2/25 10:05 == 48
3/1/25 20:40 == 33.3	3/2/25 1:10 == 33.2	3/2/25 5:40 == 33.2	3/2/25 10:10 == 46.3
3/1/25 20:45 == 33.3	3/2/25 1:15 == 33.2	3/2/25 5:45 == 33.1	3/2/25 10:15 == 39.5
3/1/25 20:50 == 33.2	3/2/25 1:20 == 33.2	3/2/25 5:50 == 33.2	3/2/25 10:20 == 33.3
3/1/25 20:55 == 33.1	3/2/25 1:25 == 33.9	3/2/25 5:55 == 33.3	3/2/25 10:25 == 33.9
3/1/25 21:00 == 33.1	3/2/25 1:30 == 40.9	3/2/25 6:00 == 41.2	3/2/25 10:30 == 33.8
3/1/25 21:05 == 33.1	3/2/25 1:35 == 47.7	3/2/25 6:05 == 46.7	3/2/25 10:35 == 33.6
3/1/25 21:10 == 33.2	3/2/25 1:40 == 47.9	3/2/25 6:10 == 47	3/2/25 10:40 == 33.5
3/1/25 21:15 == 33.1	3/2/25 1:45 == 47.7	3/2/25 6:15 == 47.5	3/2/25 10:45 == 33.6
3/1/25 21:20 == 33.2	3/2/25 1:50 == 47.5	3/2/25 6:20 == 48	3/2/25 10:50 == 33.6
3/1/25 21:25 == 33.7	3/2/25 1:55 == 47.6	3/2/25 6:25 == 47.7	3/2/25 10:55 == 33.8
3/1/25 21:30 == 41.8	3/2/25 2:00 == 47.7	3/2/25 6:30 == 47.5	3/2/25 11:00 == 33.6
3/1/25 21:35 == 47.5	3/2/25 2:05 == 48.1	3/2/25 6:35 == 47.8	3/2/25 11:05 == 33.5
3/1/25 21:40 == 48.1	3/2/25 2:10 == 48	3/2/25 6:40 == 46.3	3/2/25 11:10 == 33.3
3/1/25 21:45 == 48.2	3/2/25 2:15 == 48	3/2/25 6:45 == 39.4	3/2/25 11:15 == 33.3
3/1/25 21:50 == 48.1	3/2/25 2:20 == 48	3/2/25 6:50 == 33.2	3/2/25 11:20 == 33.3
3/1/25 21:55 == 47.6	3/2/25 2:25 == 46.2	3/2/25 6:55 == 33.2	3/2/25 11:25 == 33.4
3/1/25 22:00 == 47.7	3/2/25 2:30 == 37.6	3/2/25 7:00 == 33.1	3/2/25 11:30 == 33.5
3/1/25 22:05 == 47.8	3/2/25 2:35 == 33.3	3/2/25 7:05 == 33.1	3/2/25 11:35 == 33.4
3/1/25 22:10 == 47.5	3/2/25 2:40 == 33.3	3/2/25 7:10 == 33.2	3/2/25 11:40 == 33.2
3/1/25 22:15 == 36.6	3/2/25 2:45 == 33.3	3/2/25 7:15 == 33	3/2/25 11:45 == 39.8
3/1/25 22:20 == 33.3	3/2/25 2:50 == 33.2	3/2/25 7:20 == 33.3	3/2/25 11:50 == 47
3/1/25 22:25 == 33.2	3/2/25 2:55 == 33.2	3/2/25 7:25 == 33.2	3/2/25 11:55 == 48.1

Pumpback Station Discharge (0364)

3/2/25 12:00 == 48	3/2/25 16:30 == 48	3/2/25 21:00 == 39.5	3/3/25 1:30 == 42.2
3/2/25 12:05 == 47.9	3/2/25 16:35 == 48	3/2/25 21:05 == 33.9	3/3/25 1:35 == 33.1
3/2/25 12:10 == 47.9	3/2/25 16:40 == 47.5	3/2/25 21:10 == 33.3	3/3/25 1:40 == 33
3/2/25 12:15 == 48	3/2/25 16:45 == 47.6	3/2/25 21:15 == 33.2	3/3/25 1:45 == 32.9
3/2/25 12:20 == 48	3/2/25 16:50 == 47.9	3/2/25 21:20 == 33.2	3/3/25 1:50 == 33.1
3/2/25 12:25 == 47.9	3/2/25 16:55 == 48	3/2/25 21:25 == 33.2	3/3/25 1:55 == 33.3
3/2/25 12:30 == 47.9	3/2/25 17:00 == 48	3/2/25 21:30 == 33.2	3/3/25 2:00 == 33
3/2/25 12:35 == 48.1	3/2/25 17:05 == 47.7	3/2/25 21:35 == 33.4	3/3/25 2:05 == 33.3
3/2/25 12:40 == 46.9	3/2/25 17:10 == 46.5	3/2/25 21:40 == 33.2	3/3/25 2:10 == 33.2
3/2/25 12:45 == 39.9	3/2/25 17:15 == 40.6	3/2/25 21:45 == 33.3	3/3/25 2:15 == 33.3
3/2/25 12:50 == 33.1	3/2/25 17:20 == 33.3	3/2/25 21:50 == 33.4	3/3/25 2:20 == 33.1
3/2/25 12:55 == 33	3/2/25 17:25 == 33.4	3/2/25 21:55 == 33.3	3/3/25 2:25 == 33.3
3/2/25 13:00 == 33.3	3/2/25 17:30 == 33.3	3/2/25 22:00 == 33.3	3/3/25 2:30 == 33.3
3/2/25 13:05 == 33.2	3/2/25 17:35 == 33.2	3/2/25 22:05 == 33.3	3/3/25 2:35 == 33.3
3/2/25 13:10 == 33.3	3/2/25 17:40 == 33.2	3/2/25 22:10 == 33.2	3/3/25 2:40 == 33.2
3/2/25 13:15 == 33	3/2/25 17:45 == 33.2	3/2/25 22:15 == 33.2	3/3/25 2:45 == 38.4
3/2/25 13:20 == 33	3/2/25 17:50 == 33.2	3/2/25 22:20 == 33.1	3/3/25 2:50 == 45.1
3/2/25 13:25 == 33.1	3/2/25 17:55 == 33.2	3/2/25 22:25 == 33.2	3/3/25 2:55 == 47.5
3/2/25 13:30 == 33.1	3/2/25 18:00 == 33.2	3/2/25 22:30 == 33.1	3/3/25 3:00 == 47.8
3/2/25 13:35 == 33.2	3/2/25 18:05 == 33.3	3/2/25 22:35 == 33.2	3/3/25 3:05 == 48
3/2/25 13:40 == 33.2	3/2/25 18:10 == 33.1	3/2/25 22:40 == 33.3	3/3/25 3:10 == 48
3/2/25 13:45 == 40	3/2/25 18:15 == 38.1	3/2/25 22:45 == 36.8	3/3/25 3:15 == 47.9
3/2/25 13:50 == 46.1	3/2/25 18:20 == 47.2	3/2/25 22:50 == 47	3/3/25 3:20 == 47.9
3/2/25 13:55 == 47.8	3/2/25 18:25 == 47.3	3/2/25 22:55 == 47.4	3/3/25 3:25 == 47.7
3/2/25 14:00 == 47.8	3/2/25 18:30 == 47.7	3/2/25 23:00 == 48	3/3/25 3:30 == 47.7
3/2/25 14:05 == 47.9	3/2/25 18:35 == 48.1	3/2/25 23:05 == 48.1	3/3/25 3:35 == 47.7
3/2/25 14:10 == 47.9	3/2/25 18:40 == 47.9	3/2/25 23:10 == 48.2	3/3/25 3:40 == 46.8
3/2/25 14:15 == 48	3/2/25 18:45 == 48	3/2/25 23:15 == 47.8	3/3/25 3:45 == 42.1
3/2/25 14:20 == 48	3/2/25 18:50 == 48	3/2/25 23:20 == 48	3/3/25 3:50 == 33.2
3/2/25 14:25 == 47.9	3/2/25 18:55 == 47.4	3/2/25 23:25 == 47.7	3/3/25 3:55 == 33.2
3/2/25 14:30 == 48	3/2/25 19:00 == 39.7	3/2/25 23:30 == 48.1	3/3/25 4:00 == 33.2
3/2/25 14:35 == 47.7	3/2/25 19:05 == 34.3	3/2/25 23:35 == 48	3/3/25 4:05 == 33.1
3/2/25 14:40 == 46.5	3/2/25 19:10 == 33.2	3/2/25 23:40 == 48.1	3/3/25 4:10 == 33.1
3/2/25 14:45 == 41	3/2/25 19:15 == 33.2	3/2/25 23:45 == 40.3	3/3/25 4:15 == 33.1
3/2/25 14:50 == 33.3	3/2/25 19:20 == 33.3	3/2/25 23:50 == 34.1	3/3/25 4:20 == 33.2
3/2/25 14:55 == 33.4	3/2/25 19:25 == 33.2	3/2/25 23:55 == 33	3/3/25 4:25 == 33.3
3/2/25 15:00 == 33.2	3/2/25 19:30 == 33.2	3/3/25 0:00 == 33	3/3/25 4:30 == 33
3/2/25 15:05 == 33.4	3/2/25 19:35 == 33.2	3/3/25 0:05 == 33.1	3/3/25 4:35 == 33
3/2/25 15:10 == 33.3	3/2/25 19:40 == 33.2	3/3/25 0:10 == 33.1	3/3/25 4:40 == 33.1
3/2/25 15:15 == 33.2	3/2/25 19:45 == 33.2	3/3/25 0:15 == 33.2	3/3/25 4:45 == 36.9
3/2/25 15:20 == 33.2	3/2/25 19:50 == 33.2	3/3/25 0:20 == 33.2	3/3/25 4:50 == 46.6
3/2/25 15:25 == 33.2	3/2/25 19:55 == 33.3	3/3/25 0:25 == 33.2	3/3/25 4:55 == 47.8
3/2/25 15:30 == 33.2	3/2/25 20:00 == 37.2	3/3/25 0:30 == 33.2	3/3/25 5:00 == 47.7
3/2/25 15:35 == 33.3	3/2/25 20:05 == 46.4	3/3/25 0:35 == 33.3	3/3/25 5:05 == 47.8
3/2/25 15:40 == 33.2	3/2/25 20:10 == 47.7	3/3/25 0:40 == 33.2	3/3/25 5:10 == 47.5
3/2/25 15:45 == 33.1	3/2/25 20:15 == 47.6	3/3/25 0:45 == 38.3	3/3/25 5:15 == 47.8
3/2/25 15:50 == 33.4	3/2/25 20:20 == 47.7	3/3/25 0:50 == 45.8	3/3/25 5:20 == 48.1
3/2/25 15:55 == 33.6	3/2/25 20:25 == 47.2	3/3/25 0:55 == 48	3/3/25 5:25 == 48
3/2/25 16:00 == 33.3	3/2/25 20:30 == 47.4	3/3/25 1:00 == 48	3/3/25 5:30 == 40.8
3/2/25 16:05 == 33.3	3/2/25 20:35 == 47.9	3/3/25 1:05 == 47.8	3/3/25 5:35 == 34.6
3/2/25 16:10 == 33.4	3/2/25 20:40 == 47.4	3/3/25 1:10 == 47.6	3/3/25 5:40 == 33.1
3/2/25 16:15 == 40.1	3/2/25 20:45 == 47.9	3/3/25 1:15 == 47.9	3/3/25 5:45 == 33.1
3/2/25 16:20 == 46.1	3/2/25 20:50 == 48.1	3/3/25 1:20 == 47.9	3/3/25 5:50 == 33.1
3/2/25 16:25 == 47.9	3/2/25 20:55 == 47.1	3/3/25 1:25 == 47.3	3/3/25 5:55 == 33

Pumpback Station Discharge (0364)

3/3/25 6:00 == 33	3/3/25 10:30 == 41.6	3/3/25 15:00 == 33.1	3/3/25 19:30 == 33
3/3/25 6:05 == 33.2	3/3/25 10:35 == 35.3	3/3/25 15:05 == 33.1	3/3/25 19:35 == 32.9
3/3/25 6:10 == 33.5	3/3/25 10:40 == 33.3	3/3/25 15:10 == 32.9	3/3/25 19:40 == 32.9
3/3/25 6:15 == 33.4	3/3/25 10:45 == 33.3	3/3/25 15:15 == 33	3/3/25 19:45 == 33.2
3/3/25 6:20 == 33.3	3/3/25 10:50 == 33.3	3/3/25 15:20 == 33.1	3/3/25 19:50 == 33.1
3/3/25 6:25 == 33.1	3/3/25 10:55 == 33.3	3/3/25 15:25 == 33	3/3/25 19:55 == 33.1
3/3/25 6:30 == 33.3	3/3/25 11:00 == 33.3	3/3/25 15:30 == 36.3	3/3/25 20:00 == 33.2
3/3/25 6:35 == 33.3	3/3/25 11:05 == 33.2	3/3/25 15:35 == 44.7	3/3/25 20:05 == 33.1
3/3/25 6:40 == 33.2	3/3/25 11:10 == 33.1	3/3/25 15:40 == 47.9	3/3/25 20:10 == 33
3/3/25 6:45 == 35.3	3/3/25 11:15 == 33.1	3/3/25 15:45 == 48	3/3/25 20:15 == 34.2
3/3/25 6:50 == 47	3/3/25 11:20 == 33.2	3/3/25 15:50 == 48.1	3/3/25 20:20 == 45.7
3/3/25 6:55 == 47.9	3/3/25 11:25 == 33.2	3/3/25 15:55 == 47.5	3/3/25 20:25 == 47.2
3/3/25 7:00 == 48.1	3/3/25 11:30 == 33.1	3/3/25 16:00 == 47.6	3/3/25 20:30 == 47.6
3/3/25 7:05 == 48	3/3/25 11:35 == 33.1	3/3/25 16:05 == 48.1	3/3/25 20:35 == 47.9
3/3/25 7:10 == 48	3/3/25 11:40 == 33.1	3/3/25 16:10 == 47.6	3/3/25 20:40 == 47.8
3/3/25 7:15 == 47.6	3/3/25 11:45 == 35.5	3/3/25 16:15 == 47.5	3/3/25 20:45 == 48
3/3/25 7:20 == 47.8	3/3/25 11:50 == 46.2	3/3/25 16:20 == 47.9	3/3/25 20:50 == 48.1
3/3/25 7:25 == 47.9	3/3/25 11:55 == 48	3/3/25 16:25 == 47.8	3/3/25 20:55 == 47.1
3/3/25 7:30 == 47.9	3/3/25 12:00 == 48.1	3/3/25 16:30 == 43.3	3/3/25 21:00 == 42
3/3/25 7:35 == 48	3/3/25 12:05 == 47.9	3/3/25 16:35 == 34.3	3/3/25 21:05 == 35.8
3/3/25 7:40 == 48	3/3/25 12:10 == 47.9	3/3/25 16:40 == 32.8	3/3/25 21:10 == 33.2
3/3/25 7:45 == 41.2	3/3/25 12:15 == 47.9	3/3/25 16:45 == 33.1	3/3/25 21:15 == 33.1
3/3/25 7:50 == 34.8	3/3/25 12:20 == 48	3/3/25 16:50 == 33.1	3/3/25 21:20 == 33.1
3/3/25 7:55 == 33	3/3/25 12:25 == 48	3/3/25 16:55 == 33	3/3/25 21:25 == 33.1
3/3/25 8:00 == 33.1	3/3/25 12:30 == 42.8	3/3/25 17:00 == 32.9	3/3/25 21:30 == 33.1
3/3/25 8:05 == 33.2	3/3/25 12:35 == 33.8	3/3/25 17:05 == 33	3/3/25 21:35 == 33.2
3/3/25 8:10 == 33.1	3/3/25 12:40 == 33	3/3/25 17:10 == 33.1	3/3/25 21:40 == 33.2
3/3/25 8:15 == 33	3/3/25 12:45 == 32.9	3/3/25 17:15 == 33.1	3/3/25 21:45 == 33
3/3/25 8:20 == 33.1	3/3/25 12:50 == 33	3/3/25 17:20 == 32.9	3/3/25 21:50 == 33.1
3/3/25 8:25 == 33.1	3/3/25 12:55 == 33.1	3/3/25 17:25 == 33.3	3/3/25 21:55 == 33.2
3/3/25 8:30 == 33.1	3/3/25 13:00 == 33.1	3/3/25 17:30 == 33	3/3/25 22:00 == 33.2
3/3/25 8:35 == 33.1	3/3/25 13:05 == 33	3/3/25 17:35 == 33.3	3/3/25 22:05 == 33.1
3/3/25 8:40 == 33.2	3/3/25 13:10 == 33.1	3/3/25 17:40 == 33.2	3/3/25 22:10 == 33
3/3/25 8:45 == 33.2	3/3/25 13:15 == 33	3/3/25 17:45 == 33.1	3/3/25 22:15 == 34.4
3/3/25 8:50 == 33.2	3/3/25 13:20 == 33	3/3/25 17:50 == 33.2	3/3/25 22:20 == 45.6
3/3/25 8:55 == 33.1	3/3/25 13:25 == 33	3/3/25 17:55 == 33.1	3/3/25 22:25 == 48
3/3/25 9:00 == 33.1	3/3/25 13:30 == 37.4	3/3/25 18:00 == 36.1	3/3/25 22:30 == 48
3/3/25 9:05 == 33	3/3/25 13:35 == 44.6	3/3/25 18:05 == 44.9	3/3/25 22:35 == 48.1
3/3/25 9:10 == 33.3	3/3/25 13:40 == 47.9	3/3/25 18:10 == 47.8	3/3/25 22:40 == 47.9
3/3/25 9:15 == 33.2	3/3/25 13:45 == 48	3/3/25 18:15 == 47.9	3/3/25 22:45 == 48
3/3/25 9:20 == 33.2	3/3/25 13:50 == 48.1	3/3/25 18:20 == 48	3/3/25 22:50 == 47.9
3/3/25 9:25 == 33.3	3/3/25 13:55 == 48.1	3/3/25 18:25 == 48	3/3/25 22:55 == 47.3
3/3/25 9:30 == 35.2	3/3/25 14:00 == 48.1	3/3/25 18:30 == 47.6	3/3/25 23:00 == 44.1
3/3/25 9:35 == 47.6	3/3/25 14:05 == 48.1	3/3/25 18:35 == 47.7	3/3/25 23:05 == 35
3/3/25 9:40 == 47.8	3/3/25 14:10 == 47.8	3/3/25 18:40 == 47.9	3/3/25 23:10 == 33
3/3/25 9:45 == 47.9	3/3/25 14:15 == 44	3/3/25 18:45 == 48.1	3/3/25 23:15 == 33
3/3/25 9:50 == 48	3/3/25 14:20 == 33.1	3/3/25 18:50 == 47.9	3/3/25 23:20 == 33.1
3/3/25 9:55 == 47.5	3/3/25 14:25 == 33.1	3/3/25 18:55 == 47.5	3/3/25 23:25 == 33.1
3/3/25 10:00 == 48.1	3/3/25 14:30 == 33.1	3/3/25 19:00 == 43.2	3/3/25 23:30 == 33
3/3/25 10:05 == 48.1	3/3/25 14:35 == 33.1	3/3/25 19:05 == 35	3/3/25 23:35 == 33.1
3/3/25 10:10 == 47.6	3/3/25 14:40 == 33.3	3/3/25 19:10 == 32.8	3/3/25 23:40 == 33.1
3/3/25 10:15 == 47.7	3/3/25 14:45 == 33	3/3/25 19:15 == 32.9	3/3/25 23:45 == 33
3/3/25 10:20 == 47.6	3/3/25 14:50 == 33.1	3/3/25 19:20 == 32.9	3/3/25 23:50 == 33
3/3/25 10:25 == 47.4	3/3/25 14:55 == 33.1	3/3/25 19:25 == 33	3/3/25 23:55 == 33

Pumpback Station Discharge (0364)

3/4/25 0:00 == 35.5	3/4/25 4:30 == 43.6	3/4/25 9:00 == 32.9	3/4/25 13:30 == 48
3/4/25 0:05 == 42.3	3/4/25 4:35 == 35.9	3/4/25 9:05 == 45	3/4/25 13:35 == 47.9
3/4/25 0:10 == 47.7	3/4/25 4:40 == 32.9	3/4/25 9:10 == 47.1	3/4/25 13:40 == 47.4
3/4/25 0:15 == 48	3/4/25 4:45 == 32.9	3/4/25 9:15 == 47.9	3/4/25 13:45 == 46.3
3/4/25 0:20 == 48	3/4/25 4:50 == 32.9	3/4/25 9:20 == 48	3/4/25 13:50 == 35.4
3/4/25 0:25 == 48.1	3/4/25 4:55 == 33.1	3/4/25 9:25 == 47.9	3/4/25 13:55 == 33.1
3/4/25 0:30 == 48	3/4/25 5:00 == 33.1	3/4/25 9:30 == 47.8	3/4/25 14:00 == 32.8
3/4/25 0:35 == 48	3/4/25 5:05 == 33	3/4/25 9:35 == 47.9	3/4/25 14:05 == 32.7
3/4/25 0:40 == 48.1	3/4/25 5:10 == 33	3/4/25 9:40 == 47.7	3/4/25 14:10 == 32.9
3/4/25 0:45 == 45.8	3/4/25 5:15 == 33	3/4/25 9:45 == 44.4	3/4/25 14:15 == 32.8
3/4/25 0:50 == 33.3	3/4/25 5:20 == 33.1	3/4/25 9:50 == 36.5	3/4/25 14:20 == 32.7
3/4/25 0:55 == 32.9	3/4/25 5:25 == 33.1	3/4/25 9:55 == 32.8	3/4/25 14:25 == 33
3/4/25 1:00 == 33.1	3/4/25 5:30 == 33	3/4/25 10:00 == 32.9	3/4/25 14:30 == 33.1
3/4/25 1:05 == 33.1	3/4/25 5:35 == 33.1	3/4/25 10:05 == 33.1	3/4/25 14:35 == 33
3/4/25 1:10 == 33.2	3/4/25 5:40 == 32.9	3/4/25 10:10 == 33.2	3/4/25 14:40 == 33.2
3/4/25 1:15 == 33.1	3/4/25 5:45 == 32.9	3/4/25 10:15 == 33.1	3/4/25 14:45 == 33
3/4/25 1:20 == 33.2	3/4/25 5:50 == 32.9	3/4/25 10:20 == 33.2	3/4/25 14:50 == 33.1
3/4/25 1:25 == 33.3	3/4/25 5:55 == 33	3/4/25 10:25 == 33.4	3/4/25 14:55 == 33.2
3/4/25 1:30 == 33.1	3/4/25 6:00 == 33	3/4/25 10:30 == 33.3	3/4/25 15:00 == 33.2
3/4/25 1:35 == 33	3/4/25 6:05 == 33.1	3/4/25 10:35 == 33.4	3/4/25 15:05 == 33.2
3/4/25 1:40 == 33	3/4/25 6:10 == 33.4	3/4/25 10:40 == 33.5	3/4/25 15:10 == 32.9
3/4/25 1:45 == 35	3/4/25 6:15 == 33.3	3/4/25 10:45 == 35.5	3/4/25 15:15 == 34.4
3/4/25 1:50 == 44.3	3/4/25 6:20 == 45	3/4/25 10:50 == 42.5	3/4/25 15:20 == 41.5
3/4/25 1:55 == 47.2	3/4/25 6:25 == 47.5	3/4/25 10:55 == 47.7	3/4/25 15:25 == 47.3
3/4/25 2:00 == 47.6	3/4/25 6:30 == 48	3/4/25 11:00 == 48.2	3/4/25 15:30 == 47.8
3/4/25 2:05 == 47.9	3/4/25 6:35 == 47.9	3/4/25 11:05 == 48	3/4/25 15:35 == 48
3/4/25 2:10 == 47.9	3/4/25 6:40 == 47.9	3/4/25 11:10 == 47.5	3/4/25 15:40 == 47.9
3/4/25 2:15 == 48	3/4/25 6:45 == 47.9	3/4/25 11:15 == 47.5	3/4/25 15:45 == 48.1
3/4/25 2:20 == 48	3/4/25 6:50 == 48	3/4/25 11:20 == 48	3/4/25 15:50 == 47.9
3/4/25 2:25 == 47.4	3/4/25 6:55 == 47.5	3/4/25 11:25 == 48	3/4/25 15:55 == 47.7
3/4/25 2:30 == 42.7	3/4/25 7:00 == 47.7	3/4/25 11:30 == 48	3/4/25 16:00 == 45.6
3/4/25 2:35 == 35.9	3/4/25 7:05 == 47.7	3/4/25 11:35 == 33.6	3/4/25 16:05 == 37
3/4/25 2:40 == 33.2	3/4/25 7:10 == 47.7	3/4/25 11:40 == 33.2	3/4/25 16:10 == 33.4
3/4/25 2:45 == 33.1	3/4/25 7:15 == 44.2	3/4/25 11:45 == 33.1	3/4/25 16:15 == 33.4
3/4/25 2:50 == 33.1	3/4/25 7:20 == 36.6	3/4/25 11:50 == 33.1	3/4/25 16:20 == 33.3
3/4/25 2:55 == 33	3/4/25 7:25 == 33	3/4/25 11:55 == 33	3/4/25 16:25 == 33.3
3/4/25 3:00 == 33.1	3/4/25 7:30 == 33	3/4/25 12:00 == 33	3/4/25 16:30 == 33.1
3/4/25 3:05 == 33.1	3/4/25 7:35 == 33	3/4/25 12:05 == 32.9	3/4/25 16:35 == 33.2
3/4/25 3:10 == 33.2	3/4/25 7:40 == 32.9	3/4/25 12:10 == 33	3/4/25 16:40 == 32.9
3/4/25 3:15 == 33.1	3/4/25 7:45 == 33	3/4/25 12:15 == 33	3/4/25 16:45 == 32.9
3/4/25 3:20 == 33	3/4/25 7:50 == 33	3/4/25 12:20 == 33	3/4/25 16:50 == 32.9
3/4/25 3:25 == 33	3/4/25 7:55 == 32.9	3/4/25 12:25 == 33	3/4/25 16:55 == 32.9
3/4/25 3:30 == 33	3/4/25 8:00 == 32.9	3/4/25 12:30 == 32.9	3/4/25 17:00 == 33
3/4/25 3:35 == 33.1	3/4/25 8:05 == 32.9	3/4/25 12:35 == 32.9	3/4/25 17:05 == 33
3/4/25 3:40 == 33.4	3/4/25 8:10 == 32.9	3/4/25 12:40 == 32.9	3/4/25 17:10 == 33
3/4/25 3:45 == 33.2	3/4/25 8:15 == 32.9	3/4/25 12:45 == 35	3/4/25 17:15 == 33
3/4/25 3:50 == 45.5	3/4/25 8:20 == 33	3/4/25 12:50 == 42.1	3/4/25 17:20 == 43.2
3/4/25 3:55 == 47.9	3/4/25 8:25 == 32.9	3/4/25 12:55 == 47.8	3/4/25 17:25 == 47.2
3/4/25 4:00 == 48.1	3/4/25 8:30 == 32.9	3/4/25 13:00 == 48	3/4/25 17:30 == 47.8
3/4/25 4:05 == 48.1	3/4/25 8:35 == 33	3/4/25 13:05 == 48.1	3/4/25 17:35 == 47.7
3/4/25 4:10 == 47.6	3/4/25 8:40 == 33	3/4/25 13:10 == 48.1	3/4/25 17:40 == 47.9
3/4/25 4:15 == 47.9	3/4/25 8:45 == 33	3/4/25 13:15 == 48	3/4/25 17:45 == 48.2
3/4/25 4:20 == 48.1	3/4/25 8:50 == 33	3/4/25 13:20 == 48	3/4/25 17:50 == 47.8
3/4/25 4:25 == 47.4	3/4/25 8:55 == 33	3/4/25 13:25 == 47.9	3/4/25 17:55 == 47.7

Pumpback Station Discharge (0364)

3/4/25 18:00 == 45.1	3/4/25 22:30 == 33.2	3/5/25 3:00 == 47.9	3/5/25 7:30 == 48
3/4/25 18:05 == 38	3/4/25 22:35 == 32.9	3/5/25 3:05 == 47.7	3/5/25 7:35 == 48
3/4/25 18:10 == 33.1	3/4/25 22:40 == 33.1	3/5/25 3:10 == 47.9	3/5/25 7:40 == 47.9
3/4/25 18:15 == 33.1	3/4/25 22:45 == 33	3/5/25 3:15 == 47.9	3/5/25 7:45 == 46.9
3/4/25 18:20 == 33.1	3/4/25 22:50 == 33.2	3/5/25 3:20 == 36.8	3/5/25 7:50 == 38.7
3/4/25 18:25 == 33	3/4/25 22:55 == 33.2	3/5/25 3:25 == 33.2	3/5/25 7:55 == 33.1
3/4/25 18:30 == 32.9	3/4/25 23:00 == 33	3/5/25 3:30 == 33	3/5/25 8:00 == 32.9
3/4/25 18:35 == 33.1	3/4/25 23:05 == 33.2	3/5/25 3:35 == 33.2	3/5/25 8:05 == 32.9
3/4/25 18:40 == 33.1	3/4/25 23:10 == 33.3	3/5/25 3:40 == 33	3/5/25 8:10 == 33.3
3/4/25 18:45 == 33	3/4/25 23:15 == 33.1	3/5/25 3:45 == 33.1	3/5/25 8:15 == 33
3/4/25 18:50 == 33	3/4/25 23:20 == 33.1	3/5/25 3:50 == 33.1	3/5/25 8:20 == 33
3/4/25 18:55 == 33.2	3/4/25 23:25 == 33.2	3/5/25 3:55 == 33.2	3/5/25 8:25 == 33
3/4/25 19:00 == 33.7	3/4/25 23:30 == 33.1	3/5/25 4:00 == 33.1	3/5/25 8:30 == 33
3/4/25 19:05 == 41.9	3/4/25 23:35 == 33.1	3/5/25 4:05 == 33.1	3/5/25 8:35 == 33.1
3/4/25 19:10 == 47.7	3/4/25 23:40 == 33	3/5/25 4:10 == 33.1	3/5/25 8:40 == 33.3
3/4/25 19:15 == 48	3/4/25 23:45 == 34.4	3/5/25 4:15 == 33	3/5/25 8:45 == 33
3/4/25 19:20 == 47.9	3/4/25 23:50 == 40.5	3/5/25 4:20 == 33.3	3/5/25 8:50 == 33
3/4/25 19:25 == 47.9	3/4/25 23:55 == 47.4	3/5/25 4:25 == 33.3	3/5/25 8:55 == 33
3/4/25 19:30 == 48	3/5/25 0:00 == 48.1	3/5/25 4:30 == 34.1	3/5/25 9:00 == 33
3/4/25 19:35 == 47.8	3/5/25 0:05 == 48.1	3/5/25 4:35 == 40	3/5/25 9:05 == 33.2
3/4/25 19:40 == 47.9	3/5/25 0:10 == 48.3	3/5/25 4:40 == 47.8	3/5/25 9:10 == 33.2
3/4/25 19:45 == 46.9	3/5/25 0:15 == 48	3/5/25 4:45 == 48	3/5/25 9:15 == 33.1
3/4/25 19:50 == 36.1	3/5/25 0:20 == 48	3/5/25 4:50 == 47.9	3/5/25 9:20 == 40.3
3/4/25 19:55 == 33.1	3/5/25 0:25 == 48	3/5/25 4:55 == 48	3/5/25 9:25 == 47.2
3/4/25 20:00 == 33.1	3/5/25 0:30 == 47.9	3/5/25 5:00 == 47.9	3/5/25 9:30 == 47.5
3/4/25 20:05 == 33.1	3/5/25 0:35 == 35.9	3/5/25 5:05 == 48	3/5/25 9:35 == 47.7
3/4/25 20:10 == 33	3/5/25 0:40 == 33.3	3/5/25 5:10 == 47.7	3/5/25 9:40 == 47.5
3/4/25 20:15 == 33.1	3/5/25 0:45 == 33.2	3/5/25 5:15 == 47.1	3/5/25 9:45 == 47.5
3/4/25 20:20 == 33.4	3/5/25 0:50 == 33.2	3/5/25 5:20 == 37.7	3/5/25 9:50 == 47.9
3/4/25 20:25 == 33.5	3/5/25 0:55 == 33.1	3/5/25 5:25 == 33.1	3/5/25 9:55 == 47.9
3/4/25 20:30 == 33.4	3/5/25 1:00 == 33.1	3/5/25 5:30 == 33.2	3/5/25 10:00 == 46.4
3/4/25 20:35 == 33.4	3/5/25 1:05 == 33.1	3/5/25 5:35 == 33.1	3/5/25 10:05 == 39.9
3/4/25 20:40 == 33.4	3/5/25 1:10 == 33.2	3/5/25 5:40 == 33.3	3/5/25 10:10 == 33.3
3/4/25 20:45 == 33.4	3/5/25 1:15 == 33.3	3/5/25 5:45 == 33.3	3/5/25 10:15 == 33
3/4/25 20:50 == 33.3	3/5/25 1:20 == 33.2	3/5/25 5:50 == 33.1	3/5/25 10:20 == 33.3
3/4/25 20:55 == 33.2	3/5/25 1:25 == 33.2	3/5/25 5:55 == 33	3/5/25 10:25 == 33.6
3/4/25 21:00 == 33.1	3/5/25 1:30 == 33.1	3/5/25 6:00 == 33	3/5/25 10:30 == 33.4
3/4/25 21:05 == 33.1	3/5/25 1:35 == 33	3/5/25 6:05 == 33.1	3/5/25 10:35 == 33.3
3/4/25 21:10 == 33.1	3/5/25 1:40 == 32.9	3/5/25 6:10 == 33.5	3/5/25 10:40 == 33.3
3/4/25 21:15 == 34.6	3/5/25 1:45 == 32.9	3/5/25 6:15 == 33.4	3/5/25 10:45 == 33.5
3/4/25 21:20 == 41.5	3/5/25 1:50 == 33.2	3/5/25 6:20 == 33.2	3/5/25 10:50 == 33.3
3/4/25 21:25 == 47.5	3/5/25 1:55 == 33.2	3/5/25 6:25 == 33.4	3/5/25 10:55 == 33.2
3/4/25 21:30 == 48	3/5/25 2:00 == 32.9	3/5/25 6:30 == 33.4	3/5/25 11:00 == 33.3
3/4/25 21:35 == 47.9	3/5/25 2:05 == 33.1	3/5/25 6:35 == 33.4	3/5/25 11:05 == 33.3
3/4/25 21:40 == 47.2	3/5/25 2:10 == 33.1	3/5/25 6:40 == 33.4	3/5/25 11:10 == 33
3/4/25 21:45 == 48.2	3/5/25 2:15 == 34.4	3/5/25 6:45 == 33.6	3/5/25 11:15 == 33.2
3/4/25 21:50 == 48.2	3/5/25 2:20 == 39.9	3/5/25 6:50 == 40.3	3/5/25 11:20 == 33.1
3/4/25 21:55 == 48	3/5/25 2:25 == 47.1	3/5/25 6:55 == 47.5	3/5/25 11:25 == 32.9
3/4/25 22:00 == 47.8	3/5/25 2:30 == 47	3/5/25 7:00 == 48.1	3/5/25 11:30 == 33
3/4/25 22:05 == 48.2	3/5/25 2:35 == 47.7	3/5/25 7:05 == 48.1	3/5/25 11:35 == 40.2
3/4/25 22:10 == 47.9	3/5/25 2:40 == 47.5	3/5/25 7:10 == 48	3/5/25 11:40 == 46.5
3/4/25 22:15 == 47.7	3/5/25 2:45 == 47.8	3/5/25 7:15 == 48	3/5/25 11:45 == 48
3/4/25 22:20 == 36.1	3/5/25 2:50 == 48	3/5/25 7:20 == 48	3/5/25 11:50 == 48
3/4/25 22:25 == 33.1	3/5/25 2:55 == 47.9	3/5/25 7:25 == 48	3/5/25 11:55 == 48.1

Pumpback Station Discharge (0364)

3/5/25 12:00 == 48.1	3/5/25 16:30 == 32.8	3/5/25 21:00 == 32.8	3/6/25 1:30 == 32.8
3/5/25 12:05 == 48	3/5/25 16:35 == 32.7	3/5/25 21:05 == 32.9	3/6/25 1:35 == 32.9
3/5/25 12:10 == 47.9	3/5/25 16:40 == 32.7	3/5/25 21:10 == 32.9	3/6/25 1:40 == 32.8
3/5/25 12:15 == 46.4	3/5/25 16:45 == 32.9	3/5/25 21:15 == 32.7	3/6/25 1:45 == 33.1
3/5/25 12:20 == 40	3/5/25 16:50 == 32.8	3/5/25 21:20 == 32.9	3/6/25 1:50 == 36.4
3/5/25 12:25 == 32.9	3/5/25 16:55 == 32.8	3/5/25 21:25 == 32.8	3/6/25 1:55 == 47.2
3/5/25 12:30 == 33	3/5/25 17:00 == 32.9	3/5/25 21:30 == 32.9	3/6/25 2:00 == 47.9
3/5/25 12:35 == 33	3/5/25 17:05 == 39.5	3/5/25 21:35 == 39.6	3/6/25 2:05 == 48.1
3/5/25 12:40 == 33	3/5/25 17:10 == 46.7	3/5/25 21:40 == 45.8	3/6/25 2:10 == 48.2
3/5/25 12:45 == 32.9	3/5/25 17:15 == 48	3/5/25 21:45 == 47.8	3/6/25 2:15 == 48
3/5/25 12:50 == 32.9	3/5/25 17:20 == 48	3/5/25 21:50 == 48	3/6/25 2:20 == 48
3/5/25 12:55 == 32.9	3/5/25 17:25 == 47.8	3/5/25 21:55 == 48	3/6/25 2:25 == 48
3/5/25 13:00 == 32.9	3/5/25 17:30 == 47.9	3/5/25 22:00 == 48	3/6/25 2:30 == 48
3/5/25 13:05 == 32.9	3/5/25 17:35 == 48	3/5/25 22:05 == 48	3/6/25 2:35 == 40.4
3/5/25 13:10 == 32.8	3/5/25 17:40 == 48	3/5/25 22:10 == 48.1	3/6/25 2:40 == 34.2
3/5/25 13:15 == 33	3/5/25 17:45 == 46.8	3/5/25 22:15 == 47.8	3/6/25 2:45 == 32.9
3/5/25 13:20 == 39.8	3/5/25 17:50 == 40.7	3/5/25 22:20 == 40.5	3/6/25 2:50 == 32.9
3/5/25 13:25 == 47.2	3/5/25 17:55 == 32.8	3/5/25 22:25 == 32.9	3/6/25 2:55 == 32.9
3/5/25 13:30 == 48	3/5/25 18:00 == 33	3/5/25 22:30 == 32.8	3/6/25 3:00 == 32.9
3/5/25 13:35 == 48.2	3/5/25 18:05 == 32.9	3/5/25 22:35 == 32.8	3/6/25 3:05 == 32.9
3/5/25 13:40 == 48	3/5/25 18:10 == 32.9	3/5/25 22:40 == 32.8	3/6/25 3:10 == 32.9
3/5/25 13:45 == 48	3/5/25 18:15 == 33	3/5/25 22:45 == 32.9	3/6/25 3:15 == 32.9
3/5/25 13:50 == 48.1	3/5/25 18:20 == 33	3/5/25 22:50 == 32.9	3/6/25 3:20 == 32.9
3/5/25 13:55 == 48.2	3/5/25 18:25 == 32.8	3/5/25 22:55 == 32.9	3/6/25 3:25 == 32.9
3/5/25 14:00 == 48	3/5/25 18:30 == 32.8	3/5/25 23:00 == 32.9	3/6/25 3:30 == 32.8
3/5/25 14:05 == 38.4	3/5/25 18:35 == 32.9	3/5/25 23:05 == 32.9	3/6/25 3:35 == 32.8
3/5/25 14:10 == 33.3	3/5/25 18:40 == 32.8	3/5/25 23:10 == 32.9	3/6/25 3:40 == 32.8
3/5/25 14:15 == 32.9	3/5/25 18:45 == 32.9	3/5/25 23:15 == 33	3/6/25 3:45 == 32.8
3/5/25 14:20 == 32.9	3/5/25 18:50 == 33	3/5/25 23:20 == 32.7	3/6/25 3:50 == 37
3/5/25 14:25 == 32.9	3/5/25 18:55 == 32.9	3/5/25 23:25 == 33	3/6/25 3:55 == 46.1
3/5/25 14:30 == 33	3/5/25 19:00 == 32.8	3/5/25 23:30 == 32.9	3/6/25 4:00 == 47.9
3/5/25 14:35 == 33	3/5/25 19:05 == 39.3	3/5/25 23:35 == 37.1	3/6/25 4:05 == 48
3/5/25 14:40 == 32.9	3/5/25 19:10 == 45.9	3/5/25 23:40 == 47.7	3/6/25 4:10 == 47.9
3/5/25 14:45 == 33	3/5/25 19:15 == 47.8	3/5/25 23:45 == 48.1	3/6/25 4:15 == 48
3/5/25 14:50 == 33	3/5/25 19:20 == 48	3/5/25 23:50 == 48	3/6/25 4:20 == 47.9
3/5/25 14:55 == 32.9	3/5/25 19:25 == 47.9	3/5/25 23:55 == 48	3/6/25 4:25 == 48
3/5/25 15:00 == 33	3/5/25 19:30 == 47.9	3/6/25 0:00 == 48	3/6/25 4:30 == 47.6
3/5/25 15:05 == 32.9	3/5/25 19:35 == 48.1	3/6/25 0:05 == 47.8	3/6/25 4:35 == 41.9
3/5/25 15:10 == 32.9	3/5/25 19:40 == 48.1	3/6/25 0:10 == 47.9	3/6/25 4:40 == 32.7
3/5/25 15:15 == 33.5	3/5/25 19:45 == 48.1	3/6/25 0:15 == 48	3/6/25 4:45 == 32.8
3/5/25 15:20 == 37.9	3/5/25 19:50 == 48.1	3/6/25 0:20 == 47.9	3/6/25 4:50 == 32.9
3/5/25 15:25 == 47.6	3/5/25 19:55 == 48	3/6/25 0:25 == 48	3/6/25 4:55 == 33
3/5/25 15:30 == 47.9	3/5/25 20:00 == 47	3/6/25 0:30 == 47.9	3/6/25 5:00 == 32.8
3/5/25 15:35 == 48.1	3/5/25 20:05 == 41	3/6/25 0:35 == 39.8	3/6/25 5:05 == 32.9
3/5/25 15:40 == 48.1	3/5/25 20:10 == 32.7	3/6/25 0:40 == 33.6	3/6/25 5:10 == 32.8
3/5/25 15:45 == 48	3/5/25 20:15 == 32.8	3/6/25 0:45 == 32.8	3/6/25 5:15 == 32.8
3/5/25 15:50 == 48.1	3/5/25 20:20 == 32.9	3/6/25 0:50 == 32.8	3/6/25 5:20 == 32.8
3/5/25 15:55 == 48.1	3/5/25 20:25 == 32.9	3/6/25 0:55 == 32.7	3/6/25 5:25 == 32.8
3/5/25 16:00 == 48.1	3/5/25 20:30 == 32.8	3/6/25 1:00 == 32.7	3/6/25 5:30 == 32.9
3/5/25 16:05 == 38.5	3/5/25 20:35 == 32.9	3/6/25 1:05 == 32.8	3/6/25 5:35 == 32.9
3/5/25 16:10 == 33.4	3/5/25 20:40 == 33	3/6/25 1:10 == 32.9	3/6/25 5:40 == 32.9
3/5/25 16:15 == 33	3/5/25 20:45 == 33	3/6/25 1:15 == 32.9	3/6/25 5:45 == 32.8
3/5/25 16:20 == 32.9	3/5/25 20:50 == 32.9	3/6/25 1:20 == 32.9	3/6/25 5:50 == 38.4
3/5/25 16:25 == 32.9	3/5/25 20:55 == 32.9	3/6/25 1:25 == 32.9	3/6/25 5:55 == 45.4

Pumpback Station Discharge (0364)

3/6/25 6:00 == 47.8	3/6/25 10:30 == 47.9	3/6/25 15:00 == 47.7	3/6/25 19:30 == 48.1
3/6/25 6:05 == 47.9	3/6/25 10:35 == 48.1	3/6/25 15:05 == 47.8	3/6/25 19:35 == 47.9
3/6/25 6:10 == 47.9	3/6/25 10:40 == 48	3/6/25 15:10 == 47.6	3/6/25 19:40 == 47.6
3/6/25 6:15 == 47.9	3/6/25 10:45 == 48.1	3/6/25 15:15 == 47.8	3/6/25 19:45 == 47.9
3/6/25 6:20 == 48.1	3/6/25 10:50 == 48.2	3/6/25 15:20 == 42.9	3/6/25 19:50 == 45
3/6/25 6:25 == 48.1	3/6/25 10:55 == 48	3/6/25 15:25 == 34.4	3/6/25 19:55 == 33.2
3/6/25 6:30 == 47.5	3/6/25 11:00 == 47.9	3/6/25 15:30 == 33	3/6/25 20:00 == 33
3/6/25 6:35 == 42.6	3/6/25 11:05 == 41.6	3/6/25 15:35 == 33	3/6/25 20:05 == 33.2
3/6/25 6:40 == 32.8	3/6/25 11:10 == 34.2	3/6/25 15:40 == 33.1	3/6/25 20:10 == 33
3/6/25 6:45 == 32.8	3/6/25 11:15 == 32.7	3/6/25 15:45 == 33	3/6/25 20:15 == 33
3/6/25 6:50 == 32.8	3/6/25 11:20 == 32.7	3/6/25 15:50 == 33.1	3/6/25 20:20 == 32.9
3/6/25 6:55 == 32.8	3/6/25 11:25 == 32.7	3/6/25 15:55 == 33.1	3/6/25 20:25 == 33.3
3/6/25 7:00 == 32.8	3/6/25 11:30 == 32.9	3/6/25 16:00 == 33.1	3/6/25 20:30 == 32.9
3/6/25 7:05 == 32.7	3/6/25 11:35 == 32.9	3/6/25 16:05 == 33.1	3/6/25 20:35 == 33
3/6/25 7:10 == 32.9	3/6/25 11:40 == 32.8	3/6/25 16:10 == 33.1	3/6/25 20:40 == 33.2
3/6/25 7:15 == 32.8	3/6/25 11:45 == 32.8	3/6/25 16:15 == 33.1	3/6/25 20:45 == 33.2
3/6/25 7:20 == 32.8	3/6/25 11:50 == 32.8	3/6/25 16:20 == 33.1	3/6/25 20:50 == 33.2
3/6/25 7:25 == 32.8	3/6/25 11:55 == 32.9	3/6/25 16:25 == 33.1	3/6/25 20:55 == 33
3/6/25 7:30 == 32.9	3/6/25 12:00 == 32.7	3/6/25 16:30 == 33	3/6/25 21:00 == 33.1
3/6/25 7:35 == 32.9	3/6/25 12:05 == 34.6	3/6/25 16:35 == 36.7	3/6/25 21:05 == 33.1
3/6/25 7:40 == 33	3/6/25 12:10 == 47.3	3/6/25 16:40 == 44.5	3/6/25 21:10 == 33
3/6/25 7:45 == 32.9	3/6/25 12:15 == 48	3/6/25 16:45 == 47.9	3/6/25 21:15 == 33
3/6/25 7:50 == 37.4	3/6/25 12:20 == 48.1	3/6/25 16:50 == 47.9	3/6/25 21:20 == 36.1
3/6/25 7:55 == 45.2	3/6/25 12:25 == 48.1	3/6/25 16:55 == 48	3/6/25 21:25 == 43.3
3/6/25 8:00 == 47.8	3/6/25 12:30 == 48.1	3/6/25 17:00 == 48.1	3/6/25 21:30 == 47.8
3/6/25 8:05 == 48.1	3/6/25 12:35 == 48.1	3/6/25 17:05 == 48.1	3/6/25 21:35 == 47.8
3/6/25 8:10 == 48.1	3/6/25 12:40 == 47.8	3/6/25 17:10 == 47.9	3/6/25 21:40 == 47.7
3/6/25 8:15 == 47.9	3/6/25 12:45 == 48.1	3/6/25 17:15 == 48	3/6/25 21:45 == 47.9
3/6/25 8:20 == 47.8	3/6/25 12:50 == 41.7	3/6/25 17:20 == 48.1	3/6/25 21:50 == 47.9
3/6/25 8:25 == 47.9	3/6/25 12:55 == 34.3	3/6/25 17:25 == 48	3/6/25 21:55 == 47.9
3/6/25 8:30 == 48	3/6/25 13:00 == 32.9	3/6/25 17:30 == 48.1	3/6/25 22:00 == 48.1
3/6/25 8:35 == 41.3	3/6/25 13:05 == 32.7	3/6/25 17:35 == 43.9	3/6/25 22:05 == 48
3/6/25 8:40 == 33.7	3/6/25 13:10 == 32.8	3/6/25 17:40 == 33.2	3/6/25 22:10 == 47.8
3/6/25 8:45 == 32.8	3/6/25 13:15 == 32.8	3/6/25 17:45 == 33.1	3/6/25 22:15 == 47.9
3/6/25 8:50 == 32.8	3/6/25 13:20 == 32.9	3/6/25 17:50 == 33	3/6/25 22:20 == 45.1
3/6/25 8:55 == 32.8	3/6/25 13:25 == 32.9	3/6/25 17:55 == 33	3/6/25 22:25 == 33.2
3/6/25 9:00 == 32.8	3/6/25 13:30 == 32.9	3/6/25 18:00 == 32.9	3/6/25 22:30 == 33.1
3/6/25 9:05 == 32.8	3/6/25 13:35 == 32.9	3/6/25 18:05 == 33	3/6/25 22:35 == 32.9
3/6/25 9:10 == 32.8	3/6/25 13:40 == 32.9	3/6/25 18:10 == 33	3/6/25 22:40 == 33
3/6/25 9:15 == 32.8	3/6/25 13:45 == 32.8	3/6/25 18:15 == 33	3/6/25 22:45 == 33
3/6/25 9:20 == 32.8	3/6/25 13:50 == 32.7	3/6/25 18:20 == 33	3/6/25 22:50 == 32.9
3/6/25 9:25 == 32.8	3/6/25 13:55 == 32.8	3/6/25 18:25 == 33	3/6/25 22:55 == 33.2
3/6/25 9:30 == 32.8	3/6/25 14:00 == 32.9	3/6/25 18:30 == 33.1	3/6/25 23:00 == 33.2
3/6/25 9:35 == 32.8	3/6/25 14:05 == 32.8	3/6/25 18:35 == 33.1	3/6/25 23:05 == 33.2
3/6/25 9:40 == 32.8	3/6/25 14:10 == 32.9	3/6/25 18:40 == 33	3/6/25 23:10 == 33.2
3/6/25 9:45 == 32.7	3/6/25 14:15 == 32.9	3/6/25 18:45 == 32.9	3/6/25 23:15 == 33.2
3/6/25 9:50 == 33	3/6/25 14:20 == 36	3/6/25 18:50 == 36.9	3/6/25 23:20 == 33.1
3/6/25 9:55 == 33	3/6/25 14:25 == 45.8	3/6/25 18:55 == 43.8	3/6/25 23:25 == 32.9
3/6/25 10:00 == 33	3/6/25 14:30 == 48	3/6/25 19:00 == 47.7	3/6/25 23:30 == 32.9
3/6/25 10:05 == 36.5	3/6/25 14:35 == 48	3/6/25 19:05 == 48.1	3/6/25 23:35 == 35.9
3/6/25 10:10 == 46	3/6/25 14:40 == 47.6	3/6/25 19:10 == 48	3/6/25 23:40 == 43.7
3/6/25 10:15 == 47.7	3/6/25 14:45 == 48	3/6/25 19:15 == 48	3/6/25 23:45 == 47.7
3/6/25 10:20 == 48.1	3/6/25 14:50 == 48	3/6/25 19:20 == 47.8	3/6/25 23:50 == 48
3/6/25 10:25 == 48	3/6/25 14:55 == 48	3/6/25 19:25 == 47.6	3/6/25 23:55 == 48.1

Pumpback Station Discharge (0364)

3/7/25 0:00 == 48	3/7/25 4:30 == 33	3/7/25 9:00 == 32.7	3/7/25 13:30 == 47.9
3/7/25 0:05 == 47.8	3/7/25 4:35 == 35.2	3/7/25 9:05 == 33	3/7/25 13:35 == 48
3/7/25 0:10 == 47.8	3/7/25 4:40 == 43.9	3/7/25 9:10 == 45.3	3/7/25 13:40 == 48
3/7/25 0:15 == 48	3/7/25 4:45 == 47.5	3/7/25 9:15 == 47.7	3/7/25 13:45 == 48
3/7/25 0:20 == 47.9	3/7/25 4:50 == 47.9	3/7/25 9:20 == 47.8	3/7/25 13:50 == 47.9
3/7/25 0:25 == 47.9	3/7/25 4:55 == 48.1	3/7/25 9:25 == 48	3/7/25 13:55 == 48
3/7/25 0:30 == 48.1	3/7/25 5:00 == 48	3/7/25 9:30 == 48.1	3/7/25 14:00 == 48
3/7/25 0:35 == 44.4	3/7/25 5:05 == 47.9	3/7/25 9:35 == 47.9	3/7/25 14:05 == 47.6
3/7/25 0:40 == 34.3	3/7/25 5:10 == 47.7	3/7/25 9:40 == 47.6	3/7/25 14:10 == 33.7
3/7/25 0:45 == 33	3/7/25 5:15 == 47.7	3/7/25 9:45 == 47.7	3/7/25 14:15 == 33
3/7/25 0:50 == 33	3/7/25 5:20 == 48	3/7/25 9:50 == 44.2	3/7/25 14:20 == 33
3/7/25 0:55 == 32.9	3/7/25 5:25 == 48	3/7/25 9:55 == 36.2	3/7/25 14:25 == 33
3/7/25 1:00 == 33	3/7/25 5:30 == 47.9	3/7/25 10:00 == 33.2	3/7/25 14:30 == 33
3/7/25 1:05 == 33.2	3/7/25 5:35 == 44.2	3/7/25 10:05 == 33.1	3/7/25 14:35 == 33
3/7/25 1:10 == 33.1	3/7/25 5:40 == 35.5	3/7/25 10:10 == 33	3/7/25 14:40 == 33.4
3/7/25 1:15 == 33.1	3/7/25 5:45 == 32.9	3/7/25 10:15 == 33	3/7/25 14:45 == 33.2
3/7/25 1:20 == 33.1	3/7/25 5:50 == 32.9	3/7/25 10:20 == 33.1	3/7/25 14:50 == 33.2
3/7/25 1:25 == 33.1	3/7/25 5:55 == 33	3/7/25 10:25 == 33.1	3/7/25 14:55 == 33.3
3/7/25 1:30 == 33.3	3/7/25 6:00 == 33.1	3/7/25 10:30 == 33	3/7/25 15:00 == 33.2
3/7/25 1:35 == 33.1	3/7/25 6:05 == 33.2	3/7/25 10:35 == 33.1	3/7/25 15:05 == 33.4
3/7/25 1:40 == 32.9	3/7/25 6:10 == 33.2	3/7/25 10:40 == 33.2	3/7/25 15:10 == 33.3
3/7/25 1:45 == 32.9	3/7/25 6:15 == 33.2	3/7/25 10:45 == 33.2	3/7/25 15:15 == 33.1
3/7/25 1:50 == 32.9	3/7/25 6:20 == 33.1	3/7/25 10:50 == 33.1	3/7/25 15:20 == 34.9
3/7/25 1:55 == 32.9	3/7/25 6:25 == 33	3/7/25 10:55 == 32.9	3/7/25 15:25 == 42.5
3/7/25 2:00 == 32.9	3/7/25 6:30 == 33.1	3/7/25 11:00 == 33	3/7/25 15:30 == 48
3/7/25 2:05 == 35.6	3/7/25 6:35 == 33.2	3/7/25 11:05 == 34.7	3/7/25 15:35 == 48
3/7/25 2:10 == 44	3/7/25 6:40 == 33.1	3/7/25 11:10 == 43	3/7/25 15:40 == 48
3/7/25 2:15 == 47.9	3/7/25 6:45 == 32.8	3/7/25 11:15 == 47.7	3/7/25 15:45 == 48
3/7/25 2:20 == 47.9	3/7/25 6:50 == 33.5	3/7/25 11:20 == 48	3/7/25 15:50 == 48.1
3/7/25 2:25 == 47.6	3/7/25 6:55 == 44.9	3/7/25 11:25 == 48.1	3/7/25 15:55 == 48.1
3/7/25 2:30 == 47.8	3/7/25 7:00 == 47.7	3/7/25 11:30 == 48	3/7/25 16:00 == 48
3/7/25 2:35 == 48	3/7/25 7:05 == 48	3/7/25 11:35 == 48.2	3/7/25 16:05 == 45.2
3/7/25 2:40 == 47.9	3/7/25 7:10 == 47.9	3/7/25 11:40 == 48.1	3/7/25 16:10 == 36.9
3/7/25 2:45 == 47.9	3/7/25 7:15 == 48	3/7/25 11:45 == 48.1	3/7/25 16:15 == 33.3
3/7/25 2:50 == 47.9	3/7/25 7:20 == 48	3/7/25 11:50 == 46.9	3/7/25 16:20 == 33
3/7/25 2:55 == 47.8	3/7/25 7:25 == 47.9	3/7/25 11:55 == 34.4	3/7/25 16:25 == 33.1
3/7/25 3:00 == 47.5	3/7/25 7:30 == 47.9	3/7/25 12:00 == 32.9	3/7/25 16:30 == 33.2
3/7/25 3:05 == 44.3	3/7/25 7:35 == 43.8	3/7/25 12:05 == 32.8	3/7/25 16:35 == 33.1
3/7/25 3:10 == 35.2	3/7/25 7:40 == 36.5	3/7/25 12:10 == 32.9	3/7/25 16:40 == 33
3/7/25 3:15 == 32.8	3/7/25 7:45 == 33	3/7/25 12:15 == 33	3/7/25 16:45 == 33
3/7/25 3:20 == 32.9	3/7/25 7:50 == 32.9	3/7/25 12:20 == 32.9	3/7/25 16:50 == 33.1
3/7/25 3:25 == 32.9	3/7/25 7:55 == 32.8	3/7/25 12:25 == 33	3/7/25 16:55 == 33.1
3/7/25 3:30 == 33	3/7/25 8:00 == 32.9	3/7/25 12:30 == 33	3/7/25 17:00 == 33
3/7/25 3:35 == 33	3/7/25 8:05 == 33.1	3/7/25 12:35 == 32.9	3/7/25 17:05 == 33
3/7/25 3:40 == 33	3/7/25 8:10 == 33.1	3/7/25 12:40 == 32.9	3/7/25 17:10 == 33.2
3/7/25 3:45 == 33	3/7/25 8:15 == 32.9	3/7/25 12:45 == 33	3/7/25 17:15 == 33.1
3/7/25 3:50 == 32.9	3/7/25 8:20 == 32.9	3/7/25 12:50 == 33	3/7/25 17:20 == 33.2
3/7/25 3:55 == 33.2	3/7/25 8:25 == 33.1	3/7/25 12:55 == 33.1	3/7/25 17:25 == 44.1
3/7/25 4:00 == 32.9	3/7/25 8:30 == 33	3/7/25 13:00 == 33.1	3/7/25 17:30 == 48
3/7/25 4:05 == 33	3/7/25 8:35 == 33	3/7/25 13:05 == 35.5	3/7/25 17:35 == 48
3/7/25 4:10 == 32.8	3/7/25 8:40 == 33.1	3/7/25 13:10 == 42.3	3/7/25 17:40 == 47.9
3/7/25 4:15 == 33	3/7/25 8:45 == 33.1	3/7/25 13:15 == 47.6	3/7/25 17:45 == 48
3/7/25 4:20 == 32.9	3/7/25 8:50 == 33	3/7/25 13:20 == 47.9	3/7/25 17:50 == 47.9
3/7/25 4:25 == 33	3/7/25 8:55 == 32.9	3/7/25 13:25 == 47.8	3/7/25 17:55 == 47.9

Pumpback Station Discharge (0364)

3/7/25 18:00 == 47.9	3/7/25 22:30 == 33.1	3/8/25 3:00 == 33.1	3/8/25 7:30 == 33
3/7/25 18:05 == 44.6	3/7/25 22:35 == 33	3/8/25 3:05 == 33.1	3/8/25 7:35 == 33
3/7/25 18:10 == 37.5	3/7/25 22:40 == 32.9	3/8/25 3:10 == 33	3/8/25 7:40 == 33
3/7/25 18:15 == 33	3/7/25 22:45 == 32.9	3/8/25 3:15 == 33	3/8/25 7:45 == 32.8
3/7/25 18:20 == 33.1	3/7/25 22:50 == 33.1	3/8/25 3:20 == 33.1	3/8/25 7:50 == 32.9
3/7/25 18:25 == 33.1	3/7/25 22:55 == 33.1	3/8/25 3:25 == 41.2	3/8/25 7:55 == 32.9
3/7/25 18:30 == 33.2	3/7/25 23:00 == 33	3/8/25 3:30 == 47	3/8/25 8:00 == 32.9
3/7/25 18:35 == 33.1	3/7/25 23:05 == 33.9	3/8/25 3:35 == 48.2	3/8/25 8:05 == 32.9
3/7/25 18:40 == 33	3/7/25 23:10 == 41.4	3/8/25 3:40 == 47.1	3/8/25 8:10 == 33.3
3/7/25 18:45 == 33	3/7/25 23:15 == 47.7	3/8/25 3:45 == 47.5	3/8/25 8:15 == 33.1
3/7/25 18:50 == 33.1	3/7/25 23:20 == 47.8	3/8/25 3:50 == 48	3/8/25 8:20 == 33
3/7/25 18:55 == 33.4	3/7/25 23:25 == 47.5	3/8/25 3:55 == 48.1	3/8/25 8:25 == 33.1
3/7/25 19:00 == 33.3	3/7/25 23:30 == 47.5	3/8/25 4:00 == 48.1	3/8/25 8:30 == 33.1
3/7/25 19:05 == 33.1	3/7/25 23:35 == 48	3/8/25 4:05 == 48	3/8/25 8:35 == 33.2
3/7/25 19:10 == 33.2	3/7/25 23:40 == 48	3/8/25 4:10 == 48	3/8/25 8:40 == 33
3/7/25 19:15 == 33.2	3/7/25 23:45 == 47.9	3/8/25 4:15 == 48.1	3/8/25 8:45 == 33
3/7/25 19:20 == 33.3	3/7/25 23:50 == 45.8	3/8/25 4:20 == 46.1	3/8/25 8:50 == 33.1
3/7/25 19:25 == 43.4	3/7/25 23:55 == 38	3/8/25 4:25 == 38.8	3/8/25 8:55 == 33
3/7/25 19:30 == 47.7	3/8/25 0:00 == 33.2	3/8/25 4:30 == 33	3/8/25 9:00 == 33
3/7/25 19:35 == 47.9	3/8/25 0:05 == 33	3/8/25 4:35 == 33.2	3/8/25 9:05 == 33.1
3/7/25 19:40 == 48.1	3/8/25 0:10 == 33	3/8/25 4:40 == 33.1	3/8/25 9:10 == 41.1
3/7/25 19:45 == 48	3/8/25 0:15 == 33.1	3/8/25 4:45 == 33	3/8/25 9:15 == 47
3/7/25 19:50 == 48	3/8/25 0:20 == 33	3/8/25 4:50 == 33	3/8/25 9:20 == 48
3/7/25 19:55 == 48.1	3/8/25 0:25 == 33	3/8/25 4:55 == 33	3/8/25 9:25 == 48
3/7/25 20:00 == 48	3/8/25 0:30 == 33.1	3/8/25 5:00 == 33	3/8/25 9:30 == 47.9
3/7/25 20:05 == 46.1	3/8/25 0:35 == 33.1	3/8/25 5:05 == 33.1	3/8/25 9:35 == 48
3/7/25 20:10 == 36.8	3/8/25 0:40 == 33	3/8/25 5:10 == 32.9	3/8/25 9:40 == 47.9
3/7/25 20:15 == 33.1	3/8/25 0:45 == 33.1	3/8/25 5:15 == 33	3/8/25 9:45 == 48
3/7/25 20:20 == 33.2	3/8/25 0:50 == 33	3/8/25 5:20 == 32.9	3/8/25 9:50 == 45.9
3/7/25 20:25 == 33.1	3/8/25 0:55 == 33.1	3/8/25 5:25 == 33	3/8/25 9:55 == 39.4
3/7/25 20:30 == 33.1	3/8/25 1:00 == 33.1	3/8/25 5:30 == 33.1	3/8/25 10:00 == 33.1
3/7/25 20:35 == 33.3	3/8/25 1:05 == 33	3/8/25 5:35 == 33.1	3/8/25 10:05 == 33.2
3/7/25 20:40 == 33.1	3/8/25 1:10 == 33.1	3/8/25 5:40 == 33	3/8/25 10:10 == 33.2
3/7/25 20:45 == 32.9	3/8/25 1:15 == 33.2	3/8/25 5:45 == 33.1	3/8/25 10:15 == 33
3/7/25 20:50 == 33.1	3/8/25 1:20 == 33.1	3/8/25 5:50 == 32.9	3/8/25 10:20 == 33
3/7/25 20:55 == 33.1	3/8/25 1:25 == 42.4	3/8/25 5:55 == 33	3/8/25 10:25 == 33.3
3/7/25 21:00 == 33	3/8/25 1:30 == 47.8	3/8/25 6:00 == 33	3/8/25 10:30 == 33.2
3/7/25 21:05 == 33.1	3/8/25 1:35 == 48.1	3/8/25 6:05 == 33.1	3/8/25 10:35 == 33.2
3/7/25 21:10 == 33.1	3/8/25 1:40 == 48	3/8/25 6:10 == 42	3/8/25 10:40 == 33
3/7/25 21:15 == 33	3/8/25 1:45 == 47.9	3/8/25 6:15 == 46.9	3/8/25 10:45 == 33.2
3/7/25 21:20 == 34.5	3/8/25 1:50 == 48.1	3/8/25 6:20 == 47.9	3/8/25 10:50 == 33.3
3/7/25 21:25 == 41.5	3/8/25 1:55 == 48	3/8/25 6:25 == 48.1	3/8/25 10:55 == 33
3/7/25 21:30 == 47.3	3/8/25 2:00 == 47.9	3/8/25 6:30 == 48	3/8/25 11:00 == 33
3/7/25 21:35 == 47.9	3/8/25 2:05 == 45.2	3/8/25 6:35 == 48.1	3/8/25 11:05 == 33.1
3/7/25 21:40 == 47.5	3/8/25 2:10 == 38.1	3/8/25 6:40 == 48	3/8/25 11:10 == 40.8
3/7/25 21:45 == 48	3/8/25 2:15 == 33	3/8/25 6:45 == 48	3/8/25 11:15 == 46.7
3/7/25 21:50 == 47.9	3/8/25 2:20 == 33	3/8/25 6:50 == 48.1	3/8/25 11:20 == 47.8
3/7/25 21:55 == 48.1	3/8/25 2:25 == 33	3/8/25 6:55 == 48.1	3/8/25 11:25 == 47.9
3/7/25 22:00 == 47.6	3/8/25 2:30 == 33.2	3/8/25 7:00 == 48.1	3/8/25 11:30 == 48
3/7/25 22:05 == 47.9	3/8/25 2:35 == 33	3/8/25 7:05 == 46.1	3/8/25 11:35 == 48
3/7/25 22:10 == 34.7	3/8/25 2:40 == 33.2	3/8/25 7:10 == 39.2	3/8/25 11:40 == 48.1
3/7/25 22:15 == 33.1	3/8/25 2:45 == 33.3	3/8/25 7:15 == 33	3/8/25 11:45 == 48
3/7/25 22:20 == 33	3/8/25 2:50 == 33.2	3/8/25 7:20 == 33	3/8/25 11:50 == 48
3/7/25 22:25 == 33.2	3/8/25 2:55 == 33.2	3/8/25 7:25 == 32.9	3/8/25 11:55 == 48.1

Pumpback Station Discharge (0364)

3/8/25 12:00 == 48.1	3/8/25 16:30 == 48	3/8/25 21:00 == 32.9	3/9/25 1:30 == 32.9
3/8/25 12:05 == 46.7	3/8/25 16:35 == 48	3/8/25 21:05 == 32.9	3/9/25 1:35 == 32.9
3/8/25 12:10 == 39.4	3/8/25 16:40 == 38.1	3/8/25 21:10 == 33	3/9/25 1:40 == 32.8
3/8/25 12:15 == 32.8	3/8/25 16:45 == 33.2	3/8/25 21:15 == 32.9	3/9/25 1:45 == 32.8
3/8/25 12:20 == 32.9	3/8/25 16:50 == 32.8	3/8/25 21:20 == 32.9	3/9/25 1:50 == 33.2
3/8/25 12:25 == 32.8	3/8/25 16:55 == 32.9	3/8/25 21:25 == 32.9	3/9/25 1:55 == 37.1
3/8/25 12:30 == 32.8	3/8/25 17:00 == 32.8	3/8/25 21:30 == 32.9	3/9/25 3:00 == 47.3
3/8/25 12:35 == 32.8	3/8/25 17:05 == 32.8	3/8/25 21:35 == 33	3/9/25 3:05 == 48
3/8/25 12:40 == 32.9	3/8/25 17:10 == 32.9	3/8/25 21:40 == 32.8	3/9/25 3:10 == 47.9
3/8/25 12:45 == 32.9	3/8/25 17:15 == 32.9	3/8/25 21:45 == 32.8	3/9/25 3:15 == 47.8
3/8/25 12:50 == 32.9	3/8/25 17:20 == 32.9	3/8/25 21:50 == 32.9	3/9/25 3:20 == 47.9
3/8/25 12:55 == 33	3/8/25 17:25 == 32.9	3/8/25 21:55 == 32.9	3/9/25 3:25 == 47.5
3/8/25 13:00 == 32.9	3/8/25 17:30 == 33.1	3/8/25 22:00 == 33	3/9/25 3:30 == 47.7
3/8/25 13:05 == 32.8	3/8/25 17:35 == 33.1	3/8/25 22:05 == 33	3/9/25 3:35 == 47.5
3/8/25 13:10 == 32.7	3/8/25 17:40 == 33.1	3/8/25 22:10 == 39.5	3/9/25 3:40 == 39.7
3/8/25 13:15 == 32.8	3/8/25 17:45 == 33.1	3/8/25 22:15 == 46.1	3/9/25 3:45 == 33.9
3/8/25 13:20 == 32.9	3/8/25 17:50 == 33.7	3/8/25 22:20 == 47.9	3/9/25 3:50 == 32.9
3/8/25 13:25 == 40.2	3/8/25 17:55 == 38.1	3/8/25 22:25 == 48.1	3/9/25 3:55 == 32.8
3/8/25 13:30 == 47.2	3/8/25 18:00 == 47.4	3/8/25 22:30 == 48.1	3/9/25 4:00 == 32.8
3/8/25 13:35 == 48.1	3/8/25 18:05 == 47.8	3/8/25 22:35 == 48	3/9/25 4:05 == 33
3/8/25 13:40 == 48.2	3/8/25 18:10 == 47.9	3/8/25 22:40 == 47.8	3/9/25 4:10 == 32.9
3/8/25 13:45 == 48	3/8/25 18:15 == 48	3/8/25 22:45 == 47.8	3/9/25 4:15 == 32.8
3/8/25 13:50 == 48	3/8/25 18:20 == 48.1	3/8/25 22:50 == 46.7	3/9/25 4:20 == 32.9
3/8/25 13:55 == 48	3/8/25 18:25 == 47.3	3/8/25 22:55 == 40.9	3/9/25 4:25 == 32.8
3/8/25 14:00 == 48.1	3/8/25 18:30 == 47.8	3/8/25 23:00 == 32.9	3/9/25 4:30 == 32.8
3/8/25 14:05 == 48	3/8/25 18:35 == 48	3/8/25 23:05 == 32.9	3/9/25 4:35 == 32.9
3/8/25 14:10 == 48	3/8/25 18:40 == 48	3/8/25 23:10 == 32.9	3/9/25 4:40 == 32.8
3/8/25 14:15 == 48	3/8/25 18:45 == 47.6	3/8/25 23:15 == 32.9	3/9/25 4:45 == 32.9
3/8/25 14:20 == 47.3	3/8/25 18:50 == 47.8	3/8/25 23:20 == 32.9	3/9/25 4:50 == 32.9
3/8/25 14:25 == 38.4	3/8/25 18:55 == 38.3	3/8/25 23:25 == 32.9	3/9/25 4:55 == 37.5
3/8/25 14:30 == 32.8	3/8/25 19:00 == 33.5	3/8/25 23:30 == 32.9	3/9/25 5:00 == 46.4
3/8/25 14:35 == 33	3/8/25 19:05 == 33	3/8/25 23:35 == 32.9	3/9/25 5:05 == 48
3/8/25 14:40 == 32.9	3/8/25 19:10 == 33	3/8/25 23:40 == 32.9	3/9/25 5:10 == 47.9
3/8/25 14:45 == 32.9	3/8/25 19:15 == 33	3/8/25 23:45 == 32.8	3/9/25 5:15 == 47.9
3/8/25 14:50 == 33	3/8/25 19:20 == 33.1	3/8/25 23:50 == 33	3/9/25 5:20 == 47.8
3/8/25 14:55 == 32.9	3/8/25 19:25 == 32.9	3/8/25 23:55 == 32.8	3/9/25 5:25 == 47.4
3/8/25 15:00 == 32.9	3/8/25 19:30 == 32.9	3/9/25 0:00 == 33	3/9/25 5:30 == 48
3/8/25 15:05 == 33	3/8/25 19:35 == 33	3/9/25 0:05 == 32.9	3/9/25 5:35 == 48
3/8/25 15:10 == 32.9	3/8/25 19:40 == 33	3/9/25 0:10 == 38.6	3/9/25 5:40 == 47.9
3/8/25 15:15 == 32.8	3/8/25 19:45 == 33	3/9/25 0:15 == 45.9	3/9/25 5:45 == 48
3/8/25 15:20 == 33	3/8/25 19:50 == 33	3/9/25 0:20 == 47.9	3/9/25 5:50 == 47.9
3/8/25 15:25 == 32.9	3/8/25 19:55 == 32.9	3/9/25 0:25 == 48.1	3/9/25 5:55 == 40.7
3/8/25 15:30 == 32.8	3/8/25 20:00 == 32.9	3/9/25 0:30 == 48	3/9/25 6:00 == 33.1
3/8/25 15:35 == 32.7	3/8/25 20:05 == 32.9	3/9/25 0:35 == 47.9	3/9/25 6:05 == 32.8
3/8/25 15:40 == 32.9	3/8/25 20:10 == 38.1	3/9/25 0:40 == 48	3/9/25 6:10 == 32.8
3/8/25 15:45 == 32.9	3/8/25 20:15 == 47.2	3/9/25 0:45 == 48	3/9/25 6:15 == 32.8
3/8/25 15:50 == 33.2	3/8/25 20:20 == 47.8	3/9/25 0:50 == 48.1	3/9/25 6:20 == 32.9
3/8/25 15:55 == 38.8	3/8/25 20:25 == 47.6	3/9/25 0:55 == 40.2	3/9/25 6:25 == 32.9
3/8/25 16:00 == 47.4	3/8/25 20:30 == 48	3/9/25 1:00 == 33	3/9/25 6:30 == 32.8
3/8/25 16:05 == 48.1	3/8/25 20:35 == 48	3/9/25 1:05 == 32.9	3/9/25 6:35 == 32.8
3/8/25 16:10 == 47.4	3/8/25 20:40 == 47.9	3/9/25 1:10 == 32.9	3/9/25 6:40 == 32.9
3/8/25 16:15 == 47.9	3/8/25 20:45 == 47.7	3/9/25 1:15 == 32.9	3/9/25 6:45 == 32.8
3/8/25 16:20 == 47.9	3/8/25 20:50 == 47.3	3/9/25 1:20 == 32.9	3/9/25 6:50 == 32.8
3/8/25 16:25 == 48	3/8/25 20:55 == 40	3/9/25 1:25 == 32.9	3/9/25 6:55 == 32.7

Pumpback Station Discharge (0364)

3/9/25 7:00 == 32.8	3/9/25 11:30 == 45.7	3/9/25 16:00 == 47	3/9/25 20:30 == 48
3/9/25 7:05 == 33.1	3/9/25 11:35 == 47.8	3/9/25 16:05 == 47.9	3/9/25 20:35 == 47.9
3/9/25 7:10 == 33.1	3/9/25 11:40 == 48	3/9/25 16:10 == 47.4	3/9/25 20:40 == 47.7
3/9/25 7:15 == 32.9	3/9/25 11:45 == 47.9	3/9/25 16:15 == 47.8	3/9/25 20:45 == 48
3/9/25 7:20 == 32.8	3/9/25 11:50 == 48	3/9/25 16:20 == 48	3/9/25 20:50 == 47.7
3/9/25 7:25 == 37.7	3/9/25 11:55 == 48	3/9/25 16:25 == 48	3/9/25 20:55 == 44.8
3/9/25 7:30 == 46.1	3/9/25 12:00 == 48	3/9/25 16:30 == 47.9	3/9/25 21:00 == 33
3/9/25 7:35 == 48	3/9/25 12:05 == 47.9	3/9/25 16:35 == 48.1	3/9/25 21:05 == 32.9
3/9/25 7:40 == 47.8	3/9/25 12:10 == 47.9	3/9/25 16:40 == 41.9	3/9/25 21:10 == 32.7
3/9/25 7:45 == 47.6	3/9/25 12:15 == 48	3/9/25 16:45 == 34.6	3/9/25 21:15 == 32.9
3/9/25 7:50 == 47.9	3/9/25 12:20 == 47.8	3/9/25 16:50 == 33	3/9/25 21:20 == 33
3/9/25 7:55 == 47.9	3/9/25 12:25 == 41.6	3/9/25 16:55 == 33.1	3/9/25 21:25 == 33.3
3/9/25 8:00 == 48	3/9/25 12:30 == 33.7	3/9/25 17:00 == 33	3/9/25 21:30 == 33
3/9/25 8:05 == 47.2	3/9/25 12:35 == 32.8	3/9/25 17:05 == 33	3/9/25 21:35 == 33.1
3/9/25 8:10 == 42.3	3/9/25 12:40 == 32.8	3/9/25 17:10 == 33	3/9/25 21:40 == 33.1
3/9/25 8:15 == 32.7	3/9/25 12:45 == 32.7	3/9/25 17:15 == 32.9	3/9/25 21:45 == 33
3/9/25 8:20 == 32.8	3/9/25 12:50 == 32.8	3/9/25 17:20 == 33	3/9/25 21:50 == 33.1
3/9/25 8:25 == 32.9	3/9/25 12:55 == 32.8	3/9/25 17:25 == 33	3/9/25 21:55 == 35.8
3/9/25 8:30 == 32.8	3/9/25 13:00 == 32.9	3/9/25 17:30 == 32.9	3/9/25 22:00 == 44.6
3/9/25 8:35 == 32.7	3/9/25 13:05 == 32.9	3/9/25 17:35 == 32.9	3/9/25 22:05 == 47.8
3/9/25 8:40 == 32.7	3/9/25 13:10 == 32.9	3/9/25 17:40 == 32.8	3/9/25 22:10 == 47.9
3/9/25 8:45 == 32.9	3/9/25 13:15 == 33	3/9/25 17:45 == 32.7	3/9/25 22:15 == 47.9
3/9/25 8:50 == 32.8	3/9/25 13:20 == 32.8	3/9/25 17:50 == 32.8	3/9/25 22:20 == 48
3/9/25 8:55 == 32.8	3/9/25 13:25 == 32.9	3/9/25 17:55 == 36.3	3/9/25 22:25 == 47.9
3/9/25 9:00 == 32.8	3/9/25 13:30 == 32.7	3/9/25 18:00 == 45	3/9/25 22:30 == 47.9
3/9/25 9:05 == 32.9	3/9/25 13:35 == 33	3/9/25 18:05 == 47.8	3/9/25 22:35 == 47.6
3/9/25 9:10 == 38.4	3/9/25 13:40 == 35.4	3/9/25 18:10 == 48	3/9/25 22:40 == 41.9
3/9/25 9:15 == 45.2	3/9/25 13:45 == 46.9	3/9/25 18:15 == 48	3/9/25 22:45 == 34.6
3/9/25 9:20 == 47.7	3/9/25 13:50 == 47.8	3/9/25 18:20 == 48	3/9/25 22:50 == 33
3/9/25 9:25 == 48	3/9/25 13:55 == 47.9	3/9/25 18:25 == 48	3/9/25 22:55 == 33
3/9/25 9:30 == 48.1	3/9/25 14:00 == 47.9	3/9/25 18:30 == 47.9	3/9/25 23:00 == 33
3/9/25 9:35 == 48.1	3/9/25 14:05 == 47.9	3/9/25 18:35 == 48	3/9/25 23:05 == 32.9
3/9/25 9:40 == 47.7	3/9/25 14:10 == 48.1	3/9/25 18:40 == 47.9	3/9/25 23:10 == 32.9
3/9/25 9:45 == 47.6	3/9/25 14:15 == 48.1	3/9/25 18:45 == 47.9	3/9/25 23:15 == 32.9
3/9/25 9:50 == 47.9	3/9/25 14:20 == 48.1	3/9/25 18:50 == 47.9	3/9/25 23:20 == 32.8
3/9/25 9:55 == 41.6	3/9/25 14:25 == 48	3/9/25 18:55 == 42.8	3/9/25 23:25 == 35
3/9/25 10:00 == 32.9	3/9/25 14:30 == 48	3/9/25 19:00 == 33.7	3/9/25 23:30 == 45.5
3/9/25 10:05 == 32.9	3/9/25 14:35 == 48	3/9/25 19:05 == 32.7	3/9/25 23:35 == 47.9
3/9/25 10:10 == 33.1	3/9/25 14:40 == 41.2	3/9/25 19:10 == 32.8	3/9/25 23:40 == 48.2
3/9/25 10:15 == 32.9	3/9/25 14:45 == 34.4	3/9/25 19:15 == 32.8	3/9/25 23:45 == 47.9
3/9/25 10:20 == 33	3/9/25 14:50 == 32.9	3/9/25 19:20 == 32.9	3/9/25 23:50 == 48
3/9/25 10:25 == 33	3/9/25 14:55 == 32.9	3/9/25 19:25 == 32.9	3/9/25 23:55 == 47.2
3/9/25 10:30 == 32.9	3/9/25 15:00 == 32.8	3/9/25 19:30 == 33	3/10/25 0:00 == 47.8
3/9/25 10:35 == 32.9	3/9/25 15:05 == 32.9	3/9/25 19:35 == 33	3/10/25 0:05 == 47.9
3/9/25 10:40 == 33	3/9/25 15:10 == 32.8	3/9/25 19:40 == 32.9	3/10/25 0:10 == 43.9
3/9/25 10:45 == 33	3/9/25 15:15 == 32.8	3/9/25 19:45 == 32.9	3/10/25 0:15 == 34.2
3/9/25 10:50 == 32.9	3/9/25 15:20 == 32.8	3/9/25 19:50 == 33.1	3/10/25 0:20 == 32.9
3/9/25 10:55 == 32.9	3/9/25 15:25 == 32.9	3/9/25 19:55 == 33	3/10/25 0:25 == 32.8
3/9/25 11:00 == 33	3/9/25 15:30 == 32.9	3/9/25 20:00 == 32.8	3/10/25 0:30 == 32.7
3/9/25 11:05 == 33.1	3/9/25 15:35 == 32.9	3/9/25 20:05 == 33	3/10/25 0:35 == 32.9
3/9/25 11:10 == 32.9	3/9/25 15:40 == 33	3/9/25 20:10 == 37.1	3/10/25 0:40 == 33
3/9/25 11:15 == 32.9	3/9/25 15:45 == 33	3/9/25 20:15 == 44.4	3/10/25 0:45 == 33
3/9/25 11:20 == 32.9	3/9/25 15:50 == 32.9	3/9/25 20:20 == 47.7	3/10/25 0:50 == 32.9
3/9/25 11:25 == 37.7	3/9/25 15:55 == 34.6	3/9/25 20:25 == 48	3/10/25 0:55 == 32.9

Pumpback Station Discharge (0364)

3/10/25 1:00 == 33	3/10/25 5:30 == 45.1	3/10/25 10:00 == 32.8	3/10/25 14:30 == 48
3/10/25 1:05 == 33	3/10/25 5:35 == 47.8	3/10/25 10:05 == 32.9	3/10/25 14:35 == 48
3/10/25 1:10 == 36.7	3/10/25 5:40 == 48	3/10/25 10:10 == 33	3/10/25 14:40 == 48
3/10/25 1:15 == 44	3/10/25 5:45 == 48	3/10/25 10:15 == 44.1	3/10/25 14:45 == 47.9
3/10/25 1:20 == 48	3/10/25 5:50 == 48.1	3/10/25 10:20 == 47.7	3/10/25 14:50 == 47.7
3/10/25 1:25 == 48	3/10/25 5:55 == 48.1	3/10/25 10:25 == 47.9	3/10/25 14:55 == 45.9
3/10/25 1:30 == 48	3/10/25 6:00 == 48	3/10/25 10:30 == 47.5	3/10/25 15:00 == 34.8
3/10/25 1:35 == 47.9	3/10/25 6:05 == 48.1	3/10/25 10:35 == 47.9	3/10/25 15:05 == 32.8
3/10/25 1:40 == 48.1	3/10/25 6:10 == 48.1	3/10/25 10:40 == 48	3/10/25 15:10 == 32.7
3/10/25 1:45 == 48.1	3/10/25 6:15 == 48.1	3/10/25 10:45 == 48.1	3/10/25 15:15 == 32.9
3/10/25 1:50 == 48	3/10/25 6:20 == 48	3/10/25 10:50 == 48.1	3/10/25 15:20 == 32.9
3/10/25 1:55 == 44.9	3/10/25 6:25 == 43.1	3/10/25 10:55 == 48	3/10/25 15:25 == 32.9
3/10/25 2:00 == 33.1	3/10/25 6:30 == 35.6	3/10/25 11:00 == 48.1	3/10/25 15:30 == 32.8
3/10/25 2:05 == 32.7	3/10/25 6:35 == 32.9	3/10/25 11:05 == 48	3/10/25 15:35 == 32.9
3/10/25 2:10 == 33	3/10/25 6:40 == 32.8	3/10/25 11:10 == 43.5	3/10/25 15:40 == 33
3/10/25 2:15 == 32.8	3/10/25 6:45 == 32.8	3/10/25 11:15 == 36.1	3/10/25 15:45 == 33.1
3/10/25 2:20 == 32.8	3/10/25 6:50 == 32.9	3/10/25 11:20 == 33.2	3/10/25 15:50 == 33
3/10/25 2:25 == 33	3/10/25 6:55 == 32.9	3/10/25 11:25 == 33.2	3/10/25 15:55 == 33
3/10/25 2:30 == 32.9	3/10/25 7:00 == 32.8	3/10/25 11:30 == 33.1	3/10/25 16:00 == 32.8
3/10/25 2:35 == 32.9	3/10/25 7:05 == 32.9	3/10/25 11:35 == 33.2	3/10/25 16:05 == 33.1
3/10/25 2:40 == 32.9	3/10/25 7:10 == 33.3	3/10/25 11:40 == 33.2	3/10/25 16:10 == 34.3
3/10/25 2:45 == 32.9	3/10/25 7:15 == 33.1	3/10/25 11:45 == 33.2	3/10/25 16:15 == 43.1
3/10/25 2:50 == 32.9	3/10/25 7:20 == 33.1	3/10/25 11:50 == 33.1	3/10/25 16:20 == 47.8
3/10/25 2:55 == 33	3/10/25 7:25 == 33.1	3/10/25 11:55 == 32.9	3/10/25 16:25 == 47.9
3/10/25 3:00 == 32.7	3/10/25 7:30 == 33	3/10/25 12:00 == 32.9	3/10/25 16:30 == 47.9
3/10/25 3:05 == 32.7	3/10/25 7:35 == 33	3/10/25 12:05 == 32.9	3/10/25 16:35 == 48
3/10/25 3:10 == 35.6	3/10/25 7:40 == 33	3/10/25 12:10 == 34.8	3/10/25 16:40 == 47.9
3/10/25 3:15 == 44.4	3/10/25 7:45 == 46	3/10/25 12:15 == 42.9	3/10/25 16:45 == 47.9
3/10/25 3:20 == 47.9	3/10/25 7:50 == 47.8	3/10/25 12:20 == 47.3	3/10/25 16:50 == 47.9
3/10/25 3:25 == 47.2	3/10/25 7:55 == 47.6	3/10/25 12:25 == 47.3	3/10/25 16:55 == 47.7
3/10/25 3:30 == 47.3	3/10/25 8:00 == 47.6	3/10/25 12:30 == 48	3/10/25 17:00 == 47.8
3/10/25 3:35 == 47.9	3/10/25 8:05 == 48	3/10/25 12:35 == 48	3/10/25 17:05 == 48
3/10/25 3:40 == 47.8	3/10/25 8:10 == 47.5	3/10/25 12:40 == 47.9	3/10/25 17:10 == 45
3/10/25 3:45 == 47.8	3/10/25 8:15 == 47.8	3/10/25 12:45 == 48.1	3/10/25 17:15 == 36.5
3/10/25 3:50 == 47.9	3/10/25 8:20 == 48	3/10/25 12:50 == 48	3/10/25 17:20 == 32.9
3/10/25 3:55 == 47.9	3/10/25 8:25 == 47.9	3/10/25 12:55 == 46.8	3/10/25 17:25 == 33
3/10/25 4:00 == 48	3/10/25 8:30 == 47.8	3/10/25 13:00 == 33.8	3/10/25 17:30 == 32.9
3/10/25 4:05 == 47.9	3/10/25 8:35 == 48	3/10/25 13:05 == 32.9	3/10/25 17:35 == 32.9
3/10/25 4:10 == 44	3/10/25 8:40 == 43.5	3/10/25 13:10 == 32.8	3/10/25 17:40 == 32.8
3/10/25 4:15 == 35.1	3/10/25 8:45 == 36.2	3/10/25 13:15 == 32.9	3/10/25 17:45 == 33
3/10/25 4:20 == 32.8	3/10/25 8:50 == 32.9	3/10/25 13:20 == 32.9	3/10/25 17:50 == 33
3/10/25 4:25 == 32.9	3/10/25 8:55 == 32.7	3/10/25 13:25 == 32.8	3/10/25 17:55 == 32.9
3/10/25 4:30 == 32.7	3/10/25 9:00 == 32.7	3/10/25 13:30 == 32.7	3/10/25 18:00 == 32.8
3/10/25 4:35 == 32.9	3/10/25 9:05 == 32.9	3/10/25 13:35 == 32.8	3/10/25 18:05 == 32.9
3/10/25 4:40 == 32.8	3/10/25 9:10 == 33	3/10/25 13:40 == 32.8	3/10/25 18:10 == 33.1
3/10/25 4:45 == 32.9	3/10/25 9:15 == 32.9	3/10/25 13:45 == 32.9	3/10/25 18:15 == 33
3/10/25 4:50 == 32.9	3/10/25 9:20 == 32.9	3/10/25 13:50 == 32.9	3/10/25 18:20 == 33
3/10/25 4:55 == 32.8	3/10/25 9:25 == 32.9	3/10/25 13:55 == 35.3	3/10/25 18:25 == 33.2
3/10/25 5:00 == 32.9	3/10/25 9:30 == 32.9	3/10/25 14:00 == 42.7	3/10/25 18:30 == 44.2
3/10/25 5:05 == 32.9	3/10/25 9:35 == 32.8	3/10/25 14:05 == 47.7	3/10/25 18:35 == 47.7
3/10/25 5:10 == 32.7	3/10/25 9:40 == 33	3/10/25 14:10 == 47.9	3/10/25 18:40 == 47.9
3/10/25 5:15 == 32.8	3/10/25 9:45 == 32.9	3/10/25 14:15 == 48	3/10/25 18:45 == 47.7
3/10/25 5:20 == 33	3/10/25 9:50 == 32.9	3/10/25 14:20 == 47.7	3/10/25 18:50 == 47.6
3/10/25 5:25 == 34.2	3/10/25 9:55 == 32.9	3/10/25 14:25 == 47.6	3/10/25 18:55 == 47.8

Pumpback Station Discharge (0364)

3/10/25 19:00 == 48.1	3/10/25 23:30 == 32.8	3/11/25 4:00 == 32.9	3/11/25 8:30 == 48
3/10/25 19:05 == 48.1	3/10/25 23:35 == 32.9	3/11/25 4:05 == 33.1	3/11/25 8:35 == 48
3/10/25 19:10 == 48	3/10/25 23:40 == 32.9	3/11/25 4:10 == 33	3/11/25 8:40 == 48
3/10/25 19:15 == 48.1	3/10/25 23:45 == 32.9	3/11/25 4:15 == 41.8	3/11/25 8:45 == 48
3/10/25 19:20 == 48.1	3/10/25 23:50 == 33	3/11/25 4:20 == 47.4	3/11/25 8:50 == 48
3/10/25 19:25 == 44.5	3/10/25 23:55 == 32.9	3/11/25 4:25 == 47.4	3/11/25 8:55 == 46.4
3/10/25 19:30 == 36.9	3/11/25 0:00 == 32.9	3/11/25 4:30 == 48	3/11/25 9:00 == 38.1
3/10/25 19:35 == 32.9	3/11/25 0:05 == 32.9	3/11/25 4:35 == 47.8	3/11/25 9:05 == 33
3/10/25 19:40 == 32.9	3/11/25 0:10 == 32.9	3/11/25 4:40 == 47	3/11/25 9:10 == 33.1
3/10/25 19:45 == 32.9	3/11/25 0:15 == 33.1	3/11/25 4:45 == 47.7	3/11/25 9:15 == 33
3/10/25 19:50 == 33	3/11/25 0:20 == 33.2	3/11/25 4:50 == 48	3/11/25 9:20 == 33
3/10/25 19:55 == 33.1	3/11/25 0:25 == 34.5	3/11/25 4:55 == 47.1	3/11/25 9:25 == 32.9
3/10/25 20:00 == 32.9	3/11/25 0:30 == 41.1	3/11/25 5:00 == 37	3/11/25 9:30 == 32.8
3/10/25 20:05 == 33	3/11/25 0:35 == 47.5	3/11/25 5:05 == 32.8	3/11/25 9:35 == 33.1
3/10/25 20:10 == 33	3/11/25 0:40 == 47.8	3/11/25 5:10 == 32.7	3/11/25 9:40 == 32.9
3/10/25 20:15 == 33	3/11/25 0:45 == 48	3/11/25 5:15 == 32.8	3/11/25 9:45 == 33.1
3/10/25 20:20 == 32.8	3/11/25 0:50 == 48.1	3/11/25 5:20 == 32.9	3/11/25 9:50 == 32.9
3/10/25 20:25 == 33.1	3/11/25 0:55 == 48	3/11/25 5:25 == 33	3/11/25 9:55 == 32.9
3/10/25 20:30 == 43	3/11/25 1:00 == 47.9	3/11/25 5:30 == 32.9	3/11/25 10:00 == 33
3/10/25 20:35 == 47.9	3/11/25 1:05 == 47.9	3/11/25 5:35 == 32.9	3/11/25 10:05 == 33
3/10/25 20:40 == 48	3/11/25 1:10 == 48	3/11/25 5:40 == 32.9	3/11/25 10:10 == 33.1
3/10/25 20:45 == 47.9	3/11/25 1:15 == 48	3/11/25 5:45 == 32.8	3/11/25 10:15 == 41.7
3/10/25 20:50 == 48	3/11/25 1:20 == 47.9	3/11/25 5:50 == 32.8	3/11/25 10:20 == 47.2
3/10/25 20:55 == 48.1	3/11/25 1:25 == 46.9	3/11/25 5:55 == 34.2	3/11/25 10:25 == 48
3/10/25 21:00 == 48.2	3/11/25 1:30 == 35.9	3/11/25 6:00 == 40.2	3/11/25 10:30 == 47.9
3/10/25 21:05 == 47.9	3/11/25 1:35 == 32.9	3/11/25 6:05 == 47.5	3/11/25 10:35 == 48
3/10/25 21:10 == 45.9	3/11/25 1:40 == 32.9	3/11/25 6:10 == 47.9	3/11/25 10:40 == 48
3/10/25 21:15 == 36.3	3/11/25 1:45 == 33	3/11/25 6:15 == 48.1	3/11/25 10:45 == 48
3/10/25 21:20 == 33	3/11/25 1:50 == 32.9	3/11/25 6:20 == 48	3/11/25 10:50 == 48
3/10/25 21:25 == 33.2	3/11/25 1:55 == 33	3/11/25 6:25 == 47.8	3/11/25 10:55 == 48
3/10/25 21:30 == 33.1	3/11/25 2:00 == 32.9	3/11/25 6:30 == 48	3/11/25 11:00 == 48
3/10/25 21:35 == 33.2	3/11/25 2:05 == 32.8	3/11/25 6:35 == 48	3/11/25 11:05 == 48.1
3/10/25 21:40 == 33.1	3/11/25 2:10 == 33	3/11/25 6:40 == 47.5	3/11/25 11:10 == 46.1
3/10/25 21:45 == 33.1	3/11/25 2:15 == 33	3/11/25 6:45 == 36	3/11/25 11:15 == 39
3/10/25 21:50 == 33	3/11/25 2:20 == 33	3/11/25 6:50 == 32.9	3/11/25 11:20 == 33.2
3/10/25 21:55 == 32.7	3/11/25 2:25 == 32.8	3/11/25 6:55 == 32.9	3/11/25 11:25 == 33.5
3/10/25 22:00 == 32.7	3/11/25 2:30 == 42.7	3/11/25 7:00 == 32.8	3/11/25 11:30 == 33.5
3/10/25 22:05 == 32.8	3/11/25 2:35 == 47.7	3/11/25 7:05 == 32.7	3/11/25 11:35 == 33.4
3/10/25 22:10 == 34.9	3/11/25 2:40 == 47.8	3/11/25 7:10 == 33.5	3/11/25 11:40 == 33.5
3/10/25 22:15 == 41.4	3/11/25 2:45 == 48	3/11/25 7:15 == 33.4	3/11/25 11:45 == 33.4
3/10/25 22:20 == 47.7	3/11/25 2:50 == 48.2	3/11/25 7:20 == 33.1	3/11/25 11:50 == 33.3
3/10/25 22:25 == 47.9	3/11/25 2:55 == 47.5	3/11/25 7:25 == 33.1	3/11/25 11:55 == 33.5
3/10/25 22:30 == 48	3/11/25 3:00 == 47.4	3/11/25 7:30 == 33.1	3/11/25 12:00 == 33
3/10/25 22:35 == 48	3/11/25 3:05 == 48	3/11/25 7:35 == 33.2	3/11/25 12:05 == 33.2
3/10/25 22:40 == 48	3/11/25 3:10 == 45	3/11/25 7:40 == 33.1	3/11/25 12:10 == 33
3/10/25 22:45 == 47.9	3/11/25 3:15 == 37.8	3/11/25 7:45 == 33	3/11/25 12:15 == 32.9
3/10/25 22:50 == 47.9	3/11/25 3:20 == 32.9	3/11/25 7:50 == 33	3/11/25 12:20 == 32.9
3/10/25 22:55 == 48	3/11/25 3:25 == 32.8	3/11/25 7:55 == 33.2	3/11/25 12:25 == 32.9
3/10/25 23:00 == 47.3	3/11/25 3:30 == 33	3/11/25 8:00 == 40.9	3/11/25 12:30 == 41.5
3/10/25 23:05 == 48.1	3/11/25 3:35 == 33.1	3/11/25 8:05 == 47.6	3/11/25 12:35 == 46.9
3/10/25 23:10 == 47.9	3/11/25 3:40 == 33	3/11/25 8:10 == 48	3/11/25 12:40 == 48.1
3/10/25 23:15 == 34.2	3/11/25 3:45 == 33	3/11/25 8:15 == 48	3/11/25 12:45 == 48.2
3/10/25 23:20 == 33	3/11/25 3:50 == 33	3/11/25 8:20 == 47.9	3/11/25 12:50 == 48.1
3/10/25 23:25 == 32.7	3/11/25 3:55 == 32.9	3/11/25 8:25 == 47.9	3/11/25 12:55 == 48.1

Pumpback Station Discharge (0364)

3/11/25 13:00 == 48.1	3/11/25 17:30 == 33.1	3/11/25 22:00 == 33	3/12/25 2:30 == 33
3/11/25 13:05 == 48	3/11/25 17:35 == 33.2	3/11/25 22:05 == 33	3/12/25 2:35 == 33
3/11/25 13:10 == 48	3/11/25 17:40 == 32.8	3/11/25 22:10 == 33	3/12/25 2:40 == 32.9
3/11/25 13:15 == 48.1	3/11/25 17:45 == 32.9	3/11/25 22:15 == 33	3/12/25 2:45 == 32.7
3/11/25 13:20 == 47.9	3/11/25 17:50 == 33	3/11/25 22:20 == 32.9	3/12/25 2:50 == 32.8
3/11/25 13:25 == 45.8	3/11/25 17:55 == 32.9	3/11/25 22:25 == 33	3/12/25 2:55 == 33
3/11/25 13:30 == 39.1	3/11/25 18:00 == 33	3/11/25 22:30 == 32.9	3/12/25 3:00 == 33
3/11/25 13:35 == 32.8	3/11/25 18:05 == 33	3/11/25 22:35 == 33	3/12/25 3:05 == 32.9
3/11/25 13:40 == 33	3/11/25 18:10 == 33	3/11/25 22:40 == 33.2	3/12/25 3:10 == 33
3/11/25 13:45 == 33	3/11/25 18:15 == 33.1	3/11/25 22:45 == 33	3/12/25 3:15 == 32.9
3/11/25 13:50 == 33	3/11/25 18:20 == 33.2	3/11/25 22:50 == 33	3/12/25 3:20 == 32.9
3/11/25 13:55 == 32.9	3/11/25 18:25 == 33.1	3/11/25 22:55 == 33.1	3/12/25 3:25 == 33
3/11/25 14:00 == 32.8	3/11/25 18:30 == 39.5	3/11/25 23:00 == 40.3	3/12/25 3:30 == 38.2
3/11/25 14:05 == 32.9	3/11/25 18:35 == 47.4	3/11/25 23:05 == 46.1	3/12/25 3:35 == 46.9
3/11/25 14:10 == 32.9	3/11/25 18:40 == 47.9	3/11/25 23:10 == 47.9	3/12/25 3:40 == 47.9
3/11/25 14:15 == 32.9	3/11/25 18:45 == 48.1	3/11/25 23:15 == 48	3/12/25 3:45 == 48
3/11/25 14:20 == 32.8	3/11/25 18:50 == 48	3/11/25 23:20 == 48.1	3/12/25 3:50 == 47.9
3/11/25 14:25 == 33.2	3/11/25 18:55 == 47.9	3/11/25 23:25 == 48.1	3/12/25 3:55 == 48
3/11/25 14:30 == 40.1	3/11/25 19:00 == 47.7	3/11/25 23:30 == 48.1	3/12/25 4:00 == 48.1
3/11/25 14:35 == 47.5	3/11/25 19:05 == 47.9	3/11/25 23:35 == 48	3/12/25 4:05 == 47.6
3/11/25 14:40 == 48	3/11/25 19:10 == 48	3/11/25 23:40 == 47.9	3/12/25 4:10 == 47.8
3/11/25 14:45 == 48.1	3/11/25 19:15 == 48.1	3/11/25 23:45 == 47.7	3/12/25 4:15 == 48
3/11/25 14:50 == 47.9	3/11/25 19:20 == 47.9	3/11/25 23:50 == 47.3	3/12/25 4:20 == 48
3/11/25 14:55 == 47.5	3/11/25 19:25 == 46.5	3/11/25 23:55 == 46.3	3/12/25 4:25 == 47.9
3/11/25 15:00 == 47.7	3/11/25 19:30 == 38.9	3/12/25 0:00 == 40.7	3/12/25 4:30 == 39.7
3/11/25 15:05 == 47.5	3/11/25 19:35 == 32.9	3/12/25 0:05 == 32.9	3/12/25 4:35 == 33.5
3/11/25 15:10 == 48	3/11/25 19:40 == 33	3/12/25 0:10 == 33.1	3/12/25 4:40 == 32.9
3/11/25 15:15 == 37.4	3/11/25 19:45 == 32.9	3/12/25 0:15 == 33	3/12/25 4:45 == 32.9
3/11/25 15:20 == 33	3/11/25 19:50 == 32.9	3/12/25 0:20 == 33.1	3/12/25 4:50 == 33
3/11/25 15:25 == 32.9	3/11/25 19:55 == 33.2	3/12/25 0:25 == 33.1	3/12/25 4:55 == 33
3/11/25 15:30 == 32.8	3/11/25 20:00 == 33.1	3/12/25 0:30 == 33.1	3/12/25 5:00 == 32.9
3/11/25 15:35 == 33.1	3/11/25 20:05 == 33.1	3/12/25 0:35 == 33	3/12/25 5:05 == 32.8
3/11/25 15:40 == 33	3/11/25 20:10 == 32.9	3/12/25 0:40 == 33	3/12/25 5:10 == 32.8
3/11/25 15:45 == 32.9	3/11/25 20:15 == 33	3/12/25 0:45 == 33	3/12/25 5:15 == 32.8
3/11/25 15:50 == 33	3/11/25 20:20 == 33.1	3/12/25 0:50 == 32.9	3/12/25 5:20 == 32.9
3/11/25 15:55 == 33.1	3/11/25 20:25 == 32.8	3/12/25 0:55 == 33	3/12/25 5:25 == 33.1
3/11/25 16:00 == 33	3/11/25 20:30 == 32.9	3/12/25 1:00 == 33.1	3/12/25 5:30 == 33.1
3/11/25 16:05 == 33	3/11/25 20:35 == 32.9	3/12/25 1:05 == 33	3/12/25 5:35 == 32.9
3/11/25 16:10 == 33.8	3/11/25 20:40 == 32.9	3/12/25 1:10 == 32.9	3/12/25 5:40 == 33.2
3/11/25 16:15 == 39.2	3/11/25 20:45 == 39.8	3/12/25 1:15 == 39.3	3/12/25 5:45 == 36.4
3/11/25 16:20 == 47.5	3/11/25 20:50 == 46.4	3/12/25 1:20 == 46.3	3/12/25 5:50 == 47.4
3/11/25 16:25 == 47.4	3/11/25 20:55 == 47.6	3/12/25 1:25 == 47.8	3/12/25 5:55 == 47.9
3/11/25 16:30 == 47.6	3/11/25 21:00 == 47.7	3/12/25 1:30 == 48	3/12/25 6:00 == 48.4
3/11/25 16:35 == 48.1	3/11/25 21:05 == 48	3/12/25 1:35 == 48	3/12/25 6:05 == 48.1
3/11/25 16:40 == 48	3/11/25 21:10 == 48.1	3/12/25 1:40 == 48	3/12/25 6:10 == 48.1
3/11/25 16:45 == 47.8	3/11/25 21:15 == 48.1	3/12/25 1:45 == 48	3/12/25 6:15 == 48
3/11/25 16:50 == 48	3/11/25 21:20 == 47.9	3/12/25 1:50 == 48	3/12/25 6:20 == 48
3/11/25 16:55 == 47.5	3/11/25 21:25 == 47.7	3/12/25 1:55 == 48	3/12/25 6:25 == 47.9
3/11/25 17:00 == 48	3/11/25 21:30 == 47.9	3/12/25 2:00 == 47.6	3/12/25 6:30 == 47.9
3/11/25 17:05 == 47.8	3/11/25 21:35 == 47.9	3/12/25 2:05 == 47.5	3/12/25 6:35 == 48.1
3/11/25 17:10 == 48	3/11/25 21:40 == 46.7	3/12/25 2:10 == 46.9	3/12/25 6:40 == 47.6
3/11/25 17:15 == 38.3	3/11/25 21:45 == 40.7	3/12/25 2:15 == 40.2	3/12/25 6:45 == 39.5
3/11/25 17:20 == 33.5	3/11/25 21:50 == 33.1	3/12/25 2:20 == 33.1	3/12/25 6:50 == 34
3/11/25 17:25 == 33.1	3/11/25 21:55 == 32.9	3/12/25 2:25 == 33	3/12/25 6:55 == 32.9

Pumpback Station Discharge (0364)

3/12/25 7:00 == 32.9	3/12/25 11:30 == 33.7	3/12/25 16:00 == 33.1	3/12/25 20:30 == 32.8
3/12/25 7:05 == 33.2	3/12/25 11:35 == 33.7	3/12/25 16:05 == 33	3/12/25 20:35 == 32.9
3/12/25 7:10 == 33.3	3/12/25 11:40 == 33.7	3/12/25 16:10 == 33.2	3/12/25 20:40 == 33
3/12/25 7:15 == 33.2	3/12/25 11:45 == 33.6	3/12/25 16:15 == 33.1	3/12/25 20:45 == 33
3/12/25 7:20 == 33.2	3/12/25 11:50 == 33.7	3/12/25 16:20 == 32.9	3/12/25 20:50 == 33
3/12/25 7:25 == 33.2	3/12/25 11:55 == 33.5	3/12/25 16:25 == 33.1	3/12/25 20:55 == 32.9
3/12/25 7:30 == 33.2	3/12/25 12:00 == 33.5	3/12/25 16:30 == 35.8	3/12/25 21:00 == 33.2
3/12/25 7:35 == 33.3	3/12/25 12:05 == 33.4	3/12/25 16:35 == 46.4	3/12/25 21:05 == 33
3/12/25 7:40 == 33.2	3/12/25 12:10 == 33.1	3/12/25 16:40 == 47.7	3/12/25 21:10 == 32.9
3/12/25 7:45 == 33.1	3/12/25 12:15 == 38.2	3/12/25 16:45 == 47.9	3/12/25 21:15 == 34.1
3/12/25 7:50 == 33.1	3/12/25 12:20 == 44.8	3/12/25 16:50 == 48.1	3/12/25 21:20 == 47.3
3/12/25 7:55 == 33.1	3/12/25 12:25 == 47.6	3/12/25 16:55 == 47.6	3/12/25 21:25 == 47.3
3/12/25 8:00 == 33.1	3/12/25 12:30 == 48	3/12/25 17:00 == 47.8	3/12/25 21:30 == 47.3
3/12/25 8:05 == 32.9	3/12/25 12:35 == 47.7	3/12/25 17:05 == 48	3/12/25 21:35 == 48
3/12/25 8:10 == 33.4	3/12/25 12:40 == 47.6	3/12/25 17:10 == 48.1	3/12/25 21:40 == 47.9
3/12/25 8:15 == 36.3	3/12/25 12:45 == 47.9	3/12/25 17:15 == 48.2	3/12/25 21:45 == 48
3/12/25 8:20 == 47.4	3/12/25 12:50 == 48	3/12/25 17:20 == 48	3/12/25 21:50 == 48
3/12/25 8:25 == 48	3/12/25 12:55 == 47.9	3/12/25 17:25 == 48	3/12/25 21:55 == 47.4
3/12/25 8:30 == 48.2	3/12/25 13:00 == 47.9	3/12/25 17:30 == 41.7	3/12/25 22:00 == 41.7
3/12/25 8:35 == 48	3/12/25 13:05 == 48	3/12/25 17:35 == 34.7	3/12/25 22:05 == 34.7
3/12/25 8:40 == 48	3/12/25 13:10 == 47.5	3/12/25 17:40 == 32.9	3/12/25 22:10 == 33.1
3/12/25 8:45 == 48	3/12/25 13:15 == 43	3/12/25 17:45 == 32.7	3/12/25 22:15 == 33.1
3/12/25 8:50 == 48	3/12/25 13:20 == 32.9	3/12/25 17:50 == 32.9	3/12/25 22:20 == 33.1
3/12/25 8:55 == 47.9	3/12/25 13:25 == 33	3/12/25 17:55 == 32.9	3/12/25 22:25 == 33
3/12/25 9:00 == 40.4	3/12/25 13:30 == 32.9	3/12/25 18:00 == 33	3/12/25 22:30 == 32.9
3/12/25 9:05 == 34.2	3/12/25 13:35 == 32.8	3/12/25 18:05 == 33	3/12/25 22:35 == 33.2
3/12/25 9:10 == 33.4	3/12/25 13:40 == 33	3/12/25 18:10 == 33.1	3/12/25 22:40 == 33.3
3/12/25 9:15 == 33.4	3/12/25 13:45 == 33	3/12/25 18:15 == 33	3/12/25 22:45 == 33.2
3/12/25 9:20 == 33.2	3/12/25 13:50 == 33.1	3/12/25 18:20 == 33.1	3/12/25 22:50 == 33.3
3/12/25 9:25 == 33.2	3/12/25 13:55 == 32.9	3/12/25 18:25 == 33.4	3/12/25 22:55 == 33.2
3/12/25 9:30 == 33.3	3/12/25 14:00 == 33	3/12/25 18:30 == 33.3	3/12/25 23:00 == 33.2
3/12/25 9:35 == 33.3	3/12/25 14:05 == 33	3/12/25 18:35 == 33.3	3/12/25 23:05 == 33.2
3/12/25 9:40 == 33.4	3/12/25 14:10 == 32.9	3/12/25 18:40 == 33.2	3/12/25 23:10 == 33.1
3/12/25 9:45 == 33.4	3/12/25 14:15 == 32.9	3/12/25 18:45 == 33.2	3/12/25 23:15 == 36.5
3/12/25 9:50 == 33.3	3/12/25 14:20 == 32.9	3/12/25 18:50 == 33.3	3/12/25 23:20 == 45.2
3/12/25 9:55 == 33.2	3/12/25 14:25 == 32.9	3/12/25 18:55 == 32.9	3/12/25 23:25 == 48
3/12/25 10:00 == 33.2	3/12/25 14:30 == 38	3/12/25 19:00 == 35.6	3/12/25 23:30 == 48.1
3/12/25 10:05 == 33.3	3/12/25 14:35 == 45.1	3/12/25 19:05 == 46.8	3/12/25 23:35 == 47.9
3/12/25 10:10 == 33.3	3/12/25 14:40 == 47.3	3/12/25 19:10 == 48.1	3/12/25 23:40 == 48
3/12/25 10:15 == 37.8	3/12/25 14:45 == 47.4	3/12/25 19:15 == 47.6	3/12/25 23:45 == 48
3/12/25 10:20 == 46.6	3/12/25 14:50 == 47.8	3/12/25 19:20 == 47.9	3/12/25 23:50 == 48
3/12/25 10:25 == 47.9	3/12/25 14:55 == 47.9	3/12/25 19:25 == 48	3/12/25 23:55 == 47.2
3/12/25 10:30 == 48	3/12/25 15:00 == 47.8	3/12/25 19:30 == 48.1	3/13/25 0:00 == 48
3/12/25 10:35 == 48	3/12/25 15:05 == 47.9	3/12/25 19:35 == 48	3/13/25 0:05 == 48.1
3/12/25 10:40 == 47.9	3/12/25 15:10 == 48.1	3/12/25 19:40 == 48	3/13/25 0:10 == 47.9
3/12/25 10:45 == 47.9	3/12/25 15:15 == 42.2	3/12/25 19:45 == 48	3/13/25 0:15 == 44.2
3/12/25 10:50 == 48	3/12/25 15:20 == 33.4	3/12/25 19:50 == 48	3/13/25 0:20 == 34.1
3/12/25 10:55 == 47.5	3/12/25 15:25 == 33	3/12/25 19:55 == 47.6	3/13/25 0:25 == 32.9
3/12/25 11:00 == 41.9	3/12/25 15:30 == 33	3/12/25 20:00 == 41.6	3/13/25 0:30 == 32.9
3/12/25 11:05 == 33.1	3/12/25 15:35 == 33.1	3/12/25 20:05 == 35	3/13/25 0:35 == 33
3/12/25 11:10 == 33.3	3/12/25 15:40 == 33.4	3/12/25 20:10 == 33	3/13/25 0:40 == 33
3/12/25 11:15 == 33.3	3/12/25 15:45 == 33.1	3/12/25 20:15 == 33	3/13/25 0:45 == 33
3/12/25 11:20 == 33.3	3/12/25 15:50 == 33.1	3/12/25 20:20 == 33	3/13/25 0:50 == 32.9
3/12/25 11:25 == 34	3/12/25 15:55 == 33.1	3/12/25 20:25 == 32.9	3/13/25 0:55 == 32.9

Pumpback Station Discharge (0364)

3/13/25 1:00 == 32.9	3/13/25 5:30 == 33.1	3/13/25 10:00 == 33.1	3/13/25 14:30 == 32.8
3/13/25 1:05 == 33	3/13/25 5:35 == 32.9	3/13/25 10:05 == 33.1	3/13/25 14:35 == 32.8
3/13/25 1:10 == 33	3/13/25 5:40 == 32.9	3/13/25 10:10 == 32.8	3/13/25 14:40 == 32.9
3/13/25 1:15 == 33.1	3/13/25 5:45 == 32.9	3/13/25 10:15 == 32.9	3/13/25 14:45 == 32.8
3/13/25 1:20 == 33.2	3/13/25 5:50 == 33	3/13/25 10:20 == 32.9	3/13/25 14:50 == 32.8
3/13/25 1:25 == 33.2	3/13/25 5:55 == 33	3/13/25 10:25 == 32.8	3/13/25 14:55 == 32.7
3/13/25 1:30 == 36.9	3/13/25 6:00 == 33	3/13/25 10:30 == 33	3/13/25 15:00 == 32.8
3/13/25 1:35 == 44.1	3/13/25 6:05 == 33	3/13/25 10:35 == 32.8	3/13/25 15:05 == 32.8
3/13/25 1:40 == 47.7	3/13/25 6:10 == 33	3/13/25 10:40 == 32.8	3/13/25 15:10 == 32.7
3/13/25 1:45 == 48	3/13/25 6:15 == 36.4	3/13/25 10:45 == 32.9	3/13/25 15:15 == 32.8
3/13/25 1:50 == 48	3/13/25 6:20 == 43.7	3/13/25 10:50 == 32.8	3/13/25 15:20 == 32.7
3/13/25 1:55 == 48	3/13/25 6:25 == 47.7	3/13/25 10:55 == 32.8	3/13/25 15:25 == 32.7
3/13/25 2:00 == 48	3/13/25 6:30 == 47.7	3/13/25 11:00 == 32.9	3/13/25 15:30 == 32.7
3/13/25 2:05 == 47.8	3/13/25 6:35 == 47.7	3/13/25 11:05 == 32.9	3/13/25 15:35 == 45.3
3/13/25 2:10 == 47.2	3/13/25 6:40 == 47.7	3/13/25 11:10 == 32.9	3/13/25 15:40 == 47.1
3/13/25 2:15 == 44.7	3/13/25 6:45 == 47.8	3/13/25 11:15 == 34.8	3/13/25 15:45 == 48
3/13/25 2:20 == 33.2	3/13/25 6:50 == 47.8	3/13/25 11:20 == 43	3/13/25 15:50 == 48
3/13/25 2:25 == 33.1	3/13/25 6:55 == 47.8	3/13/25 11:25 == 47.4	3/13/25 15:55 == 47.9
3/13/25 2:30 == 33.1	3/13/25 7:00 == 48.1	3/13/25 11:30 == 47.7	3/13/25 16:00 == 47.9
3/13/25 2:35 == 33	3/13/25 7:05 == 48	3/13/25 11:35 == 47.9	3/13/25 16:05 == 48.1
3/13/25 2:40 == 32.9	3/13/25 7:10 == 48	3/13/25 11:40 == 48	3/13/25 16:10 == 47.6
3/13/25 2:45 == 32.7	3/13/25 7:15 == 45.2	3/13/25 11:45 == 47.9	3/13/25 16:15 == 44.6
3/13/25 2:50 == 33	3/13/25 7:20 == 33.5	3/13/25 11:50 == 48	3/13/25 16:20 == 36.1
3/13/25 2:55 == 33.2	3/13/25 7:25 == 33	3/13/25 11:55 == 48	3/13/25 16:25 == 32.7
3/13/25 3:00 == 33	3/13/25 7:30 == 32.9	3/13/25 12:00 == 47.9	3/13/25 16:30 == 32.7
3/13/25 3:05 == 32.9	3/13/25 7:35 == 32.9	3/13/25 12:05 == 48	3/13/25 16:35 == 33
3/13/25 3:10 == 33	3/13/25 7:40 == 33.1	3/13/25 12:10 == 47.7	3/13/25 16:40 == 32.9
3/13/25 3:15 == 32.9	3/13/25 7:45 == 33.1	3/13/25 12:15 == 44.6	3/13/25 16:45 == 32.8
3/13/25 3:20 == 33.2	3/13/25 7:50 == 33	3/13/25 12:20 == 35.8	3/13/25 16:50 == 32.9
3/13/25 3:25 == 33	3/13/25 7:55 == 33.1	3/13/25 12:25 == 33.8	3/13/25 16:55 == 32.9
3/13/25 3:30 == 33.1	3/13/25 8:00 == 33.2	3/13/25 12:30 == 33.8	3/13/25 17:00 == 32.8
3/13/25 3:35 == 33.2	3/13/25 8:05 == 33.2	3/13/25 12:35 == 33.6	3/13/25 17:05 == 33
3/13/25 3:40 == 33.2	3/13/25 8:10 == 34	3/13/25 12:40 == 33.5	3/13/25 17:10 == 33.1
3/13/25 3:45 == 37	3/13/25 8:15 == 33.6	3/13/25 12:45 == 33.4	3/13/25 17:15 == 33
3/13/25 3:50 == 44	3/13/25 8:20 == 33.6	3/13/25 12:50 == 33.4	3/13/25 17:20 == 33
3/13/25 3:55 == 47.7	3/13/25 8:25 == 33.5	3/13/25 12:55 == 33	3/13/25 17:25 == 32.9
3/13/25 4:00 == 47.9	3/13/25 8:30 == 33.4	3/13/25 13:00 == 32.9	3/13/25 17:30 == 34.9
3/13/25 4:05 == 48	3/13/25 8:35 == 33.4	3/13/25 13:05 == 32.8	3/13/25 17:35 == 42.7
3/13/25 4:10 == 48	3/13/25 8:40 == 33.2	3/13/25 13:10 == 32.9	3/13/25 17:40 == 47.6
3/13/25 4:15 == 48	3/13/25 8:45 == 33.1	3/13/25 13:15 == 32.7	3/13/25 17:45 == 47.8
3/13/25 4:20 == 48	3/13/25 8:50 == 33.1	3/13/25 13:20 == 32.8	3/13/25 17:50 == 47.5
3/13/25 4:25 == 47.8	3/13/25 8:55 == 32.9	3/13/25 13:25 == 32.9	3/13/25 17:55 == 47.8
3/13/25 4:30 == 47.5	3/13/25 9:00 == 35.9	3/13/25 13:30 == 33.9	3/13/25 18:00 == 47.9
3/13/25 4:35 == 47.9	3/13/25 9:05 == 42.9	3/13/25 13:35 == 44	3/13/25 18:05 == 47.9
3/13/25 4:40 == 47.4	3/13/25 9:10 == 47.3	3/13/25 13:40 == 47.7	3/13/25 18:10 == 48
3/13/25 4:45 == 45.1	3/13/25 9:15 == 47.9	3/13/25 13:45 == 48.1	3/13/25 18:15 == 47.9
3/13/25 4:50 == 33.2	3/13/25 9:20 == 48.2	3/13/25 13:50 == 48.1	3/13/25 18:20 == 48.1
3/13/25 4:55 == 33	3/13/25 9:25 == 48.1	3/13/25 13:55 == 48	3/13/25 18:25 == 47.4
3/13/25 5:00 == 33	3/13/25 9:30 == 48.1	3/13/25 14:00 == 47.9	3/13/25 18:30 == 45.5
3/13/25 5:05 == 33	3/13/25 9:35 == 48	3/13/25 14:05 == 48	3/13/25 18:35 == 35.1
3/13/25 5:10 == 32.8	3/13/25 9:40 == 47.8	3/13/25 14:10 == 48	3/13/25 18:40 == 32.9
3/13/25 5:15 == 32.8	3/13/25 9:45 == 44.7	3/13/25 14:15 == 43.6	3/13/25 18:45 == 32.9
3/13/25 5:20 == 32.9	3/13/25 9:50 == 34.4	3/13/25 14:20 == 36.2	3/13/25 18:50 == 32.9
3/13/25 5:25 == 33.2	3/13/25 9:55 == 33	3/13/25 14:25 == 32.9	3/13/25 18:55 == 32.7

Pumpback Station Discharge (0364)

3/13/25 19:00 == 32.8	3/13/25 23:30 == 32.8	3/14/25 4:00 == 32.9	3/14/25 8:30 == 32.9
3/13/25 19:05 == 32.8	3/13/25 23:35 == 32.8	3/14/25 4:05 == 33	3/14/25 8:35 == 33
3/13/25 19:10 == 32.8	3/13/25 23:40 == 32.8	3/14/25 4:10 == 32.8	3/14/25 8:40 == 32.9
3/13/25 19:15 == 32.8	3/13/25 23:45 == 32.8	3/14/25 4:15 == 33	3/14/25 8:45 == 32.7
3/13/25 19:20 == 32.9	3/13/25 23:50 == 32.9	3/14/25 4:20 == 33	3/14/25 8:50 == 32.8
3/13/25 19:25 == 32.9	3/13/25 23:55 == 33	3/14/25 4:25 == 32.8	3/14/25 8:55 == 32.7
3/13/25 19:30 == 32.8	3/14/25 0:00 == 32.9	3/14/25 4:30 == 32.9	3/14/25 9:00 == 34.1
3/13/25 19:35 == 32.8	3/14/25 0:05 == 32.9	3/14/25 4:35 == 42.8	3/14/25 9:05 == 40.2
3/13/25 19:40 == 32.8	3/14/25 0:10 == 32.9	3/14/25 4:40 == 46.8	3/14/25 9:10 == 47.5
3/13/25 19:45 == 35.2	3/14/25 0:15 == 33	3/14/25 4:45 == 47.9	3/14/25 9:15 == 48.1
3/13/25 19:50 == 41.9	3/14/25 0:20 == 33	3/14/25 4:50 == 48.1	3/14/25 9:20 == 48
3/13/25 19:55 == 47.3	3/14/25 0:25 == 32.9	3/14/25 4:55 == 48.1	3/14/25 9:25 == 48
3/13/25 20:00 == 47.9	3/14/25 0:30 == 34.3	3/14/25 5:00 == 48	3/14/25 9:30 == 48
3/13/25 20:05 == 48	3/14/25 0:35 == 41.6	3/14/25 5:05 == 47.9	3/14/25 9:35 == 48
3/13/25 20:10 == 47.9	3/14/25 0:40 == 47.8	3/14/25 5:10 == 47.9	3/14/25 9:40 == 48
3/13/25 20:15 == 48.2	3/14/25 0:45 == 48	3/14/25 5:15 == 47.9	3/14/25 9:45 == 47.5
3/13/25 20:20 == 48.1	3/14/25 0:50 == 48.1	3/14/25 5:20 == 47.9	3/14/25 9:50 == 47.9
3/13/25 20:25 == 47.9	3/14/25 0:55 == 48	3/14/25 5:25 == 48	3/14/25 9:55 == 47.8
3/13/25 20:30 == 47.1	3/14/25 1:00 == 48	3/14/25 5:30 == 45.4	3/14/25 10:00 == 48
3/13/25 20:35 == 34.4	3/14/25 1:05 == 48.1	3/14/25 5:35 == 37.6	3/14/25 10:05 == 35.7
3/13/25 20:40 == 32.8	3/14/25 1:10 == 47.9	3/14/25 5:40 == 32.7	3/14/25 10:10 == 32.8
3/13/25 20:45 == 32.7	3/14/25 1:15 == 45.1	3/14/25 5:45 == 32.7	3/14/25 10:15 == 32.8
3/13/25 20:50 == 32.8	3/14/25 1:20 == 36.7	3/14/25 5:50 == 32.8	3/14/25 10:20 == 32.8
3/13/25 20:55 == 32.8	3/14/25 1:25 == 33	3/14/25 5:55 == 32.8	3/14/25 10:25 == 32.9
3/13/25 21:00 == 32.8	3/14/25 1:30 == 33	3/14/25 6:00 == 32.8	3/14/25 10:30 == 32.8
3/13/25 21:05 == 33	3/14/25 1:35 == 32.9	3/14/25 6:05 == 32.7	3/14/25 10:35 == 32.8
3/13/25 21:10 == 32.8	3/14/25 1:40 == 33	3/14/25 6:10 == 32.6	3/14/25 10:40 == 32.7
3/13/25 21:15 == 32.8	3/14/25 1:45 == 32.9	3/14/25 6:15 == 32.8	3/14/25 10:45 == 32.7
3/13/25 21:20 == 32.9	3/14/25 1:50 == 32.8	3/14/25 6:20 == 32.9	3/14/25 10:50 == 32.8
3/13/25 21:25 == 33.2	3/14/25 1:55 == 32.8	3/14/25 6:25 == 32.9	3/14/25 10:55 == 32.8
3/13/25 21:30 == 33.2	3/14/25 2:00 == 33	3/14/25 6:30 == 33	3/14/25 11:00 == 32.8
3/13/25 21:35 == 33.2	3/14/25 2:05 == 33	3/14/25 6:35 == 33	3/14/25 11:05 == 32.9
3/13/25 21:40 == 33.1	3/14/25 2:10 == 32.8	3/14/25 6:40 == 33	3/14/25 11:10 == 32.8
3/13/25 21:45 == 33	3/14/25 2:15 == 32.7	3/14/25 6:45 == 33.7	3/14/25 11:15 == 32.7
3/13/25 21:50 == 33.1	3/14/25 2:20 == 32.8	3/14/25 6:50 == 41.8	3/14/25 11:20 == 32.8
3/13/25 21:55 == 32.8	3/14/25 2:25 == 32.8	3/14/25 6:55 == 47.2	3/14/25 11:25 == 32.9
3/13/25 22:00 == 34.6	3/14/25 2:30 == 32.7	3/14/25 7:00 == 47.9	3/14/25 11:30 == 32.9
3/13/25 22:05 == 41.8	3/14/25 2:35 == 43.1	3/14/25 7:05 == 47.9	3/14/25 11:35 == 32.9
3/13/25 22:10 == 47.7	3/14/25 2:40 == 47.7	3/14/25 7:10 == 48.2	3/14/25 11:40 == 32.8
3/13/25 22:15 == 48	3/14/25 2:45 == 48	3/14/25 7:15 == 47.9	3/14/25 11:45 == 32.8
3/13/25 22:20 == 47.8	3/14/25 2:50 == 48.1	3/14/25 7:20 == 48	3/14/25 11:50 == 32.9
3/13/25 22:25 == 47.6	3/14/25 2:55 == 47.3	3/14/25 7:25 == 47.5	3/14/25 11:55 == 33.2
3/13/25 22:30 == 48	3/14/25 3:00 == 47.4	3/14/25 7:30 == 47.2	3/14/25 12:00 == 33.4
3/13/25 22:35 == 48	3/14/25 3:05 == 47.9	3/14/25 7:35 == 36.1	3/14/25 12:05 == 40.7
3/13/25 22:40 == 47.7	3/14/25 3:10 == 47.6	3/14/25 7:40 == 33	3/14/25 12:10 == 47
3/13/25 22:45 == 47.9	3/14/25 3:15 == 44.8	3/14/25 7:45 == 32.9	3/14/25 12:15 == 47.9
3/13/25 22:50 == 48	3/14/25 3:20 == 37.9	3/14/25 7:50 == 33	3/14/25 12:20 == 48
3/13/25 22:55 == 48	3/14/25 3:25 == 32.9	3/14/25 7:55 == 32.9	3/14/25 12:25 == 48
3/13/25 23:00 == 47	3/14/25 3:30 == 32.9	3/14/25 8:00 == 33	3/14/25 12:30 == 48.1
3/13/25 23:05 == 34.9	3/14/25 3:35 == 32.8	3/14/25 8:05 == 33.3	3/14/25 12:35 == 48.1
3/13/25 23:10 == 32.8	3/14/25 3:40 == 32.9	3/14/25 8:10 == 33.3	3/14/25 12:40 == 47.9
3/13/25 23:15 == 32.9	3/14/25 3:45 == 32.8	3/14/25 8:15 == 33.2	3/14/25 12:45 == 48
3/13/25 23:20 == 32.9	3/14/25 3:50 == 32.9	3/14/25 8:20 == 33.3	3/14/25 12:50 == 37.1
3/13/25 23:25 == 32.6	3/14/25 3:55 == 32.8	3/14/25 8:25 == 33.1	3/14/25 12:55 == 32.6

Pumpback Station Discharge (0364)

3/14/25 13:00 == 32.6	3/14/25 17:30 == 32.9	3/14/25 22:00 == 32.8	3/15/25 2:30 == 47.9
3/14/25 13:05 == 32.7	3/14/25 17:35 == 32.8	3/14/25 22:05 == 32.7	3/15/25 2:35 == 48
3/14/25 13:10 == 32.8	3/14/25 17:40 == 32.7	3/14/25 22:10 == 32.6	3/15/25 2:40 == 47.9
3/14/25 13:15 == 32.7	3/14/25 17:45 == 32.8	3/14/25 22:15 == 33.1	3/15/25 2:45 == 47.9
3/14/25 13:20 == 32.7	3/14/25 17:50 == 40.9	3/14/25 22:20 == 38.8	3/15/25 2:50 == 47.9
3/14/25 13:25 == 32.7	3/14/25 17:55 == 46.6	3/14/25 22:25 == 47.5	3/15/25 2:55 == 47.7
3/14/25 13:30 == 32.7	3/14/25 18:00 == 47.9	3/14/25 22:30 == 47.9	3/15/25 3:00 == 46.5
3/14/25 13:35 == 32.7	3/14/25 18:05 == 48	3/14/25 22:35 == 48.2	3/15/25 3:05 == 40.8
3/14/25 13:40 == 32.6	3/14/25 18:10 == 47.6	3/14/25 22:40 == 47.3	3/15/25 3:10 == 32.9
3/14/25 13:45 == 33.7	3/14/25 18:15 == 47.4	3/14/25 22:45 == 48	3/15/25 3:15 == 33
3/14/25 13:50 == 39.7	3/14/25 18:20 == 47.8	3/14/25 22:50 == 47.9	3/15/25 3:20 == 32.9
3/14/25 13:55 == 47.7	3/14/25 18:25 == 48	3/14/25 22:55 == 48	3/15/25 3:25 == 32.8
3/14/25 14:00 == 47.9	3/14/25 18:30 == 48	3/14/25 23:00 == 47.9	3/15/25 3:30 == 32.7
3/14/25 14:05 == 48	3/14/25 18:35 == 48	3/14/25 23:05 == 38.1	3/15/25 3:35 == 32.8
3/14/25 14:10 == 48.2	3/14/25 18:40 == 47.9	3/14/25 23:10 == 33.2	3/15/25 3:40 == 32.8
3/14/25 14:15 == 48.2	3/14/25 18:45 == 46.4	3/14/25 23:15 == 32.7	3/15/25 3:45 == 32.5
3/14/25 14:20 == 47.9	3/14/25 18:50 == 39.6	3/14/25 23:20 == 32.7	3/15/25 3:50 == 32.6
3/14/25 14:25 == 47.8	3/14/25 18:55 == 32.7	3/14/25 23:25 == 32.6	3/15/25 3:55 == 32.7
3/14/25 14:30 == 47.1	3/14/25 19:00 == 32.6	3/14/25 23:30 == 32.7	3/15/25 4:00 == 32.6
3/14/25 14:35 == 37.6	3/14/25 19:05 == 32.6	3/14/25 23:35 == 32.6	3/15/25 4:05 == 32.7
3/14/25 14:40 == 32.6	3/14/25 19:10 == 32.6	3/14/25 23:40 == 32.5	3/15/25 4:10 == 32.7
3/14/25 14:45 == 32.7	3/14/25 19:15 == 32.6	3/14/25 23:45 == 32.5	3/15/25 4:15 == 32.7
3/14/25 14:50 == 32.8	3/14/25 19:20 == 32.7	3/14/25 23:50 == 32.8	3/15/25 4:20 == 39.6
3/14/25 14:55 == 32.7	3/14/25 19:25 == 32.6	3/14/25 23:55 == 32.9	3/15/25 4:25 == 45.7
3/14/25 15:00 == 32.8	3/14/25 19:30 == 32.6	3/15/25 0:00 == 32.7	3/15/25 4:30 == 47.7
3/14/25 15:05 == 32.7	3/14/25 19:35 == 32.7	3/15/25 0:05 == 32.8	3/15/25 4:35 == 47.8
3/14/25 15:10 == 32.7	3/14/25 19:40 == 32.6	3/15/25 0:10 == 32.9	3/15/25 4:40 == 47.9
3/14/25 15:15 == 32.8	3/14/25 19:45 == 32.6	3/15/25 0:15 == 33.2	3/15/25 4:45 == 48
3/14/25 15:20 == 32.6	3/14/25 19:50 == 32.7	3/15/25 0:20 == 37.8	3/15/25 4:50 == 48
3/14/25 15:25 == 32.6	3/14/25 19:55 == 33	3/15/25 0:25 == 47.5	3/15/25 4:55 == 48
3/14/25 15:30 == 32.6	3/14/25 20:00 == 32.8	3/15/25 0:30 == 48	3/15/25 5:00 == 47.3
3/14/25 15:35 == 41.1	3/14/25 20:05 == 40.2	3/15/25 0:35 == 47.9	3/15/25 5:05 == 40.6
3/14/25 15:40 == 46.4	3/14/25 20:10 == 46.6	3/15/25 0:40 == 47.9	3/15/25 5:10 == 32.7
3/14/25 15:45 == 47.7	3/14/25 20:15 == 48	3/15/25 0:45 == 48	3/15/25 5:15 == 32.5
3/14/25 15:50 == 47.9	3/14/25 20:20 == 48.2	3/15/25 0:50 == 48	3/15/25 5:20 == 32.6
3/14/25 15:55 == 47.8	3/14/25 20:25 == 47.9	3/15/25 0:55 == 48	3/15/25 5:25 == 32.6
3/14/25 16:00 == 47.9	3/14/25 20:30 == 48	3/15/25 1:00 == 47.9	3/15/25 5:30 == 32.5
3/14/25 16:05 == 48.1	3/14/25 20:35 == 48	3/15/25 1:05 == 39	3/15/25 5:35 == 32.5
3/14/25 16:10 == 47.9	3/14/25 20:40 == 47.6	3/15/25 1:10 == 32.8	3/15/25 5:40 == 32.7
3/14/25 16:15 == 45.9	3/14/25 20:45 == 47.8	3/15/25 1:15 == 32.5	3/15/25 5:45 == 32.7
3/14/25 16:20 == 39.6	3/14/25 20:50 == 38.4	3/15/25 1:20 == 32.7	3/15/25 5:50 == 32.7
3/14/25 16:25 == 32.7	3/14/25 20:55 == 32.8	3/15/25 1:25 == 32.9	3/15/25 5:55 == 32.7
3/14/25 16:30 == 32.7	3/14/25 21:00 == 32.6	3/15/25 1:30 == 32.7	3/15/25 6:00 == 32.8
3/14/25 16:35 == 32.8	3/14/25 21:05 == 32.7	3/15/25 1:35 == 32.6	3/15/25 6:05 == 32.8
3/14/25 16:40 == 32.7	3/14/25 21:10 == 32.6	3/15/25 1:40 == 32.6	3/15/25 6:10 == 32.6
3/14/25 16:45 == 32.8	3/14/25 21:15 == 32.6	3/15/25 1:45 == 32.7	3/15/25 6:15 == 32.7
3/14/25 16:50 == 32.8	3/14/25 21:20 == 32.9	3/15/25 1:50 == 32.7	3/15/25 6:20 == 38.2
3/14/25 16:55 == 32.9	3/14/25 21:25 == 33.1	3/15/25 1:55 == 32.6	3/15/25 6:25 == 46.9
3/14/25 17:00 == 32.8	3/14/25 21:30 == 32.8	3/15/25 2:00 == 32.6	3/15/25 6:30 == 48
3/14/25 17:05 == 32.8	3/14/25 21:35 == 32.9	3/15/25 2:05 == 32.7	3/15/25 6:35 == 48
3/14/25 17:10 == 33	3/14/25 21:40 == 33	3/15/25 2:10 == 32.6	3/15/25 6:40 == 47.5
3/14/25 17:15 == 32.9	3/14/25 21:45 == 33	3/15/25 2:15 == 32.6	3/15/25 6:45 == 47.7
3/14/25 17:20 == 32.9	3/14/25 21:50 == 32.8	3/15/25 2:20 == 39.1	3/15/25 6:50 == 47.7
3/14/25 17:25 == 32.7	3/14/25 21:55 == 32.6	3/15/25 2:25 == 46.6	3/15/25 6:55 == 47.9

Pumpback Station Discharge (0364)

3/15/25 7:00 == 47.6	3/15/25 11:30 == 47.3	3/15/25 16:00 == 47.5	3/15/25 20:30 == 32.6
3/15/25 7:05 == 39.4	3/15/25 11:35 == 47.9	3/15/25 16:05 == 43.1	3/15/25 20:35 == 32.7
3/15/25 7:10 == 33.6	3/15/25 11:40 == 47.9	3/15/25 16:10 == 32.7	3/15/25 20:40 == 32.7
3/15/25 7:15 == 32.6	3/15/25 11:45 == 48	3/15/25 16:15 == 32.8	3/15/25 20:45 == 32.6
3/15/25 7:20 == 32.7	3/15/25 11:50 == 48.1	3/15/25 16:20 == 32.8	3/15/25 20:50 == 32.6
3/15/25 7:25 == 32.7	3/15/25 11:55 == 47.6	3/15/25 16:25 == 32.8	3/15/25 20:55 == 32.7
3/15/25 7:30 == 32.6	3/15/25 12:00 == 47.6	3/15/25 16:30 == 32.7	3/15/25 21:00 == 32.7
3/15/25 7:35 == 32.8	3/15/25 12:05 == 40.3	3/15/25 16:35 == 32.8	3/15/25 21:05 == 32.6
3/15/25 7:40 == 32.7	3/15/25 12:10 == 34.6	3/15/25 16:40 == 33.1	3/15/25 21:10 == 32.6
3/15/25 7:45 == 32.8	3/15/25 12:15 == 33.1	3/15/25 16:45 == 32.7	3/15/25 21:15 == 32.6
3/15/25 7:50 == 32.9	3/15/25 12:20 == 33.1	3/15/25 16:50 == 32.7	3/15/25 21:20 == 32.7
3/15/25 7:55 == 32.9	3/15/25 12:25 == 33.2	3/15/25 16:55 == 32.9	3/15/25 21:25 == 33
3/15/25 8:00 == 32.9	3/15/25 12:30 == 33.2	3/15/25 17:00 == 32.9	3/15/25 21:30 == 33
3/15/25 8:05 == 32.9	3/15/25 12:35 == 33.1	3/15/25 17:05 == 32.8	3/15/25 21:35 == 32.9
3/15/25 8:10 == 33.3	3/15/25 12:40 == 33	3/15/25 17:10 == 33	3/15/25 21:40 == 32.7
3/15/25 8:15 == 33	3/15/25 12:45 == 33	3/15/25 17:15 == 32.8	3/15/25 21:45 == 32.9
3/15/25 8:20 == 33.2	3/15/25 12:50 == 33	3/15/25 17:20 == 32.8	3/15/25 21:50 == 35.7
3/15/25 8:25 == 33	3/15/25 12:55 == 32.7	3/15/25 17:25 == 32.5	3/15/25 21:55 == 45.8
3/15/25 8:30 == 33	3/15/25 13:00 == 32.5	3/15/25 17:30 == 32.6	3/15/25 22:00 == 47.5
3/15/25 8:35 == 32.7	3/15/25 13:05 == 32.8	3/15/25 17:35 == 37.8	3/15/25 22:05 == 48
3/15/25 8:40 == 32.7	3/15/25 13:10 == 32.9	3/15/25 17:40 == 44.8	3/15/25 22:10 == 48.2
3/15/25 8:45 == 32.9	3/15/25 13:15 == 32.6	3/15/25 17:45 == 47.5	3/15/25 22:15 == 47.9
3/15/25 8:50 == 32.8	3/15/25 13:20 == 35.9	3/15/25 17:50 == 47.6	3/15/25 22:20 == 48.1
3/15/25 8:55 == 32.6	3/15/25 13:25 == 47.1	3/15/25 17:55 == 47.6	3/15/25 22:25 == 48
3/15/25 9:00 == 32.6	3/15/25 13:30 == 48.1	3/15/25 18:00 == 47.5	3/15/25 22:30 == 48.1
3/15/25 9:05 == 38	3/15/25 13:35 == 47.9	3/15/25 18:05 == 47.8	3/15/25 22:35 == 41.4
3/15/25 9:10 == 45.9	3/15/25 13:40 == 48	3/15/25 18:10 == 48	3/15/25 22:40 == 34.6
3/15/25 9:15 == 47.9	3/15/25 13:45 == 48.1	3/15/25 18:15 == 47.5	3/15/25 22:45 == 32.7
3/15/25 9:20 == 47.9	3/15/25 13:50 == 48.1	3/15/25 18:20 == 42.6	3/15/25 22:50 == 32.8
3/15/25 9:25 == 48	3/15/25 13:55 == 47.9	3/15/25 18:25 == 33	3/15/25 22:55 == 32.8
3/15/25 9:30 == 48	3/15/25 14:00 == 48	3/15/25 18:30 == 32.7	3/15/25 23:00 == 32.7
3/15/25 9:35 == 48	3/15/25 14:05 == 40.9	3/15/25 18:35 == 32.8	3/15/25 23:05 == 32.6
3/15/25 9:40 == 47.9	3/15/25 14:10 == 33.2	3/15/25 18:40 == 32.8	3/15/25 23:10 == 32.7
3/15/25 9:45 == 47.7	3/15/25 14:15 == 32.7	3/15/25 18:45 == 32.8	3/15/25 23:15 == 32.7
3/15/25 9:50 == 39.9	3/15/25 14:20 == 32.6	3/15/25 18:50 == 32.7	3/15/25 23:20 == 32.7
3/15/25 9:55 == 33.4	3/15/25 14:25 == 32.7	3/15/25 18:55 == 32.5	3/15/25 23:25 == 32.7
3/15/25 10:00 == 32.6	3/15/25 14:30 == 32.7	3/15/25 19:00 == 32.6	3/15/25 23:30 == 32.7
3/15/25 10:05 == 32.7	3/15/25 14:35 == 32.7	3/15/25 19:05 == 32.6	3/15/25 23:35 == 32.7
3/15/25 10:10 == 32.7	3/15/25 14:40 == 32.9	3/15/25 19:10 == 32.5	3/15/25 23:40 == 32.7
3/15/25 10:15 == 32.6	3/15/25 14:45 == 32.9	3/15/25 19:15 == 32.6	3/15/25 23:45 == 32.6
3/15/25 10:20 == 32.6	3/15/25 14:50 == 32.8	3/15/25 19:20 == 32.5	3/15/25 23:50 == 32.8
3/15/25 10:25 == 32.6	3/15/25 14:55 == 32.8	3/15/25 19:25 == 32.7	3/15/25 23:55 == 32.8
3/15/25 10:30 == 32.6	3/15/25 15:00 == 32.7	3/15/25 19:30 == 32.7	3/16/25 0:00 == 32.8
3/15/25 10:35 == 32.7	3/15/25 15:05 == 32.7	3/15/25 19:35 == 36.6	3/16/25 0:05 == 34
3/15/25 10:40 == 32.7	3/15/25 15:10 == 32.6	3/15/25 19:40 == 45.2	3/16/25 0:10 == 47.1
3/15/25 10:45 == 32.6	3/15/25 15:15 == 32.6	3/15/25 19:45 == 47.5	3/16/25 0:15 == 48
3/15/25 10:50 == 32.7	3/15/25 15:20 == 37.6	3/15/25 19:50 == 48	3/16/25 0:20 == 48.2
3/15/25 10:55 == 32.7	3/15/25 15:25 == 45.3	3/15/25 19:55 == 47.5	3/16/25 0:25 == 47.9
3/15/25 11:00 == 32.8	3/15/25 15:30 == 47.9	3/15/25 20:00 == 47.7	3/16/25 0:30 == 48.1
3/15/25 11:05 == 32.7	3/15/25 15:35 == 47.8	3/15/25 20:05 == 48.1	3/16/25 0:35 == 48
3/15/25 11:10 == 32.8	3/15/25 15:40 == 47.6	3/15/25 20:10 == 48	3/16/25 0:40 == 47.9
3/15/25 11:15 == 32.8	3/15/25 15:45 == 47.8	3/15/25 20:15 == 48	3/16/25 0:45 == 47.8
3/15/25 11:20 == 36.7	3/15/25 15:50 == 48.1	3/15/25 20:20 == 41.6	3/16/25 0:50 == 42.1
3/15/25 11:25 == 47.4	3/15/25 15:55 == 48	3/15/25 20:25 == 34.2	3/16/25 0:55 == 34.8

Pumpback Station Discharge (0364)

3/16/25 1:00 == 32.7	3/16/25 5:30 == 32.5	3/16/25 10:00 == 48.1	3/16/25 14:30 == 48
3/16/25 1:05 == 32.8	3/16/25 5:35 == 32.5	3/16/25 10:05 == 48	3/16/25 14:35 == 48.1
3/16/25 1:10 == 32.6	3/16/25 5:40 == 32.7	3/16/25 10:10 == 48	3/16/25 14:40 == 48.1
3/16/25 1:15 == 32.6	3/16/25 5:45 == 32.6	3/16/25 10:15 == 47.8	3/16/25 14:45 == 47.8
3/16/25 1:20 == 32.6	3/16/25 5:50 == 32.6	3/16/25 10:20 == 45.7	3/16/25 14:50 == 43.8
3/16/25 1:25 == 32.7	3/16/25 5:55 == 32.5	3/16/25 10:25 == 32.8	3/16/25 14:55 == 34.9
3/16/25 1:30 == 32.7	3/16/25 6:00 == 32.7	3/16/25 10:30 == 32.8	3/16/25 15:00 == 32.5
3/16/25 1:35 == 32.7	3/16/25 6:05 == 32.6	3/16/25 10:35 == 32.4	3/16/25 15:05 == 32.6
3/16/25 1:40 == 32.7	3/16/25 6:10 == 32.7	3/16/25 10:40 == 32.7	3/16/25 15:10 == 32.6
3/16/25 1:45 == 32.7	3/16/25 6:15 == 32.6	3/16/25 10:45 == 32.6	3/16/25 15:15 == 32.6
3/16/25 1:50 == 32.7	3/16/25 6:20 == 32.7	3/16/25 10:50 == 32.7	3/16/25 15:20 == 32.6
3/16/25 1:55 == 32.7	3/16/25 6:25 == 32.7	3/16/25 10:55 == 32.7	3/16/25 15:25 == 32.5
3/16/25 2:00 == 32.6	3/16/25 6:30 == 32.7	3/16/25 11:00 == 32.7	3/16/25 15:30 == 32.6
3/16/25 2:05 == 32.6	3/16/25 6:35 == 32.8	3/16/25 11:05 == 32.7	3/16/25 15:35 == 32.7
3/16/25 2:10 == 32.6	3/16/25 6:40 == 32.7	3/16/25 11:10 == 32.9	3/16/25 15:40 == 33
3/16/25 2:15 == 32.6	3/16/25 6:45 == 32.7	3/16/25 11:15 == 32.7	3/16/25 15:45 == 32.5
3/16/25 2:20 == 34.9	3/16/25 6:50 == 36.7	3/16/25 11:20 == 32.8	3/16/25 15:50 == 32.8
3/16/25 2:25 == 45.6	3/16/25 6:55 == 44	3/16/25 11:25 == 32.7	3/16/25 15:55 == 32.5
3/16/25 2:30 == 48	3/16/25 7:00 == 47.6	3/16/25 11:30 == 32.8	3/16/25 16:00 == 32.7
3/16/25 2:35 == 48	3/16/25 7:05 == 47.9	3/16/25 11:35 == 32.8	3/16/25 16:05 == 33
3/16/25 2:40 == 48.2	3/16/25 7:10 == 47.9	3/16/25 11:40 == 32.7	3/16/25 16:10 == 45.2
3/16/25 2:45 == 47.9	3/16/25 7:15 == 48	3/16/25 11:45 == 32.7	3/16/25 16:15 == 47.8
3/16/25 2:50 == 47.8	3/16/25 7:20 == 48	3/16/25 11:50 == 35.9	3/16/25 16:20 == 48.1
3/16/25 2:55 == 47.4	3/16/25 7:25 == 47.9	3/16/25 11:55 == 42.8	3/16/25 16:25 == 48
3/16/25 3:00 == 48.1	3/16/25 7:30 == 47.9	3/16/25 12:00 == 47.3	3/16/25 16:30 == 48
3/16/25 3:05 == 43.4	3/16/25 7:35 == 45.2	3/16/25 12:05 == 47.9	3/16/25 16:35 == 48.1
3/16/25 3:10 == 34	3/16/25 7:40 == 32.9	3/16/25 12:10 == 47.7	3/16/25 16:40 == 48
3/16/25 3:15 == 32.9	3/16/25 7:45 == 32.8	3/16/25 12:15 == 47.8	3/16/25 16:45 == 48
3/16/25 3:20 == 32.6	3/16/25 7:50 == 32.6	3/16/25 12:20 == 47.9	3/16/25 16:50 == 44
3/16/25 3:25 == 32.6	3/16/25 7:55 == 32.7	3/16/25 12:25 == 47.6	3/16/25 16:55 == 36.5
3/16/25 3:30 == 32.8	3/16/25 8:00 == 32.6	3/16/25 12:30 == 48	3/16/25 17:00 == 32.6
3/16/25 3:35 == 32.8	3/16/25 8:05 == 32.8	3/16/25 12:35 == 45.3	3/16/25 17:05 == 32.8
3/16/25 3:40 == 32.6	3/16/25 8:10 == 33.3	3/16/25 12:40 == 34.4	3/16/25 17:10 == 32.9
3/16/25 3:45 == 32.6	3/16/25 8:15 == 33.1	3/16/25 12:45 == 33	3/16/25 17:15 == 32.9
3/16/25 3:50 == 32.6	3/16/25 8:20 == 33	3/16/25 12:50 == 32.9	3/16/25 17:20 == 32.9
3/16/25 3:55 == 32.5	3/16/25 8:25 == 32.7	3/16/25 12:55 == 32.4	3/16/25 17:25 == 32.8
3/16/25 4:00 == 32.6	3/16/25 8:30 == 32.9	3/16/25 13:00 == 32.6	3/16/25 17:30 == 32.6
3/16/25 4:05 == 32.6	3/16/25 8:35 == 32.8	3/16/25 13:05 == 32.7	3/16/25 17:35 == 32.7
3/16/25 4:10 == 32.6	3/16/25 8:40 == 32.6	3/16/25 13:10 == 32.7	3/16/25 17:40 == 32.7
3/16/25 4:15 == 32.6	3/16/25 8:45 == 32.7	3/16/25 13:15 == 32.6	3/16/25 17:45 == 32.8
3/16/25 4:20 == 32.8	3/16/25 8:50 == 32.7	3/16/25 13:20 == 32.5	3/16/25 17:50 == 32.8
3/16/25 4:25 == 32.9	3/16/25 8:55 == 32.5	3/16/25 13:25 == 32.7	3/16/25 17:55 == 32.5
3/16/25 4:30 == 32.6	3/16/25 9:00 == 32.6	3/16/25 13:30 == 32.6	3/16/25 18:00 == 32.6
3/16/25 4:35 == 35.8	3/16/25 9:05 == 32.8	3/16/25 13:35 == 32.6	3/16/25 18:05 == 32.6
3/16/25 4:40 == 44	3/16/25 9:10 == 32.7	3/16/25 13:40 == 32.7	3/16/25 18:10 == 32.9
3/16/25 4:45 == 47.8	3/16/25 9:15 == 32.6	3/16/25 13:45 == 32.7	3/16/25 18:15 == 32.6
3/16/25 4:50 == 47.9	3/16/25 9:20 == 32.7	3/16/25 13:50 == 32.7	3/16/25 18:20 == 32.7
3/16/25 4:55 == 48	3/16/25 9:25 == 32.7	3/16/25 13:55 == 32.7	3/16/25 18:25 == 45.8
3/16/25 5:00 == 48	3/16/25 9:30 == 32.8	3/16/25 14:00 == 32.6	3/16/25 18:30 == 47.9
3/16/25 5:05 == 48.1	3/16/25 9:35 == 36.1	3/16/25 14:05 == 35.2	3/16/25 18:35 == 48.1
3/16/25 5:10 == 47.8	3/16/25 9:40 == 43.4	3/16/25 14:10 == 43.1	3/16/25 18:40 == 48.1
3/16/25 5:15 == 47.9	3/16/25 9:45 == 47.4	3/16/25 14:15 == 47.7	3/16/25 18:45 == 48
3/16/25 5:20 == 45.1	3/16/25 9:50 == 48.1	3/16/25 14:20 == 48	3/16/25 18:50 == 47.9
3/16/25 5:25 == 32.6	3/16/25 9:55 == 48	3/16/25 14:25 == 48	3/16/25 18:55 == 48

Pumpback Station Discharge (0364)

3/16/25 19:00 == 48	3/16/25 23:30 == 32.6	3/17/25 4:00 == 32.8	3/17/25 8:30 == 32.7
3/16/25 19:05 == 44.3	3/16/25 23:35 == 32.5	3/17/25 4:05 == 32.5	3/17/25 8:35 == 32.8
3/16/25 19:10 == 35.9	3/16/25 23:40 == 32.7	3/17/25 4:10 == 32.4	3/17/25 8:40 == 32.7
3/16/25 19:15 == 32.6	3/16/25 23:45 == 32.7	3/17/25 4:15 == 32.6	3/17/25 8:45 == 32.6
3/16/25 19:20 == 32.7	3/16/25 23:50 == 32.7	3/17/25 4:20 == 32.8	3/17/25 8:50 == 32.7
3/16/25 19:25 == 32.6	3/16/25 23:55 == 32.8	3/17/25 4:25 == 32.8	3/17/25 8:55 == 32.6
3/16/25 19:30 == 32.6	3/17/25 0:00 == 32.7	3/17/25 4:30 == 32.8	3/17/25 9:00 == 32.5
3/16/25 19:35 == 32.7	3/17/25 0:05 == 32.8	3/17/25 4:35 == 32.8	3/17/25 9:05 == 32.6
3/16/25 19:40 == 32.6	3/17/25 0:10 == 32.8	3/17/25 4:40 == 32.6	3/17/25 9:10 == 32.8
3/16/25 19:45 == 32.6	3/17/25 0:15 == 32.8	3/17/25 4:45 == 32.5	3/17/25 9:15 == 32.7
3/16/25 19:50 == 32.7	3/17/25 0:20 == 32.9	3/17/25 4:50 == 32.6	3/17/25 9:20 == 32.7
3/16/25 19:55 == 32.8	3/17/25 0:25 == 32.7	3/17/25 4:55 == 32.5	3/17/25 9:25 == 32.6
3/16/25 20:00 == 32.7	3/17/25 0:30 == 32.6	3/17/25 5:00 == 32.6	3/17/25 9:30 == 32.8
3/16/25 20:05 == 32.8	3/17/25 0:35 == 32.8	3/17/25 5:05 == 32.7	3/17/25 9:35 == 32.7
3/16/25 20:10 == 32.8	3/17/25 0:40 == 32.7	3/17/25 5:10 == 32.6	3/17/25 9:40 == 32.9
3/16/25 20:15 == 32.8	3/17/25 0:45 == 32.7	3/17/25 5:15 == 32.5	3/17/25 9:45 == 32.9
3/16/25 20:20 == 32.8	3/17/25 0:50 == 32.7	3/17/25 5:20 == 32.6	3/17/25 9:50 == 32.9
3/16/25 20:25 == 32.7	3/17/25 0:55 == 32.6	3/17/25 5:25 == 42.6	3/17/25 9:55 == 42.1
3/16/25 20:30 == 32.5	3/17/25 1:00 == 32.7	3/17/25 5:30 == 47.7	3/17/25 10:00 == 47.2
3/16/25 20:35 == 33.8	3/17/25 1:05 == 34.7	3/17/25 5:35 == 48	3/17/25 10:05 == 48
3/16/25 20:40 == 43.1	3/17/25 1:10 == 41.4	3/17/25 5:40 == 47.7	3/17/25 10:10 == 48
3/16/25 20:45 == 47.9	3/17/25 1:15 == 47.7	3/17/25 5:45 == 47.8	3/17/25 10:15 == 47.9
3/16/25 20:50 == 47.9	3/17/25 1:20 == 48	3/17/25 5:50 == 48	3/17/25 10:20 == 48
3/16/25 20:55 == 47.9	3/17/25 1:25 == 48	3/17/25 5:55 == 47.9	3/17/25 10:25 == 47.8
3/16/25 21:00 == 47.8	3/17/25 1:30 == 47.9	3/17/25 6:00 == 47.9	3/17/25 10:30 == 47.7
3/16/25 21:05 == 47.9	3/17/25 1:35 == 48	3/17/25 6:05 == 44.9	3/17/25 10:35 == 46.1
3/16/25 21:10 == 48	3/17/25 1:40 == 48	3/17/25 6:10 == 37.5	3/17/25 10:40 == 37
3/16/25 21:15 == 47.8	3/17/25 1:45 == 47.9	3/17/25 6:15 == 32.6	3/17/25 10:45 == 32.6
3/16/25 21:20 == 45.7	3/17/25 1:50 == 47.3	3/17/25 6:20 == 32.7	3/17/25 10:50 == 32.7
3/16/25 21:25 == 35.6	3/17/25 1:55 == 34.3	3/17/25 6:25 == 32.9	3/17/25 10:55 == 32.6
3/16/25 21:30 == 32.9	3/17/25 2:00 == 32.8	3/17/25 6:30 == 32.7	3/17/25 11:00 == 32.6
3/16/25 21:35 == 32.9	3/17/25 2:05 == 32.6	3/17/25 6:35 == 32.8	3/17/25 11:05 == 32.9
3/16/25 21:40 == 32.8	3/17/25 2:10 == 32.5	3/17/25 6:40 == 32.9	3/17/25 11:10 == 33.1
3/16/25 21:45 == 32.8	3/17/25 2:15 == 32.6	3/17/25 6:45 == 32.8	3/17/25 11:15 == 33
3/16/25 21:50 == 32.8	3/17/25 2:20 == 32.5	3/17/25 6:50 == 32.7	3/17/25 11:20 == 32.9
3/16/25 21:55 == 32.5	3/17/25 2:25 == 32.4	3/17/25 6:55 == 32.6	3/17/25 11:25 == 33
3/16/25 22:00 == 32.6	3/17/25 2:30 == 32.6	3/17/25 7:00 == 32.6	3/17/25 11:30 == 33
3/16/25 22:05 == 32.8	3/17/25 2:35 == 32.6	3/17/25 7:05 == 32.6	3/17/25 11:35 == 32.9
3/16/25 22:10 == 32.7	3/17/25 2:40 == 32.6	3/17/25 7:10 == 32.6	3/17/25 11:40 == 33
3/16/25 22:15 == 32.6	3/17/25 2:45 == 32.6	3/17/25 7:15 == 32.6	3/17/25 11:45 == 32.9
3/16/25 22:20 == 32.6	3/17/25 2:50 == 32.7	3/17/25 7:20 == 32.6	3/17/25 11:50 == 32.9
3/16/25 22:25 == 32.6	3/17/25 2:55 == 32.8	3/17/25 7:25 == 32.6	3/17/25 11:55 == 32.6
3/16/25 22:30 == 32.6	3/17/25 3:00 == 32.7	3/17/25 7:30 == 32.7	3/17/25 12:00 == 32.3
3/16/25 22:35 == 35.1	3/17/25 3:05 == 34.3	3/17/25 7:35 == 32.6	3/17/25 12:05 == 32.7
3/16/25 22:40 == 42.2	3/17/25 3:10 == 42.5	3/17/25 7:40 == 32.7	3/17/25 12:10 == 32.8
3/16/25 22:45 == 47.5	3/17/25 3:15 == 48.1	3/17/25 7:45 == 32.6	3/17/25 12:15 == 32.4
3/16/25 22:50 == 48.1	3/17/25 3:20 == 48	3/17/25 7:50 == 32.7	3/17/25 12:20 == 32.6
3/16/25 22:55 == 48.1	3/17/25 3:25 == 47.9	3/17/25 7:55 == 41.7	3/17/25 12:25 == 41.4
3/16/25 23:00 == 48.1	3/17/25 3:30 == 47.6	3/17/25 8:00 == 47.1	3/17/25 12:30 == 47.4
3/16/25 23:05 == 48	3/17/25 3:35 == 47.9	3/17/25 8:05 == 48.1	3/17/25 12:35 == 47.9
3/16/25 23:10 == 48	3/17/25 3:40 == 48	3/17/25 8:10 == 47.5	3/17/25 12:40 == 48
3/16/25 23:15 == 48	3/17/25 3:45 == 47.9	3/17/25 8:15 == 47.7	3/17/25 12:45 == 47.8
3/16/25 23:20 == 47.6	3/17/25 3:50 == 45.3	3/17/25 8:20 == 45.8	3/17/25 12:50 == 47.9
3/16/25 23:25 == 33.8	3/17/25 3:55 == 37.1	3/17/25 8:25 == 38	3/17/25 12:55 == 47.9

Pumpback Station Discharge (0364)

3/17/25 13:00 == 47.9	3/17/25 17:30 == 48.1	3/17/25 22:00 == 48	3/18/25 2:30 == 47.2
3/17/25 13:05 == 46.9	3/17/25 17:35 == 48	3/17/25 22:05 == 48	3/18/25 2:35 == 47.6
3/17/25 13:10 == 37.2	3/17/25 17:40 == 47.9	3/17/25 22:10 == 47.8	3/18/25 2:40 == 48
3/17/25 13:15 == 32.7	3/17/25 17:45 == 48.1	3/17/25 22:15 == 47.7	3/18/25 2:45 == 48.1
3/17/25 13:20 == 32.7	3/17/25 17:50 == 48	3/17/25 22:20 == 47.2	3/18/25 2:50 == 46.7
3/17/25 13:25 == 32.7	3/17/25 17:55 == 36.4	3/17/25 22:25 == 38.6	3/18/25 2:55 == 40.4
3/17/25 13:30 == 32.7	3/17/25 18:00 == 32.9	3/17/25 22:30 == 32.7	3/18/25 3:00 == 32.6
3/17/25 13:35 == 32.7	3/17/25 18:05 == 32.7	3/17/25 22:35 == 32.6	3/18/25 3:05 == 32.6
3/17/25 13:40 == 32.7	3/17/25 18:10 == 32.5	3/17/25 22:40 == 32.6	3/18/25 3:10 == 32.6
3/17/25 13:45 == 32.7	3/17/25 18:15 == 32.7	3/17/25 22:45 == 32.5	3/18/25 3:15 == 32.5
3/17/25 13:50 == 32.7	3/17/25 18:20 == 32.7	3/17/25 22:50 == 32.7	3/18/25 3:20 == 32.6
3/17/25 13:55 == 32.6	3/17/25 18:25 == 32.7	3/17/25 22:55 == 32.9	3/18/25 3:25 == 32.8
3/17/25 14:00 == 32.6	3/17/25 18:30 == 32.7	3/17/25 23:00 == 33	3/18/25 3:30 == 32.6
3/17/25 14:05 == 32.7	3/17/25 18:35 == 32.7	3/17/25 23:05 == 32.9	3/18/25 3:35 == 32.6
3/17/25 14:10 == 32.7	3/17/25 18:40 == 32.7	3/17/25 23:10 == 32.9	3/18/25 3:40 == 32.8
3/17/25 14:15 == 32.7	3/17/25 18:45 == 32.7	3/17/25 23:15 == 32.8	3/18/25 3:45 == 32.6
3/17/25 14:20 == 32.6	3/17/25 18:50 == 32.7	3/17/25 23:20 == 32.9	3/18/25 3:50 == 32.8
3/17/25 14:25 == 32.6	3/17/25 18:55 == 32.8	3/17/25 23:25 == 32.7	3/18/25 3:55 == 32.7
3/17/25 14:30 == 32.6	3/17/25 19:00 == 32.8	3/17/25 23:30 == 32.7	3/18/25 4:00 == 32.5
3/17/25 14:35 == 33.4	3/17/25 19:05 == 32.9	3/17/25 23:35 == 32.7	3/18/25 4:05 == 32.6
3/17/25 14:40 == 40.6	3/17/25 19:10 == 32.9	3/17/25 23:40 == 32.7	3/18/25 4:10 == 32.6
3/17/25 14:45 == 47.6	3/17/25 19:15 == 32.8	3/17/25 23:45 == 32.6	3/18/25 4:15 == 32.7
3/17/25 14:50 == 47.9	3/17/25 19:20 == 32.8	3/17/25 23:50 == 32.8	3/18/25 4:20 == 32.7
3/17/25 14:55 == 47.8	3/17/25 19:25 == 32.6	3/17/25 23:55 == 39.9	3/18/25 4:25 == 39.7
3/17/25 15:00 == 48.1	3/17/25 19:30 == 32.5	3/18/25 0:00 == 47.5	3/18/25 4:30 == 45.8
3/17/25 15:05 == 47.9	3/17/25 19:35 == 33.5	3/18/25 0:05 == 48.2	3/18/25 4:35 == 47.8
3/17/25 15:10 == 47.9	3/17/25 19:40 == 39.2	3/18/25 0:10 == 47.7	3/18/25 4:40 == 47.6
3/17/25 15:15 == 48	3/17/25 19:45 == 47.3	3/18/25 0:15 == 47.5	3/18/25 4:45 == 47.7
3/17/25 15:20 == 47.9	3/17/25 19:50 == 47.7	3/18/25 0:20 == 48	3/18/25 4:50 == 48
3/17/25 15:25 == 36.3	3/17/25 19:55 == 47.9	3/18/25 0:25 == 48.1	3/18/25 4:55 == 48.1
3/17/25 15:30 == 33.1	3/17/25 20:00 == 48.1	3/18/25 0:30 == 47.9	3/18/25 5:00 == 48
3/17/25 15:35 == 32.8	3/17/25 20:05 == 47.9	3/18/25 0:35 == 46.6	3/18/25 5:05 == 47.3
3/17/25 15:40 == 32.8	3/17/25 20:10 == 48.1	3/18/25 0:40 == 40.1	3/18/25 5:10 == 40
3/17/25 15:45 == 32.8	3/17/25 20:15 == 48	3/18/25 0:45 == 32.5	3/18/25 5:15 == 32.7
3/17/25 15:50 == 32.9	3/17/25 20:20 == 48.1	3/18/25 0:50 == 32.7	3/18/25 5:20 == 32.8
3/17/25 15:55 == 33	3/17/25 20:25 == 37.7	3/18/25 0:55 == 32.7	3/18/25 5:25 == 32.8
3/17/25 16:00 == 33	3/17/25 20:30 == 33.4	3/18/25 1:00 == 32.7	3/18/25 5:30 == 32.6
3/17/25 16:05 == 32.9	3/17/25 20:35 == 32.9	3/18/25 1:05 == 32.5	3/18/25 5:35 == 32.6
3/17/25 16:10 == 33	3/17/25 20:40 == 32.9	3/18/25 1:10 == 32.6	3/18/25 5:40 == 32.7
3/17/25 16:15 == 33.1	3/17/25 20:45 == 32.9	3/18/25 1:15 == 32.6	3/18/25 5:45 == 32.6
3/17/25 16:20 == 33.1	3/17/25 20:50 == 32.9	3/18/25 1:20 == 32.8	3/18/25 5:50 == 32.7
3/17/25 16:25 == 33	3/17/25 20:55 == 32.8	3/18/25 1:25 == 32.7	3/18/25 5:55 == 32.6
3/17/25 16:30 == 32.9	3/17/25 21:00 == 32.7	3/18/25 1:30 == 32.6	3/18/25 6:00 == 32.6
3/17/25 16:35 == 32.9	3/17/25 21:05 == 32.7	3/18/25 1:35 == 32.7	3/18/25 6:05 == 32.6
3/17/25 16:40 == 32.9	3/17/25 21:10 == 32.7	3/18/25 1:40 == 32.8	3/18/25 6:10 == 32.6
3/17/25 16:45 == 32.7	3/17/25 21:15 == 32.7	3/18/25 1:45 == 32.7	3/18/25 6:15 == 32.7
3/17/25 16:50 == 32.8	3/17/25 21:20 == 32.7	3/18/25 1:50 == 32.7	3/18/25 6:20 == 32.6
3/17/25 16:55 == 32.7	3/17/25 21:25 == 32.7	3/18/25 1:55 == 32.9	3/18/25 6:25 == 32.7
3/17/25 17:00 == 32.7	3/17/25 21:30 == 32.7	3/18/25 2:00 == 32.7	3/18/25 6:30 == 32.7
3/17/25 17:05 == 33.6	3/17/25 21:35 == 32.8	3/18/25 2:05 == 32.7	3/18/25 6:35 == 32.7
3/17/25 17:10 == 39.8	3/17/25 21:40 == 38.1	3/18/25 2:10 == 40.2	3/18/25 6:40 == 39.4
3/17/25 17:15 == 47.6	3/17/25 21:45 == 47.2	3/18/25 2:15 == 46.6	3/18/25 6:45 == 46
3/17/25 17:20 == 47.7	3/17/25 21:50 == 47.9	3/18/25 2:20 == 48	3/18/25 6:50 == 47.7
3/17/25 17:25 == 48.1	3/17/25 21:55 == 47.7	3/18/25 2:25 == 47.6	3/18/25 6:55 == 47.9

Pumpback Station Discharge (0364)

3/18/25 7:00 == 47.9	3/18/25 11:30 == 33.6	3/18/25 16:00 == 46.4	3/18/25 20:30 == 44.8
3/18/25 7:05 == 47.8	3/18/25 11:35 == 33.3	3/18/25 16:05 == 47.7	3/18/25 20:35 == 47.9
3/18/25 7:10 == 47.4	3/18/25 11:40 == 38.5	3/18/25 16:10 == 47.7	3/18/25 20:40 == 48
3/18/25 7:15 == 47.7	3/18/25 11:45 == 47	3/18/25 16:15 == 47.8	3/18/25 20:45 == 48
3/18/25 7:20 == 48	3/18/25 11:50 == 47.9	3/18/25 16:20 == 48.1	3/18/25 20:50 == 48
3/18/25 7:25 == 39.7	3/18/25 11:55 == 47.4	3/18/25 16:25 == 48	3/18/25 20:55 == 42.5
3/18/25 7:30 == 33.3	3/18/25 12:00 == 47.3	3/18/25 16:30 == 48	3/18/25 21:00 == 32.6
3/18/25 7:35 == 32.9	3/18/25 12:05 == 47.8	3/18/25 16:35 == 47.8	3/18/25 21:05 == 32.6
3/18/25 7:40 == 32.8	3/18/25 12:10 == 47.6	3/18/25 16:40 == 41.5	3/18/25 21:10 == 32.6
3/18/25 7:45 == 32.6	3/18/25 12:15 == 47.9	3/18/25 16:45 == 32.8	3/18/25 21:15 == 32.7
3/18/25 7:50 == 32.7	3/18/25 12:20 == 48.1	3/18/25 16:50 == 32.6	3/18/25 21:20 == 32.7
3/18/25 7:55 == 32.8	3/18/25 12:25 == 40.1	3/18/25 16:55 == 32.5	3/18/25 21:25 == 32.7
3/18/25 8:00 == 32.6	3/18/25 12:30 == 34.1	3/18/25 17:00 == 32.7	3/18/25 21:30 == 32.7
3/18/25 8:05 == 32.7	3/18/25 12:35 == 33	3/18/25 17:05 == 32.6	3/18/25 21:35 == 32.9
3/18/25 8:10 == 32.8	3/18/25 12:40 == 32.9	3/18/25 17:10 == 32.7	3/18/25 21:40 == 34.8
3/18/25 8:15 == 32.7	3/18/25 12:45 == 32.8	3/18/25 17:15 == 32.6	3/18/25 21:45 == 47
3/18/25 8:20 == 32.8	3/18/25 12:50 == 32.8	3/18/25 17:20 == 32.6	3/18/25 21:50 == 47.4
3/18/25 8:25 == 32.7	3/18/25 12:55 == 32.7	3/18/25 17:25 == 32.7	3/18/25 21:55 == 47.9
3/18/25 8:30 == 32.7	3/18/25 13:00 == 32.8	3/18/25 17:30 == 32.8	3/18/25 22:00 == 48.1
3/18/25 8:35 == 32.7	3/18/25 13:05 == 32.8	3/18/25 17:35 == 32.8	3/18/25 22:05 == 48
3/18/25 8:40 == 32.6	3/18/25 13:10 == 32.8	3/18/25 17:40 == 32.7	3/18/25 22:10 == 47.7
3/18/25 8:45 == 32.8	3/18/25 13:15 == 32.7	3/18/25 17:45 == 32.6	3/18/25 22:15 == 47.4
3/18/25 8:50 == 32.7	3/18/25 13:20 == 32.8	3/18/25 17:50 == 32.7	3/18/25 22:20 == 48
3/18/25 8:55 == 32.6	3/18/25 13:25 == 32.8	3/18/25 17:55 == 32.6	3/18/25 22:25 == 41.1
3/18/25 9:00 == 32.7	3/18/25 13:30 == 32.7	3/18/25 18:00 == 32.5	3/18/25 22:30 == 34.3
3/18/25 9:05 == 32.5	3/18/25 13:35 == 32.7	3/18/25 18:05 == 32.6	3/18/25 22:35 == 32.8
3/18/25 9:10 == 32.7	3/18/25 13:40 == 32.8	3/18/25 18:10 == 32.5	3/18/25 22:40 == 32.8
3/18/25 9:15 == 32.8	3/18/25 13:45 == 32.7	3/18/25 18:15 == 32.5	3/18/25 22:45 == 32.7
3/18/25 9:20 == 32.7	3/18/25 13:50 == 32.9	3/18/25 18:20 == 32.7	3/18/25 22:50 == 32.7
3/18/25 9:25 == 39.1	3/18/25 13:55 == 36.2	3/18/25 18:25 == 36.8	3/18/25 22:55 == 32.8
3/18/25 9:30 == 45.8	3/18/25 14:00 == 47.4	3/18/25 18:30 == 46.1	3/18/25 23:00 == 32.8
3/18/25 9:35 == 47.8	3/18/25 14:05 == 47.9	3/18/25 18:35 == 48	3/18/25 23:05 == 32.8
3/18/25 9:40 == 48	3/18/25 14:10 == 48.1	3/18/25 18:40 == 48.1	3/18/25 23:10 == 32.8
3/18/25 9:45 == 48.1	3/18/25 14:15 == 48.1	3/18/25 18:45 == 47.9	3/18/25 23:15 == 32.8
3/18/25 9:50 == 48	3/18/25 14:20 == 48.1	3/18/25 18:50 == 48	3/18/25 23:20 == 32.8
3/18/25 9:55 == 47.5	3/18/25 14:25 == 48	3/18/25 18:55 == 47.7	3/18/25 23:25 == 32.8
3/18/25 10:00 == 47.7	3/18/25 14:30 == 48.1	3/18/25 19:00 == 47.8	3/18/25 23:30 == 32.7
3/18/25 10:05 == 48.1	3/18/25 14:35 == 48	3/18/25 19:05 == 47.8	3/18/25 23:35 == 32.7
3/18/25 10:10 == 40.2	3/18/25 14:40 == 39.9	3/18/25 19:10 == 42.3	3/18/25 23:40 == 32.6
3/18/25 10:15 == 33.1	3/18/25 14:45 == 34	3/18/25 19:15 == 32.6	3/18/25 23:45 == 32.5
3/18/25 10:20 == 32.8	3/18/25 14:50 == 32.8	3/18/25 19:20 == 32.7	3/18/25 23:50 == 32.7
3/18/25 10:25 == 33	3/18/25 14:55 == 32.7	3/18/25 19:25 == 32.5	3/18/25 23:55 == 32.6
3/18/25 10:30 == 33	3/18/25 15:00 == 32.8	3/18/25 19:30 == 32.6	3/19/25 0:00 == 32.6
3/18/25 10:35 == 32.9	3/18/25 15:05 == 32.8	3/18/25 19:35 == 32.5	3/19/25 0:05 == 32.7
3/18/25 10:40 == 32.9	3/18/25 15:10 == 32.8	3/18/25 19:40 == 32.6	3/19/25 0:10 == 34.2
3/18/25 10:45 == 32.9	3/18/25 15:15 == 32.7	3/18/25 19:45 == 32.6	3/19/25 0:15 == 46.8
3/18/25 10:50 == 32.9	3/18/25 15:20 == 32.7	3/18/25 19:50 == 32.7	3/19/25 0:20 == 48
3/18/25 10:55 == 33.2	3/18/25 15:25 == 32.7	3/18/25 19:55 == 32.6	3/19/25 0:25 == 48
3/18/25 11:00 == 33.2	3/18/25 15:30 == 32.8	3/18/25 20:00 == 32.5	3/19/25 0:30 == 48
3/18/25 11:05 == 33.2	3/18/25 15:35 == 32.7	3/18/25 20:05 == 32.6	3/19/25 0:35 == 48
3/18/25 11:10 == 33.6	3/18/25 15:40 == 32.7	3/18/25 20:10 == 32.6	3/19/25 0:40 == 47.9
3/18/25 11:15 == 33.4	3/18/25 15:45 == 32.7	3/18/25 20:15 == 32.6	3/19/25 0:45 == 48.1
3/18/25 11:20 == 33.4	3/18/25 15:50 == 32.8	3/18/25 20:20 == 32.7	3/19/25 0:50 == 47.8
3/18/25 11:25 == 33.5	3/18/25 15:55 == 36.8	3/18/25 20:25 == 37.7	3/19/25 0:55 == 41.9

Pumpback Station Discharge (0364)

3/19/25 1:00 == 34.4	3/19/25 5:30 == 32.7	3/19/25 10:00 == 33.7	3/19/25 14:30 == 32.8
3/19/25 1:05 == 32.7	3/19/25 5:35 == 32.5	3/19/25 10:05 == 32.7	3/19/25 14:35 == 32.8
3/19/25 1:10 == 32.5	3/19/25 5:40 == 32.7	3/19/25 10:10 == 32.9	3/19/25 14:40 == 32.8
3/19/25 1:15 == 32.6	3/19/25 5:45 == 32.7	3/19/25 10:15 == 32.7	3/19/25 14:45 == 32.8
3/19/25 1:20 == 32.8	3/19/25 5:50 == 32.6	3/19/25 10:20 == 32.7	3/19/25 14:50 == 32.7
3/19/25 1:25 == 32.7	3/19/25 5:55 == 32.6	3/19/25 10:25 == 32.7	3/19/25 14:55 == 32.8
3/19/25 1:30 == 32.6	3/19/25 6:00 == 32.6	3/19/25 10:30 == 32.8	3/19/25 15:00 == 32.8
3/19/25 1:35 == 32.6	3/19/25 6:05 == 32.8	3/19/25 10:35 == 32.7	3/19/25 15:05 == 32.8
3/19/25 1:40 == 32.6	3/19/25 6:10 == 32.6	3/19/25 10:40 == 32.8	3/19/25 15:10 == 32.8
3/19/25 1:45 == 32.6	3/19/25 6:15 == 32.6	3/19/25 10:45 == 32.8	3/19/25 15:15 == 32.6
3/19/25 1:50 == 32.7	3/19/25 6:20 == 32.8	3/19/25 10:50 == 32.8	3/19/25 15:20 == 32.6
3/19/25 1:55 == 32.7	3/19/25 6:25 == 32.7	3/19/25 10:55 == 32.9	3/19/25 15:25 == 32.8
3/19/25 2:00 == 32.8	3/19/25 6:30 == 32.7	3/19/25 11:00 == 32.9	3/19/25 15:30 == 32.7
3/19/25 2:05 == 32.8	3/19/25 6:35 == 32.7	3/19/25 11:05 == 32.9	3/19/25 15:35 == 32.8
3/19/25 2:10 == 36	3/19/25 6:40 == 37	3/19/25 11:10 == 35.2	3/19/25 15:40 == 33.7
3/19/25 2:15 == 44.2	3/19/25 6:45 == 44.3	3/19/25 11:15 == 45.2	3/19/25 15:45 == 44.9
3/19/25 2:20 == 47.8	3/19/25 6:50 == 47.9	3/19/25 11:20 == 47.7	3/19/25 15:50 == 48
3/19/25 2:25 == 47.7	3/19/25 6:55 == 48	3/19/25 11:25 == 48	3/19/25 15:55 == 47.4
3/19/25 2:30 == 47.1	3/19/25 7:00 == 48	3/19/25 11:30 == 48.1	3/19/25 16:00 == 47.9
3/19/25 2:35 == 47.4	3/19/25 7:05 == 48.1	3/19/25 11:35 == 48	3/19/25 16:05 == 47.9
3/19/25 2:40 == 47.9	3/19/25 7:10 == 47.5	3/19/25 11:40 == 48	3/19/25 16:10 == 47.4
3/19/25 2:45 == 48	3/19/25 7:15 == 46.8	3/19/25 11:45 == 48	3/19/25 16:15 == 47.9
3/19/25 2:50 == 47.7	3/19/25 7:20 == 47.9	3/19/25 11:50 == 48	3/19/25 16:20 == 48.1
3/19/25 2:55 == 44.1	3/19/25 7:25 == 44.2	3/19/25 11:55 == 47.6	3/19/25 16:25 == 44.5
3/19/25 3:00 == 32.5	3/19/25 7:30 == 33.7	3/19/25 12:00 == 47.8	3/19/25 16:30 == 35.2
3/19/25 3:05 == 32.6	3/19/25 7:35 == 32.8	3/19/25 12:05 == 48.2	3/19/25 16:35 == 32.7
3/19/25 3:10 == 32.6	3/19/25 7:40 == 32.8	3/19/25 12:10 == 43	3/19/25 16:40 == 32.7
3/19/25 3:15 == 32.5	3/19/25 7:45 == 32.5	3/19/25 12:15 == 35	3/19/25 16:45 == 32.7
3/19/25 3:20 == 32.6	3/19/25 7:50 == 32.7	3/19/25 12:20 == 32.8	3/19/25 16:50 == 32.7
3/19/25 3:25 == 32.6	3/19/25 7:55 == 32.4	3/19/25 12:25 == 32.8	3/19/25 16:55 == 32.7
3/19/25 3:30 == 32.7	3/19/25 8:00 == 32.9	3/19/25 12:30 == 32.7	3/19/25 17:00 == 32.7
3/19/25 3:35 == 32.7	3/19/25 8:05 == 32.9	3/19/25 12:35 == 32.6	3/19/25 17:05 == 32.7
3/19/25 3:40 == 32.7	3/19/25 8:10 == 32.8	3/19/25 12:40 == 32.5	3/19/25 17:10 == 32.6
3/19/25 3:45 == 32.5	3/19/25 8:15 == 32.6	3/19/25 12:45 == 32.7	3/19/25 17:15 == 32.7
3/19/25 3:50 == 32.6	3/19/25 8:20 == 32.7	3/19/25 12:50 == 32.6	3/19/25 17:20 == 32.7
3/19/25 3:55 == 32.6	3/19/25 8:25 == 32.6	3/19/25 12:55 == 32.6	3/19/25 17:25 == 32.8
3/19/25 4:00 == 32.6	3/19/25 8:30 == 32.6	3/19/25 13:00 == 32.7	3/19/25 17:30 == 32.8
3/19/25 4:05 == 32.6	3/19/25 8:35 == 32.7	3/19/25 13:05 == 32.7	3/19/25 17:35 == 32.8
3/19/25 4:10 == 36.8	3/19/25 8:40 == 32.9	3/19/25 13:10 == 32.6	3/19/25 17:40 == 35.4
3/19/25 4:15 == 43.9	3/19/25 8:45 == 32.6	3/19/25 13:15 == 32.8	3/19/25 17:45 == 43
3/19/25 4:20 == 47.7	3/19/25 8:50 == 32.7	3/19/25 13:20 == 32.6	3/19/25 17:50 == 47.5
3/19/25 4:25 == 48	3/19/25 8:55 == 32.6	3/19/25 13:25 == 32.8	3/19/25 17:55 == 48
3/19/25 4:30 == 48	3/19/25 9:00 == 32.7	3/19/25 13:30 == 46.2	3/19/25 18:00 == 48
3/19/25 4:35 == 47.9	3/19/25 9:05 == 32.7	3/19/25 13:35 == 47.9	3/19/25 18:05 == 48
3/19/25 4:40 == 47.7	3/19/25 9:10 == 36.3	3/19/25 13:40 == 48.1	3/19/25 18:10 == 47.9
3/19/25 4:45 == 47.5	3/19/25 9:15 == 43.7	3/19/25 13:45 == 48	3/19/25 18:15 == 48
3/19/25 4:50 == 48.1	3/19/25 9:20 == 47.5	3/19/25 13:50 == 48.1	3/19/25 18:20 == 48
3/19/25 4:55 == 44.3	3/19/25 9:25 == 47.6	3/19/25 13:55 == 48.1	3/19/25 18:25 == 46.4
3/19/25 5:00 == 32.9	3/19/25 9:30 == 47.8	3/19/25 14:00 == 48.1	3/19/25 18:30 == 32.8
3/19/25 5:05 == 32.7	3/19/25 9:35 == 48	3/19/25 14:05 == 48	3/19/25 18:35 == 32.7
3/19/25 5:10 == 32.5	3/19/25 9:40 == 48	3/19/25 14:10 == 43.1	3/19/25 18:40 == 32.7
3/19/25 5:15 == 32.6	3/19/25 9:45 == 47.9	3/19/25 14:15 == 35.6	3/19/25 18:45 == 32.6
3/19/25 5:20 == 32.5	3/19/25 9:50 == 48	3/19/25 14:20 == 32.7	3/19/25 18:50 == 32.7
3/19/25 5:25 == 32.8	3/19/25 9:55 == 43.6	3/19/25 14:25 == 32.7	3/19/25 18:55 == 32.9

Pumpback Station Discharge (0364)

3/19/25 19:00 == 32.7	3/19/25 23:30 == 32.6	3/20/25 4:00 == 32.7	3/20/25 8:30 == 32.8
3/19/25 19:05 == 32.7	3/19/25 23:35 == 32.8	3/20/25 4:05 == 32.6	3/20/25 8:35 == 32.8
3/19/25 19:10 == 32.7	3/19/25 23:40 == 32.7	3/20/25 4:10 == 32.8	3/20/25 8:40 == 32.8
3/19/25 19:15 == 32.7	3/19/25 23:45 == 44.2	3/20/25 4:15 == 32.6	3/20/25 8:45 == 32.8
3/19/25 19:20 == 32.8	3/19/25 23:50 == 47.7	3/20/25 4:20 == 32.7	3/20/25 8:50 == 32.8
3/19/25 19:25 == 32.7	3/19/25 23:55 == 48	3/20/25 4:25 == 32.7	3/20/25 8:55 == 32.7
3/19/25 19:30 == 32.7	3/20/25 0:00 == 48.1	3/20/25 4:30 == 32.7	3/20/25 9:00 == 32.7
3/19/25 19:35 == 32.7	3/20/25 0:05 == 48	3/20/25 4:35 == 32.7	3/20/25 9:05 == 32.8
3/19/25 19:40 == 35.2	3/20/25 0:10 == 47.5	3/20/25 4:40 == 32.9	3/20/25 9:10 == 32.8
3/19/25 19:45 == 42.4	3/20/25 0:15 == 47.9	3/20/25 4:45 == 42.8	3/20/25 9:15 == 32.8
3/19/25 19:50 == 47.7	3/20/25 0:20 == 48	3/20/25 4:50 == 47.6	3/20/25 9:20 == 32.8
3/19/25 19:55 == 47.9	3/20/25 0:25 == 45	3/20/25 4:55 == 48.1	3/20/25 9:25 == 32.8
3/19/25 20:00 == 48	3/20/25 0:30 == 36.3	3/20/25 5:00 == 48	3/20/25 9:30 == 32.7
3/19/25 20:05 == 48.1	3/20/25 0:35 == 32.6	3/20/25 5:05 == 47.7	3/20/25 9:35 == 32.7
3/19/25 20:10 == 48	3/20/25 0:40 == 32.6	3/20/25 5:10 == 48	3/20/25 9:40 == 33.6
3/19/25 20:15 == 48.1	3/20/25 0:45 == 32.6	3/20/25 5:15 == 47.2	3/20/25 9:45 == 41.6
3/19/25 20:20 == 48.1	3/20/25 0:50 == 32.8	3/20/25 5:20 == 47.7	3/20/25 9:50 == 47.4
3/19/25 20:25 == 45	3/20/25 0:55 == 32.8	3/20/25 5:25 == 47.5	3/20/25 9:55 == 48
3/19/25 20:30 == 34.8	3/20/25 1:00 == 32.7	3/20/25 5:30 == 47.7	3/20/25 10:00 == 48
3/19/25 20:35 == 32.9	3/20/25 1:05 == 32.7	3/20/25 5:35 == 48	3/20/25 10:05 == 48
3/19/25 20:40 == 32.9	3/20/25 1:10 == 32.6	3/20/25 5:40 == 45.2	3/20/25 10:10 == 48.2
3/19/25 20:45 == 32.7	3/20/25 1:15 == 32.7	3/20/25 5:45 == 36.9	3/20/25 10:15 == 47.9
3/19/25 20:50 == 32.7	3/20/25 1:20 == 32.7	3/20/25 5:50 == 32.7	3/20/25 10:20 == 48
3/19/25 20:55 == 32.6	3/20/25 1:25 == 32.7	3/20/25 5:55 == 32.8	3/20/25 10:25 == 46.8
3/19/25 21:00 == 32.9	3/20/25 1:30 == 32.8	3/20/25 6:00 == 32.7	3/20/25 10:30 == 36
3/19/25 21:05 == 32.7	3/20/25 1:35 == 32.8	3/20/25 6:05 == 32.7	3/20/25 10:35 == 32.7
3/19/25 21:10 == 32.7	3/20/25 1:40 == 32.9	3/20/25 6:10 == 32.8	3/20/25 10:40 == 32.6
3/19/25 21:15 == 32.8	3/20/25 1:45 == 32.6	3/20/25 6:15 == 32.7	3/20/25 10:45 == 32.7
3/19/25 21:20 == 32.8	3/20/25 1:50 == 32.8	3/20/25 6:20 == 32.7	3/20/25 10:50 == 32.7
3/19/25 21:25 == 32.7	3/20/25 1:55 == 33	3/20/25 6:25 == 32.7	3/20/25 10:55 == 32.9
3/19/25 21:30 == 32.7	3/20/25 2:00 == 32.7	3/20/25 6:30 == 32.7	3/20/25 11:00 == 33
3/19/25 21:35 == 32.8	3/20/25 2:05 == 32.8	3/20/25 6:35 == 32.8	3/20/25 11:05 == 33
3/19/25 21:40 == 33.8	3/20/25 2:10 == 33	3/20/25 6:40 == 32.9	3/20/25 11:10 == 33.1
3/19/25 21:45 == 44.1	3/20/25 2:15 == 44.4	3/20/25 6:45 == 32.7	3/20/25 11:15 == 33
3/19/25 21:50 == 47.9	3/20/25 2:20 == 47.6	3/20/25 6:50 == 32.8	3/20/25 11:20 == 32.9
3/19/25 21:55 == 47.9	3/20/25 2:25 == 47.9	3/20/25 6:55 == 32.8	3/20/25 11:25 == 33.1
3/19/25 22:00 == 47.9	3/20/25 2:30 == 47.5	3/20/25 7:00 == 32.8	3/20/25 11:30 == 33.2
3/19/25 22:05 == 47.9	3/20/25 2:35 == 48	3/20/25 7:05 == 32.8	3/20/25 11:35 == 33.1
3/19/25 22:10 == 47.6	3/20/25 2:40 == 47.8	3/20/25 7:10 == 33.3	3/20/25 11:40 == 34.7
3/19/25 22:15 == 47.7	3/20/25 2:45 == 48	3/20/25 7:15 == 32.9	3/20/25 11:45 == 40.7
3/19/25 22:20 == 47.9	3/20/25 2:50 == 47.9	3/20/25 7:20 == 32.8	3/20/25 11:50 == 47.4
3/19/25 22:25 == 43.8	3/20/25 2:55 == 47.8	3/20/25 7:25 == 33	3/20/25 11:55 == 47.6
3/19/25 22:30 == 36.4	3/20/25 3:00 == 47.9	3/20/25 7:30 == 43.3	3/20/25 12:00 == 47
3/19/25 22:35 == 32.9	3/20/25 3:05 == 48.2	3/20/25 7:35 == 47.6	3/20/25 12:05 == 47.4
3/19/25 22:40 == 32.8	3/20/25 3:10 == 44.9	3/20/25 7:40 == 48	3/20/25 12:10 == 47.9
3/19/25 22:45 == 32.8	3/20/25 3:15 == 36.8	3/20/25 7:45 == 48	3/20/25 12:15 == 47.9
3/19/25 22:50 == 32.9	3/20/25 3:20 == 32.6	3/20/25 7:50 == 48	3/20/25 12:20 == 48
3/19/25 22:55 == 33	3/20/25 3:25 == 32.8	3/20/25 7:55 == 47.7	3/20/25 12:25 == 47.6
3/19/25 23:00 == 32.7	3/20/25 3:30 == 32.8	3/20/25 8:00 == 47.5	3/20/25 12:30 == 35.9
3/19/25 23:05 == 32.9	3/20/25 3:35 == 32.7	3/20/25 8:05 == 47.9	3/20/25 12:35 == 32.6
3/19/25 23:10 == 32.8	3/20/25 3:40 == 32.7	3/20/25 8:10 == 45.5	3/20/25 12:40 == 32.7
3/19/25 23:15 == 32.8	3/20/25 3:45 == 32.8	3/20/25 8:15 == 36.7	3/20/25 12:45 == 32.8
3/19/25 23:20 == 33	3/20/25 3:50 == 32.8	3/20/25 8:20 == 32.7	3/20/25 12:50 == 32.6
3/19/25 23:25 == 32.8	3/20/25 3:55 == 32.7	3/20/25 8:25 == 32.8	3/20/25 12:55 == 32.6

Pumpback Station Discharge (0364)

3/20/25 13:00 == 32.7	3/20/25 17:30 == 32.9	3/20/25 22:00 == 32.8	3/21/25 2:30 == 32.9
3/20/25 13:05 == 32.8	3/20/25 17:35 == 33	3/20/25 22:05 == 32.9	3/21/25 2:35 == 32.9
3/20/25 13:10 == 32.8	3/20/25 17:40 == 32.8	3/20/25 22:10 == 32.9	3/21/25 2:40 == 32.9
3/20/25 13:15 == 32.7	3/20/25 17:45 == 32.9	3/20/25 22:15 == 32.5	3/21/25 2:45 == 32.7
3/20/25 13:20 == 32.7	3/20/25 17:50 == 32.9	3/20/25 22:20 == 32.7	3/21/25 2:50 == 32.8
3/20/25 13:25 == 32.8	3/20/25 17:55 == 32.7	3/20/25 22:25 == 32.9	3/21/25 2:55 == 32.8
3/20/25 13:30 == 32.8	3/20/25 18:00 == 32.8	3/20/25 22:30 == 32.8	3/21/25 3:00 == 32.8
3/20/25 13:35 == 32.7	3/20/25 18:05 == 32.7	3/20/25 22:35 == 32.9	3/21/25 3:05 == 32.8
3/20/25 13:40 == 33.5	3/20/25 18:10 == 32.6	3/20/25 22:40 == 32.8	3/21/25 3:10 == 32.9
3/20/25 13:45 == 41.2	3/20/25 18:15 == 41.5	3/20/25 22:45 == 32.7	3/21/25 3:15 == 32.9
3/20/25 13:50 == 47.8	3/20/25 18:20 == 46.8	3/20/25 22:50 == 32.8	3/21/25 3:20 == 32.9
3/20/25 13:55 == 47.8	3/20/25 18:25 == 47.7	3/20/25 22:55 == 33.1	3/21/25 3:25 == 33.8
3/20/25 14:00 == 48	3/20/25 18:30 == 47.9	3/20/25 23:00 == 32.9	3/21/25 3:30 == 38.3
3/20/25 14:05 == 48	3/20/25 18:35 == 47.7	3/20/25 23:05 == 33	3/21/25 3:35 == 47.7
3/20/25 14:10 == 48.1	3/20/25 18:40 == 47.9	3/20/25 23:10 == 33.1	3/21/25 3:40 == 48
3/20/25 14:15 == 47.9	3/20/25 18:45 == 48	3/20/25 23:15 == 40.3	3/21/25 3:45 == 48
3/20/25 14:20 == 48.1	3/20/25 18:50 == 47.9	3/20/25 23:20 == 46.4	3/21/25 3:50 == 47.9
3/20/25 14:25 == 45.8	3/20/25 18:55 == 45.8	3/20/25 23:25 == 48.1	3/21/25 3:55 == 48
3/20/25 14:30 == 37.8	3/20/25 19:00 == 38.5	3/20/25 23:30 == 48.1	3/21/25 4:00 == 48
3/20/25 14:35 == 32.9	3/20/25 19:05 == 32.8	3/20/25 23:35 == 48.1	3/21/25 4:05 == 48
3/20/25 14:40 == 33	3/20/25 19:10 == 32.9	3/20/25 23:40 == 48.1	3/21/25 4:10 == 48
3/20/25 14:45 == 32.6	3/20/25 19:15 == 32.9	3/20/25 23:45 == 47.7	3/21/25 4:15 == 38.6
3/20/25 14:50 == 32.8	3/20/25 19:20 == 32.9	3/20/25 23:50 == 47.7	3/21/25 4:20 == 33.3
3/20/25 14:55 == 32.8	3/20/25 19:25 == 32.8	3/20/25 23:55 == 46.8	3/21/25 4:25 == 32.8
3/20/25 15:00 == 32.7	3/20/25 19:30 == 32.6	3/21/25 0:00 == 38.9	3/21/25 4:30 == 32.9
3/20/25 15:05 == 32.8	3/20/25 19:35 == 32.8	3/21/25 0:05 == 32.8	3/21/25 4:35 == 32.9
3/20/25 15:10 == 32.8	3/20/25 19:40 == 32.8	3/21/25 0:10 == 32.8	3/21/25 4:40 == 33
3/20/25 15:15 == 32.7	3/20/25 19:45 == 32.8	3/21/25 0:15 == 32.8	3/21/25 4:45 == 32.9
3/20/25 15:20 == 32.7	3/20/25 19:50 == 32.8	3/21/25 0:20 == 32.8	3/21/25 4:50 == 32.9
3/20/25 15:25 == 32.7	3/20/25 19:55 == 32.8	3/21/25 0:25 == 32.9	3/21/25 4:55 == 32.9
3/20/25 15:30 == 32.7	3/20/25 20:00 == 32.8	3/21/25 0:30 == 32.8	3/21/25 5:00 == 32.8
3/20/25 15:35 == 32.7	3/20/25 20:05 == 32.8	3/21/25 0:35 == 32.9	3/21/25 5:05 == 32.8
3/20/25 15:40 == 32.9	3/20/25 20:10 == 33	3/21/25 0:40 == 33	3/21/25 5:10 == 32.8
3/20/25 15:45 == 32.8	3/20/25 20:15 == 40.7	3/21/25 0:45 == 32.8	3/21/25 5:15 == 32.8
3/20/25 15:50 == 32.8	3/20/25 20:20 == 47.3	3/21/25 0:50 == 32.8	3/21/25 5:20 == 33
3/20/25 15:55 == 32.9	3/20/25 20:25 == 47.4	3/21/25 0:55 == 32.7	3/21/25 5:25 == 33
3/20/25 16:00 == 41.5	3/20/25 20:30 == 47.4	3/21/25 1:00 == 32.8	3/21/25 5:30 == 32.9
3/20/25 16:05 == 47.2	3/20/25 20:35 == 47.8	3/21/25 1:05 == 32.8	3/21/25 5:35 == 32.8
3/20/25 16:10 == 47.6	3/20/25 20:40 == 47.9	3/21/25 1:10 == 32.7	3/21/25 5:40 == 33
3/20/25 16:15 == 47.7	3/20/25 20:45 == 48.1	3/21/25 1:15 == 32.9	3/21/25 5:45 == 32.9
3/20/25 16:20 == 48	3/20/25 20:50 == 48.1	3/21/25 1:20 == 32.8	3/21/25 5:50 == 32.9
3/20/25 16:25 == 48	3/20/25 20:55 == 47.5	3/21/25 1:25 == 32.8	3/21/25 5:55 == 33.5
3/20/25 16:30 == 48	3/20/25 21:00 == 47.3	3/21/25 1:30 == 39.7	3/21/25 6:00 == 37.9
3/20/25 16:35 == 47.9	3/20/25 21:05 == 47.9	3/21/25 1:35 == 46.7	3/21/25 6:05 == 47.7
3/20/25 16:40 == 45.6	3/20/25 21:10 == 47	3/21/25 1:40 == 48.1	3/21/25 6:10 == 47.9
3/20/25 16:45 == 38.7	3/20/25 21:15 == 38.2	3/21/25 1:45 == 47.8	3/21/25 6:15 == 47.5
3/20/25 16:50 == 33	3/20/25 21:20 == 32.9	3/21/25 1:50 == 48	3/21/25 6:20 == 47.7
3/20/25 16:55 == 32.9	3/20/25 21:25 == 32.7	3/21/25 1:55 == 47.4	3/21/25 6:25 == 47.9
3/20/25 17:00 == 32.6	3/20/25 21:30 == 32.7	3/21/25 2:00 == 47.9	3/21/25 6:30 == 48
3/20/25 17:05 == 32.9	3/20/25 21:35 == 32.8	3/21/25 2:05 == 48.1	3/21/25 6:35 == 47.9
3/20/25 17:10 == 33.1	3/20/25 21:40 == 32.9	3/21/25 2:10 == 47.7	3/21/25 6:40 == 48.1
3/20/25 17:15 == 32.9	3/20/25 21:45 == 33	3/21/25 2:15 == 37.9	3/21/25 6:45 == 38.8
3/20/25 17:20 == 32.8	3/20/25 21:50 == 33	3/21/25 2:20 == 33.1	3/21/25 6:50 == 33.5
3/20/25 17:25 == 32.9	3/20/25 21:55 == 32.9	3/21/25 2:25 == 33	3/21/25 6:55 == 33

Pumpback Station Discharge (0364)

3/21/25 7:00 == 33	3/21/25 11:30 == 48	3/21/25 16:00 == 33.3	3/21/25 20:30 == 33.6
3/21/25 7:05 == 33	3/21/25 11:35 == 47.9	3/21/25 16:05 == 33.4	3/21/25 20:35 == 33.5
3/21/25 7:10 == 33.5	3/21/25 11:40 == 47.5	3/21/25 16:10 == 33.6	3/21/25 20:40 == 33.6
3/21/25 7:15 == 33.4	3/21/25 11:45 == 47.8	3/21/25 16:15 == 33.5	3/21/25 20:45 == 33.5
3/21/25 7:20 == 33.4	3/21/25 11:50 == 47.8	3/21/25 16:20 == 33.4	3/21/25 20:50 == 33.5
3/21/25 7:25 == 33.4	3/21/25 11:55 == 47.8	3/21/25 16:25 == 33.6	3/21/25 20:55 == 33.3
3/21/25 7:30 == 33.3	3/21/25 12:00 == 47.5	3/21/25 16:30 == 36.4	3/21/25 21:00 == 33.2
3/21/25 7:35 == 33.3	3/21/25 12:05 == 47.6	3/21/25 16:35 == 47.6	3/21/25 21:05 == 33.3
3/21/25 7:40 == 33.3	3/21/25 12:10 == 47.7	3/21/25 16:40 == 47.8	3/21/25 21:10 == 33.2
3/21/25 7:45 == 33.2	3/21/25 12:15 == 39.7	3/21/25 16:45 == 47.6	3/21/25 21:15 == 33.1
3/21/25 7:50 == 33.2	3/21/25 12:20 == 34.3	3/21/25 16:50 == 48	3/21/25 21:20 == 33.1
3/21/25 7:55 == 33	3/21/25 12:25 == 33.1	3/21/25 16:55 == 47.9	3/21/25 21:25 == 33.1
3/21/25 8:00 == 32.8	3/21/25 12:30 == 32.9	3/21/25 17:00 == 47.5	3/21/25 21:30 == 32.8
3/21/25 8:05 == 32.8	3/21/25 12:35 == 32.9	3/21/25 17:05 == 48	3/21/25 21:35 == 33.1
3/21/25 8:10 == 33.2	3/21/25 12:40 == 33.1	3/21/25 17:10 == 47.3	3/21/25 21:40 == 33.4
3/21/25 8:15 == 38.1	3/21/25 12:45 == 33	3/21/25 17:15 == 40.2	3/21/25 21:45 == 35.5
3/21/25 8:20 == 47.4	3/21/25 12:50 == 33	3/21/25 17:20 == 34.1	3/21/25 21:50 == 47.3
3/21/25 8:25 == 47.5	3/21/25 12:55 == 33.1	3/21/25 17:25 == 33.1	3/21/25 21:55 == 46.8
3/21/25 8:30 == 47.2	3/21/25 13:00 == 33	3/21/25 17:30 == 33	3/21/25 22:00 == 47.8
3/21/25 8:35 == 48	3/21/25 13:05 == 33	3/21/25 17:35 == 33.2	3/21/25 22:05 == 48
3/21/25 8:40 == 47.9	3/21/25 13:10 == 33.1	3/21/25 17:40 == 33.1	3/21/25 22:10 == 48
3/21/25 8:45 == 47.9	3/21/25 13:15 == 33.1	3/21/25 17:45 == 33.2	3/21/25 22:15 == 48.1
3/21/25 8:50 == 48	3/21/25 13:20 == 33.1	3/21/25 17:50 == 33.1	3/21/25 22:20 == 48
3/21/25 8:55 == 47.7	3/21/25 13:25 == 33.1	3/21/25 17:55 == 33.3	3/21/25 22:25 == 47.9
3/21/25 9:00 == 40.3	3/21/25 13:30 == 33.1	3/21/25 18:00 == 33.3	3/21/25 22:30 == 40.6
3/21/25 9:05 == 32.9	3/21/25 13:35 == 33.1	3/21/25 18:05 == 33.2	3/21/25 22:35 == 34.4
3/21/25 9:10 == 32.7	3/21/25 13:40 == 33.2	3/21/25 18:10 == 33.1	3/21/25 22:40 == 33.5
3/21/25 9:15 == 32.9	3/21/25 13:45 == 33	3/21/25 18:15 == 33.1	3/21/25 22:45 == 33.5
3/21/25 9:20 == 32.8	3/21/25 13:50 == 33.1	3/21/25 18:20 == 33.1	3/21/25 22:50 == 33.5
3/21/25 9:25 == 32.7	3/21/25 13:55 == 33.5	3/21/25 18:25 == 33.1	3/21/25 22:55 == 33.6
3/21/25 9:30 == 32.8	3/21/25 14:00 == 37	3/21/25 18:30 == 33	3/21/25 23:00 == 33.5
3/21/25 9:35 == 32.8	3/21/25 14:05 == 47.7	3/21/25 18:35 == 33	3/21/25 23:05 == 33.6
3/21/25 9:40 == 33	3/21/25 14:10 == 47.9	3/21/25 18:40 == 33.1	3/21/25 23:10 == 33.7
3/21/25 9:45 == 32.9	3/21/25 14:15 == 48	3/21/25 18:45 == 33.2	3/21/25 23:15 == 33.6
3/21/25 9:50 == 32.9	3/21/25 14:20 == 48	3/21/25 18:50 == 33.3	3/21/25 23:20 == 33.6
3/21/25 9:55 == 32.9	3/21/25 14:25 == 48	3/21/25 18:55 == 33.4	3/21/25 23:25 == 33.4
3/21/25 10:00 == 32.9	3/21/25 14:30 == 48	3/21/25 19:00 == 33.2	3/21/25 23:30 == 33.2
3/21/25 10:05 == 33	3/21/25 14:35 == 48	3/21/25 19:05 == 33.3	3/21/25 23:35 == 33.2
3/21/25 10:10 == 33	3/21/25 14:40 == 47.4	3/21/25 19:10 == 33.6	3/21/25 23:40 == 33.1
3/21/25 10:15 == 33	3/21/25 14:45 == 39.7	3/21/25 19:15 == 36.1	3/21/25 23:45 == 33
3/21/25 10:20 == 33	3/21/25 14:50 == 34.3	3/21/25 19:20 == 47.4	3/21/25 23:50 == 33.1
3/21/25 10:25 == 33	3/21/25 14:55 == 33.2	3/21/25 19:25 == 47.7	3/21/25 23:55 == 33.1
3/21/25 10:30 == 33	3/21/25 15:00 == 33.3	3/21/25 19:30 == 48.1	3/22/25 0:00 == 35.9
3/21/25 10:35 == 33.2	3/21/25 15:05 == 33.2	3/21/25 19:35 == 48.1	3/22/25 0:05 == 46.7
3/21/25 10:40 == 33.3	3/21/25 15:10 == 33.2	3/21/25 19:40 == 47.3	3/22/25 0:10 == 47.8
3/21/25 10:45 == 33.3	3/21/25 15:15 == 33.3	3/21/25 19:45 == 47.9	3/22/25 0:15 == 47.4
3/21/25 10:50 == 33.2	3/21/25 15:20 == 33.3	3/21/25 19:50 == 48	3/22/25 0:20 == 47.6
3/21/25 10:55 == 33.6	3/21/25 15:25 == 33.2	3/21/25 19:55 == 47.9	3/22/25 0:25 == 47.6
3/21/25 11:00 == 33.7	3/21/25 15:30 == 33	3/21/25 20:00 == 40.9	3/22/25 0:30 == 47.9
3/21/25 11:05 == 33.7	3/21/25 15:35 == 33	3/21/25 20:05 == 34.5	3/22/25 0:35 == 48.1
3/21/25 11:10 == 34.4	3/21/25 15:40 == 33.2	3/21/25 20:10 == 33.1	3/22/25 0:40 == 47.8
3/21/25 11:15 == 38.1	3/21/25 15:45 == 33.3	3/21/25 20:15 == 33.1	3/22/25 0:45 == 42.7
3/21/25 11:20 == 47.8	3/21/25 15:50 == 33.3	3/21/25 20:20 == 33.1	3/22/25 0:50 == 33.9
3/21/25 11:25 == 48	3/21/25 15:55 == 33.3	3/21/25 20:25 == 33.6	3/22/25 0:55 == 33.1

Pumpback Station Discharge (0364)

3/22/25 1:00 == 33.2	3/22/25 5:30 == 47.6	3/22/25 10:00 == 33.4	3/22/25 14:30 == 33.5
3/22/25 1:05 == 33.3	3/22/25 5:35 == 47.9	3/22/25 10:05 == 33.4	3/22/25 14:35 == 33.5
3/22/25 1:10 == 33.2	3/22/25 5:40 == 47.8	3/22/25 10:10 == 33.3	3/22/25 14:40 == 33.8
3/22/25 1:15 == 33.1	3/22/25 5:45 == 47.5	3/22/25 10:15 == 33.2	3/22/25 14:45 == 33.9
3/22/25 1:20 == 33.1	3/22/25 5:50 == 47.6	3/22/25 10:20 == 33.3	3/22/25 14:50 == 33.8
3/22/25 1:25 == 33	3/22/25 5:55 == 47.8	3/22/25 10:25 == 33.4	3/22/25 14:55 == 33.9
3/22/25 1:30 == 33	3/22/25 6:00 == 42.7	3/22/25 10:30 == 33.2	3/22/25 15:00 == 34
3/22/25 1:35 == 33	3/22/25 6:05 == 34.2	3/22/25 10:35 == 33.3	3/22/25 15:05 == 34
3/22/25 1:40 == 33.1	3/22/25 6:10 == 33.1	3/22/25 10:40 == 33.6	3/22/25 15:10 == 34
3/22/25 1:45 == 33	3/22/25 6:15 == 33.3	3/22/25 10:45 == 33.6	3/22/25 15:15 == 33.9
3/22/25 1:50 == 33	3/22/25 6:20 == 33.3	3/22/25 10:50 == 47.2	3/22/25 15:20 == 33.9
3/22/25 1:55 == 33.4	3/22/25 6:25 == 33.2	3/22/25 10:55 == 47.6	3/22/25 15:25 == 33.9
3/22/25 2:00 == 33.6	3/22/25 6:30 == 33.1	3/22/25 11:00 == 47.8	3/22/25 15:30 == 33.7
3/22/25 2:05 == 33.4	3/22/25 6:35 == 33.2	3/22/25 11:05 == 48	3/22/25 15:35 == 33.7
3/22/25 2:10 == 33.3	3/22/25 6:40 == 33.3	3/22/25 11:10 == 47.6	3/22/25 15:40 == 34.1
3/22/25 2:15 == 33.4	3/22/25 6:45 == 33.4	3/22/25 11:15 == 47.8	3/22/25 15:45 == 34
3/22/25 2:20 == 33.5	3/22/25 6:50 == 33.3	3/22/25 11:20 == 47.8	3/22/25 15:50 == 34
3/22/25 2:25 == 33.5	3/22/25 6:55 == 33.6	3/22/25 11:25 == 48	3/22/25 15:55 == 33.9
3/22/25 2:30 == 33.4	3/22/25 7:00 == 33.8	3/22/25 11:30 == 43.1	3/22/25 16:00 == 33.9
3/22/25 2:35 == 33.4	3/22/25 7:05 == 33.7	3/22/25 11:35 == 36.1	3/22/25 16:05 == 34.1
3/22/25 2:40 == 33.3	3/22/25 7:10 == 33.7	3/22/25 11:40 == 34.1	3/22/25 16:10 == 34.4
3/22/25 2:45 == 34.8	3/22/25 7:15 == 33.8	3/22/25 11:45 == 33.9	3/22/25 16:15 == 34.4
3/22/25 2:50 == 47.2	3/22/25 7:20 == 33.8	3/22/25 11:50 == 33.9	3/22/25 16:20 == 34.4
3/22/25 2:55 == 48	3/22/25 7:25 == 33.7	3/22/25 11:55 == 33.8	3/22/25 16:25 == 34.5
3/22/25 3:00 == 48.2	3/22/25 7:30 == 33.8	3/22/25 12:00 == 33.6	3/22/25 16:30 == 34.5
3/22/25 3:05 == 48	3/22/25 7:35 == 33.7	3/22/25 12:05 == 33.5	3/22/25 16:35 == 34.5
3/22/25 3:10 == 48	3/22/25 7:40 == 33.6	3/22/25 12:10 == 33.4	3/22/25 16:40 == 34.3
3/22/25 3:15 == 48.1	3/22/25 7:45 == 33.5	3/22/25 12:15 == 33.2	3/22/25 16:45 == 34
3/22/25 3:20 == 47.9	3/22/25 7:50 == 33.6	3/22/25 12:20 == 33.1	3/22/25 16:50 == 34
3/22/25 3:25 == 47.3	3/22/25 7:55 == 33.5	3/22/25 12:25 == 33.1	3/22/25 16:55 == 33.9
3/22/25 3:30 == 41.9	3/22/25 8:00 == 34.4	3/22/25 12:30 == 33.1	3/22/25 17:00 == 36.6
3/22/25 3:35 == 34.3	3/22/25 8:05 == 46.4	3/22/25 12:35 == 33.2	3/22/25 17:05 == 43.8
3/22/25 3:40 == 32.9	3/22/25 8:10 == 48	3/22/25 12:40 == 33.4	3/22/25 17:10 == 47.5
3/22/25 3:45 == 33	3/22/25 8:15 == 48	3/22/25 12:45 == 33.3	3/22/25 17:15 == 47.8
3/22/25 3:50 == 32.9	3/22/25 8:20 == 47.9	3/22/25 12:50 == 33.2	3/22/25 17:20 == 48
3/22/25 3:55 == 33.1	3/22/25 8:25 == 48	3/22/25 12:55 == 33.4	3/22/25 17:25 == 48
3/22/25 4:00 == 33.1	3/22/25 8:30 == 48	3/22/25 13:00 == 33.3	3/22/25 17:30 == 48
3/22/25 4:05 == 33.2	3/22/25 8:35 == 47.9	3/22/25 13:05 == 33.3	3/22/25 17:35 == 47.8
3/22/25 4:10 == 33.2	3/22/25 8:40 == 48	3/22/25 13:10 == 33.3	3/22/25 17:40 == 47.9
3/22/25 4:15 == 33	3/22/25 8:45 == 43.2	3/22/25 13:15 == 33.4	3/22/25 17:45 == 44.4
3/22/25 4:20 == 33	3/22/25 8:50 == 34.9	3/22/25 13:20 == 33.4	3/22/25 17:50 == 36.3
3/22/25 4:25 == 33.2	3/22/25 8:55 == 33	3/22/25 13:25 == 33.4	3/22/25 17:55 == 34.3
3/22/25 4:30 == 33.2	3/22/25 9:00 == 33	3/22/25 13:30 == 33.3	3/22/25 18:00 == 34.3
3/22/25 4:35 == 33.2	3/22/25 9:05 == 33.1	3/22/25 13:35 == 46.8	3/22/25 18:05 == 34.4
3/22/25 4:40 == 33.2	3/22/25 9:10 == 33	3/22/25 13:40 == 48.1	3/22/25 18:10 == 34.5
3/22/25 4:45 == 33.2	3/22/25 9:15 == 33	3/22/25 13:45 == 48.1	3/22/25 18:15 == 33.8
3/22/25 4:50 == 33.2	3/22/25 9:20 == 33.1	3/22/25 13:50 == 48	3/22/25 18:20 == 33.7
3/22/25 4:55 == 33.2	3/22/25 9:25 == 33.1	3/22/25 13:55 == 48.1	3/22/25 18:25 == 33.7
3/22/25 5:00 == 33.1	3/22/25 9:30 == 33.2	3/22/25 14:00 == 48.1	3/22/25 18:30 == 33.7
3/22/25 5:05 == 33.3	3/22/25 9:35 == 33.2	3/22/25 14:05 == 47.9	3/22/25 18:35 == 33.8
3/22/25 5:10 == 33.2	3/22/25 9:40 == 33.3	3/22/25 14:10 == 48	3/22/25 18:40 == 33.9
3/22/25 5:15 == 34.9	3/22/25 9:45 == 33.5	3/22/25 14:15 == 43.1	3/22/25 18:45 == 33.8
3/22/25 5:20 == 45.8	3/22/25 9:50 == 33.4	3/22/25 14:20 == 36.1	3/22/25 18:50 == 33.9
3/22/25 5:25 == 47.6	3/22/25 9:55 == 33.4	3/22/25 14:25 == 33.5	3/22/25 18:55 == 34.3

Pumpback Station Discharge (0364)

3/22/25 19:00 == 34.2	3/22/25 23:30 == 47.9	3/23/25 4:00 == 34	3/23/25 8:30 == 33.6
3/22/25 19:05 == 34.2	3/22/25 23:35 == 48.1	3/23/25 4:05 == 33.8	3/23/25 8:35 == 33.4
3/22/25 19:10 == 34.2	3/22/25 23:40 == 48	3/23/25 4:10 == 34	3/23/25 8:40 == 33.6
3/22/25 19:15 == 34	3/22/25 23:45 == 47.7	3/23/25 4:15 == 33.9	3/23/25 8:45 == 33.6
3/22/25 19:20 == 33.9	3/22/25 23:50 == 33.9	3/23/25 4:20 == 34	3/23/25 8:50 == 33.4
3/22/25 19:25 == 33.9	3/22/25 23:55 == 33.8	3/23/25 4:25 == 34.2	3/23/25 8:55 == 33.4
3/22/25 19:30 == 33.9	3/23/25 0:00 == 33.8	3/23/25 4:30 == 34.2	3/23/25 9:00 == 33.6
3/22/25 19:35 == 34	3/23/25 0:05 == 33.9	3/23/25 4:35 == 34.2	3/23/25 9:05 == 33.5
3/22/25 19:40 == 34.1	3/23/25 0:10 == 34.2	3/23/25 4:40 == 34.3	3/23/25 9:10 == 33.6
3/22/25 19:45 == 33.9	3/23/25 0:15 == 34.1	3/23/25 4:45 == 34.3	3/23/25 9:15 == 33.6
3/22/25 19:50 == 33.8	3/23/25 0:20 == 34	3/23/25 4:50 == 34.2	3/23/25 9:20 == 33.6
3/22/25 19:55 == 33.9	3/23/25 0:25 == 34.1	3/23/25 4:55 == 34.3	3/23/25 9:25 == 33.6
3/22/25 20:00 == 33.9	3/23/25 0:30 == 34.1	3/23/25 5:00 == 34.1	3/23/25 9:30 == 33.7
3/22/25 20:05 == 33.9	3/23/25 0:35 == 34.1	3/23/25 5:05 == 34.1	3/23/25 9:35 == 33.7
3/22/25 20:10 == 33.9	3/23/25 0:40 == 34.1	3/23/25 5:10 == 34.1	3/23/25 9:40 == 33.9
3/22/25 20:15 == 36.5	3/23/25 0:45 == 34.2	3/23/25 5:15 == 33.8	3/23/25 9:45 == 35.1
3/22/25 20:20 == 43.3	3/23/25 0:50 == 34.2	3/23/25 5:20 == 33.7	3/23/25 9:50 == 42.7
3/22/25 20:25 == 47.5	3/23/25 0:55 == 34.2	3/23/25 5:25 == 34.1	3/23/25 9:55 == 47.7
3/22/25 20:30 == 47.5	3/23/25 1:00 == 34.2	3/23/25 5:30 == 34	3/23/25 10:00 == 48
3/22/25 20:35 == 47.9	3/23/25 1:05 == 34.1	3/23/25 5:35 == 34.1	3/23/25 10:05 == 47.9
3/22/25 20:40 == 48.1	3/23/25 1:10 == 34	3/23/25 5:40 == 34.3	3/23/25 10:10 == 48
3/22/25 20:45 == 47.9	3/23/25 1:15 == 33.9	3/23/25 5:45 == 34.2	3/23/25 10:15 == 47.8
3/22/25 20:50 == 48.1	3/23/25 1:20 == 33.8	3/23/25 5:50 == 34.2	3/23/25 10:20 == 47.9
3/22/25 20:55 == 48	3/23/25 1:25 == 33.8	3/23/25 5:55 == 34.1	3/23/25 10:25 == 47.5
3/22/25 21:00 == 46.9	3/23/25 1:30 == 33.8	3/23/25 6:00 == 35.6	3/23/25 10:30 == 46.8
3/22/25 21:05 == 34.2	3/23/25 1:35 == 33.9	3/23/25 6:05 == 42.8	3/23/25 10:35 == 36.2
3/22/25 21:10 == 34	3/23/25 1:40 == 33.8	3/23/25 6:10 == 47.9	3/23/25 10:40 == 34.3
3/22/25 21:15 == 33.8	3/23/25 1:45 == 33.6	3/23/25 6:15 == 48.1	3/23/25 10:45 == 34.2
3/22/25 21:20 == 33.8	3/23/25 1:50 == 33.7	3/23/25 6:20 == 48	3/23/25 10:50 == 34.3
3/22/25 21:25 == 33.7	3/23/25 1:55 == 34.2	3/23/25 6:25 == 47.9	3/23/25 10:55 == 35
3/22/25 21:30 == 33.6	3/23/25 2:00 == 34.3	3/23/25 6:30 == 47.9	3/23/25 11:00 == 35.2
3/22/25 21:35 == 33.6	3/23/25 2:05 == 34.4	3/23/25 6:35 == 47.9	3/23/25 11:05 == 35.2
3/22/25 21:40 == 34	3/23/25 2:10 == 34.2	3/23/25 6:40 == 48.1	3/23/25 11:10 == 35.4
3/22/25 21:45 == 34	3/23/25 2:15 == 34.4	3/23/25 6:45 == 45.4	3/23/25 11:15 == 35.5
3/22/25 21:50 == 34	3/23/25 2:20 == 34.4	3/23/25 6:50 == 37.8	3/23/25 11:20 == 35.4
3/22/25 21:55 == 34.1	3/23/25 2:25 == 34.5	3/23/25 6:55 == 34.6	3/23/25 11:25 == 35.3
3/22/25 22:00 == 33.9	3/23/25 2:30 == 34.2	3/23/25 7:00 == 34.8	3/23/25 11:30 == 35.2
3/22/25 22:05 == 34	3/23/25 2:35 == 45.5	3/23/25 7:05 == 34.7	3/23/25 11:35 == 35.2
3/22/25 22:10 == 34.2	3/23/25 2:40 == 47.6	3/23/25 7:10 == 34.9	3/23/25 11:40 == 35.1
3/22/25 22:15 == 34.2	3/23/25 2:45 == 48.1	3/23/25 7:15 == 34.7	3/23/25 11:45 == 35.1
3/22/25 22:20 == 34.2	3/23/25 2:50 == 47.9	3/23/25 7:20 == 34.9	3/23/25 11:50 == 35.1
3/22/25 22:25 == 34.1	3/23/25 2:55 == 48.1	3/23/25 7:25 == 34.8	3/23/25 11:55 == 34.8
3/22/25 22:30 == 34	3/23/25 3:00 == 47.9	3/23/25 7:30 == 34.8	3/23/25 12:00 == 34.5
3/22/25 22:35 == 33.9	3/23/25 3:05 == 47.9	3/23/25 7:35 == 34.6	3/23/25 12:05 == 34.4
3/22/25 22:40 == 34.2	3/23/25 3:10 == 48	3/23/25 7:40 == 34.6	3/23/25 12:10 == 34.3
3/22/25 22:45 == 34.6	3/23/25 3:15 == 44.6	3/23/25 7:45 == 34.3	3/23/25 12:15 == 34.1
3/22/25 22:50 == 34.5	3/23/25 3:20 == 37	3/23/25 7:50 == 34.5	3/23/25 12:20 == 33.9
3/22/25 22:55 == 34.6	3/23/25 3:25 == 33.8	3/23/25 7:55 == 34.4	3/23/25 12:25 == 33.8
3/22/25 23:00 == 36.9	3/23/25 3:30 == 33.9	3/23/25 8:00 == 33.9	3/23/25 12:30 == 33.8
3/22/25 23:05 == 43.7	3/23/25 3:35 == 33.8	3/23/25 8:05 == 33.7	3/23/25 12:35 == 33.6
3/22/25 23:10 == 48	3/23/25 3:40 == 33.8	3/23/25 8:10 == 33.7	3/23/25 12:40 == 33.9
3/22/25 23:15 == 47.9	3/23/25 3:45 == 33.7	3/23/25 8:15 == 33.4	3/23/25 12:45 == 33.9
3/22/25 23:20 == 48	3/23/25 3:50 == 33.8	3/23/25 8:20 == 33.4	3/23/25 12:50 == 33.8
3/22/25 23:25 == 48	3/23/25 3:55 == 34	3/23/25 8:25 == 33.7	3/23/25 12:55 == 33.8

Pumpback Station Discharge (0364)

3/23/25 13:00 == 33.7	3/23/25 17:30 == 33.9	3/23/25 22:00 == 33.7	3/24/25 2:30 == 34.1
3/23/25 13:05 == 33.8	3/23/25 17:35 == 33.9	3/23/25 22:05 == 33.8	3/24/25 2:35 == 34.1
3/23/25 13:10 == 33.8	3/23/25 17:40 == 34	3/23/25 22:10 == 34	3/24/25 2:40 == 33.9
3/23/25 13:15 == 33.8	3/23/25 17:45 == 34	3/23/25 22:15 == 33.9	3/24/25 2:45 == 33.6
3/23/25 13:20 == 33.7	3/23/25 17:50 == 33.8	3/23/25 22:20 == 33.8	3/24/25 2:50 == 33.4
3/23/25 13:25 == 33.7	3/23/25 17:55 == 34	3/23/25 22:25 == 33.8	3/24/25 2:55 == 33.5
3/23/25 13:30 == 33.8	3/23/25 18:00 == 34.1	3/23/25 22:30 == 33.6	3/24/25 3:00 == 33.6
3/23/25 13:35 == 42.4	3/23/25 18:05 == 34	3/23/25 22:35 == 33.7	3/24/25 3:05 == 33.6
3/23/25 13:40 == 47.7	3/23/25 18:10 == 33.8	3/23/25 22:40 == 34.1	3/24/25 3:10 == 33.5
3/23/25 13:45 == 48	3/23/25 18:15 == 33.7	3/23/25 22:45 == 34.2	3/24/25 3:15 == 33.5
3/23/25 13:50 == 48	3/23/25 18:20 == 33.5	3/23/25 22:50 == 34.2	3/24/25 3:20 == 33.5
3/23/25 13:55 == 48	3/23/25 18:25 == 33.6	3/23/25 22:55 == 34.2	3/24/25 3:25 == 33.6
3/23/25 14:00 == 48	3/23/25 18:30 == 33.6	3/23/25 23:00 == 34.3	3/24/25 3:30 == 33.6
3/23/25 14:05 == 48	3/23/25 18:35 == 33.6	3/23/25 23:05 == 42.1	3/24/25 3:35 == 33.5
3/23/25 14:10 == 47.9	3/23/25 18:40 == 33.7	3/23/25 23:10 == 47.4	3/24/25 3:40 == 33.6
3/23/25 14:15 == 45.3	3/23/25 18:45 == 33.6	3/23/25 23:15 == 47.9	3/24/25 3:45 == 33.6
3/23/25 14:20 == 38.4	3/23/25 18:50 == 33.6	3/23/25 23:20 == 48	3/24/25 3:50 == 33.6
3/23/25 14:25 == 33.5	3/23/25 18:55 == 34	3/23/25 23:25 == 47.8	3/24/25 3:55 == 33.8
3/23/25 14:30 == 33.5	3/23/25 19:00 == 34.1	3/23/25 23:30 == 48	3/24/25 4:00 == 33.6
3/23/25 14:35 == 33.5	3/23/25 19:05 == 34.1	3/23/25 23:35 == 48	3/24/25 4:05 == 33.6
3/23/25 14:40 == 33.7	3/23/25 19:10 == 34.1	3/23/25 23:40 == 48	3/24/25 4:10 == 34
3/23/25 14:45 == 33.6	3/23/25 19:15 == 34	3/23/25 23:45 == 47.6	3/24/25 4:15 == 33.6
3/23/25 14:50 == 33.7	3/23/25 19:20 == 34	3/23/25 23:50 == 38.3	3/24/25 4:20 == 33.7
3/23/25 14:55 == 33.8	3/23/25 19:25 == 34	3/23/25 23:55 == 33.7	3/24/25 4:25 == 33.9
3/23/25 15:00 == 33.7	3/23/25 19:30 == 33.8	3/24/25 0:00 == 33.6	3/24/25 4:30 == 33.9
3/23/25 15:05 == 33.7	3/23/25 19:35 == 33.9	3/24/25 0:05 == 33.6	3/24/25 4:35 == 40.9
3/23/25 15:10 == 33.8	3/23/25 19:40 == 33.7	3/24/25 0:10 == 33.8	3/24/25 4:40 == 46.7
3/23/25 15:15 == 33.6	3/23/25 19:45 == 33.5	3/24/25 0:15 == 33.8	3/24/25 4:45 == 48.1
3/23/25 15:20 == 33.8	3/23/25 19:50 == 33.7	3/24/25 0:20 == 33.7	3/24/25 4:50 == 48.2
3/23/25 15:25 == 33.8	3/23/25 19:55 == 33.6	3/24/25 0:25 == 33.8	3/24/25 4:55 == 48.1
3/23/25 15:30 == 33.5	3/23/25 20:00 == 34.6	3/24/25 0:30 == 33.9	3/24/25 5:00 == 48
3/23/25 15:35 == 33.4	3/23/25 20:05 == 40.8	3/24/25 0:35 == 33.9	3/24/25 5:05 == 47.9
3/23/25 15:40 == 33.8	3/23/25 20:10 == 47.7	3/24/25 0:40 == 33.9	3/24/25 5:10 == 47.9
3/23/25 15:45 == 33.9	3/23/25 20:15 == 48.1	3/24/25 0:45 == 33.9	3/24/25 5:15 == 47.3
3/23/25 15:50 == 33.9	3/23/25 20:20 == 47.9	3/24/25 0:50 == 33.8	3/24/25 5:20 == 39.7
3/23/25 15:55 == 34	3/23/25 20:25 == 47.4	3/24/25 0:55 == 33.8	3/24/25 5:25 == 33.9
3/23/25 16:00 == 33.9	3/23/25 20:30 == 47.6	3/24/25 1:00 == 33.8	3/24/25 5:30 == 33.9
3/23/25 16:05 == 33.8	3/23/25 20:35 == 48	3/24/25 1:05 == 33.8	3/24/25 5:35 == 33.8
3/23/25 16:10 == 34.1	3/23/25 20:40 == 47.9	3/24/25 1:10 == 33.8	3/24/25 5:40 == 34
3/23/25 16:15 == 34.5	3/23/25 20:45 == 48	3/24/25 1:15 == 33.7	3/24/25 5:45 == 34
3/23/25 16:20 == 42.1	3/23/25 20:50 == 37.5	3/24/25 1:20 == 33.8	3/24/25 5:50 == 33.9
3/23/25 16:25 == 47.8	3/23/25 20:55 == 34.2	3/24/25 1:25 == 33.8	3/24/25 5:55 == 33.9
3/23/25 16:30 == 48	3/23/25 21:00 == 33.7	3/24/25 1:30 == 33.5	3/24/25 6:00 == 33.8
3/23/25 16:35 == 47.9	3/23/25 21:05 == 33.6	3/24/25 1:35 == 40.6	3/24/25 6:05 == 33.9
3/23/25 16:40 == 47.9	3/23/25 21:10 == 33.7	3/24/25 1:40 == 47.2	3/24/25 6:10 == 33.9
3/23/25 16:45 == 47.9	3/23/25 21:15 == 33.5	3/24/25 1:45 == 47.9	3/24/25 6:15 == 33.9
3/23/25 16:50 == 48.1	3/23/25 21:20 == 33.4	3/24/25 1:50 == 47.9	3/24/25 6:20 == 33.8
3/23/25 16:55 == 48	3/23/25 21:25 == 33.6	3/24/25 1:55 == 47.5	3/24/25 6:25 == 33.8
3/23/25 17:00 == 45.7	3/23/25 21:30 == 33.6	3/24/25 2:00 == 47.7	3/24/25 6:30 == 33.6
3/23/25 17:05 == 38.9	3/23/25 21:35 == 33.5	3/24/25 2:05 == 47.9	3/24/25 6:35 == 33.7
3/23/25 17:10 == 33.8	3/23/25 21:40 == 33.7	3/24/25 2:10 == 47.9	3/24/25 6:40 == 33.9
3/23/25 17:15 == 33.6	3/23/25 21:45 == 33.8	3/24/25 2:15 == 48	3/24/25 6:45 == 33.9
3/23/25 17:20 == 33.6	3/23/25 21:50 == 33.8	3/24/25 2:20 == 38.3	3/24/25 6:50 == 33.8
3/23/25 17:25 == 33.7	3/23/25 21:55 == 33.8	3/24/25 2:25 == 34.2	3/24/25 6:55 == 34.3

Pumpback Station Discharge (0364)

3/24/25 7:00 == 34.2	3/24/25 11:30 == 34.6	3/24/25 16:00 == 33.8	3/24/25 20:30 == 34.4
3/24/25 7:05 == 34.3	3/24/25 11:35 == 34.7	3/24/25 16:05 == 34	3/24/25 20:35 == 39.4
3/24/25 7:10 == 34.5	3/24/25 11:40 == 34.9	3/24/25 16:10 == 34.1	3/24/25 20:40 == 45.6
3/24/25 7:15 == 34.4	3/24/25 11:45 == 34.8	3/24/25 16:15 == 34.2	3/24/25 20:45 == 47.9
3/24/25 7:20 == 34.4	3/24/25 11:50 == 39.2	3/24/25 16:20 == 34.2	3/24/25 20:50 == 47.9
3/24/25 7:25 == 34.5	3/24/25 11:55 == 47.9	3/24/25 16:25 == 34.1	3/24/25 20:55 == 47.8
3/24/25 7:30 == 34.4	3/24/25 12:00 == 47.5	3/24/25 16:30 == 34.1	3/24/25 21:00 == 47.8
3/24/25 7:35 == 34.4	3/24/25 12:05 == 48	3/24/25 16:35 == 34.1	3/24/25 21:05 == 47.9
3/24/25 7:40 == 34.3	3/24/25 12:10 == 48	3/24/25 16:40 == 34	3/24/25 21:10 == 47.9
3/24/25 7:45 == 34.2	3/24/25 12:15 == 47.9	3/24/25 16:45 == 33.7	3/24/25 21:15 == 47.5
3/24/25 7:50 == 34.1	3/24/25 12:20 == 48	3/24/25 16:50 == 33.8	3/24/25 21:20 == 42.5
3/24/25 7:55 == 33.9	3/24/25 12:25 == 47.9	3/24/25 16:55 == 33.4	3/24/25 21:25 == 33.6
3/24/25 8:00 == 33.6	3/24/25 12:30 == 48	3/24/25 17:00 == 33.5	3/24/25 21:30 == 33.4
3/24/25 8:05 == 33.4	3/24/25 12:35 == 39.7	3/24/25 17:05 == 33.4	3/24/25 21:35 == 33.4
3/24/25 8:10 == 33.3	3/24/25 12:40 == 34.6	3/24/25 17:10 == 33.7	3/24/25 21:40 == 33.6
3/24/25 8:15 == 33.3	3/24/25 12:45 == 33.7	3/24/25 17:15 == 33.7	3/24/25 21:45 == 33.6
3/24/25 8:20 == 33.3	3/24/25 12:50 == 33.6	3/24/25 17:20 == 38.5	3/24/25 21:50 == 33.7
3/24/25 8:25 == 33.4	3/24/25 12:55 == 33.6	3/24/25 17:25 == 46.4	3/24/25 21:55 == 33.8
3/24/25 8:30 == 33.9	3/24/25 13:00 == 33.6	3/24/25 17:30 == 47.8	3/24/25 22:00 == 33.8
3/24/25 8:35 == 38.2	3/24/25 13:05 == 33.5	3/24/25 17:35 == 48	3/24/25 22:05 == 33.8
3/24/25 8:40 == 47.6	3/24/25 13:10 == 33.6	3/24/25 17:40 == 47.9	3/24/25 22:10 == 33.8
3/24/25 8:45 == 47.9	3/24/25 13:15 == 33.6	3/24/25 17:45 == 48.1	3/24/25 22:15 == 33.7
3/24/25 8:50 == 48	3/24/25 13:20 == 33.6	3/24/25 17:50 == 48	3/24/25 22:20 == 33.7
3/24/25 8:55 == 47.9	3/24/25 13:25 == 33.5	3/24/25 17:55 == 48	3/24/25 22:25 == 33.5
3/24/25 9:00 == 47.6	3/24/25 13:30 == 33.6	3/24/25 18:00 == 48.1	3/24/25 22:30 == 33.6
3/24/25 9:05 == 48	3/24/25 13:35 == 33.5	3/24/25 18:05 == 40.6	3/24/25 22:35 == 38.4
3/24/25 9:10 == 48.1	3/24/25 13:40 == 33.6	3/24/25 18:10 == 34.4	3/24/25 22:40 == 46.1
3/24/25 9:15 == 47.8	3/24/25 13:45 == 33.6	3/24/25 18:15 == 33.5	3/24/25 22:45 == 47.9
3/24/25 9:20 == 39.5	3/24/25 13:50 == 33.5	3/24/25 18:20 == 33.5	3/24/25 22:50 == 48.1
3/24/25 9:25 == 33.5	3/24/25 13:55 == 33.4	3/24/25 18:25 == 33.5	3/24/25 22:55 == 47.8
3/24/25 9:30 == 33.4	3/24/25 14:00 == 33.6	3/24/25 18:30 == 33.5	3/24/25 23:00 == 47.8
3/24/25 9:35 == 33.5	3/24/25 14:05 == 33.6	3/24/25 18:35 == 33.5	3/24/25 23:05 == 48
3/24/25 9:40 == 33.9	3/24/25 14:10 == 33.8	3/24/25 18:40 == 33.4	3/24/25 23:10 == 48
3/24/25 9:45 == 33.8	3/24/25 14:15 == 33.8	3/24/25 18:45 == 33.6	3/24/25 23:15 == 48
3/24/25 9:50 == 33.9	3/24/25 14:20 == 38	3/24/25 18:50 == 33.7	3/24/25 23:20 == 41.6
3/24/25 9:55 == 33.8	3/24/25 14:25 == 47.7	3/24/25 18:55 == 33.9	3/24/25 23:25 == 35.1
3/24/25 10:00 == 33.8	3/24/25 14:30 == 48	3/24/25 19:00 == 33.8	3/24/25 23:30 == 33.9
3/24/25 10:05 == 33.7	3/24/25 14:35 == 47.8	3/24/25 19:05 == 34	3/24/25 23:35 == 33.9
3/24/25 10:10 == 33.8	3/24/25 14:40 == 47.7	3/24/25 19:10 == 33.9	3/24/25 23:40 == 33.9
3/24/25 10:15 == 33.7	3/24/25 14:45 == 48	3/24/25 19:15 == 33.9	3/24/25 23:45 == 33.8
3/24/25 10:20 == 33.7	3/24/25 14:50 == 48.1	3/24/25 19:20 == 33.9	3/24/25 23:50 == 33.7
3/24/25 10:25 == 33.7	3/24/25 14:55 == 47.9	3/24/25 19:25 == 33.7	3/24/25 23:55 == 33.8
3/24/25 10:30 == 33.6	3/24/25 15:00 == 47.8	3/24/25 19:30 == 33.8	3/25/25 0:00 == 33.8
3/24/25 10:35 == 33.7	3/24/25 15:05 == 39.8	3/24/25 19:35 == 33.7	3/25/25 0:05 == 33.7
3/24/25 10:40 == 33.8	3/24/25 15:10 == 34.7	3/24/25 19:40 == 33.7	3/25/25 0:10 == 33.8
3/24/25 10:45 == 33.8	3/24/25 15:15 == 33.8	3/24/25 19:45 == 33.6	3/25/25 0:15 == 33.8
3/24/25 10:50 == 33.8	3/24/25 15:20 == 33.8	3/24/25 19:50 == 33.6	3/25/25 0:20 == 33.7
3/24/25 10:55 == 34.1	3/24/25 15:25 == 33.8	3/24/25 19:55 == 33.8	3/25/25 0:25 == 33.8
3/24/25 11:00 == 34.5	3/24/25 15:30 == 33.6	3/24/25 20:00 == 33.8	3/25/25 0:30 == 33.8
3/24/25 11:05 == 34.5	3/24/25 15:35 == 33.5	3/24/25 20:05 == 33.8	3/25/25 0:35 == 33.9
3/24/25 11:10 == 34.7	3/24/25 15:40 == 33.8	3/24/25 20:10 == 33.9	3/25/25 0:40 == 34
3/24/25 11:15 == 34.8	3/24/25 15:45 == 33.9	3/24/25 20:15 == 33.8	3/25/25 0:45 == 33.8
3/24/25 11:20 == 34.7	3/24/25 15:50 == 33.8	3/24/25 20:20 == 33.8	3/25/25 0:50 == 33.9
3/24/25 11:25 == 34.6	3/24/25 15:55 == 33.9	3/24/25 20:25 == 34.3	3/25/25 0:55 == 34

Pumpback Station Discharge (0364)

3/25/25 1:00 == 33.7	3/25/25 5:30 == 47.4	3/25/25 10:00 == 33.3	3/25/25 14:30 == 33
3/25/25 1:05 == 33.8	3/25/25 5:35 == 44.2	3/25/25 10:05 == 37.1	3/25/25 14:35 == 33
3/25/25 1:10 == 33.8	3/25/25 5:40 == 34.2	3/25/25 10:10 == 44.8	3/25/25 14:40 == 33
3/25/25 1:15 == 33.7	3/25/25 5:45 == 34.1	3/25/25 10:15 == 47.8	3/25/25 14:45 == 33.2
3/25/25 1:20 == 33.6	3/25/25 5:50 == 34	3/25/25 10:20 == 48	3/25/25 14:50 == 33.2
3/25/25 1:25 == 33.7	3/25/25 5:55 == 34	3/25/25 10:25 == 48.1	3/25/25 14:55 == 33.4
3/25/25 1:30 == 33.5	3/25/25 6:00 == 34	3/25/25 10:30 == 47.9	3/25/25 15:00 == 33.4
3/25/25 1:35 == 33.6	3/25/25 6:05 == 33.8	3/25/25 10:35 == 48	3/25/25 15:05 == 33.2
3/25/25 1:40 == 33.7	3/25/25 6:10 == 33.9	3/25/25 10:40 == 48	3/25/25 15:10 == 33.2
3/25/25 1:45 == 33.6	3/25/25 6:15 == 34	3/25/25 10:45 == 47.7	3/25/25 15:15 == 33.2
3/25/25 1:50 == 38.4	3/25/25 6:20 == 33.9	3/25/25 10:50 == 44.9	3/25/25 15:20 == 36.3
3/25/25 1:55 == 45	3/25/25 6:25 == 33.8	3/25/25 10:55 == 33.7	3/25/25 15:25 == 44
3/25/25 2:00 == 47.6	3/25/25 6:30 == 33.6	3/25/25 11:00 == 33.5	3/25/25 15:30 == 47.7
3/25/25 2:05 == 47.9	3/25/25 6:35 == 33.5	3/25/25 11:05 == 33.6	3/25/25 15:35 == 47.9
3/25/25 2:10 == 48	3/25/25 6:40 == 33.5	3/25/25 11:10 == 33.8	3/25/25 15:40 == 47.6
3/25/25 2:15 == 47.9	3/25/25 6:45 == 33.3	3/25/25 11:15 == 33.8	3/25/25 15:45 == 47.6
3/25/25 2:20 == 47.9	3/25/25 6:50 == 33.3	3/25/25 11:20 == 33.7	3/25/25 15:50 == 48
3/25/25 2:25 == 47.9	3/25/25 6:55 == 33.6	3/25/25 11:25 == 33.8	3/25/25 15:55 == 48.1
3/25/25 2:30 == 47.6	3/25/25 7:00 == 33.6	3/25/25 11:30 == 33.8	3/25/25 16:00 == 47.9
3/25/25 2:35 == 43.3	3/25/25 7:05 == 33.4	3/25/25 11:35 == 33.8	3/25/25 16:05 == 45.8
3/25/25 2:40 == 34.2	3/25/25 7:10 == 33.5	3/25/25 11:40 == 33.9	3/25/25 16:10 == 33.7
3/25/25 2:45 == 33.6	3/25/25 7:15 == 33.7	3/25/25 11:45 == 33.8	3/25/25 16:15 == 33.3
3/25/25 2:50 == 33.6	3/25/25 7:20 == 37.9	3/25/25 11:50 == 33.7	3/25/25 16:20 == 33.3
3/25/25 2:55 == 33.6	3/25/25 7:25 == 45	3/25/25 11:55 == 33.6	3/25/25 16:25 == 33.3
3/25/25 3:00 == 33.6	3/25/25 7:30 == 47.6	3/25/25 12:00 == 33.4	3/25/25 16:30 == 33.2
3/25/25 3:05 == 33.4	3/25/25 7:35 == 48	3/25/25 12:05 == 33.4	3/25/25 16:35 == 33.3
3/25/25 3:10 == 33.6	3/25/25 7:40 == 48	3/25/25 12:10 == 33.3	3/25/25 16:40 == 33.2
3/25/25 3:15 == 33.6	3/25/25 7:45 == 47.8	3/25/25 12:15 == 33.3	3/25/25 16:45 == 33.1
3/25/25 3:20 == 33.5	3/25/25 7:50 == 44.3	3/25/25 12:20 == 33.2	3/25/25 16:50 == 33.2
3/25/25 3:25 == 33.9	3/25/25 7:55 == 33.4	3/25/25 12:25 == 33.1	3/25/25 16:55 == 33.1
3/25/25 3:30 == 33.6	3/25/25 8:00 == 33	3/25/25 12:30 == 33.2	3/25/25 17:00 == 33.1
3/25/25 3:35 == 33.6	3/25/25 8:05 == 33.2	3/25/25 12:35 == 36.7	3/25/25 17:05 == 33.1
3/25/25 3:40 == 33.8	3/25/25 8:10 == 33.2	3/25/25 12:40 == 44	3/25/25 17:10 == 33.2
3/25/25 3:45 == 33.7	3/25/25 8:15 == 33.1	3/25/25 12:45 == 47.7	3/25/25 17:15 == 33.2
3/25/25 3:50 == 33.7	3/25/25 8:20 == 33.1	3/25/25 12:50 == 48.1	3/25/25 17:20 == 33.2
3/25/25 3:55 == 33.8	3/25/25 8:25 == 33.2	3/25/25 12:55 == 48.2	3/25/25 17:25 == 33.3
3/25/25 4:00 == 33.8	3/25/25 8:30 == 33.2	3/25/25 13:00 == 48	3/25/25 17:30 == 33.3
3/25/25 4:05 == 33.9	3/25/25 8:35 == 33.1	3/25/25 13:05 == 47.9	3/25/25 17:35 == 33.3
3/25/25 4:10 == 34	3/25/25 8:40 == 33.2	3/25/25 13:10 == 48	3/25/25 17:40 == 33.4
3/25/25 4:15 == 33.7	3/25/25 8:45 == 33.1	3/25/25 13:15 == 48	3/25/25 17:45 == 33.3
3/25/25 4:20 == 33.6	3/25/25 8:50 == 33.3	3/25/25 13:20 == 48	3/25/25 17:50 == 33.3
3/25/25 4:25 == 33.8	3/25/25 8:55 == 33.1	3/25/25 13:25 == 48	3/25/25 17:55 == 33.3
3/25/25 4:30 == 33.8	3/25/25 9:00 == 33.1	3/25/25 13:30 == 47.7	3/25/25 18:00 == 33.3
3/25/25 4:35 == 33.9	3/25/25 9:05 == 33.1	3/25/25 13:35 == 45.4	3/25/25 18:05 == 33.3
3/25/25 4:40 == 33.9	3/25/25 9:10 == 33.2	3/25/25 13:40 == 33.1	3/25/25 18:10 == 33.2
3/25/25 4:45 == 33.9	3/25/25 9:15 == 33	3/25/25 13:45 == 33.2	3/25/25 18:15 == 33
3/25/25 4:50 == 37.9	3/25/25 9:20 == 33.2	3/25/25 13:50 == 33.1	3/25/25 18:20 == 34.9
3/25/25 4:55 == 45.2	3/25/25 9:25 == 33.2	3/25/25 13:55 == 33.3	3/25/25 18:25 == 44.5
3/25/25 5:00 == 47.9	3/25/25 9:30 == 33.2	3/25/25 14:00 == 33	3/25/25 18:30 == 47.8
3/25/25 5:05 == 48.1	3/25/25 9:35 == 33.1	3/25/25 14:05 == 33	3/25/25 18:35 == 47.9
3/25/25 5:10 == 47.9	3/25/25 9:40 == 33.3	3/25/25 14:10 == 33.1	3/25/25 18:40 == 47.9
3/25/25 5:15 == 47.9	3/25/25 9:45 == 33.4	3/25/25 14:15 == 33	3/25/25 18:45 == 48.1
3/25/25 5:20 == 48.1	3/25/25 9:50 == 33.3	3/25/25 14:20 == 33.1	3/25/25 18:50 == 47.8
3/25/25 5:25 == 47.8	3/25/25 9:55 == 33.3	3/25/25 14:25 == 32.9	3/25/25 18:55 == 47.3

Pumpback Station Discharge (0364)

3/25/25 19:00 == 47.9	3/25/25 23:30 == 48	3/26/25 4:00 == 33	3/26/25 8:30 == 33.2
3/25/25 19:05 == 44.8	3/25/25 23:35 == 48	3/26/25 4:05 == 35.7	3/26/25 8:35 == 33.2
3/25/25 19:10 == 34.8	3/25/25 23:40 == 48	3/26/25 4:10 == 42.4	3/26/25 8:40 == 33.2
3/25/25 19:15 == 33.3	3/25/25 23:45 == 48.2	3/26/25 4:15 == 46.9	3/26/25 8:45 == 33.1
3/25/25 19:20 == 33.2	3/25/25 23:50 == 47.3	3/26/25 4:20 == 47.8	3/26/25 8:50 == 33.1
3/25/25 19:25 == 33.3	3/25/25 23:55 == 33.4	3/26/25 4:25 == 47.9	3/26/25 8:55 == 33.1
3/25/25 19:30 == 33.3	3/26/25 0:00 == 33.2	3/26/25 4:30 == 47.6	3/26/25 9:00 == 33.2
3/25/25 19:35 == 33.4	3/26/25 0:05 == 33.1	3/26/25 4:35 == 48.1	3/26/25 9:05 == 33.2
3/25/25 19:40 == 33.3	3/26/25 0:10 == 33.2	3/26/25 4:40 == 48.1	3/26/25 9:10 == 33.2
3/25/25 19:45 == 33.1	3/26/25 0:15 == 33.2	3/26/25 4:45 == 47.9	3/26/25 9:15 == 33.2
3/25/25 19:50 == 33.2	3/26/25 0:20 == 33.3	3/26/25 4:50 == 46.9	3/26/25 9:20 == 33.2
3/25/25 19:55 == 33.3	3/26/25 0:25 == 33.3	3/26/25 4:55 == 34.9	3/26/25 9:25 == 33.2
3/25/25 20:00 == 33.3	3/26/25 0:30 == 33.3	3/26/25 5:00 == 33.3	3/26/25 9:30 == 33.2
3/25/25 20:05 == 33.2	3/26/25 0:35 == 33.3	3/26/25 5:05 == 33.5	3/26/25 9:35 == 35
3/25/25 20:10 == 33.1	3/26/25 0:40 == 33.3	3/26/25 5:10 == 33.2	3/26/25 9:40 == 41.8
3/25/25 20:15 == 33.1	3/26/25 0:45 == 33.2	3/26/25 5:15 == 33.2	3/26/25 9:45 == 47.1
3/25/25 20:20 == 33.3	3/26/25 0:50 == 33.3	3/26/25 5:20 == 33.1	3/26/25 9:50 == 48.2
3/25/25 20:25 == 33.5	3/26/25 0:55 == 33.2	3/26/25 5:25 == 33.3	3/26/25 9:55 == 48
3/25/25 20:30 == 33.5	3/26/25 1:00 == 33.2	3/26/25 5:30 == 33.3	3/26/25 10:00 == 48
3/25/25 20:35 == 35.7	3/26/25 1:05 == 33.2	3/26/25 5:35 == 33.3	3/26/25 10:05 == 47.3
3/25/25 20:40 == 42.7	3/26/25 1:10 == 33.2	3/26/25 5:40 == 33.3	3/26/25 10:10 == 47.9
3/25/25 20:45 == 47.2	3/26/25 1:15 == 33.1	3/26/25 5:45 == 33.2	3/26/25 10:15 == 47.7
3/25/25 20:50 == 47.9	3/26/25 1:20 == 33.2	3/26/25 5:50 == 33.3	3/26/25 10:20 == 48.1
3/25/25 20:55 == 47.9	3/26/25 1:25 == 33.2	3/26/25 5:55 == 33.3	3/26/25 10:25 == 34.5
3/25/25 21:00 == 47.7	3/26/25 1:30 == 33.2	3/26/25 6:00 == 33.3	3/26/25 10:30 == 33.3
3/25/25 21:05 == 48	3/26/25 1:35 == 35.8	3/26/25 6:05 == 33.3	3/26/25 10:35 == 33.3
3/25/25 21:10 == 48.1	3/26/25 1:40 == 42.6	3/26/25 6:10 == 33.3	3/26/25 10:40 == 33.4
3/25/25 21:15 == 48	3/26/25 1:45 == 47.4	3/26/25 6:15 == 33.2	3/26/25 10:45 == 33.5
3/25/25 21:20 == 46.7	3/26/25 1:50 == 48.1	3/26/25 6:20 == 33.2	3/26/25 10:50 == 33.4
3/25/25 21:25 == 33.3	3/26/25 1:55 == 47.8	3/26/25 6:25 == 33.2	3/26/25 10:55 == 33.8
3/25/25 21:30 == 33.2	3/26/25 2:00 == 47.2	3/26/25 6:30 == 33.2	3/26/25 11:00 == 33.7
3/25/25 21:35 == 33.1	3/26/25 2:05 == 48.1	3/26/25 6:35 == 35.6	3/26/25 11:05 == 33.6
3/25/25 21:40 == 33.2	3/26/25 2:10 == 48	3/26/25 6:40 == 42.1	3/26/25 11:10 == 33.9
3/25/25 21:45 == 33.2	3/26/25 2:15 == 47.8	3/26/25 6:45 == 47.3	3/26/25 11:15 == 34
3/25/25 21:50 == 33.3	3/26/25 2:20 == 47.3	3/26/25 6:50 == 48	3/26/25 11:20 == 34
3/25/25 21:55 == 33.4	3/26/25 2:25 == 33.7	3/26/25 6:55 == 48	3/26/25 11:25 == 34
3/25/25 22:00 == 33.3	3/26/25 2:30 == 33.4	3/26/25 7:00 == 47.8	3/26/25 11:30 == 33.9
3/25/25 22:05 == 33.4	3/26/25 2:35 == 33.4	3/26/25 7:05 == 48.1	3/26/25 11:35 == 33.9
3/25/25 22:10 == 33.3	3/26/25 2:40 == 33	3/26/25 7:10 == 47.9	3/26/25 11:40 == 34
3/25/25 22:15 == 33.3	3/26/25 2:45 == 33.3	3/26/25 7:15 == 47.6	3/26/25 11:45 == 34.1
3/25/25 22:20 == 33.3	3/26/25 2:50 == 33.2	3/26/25 7:20 == 46.5	3/26/25 11:50 == 34
3/25/25 22:25 == 33.2	3/26/25 2:55 == 33.2	3/26/25 7:25 == 35.4	3/26/25 11:55 == 33.8
3/25/25 22:30 == 33.1	3/26/25 3:00 == 33.2	3/26/25 7:30 == 33.6	3/26/25 12:00 == 33.5
3/25/25 22:35 == 33.1	3/26/25 3:05 == 33.3	3/26/25 7:35 == 33.5	3/26/25 12:05 == 33.6
3/25/25 22:40 == 33.3	3/26/25 3:10 == 33.1	3/26/25 7:40 == 33.4	3/26/25 12:10 == 33.5
3/25/25 22:45 == 33.4	3/26/25 3:15 == 33.1	3/26/25 7:45 == 33.5	3/26/25 12:15 == 33.4
3/25/25 22:50 == 33.3	3/26/25 3:20 == 33.1	3/26/25 7:50 == 33.5	3/26/25 12:20 == 34.7
3/25/25 22:55 == 33.4	3/26/25 3:25 == 33.3	3/26/25 7:55 == 33.2	3/26/25 12:25 == 42.1
3/25/25 23:00 == 33.5	3/26/25 3:30 == 33.2	3/26/25 8:00 == 33.1	3/26/25 12:30 == 47.6
3/25/25 23:05 == 36.3	3/26/25 3:35 == 33.1	3/26/25 8:05 == 33.2	3/26/25 12:35 == 47.9
3/25/25 23:10 == 43.6	3/26/25 3:40 == 33.1	3/26/25 8:10 == 33.2	3/26/25 12:40 == 47.5
3/25/25 23:15 == 47.6	3/26/25 3:45 == 33	3/26/25 8:15 == 33.2	3/26/25 12:45 == 48
3/25/25 23:20 == 47.6	3/26/25 3:50 == 32.9	3/26/25 8:20 == 33.3	3/26/25 12:50 == 47.9
3/25/25 23:25 == 47.9	3/26/25 3:55 == 33	3/26/25 8:25 == 33.2	3/26/25 12:55 == 48.1

Pumpback Station Discharge (0364)

3/26/25 13:00 == 48.1	3/26/25 17:30 == 47.3	3/26/25 22:00 == 33.5	3/27/25 2:30 == 33.7
3/26/25 13:05 == 48	3/26/25 17:35 == 48.1	3/26/25 22:05 == 33.4	3/27/25 2:35 == 33.7
3/26/25 13:10 == 35.3	3/26/25 17:40 == 48.1	3/26/25 22:10 == 33.4	3/27/25 2:40 == 33.4
3/26/25 13:15 == 33.3	3/26/25 17:45 == 47.8	3/26/25 22:15 == 33.4	3/27/25 2:45 == 33.3
3/26/25 13:20 == 33.2	3/26/25 17:50 == 48.1	3/26/25 22:20 == 33.6	3/27/25 2:50 == 33.2
3/26/25 13:25 == 33.2	3/26/25 17:55 == 48	3/26/25 22:25 == 33.4	3/27/25 2:55 == 33.2
3/26/25 13:30 == 33.1	3/26/25 18:00 == 47.8	3/26/25 22:30 == 33.2	3/27/25 3:00 == 33.2
3/26/25 13:35 == 33.3	3/26/25 18:05 == 47.8	3/26/25 22:35 == 34.4	3/27/25 3:05 == 33.3
3/26/25 13:40 == 33.4	3/26/25 18:10 == 35.9	3/26/25 22:40 == 40.4	3/27/25 3:10 == 33.4
3/26/25 13:45 == 33.1	3/26/25 18:15 == 33.4	3/26/25 22:45 == 47	3/27/25 3:15 == 33.3
3/26/25 13:50 == 33.2	3/26/25 18:20 == 33.3	3/26/25 22:50 == 47.9	3/27/25 3:20 == 33.3
3/26/25 13:55 == 33.2	3/26/25 18:25 == 33.3	3/26/25 22:55 == 47.8	3/27/25 3:25 == 33.4
3/26/25 14:00 == 33.2	3/26/25 18:30 == 33.2	3/26/25 23:00 == 48.1	3/27/25 3:30 == 33.2
3/26/25 14:05 == 33.2	3/26/25 18:35 == 33.3	3/26/25 23:05 == 47.9	3/27/25 3:35 == 33.3
3/26/25 14:10 == 33.2	3/26/25 18:40 == 33.4	3/26/25 23:10 == 48	3/27/25 3:40 == 33.4
3/26/25 14:15 == 33.3	3/26/25 18:45 == 33.3	3/26/25 23:15 == 47.3	3/27/25 3:45 == 33.4
3/26/25 14:20 == 33.3	3/26/25 18:50 == 33.3	3/26/25 23:20 == 48.1	3/27/25 3:50 == 33.5
3/26/25 14:25 == 33.3	3/26/25 18:55 == 33.6	3/26/25 23:25 == 47.9	3/27/25 3:55 == 33.3
3/26/25 14:30 == 33.3	3/26/25 19:00 == 33.5	3/26/25 23:30 == 47.5	3/27/25 4:00 == 33.2
3/26/25 14:35 == 35.1	3/26/25 19:05 == 33.4	3/26/25 23:35 == 47.9	3/27/25 4:05 == 33.4
3/26/25 14:40 == 41.4	3/26/25 19:10 == 33.5	3/26/25 23:40 == 36.6	3/27/25 4:10 == 33.6
3/26/25 14:45 == 47.5	3/26/25 19:15 == 33.4	3/26/25 23:45 == 33.4	3/27/25 4:15 == 33.3
3/26/25 14:50 == 48	3/26/25 19:20 == 33.4	3/26/25 23:50 == 33.4	3/27/25 4:20 == 33.3
3/26/25 14:55 == 48	3/26/25 19:25 == 33.5	3/26/25 23:55 == 33.3	3/27/25 4:25 == 41
3/26/25 15:00 == 48	3/26/25 19:30 == 33.5	3/27/25 0:00 == 33.2	3/27/25 4:30 == 47.1
3/26/25 15:05 == 47.7	3/26/25 19:35 == 33.5	3/27/25 0:05 == 33.2	3/27/25 4:35 == 47.9
3/26/25 15:10 == 47.5	3/26/25 19:40 == 33.4	3/27/25 0:10 == 33.4	3/27/25 4:40 == 48
3/26/25 15:15 == 47.7	3/26/25 19:45 == 33.2	3/27/25 0:15 == 33.4	3/27/25 4:45 == 48
3/26/25 15:20 == 47.9	3/26/25 19:50 == 33.4	3/27/25 0:20 == 33.4	3/27/25 4:50 == 48.1
3/26/25 15:25 == 35.2	3/26/25 19:55 == 33.4	3/27/25 0:25 == 33.5	3/27/25 4:55 == 48
3/26/25 15:30 == 33.3	3/26/25 20:00 == 33.3	3/27/25 0:30 == 33.5	3/27/25 5:00 == 48
3/26/25 15:35 == 33.3	3/26/25 20:05 == 34.3	3/27/25 0:35 == 33.4	3/27/25 5:05 == 47.9
3/26/25 15:40 == 33.4	3/26/25 20:10 == 40.6	3/27/25 0:40 == 33.4	3/27/25 5:10 == 38.5
3/26/25 15:45 == 33.6	3/26/25 20:15 == 47.4	3/27/25 0:45 == 33.5	3/27/25 5:15 == 33.3
3/26/25 15:50 == 33.4	3/26/25 20:20 == 48.1	3/27/25 0:50 == 33.5	3/27/25 5:20 == 33.3
3/26/25 15:55 == 33.3	3/26/25 20:25 == 47.3	3/27/25 0:55 == 33.5	3/27/25 5:25 == 33.4
3/26/25 16:00 == 33.3	3/26/25 20:30 == 47.6	3/27/25 1:00 == 33.4	3/27/25 5:30 == 33.5
3/26/25 16:05 == 33.3	3/26/25 20:35 == 47.9	3/27/25 1:05 == 33.4	3/27/25 5:35 == 33.5
3/26/25 16:10 == 33.7	3/26/25 20:40 == 47.8	3/27/25 1:10 == 33.4	3/27/25 5:40 == 33.5
3/26/25 16:15 == 33.7	3/26/25 20:45 == 47.9	3/27/25 1:15 == 33.2	3/27/25 5:45 == 33.5
3/26/25 16:20 == 33.6	3/26/25 20:50 == 47.9	3/27/25 1:20 == 33.3	3/27/25 5:50 == 33.4
3/26/25 16:25 == 33.7	3/26/25 20:55 == 36.8	3/27/25 1:25 == 33.4	3/27/25 5:55 == 33.2
3/26/25 16:30 == 33.8	3/26/25 21:00 == 33.8	3/27/25 1:30 == 33.3	3/27/25 6:00 == 33.4
3/26/25 16:35 == 33.8	3/26/25 21:05 == 33.4	3/27/25 1:35 == 33.3	3/27/25 6:05 == 33.4
3/26/25 16:40 == 33.5	3/26/25 21:10 == 33.5	3/27/25 1:40 == 40.7	3/27/25 6:10 == 33.4
3/26/25 16:45 == 33.3	3/26/25 21:15 == 33.3	3/27/25 1:45 == 47.5	3/27/25 6:15 == 33.4
3/26/25 16:50 == 33.5	3/26/25 21:20 == 33.2	3/27/25 1:50 == 47.9	3/27/25 6:20 == 33.3
3/26/25 16:55 == 33.4	3/26/25 21:25 == 33.4	3/27/25 1:55 == 47.2	3/27/25 6:25 == 33.4
3/26/25 17:00 == 33.2	3/26/25 21:30 == 33.2	3/27/25 2:00 == 47.8	3/27/25 6:30 == 33.4
3/26/25 17:05 == 33.4	3/26/25 21:35 == 33.2	3/27/25 2:05 == 48.1	3/27/25 6:35 == 33.4
3/26/25 17:10 == 33.5	3/26/25 21:40 == 33.3	3/27/25 2:10 == 48	3/27/25 6:40 == 33.3
3/26/25 17:15 == 33.4	3/26/25 21:45 == 33.4	3/27/25 2:15 == 48	3/27/25 6:45 == 33.4
3/26/25 17:20 == 34.8	3/26/25 21:50 == 33.4	3/27/25 2:20 == 47.9	3/27/25 6:50 == 33.5
3/26/25 17:25 == 40.7	3/26/25 21:55 == 33.5	3/27/25 2:25 == 37.7	3/27/25 6:55 == 40.8

Pumpback Station Discharge (0364)

3/27/25 7:00 == 47.7	3/27/25 11:30 == 33.9	3/27/25 16:00 == 47.7	3/27/25 20:30 == 33.9
3/27/25 7:05 == 48	3/27/25 11:35 == 34	3/27/25 16:05 == 47.2	3/27/25 20:35 == 33.7
3/27/25 7:10 == 47.5	3/27/25 11:40 == 34.2	3/27/25 16:10 == 41.4	3/27/25 20:40 == 39.4
3/27/25 7:15 == 47.7	3/27/25 11:45 == 34.1	3/27/25 16:15 == 33.9	3/27/25 20:45 == 45.9
3/27/25 7:20 == 48	3/27/25 11:50 == 34.1	3/27/25 16:20 == 33.7	3/27/25 20:50 == 48.1
3/27/25 7:25 == 48.1	3/27/25 11:55 == 33.9	3/27/25 16:25 == 33.7	3/27/25 20:55 == 47.8
3/27/25 7:30 == 48	3/27/25 12:00 == 33.7	3/27/25 16:30 == 33.6	3/27/25 21:00 == 47.6
3/27/25 7:35 == 48	3/27/25 12:05 == 33.6	3/27/25 16:35 == 33.6	3/27/25 21:05 == 48
3/27/25 7:40 == 38.6	3/27/25 12:10 == 33.7	3/27/25 16:40 == 33.7	3/27/25 21:10 == 48.1
3/27/25 7:45 == 33.8	3/27/25 12:15 == 33.6	3/27/25 16:45 == 33.4	3/27/25 21:15 == 48
3/27/25 7:50 == 33.6	3/27/25 12:20 == 33.5	3/27/25 16:50 == 33.5	3/27/25 21:20 == 47.6
3/27/25 7:55 == 33.3	3/27/25 12:25 == 33.7	3/27/25 16:55 == 33.7	3/27/25 21:25 == 42.2
3/27/25 8:00 == 33.2	3/27/25 12:30 == 33.4	3/27/25 17:00 == 33.5	3/27/25 21:30 == 33.3
3/27/25 8:05 == 33.2	3/27/25 12:35 == 33.6	3/27/25 17:05 == 33.6	3/27/25 21:35 == 33.5
3/27/25 8:10 == 33.2	3/27/25 12:40 == 40.4	3/27/25 17:10 == 33.7	3/27/25 21:40 == 33.5
3/27/25 8:15 == 33.2	3/27/25 12:45 == 46.2	3/27/25 17:15 == 33.7	3/27/25 21:45 == 33.3
3/27/25 8:20 == 33.3	3/27/25 12:50 == 47.8	3/27/25 17:20 == 33.5	3/27/25 21:50 == 33.4
3/27/25 8:25 == 33.2	3/27/25 12:55 == 47.8	3/27/25 17:25 == 33.7	3/27/25 21:55 == 33.5
3/27/25 8:30 == 33.2	3/27/25 13:00 == 47.9	3/27/25 17:30 == 33.6	3/27/25 22:00 == 33.3
3/27/25 8:35 == 33.4	3/27/25 13:05 == 48.1	3/27/25 17:35 == 33.7	3/27/25 22:05 == 33.4
3/27/25 8:40 == 33.3	3/27/25 13:10 == 48	3/27/25 17:40 == 33.7	3/27/25 22:10 == 33.5
3/27/25 8:45 == 33.2	3/27/25 13:15 == 48	3/27/25 17:45 == 33.8	3/27/25 22:15 == 33.4
3/27/25 8:50 == 33.2	3/27/25 13:20 == 47.5	3/27/25 17:50 == 33.8	3/27/25 22:20 == 33.3
3/27/25 8:55 == 33.3	3/27/25 13:25 == 40.9	3/27/25 17:55 == 33.7	3/27/25 22:25 == 33.5
3/27/25 9:00 == 33.4	3/27/25 13:30 == 33.5	3/27/25 18:00 == 33.7	3/27/25 22:30 == 33.5
3/27/25 9:05 == 33.3	3/27/25 13:35 == 33.5	3/27/25 18:05 == 33.7	3/27/25 22:35 == 33.6
3/27/25 9:10 == 33.3	3/27/25 13:40 == 33.5	3/27/25 18:10 == 33.7	3/27/25 22:40 == 33.8
3/27/25 9:15 == 33.2	3/27/25 13:45 == 33.5	3/27/25 18:15 == 33.6	3/27/25 22:45 == 33.8
3/27/25 9:20 == 33.3	3/27/25 13:50 == 33.7	3/27/25 18:20 == 33.6	3/27/25 22:50 == 33.9
3/27/25 9:25 == 33.2	3/27/25 13:55 == 33.8	3/27/25 18:25 == 33.7	3/27/25 22:55 == 39.3
3/27/25 9:30 == 33.2	3/27/25 14:00 == 33.7	3/27/25 18:30 == 33.8	3/27/25 23:00 == 45.8
3/27/25 9:35 == 33.3	3/27/25 14:05 == 33.7	3/27/25 18:35 == 33.7	3/27/25 23:05 == 47.9
3/27/25 9:40 == 33.5	3/27/25 14:10 == 33.7	3/27/25 18:40 == 38.6	3/27/25 23:10 == 48.1
3/27/25 9:45 == 33.4	3/27/25 14:15 == 33.6	3/27/25 18:45 == 46.5	3/27/25 23:15 == 48
3/27/25 9:50 == 33.5	3/27/25 14:20 == 33.7	3/27/25 18:50 == 47.9	3/27/25 23:20 == 48.1
3/27/25 9:55 == 40.5	3/27/25 14:25 == 33.5	3/27/25 18:55 == 48.2	3/27/25 23:25 == 47.9
3/27/25 10:00 == 45.8	3/27/25 14:30 == 33.2	3/27/25 19:00 == 47.9	3/27/25 23:30 == 48
3/27/25 10:05 == 47.8	3/27/25 14:35 == 33.4	3/27/25 19:05 == 48.1	3/27/25 23:35 == 48.2
3/27/25 10:10 == 47.9	3/27/25 14:40 == 33.7	3/27/25 19:10 == 48	3/27/25 23:40 == 41.4
3/27/25 10:15 == 47.9	3/27/25 14:45 == 33.3	3/27/25 19:15 == 47.9	3/27/25 23:45 == 33.5
3/27/25 10:20 == 48	3/27/25 14:50 == 33.4	3/27/25 19:20 == 47.3	3/27/25 23:50 == 33.2
3/27/25 10:25 == 48	3/27/25 14:55 == 33.4	3/27/25 19:25 == 41.7	3/27/25 23:55 == 33.2
3/27/25 10:30 == 47.5	3/27/25 15:00 == 33.5	3/27/25 19:30 == 33.3	3/28/25 0:00 == 33.1
3/27/25 10:35 == 46.8	3/27/25 15:05 == 33.4	3/27/25 19:35 == 33.5	3/28/25 0:05 == 33.3
3/27/25 10:40 == 40	3/27/25 15:10 == 33.4	3/27/25 19:40 == 33.7	3/28/25 0:10 == 33.4
3/27/25 10:45 == 33.8	3/27/25 15:15 == 33.5	3/27/25 19:45 == 33.7	3/28/25 0:15 == 33.2
3/27/25 10:50 == 33.7	3/27/25 15:20 == 33.6	3/27/25 19:50 == 33.4	3/28/25 0:20 == 33.3
3/27/25 10:55 == 33.8	3/27/25 15:25 == 40	3/27/25 19:55 == 33.3	3/28/25 0:25 == 33.4
3/27/25 11:00 == 33.9	3/27/25 15:30 == 46.1	3/27/25 20:00 == 33.6	3/28/25 0:30 == 33.2
3/27/25 11:05 == 34	3/27/25 15:35 == 47.9	3/27/25 20:05 == 33.5	3/28/25 0:35 == 33.5
3/27/25 11:10 == 34.1	3/27/25 15:40 == 48	3/27/25 20:10 == 33.6	3/28/25 0:40 == 33.3
3/27/25 11:15 == 34.2	3/27/25 15:45 == 48	3/27/25 20:15 == 33.6	3/28/25 0:45 == 33.4
3/27/25 11:20 == 34.1	3/27/25 15:50 == 47.9	3/27/25 20:20 == 33.7	3/28/25 0:50 == 33.4
3/27/25 11:25 == 34.1	3/27/25 15:55 == 47.7	3/27/25 20:25 == 34	3/28/25 0:55 == 33.4

Pumpback Station Discharge (0364)

3/28/25 1:00 == 33.3	3/28/25 5:30 == 33.4	3/28/25 10:00 == 44.5	3/28/25 14:30 == 33.2
3/28/25 1:05 == 33.5	3/28/25 5:35 == 33.6	3/28/25 10:05 == 47.8	3/28/25 14:35 == 33.2
3/28/25 1:10 == 33.6	3/28/25 5:40 == 33.6	3/28/25 10:10 == 47.9	3/28/25 14:40 == 33.3
3/28/25 1:15 == 33.4	3/28/25 5:45 == 33.5	3/28/25 10:15 == 47.9	3/28/25 14:45 == 33.4
3/28/25 1:20 == 33.3	3/28/25 5:50 == 33.5	3/28/25 10:20 == 47.9	3/28/25 14:50 == 33.3
3/28/25 1:25 == 33.3	3/28/25 5:55 == 33.4	3/28/25 10:25 == 47.9	3/28/25 14:55 == 33.4
3/28/25 1:30 == 33.3	3/28/25 6:00 == 33.5	3/28/25 10:30 == 48	3/28/25 15:00 == 33.4
3/28/25 1:35 == 33.3	3/28/25 6:05 == 33.3	3/28/25 10:35 == 47.9	3/28/25 15:05 == 33.3
3/28/25 1:40 == 33.4	3/28/25 6:10 == 33.5	3/28/25 10:40 == 44.4	3/28/25 15:10 == 37.2
3/28/25 1:45 == 33.4	3/28/25 6:15 == 33.6	3/28/25 10:45 == 33.2	3/28/25 15:15 == 44.2
3/28/25 1:50 == 33.3	3/28/25 6:20 == 33.5	3/28/25 10:50 == 33.5	3/28/25 15:20 == 47.8
3/28/25 1:55 == 33.7	3/28/25 6:25 == 33.6	3/28/25 10:55 == 33.6	3/28/25 15:25 == 47.9
3/28/25 2:00 == 33.8	3/28/25 6:30 == 33.6	3/28/25 11:00 == 33.6	3/28/25 15:30 == 47.5
3/28/25 2:05 == 33.6	3/28/25 6:35 == 33.6	3/28/25 11:05 == 33.6	3/28/25 15:35 == 48
3/28/25 2:10 == 38.4	3/28/25 6:40 == 33.6	3/28/25 11:10 == 33.6	3/28/25 15:40 == 47.9
3/28/25 2:15 == 45.4	3/28/25 6:45 == 33.7	3/28/25 11:15 == 33.8	3/28/25 15:45 == 47.9
3/28/25 2:20 == 47.9	3/28/25 6:50 == 33.9	3/28/25 11:20 == 33.7	3/28/25 15:50 == 47.8
3/28/25 2:25 == 48	3/28/25 6:55 == 38.5	3/28/25 11:25 == 33.6	3/28/25 15:55 == 45
3/28/25 2:30 == 47.9	3/28/25 7:00 == 45	3/28/25 11:30 == 33.8	3/28/25 16:00 == 33.4
3/28/25 2:35 == 47.9	3/28/25 7:05 == 47.7	3/28/25 11:35 == 33.8	3/28/25 16:05 == 33.3
3/28/25 2:40 == 47.7	3/28/25 7:10 == 47.6	3/28/25 11:40 == 33.7	3/28/25 16:10 == 33.5
3/28/25 2:45 == 47.2	3/28/25 7:15 == 47.6	3/28/25 11:45 == 33.7	3/28/25 16:15 == 33
3/28/25 2:50 == 47.4	3/28/25 7:20 == 47.8	3/28/25 11:50 == 33.7	3/28/25 16:20 == 33.2
3/28/25 2:55 == 43.2	3/28/25 7:25 == 47.6	3/28/25 11:55 == 33.6	3/28/25 16:25 == 33.3
3/28/25 3:00 == 33.2	3/28/25 7:30 == 47.4	3/28/25 12:00 == 33.5	3/28/25 16:30 == 33.1
3/28/25 3:05 == 33.5	3/28/25 7:35 == 47.6	3/28/25 12:05 == 33.4	3/28/25 16:35 == 33.4
3/28/25 3:10 == 33.6	3/28/25 7:40 == 43.1	3/28/25 12:10 == 33.3	3/28/25 16:40 == 33.2
3/28/25 3:15 == 33.4	3/28/25 7:45 == 34.3	3/28/25 12:15 == 33.2	3/28/25 16:45 == 33.1
3/28/25 3:20 == 33.3	3/28/25 7:50 == 34.1	3/28/25 12:20 == 33.1	3/28/25 16:50 == 33
3/28/25 3:25 == 33.3	3/28/25 7:55 == 34	3/28/25 12:25 == 37.1	3/28/25 16:55 == 33.2
3/28/25 3:30 == 33.2	3/28/25 8:00 == 33.6	3/28/25 12:30 == 44.1	3/28/25 17:00 == 33.3
3/28/25 3:35 == 33.5	3/28/25 8:05 == 33.8	3/28/25 12:35 == 47.8	3/28/25 17:05 == 33.3
3/28/25 3:40 == 33.4	3/28/25 8:10 == 34	3/28/25 12:40 == 48	3/28/25 17:10 == 33.5
3/28/25 3:45 == 33.4	3/28/25 8:15 == 33.6	3/28/25 12:45 == 48	3/28/25 17:15 == 33.4
3/28/25 3:50 == 33.4	3/28/25 8:20 == 33.5	3/28/25 12:50 == 48	3/28/25 17:20 == 33.4
3/28/25 3:55 == 33.5	3/28/25 8:25 == 33.7	3/28/25 12:55 == 48	3/28/25 17:25 == 33.3
3/28/25 4:00 == 33.5	3/28/25 8:30 == 33.5	3/28/25 13:00 == 47.8	3/28/25 17:30 == 33.3
3/28/25 4:05 == 33.3	3/28/25 8:35 == 33.6	3/28/25 13:05 == 47.5	3/28/25 17:35 == 33.4
3/28/25 4:10 == 33.3	3/28/25 8:40 == 33.7	3/28/25 13:10 == 44.8	3/28/25 17:40 == 33.4
3/28/25 4:15 == 33.4	3/28/25 8:45 == 33.3	3/28/25 13:15 == 33.3	3/28/25 17:45 == 33.5
3/28/25 4:20 == 33.4	3/28/25 8:50 == 33.4	3/28/25 13:20 == 33.2	3/28/25 17:50 == 33.6
3/28/25 4:25 == 33.5	3/28/25 8:55 == 33.5	3/28/25 13:25 == 33.5	3/28/25 17:55 == 33.5
3/28/25 4:30 == 33.4	3/28/25 9:00 == 33.5	3/28/25 13:30 == 33.2	3/28/25 18:00 == 33.4
3/28/25 4:35 == 33.3	3/28/25 9:05 == 33.5	3/28/25 13:35 == 33.3	3/28/25 18:05 == 33.5
3/28/25 4:40 == 38	3/28/25 9:10 == 33.7	3/28/25 13:40 == 33.5	3/28/25 18:10 == 36.1
3/28/25 4:45 == 45	3/28/25 9:15 == 33.7	3/28/25 13:45 == 33.2	3/28/25 18:15 == 44.1
3/28/25 4:50 == 47.9	3/28/25 9:20 == 33.6	3/28/25 13:50 == 33.3	3/28/25 18:20 == 47.7
3/28/25 4:55 == 47.9	3/28/25 9:25 == 33.7	3/28/25 13:55 == 33.5	3/28/25 18:25 == 47.8
3/28/25 5:00 == 47.9	3/28/25 9:30 == 33.5	3/28/25 14:00 == 33.4	3/28/25 18:30 == 47.7
3/28/25 5:05 == 48.1	3/28/25 9:35 == 33.5	3/28/25 14:05 == 33.4	3/28/25 18:35 == 47.6
3/28/25 5:10 == 47.8	3/28/25 9:40 == 33.7	3/28/25 14:10 == 33.2	3/28/25 18:40 == 47.8
3/28/25 5:15 == 47.5	3/28/25 9:45 == 33.5	3/28/25 14:15 == 33.2	3/28/25 18:45 == 47.8
3/28/25 5:20 == 47.8	3/28/25 9:50 == 33.4	3/28/25 14:20 == 33.4	3/28/25 18:50 == 47.7
3/28/25 5:25 == 43.5	3/28/25 9:55 == 37.6	3/28/25 14:25 == 33.2	3/28/25 18:55 == 45.2

Pumpback Station Discharge (0364)

3/28/25 19:00 == 33.4	3/28/25 23:30 == 47.9	3/29/25 4:00 == 33.3	3/29/25 8:30 == 33.1
3/28/25 19:05 == 33.2	3/28/25 23:35 == 47.6	3/29/25 4:05 == 33.2	3/29/25 8:35 == 33.2
3/28/25 19:10 == 33.4	3/28/25 23:40 == 45.8	3/29/25 4:10 == 33.3	3/29/25 8:40 == 33.2
3/28/25 19:15 == 33.4	3/28/25 23:45 == 33.8	3/29/25 4:15 == 33.2	3/29/25 8:45 == 33.3
3/28/25 19:20 == 33.4	3/28/25 23:50 == 33.2	3/29/25 4:20 == 33.1	3/29/25 8:50 == 33.2
3/28/25 19:25 == 33.4	3/28/25 23:55 == 33.1	3/29/25 4:25 == 33.3	3/29/25 8:55 == 33.2
3/28/25 19:30 == 33.1	3/29/25 0:00 == 33.2	3/29/25 4:30 == 33.2	3/29/25 9:00 == 33.2
3/28/25 19:35 == 33.1	3/29/25 0:05 == 33.2	3/29/25 4:35 == 33.3	3/29/25 9:05 == 33.3
3/28/25 19:40 == 33.2	3/29/25 0:10 == 33.1	3/29/25 4:40 == 33.1	3/29/25 9:10 == 35.4
3/28/25 19:45 == 33.2	3/29/25 0:15 == 33	3/29/25 4:45 == 33	3/29/25 9:15 == 42.1
3/28/25 19:50 == 33.2	3/29/25 0:20 == 33	3/29/25 4:50 == 33.2	3/29/25 9:20 == 47.7
3/28/25 19:55 == 33.3	3/29/25 0:25 == 33.3	3/29/25 4:55 == 33.3	3/29/25 9:25 == 48
3/28/25 20:00 == 33.2	3/29/25 0:30 == 33.1	3/29/25 5:00 == 33.2	3/29/25 9:30 == 48
3/28/25 20:05 == 33.1	3/29/25 0:35 == 33.1	3/29/25 5:05 == 33	3/29/25 9:35 == 48.1
3/28/25 20:10 == 33.2	3/29/25 0:40 == 33.2	3/29/25 5:10 == 33.5	3/29/25 9:40 == 48
3/28/25 20:15 == 33.2	3/29/25 0:45 == 33.3	3/29/25 5:15 == 44.7	3/29/25 9:45 == 47.7
3/28/25 20:20 == 33.2	3/29/25 0:50 == 33.2	3/29/25 5:20 == 47.9	3/29/25 9:50 == 48.2
3/28/25 20:25 == 36.6	3/29/25 0:55 == 33.1	3/29/25 5:25 == 47.4	3/29/25 9:55 == 48
3/28/25 20:30 == 43.8	3/29/25 1:00 == 33.2	3/29/25 5:30 == 47.8	3/29/25 10:00 == 48
3/28/25 20:35 == 47.8	3/29/25 1:05 == 33.2	3/29/25 5:35 == 48	3/29/25 10:05 == 48
3/28/25 20:40 == 47.8	3/29/25 1:10 == 35.8	3/29/25 5:40 == 47.3	3/29/25 10:10 == 47.9
3/28/25 20:45 == 47.8	3/29/25 1:15 == 43.2	3/29/25 5:45 == 47.6	3/29/25 10:15 == 48
3/28/25 20:50 == 48	3/29/25 1:20 == 47.8	3/29/25 5:50 == 47.9	3/29/25 10:20 == 48
3/28/25 20:55 == 48	3/29/25 1:25 == 48	3/29/25 5:55 == 48	3/29/25 10:25 == 48
3/28/25 21:00 == 47.4	3/29/25 1:30 == 48.1	3/29/25 6:00 == 48.1	3/29/25 10:30 == 47.9
3/28/25 21:05 == 47.9	3/29/25 1:35 == 48	3/29/25 6:05 == 48	3/29/25 10:35 == 48
3/28/25 21:10 == 45.6	3/29/25 1:40 == 43.9	3/29/25 6:10 == 44.5	3/29/25 10:40 == 47.3
3/28/25 21:15 == 33.5	3/29/25 1:45 == 35.9	3/29/25 6:15 == 36.9	3/29/25 10:45 == 47.4
3/28/25 21:20 == 33.2	3/29/25 1:50 == 33.4	3/29/25 6:20 == 33.4	3/29/25 10:50 == 48
3/28/25 21:25 == 33	3/29/25 1:55 == 33.5	3/29/25 6:25 == 33.4	3/29/25 10:55 == 45.9
3/28/25 21:30 == 33.2	3/29/25 2:00 == 33.4	3/29/25 6:30 == 33.5	3/29/25 11:00 == 36.2
3/28/25 21:35 == 33.1	3/29/25 2:05 == 33.5	3/29/25 6:35 == 33.6	3/29/25 11:05 == 33.5
3/28/25 21:40 == 33.3	3/29/25 2:10 == 33.5	3/29/25 6:40 == 33.6	3/29/25 11:10 == 33.6
3/28/25 21:45 == 33.4	3/29/25 2:15 == 33.4	3/29/25 6:45 == 33.6	3/29/25 11:15 == 33.5
3/28/25 21:50 == 33.4	3/29/25 2:20 == 33.3	3/29/25 6:50 == 33.6	3/29/25 11:20 == 33.4
3/28/25 21:55 == 33.3	3/29/25 2:25 == 33.5	3/29/25 6:55 == 33.7	3/29/25 11:25 == 33.4
3/28/25 22:00 == 33.2	3/29/25 2:30 == 33.5	3/29/25 7:00 == 33.7	3/29/25 11:30 == 33.4
3/28/25 22:05 == 33.2	3/29/25 2:35 == 33.5	3/29/25 7:05 == 33.6	3/29/25 11:35 == 33.4
3/28/25 22:10 == 33.3	3/29/25 2:40 == 33.1	3/29/25 7:10 == 35.9	3/29/25 11:40 == 35.5
3/28/25 22:15 == 33.1	3/29/25 2:45 == 33.3	3/29/25 7:15 == 43.3	3/29/25 11:45 == 42.3
3/28/25 22:20 == 33.2	3/29/25 2:50 == 33.4	3/29/25 7:20 == 47.8	3/29/25 11:50 == 47.7
3/28/25 22:25 == 33.3	3/29/25 2:55 == 33.4	3/29/25 7:25 == 47.9	3/29/25 11:55 == 47.4
3/28/25 22:30 == 33.3	3/29/25 3:00 == 45.4	3/29/25 7:30 == 48	3/29/25 12:00 == 47.2
3/28/25 22:35 == 33.3	3/29/25 3:05 == 47.9	3/29/25 7:35 == 47.9	3/29/25 12:05 == 48
3/28/25 22:40 == 33.4	3/29/25 3:10 == 47.4	3/29/25 7:40 == 48.1	3/29/25 12:10 == 47.6
3/28/25 22:45 == 33.4	3/29/25 3:15 == 47.8	3/29/25 7:45 == 48	3/29/25 12:15 == 47.1
3/28/25 22:50 == 33.4	3/29/25 3:20 == 47.9	3/29/25 7:50 == 47.9	3/29/25 12:20 == 48
3/28/25 22:55 == 36.7	3/29/25 3:25 == 47.9	3/29/25 7:55 == 48.2	3/29/25 12:25 == 48.1
3/28/25 23:00 == 43.5	3/29/25 3:30 == 47.9	3/29/25 8:00 == 48	3/29/25 12:30 == 47.4
3/28/25 23:05 == 47.6	3/29/25 3:35 == 48	3/29/25 8:05 == 48	3/29/25 12:35 == 48.1
3/28/25 23:10 == 47.8	3/29/25 3:40 == 43.5	3/29/25 8:10 == 46.4	3/29/25 12:40 == 48.2
3/28/25 23:15 == 47.9	3/29/25 3:45 == 36.3	3/29/25 8:15 == 35.3	3/29/25 12:45 == 47.9
3/28/25 23:20 == 47.9	3/29/25 3:50 == 33.2	3/29/25 8:20 == 33.2	3/29/25 12:50 == 48.1
3/28/25 23:25 == 48.1	3/29/25 3:55 == 33.3	3/29/25 8:25 == 33.1	3/29/25 12:55 == 48

Pumpback Station Discharge (0364)

3/29/25 13:00 == 48	3/29/25 17:30 == 38	3/29/25 22:00 == 38.3	3/30/25 2:30 == 37.1
3/29/25 13:05 == 48	3/29/25 17:35 == 33.5	3/29/25 22:05 == 33.2	3/30/25 2:35 == 33.6
3/29/25 13:10 == 47.9	3/29/25 17:40 == 33.7	3/29/25 22:10 == 33.3	3/30/25 2:40 == 33.4
3/29/25 13:15 == 47.9	3/29/25 17:45 == 33.5	3/29/25 22:15 == 33.2	3/30/25 2:45 == 33.3
3/29/25 13:20 == 48.1	3/29/25 17:50 == 33.5	3/29/25 22:20 == 33.2	3/30/25 2:50 == 33.3
3/29/25 13:25 == 47.4	3/29/25 17:55 == 33.5	3/29/25 22:25 == 33.2	3/30/25 2:55 == 33.2
3/29/25 13:30 == 47.9	3/29/25 18:00 == 33.4	3/29/25 22:30 == 33.3	3/30/25 3:00 == 33
3/29/25 13:35 == 48.1	3/29/25 18:05 == 33.5	3/29/25 22:35 == 33.4	3/30/25 3:05 == 33
3/29/25 13:40 == 48	3/29/25 18:10 == 33.4	3/29/25 22:40 == 33.5	3/30/25 3:10 == 33.2
3/29/25 13:45 == 48	3/29/25 18:15 == 42.9	3/29/25 22:45 == 33.5	3/30/25 3:15 == 33.3
3/29/25 13:50 == 47.7	3/29/25 18:20 == 47.6	3/29/25 22:50 == 33.6	3/30/25 3:20 == 33.3
3/29/25 13:55 == 47.6	3/29/25 18:25 == 47.6	3/29/25 22:55 == 34.4	3/30/25 3:25 == 33.2
3/29/25 14:00 == 47.8	3/29/25 18:30 == 47.8	3/29/25 23:00 == 41.2	3/30/25 3:30 == 33.2
3/29/25 14:05 == 47.9	3/29/25 18:35 == 47.9	3/29/25 23:05 == 47.4	3/30/25 3:35 == 33.2
3/29/25 14:10 == 48	3/29/25 18:40 == 48	3/29/25 23:10 == 48	3/30/25 3:40 == 34.4
3/29/25 14:15 == 48	3/29/25 18:45 == 48.1	3/29/25 23:15 == 47.9	3/30/25 3:45 == 39.9
3/29/25 14:20 == 47.7	3/29/25 18:50 == 48	3/29/25 23:20 == 48	3/30/25 3:50 == 47.7
3/29/25 14:25 == 44.1	3/29/25 18:55 == 48	3/29/25 23:25 == 48	3/30/25 3:55 == 47.8
3/29/25 14:30 == 37.3	3/29/25 19:00 == 48	3/29/25 23:30 == 47.9	3/30/25 4:00 == 48
3/29/25 14:35 == 33.3	3/29/25 19:05 == 47.9	3/29/25 23:35 == 47.9	3/30/25 4:05 == 48.1
3/29/25 14:40 == 33.4	3/29/25 19:10 == 47.6	3/29/25 23:40 == 47.8	3/30/25 4:10 == 47.9
3/29/25 14:45 == 33.5	3/29/25 19:15 == 47.7	3/29/25 23:45 == 48	3/30/25 4:15 == 48.1
3/29/25 14:50 == 33.3	3/29/25 19:20 == 47.9	3/29/25 23:50 == 48	3/30/25 4:20 == 48.2
3/29/25 14:55 == 33.5	3/29/25 19:25 == 47.9	3/29/25 23:55 == 47.9	3/30/25 4:25 == 48
3/29/25 15:00 == 33.4	3/29/25 19:30 == 47.9	3/30/25 0:00 == 47.9	3/30/25 4:30 == 48
3/29/25 15:05 == 33.5	3/29/25 19:35 == 47.9	3/30/25 0:05 == 48.1	3/30/25 4:35 == 48
3/29/25 15:10 == 34.8	3/29/25 19:40 == 47.9	3/30/25 0:10 == 46.4	3/30/25 4:40 == 47.9
3/29/25 15:15 == 42.5	3/29/25 19:45 == 47.6	3/30/25 0:15 == 37.6	3/30/25 4:45 == 37.6
3/29/25 15:20 == 47.7	3/29/25 19:50 == 47.5	3/30/25 0:20 == 33.1	3/30/25 4:50 == 33.5
3/29/25 15:25 == 48.1	3/29/25 19:55 == 45.5	3/30/25 0:25 == 33.2	3/30/25 4:55 == 33
3/29/25 15:30 == 47.9	3/29/25 20:00 == 37.9	3/30/25 0:30 == 33.2	3/30/25 5:00 == 33.1
3/29/25 15:35 == 47.9	3/29/25 20:05 == 33.2	3/30/25 0:35 == 33.2	3/30/25 5:05 == 33.2
3/29/25 15:40 == 48	3/29/25 20:10 == 33.4	3/30/25 0:40 == 33.2	3/30/25 5:10 == 33.2
3/29/25 15:45 == 48	3/29/25 20:15 == 33.2	3/30/25 0:45 == 33.3	3/30/25 5:15 == 33.3
3/29/25 15:50 == 48.2	3/29/25 20:20 == 33.3	3/30/25 0:50 == 33.2	3/30/25 5:20 == 33.2
3/29/25 15:55 == 48	3/29/25 20:25 == 33.6	3/30/25 0:55 == 33.3	3/30/25 5:25 == 33.2
3/29/25 16:00 == 47.9	3/29/25 20:30 == 33.4	3/30/25 1:00 == 33.3	3/30/25 5:30 == 33.2
3/29/25 16:05 == 48	3/29/25 20:35 == 33.3	3/30/25 1:05 == 33.3	3/30/25 5:35 == 33.2
3/29/25 16:10 == 48.1	3/29/25 20:40 == 33.5	3/30/25 1:10 == 33.3	3/30/25 5:40 == 33.4
3/29/25 16:15 == 48.2	3/29/25 20:45 == 41.9	3/30/25 1:15 == 33.1	3/30/25 5:45 == 33.3
3/29/25 16:20 == 48	3/29/25 20:50 == 47.6	3/30/25 1:20 == 33.3	3/30/25 5:50 == 33.2
3/29/25 16:25 == 47.9	3/29/25 20:55 == 47.1	3/30/25 1:25 == 34.1	3/30/25 5:55 == 33.9
3/29/25 16:30 == 48.1	3/29/25 21:00 == 47.4	3/30/25 1:30 == 40.1	3/30/25 6:00 == 39.6
3/29/25 16:35 == 47.8	3/29/25 21:05 == 47.9	3/30/25 1:35 == 47.6	3/30/25 6:05 == 47.6
3/29/25 16:40 == 47.8	3/29/25 21:10 == 47.9	3/30/25 1:40 == 48	3/30/25 6:10 == 48.1
3/29/25 16:45 == 48	3/29/25 21:15 == 47.9	3/30/25 1:45 == 48	3/30/25 6:15 == 48.1
3/29/25 16:50 == 48.1	3/29/25 21:20 == 47.9	3/30/25 1:50 == 47.9	3/30/25 6:20 == 47.9
3/29/25 16:55 == 47.8	3/29/25 21:25 == 48.1	3/30/25 1:55 == 47.3	3/30/25 6:25 == 47.9
3/29/25 17:00 == 47.7	3/29/25 21:30 == 48	3/30/25 2:00 == 47.7	3/30/25 6:30 == 47.9
3/29/25 17:05 == 48	3/29/25 21:35 == 47.5	3/30/25 2:05 == 48.1	3/30/25 6:35 == 48.1
3/29/25 17:10 == 47.8	3/29/25 21:40 == 47.3	3/30/25 2:10 == 47.5	3/30/25 6:40 == 47.1
3/29/25 17:15 == 47.6	3/29/25 21:45 == 47.6	3/30/25 2:15 == 47.4	3/30/25 6:45 == 38.8
3/29/25 17:20 == 48	3/29/25 21:50 == 47.9	3/30/25 2:20 == 47.7	3/30/25 6:50 == 33.4
3/29/25 17:25 == 45.6	3/29/25 21:55 == 45.5	3/30/25 2:25 == 47.9	3/30/25 6:55 == 33.6

Pumpback Station Discharge (0364)

3/30/25 7:00 == 33.4	3/30/25 11:30 == 47.9	3/30/25 16:00 == 47.8	3/30/25 20:30 == 39.6
3/30/25 7:05 == 33.4	3/30/25 11:35 == 47.9	3/30/25 16:05 == 48	3/30/25 20:35 == 46
3/30/25 7:10 == 33.9	3/30/25 11:40 == 46.7	3/30/25 16:10 == 47.1	3/30/25 20:40 == 48
3/30/25 7:15 == 33.7	3/30/25 11:45 == 39.9	3/30/25 16:15 == 40.9	3/30/25 20:45 == 48.1
3/30/25 7:20 == 33.8	3/30/25 11:50 == 33.5	3/30/25 16:20 == 33.6	3/30/25 20:50 == 48
3/30/25 7:25 == 33.6	3/30/25 11:55 == 33.1	3/30/25 16:25 == 33.6	3/30/25 20:55 == 47.3
3/30/25 7:30 == 33.5	3/30/25 12:00 == 33.2	3/30/25 16:30 == 33.6	3/30/25 21:00 == 47.4
3/30/25 7:35 == 33.4	3/30/25 12:05 == 33.3	3/30/25 16:35 == 33.6	3/30/25 21:05 == 47.4
3/30/25 7:40 == 33.5	3/30/25 12:10 == 33.6	3/30/25 16:40 == 33.6	3/30/25 21:10 == 47.4
3/30/25 7:45 == 33.5	3/30/25 12:15 == 33.4	3/30/25 16:45 == 33.4	3/30/25 21:15 == 41
3/30/25 7:50 == 33.5	3/30/25 12:20 == 33.3	3/30/25 16:50 == 33.5	3/30/25 21:20 == 33.5
3/30/25 7:55 == 33.4	3/30/25 12:25 == 33.3	3/30/25 16:55 == 33.7	3/30/25 21:25 == 33.2
3/30/25 8:00 == 33.4	3/30/25 12:30 == 33.4	3/30/25 17:00 == 33.6	3/30/25 21:30 == 33.1
3/30/25 8:05 == 33.4	3/30/25 12:35 == 33.4	3/30/25 17:05 == 33.6	3/30/25 21:35 == 33.2
3/30/25 8:10 == 33.2	3/30/25 12:40 == 33.4	3/30/25 17:10 == 33.7	3/30/25 21:40 == 33.4
3/30/25 8:15 == 33	3/30/25 12:45 == 33.4	3/30/25 17:15 == 33.6	3/30/25 21:45 == 33.2
3/30/25 8:20 == 33	3/30/25 12:50 == 33.5	3/30/25 17:20 == 33.6	3/30/25 21:50 == 33.3
3/30/25 8:25 == 33.4	3/30/25 12:55 == 33.5	3/30/25 17:25 == 33.5	3/30/25 21:55 == 33.4
3/30/25 8:30 == 39.4	3/30/25 13:00 == 33.4	3/30/25 17:30 == 33.4	3/30/25 22:00 == 33.1
3/30/25 8:35 == 47.2	3/30/25 13:05 == 33.4	3/30/25 17:35 == 33.6	3/30/25 22:05 == 33.2
3/30/25 8:40 == 47.5	3/30/25 13:10 == 33.6	3/30/25 17:40 == 33.6	3/30/25 22:10 == 33.3
3/30/25 8:45 == 48.1	3/30/25 13:15 == 39.9	3/30/25 17:45 == 33.7	3/30/25 22:15 == 33.1
3/30/25 8:50 == 48.2	3/30/25 13:20 == 46.4	3/30/25 17:50 == 33.7	3/30/25 22:20 == 33.2
3/30/25 8:55 == 47.8	3/30/25 13:25 == 47.6	3/30/25 17:55 == 33.6	3/30/25 22:25 == 33.4
3/30/25 9:00 == 47.4	3/30/25 13:30 == 47.5	3/30/25 18:00 == 33.5	3/30/25 22:30 == 33.3
3/30/25 9:05 == 47.8	3/30/25 13:35 == 47.9	3/30/25 18:05 == 33.5	3/30/25 22:35 == 33.3
3/30/25 9:10 == 46.8	3/30/25 13:40 == 47.7	3/30/25 18:10 == 33.5	3/30/25 22:40 == 33.5
3/30/25 9:15 == 39.3	3/30/25 13:45 == 47.5	3/30/25 18:15 == 39.7	3/30/25 22:45 == 33.5
3/30/25 9:20 == 33.2	3/30/25 13:50 == 48	3/30/25 18:20 == 45.8	3/30/25 22:50 == 33.5
3/30/25 9:25 == 33.3	3/30/25 13:55 == 46.9	3/30/25 18:25 == 47.9	3/30/25 22:55 == 33.4
3/30/25 9:30 == 33.1	3/30/25 14:00 == 41.2	3/30/25 18:30 == 48.1	3/30/25 23:00 == 39.1
3/30/25 9:35 == 33.1	3/30/25 14:05 == 33.7	3/30/25 18:35 == 48	3/30/25 23:05 == 46
3/30/25 9:40 == 33.5	3/30/25 14:10 == 33.8	3/30/25 18:40 == 48	3/30/25 23:10 == 48
3/30/25 9:45 == 33.4	3/30/25 14:15 == 33.7	3/30/25 18:45 == 48	3/30/25 23:15 == 48
3/30/25 9:50 == 33.3	3/30/25 14:20 == 33.8	3/30/25 18:50 == 48	3/30/25 23:20 == 47.9
3/30/25 9:55 == 33.4	3/30/25 14:25 == 33.8	3/30/25 18:55 == 47	3/30/25 23:25 == 47.9
3/30/25 10:00 == 33.3	3/30/25 14:30 == 33.6	3/30/25 19:00 == 41.2	3/30/25 23:30 == 47.9
3/30/25 10:05 == 33.4	3/30/25 14:35 == 33.5	3/30/25 19:05 == 33.3	3/30/25 23:35 == 47.9
3/30/25 10:10 == 33.3	3/30/25 14:40 == 33.9	3/30/25 19:10 == 33.4	3/30/25 23:40 == 48
3/30/25 10:15 == 33.3	3/30/25 14:45 == 33.6	3/30/25 19:15 == 33.2	3/30/25 23:45 == 48
3/30/25 10:20 == 33.4	3/30/25 14:50 == 33.5	3/30/25 19:20 == 33.3	3/30/25 23:50 == 47.9
3/30/25 10:25 == 33.4	3/30/25 14:55 == 33.6	3/30/25 19:25 == 33.4	3/30/25 23:55 == 47.6
3/30/25 10:30 == 33.3	3/30/25 15:00 == 33.7	3/30/25 19:30 == 33.2	3/31/25 0:00 == 41.5
3/30/25 10:35 == 33.3	3/30/25 15:05 == 33.8	3/30/25 19:35 == 33.3	3/31/25 0:05 == 33.2
3/30/25 10:40 == 33.6	3/30/25 15:10 == 33.8	3/30/25 19:40 == 33.1	3/31/25 0:10 == 33.1
3/30/25 10:45 == 40.4	3/30/25 15:15 == 33.6	3/30/25 19:45 == 33.3	3/31/25 0:15 == 33.1
3/30/25 10:50 == 46.9	3/30/25 15:20 == 33.6	3/30/25 19:50 == 33.2	3/31/25 0:20 == 33.2
3/30/25 10:55 == 47.9	3/30/25 15:25 == 33.8	3/30/25 19:55 == 33.4	3/31/25 0:25 == 33.2
3/30/25 11:00 == 47.6	3/30/25 15:30 == 40.7	3/30/25 20:00 == 33.2	3/31/25 0:30 == 33.2
3/30/25 11:05 == 47.7	3/30/25 15:35 == 46.4	3/30/25 20:05 == 33.3	3/31/25 0:35 == 33.2
3/30/25 11:10 == 48	3/30/25 15:40 == 47.8	3/30/25 20:10 == 33.3	3/31/25 0:40 == 33.2
3/30/25 11:15 == 48	3/30/25 15:45 == 48	3/30/25 20:15 == 33.4	3/31/25 0:45 == 33.2
3/30/25 11:20 == 48.1	3/30/25 15:50 == 48	3/30/25 20:20 == 33.3	3/31/25 0:50 == 33.2
3/30/25 11:25 == 47.9	3/30/25 15:55 == 47.9	3/30/25 20:25 == 33.7	3/31/25 0:55 == 33.2

Pumpback Station Discharge (0364)

3/31/25 1:00 == 33.1	3/31/25 5:30 == 33.2	3/31/25 10:00 == 33.4	3/31/25 14:30 == 33.6
3/31/25 1:05 == 33.4	3/31/25 5:35 == 33.3	3/31/25 10:05 == 33.4	3/31/25 14:35 == 33.5
3/31/25 1:10 == 33.3	3/31/25 5:40 == 33.3	3/31/25 10:10 == 33.4	3/31/25 14:40 == 33.8
3/31/25 1:15 == 33.5	3/31/25 5:45 == 33.3	3/31/25 10:15 == 37.5	3/31/25 14:45 == 33.8
3/31/25 1:20 == 33.4	3/31/25 5:50 == 33.4	3/31/25 10:20 == 44.9	3/31/25 14:50 == 33.7
3/31/25 1:25 == 33.3	3/31/25 5:55 == 33.5	3/31/25 10:25 == 47.9	3/31/25 14:55 == 33.8
3/31/25 1:30 == 33.3	3/31/25 6:00 == 33.3	3/31/25 10:30 == 48.1	3/31/25 15:00 == 33.8
3/31/25 1:35 == 33.3	3/31/25 6:05 == 33.3	3/31/25 10:35 == 48.1	3/31/25 15:05 == 33.8
3/31/25 1:40 == 33.2	3/31/25 6:10 == 33.3	3/31/25 10:40 == 48.1	3/31/25 15:10 == 33.8
3/31/25 1:45 == 38.3	3/31/25 6:15 == 33.6	3/31/25 10:45 == 47.8	3/31/25 15:15 == 33.7
3/31/25 1:50 == 45.3	3/31/25 6:20 == 33.4	3/31/25 10:50 == 47.8	3/31/25 15:20 == 33.8
3/31/25 1:55 == 47.2	3/31/25 6:25 == 33.7	3/31/25 10:55 == 47.3	3/31/25 15:25 == 33.9
3/31/25 2:00 == 47.6	3/31/25 6:30 == 33.5	3/31/25 11:00 == 43.6	3/31/25 15:30 == 33.9
3/31/25 2:05 == 48.1	3/31/25 6:35 == 33.6	3/31/25 11:05 == 33.6	3/31/25 15:35 == 33.9
3/31/25 2:10 == 48.1	3/31/25 6:40 == 33.7	3/31/25 11:10 == 33.8	3/31/25 15:40 == 33.9
3/31/25 2:15 == 48.1	3/31/25 6:45 == 33.7	3/31/25 11:15 == 33.6	3/31/25 15:45 == 33.8
3/31/25 2:20 == 48	3/31/25 6:50 == 33.5	3/31/25 11:20 == 33.7	3/31/25 15:50 == 33.8
3/31/25 2:25 == 48	3/31/25 6:55 == 33.5	3/31/25 11:25 == 33.8	3/31/25 15:55 == 33.8
3/31/25 2:30 == 41.8	3/31/25 7:00 == 33.7	3/31/25 11:30 == 33.7	3/31/25 16:00 == 36.2
3/31/25 2:35 == 33.6	3/31/25 7:05 == 33.5	3/31/25 11:35 == 33.7	3/31/25 16:05 == 46.3
3/31/25 2:40 == 33.3	3/31/25 7:10 == 33.8	3/31/25 11:40 == 33.8	3/31/25 16:10 == 47.6
3/31/25 2:45 == 33.1	3/31/25 7:15 == 39	3/31/25 11:45 == 33.8	3/31/25 16:15 == 47.6
3/31/25 2:50 == 33.4	3/31/25 7:20 == 45.3	3/31/25 11:50 == 33.7	3/31/25 16:20 == 47.9
3/31/25 2:55 == 33.4	3/31/25 7:25 == 47.8	3/31/25 11:55 == 33.4	3/31/25 16:25 == 47.9
3/31/25 3:00 == 33	3/31/25 7:30 == 48.1	3/31/25 12:00 == 33.3	3/31/25 16:30 == 47.8
3/31/25 3:05 == 33.2	3/31/25 7:35 == 48.2	3/31/25 12:05 == 33.4	3/31/25 16:35 == 47.5
3/31/25 3:10 == 33.4	3/31/25 7:40 == 48	3/31/25 12:10 == 33.6	3/31/25 16:40 == 47.3
3/31/25 3:15 == 33.1	3/31/25 7:45 == 48	3/31/25 12:15 == 33.6	3/31/25 16:45 == 44.2
3/31/25 3:20 == 33.2	3/31/25 7:50 == 48	3/31/25 12:20 == 33.5	3/31/25 16:50 == 34.6
3/31/25 3:25 == 33.3	3/31/25 7:55 == 47.6	3/31/25 12:25 == 33.4	3/31/25 16:55 == 33.5
3/31/25 3:30 == 33.1	3/31/25 8:00 == 42.8	3/31/25 12:30 == 33.4	3/31/25 17:00 == 33.5
3/31/25 3:35 == 33.2	3/31/25 8:05 == 33.5	3/31/25 12:35 == 33.5	3/31/25 17:05 == 33.6
3/31/25 3:40 == 33.4	3/31/25 8:10 == 33.3	3/31/25 12:40 == 33.5	3/31/25 17:10 == 33.7
3/31/25 3:45 == 33.2	3/31/25 8:15 == 33	3/31/25 12:45 == 33.4	3/31/25 17:15 == 33.6
3/31/25 3:50 == 33.2	3/31/25 8:20 == 33.1	3/31/25 12:50 == 33.4	3/31/25 17:20 == 33.5
3/31/25 3:55 == 33.3	3/31/25 8:25 == 33.4	3/31/25 12:55 == 33.5	3/31/25 17:25 == 33.5
3/31/25 4:00 == 33.4	3/31/25 8:30 == 33.2	3/31/25 13:00 == 37.1	3/31/25 17:30 == 33.6
3/31/25 4:05 == 33.4	3/31/25 8:35 == 33.2	3/31/25 13:05 == 44.8	3/31/25 17:35 == 33.7
3/31/25 4:10 == 33.4	3/31/25 8:40 == 33.2	3/31/25 13:10 == 47.7	3/31/25 17:40 == 33.8
3/31/25 4:15 == 38.4	3/31/25 8:45 == 33.2	3/31/25 13:15 == 47.5	3/31/25 17:45 == 33.8
3/31/25 4:20 == 45.4	3/31/25 8:50 == 33.2	3/31/25 13:20 == 47.8	3/31/25 17:50 == 33.7
3/31/25 4:25 == 47.4	3/31/25 8:55 == 33.2	3/31/25 13:25 == 47.8	3/31/25 17:55 == 33.6
3/31/25 4:30 == 47.6	3/31/25 9:00 == 33.3	3/31/25 13:30 == 47.7	3/31/25 18:00 == 33.6
3/31/25 4:35 == 47.8	3/31/25 9:05 == 33.3	3/31/25 13:35 == 48	3/31/25 18:05 == 33.7
3/31/25 4:40 == 48	3/31/25 9:10 == 33.4	3/31/25 13:40 == 47.6	3/31/25 18:10 == 33.6
3/31/25 4:45 == 48.1	3/31/25 9:15 == 33.4	3/31/25 13:45 == 44.7	3/31/25 18:15 == 33.6
3/31/25 4:50 == 48.1	3/31/25 9:20 == 33.3	3/31/25 13:50 == 33.6	3/31/25 18:20 == 33.6
3/31/25 4:55 == 48.2	3/31/25 9:25 == 33.4	3/31/25 13:55 == 33.6	3/31/25 18:25 == 33.6
3/31/25 5:00 == 41.9	3/31/25 9:30 == 33.3	3/31/25 14:00 == 33.8	3/31/25 18:30 == 33.6
3/31/25 5:05 == 34.1	3/31/25 9:35 == 33.3	3/31/25 14:05 == 33.8	3/31/25 18:35 == 33.6
3/31/25 5:10 == 33.2	3/31/25 9:40 == 33.4	3/31/25 14:10 == 33.8	3/31/25 18:40 == 33.7
3/31/25 5:15 == 33.3	3/31/25 9:45 == 33.4	3/31/25 14:15 == 33.7	3/31/25 18:45 == 33.4
3/31/25 5:20 == 33.3	3/31/25 9:50 == 33.4	3/31/25 14:20 == 33.7	3/31/25 18:50 == 33.5
3/31/25 5:25 == 33.3	3/31/25 9:55 == 33.4	3/31/25 14:25 == 33.8	3/31/25 18:55 == 33.4

Pumpback Station Discharge (0364)

3/31/25 19:00 == 33.7
3/31/25 19:05 == 47.1
3/31/25 19:10 == 47.9
3/31/25 19:15 == 48
3/31/25 19:20 == 48.1
3/31/25 19:25 == 47.3
3/31/25 19:30 == 47.9
3/31/25 19:35 == 48
3/31/25 19:40 == 47.8
3/31/25 19:45 == 43
3/31/25 19:50 == 35.6
3/31/25 19:55 == 33.4
3/31/25 20:00 == 33.3
3/31/25 20:05 == 33.3
3/31/25 20:10 == 33.3
3/31/25 20:15 == 33.4
3/31/25 20:20 == 33.4
3/31/25 20:25 == 33.6
3/31/25 20:30 == 33.6
3/31/25 20:35 == 33.3
3/31/25 20:40 == 33.5
3/31/25 20:45 == 33.5
3/31/25 20:50 == 33.4
3/31/25 20:55 == 33.4
3/31/25 21:00 == 33.1
3/31/25 21:05 == 33.3
3/31/25 21:10 == 33.5
3/31/25 21:15 == 33.4
3/31/25 21:20 == 33.3
3/31/25 21:25 == 33.3
3/31/25 21:30 == 33.9
3/31/25 21:35 == 45.4
3/31/25 21:40 == 47.4
3/31/25 21:45 == 47.9
3/31/25 21:50 == 48.1
3/31/25 21:55 == 47.9
3/31/25 22:00 == 48
3/31/25 22:05 == 48
3/31/25 22:10 == 47.7
3/31/25 22:15 == 43.5
3/31/25 22:20 == 35.5
3/31/25 22:25 == 33.3
3/31/25 22:30 == 33.3
3/31/25 22:35 == 33.3
3/31/25 22:40 == 33.7
3/31/25 22:45 == 33.6
3/31/25 22:50 == 33.5
3/31/25 22:55 == 33.6
3/31/25 23:00 == 33.5
3/31/25 23:05 == 33.5
3/31/25 23:10 == 33.6
3/31/25 23:15 == 33.6
3/31/25 23:20 == 33.6
3/31/25 23:25 == 33.5

3/31/25 23:30 == 33.5
3/31/25 23:35 == 33.4
3/31/25 23:40 == 33.3
3/31/25 23:45 == 33.2
3/31/25 23:50 == 33.1
3/31/25 23:55 == 33.1