

LORP Synopsis for May 2025

Compliance Comments

Flows were above the minimum flow for the month.

Maintenance

Activities for the month on the Lower Owens River included the following:

- Current metering continues the development of discharge curves at all in-river flow monitoring sites and are used to develop velocity indexing tables.
- Some in-river station measurements have fluctuated as a result of shifting sedimentation in the river, requiring additional indexing to increase the accuracy of measurements.

Operations

Below are flow changes that occurred during the month:

- LORP Intake from 58 to 53 cfs on May 3, 2025.
- LORPS Langemann from 13 cfs to 3 cfs on May 16, 2025.
- LORP Intake from 53 cfs to 68 cfs on May 31, 2025.

Waterfowl Area Monthly Report

Synopsis (for Runoff Year 2025-2026)

Implementation of the Interim Management and Monitoring Plan continued, which includes the seasonal flooding regime and a fixed waterfowl acreage goal of 500 acres.

On March 1, 2025 (RY 2024-25) flows to all units were set to 0 cfs.

Flow Rates and Wetted Acreage Summary (for Runoff Year 2024-25)

	Inflow (cfs)	Date Set	Wetted Acreage	Date of Survey
Drew Unit	off	4/16/2021		
Waggoner Unit	off	3/1/2024		
	7.5	9/15/2024	145	11/3/2024
	3.0	11/1/2024	185	3/1/2025
	off	3/1/2025		
Winterton Unit	off	3/1/2024		
	2.5	9/15/2024	138	11/6/2024
	3.0	11/1/2024	237	3/1/2025
	off	3/1/2025		
Thibaut Unit	off	3/1/2024		
	7.5	9/15/2024	226	11/3/2024
	2.5	11/1/2024	249	3/1/2025
	off	3/1/2025		

MAY 2025 IN-RIVER STATION CURRENT METERING SUMMARY

Station	Date	Metered Flow	Station Begin Flow	Station End Flow	Shift Applied	Notes	
LORP Intake	5/13/2025	53.20	53.60	53.00	0	gage height	3.74
At Mazourka Canyon Road	5/13/2025	47.29	49.70	53.10	-4	gage height	3.47
At Reinhackle Springs	5/13/2025	48.94	53.60	55.80	-6	gage height	4.10

Month: May
Year: 2025

Date	Intake			Blackrock Ditch Return		Billy Lake Return		Mazourka Canyon Road			Locust Ditch Return		Georges Ditch Return		Reinhackle Springs			Alabama Gates Release		Above Pumpstation			Pumpback Discharge		Lange-mann Release to Delta	Weir to Delta	River Daily Avg
	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Avg Flow	15 Day Avg	# Days of last 15 at 40+ cfs	Daily Flow	Avg Month to Date		
05/01/25	57	57	15	1	1	1	1	54	55	15	0	0	0	0	57	56	15	0	0	58	57	15	45	45	13	0	57
05/02/25	57	57	15	1	1	2	1	54	54	15	0	0	0	0	60	57	15	0	0	59	57	15	46	46	13	0	58
05/03/25	56	57	15	1	1	2	1	54	54	15	0	0	0	0	58	57	15	0	0	60	57	15	47	46	13	0	57
05/04/25	54	57	15	1	1	1	1	54	54	15	0	0	0	0	57	57	15	0	0	59	57	15	46	46	13	0	56
05/05/25	54	57	15	1	1	2	1	53	54	15	0	0	0	0	55	57	15	0	0	57	57	15	44	46	13	0	55
05/06/25	54	56	15	1	1	2	1	51	54	15	0	0	0	0	51	56	15	0	0	61	58	15	48	46	13	0	54
05/07/25	54	56	15	1	1	1	1	50	53	15	0	0	0	0	50	56	15	0	0	61	58	15	48	46	13	0	54
05/08/25	54	56	15	1	1	1	1	50	53	15	0	0	0	0	49	55	15	0	0	58	58	15	45	46	13	0	53
05/09/25	54	56	15	1	1	1	1	50	53	15	0	0	0	0	47	55	15	0	0	57	58	15	44	46	13	0	52
05/10/25	54	56	15	1	1	1	1	50	53	15	0	0	0	0	48	54	15	0	0	56	58	15	43	46	13	0	52
05/11/25	54	55	15	2	1	1	1	49	52	15	0	0	0	0	48	54	15	0	0	54	58	15	41	45	13	0	51
05/12/25	54	55	15	1	1	1	1	48	52	15	0	0	0	0	46	53	15	0	0	51	57	15	38	45	13	0	50
05/13/25	54	55	15	1	1	1	1	49	52	15	0	0	0	0	47	53	15	0	0	50	57	15	37	44	13	0	50
05/14/25	54	55	15	1	1	1	1	49	51	15	0	0	0	0	48	52	15	0	0	48	56	15	35	43	13	0	50
05/15/25	54	55	15	1	1	1	1	48	51	15	0	0	0	0	48	51	15	0	0	48	56	15	35	43	13	0	50
05/16/25	54	54	15	1	1	1	1	49	51	15	0	0	0	0	47	51	15	0	0	45	55	15	38	43	7	0	49
05/17/25	54	54	15	1	1	1	1	49	50	15	0	0	0	0	47	50	15	0	0	47	54	15	44	43	3	0	49
05/18/25	54	54	15	1	1	1	1	49	50	15	0	0	0	0	47	49	15	0	0	47	53	15	44	43	3	0	49
05/19/25	53	54	15	1	1	1	1	48	49	15	0	0	0	0	48	48	15	0	0	47	52	15	44	43	3	0	49
05/20/25	54	54	15	1	1	1	1	48	49	15	0	0	0	0	46	48	15	0	0	46	52	15	43	43	3	0	49
05/21/25	54	54	15	1	1	1	1	48	49	15	0	0	0	0	47	48	15	0	0	45	51	15	42	43	3	0	49
05/22/25	54	54	15	1	1	1	1	49	49	15	0	0	0	0	46	47	15	0	0	45	50	15	42	43	3	0	49
05/23/25	54	54	15	1	1	1	1	49	49	15	0	0	0	0	46	47	15	0	0	45	49	15	42	43	3	0	49
05/24/25	54	54	15	2	1	1	1	49	49	15	0	0	0	0	44	47	15	0	0	44	48	15	41	43	3	0	48
05/25/25	54	54	15	3	1	1	1	50	49	15	0	0	0	0	46	47	15	0	0	43	47	15	40	42	3	0	48
05/26/25	54	54	15	3	2	1	1	51	49	15	0	0	0	0	49	47	15	0	0	43	46	15	40	42	3	0	49
05/27/25	54	54	15	2	2	1	1	50	49	15	0	0	2	0	49	47	15	0	0	42	46	15	39	42	3	0	49
05/28/25	54	54	15	2	2	1	1	49	49	15	0	0	0	0	47	47	15	0	0	42	45	15	39	42	3	0	48
05/29/25	53	54	15	1	2	1	1	49	49	15	0	0	0	0	46	47	15	0	0	41	45	15	38	42	3	0	47
05/30/25	54	54	15	1	2	1	1	48	49	15	0	0	0	0	44	47	15	0	0	42	44	15	39	42	3	0	47
05/31/25	62	54	15	1	2	1	1	48	49	15	0	0	0	0	45	46	15	0	0	41	44	15	38	42	3	0	49
Monthly Avg	54							50							49					50							51

Lower Owens River Project Flow Report for 05/01/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			57	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	1			
Mazourka Canyon Road			54	55	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			57	56	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			58	57	15
Pump Station			45	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	56	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/02/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			57	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.7	1			
Mazourka Canyon Road			54	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			60	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			59	57	15
Pump Station			46	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			58	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/03/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			56	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			54	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	1	0			
Reinhackle Springs			58	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			60	57	15
Pump Station			47	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			57	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/04/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	1			
Mazourka Canyon Road			54	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			57	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			59	57	15
Pump Station			46	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			56	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/05/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	57	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	1			
Mazourka Canyon Road			53	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			55	57	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			57	57	15
Pump Station			44	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			55	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/06/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.6	2			
Mazourka Canyon Road			51	54	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			51	56	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			61	58	15
Pump Station			48	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			54	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.66 ft	(Last Collected: 04/23/2025)
Lower Twin Lake Gage Read	2.17 ft	
Goose Lake Gage Read	2.70 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/07/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	2			
Mazourka Canyon Road			50	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			50	56	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			61	58	15
Pump Station			48	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			54	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/08/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	2			
Mazourka Canyon Road			50	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			49	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			58	58	15
Pump Station			45	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			53	56	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/09/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.5	2			
Mazourka Canyon Road			50	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	55	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			57	58	15
Pump Station			44	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	55	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/10/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	56	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	2			
Mazourka Canyon Road			50	53	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	54	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			56	58	15
Pump Station			43	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			52	55	

Pump Station Month-to-Date Average Flow 46 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/11/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	55	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	2			
Mazourka Canyon Road			49	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	54	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			54	58	15
Pump Station			41	45	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			51	55	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/12/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	55	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			48	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			51	57	15
Pump Station			38	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	54	

Pump Station Month-to-Date Average Flow 45 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/13/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	55	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	52	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	53	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			50	57	15
Pump Station			37	44	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	54	

Pump Station Month-to-Date Average Flow 44 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/14/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	55	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			49	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	52	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	56	15
Pump Station			35	43	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	54	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/15/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	55	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			48	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			48	56	15
Pump Station			35	43	
Langemann Gate to Delta			13	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			50	53	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/16/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.2	1			
Mazourka Canyon Road			49	51	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	51	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	55	15
Pump Station			38	42	
Langemann Gate to Delta			7	13	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	53	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/17/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	50	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	54	15
Pump Station			44	42	
Langemann Gate to Delta			3	12	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	52	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/18/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			49	50	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	49	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	53	15
Pump Station			44	42	
Langemann Gate to Delta			3	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	52	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/19/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			53	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			48	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			48	48	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			47	52	15
Pump Station			44	42	
Langemann Gate to Delta			3	11	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	51	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.59 ft	(Last Collected: 05/07/2025)
Lower Twin Lake Gage Read	2.20 ft	
Goose Lake Gage Read	2.37 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/20/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			48	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	48	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			46	52	15
Pump Station			43	42	
Langemann Gate to Delta			3	10	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	51	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/21/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			48	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	48	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	51	15
Pump Station			42	41	
Langemann Gate to Delta			3	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/22/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			49	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	50	15
Pump Station			42	41	
Langemann Gate to Delta			3	9	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/23/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.9	1			
Mazourka Canyon Road			49	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			45	49	15
Pump Station			42	41	
Langemann Gate to Delta			3	8	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	50	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/24/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			49	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			44	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			44	48	15
Pump Station			41	41	
Langemann Gate to Delta			3	7	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 43 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/25/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	3	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	47	15
Pump Station			40	40	
Langemann Gate to Delta			3	7	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/26/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	3	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			51	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			49	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			43	46	15
Pump Station			40	40	
Langemann Gate to Delta			3	6	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	49	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/27/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.3	1			
Mazourka Canyon Road			50	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	2	0			
Reinhackle Springs			49	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	46	15
Pump Station			39	40	
Langemann Gate to Delta			3	5	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	49	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/28/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	2	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1.1	1			
Mazourka Canyon Road			49	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			47	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	45	15
Pump Station			39	41	
Langemann Gate to Delta			3	5	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			48	49	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/29/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			53	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			49	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			46	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	45	15
Pump Station			38	41	
Langemann Gate to Delta			3	4	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	49	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/30/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			54	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	0.8	1			
Mazourka Canyon Road			48	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			44	47	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			42	44	15
Pump Station			39	41	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			47	48	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

Lower Owens River Project Flow Report for 05/31/2025

LORP Measuring Station	Augmenting Flows		Owens River Flows		
	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	Daily Avg Flow(cfs)	15 Day Avg Flow(cfs)	# Days of last 15 at 40+ cfs
Below River Intake			62	54	15
Blackrock Ditch Return (augmentation)	1	1			
Goose Lake Return (return flow)	0	0			
Billy Lake Return (augmentation)	1	1			
Mazourka Canyon Road			48	49	15
Locust Ditch Return (augmentation)	0	0			
Georges Ditch Return (augmentation)	0	0			
Reinhackle Springs			45	46	15
Alabama Gates Return (augmentation)	0	0			
At Pumpback Station ¹			41	44	15
Pump Station			38	41	
Langemann Gate to Delta			3	3	
Weir to Delta			0	0	
LORP In Channel Average Flow ²			49	48	

Pump Station Month-to-Date Average Flow 42 cfs

Blackrock Waterfowl Habitat Area

Flooded Unit	Area	Last Collected	Flow Rate	Flow Set Date
Thibaut	249 Acres	03/01/2025	0 cfs	03/01/2025
Winterton	237 Acres	03/01/2025	0 cfs	03/01/2025
Drew	0 Acres	09/14/2021	0 cfs	04/16/2021
Waggoner	185 Acres	03/01/2025	0 cfs	03/01/2025
Total Flooded Area	671 Acres			

Off-River Lakes and Ponds

Upper Twin Lake Gage Read	2.57 ft	(Last Collected: 05/21/2025)
Lower Twin Lake Gage Read	2.50 ft	
Goose Lake Gage Read	2.61 ft	
Thibaut Pond Flooded Area	28 Acres	(Last Collected: 03/01/2025)

1. Above Pump Station not constructed, the flow is the sum of the Pump station discharge, the Langemann Gate releases to the delta, and flow over the spillway weir to the delta.

2. Average of the LORP Intake, Mazourka Canyon, Reinhackle Springs, and At Pumpback Station stations.

Note - All Data shown in this report is from field electronic measuring and data collection devices.

Note - Data contained herein is preliminary and subject to change. Refer to the disclaimer:

<http://wsoweb.ladwp.com/Aqueduct/realtime/disclaimer.htm>

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: May 2, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Saturday, May 3, 2025 TIME: morning

CHANGE FLOW: From: 58 cfs To: 53 cfs

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C:	Adam Perez	Ben Butler
	Eric Tillemans	Jason Olin
	Forest Mathieu	Bruce Peterson
	Ryan Yeager	Gary Reiser
	Joe Bowling	Chad Lamacchia

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Ian Keller

DATE: May 15, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **Langemann Gate at Pumpstation**

START DATE: Friday, May 16, 2025 TIME: morning

CHANGE FLOW: FROM: 13 cfs TO: 3 cfs at LORPS Langemann

C: Adam Perez
Eric Tillemans
Chad Lamacchia
Ben Arcularius

Ben Butler
Jason Olin
Gary Reiser
Bruce Peterson

FLOW CHANGE REQUEST/NOTIFICATION

ATTN: Courtnie Cappello

DATE: May 30, 2025

REQUESTED BY: Tony Tillemans x32259

FLOW CHANGE LOCATION **LORP Intake**

START DATE: Saturday, May 31, 2025 TIME: morning

CHANGE FLOW: From: 53 cfs To: 68 cfs

To maintain required flows to the LORP, monitor and make adjustments to the Aqueduct Intake gates for at least one day following this flow change.

C: Adam Perez
Eric Tillemans
Forest Mathieu
Ryan Yeager
Joe Bowling

Ben Butler
Jason Olin
Bruce Peterson
Gary Reiser
Chad Lamacchia

Quality Assurance and Calibration Procedures

The Los Angeles Department of Water and Power has a set standard to assure quality of all hydrological data collected. Procedures used to QA data vary based on the type of data collected and the device used to measure flow.

Data collected from sites utilizing area velocity flow meters are electronically monitored continuously. Sites are physically visited most days of the week to assure debris or vandalism hasn't affected the reading. Errors in the data collected may arise from several sources:

1. The transducers which detect the stage height and velocities have a tendency to drift.
2. Power outages occur occasionally thereby preventing the recording of data to the data loggers.
3. Occasionally the data loggers themselves malfunction.
4. Data can be lost or corrupted when it is transferred from the data loggers to the laptop.

Errors in discharge can originate from the instability of the relationship between velocity and stage height. This relationship varies temporally. It is affected by changes in the streambed that results from the flow of water over the bed, such as scour and fill, aquatic growth, ice, debris, or bed roughness.

To compensate for changes in the constantly shifting conditions multiple current meter measurements at each location per USGS standards are conducted per month. The current meter shots are taken at 2 foot intervals horizontally across the lined sections or 1 foot intervals at the sites where the measurements are taken in culverts. In each vertical section two separate measurements are taken (0.2 and 0.8) of the depth to achieve the best velocity average in the vertical. These vertical discharges are then added together to obtain a total flow in the section. The current meter data is logged in an on-board computer tracking the measurements as taken. That data is then extracted from the on-board computer to a PC using the FlowPack software that allows analysis of the data for erroneous measurements and is then converted to an Excel spreadsheet for ease of storage and printing. See Examples 1 – 3 for printout of software used to validate the current meter data.

Current meter data is used to develop velocity index tables. The tables require a minimum of 6 meter shots. After a table has been developed it is then downloaded into the on-site SonTek software which takes into account any variables within the meter section and applies any shifts to the discharge.

Data is collected and logged every 10 minutes utilizing SonTek area velocity flow meters. The data is downloaded from the meters once per month utilizing software provided by SonTek. The software "ViewArgonaut" gives us the ability to check items relevant to the performance of the meter. Battery voltage, beam strength, noise ratios, depth, and cell distance. (See Example 4) The software provides a trend of the data collected and displays it for quick comparisons, flagging discrepancies, one day at a time. Utilizing the ViewArgonaut software monthly reports are generated and the data is

reviewed. Using the current meter data collected during the month shifts are applied to the discharge to assure accuracy.

Augmentation Flows

Flows at several of the augmentation points are measured using weirs and flumes at sites that were pre-existing. Billy Lake has a one foot Parshall flume, Locust and Georges Returns have three foot weirs installed. All have stilling wells with dataloggers installed. The water surface elevation in the stillwell is measured each time the site is visited and verified it matches the staff gage for correct water depth through the measuring device. The still wells are flushed once every two months to assure the communication line is open and free of debris. The gage height data is logged on a module every 15 minutes. The modules are changed and processed every two weeks. Software used to process the data gives an hourly average gage and converts it to flow. It also gives the maximum and minimum flows for each day and time stamps it. The data is reviewed for any discrepancies which can be caused as a result of debris plugging the measuring device, a plugged stillwell, low batteries, etc.

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)

The current export settings are:

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics

[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD

Discharge Measurement Summary

Date Generated: Thu Sep 27 2007

File Information

File Name 070706.0RABR.LOR.WAD
Start Date and Time 2007/07/06 07:48:17

Site Details

Site Name ORABR
Operator(s) DJT

System Information

Sensor Type FlowTracker
Serial # P1685
CPU Firmware Version 3.2
Software Ver 2.11

Units

(English Units)

Distance ft
Velocity ft/s
Area ft²
Discharge cfs

Discharge Uncertainty

Category	ISO	Stats
Accuracy	1.0%	1.0%
Depth	0.1%	0.5%
Velocity	0.3%	1.4%
Width	0.1%	0.1%
Method	0.8%	-
# Stations	1.6%	-
Overall	2.1%	1.8%

Summary

Averaging Int.	40	# Stations	32
Start Edge	REW	Total Width	48.100
Mean SNR	18.7 dB	Total Area	69.016
Mean Temp	73.68 °F	Mean Depth	1.435
Disch. Equation	Mid-Section	Mean Velocity	0.6419
		Total Discharge	44.3025

Measurement Results

St	Clock	Loc	Method	Depth	%Dep	MeasD	Vel	CorrFact	MeanV	Area	Flow	%Q
0	07:48	23.60	None	0.000	0.0	0.0	0.0000	1.00	0.0000	0.000	0.0000	0.0
1	07:48	24.60	0.6	0.360	0.6	0.144	0.2762	1.00	0.2762	0.360	0.0994	0.2
2	07:50	25.60	0.6	0.640	0.6	0.256	0.5102	1.00	0.5102	0.640	0.3266	0.7
3	07:51	26.60	0.6	0.880	0.6	0.352	0.5938	1.00	0.5938	0.880	0.5225	1.2
4	07:52	27.60	0.6	1.180	0.6	0.472	0.6257	1.00	0.6257	1.180	0.7383	1.7
5	07:54	28.60	0.6	1.390	0.6	0.556	0.6302	1.00	0.6302	1.390	0.8761	2.0
6	07:55	29.60	0.2/0.8	1.520	0.2	1.216	0.8130	1.00	0.7078	1.520	1.0759	2.4
6	07:56	29.60	0.2/0.8	1.520	0.8	0.304	0.6027					
7	07:58	30.60	0.8/0.2	1.690	0.2	1.352	0.8468	1.00	0.7664	1.690	1.2952	2.9
7	07:57	30.60	0.8/0.2	1.690	0.8	0.338	0.6860					
8	07:59	31.60	0.2/0.8	1.700	0.2	1.360	0.8146	1.00	0.7037	2.040	1.4357	3.2
8	08:00	31.60	0.2/0.8	1.700	0.8	0.340	0.5928					
9	08:03	33.00	0.8/0.2	1.680	0.2	1.344	0.8383	1.00	0.7408	2.016	1.4935	3.4
9	08:01	33.00	0.8/0.2	1.680	0.8	0.336	0.6434					
10	08:05	34.00	0.2/0.8	1.600	0.2	1.280	0.8724	1.00	0.7398	2.400	1.7757	4.0
10	08:06	34.00	0.2/0.8	1.600	0.8	0.320	0.6073					
11	08:08	36.00	0.8/0.2	1.520	0.2	1.216	0.8186	1.00	0.6995	3.040	2.1264	4.8
11	08:07	36.00	0.8/0.2	1.520	0.8	0.304	0.5804					
12	08:09	38.00	0.2/0.8	1.500	0.2	1.200	0.8957	1.00	0.7461	3.000	2.2382	5.1
12	08:11	38.00	0.2/0.8	1.500	0.8	0.300	0.5965					
13	08:12	40.00	0.2/0.8	1.490	0.2	1.192	0.8245	1.00	0.6321	2.980	1.8837	4.3
13	08:13	40.00	0.2/0.8	1.490	0.8	0.298	0.4396					
14	08:15	42.00	0.2/0.8	1.510	0.2	1.208	0.8514	1.00	0.7548	3.020	2.2791	5.1
14	08:16	42.00	0.2/0.8	1.510	0.8	0.302	0.6581					
15	08:18	44.00	0.8/0.2	1.600	0.2	1.280	0.8278	1.00	0.7026	3.200	2.2484	5.1
15	08:17	44.00	0.8/0.2	1.600	0.8	0.320	0.5774					
16	08:19	46.00	0.2/0.8	1.620	0.2	1.296	0.8018	1.00	0.6916	3.240	2.2409	5.1
16	08:20	46.00	0.2/0.8	1.620	0.8	0.324	0.5814					
17	08:22	48.00	0.8/0.2	1.700	0.2	1.360	0.8396	1.00	0.7756	3.400	2.6372	6.0
17	08:21	48.00	0.8/0.2	1.700	0.8	0.340	0.7116					
18	08:23	50.00	0.2/0.8	1.800	0.2	1.440	0.9016	1.00	0.8251	3.600	2.9703	6.7
18	08:24	50.00	0.2/0.8	1.800	0.8	0.360	0.7487					
19	08:26	52.00	0.8/0.2	1.680	0.2	1.344	0.8271	1.00	0.7269	3.360	2.4425	5.5
19	08:25	52.00	0.8/0.2	1.680	0.8	0.336	0.6266					
20	08:27	54.00	0.2/0.8	1.780	0.2	1.424	0.7795	1.00	0.6763	3.560	2.4076	5.4
20	08:28	54.00	0.2/0.8	1.780	0.8	0.356	0.5732					
21	08:30	56.00	0.8/0.2	1.820	0.2	1.456	0.7329	1.00	0.6097	3.640	2.2193	5.0
21	08:29	56.00	0.8/0.2	1.820	0.8	0.364	0.4865					
22	08:32	58.00	0.2/0.8	1.820	0.2	1.456	0.7123	1.00	0.5540	3.640	2.0163	4.6
22	08:34	58.00	0.2/0.8	1.820	0.8	0.364	0.3957					
23	08:36	60.00	0.8/0.2	1.800	0.2	1.440	0.6949	1.00	0.6017	3.600	2.1660	4.9
23	08:35	60.00	0.8/0.2	1.800	0.8	0.360	0.5085					

SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company

070706.0RABR.LOR.WAD




Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)

Fri Jul 6 07:47:10 PDT 2007



SonTek's FlowTracker

All the tools you need to work with the FlowTracker.

Select one of these actions:

[Open a FlowTracker file](#)[Open many FlowTracker files/folders](#)**The current export settings are:**

- ☒ Show Discharge Summary Report
- ☒ Export ASCII Discharge file (DIS)
- ☒ Export ASCII Control file (CTL)
- ☒ Export ASCII Summary file (SUM)
- ☒ Export ASCII Data file (DAT)
- ☒ Export FlowPack file (FPX)
- ☒ Put Headers on ASCII files

[Connect to a FlowTracker](#)

To download data and run diagnostics




[Program Settings](#)[Quality Control Settings](#)[Show User's Manual](#)[Show Technical Manual](#)[Show Quick Start](#)[About FlowTracker](#)

English



A YSI Environmental Company


070706.0RABR.LOR.WAD





Quality Control

St	Loc	%Dep	Message
13	40.00	0.8	High standard error: 0.024

Automatic Quality Control Test (BeamCheck)



FileName: BROR_070801_a.arg (Argonaut- SW 3000 kHz)



05:58:38 22:38:38 15:18:38 07:58:38 00:38:38 17:18:38
03/07/2007 03/07/2007 04/07/2007 05/07/2007 06/07/2007 06/07/2007

System	Argonaut-SW
Frequency	3000 kHz
File	BROR_070801_a
File Size	65.18 kB
Sample No	1
Sample Date	02/07/2007
Sample Time	13:28:38
Time Interval	180

Velocity Data:	
V1/X/E(cm/s)	27.8
V2/Y/N(cm/s)	2.4
V3/Z/U(cm/s)	--
Speed (cm/s)	27.9
Direction(deg)	85.1

Discharge Summary:	
V Beam (m)	0.426
Stage (m)	1.304
VMean (cm/s)	22.7
Flow (cfs)	50.21
Area (m2)	6.26
Vol (acre-ft)	0.7

Diagnostic Data:	
SNR1 (dB)	61
SNR2 (dB)	61
SNR3 (dB)	--
StErr1 (cm/s)	0.9
StErr2 (cm/s)	0.8
StErr3 (cm/s)	--
Mean StDev	0.9
Battery (V)	12.4

Party: BRP / BJA	Width: 28.4 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 162 ft²	Mean Velocity: 0.331 ft/s
Gage Height: 5.42 ft	G.H.Change: 0.000 ft	Discharge: 53.2 ft³/s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 1.18 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 6.34 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 5.71 ft	Bin Size: 17 cm	Blank: 3 cm
WT Error Vel.: 0.98 ft/s	% Meas.: 69.90	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 68.3 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250513 LOR @ INTAKE_0.mmt
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	48	6.60	38.4	7.27	1.73	0.812	54.9	25	142	13:03	13:04	0.55	0.39	2	0
002	R	2	2	44	6.64	38.9	7.35	1.17	1.13	55.2	30	170	13:04	13:05	0.54	0.32	14	0
003	L	2	2	40	6.43	36.8	7.49	1.34	0.953	53.0	31	175	13:05	13:06	0.62	0.30	15	1
004	R	2	2	43	5.97	34.6	6.67	1.41	1.06	49.8	28	161	13:06	13:07	0.57	0.31	7	4
Mean		2	2	43	6.41	37.2	7.20	1.41	0.989	53.2	28	162	Total	00:04	0.57	0.33	9	1
SDev		0	0	3	0.309	1.93	0.358	0.236	0.138	2.48	2.4	14.8			0.04	0.04		
SD/M		0.0%	0.0%	7.9%	4.8%	5.2%	5.0%	16.7%	14.0%	4.7%	8.5%	9.1%			6.2%	11.8%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Blackrock Return Ditch

Station 0208

Date	Flow (cfs)
5/1/2025	1.25
5/2/2025	1.20
5/3/2025	1.24
5/4/2025	1.15
5/5/2025	1.06
5/6/2025	1.11
5/7/2025	1.19
5/8/2025	1.15
5/9/2025	1.14
5/10/2025	1.36
5/11/2025	1.89
5/12/2025	1.43
5/13/2025	1.07
5/14/2025	1.33
5/15/2025	1.13
5/16/2025	1.19
5/17/2025	1.08
5/18/2025	1.07
5/19/2025	1.13
5/20/2025	1.31
5/21/2025	1.16
5/22/2025	1.12
5/23/2025	1.40
5/24/2025	2.12
5/25/2025	3.40
5/26/2025	2.70
5/27/2025	2.18
5/28/2025	1.90
5/29/2025	1.26
5/30/2025	1.14
5/31/2025	1.02

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/1/2025	12:00:00 AM	0.48
5/1/2025	12:15:00 AM	0.48
5/1/2025	12:30:00 AM	0.48
5/1/2025	12:45:00 AM	0.48
5/1/2025	1:00:00 AM	0.48
5/1/2025	1:15:00 AM	0.49
5/1/2025	1:30:00 AM	0.49
5/1/2025	1:45:00 AM	0.49
5/1/2025	2:00:00 AM	0.49
5/1/2025	2:15:00 AM	0.49
5/1/2025	2:30:00 AM	0.49
5/1/2025	2:45:00 AM	0.49
5/1/2025	3:00:00 AM	0.49
5/1/2025	3:15:00 AM	0.49
5/1/2025	3:30:00 AM	0.49
5/1/2025	3:45:00 AM	0.49
5/1/2025	4:00:00 AM	0.49
5/1/2025	4:15:00 AM	0.49
5/1/2025	4:30:00 AM	0.49
5/1/2025	4:45:00 AM	0.49
5/1/2025	5:00:00 AM	0.49
5/1/2025	5:15:00 AM	0.49
5/1/2025	5:30:00 AM	0.49
5/1/2025	5:45:00 AM	0.49
5/1/2025	6:00:00 AM	0.5
5/1/2025	6:15:00 AM	0.5
5/1/2025	6:30:00 AM	0.5
5/1/2025	6:45:00 AM	0.5
5/1/2025	7:00:00 AM	0.5
5/1/2025	7:15:00 AM	0.51
5/1/2025	7:30:00 AM	0.51
5/1/2025	7:45:00 AM	0.51
5/1/2025	8:00:00 AM	0.51
5/1/2025	8:15:00 AM	0.51
5/1/2025	8:30:00 AM	0.52
5/1/2025	8:45:00 AM	0.52
5/1/2025	9:00:00 AM	0.52
5/1/2025	9:15:00 AM	0.52
5/1/2025	9:30:00 AM	0.52
5/1/2025	9:45:00 AM	0.52
5/1/2025	10:00:00 AM	0.53
5/1/2025	10:15:00 AM	0.52
5/1/2025	10:30:00 AM	0.53
5/1/2025	10:45:00 AM	0.53
5/1/2025	11:00:00 AM	0.53
5/1/2025	11:15:00 AM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/1/2025	11:30:00 AM	0.53
5/1/2025	11:45:00 AM	0.53
5/1/2025	12:00:00 PM	0.53
5/1/2025	12:15:00 PM	0.53
5/1/2025	12:30:00 PM	0.54
5/1/2025	12:45:00 PM	0.54
5/1/2025	1:00:00 PM	0.54
5/1/2025	1:15:00 PM	0.54
5/1/2025	1:30:00 PM	0.54
5/1/2025	1:45:00 PM	0.54
5/1/2025	2:00:00 PM	0.54
5/1/2025	2:15:00 PM	0.54
5/1/2025	2:30:00 PM	0.54
5/1/2025	2:45:00 PM	0.54
5/1/2025	3:00:00 PM	0.54
5/1/2025	3:15:00 PM	0.54
5/1/2025	3:30:00 PM	0.54
5/1/2025	3:45:00 PM	0.54
5/1/2025	4:00:00 PM	0.54
5/1/2025	4:15:00 PM	0.54
5/1/2025	4:30:00 PM	0.54
5/1/2025	4:45:00 PM	0.54
5/1/2025	5:00:00 PM	0.54
5/1/2025	5:15:00 PM	0.54
5/1/2025	5:30:00 PM	0.54
5/1/2025	5:45:00 PM	0.54
5/1/2025	6:00:00 PM	0.54
5/1/2025	6:15:00 PM	0.53
5/1/2025	6:30:00 PM	0.53
5/1/2025	6:45:00 PM	0.53
5/1/2025	7:00:00 PM	0.53
5/1/2025	7:15:00 PM	0.53
5/1/2025	7:30:00 PM	0.53
5/1/2025	7:45:00 PM	0.53
5/1/2025	8:00:00 PM	0.52
5/1/2025	8:15:00 PM	0.52
5/1/2025	8:30:00 PM	0.52
5/1/2025	8:45:00 PM	0.52
5/1/2025	9:00:00 PM	0.52
5/1/2025	9:15:00 PM	0.52
5/1/2025	9:30:00 PM	0.52
5/1/2025	9:45:00 PM	0.52
5/1/2025	10:00:00 PM	0.52
5/1/2025	10:15:00 PM	0.52
5/1/2025	10:30:00 PM	0.52
5/1/2025	10:45:00 PM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/1/2025	11:00:00 PM	0.51
5/1/2025	11:15:00 PM	0.51
5/1/2025	11:30:00 PM	0.5
5/1/2025	11:45:00 PM	0.5
5/2/2025	12:00:00 AM	0.5
5/2/2025	12:15:00 AM	0.5
5/2/2025	12:30:00 AM	0.5
5/2/2025	12:45:00 AM	0.5
5/2/2025	1:00:00 AM	0.5
5/2/2025	1:15:00 AM	0.49
5/2/2025	1:30:00 AM	0.49
5/2/2025	1:45:00 AM	0.49
5/2/2025	2:00:00 AM	0.49
5/2/2025	2:15:00 AM	0.49
5/2/2025	2:30:00 AM	0.49
5/2/2025	2:45:00 AM	0.49
5/2/2025	3:00:00 AM	0.5
5/2/2025	3:15:00 AM	0.5
5/2/2025	3:30:00 AM	0.5
5/2/2025	3:45:00 AM	0.5
5/2/2025	4:00:00 AM	0.5
5/2/2025	4:15:00 AM	0.5
5/2/2025	4:30:00 AM	0.5
5/2/2025	4:45:00 AM	0.5
5/2/2025	5:00:00 AM	0.5
5/2/2025	5:15:00 AM	0.51
5/2/2025	5:30:00 AM	0.51
5/2/2025	5:45:00 AM	0.51
5/2/2025	6:00:00 AM	0.51
5/2/2025	6:15:00 AM	0.51
5/2/2025	6:30:00 AM	0.51
5/2/2025	6:45:00 AM	0.51
5/2/2025	7:00:00 AM	0.51
5/2/2025	7:15:00 AM	0.51
5/2/2025	7:30:00 AM	0.51
5/2/2025	7:45:00 AM	0.51
5/2/2025	8:00:00 AM	0.51
5/2/2025	8:15:00 AM	0.51
5/2/2025	8:30:00 AM	0.51
5/2/2025	8:45:00 AM	0.51
5/2/2025	9:00:00 AM	0.51
5/2/2025	9:15:00 AM	0.51
5/2/2025	9:30:00 AM	0.51
5/2/2025	9:45:00 AM	0.51
5/2/2025	10:00:00 AM	0.51
5/2/2025	10:15:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/2/2025	10:30:00 AM	0.51
5/2/2025	10:45:00 AM	0.51
5/2/2025	11:00:00 AM	0.51
5/2/2025	11:15:00 AM	0.51
5/2/2025	11:30:00 AM	0.51
5/2/2025	11:45:00 AM	0.51
5/2/2025	12:00:00 PM	0.51
5/2/2025	12:15:00 PM	0.51
5/2/2025	12:30:00 PM	0.51
5/2/2025	12:45:00 PM	0.51
5/2/2025	1:00:00 PM	0.51
5/2/2025	1:15:00 PM	0.51
5/2/2025	1:30:00 PM	0.51
5/2/2025	1:45:00 PM	0.51
5/2/2025	2:00:00 PM	0.51
5/2/2025	2:15:00 PM	0.51
5/2/2025	2:30:00 PM	0.51
5/2/2025	2:45:00 PM	0.51
5/2/2025	3:00:00 PM	0.5
5/2/2025	3:15:00 PM	0.51
5/2/2025	3:30:00 PM	0.5
5/2/2025	3:45:00 PM	0.5
5/2/2025	4:00:00 PM	0.5
5/2/2025	4:15:00 PM	0.5
5/2/2025	4:30:00 PM	0.5
5/2/2025	4:45:00 PM	0.5
5/2/2025	5:00:00 PM	0.5
5/2/2025	5:15:00 PM	0.5
5/2/2025	5:30:00 PM	0.5
5/2/2025	5:45:00 PM	0.5
5/2/2025	6:00:00 PM	0.5
5/2/2025	6:15:00 PM	0.5
5/2/2025	6:30:00 PM	0.5
5/2/2025	6:45:00 PM	0.5
5/2/2025	7:00:00 PM	0.5
5/2/2025	7:15:00 PM	0.5
5/2/2025	7:30:00 PM	0.5
5/2/2025	7:45:00 PM	0.5
5/2/2025	8:00:00 PM	0.5
5/2/2025	8:15:00 PM	0.5
5/2/2025	8:30:00 PM	0.5
5/2/2025	8:45:00 PM	0.5
5/2/2025	9:00:00 PM	0.5
5/2/2025	9:15:00 PM	0.5
5/2/2025	9:30:00 PM	0.5
5/2/2025	9:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/2/2025	10:00:00 PM	0.5
5/2/2025	10:15:00 PM	0.5
5/2/2025	10:30:00 PM	0.5
5/2/2025	10:45:00 PM	0.5
5/2/2025	11:00:00 PM	0.5
5/2/2025	11:15:00 PM	0.5
5/2/2025	11:30:00 PM	0.51
5/2/2025	11:45:00 PM	0.51
5/3/2025	12:00:00 AM	0.51
5/3/2025	12:15:00 AM	0.51
5/3/2025	12:30:00 AM	0.51
5/3/2025	12:45:00 AM	0.51
5/3/2025	1:00:00 AM	0.51
5/3/2025	1:15:00 AM	0.51
5/3/2025	1:30:00 AM	0.51
5/3/2025	1:45:00 AM	0.51
5/3/2025	2:00:00 AM	0.51
5/3/2025	2:15:00 AM	0.52
5/3/2025	2:30:00 AM	0.52
5/3/2025	2:45:00 AM	0.52
5/3/2025	3:00:00 AM	0.52
5/3/2025	3:15:00 AM	0.52
5/3/2025	3:30:00 AM	0.52
5/3/2025	3:45:00 AM	0.52
5/3/2025	4:00:00 AM	0.52
5/3/2025	4:15:00 AM	0.52
5/3/2025	4:30:00 AM	0.52
5/3/2025	4:45:00 AM	0.52
5/3/2025	5:00:00 AM	0.52
5/3/2025	5:15:00 AM	0.52
5/3/2025	5:30:00 AM	0.52
5/3/2025	5:45:00 AM	0.52
5/3/2025	6:00:00 AM	0.53
5/3/2025	6:15:00 AM	0.53
5/3/2025	6:30:00 AM	0.53
5/3/2025	6:45:00 AM	0.53
5/3/2025	7:00:00 AM	0.53
5/3/2025	7:15:00 AM	0.53
5/3/2025	7:30:00 AM	0.53
5/3/2025	7:45:00 AM	0.53
5/3/2025	8:00:00 AM	0.53
5/3/2025	8:15:00 AM	0.53
5/3/2025	8:30:00 AM	0.53
5/3/2025	8:45:00 AM	0.53
5/3/2025	9:00:00 AM	0.53
5/3/2025	9:15:00 AM	0.53

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/3/2025	9:30:00 AM	0.53
5/3/2025	9:45:00 AM	0.53
5/3/2025	10:00:00 AM	0.53
5/3/2025	10:15:00 AM	0.53
5/3/2025	10:30:00 AM	0.54
5/3/2025	10:45:00 AM	0.54
5/3/2025	11:00:00 AM	0.54
5/3/2025	11:15:00 AM	0.53
5/3/2025	11:30:00 AM	0.54
5/3/2025	11:45:00 AM	0.54
5/3/2025	12:00:00 PM	0.54
5/3/2025	12:15:00 PM	0.54
5/3/2025	12:30:00 PM	0.54
5/3/2025	12:45:00 PM	0.53
5/3/2025	1:00:00 PM	0.53
5/3/2025	1:15:00 PM	0.53
5/3/2025	1:30:00 PM	0.53
5/3/2025	1:45:00 PM	0.53
5/3/2025	2:00:00 PM	0.52
5/3/2025	2:15:00 PM	0.52
5/3/2025	2:30:00 PM	0.52
5/3/2025	2:45:00 PM	0.52
5/3/2025	3:00:00 PM	0.52
5/3/2025	3:15:00 PM	0.51
5/3/2025	3:30:00 PM	0.51
5/3/2025	3:45:00 PM	0.51
5/3/2025	4:00:00 PM	0.51
5/3/2025	4:15:00 PM	0.51
5/3/2025	4:30:00 PM	0.51
5/3/2025	4:45:00 PM	0.51
5/3/2025	5:00:00 PM	0.5
5/3/2025	5:15:00 PM	0.5
5/3/2025	5:30:00 PM	0.5
5/3/2025	5:45:00 PM	0.5
5/3/2025	6:00:00 PM	0.5
5/3/2025	6:15:00 PM	0.5
5/3/2025	6:30:00 PM	0.5
5/3/2025	6:45:00 PM	0.49
5/3/2025	7:00:00 PM	0.49
5/3/2025	7:15:00 PM	0.49
5/3/2025	7:30:00 PM	0.49
5/3/2025	7:45:00 PM	0.49
5/3/2025	8:00:00 PM	0.48
5/3/2025	8:15:00 PM	0.48
5/3/2025	8:30:00 PM	0.48
5/3/2025	8:45:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/3/2025	9:00:00 PM	0.48
5/3/2025	9:15:00 PM	0.48
5/3/2025	9:30:00 PM	0.48
5/3/2025	9:45:00 PM	0.48
5/3/2025	10:00:00 PM	0.48
5/3/2025	10:15:00 PM	0.48
5/3/2025	10:30:00 PM	0.48
5/3/2025	10:45:00 PM	0.48
5/3/2025	11:00:00 PM	0.48
5/3/2025	11:15:00 PM	0.48
5/3/2025	11:30:00 PM	0.48
5/3/2025	11:45:00 PM	0.48
5/4/2025	12:00:00 AM	0.48
5/4/2025	12:15:00 AM	0.48
5/4/2025	12:30:00 AM	0.49
5/4/2025	12:45:00 AM	0.49
5/4/2025	1:00:00 AM	0.49
5/4/2025	1:15:00 AM	0.49
5/4/2025	1:30:00 AM	0.49
5/4/2025	1:45:00 AM	0.49
5/4/2025	2:00:00 AM	0.49
5/4/2025	2:15:00 AM	0.49
5/4/2025	2:30:00 AM	0.49
5/4/2025	2:45:00 AM	0.49
5/4/2025	3:00:00 AM	0.49
5/4/2025	3:15:00 AM	0.49
5/4/2025	3:30:00 AM	0.5
5/4/2025	3:45:00 AM	0.5
5/4/2025	4:00:00 AM	0.5
5/4/2025	4:15:00 AM	0.5
5/4/2025	4:30:00 AM	0.5
5/4/2025	4:45:00 AM	0.5
5/4/2025	5:00:00 AM	0.5
5/4/2025	5:15:00 AM	0.5
5/4/2025	5:30:00 AM	0.5
5/4/2025	5:45:00 AM	0.5
5/4/2025	6:00:00 AM	0.5
5/4/2025	6:15:00 AM	0.49
5/4/2025	6:30:00 AM	0.49
5/4/2025	6:45:00 AM	0.49
5/4/2025	7:00:00 AM	0.49
5/4/2025	7:15:00 AM	0.49
5/4/2025	7:30:00 AM	0.49
5/4/2025	7:45:00 AM	0.49
5/4/2025	8:00:00 AM	0.49
5/4/2025	8:15:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/4/2025	8:30:00 AM	0.49
5/4/2025	8:45:00 AM	0.49
5/4/2025	9:00:00 AM	0.49
5/4/2025	9:15:00 AM	0.49
5/4/2025	9:30:00 AM	0.49
5/4/2025	9:45:00 AM	0.49
5/4/2025	10:00:00 AM	0.49
5/4/2025	10:15:00 AM	0.49
5/4/2025	10:30:00 AM	0.49
5/4/2025	10:45:00 AM	0.49
5/4/2025	11:00:00 AM	0.49
5/4/2025	11:15:00 AM	0.49
5/4/2025	11:30:00 AM	0.49
5/4/2025	11:45:00 AM	0.49
5/4/2025	12:00:00 PM	0.49
5/4/2025	12:15:00 PM	0.49
5/4/2025	12:30:00 PM	0.49
5/4/2025	12:45:00 PM	0.49
5/4/2025	1:00:00 PM	0.49
5/4/2025	1:15:00 PM	0.49
5/4/2025	1:30:00 PM	0.49
5/4/2025	1:45:00 PM	0.49
5/4/2025	2:00:00 PM	0.49
5/4/2025	2:15:00 PM	0.49
5/4/2025	2:30:00 PM	0.49
5/4/2025	2:45:00 PM	0.49
5/4/2025	3:00:00 PM	0.48
5/4/2025	3:15:00 PM	0.48
5/4/2025	3:30:00 PM	0.48
5/4/2025	3:45:00 PM	0.48
5/4/2025	4:00:00 PM	0.48
5/4/2025	4:15:00 PM	0.49
5/4/2025	4:30:00 PM	0.48
5/4/2025	4:45:00 PM	0.48
5/4/2025	5:00:00 PM	0.48
5/4/2025	5:15:00 PM	0.48
5/4/2025	5:30:00 PM	0.48
5/4/2025	5:45:00 PM	0.49
5/4/2025	6:00:00 PM	0.49
5/4/2025	6:15:00 PM	0.49
5/4/2025	6:30:00 PM	0.49
5/4/2025	6:45:00 PM	0.49
5/4/2025	7:00:00 PM	0.49
5/4/2025	7:15:00 PM	0.49
5/4/2025	7:30:00 PM	0.49
5/4/2025	7:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/4/2025	8:00:00 PM	0.48
5/4/2025	8:15:00 PM	0.48
5/4/2025	8:30:00 PM	0.48
5/4/2025	8:45:00 PM	0.48
5/4/2025	9:00:00 PM	0.48
5/4/2025	9:15:00 PM	0.48
5/4/2025	9:30:00 PM	0.48
5/4/2025	9:45:00 PM	0.48
5/4/2025	10:00:00 PM	0.48
5/4/2025	10:15:00 PM	0.48
5/4/2025	10:30:00 PM	0.48
5/4/2025	10:45:00 PM	0.48
5/4/2025	11:00:00 PM	0.48
5/4/2025	11:15:00 PM	0.48
5/4/2025	11:30:00 PM	0.49
5/4/2025	11:45:00 PM	0.49
5/5/2025	12:00:00 AM	0.49
5/5/2025	12:15:00 AM	0.49
5/5/2025	12:30:00 AM	0.49
5/5/2025	12:45:00 AM	0.49
5/5/2025	1:00:00 AM	0.49
5/5/2025	1:15:00 AM	0.49
5/5/2025	1:30:00 AM	0.49
5/5/2025	1:45:00 AM	0.49
5/5/2025	2:00:00 AM	0.49
5/5/2025	2:15:00 AM	0.49
5/5/2025	2:30:00 AM	0.49
5/5/2025	2:45:00 AM	0.49
5/5/2025	3:00:00 AM	0.48
5/5/2025	3:15:00 AM	0.48
5/5/2025	3:30:00 AM	0.48
5/5/2025	3:45:00 AM	0.48
5/5/2025	4:00:00 AM	0.48
5/5/2025	4:15:00 AM	0.48
5/5/2025	4:30:00 AM	0.48
5/5/2025	4:45:00 AM	0.47
5/5/2025	5:00:00 AM	0.48
5/5/2025	5:15:00 AM	0.48
5/5/2025	5:30:00 AM	0.48
5/5/2025	5:45:00 AM	0.48
5/5/2025	6:00:00 AM	0.48
5/5/2025	6:15:00 AM	0.48
5/5/2025	6:30:00 AM	0.48
5/5/2025	6:45:00 AM	0.48
5/5/2025	7:00:00 AM	0.48
5/5/2025	7:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/5/2025	7:30:00 AM	0.48
5/5/2025	7:45:00 AM	0.48
5/5/2025	8:00:00 AM	0.47
5/5/2025	8:15:00 AM	0.48
5/5/2025	8:30:00 AM	0.47
5/5/2025	8:45:00 AM	0.48
5/5/2025	9:00:00 AM	0.47
5/5/2025	9:15:00 AM	0.47
5/5/2025	9:30:00 AM	0.47
5/5/2025	9:45:00 AM	0.47
5/5/2025	10:00:00 AM	0.47
5/5/2025	10:15:00 AM	0.47
5/5/2025	10:30:00 AM	0.47
5/5/2025	10:45:00 AM	0.47
5/5/2025	11:00:00 AM	0.47
5/5/2025	11:15:00 AM	0.47
5/5/2025	11:30:00 AM	0.47
5/5/2025	11:45:00 AM	0.47
5/5/2025	12:00:00 PM	0.47
5/5/2025	12:15:00 PM	0.47
5/5/2025	12:30:00 PM	0.46
5/5/2025	12:45:00 PM	0.46
5/5/2025	1:00:00 PM	0.47
5/5/2025	1:15:00 PM	0.46
5/5/2025	1:30:00 PM	0.46
5/5/2025	1:45:00 PM	0.46
5/5/2025	2:00:00 PM	0.46
5/5/2025	2:15:00 PM	0.46
5/5/2025	2:30:00 PM	0.46
5/5/2025	2:45:00 PM	0.46
5/5/2025	3:00:00 PM	0.45
5/5/2025	3:15:00 PM	0.45
5/5/2025	3:30:00 PM	0.46
5/5/2025	3:45:00 PM	0.45
5/5/2025	4:00:00 PM	0.45
5/5/2025	4:15:00 PM	0.45
5/5/2025	4:30:00 PM	0.45
5/5/2025	4:45:00 PM	0.45
5/5/2025	5:00:00 PM	0.45
5/5/2025	5:15:00 PM	0.45
5/5/2025	5:30:00 PM	0.45
5/5/2025	5:45:00 PM	0.45
5/5/2025	6:00:00 PM	0.44
5/5/2025	6:15:00 PM	0.44
5/5/2025	6:30:00 PM	0.45
5/5/2025	6:45:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/5/2025	7:00:00 PM	0.44
5/5/2025	7:15:00 PM	0.44
5/5/2025	7:30:00 PM	0.44
5/5/2025	7:45:00 PM	0.44
5/5/2025	8:00:00 PM	0.44
5/5/2025	8:15:00 PM	0.44
5/5/2025	8:30:00 PM	0.44
5/5/2025	8:45:00 PM	0.44
5/5/2025	9:00:00 PM	0.44
5/5/2025	9:15:00 PM	0.44
5/5/2025	9:30:00 PM	0.44
5/5/2025	9:45:00 PM	0.44
5/5/2025	10:00:00 PM	0.44
5/5/2025	10:15:00 PM	0.44
5/5/2025	10:30:00 PM	0.44
5/5/2025	10:45:00 PM	0.44
5/5/2025	11:00:00 PM	0.44
5/5/2025	11:15:00 PM	0.44
5/5/2025	11:30:00 PM	0.45
5/5/2025	11:45:00 PM	0.45
5/6/2025	12:00:00 AM	0.45
5/6/2025	12:15:00 AM	0.45
5/6/2025	12:30:00 AM	0.46
5/6/2025	12:45:00 AM	0.46
5/6/2025	1:00:00 AM	0.45
5/6/2025	1:15:00 AM	0.46
5/6/2025	1:30:00 AM	0.46
5/6/2025	1:45:00 AM	0.45
5/6/2025	2:00:00 AM	0.45
5/6/2025	2:15:00 AM	0.46
5/6/2025	2:30:00 AM	0.45
5/6/2025	2:45:00 AM	0.45
5/6/2025	3:00:00 AM	0.46
5/6/2025	3:15:00 AM	0.46
5/6/2025	3:30:00 AM	0.46
5/6/2025	3:45:00 AM	0.46
5/6/2025	4:00:00 AM	0.46
5/6/2025	4:15:00 AM	0.46
5/6/2025	4:30:00 AM	0.46
5/6/2025	4:45:00 AM	0.46
5/6/2025	5:00:00 AM	0.46
5/6/2025	5:15:00 AM	0.47
5/6/2025	5:30:00 AM	0.47
5/6/2025	5:45:00 AM	0.47
5/6/2025	6:00:00 AM	0.47
5/6/2025	6:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/6/2025	6:30:00 AM	0.47
5/6/2025	6:45:00 AM	0.47
5/6/2025	7:00:00 AM	0.47
5/6/2025	7:15:00 AM	0.47
5/6/2025	7:30:00 AM	0.47
5/6/2025	7:45:00 AM	0.47
5/6/2025	8:00:00 AM	0.47
5/6/2025	8:15:00 AM	0.47
5/6/2025	8:30:00 AM	0.47
5/6/2025	8:45:00 AM	0.47
5/6/2025	9:00:00 AM	0.47
5/6/2025	9:15:00 AM	0.47
5/6/2025	9:30:00 AM	0.47
5/6/2025	9:45:00 AM	0.47
5/6/2025	10:00:00 AM	0.48
5/6/2025	10:15:00 AM	0.47
5/6/2025	10:30:00 AM	0.47
5/6/2025	10:45:00 AM	0.47
5/6/2025	11:00:00 AM	0.48
5/6/2025	11:15:00 AM	0.48
5/6/2025	11:30:00 AM	0.48
5/6/2025	11:45:00 AM	0.48
5/6/2025	12:00:00 PM	0.48
5/6/2025	12:15:00 PM	0.48
5/6/2025	12:30:00 PM	0.48
5/6/2025	12:45:00 PM	0.48
5/6/2025	1:00:00 PM	0.48
5/6/2025	1:15:00 PM	0.48
5/6/2025	1:30:00 PM	0.48
5/6/2025	1:45:00 PM	0.48
5/6/2025	2:00:00 PM	0.48
5/6/2025	2:15:00 PM	0.48
5/6/2025	2:30:00 PM	0.48
5/6/2025	2:45:00 PM	0.48
5/6/2025	3:00:00 PM	0.48
5/6/2025	3:15:00 PM	0.48
5/6/2025	3:30:00 PM	0.48
5/6/2025	3:45:00 PM	0.49
5/6/2025	4:00:00 PM	0.48
5/6/2025	4:15:00 PM	0.48
5/6/2025	4:30:00 PM	0.48
5/6/2025	4:45:00 PM	0.48
5/6/2025	5:00:00 PM	0.49
5/6/2025	5:15:00 PM	0.48
5/6/2025	5:30:00 PM	0.49
5/6/2025	5:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/6/2025	6:00:00 PM	0.49
5/6/2025	6:15:00 PM	0.49
5/6/2025	6:30:00 PM	0.49
5/6/2025	6:45:00 PM	0.49
5/6/2025	7:00:00 PM	0.49
5/6/2025	7:15:00 PM	0.49
5/6/2025	7:30:00 PM	0.49
5/6/2025	7:45:00 PM	0.49
5/6/2025	8:00:00 PM	0.49
5/6/2025	8:15:00 PM	0.49
5/6/2025	8:30:00 PM	0.49
5/6/2025	8:45:00 PM	0.49
5/6/2025	9:00:00 PM	0.49
5/6/2025	9:15:00 PM	0.49
5/6/2025	9:30:00 PM	0.49
5/6/2025	9:45:00 PM	0.49
5/6/2025	10:00:00 PM	0.49
5/6/2025	10:15:00 PM	0.49
5/6/2025	10:30:00 PM	0.49
5/6/2025	10:45:00 PM	0.5
5/6/2025	11:00:00 PM	0.49
5/6/2025	11:15:00 PM	0.5
5/6/2025	11:30:00 PM	0.5
5/6/2025	11:45:00 PM	0.5
5/7/2025	12:00:00 AM	0.5
5/7/2025	12:15:00 AM	0.5
5/7/2025	12:30:00 AM	0.5
5/7/2025	12:45:00 AM	0.5
5/7/2025	1:00:00 AM	0.5
5/7/2025	1:15:00 AM	0.5
5/7/2025	1:30:00 AM	0.5
5/7/2025	1:45:00 AM	0.5
5/7/2025	2:00:00 AM	0.5
5/7/2025	2:15:00 AM	0.5
5/7/2025	2:30:00 AM	0.5
5/7/2025	2:45:00 AM	0.5
5/7/2025	3:00:00 AM	0.5
5/7/2025	3:15:00 AM	0.5
5/7/2025	3:30:00 AM	0.5
5/7/2025	3:45:00 AM	0.5
5/7/2025	4:00:00 AM	0.5
5/7/2025	4:15:00 AM	0.5
5/7/2025	4:30:00 AM	0.5
5/7/2025	4:45:00 AM	0.5
5/7/2025	5:00:00 AM	0.5
5/7/2025	5:15:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/7/2025	5:30:00 AM	0.5
5/7/2025	5:45:00 AM	0.5
5/7/2025	6:00:00 AM	0.51
5/7/2025	6:15:00 AM	0.51
5/7/2025	6:30:00 AM	0.51
5/7/2025	6:45:00 AM	0.51
5/7/2025	7:00:00 AM	0.51
5/7/2025	7:15:00 AM	0.5
5/7/2025	7:30:00 AM	0.51
5/7/2025	7:45:00 AM	0.5
5/7/2025	8:00:00 AM	0.5
5/7/2025	8:15:00 AM	0.5
5/7/2025	8:30:00 AM	.
5/7/2025	8:45:00 AM	.
5/7/2025	9:00:00 AM	.
5/7/2025	9:15:00 AM	.
5/7/2025	9:30:00 AM	0.51
5/7/2025	9:45:00 AM	0.51
5/7/2025	10:00:00 AM	0.51
5/7/2025	10:15:00 AM	0.5
5/7/2025	10:30:00 AM	0.5
5/7/2025	10:45:00 AM	0.51
5/7/2025	11:00:00 AM	0.5
5/7/2025	11:15:00 AM	0.51
5/7/2025	11:30:00 AM	0.51
5/7/2025	11:45:00 AM	0.51
5/7/2025	12:00:00 PM	0.51
5/7/2025	12:15:00 PM	0.5
5/7/2025	12:30:00 PM	0.51
5/7/2025	12:45:00 PM	0.5
5/7/2025	1:00:00 PM	0.51
5/7/2025	1:15:00 PM	0.51
5/7/2025	1:30:00 PM	0.51
5/7/2025	1:45:00 PM	0.5
5/7/2025	2:00:00 PM	0.5
5/7/2025	2:15:00 PM	0.5
5/7/2025	2:30:00 PM	0.5
5/7/2025	2:45:00 PM	0.5
5/7/2025	3:00:00 PM	0.5
5/7/2025	3:15:00 PM	0.5
5/7/2025	3:30:00 PM	0.5
5/7/2025	3:45:00 PM	0.5
5/7/2025	4:00:00 PM	0.5
5/7/2025	4:15:00 PM	0.5
5/7/2025	4:30:00 PM	0.5
5/7/2025	4:45:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/7/2025	5:00:00 PM	0.5
5/7/2025	5:15:00 PM	0.49
5/7/2025	5:30:00 PM	0.5
5/7/2025	5:45:00 PM	0.5
5/7/2025	6:00:00 PM	0.5
5/7/2025	6:15:00 PM	0.49
5/7/2025	6:30:00 PM	0.49
5/7/2025	6:45:00 PM	0.5
5/7/2025	7:00:00 PM	0.49
5/7/2025	7:15:00 PM	0.49
5/7/2025	7:30:00 PM	0.49
5/7/2025	7:45:00 PM	0.49
5/7/2025	8:00:00 PM	0.49
5/7/2025	8:15:00 PM	0.49
5/7/2025	8:30:00 PM	0.49
5/7/2025	8:45:00 PM	0.49
5/7/2025	9:00:00 PM	0.49
5/7/2025	9:15:00 PM	0.49
5/7/2025	9:30:00 PM	0.49
5/7/2025	9:45:00 PM	0.5
5/7/2025	10:00:00 PM	0.5
5/7/2025	10:15:00 PM	0.5
5/7/2025	10:30:00 PM	0.5
5/7/2025	10:45:00 PM	0.5
5/7/2025	11:00:00 PM	0.5
5/7/2025	11:15:00 PM	0.5
5/7/2025	11:30:00 PM	0.5
5/7/2025	11:45:00 PM	0.5
5/8/2025	12:00:00 AM	0.5
5/8/2025	12:15:00 AM	0.5
5/8/2025	12:30:00 AM	0.5
5/8/2025	12:45:00 AM	0.5
5/8/2025	1:00:00 AM	0.5
5/8/2025	1:15:00 AM	0.5
5/8/2025	1:30:00 AM	0.5
5/8/2025	1:45:00 AM	0.5
5/8/2025	2:00:00 AM	0.5
5/8/2025	2:15:00 AM	0.5
5/8/2025	2:30:00 AM	0.5
5/8/2025	2:45:00 AM	0.5
5/8/2025	3:00:00 AM	0.5
5/8/2025	3:15:00 AM	0.5
5/8/2025	3:30:00 AM	0.5
5/8/2025	3:45:00 AM	0.5
5/8/2025	4:00:00 AM	0.5
5/8/2025	4:15:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/8/2025	4:30:00 AM	0.5
5/8/2025	4:45:00 AM	0.5
5/8/2025	5:00:00 AM	0.5
5/8/2025	5:15:00 AM	0.5
5/8/2025	5:30:00 AM	0.5
5/8/2025	5:45:00 AM	0.5
5/8/2025	6:00:00 AM	0.5
5/8/2025	6:15:00 AM	0.5
5/8/2025	6:30:00 AM	0.5
5/8/2025	6:45:00 AM	0.5
5/8/2025	7:00:00 AM	0.5
5/8/2025	7:15:00 AM	0.5
5/8/2025	7:30:00 AM	0.5
5/8/2025	7:45:00 AM	0.5
5/8/2025	8:00:00 AM	0.5
5/8/2025	8:15:00 AM	0.5
5/8/2025	8:30:00 AM	0.5
5/8/2025	8:45:00 AM	0.5
5/8/2025	9:00:00 AM	0.5
5/8/2025	9:15:00 AM	0.5
5/8/2025	9:30:00 AM	0.49
5/8/2025	9:45:00 AM	0.49
5/8/2025	10:00:00 AM	0.49
5/8/2025	10:15:00 AM	0.49
5/8/2025	10:30:00 AM	0.49
5/8/2025	10:45:00 AM	0.49
5/8/2025	11:00:00 AM	0.49
5/8/2025	11:15:00 AM	0.49
5/8/2025	11:30:00 AM	0.49
5/8/2025	11:45:00 AM	0.49
5/8/2025	12:00:00 PM	0.49
5/8/2025	12:15:00 PM	0.49
5/8/2025	12:30:00 PM	0.49
5/8/2025	12:45:00 PM	0.49
5/8/2025	1:00:00 PM	0.49
5/8/2025	1:15:00 PM	0.49
5/8/2025	1:30:00 PM	0.49
5/8/2025	1:45:00 PM	0.49
5/8/2025	2:00:00 PM	0.49
5/8/2025	2:15:00 PM	0.49
5/8/2025	2:30:00 PM	0.49
5/8/2025	2:45:00 PM	0.48
5/8/2025	3:00:00 PM	0.48
5/8/2025	3:15:00 PM	0.48
5/8/2025	3:30:00 PM	0.48
5/8/2025	3:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/8/2025	4:00:00 PM	0.48
5/8/2025	4:15:00 PM	0.48
5/8/2025	4:30:00 PM	0.48
5/8/2025	4:45:00 PM	0.48
5/8/2025	5:00:00 PM	0.48
5/8/2025	5:15:00 PM	0.48
5/8/2025	5:30:00 PM	0.47
5/8/2025	5:45:00 PM	0.47
5/8/2025	6:00:00 PM	0.47
5/8/2025	6:15:00 PM	0.47
5/8/2025	6:30:00 PM	0.47
5/8/2025	6:45:00 PM	0.47
5/8/2025	7:00:00 PM	0.47
5/8/2025	7:15:00 PM	0.47
5/8/2025	7:30:00 PM	0.47
5/8/2025	7:45:00 PM	0.47
5/8/2025	8:00:00 PM	0.47
5/8/2025	8:15:00 PM	0.47
5/8/2025	8:30:00 PM	0.47
5/8/2025	8:45:00 PM	0.47
5/8/2025	9:00:00 PM	0.47
5/8/2025	9:15:00 PM	0.47
5/8/2025	9:30:00 PM	0.47
5/8/2025	9:45:00 PM	0.47
5/8/2025	10:00:00 PM	0.47
5/8/2025	10:15:00 PM	0.47
5/8/2025	10:30:00 PM	0.47
5/8/2025	10:45:00 PM	0.47
5/8/2025	11:00:00 PM	0.47
5/8/2025	11:15:00 PM	0.47
5/8/2025	11:30:00 PM	0.47
5/8/2025	11:45:00 PM	0.47
5/9/2025	12:00:00 AM	0.47
5/9/2025	12:15:00 AM	0.47
5/9/2025	12:30:00 AM	0.47
5/9/2025	12:45:00 AM	0.47
5/9/2025	1:00:00 AM	0.48
5/9/2025	1:15:00 AM	0.48
5/9/2025	1:30:00 AM	0.48
5/9/2025	1:45:00 AM	0.48
5/9/2025	2:00:00 AM	0.48
5/9/2025	2:15:00 AM	0.48
5/9/2025	2:30:00 AM	0.48
5/9/2025	2:45:00 AM	0.48
5/9/2025	3:00:00 AM	0.48
5/9/2025	3:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/9/2025	3:30:00 AM	0.48
5/9/2025	3:45:00 AM	0.49
5/9/2025	4:00:00 AM	0.49
5/9/2025	4:15:00 AM	0.49
5/9/2025	4:30:00 AM	0.49
5/9/2025	4:45:00 AM	0.49
5/9/2025	5:00:00 AM	0.49
5/9/2025	5:15:00 AM	0.49
5/9/2025	5:30:00 AM	0.49
5/9/2025	5:45:00 AM	0.49
5/9/2025	6:00:00 AM	0.49
5/9/2025	6:15:00 AM	0.49
5/9/2025	6:30:00 AM	0.49
5/9/2025	6:45:00 AM	0.49
5/9/2025	7:00:00 AM	0.49
5/9/2025	7:15:00 AM	0.49
5/9/2025	7:30:00 AM	0.49
5/9/2025	7:45:00 AM	0.49
5/9/2025	8:00:00 AM	0.49
5/9/2025	8:15:00 AM	0.49
5/9/2025	8:30:00 AM	0.49
5/9/2025	8:45:00 AM	0.49
5/9/2025	9:00:00 AM	0.49
5/9/2025	9:15:00 AM	0.49
5/9/2025	9:30:00 AM	0.49
5/9/2025	9:45:00 AM	0.49
5/9/2025	10:00:00 AM	0.49
5/9/2025	10:15:00 AM	0.49
5/9/2025	10:30:00 AM	0.49
5/9/2025	10:45:00 AM	0.49
5/9/2025	11:00:00 AM	0.49
5/9/2025	11:15:00 AM	0.49
5/9/2025	11:30:00 AM	0.49
5/9/2025	11:45:00 AM	0.49
5/9/2025	12:00:00 PM	0.49
5/9/2025	12:15:00 PM	0.49
5/9/2025	12:30:00 PM	0.49
5/9/2025	12:45:00 PM	0.49
5/9/2025	1:00:00 PM	0.49
5/9/2025	1:15:00 PM	0.49
5/9/2025	1:30:00 PM	0.49
5/9/2025	1:45:00 PM	0.49
5/9/2025	2:00:00 PM	0.49
5/9/2025	2:15:00 PM	0.49
5/9/2025	2:30:00 PM	0.49
5/9/2025	2:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/9/2025	3:00:00 PM	0.49
5/9/2025	3:15:00 PM	0.48
5/9/2025	3:30:00 PM	0.48
5/9/2025	3:45:00 PM	0.48
5/9/2025	4:00:00 PM	0.49
5/9/2025	4:15:00 PM	0.48
5/9/2025	4:30:00 PM	0.48
5/9/2025	4:45:00 PM	0.48
5/9/2025	5:00:00 PM	0.48
5/9/2025	5:15:00 PM	0.48
5/9/2025	5:30:00 PM	0.48
5/9/2025	5:45:00 PM	0.48
5/9/2025	6:00:00 PM	0.48
5/9/2025	6:15:00 PM	0.48
5/9/2025	6:30:00 PM	0.48
5/9/2025	6:45:00 PM	0.48
5/9/2025	7:00:00 PM	0.48
5/9/2025	7:15:00 PM	0.48
5/9/2025	7:30:00 PM	0.48
5/9/2025	7:45:00 PM	0.48
5/9/2025	8:00:00 PM	0.48
5/9/2025	8:15:00 PM	0.48
5/9/2025	8:30:00 PM	0.48
5/9/2025	8:45:00 PM	0.48
5/9/2025	9:00:00 PM	0.48
5/9/2025	9:15:00 PM	0.48
5/9/2025	9:30:00 PM	0.48
5/9/2025	9:45:00 PM	0.48
5/9/2025	10:00:00 PM	0.48
5/9/2025	10:15:00 PM	0.48
5/9/2025	10:30:00 PM	0.48
5/9/2025	10:45:00 PM	0.48
5/9/2025	11:00:00 PM	0.48
5/9/2025	11:15:00 PM	0.48
5/9/2025	11:30:00 PM	0.48
5/9/2025	11:45:00 PM	0.48
5/10/2025	12:00:00 AM	0.48
5/10/2025	12:15:00 AM	0.48
5/10/2025	12:30:00 AM	0.48
5/10/2025	12:45:00 AM	0.48
5/10/2025	1:00:00 AM	0.48
5/10/2025	1:15:00 AM	0.48
5/10/2025	1:30:00 AM	0.48
5/10/2025	1:45:00 AM	0.48
5/10/2025	2:00:00 AM	0.48
5/10/2025	2:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/10/2025	2:30:00 AM	0.48
5/10/2025	2:45:00 AM	0.48
5/10/2025	3:00:00 AM	0.47
5/10/2025	3:15:00 AM	0.47
5/10/2025	3:30:00 AM	0.47
5/10/2025	3:45:00 AM	0.47
5/10/2025	4:00:00 AM	0.47
5/10/2025	4:15:00 AM	0.47
5/10/2025	4:30:00 AM	0.47
5/10/2025	4:45:00 AM	0.47
5/10/2025	5:00:00 AM	0.47
5/10/2025	5:15:00 AM	0.46
5/10/2025	5:30:00 AM	0.46
5/10/2025	5:45:00 AM	0.46
5/10/2025	6:00:00 AM	0.46
5/10/2025	6:15:00 AM	0.46
5/10/2025	6:30:00 AM	0.46
5/10/2025	6:45:00 AM	0.46
5/10/2025	7:00:00 AM	0.46
5/10/2025	7:15:00 AM	0.46
5/10/2025	7:30:00 AM	0.46
5/10/2025	7:45:00 AM	0.46
5/10/2025	8:00:00 AM	0.46
5/10/2025	8:15:00 AM	0.46
5/10/2025	8:30:00 AM	0.46
5/10/2025	8:45:00 AM	0.45
5/10/2025	9:00:00 AM	0.45
5/10/2025	9:15:00 AM	0.45
5/10/2025	9:30:00 AM	0.45
5/10/2025	9:45:00 AM	0.45
5/10/2025	10:00:00 AM	0.46
5/10/2025	10:15:00 AM	0.46
5/10/2025	10:30:00 AM	0.47
5/10/2025	10:45:00 AM	0.48
5/10/2025	11:00:00 AM	0.48
5/10/2025	11:15:00 AM	0.49
5/10/2025	11:30:00 AM	0.5
5/10/2025	11:45:00 AM	0.51
5/10/2025	12:00:00 PM	0.52
5/10/2025	12:15:00 PM	0.53
5/10/2025	12:30:00 PM	0.54
5/10/2025	12:45:00 PM	0.54
5/10/2025	1:00:00 PM	0.55
5/10/2025	1:15:00 PM	0.55
5/10/2025	1:30:00 PM	0.56
5/10/2025	1:45:00 PM	0.57

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/10/2025	2:00:00 PM	0.58
5/10/2025	2:15:00 PM	0.58
5/10/2025	2:30:00 PM	0.58
5/10/2025	2:45:00 PM	0.59
5/10/2025	3:00:00 PM	0.59
5/10/2025	3:15:00 PM	0.6
5/10/2025	3:30:00 PM	0.6
5/10/2025	3:45:00 PM	0.63
5/10/2025	4:00:00 PM	0.65
5/10/2025	4:15:00 PM	0.65
5/10/2025	4:30:00 PM	0.64
5/10/2025	4:45:00 PM	0.64
5/10/2025	5:00:00 PM	0.63
5/10/2025	5:15:00 PM	0.63
5/10/2025	5:30:00 PM	0.63
5/10/2025	5:45:00 PM	0.63
5/10/2025	6:00:00 PM	0.63
5/10/2025	6:15:00 PM	0.63
5/10/2025	6:30:00 PM	0.63
5/10/2025	6:45:00 PM	0.63
5/10/2025	7:00:00 PM	0.63
5/10/2025	7:15:00 PM	0.63
5/10/2025	7:30:00 PM	0.63
5/10/2025	7:45:00 PM	0.63
5/10/2025	8:00:00 PM	0.63
5/10/2025	8:15:00 PM	0.63
5/10/2025	8:30:00 PM	0.64
5/10/2025	8:45:00 PM	0.64
5/10/2025	9:00:00 PM	0.64
5/10/2025	9:15:00 PM	0.64
5/10/2025	9:30:00 PM	0.64
5/10/2025	9:45:00 PM	0.64
5/10/2025	10:00:00 PM	0.64
5/10/2025	10:15:00 PM	0.64
5/10/2025	10:30:00 PM	0.64
5/10/2025	10:45:00 PM	0.64
5/10/2025	11:00:00 PM	0.63
5/10/2025	11:15:00 PM	0.63
5/10/2025	11:30:00 PM	0.63
5/10/2025	11:45:00 PM	0.64
5/11/2025	12:00:00 AM	0.69
5/11/2025	12:15:00 AM	0.71
5/11/2025	12:30:00 AM	0.71
5/11/2025	12:45:00 AM	0.71
5/11/2025	1:00:00 AM	0.71
5/11/2025	1:15:00 AM	0.7

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/11/2025	1:30:00 AM	0.7
5/11/2025	1:45:00 AM	0.7
5/11/2025	2:00:00 AM	0.69
5/11/2025	2:15:00 AM	0.69
5/11/2025	2:30:00 AM	0.69
5/11/2025	2:45:00 AM	0.69
5/11/2025	3:00:00 AM	0.69
5/11/2025	3:15:00 AM	0.69
5/11/2025	3:30:00 AM	0.69
5/11/2025	3:45:00 AM	0.69
5/11/2025	4:00:00 AM	0.69
5/11/2025	4:15:00 AM	0.68
5/11/2025	4:30:00 AM	0.68
5/11/2025	4:45:00 AM	0.68
5/11/2025	5:00:00 AM	0.68
5/11/2025	5:15:00 AM	0.68
5/11/2025	5:30:00 AM	0.68
5/11/2025	5:45:00 AM	0.68
5/11/2025	6:00:00 AM	0.68
5/11/2025	6:15:00 AM	0.68
5/11/2025	6:30:00 AM	0.68
5/11/2025	6:45:00 AM	0.68
5/11/2025	7:00:00 AM	0.68
5/11/2025	7:15:00 AM	0.68
5/11/2025	7:30:00 AM	0.68
5/11/2025	7:45:00 AM	0.67
5/11/2025	8:00:00 AM	0.67
5/11/2025	8:15:00 AM	0.67
5/11/2025	8:30:00 AM	0.67
5/11/2025	8:45:00 AM	0.67
5/11/2025	9:00:00 AM	0.67
5/11/2025	9:15:00 AM	0.67
5/11/2025	9:30:00 AM	0.67
5/11/2025	9:45:00 AM	0.67
5/11/2025	10:00:00 AM	0.66
5/11/2025	10:15:00 AM	0.66
5/11/2025	10:30:00 AM	0.66
5/11/2025	10:45:00 AM	0.65
5/11/2025	11:00:00 AM	0.65
5/11/2025	11:15:00 AM	0.64
5/11/2025	11:30:00 AM	0.64
5/11/2025	11:45:00 AM	0.64
5/11/2025	12:00:00 PM	0.63
5/11/2025	12:15:00 PM	0.63
5/11/2025	12:30:00 PM	0.62
5/11/2025	12:45:00 PM	0.62

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/11/2025	1:00:00 PM	0.61
5/11/2025	1:15:00 PM	0.6
5/11/2025	1:30:00 PM	0.6
5/11/2025	1:45:00 PM	0.59
5/11/2025	2:00:00 PM	0.59
5/11/2025	2:15:00 PM	0.58
5/11/2025	2:30:00 PM	0.57
5/11/2025	2:45:00 PM	0.57
5/11/2025	3:00:00 PM	0.57
5/11/2025	3:15:00 PM	0.56
5/11/2025	3:30:00 PM	0.58
5/11/2025	3:45:00 PM	0.61
5/11/2025	4:00:00 PM	0.65
5/11/2025	4:15:00 PM	0.67
5/11/2025	4:30:00 PM	0.69
5/11/2025	4:45:00 PM	0.71
5/11/2025	5:00:00 PM	0.71
5/11/2025	5:15:00 PM	0.72
5/11/2025	5:30:00 PM	0.73
5/11/2025	5:45:00 PM	0.73
5/11/2025	6:00:00 PM	0.73
5/11/2025	6:15:00 PM	0.73
5/11/2025	6:30:00 PM	0.73
5/11/2025	6:45:00 PM	0.73
5/11/2025	7:00:00 PM	0.73
5/11/2025	7:15:00 PM	0.73
5/11/2025	7:30:00 PM	0.73
5/11/2025	7:45:00 PM	0.73
5/11/2025	8:00:00 PM	0.73
5/11/2025	8:15:00 PM	0.73
5/11/2025	8:30:00 PM	0.73
5/11/2025	8:45:00 PM	0.73
5/11/2025	9:00:00 PM	0.73
5/11/2025	9:15:00 PM	0.73
5/11/2025	9:30:00 PM	0.73
5/11/2025	9:45:00 PM	0.73
5/11/2025	10:00:00 PM	0.73
5/11/2025	10:15:00 PM	0.73
5/11/2025	10:30:00 PM	0.73
5/11/2025	10:45:00 PM	0.73
5/11/2025	11:00:00 PM	0.73
5/11/2025	11:15:00 PM	0.73
5/11/2025	11:30:00 PM	0.73
5/11/2025	11:45:00 PM	0.73
5/12/2025	12:00:00 AM	0.73
5/12/2025	12:15:00 AM	0.73

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/12/2025	12:30:00 AM	0.73
5/12/2025	12:45:00 AM	0.73
5/12/2025	1:00:00 AM	0.73
5/12/2025	1:15:00 AM	0.73
5/12/2025	1:30:00 AM	0.73
5/12/2025	1:45:00 AM	0.73
5/12/2025	2:00:00 AM	0.73
5/12/2025	2:15:00 AM	0.73
5/12/2025	2:30:00 AM	0.73
5/12/2025	2:45:00 AM	0.73
5/12/2025	3:00:00 AM	0.73
5/12/2025	3:15:00 AM	0.73
5/12/2025	3:30:00 AM	0.73
5/12/2025	3:45:00 AM	0.74
5/12/2025	4:00:00 AM	0.73
5/12/2025	4:15:00 AM	0.74
5/12/2025	4:30:00 AM	0.73
5/12/2025	4:45:00 AM	0.73
5/12/2025	5:00:00 AM	0.73
5/12/2025	5:15:00 AM	0.73
5/12/2025	5:30:00 AM	0.74
5/12/2025	5:45:00 AM	0.73
5/12/2025	6:00:00 AM	0.73
5/12/2025	6:15:00 AM	0.73
5/12/2025	6:30:00 AM	0.74
5/12/2025	6:45:00 AM	0.74
5/12/2025	7:00:00 AM	0.74
5/12/2025	7:15:00 AM	0.74
5/12/2025	7:30:00 AM	0.74
5/12/2025	7:45:00 AM	0.72
5/12/2025	8:00:00 AM	0.67
5/12/2025	8:15:00 AM	0.63
5/12/2025	8:30:00 AM	0.6
5/12/2025	8:45:00 AM	0.58
5/12/2025	9:00:00 AM	0.56
5/12/2025	9:15:00 AM	0.55
5/12/2025	9:30:00 AM	0.54
5/12/2025	9:45:00 AM	0.52
5/12/2025	10:00:00 AM	0.52
5/12/2025	10:15:00 AM	0.51
5/12/2025	10:30:00 AM	0.51
5/12/2025	10:45:00 AM	0.5
5/12/2025	11:00:00 AM	0.5
5/12/2025	11:15:00 AM	0.5
5/12/2025	11:30:00 AM	0.5
5/12/2025	11:45:00 AM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/12/2025	12:00:00 PM	0.49
5/12/2025	12:15:00 PM	0.49
5/12/2025	12:30:00 PM	0.49
5/12/2025	12:45:00 PM	0.49
5/12/2025	1:00:00 PM	0.48
5/12/2025	1:15:00 PM	0.48
5/12/2025	1:30:00 PM	0.48
5/12/2025	1:45:00 PM	0.49
5/12/2025	2:00:00 PM	0.48
5/12/2025	2:15:00 PM	0.48
5/12/2025	2:30:00 PM	0.48
5/12/2025	2:45:00 PM	0.48
5/12/2025	3:00:00 PM	0.48
5/12/2025	3:15:00 PM	0.47
5/12/2025	3:30:00 PM	0.47
5/12/2025	3:45:00 PM	0.46
5/12/2025	4:00:00 PM	0.46
5/12/2025	4:15:00 PM	0.45
5/12/2025	4:30:00 PM	0.45
5/12/2025	4:45:00 PM	0.44
5/12/2025	5:00:00 PM	0.45
5/12/2025	5:15:00 PM	0.45
5/12/2025	5:30:00 PM	0.45
5/12/2025	5:45:00 PM	0.44
5/12/2025	6:00:00 PM	0.43
5/12/2025	6:15:00 PM	0.43
5/12/2025	6:30:00 PM	0.43
5/12/2025	6:45:00 PM	0.43
5/12/2025	7:00:00 PM	0.43
5/12/2025	7:15:00 PM	0.42
5/12/2025	7:30:00 PM	0.42
5/12/2025	7:45:00 PM	0.42
5/12/2025	8:00:00 PM	0.42
5/12/2025	8:15:00 PM	0.42
5/12/2025	8:30:00 PM	0.42
5/12/2025	8:45:00 PM	0.42
5/12/2025	9:00:00 PM	0.43
5/12/2025	9:15:00 PM	0.42
5/12/2025	9:30:00 PM	0.42
5/12/2025	9:45:00 PM	0.42
5/12/2025	10:00:00 PM	0.42
5/12/2025	10:15:00 PM	0.42
5/12/2025	10:30:00 PM	0.42
5/12/2025	10:45:00 PM	0.42
5/12/2025	11:00:00 PM	0.42
5/12/2025	11:15:00 PM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/12/2025	11:30:00 PM	0.42
5/12/2025	11:45:00 PM	0.42
5/13/2025	12:00:00 AM	0.42
5/13/2025	12:15:00 AM	0.42
5/13/2025	12:30:00 AM	0.42
5/13/2025	12:45:00 AM	0.42
5/13/2025	1:00:00 AM	0.42
5/13/2025	1:15:00 AM	0.42
5/13/2025	1:30:00 AM	0.42
5/13/2025	1:45:00 AM	0.42
5/13/2025	2:00:00 AM	0.42
5/13/2025	2:15:00 AM	0.42
5/13/2025	2:30:00 AM	0.42
5/13/2025	2:45:00 AM	0.42
5/13/2025	3:00:00 AM	0.42
5/13/2025	3:15:00 AM	0.42
5/13/2025	3:30:00 AM	0.42
5/13/2025	3:45:00 AM	0.42
5/13/2025	4:00:00 AM	0.42
5/13/2025	4:15:00 AM	0.42
5/13/2025	4:30:00 AM	0.42
5/13/2025	4:45:00 AM	0.42
5/13/2025	5:00:00 AM	0.42
5/13/2025	5:15:00 AM	0.42
5/13/2025	5:30:00 AM	0.42
5/13/2025	5:45:00 AM	0.42
5/13/2025	6:00:00 AM	0.42
5/13/2025	6:15:00 AM	0.42
5/13/2025	6:30:00 AM	0.42
5/13/2025	6:45:00 AM	0.42
5/13/2025	7:00:00 AM	0.42
5/13/2025	7:15:00 AM	0.42
5/13/2025	7:30:00 AM	0.42
5/13/2025	7:45:00 AM	0.41
5/13/2025	8:00:00 AM	0.41
5/13/2025	8:15:00 AM	0.41
5/13/2025	8:30:00 AM	0.41
5/13/2025	8:45:00 AM	0.41
5/13/2025	9:00:00 AM	0.41
5/13/2025	9:15:00 AM	0.41
5/13/2025	9:30:00 AM	0.41
5/13/2025	9:45:00 AM	0.41
5/13/2025	10:00:00 AM	0.41
5/13/2025	10:15:00 AM	0.41
5/13/2025	10:30:00 AM	0.41
5/13/2025	10:45:00 AM	0.42

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/13/2025	11:00:00 AM	0.42
5/13/2025	11:15:00 AM	0.43
5/13/2025	11:30:00 AM	0.43
5/13/2025	11:45:00 AM	0.44
5/13/2025	12:00:00 PM	0.44
5/13/2025	12:15:00 PM	0.45
5/13/2025	12:30:00 PM	0.45
5/13/2025	12:45:00 PM	0.46
5/13/2025	1:00:00 PM	0.47
5/13/2025	1:15:00 PM	0.47
5/13/2025	1:30:00 PM	0.47
5/13/2025	1:45:00 PM	0.48
5/13/2025	2:00:00 PM	0.48
5/13/2025	2:15:00 PM	0.48
5/13/2025	2:30:00 PM	0.49
5/13/2025	2:45:00 PM	0.49
5/13/2025	3:00:00 PM	0.49
5/13/2025	3:15:00 PM	0.5
5/13/2025	3:30:00 PM	0.5
5/13/2025	3:45:00 PM	0.5
5/13/2025	4:00:00 PM	0.5
5/13/2025	4:15:00 PM	0.5
5/13/2025	4:30:00 PM	0.5
5/13/2025	4:45:00 PM	0.51
5/13/2025	5:00:00 PM	0.5
5/13/2025	5:15:00 PM	0.5
5/13/2025	5:30:00 PM	0.5
5/13/2025	5:45:00 PM	0.5
5/13/2025	6:00:00 PM	0.5
5/13/2025	6:15:00 PM	0.5
5/13/2025	6:30:00 PM	0.5
5/13/2025	6:45:00 PM	0.5
5/13/2025	7:00:00 PM	0.5
5/13/2025	7:15:00 PM	0.5
5/13/2025	7:30:00 PM	0.51
5/13/2025	7:45:00 PM	0.51
5/13/2025	8:00:00 PM	0.52
5/13/2025	8:15:00 PM	0.52
5/13/2025	8:30:00 PM	0.53
5/13/2025	8:45:00 PM	0.53
5/13/2025	9:00:00 PM	0.53
5/13/2025	9:15:00 PM	0.54
5/13/2025	9:30:00 PM	0.54
5/13/2025	9:45:00 PM	0.54
5/13/2025	10:00:00 PM	0.54
5/13/2025	10:15:00 PM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/13/2025	10:30:00 PM	0.55
5/13/2025	10:45:00 PM	0.55
5/13/2025	11:00:00 PM	0.55
5/13/2025	11:15:00 PM	0.55
5/13/2025	11:30:00 PM	0.55
5/13/2025	11:45:00 PM	0.55
5/14/2025	12:00:00 AM	0.55
5/14/2025	12:15:00 AM	0.55
5/14/2025	12:30:00 AM	0.55
5/14/2025	12:45:00 AM	0.55
5/14/2025	1:00:00 AM	0.55
5/14/2025	1:15:00 AM	0.55
5/14/2025	1:30:00 AM	0.54
5/14/2025	1:45:00 AM	0.54
5/14/2025	2:00:00 AM	0.54
5/14/2025	2:15:00 AM	0.54
5/14/2025	2:30:00 AM	0.54
5/14/2025	2:45:00 AM	0.54
5/14/2025	3:00:00 AM	0.54
5/14/2025	3:15:00 AM	0.55
5/14/2025	3:30:00 AM	0.55
5/14/2025	3:45:00 AM	0.55
5/14/2025	4:00:00 AM	0.55
5/14/2025	4:15:00 AM	0.55
5/14/2025	4:30:00 AM	0.55
5/14/2025	4:45:00 AM	0.55
5/14/2025	5:00:00 AM	0.55
5/14/2025	5:15:00 AM	0.55
5/14/2025	5:30:00 AM	0.55
5/14/2025	5:45:00 AM	0.56
5/14/2025	6:00:00 AM	0.56
5/14/2025	6:15:00 AM	0.56
5/14/2025	6:30:00 AM	0.56
5/14/2025	6:45:00 AM	0.56
5/14/2025	7:00:00 AM	0.56
5/14/2025	7:15:00 AM	0.56
5/14/2025	7:30:00 AM	0.56
5/14/2025	7:45:00 AM	0.56
5/14/2025	8:00:00 AM	0.56
5/14/2025	8:15:00 AM	0.56
5/14/2025	8:30:00 AM	0.57
5/14/2025	8:45:00 AM	0.56
5/14/2025	9:00:00 AM	0.57
5/14/2025	9:15:00 AM	0.57
5/14/2025	9:30:00 AM	0.57
5/14/2025	9:45:00 AM	0.58

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/14/2025	10:00:00 AM	0.59
5/14/2025	10:15:00 AM	0.59
5/14/2025	10:30:00 AM	0.59
5/14/2025	10:45:00 AM	0.59
5/14/2025	11:00:00 AM	0.59
5/14/2025	11:15:00 AM	0.58
5/14/2025	11:30:00 AM	0.58
5/14/2025	11:45:00 AM	0.58
5/14/2025	12:00:00 PM	0.57
5/14/2025	12:15:00 PM	0.57
5/14/2025	12:30:00 PM	0.57
5/14/2025	12:45:00 PM	0.57
5/14/2025	1:00:00 PM	0.57
5/14/2025	1:15:00 PM	0.57
5/14/2025	1:30:00 PM	0.57
5/14/2025	1:45:00 PM	0.57
5/14/2025	2:00:00 PM	0.56
5/14/2025	2:15:00 PM	0.56
5/14/2025	2:30:00 PM	0.56
5/14/2025	2:45:00 PM	0.56
5/14/2025	3:00:00 PM	0.55
5/14/2025	3:15:00 PM	0.55
5/14/2025	3:30:00 PM	0.54
5/14/2025	3:45:00 PM	0.54
5/14/2025	4:00:00 PM	0.54
5/14/2025	4:15:00 PM	0.53
5/14/2025	4:30:00 PM	0.53
5/14/2025	4:45:00 PM	0.52
5/14/2025	5:00:00 PM	0.52
5/14/2025	5:15:00 PM	0.52
5/14/2025	5:30:00 PM	0.51
5/14/2025	5:45:00 PM	0.51
5/14/2025	6:00:00 PM	0.51
5/14/2025	6:15:00 PM	0.51
5/14/2025	6:30:00 PM	0.5
5/14/2025	6:45:00 PM	0.5
5/14/2025	7:00:00 PM	0.5
5/14/2025	7:15:00 PM	0.5
5/14/2025	7:30:00 PM	0.49
5/14/2025	7:45:00 PM	0.49
5/14/2025	8:00:00 PM	0.49
5/14/2025	8:15:00 PM	0.49
5/14/2025	8:30:00 PM	0.49
5/14/2025	8:45:00 PM	0.49
5/14/2025	9:00:00 PM	0.48
5/14/2025	9:15:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/14/2025	9:30:00 PM	0.48
5/14/2025	9:45:00 PM	0.48
5/14/2025	10:00:00 PM	0.48
5/14/2025	10:15:00 PM	0.48
5/14/2025	10:30:00 PM	0.48
5/14/2025	10:45:00 PM	0.48
5/14/2025	11:00:00 PM	0.47
5/14/2025	11:15:00 PM	0.47
5/14/2025	11:30:00 PM	0.47
5/14/2025	11:45:00 PM	0.47
5/15/2025	12:00:00 AM	0.47
5/15/2025	12:15:00 AM	0.47
5/15/2025	12:30:00 AM	0.47
5/15/2025	12:45:00 AM	0.47
5/15/2025	1:00:00 AM	0.47
5/15/2025	1:15:00 AM	0.47
5/15/2025	1:30:00 AM	0.47
5/15/2025	1:45:00 AM	0.47
5/15/2025	2:00:00 AM	0.47
5/15/2025	2:15:00 AM	0.47
5/15/2025	2:30:00 AM	0.47
5/15/2025	2:45:00 AM	0.47
5/15/2025	3:00:00 AM	0.46
5/15/2025	3:15:00 AM	0.46
5/15/2025	3:30:00 AM	0.46
5/15/2025	3:45:00 AM	0.46
5/15/2025	4:00:00 AM	0.46
5/15/2025	4:15:00 AM	0.46
5/15/2025	4:30:00 AM	0.46
5/15/2025	4:45:00 AM	0.46
5/15/2025	5:00:00 AM	0.46
5/15/2025	5:15:00 AM	0.46
5/15/2025	5:30:00 AM	0.46
5/15/2025	5:45:00 AM	0.46
5/15/2025	6:00:00 AM	0.46
5/15/2025	6:15:00 AM	0.47
5/15/2025	6:30:00 AM	0.47
5/15/2025	6:45:00 AM	0.47
5/15/2025	7:00:00 AM	0.47
5/15/2025	7:15:00 AM	0.47
5/15/2025	7:30:00 AM	0.47
5/15/2025	7:45:00 AM	0.47
5/15/2025	8:00:00 AM	0.47
5/15/2025	8:15:00 AM	0.47
5/15/2025	8:30:00 AM	0.47
5/15/2025	8:45:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/15/2025	9:00:00 AM	0.47
5/15/2025	9:15:00 AM	0.47
5/15/2025	9:30:00 AM	0.47
5/15/2025	9:45:00 AM	0.47
5/15/2025	10:00:00 AM	0.47
5/15/2025	10:15:00 AM	0.47
5/15/2025	10:30:00 AM	0.47
5/15/2025	10:45:00 AM	0.47
5/15/2025	11:00:00 AM	0.47
5/15/2025	11:15:00 AM	0.47
5/15/2025	11:30:00 AM	0.47
5/15/2025	11:45:00 AM	0.47
5/15/2025	12:00:00 PM	0.48
5/15/2025	12:15:00 PM	0.48
5/15/2025	12:30:00 PM	0.48
5/15/2025	12:45:00 PM	0.48
5/15/2025	1:00:00 PM	0.48
5/15/2025	1:15:00 PM	0.48
5/15/2025	1:30:00 PM	0.48
5/15/2025	1:45:00 PM	0.49
5/15/2025	2:00:00 PM	0.49
5/15/2025	2:15:00 PM	0.49
5/15/2025	2:30:00 PM	0.49
5/15/2025	2:45:00 PM	0.49
5/15/2025	3:00:00 PM	0.49
5/15/2025	3:15:00 PM	0.49
5/15/2025	3:30:00 PM	0.49
5/15/2025	3:45:00 PM	0.49
5/15/2025	4:00:00 PM	0.49
5/15/2025	4:15:00 PM	0.49
5/15/2025	4:30:00 PM	0.5
5/15/2025	4:45:00 PM	0.5
5/15/2025	5:00:00 PM	0.5
5/15/2025	5:15:00 PM	0.5
5/15/2025	5:30:00 PM	0.5
5/15/2025	5:45:00 PM	0.5
5/15/2025	6:00:00 PM	0.5
5/15/2025	6:15:00 PM	0.5
5/15/2025	6:30:00 PM	0.5
5/15/2025	6:45:00 PM	0.5
5/15/2025	7:00:00 PM	0.5
5/15/2025	7:15:00 PM	0.5
5/15/2025	7:30:00 PM	0.5
5/15/2025	7:45:00 PM	0.5
5/15/2025	8:00:00 PM	0.5
5/15/2025	8:15:00 PM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/15/2025	8:30:00 PM	0.5
5/15/2025	8:45:00 PM	0.5
5/15/2025	9:00:00 PM	0.51
5/15/2025	9:15:00 PM	0.51
5/15/2025	9:30:00 PM	0.51
5/15/2025	9:45:00 PM	0.51
5/15/2025	10:00:00 PM	0.51
5/15/2025	10:15:00 PM	0.51
5/15/2025	10:30:00 PM	0.51
5/15/2025	10:45:00 PM	0.51
5/15/2025	11:00:00 PM	0.51
5/15/2025	11:15:00 PM	0.51
5/15/2025	11:30:00 PM	0.51
5/15/2025	11:45:00 PM	0.52
5/16/2025	12:00:00 AM	0.52
5/16/2025	12:15:00 AM	0.52
5/16/2025	12:30:00 AM	0.51
5/16/2025	12:45:00 AM	0.52
5/16/2025	1:00:00 AM	0.52
5/16/2025	1:15:00 AM	0.52
5/16/2025	1:30:00 AM	0.52
5/16/2025	1:45:00 AM	0.52
5/16/2025	2:00:00 AM	0.52
5/16/2025	2:15:00 AM	0.52
5/16/2025	2:30:00 AM	0.52
5/16/2025	2:45:00 AM	0.51
5/16/2025	3:00:00 AM	0.51
5/16/2025	3:15:00 AM	0.51
5/16/2025	3:30:00 AM	0.51
5/16/2025	3:45:00 AM	0.51
5/16/2025	4:00:00 AM	0.51
5/16/2025	4:15:00 AM	0.51
5/16/2025	4:30:00 AM	0.51
5/16/2025	4:45:00 AM	0.51
5/16/2025	5:00:00 AM	0.51
5/16/2025	5:15:00 AM	0.51
5/16/2025	5:30:00 AM	0.51
5/16/2025	5:45:00 AM	0.51
5/16/2025	6:00:00 AM	0.51
5/16/2025	6:15:00 AM	0.51
5/16/2025	6:30:00 AM	0.51
5/16/2025	6:45:00 AM	0.51
5/16/2025	7:00:00 AM	0.51
5/16/2025	7:15:00 AM	0.51
5/16/2025	7:30:00 AM	0.51
5/16/2025	7:45:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/16/2025	8:00:00 AM	0.51
5/16/2025	8:15:00 AM	0.5
5/16/2025	8:30:00 AM	0.51
5/16/2025	8:45:00 AM	0.5
5/16/2025	9:00:00 AM	0.5
5/16/2025	9:15:00 AM	0.5
5/16/2025	9:30:00 AM	0.5
5/16/2025	9:45:00 AM	0.5
5/16/2025	10:00:00 AM	0.5
5/16/2025	10:15:00 AM	0.5
5/16/2025	10:30:00 AM	0.5
5/16/2025	10:45:00 AM	0.5
5/16/2025	11:00:00 AM	0.5
5/16/2025	11:15:00 AM	0.5
5/16/2025	11:30:00 AM	0.5
5/16/2025	11:45:00 AM	0.5
5/16/2025	12:00:00 PM	0.5
5/16/2025	12:15:00 PM	0.5
5/16/2025	12:30:00 PM	0.5
5/16/2025	12:45:00 PM	0.5
5/16/2025	1:00:00 PM	0.5
5/16/2025	1:15:00 PM	0.5
5/16/2025	1:30:00 PM	0.5
5/16/2025	1:45:00 PM	0.5
5/16/2025	2:00:00 PM	0.5
5/16/2025	2:15:00 PM	0.5
5/16/2025	2:30:00 PM	0.5
5/16/2025	2:45:00 PM	0.5
5/16/2025	3:00:00 PM	0.5
5/16/2025	3:15:00 PM	0.5
5/16/2025	3:30:00 PM	0.5
5/16/2025	3:45:00 PM	0.49
5/16/2025	4:00:00 PM	0.5
5/16/2025	4:15:00 PM	0.49
5/16/2025	4:30:00 PM	0.49
5/16/2025	4:45:00 PM	0.49
5/16/2025	5:00:00 PM	0.49
5/16/2025	5:15:00 PM	0.49
5/16/2025	5:30:00 PM	0.49
5/16/2025	5:45:00 PM	0.49
5/16/2025	6:00:00 PM	0.49
5/16/2025	6:15:00 PM	0.49
5/16/2025	6:30:00 PM	0.49
5/16/2025	6:45:00 PM	0.49
5/16/2025	7:00:00 PM	0.49
5/16/2025	7:15:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/16/2025	7:30:00 PM	0.49
5/16/2025	7:45:00 PM	0.49
5/16/2025	8:00:00 PM	0.49
5/16/2025	8:15:00 PM	0.49
5/16/2025	8:30:00 PM	0.49
5/16/2025	8:45:00 PM	0.49
5/16/2025	9:00:00 PM	0.49
5/16/2025	9:15:00 PM	0.49
5/16/2025	9:30:00 PM	0.49
5/16/2025	9:45:00 PM	0.49
5/16/2025	10:00:00 PM	0.49
5/16/2025	10:15:00 PM	0.49
5/16/2025	10:30:00 PM	0.49
5/16/2025	10:45:00 PM	0.49
5/16/2025	11:00:00 PM	0.49
5/16/2025	11:15:00 PM	0.49
5/16/2025	11:30:00 PM	0.49
5/16/2025	11:45:00 PM	0.49
5/17/2025	12:00:00 AM	0.49
5/17/2025	12:15:00 AM	0.49
5/17/2025	12:30:00 AM	0.49
5/17/2025	12:45:00 AM	0.49
5/17/2025	1:00:00 AM	0.49
5/17/2025	1:15:00 AM	0.49
5/17/2025	1:30:00 AM	0.49
5/17/2025	1:45:00 AM	0.49
5/17/2025	2:00:00 AM	0.49
5/17/2025	2:15:00 AM	0.49
5/17/2025	2:30:00 AM	0.49
5/17/2025	2:45:00 AM	0.49
5/17/2025	3:00:00 AM	0.49
5/17/2025	3:15:00 AM	0.49
5/17/2025	3:30:00 AM	0.49
5/17/2025	3:45:00 AM	0.49
5/17/2025	4:00:00 AM	0.49
5/17/2025	4:15:00 AM	0.49
5/17/2025	4:30:00 AM	0.49
5/17/2025	4:45:00 AM	0.49
5/17/2025	5:00:00 AM	0.49
5/17/2025	5:15:00 AM	0.48
5/17/2025	5:30:00 AM	0.48
5/17/2025	5:45:00 AM	0.48
5/17/2025	6:00:00 AM	0.48
5/17/2025	6:15:00 AM	0.48
5/17/2025	6:30:00 AM	0.48
5/17/2025	6:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/17/2025	7:00:00 AM	0.48
5/17/2025	7:15:00 AM	0.48
5/17/2025	7:30:00 AM	0.48
5/17/2025	7:45:00 AM	0.48
5/17/2025	8:00:00 AM	0.48
5/17/2025	8:15:00 AM	0.48
5/17/2025	8:30:00 AM	0.48
5/17/2025	8:45:00 AM	0.48
5/17/2025	9:00:00 AM	0.48
5/17/2025	9:15:00 AM	0.48
5/17/2025	9:30:00 AM	0.48
5/17/2025	9:45:00 AM	0.48
5/17/2025	10:00:00 AM	0.48
5/17/2025	10:15:00 AM	0.48
5/17/2025	10:30:00 AM	0.48
5/17/2025	10:45:00 AM	0.48
5/17/2025	11:00:00 AM	0.47
5/17/2025	11:15:00 AM	0.47
5/17/2025	11:30:00 AM	0.47
5/17/2025	11:45:00 AM	0.47
5/17/2025	12:00:00 PM	0.47
5/17/2025	12:15:00 PM	0.47
5/17/2025	12:30:00 PM	0.47
5/17/2025	12:45:00 PM	0.47
5/17/2025	1:00:00 PM	0.47
5/17/2025	1:15:00 PM	0.47
5/17/2025	1:30:00 PM	0.46
5/17/2025	1:45:00 PM	0.46
5/17/2025	2:00:00 PM	0.46
5/17/2025	2:15:00 PM	0.46
5/17/2025	2:30:00 PM	0.46
5/17/2025	2:45:00 PM	0.46
5/17/2025	3:00:00 PM	0.46
5/17/2025	3:15:00 PM	0.46
5/17/2025	3:30:00 PM	0.46
5/17/2025	3:45:00 PM	0.46
5/17/2025	4:00:00 PM	0.46
5/17/2025	4:15:00 PM	0.46
5/17/2025	4:30:00 PM	0.46
5/17/2025	4:45:00 PM	0.46
5/17/2025	5:00:00 PM	0.46
5/17/2025	5:15:00 PM	0.45
5/17/2025	5:30:00 PM	0.45
5/17/2025	5:45:00 PM	0.45
5/17/2025	6:00:00 PM	0.45
5/17/2025	6:15:00 PM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/17/2025	6:30:00 PM	0.45
5/17/2025	6:45:00 PM	0.44
5/17/2025	7:00:00 PM	0.45
5/17/2025	7:15:00 PM	0.45
5/17/2025	7:30:00 PM	0.45
5/17/2025	7:45:00 PM	0.45
5/17/2025	8:00:00 PM	0.45
5/17/2025	8:15:00 PM	0.45
5/17/2025	8:30:00 PM	0.44
5/17/2025	8:45:00 PM	0.44
5/17/2025	9:00:00 PM	0.44
5/17/2025	9:15:00 PM	0.44
5/17/2025	9:30:00 PM	0.45
5/17/2025	9:45:00 PM	0.45
5/17/2025	10:00:00 PM	0.45
5/17/2025	10:15:00 PM	0.45
5/17/2025	10:30:00 PM	0.45
5/17/2025	10:45:00 PM	0.45
5/17/2025	11:00:00 PM	0.45
5/17/2025	11:15:00 PM	0.45
5/17/2025	11:30:00 PM	0.45
5/17/2025	11:45:00 PM	0.45
5/18/2025	12:00:00 AM	0.45
5/18/2025	12:15:00 AM	0.45
5/18/2025	12:30:00 AM	0.45
5/18/2025	12:45:00 AM	0.45
5/18/2025	1:00:00 AM	0.45
5/18/2025	1:15:00 AM	0.45
5/18/2025	1:30:00 AM	0.45
5/18/2025	1:45:00 AM	0.45
5/18/2025	2:00:00 AM	0.45
5/18/2025	2:15:00 AM	0.45
5/18/2025	2:30:00 AM	0.45
5/18/2025	2:45:00 AM	0.46
5/18/2025	3:00:00 AM	0.46
5/18/2025	3:15:00 AM	0.46
5/18/2025	3:30:00 AM	0.46
5/18/2025	3:45:00 AM	0.46
5/18/2025	4:00:00 AM	0.46
5/18/2025	4:15:00 AM	0.46
5/18/2025	4:30:00 AM	0.46
5/18/2025	4:45:00 AM	0.46
5/18/2025	5:00:00 AM	0.46
5/18/2025	5:15:00 AM	0.46
5/18/2025	5:30:00 AM	0.46
5/18/2025	5:45:00 AM	0.46

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/18/2025	6:00:00 AM	0.46
5/18/2025	6:15:00 AM	0.46
5/18/2025	6:30:00 AM	0.46
5/18/2025	6:45:00 AM	0.46
5/18/2025	7:00:00 AM	0.46
5/18/2025	7:15:00 AM	0.47
5/18/2025	7:30:00 AM	0.46
5/18/2025	7:45:00 AM	0.47
5/18/2025	8:00:00 AM	0.47
5/18/2025	8:15:00 AM	0.47
5/18/2025	8:30:00 AM	0.47
5/18/2025	8:45:00 AM	0.47
5/18/2025	9:00:00 AM	0.47
5/18/2025	9:15:00 AM	0.47
5/18/2025	9:30:00 AM	0.47
5/18/2025	9:45:00 AM	0.47
5/18/2025	10:00:00 AM	0.47
5/18/2025	10:15:00 AM	0.47
5/18/2025	10:30:00 AM	0.47
5/18/2025	10:45:00 AM	0.47
5/18/2025	11:00:00 AM	0.47
5/18/2025	11:15:00 AM	0.47
5/18/2025	11:30:00 AM	0.47
5/18/2025	11:45:00 AM	0.47
5/18/2025	12:00:00 PM	0.47
5/18/2025	12:15:00 PM	0.47
5/18/2025	12:30:00 PM	0.47
5/18/2025	12:45:00 PM	0.47
5/18/2025	1:00:00 PM	0.47
5/18/2025	1:15:00 PM	0.47
5/18/2025	1:30:00 PM	0.47
5/18/2025	1:45:00 PM	0.47
5/18/2025	2:00:00 PM	0.47
5/18/2025	2:15:00 PM	0.47
5/18/2025	2:30:00 PM	0.47
5/18/2025	2:45:00 PM	0.47
5/18/2025	3:00:00 PM	0.47
5/18/2025	3:15:00 PM	0.47
5/18/2025	3:30:00 PM	0.47
5/18/2025	3:45:00 PM	0.47
5/18/2025	4:00:00 PM	0.47
5/18/2025	4:15:00 PM	0.47
5/18/2025	4:30:00 PM	0.47
5/18/2025	4:45:00 PM	0.47
5/18/2025	5:00:00 PM	0.47
5/18/2025	5:15:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/18/2025	5:30:00 PM	0.47
5/18/2025	5:45:00 PM	0.47
5/18/2025	6:00:00 PM	0.47
5/18/2025	6:15:00 PM	0.47
5/18/2025	6:30:00 PM	0.47
5/18/2025	6:45:00 PM	0.47
5/18/2025	7:00:00 PM	0.47
5/18/2025	7:15:00 PM	0.47
5/18/2025	7:30:00 PM	0.47
5/18/2025	7:45:00 PM	0.47
5/18/2025	8:00:00 PM	0.47
5/18/2025	8:15:00 PM	0.47
5/18/2025	8:30:00 PM	0.47
5/18/2025	8:45:00 PM	0.47
5/18/2025	9:00:00 PM	0.47
5/18/2025	9:15:00 PM	0.47
5/18/2025	9:30:00 PM	0.47
5/18/2025	9:45:00 PM	0.47
5/18/2025	10:00:00 PM	0.47
5/18/2025	10:15:00 PM	0.47
5/18/2025	10:30:00 PM	0.47
5/18/2025	10:45:00 PM	0.47
5/18/2025	11:00:00 PM	0.47
5/18/2025	11:15:00 PM	0.47
5/18/2025	11:30:00 PM	0.47
5/18/2025	11:45:00 PM	0.47
5/19/2025	12:00:00 AM	0.47
5/19/2025	12:15:00 AM	0.47
5/19/2025	12:30:00 AM	0.47
5/19/2025	12:45:00 AM	0.47
5/19/2025	1:00:00 AM	0.47
5/19/2025	1:15:00 AM	0.47
5/19/2025	1:30:00 AM	0.47
5/19/2025	1:45:00 AM	0.47
5/19/2025	2:00:00 AM	0.47
5/19/2025	2:15:00 AM	0.47
5/19/2025	2:30:00 AM	0.47
5/19/2025	2:45:00 AM	0.47
5/19/2025	3:00:00 AM	0.47
5/19/2025	3:15:00 AM	0.48
5/19/2025	3:30:00 AM	0.48
5/19/2025	3:45:00 AM	0.48
5/19/2025	4:00:00 AM	0.48
5/19/2025	4:15:00 AM	0.48
5/19/2025	4:30:00 AM	0.48
5/19/2025	4:45:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/19/2025	5:00:00 AM	0.48
5/19/2025	5:15:00 AM	0.48
5/19/2025	5:30:00 AM	0.48
5/19/2025	5:45:00 AM	0.48
5/19/2025	6:00:00 AM	0.48
5/19/2025	6:15:00 AM	0.48
5/19/2025	6:30:00 AM	0.48
5/19/2025	6:45:00 AM	0.48
5/19/2025	7:00:00 AM	0.48
5/19/2025	7:15:00 AM	0.48
5/19/2025	7:30:00 AM	0.48
5/19/2025	7:45:00 AM	0.48
5/19/2025	8:00:00 AM	0.48
5/19/2025	8:15:00 AM	0.48
5/19/2025	8:30:00 AM	0.47
5/19/2025	8:45:00 AM	0.48
5/19/2025	9:00:00 AM	0.47
5/19/2025	9:15:00 AM	0.48
5/19/2025	9:30:00 AM	0.48
5/19/2025	9:45:00 AM	0.48
5/19/2025	10:00:00 AM	0.48
5/19/2025	10:15:00 AM	0.48
5/19/2025	10:30:00 AM	0.48
5/19/2025	10:45:00 AM	0.48
5/19/2025	11:00:00 AM	0.48
5/19/2025	11:15:00 AM	0.48
5/19/2025	11:30:00 AM	0.47
5/19/2025	11:45:00 AM	0.48
5/19/2025	12:00:00 PM	0.47
5/19/2025	12:15:00 PM	0.47
5/19/2025	12:30:00 PM	0.48
5/19/2025	12:45:00 PM	0.48
5/19/2025	1:00:00 PM	0.48
5/19/2025	1:15:00 PM	0.48
5/19/2025	1:30:00 PM	0.48
5/19/2025	1:45:00 PM	0.48
5/19/2025	2:00:00 PM	0.48
5/19/2025	2:15:00 PM	0.48
5/19/2025	2:30:00 PM	0.48
5/19/2025	2:45:00 PM	0.48
5/19/2025	3:00:00 PM	0.48
5/19/2025	3:15:00 PM	0.48
5/19/2025	3:30:00 PM	0.48
5/19/2025	3:45:00 PM	0.48
5/19/2025	4:00:00 PM	0.49
5/19/2025	4:15:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/19/2025	4:30:00 PM	0.48
5/19/2025	4:45:00 PM	0.49
5/19/2025	5:00:00 PM	0.49
5/19/2025	5:15:00 PM	0.49
5/19/2025	5:30:00 PM	0.49
5/19/2025	5:45:00 PM	0.49
5/19/2025	6:00:00 PM	0.49
5/19/2025	6:15:00 PM	0.49
5/19/2025	6:30:00 PM	0.49
5/19/2025	6:45:00 PM	0.49
5/19/2025	7:00:00 PM	0.49
5/19/2025	7:15:00 PM	0.49
5/19/2025	7:30:00 PM	0.49
5/19/2025	7:45:00 PM	0.5
5/19/2025	8:00:00 PM	0.5
5/19/2025	8:15:00 PM	0.5
5/19/2025	8:30:00 PM	0.5
5/19/2025	8:45:00 PM	0.5
5/19/2025	9:00:00 PM	0.5
5/19/2025	9:15:00 PM	0.5
5/19/2025	9:30:00 PM	0.5
5/19/2025	9:45:00 PM	0.5
5/19/2025	10:00:00 PM	0.5
5/19/2025	10:15:00 PM	0.5
5/19/2025	10:30:00 PM	0.5
5/19/2025	10:45:00 PM	0.5
5/19/2025	11:00:00 PM	0.5
5/19/2025	11:15:00 PM	0.5
5/19/2025	11:30:00 PM	0.5
5/19/2025	11:45:00 PM	0.5
5/20/2025	12:00:00 AM	0.5
5/20/2025	12:15:00 AM	0.5
5/20/2025	12:30:00 AM	0.5
5/20/2025	12:45:00 AM	0.5
5/20/2025	1:00:00 AM	0.5
5/20/2025	1:15:00 AM	0.5
5/20/2025	1:30:00 AM	0.5
5/20/2025	1:45:00 AM	0.5
5/20/2025	2:00:00 AM	0.5
5/20/2025	2:15:00 AM	0.51
5/20/2025	2:30:00 AM	0.51
5/20/2025	2:45:00 AM	0.51
5/20/2025	3:00:00 AM	0.51
5/20/2025	3:15:00 AM	0.51
5/20/2025	3:30:00 AM	0.51
5/20/2025	3:45:00 AM	0.51

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/20/2025	4:00:00 AM	0.52
5/20/2025	4:15:00 AM	0.52
5/20/2025	4:30:00 AM	0.52
5/20/2025	4:45:00 AM	0.52
5/20/2025	5:00:00 AM	0.52
5/20/2025	5:15:00 AM	0.52
5/20/2025	5:30:00 AM	0.53
5/20/2025	5:45:00 AM	0.53
5/20/2025	6:00:00 AM	0.53
5/20/2025	6:15:00 AM	0.53
5/20/2025	6:30:00 AM	0.53
5/20/2025	6:45:00 AM	0.53
5/20/2025	7:00:00 AM	0.53
5/20/2025	7:15:00 AM	0.54
5/20/2025	7:30:00 AM	0.54
5/20/2025	7:45:00 AM	0.54
5/20/2025	8:00:00 AM	0.54
5/20/2025	8:15:00 AM	0.54
5/20/2025	8:30:00 AM	0.54
5/20/2025	8:45:00 AM	0.54
5/20/2025	9:00:00 AM	0.54
5/20/2025	9:15:00 AM	0.54
5/20/2025	9:30:00 AM	0.54
5/20/2025	9:45:00 AM	0.54
5/20/2025	10:00:00 AM	0.54
5/20/2025	10:15:00 AM	0.54
5/20/2025	10:30:00 AM	0.54
5/20/2025	10:45:00 AM	0.55
5/20/2025	11:00:00 AM	0.54
5/20/2025	11:15:00 AM	0.55
5/20/2025	11:30:00 AM	0.55
5/20/2025	11:45:00 AM	0.55
5/20/2025	12:00:00 PM	0.55
5/20/2025	12:15:00 PM	0.55
5/20/2025	12:30:00 PM	0.54
5/20/2025	12:45:00 PM	0.54
5/20/2025	1:00:00 PM	0.55
5/20/2025	1:15:00 PM	0.55
5/20/2025	1:30:00 PM	0.55
5/20/2025	1:45:00 PM	0.55
5/20/2025	2:00:00 PM	0.55
5/20/2025	2:15:00 PM	0.54
5/20/2025	2:30:00 PM	0.54
5/20/2025	2:45:00 PM	0.54
5/20/2025	3:00:00 PM	0.54
5/20/2025	3:15:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/20/2025	3:30:00 PM	0.54
5/20/2025	3:45:00 PM	0.54
5/20/2025	4:00:00 PM	0.54
5/20/2025	4:15:00 PM	0.54
5/20/2025	4:30:00 PM	0.54
5/20/2025	4:45:00 PM	0.54
5/20/2025	5:00:00 PM	0.54
5/20/2025	5:15:00 PM	0.54
5/20/2025	5:30:00 PM	0.54
5/20/2025	5:45:00 PM	0.54
5/20/2025	6:00:00 PM	0.54
5/20/2025	6:15:00 PM	0.54
5/20/2025	6:30:00 PM	0.54
5/20/2025	6:45:00 PM	0.54
5/20/2025	7:00:00 PM	0.54
5/20/2025	7:15:00 PM	0.54
5/20/2025	7:30:00 PM	0.54
5/20/2025	7:45:00 PM	0.54
5/20/2025	8:00:00 PM	0.54
5/20/2025	8:15:00 PM	0.54
5/20/2025	8:30:00 PM	0.54
5/20/2025	8:45:00 PM	0.54
5/20/2025	9:00:00 PM	0.54
5/20/2025	9:15:00 PM	0.54
5/20/2025	9:30:00 PM	0.54
5/20/2025	9:45:00 PM	0.54
5/20/2025	10:00:00 PM	0.54
5/20/2025	10:15:00 PM	0.54
5/20/2025	10:30:00 PM	0.54
5/20/2025	10:45:00 PM	0.54
5/20/2025	11:00:00 PM	0.54
5/20/2025	11:15:00 PM	0.54
5/20/2025	11:30:00 PM	0.54
5/20/2025	11:45:00 PM	0.54
5/21/2025	12:00:00 AM	0.54
5/21/2025	12:15:00 AM	0.54
5/21/2025	12:30:00 AM	0.54
5/21/2025	12:45:00 AM	0.54
5/21/2025	1:00:00 AM	0.55
5/21/2025	1:15:00 AM	0.55
5/21/2025	1:30:00 AM	0.55
5/21/2025	1:45:00 AM	0.55
5/21/2025	2:00:00 AM	0.55
5/21/2025	2:15:00 AM	0.55
5/21/2025	2:30:00 AM	0.55
5/21/2025	2:45:00 AM	0.55

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/21/2025	3:00:00 AM	0.55
5/21/2025	3:15:00 AM	0.55
5/21/2025	3:30:00 AM	0.54
5/21/2025	3:45:00 AM	0.54
5/21/2025	4:00:00 AM	0.54
5/21/2025	4:15:00 AM	0.54
5/21/2025	4:30:00 AM	0.54
5/21/2025	4:45:00 AM	0.54
5/21/2025	5:00:00 AM	0.54
5/21/2025	5:15:00 AM	0.54
5/21/2025	5:30:00 AM	0.54
5/21/2025	5:45:00 AM	0.54
5/21/2025	6:00:00 AM	0.54
5/21/2025	6:15:00 AM	0.53
5/21/2025	6:30:00 AM	0.53
5/21/2025	6:45:00 AM	0.53
5/21/2025	7:00:00 AM	0.53
5/21/2025	7:15:00 AM	0.52
5/21/2025	7:30:00 AM	0.52
5/21/2025	7:45:00 AM	0.52
5/21/2025	8:00:00 AM	0.51
5/21/2025	8:15:00 AM	0.51
5/21/2025	8:30:00 AM	0.51
5/21/2025	8:45:00 AM	0.5
5/21/2025	9:00:00 AM	0.5
5/21/2025	9:15:00 AM	0.5
5/21/2025	9:30:00 AM	0.5
5/21/2025	9:45:00 AM	0.5
5/21/2025	10:00:00 AM	0.49
5/21/2025	10:15:00 AM	0.49
5/21/2025	10:30:00 AM	0.49
5/21/2025	10:45:00 AM	0.49
5/21/2025	11:00:00 AM	0.49
5/21/2025	11:15:00 AM	0.48
5/21/2025	11:30:00 AM	0.48
5/21/2025	11:45:00 AM	0.48
5/21/2025	12:00:00 PM	0.48
5/21/2025	12:15:00 PM	0.48
5/21/2025	12:30:00 PM	0.48
5/21/2025	12:45:00 PM	0.48
5/21/2025	1:00:00 PM	0.48
5/21/2025	1:15:00 PM	0.48
5/21/2025	1:30:00 PM	0.48
5/21/2025	1:45:00 PM	0.47
5/21/2025	2:00:00 PM	0.47
5/21/2025	2:15:00 PM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/21/2025	2:30:00 PM	0.47
5/21/2025	2:45:00 PM	0.47
5/21/2025	3:00:00 PM	0.47
5/21/2025	3:15:00 PM	0.46
5/21/2025	3:30:00 PM	0.46
5/21/2025	3:45:00 PM	0.46
5/21/2025	4:00:00 PM	0.46
5/21/2025	4:15:00 PM	0.46
5/21/2025	4:30:00 PM	0.46
5/21/2025	4:45:00 PM	0.46
5/21/2025	5:00:00 PM	0.46
5/21/2025	5:15:00 PM	0.46
5/21/2025	5:30:00 PM	0.46
5/21/2025	5:45:00 PM	0.46
5/21/2025	6:00:00 PM	0.45
5/21/2025	6:15:00 PM	0.45
5/21/2025	6:30:00 PM	0.45
5/21/2025	6:45:00 PM	0.45
5/21/2025	7:00:00 PM	0.45
5/21/2025	7:15:00 PM	0.45
5/21/2025	7:30:00 PM	0.45
5/21/2025	7:45:00 PM	0.45
5/21/2025	8:00:00 PM	0.45
5/21/2025	8:15:00 PM	0.45
5/21/2025	8:30:00 PM	0.45
5/21/2025	8:45:00 PM	0.45
5/21/2025	9:00:00 PM	0.45
5/21/2025	9:15:00 PM	0.45
5/21/2025	9:30:00 PM	0.45
5/21/2025	9:45:00 PM	0.45
5/21/2025	10:00:00 PM	0.45
5/21/2025	10:15:00 PM	0.45
5/21/2025	10:30:00 PM	0.45
5/21/2025	10:45:00 PM	0.45
5/21/2025	11:00:00 PM	0.45
5/21/2025	11:15:00 PM	0.45
5/21/2025	11:30:00 PM	0.45
5/21/2025	11:45:00 PM	0.46
5/22/2025	12:00:00 AM	0.45
5/22/2025	12:15:00 AM	0.45
5/22/2025	12:30:00 AM	0.46
5/22/2025	12:45:00 AM	0.45
5/22/2025	1:00:00 AM	0.45
5/22/2025	1:15:00 AM	0.45
5/22/2025	1:30:00 AM	0.45
5/22/2025	1:45:00 AM	0.45

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/22/2025	2:00:00 AM	0.45
5/22/2025	2:15:00 AM	0.45
5/22/2025	2:30:00 AM	0.45
5/22/2025	2:45:00 AM	0.45
5/22/2025	3:00:00 AM	0.45
5/22/2025	3:15:00 AM	0.45
5/22/2025	3:30:00 AM	0.45
5/22/2025	3:45:00 AM	0.45
5/22/2025	4:00:00 AM	0.44
5/22/2025	4:15:00 AM	0.44
5/22/2025	4:30:00 AM	0.44
5/22/2025	4:45:00 AM	0.44
5/22/2025	5:00:00 AM	0.44
5/22/2025	5:15:00 AM	0.44
5/22/2025	5:30:00 AM	0.44
5/22/2025	5:45:00 AM	0.44
5/22/2025	6:00:00 AM	0.44
5/22/2025	6:15:00 AM	0.43
5/22/2025	6:30:00 AM	0.43
5/22/2025	6:45:00 AM	0.43
5/22/2025	7:00:00 AM	0.43
5/22/2025	7:15:00 AM	0.43
5/22/2025	7:30:00 AM	0.43
5/22/2025	7:45:00 AM	0.43
5/22/2025	8:00:00 AM	0.43
5/22/2025	8:15:00 AM	0.43
5/22/2025	8:30:00 AM	0.43
5/22/2025	8:45:00 AM	0.43
5/22/2025	9:00:00 AM	0.43
5/22/2025	9:15:00 AM	0.43
5/22/2025	9:30:00 AM	0.43
5/22/2025	9:45:00 AM	0.43
5/22/2025	10:00:00 AM	0.43
5/22/2025	10:15:00 AM	0.43
5/22/2025	10:30:00 AM	0.43
5/22/2025	10:45:00 AM	0.43
5/22/2025	11:00:00 AM	0.43
5/22/2025	11:15:00 AM	0.43
5/22/2025	11:30:00 AM	0.43
5/22/2025	11:45:00 AM	0.43
5/22/2025	12:00:00 PM	0.43
5/22/2025	12:15:00 PM	0.43
5/22/2025	12:30:00 PM	0.42
5/22/2025	12:45:00 PM	0.42
5/22/2025	1:00:00 PM	0.42
5/22/2025	1:15:00 PM	0.43

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/22/2025	1:30:00 PM	0.43
5/22/2025	1:45:00 PM	0.44
5/22/2025	2:00:00 PM	0.44
5/22/2025	2:15:00 PM	0.45
5/22/2025	2:30:00 PM	0.46
5/22/2025	2:45:00 PM	0.46
5/22/2025	3:00:00 PM	0.47
5/22/2025	3:15:00 PM	0.47
5/22/2025	3:30:00 PM	0.48
5/22/2025	3:45:00 PM	0.49
5/22/2025	4:00:00 PM	0.49
5/22/2025	4:15:00 PM	0.5
5/22/2025	4:30:00 PM	0.5
5/22/2025	4:45:00 PM	0.51
5/22/2025	5:00:00 PM	0.51
5/22/2025	5:15:00 PM	0.51
5/22/2025	5:30:00 PM	0.52
5/22/2025	5:45:00 PM	0.52
5/22/2025	6:00:00 PM	0.53
5/22/2025	6:15:00 PM	0.53
5/22/2025	6:30:00 PM	0.53
5/22/2025	6:45:00 PM	0.54
5/22/2025	7:00:00 PM	0.54
5/22/2025	7:15:00 PM	0.54
5/22/2025	7:30:00 PM	0.55
5/22/2025	7:45:00 PM	0.55
5/22/2025	8:00:00 PM	0.55
5/22/2025	8:15:00 PM	0.56
5/22/2025	8:30:00 PM	0.56
5/22/2025	8:45:00 PM	0.56
5/22/2025	9:00:00 PM	0.57
5/22/2025	9:15:00 PM	0.57
5/22/2025	9:30:00 PM	0.57
5/22/2025	9:45:00 PM	0.58
5/22/2025	10:00:00 PM	0.58
5/22/2025	10:15:00 PM	0.58
5/22/2025	10:30:00 PM	0.58
5/22/2025	10:45:00 PM	0.58
5/22/2025	11:00:00 PM	0.59
5/22/2025	11:15:00 PM	0.59
5/22/2025	11:30:00 PM	0.59
5/22/2025	11:45:00 PM	0.59
5/23/2025	12:00:00 AM	0.6
5/23/2025	12:15:00 AM	0.6
5/23/2025	12:30:00 AM	0.6
5/23/2025	12:45:00 AM	0.6

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/23/2025	1:00:00 AM	0.61
5/23/2025	1:15:00 AM	0.61
5/23/2025	1:30:00 AM	0.61
5/23/2025	1:45:00 AM	0.61
5/23/2025	2:00:00 AM	0.61
5/23/2025	2:15:00 AM	0.61
5/23/2025	2:30:00 AM	0.61
5/23/2025	2:45:00 AM	0.61
5/23/2025	3:00:00 AM	0.61
5/23/2025	3:15:00 AM	0.6
5/23/2025	3:30:00 AM	0.6
5/23/2025	3:45:00 AM	0.6
5/23/2025	4:00:00 AM	0.6
5/23/2025	4:15:00 AM	0.6
5/23/2025	4:30:00 AM	0.59
5/23/2025	4:45:00 AM	0.59
5/23/2025	5:00:00 AM	0.59
5/23/2025	5:15:00 AM	0.59
5/23/2025	5:30:00 AM	0.59
5/23/2025	5:45:00 AM	0.58
5/23/2025	6:00:00 AM	0.58
5/23/2025	6:15:00 AM	0.58
5/23/2025	6:30:00 AM	0.58
5/23/2025	6:45:00 AM	0.57
5/23/2025	7:00:00 AM	0.57
5/23/2025	7:15:00 AM	0.57
5/23/2025	7:30:00 AM	0.57
5/23/2025	7:45:00 AM	0.56
5/23/2025	8:00:00 AM	0.56
5/23/2025	8:15:00 AM	0.56
5/23/2025	8:30:00 AM	0.56
5/23/2025	8:45:00 AM	0.56
5/23/2025	9:00:00 AM	0.55
5/23/2025	9:15:00 AM	0.55
5/23/2025	9:30:00 AM	0.55
5/23/2025	9:45:00 AM	0.55
5/23/2025	10:00:00 AM	0.54
5/23/2025	10:15:00 AM	0.54
5/23/2025	10:30:00 AM	0.54
5/23/2025	10:45:00 AM	0.54
5/23/2025	11:00:00 AM	0.54
5/23/2025	11:15:00 AM	0.54
5/23/2025	11:30:00 AM	0.54
5/23/2025	11:45:00 AM	0.54
5/23/2025	12:00:00 PM	0.54
5/23/2025	12:15:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/23/2025	12:30:00 PM	0.53
5/23/2025	12:45:00 PM	0.53
5/23/2025	1:00:00 PM	0.53
5/23/2025	1:15:00 PM	0.53
5/23/2025	1:30:00 PM	0.53
5/23/2025	1:45:00 PM	0.53
5/23/2025	2:00:00 PM	0.53
5/23/2025	2:15:00 PM	0.53
5/23/2025	2:30:00 PM	0.53
5/23/2025	2:45:00 PM	0.53
5/23/2025	3:00:00 PM	0.53
5/23/2025	3:15:00 PM	0.53
5/23/2025	3:30:00 PM	0.53
5/23/2025	3:45:00 PM	0.53
5/23/2025	4:00:00 PM	0.53
5/23/2025	4:15:00 PM	0.53
5/23/2025	4:30:00 PM	0.53
5/23/2025	4:45:00 PM	0.53
5/23/2025	5:00:00 PM	0.53
5/23/2025	5:15:00 PM	0.53
5/23/2025	5:30:00 PM	0.53
5/23/2025	5:45:00 PM	0.53
5/23/2025	6:00:00 PM	0.54
5/23/2025	6:15:00 PM	0.54
5/23/2025	6:30:00 PM	0.54
5/23/2025	6:45:00 PM	0.54
5/23/2025	7:00:00 PM	0.54
5/23/2025	7:15:00 PM	0.54
5/23/2025	7:30:00 PM	0.54
5/23/2025	7:45:00 PM	0.54
5/23/2025	8:00:00 PM	0.54
5/23/2025	8:15:00 PM	0.54
5/23/2025	8:30:00 PM	0.54
5/23/2025	8:45:00 PM	0.54
5/23/2025	9:00:00 PM	0.54
5/23/2025	9:15:00 PM	0.54
5/23/2025	9:30:00 PM	0.54
5/23/2025	9:45:00 PM	0.54
5/23/2025	10:00:00 PM	0.54
5/23/2025	10:15:00 PM	0.54
5/23/2025	10:30:00 PM	0.54
5/23/2025	10:45:00 PM	0.54
5/23/2025	11:00:00 PM	0.54
5/23/2025	11:15:00 PM	0.54
5/23/2025	11:30:00 PM	0.54
5/23/2025	11:45:00 PM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/24/2025	12:00:00 AM	0.54
5/24/2025	12:15:00 AM	0.54
5/24/2025	12:30:00 AM	0.54
5/24/2025	12:45:00 AM	0.54
5/24/2025	1:00:00 AM	0.53
5/24/2025	1:15:00 AM	0.53
5/24/2025	1:30:00 AM	0.53
5/24/2025	1:45:00 AM	0.53
5/24/2025	2:00:00 AM	0.53
5/24/2025	2:15:00 AM	0.53
5/24/2025	2:30:00 AM	0.53
5/24/2025	2:45:00 AM	0.53
5/24/2025	3:00:00 AM	0.53
5/24/2025	3:15:00 AM	0.53
5/24/2025	3:30:00 AM	0.53
5/24/2025	3:45:00 AM	0.52
5/24/2025	4:00:00 AM	0.52
5/24/2025	4:15:00 AM	0.52
5/24/2025	4:30:00 AM	0.52
5/24/2025	4:45:00 AM	0.52
5/24/2025	5:00:00 AM	0.52
5/24/2025	5:15:00 AM	0.52
5/24/2025	5:30:00 AM	0.52
5/24/2025	5:45:00 AM	0.51
5/24/2025	6:00:00 AM	0.51
5/24/2025	6:15:00 AM	0.51
5/24/2025	6:30:00 AM	0.51
5/24/2025	6:45:00 AM	0.51
5/24/2025	7:00:00 AM	0.5
5/24/2025	7:15:00 AM	0.5
5/24/2025	7:30:00 AM	0.5
5/24/2025	7:45:00 AM	0.5
5/24/2025	8:00:00 AM	0.5
5/24/2025	8:15:00 AM	0.5
5/24/2025	8:30:00 AM	0.5
5/24/2025	8:45:00 AM	0.49
5/24/2025	9:00:00 AM	0.49
5/24/2025	9:15:00 AM	0.49
5/24/2025	9:30:00 AM	0.49
5/24/2025	9:45:00 AM	0.49
5/24/2025	10:00:00 AM	0.49
5/24/2025	10:15:00 AM	0.48
5/24/2025	10:30:00 AM	0.49
5/24/2025	10:45:00 AM	0.48
5/24/2025	11:00:00 AM	0.48
5/24/2025	11:15:00 AM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/24/2025	11:30:00 AM	0.48
5/24/2025	11:45:00 AM	0.48
5/24/2025	12:00:00 PM	0.49
5/24/2025	12:15:00 PM	0.5
5/24/2025	12:30:00 PM	0.53
5/24/2025	12:45:00 PM	0.57
5/24/2025	1:00:00 PM	0.61
5/24/2025	1:15:00 PM	0.65
5/24/2025	1:30:00 PM	0.7
5/24/2025	1:45:00 PM	0.74
5/24/2025	2:00:00 PM	0.77
5/24/2025	2:15:00 PM	0.85
5/24/2025	2:30:00 PM	0.9
5/24/2025	2:45:00 PM	0.92
5/24/2025	3:00:00 PM	0.92
5/24/2025	3:15:00 PM	0.93
5/24/2025	3:30:00 PM	0.94
5/24/2025	3:45:00 PM	0.94
5/24/2025	4:00:00 PM	0.95
5/24/2025	4:15:00 PM	0.96
5/24/2025	4:30:00 PM	0.96
5/24/2025	4:45:00 PM	0.97
5/24/2025	5:00:00 PM	0.97
5/24/2025	5:15:00 PM	0.98
5/24/2025	5:30:00 PM	0.99
5/24/2025	5:45:00 PM	0.99
5/24/2025	6:00:00 PM	0.99
5/24/2025	6:15:00 PM	0.99
5/24/2025	6:30:00 PM	1
5/24/2025	6:45:00 PM	1
5/24/2025	7:00:00 PM	1
5/24/2025	7:15:00 PM	1
5/24/2025	7:30:00 PM	1.01
5/24/2025	7:45:00 PM	1.01
5/24/2025	8:00:00 PM	1.01
5/24/2025	8:15:00 PM	1.01
5/24/2025	8:30:00 PM	1.01
5/24/2025	8:45:00 PM	1.01
5/24/2025	9:00:00 PM	1.02
5/24/2025	9:15:00 PM	1.02
5/24/2025	9:30:00 PM	1.02
5/24/2025	9:45:00 PM	1.02
5/24/2025	10:00:00 PM	1.02
5/24/2025	10:15:00 PM	1.02
5/24/2025	10:30:00 PM	1.02
5/24/2025	10:45:00 PM	1.02

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/24/2025	11:00:00 PM	1.03
5/24/2025	11:15:00 PM	1.03
5/24/2025	11:30:00 PM	1.03
5/24/2025	11:45:00 PM	1.03
5/25/2025	12:00:00 AM	1.03
5/25/2025	12:15:00 AM	1.03
5/25/2025	12:30:00 AM	1.03
5/25/2025	12:45:00 AM	1.03
5/25/2025	1:00:00 AM	1.03
5/25/2025	1:15:00 AM	1.03
5/25/2025	1:30:00 AM	1.03
5/25/2025	1:45:00 AM	1.04
5/25/2025	2:00:00 AM	1.04
5/25/2025	2:15:00 AM	1.03
5/25/2025	2:30:00 AM	1.04
5/25/2025	2:45:00 AM	1.04
5/25/2025	3:00:00 AM	1.04
5/25/2025	3:15:00 AM	1.04
5/25/2025	3:30:00 AM	1.04
5/25/2025	3:45:00 AM	1.04
5/25/2025	4:00:00 AM	1.04
5/25/2025	4:15:00 AM	1.04
5/25/2025	4:30:00 AM	1.04
5/25/2025	4:45:00 AM	1.04
5/25/2025	5:00:00 AM	1.04
5/25/2025	5:15:00 AM	1.04
5/25/2025	5:30:00 AM	1.03
5/25/2025	5:45:00 AM	1.03
5/25/2025	6:00:00 AM	1.03
5/25/2025	6:15:00 AM	1.03
5/25/2025	6:30:00 AM	1.03
5/25/2025	6:45:00 AM	1.04
5/25/2025	7:00:00 AM	1.04
5/25/2025	7:15:00 AM	1.04
5/25/2025	7:30:00 AM	1.03
5/25/2025	7:45:00 AM	1.04
5/25/2025	8:00:00 AM	1.03
5/25/2025	8:15:00 AM	1.03
5/25/2025	8:30:00 AM	1.03
5/25/2025	8:45:00 AM	1.03
5/25/2025	9:00:00 AM	1.03
5/25/2025	9:15:00 AM	1.03
5/25/2025	9:30:00 AM	1.03
5/25/2025	9:45:00 AM	1.03
5/25/2025	10:00:00 AM	1.03
5/25/2025	10:15:00 AM	1.03

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/25/2025	10:30:00 AM	1.03
5/25/2025	10:45:00 AM	1.03
5/25/2025	11:00:00 AM	1.03
5/25/2025	11:15:00 AM	1.03
5/25/2025	11:30:00 AM	1.03
5/25/2025	11:45:00 AM	1.03
5/25/2025	12:00:00 PM	1.03
5/25/2025	12:15:00 PM	1.03
5/25/2025	12:30:00 PM	1.03
5/25/2025	12:45:00 PM	1.03
5/25/2025	1:00:00 PM	1.03
5/25/2025	1:15:00 PM	1.03
5/25/2025	1:30:00 PM	1.02
5/25/2025	1:45:00 PM	1.03
5/25/2025	2:00:00 PM	1.02
5/25/2025	2:15:00 PM	1.02
5/25/2025	2:30:00 PM	1.02
5/25/2025	2:45:00 PM	1.02
5/25/2025	3:00:00 PM	1.02
5/25/2025	3:15:00 PM	1.01
5/25/2025	3:30:00 PM	1.01
5/25/2025	3:45:00 PM	1.01
5/25/2025	4:00:00 PM	1.01
5/25/2025	4:15:00 PM	1
5/25/2025	4:30:00 PM	1
5/25/2025	4:45:00 PM	1
5/25/2025	5:00:00 PM	1
5/25/2025	5:15:00 PM	1
5/25/2025	5:30:00 PM	0.99
5/25/2025	5:45:00 PM	0.99
5/25/2025	6:00:00 PM	0.99
5/25/2025	6:15:00 PM	0.98
5/25/2025	6:30:00 PM	0.98
5/25/2025	6:45:00 PM	0.98
5/25/2025	7:00:00 PM	0.97
5/25/2025	7:15:00 PM	0.97
5/25/2025	7:30:00 PM	0.97
5/25/2025	7:45:00 PM	0.97
5/25/2025	8:00:00 PM	0.96
5/25/2025	8:15:00 PM	0.96
5/25/2025	8:30:00 PM	0.96
5/25/2025	8:45:00 PM	0.96
5/25/2025	9:00:00 PM	0.95
5/25/2025	9:15:00 PM	0.95
5/25/2025	9:30:00 PM	0.95
5/25/2025	9:45:00 PM	0.95

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/25/2025	10:00:00 PM	0.95
5/25/2025	10:15:00 PM	0.94
5/25/2025	10:30:00 PM	0.94
5/25/2025	10:45:00 PM	0.94
5/25/2025	11:00:00 PM	0.94
5/25/2025	11:15:00 PM	0.94
5/25/2025	11:30:00 PM	0.94
5/25/2025	11:45:00 PM	0.94
5/26/2025	12:00:00 AM	0.93
5/26/2025	12:15:00 AM	0.93
5/26/2025	12:30:00 AM	0.93
5/26/2025	12:45:00 AM	0.93
5/26/2025	1:00:00 AM	0.93
5/26/2025	1:15:00 AM	0.93
5/26/2025	1:30:00 AM	0.92
5/26/2025	1:45:00 AM	0.92
5/26/2025	2:00:00 AM	0.92
5/26/2025	2:15:00 AM	0.92
5/26/2025	2:30:00 AM	0.92
5/26/2025	2:45:00 AM	0.92
5/26/2025	3:00:00 AM	0.92
5/26/2025	3:15:00 AM	0.92
5/26/2025	3:30:00 AM	0.92
5/26/2025	3:45:00 AM	0.92
5/26/2025	4:00:00 AM	0.92
5/26/2025	4:15:00 AM	0.92
5/26/2025	4:30:00 AM	0.91
5/26/2025	4:45:00 AM	0.91
5/26/2025	5:00:00 AM	0.91
5/26/2025	5:15:00 AM	0.91
5/26/2025	5:30:00 AM	0.91
5/26/2025	5:45:00 AM	0.9
5/26/2025	6:00:00 AM	0.9
5/26/2025	6:15:00 AM	0.9
5/26/2025	6:30:00 AM	0.9
5/26/2025	6:45:00 AM	0.9
5/26/2025	7:00:00 AM	0.9
5/26/2025	7:15:00 AM	0.9
5/26/2025	7:30:00 AM	0.9
5/26/2025	7:45:00 AM	0.89
5/26/2025	8:00:00 AM	0.89
5/26/2025	8:15:00 AM	0.89
5/26/2025	8:30:00 AM	0.89
5/26/2025	8:45:00 AM	0.89
5/26/2025	9:00:00 AM	0.89
5/26/2025	9:15:00 AM	0.89

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/26/2025	9:30:00 AM	0.89
5/26/2025	9:45:00 AM	0.89
5/26/2025	10:00:00 AM	0.89
5/26/2025	10:15:00 AM	0.89
5/26/2025	10:30:00 AM	0.89
5/26/2025	10:45:00 AM	0.89
5/26/2025	11:00:00 AM	0.89
5/26/2025	11:15:00 AM	0.89
5/26/2025	11:30:00 AM	0.89
5/26/2025	11:45:00 AM	0.89
5/26/2025	12:00:00 PM	0.88
5/26/2025	12:15:00 PM	0.88
5/26/2025	12:30:00 PM	0.89
5/26/2025	12:45:00 PM	0.88
5/26/2025	1:00:00 PM	0.88
5/26/2025	1:15:00 PM	0.88
5/26/2025	1:30:00 PM	0.88
5/26/2025	1:45:00 PM	0.88
5/26/2025	2:00:00 PM	0.87
5/26/2025	2:15:00 PM	0.87
5/26/2025	2:30:00 PM	0.87
5/26/2025	2:45:00 PM	0.86
5/26/2025	3:00:00 PM	0.86
5/26/2025	3:15:00 PM	0.86
5/26/2025	3:30:00 PM	0.85
5/26/2025	3:45:00 PM	0.84
5/26/2025	4:00:00 PM	0.84
5/26/2025	4:15:00 PM	0.84
5/26/2025	4:30:00 PM	0.83
5/26/2025	4:45:00 PM	0.83
5/26/2025	5:00:00 PM	0.82
5/26/2025	5:15:00 PM	0.82
5/26/2025	5:30:00 PM	0.82
5/26/2025	5:45:00 PM	0.81
5/26/2025	6:00:00 PM	0.81
5/26/2025	6:15:00 PM	0.81
5/26/2025	6:30:00 PM	0.8
5/26/2025	6:45:00 PM	0.8
5/26/2025	7:00:00 PM	0.8
5/26/2025	7:15:00 PM	0.79
5/26/2025	7:30:00 PM	0.79
5/26/2025	7:45:00 PM	0.79
5/26/2025	8:00:00 PM	0.79
5/26/2025	8:15:00 PM	0.78
5/26/2025	8:30:00 PM	0.78
5/26/2025	8:45:00 PM	0.78

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/26/2025	9:00:00 PM	0.78
5/26/2025	9:15:00 PM	0.78
5/26/2025	9:30:00 PM	0.77
5/26/2025	9:45:00 PM	0.77
5/26/2025	10:00:00 PM	0.77
5/26/2025	10:15:00 PM	0.77
5/26/2025	10:30:00 PM	0.77
5/26/2025	10:45:00 PM	0.77
5/26/2025	11:00:00 PM	0.77
5/26/2025	11:15:00 PM	0.77
5/26/2025	11:30:00 PM	0.76
5/26/2025	11:45:00 PM	0.76
5/27/2025	12:00:00 AM	0.76
5/27/2025	12:15:00 AM	0.76
5/27/2025	12:30:00 AM	0.76
5/27/2025	12:45:00 AM	0.76
5/27/2025	1:00:00 AM	0.76
5/27/2025	1:15:00 AM	0.76
5/27/2025	1:30:00 AM	0.76
5/27/2025	1:45:00 AM	0.76
5/27/2025	2:00:00 AM	0.76
5/27/2025	2:15:00 AM	0.76
5/27/2025	2:30:00 AM	0.75
5/27/2025	2:45:00 AM	0.75
5/27/2025	3:00:00 AM	0.75
5/27/2025	3:15:00 AM	0.75
5/27/2025	3:30:00 AM	0.75
5/27/2025	3:45:00 AM	0.75
5/27/2025	4:00:00 AM	0.75
5/27/2025	4:15:00 AM	0.75
5/27/2025	4:30:00 AM	0.75
5/27/2025	4:45:00 AM	0.75
5/27/2025	5:00:00 AM	0.75
5/27/2025	5:15:00 AM	0.75
5/27/2025	5:30:00 AM	0.75
5/27/2025	5:45:00 AM	0.75
5/27/2025	6:00:00 AM	0.75
5/27/2025	6:15:00 AM	0.75
5/27/2025	6:30:00 AM	0.74
5/27/2025	6:45:00 AM	0.74
5/27/2025	7:00:00 AM	0.74
5/27/2025	7:15:00 AM	0.74
5/27/2025	7:30:00 AM	0.74
5/27/2025	7:45:00 AM	0.74
5/27/2025	8:00:00 AM	0.74
5/27/2025	8:15:00 AM	0.74

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/27/2025	8:30:00 AM	0.73
5/27/2025	8:45:00 AM	0.73
5/27/2025	9:00:00 AM	0.73
5/27/2025	9:15:00 AM	0.73
5/27/2025	9:30:00 AM	0.73
5/27/2025	9:45:00 AM	0.73
5/27/2025	10:00:00 AM	0.73
5/27/2025	10:15:00 AM	0.73
5/27/2025	10:30:00 AM	0.73
5/27/2025	10:45:00 AM	0.73
5/27/2025	11:00:00 AM	0.73
5/27/2025	11:15:00 AM	0.73
5/27/2025	11:30:00 AM	0.73
5/27/2025	11:45:00 AM	0.73
5/27/2025	12:00:00 PM	0.73
5/27/2025	12:15:00 PM	0.73
5/27/2025	12:30:00 PM	0.72
5/27/2025	12:45:00 PM	0.73
5/27/2025	1:00:00 PM	0.72
5/27/2025	1:15:00 PM	0.72
5/27/2025	1:30:00 PM	0.72
5/27/2025	1:45:00 PM	0.72
5/27/2025	2:00:00 PM	0.72
5/27/2025	2:15:00 PM	0.72
5/27/2025	2:30:00 PM	0.72
5/27/2025	2:45:00 PM	0.72
5/27/2025	3:00:00 PM	0.72
5/27/2025	3:15:00 PM	0.71
5/27/2025	3:30:00 PM	0.73
5/27/2025	3:45:00 PM	0.74
5/27/2025	4:00:00 PM	0.75
5/27/2025	4:15:00 PM	0.76
5/27/2025	4:30:00 PM	0.76
5/27/2025	4:45:00 PM	0.76
5/27/2025	5:00:00 PM	0.76
5/27/2025	5:15:00 PM	0.76
5/27/2025	5:30:00 PM	0.77
5/27/2025	5:45:00 PM	0.77
5/27/2025	6:00:00 PM	0.77
5/27/2025	6:15:00 PM	0.77
5/27/2025	6:30:00 PM	0.77
5/27/2025	6:45:00 PM	0.77
5/27/2025	7:00:00 PM	0.77
5/27/2025	7:15:00 PM	0.77
5/27/2025	7:30:00 PM	0.77
5/27/2025	7:45:00 PM	0.77

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/27/2025	8:00:00 PM	0.77
5/27/2025	8:15:00 PM	0.77
5/27/2025	8:30:00 PM	0.77
5/27/2025	8:45:00 PM	0.77
5/27/2025	9:00:00 PM	0.77
5/27/2025	9:15:00 PM	0.77
5/27/2025	9:30:00 PM	0.77
5/27/2025	9:45:00 PM	0.77
5/27/2025	10:00:00 PM	0.77
5/27/2025	10:15:00 PM	0.77
5/27/2025	10:30:00 PM	0.77
5/27/2025	10:45:00 PM	0.77
5/27/2025	11:00:00 PM	0.77
5/27/2025	11:15:00 PM	0.77
5/27/2025	11:30:00 PM	0.77
5/27/2025	11:45:00 PM	0.77
5/28/2025	12:00:00 AM	0.77
5/28/2025	12:15:00 AM	0.77
5/28/2025	12:30:00 AM	0.77
5/28/2025	12:45:00 AM	0.77
5/28/2025	1:00:00 AM	0.77
5/28/2025	1:15:00 AM	0.77
5/28/2025	1:30:00 AM	0.77
5/28/2025	1:45:00 AM	0.77
5/28/2025	2:00:00 AM	0.77
5/28/2025	2:15:00 AM	0.77
5/28/2025	2:30:00 AM	0.77
5/28/2025	2:45:00 AM	0.77
5/28/2025	3:00:00 AM	0.77
5/28/2025	3:15:00 AM	0.77
5/28/2025	3:30:00 AM	0.77
5/28/2025	3:45:00 AM	0.77
5/28/2025	4:00:00 AM	0.77
5/28/2025	4:15:00 AM	0.77
5/28/2025	4:30:00 AM	0.77
5/28/2025	4:45:00 AM	0.77
5/28/2025	5:00:00 AM	0.77
5/28/2025	5:15:00 AM	0.77
5/28/2025	5:30:00 AM	0.77
5/28/2025	5:45:00 AM	0.77
5/28/2025	6:00:00 AM	0.77
5/28/2025	6:15:00 AM	0.77
5/28/2025	6:30:00 AM	0.77
5/28/2025	6:45:00 AM	0.77
5/28/2025	7:00:00 AM	0.76
5/28/2025	7:15:00 AM	0.74

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/28/2025	7:30:00 AM	0.74
5/28/2025	7:45:00 AM	0.73
5/28/2025	8:00:00 AM	0.72
5/28/2025	8:15:00 AM	0.72
5/28/2025	8:30:00 AM	0.72
5/28/2025	8:45:00 AM	0.71
5/28/2025	9:00:00 AM	0.71
5/28/2025	9:15:00 AM	0.71
5/28/2025	9:30:00 AM	0.71
5/28/2025	9:45:00 AM	0.71
5/28/2025	10:00:00 AM	0.71
5/28/2025	10:15:00 AM	0.71
5/28/2025	10:30:00 AM	0.7
5/28/2025	10:45:00 AM	0.7
5/28/2025	11:00:00 AM	0.7
5/28/2025	11:15:00 AM	0.7
5/28/2025	11:30:00 AM	0.7
5/28/2025	11:45:00 AM	0.7
5/28/2025	12:00:00 PM	0.7
5/28/2025	12:15:00 PM	0.7
5/28/2025	12:30:00 PM	0.69
5/28/2025	12:45:00 PM	0.69
5/28/2025	1:00:00 PM	0.69
5/28/2025	1:15:00 PM	0.69
5/28/2025	1:30:00 PM	0.68
5/28/2025	1:45:00 PM	0.68
5/28/2025	2:00:00 PM	0.67
5/28/2025	2:15:00 PM	0.67
5/28/2025	2:30:00 PM	0.66
5/28/2025	2:45:00 PM	0.66
5/28/2025	3:00:00 PM	0.65
5/28/2025	3:15:00 PM	0.65
5/28/2025	3:30:00 PM	0.64
5/28/2025	3:45:00 PM	0.63
5/28/2025	4:00:00 PM	0.63
5/28/2025	4:15:00 PM	0.63
5/28/2025	4:30:00 PM	0.62
5/28/2025	4:45:00 PM	0.62
5/28/2025	5:00:00 PM	0.61
5/28/2025	5:15:00 PM	0.61
5/28/2025	5:30:00 PM	0.61
5/28/2025	5:45:00 PM	0.6
5/28/2025	6:00:00 PM	0.6
5/28/2025	6:15:00 PM	0.6
5/28/2025	6:30:00 PM	0.59
5/28/2025	6:45:00 PM	0.59

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/28/2025	7:00:00 PM	0.59
5/28/2025	7:15:00 PM	0.59
5/28/2025	7:30:00 PM	0.58
5/28/2025	7:45:00 PM	0.58
5/28/2025	8:00:00 PM	0.58
5/28/2025	8:15:00 PM	0.58
5/28/2025	8:30:00 PM	0.58
5/28/2025	8:45:00 PM	0.58
5/28/2025	9:00:00 PM	0.58
5/28/2025	9:15:00 PM	0.58
5/28/2025	9:30:00 PM	0.58
5/28/2025	9:45:00 PM	0.58
5/28/2025	10:00:00 PM	0.57
5/28/2025	10:15:00 PM	0.57
5/28/2025	10:30:00 PM	0.57
5/28/2025	10:45:00 PM	0.57
5/28/2025	11:00:00 PM	0.57
5/28/2025	11:15:00 PM	0.57
5/28/2025	11:30:00 PM	0.57
5/28/2025	11:45:00 PM	0.57
5/29/2025	12:00:00 AM	0.57
5/29/2025	12:15:00 AM	0.56
5/29/2025	12:30:00 AM	0.56
5/29/2025	12:45:00 AM	0.56
5/29/2025	1:00:00 AM	0.56
5/29/2025	1:15:00 AM	0.56
5/29/2025	1:30:00 AM	0.56
5/29/2025	1:45:00 AM	0.56
5/29/2025	2:00:00 AM	0.56
5/29/2025	2:15:00 AM	0.56
5/29/2025	2:30:00 AM	0.56
5/29/2025	2:45:00 AM	0.55
5/29/2025	3:00:00 AM	0.55
5/29/2025	3:15:00 AM	0.55
5/29/2025	3:30:00 AM	0.55
5/29/2025	3:45:00 AM	0.55
5/29/2025	4:00:00 AM	0.55
5/29/2025	4:15:00 AM	0.55
5/29/2025	4:30:00 AM	0.55
5/29/2025	4:45:00 AM	0.55
5/29/2025	5:00:00 AM	0.55
5/29/2025	5:15:00 AM	0.55
5/29/2025	5:30:00 AM	0.54
5/29/2025	5:45:00 AM	0.54
5/29/2025	6:00:00 AM	0.54
5/29/2025	6:15:00 AM	0.54

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/29/2025	6:30:00 AM	0.54
5/29/2025	6:45:00 AM	0.54
5/29/2025	7:00:00 AM	0.54
5/29/2025	7:15:00 AM	0.54
5/29/2025	7:30:00 AM	0.54
5/29/2025	7:45:00 AM	0.54
5/29/2025	8:00:00 AM	0.54
5/29/2025	8:15:00 AM	0.54
5/29/2025	8:30:00 AM	0.54
5/29/2025	8:45:00 AM	0.53
5/29/2025	9:00:00 AM	0.53
5/29/2025	9:15:00 AM	0.53
5/29/2025	9:30:00 AM	0.53
5/29/2025	9:45:00 AM	0.53
5/29/2025	10:00:00 AM	0.53
5/29/2025	10:15:00 AM	0.52
5/29/2025	10:30:00 AM	0.52
5/29/2025	10:45:00 AM	0.52
5/29/2025	11:00:00 AM	0.52
5/29/2025	11:15:00 AM	0.52
5/29/2025	11:30:00 AM	0.52
5/29/2025	11:45:00 AM	0.52
5/29/2025	12:00:00 PM	0.52
5/29/2025	12:15:00 PM	0.52
5/29/2025	12:30:00 PM	0.52
5/29/2025	12:45:00 PM	0.52
5/29/2025	1:00:00 PM	0.52
5/29/2025	1:15:00 PM	0.51
5/29/2025	1:30:00 PM	0.51
5/29/2025	1:45:00 PM	0.51
5/29/2025	2:00:00 PM	0.51
5/29/2025	2:15:00 PM	0.51
5/29/2025	2:30:00 PM	0.51
5/29/2025	2:45:00 PM	0.51
5/29/2025	3:00:00 PM	0.5
5/29/2025	3:15:00 PM	0.5
5/29/2025	3:30:00 PM	0.5
5/29/2025	3:45:00 PM	0.5
5/29/2025	4:00:00 PM	0.5
5/29/2025	4:15:00 PM	0.5
5/29/2025	4:30:00 PM	0.5
5/29/2025	4:45:00 PM	0.5
5/29/2025	5:00:00 PM	0.49
5/29/2025	5:15:00 PM	0.49
5/29/2025	5:30:00 PM	0.49
5/29/2025	5:45:00 PM	0.49

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/29/2025	6:00:00 PM	0.49
5/29/2025	6:15:00 PM	0.49
5/29/2025	6:30:00 PM	0.49
5/29/2025	6:45:00 PM	0.49
5/29/2025	7:00:00 PM	0.49
5/29/2025	7:15:00 PM	0.49
5/29/2025	7:30:00 PM	0.49
5/29/2025	7:45:00 PM	0.49
5/29/2025	8:00:00 PM	0.49
5/29/2025	8:15:00 PM	0.49
5/29/2025	8:30:00 PM	0.49
5/29/2025	8:45:00 PM	0.49
5/29/2025	9:00:00 PM	0.49
5/29/2025	9:15:00 PM	0.49
5/29/2025	9:30:00 PM	0.49
5/29/2025	9:45:00 PM	0.49
5/29/2025	10:00:00 PM	0.49
5/29/2025	10:15:00 PM	0.49
5/29/2025	10:30:00 PM	0.49
5/29/2025	10:45:00 PM	0.49
5/29/2025	11:00:00 PM	0.49
5/29/2025	11:15:00 PM	0.49
5/29/2025	11:30:00 PM	0.49
5/29/2025	11:45:00 PM	0.5
5/30/2025	12:00:00 AM	0.5
5/30/2025	12:15:00 AM	0.5
5/30/2025	12:30:00 AM	0.5
5/30/2025	12:45:00 AM	0.5
5/30/2025	1:00:00 AM	0.5
5/30/2025	1:15:00 AM	0.5
5/30/2025	1:30:00 AM	0.5
5/30/2025	1:45:00 AM	0.5
5/30/2025	2:00:00 AM	0.5
5/30/2025	2:15:00 AM	0.5
5/30/2025	2:30:00 AM	0.5
5/30/2025	2:45:00 AM	0.5
5/30/2025	3:00:00 AM	0.5
5/30/2025	3:15:00 AM	0.5
5/30/2025	3:30:00 AM	0.5
5/30/2025	3:45:00 AM	0.5
5/30/2025	4:00:00 AM	0.5
5/30/2025	4:15:00 AM	0.5
5/30/2025	4:30:00 AM	0.5
5/30/2025	4:45:00 AM	0.5
5/30/2025	5:00:00 AM	0.5
5/30/2025	5:15:00 AM	0.5

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/30/2025	5:30:00 AM	0.5
5/30/2025	5:45:00 AM	0.5
5/30/2025	6:00:00 AM	0.5
5/30/2025	6:15:00 AM	0.5
5/30/2025	6:30:00 AM	0.5
5/30/2025	6:45:00 AM	0.5
5/30/2025	7:00:00 AM	0.5
5/30/2025	7:15:00 AM	0.5
5/30/2025	7:30:00 AM	0.5
5/30/2025	7:45:00 AM	0.5
5/30/2025	8:00:00 AM	0.5
5/30/2025	8:15:00 AM	0.5
5/30/2025	8:30:00 AM	0.5
5/30/2025	8:45:00 AM	0.5
5/30/2025	9:00:00 AM	0.49
5/30/2025	9:15:00 AM	0.49
5/30/2025	9:30:00 AM	0.49
5/30/2025	9:45:00 AM	0.49
5/30/2025	10:00:00 AM	0.49
5/30/2025	10:15:00 AM	0.49
5/30/2025	10:30:00 AM	0.49
5/30/2025	10:45:00 AM	0.49
5/30/2025	11:00:00 AM	0.49
5/30/2025	11:15:00 AM	0.49
5/30/2025	11:30:00 AM	0.49
5/30/2025	11:45:00 AM	0.49
5/30/2025	12:00:00 PM	0.49
5/30/2025	12:15:00 PM	0.49
5/30/2025	12:30:00 PM	0.49
5/30/2025	12:45:00 PM	0.49
5/30/2025	1:00:00 PM	0.49
5/30/2025	1:15:00 PM	0.48
5/30/2025	1:30:00 PM	0.49
5/30/2025	1:45:00 PM	0.48
5/30/2025	2:00:00 PM	0.48
5/30/2025	2:15:00 PM	0.48
5/30/2025	2:30:00 PM	0.48
5/30/2025	2:45:00 PM	0.48
5/30/2025	3:00:00 PM	0.48
5/30/2025	3:15:00 PM	0.48
5/30/2025	3:30:00 PM	0.48
5/30/2025	3:45:00 PM	0.48
5/30/2025	4:00:00 PM	0.48
5/30/2025	4:15:00 PM	0.48
5/30/2025	4:30:00 PM	0.48
5/30/2025	4:45:00 PM	0.48

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/30/2025	5:00:00 PM	0.47
5/30/2025	5:15:00 PM	0.47
5/30/2025	5:30:00 PM	0.47
5/30/2025	5:45:00 PM	0.47
5/30/2025	6:00:00 PM	0.47
5/30/2025	6:15:00 PM	0.47
5/30/2025	6:30:00 PM	0.47
5/30/2025	6:45:00 PM	0.47
5/30/2025	7:00:00 PM	0.47
5/30/2025	7:15:00 PM	0.47
5/30/2025	7:30:00 PM	0.47
5/30/2025	7:45:00 PM	0.47
5/30/2025	8:00:00 PM	0.47
5/30/2025	8:15:00 PM	0.47
5/30/2025	8:30:00 PM	0.47
5/30/2025	8:45:00 PM	0.47
5/30/2025	9:00:00 PM	0.47
5/30/2025	9:15:00 PM	0.47
5/30/2025	9:30:00 PM	0.47
5/30/2025	9:45:00 PM	0.47
5/30/2025	10:00:00 PM	0.47
5/30/2025	10:15:00 PM	0.47
5/30/2025	10:30:00 PM	0.47
5/30/2025	10:45:00 PM	0.47
5/30/2025	11:00:00 PM	0.47
5/30/2025	11:15:00 PM	0.47
5/30/2025	11:30:00 PM	0.47
5/30/2025	11:45:00 PM	0.47
5/31/2025	12:00:00 AM	0.47
5/31/2025	12:15:00 AM	0.47
5/31/2025	12:30:00 AM	0.47
5/31/2025	12:45:00 AM	0.47
5/31/2025	1:00:00 AM	0.47
5/31/2025	1:15:00 AM	0.47
5/31/2025	1:30:00 AM	0.47
5/31/2025	1:45:00 AM	0.47
5/31/2025	2:00:00 AM	0.47
5/31/2025	2:15:00 AM	0.47
5/31/2025	2:30:00 AM	0.47
5/31/2025	2:45:00 AM	0.47
5/31/2025	3:00:00 AM	0.47
5/31/2025	3:15:00 AM	0.47
5/31/2025	3:30:00 AM	0.47
5/31/2025	3:45:00 AM	0.47
5/31/2025	4:00:00 AM	0.47
5/31/2025	4:15:00 AM	0.47

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/31/2025	4:30:00 AM	0.47
5/31/2025	4:45:00 AM	0.47
5/31/2025	5:00:00 AM	0.47
5/31/2025	5:15:00 AM	0.47
5/31/2025	5:30:00 AM	0.47
5/31/2025	5:45:00 AM	0.47
5/31/2025	6:00:00 AM	0.47
5/31/2025	6:15:00 AM	0.47
5/31/2025	6:30:00 AM	0.47
5/31/2025	6:45:00 AM	0.47
5/31/2025	7:00:00 AM	0.47
5/31/2025	7:15:00 AM	0.47
5/31/2025	7:30:00 AM	0.47
5/31/2025	7:45:00 AM	0.47
5/31/2025	8:00:00 AM	0.47
5/31/2025	8:15:00 AM	0.47
5/31/2025	8:30:00 AM	0.47
5/31/2025	8:45:00 AM	0.47
5/31/2025	9:00:00 AM	0.47
5/31/2025	9:15:00 AM	0.47
5/31/2025	9:30:00 AM	0.47
5/31/2025	9:45:00 AM	0.47
5/31/2025	10:00:00 AM	0.47
5/31/2025	10:15:00 AM	0.47
5/31/2025	10:30:00 AM	0.47
5/31/2025	10:45:00 AM	0.47
5/31/2025	11:00:00 AM	0.47
5/31/2025	11:15:00 AM	0.47
5/31/2025	11:30:00 AM	0.47
5/31/2025	11:45:00 AM	0.47
5/31/2025	12:00:00 PM	0.47
5/31/2025	12:15:00 PM	0.47
5/31/2025	12:30:00 PM	0.46
5/31/2025	12:45:00 PM	0.46
5/31/2025	1:00:00 PM	0.46
5/31/2025	1:15:00 PM	0.46
5/31/2025	1:30:00 PM	0.46
5/31/2025	1:45:00 PM	0.46
5/31/2025	2:00:00 PM	0.46
5/31/2025	2:15:00 PM	0.45
5/31/2025	2:30:00 PM	0.45
5/31/2025	2:45:00 PM	0.45
5/31/2025	3:00:00 PM	0.45
5/31/2025	3:15:00 PM	0.45
5/31/2025	3:30:00 PM	0.45
5/31/2025	3:45:00 PM	0.44

Blackrock Return Ditch Gage

DATE	TIME	GAGE
5/31/2025	4:00:00 PM	0.44
5/31/2025	4:15:00 PM	0.44
5/31/2025	4:30:00 PM	0.44
5/31/2025	4:45:00 PM	0.44
5/31/2025	5:00:00 PM	0.44
5/31/2025	5:15:00 PM	0.43
5/31/2025	5:30:00 PM	0.43
5/31/2025	5:45:00 PM	0.43
5/31/2025	6:00:00 PM	0.43
5/31/2025	6:15:00 PM	0.43
5/31/2025	6:30:00 PM	0.43
5/31/2025	6:45:00 PM	0.42
5/31/2025	7:00:00 PM	0.42
5/31/2025	7:15:00 PM	0.42
5/31/2025	7:30:00 PM	0.42
5/31/2025	7:45:00 PM	0.42
5/31/2025	8:00:00 PM	0.42
5/31/2025	8:15:00 PM	0.42
5/31/2025	8:30:00 PM	0.41
5/31/2025	8:45:00 PM	0.41
5/31/2025	9:00:00 PM	0.41
5/31/2025	9:15:00 PM	0.41
5/31/2025	9:30:00 PM	0.41
5/31/2025	9:45:00 PM	0.41
5/31/2025	10:00:00 PM	0.41
5/31/2025	10:15:00 PM	0.41
5/31/2025	10:30:00 PM	0.41
5/31/2025	10:45:00 PM	0.41
5/31/2025	11:00:00 PM	0.41
5/31/2025	11:15:00 PM	0.41
5/31/2025	11:30:00 PM	0.41
5/31/2025	11:45:00 PM	0.41

Billy Lake Return
Station 0213

Date	Flow (cfs)
5/1/2025	1.44
5/2/2025	1.64
5/3/2025	1.59
5/4/2025	1.48
5/5/2025	1.58
5/6/2025	1.62
5/7/2025	1.47
5/8/2025	1.42
5/9/2025	1.42
5/10/2025	1.27
5/11/2025	0.87
5/12/2025	0.78
5/13/2025	1.14
5/14/2025	1.06
5/15/2025	1.09
5/16/2025	1.15
5/17/2025	1.25
5/18/2025	1.10
5/19/2025	1.07
5/20/2025	1.08
5/21/2025	1.07
5/22/2025	1.05
5/23/2025	0.92
5/24/2025	0.98
5/25/2025	0.99
5/26/2025	0.99
5/27/2025	1.22
5/28/2025	1.08
5/29/2025	1.02
5/30/2025	0.79
5/31/2025	1.00

Billy Lake Return Gage

DATE	TIME	GAGE
5/1/2025	12:00:00 AM	0.31
5/1/2025	12:15:00 AM	0.31
5/1/2025	12:30:00 AM	0.31
5/1/2025	12:45:00 AM	0.31
5/1/2025	1:00:00 AM	0.31
5/1/2025	1:15:00 AM	0.31
5/1/2025	1:30:00 AM	0.3
5/1/2025	1:45:00 AM	0.31
5/1/2025	2:00:00 AM	0.3
5/1/2025	2:15:00 AM	0.3
5/1/2025	2:30:00 AM	0.3
5/1/2025	2:45:00 AM	0.3
5/1/2025	3:00:00 AM	0.3
5/1/2025	3:15:00 AM	0.3
5/1/2025	3:30:00 AM	0.3
5/1/2025	3:45:00 AM	0.3
5/1/2025	4:00:00 AM	0.3
5/1/2025	4:15:00 AM	0.3
5/1/2025	4:30:00 AM	0.3
5/1/2025	4:45:00 AM	0.3
5/1/2025	5:00:00 AM	0.3
5/1/2025	5:15:00 AM	0.3
5/1/2025	5:30:00 AM	0.3
5/1/2025	5:45:00 AM	0.3
5/1/2025	6:00:00 AM	0.3
5/1/2025	6:15:00 AM	0.31
5/1/2025	6:30:00 AM	0.31
5/1/2025	6:45:00 AM	0.31
5/1/2025	7:00:00 AM	0.31
5/1/2025	7:15:00 AM	0.32
5/1/2025	7:30:00 AM	0.32
5/1/2025	7:45:00 AM	0.32
5/1/2025	8:00:00 AM	0.32
5/1/2025	8:15:00 AM	0.32
5/1/2025	8:30:00 AM	0.32
5/1/2025	8:45:00 AM	0.33
5/1/2025	9:00:00 AM	0.33
5/1/2025	9:15:00 AM	0.33
5/1/2025	9:30:00 AM	0.33
5/1/2025	9:45:00 AM	0.33
5/1/2025	10:00:00 AM	0.33
5/1/2025	10:15:00 AM	0.33
5/1/2025	10:30:00 AM	0.33
5/1/2025	10:45:00 AM	0.33
5/1/2025	11:00:00 AM	0.34
5/1/2025	11:15:00 AM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
5/1/2025	11:30:00 AM	0.34
5/1/2025	11:45:00 AM	0.34
5/1/2025	12:00:00 PM	0.34
5/1/2025	12:15:00 PM	0.34
5/1/2025	12:30:00 PM	0.34
5/1/2025	12:45:00 PM	0.34
5/1/2025	1:00:00 PM	0.34
5/1/2025	1:15:00 PM	0.34
5/1/2025	1:30:00 PM	0.34
5/1/2025	1:45:00 PM	0.34
5/1/2025	2:00:00 PM	0.34
5/1/2025	2:15:00 PM	0.34
5/1/2025	2:30:00 PM	0.34
5/1/2025	2:45:00 PM	0.34
5/1/2025	3:00:00 PM	0.34
5/1/2025	3:15:00 PM	0.34
5/1/2025	3:30:00 PM	0.34
5/1/2025	3:45:00 PM	0.34
5/1/2025	4:00:00 PM	0.34
5/1/2025	4:15:00 PM	0.34
5/1/2025	4:30:00 PM	0.35
5/1/2025	4:45:00 PM	0.34
5/1/2025	5:00:00 PM	0.35
5/1/2025	5:15:00 PM	0.35
5/1/2025	5:30:00 PM	0.35
5/1/2025	5:45:00 PM	0.35
5/1/2025	6:00:00 PM	0.35
5/1/2025	6:15:00 PM	0.35
5/1/2025	6:30:00 PM	0.35
5/1/2025	6:45:00 PM	0.35
5/1/2025	7:00:00 PM	0.35
5/1/2025	7:15:00 PM	0.35
5/1/2025	7:30:00 PM	0.35
5/1/2025	7:45:00 PM	0.35
5/1/2025	8:00:00 PM	0.35
5/1/2025	8:15:00 PM	0.35
5/1/2025	8:30:00 PM	0.35
5/1/2025	8:45:00 PM	0.35
5/1/2025	9:00:00 PM	0.35
5/1/2025	9:15:00 PM	0.35
5/1/2025	9:30:00 PM	0.35
5/1/2025	9:45:00 PM	0.35
5/1/2025	10:00:00 PM	0.35
5/1/2025	10:15:00 PM	0.36
5/1/2025	10:30:00 PM	0.36
5/1/2025	10:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
5/1/2025	11:00:00 PM	0.36
5/1/2025	11:15:00 PM	0.36
5/1/2025	11:30:00 PM	0.36
5/1/2025	11:45:00 PM	0.36
5/2/2025	12:00:00 AM	0.36
5/2/2025	12:15:00 AM	0.36
5/2/2025	12:30:00 AM	0.36
5/2/2025	12:45:00 AM	0.36
5/2/2025	1:00:00 AM	0.36
5/2/2025	1:15:00 AM	0.36
5/2/2025	1:30:00 AM	0.36
5/2/2025	1:45:00 AM	0.36
5/2/2025	2:00:00 AM	0.36
5/2/2025	2:15:00 AM	0.36
5/2/2025	2:30:00 AM	0.36
5/2/2025	2:45:00 AM	0.36
5/2/2025	3:00:00 AM	0.36
5/2/2025	3:15:00 AM	0.36
5/2/2025	3:30:00 AM	0.36
5/2/2025	3:45:00 AM	0.36
5/2/2025	4:00:00 AM	0.36
5/2/2025	4:15:00 AM	0.36
5/2/2025	4:30:00 AM	0.36
5/2/2025	4:45:00 AM	0.36
5/2/2025	5:00:00 AM	0.36
5/2/2025	5:15:00 AM	0.36
5/2/2025	5:30:00 AM	0.36
5/2/2025	5:45:00 AM	0.36
5/2/2025	6:00:00 AM	0.36
5/2/2025	6:15:00 AM	0.36
5/2/2025	6:30:00 AM	0.36
5/2/2025	6:45:00 AM	0.36
5/2/2025	7:00:00 AM	0.36
5/2/2025	7:15:00 AM	0.36
5/2/2025	7:30:00 AM	0.36
5/2/2025	7:45:00 AM	0.36
5/2/2025	8:00:00 AM	0.36
5/2/2025	8:15:00 AM	0.36
5/2/2025	8:30:00 AM	0.36
5/2/2025	8:45:00 AM	0.36
5/2/2025	9:00:00 AM	0.36
5/2/2025	9:15:00 AM	0.36
5/2/2025	9:30:00 AM	0.36
5/2/2025	9:45:00 AM	0.36
5/2/2025	10:00:00 AM	0.36
5/2/2025	10:15:00 AM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
5/2/2025	10:30:00 AM	0.36
5/2/2025	10:45:00 AM	0.36
5/2/2025	11:00:00 AM	0.36
5/2/2025	11:15:00 AM	0.36
5/2/2025	11:30:00 AM	0.37
5/2/2025	11:45:00 AM	0.36
5/2/2025	12:00:00 PM	0.36
5/2/2025	12:15:00 PM	0.37
5/2/2025	12:30:00 PM	0.37
5/2/2025	12:45:00 PM	0.36
5/2/2025	1:00:00 PM	0.36
5/2/2025	1:15:00 PM	0.36
5/2/2025	1:30:00 PM	0.36
5/2/2025	1:45:00 PM	0.36
5/2/2025	2:00:00 PM	0.36
5/2/2025	2:15:00 PM	0.36
5/2/2025	2:30:00 PM	0.36
5/2/2025	2:45:00 PM	0.36
5/2/2025	3:00:00 PM	0.36
5/2/2025	3:15:00 PM	0.36
5/2/2025	3:30:00 PM	0.36
5/2/2025	3:45:00 PM	0.36
5/2/2025	4:00:00 PM	0.36
5/2/2025	4:15:00 PM	0.36
5/2/2025	4:30:00 PM	0.36
5/2/2025	4:45:00 PM	0.36
5/2/2025	5:00:00 PM	0.36
5/2/2025	5:15:00 PM	0.36
5/2/2025	5:30:00 PM	0.36
5/2/2025	5:45:00 PM	0.36
5/2/2025	6:00:00 PM	0.36
5/2/2025	6:15:00 PM	0.36
5/2/2025	6:30:00 PM	0.36
5/2/2025	6:45:00 PM	0.36
5/2/2025	7:00:00 PM	0.36
5/2/2025	7:15:00 PM	0.36
5/2/2025	7:30:00 PM	0.36
5/2/2025	7:45:00 PM	0.36
5/2/2025	8:00:00 PM	0.36
5/2/2025	8:15:00 PM	0.36
5/2/2025	8:30:00 PM	0.36
5/2/2025	8:45:00 PM	0.36
5/2/2025	9:00:00 PM	0.36
5/2/2025	9:15:00 PM	0.36
5/2/2025	9:30:00 PM	0.36
5/2/2025	9:45:00 PM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
5/2/2025	10:00:00 PM	0.36
5/2/2025	10:15:00 PM	0.36
5/2/2025	10:30:00 PM	0.36
5/2/2025	10:45:00 PM	0.36
5/2/2025	11:00:00 PM	0.36
5/2/2025	11:15:00 PM	0.36
5/2/2025	11:30:00 PM	0.36
5/2/2025	11:45:00 PM	0.36
5/3/2025	12:00:00 AM	0.36
5/3/2025	12:15:00 AM	0.36
5/3/2025	12:30:00 AM	0.36
5/3/2025	12:45:00 AM	0.36
5/3/2025	1:00:00 AM	0.36
5/3/2025	1:15:00 AM	0.36
5/3/2025	1:30:00 AM	0.36
5/3/2025	1:45:00 AM	0.36
5/3/2025	2:00:00 AM	0.36
5/3/2025	2:15:00 AM	0.36
5/3/2025	2:30:00 AM	0.36
5/3/2025	2:45:00 AM	0.36
5/3/2025	3:00:00 AM	0.36
5/3/2025	3:15:00 AM	0.36
5/3/2025	3:30:00 AM	0.36
5/3/2025	3:45:00 AM	0.36
5/3/2025	4:00:00 AM	0.36
5/3/2025	4:15:00 AM	0.36
5/3/2025	4:30:00 AM	0.36
5/3/2025	4:45:00 AM	0.36
5/3/2025	5:00:00 AM	0.36
5/3/2025	5:15:00 AM	0.36
5/3/2025	5:30:00 AM	0.36
5/3/2025	5:45:00 AM	0.36
5/3/2025	6:00:00 AM	0.36
5/3/2025	6:15:00 AM	0.36
5/3/2025	6:30:00 AM	0.36
5/3/2025	6:45:00 AM	0.36
5/3/2025	7:00:00 AM	0.36
5/3/2025	7:15:00 AM	0.36
5/3/2025	7:30:00 AM	0.36
5/3/2025	7:45:00 AM	0.36
5/3/2025	8:00:00 AM	0.36
5/3/2025	8:15:00 AM	0.36
5/3/2025	8:30:00 AM	0.36
5/3/2025	8:45:00 AM	0.36
5/3/2025	9:00:00 AM	0.36
5/3/2025	9:15:00 AM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
5/3/2025	9:30:00 AM	0.36
5/3/2025	9:45:00 AM	0.36
5/3/2025	10:00:00 AM	0.36
5/3/2025	10:15:00 AM	0.36
5/3/2025	10:30:00 AM	0.36
5/3/2025	10:45:00 AM	0.36
5/3/2025	11:00:00 AM	0.36
5/3/2025	11:15:00 AM	0.36
5/3/2025	11:30:00 AM	0.36
5/3/2025	11:45:00 AM	0.36
5/3/2025	12:00:00 PM	0.36
5/3/2025	12:15:00 PM	0.36
5/3/2025	12:30:00 PM	0.36
5/3/2025	12:45:00 PM	0.36
5/3/2025	1:00:00 PM	0.36
5/3/2025	1:15:00 PM	0.36
5/3/2025	1:30:00 PM	0.36
5/3/2025	1:45:00 PM	0.36
5/3/2025	2:00:00 PM	0.36
5/3/2025	2:15:00 PM	0.36
5/3/2025	2:30:00 PM	0.36
5/3/2025	2:45:00 PM	0.36
5/3/2025	3:00:00 PM	0.36
5/3/2025	3:15:00 PM	0.36
5/3/2025	3:30:00 PM	0.35
5/3/2025	3:45:00 PM	0.35
5/3/2025	4:00:00 PM	0.35
5/3/2025	4:15:00 PM	0.35
5/3/2025	4:30:00 PM	0.35
5/3/2025	4:45:00 PM	0.35
5/3/2025	5:00:00 PM	0.35
5/3/2025	5:15:00 PM	0.35
5/3/2025	5:30:00 PM	0.35
5/3/2025	5:45:00 PM	0.35
5/3/2025	6:00:00 PM	0.35
5/3/2025	6:15:00 PM	0.35
5/3/2025	6:30:00 PM	0.35
5/3/2025	6:45:00 PM	0.35
5/3/2025	7:00:00 PM	0.35
5/3/2025	7:15:00 PM	0.35
5/3/2025	7:30:00 PM	0.35
5/3/2025	7:45:00 PM	0.35
5/3/2025	8:00:00 PM	0.34
5/3/2025	8:15:00 PM	0.34
5/3/2025	8:30:00 PM	0.34
5/3/2025	8:45:00 PM	0.34

Billy Lake Return Gage

DATE	TIME	GAGE
5/3/2025	9:00:00 PM	0.33
5/3/2025	9:15:00 PM	0.33
5/3/2025	9:30:00 PM	0.33
5/3/2025	9:45:00 PM	0.33
5/3/2025	10:00:00 PM	0.33
5/3/2025	10:15:00 PM	0.33
5/3/2025	10:30:00 PM	0.33
5/3/2025	10:45:00 PM	0.33
5/3/2025	11:00:00 PM	0.32
5/3/2025	11:15:00 PM	0.32
5/3/2025	11:30:00 PM	0.32
5/3/2025	11:45:00 PM	0.32
5/4/2025	12:00:00 AM	0.32
5/4/2025	12:15:00 AM	0.32
5/4/2025	12:30:00 AM	0.32
5/4/2025	12:45:00 AM	0.32
5/4/2025	1:00:00 AM	0.32
5/4/2025	1:15:00 AM	0.32
5/4/2025	1:30:00 AM	0.32
5/4/2025	1:45:00 AM	0.32
5/4/2025	2:00:00 AM	0.31
5/4/2025	2:15:00 AM	0.31
5/4/2025	2:30:00 AM	0.31
5/4/2025	2:45:00 AM	0.31
5/4/2025	3:00:00 AM	0.31
5/4/2025	3:15:00 AM	0.31
5/4/2025	3:30:00 AM	0.31
5/4/2025	3:45:00 AM	0.31
5/4/2025	4:00:00 AM	0.31
5/4/2025	4:15:00 AM	0.31
5/4/2025	4:30:00 AM	0.31
5/4/2025	4:45:00 AM	0.31
5/4/2025	5:00:00 AM	0.31
5/4/2025	5:15:00 AM	0.31
5/4/2025	5:30:00 AM	0.31
5/4/2025	5:45:00 AM	0.31
5/4/2025	6:00:00 AM	0.31
5/4/2025	6:15:00 AM	0.31
5/4/2025	6:30:00 AM	0.32
5/4/2025	6:45:00 AM	0.32
5/4/2025	7:00:00 AM	0.32
5/4/2025	7:15:00 AM	0.32
5/4/2025	7:30:00 AM	0.33
5/4/2025	7:45:00 AM	0.33
5/4/2025	8:00:00 AM	0.33
5/4/2025	8:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/4/2025	8:30:00 AM	0.33
5/4/2025	8:45:00 AM	0.33
5/4/2025	9:00:00 AM	0.33
5/4/2025	9:15:00 AM	0.33
5/4/2025	9:30:00 AM	0.33
5/4/2025	9:45:00 AM	0.34
5/4/2025	10:00:00 AM	0.34
5/4/2025	10:15:00 AM	0.34
5/4/2025	10:30:00 AM	0.34
5/4/2025	10:45:00 AM	0.34
5/4/2025	11:00:00 AM	0.34
5/4/2025	11:15:00 AM	0.34
5/4/2025	11:30:00 AM	0.34
5/4/2025	11:45:00 AM	0.34
5/4/2025	12:00:00 PM	0.34
5/4/2025	12:15:00 PM	0.35
5/4/2025	12:30:00 PM	0.35
5/4/2025	12:45:00 PM	0.35
5/4/2025	1:00:00 PM	0.35
5/4/2025	1:15:00 PM	0.35
5/4/2025	1:30:00 PM	0.35
5/4/2025	1:45:00 PM	0.35
5/4/2025	2:00:00 PM	0.35
5/4/2025	2:15:00 PM	0.35
5/4/2025	2:30:00 PM	0.35
5/4/2025	2:45:00 PM	0.35
5/4/2025	3:00:00 PM	0.35
5/4/2025	3:15:00 PM	0.35
5/4/2025	3:30:00 PM	0.35
5/4/2025	3:45:00 PM	0.35
5/4/2025	4:00:00 PM	0.35
5/4/2025	4:15:00 PM	0.35
5/4/2025	4:30:00 PM	0.35
5/4/2025	4:45:00 PM	0.35
5/4/2025	5:00:00 PM	0.35
5/4/2025	5:15:00 PM	0.35
5/4/2025	5:30:00 PM	0.35
5/4/2025	5:45:00 PM	0.35
5/4/2025	6:00:00 PM	0.35
5/4/2025	6:15:00 PM	0.35
5/4/2025	6:30:00 PM	0.35
5/4/2025	6:45:00 PM	0.35
5/4/2025	7:00:00 PM	0.35
5/4/2025	7:15:00 PM	0.35
5/4/2025	7:30:00 PM	0.35
5/4/2025	7:45:00 PM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
5/4/2025	8:00:00 PM	0.35
5/4/2025	8:15:00 PM	0.35
5/4/2025	8:30:00 PM	0.35
5/4/2025	8:45:00 PM	0.35
5/4/2025	9:00:00 PM	0.35
5/4/2025	9:15:00 PM	0.35
5/4/2025	9:30:00 PM	0.35
5/4/2025	9:45:00 PM	0.35
5/4/2025	10:00:00 PM	0.35
5/4/2025	10:15:00 PM	0.35
5/4/2025	10:30:00 PM	0.35
5/4/2025	10:45:00 PM	0.35
5/4/2025	11:00:00 PM	0.35
5/4/2025	11:15:00 PM	0.35
5/4/2025	11:30:00 PM	0.35
5/4/2025	11:45:00 PM	0.34
5/5/2025	12:00:00 AM	0.35
5/5/2025	12:15:00 AM	0.34
5/5/2025	12:30:00 AM	0.35
5/5/2025	12:45:00 AM	0.35
5/5/2025	1:00:00 AM	0.35
5/5/2025	1:15:00 AM	0.35
5/5/2025	1:30:00 AM	0.35
5/5/2025	1:45:00 AM	0.35
5/5/2025	2:00:00 AM	0.35
5/5/2025	2:15:00 AM	0.34
5/5/2025	2:30:00 AM	0.34
5/5/2025	2:45:00 AM	0.35
5/5/2025	3:00:00 AM	0.35
5/5/2025	3:15:00 AM	0.35
5/5/2025	3:30:00 AM	0.35
5/5/2025	3:45:00 AM	0.35
5/5/2025	4:00:00 AM	0.35
5/5/2025	4:15:00 AM	0.35
5/5/2025	4:30:00 AM	0.35
5/5/2025	4:45:00 AM	0.35
5/5/2025	5:00:00 AM	0.35
5/5/2025	5:15:00 AM	0.35
5/5/2025	5:30:00 AM	0.35
5/5/2025	5:45:00 AM	0.35
5/5/2025	6:00:00 AM	0.35
5/5/2025	6:15:00 AM	0.35
5/5/2025	6:30:00 AM	0.35
5/5/2025	6:45:00 AM	0.35
5/5/2025	7:00:00 AM	0.35
5/5/2025	7:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
5/5/2025	7:30:00 AM	0.35
5/5/2025	7:45:00 AM	0.35
5/5/2025	8:00:00 AM	0.35
5/5/2025	8:15:00 AM	0.35
5/5/2025	8:30:00 AM	0.35
5/5/2025	8:45:00 AM	0.35
5/5/2025	9:00:00 AM	0.35
5/5/2025	9:15:00 AM	0.35
5/5/2025	9:30:00 AM	0.35
5/5/2025	9:45:00 AM	0.35
5/5/2025	10:00:00 AM	0.35
5/5/2025	10:15:00 AM	0.35
5/5/2025	10:30:00 AM	0.35
5/5/2025	10:45:00 AM	0.35
5/5/2025	11:00:00 AM	0.35
5/5/2025	11:15:00 AM	0.35
5/5/2025	11:30:00 AM	0.35
5/5/2025	11:45:00 AM	0.35
5/5/2025	12:00:00 PM	0.35
5/5/2025	12:15:00 PM	0.35
5/5/2025	12:30:00 PM	0.35
5/5/2025	12:45:00 PM	0.35
5/5/2025	1:00:00 PM	0.35
5/5/2025	1:15:00 PM	0.35
5/5/2025	1:30:00 PM	0.35
5/5/2025	1:45:00 PM	0.35
5/5/2025	2:00:00 PM	0.35
5/5/2025	2:15:00 PM	0.35
5/5/2025	2:30:00 PM	0.35
5/5/2025	2:45:00 PM	0.35
5/5/2025	3:00:00 PM	0.35
5/5/2025	3:15:00 PM	0.35
5/5/2025	3:30:00 PM	0.35
5/5/2025	3:45:00 PM	0.35
5/5/2025	4:00:00 PM	0.35
5/5/2025	4:15:00 PM	0.35
5/5/2025	4:30:00 PM	0.35
5/5/2025	4:45:00 PM	0.35
5/5/2025	5:00:00 PM	0.35
5/5/2025	5:15:00 PM	0.35
5/5/2025	5:30:00 PM	0.35
5/5/2025	5:45:00 PM	0.35
5/5/2025	6:00:00 PM	0.35
5/5/2025	6:15:00 PM	0.35
5/5/2025	6:30:00 PM	0.35
5/5/2025	6:45:00 PM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
5/5/2025	7:00:00 PM	0.35
5/5/2025	7:15:00 PM	0.35
5/5/2025	7:30:00 PM	0.35
5/5/2025	7:45:00 PM	0.35
5/5/2025	8:00:00 PM	0.35
5/5/2025	8:15:00 PM	0.35
5/5/2025	8:30:00 PM	0.35
5/5/2025	8:45:00 PM	0.36
5/5/2025	9:00:00 PM	0.36
5/5/2025	9:15:00 PM	0.36
5/5/2025	9:30:00 PM	0.36
5/5/2025	9:45:00 PM	0.36
5/5/2025	10:00:00 PM	0.36
5/5/2025	10:15:00 PM	0.36
5/5/2025	10:30:00 PM	0.36
5/5/2025	10:45:00 PM	0.36
5/5/2025	11:00:00 PM	0.36
5/5/2025	11:15:00 PM	0.36
5/5/2025	11:30:00 PM	0.36
5/5/2025	11:45:00 PM	0.36
5/6/2025	12:00:00 AM	0.36
5/6/2025	12:15:00 AM	0.36
5/6/2025	12:30:00 AM	0.36
5/6/2025	12:45:00 AM	0.36
5/6/2025	1:00:00 AM	0.36
5/6/2025	1:15:00 AM	0.36
5/6/2025	1:30:00 AM	0.36
5/6/2025	1:45:00 AM	0.36
5/6/2025	2:00:00 AM	0.36
5/6/2025	2:15:00 AM	0.36
5/6/2025	2:30:00 AM	0.36
5/6/2025	2:45:00 AM	0.36
5/6/2025	3:00:00 AM	0.36
5/6/2025	3:15:00 AM	0.36
5/6/2025	3:30:00 AM	0.36
5/6/2025	3:45:00 AM	0.36
5/6/2025	4:00:00 AM	0.36
5/6/2025	4:15:00 AM	0.36
5/6/2025	4:30:00 AM	0.36
5/6/2025	4:45:00 AM	0.36
5/6/2025	5:00:00 AM	0.36
5/6/2025	5:15:00 AM	0.36
5/6/2025	5:30:00 AM	0.36
5/6/2025	5:45:00 AM	0.36
5/6/2025	6:00:00 AM	0.36
5/6/2025	6:15:00 AM	0.36

Billy Lake Return Gage

DATE	TIME	GAGE
5/6/2025	6:30:00 AM	0.36
5/6/2025	6:45:00 AM	0.36
5/6/2025	7:00:00 AM	0.36
5/6/2025	7:15:00 AM	0.36
5/6/2025	7:30:00 AM	0.36
5/6/2025	7:45:00 AM	0.36
5/6/2025	8:00:00 AM	0.36
5/6/2025	8:15:00 AM	0.36
5/6/2025	8:30:00 AM	0.36
5/6/2025	8:45:00 AM	0.36
5/6/2025	9:00:00 AM	0.36
5/6/2025	9:15:00 AM	0.36
5/6/2025	9:30:00 AM	0.36
5/6/2025	9:45:00 AM	0.36
5/6/2025	10:00:00 AM	0.36
5/6/2025	10:15:00 AM	0.36
5/6/2025	10:30:00 AM	0.36
5/6/2025	10:45:00 AM	0.36
5/6/2025	11:00:00 AM	0.36
5/6/2025	11:15:00 AM	0.36
5/6/2025	11:30:00 AM	0.36
5/6/2025	11:45:00 AM	0.36
5/6/2025	12:00:00 PM	0.36
5/6/2025	12:15:00 PM	0.36
5/6/2025	12:30:00 PM	0.36
5/6/2025	12:45:00 PM	0.36
5/6/2025	1:00:00 PM	0.36
5/6/2025	1:15:00 PM	0.36
5/6/2025	1:30:00 PM	0.36
5/6/2025	1:45:00 PM	0.36
5/6/2025	2:00:00 PM	0.35
5/6/2025	2:15:00 PM	0.36
5/6/2025	2:30:00 PM	0.35
5/6/2025	2:45:00 PM	0.36
5/6/2025	3:00:00 PM	0.35
5/6/2025	3:15:00 PM	0.36
5/6/2025	3:30:00 PM	0.35
5/6/2025	3:45:00 PM	0.35
5/6/2025	4:00:00 PM	0.35
5/6/2025	4:15:00 PM	0.35
5/6/2025	4:30:00 PM	0.35
5/6/2025	4:45:00 PM	0.35
5/6/2025	5:00:00 PM	0.35
5/6/2025	5:15:00 PM	0.35
5/6/2025	5:30:00 PM	0.35
5/6/2025	5:45:00 PM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
5/6/2025	6:00:00 PM	0.35
5/6/2025	6:15:00 PM	0.35
5/6/2025	6:30:00 PM	0.35
5/6/2025	6:45:00 PM	0.35
5/6/2025	7:00:00 PM	0.35
5/6/2025	7:15:00 PM	0.35
5/6/2025	7:30:00 PM	0.35
5/6/2025	7:45:00 PM	0.35
5/6/2025	8:00:00 PM	0.35
5/6/2025	8:15:00 PM	0.35
5/6/2025	8:30:00 PM	0.35
5/6/2025	8:45:00 PM	0.35
5/6/2025	9:00:00 PM	0.35
5/6/2025	9:15:00 PM	0.35
5/6/2025	9:30:00 PM	0.35
5/6/2025	9:45:00 PM	0.35
5/6/2025	10:00:00 PM	0.35
5/6/2025	10:15:00 PM	0.35
5/6/2025	10:30:00 PM	0.35
5/6/2025	10:45:00 PM	0.35
5/6/2025	11:00:00 PM	0.35
5/6/2025	11:15:00 PM	0.35
5/6/2025	11:30:00 PM	0.35
5/6/2025	11:45:00 PM	0.35
5/7/2025	12:00:00 AM	0.35
5/7/2025	12:15:00 AM	0.35
5/7/2025	12:30:00 AM	0.35
5/7/2025	12:45:00 AM	0.35
5/7/2025	1:00:00 AM	0.35
5/7/2025	1:15:00 AM	0.35
5/7/2025	1:30:00 AM	0.35
5/7/2025	1:45:00 AM	0.35
5/7/2025	2:00:00 AM	0.35
5/7/2025	2:15:00 AM	0.35
5/7/2025	2:30:00 AM	0.35
5/7/2025	2:45:00 AM	0.35
5/7/2025	3:00:00 AM	0.35
5/7/2025	3:15:00 AM	0.35
5/7/2025	3:30:00 AM	0.35
5/7/2025	3:45:00 AM	0.35
5/7/2025	4:00:00 AM	0.35
5/7/2025	4:15:00 AM	0.35
5/7/2025	4:30:00 AM	0.35
5/7/2025	4:45:00 AM	0.35
5/7/2025	5:00:00 AM	0.35
5/7/2025	5:15:00 AM	0.35

Billy Lake Return Gage

DATE	TIME	GAGE
5/7/2025	5:30:00 AM	0.35
5/7/2025	5:45:00 AM	0.35
5/7/2025	6:00:00 AM	0.35
5/7/2025	6:15:00 AM	0.35
5/7/2025	6:30:00 AM	0.35
5/7/2025	6:45:00 AM	0.35
5/7/2025	7:00:00 AM	0.35
5/7/2025	7:15:00 AM	0.35
5/7/2025	7:30:00 AM	.
5/7/2025	7:45:00 AM	.
5/7/2025	8:00:00 AM	.
5/7/2025	8:15:00 AM	.
5/7/2025	8:30:00 AM	0.33
5/7/2025	8:45:00 AM	0.33
5/7/2025	9:00:00 AM	0.33
5/7/2025	9:15:00 AM	0.33
5/7/2025	9:30:00 AM	0.33
5/7/2025	9:45:00 AM	0.33
5/7/2025	10:00:00 AM	0.33
5/7/2025	10:15:00 AM	0.33
5/7/2025	10:30:00 AM	0.33
5/7/2025	10:45:00 AM	0.33
5/7/2025	11:00:00 AM	0.33
5/7/2025	11:15:00 AM	0.33
5/7/2025	11:30:00 AM	0.33
5/7/2025	11:45:00 AM	0.33
5/7/2025	12:00:00 PM	0.33
5/7/2025	12:15:00 PM	0.33
5/7/2025	12:30:00 PM	0.33
5/7/2025	12:45:00 PM	0.33
5/7/2025	1:00:00 PM	0.33
5/7/2025	1:15:00 PM	0.33
5/7/2025	1:30:00 PM	0.33
5/7/2025	1:45:00 PM	0.33
5/7/2025	2:00:00 PM	0.33
5/7/2025	2:15:00 PM	0.33
5/7/2025	2:30:00 PM	0.33
5/7/2025	2:45:00 PM	0.33
5/7/2025	3:00:00 PM	0.33
5/7/2025	3:15:00 PM	0.33
5/7/2025	3:30:00 PM	0.33
5/7/2025	3:45:00 PM	0.33
5/7/2025	4:00:00 PM	0.33
5/7/2025	4:15:00 PM	0.33
5/7/2025	4:30:00 PM	0.33
5/7/2025	4:45:00 PM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/7/2025	5:00:00 PM	0.33
5/7/2025	5:15:00 PM	0.33
5/7/2025	5:30:00 PM	0.33
5/7/2025	5:45:00 PM	0.32
5/7/2025	6:00:00 PM	0.32
5/7/2025	6:15:00 PM	0.32
5/7/2025	6:30:00 PM	0.32
5/7/2025	6:45:00 PM	0.32
5/7/2025	7:00:00 PM	0.33
5/7/2025	7:15:00 PM	0.32
5/7/2025	7:30:00 PM	0.32
5/7/2025	7:45:00 PM	0.32
5/7/2025	8:00:00 PM	0.32
5/7/2025	8:15:00 PM	0.32
5/7/2025	8:30:00 PM	0.32
5/7/2025	8:45:00 PM	0.33
5/7/2025	9:00:00 PM	0.32
5/7/2025	9:15:00 PM	0.33
5/7/2025	9:30:00 PM	0.33
5/7/2025	9:45:00 PM	0.33
5/7/2025	10:00:00 PM	0.32
5/7/2025	10:15:00 PM	0.33
5/7/2025	10:30:00 PM	0.33
5/7/2025	10:45:00 PM	0.33
5/7/2025	11:00:00 PM	0.33
5/7/2025	11:15:00 PM	0.33
5/7/2025	11:30:00 PM	0.33
5/7/2025	11:45:00 PM	0.33
5/8/2025	12:00:00 AM	0.33
5/8/2025	12:15:00 AM	0.33
5/8/2025	12:30:00 AM	0.33
5/8/2025	12:45:00 AM	0.33
5/8/2025	1:00:00 AM	0.33
5/8/2025	1:15:00 AM	0.33
5/8/2025	1:30:00 AM	0.33
5/8/2025	1:45:00 AM	0.33
5/8/2025	2:00:00 AM	0.33
5/8/2025	2:15:00 AM	0.33
5/8/2025	2:30:00 AM	0.33
5/8/2025	2:45:00 AM	0.33
5/8/2025	3:00:00 AM	0.33
5/8/2025	3:15:00 AM	0.33
5/8/2025	3:30:00 AM	0.33
5/8/2025	3:45:00 AM	0.33
5/8/2025	4:00:00 AM	0.33
5/8/2025	4:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/8/2025	4:30:00 AM	0.33
5/8/2025	4:45:00 AM	0.33
5/8/2025	5:00:00 AM	0.33
5/8/2025	5:15:00 AM	0.33
5/8/2025	5:30:00 AM	0.33
5/8/2025	5:45:00 AM	0.33
5/8/2025	6:00:00 AM	0.33
5/8/2025	6:15:00 AM	0.33
5/8/2025	6:30:00 AM	0.33
5/8/2025	6:45:00 AM	0.33
5/8/2025	7:00:00 AM	0.33
5/8/2025	7:15:00 AM	0.33
5/8/2025	7:30:00 AM	0.33
5/8/2025	7:45:00 AM	0.33
5/8/2025	8:00:00 AM	0.33
5/8/2025	8:15:00 AM	0.33
5/8/2025	8:30:00 AM	0.33
5/8/2025	8:45:00 AM	0.33
5/8/2025	9:00:00 AM	0.33
5/8/2025	9:15:00 AM	0.33
5/8/2025	9:30:00 AM	0.33
5/8/2025	9:45:00 AM	0.33
5/8/2025	10:00:00 AM	0.33
5/8/2025	10:15:00 AM	0.33
5/8/2025	10:30:00 AM	0.33
5/8/2025	10:45:00 AM	0.33
5/8/2025	11:00:00 AM	0.33
5/8/2025	11:15:00 AM	0.33
5/8/2025	11:30:00 AM	0.33
5/8/2025	11:45:00 AM	0.33
5/8/2025	12:00:00 PM	0.33
5/8/2025	12:15:00 PM	0.33
5/8/2025	12:30:00 PM	0.33
5/8/2025	12:45:00 PM	0.33
5/8/2025	1:00:00 PM	0.33
5/8/2025	1:15:00 PM	0.33
5/8/2025	1:30:00 PM	0.33
5/8/2025	1:45:00 PM	0.33
5/8/2025	2:00:00 PM	0.33
5/8/2025	2:15:00 PM	0.33
5/8/2025	2:30:00 PM	0.33
5/8/2025	2:45:00 PM	0.33
5/8/2025	3:00:00 PM	0.33
5/8/2025	3:15:00 PM	0.33
5/8/2025	3:30:00 PM	0.33
5/8/2025	3:45:00 PM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/8/2025	4:00:00 PM	0.33
5/8/2025	4:15:00 PM	0.33
5/8/2025	4:30:00 PM	0.33
5/8/2025	4:45:00 PM	0.33
5/8/2025	5:00:00 PM	0.33
5/8/2025	5:15:00 PM	0.32
5/8/2025	5:30:00 PM	0.32
5/8/2025	5:45:00 PM	0.32
5/8/2025	6:00:00 PM	0.32
5/8/2025	6:15:00 PM	0.32
5/8/2025	6:30:00 PM	0.32
5/8/2025	6:45:00 PM	0.32
5/8/2025	7:00:00 PM	0.32
5/8/2025	7:15:00 PM	0.32
5/8/2025	7:30:00 PM	0.32
5/8/2025	7:45:00 PM	0.32
5/8/2025	8:00:00 PM	0.32
5/8/2025	8:15:00 PM	0.32
5/8/2025	8:30:00 PM	0.32
5/8/2025	8:45:00 PM	0.32
5/8/2025	9:00:00 PM	0.32
5/8/2025	9:15:00 PM	0.32
5/8/2025	9:30:00 PM	0.32
5/8/2025	9:45:00 PM	0.32
5/8/2025	10:00:00 PM	0.32
5/8/2025	10:15:00 PM	0.32
5/8/2025	10:30:00 PM	0.32
5/8/2025	10:45:00 PM	0.32
5/8/2025	11:00:00 PM	0.32
5/8/2025	11:15:00 PM	0.32
5/8/2025	11:30:00 PM	0.32
5/8/2025	11:45:00 PM	0.32
5/9/2025	12:00:00 AM	0.32
5/9/2025	12:15:00 AM	0.32
5/9/2025	12:30:00 AM	0.32
5/9/2025	12:45:00 AM	0.32
5/9/2025	1:00:00 AM	0.32
5/9/2025	1:15:00 AM	0.32
5/9/2025	1:30:00 AM	0.32
5/9/2025	1:45:00 AM	0.32
5/9/2025	2:00:00 AM	0.32
5/9/2025	2:15:00 AM	0.32
5/9/2025	2:30:00 AM	0.32
5/9/2025	2:45:00 AM	0.32
5/9/2025	3:00:00 AM	0.32
5/9/2025	3:15:00 AM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/9/2025	3:30:00 AM	0.32
5/9/2025	3:45:00 AM	0.33
5/9/2025	4:00:00 AM	0.32
5/9/2025	4:15:00 AM	0.33
5/9/2025	4:30:00 AM	0.33
5/9/2025	4:45:00 AM	0.33
5/9/2025	5:00:00 AM	0.33
5/9/2025	5:15:00 AM	0.33
5/9/2025	5:30:00 AM	0.33
5/9/2025	5:45:00 AM	0.33
5/9/2025	6:00:00 AM	0.33
5/9/2025	6:15:00 AM	0.33
5/9/2025	6:30:00 AM	0.33
5/9/2025	6:45:00 AM	0.33
5/9/2025	7:00:00 AM	0.33
5/9/2025	7:15:00 AM	0.33
5/9/2025	7:30:00 AM	0.33
5/9/2025	7:45:00 AM	0.33
5/9/2025	8:00:00 AM	0.33
5/9/2025	8:15:00 AM	0.33
5/9/2025	8:30:00 AM	0.33
5/9/2025	8:45:00 AM	0.33
5/9/2025	9:00:00 AM	0.33
5/9/2025	9:15:00 AM	0.32
5/9/2025	9:30:00 AM	0.32
5/9/2025	9:45:00 AM	0.33
5/9/2025	10:00:00 AM	0.33
5/9/2025	10:15:00 AM	0.33
5/9/2025	10:30:00 AM	0.33
5/9/2025	10:45:00 AM	0.33
5/9/2025	11:00:00 AM	0.33
5/9/2025	11:15:00 AM	0.33
5/9/2025	11:30:00 AM	0.33
5/9/2025	11:45:00 AM	0.33
5/9/2025	12:00:00 PM	0.33
5/9/2025	12:15:00 PM	0.33
5/9/2025	12:30:00 PM	0.33
5/9/2025	12:45:00 PM	0.33
5/9/2025	1:00:00 PM	0.33
5/9/2025	1:15:00 PM	0.33
5/9/2025	1:30:00 PM	0.33
5/9/2025	1:45:00 PM	0.33
5/9/2025	2:00:00 PM	0.33
5/9/2025	2:15:00 PM	0.33
5/9/2025	2:30:00 PM	0.33
5/9/2025	2:45:00 PM	0.33

Billy Lake Return Gage

DATE	TIME	GAGE
5/9/2025	3:00:00 PM	0.33
5/9/2025	3:15:00 PM	0.33
5/9/2025	3:30:00 PM	0.33
5/9/2025	3:45:00 PM	0.33
5/9/2025	4:00:00 PM	0.33
5/9/2025	4:15:00 PM	0.33
5/9/2025	4:30:00 PM	0.33
5/9/2025	4:45:00 PM	0.33
5/9/2025	5:00:00 PM	0.33
5/9/2025	5:15:00 PM	0.33
5/9/2025	5:30:00 PM	0.33
5/9/2025	5:45:00 PM	0.33
5/9/2025	6:00:00 PM	0.33
5/9/2025	6:15:00 PM	0.33
5/9/2025	6:30:00 PM	0.33
5/9/2025	6:45:00 PM	0.33
5/9/2025	7:00:00 PM	0.33
5/9/2025	7:15:00 PM	0.33
5/9/2025	7:30:00 PM	0.33
5/9/2025	7:45:00 PM	0.33
5/9/2025	8:00:00 PM	0.33
5/9/2025	8:15:00 PM	0.33
5/9/2025	8:30:00 PM	0.33
5/9/2025	8:45:00 PM	0.33
5/9/2025	9:00:00 PM	0.33
5/9/2025	9:15:00 PM	0.33
5/9/2025	9:30:00 PM	0.33
5/9/2025	9:45:00 PM	0.32
5/9/2025	10:00:00 PM	0.32
5/9/2025	10:15:00 PM	0.32
5/9/2025	10:30:00 PM	0.32
5/9/2025	10:45:00 PM	0.32
5/9/2025	11:00:00 PM	0.32
5/9/2025	11:15:00 PM	0.32
5/9/2025	11:30:00 PM	0.32
5/9/2025	11:45:00 PM	0.32
5/10/2025	12:00:00 AM	0.32
5/10/2025	12:15:00 AM	0.32
5/10/2025	12:30:00 AM	0.32
5/10/2025	12:45:00 AM	0.32
5/10/2025	1:00:00 AM	0.32
5/10/2025	1:15:00 AM	0.32
5/10/2025	1:30:00 AM	0.32
5/10/2025	1:45:00 AM	0.32
5/10/2025	2:00:00 AM	0.32
5/10/2025	2:15:00 AM	0.32

Billy Lake Return Gage

DATE	TIME	GAGE
5/10/2025	2:30:00 AM	0.32
5/10/2025	2:45:00 AM	0.32
5/10/2025	3:00:00 AM	0.32
5/10/2025	3:15:00 AM	0.32
5/10/2025	3:30:00 AM	0.32
5/10/2025	3:45:00 AM	0.32
5/10/2025	4:00:00 AM	0.32
5/10/2025	4:15:00 AM	0.32
5/10/2025	4:30:00 AM	0.32
5/10/2025	4:45:00 AM	0.32
5/10/2025	5:00:00 AM	0.32
5/10/2025	5:15:00 AM	0.32
5/10/2025	5:30:00 AM	0.32
5/10/2025	5:45:00 AM	0.32
5/10/2025	6:00:00 AM	0.32
5/10/2025	6:15:00 AM	0.32
5/10/2025	6:30:00 AM	0.32
5/10/2025	6:45:00 AM	0.32
5/10/2025	7:00:00 AM	0.32
5/10/2025	7:15:00 AM	0.32
5/10/2025	7:30:00 AM	0.32
5/10/2025	7:45:00 AM	0.32
5/10/2025	8:00:00 AM	0.32
5/10/2025	8:15:00 AM	0.32
5/10/2025	8:30:00 AM	0.32
5/10/2025	8:45:00 AM	0.32
5/10/2025	9:00:00 AM	0.32
5/10/2025	9:15:00 AM	0.32
5/10/2025	9:30:00 AM	0.32
5/10/2025	9:45:00 AM	0.32
5/10/2025	10:00:00 AM	0.32
5/10/2025	10:15:00 AM	0.32
5/10/2025	10:30:00 AM	0.32
5/10/2025	10:45:00 AM	0.32
5/10/2025	11:00:00 AM	0.32
5/10/2025	11:15:00 AM	0.32
5/10/2025	11:30:00 AM	0.32
5/10/2025	11:45:00 AM	0.32
5/10/2025	12:00:00 PM	0.32
5/10/2025	12:15:00 PM	0.32
5/10/2025	12:30:00 PM	0.32
5/10/2025	12:45:00 PM	0.31
5/10/2025	1:00:00 PM	0.31
5/10/2025	1:15:00 PM	0.31
5/10/2025	1:30:00 PM	0.31
5/10/2025	1:45:00 PM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
5/10/2025	2:00:00 PM	0.31
5/10/2025	2:15:00 PM	0.31
5/10/2025	2:30:00 PM	0.31
5/10/2025	2:45:00 PM	0.31
5/10/2025	3:00:00 PM	0.31
5/10/2025	3:15:00 PM	0.31
5/10/2025	3:30:00 PM	0.31
5/10/2025	3:45:00 PM	0.31
5/10/2025	4:00:00 PM	0.31
5/10/2025	4:15:00 PM	0.31
5/10/2025	4:30:00 PM	0.31
5/10/2025	4:45:00 PM	0.31
5/10/2025	5:00:00 PM	0.31
5/10/2025	5:15:00 PM	0.31
5/10/2025	5:30:00 PM	0.31
5/10/2025	5:45:00 PM	0.31
5/10/2025	6:00:00 PM	0.31
5/10/2025	6:15:00 PM	0.3
5/10/2025	6:30:00 PM	0.3
5/10/2025	6:45:00 PM	0.29
5/10/2025	7:00:00 PM	0.29
5/10/2025	7:15:00 PM	0.29
5/10/2025	7:30:00 PM	0.28
5/10/2025	7:45:00 PM	0.28
5/10/2025	8:00:00 PM	0.27
5/10/2025	8:15:00 PM	0.27
5/10/2025	8:30:00 PM	0.27
5/10/2025	8:45:00 PM	0.27
5/10/2025	9:00:00 PM	0.26
5/10/2025	9:15:00 PM	0.26
5/10/2025	9:30:00 PM	0.26
5/10/2025	9:45:00 PM	0.26
5/10/2025	10:00:00 PM	0.25
5/10/2025	10:15:00 PM	0.25
5/10/2025	10:30:00 PM	0.25
5/10/2025	10:45:00 PM	0.25
5/10/2025	11:00:00 PM	0.25
5/10/2025	11:15:00 PM	0.24
5/10/2025	11:30:00 PM	0.24
5/10/2025	11:45:00 PM	0.24
5/11/2025	12:00:00 AM	0.24
5/11/2025	12:15:00 AM	0.24
5/11/2025	12:30:00 AM	0.24
5/11/2025	12:45:00 AM	0.24
5/11/2025	1:00:00 AM	0.23
5/11/2025	1:15:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
5/11/2025	1:30:00 AM	0.23
5/11/2025	1:45:00 AM	0.23
5/11/2025	2:00:00 AM	0.23
5/11/2025	2:15:00 AM	0.23
5/11/2025	2:30:00 AM	0.23
5/11/2025	2:45:00 AM	0.23
5/11/2025	3:00:00 AM	0.23
5/11/2025	3:15:00 AM	0.23
5/11/2025	3:30:00 AM	0.22
5/11/2025	3:45:00 AM	0.22
5/11/2025	4:00:00 AM	0.22
5/11/2025	4:15:00 AM	0.22
5/11/2025	4:30:00 AM	0.22
5/11/2025	4:45:00 AM	0.22
5/11/2025	5:00:00 AM	0.22
5/11/2025	5:15:00 AM	0.22
5/11/2025	5:30:00 AM	0.22
5/11/2025	5:45:00 AM	0.22
5/11/2025	6:00:00 AM	0.22
5/11/2025	6:15:00 AM	0.22
5/11/2025	6:30:00 AM	0.22
5/11/2025	6:45:00 AM	0.22
5/11/2025	7:00:00 AM	0.22
5/11/2025	7:15:00 AM	0.22
5/11/2025	7:30:00 AM	0.23
5/11/2025	7:45:00 AM	0.23
5/11/2025	8:00:00 AM	0.23
5/11/2025	8:15:00 AM	0.24
5/11/2025	8:30:00 AM	0.24
5/11/2025	8:45:00 AM	0.25
5/11/2025	9:00:00 AM	0.25
5/11/2025	9:15:00 AM	0.25
5/11/2025	9:30:00 AM	0.26
5/11/2025	9:45:00 AM	0.26
5/11/2025	10:00:00 AM	0.26
5/11/2025	10:15:00 AM	0.27
5/11/2025	10:30:00 AM	0.27
5/11/2025	10:45:00 AM	0.27
5/11/2025	11:00:00 AM	0.27
5/11/2025	11:15:00 AM	0.28
5/11/2025	11:30:00 AM	0.28
5/11/2025	11:45:00 AM	0.28
5/11/2025	12:00:00 PM	0.28
5/11/2025	12:15:00 PM	0.28
5/11/2025	12:30:00 PM	0.28
5/11/2025	12:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/11/2025	1:00:00 PM	0.29
5/11/2025	1:15:00 PM	0.29
5/11/2025	1:30:00 PM	0.29
5/11/2025	1:45:00 PM	0.29
5/11/2025	2:00:00 PM	0.28
5/11/2025	2:15:00 PM	0.28
5/11/2025	2:30:00 PM	0.28
5/11/2025	2:45:00 PM	0.27
5/11/2025	3:00:00 PM	0.27
5/11/2025	3:15:00 PM	0.27
5/11/2025	3:30:00 PM	0.26
5/11/2025	3:45:00 PM	0.26
5/11/2025	4:00:00 PM	0.26
5/11/2025	4:15:00 PM	0.26
5/11/2025	4:30:00 PM	0.25
5/11/2025	4:45:00 PM	0.25
5/11/2025	5:00:00 PM	0.25
5/11/2025	5:15:00 PM	0.24
5/11/2025	5:30:00 PM	0.24
5/11/2025	5:45:00 PM	0.24
5/11/2025	6:00:00 PM	0.24
5/11/2025	6:15:00 PM	0.23
5/11/2025	6:30:00 PM	0.23
5/11/2025	6:45:00 PM	0.23
5/11/2025	7:00:00 PM	0.23
5/11/2025	7:15:00 PM	0.22
5/11/2025	7:30:00 PM	0.22
5/11/2025	7:45:00 PM	0.22
5/11/2025	8:00:00 PM	0.21
5/11/2025	8:15:00 PM	0.21
5/11/2025	8:30:00 PM	0.21
5/11/2025	8:45:00 PM	0.21
5/11/2025	9:00:00 PM	0.21
5/11/2025	9:15:00 PM	0.2
5/11/2025	9:30:00 PM	0.2
5/11/2025	9:45:00 PM	0.2
5/11/2025	10:00:00 PM	0.2
5/11/2025	10:15:00 PM	0.2
5/11/2025	10:30:00 PM	0.19
5/11/2025	10:45:00 PM	0.19
5/11/2025	11:00:00 PM	0.19
5/11/2025	11:15:00 PM	0.19
5/11/2025	11:30:00 PM	0.19
5/11/2025	11:45:00 PM	0.19
5/12/2025	12:00:00 AM	0.19
5/12/2025	12:15:00 AM	0.19

Billy Lake Return Gage

DATE	TIME	GAGE
5/12/2025	12:30:00 AM	0.18
5/12/2025	12:45:00 AM	0.18
5/12/2025	1:00:00 AM	0.18
5/12/2025	1:15:00 AM	0.18
5/12/2025	1:30:00 AM	0.18
5/12/2025	1:45:00 AM	0.18
5/12/2025	2:00:00 AM	0.18
5/12/2025	2:15:00 AM	0.18
5/12/2025	2:30:00 AM	0.18
5/12/2025	2:45:00 AM	0.18
5/12/2025	3:00:00 AM	0.18
5/12/2025	3:15:00 AM	0.18
5/12/2025	3:30:00 AM	0.17
5/12/2025	3:45:00 AM	0.17
5/12/2025	4:00:00 AM	0.17
5/12/2025	4:15:00 AM	0.17
5/12/2025	4:30:00 AM	0.17
5/12/2025	4:45:00 AM	0.17
5/12/2025	5:00:00 AM	0.17
5/12/2025	5:15:00 AM	0.17
5/12/2025	5:30:00 AM	0.17
5/12/2025	5:45:00 AM	0.17
5/12/2025	6:00:00 AM	0.17
5/12/2025	6:15:00 AM	0.17
5/12/2025	6:30:00 AM	0.17
5/12/2025	6:45:00 AM	0.17
5/12/2025	7:00:00 AM	0.17
5/12/2025	7:15:00 AM	0.17
5/12/2025	7:30:00 AM	0.16
5/12/2025	7:45:00 AM	0.16
5/12/2025	8:00:00 AM	0.16
5/12/2025	8:15:00 AM	0.16
5/12/2025	8:30:00 AM	0.16
5/12/2025	8:45:00 AM	0.16
5/12/2025	9:00:00 AM	0.17
5/12/2025	9:15:00 AM	0.18
5/12/2025	9:30:00 AM	0.18
5/12/2025	9:45:00 AM	0.19
5/12/2025	10:00:00 AM	0.19
5/12/2025	10:15:00 AM	0.2
5/12/2025	10:30:00 AM	0.2
5/12/2025	10:45:00 AM	0.21
5/12/2025	11:00:00 AM	0.21
5/12/2025	11:15:00 AM	0.22
5/12/2025	11:30:00 AM	0.23
5/12/2025	11:45:00 AM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
5/12/2025	12:00:00 PM	0.23
5/12/2025	12:15:00 PM	0.24
5/12/2025	12:30:00 PM	0.24
5/12/2025	12:45:00 PM	0.25
5/12/2025	1:00:00 PM	0.25
5/12/2025	1:15:00 PM	0.25
5/12/2025	1:30:00 PM	0.26
5/12/2025	1:45:00 PM	0.26
5/12/2025	2:00:00 PM	0.26
5/12/2025	2:15:00 PM	0.27
5/12/2025	2:30:00 PM	0.27
5/12/2025	2:45:00 PM	0.27
5/12/2025	3:00:00 PM	0.27
5/12/2025	3:15:00 PM	0.27
5/12/2025	3:30:00 PM	0.27
5/12/2025	3:45:00 PM	0.27
5/12/2025	4:00:00 PM	0.27
5/12/2025	4:15:00 PM	0.27
5/12/2025	4:30:00 PM	0.27
5/12/2025	4:45:00 PM	0.26
5/12/2025	5:00:00 PM	0.26
5/12/2025	5:15:00 PM	0.26
5/12/2025	5:30:00 PM	0.26
5/12/2025	5:45:00 PM	0.26
5/12/2025	6:00:00 PM	0.25
5/12/2025	6:15:00 PM	0.25
5/12/2025	6:30:00 PM	0.26
5/12/2025	6:45:00 PM	0.26
5/12/2025	7:00:00 PM	0.26
5/12/2025	7:15:00 PM	0.26
5/12/2025	7:30:00 PM	0.26
5/12/2025	7:45:00 PM	0.26
5/12/2025	8:00:00 PM	0.26
5/12/2025	8:15:00 PM	0.26
5/12/2025	8:30:00 PM	0.26
5/12/2025	8:45:00 PM	0.26
5/12/2025	9:00:00 PM	0.26
5/12/2025	9:15:00 PM	0.26
5/12/2025	9:30:00 PM	0.27
5/12/2025	9:45:00 PM	0.27
5/12/2025	10:00:00 PM	0.27
5/12/2025	10:15:00 PM	0.27
5/12/2025	10:30:00 PM	0.27
5/12/2025	10:45:00 PM	0.27
5/12/2025	11:00:00 PM	0.27
5/12/2025	11:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/12/2025	11:30:00 PM	0.27
5/12/2025	11:45:00 PM	0.27
5/13/2025	12:00:00 AM	0.27
5/13/2025	12:15:00 AM	0.27
5/13/2025	12:30:00 AM	0.27
5/13/2025	12:45:00 AM	0.27
5/13/2025	1:00:00 AM	0.26
5/13/2025	1:15:00 AM	0.26
5/13/2025	1:30:00 AM	0.26
5/13/2025	1:45:00 AM	0.26
5/13/2025	2:00:00 AM	0.26
5/13/2025	2:15:00 AM	0.26
5/13/2025	2:30:00 AM	0.26
5/13/2025	2:45:00 AM	0.26
5/13/2025	3:00:00 AM	0.26
5/13/2025	3:15:00 AM	0.26
5/13/2025	3:30:00 AM	0.26
5/13/2025	3:45:00 AM	0.26
5/13/2025	4:00:00 AM	0.27
5/13/2025	4:15:00 AM	0.27
5/13/2025	4:30:00 AM	0.27
5/13/2025	4:45:00 AM	0.27
5/13/2025	5:00:00 AM	0.27
5/13/2025	5:15:00 AM	0.26
5/13/2025	5:30:00 AM	0.26
5/13/2025	5:45:00 AM	0.25
5/13/2025	6:00:00 AM	0.25
5/13/2025	6:15:00 AM	0.25
5/13/2025	6:30:00 AM	0.24
5/13/2025	6:45:00 AM	0.24
5/13/2025	7:00:00 AM	0.24
5/13/2025	7:15:00 AM	0.24
5/13/2025	7:30:00 AM	0.23
5/13/2025	7:45:00 AM	0.23
5/13/2025	8:00:00 AM	0.24
5/13/2025	8:15:00 AM	0.24
5/13/2025	8:30:00 AM	0.25
5/13/2025	8:45:00 AM	0.25
5/13/2025	9:00:00 AM	0.26
5/13/2025	9:15:00 AM	0.26
5/13/2025	9:30:00 AM	0.27
5/13/2025	9:45:00 AM	0.27
5/13/2025	10:00:00 AM	0.28
5/13/2025	10:15:00 AM	0.29
5/13/2025	10:30:00 AM	0.29
5/13/2025	10:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/13/2025	11:00:00 AM	0.3
5/13/2025	11:15:00 AM	0.3
5/13/2025	11:30:00 AM	0.3
5/13/2025	11:45:00 AM	0.31
5/13/2025	12:00:00 PM	0.31
5/13/2025	12:15:00 PM	0.31
5/13/2025	12:30:00 PM	0.31
5/13/2025	12:45:00 PM	0.32
5/13/2025	1:00:00 PM	0.32
5/13/2025	1:15:00 PM	0.32
5/13/2025	1:30:00 PM	0.32
5/13/2025	1:45:00 PM	0.32
5/13/2025	2:00:00 PM	0.32
5/13/2025	2:15:00 PM	0.32
5/13/2025	2:30:00 PM	0.32
5/13/2025	2:45:00 PM	0.32
5/13/2025	3:00:00 PM	0.32
5/13/2025	3:15:00 PM	0.32
5/13/2025	3:30:00 PM	0.32
5/13/2025	3:45:00 PM	0.32
5/13/2025	4:00:00 PM	0.32
5/13/2025	4:15:00 PM	0.32
5/13/2025	4:30:00 PM	0.31
5/13/2025	4:45:00 PM	0.32
5/13/2025	5:00:00 PM	0.31
5/13/2025	5:15:00 PM	0.31
5/13/2025	5:30:00 PM	0.31
5/13/2025	5:45:00 PM	0.31
5/13/2025	6:00:00 PM	0.31
5/13/2025	6:15:00 PM	0.31
5/13/2025	6:30:00 PM	0.31
5/13/2025	6:45:00 PM	0.31
5/13/2025	7:00:00 PM	0.3
5/13/2025	7:15:00 PM	0.3
5/13/2025	7:30:00 PM	0.3
5/13/2025	7:45:00 PM	0.3
5/13/2025	8:00:00 PM	0.3
5/13/2025	8:15:00 PM	0.3
5/13/2025	8:30:00 PM	0.3
5/13/2025	8:45:00 PM	0.29
5/13/2025	9:00:00 PM	0.29
5/13/2025	9:15:00 PM	0.29
5/13/2025	9:30:00 PM	0.29
5/13/2025	9:45:00 PM	0.29
5/13/2025	10:00:00 PM	0.29
5/13/2025	10:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/13/2025	10:30:00 PM	0.29
5/13/2025	10:45:00 PM	0.28
5/13/2025	11:00:00 PM	0.28
5/13/2025	11:15:00 PM	0.28
5/13/2025	11:30:00 PM	0.28
5/13/2025	11:45:00 PM	0.28
5/14/2025	12:00:00 AM	0.28
5/14/2025	12:15:00 AM	0.27
5/14/2025	12:30:00 AM	0.27
5/14/2025	12:45:00 AM	0.27
5/14/2025	1:00:00 AM	0.27
5/14/2025	1:15:00 AM	0.27
5/14/2025	1:30:00 AM	0.27
5/14/2025	1:45:00 AM	0.27
5/14/2025	2:00:00 AM	0.27
5/14/2025	2:15:00 AM	0.26
5/14/2025	2:30:00 AM	0.26
5/14/2025	2:45:00 AM	0.26
5/14/2025	3:00:00 AM	0.26
5/14/2025	3:15:00 AM	0.26
5/14/2025	3:30:00 AM	0.26
5/14/2025	3:45:00 AM	0.26
5/14/2025	4:00:00 AM	0.26
5/14/2025	4:15:00 AM	0.26
5/14/2025	4:30:00 AM	0.25
5/14/2025	4:45:00 AM	0.25
5/14/2025	5:00:00 AM	0.25
5/14/2025	5:15:00 AM	0.25
5/14/2025	5:30:00 AM	0.25
5/14/2025	5:45:00 AM	0.25
5/14/2025	6:00:00 AM	0.25
5/14/2025	6:15:00 AM	0.25
5/14/2025	6:30:00 AM	0.25
5/14/2025	6:45:00 AM	0.25
5/14/2025	7:00:00 AM	0.26
5/14/2025	7:15:00 AM	0.26
5/14/2025	7:30:00 AM	0.26
5/14/2025	7:45:00 AM	0.26
5/14/2025	8:00:00 AM	0.26
5/14/2025	8:15:00 AM	0.27
5/14/2025	8:30:00 AM	0.27
5/14/2025	8:45:00 AM	0.27
5/14/2025	9:00:00 AM	0.27
5/14/2025	9:15:00 AM	0.27
5/14/2025	9:30:00 AM	0.27
5/14/2025	9:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/14/2025	10:00:00 AM	0.27
5/14/2025	10:15:00 AM	0.27
5/14/2025	10:30:00 AM	0.28
5/14/2025	10:45:00 AM	0.28
5/14/2025	11:00:00 AM	0.28
5/14/2025	11:15:00 AM	0.28
5/14/2025	11:30:00 AM	0.28
5/14/2025	11:45:00 AM	0.28
5/14/2025	12:00:00 PM	0.28
5/14/2025	12:15:00 PM	0.28
5/14/2025	12:30:00 PM	0.28
5/14/2025	12:45:00 PM	0.28
5/14/2025	1:00:00 PM	0.28
5/14/2025	1:15:00 PM	0.28
5/14/2025	1:30:00 PM	0.28
5/14/2025	1:45:00 PM	0.28
5/14/2025	2:00:00 PM	0.28
5/14/2025	2:15:00 PM	0.28
5/14/2025	2:30:00 PM	0.28
5/14/2025	2:45:00 PM	0.28
5/14/2025	3:00:00 PM	0.28
5/14/2025	3:15:00 PM	0.28
5/14/2025	3:30:00 PM	0.28
5/14/2025	3:45:00 PM	0.28
5/14/2025	4:00:00 PM	0.28
5/14/2025	4:15:00 PM	0.28
5/14/2025	4:30:00 PM	0.28
5/14/2025	4:45:00 PM	0.28
5/14/2025	5:00:00 PM	0.28
5/14/2025	5:15:00 PM	0.28
5/14/2025	5:30:00 PM	0.28
5/14/2025	5:45:00 PM	0.28
5/14/2025	6:00:00 PM	0.28
5/14/2025	6:15:00 PM	0.28
5/14/2025	6:30:00 PM	0.28
5/14/2025	6:45:00 PM	0.28
5/14/2025	7:00:00 PM	0.28
5/14/2025	7:15:00 PM	0.28
5/14/2025	7:30:00 PM	0.28
5/14/2025	7:45:00 PM	0.28
5/14/2025	8:00:00 PM	0.27
5/14/2025	8:15:00 PM	0.27
5/14/2025	8:30:00 PM	0.27
5/14/2025	8:45:00 PM	0.27
5/14/2025	9:00:00 PM	0.27
5/14/2025	9:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/14/2025	9:30:00 PM	0.27
5/14/2025	9:45:00 PM	0.27
5/14/2025	10:00:00 PM	0.27
5/14/2025	10:15:00 PM	0.27
5/14/2025	10:30:00 PM	0.27
5/14/2025	10:45:00 PM	0.27
5/14/2025	11:00:00 PM	0.27
5/14/2025	11:15:00 PM	0.27
5/14/2025	11:30:00 PM	0.27
5/14/2025	11:45:00 PM	0.27
5/15/2025	12:00:00 AM	0.27
5/15/2025	12:15:00 AM	0.27
5/15/2025	12:30:00 AM	0.27
5/15/2025	12:45:00 AM	0.27
5/15/2025	1:00:00 AM	0.27
5/15/2025	1:15:00 AM	0.27
5/15/2025	1:30:00 AM	0.27
5/15/2025	1:45:00 AM	0.27
5/15/2025	2:00:00 AM	0.27
5/15/2025	2:15:00 AM	0.27
5/15/2025	2:30:00 AM	0.27
5/15/2025	2:45:00 AM	0.27
5/15/2025	3:00:00 AM	0.27
5/15/2025	3:15:00 AM	0.27
5/15/2025	3:30:00 AM	0.27
5/15/2025	3:45:00 AM	0.27
5/15/2025	4:00:00 AM	0.27
5/15/2025	4:15:00 AM	0.27
5/15/2025	4:30:00 AM	0.27
5/15/2025	4:45:00 AM	0.27
5/15/2025	5:00:00 AM	0.27
5/15/2025	5:15:00 AM	0.27
5/15/2025	5:30:00 AM	0.27
5/15/2025	5:45:00 AM	0.27
5/15/2025	6:00:00 AM	0.27
5/15/2025	6:15:00 AM	0.27
5/15/2025	6:30:00 AM	0.27
5/15/2025	6:45:00 AM	0.27
5/15/2025	7:00:00 AM	0.27
5/15/2025	7:15:00 AM	0.27
5/15/2025	7:30:00 AM	0.27
5/15/2025	7:45:00 AM	0.28
5/15/2025	8:00:00 AM	0.28
5/15/2025	8:15:00 AM	0.28
5/15/2025	8:30:00 AM	0.28
5/15/2025	8:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/15/2025	9:00:00 AM	0.28
5/15/2025	9:15:00 AM	0.28
5/15/2025	9:30:00 AM	0.28
5/15/2025	9:45:00 AM	0.28
5/15/2025	10:00:00 AM	0.28
5/15/2025	10:15:00 AM	0.28
5/15/2025	10:30:00 AM	0.28
5/15/2025	10:45:00 AM	0.28
5/15/2025	11:00:00 AM	0.28
5/15/2025	11:15:00 AM	0.28
5/15/2025	11:30:00 AM	0.28
5/15/2025	11:45:00 AM	0.28
5/15/2025	12:00:00 PM	0.28
5/15/2025	12:15:00 PM	0.28
5/15/2025	12:30:00 PM	0.28
5/15/2025	12:45:00 PM	0.28
5/15/2025	1:00:00 PM	0.28
5/15/2025	1:15:00 PM	0.28
5/15/2025	1:30:00 PM	0.28
5/15/2025	1:45:00 PM	0.28
5/15/2025	2:00:00 PM	0.28
5/15/2025	2:15:00 PM	0.28
5/15/2025	2:30:00 PM	0.28
5/15/2025	2:45:00 PM	0.28
5/15/2025	3:00:00 PM	0.28
5/15/2025	3:15:00 PM	0.28
5/15/2025	3:30:00 PM	0.28
5/15/2025	3:45:00 PM	0.28
5/15/2025	4:00:00 PM	0.28
5/15/2025	4:15:00 PM	0.28
5/15/2025	4:30:00 PM	0.28
5/15/2025	4:45:00 PM	0.28
5/15/2025	5:00:00 PM	0.28
5/15/2025	5:15:00 PM	0.28
5/15/2025	5:30:00 PM	0.28
5/15/2025	5:45:00 PM	0.28
5/15/2025	6:00:00 PM	0.28
5/15/2025	6:15:00 PM	0.28
5/15/2025	6:30:00 PM	0.28
5/15/2025	6:45:00 PM	0.28
5/15/2025	7:00:00 PM	0.28
5/15/2025	7:15:00 PM	0.28
5/15/2025	7:30:00 PM	0.28
5/15/2025	7:45:00 PM	0.28
5/15/2025	8:00:00 PM	0.28
5/15/2025	8:15:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/15/2025	8:30:00 PM	0.28
5/15/2025	8:45:00 PM	0.28
5/15/2025	9:00:00 PM	0.28
5/15/2025	9:15:00 PM	0.28
5/15/2025	9:30:00 PM	0.28
5/15/2025	9:45:00 PM	0.28
5/15/2025	10:00:00 PM	0.28
5/15/2025	10:15:00 PM	0.28
5/15/2025	10:30:00 PM	0.28
5/15/2025	10:45:00 PM	0.28
5/15/2025	11:00:00 PM	0.28
5/15/2025	11:15:00 PM	0.28
5/15/2025	11:30:00 PM	0.28
5/15/2025	11:45:00 PM	0.28
5/16/2025	12:00:00 AM	0.28
5/16/2025	12:15:00 AM	0.28
5/16/2025	12:30:00 AM	0.28
5/16/2025	12:45:00 AM	0.28
5/16/2025	1:00:00 AM	0.28
5/16/2025	1:15:00 AM	0.28
5/16/2025	1:30:00 AM	0.28
5/16/2025	1:45:00 AM	0.28
5/16/2025	2:00:00 AM	0.28
5/16/2025	2:15:00 AM	0.28
5/16/2025	2:30:00 AM	0.28
5/16/2025	2:45:00 AM	0.28
5/16/2025	3:00:00 AM	0.28
5/16/2025	3:15:00 AM	0.28
5/16/2025	3:30:00 AM	0.28
5/16/2025	3:45:00 AM	0.28
5/16/2025	4:00:00 AM	0.28
5/16/2025	4:15:00 AM	0.28
5/16/2025	4:30:00 AM	0.28
5/16/2025	4:45:00 AM	0.28
5/16/2025	5:00:00 AM	0.28
5/16/2025	5:15:00 AM	0.28
5/16/2025	5:30:00 AM	0.28
5/16/2025	5:45:00 AM	0.28
5/16/2025	6:00:00 AM	0.28
5/16/2025	6:15:00 AM	0.28
5/16/2025	6:30:00 AM	0.28
5/16/2025	6:45:00 AM	0.28
5/16/2025	7:00:00 AM	0.28
5/16/2025	7:15:00 AM	0.28
5/16/2025	7:30:00 AM	0.28
5/16/2025	7:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/16/2025	8:00:00 AM	0.28
5/16/2025	8:15:00 AM	0.28
5/16/2025	8:30:00 AM	0.28
5/16/2025	8:45:00 AM	0.28
5/16/2025	9:00:00 AM	0.28
5/16/2025	9:15:00 AM	0.28
5/16/2025	9:30:00 AM	0.28
5/16/2025	9:45:00 AM	0.28
5/16/2025	10:00:00 AM	0.28
5/16/2025	10:15:00 AM	0.28
5/16/2025	10:30:00 AM	0.28
5/16/2025	10:45:00 AM	0.28
5/16/2025	11:00:00 AM	0.28
5/16/2025	11:15:00 AM	0.28
5/16/2025	11:30:00 AM	0.28
5/16/2025	11:45:00 AM	0.28
5/16/2025	12:00:00 PM	0.28
5/16/2025	12:15:00 PM	0.28
5/16/2025	12:30:00 PM	0.28
5/16/2025	12:45:00 PM	0.28
5/16/2025	1:00:00 PM	0.28
5/16/2025	1:15:00 PM	0.28
5/16/2025	1:30:00 PM	0.28
5/16/2025	1:45:00 PM	0.28
5/16/2025	2:00:00 PM	0.28
5/16/2025	2:15:00 PM	0.28
5/16/2025	2:30:00 PM	0.28
5/16/2025	2:45:00 PM	0.28
5/16/2025	3:00:00 PM	0.28
5/16/2025	3:15:00 PM	0.29
5/16/2025	3:30:00 PM	0.29
5/16/2025	3:45:00 PM	0.29
5/16/2025	4:00:00 PM	0.29
5/16/2025	4:15:00 PM	0.29
5/16/2025	4:30:00 PM	0.29
5/16/2025	4:45:00 PM	0.29
5/16/2025	5:00:00 PM	0.29
5/16/2025	5:15:00 PM	0.29
5/16/2025	5:30:00 PM	0.3
5/16/2025	5:45:00 PM	0.3
5/16/2025	6:00:00 PM	0.3
5/16/2025	6:15:00 PM	0.3
5/16/2025	6:30:00 PM	0.3
5/16/2025	6:45:00 PM	0.3
5/16/2025	7:00:00 PM	0.3
5/16/2025	7:15:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
5/16/2025	7:30:00 PM	0.3
5/16/2025	7:45:00 PM	0.3
5/16/2025	8:00:00 PM	0.3
5/16/2025	8:15:00 PM	0.3
5/16/2025	8:30:00 PM	0.3
5/16/2025	8:45:00 PM	0.3
5/16/2025	9:00:00 PM	0.3
5/16/2025	9:15:00 PM	0.3
5/16/2025	9:30:00 PM	0.3
5/16/2025	9:45:00 PM	0.3
5/16/2025	10:00:00 PM	0.3
5/16/2025	10:15:00 PM	0.3
5/16/2025	10:30:00 PM	0.3
5/16/2025	10:45:00 PM	0.3
5/16/2025	11:00:00 PM	0.3
5/16/2025	11:15:00 PM	0.3
5/16/2025	11:30:00 PM	0.3
5/16/2025	11:45:00 PM	0.3
5/17/2025	12:00:00 AM	0.3
5/17/2025	12:15:00 AM	0.3
5/17/2025	12:30:00 AM	0.3
5/17/2025	12:45:00 AM	0.3
5/17/2025	1:00:00 AM	0.3
5/17/2025	1:15:00 AM	0.3
5/17/2025	1:30:00 AM	0.3
5/17/2025	1:45:00 AM	0.31
5/17/2025	2:00:00 AM	0.31
5/17/2025	2:15:00 AM	0.31
5/17/2025	2:30:00 AM	0.31
5/17/2025	2:45:00 AM	0.31
5/17/2025	3:00:00 AM	0.31
5/17/2025	3:15:00 AM	0.31
5/17/2025	3:30:00 AM	0.31
5/17/2025	3:45:00 AM	0.31
5/17/2025	4:00:00 AM	0.31
5/17/2025	4:15:00 AM	0.31
5/17/2025	4:30:00 AM	0.31
5/17/2025	4:45:00 AM	0.31
5/17/2025	5:00:00 AM	0.31
5/17/2025	5:15:00 AM	0.31
5/17/2025	5:30:00 AM	0.31
5/17/2025	5:45:00 AM	0.31
5/17/2025	6:00:00 AM	0.31
5/17/2025	6:15:00 AM	0.31
5/17/2025	6:30:00 AM	0.31
5/17/2025	6:45:00 AM	0.31

Billy Lake Return Gage

DATE	TIME	GAGE
5/17/2025	7:00:00 AM	0.31
5/17/2025	7:15:00 AM	0.31
5/17/2025	7:30:00 AM	0.31
5/17/2025	7:45:00 AM	0.31
5/17/2025	8:00:00 AM	0.31
5/17/2025	8:15:00 AM	0.31
5/17/2025	8:30:00 AM	0.31
5/17/2025	8:45:00 AM	0.31
5/17/2025	9:00:00 AM	0.31
5/17/2025	9:15:00 AM	0.31
5/17/2025	9:30:00 AM	0.31
5/17/2025	9:45:00 AM	0.31
5/17/2025	10:00:00 AM	0.31
5/17/2025	10:15:00 AM	0.31
5/17/2025	10:30:00 AM	0.31
5/17/2025	10:45:00 AM	0.31
5/17/2025	11:00:00 AM	0.31
5/17/2025	11:15:00 AM	0.31
5/17/2025	11:30:00 AM	0.31
5/17/2025	11:45:00 AM	0.31
5/17/2025	12:00:00 PM	0.31
5/17/2025	12:15:00 PM	0.31
5/17/2025	12:30:00 PM	0.31
5/17/2025	12:45:00 PM	0.32
5/17/2025	1:00:00 PM	0.31
5/17/2025	1:15:00 PM	0.31
5/17/2025	1:30:00 PM	0.31
5/17/2025	1:45:00 PM	0.31
5/17/2025	2:00:00 PM	0.31
5/17/2025	2:15:00 PM	0.31
5/17/2025	2:30:00 PM	0.31
5/17/2025	2:45:00 PM	0.31
5/17/2025	3:00:00 PM	0.3
5/17/2025	3:15:00 PM	0.3
5/17/2025	3:30:00 PM	0.3
5/17/2025	3:45:00 PM	0.3
5/17/2025	4:00:00 PM	0.3
5/17/2025	4:15:00 PM	0.3
5/17/2025	4:30:00 PM	0.3
5/17/2025	4:45:00 PM	0.3
5/17/2025	5:00:00 PM	0.29
5/17/2025	5:15:00 PM	0.3
5/17/2025	5:30:00 PM	0.29
5/17/2025	5:45:00 PM	0.3
5/17/2025	6:00:00 PM	0.29
5/17/2025	6:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/17/2025	6:30:00 PM	0.29
5/17/2025	6:45:00 PM	0.29
5/17/2025	7:00:00 PM	0.29
5/17/2025	7:15:00 PM	0.29
5/17/2025	7:30:00 PM	0.29
5/17/2025	7:45:00 PM	0.29
5/17/2025	8:00:00 PM	0.29
5/17/2025	8:15:00 PM	0.29
5/17/2025	8:30:00 PM	0.29
5/17/2025	8:45:00 PM	0.29
5/17/2025	9:00:00 PM	0.29
5/17/2025	9:15:00 PM	0.29
5/17/2025	9:30:00 PM	0.29
5/17/2025	9:45:00 PM	0.29
5/17/2025	10:00:00 PM	0.29
5/17/2025	10:15:00 PM	0.28
5/17/2025	10:30:00 PM	0.28
5/17/2025	10:45:00 PM	0.28
5/17/2025	11:00:00 PM	0.28
5/17/2025	11:15:00 PM	0.28
5/17/2025	11:30:00 PM	0.28
5/17/2025	11:45:00 PM	0.28
5/18/2025	12:00:00 AM	0.28
5/18/2025	12:15:00 AM	0.28
5/18/2025	12:30:00 AM	0.28
5/18/2025	12:45:00 AM	0.28
5/18/2025	1:00:00 AM	0.28
5/18/2025	1:15:00 AM	0.28
5/18/2025	1:30:00 AM	0.28
5/18/2025	1:45:00 AM	0.28
5/18/2025	2:00:00 AM	0.28
5/18/2025	2:15:00 AM	0.28
5/18/2025	2:30:00 AM	0.28
5/18/2025	2:45:00 AM	0.28
5/18/2025	3:00:00 AM	0.28
5/18/2025	3:15:00 AM	0.28
5/18/2025	3:30:00 AM	0.28
5/18/2025	3:45:00 AM	0.28
5/18/2025	4:00:00 AM	0.28
5/18/2025	4:15:00 AM	0.28
5/18/2025	4:30:00 AM	0.28
5/18/2025	4:45:00 AM	0.28
5/18/2025	5:00:00 AM	0.28
5/18/2025	5:15:00 AM	0.28
5/18/2025	5:30:00 AM	0.28
5/18/2025	5:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/18/2025	6:00:00 AM	0.28
5/18/2025	6:15:00 AM	0.28
5/18/2025	6:30:00 AM	0.28
5/18/2025	6:45:00 AM	0.28
5/18/2025	7:00:00 AM	0.28
5/18/2025	7:15:00 AM	0.28
5/18/2025	7:30:00 AM	0.28
5/18/2025	7:45:00 AM	0.28
5/18/2025	8:00:00 AM	0.28
5/18/2025	8:15:00 AM	0.28
5/18/2025	8:30:00 AM	0.28
5/18/2025	8:45:00 AM	0.28
5/18/2025	9:00:00 AM	0.28
5/18/2025	9:15:00 AM	0.27
5/18/2025	9:30:00 AM	0.27
5/18/2025	9:45:00 AM	0.27
5/18/2025	10:00:00 AM	0.28
5/18/2025	10:15:00 AM	0.28
5/18/2025	10:30:00 AM	0.28
5/18/2025	10:45:00 AM	0.28
5/18/2025	11:00:00 AM	0.28
5/18/2025	11:15:00 AM	0.28
5/18/2025	11:30:00 AM	0.28
5/18/2025	11:45:00 AM	0.28
5/18/2025	12:00:00 PM	0.29
5/18/2025	12:15:00 PM	0.29
5/18/2025	12:30:00 PM	0.29
5/18/2025	12:45:00 PM	0.29
5/18/2025	1:00:00 PM	0.29
5/18/2025	1:15:00 PM	0.29
5/18/2025	1:30:00 PM	0.29
5/18/2025	1:45:00 PM	0.29
5/18/2025	2:00:00 PM	0.29
5/18/2025	2:15:00 PM	0.29
5/18/2025	2:30:00 PM	0.29
5/18/2025	2:45:00 PM	0.29
5/18/2025	3:00:00 PM	0.29
5/18/2025	3:15:00 PM	0.29
5/18/2025	3:30:00 PM	0.29
5/18/2025	3:45:00 PM	0.29
5/18/2025	4:00:00 PM	0.29
5/18/2025	4:15:00 PM	0.29
5/18/2025	4:30:00 PM	0.29
5/18/2025	4:45:00 PM	0.29
5/18/2025	5:00:00 PM	0.29
5/18/2025	5:15:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/18/2025	5:30:00 PM	0.29
5/18/2025	5:45:00 PM	0.29
5/18/2025	6:00:00 PM	0.28
5/18/2025	6:15:00 PM	0.28
5/18/2025	6:30:00 PM	0.28
5/18/2025	6:45:00 PM	0.28
5/18/2025	7:00:00 PM	0.27
5/18/2025	7:15:00 PM	0.27
5/18/2025	7:30:00 PM	0.27
5/18/2025	7:45:00 PM	0.27
5/18/2025	8:00:00 PM	0.27
5/18/2025	8:15:00 PM	0.27
5/18/2025	8:30:00 PM	0.26
5/18/2025	8:45:00 PM	0.26
5/18/2025	9:00:00 PM	0.26
5/18/2025	9:15:00 PM	0.26
5/18/2025	9:30:00 PM	0.26
5/18/2025	9:45:00 PM	0.26
5/18/2025	10:00:00 PM	0.26
5/18/2025	10:15:00 PM	0.26
5/18/2025	10:30:00 PM	0.26
5/18/2025	10:45:00 PM	0.26
5/18/2025	11:00:00 PM	0.26
5/18/2025	11:15:00 PM	0.25
5/18/2025	11:30:00 PM	0.25
5/18/2025	11:45:00 PM	0.25
5/19/2025	12:00:00 AM	0.25
5/19/2025	12:15:00 AM	0.25
5/19/2025	12:30:00 AM	0.25
5/19/2025	12:45:00 AM	0.25
5/19/2025	1:00:00 AM	0.25
5/19/2025	1:15:00 AM	0.25
5/19/2025	1:30:00 AM	0.25
5/19/2025	1:45:00 AM	0.25
5/19/2025	2:00:00 AM	0.25
5/19/2025	2:15:00 AM	0.25
5/19/2025	2:30:00 AM	0.25
5/19/2025	2:45:00 AM	0.25
5/19/2025	3:00:00 AM	0.25
5/19/2025	3:15:00 AM	0.25
5/19/2025	3:30:00 AM	0.25
5/19/2025	3:45:00 AM	0.24
5/19/2025	4:00:00 AM	0.25
5/19/2025	4:15:00 AM	0.24
5/19/2025	4:30:00 AM	0.24
5/19/2025	4:45:00 AM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
5/19/2025	5:00:00 AM	0.24
5/19/2025	5:15:00 AM	0.24
5/19/2025	5:30:00 AM	0.24
5/19/2025	5:45:00 AM	0.24
5/19/2025	6:00:00 AM	0.24
5/19/2025	6:15:00 AM	0.24
5/19/2025	6:30:00 AM	0.24
5/19/2025	6:45:00 AM	0.24
5/19/2025	7:00:00 AM	0.24
5/19/2025	7:15:00 AM	0.24
5/19/2025	7:30:00 AM	0.24
5/19/2025	7:45:00 AM	0.25
5/19/2025	8:00:00 AM	0.25
5/19/2025	8:15:00 AM	0.26
5/19/2025	8:30:00 AM	0.26
5/19/2025	8:45:00 AM	0.26
5/19/2025	9:00:00 AM	0.27
5/19/2025	9:15:00 AM	0.27
5/19/2025	9:30:00 AM	0.27
5/19/2025	9:45:00 AM	0.27
5/19/2025	10:00:00 AM	0.27
5/19/2025	10:15:00 AM	0.28
5/19/2025	10:30:00 AM	0.28
5/19/2025	10:45:00 AM	0.28
5/19/2025	11:00:00 AM	0.28
5/19/2025	11:15:00 AM	0.29
5/19/2025	11:30:00 AM	0.29
5/19/2025	11:45:00 AM	0.29
5/19/2025	12:00:00 PM	0.29
5/19/2025	12:15:00 PM	0.29
5/19/2025	12:30:00 PM	0.29
5/19/2025	12:45:00 PM	0.29
5/19/2025	1:00:00 PM	0.29
5/19/2025	1:15:00 PM	0.29
5/19/2025	1:30:00 PM	0.29
5/19/2025	1:45:00 PM	0.29
5/19/2025	2:00:00 PM	0.29
5/19/2025	2:15:00 PM	0.29
5/19/2025	2:30:00 PM	0.29
5/19/2025	2:45:00 PM	0.3
5/19/2025	3:00:00 PM	0.29
5/19/2025	3:15:00 PM	0.3
5/19/2025	3:30:00 PM	0.3
5/19/2025	3:45:00 PM	0.3
5/19/2025	4:00:00 PM	0.3
5/19/2025	4:15:00 PM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
5/19/2025	4:30:00 PM	0.29
5/19/2025	4:45:00 PM	0.29
5/19/2025	5:00:00 PM	0.29
5/19/2025	5:15:00 PM	0.29
5/19/2025	5:30:00 PM	0.29
5/19/2025	5:45:00 PM	0.29
5/19/2025	6:00:00 PM	0.29
5/19/2025	6:15:00 PM	0.29
5/19/2025	6:30:00 PM	0.29
5/19/2025	6:45:00 PM	0.29
5/19/2025	7:00:00 PM	0.29
5/19/2025	7:15:00 PM	0.29
5/19/2025	7:30:00 PM	0.29
5/19/2025	7:45:00 PM	0.29
5/19/2025	8:00:00 PM	0.29
5/19/2025	8:15:00 PM	0.29
5/19/2025	8:30:00 PM	0.29
5/19/2025	8:45:00 PM	0.29
5/19/2025	9:00:00 PM	0.29
5/19/2025	9:15:00 PM	0.29
5/19/2025	9:30:00 PM	0.29
5/19/2025	9:45:00 PM	0.29
5/19/2025	10:00:00 PM	0.29
5/19/2025	10:15:00 PM	0.29
5/19/2025	10:30:00 PM	0.29
5/19/2025	10:45:00 PM	0.29
5/19/2025	11:00:00 PM	0.29
5/19/2025	11:15:00 PM	0.28
5/19/2025	11:30:00 PM	0.28
5/19/2025	11:45:00 PM	0.28
5/20/2025	12:00:00 AM	0.28
5/20/2025	12:15:00 AM	0.28
5/20/2025	12:30:00 AM	0.28
5/20/2025	12:45:00 AM	0.28
5/20/2025	1:00:00 AM	0.28
5/20/2025	1:15:00 AM	0.28
5/20/2025	1:30:00 AM	0.28
5/20/2025	1:45:00 AM	0.28
5/20/2025	2:00:00 AM	0.28
5/20/2025	2:15:00 AM	0.28
5/20/2025	2:30:00 AM	0.28
5/20/2025	2:45:00 AM	0.28
5/20/2025	3:00:00 AM	0.28
5/20/2025	3:15:00 AM	0.28
5/20/2025	3:30:00 AM	0.28
5/20/2025	3:45:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/20/2025	4:00:00 AM	0.28
5/20/2025	4:15:00 AM	0.28
5/20/2025	4:30:00 AM	0.28
5/20/2025	4:45:00 AM	0.28
5/20/2025	5:00:00 AM	0.28
5/20/2025	5:15:00 AM	0.28
5/20/2025	5:30:00 AM	0.28
5/20/2025	5:45:00 AM	0.28
5/20/2025	6:00:00 AM	0.28
5/20/2025	6:15:00 AM	0.28
5/20/2025	6:30:00 AM	0.28
5/20/2025	6:45:00 AM	0.28
5/20/2025	7:00:00 AM	0.28
5/20/2025	7:15:00 AM	0.28
5/20/2025	7:30:00 AM	0.28
5/20/2025	7:45:00 AM	0.28
5/20/2025	8:00:00 AM	0.28
5/20/2025	8:15:00 AM	0.28
5/20/2025	8:30:00 AM	0.28
5/20/2025	8:45:00 AM	0.28
5/20/2025	9:00:00 AM	0.28
5/20/2025	9:15:00 AM	0.28
5/20/2025	9:30:00 AM	0.28
5/20/2025	9:45:00 AM	0.28
5/20/2025	10:00:00 AM	0.28
5/20/2025	10:15:00 AM	0.28
5/20/2025	10:30:00 AM	0.28
5/20/2025	10:45:00 AM	0.28
5/20/2025	11:00:00 AM	0.28
5/20/2025	11:15:00 AM	0.28
5/20/2025	11:30:00 AM	0.28
5/20/2025	11:45:00 AM	0.28
5/20/2025	12:00:00 PM	0.28
5/20/2025	12:15:00 PM	0.28
5/20/2025	12:30:00 PM	0.28
5/20/2025	12:45:00 PM	0.28
5/20/2025	1:00:00 PM	0.28
5/20/2025	1:15:00 PM	0.28
5/20/2025	1:30:00 PM	0.28
5/20/2025	1:45:00 PM	0.28
5/20/2025	2:00:00 PM	0.27
5/20/2025	2:15:00 PM	0.27
5/20/2025	2:30:00 PM	0.27
5/20/2025	2:45:00 PM	0.27
5/20/2025	3:00:00 PM	0.27
5/20/2025	3:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/20/2025	3:30:00 PM	0.27
5/20/2025	3:45:00 PM	0.27
5/20/2025	4:00:00 PM	0.27
5/20/2025	4:15:00 PM	0.27
5/20/2025	4:30:00 PM	0.27
5/20/2025	4:45:00 PM	0.27
5/20/2025	5:00:00 PM	0.27
5/20/2025	5:15:00 PM	0.27
5/20/2025	5:30:00 PM	0.27
5/20/2025	5:45:00 PM	0.27
5/20/2025	6:00:00 PM	0.27
5/20/2025	6:15:00 PM	0.27
5/20/2025	6:30:00 PM	0.27
5/20/2025	6:45:00 PM	0.27
5/20/2025	7:00:00 PM	0.27
5/20/2025	7:15:00 PM	0.27
5/20/2025	7:30:00 PM	0.27
5/20/2025	7:45:00 PM	0.27
5/20/2025	8:00:00 PM	0.27
5/20/2025	8:15:00 PM	0.26
5/20/2025	8:30:00 PM	0.27
5/20/2025	8:45:00 PM	0.27
5/20/2025	9:00:00 PM	0.27
5/20/2025	9:15:00 PM	0.27
5/20/2025	9:30:00 PM	0.26
5/20/2025	9:45:00 PM	0.26
5/20/2025	10:00:00 PM	0.27
5/20/2025	10:15:00 PM	0.26
5/20/2025	10:30:00 PM	0.26
5/20/2025	10:45:00 PM	0.26
5/20/2025	11:00:00 PM	0.26
5/20/2025	11:15:00 PM	0.26
5/20/2025	11:30:00 PM	0.26
5/20/2025	11:45:00 PM	0.26
5/21/2025	12:00:00 AM	0.27
5/21/2025	12:15:00 AM	0.27
5/21/2025	12:30:00 AM	0.27
5/21/2025	12:45:00 AM	0.27
5/21/2025	1:00:00 AM	0.27
5/21/2025	1:15:00 AM	0.26
5/21/2025	1:30:00 AM	0.27
5/21/2025	1:45:00 AM	0.27
5/21/2025	2:00:00 AM	0.26
5/21/2025	2:15:00 AM	0.26
5/21/2025	2:30:00 AM	0.27
5/21/2025	2:45:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/21/2025	3:00:00 AM	0.27
5/21/2025	3:15:00 AM	0.26
5/21/2025	3:30:00 AM	0.26
5/21/2025	3:45:00 AM	0.26
5/21/2025	4:00:00 AM	0.26
5/21/2025	4:15:00 AM	0.26
5/21/2025	4:30:00 AM	0.26
5/21/2025	4:45:00 AM	0.26
5/21/2025	5:00:00 AM	0.26
5/21/2025	5:15:00 AM	0.26
5/21/2025	5:30:00 AM	0.26
5/21/2025	5:45:00 AM	0.26
5/21/2025	6:00:00 AM	0.26
5/21/2025	6:15:00 AM	0.26
5/21/2025	6:30:00 AM	0.26
5/21/2025	6:45:00 AM	0.26
5/21/2025	7:00:00 AM	0.26
5/21/2025	7:15:00 AM	0.26
5/21/2025	7:30:00 AM	0.26
5/21/2025	7:45:00 AM	0.26
5/21/2025	8:00:00 AM	0.26
5/21/2025	8:15:00 AM	0.27
5/21/2025	8:30:00 AM	0.27
5/21/2025	8:45:00 AM	0.27
5/21/2025	9:00:00 AM	0.27
5/21/2025	9:15:00 AM	0.27
5/21/2025	9:30:00 AM	0.27
5/21/2025	9:45:00 AM	0.27
5/21/2025	10:00:00 AM	0.27
5/21/2025	10:15:00 AM	0.27
5/21/2025	10:30:00 AM	0.27
5/21/2025	10:45:00 AM	0.27
5/21/2025	11:00:00 AM	0.27
5/21/2025	11:15:00 AM	0.27
5/21/2025	11:30:00 AM	0.27
5/21/2025	11:45:00 AM	0.27
5/21/2025	12:00:00 PM	0.27
5/21/2025	12:15:00 PM	0.28
5/21/2025	12:30:00 PM	0.28
5/21/2025	12:45:00 PM	0.28
5/21/2025	1:00:00 PM	0.27
5/21/2025	1:15:00 PM	0.27
5/21/2025	1:30:00 PM	0.27
5/21/2025	1:45:00 PM	0.28
5/21/2025	2:00:00 PM	0.27
5/21/2025	2:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/21/2025	2:30:00 PM	0.28
5/21/2025	2:45:00 PM	0.28
5/21/2025	3:00:00 PM	0.28
5/21/2025	3:15:00 PM	0.28
5/21/2025	3:30:00 PM	0.28
5/21/2025	3:45:00 PM	0.28
5/21/2025	4:00:00 PM	0.28
5/21/2025	4:15:00 PM	0.28
5/21/2025	4:30:00 PM	0.28
5/21/2025	4:45:00 PM	0.28
5/21/2025	5:00:00 PM	0.28
5/21/2025	5:15:00 PM	0.28
5/21/2025	5:30:00 PM	0.28
5/21/2025	5:45:00 PM	0.28
5/21/2025	6:00:00 PM	0.28
5/21/2025	6:15:00 PM	0.28
5/21/2025	6:30:00 PM	0.28
5/21/2025	6:45:00 PM	0.28
5/21/2025	7:00:00 PM	0.28
5/21/2025	7:15:00 PM	0.28
5/21/2025	7:30:00 PM	0.28
5/21/2025	7:45:00 PM	0.28
5/21/2025	8:00:00 PM	0.28
5/21/2025	8:15:00 PM	0.28
5/21/2025	8:30:00 PM	0.28
5/21/2025	8:45:00 PM	0.28
5/21/2025	9:00:00 PM	0.28
5/21/2025	9:15:00 PM	0.28
5/21/2025	9:30:00 PM	0.29
5/21/2025	9:45:00 PM	0.28
5/21/2025	10:00:00 PM	0.28
5/21/2025	10:15:00 PM	0.29
5/21/2025	10:30:00 PM	0.29
5/21/2025	10:45:00 PM	0.29
5/21/2025	11:00:00 PM	0.29
5/21/2025	11:15:00 PM	0.29
5/21/2025	11:30:00 PM	0.29
5/21/2025	11:45:00 PM	0.29
5/22/2025	12:00:00 AM	0.29
5/22/2025	12:15:00 AM	0.29
5/22/2025	12:30:00 AM	0.29
5/22/2025	12:45:00 AM	0.29
5/22/2025	1:00:00 AM	0.29
5/22/2025	1:15:00 AM	0.29
5/22/2025	1:30:00 AM	0.29
5/22/2025	1:45:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/22/2025	2:00:00 AM	0.29
5/22/2025	2:15:00 AM	0.29
5/22/2025	2:30:00 AM	0.29
5/22/2025	2:45:00 AM	0.29
5/22/2025	3:00:00 AM	0.29
5/22/2025	3:15:00 AM	0.29
5/22/2025	3:30:00 AM	0.29
5/22/2025	3:45:00 AM	0.29
5/22/2025	4:00:00 AM	0.29
5/22/2025	4:15:00 AM	0.29
5/22/2025	4:30:00 AM	0.29
5/22/2025	4:45:00 AM	0.29
5/22/2025	5:00:00 AM	0.29
5/22/2025	5:15:00 AM	0.29
5/22/2025	5:30:00 AM	0.29
5/22/2025	5:45:00 AM	0.29
5/22/2025	6:00:00 AM	0.29
5/22/2025	6:15:00 AM	0.29
5/22/2025	6:30:00 AM	0.29
5/22/2025	6:45:00 AM	0.29
5/22/2025	7:00:00 AM	0.29
5/22/2025	7:15:00 AM	0.28
5/22/2025	7:30:00 AM	0.28
5/22/2025	7:45:00 AM	0.28
5/22/2025	8:00:00 AM	0.28
5/22/2025	8:15:00 AM	0.28
5/22/2025	8:30:00 AM	0.28
5/22/2025	8:45:00 AM	0.28
5/22/2025	9:00:00 AM	0.28
5/22/2025	9:15:00 AM	0.28
5/22/2025	9:30:00 AM	0.28
5/22/2025	9:45:00 AM	0.28
5/22/2025	10:00:00 AM	0.28
5/22/2025	10:15:00 AM	0.28
5/22/2025	10:30:00 AM	0.29
5/22/2025	10:45:00 AM	0.28
5/22/2025	11:00:00 AM	0.29
5/22/2025	11:15:00 AM	0.28
5/22/2025	11:30:00 AM	0.28
5/22/2025	11:45:00 AM	0.28
5/22/2025	12:00:00 PM	0.28
5/22/2025	12:15:00 PM	0.28
5/22/2025	12:30:00 PM	0.27
5/22/2025	12:45:00 PM	0.27
5/22/2025	1:00:00 PM	0.27
5/22/2025	1:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/22/2025	1:30:00 PM	0.27
5/22/2025	1:45:00 PM	0.27
5/22/2025	2:00:00 PM	0.27
5/22/2025	2:15:00 PM	0.27
5/22/2025	2:30:00 PM	0.27
5/22/2025	2:45:00 PM	0.26
5/22/2025	3:00:00 PM	0.26
5/22/2025	3:15:00 PM	0.26
5/22/2025	3:30:00 PM	0.26
5/22/2025	3:45:00 PM	0.26
5/22/2025	4:00:00 PM	0.26
5/22/2025	4:15:00 PM	0.26
5/22/2025	4:30:00 PM	0.26
5/22/2025	4:45:00 PM	0.26
5/22/2025	5:00:00 PM	0.25
5/22/2025	5:15:00 PM	0.25
5/22/2025	5:30:00 PM	0.25
5/22/2025	5:45:00 PM	0.25
5/22/2025	6:00:00 PM	0.25
5/22/2025	6:15:00 PM	0.25
5/22/2025	6:30:00 PM	0.25
5/22/2025	6:45:00 PM	0.25
5/22/2025	7:00:00 PM	0.25
5/22/2025	7:15:00 PM	0.25
5/22/2025	7:30:00 PM	0.25
5/22/2025	7:45:00 PM	0.24
5/22/2025	8:00:00 PM	0.24
5/22/2025	8:15:00 PM	0.24
5/22/2025	8:30:00 PM	0.24
5/22/2025	8:45:00 PM	0.24
5/22/2025	9:00:00 PM	0.24
5/22/2025	9:15:00 PM	0.24
5/22/2025	9:30:00 PM	0.24
5/22/2025	9:45:00 PM	0.24
5/22/2025	10:00:00 PM	0.24
5/22/2025	10:15:00 PM	0.24
5/22/2025	10:30:00 PM	0.24
5/22/2025	10:45:00 PM	0.24
5/22/2025	11:00:00 PM	0.24
5/22/2025	11:15:00 PM	0.24
5/22/2025	11:30:00 PM	0.24
5/22/2025	11:45:00 PM	0.24
5/23/2025	12:00:00 AM	0.24
5/23/2025	12:15:00 AM	0.24
5/23/2025	12:30:00 AM	0.24
5/23/2025	12:45:00 AM	0.24

Billy Lake Return Gage

DATE	TIME	GAGE
5/23/2025	1:00:00 AM	0.24
5/23/2025	1:15:00 AM	0.24
5/23/2025	1:30:00 AM	0.24
5/23/2025	1:45:00 AM	0.24
5/23/2025	2:00:00 AM	0.24
5/23/2025	2:15:00 AM	0.24
5/23/2025	2:30:00 AM	0.24
5/23/2025	2:45:00 AM	0.24
5/23/2025	3:00:00 AM	0.24
5/23/2025	3:15:00 AM	0.24
5/23/2025	3:30:00 AM	0.24
5/23/2025	3:45:00 AM	0.24
5/23/2025	4:00:00 AM	0.24
5/23/2025	4:15:00 AM	0.24
5/23/2025	4:30:00 AM	0.24
5/23/2025	4:45:00 AM	0.24
5/23/2025	5:00:00 AM	0.24
5/23/2025	5:15:00 AM	0.24
5/23/2025	5:30:00 AM	0.24
5/23/2025	5:45:00 AM	0.24
5/23/2025	6:00:00 AM	0.24
5/23/2025	6:15:00 AM	0.24
5/23/2025	6:30:00 AM	0.24
5/23/2025	6:45:00 AM	0.24
5/23/2025	7:00:00 AM	0.24
5/23/2025	7:15:00 AM	0.24
5/23/2025	7:30:00 AM	0.24
5/23/2025	7:45:00 AM	0.25
5/23/2025	8:00:00 AM	0.25
5/23/2025	8:15:00 AM	0.25
5/23/2025	8:30:00 AM	0.25
5/23/2025	8:45:00 AM	0.25
5/23/2025	9:00:00 AM	0.26
5/23/2025	9:15:00 AM	0.26
5/23/2025	9:30:00 AM	0.26
5/23/2025	9:45:00 AM	0.26
5/23/2025	10:00:00 AM	0.26
5/23/2025	10:15:00 AM	0.26
5/23/2025	10:30:00 AM	0.26
5/23/2025	10:45:00 AM	0.26
5/23/2025	11:00:00 AM	0.26
5/23/2025	11:15:00 AM	0.26
5/23/2025	11:30:00 AM	0.26
5/23/2025	11:45:00 AM	0.26
5/23/2025	12:00:00 PM	0.27
5/23/2025	12:15:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/23/2025	12:30:00 PM	0.27
5/23/2025	12:45:00 PM	0.27
5/23/2025	1:00:00 PM	0.26
5/23/2025	1:15:00 PM	0.26
5/23/2025	1:30:00 PM	0.26
5/23/2025	1:45:00 PM	0.26
5/23/2025	2:00:00 PM	0.26
5/23/2025	2:15:00 PM	0.26
5/23/2025	2:30:00 PM	0.26
5/23/2025	2:45:00 PM	0.26
5/23/2025	3:00:00 PM	0.26
5/23/2025	3:15:00 PM	0.26
5/23/2025	3:30:00 PM	0.26
5/23/2025	3:45:00 PM	0.26
5/23/2025	4:00:00 PM	0.25
5/23/2025	4:15:00 PM	0.25
5/23/2025	4:30:00 PM	0.25
5/23/2025	4:45:00 PM	0.25
5/23/2025	5:00:00 PM	0.25
5/23/2025	5:15:00 PM	0.25
5/23/2025	5:30:00 PM	0.25
5/23/2025	5:45:00 PM	0.25
5/23/2025	6:00:00 PM	0.25
5/23/2025	6:15:00 PM	0.25
5/23/2025	6:30:00 PM	0.25
5/23/2025	6:45:00 PM	0.24
5/23/2025	7:00:00 PM	0.24
5/23/2025	7:15:00 PM	0.24
5/23/2025	7:30:00 PM	0.24
5/23/2025	7:45:00 PM	0.24
5/23/2025	8:00:00 PM	0.24
5/23/2025	8:15:00 PM	0.24
5/23/2025	8:30:00 PM	0.24
5/23/2025	8:45:00 PM	0.24
5/23/2025	9:00:00 PM	0.24
5/23/2025	9:15:00 PM	0.24
5/23/2025	9:30:00 PM	0.24
5/23/2025	9:45:00 PM	0.23
5/23/2025	10:00:00 PM	0.23
5/23/2025	10:15:00 PM	0.23
5/23/2025	10:30:00 PM	0.23
5/23/2025	10:45:00 PM	0.23
5/23/2025	11:00:00 PM	0.23
5/23/2025	11:15:00 PM	0.23
5/23/2025	11:30:00 PM	0.23
5/23/2025	11:45:00 PM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
5/24/2025	12:00:00 AM	0.23
5/24/2025	12:15:00 AM	0.23
5/24/2025	12:30:00 AM	0.23
5/24/2025	12:45:00 AM	0.23
5/24/2025	1:00:00 AM	0.23
5/24/2025	1:15:00 AM	0.23
5/24/2025	1:30:00 AM	0.23
5/24/2025	1:45:00 AM	0.23
5/24/2025	2:00:00 AM	0.23
5/24/2025	2:15:00 AM	0.23
5/24/2025	2:30:00 AM	0.23
5/24/2025	2:45:00 AM	0.23
5/24/2025	3:00:00 AM	0.23
5/24/2025	3:15:00 AM	0.23
5/24/2025	3:30:00 AM	0.23
5/24/2025	3:45:00 AM	0.23
5/24/2025	4:00:00 AM	0.23
5/24/2025	4:15:00 AM	0.23
5/24/2025	4:30:00 AM	0.23
5/24/2025	4:45:00 AM	0.23
5/24/2025	5:00:00 AM	0.23
5/24/2025	5:15:00 AM	0.23
5/24/2025	5:30:00 AM	0.23
5/24/2025	5:45:00 AM	0.24
5/24/2025	6:00:00 AM	0.24
5/24/2025	6:15:00 AM	0.24
5/24/2025	6:30:00 AM	0.24
5/24/2025	6:45:00 AM	0.24
5/24/2025	7:00:00 AM	0.24
5/24/2025	7:15:00 AM	0.25
5/24/2025	7:30:00 AM	0.25
5/24/2025	7:45:00 AM	0.25
5/24/2025	8:00:00 AM	0.25
5/24/2025	8:15:00 AM	0.25
5/24/2025	8:30:00 AM	0.25
5/24/2025	8:45:00 AM	0.25
5/24/2025	9:00:00 AM	0.26
5/24/2025	9:15:00 AM	0.26
5/24/2025	9:30:00 AM	0.26
5/24/2025	9:45:00 AM	0.26
5/24/2025	10:00:00 AM	0.26
5/24/2025	10:15:00 AM	0.26
5/24/2025	10:30:00 AM	0.26
5/24/2025	10:45:00 AM	0.26
5/24/2025	11:00:00 AM	0.26
5/24/2025	11:15:00 AM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
5/24/2025	11:30:00 AM	0.26
5/24/2025	11:45:00 AM	0.26
5/24/2025	12:00:00 PM	0.27
5/24/2025	12:15:00 PM	0.27
5/24/2025	12:30:00 PM	0.27
5/24/2025	12:45:00 PM	0.27
5/24/2025	1:00:00 PM	0.27
5/24/2025	1:15:00 PM	0.27
5/24/2025	1:30:00 PM	0.27
5/24/2025	1:45:00 PM	0.26
5/24/2025	2:00:00 PM	0.27
5/24/2025	2:15:00 PM	0.27
5/24/2025	2:30:00 PM	0.27
5/24/2025	2:45:00 PM	0.27
5/24/2025	3:00:00 PM	0.27
5/24/2025	3:15:00 PM	0.27
5/24/2025	3:30:00 PM	0.27
5/24/2025	3:45:00 PM	0.27
5/24/2025	4:00:00 PM	0.27
5/24/2025	4:15:00 PM	0.27
5/24/2025	4:30:00 PM	0.27
5/24/2025	4:45:00 PM	0.27
5/24/2025	5:00:00 PM	0.27
5/24/2025	5:15:00 PM	0.27
5/24/2025	5:30:00 PM	0.27
5/24/2025	5:45:00 PM	0.27
5/24/2025	6:00:00 PM	0.27
5/24/2025	6:15:00 PM	0.27
5/24/2025	6:30:00 PM	0.27
5/24/2025	6:45:00 PM	0.27
5/24/2025	7:00:00 PM	0.27
5/24/2025	7:15:00 PM	0.27
5/24/2025	7:30:00 PM	0.27
5/24/2025	7:45:00 PM	0.27
5/24/2025	8:00:00 PM	0.27
5/24/2025	8:15:00 PM	0.28
5/24/2025	8:30:00 PM	0.28
5/24/2025	8:45:00 PM	0.28
5/24/2025	9:00:00 PM	0.28
5/24/2025	9:15:00 PM	0.28
5/24/2025	9:30:00 PM	0.28
5/24/2025	9:45:00 PM	0.28
5/24/2025	10:00:00 PM	0.28
5/24/2025	10:15:00 PM	0.28
5/24/2025	10:30:00 PM	0.28
5/24/2025	10:45:00 PM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/24/2025	11:00:00 PM	0.28
5/24/2025	11:15:00 PM	0.28
5/24/2025	11:30:00 PM	0.28
5/24/2025	11:45:00 PM	0.28
5/25/2025	12:00:00 AM	0.28
5/25/2025	12:15:00 AM	0.28
5/25/2025	12:30:00 AM	0.28
5/25/2025	12:45:00 AM	0.28
5/25/2025	1:00:00 AM	0.28
5/25/2025	1:15:00 AM	0.28
5/25/2025	1:30:00 AM	0.28
5/25/2025	1:45:00 AM	0.28
5/25/2025	2:00:00 AM	0.28
5/25/2025	2:15:00 AM	0.28
5/25/2025	2:30:00 AM	0.28
5/25/2025	2:45:00 AM	0.28
5/25/2025	3:00:00 AM	0.28
5/25/2025	3:15:00 AM	0.28
5/25/2025	3:30:00 AM	0.28
5/25/2025	3:45:00 AM	0.28
5/25/2025	4:00:00 AM	0.28
5/25/2025	4:15:00 AM	0.28
5/25/2025	4:30:00 AM	0.28
5/25/2025	4:45:00 AM	0.28
5/25/2025	5:00:00 AM	0.28
5/25/2025	5:15:00 AM	0.28
5/25/2025	5:30:00 AM	0.28
5/25/2025	5:45:00 AM	0.28
5/25/2025	6:00:00 AM	0.28
5/25/2025	6:15:00 AM	0.28
5/25/2025	6:30:00 AM	0.28
5/25/2025	6:45:00 AM	0.28
5/25/2025	7:00:00 AM	0.29
5/25/2025	7:15:00 AM	0.29
5/25/2025	7:30:00 AM	0.29
5/25/2025	7:45:00 AM	0.29
5/25/2025	8:00:00 AM	0.29
5/25/2025	8:15:00 AM	0.29
5/25/2025	8:30:00 AM	0.29
5/25/2025	8:45:00 AM	0.29
5/25/2025	9:00:00 AM	0.29
5/25/2025	9:15:00 AM	0.29
5/25/2025	9:30:00 AM	0.28
5/25/2025	9:45:00 AM	0.29
5/25/2025	10:00:00 AM	0.28
5/25/2025	10:15:00 AM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/25/2025	10:30:00 AM	0.29
5/25/2025	10:45:00 AM	0.29
5/25/2025	11:00:00 AM	0.28
5/25/2025	11:15:00 AM	0.28
5/25/2025	11:30:00 AM	0.28
5/25/2025	11:45:00 AM	0.28
5/25/2025	12:00:00 PM	0.28
5/25/2025	12:15:00 PM	0.28
5/25/2025	12:30:00 PM	0.28
5/25/2025	12:45:00 PM	0.28
5/25/2025	1:00:00 PM	0.28
5/25/2025	1:15:00 PM	0.28
5/25/2025	1:30:00 PM	0.28
5/25/2025	1:45:00 PM	0.28
5/25/2025	2:00:00 PM	0.28
5/25/2025	2:15:00 PM	0.28
5/25/2025	2:30:00 PM	0.28
5/25/2025	2:45:00 PM	0.28
5/25/2025	3:00:00 PM	0.27
5/25/2025	3:15:00 PM	0.27
5/25/2025	3:30:00 PM	0.27
5/25/2025	3:45:00 PM	0.27
5/25/2025	4:00:00 PM	0.26
5/25/2025	4:15:00 PM	0.26
5/25/2025	4:30:00 PM	0.26
5/25/2025	4:45:00 PM	0.25
5/25/2025	5:00:00 PM	0.25
5/25/2025	5:15:00 PM	0.25
5/25/2025	5:30:00 PM	0.25
5/25/2025	5:45:00 PM	0.24
5/25/2025	6:00:00 PM	0.24
5/25/2025	6:15:00 PM	0.24
5/25/2025	6:30:00 PM	0.24
5/25/2025	6:45:00 PM	0.23
5/25/2025	7:00:00 PM	0.23
5/25/2025	7:15:00 PM	0.22
5/25/2025	7:30:00 PM	0.22
5/25/2025	7:45:00 PM	0.21
5/25/2025	8:00:00 PM	0.21
5/25/2025	8:15:00 PM	0.2
5/25/2025	8:30:00 PM	0.2
5/25/2025	8:45:00 PM	0.2
5/25/2025	9:00:00 PM	0.19
5/25/2025	9:15:00 PM	0.19
5/25/2025	9:30:00 PM	0.19
5/25/2025	9:45:00 PM	0.19

Billy Lake Return Gage

DATE	TIME	GAGE
5/25/2025	10:00:00 PM	0.18
5/25/2025	10:15:00 PM	0.18
5/25/2025	10:30:00 PM	0.18
5/25/2025	10:45:00 PM	0.17
5/25/2025	11:00:00 PM	0.17
5/25/2025	11:15:00 PM	0.17
5/25/2025	11:30:00 PM	0.16
5/25/2025	11:45:00 PM	0.16
5/26/2025	12:00:00 AM	0.16
5/26/2025	12:15:00 AM	0.16
5/26/2025	12:30:00 AM	0.16
5/26/2025	12:45:00 AM	0.15
5/26/2025	1:00:00 AM	0.15
5/26/2025	1:15:00 AM	0.15
5/26/2025	1:30:00 AM	0.15
5/26/2025	1:45:00 AM	0.14
5/26/2025	2:00:00 AM	0.14
5/26/2025	2:15:00 AM	0.14
5/26/2025	2:30:00 AM	0.14
5/26/2025	2:45:00 AM	0.14
5/26/2025	3:00:00 AM	0.14
5/26/2025	3:15:00 AM	0.13
5/26/2025	3:30:00 AM	0.13
5/26/2025	3:45:00 AM	0.13
5/26/2025	4:00:00 AM	0.13
5/26/2025	4:15:00 AM	0.13
5/26/2025	4:30:00 AM	0.13
5/26/2025	4:45:00 AM	0.13
5/26/2025	5:00:00 AM	0.13
5/26/2025	5:15:00 AM	0.12
5/26/2025	5:30:00 AM	0.12
5/26/2025	5:45:00 AM	0.12
5/26/2025	6:00:00 AM	0.15
5/26/2025	6:15:00 AM	0.21
5/26/2025	6:30:00 AM	0.25
5/26/2025	6:45:00 AM	0.26
5/26/2025	7:00:00 AM	0.26
5/26/2025	7:15:00 AM	0.27
5/26/2025	7:30:00 AM	0.27
5/26/2025	7:45:00 AM	0.28
5/26/2025	8:00:00 AM	0.28
5/26/2025	8:15:00 AM	0.29
5/26/2025	8:30:00 AM	0.29
5/26/2025	8:45:00 AM	0.3
5/26/2025	9:00:00 AM	0.3
5/26/2025	9:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
5/26/2025	9:30:00 AM	0.31
5/26/2025	9:45:00 AM	0.31
5/26/2025	10:00:00 AM	0.31
5/26/2025	10:15:00 AM	0.32
5/26/2025	10:30:00 AM	0.32
5/26/2025	10:45:00 AM	0.32
5/26/2025	11:00:00 AM	0.33
5/26/2025	11:15:00 AM	0.33
5/26/2025	11:30:00 AM	0.33
5/26/2025	11:45:00 AM	0.33
5/26/2025	12:00:00 PM	0.34
5/26/2025	12:15:00 PM	0.34
5/26/2025	12:30:00 PM	0.34
5/26/2025	12:45:00 PM	0.34
5/26/2025	1:00:00 PM	0.32
5/26/2025	1:15:00 PM	0.29
5/26/2025	1:30:00 PM	0.27
5/26/2025	1:45:00 PM	0.27
5/26/2025	2:00:00 PM	0.27
5/26/2025	2:15:00 PM	0.27
5/26/2025	2:30:00 PM	0.27
5/26/2025	2:45:00 PM	0.27
5/26/2025	3:00:00 PM	0.27
5/26/2025	3:15:00 PM	0.27
5/26/2025	3:30:00 PM	0.27
5/26/2025	3:45:00 PM	0.28
5/26/2025	4:00:00 PM	0.28
5/26/2025	4:15:00 PM	0.28
5/26/2025	4:30:00 PM	0.28
5/26/2025	4:45:00 PM	0.28
5/26/2025	5:00:00 PM	0.28
5/26/2025	5:15:00 PM	0.28
5/26/2025	5:30:00 PM	0.28
5/26/2025	5:45:00 PM	0.29
5/26/2025	6:00:00 PM	0.29
5/26/2025	6:15:00 PM	0.29
5/26/2025	6:30:00 PM	0.29
5/26/2025	6:45:00 PM	0.29
5/26/2025	7:00:00 PM	0.29
5/26/2025	7:15:00 PM	0.29
5/26/2025	7:30:00 PM	0.29
5/26/2025	7:45:00 PM	0.29
5/26/2025	8:00:00 PM	0.29
5/26/2025	8:15:00 PM	0.29
5/26/2025	8:30:00 PM	0.29
5/26/2025	8:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/26/2025	9:00:00 PM	0.3
5/26/2025	9:15:00 PM	0.3
5/26/2025	9:30:00 PM	0.3
5/26/2025	9:45:00 PM	0.3
5/26/2025	10:00:00 PM	0.3
5/26/2025	10:15:00 PM	0.3
5/26/2025	10:30:00 PM	0.3
5/26/2025	10:45:00 PM	0.3
5/26/2025	11:00:00 PM	0.3
5/26/2025	11:15:00 PM	0.3
5/26/2025	11:30:00 PM	0.3
5/26/2025	11:45:00 PM	0.3
5/27/2025	12:00:00 AM	0.3
5/27/2025	12:15:00 AM	0.3
5/27/2025	12:30:00 AM	0.3
5/27/2025	12:45:00 AM	0.3
5/27/2025	1:00:00 AM	0.3
5/27/2025	1:15:00 AM	0.3
5/27/2025	1:30:00 AM	0.3
5/27/2025	1:45:00 AM	0.3
5/27/2025	2:00:00 AM	0.3
5/27/2025	2:15:00 AM	0.3
5/27/2025	2:30:00 AM	0.3
5/27/2025	2:45:00 AM	0.3
5/27/2025	3:00:00 AM	0.3
5/27/2025	3:15:00 AM	0.3
5/27/2025	3:30:00 AM	0.3
5/27/2025	3:45:00 AM	0.3
5/27/2025	4:00:00 AM	0.3
5/27/2025	4:15:00 AM	0.3
5/27/2025	4:30:00 AM	0.3
5/27/2025	4:45:00 AM	0.3
5/27/2025	5:00:00 AM	0.3
5/27/2025	5:15:00 AM	0.3
5/27/2025	5:30:00 AM	0.3
5/27/2025	5:45:00 AM	0.3
5/27/2025	6:00:00 AM	0.3
5/27/2025	6:15:00 AM	0.3
5/27/2025	6:30:00 AM	0.3
5/27/2025	6:45:00 AM	0.3
5/27/2025	7:00:00 AM	0.3
5/27/2025	7:15:00 AM	0.3
5/27/2025	7:30:00 AM	0.3
5/27/2025	7:45:00 AM	0.3
5/27/2025	8:00:00 AM	0.3
5/27/2025	8:15:00 AM	0.3

Billy Lake Return Gage

DATE	TIME	GAGE
5/27/2025	8:30:00 AM	0.3
5/27/2025	8:45:00 AM	0.3
5/27/2025	9:00:00 AM	0.3
5/27/2025	9:15:00 AM	0.3
5/27/2025	9:30:00 AM	0.3
5/27/2025	9:45:00 AM	0.3
5/27/2025	10:00:00 AM	0.3
5/27/2025	10:15:00 AM	0.3
5/27/2025	10:30:00 AM	0.3
5/27/2025	10:45:00 AM	0.3
5/27/2025	11:00:00 AM	0.3
5/27/2025	11:15:00 AM	0.3
5/27/2025	11:30:00 AM	0.3
5/27/2025	11:45:00 AM	0.3
5/27/2025	12:00:00 PM	0.3
5/27/2025	12:15:00 PM	0.3
5/27/2025	12:30:00 PM	0.3
5/27/2025	12:45:00 PM	0.3
5/27/2025	1:00:00 PM	0.3
5/27/2025	1:15:00 PM	0.3
5/27/2025	1:30:00 PM	0.3
5/27/2025	1:45:00 PM	0.3
5/27/2025	2:00:00 PM	0.3
5/27/2025	2:15:00 PM	0.3
5/27/2025	2:30:00 PM	0.3
5/27/2025	2:45:00 PM	0.3
5/27/2025	3:00:00 PM	0.3
5/27/2025	3:15:00 PM	0.3
5/27/2025	3:30:00 PM	0.3
5/27/2025	3:45:00 PM	0.3
5/27/2025	4:00:00 PM	0.3
5/27/2025	4:15:00 PM	0.29
5/27/2025	4:30:00 PM	0.29
5/27/2025	4:45:00 PM	0.29
5/27/2025	5:00:00 PM	0.29
5/27/2025	5:15:00 PM	0.29
5/27/2025	5:30:00 PM	0.29
5/27/2025	5:45:00 PM	0.29
5/27/2025	6:00:00 PM	0.29
5/27/2025	6:15:00 PM	0.29
5/27/2025	6:30:00 PM	0.29
5/27/2025	6:45:00 PM	0.29
5/27/2025	7:00:00 PM	0.29
5/27/2025	7:15:00 PM	0.29
5/27/2025	7:30:00 PM	0.29
5/27/2025	7:45:00 PM	0.29

Billy Lake Return Gage

DATE	TIME	GAGE
5/27/2025	8:00:00 PM	0.29
5/27/2025	8:15:00 PM	0.29
5/27/2025	8:30:00 PM	0.29
5/27/2025	8:45:00 PM	0.29
5/27/2025	9:00:00 PM	0.29
5/27/2025	9:15:00 PM	0.29
5/27/2025	9:30:00 PM	0.29
5/27/2025	9:45:00 PM	0.29
5/27/2025	10:00:00 PM	0.29
5/27/2025	10:15:00 PM	0.29
5/27/2025	10:30:00 PM	0.29
5/27/2025	10:45:00 PM	0.29
5/27/2025	11:00:00 PM	0.28
5/27/2025	11:15:00 PM	0.29
5/27/2025	11:30:00 PM	0.28
5/27/2025	11:45:00 PM	0.28
5/28/2025	12:00:00 AM	0.28
5/28/2025	12:15:00 AM	0.28
5/28/2025	12:30:00 AM	0.28
5/28/2025	12:45:00 AM	0.28
5/28/2025	1:00:00 AM	0.28
5/28/2025	1:15:00 AM	0.28
5/28/2025	1:30:00 AM	0.28
5/28/2025	1:45:00 AM	0.28
5/28/2025	2:00:00 AM	0.28
5/28/2025	2:15:00 AM	0.28
5/28/2025	2:30:00 AM	0.28
5/28/2025	2:45:00 AM	0.28
5/28/2025	3:00:00 AM	0.28
5/28/2025	3:15:00 AM	0.28
5/28/2025	3:30:00 AM	0.28
5/28/2025	3:45:00 AM	0.28
5/28/2025	4:00:00 AM	0.28
5/28/2025	4:15:00 AM	0.28
5/28/2025	4:30:00 AM	0.28
5/28/2025	4:45:00 AM	0.28
5/28/2025	5:00:00 AM	0.28
5/28/2025	5:15:00 AM	0.28
5/28/2025	5:30:00 AM	0.28
5/28/2025	5:45:00 AM	0.28
5/28/2025	6:00:00 AM	0.28
5/28/2025	6:15:00 AM	0.28
5/28/2025	6:30:00 AM	0.28
5/28/2025	6:45:00 AM	0.28
5/28/2025	7:00:00 AM	0.28
5/28/2025	7:15:00 AM	0.28

Billy Lake Return Gage

DATE	TIME	GAGE
5/28/2025	7:30:00 AM	0.28
5/28/2025	7:45:00 AM	0.28
5/28/2025	8:00:00 AM	0.28
5/28/2025	8:15:00 AM	0.28
5/28/2025	8:30:00 AM	0.28
5/28/2025	8:45:00 AM	0.28
5/28/2025	9:00:00 AM	0.28
5/28/2025	9:15:00 AM	0.28
5/28/2025	9:30:00 AM	0.28
5/28/2025	9:45:00 AM	0.28
5/28/2025	10:00:00 AM	0.28
5/28/2025	10:15:00 AM	0.28
5/28/2025	10:30:00 AM	0.28
5/28/2025	10:45:00 AM	0.28
5/28/2025	11:00:00 AM	0.28
5/28/2025	11:15:00 AM	0.28
5/28/2025	11:30:00 AM	0.28
5/28/2025	11:45:00 AM	0.28
5/28/2025	12:00:00 PM	0.28
5/28/2025	12:15:00 PM	0.28
5/28/2025	12:30:00 PM	0.28
5/28/2025	12:45:00 PM	0.28
5/28/2025	1:00:00 PM	0.27
5/28/2025	1:15:00 PM	0.27
5/28/2025	1:30:00 PM	0.27
5/28/2025	1:45:00 PM	0.27
5/28/2025	2:00:00 PM	0.27
5/28/2025	2:15:00 PM	0.27
5/28/2025	2:30:00 PM	0.27
5/28/2025	2:45:00 PM	0.27
5/28/2025	3:00:00 PM	0.27
5/28/2025	3:15:00 PM	0.27
5/28/2025	3:30:00 PM	0.27
5/28/2025	3:45:00 PM	0.27
5/28/2025	4:00:00 PM	0.27
5/28/2025	4:15:00 PM	0.27
5/28/2025	4:30:00 PM	0.27
5/28/2025	4:45:00 PM	0.27
5/28/2025	5:00:00 PM	0.27
5/28/2025	5:15:00 PM	0.27
5/28/2025	5:30:00 PM	0.27
5/28/2025	5:45:00 PM	0.27
5/28/2025	6:00:00 PM	0.27
5/28/2025	6:15:00 PM	0.27
5/28/2025	6:30:00 PM	0.27
5/28/2025	6:45:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/28/2025	7:00:00 PM	0.27
5/28/2025	7:15:00 PM	0.27
5/28/2025	7:30:00 PM	0.27
5/28/2025	7:45:00 PM	0.27
5/28/2025	8:00:00 PM	0.27
5/28/2025	8:15:00 PM	0.27
5/28/2025	8:30:00 PM	0.27
5/28/2025	8:45:00 PM	0.27
5/28/2025	9:00:00 PM	0.27
5/28/2025	9:15:00 PM	0.27
5/28/2025	9:30:00 PM	0.27
5/28/2025	9:45:00 PM	0.27
5/28/2025	10:00:00 PM	0.27
5/28/2025	10:15:00 PM	0.27
5/28/2025	10:30:00 PM	0.27
5/28/2025	10:45:00 PM	0.27
5/28/2025	11:00:00 PM	0.27
5/28/2025	11:15:00 PM	0.27
5/28/2025	11:30:00 PM	0.27
5/28/2025	11:45:00 PM	0.27
5/29/2025	12:00:00 AM	0.27
5/29/2025	12:15:00 AM	0.27
5/29/2025	12:30:00 AM	0.27
5/29/2025	12:45:00 AM	0.27
5/29/2025	1:00:00 AM	0.27
5/29/2025	1:15:00 AM	0.27
5/29/2025	1:30:00 AM	0.27
5/29/2025	1:45:00 AM	0.27
5/29/2025	2:00:00 AM	0.27
5/29/2025	2:15:00 AM	0.27
5/29/2025	2:30:00 AM	0.27
5/29/2025	2:45:00 AM	0.27
5/29/2025	3:00:00 AM	0.27
5/29/2025	3:15:00 AM	0.27
5/29/2025	3:30:00 AM	0.27
5/29/2025	3:45:00 AM	0.27
5/29/2025	4:00:00 AM	0.27
5/29/2025	4:15:00 AM	0.27
5/29/2025	4:30:00 AM	0.27
5/29/2025	4:45:00 AM	0.27
5/29/2025	5:00:00 AM	0.26
5/29/2025	5:15:00 AM	0.27
5/29/2025	5:30:00 AM	0.27
5/29/2025	5:45:00 AM	0.26
5/29/2025	6:00:00 AM	0.27
5/29/2025	6:15:00 AM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/29/2025	6:30:00 AM	0.27
5/29/2025	6:45:00 AM	0.27
5/29/2025	7:00:00 AM	0.27
5/29/2025	7:15:00 AM	0.27
5/29/2025	7:30:00 AM	0.27
5/29/2025	7:45:00 AM	0.27
5/29/2025	8:00:00 AM	0.27
5/29/2025	8:15:00 AM	0.27
5/29/2025	8:30:00 AM	0.27
5/29/2025	8:45:00 AM	0.28
5/29/2025	9:00:00 AM	0.28
5/29/2025	9:15:00 AM	0.28
5/29/2025	9:30:00 AM	0.28
5/29/2025	9:45:00 AM	0.28
5/29/2025	10:00:00 AM	0.27
5/29/2025	10:15:00 AM	0.27
5/29/2025	10:30:00 AM	0.27
5/29/2025	10:45:00 AM	0.27
5/29/2025	11:00:00 AM	0.27
5/29/2025	11:15:00 AM	0.27
5/29/2025	11:30:00 AM	0.26
5/29/2025	11:45:00 AM	0.26
5/29/2025	12:00:00 PM	0.25
5/29/2025	12:15:00 PM	0.25
5/29/2025	12:30:00 PM	0.24
5/29/2025	12:45:00 PM	0.24
5/29/2025	1:00:00 PM	0.24
5/29/2025	1:15:00 PM	0.23
5/29/2025	1:30:00 PM	0.23
5/29/2025	1:45:00 PM	0.23
5/29/2025	2:00:00 PM	0.23
5/29/2025	2:15:00 PM	0.23
5/29/2025	2:30:00 PM	0.23
5/29/2025	2:45:00 PM	0.23
5/29/2025	3:00:00 PM	0.24
5/29/2025	3:15:00 PM	0.24
5/29/2025	3:30:00 PM	0.24
5/29/2025	3:45:00 PM	0.24
5/29/2025	4:00:00 PM	0.25
5/29/2025	4:15:00 PM	0.25
5/29/2025	4:30:00 PM	0.25
5/29/2025	4:45:00 PM	0.25
5/29/2025	5:00:00 PM	0.25
5/29/2025	5:15:00 PM	0.25
5/29/2025	5:30:00 PM	0.26
5/29/2025	5:45:00 PM	0.26

Billy Lake Return Gage

DATE	TIME	GAGE
5/29/2025	6:00:00 PM	0.26
5/29/2025	6:15:00 PM	0.26
5/29/2025	6:30:00 PM	0.26
5/29/2025	6:45:00 PM	0.26
5/29/2025	7:00:00 PM	0.26
5/29/2025	7:15:00 PM	0.27
5/29/2025	7:30:00 PM	0.27
5/29/2025	7:45:00 PM	0.27
5/29/2025	8:00:00 PM	0.27
5/29/2025	8:15:00 PM	0.27
5/29/2025	8:30:00 PM	0.27
5/29/2025	8:45:00 PM	0.27
5/29/2025	9:00:00 PM	0.27
5/29/2025	9:15:00 PM	0.27
5/29/2025	9:30:00 PM	0.28
5/29/2025	9:45:00 PM	0.28
5/29/2025	10:00:00 PM	0.28
5/29/2025	10:15:00 PM	0.28
5/29/2025	10:30:00 PM	0.28
5/29/2025	10:45:00 PM	0.28
5/29/2025	11:00:00 PM	0.28
5/29/2025	11:15:00 PM	0.28
5/29/2025	11:30:00 PM	0.28
5/29/2025	11:45:00 PM	0.28
5/30/2025	12:00:00 AM	0.28
5/30/2025	12:15:00 AM	0.28
5/30/2025	12:30:00 AM	0.28
5/30/2025	12:45:00 AM	0.28
5/30/2025	1:00:00 AM	0.28
5/30/2025	1:15:00 AM	0.28
5/30/2025	1:30:00 AM	0.28
5/30/2025	1:45:00 AM	0.28
5/30/2025	2:00:00 AM	0.27
5/30/2025	2:15:00 AM	0.27
5/30/2025	2:30:00 AM	0.26
5/30/2025	2:45:00 AM	0.25
5/30/2025	3:00:00 AM	0.25
5/30/2025	3:15:00 AM	0.24
5/30/2025	3:30:00 AM	0.24
5/30/2025	3:45:00 AM	0.23
5/30/2025	4:00:00 AM	0.23
5/30/2025	4:15:00 AM	0.22
5/30/2025	4:30:00 AM	0.22
5/30/2025	4:45:00 AM	0.21
5/30/2025	5:00:00 AM	0.21
5/30/2025	5:15:00 AM	0.2

Billy Lake Return Gage

DATE	TIME	GAGE
5/30/2025	5:30:00 AM	0.2
5/30/2025	5:45:00 AM	0.2
5/30/2025	6:00:00 AM	0.19
5/30/2025	6:15:00 AM	0.19
5/30/2025	6:30:00 AM	0.19
5/30/2025	6:45:00 AM	0.18
5/30/2025	7:00:00 AM	0.18
5/30/2025	7:15:00 AM	0.18
5/30/2025	7:30:00 AM	0.17
5/30/2025	7:45:00 AM	0.17
5/30/2025	8:00:00 AM	0.17
5/30/2025	8:15:00 AM	0.17
5/30/2025	8:30:00 AM	0.16
5/30/2025	8:45:00 AM	0.16
5/30/2025	9:00:00 AM	0.16
5/30/2025	9:15:00 AM	0.16
5/30/2025	9:30:00 AM	0.16
5/30/2025	9:45:00 AM	0.17
5/30/2025	10:00:00 AM	0.17
5/30/2025	10:15:00 AM	0.18
5/30/2025	10:30:00 AM	0.18
5/30/2025	10:45:00 AM	0.19
5/30/2025	11:00:00 AM	0.19
5/30/2025	11:15:00 AM	0.19
5/30/2025	11:30:00 AM	0.19
5/30/2025	11:45:00 AM	0.2
5/30/2025	12:00:00 PM	0.2
5/30/2025	12:15:00 PM	0.2
5/30/2025	12:30:00 PM	0.21
5/30/2025	12:45:00 PM	0.21
5/30/2025	1:00:00 PM	0.21
5/30/2025	1:15:00 PM	0.21
5/30/2025	1:30:00 PM	0.21
5/30/2025	1:45:00 PM	0.22
5/30/2025	2:00:00 PM	0.22
5/30/2025	2:15:00 PM	0.22
5/30/2025	2:30:00 PM	0.22
5/30/2025	2:45:00 PM	0.22
5/30/2025	3:00:00 PM	0.23
5/30/2025	3:15:00 PM	0.23
5/30/2025	3:30:00 PM	0.23
5/30/2025	3:45:00 PM	0.23
5/30/2025	4:00:00 PM	0.23
5/30/2025	4:15:00 PM	0.23
5/30/2025	4:30:00 PM	0.23
5/30/2025	4:45:00 PM	0.23

Billy Lake Return Gage

DATE	TIME	GAGE
5/30/2025	5:00:00 PM	0.23
5/30/2025	5:15:00 PM	0.23
5/30/2025	5:30:00 PM	0.24
5/30/2025	5:45:00 PM	0.24
5/30/2025	6:00:00 PM	0.24
5/30/2025	6:15:00 PM	0.24
5/30/2025	6:30:00 PM	0.24
5/30/2025	6:45:00 PM	0.24
5/30/2025	7:00:00 PM	0.24
5/30/2025	7:15:00 PM	0.24
5/30/2025	7:30:00 PM	0.24
5/30/2025	7:45:00 PM	0.24
5/30/2025	8:00:00 PM	0.24
5/30/2025	8:15:00 PM	0.24
5/30/2025	8:30:00 PM	0.24
5/30/2025	8:45:00 PM	0.25
5/30/2025	9:00:00 PM	0.25
5/30/2025	9:15:00 PM	0.25
5/30/2025	9:30:00 PM	0.25
5/30/2025	9:45:00 PM	0.25
5/30/2025	10:00:00 PM	0.25
5/30/2025	10:15:00 PM	0.25
5/30/2025	10:30:00 PM	0.25
5/30/2025	10:45:00 PM	0.25
5/30/2025	11:00:00 PM	0.25
5/30/2025	11:15:00 PM	0.25
5/30/2025	11:30:00 PM	0.25
5/30/2025	11:45:00 PM	0.25
5/31/2025	12:00:00 AM	0.25
5/31/2025	12:15:00 AM	0.25
5/31/2025	12:30:00 AM	0.25
5/31/2025	12:45:00 AM	0.25
5/31/2025	1:00:00 AM	0.25
5/31/2025	1:15:00 AM	0.25
5/31/2025	1:30:00 AM	0.25
5/31/2025	1:45:00 AM	0.25
5/31/2025	2:00:00 AM	0.25
5/31/2025	2:15:00 AM	0.25
5/31/2025	2:30:00 AM	0.25
5/31/2025	2:45:00 AM	0.25
5/31/2025	3:00:00 AM	0.25
5/31/2025	3:15:00 AM	0.25
5/31/2025	3:30:00 AM	0.25
5/31/2025	3:45:00 AM	0.25
5/31/2025	4:00:00 AM	0.25
5/31/2025	4:15:00 AM	0.25

Billy Lake Return Gage

DATE	TIME	GAGE
5/31/2025	4:30:00 AM	0.25
5/31/2025	4:45:00 AM	0.25
5/31/2025	5:00:00 AM	0.25
5/31/2025	5:15:00 AM	0.25
5/31/2025	5:30:00 AM	0.25
5/31/2025	5:45:00 AM	0.25
5/31/2025	6:00:00 AM	0.25
5/31/2025	6:15:00 AM	0.25
5/31/2025	6:30:00 AM	0.25
5/31/2025	6:45:00 AM	0.25
5/31/2025	7:00:00 AM	0.25
5/31/2025	7:15:00 AM	0.25
5/31/2025	7:30:00 AM	0.25
5/31/2025	7:45:00 AM	0.25
5/31/2025	8:00:00 AM	0.25
5/31/2025	8:15:00 AM	0.25
5/31/2025	8:30:00 AM	0.25
5/31/2025	8:45:00 AM	0.25
5/31/2025	9:00:00 AM	0.25
5/31/2025	9:15:00 AM	0.25
5/31/2025	9:30:00 AM	0.25
5/31/2025	9:45:00 AM	0.25
5/31/2025	10:00:00 AM	0.25
5/31/2025	10:15:00 AM	0.25
5/31/2025	10:30:00 AM	0.26
5/31/2025	10:45:00 AM	0.26
5/31/2025	11:00:00 AM	0.26
5/31/2025	11:15:00 AM	0.26
5/31/2025	11:30:00 AM	0.26
5/31/2025	11:45:00 AM	0.26
5/31/2025	12:00:00 PM	0.26
5/31/2025	12:15:00 PM	0.27
5/31/2025	12:30:00 PM	0.27
5/31/2025	12:45:00 PM	0.27
5/31/2025	1:00:00 PM	0.27
5/31/2025	1:15:00 PM	0.27
5/31/2025	1:30:00 PM	0.27
5/31/2025	1:45:00 PM	0.27
5/31/2025	2:00:00 PM	0.27
5/31/2025	2:15:00 PM	0.27
5/31/2025	2:30:00 PM	0.27
5/31/2025	2:45:00 PM	0.27
5/31/2025	3:00:00 PM	0.27
5/31/2025	3:15:00 PM	0.27
5/31/2025	3:30:00 PM	0.27
5/31/2025	3:45:00 PM	0.27

Billy Lake Return Gage

DATE	TIME	GAGE
5/31/2025	4:00:00 PM	0.27
5/31/2025	4:15:00 PM	0.27
5/31/2025	4:30:00 PM	0.27
5/31/2025	4:45:00 PM	0.27
5/31/2025	5:00:00 PM	0.27
5/31/2025	5:15:00 PM	0.27
5/31/2025	5:30:00 PM	0.27
5/31/2025	5:45:00 PM	0.27
5/31/2025	6:00:00 PM	0.27
5/31/2025	6:15:00 PM	0.27
5/31/2025	6:30:00 PM	0.27
5/31/2025	6:45:00 PM	0.27
5/31/2025	7:00:00 PM	0.27
5/31/2025	7:15:00 PM	0.27
5/31/2025	7:30:00 PM	0.27
5/31/2025	7:45:00 PM	0.27
5/31/2025	8:00:00 PM	0.27
5/31/2025	8:15:00 PM	0.27
5/31/2025	8:30:00 PM	0.27
5/31/2025	8:45:00 PM	0.27
5/31/2025	9:00:00 PM	0.27
5/31/2025	9:15:00 PM	0.27
5/31/2025	9:30:00 PM	0.27
5/31/2025	9:45:00 PM	0.27
5/31/2025	10:00:00 PM	0.27
5/31/2025	10:15:00 PM	0.27
5/31/2025	10:30:00 PM	0.27
5/31/2025	10:45:00 PM	0.27
5/31/2025	11:00:00 PM	0.27
5/31/2025	11:15:00 PM	0.27
5/31/2025	11:30:00 PM	0.27
5/31/2025	11:45:00 PM	0.27

Party: BRP / BJA	Width: 20.9 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 63.5 ft ²	Mean Velocity: 0.745 ft/s
Gage Height: 3.32 ft	G.H.Change: 0.000 ft	Discharge: 47.3 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 1.43 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 3.48 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 3.04 ft	Bin Size: 17 cm	Blank: 3 cm
WT Error Vel.: 0.98 ft/s	% Meas.: 47.99	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 69.7 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250513 LOR @ MAZOURKA_0
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	31	9.46	21.6	10.1	1.98	2.01	45.1	21	62	12:23	12:23	0.51	0.72	0	0
001	R	2	2	28	10.3	23.6	11.3	2.15	1.98	49.4	21	65	12:24	12:24	0.58	0.76	0	0
002	L	2	2	27	10.5	24.0	11.3	1.77	2.01	49.5	21	64	12:24	12:25	0.60	0.77	0	0
003	R	2	2	27	9.50	21.6	10.2	1.94	1.87	45.1	21	63	12:25	12:25	0.62	0.72	0	0
Mean		2	2	28	9.96	22.7	10.7	1.96	1.97	47.3	21	63	Total	00:03	0.58	0.74	0	0
SDev		0	0	2	0.555	1.26	0.663	0.159	0.067	2.50	0.3	1.1			0.05	0.03		
SD/M		0.0%	0.0%	6.8%	5.6%	5.6%	6.2%	8.1%	3.4%	5.3%	1.4%	1.7%			8.0%	3.6%		

Remarks:

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	5	8	1	19	27.1	-1.6	0.944	0.5	0.5	0	55.9	56.8	0	157	161	0	27	29
2025	5	5	8	11	19	26.9	-1.3	0.944	0.5	0.4	0	55.9	57.2	0	158	161	0	28	28
2025	5	5	8	21	19	27.4	-1.8	0.944	0.5	0.5	0	55.5	56.8	0	157	160	0	28	28
2025	5	5	8	31	19	26.6	-1.2	0.944	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	8	41	19	27.4	-2	0.945	0.4	0.3	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	8	51	19	27.5	-0.5	0.944	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	9	1	19	27.4	-2.5	0.944	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	9	11	19	26.6	-0.8	0.944	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	5	9	21	19	27.4	-1.3	0.944	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	9	31	19	26.9	-1	0.944	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	9	41	19	27.8	-1.9	0.944	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	5	9	51	19	25.4	-1.2	0.944	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	5	10	1	19	28.1	-1.6	0.943	0.5	0.5	0	55.5	56.8	0	156	160	0	27	28
2025	5	5	10	11	19	28	-2.8	0.945	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	5	10	21	19	27.3	-1.3	0.944	0.5	0.4	0	55.5	57.2	0	157	160	0	28	27
2025	5	5	10	31	19	28.2	-2.5	0.944	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	10	41	19	28	-1.5	0.944	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	10	51	19	28.1	-1.9	0.944	0.3	0.2	0	55.5	57.2	0	157	161	0	28	28
2025	5	5	11	1	19	27.5	-1.6	0.945	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	11	11	19	27.4	-0.5	0.944	0.3	0.2	0	55.9	57.2	0	157	160	0	27	27
2025	5	5	11	21	19	28.5	-1.3	0.944	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	5	11	31	19	27.7	-2	0.944	0.4	0.3	0	55.5	56.8	0	156	160	0	27	28
2025	5	5	11	41	19	27.7	-1.9	0.944	0.4	0.3	0	55.9	57.2	0	158	161	0	28	28
2025	5	5	11	51	19	28.4	-0.4	0.944	0.4	0.3	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	12	1	19	27.8	-1.4	0.945	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	5	12	11	19	27.4	-1.3	0.944	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	12	21	19	26.8	-1.8	0.945	0.5	0.5	0	55.5	57.6	0	157	161	0	28	27
2025	5	5	12	31	19	27.8	-1.9	0.945	0.5	0.5	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	12	41	19	27	-1.7	0.944	0.6	0.5	0	56.3	57.6	0	158	162	0	27	28
2025	5	5	12	51	19	28.5	-0.4	0.945	0.5	0.4	0	55.5	56.8	0	157	160	0	28	28
2025	5	5	13	1	19	26.8	-1	0.945	0.5	0.5	0	56.8	57.2	0	158	161	0	26	28
2025	5	5	13	11	19	28.4	-2.2	0.945	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	13	21	19	28.5	-0.9	0.945	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	5	13	31	19	27.1	0.1	0.945	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	13	41	19	27.3	-2	0.944	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	13	51	19	27.3	-1.9	0.945	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	14	1	19	28.4	-1.1	0.944	0.7	0.6	0	55.9	57.2	0	157	160	0	27	27
2025	5	5	14	11	19	27.4	-0.7	0.945	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	5	14	21	19	28.7	-1.8	0.945	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	5	14	31	19	27.2	0	0.944	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	5	14	41	19	28.4	-1.4	0.944	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	14	51	19	28.7	-2.3	0.944	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	5	15	1	19	27	-0.1	0.944	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	5	15	11	19	28.8	-0.9	0.944	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	5	15	21	19	27.3	-1.9	0.944	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	15	31	19	27.7	-0.5	0.944	0.5	0.5	0	55.9	57.2	0	157	161	0	27	28
2025	5	5	15	41	19	27.5	-0.8	0.944	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	5	15	51	19	27.7	-1.3	0.944	0.5	0.4	0	56.3	58	0	157	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	5	16	1	19	26.3	-0.2	0.943	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	5	16	11	19	26.2	-0.1	0.944	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	5	16	21	19	27.4	-1.3	0.944	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	5	16	31	19	27	-0.5	0.943	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	5	16	41	19	28.3	-0.2	0.944	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	5	16	51	19	28	-1.2	0.944	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	5	17	1	19	26.5	-1.8	0.944	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	17	11	19	26.7	-1.1	0.944	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	5	17	21	19	28.9	-1.9	0.944	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	17	31	19	27.4	-0.8	0.944	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	5	17	41	19	27.4	-0.1	0.944	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	17	51	19	27.2	0	0.944	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	18	1	19	28.3	-1.7	0.944	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	5	18	11	19	27.2	-1.2	0.944	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	5	18	21	19	27.3	-0.6	0.943	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	5	18	31	19	28	-1	0.944	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	5	18	41	19	27.2	-0.9	0.943	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	5	18	51	19	27.4	0	0.943	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	5	19	1	19	28.1	-1.4	0.943	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	19	11	19	27.7	-0.9	0.943	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	19	21	19	27.1	-1.1	0.943	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	5	19	31	19	27.7	-2.6	0.943	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	5	19	41	19	26.3	-0.5	0.943	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	5	19	51	19	27	-1.3	0.943	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	5	20	1	19	26.9	-0.8	0.943	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	20	11	19	28.5	-1.3	0.943	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	5	20	21	19	27.6	-1.4	0.943	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	5	20	31	19	27.7	-0.3	0.943	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	20	41	19	26.7	-0.6	0.943	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	20	51	19	27	-0.9	0.942	0.5	0.4	0	57.2	58	0	159	163	0	26	28
2025	5	5	21	1	19	27.1	-0.7	0.942	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	5	21	11	19	26.2	-0.6	0.942	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	5	21	21	19	26.2	-0.3	0.942	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	21	31	19	26	-0.3	0.942	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	5	21	41	19	26.9	-0.6	0.942	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	5	21	51	19	27.2	-0.9	0.942	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	22	1	19	28	-1.8	0.941	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	5	22	11	19	27.7	-2.2	0.942	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	5	22	21	19	27.6	-0.9	0.941	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	5	22	31	19	27.4	-1.8	0.941	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	5	22	41	19	26.7	-1.3	0.941	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	5	22	51	19	26.7	-1.3	0.941	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	5	23	1	19	27.2	-0.8	0.941	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	5	23	11	19	27.2	-1.2	0.941	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	23	21	19	27.8	-1.4	0.941	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	5	23	31	19	27.6	-1.4	0.94	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	5	23	41	19	27.5	-0.6	0.941	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	5	23	51	19	27	-1	0.94	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	6	0	1	19	27.4	-0.4	0.941	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	6	0	11	19	27.5	-2.3	0.94	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	6	0	21	19	26.9	-1.8	0.94	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	6	0	31	19	27.4	-1.4	0.94	0.5	0.5	0	56.8	58	0	160	162	0	28	27
2025	5	6	0	41	19	26.4	-0.9	0.94	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	6	0	51	19	26.9	-0.9	0.939	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	6	1	1	19	27.7	-1.3	0.939	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	6	1	11	19	27.2	-1.3	0.939	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	6	1	21	19	26.2	-0.4	0.939	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	6	1	31	19	28.5	-1.8	0.939	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	6	1	41	19	27.8	-0.7	0.939	0.4	0.3	0	56.3	58	0	159	162	0	28	27
2025	5	6	1	51	19	27.6	-1.2	0.939	0.5	0.5	0	55.9	57.6	0	158	161	0	28	27
2025	5	6	2	1	19	27.4	-2.1	0.939	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	6	2	11	19	28.2	-1.1	0.939	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	6	2	21	19	26.7	-0.6	0.939	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	6	2	31	19	26.7	-1.8	0.939	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	6	2	41	19	27.7	-1.1	0.938	0.4	0.3	0	56.8	57.6	0	159	161	0	27	27
2025	5	6	2	51	19	27	-2	0.938	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	6	3	1	19	27.3	-2.2	0.938	0.4	0.3	0	56.8	57.6	0	159	162	0	27	28
2025	5	6	3	11	19	27.4	-0.2	0.938	0.5	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	6	3	21	19	26.5	-0.6	0.938	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	6	3	31	19	27.8	-1.8	0.938	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	3	41	19	26.7	-0.9	0.938	0.5	0.5	0	56.8	57.2	0	159	161	0	27	28
2025	5	6	3	51	19	26.3	-1.3	0.938	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	4	1	19	27.4	-1.2	0.938	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	6	4	11	19	27	-0.1	0.938	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	4	21	19	27.6	-1	0.938	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	4	31	19	27.7	-1.3	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	4	41	19	27.6	-1.3	0.938	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	4	51	19	26.4	-1.5	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	5	1	19	27.2	-2	0.938	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	5	11	19	27	-2.2	0.937	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	5	21	19	27.5	-2.1	0.938	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	6	5	31	19	27.9	-2.2	0.938	0.5	0.5	0	56.3	56.8	0	158	160	0	27	28
2025	5	6	5	41	19	27.1	-2.2	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	5	51	19	27.5	-1.5	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	6	1	19	27.7	-1	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	6	11	19	26.6	-1.5	0.938	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	6	21	19	26.5	-1.4	0.938	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	6	31	19	26.4	-1.2	0.938	0.5	0.5	0	56.8	57.2	0	159	161	0	27	28
2025	5	6	6	41	19	27.9	-1.7	0.939	0.4	0.3	0	55.9	57.2	0	158	161	0	28	28
2025	5	6	6	51	19	27.2	-2.5	0.938	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	7	1	19	26.5	-1	0.938	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	7	11	19	28	-1.8	0.938	0.5	0.4	0	55.9	56.8	0	158	160	0	28	28
2025	5	6	7	21	19	27.1	-1.1	0.938	0.5	0.5	0	55.9	57.2	0	158	161	0	28	28
2025	5	6	7	31	19	26.6	-0.8	0.937	0.5	0.4	0	55.9	57.6	0	158	161	0	28	27
2025	5	6	7	41	19	26.1	-1.7	0.937	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	7	51	19	27.4	-2.3	0.937	0.5	0.5	0	55.9	57.2	0	158	161	0	28	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	6	8	1	19	27.8	-1.8	0.937	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	8	11	19	27	-1.5	0.937	0.4	0.3	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	8	21	19	27.5	-1	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	8	31	19	26.5	-0.4	0.937	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	8	41	19	27.3	-0.3	0.937	0.4	0.3	0	55.9	57.2	0	158	161	0	28	28
2025	5	6	8	51	19	27	-1.7	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	9	1	19	27.4	-1.7	0.938	0.4	0.3	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	9	11	19	26.5	-1.1	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	9	21	19	26.6	-1.1	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	9	31	19	27.9	-1.4	0.937	0.4	0.3	0	55.9	57.6	0	158	161	0	28	27
2025	5	6	9	41	19	27.6	-1.9	0.937	0.4	0.3	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	9	51	19	27.6	-1.6	0.937	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	10	1	19	27.7	-1.7	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	10	11	19	27.3	-1.4	0.937	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	10	21	19	27.4	-1	0.936	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	10	31	19	26.2	-2.6	0.937	0.5	0.4	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	10	41	19	26.7	-2.1	0.936	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	10	51	19	27	-1.3	0.937	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	11	1	19	26.9	-2.1	0.936	0.5	0.5	0	55.9	57.2	0	158	161	0	28	28
2025	5	6	11	11	19	26.6	-1.2	0.937	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	11	21	19	27.4	-1.6	0.937	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	6	11	31	19	26	-1.5	0.937	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	11	41	19	27.4	-1.1	0.937	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	6	11	51	19	26.7	-0.5	0.937	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	6	12	1	19	26.3	-1.2	0.937	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	12	11	19	26.3	-1.5	0.937	0.5	0.4	0	56.3	57.2	0	158	160	0	27	27
2025	5	6	12	21	19	27.1	-1.1	0.937	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	6	12	31	19	26.7	-1.5	0.937	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	12	41	19	26.6	0	0.937	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	6	12	51	19	27.6	-1.4	0.938	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	6	13	1	19	28.4	-1.4	0.938	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	13	11	19	26.5	-1.6	0.938	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	13	21	19	26.8	-1.4	0.938	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	6	13	31	19	26.7	-0.7	0.938	0.5	0.4	0	55.5	57.2	0	157	160	0	28	27
2025	5	6	13	41	19	27.6	-0.9	0.937	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	13	51	19	27.1	-2.8	0.937	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	14	1	19	27.4	-0.5	0.937	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	14	11	19	27	-0.3	0.937	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	6	14	21	19	25.7	-0.9	0.937	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	14	31	19	26.4	-1.2	0.937	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	14	41	19	26.5	-0.6	0.937	0.4	0.3	0	55.9	57.6	0	157	160	0	27	26
2025	5	6	14	51	19	28.2	-0.9	0.937	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	15	1	19	27.2	-0.5	0.937	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	15	11	19	26.7	-0.3	0.937	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	15	21	19	26.2	-2.3	0.937	0.4	0.3	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	15	31	19	27.4	-1.3	0.936	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	15	41	19	26.9	-1.1	0.936	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	15	51	19	28.3	-1.4	0.936	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	6	16	1	19	27.1	-1.2	0.936	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	6	16	11	19	27.3	-0.9	0.936	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	16	21	19	26.7	-0.9	0.936	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	16	31	19	26.7	-1.4	0.935	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	6	16	41	19	25.8	-0.5	0.936	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	6	16	51	19	27.5	-0.5	0.935	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	17	1	19	25.3	-1.4	0.935	0.5	0.4	0	56.3	56.8	0	157	160	0	26	28
2025	5	6	17	11	19	28.5	-0.9	0.935	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	17	21	19	27.1	0.1	0.935	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	17	31	19	27.4	-0.1	0.935	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	17	41	19	28.4	-0.4	0.934	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	6	17	51	19	26.8	-1.4	0.935	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	18	1	19	27.9	-0.9	0.934	0.6	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	6	18	11	19	27.2	-1.8	0.934	0.5	0.5	0	56.8	57.2	0	158	161	0	26	28
2025	5	6	18	21	19	26.7	-0.6	0.935	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	18	31	19	27.1	-0.6	0.934	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	18	41	19	26.6	-0.5	0.933	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	18	51	19	26.8	-1.8	0.933	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	19	1	19	27.1	-1.6	0.933	0.6	0.5	0	55.9	57.2	0	157	160	0	27	27
2025	5	6	19	11	19	26.6	-0.8	0.933	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	19	21	19	25.2	-0.4	0.933	0.5	0.5	0	56.8	57.6	0	157	161	0	25	27
2025	5	6	19	31	19	27.5	-1.2	0.933	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	6	19	41	19	27	-2	0.933	0.7	0.6	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	19	51	19	27	-0.5	0.933	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	20	1	19	27.4	-0.9	0.933	0.5	0.5	0	55.5	58	0	156	161	0	27	26
2025	5	6	20	11	19	26.8	0	0.933	0.5	0.5	0	55.9	57.2	0	157	161	0	27	28
2025	5	6	20	21	19	27.5	-1.6	0.933	0.4	0.3	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	20	31	19	27.1	-0.4	0.933	0.5	0.4	0	55.9	57.2	0	157	161	0	27	28
2025	5	6	20	41	19	26.7	-0.6	0.932	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	20	51	19	26.5	-0.7	0.932	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	21	1	19	27	0	0.932	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	21	11	19	26.6	-1	0.932	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	21	21	19	28.4	-1.2	0.932	0.4	0.3	0	55.9	57.6	0	157	160	0	27	26
2025	5	6	21	31	19	27.9	-1.4	0.932	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	21	41	19	26.9	-1.1	0.932	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	21	51	19	27.3	-0.2	0.932	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	6	22	1	19	26.5	-1.3	0.932	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	6	22	11	19	26.8	-1	0.932	0.5	0.4	0	55.5	57.6	0	156	161	0	27	27
2025	5	6	22	21	19	28.6	-0.9	0.931	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	6	22	31	19	26.5	-0.8	0.931	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	22	41	19	27.3	-1.6	0.931	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	6	22	51	19	27.1	-0.9	0.931	0.5	0.4	0	56.3	56.8	0	157	160	0	26	28
2025	5	6	23	1	19	26.8	-1.3	0.931	0.5	0.4	0	55.9	56.8	0	156	160	0	26	28
2025	5	6	23	11	19	27	-1.4	0.931	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	23	21	19	27.6	-0.9	0.931	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	6	23	31	19	26.4	-0.7	0.93	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	6	23	41	19	26.5	-1.1	0.93	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	6	23	51	19	26.8	-1.1	0.93	0.5	0.4	0	54.6	56.8	0	153	160	0	26	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	7	0	1	19	27.3	-1.3	0.93	0.5	0.4	0	54.6	57.2	0	154	160	0	27	27
2025	5	7	0	11	19	26.5	-1.3	0.93	0.5	0.4	0	55	57.2	0	154	160	0	26	27
2025	5	7	0	21	19	28	-1.4	0.93	0.6	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	0	31	19	27.4	-2.2	0.93	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	0	41	19	26.7	-1	0.93	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	7	0	51	19	27.3	-1	0.929	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	1	1	19	25.8	-1.1	0.929	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	7	1	11	19	28.2	-1.5	0.929	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	1	21	19	25.8	0.6	0.929	0.4	0.3	0	55.9	56.8	0	157	160	0	27	28
2025	5	7	1	31	19	27.3	-1.7	0.929	0.5	0.4	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	1	41	19	25.9	-1.1	0.929	0.4	0.3	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	1	51	19	26.3	-1.7	0.929	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	2	1	19	26.9	-1.6	0.929	0.5	0.4	0	55.9	56.8	0	156	160	0	26	28
2025	5	7	2	11	19	25.9	0	0.929	0.4	0.3	0	55.9	56.8	0	157	160	0	27	28
2025	5	7	2	21	19	26.3	-1.6	0.929	0.4	0.3	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	2	31	19	25.6	-0.9	0.928	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	2	41	19	26.7	-0.9	0.928	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2025	5	7	2	51	19	27.5	-1	0.929	0.5	0.5	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	3	1	19	27.3	-1.5	0.928	0.5	0.5	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	3	11	19	27.3	0	0.928	0.5	0.5	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	3	21	19	27.9	-2.2	0.928	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	7	3	31	19	27.4	-3.2	0.928	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	3	41	19	26.6	-0.6	0.928	0.5	0.4	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	3	51	19	25.9	-0.9	0.928	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	4	1	19	26.2	-0.9	0.928	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	4	11	19	26.3	-1.5	0.928	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	4	21	19	27.8	-0.9	0.928	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	4	31	19	26.3	-1.5	0.928	0.5	0.4	0	55.9	56.8	0	157	160	0	27	28
2025	5	7	4	41	19	27.4	-1.4	0.928	0.5	0.5	0	55	56.8	0	156	160	0	28	28
2025	5	7	4	51	19	27.4	-1.1	0.929	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	5	1	19	28.2	-1.7	0.928	0.5	0.5	0	55.5	57.6	0	156	160	0	27	26
2025	5	7	5	11	19	26.8	-1	0.929	0.5	0.5	0	55.9	56.8	0	157	160	0	27	28
2025	5	7	5	21	19	26.8	-1.8	0.928	0.5	0.5	0	55.5	57.6	0	156	161	0	27	27
2025	5	7	5	31	19	27.7	-0.9	0.929	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2025	5	7	5	41	19	26.4	-0.9	0.928	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	5	51	19	26.8	-1	0.928	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	6	1	19	26.8	-1.7	0.928	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	6	11	19	26.4	-0.9	0.928	0.5	0.5	0	55	57.2	0	156	160	0	28	27
2025	5	7	6	21	19	27	0	0.928	0.4	0.3	0	55.9	57.2	0	157	160	0	27	27
2025	5	7	6	31	19	26.7	-1.6	0.929	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	6	41	19	27.1	-1.2	0.929	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	6	51	19	27.3	-1.3	0.929	0.5	0.5	0	55.5	56.3	0	156	159	0	27	28
2025	5	7	7	1	19	26.8	-1.8	0.928	0.5	0.4	0	55	56.3	0	156	159	0	28	28
2025	5	7	7	11	19	27.1	-1.4	0.928	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	7	21	19	26.8	-0.7	0.929	0.5	0.4	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	7	31	19	26	-1.3	0.929	0.5	0.4	0	55	57.2	0	156	160	0	28	27
2025	5	7	7	41	19	25.9	-1.4	0.929	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	7	51	19	25.9	-1.1	0.928	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	7	8	1	19	27.2	-0.8	0.928	0.5	0.4	0	55.9	56.3	0	156	159	0	26	28
2025	5	7	8	11	19	27.5	-1.8	0.927	0.5	0.4	0	55.5	56.3	0	156	159	0	27	28
2025	5	7	8	21	19	27.4	-0.9	0.928	0.5	0.5	0	55.9	56.3	0	156	159	0	26	28
2025	5	7	8	31	19	26.3	-2.3	0.928	0.4	0.3	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	8	41	19	27.6	-1.6	0.927	0.4	0.3	0	55.5	56.3	0	156	159	0	27	28
2025	5	7	8	51	19	25.9	-2	0.927	0.5	0.4	0	55.5	56.8	0	156	160	0	27	28
2025	5	7	9	1	19	25.9	-0.9	0.927	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	9	11	19	27.5	-1.8	0.927	0.4	0.3	0	55.5	56.3	0	156	159	0	27	28
2025	5	7	9	21	19	26.7	-1.9	0.927	0.5	0.4	0	55.5	56.8	0	156	159	0	27	27
2025	5	7	9	31	19	26.3	-1.3	0.927	0.4	0.3	0	55.5	56.8	0	156	159	0	27	27
2025	5	7	9	41	19	25.7	-1.4	0.927	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2025	5	7	9	51	19	26.8	-1.3	0.927	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2025	5	7	10	1	19	26.7	-0.9	0.927	0.5	0.4	0	55	55.9	0	155	158	0	27	28
2025	5	7	10	11	19	26.9	-1.3	0.927	0.5	0.4	0	55	56.3	0	155	158	0	27	27
2025	5	7	10	21	19	26.8	-1.5	0.927	0.5	0.5	0	55	55.9	0	155	158	0	27	28
2025	5	7	10	31	19	25.7	-1.3	0.927	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2025	5	7	10	41	19	27	-1	0.927	0.4	0.3	0	55	56.8	0	155	159	0	27	27
2025	5	7	10	51	19	26.2	-1.1	0.927	0.5	0.5	0	55	56.8	0	155	159	0	27	27
2025	5	7	11	1	19	26.3	-1.5	0.927	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2025	5	7	11	11	19	25.3	-0.8	0.927	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2025	5	7	11	21	19	26.5	-1.7	0.927	0.5	0.5	0	54.6	56.3	0	154	158	0	27	27
2025	5	7	11	31	19	27	-0.7	0.927	0.5	0.4	0	55.5	56.8	0	155	159	0	26	27
2025	5	7	11	41	19	25.8	-1.6	0.928	0.5	0.4	0	55.5	56.3	0	155	158	0	26	27
2025	5	7	11	51	19	26.1	-1.4	0.928	0.5	0.5	0	55	56.3	0	155	158	0	27	27
2025	5	7	12	1	19	26.3	-1.4	0.928	0.4	0.3	0	54.6	56.3	0	154	158	0	27	27
2025	5	7	12	11	19	27.4	-0.8	0.928	0.5	0.5	0	54.6	56.3	0	154	158	0	27	27
2025	5	7	12	21	19	26.4	-1.2	0.928	0.5	0.4	0	54.6	56.3	0	154	158	0	27	27
2025	5	7	12	31	19	26.2	-1	0.928	0.5	0.5	0	55	56.8	0	155	158	0	27	26
2025	5	7	12	41	19	26.5	-1.1	0.928	0.4	0.3	0	55.5	56.8	0	155	159	0	26	27
2025	5	7	12	51	19	26.5	-1.9	0.928	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2025	5	7	13	1	19	27.1	-1.4	0.928	0.6	0.5	0	55	56.3	0	154	158	0	26	27
2025	5	7	13	11	19	27.1	-1.7	0.929	0.5	0.4	0	54.6	56.3	0	154	158	0	27	27
2025	5	7	13	21	19	26.2	-0.6	0.929	0.6	0.5	0	55	56.3	0	154	158	0	26	27
2025	5	7	13	31	19	27.1	-1.7	0.929	0.5	0.4	0	54.2	56.3	0	154	158	0	28	27
2025	5	7	13	41	19	27.5	-1.1	0.929	0.5	0.4	0	55.5	56.8	0	155	159	0	26	27
2025	5	7	13	51	19	27.4	-1.8	0.929	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2025	5	7	14	1	19	26.8	-0.7	0.929	0.5	0.4	0	55	56.3	0	155	159	0	27	28
2025	5	7	14	11	19	25.8	-0.5	0.93	0.5	0.5	0	55	56.8	0	155	159	0	27	27
2025	5	7	14	21	19	26.3	-1	0.93	0.5	0.5	0	55	56.8	0	155	159	0	27	27
2025	5	7	14	31	19	26.7	-0.3	0.93	0.5	0.4	0	55	56.8	0	155	159	0	27	27
2025	5	7	14	41	19	27.4	-1.3	0.93	0.4	0.3	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	14	51	19	26.3	-2	0.929	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	15	1	19	26.8	-0.1	0.929	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	15	11	19	26.3	-0.9	0.929	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	15	21	19	27.1	-0.8	0.93	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	15	31	19	26.4	-0.3	0.929	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	7	15	41	19	26.8	-1.4	0.93	0.5	0.5	0	55.5	57.2	0	156	160	0	27	27
2025	5	7	15	51	19	26.1	-1.1	0.93	0.4	0.3	0	55.9	58	0	157	161	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	7	16	1	19	27.4	-0.5	0.928	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	16	11	19	26.2	-0.5	0.93	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	16	21	19	26.3	-0.6	0.929	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	7	16	31	19	26.1	-1.8	0.929	0.5	0.4	0	55.5	58	0	156	161	0	27	26
2025	5	7	16	41	19	26.3	-1.3	0.929	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	7	16	51	19	26.5	-0.4	0.929	0.4	0.3	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	17	1	19	27.4	-0.7	0.929	0.5	0.4	0	55.5	57.6	0	156	161	0	27	27
2025	5	7	17	11	19	26.4	-0.5	0.929	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	17	21	19	26.8	-1.6	0.928	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	17	31	19	26.2	-0.6	0.929	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	17	41	19	26.6	-1.4	0.929	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	7	17	51	19	27.3	-1.3	0.928	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	7	18	1	19	27.2	-1	0.928	0.4	0.3	0	55.9	58	0	156	161	0	26	26
2025	5	7	18	11	19	26.7	-1.2	0.928	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	7	18	21	19	28.1	-1.7	0.929	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	7	18	31	19	26.6	-1	0.929	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	7	18	41	19	25.8	-0.4	0.928	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	18	51	19	27.3	-1.8	0.928	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	7	19	1	19	27.1	-0.9	0.929	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	7	19	11	19	26.2	-1.1	0.928	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	19	21	19	27	-0.6	0.929	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	19	31	19	26.1	-0.4	0.928	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	7	19	41	19	25.2	-1.3	0.929	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	19	51	19	26.6	-1.4	0.929	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	20	1	19	27.1	0	0.928	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	5	7	20	11	19	28.4	-1.1	0.928	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	7	20	21	19	26.4	0	0.928	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	20	31	19	26.5	-0.8	0.928	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	7	20	41	19	27	-1.1	0.927	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	7	20	51	19	27.1	-0.8	0.927	0.6	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	7	21	1	19	28.2	-1.7	0.928	0.5	0.4	0	55.9	58	0	157	161	0	27	26
2025	5	7	21	11	19	27	-0.4	0.928	0.4	0.3	0	55.9	57.2	0	156	160	0	26	27
2025	5	7	21	21	19	26.7	-0.4	0.928	0.5	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	7	21	31	19	25	-1.5	0.927	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	21	41	19	26	-1.2	0.928	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	21	51	19	26.8	-0.8	0.928	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	7	22	1	19	26.7	-1	0.928	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	7	22	11	19	26.5	-1.2	0.929	0.5	0.4	0	55.5	57.6	0	156	161	0	27	27
2025	5	7	22	21	19	27.7	-1.1	0.929	0.4	0.3	0	55.9	57.6	0	156	161	0	26	27
2025	5	7	22	31	19	26.8	-1.6	0.929	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	7	22	41	19	26.4	-0.3	0.929	0.5	0.4	0	55.9	58	0	157	162	0	27	27
2025	5	7	22	51	19	26.3	-1.3	0.929	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	23	1	19	26.2	-0.1	0.929	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	7	23	11	19	27	0	0.929	0.6	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	7	23	21	19	25.6	-1.4	0.929	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	7	23	31	19	26.8	0	0.929	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	7	23	41	19	26.9	0	0.928	0.5	0.5	0	55.9	58.5	0	157	162	0	27	26
2025	5	7	23	51	19	26.7	-1.3	0.928	0.5	0.5	0	55.9	58	0	157	162	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	8	0	1	19	26.2	-0.9	0.928	0.5	0.5	0	55.5	57.6	0	156	161	0	27	27
2025	5	8	0	11	19	26.6	-1.4	0.928	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	8	0	21	19	27.1	-1.8	0.928	0.6	0.5	0	55.5	57.6	0	156	161	0	27	27
2025	5	8	0	31	19	27.1	-0.5	0.928	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	8	0	41	19	26.2	-0.3	0.928	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	0	51	19	25.1	-1.6	0.928	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	1	1	19	27.6	-0.5	0.928	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	8	1	11	19	27	-0.9	0.928	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	8	1	21	19	27.2	-1.4	0.928	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	1	31	19	25.5	-1.2	0.928	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	8	1	41	19	27.4	-1.8	0.928	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	8	1	51	19	27.5	-2.3	0.928	0.5	0.4	0	56.8	57.6	0	157	161	0	25	27
2025	5	8	2	1	19	26.3	-1.5	0.928	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	2	11	19	27.5	-2.3	0.928	0.4	0.3	0	56.3	57.2	0	157	161	0	26	28
2025	5	8	2	21	19	26.8	-1.4	0.928	0.5	0.5	0	55.9	57.2	0	157	161	0	27	28
2025	5	8	2	31	19	26.7	-1.6	0.928	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	8	2	41	19	27.7	-0.7	0.928	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	8	2	51	19	27	-1.1	0.927	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	3	1	19	25.9	-0.6	0.927	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	3	11	19	28.1	-0.4	0.927	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	3	21	19	26.3	-0.9	0.927	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	3	31	19	26.7	-1	0.927	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	8	3	41	19	26.5	-0.8	0.927	0.5	0.5	0	55.9	57.2	0	157	161	0	27	28
2025	5	8	3	51	19	26.3	-0.9	0.927	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	8	4	1	19	26	-0.9	0.927	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	4	11	19	27.1	-1.3	0.927	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	8	4	21	19	26.9	-1.8	0.927	0.5	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	8	4	31	19	27.1	-1.6	0.927	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	8	4	41	19	26.8	-1.9	0.927	0.3	0.2	0	55.9	57.6	0	157	161	0	27	27
2025	5	8	4	51	19	27.4	-1.7	0.927	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	8	5	1	19	27.6	-1.1	0.927	0.5	0.4	0	55.9	58	0	157	161	0	27	26
2025	5	8	5	11	19	24.7	-1.4	0.927	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	8	5	21	19	25.6	-0.8	0.927	0.6	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	8	5	31	19	27.5	-1.4	0.927	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	8	5	41	19	26	-1.1	0.927	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	8	5	51	19	26.5	-1.1	0.927	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	8	6	1	19	26.1	-1	0.926	0.5	0.5	0	57.6	57.6	0	160	162	0	26	28
2025	5	8	6	11	19	26.5	-1.7	0.927	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	8	6	21	19	26.1	-1.9	0.926	0.5	0.5	0	57.2	57.6	0	159	162	0	26	28
2025	5	8	6	31	19	27.6	-1.9	0.926	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	8	6	41	19	26.6	-0.6	0.926	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	8	6	51	19	27.1	-1.3	0.926	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	8	7	1	19	26.5	-1.4	0.926	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	8	7	11	19	26.6	-1.9	0.926	0.5	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	8	7	21	19	27	-0.2	0.926	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	8	7	31	19	26.6	-1.4	0.926	0.4	0.3	0	56.8	58	0	159	163	0	27	28
2025	5	8	7	41	19	27.1	-1.3	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	8	7	51	19	25.9	-1.3	0.926	0.5	0.5	0	56.8	58	0	159	162	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	8	8	1	19	27.3	-1.4	0.926	0.5	0.5	0	55.9	58	0	158	162	0	28	27
2025	5	8	8	11	19	26.3	-0.5	0.926	0.5	0.5	0	56.3	57.6	0	158	162	0	27	28
2025	5	8	8	21	19	26.8	-0.3	0.926	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	8	8	31	19	26.6	-1.8	0.926	0.5	0.4	0	56.3	57.6	0	158	162	0	27	28
2025	5	8	8	41	19	26.8	-1.6	0.926	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	8	51	19	25.8	-1.1	0.926	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	8	9	1	19	26.4	-0.6	0.926	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	8	9	11	19	26.5	-0.2	0.926	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	8	9	21	19	26.7	-1.2	0.926	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	9	31	19	26.2	-0.7	0.927	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	8	9	41	19	26.6	-0.8	0.927	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	8	9	51	19	26.9	-1.7	0.927	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	8	10	1	19	26.4	-1.2	0.927	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	8	10	11	19	27.7	-1	0.927	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	10	21	19	27	-0.6	0.927	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	10	31	19	26.4	-1.5	0.927	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	10	41	19	25.5	-0.1	0.927	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	8	10	51	19	26.7	-0.8	0.927	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	8	11	1	19	25.4	-0.1	0.927	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	8	11	11	19	27.8	-0.2	0.927	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	8	11	21	19	26.8	-0.9	0.927	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	8	11	31	19	26.9	-0.9	0.926	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	11	41	19	26.5	-1.7	0.926	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	8	11	51	19	26.6	-1.3	0.926	0.5	0.5	0	56.3	57.6	0	158	162	0	27	28
2025	5	8	12	1	19	26.8	-1.2	0.926	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	8	12	11	19	25.7	-1.8	0.926	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	8	12	21	19	26.7	-2.5	0.926	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	8	12	31	19	25.9	-0.1	0.926	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	8	12	41	19	26.4	-0.3	0.926	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	8	12	51	19	25.9	-1.1	0.925	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	8	13	1	19	26.7	-1.4	0.924	0.6	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	8	13	11	19	25.2	-1.4	0.925	0.4	0.3	0	56.8	57.6	0	158	162	0	26	28
2025	5	8	13	21	19	27.4	-1.6	0.925	0.5	0.4	0	56.3	58	0	158	161	0	27	26
2025	5	8	13	31	19	26.5	-1.7	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	8	13	41	19	27.5	0	0.924	0.5	0.4	0	55.5	57.6	0	155	161	0	26	27
2025	5	8	13	51	19	25.9	-1.5	0.924	0.5	0.5	0	55.5	58	0	155	162	0	26	27
2025	5	8	14	1	19	26.9	-1.9	0.924	0.5	0.5	0	55.5	58.5	0	155	162	0	26	26
2025	5	8	14	11	19	27	-1.8	0.925	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	8	14	21	19	27	-0.3	0.925	0.6	0.5	0	55.5	58	0	155	162	0	26	27
2025	5	8	14	31	19	27.5	-0.9	0.926	0.5	0.4	0	55	58	0	154	161	0	26	26
2025	5	8	14	41	19	27.6	-1.7	0.924	0.5	0.5	0	55	58	0	154	162	0	26	27
2025	5	8	14	51	19	25.6	-0.9	0.925	0.5	0.5	0	55.5	58.5	0	155	162	0	26	26
2025	5	8	15	1	19	26.7	-1.3	0.925	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	8	15	11	19	26.9	-1.1	0.925	0.4	0.3	0	54.6	57.6	0	154	161	0	27	27
2025	5	8	15	21	19	27.1	-1.9	0.925	0.5	0.4	0	55.5	58	0	155	162	0	26	27
2025	5	8	15	31	19	25.5	-1	0.925	0.5	0.5	0	54.6	58.5	0	154	162	0	27	26
2025	5	8	15	41	19	26.4	-1.8	0.925	0.5	0.5	0	55	58	0	154	162	0	26	27
2025	5	8	15	51	19	26.2	-0.8	0.926	0.5	0.4	0	55	58.5	0	154	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	8	16	1	19	26	-0.9	0.926	0.5	0.4	0	55	58.5	0	154	162	0	26	26
2025	5	8	16	11	19	27.3	-1.5	0.926	0.4	0.3	0	55	58	0	154	162	0	26	27
2025	5	8	16	21	19	26.5	-0.9	0.925	0.6	0.5	0	55	58.5	0	153	162	0	25	26
2025	5	8	16	31	19	26.6	-1.4	0.925	0.5	0.5	0	55	58.5	0	154	162	0	26	26
2025	5	8	16	41	19	26.6	-1.1	0.925	0.5	0.5	0	55	58.5	0	154	162	0	26	26
2025	5	8	16	51	19	26.2	-1.5	0.926	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	17	1	19	26.5	-1.2	0.925	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	8	17	11	19	27.9	-1.1	0.926	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	17	21	19	27.1	-0.6	0.926	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	17	31	19	27.2	-0.2	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	17	41	19	26.2	-0.4	0.926	0.6	0.5	0	56.3	58.9	0	158	163	0	27	26
2025	5	8	17	51	19	27.2	-1	0.925	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	18	1	19	27.3	-1	0.926	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	8	18	11	19	26.9	-0.5	0.926	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	8	18	21	19	27.2	-1	0.926	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	8	18	31	19	26.5	-0.9	0.926	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	8	18	41	19	26.7	-1.4	0.926	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	8	18	51	19	27	-0.7	0.925	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	19	1	19	27.4	-0.8	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	8	19	11	19	28.3	-1.2	0.925	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	19	21	19	27.1	0.4	0.926	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	19	31	19	27.5	-1.9	0.926	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	19	41	19	27.4	-1.6	0.926	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	19	51	19	27.7	-1.1	0.926	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	8	20	1	19	26.6	-1.7	0.925	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	20	11	19	26.5	-0.5	0.925	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	8	20	21	19	26.1	-0.9	0.925	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	20	31	19	25.9	-0.8	0.925	0.5	0.4	0	56.3	58.5	0	158	162	0	27	26
2025	5	8	20	41	19	26.5	-0.5	0.925	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	20	51	19	27	-1.3	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	8	21	1	19	27	-0.7	0.925	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	8	21	11	19	28.2	-1.1	0.925	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	21	21	19	28.1	-1.2	0.925	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	21	31	19	26.8	-0.7	0.925	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	21	41	19	27	-1.4	0.925	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	21	51	19	26.3	-1.4	0.925	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	8	22	1	19	26.1	-0.7	0.924	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	8	22	11	19	25.7	-0.4	0.925	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	22	21	19	26.9	-0.6	0.924	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	8	22	31	19	26.4	0.6	0.924	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	8	22	41	19	25.7	0.3	0.924	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	22	51	19	26.5	-0.6	0.924	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	23	1	19	26.3	-0.6	0.924	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	8	23	11	19	27.2	-1.9	0.924	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	8	23	21	19	27	-0.5	0.924	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	8	23	31	19	26.3	-1.1	0.924	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	23	41	19	26.1	-0.2	0.924	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	8	23	51	19	27.2	-1	0.924	0.5	0.5	0	56.8	58	0	158	162	0	26	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	9	0	1	19	25.7	-1	0.924	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	9	0	11	19	25.5	-1.8	0.924	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	9	0	21	19	26.5	-1.6	0.923	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	9	0	31	19	26.2	-0.9	0.923	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	9	0	41	19	26.1	-1.2	0.923	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	9	0	51	19	26.9	-1.2	0.924	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	9	1	1	19	27.5	0	0.923	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	9	1	11	19	26.7	-0.7	0.923	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	9	1	21	19	26	-0.9	0.923	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	9	1	31	19	26.9	-1.8	0.923	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	9	1	41	19	27	-2.2	0.923	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	9	1	51	19	27.8	-0.5	0.923	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	9	2	1	19	26.2	-1.4	0.923	0.5	0.5	0	56.8	57.6	0	158	162	0	26	28
2025	5	9	2	11	19	26.3	-0.6	0.923	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	9	2	21	19	25.4	-0.9	0.923	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	9	2	31	19	27.9	-2.1	0.923	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	9	2	41	19	25.9	-1.1	0.923	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	9	2	51	19	26.4	-1.4	0.923	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	9	3	1	19	25.4	-1.1	0.923	0.5	0.4	0	55.9	58	0	157	162	0	27	27
2025	5	9	3	11	19	27.4	-1.8	0.923	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	9	3	21	19	26.9	-1.1	0.923	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	9	3	31	19	26.9	-0.6	0.923	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	9	3	41	19	24.8	-0.7	0.923	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	9	3	51	19	26	-0.7	0.923	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	9	4	1	19	26.7	-0.8	0.923	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	9	4	11	19	26.5	-1.8	0.925	0.6	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	9	4	21	19	26.7	-1.3	0.929	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	9	4	31	19	26.5	-2.2	0.929	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	9	4	41	19	26.5	-0.5	0.93	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	9	4	51	19	26.2	-0.8	0.93	0.3	0.2	0	56.8	58	0	158	162	0	26	27
2025	5	9	5	1	19	26.5	-0.8	0.93	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	9	5	11	19	26.2	-1.9	0.93	0.5	0.5	0	56.3	57.6	0	158	162	0	27	28
2025	5	9	5	21	19	27	-0.9	0.93	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	9	5	31	19	26.6	-0.5	0.93	0.5	0.4	0	57.2	58	0	159	163	0	26	28
2025	5	9	5	41	19	25.5	-0.7	0.93	0.6	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	9	5	51	19	26.1	-1.4	0.93	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	9	6	1	19	27	-1.8	0.931	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	9	6	11	19	24.8	-1.2	0.93	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	9	6	21	19	25.4	-0.9	0.93	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	9	6	31	19	25.9	-2.1	0.93	0.4	0.3	0	56.3	58.5	0	158	163	0	27	27
2025	5	9	6	41	19	25.9	-0.3	0.931	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	9	6	51	19	26.4	-1.2	0.931	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	9	7	1	19	25.9	-0.8	0.931	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26
2025	5	9	7	11	19	25.7	-1.3	0.93	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	9	7	21	19	26.9	-0.9	0.93	0.5	0.4	0	57.6	58.5	0	160	164	0	26	28
2025	5	9	7	31	19	26.4	-0.5	0.931	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26
2025	5	9	7	41	19	26.6	-0.5	0.931	0.5	0.5	0	57.2	58.9	0	160	164	0	27	27
2025	5	9	7	51	19	26.8	-1.3	0.931	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	9	8	1	19	25.5	-0.9	0.931	0.6	0.5	0	57.6	58	0	160	163	0	26	28
2025	5	9	8	11	19	26.4	-1.6	0.931	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	9	8	21	19	26.7	-0.6	0.931	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	9	8	31	19	26.6	-0.4	0.931	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	9	8	41	19	25.4	-0.7	0.931	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	9	8	51	19	26.5	-1.4	0.931	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	9	9	1	19	26.1	-0.5	0.931	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	9	9	11	19	25.5	-0.4	0.931	0.5	0.5	0	57.2	59.3	0	160	164	0	27	26
2025	5	9	9	21	19	26.2	0	0.931	0.5	0.5	0	56.8	58.5	0	159	164	0	27	28
2025	5	9	9	31	19	26.3	-1.5	0.931	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	9	9	41	19	26.3	-1.4	0.931	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	9	9	51	19	26.3	-0.7	0.931	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	9	10	1	19	26.2	-1.4	0.931	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	9	10	11	19	26.4	-1.8	0.931	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	9	10	21	19	27.7	-0.8	0.931	0.6	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	9	10	31	19	26.8	-1.7	0.931	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	9	10	41	19	26.7	-0.8	0.932	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	9	10	51	19	25.4	-1.4	0.932	0.4	0.3	0	57.6	58.5	0	161	163	0	27	27
2025	5	9	11	1	19	26.8	-1.9	0.932	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	9	11	11	19	25.6	-0.3	0.932	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	9	11	21	19	26.3	0	0.932	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	9	11	31	19	27.4	-1.4	0.932	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	9	11	41	19	26	-0.5	0.932	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	9	11	51	19	26	-0.4	0.931	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	9	12	1	19	26.1	-1.4	0.932	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	9	12	11	19	26.7	0	0.932	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	9	12	21	19	26.9	-1	0.931	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	9	12	31	19	25.7	-0.9	0.932	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	9	12	41	19	26.3	-0.9	0.932	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	9	12	51	19	26.4	-0.9	0.933	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	9	13	1	19	26.5	-1	0.932	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	9	13	11	19	26.8	-0.7	0.932	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	9	13	21	19	27.3	-1.4	0.932	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	9	13	31	19	26.8	-1.7	0.932	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	9	13	41	19	26.6	-1.4	0.931	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	9	13	51	19	26.8	-1	0.932	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	5	9	14	1	19	27.1	-0.4	0.932	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	9	14	11	19	27	-1	0.932	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	9	14	21	19	26.1	-0.4	0.931	0.4	0.3	0	56.3	57.2	0	156	160	0	25	27
2025	5	9	14	31	19	26.8	-1.9	0.931	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	9	14	41	19	27.1	-1	0.931	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	9	14	51	19	27.4	-1	0.931	0.3	0.2	0	56.8	57.6	0	157	160	0	25	26
2025	5	9	15	1	19	26	-1.5	0.931	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	5	9	15	11	19	26	0	0.93	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	5	9	15	21	19	26.8	-1.5	0.93	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	9	15	31	19	26.3	-0.9	0.931	0.5	0.4	0	56.8	57.2	0	157	160	0	25	27
2025	5	9	15	41	19	26.6	-0.8	0.931	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	9	15	51	19	26.8	-1.2	0.93	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	9	16	1	19	26.7	0.5	0.931	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	9	16	11	19	27.2	-1.2	0.931	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	16	21	19	25.3	-1	0.93	0.5	0.5	0	55.9	57.6	0	155	160	0	25	26
2025	5	9	16	31	19	27.2	-2.4	0.93	0.5	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	5	9	16	41	19	26.9	-0.2	0.931	0.6	0.5	0	55.5	57.6	0	155	159	0	26	25
2025	5	9	16	51	19	26.6	-1.5	0.93	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	9	17	1	19	26.9	-0.4	0.93	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	17	11	19	26.8	-1.3	0.93	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	17	21	19	26.4	-0.5	0.93	0.5	0.4	0	55.5	56.8	0	154	159	0	25	27
2025	5	9	17	31	19	27	-0.9	0.929	0.5	0.4	0	55.9	58	0	155	160	0	25	25
2025	5	9	17	41	19	27.2	0	0.932	0.6	0.5	0	55	56.8	0	154	159	0	26	27
2025	5	9	17	51	19	26.4	-0.9	0.93	0.5	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	5	9	18	1	19	27.1	-0.5	0.93	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	5	9	18	11	19	27.5	-1.9	0.93	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	5	9	18	21	19	26.3	0	0.93	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	5	9	18	31	19	27	-0.5	0.929	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	5	9	18	41	19	25.4	-1.2	0.93	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	5	9	18	51	19	26.3	-1.5	0.929	0.5	0.4	0	54.6	57.2	0	153	158	0	26	25
2025	5	9	19	1	19	26.5	-1	0.929	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	5	9	19	11	19	26.9	-0.5	0.929	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	5	9	19	21	19	26.5	0.2	0.929	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	9	19	31	19	27	-1.4	0.929	0.5	0.5	0	55.5	56.8	0	154	159	0	25	27
2025	5	9	19	41	19	26.1	0	0.929	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	5	9	19	51	19	26.2	-1.2	0.929	0.6	0.5	0	55.5	57.2	0	154	159	0	25	26
2025	5	9	20	1	19	25.1	-0.5	0.929	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	9	20	11	19	26.6	-0.8	0.929	0.5	0.5	0	55.9	57.6	0	155	160	0	25	26
2025	5	9	20	21	19	26	0	0.929	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	20	31	19	26.8	-1	0.929	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	5	9	20	41	19	26.4	0	0.929	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	9	20	51	19	26.3	-0.9	0.929	0.5	0.4	0	55	57.2	0	154	160	0	26	27
2025	5	9	21	1	19	26.8	-1.2	0.929	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	9	21	11	19	26.3	-1.2	0.929	0.5	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	9	21	21	19	25.6	-1	0.929	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	21	31	19	27.2	-0.5	0.929	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	21	41	19	26.2	-1.8	0.928	0.6	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	9	21	51	19	26.7	-0.6	0.928	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	5	9	22	1	19	25.5	-0.5	0.928	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26
2025	5	9	22	11	19	27.1	-1.3	0.928	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	9	22	21	19	26	-0.5	0.928	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	9	22	31	19	26.9	-0.6	0.928	0.4	0.3	0	55.9	57.6	0	156	161	0	26	27
2025	5	9	22	41	19	27	-0.6	0.928	0.4	0.3	0	55.9	58	0	156	161	0	26	26
2025	5	9	22	51	19	27.1	-0.5	0.928	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	9	23	1	19	26.5	-1	0.928	0.5	0.4	0	56.8	57.6	0	157	161	0	25	27
2025	5	9	23	11	19	26.5	-0.1	0.929	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	9	23	21	19	26.3	-1.5	0.929	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	9	23	31	19	26.5	0	0.928	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	9	23	41	19	27.1	0.2	0.929	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	9	23	51	19	25.3	0	0.929	0.5	0.5	0	56.8	58	0	159	162	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	10	0	1	19	26.2	-1.1	0.929	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	10	0	11	19	26.2	-0.8	0.929	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	0	21	19	26.1	-1.4	0.929	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	5	10	0	31	19	25.8	-0.3	0.929	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	10	0	41	19	26.1	-1.9	0.929	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	10	0	51	19	26.5	-1.4	0.93	0.5	0.5	0	55.9	58	0	157	161	0	27	26
2025	5	10	1	1	19	26.6	-0.8	0.93	0.5	0.4	0	55.9	58	0	157	161	0	27	26
2025	5	10	1	11	19	25.9	-0.4	0.93	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	10	1	21	19	26.8	-0.8	0.93	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	10	1	31	19	26.2	-0.5	0.93	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	10	1	41	19	26.1	-0.7	0.93	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	10	1	51	19	26.5	-0.5	0.93	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	10	2	1	19	27.1	-0.2	0.93	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	10	2	11	19	26	-1.4	0.93	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	10	2	21	19	26.4	-1	0.93	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	10	2	31	19	26.4	-2.2	0.93	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	10	2	41	19	26.4	-0.4	0.93	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	10	2	51	19	26.5	-0.5	0.93	0.5	0.4	0	55.9	58.5	0	157	162	0	27	26
2025	5	10	3	1	19	26	-1.5	0.93	0.4	0.3	0	56.3	58.5	0	157	162	0	26	26
2025	5	10	3	11	19	26	-0.8	0.93	0.5	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	10	3	21	19	26.2	0	0.93	0.5	0.4	0	55.9	58.5	0	157	162	0	27	26
2025	5	10	3	31	19	26	-1.2	0.93	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	10	3	41	19	26.1	-1.6	0.93	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	10	3	51	19	26.9	-0.2	0.93	0.5	0.5	0	55.5	58.5	0	156	162	0	27	26
2025	5	10	4	1	19	26.3	-2.9	0.93	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	10	4	11	19	27.1	-0.8	0.93	0.6	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	4	21	19	26.2	-0.4	0.93	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	10	4	31	19	26.3	-0.9	0.93	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	4	41	19	26.5	-0.2	0.93	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	10	4	51	19	26.8	-1.7	0.93	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	10	5	1	19	25.2	-1.4	0.93	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	10	5	11	19	26	-0.9	0.93	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	10	5	21	19	26.2	-2.3	0.93	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	5	31	19	25.7	-1.1	0.93	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	5	41	19	26.4	-0.9	0.93	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	5	51	19	27.1	-1.1	0.93	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	6	1	19	25.8	-1.2	0.93	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	10	6	11	19	27.3	-1.4	0.93	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	10	6	21	19	26.2	-1	0.93	0.6	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	10	6	31	19	27.9	-1.6	0.93	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	10	6	41	19	26.5	-0.5	0.93	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	10	6	51	19	25.6	-0.2	0.93	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	10	7	1	19	26.6	-2	0.93	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	7	11	19	26.6	-2	0.93	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	10	7	21	19	27.5	-2.1	0.93	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	7	31	19	26.9	-1.9	0.93	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	10	7	41	19	26.6	-1	0.93	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	7	51	19	27.2	-2.1	0.93	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	10	8	1	19	26.5	-0.9	0.93	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	10	8	11	19	26.9	-1.1	0.93	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	10	8	21	19	26.1	-1.2	0.93	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	10	8	31	19	26.6	-0.9	0.93	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	10	8	41	19	26.1	-0.4	0.93	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	8	51	19	26.4	-0.1	0.93	0.5	0.5	0	57.6	58.9	0	161	163	0	27	26
2025	5	10	9	1	19	27.2	-1.3	0.93	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	10	9	11	19	26.2	-1.3	0.93	0.6	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	10	9	21	19	27.1	-1.5	0.931	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	9	31	19	25.2	-1.3	0.93	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	10	9	41	19	26.5	0	0.931	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	10	9	51	19	26.9	-0.6	0.931	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	10	10	1	19	26.4	-1.4	0.931	0.4	0.3	0	57.6	58	0	160	162	0	26	27
2025	5	10	10	11	19	27.2	-1.2	0.931	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	10	21	19	26.7	-0.9	0.931	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	10	31	19	25.9	-0.8	0.931	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	10	10	41	19	26.2	-1	0.932	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	10	10	51	19	27.9	-0.1	0.932	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	11	1	19	26.8	-1.1	0.932	0.6	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	10	11	11	19	26.3	-1.6	0.931	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	10	11	21	19	26	-2.3	0.932	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	10	11	31	19	27.1	-1.4	0.932	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	10	11	41	19	27.6	-0.5	0.931	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	10	11	51	19	27.1	-1.5	0.931	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2025	5	10	12	1	19	27.1	-0.9	0.931	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	12	11	19	27.6	-2.2	0.931	0.6	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	12	21	19	26.5	-1.8	0.931	0.5	0.4	0	56.3	58	0	158	161	0	27	26
2025	5	10	12	31	19	27.3	-1.6	0.932	0.6	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	12	41	19	26.7	0	0.931	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	10	12	51	19	27.7	-1.4	0.93	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	13	1	19	27.2	-0.5	0.93	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	13	11	19	26.4	-1.6	0.931	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	10	13	21	19	26.6	-1.8	0.93	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	10	13	31	19	25.8	-1	0.931	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	10	13	41	19	26.6	-1.3	0.931	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	10	13	51	19	27.1	-1.9	0.931	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	10	14	1	19	27.3	0	0.93	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	14	11	19	26	-0.9	0.932	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	14	21	19	27.9	-2.1	0.931	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	5	10	14	31	19	26.4	-1	0.93	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	14	41	19	25.8	-1.4	0.931	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	10	14	51	19	28.1	-1.6	0.93	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	15	1	19	26.7	-1.2	0.932	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	15	11	19	26.6	-1	0.93	0.5	0.4	0	56.8	58	0	159	161	0	27	26
2025	5	10	15	21	19	26.9	-0.8	0.932	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	15	31	19	26.9	-1.8	0.93	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	15	41	19	27	-0.3	0.93	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	5	10	15	51	19	26.3	-0.1	0.931	0.5	0.4	0	56.8	58	0	158	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	10	16	1	19	28.2	-1.5	0.931	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	16	11	19	26.2	-1.9	0.929	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	5	10	16	21	19	27.7	-2.2	0.93	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	5	10	16	31	19	26.4	-1	0.931	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	5	10	16	41	19	26.6	-0.8	0.93	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	10	16	51	19	26.9	-1.2	0.93	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	10	17	1	19	27.7	-0.4	0.931	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	10	17	11	19	27.4	-1.1	0.931	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	5	10	17	21	19	27.6	-0.6	0.932	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	10	17	31	19	25.9	-0.6	0.93	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	10	17	41	19	27.7	-0.9	0.931	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	10	17	51	19	27.4	-1.5	0.931	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	18	1	19	27.1	-1	0.931	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	10	18	11	19	27.8	-0.8	0.93	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	18	21	19	26.2	-0.4	0.929	0.6	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	5	10	18	31	19	26.9	-2.2	0.93	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	5	10	18	41	19	28.4	-0.8	0.93	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	5	10	18	51	19	27.3	-1.6	0.929	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	10	19	1	19	26.9	-1.3	0.929	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	10	19	11	19	25.1	-1	0.929	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	19	21	19	26.3	-0.6	0.929	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	19	31	19	26.9	-1.2	0.929	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	19	41	19	26.2	-1	0.929	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	19	51	19	25.6	-1.3	0.929	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	20	1	19	26.5	-0.5	0.929	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	20	11	19	26.2	-0.4	0.929	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	20	21	19	27.2	0	0.929	0.4	0.3	0	57.2	58.9	0	159	162	0	26	25
2025	5	10	20	31	19	27.1	-0.8	0.929	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	20	41	19	25.7	-1.4	0.929	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	20	51	19	27.1	-1	0.928	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	10	21	1	19	25.7	-1.2	0.928	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	5	10	21	11	19	26.7	-1	0.928	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	21	21	19	27.4	-0.1	0.929	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	21	31	19	26.7	0	0.928	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	5	10	21	41	19	27.2	-1.6	0.928	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	21	51	19	25.7	-1	0.928	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	10	22	1	19	26.2	-1.8	0.928	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	22	11	19	26.5	-0.4	0.928	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	10	22	21	19	26.7	-0.1	0.927	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	22	31	19	26.7	0	0.927	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	10	22	41	19	26.2	-1.1	0.927	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	22	51	19	27.2	-0.8	0.927	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	10	23	1	19	25.8	-0.2	0.927	0.5	0.4	0	57.2	58	0	158	162	0	25	27
2025	5	10	23	11	19	27.1	-1	0.927	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	5	10	23	21	19	26.5	-1	0.926	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	5	10	23	31	19	25.2	-0.3	0.926	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	10	23	41	19	26.5	-0.1	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	10	23	51	19	25.7	0	0.926	0.5	0.4	0	56.8	58	0	158	162	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	11	0	1	19	25.5	-1.2	0.926	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	0	11	19	26.7	-0.6	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	0	21	19	26.3	-0.9	0.926	0.5	0.4	0	57.2	58	0	158	162	0	25	27
2025	5	11	0	31	19	25.5	-0.6	0.926	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	11	0	41	19	27.8	-1.3	0.925	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	0	51	19	27.3	-1.2	0.925	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	11	1	1	19	26	-0.4	0.925	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	11	1	11	19	26.8	-0.9	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	1	21	19	26.4	-0.8	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	1	31	19	27.4	-0.5	0.925	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	1	41	19	25.8	-1.2	0.925	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	1	51	19	25.3	-0.4	0.925	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	11	2	1	19	26.9	-1.2	0.925	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	2	11	19	25.9	0	0.924	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	11	2	21	19	26.3	-0.9	0.924	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	11	2	31	19	26.3	-0.5	0.924	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	11	2	41	19	26.6	-0.4	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	11	2	51	19	24.4	-0.2	0.924	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	11	3	1	19	26	-1.1	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	11	3	11	19	25.6	-1.9	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	11	3	21	19	25.2	-0.5	0.924	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	11	3	31	19	25.7	-0.5	0.924	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	11	3	41	19	27.7	-2	0.924	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	11	3	51	19	26.7	-0.9	0.924	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	11	4	1	19	26.3	-2.3	0.924	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	4	11	19	26.6	-1.7	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	11	4	21	19	27	-1.4	0.924	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	4	31	19	26.1	-0.9	0.924	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	4	41	19	26.4	-1.5	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	4	51	19	26.5	-1.5	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	5	1	19	26.5	-0.3	0.924	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	5	11	19	25.6	-1.8	0.924	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	5	21	19	26	-1.7	0.924	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	11	5	31	19	27.2	-1.2	0.924	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	11	5	41	19	25.4	-0.2	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	5	51	19	26.6	-1.3	0.924	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	11	6	1	19	27.2	-0.5	0.924	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	6	11	19	25	-1.9	0.924	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	6	21	19	26.3	-1.1	0.924	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	11	6	31	19	26.4	0	0.924	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	6	41	19	26.3	-0.1	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	6	51	19	25.6	-0.9	0.925	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	11	7	1	19	26.8	-1.1	0.924	0.6	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	11	7	11	19	26.1	-2.3	0.925	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	11	7	21	19	24.8	-0.9	0.925	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	11	7	31	19	25.3	-0.3	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	7	41	19	27.4	-0.8	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	11	7	51	19	26	-1.5	0.926	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	11	8	1	19	26	-0.9	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	11	8	11	19	27.8	-1.4	0.925	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	11	8	21	19	26	-1	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	11	8	31	19	25.9	-1.8	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	11	8	41	19	27.2	-1.2	0.925	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	11	8	51	19	26.2	-0.5	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	9	1	19	26.7	-1.9	0.925	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	11	9	11	19	26.1	-1.4	0.924	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	11	9	21	19	26.5	-1.4	0.924	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	11	9	31	19	26.7	0	0.924	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	11	9	41	19	27.1	-1.9	0.924	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	11	9	51	19	27	-2.3	0.926	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	11	10	1	19	26.3	0	0.925	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	11	10	11	19	27.7	-1.4	0.924	0.4	0.3	0	56.3	57.2	0	157	161	0	26	28
2025	5	11	10	21	19	27	-1.9	0.925	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	11	10	31	19	25.4	-1.7	0.924	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	11	10	41	19	26.2	-1.1	0.925	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	11	10	51	19	25.3	-1.3	0.926	0.5	0.4	0	56.3	57.6	0	157	160	0	26	26
2025	5	11	11	1	19	25.7	-0.5	0.925	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	11	11	11	19	26.6	-1.2	0.925	0.6	0.5	0	55.5	57.6	0	156	160	0	27	26
2025	5	11	11	21	19	26.2	0	0.925	0.5	0.5	0	55.5	57.6	0	156	160	0	27	26
2025	5	11	11	31	19	26.8	-1	0.925	0.5	0.4	0	55.5	57.2	0	156	160	0	27	27
2025	5	11	11	41	19	26	-0.3	0.925	0.4	0.3	0	56.3	57.2	0	157	160	0	26	27
2025	5	11	11	51	19	25.9	-0.2	0.925	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	11	12	1	19	25.6	-1.2	0.925	0.5	0.5	0	55.5	57.6	0	156	160	0	27	26
2025	5	11	12	11	19	26.9	-1.1	0.926	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	12	21	19	27.4	-1.3	0.925	0.5	0.4	0	55.9	57.2	0	156	159	0	26	26
2025	5	11	12	31	19	26.1	-1.4	0.926	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	12	41	19	26.6	-1.4	0.926	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	11	12	51	19	26	-0.5	0.926	0.6	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	11	13	1	19	27.5	-1	0.926	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	11	13	11	19	26.1	-1.3	0.926	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	5	11	13	21	19	25.9	0	0.926	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	11	13	31	19	26.3	-1.3	0.926	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	11	13	41	19	27.4	-1	0.926	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	11	13	51	19	26	-1	0.926	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	14	1	19	25.1	-0.5	0.926	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	14	11	19	27.1	-1.1	0.927	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	5	11	14	21	19	26.4	-0.8	0.927	0.5	0.4	0	56.3	57.2	0	156	160	0	25	27
2025	5	11	14	31	19	26	-0.2	0.927	0.6	0.5	0	56.3	57.6	0	156	160	0	25	26
2025	5	11	14	41	19	27.1	0	0.927	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	14	51	19	25.9	-1.2	0.927	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	15	1	19	26.5	-0.2	0.927	0.5	0.4	0	55.9	58	0	155	160	0	25	25
2025	5	11	15	11	19	26.6	-0.9	0.927	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	11	15	21	19	26.1	-0.4	0.927	0.5	0.4	0	55.9	57.2	0	156	160	0	26	27
2025	5	11	15	31	19	27.1	-1.2	0.927	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	15	41	19	27.6	0	0.927	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	15	51	19	26.2	-0.4	0.927	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	11	16	1	19	25.6	-1.5	0.927	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	16	11	19	27.6	-1.7	0.927	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	16	21	19	27.7	-0.7	0.928	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	11	16	31	19	26.3	-0.4	0.928	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	5	11	16	41	19	26.3	0.3	0.928	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	11	16	51	19	27.3	-2.4	0.928	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	11	17	1	19	25.9	-0.9	0.928	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	5	11	17	11	19	26.8	-0.1	0.928	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	11	17	21	19	26.9	-0.5	0.928	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26
2025	5	11	17	31	19	26.9	-0.9	0.928	0.5	0.4	0	55.5	58	0	155	160	0	26	25
2025	5	11	17	41	19	26	0.1	0.928	0.5	0.4	0	56.3	58.5	0	156	161	0	25	25
2025	5	11	17	51	19	26.1	0.2	0.928	0.5	0.4	0	55.9	58.5	0	156	161	0	26	25
2025	5	11	18	1	19	26.5	-2	0.928	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	11	18	11	19	26.3	-0.4	0.928	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	11	18	21	19	27.5	-0.3	0.926	0.5	0.4	0	55.9	57.6	0	155	160	0	25	26
2025	5	11	18	31	19	26.3	-1.2	0.927	0.5	0.4	0	55.5	58	0	155	161	0	26	26
2025	5	11	18	41	19	26.2	-1	0.927	0.5	0.4	0	55.5	58	0	154	161	0	25	26
2025	5	11	18	51	19	26.2	-1.5	0.928	0.4	0.3	0	55.9	57.6	0	155	160	0	25	26
2025	5	11	19	1	19	27.1	-1	0.927	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	11	19	11	19	27	-0.8	0.927	0.5	0.4	0	57.6	58	0	159	161	0	25	26
2025	5	11	19	21	19	25.5	-0.4	0.927	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	11	19	31	19	26	-1	0.927	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	11	19	41	19	27.5	-1.8	0.927	0.5	0.5	0	57.6	58	0	159	161	0	25	26
2025	5	11	19	51	19	25.3	-0.8	0.927	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	11	20	1	19	27.1	-1	0.927	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	11	20	11	19	26.5	0.1	0.927	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	11	20	21	19	26.5	-2.1	0.927	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	11	20	31	19	27.1	0.3	0.927	0.4	0.3	0	57.2	58.5	0	158	162	0	25	26
2025	5	11	20	41	19	25.9	-0.5	0.927	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	11	20	51	19	26	-0.8	0.927	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	11	21	1	19	26.5	-1	0.927	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	21	11	19	26.2	-1.5	0.927	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	11	21	21	19	26.5	-1.5	0.927	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	11	21	31	19	27.1	-2.3	0.927	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	11	21	41	19	26.7	-1.2	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	21	51	19	24.8	-0.6	0.926	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	11	22	1	19	26.7	-0.2	0.926	0.5	0.5	0	56.8	58	0	157	162	0	25	27
2025	5	11	22	11	19	26.8	0	0.926	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	11	22	21	19	25.3	-2	0.926	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	11	22	31	19	27.3	-1.9	0.926	0.5	0.4	0	56.3	58.5	0	157	161	0	26	25
2025	5	11	22	41	19	26.2	-0.5	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	11	22	51	19	26.5	-1.5	0.926	0.5	0.5	0	57.2	58	0	158	162	0	25	27
2025	5	11	23	1	19	26.7	-0.8	0.927	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	23	11	19	26.5	-1.7	0.927	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	11	23	21	19	25.7	-0.8	0.927	0.5	0.4	0	57.2	56.3	0	159	158	0	26	27
2025	5	11	23	31	19	26.1	-0.1	0.927	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	11	23	41	19	26.7	-1	0.927	0.6	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	5	11	23	51	19	26.3	-0.7	0.927	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	12	0	1	19	26.8	-1	0.927	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	12	0	11	19	27.1	-1.5	0.927	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	12	0	21	19	25.1	-1.5	0.927	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	0	31	19	27	-1.6	0.927	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	12	0	41	19	26.4	-1.3	0.927	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	0	51	19	25.1	-0.4	0.926	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	1	1	19	25.3	-1.2	0.926	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	1	11	19	26.5	-1	0.926	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	1	21	19	27.8	0.2	0.926	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	1	31	19	25.9	-1	0.926	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	12	1	41	19	25.6	-1	0.926	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	1	51	19	25.5	-0.4	0.926	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	2	1	19	25.7	-0.4	0.926	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	12	2	11	19	26.2	-1.3	0.926	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	12	2	21	19	24.8	-0.1	0.926	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	2	31	19	25.9	-1.2	0.925	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	12	2	41	19	26.3	-0.8	0.925	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	2	51	19	25.6	0	0.925	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	3	1	19	25.8	-0.1	0.925	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	3	11	19	25.4	-0.4	0.925	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	12	3	21	19	25.8	-0.8	0.925	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	12	3	31	19	26.6	-1.9	0.925	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	12	3	41	19	26	-1.1	0.925	0.6	0.5	0	57.6	58.5	0	159	163	0	25	27
2025	5	12	3	51	19	24.9	-0.7	0.925	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	12	4	1	19	25.1	-1.4	0.925	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	12	4	11	19	25.1	-0.9	0.925	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	4	21	19	25.9	-1.2	0.925	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	12	4	31	19	26	-1.6	0.925	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	12	4	41	19	26.5	-0.8	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	4	51	19	26.5	-0.8	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	5	1	19	25.5	-0.9	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	5	11	19	26.4	-0.2	0.925	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	12	5	21	19	26.3	-1.3	0.925	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	5	31	19	26.3	-0.9	0.925	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	12	5	41	19	25.5	-0.6	0.925	0.5	0.5	0	58	58.5	0	161	164	0	26	28
2025	5	12	5	51	19	26.7	-1	0.925	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	12	6	1	19	25.5	-0.7	0.925	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	12	6	11	19	25.9	-0.1	0.925	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	12	6	21	19	26.2	-0.7	0.925	0.5	0.4	0	57.6	58.9	0	161	163	0	27	26
2025	5	12	6	31	19	25.7	-2.2	0.926	0.6	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	12	6	41	19	26.2	-1.7	0.926	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	6	51	19	26.2	-0.9	0.926	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	12	7	1	19	25.4	-0.8	0.925	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	12	7	11	19	26.3	-1.8	0.926	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	7	21	19	27.2	-1.7	0.926	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	12	7	31	19	24.9	-0.5	0.926	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	12	7	41	19	26.3	-0.9	0.925	0.5	0.5	0	58	58.9	0	161	163	0	26	26
2025	5	12	7	51	19	26.7	-1.5	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	12	8	1	19	25.5	-1	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	8	11	19	25.5	-0.2	0.924	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	12	8	21	19	25.8	-1.5	0.924	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	8	31	19	25.6	-0.6	0.924	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	8	41	19	26.2	-1.7	0.923	0.5	0.5	0	57.6	58	0	160	163	0	26	28
2025	5	12	8	51	19	25.6	-1.4	0.923	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	12	9	1	19	25.4	-1.2	0.923	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	9	11	19	25.4	-1.2	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	9	21	19	25.7	-0.5	0.923	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	9	31	19	25.9	-0.6	0.923	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	9	41	19	25.9	-2	0.923	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	9	51	19	25.9	-1	0.923	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	12	10	1	19	25.4	-0.4	0.923	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	10	11	19	25.4	-1	0.923	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	12	10	21	19	26	-0.8	0.923	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	10	31	19	26.2	-1.2	0.923	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	12	10	41	19	26	-0.9	0.923	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	12	10	51	19	25.8	-0.3	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	11	1	19	25.3	-0.6	0.923	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	11	11	19	26.1	0	0.923	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	12	11	21	19	26.8	-0.8	0.923	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	11	31	19	27.1	-0.4	0.923	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	11	41	19	26.4	-0.5	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	11	51	19	24.4	-1.1	0.923	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	12	12	1	19	26.4	-1.9	0.924	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	12	12	11	19	26.9	-0.6	0.924	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	12	12	21	19	26.4	-0.7	0.924	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	12	31	19	26.8	-0.9	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	12	12	41	19	25.6	-1	0.924	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	12	12	51	19	27.3	-0.2	0.924	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	13	1	19	25.6	-1.1	0.924	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	13	11	19	26	-1.7	0.924	0.5	0.5	0	58.5	58.9	0	161	164	0	25	27
2025	5	12	13	21	19	26.4	-0.8	0.925	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	13	31	19	27.1	-1.8	0.925	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	13	41	19	25.8	-1.9	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	12	13	51	19	27	-0.9	0.925	0.5	0.4	0	58	58.5	0	160	162	0	25	26
2025	5	12	14	1	19	25.3	-0.3	0.925	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	14	11	19	26.3	-0.3	0.925	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	14	21	19	26	-0.2	0.925	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	14	31	19	26.6	-0.3	0.925	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	14	41	19	26	-0.7	0.925	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	14	51	19	25.2	-1.7	0.925	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	12	15	1	19	26	-1	0.925	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	15	11	19	25.2	-0.4	0.925	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	15	21	19	24.4	-0.2	0.925	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	15	31	19	25.5	-1.1	0.926	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	15	41	19	24.1	-2.1	0.925	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	12	15	51	19	26.5	-1	0.926	0.5	0.4	0	58	58.9	0	160	163	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	12	16	1	19	25.3	-0.8	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	16	11	19	26.6	-0.3	0.926	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	12	16	21	19	24.9	0	0.926	0.3	0.2	0	58.5	59.3	0	161	164	0	25	26
2025	5	12	16	31	19	25.6	-1.2	0.926	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	16	41	19	24.4	-1.2	0.927	0.5	0.5	0	58	58.5	0	160	163	0	25	27
2025	5	12	16	51	19	25.9	-0.4	0.927	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	12	17	1	19	26.5	-0.5	0.926	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	12	17	11	19	26.1	0	0.926	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	12	17	21	19	25.6	0	0.926	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	12	17	31	19	25.3	-1	0.927	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	12	17	41	19	25.2	-1.1	0.927	0.5	0.4	0	57.6	58.5	0	159	163	0	25	27
2025	5	12	17	51	19	27.5	-1.9	0.926	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	18	1	19	26.7	-1.5	0.927	0.5	0.5	0	58	58.5	0	160	163	0	25	27
2025	5	12	18	11	19	25.4	-0.7	0.925	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	18	21	19	24.8	-1.8	0.926	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	12	18	31	19	26.2	-0.7	0.925	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	12	18	41	19	26.2	-0.5	0.926	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	12	18	51	19	26.3	0	0.927	0.6	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	5	12	19	1	19	26.4	-0.7	0.927	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	12	19	11	19	24.6	-1.3	0.927	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	19	21	19	27.1	-0.3	0.927	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	19	31	19	25.2	-1	0.927	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	19	41	19	27.6	0.1	0.927	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	12	19	51	19	27.1	0.3	0.927	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	20	1	19	25	-0.2	0.927	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	20	11	19	25.4	-0.4	0.926	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	20	21	19	26.4	-0.5	0.927	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	20	31	19	26.9	-1.1	0.926	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	20	41	19	25.6	-1	0.926	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	12	20	51	19	26.4	-1.3	0.927	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	12	21	1	19	25.3	-0.1	0.926	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	12	21	11	19	25.8	-1.4	0.926	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	21	21	19	25.5	-1.2	0.926	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	21	31	19	26.2	-1.3	0.926	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	21	41	19	26.2	-1.6	0.925	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	12	21	51	19	26.1	-1.4	0.926	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	22	1	19	25.4	-0.8	0.925	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	22	11	19	26.1	-1.5	0.925	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	12	22	21	19	26.1	-0.2	0.925	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	22	31	19	26.1	-0.4	0.924	0.5	0.4	0	58.5	59.3	0	161	164	0	25	26
2025	5	12	22	41	19	26.1	-1.4	0.924	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	12	22	51	19	25.8	-0.8	0.924	0.5	0.4	0	58	58.9	0	161	163	0	26	26
2025	5	12	23	1	19	25.9	-0.5	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	12	23	11	19	27.1	-1	0.924	0.5	0.4	0	58	58.9	0	161	163	0	26	26
2025	5	12	23	21	19	25.7	-0.7	0.923	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	12	23	31	19	25.7	-0.9	0.924	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	12	23	41	19	25.3	-0.9	0.923	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	12	23	51	19	25.4	-1	0.924	0.5	0.5	0	58	58.9	0	161	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	13	0	1	19	25.6	-0.9	0.923	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	0	11	19	26.5	-0.3	0.923	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	0	21	19	26.1	-0.8	0.923	0.5	0.5	0	58	58.9	0	161	163	0	26	26
2025	5	13	0	31	19	26.6	-1.4	0.923	0.5	0.4	0	58	58.9	0	161	163	0	26	26
2025	5	13	0	41	19	26.4	-0.5	0.922	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	13	0	51	19	27.2	-0.9	0.923	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	5	13	1	1	19	25.4	-1	0.923	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	1	11	19	26.3	-1.3	0.923	0.5	0.4	0	58	58.9	0	161	163	0	26	26
2025	5	13	1	21	19	27	-0.7	0.923	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	1	31	19	25.3	-1.3	0.923	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	1	41	19	26.5	-0.9	0.922	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	1	51	19	27.2	-0.9	0.922	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	13	2	1	19	26.6	-1.3	0.922	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	2	11	19	26.9	-1.6	0.923	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	2	21	19	26.2	-1.5	0.923	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	2	31	19	26.2	-1.5	0.923	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	2	41	19	26.1	-0.4	0.922	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	2	51	19	26.2	-0.3	0.923	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	13	3	1	19	26.2	-0.6	0.923	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	13	3	11	19	25.8	-1.2	0.923	0.6	0.5	0	57.2	58.5	0	160	162	0	27	26
2025	5	13	3	21	19	25.9	-1.9	0.924	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	3	31	19	24.6	-0.5	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	3	41	19	25.5	-0.7	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	3	51	19	25.4	-0.9	0.924	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	13	4	1	19	25.9	-0.8	0.925	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	4	11	19	26.3	-1.5	0.925	0.5	0.4	0	57.2	57.6	0	160	162	0	27	28
2025	5	13	4	21	19	25.7	0.3	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	4	31	19	26.9	-0.7	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	4	41	19	26.2	-0.8	0.925	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	13	4	51	19	26.4	-0.9	0.925	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	13	5	1	19	27.1	-1.2	0.925	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	13	5	11	19	26	-2.3	0.926	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	13	5	21	19	26.1	-0.7	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	13	5	31	19	26.1	-1.7	0.926	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	5	41	19	27.2	-1.9	0.925	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	13	5	51	19	25.3	-1	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	6	1	19	26.7	-0.5	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	6	11	19	25.7	-1.6	0.926	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	6	21	19	25.5	-0.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	6	31	19	25.3	-2.1	0.926	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	13	6	41	19	24.6	-0.4	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	6	51	19	25.3	-0.8	0.926	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	13	7	1	19	25.9	-1.2	0.926	0.6	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	7	11	19	25.6	-1.4	0.926	0.4	0.3	0	57.6	58	0	160	162	0	26	27
2025	5	13	7	21	19	26.6	-2.5	0.926	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	13	7	31	19	25.5	-0.9	0.926	0.6	0.5	0	57.6	58	0	160	163	0	26	28
2025	5	13	7	41	19	25.1	-1.5	0.926	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	13	7	51	19	26.6	-1.1	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	13	8	1	19	25.3	-1.8	0.926	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	13	8	11	19	26	-1.3	0.926	0.4	0.3	0	57.6	58	0	160	162	0	26	27
2025	5	13	8	21	19	26.4	-0.2	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	8	31	19	24.9	-1.4	0.926	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	13	8	41	19	25.6	-0.7	0.926	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	13	8	51	19	25.5	-1.3	0.926	0.5	0.4	0	57.2	57.6	0	160	162	0	27	28
2025	5	13	9	1	19	25.6	-2.1	0.926	0.5	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	13	9	11	19	25.5	-1.9	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	9	21	19	25.5	-1.6	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	9	31	19	26.1	-1.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	9	41	19	26.9	-0.7	0.926	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	13	9	51	19	25.6	-0.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	10	1	19	25.7	0	0.926	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	13	10	11	19	27.5	-1.4	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	10	21	19	24.7	-1.1	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	10	31	19	25	-2.4	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	10	41	19	25.2	-2.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	10	51	19	26.6	-1.5	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	11	1	19	26.3	-2	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	11	11	19	26.2	-0.8	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	11	21	19	26.3	-1.4	0.925	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	11	31	19	25.5	-1.8	0.925	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	13	11	41	19	25.8	-1.4	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	11	51	19	27.3	-0.5	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	12	1	19	25.7	-1.1	0.925	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	13	12	11	19	24.6	-0.8	0.924	0.5	0.4	0	57.6	58.9	0	161	163	0	27	26
2025	5	13	12	21	19	26.3	-2	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	12	31	19	26.3	-0.9	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	12	41	19	26.4	-0.6	0.924	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	12	51	19	25.7	-0.4	0.924	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	13	1	19	26.8	-1.1	0.924	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	13	11	19	26.2	0	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	13	21	19	25	-1.5	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	13	31	19	25.7	-0.7	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	13	41	19	25.7	-0.4	0.924	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	13	13	51	19	26.2	-1.2	0.924	0.5	0.5	0	58.5	58.9	0	161	164	0	25	27
2025	5	13	14	1	19	26.8	-1.8	0.925	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	5	13	14	11	19	25.8	-0.4	0.924	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	13	14	21	19	25.1	-0.2	0.924	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	13	14	31	19	26.2	-0.5	0.925	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	13	14	41	19	27.2	-1.5	0.924	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	14	51	19	26.1	-1.4	0.924	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	15	1	19	27.3	-1.9	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	15	11	19	26	-1.8	0.925	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	13	15	21	19	25.7	-0.8	0.925	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	13	15	31	19	26.1	-1.5	0.925	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	13	15	41	19	27.4	-1.5	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	15	51	19	25.9	0	0.926	0.5	0.4	0	58	58.9	0	161	164	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	13	16	1	19	26.3	-1.9	0.926	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	5	13	16	11	19	26	-1.3	0.927	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	13	16	21	19	26.2	-1.1	0.927	0.3	0.2	0	58	59.3	0	161	164	0	26	26
2025	5	13	16	31	19	26	-1.4	0.927	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	13	16	41	19	26	-1	0.926	0.5	0.4	0	58.5	59.8	0	162	165	0	26	26
2025	5	13	16	51	19	25.8	-0.8	0.927	0.5	0.4	0	58.5	60.2	0	162	166	0	26	26
2025	5	13	17	1	19	25.7	0.3	0.926	0.5	0.4	0	59.3	60.6	0	164	167	0	26	26
2025	5	13	17	11	19	25.6	-0.4	0.927	0.5	0.4	0	59.3	60.2	0	164	167	0	26	27
2025	5	13	17	21	19	26.6	-0.9	0.927	0.5	0.4	0	59.3	60.6	0	164	167	0	26	26
2025	5	13	17	31	19	25	-0.8	0.927	0.4	0.3	0	59.8	61.1	0	165	168	0	26	26
2025	5	13	17	41	19	25.7	-0.9	0.927	0.5	0.4	0	59.3	60.6	0	164	168	0	26	27
2025	5	13	17	51	19	25.8	-0.9	0.929	0.6	0.5	0	59.3	60.2	0	164	167	0	26	27
2025	5	13	18	1	19	26.7	-1.2	0.928	0.6	0.5	0	59.3	60.6	0	164	167	0	26	26
2025	5	13	18	11	19	24.9	0.7	0.928	0.5	0.4	0	58.9	60.2	0	164	167	0	27	27
2025	5	13	18	21	19	26.4	-1	0.928	0.5	0.5	0	59.3	60.2	0	163	166	0	25	26
2025	5	13	18	31	19	26.7	-1.2	0.927	0.5	0.5	0	58.9	60.2	0	163	166	0	26	26
2025	5	13	18	41	19	25.5	-0.8	0.928	0.5	0.4	0	58.9	59.8	0	163	166	0	26	27
2025	5	13	18	51	19	25.5	-1.9	0.927	0.6	0.5	0	58.5	58.9	0	162	163	0	26	26
2025	5	13	19	1	19	25.5	-0.8	0.927	0.5	0.5	0	58	58.5	0	162	163	0	27	27
2025	5	13	19	11	19	27.2	-0.7	0.928	0.5	0.5	0	58.5	58.5	0	162	163	0	26	27
2025	5	13	19	21	19	25.6	-1.6	0.927	0.5	0.5	0	58.5	59.8	0	162	165	0	26	26
2025	5	13	19	31	19	25.7	-0.7	0.928	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	5	13	19	41	19	26	-0.9	0.928	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	13	19	51	19	26.4	-1.4	0.928	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	5	13	20	1	19	25.4	0	0.927	0.5	0.5	0	58	59.3	0	161	165	0	26	27
2025	5	13	20	11	19	26.1	-0.9	0.927	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	13	20	21	19	25.9	-0.9	0.927	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	13	20	31	19	27.2	-1.8	0.927	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	13	20	41	19	26.6	-0.1	0.927	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	13	20	51	19	26	-0.2	0.927	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	13	21	1	19	26	-1.4	0.927	0.5	0.5	0	57.6	58.9	0	161	163	0	27	26
2025	5	13	21	11	19	25.9	-1.3	0.926	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	13	21	21	19	25.6	-1	0.927	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	13	21	31	19	25.5	-0.4	0.927	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	21	41	19	26.2	-0.6	0.927	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	21	51	19	26.7	-0.6	0.928	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	13	22	1	19	26.2	-0.5	0.928	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	22	11	19	26.2	-1.3	0.928	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	13	22	21	19	26.7	-1.3	0.927	0.4	0.3	0	58	58.5	0	161	163	0	26	27
2025	5	13	22	31	19	25.1	-0.3	0.927	0.5	0.5	0	57.6	58	0	161	163	0	27	28
2025	5	13	22	41	19	25	-0.9	0.927	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	13	22	51	19	25.6	0.5	0.927	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	13	23	1	19	25.4	0	0.927	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	13	23	11	19	26.1	-1.8	0.927	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	13	23	21	19	27.3	-1.4	0.927	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	13	23	31	19	26.1	-1.7	0.927	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	13	23	41	19	25.8	-1	0.927	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	13	23	51	19	26.7	-0.6	0.927	0.3	0.2	0	57.2	58.5	0	160	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	14	0	1	19	27.2	-0.2	0.927	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	0	11	19	25.8	-1.3	0.927	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	0	21	19	26.3	-0.9	0.927	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	0	31	19	26	-0.8	0.927	0.5	0.4	0	58	58	0	161	163	0	26	28
2025	5	14	0	41	19	25.9	-1	0.927	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	0	51	19	26	-0.9	0.927	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	1	1	19	25.8	-0.9	0.926	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	1	11	19	26.7	-1	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	1	21	19	26.1	-2.1	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	1	31	19	25.5	-1	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	1	41	19	26.3	0.3	0.926	0.6	0.5	0	57.6	58	0	160	163	0	26	28
2025	5	14	1	51	19	25.4	-0.4	0.926	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	2	1	19	26.3	-2.3	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	2	11	19	26.3	-1.9	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	2	21	19	26	-1.3	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	2	31	19	26	-1.5	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	2	41	19	25.2	-1.8	0.926	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	14	2	51	19	26.4	-0.9	0.926	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	14	3	1	19	26.3	-1.5	0.926	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	14	3	11	19	27.2	-1.3	0.926	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	14	3	21	19	25.4	-1.1	0.926	0.4	0.3	0	57.6	58	0	160	163	0	26	28
2025	5	14	3	31	19	26.7	-1	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	3	41	19	26.9	-0.6	0.926	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	14	3	51	19	25.8	-0.2	0.926	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	4	1	19	25.6	-0.4	0.926	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	14	4	11	19	27.2	-1.9	0.926	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	14	4	21	19	25.4	-0.9	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	4	31	19	27	-1.3	0.926	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	14	4	41	19	25.9	-0.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	4	51	19	26.1	-0.9	0.926	0.5	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	14	5	1	19	26.1	-1.4	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	5	11	19	25.7	-1.4	0.925	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	14	5	21	19	27.6	-1.3	0.925	0.5	0.4	0	57.6	58	0	161	163	0	27	28
2025	5	14	5	31	19	25.3	-1.5	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	5	41	19	26.3	-1.2	0.925	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	5	51	19	26.5	-1.1	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	6	1	19	27.2	-1.8	0.925	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	6	11	19	26	-0.9	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	6	21	19	25.9	-1.8	0.925	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	6	31	19	26.3	-0.7	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	6	41	19	25.4	-0.6	0.924	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	6	51	19	26.1	-1.5	0.924	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	14	7	1	19	26.5	-1.1	0.924	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	7	11	19	26.8	-1.1	0.924	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	7	21	19	26.2	-1.9	0.924	0.5	0.4	0	57.6	58	0	160	163	0	26	28
2025	5	14	7	31	19	25.9	-0.9	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	7	41	19	25.4	-1.3	0.924	0.5	0.5	0	57.2	58.5	0	161	163	0	28	27
2025	5	14	7	51	19	25.8	-1.8	0.924	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	14	8	1	19	25.9	-0.9	0.924	0.5	0.4	0	57.2	58.5	0	161	163	0	28	27
2025	5	14	8	11	19	24.5	-0.7	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	8	21	19	25.8	-1.5	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	8	31	19	26.1	-0.9	0.925	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	8	41	19	26.8	-2	0.924	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	8	51	19	26	-0.5	0.924	0.5	0.4	0	57.6	58	0	161	163	0	27	28
2025	5	14	9	1	19	26.3	-0.7	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	9	11	19	26.1	-0.4	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	9	21	19	26.9	-1.9	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	9	31	19	25.4	-1.8	0.924	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	9	41	19	26.3	-2.8	0.924	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	9	51	19	27.1	-1.7	0.924	0.4	0.3	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	10	1	19	26.1	-1.9	0.924	0.5	0.4	0	58	58	0	161	163	0	26	28
2025	5	14	10	11	19	25.4	-1.3	0.924	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	10	21	19	25.7	-1.6	0.924	0.5	0.5	0	57.2	58	0	160	163	0	27	28
2025	5	14	10	31	19	26.7	-1.1	0.924	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	10	41	19	27	-1.6	0.924	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	14	10	51	19	25.8	-1.3	0.924	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	11	1	19	25.9	-3.2	0.924	0.5	0.5	0	56.8	58	0	160	163	0	28	28
2025	5	14	11	11	19	25.9	-0.9	0.925	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	11	21	19	26	-1.2	0.925	0.6	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	11	31	19	24.9	-0.7	0.925	0.4	0.3	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	11	41	19	26.8	-0.9	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	11	51	19	27.1	-1.6	0.925	0.4	0.3	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	12	1	19	27.1	-1.3	0.925	0.6	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	12	11	19	25.1	-1.2	0.925	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	12	21	19	26.5	-1.2	0.926	0.6	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	12	31	19	25.5	-0.8	0.926	0.4	0.3	0	57.6	58.9	0	161	163	0	27	26
2025	5	14	12	41	19	25.9	-0.5	0.926	0.5	0.4	0	57.6	58.5	0	161	164	0	27	28
2025	5	14	12	51	19	25.4	-0.5	0.926	0.6	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	13	1	19	25.6	-0.7	0.926	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	13	11	19	25.3	-1.1	0.926	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	14	13	21	19	26.3	-1.4	0.926	0.5	0.4	0	57.6	58.5	0	161	164	0	27	28
2025	5	14	13	31	19	25.4	-0.9	0.926	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	14	13	41	19	26.7	-0.9	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	13	51	19	27.4	-2.1	0.925	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	14	1	19	26.7	-1.1	0.925	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	14	11	19	25.8	-1	0.925	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	14	21	19	26.5	-0.9	0.926	0.3	0.2	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	14	31	19	25.6	-1.1	0.925	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	14	14	41	19	26	-2.3	0.926	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	14	51	19	26.3	-0.4	0.927	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	15	1	19	26	-1	0.926	0.6	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	14	15	11	19	25.6	-1.9	0.926	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	14	15	21	19	26.2	-1.7	0.925	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	14	15	31	19	25.8	-0.9	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	15	41	19	26.1	0.1	0.926	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	15	51	19	24.7	-0.2	0.926	0.5	0.4	0	58	59.3	0	161	164	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	14	16	1	19	25.7	-1.7	0.925	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	14	16	11	19	26.9	-1.1	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	16	21	19	27	-2	0.925	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	14	16	31	19	25.6	-0.1	0.925	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	14	16	41	19	27.9	-0.9	0.926	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	16	51	19	26.1	-0.9	0.926	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	14	17	1	19	25.3	-1.1	0.926	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	14	17	11	19	27.5	-0.6	0.925	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	14	17	21	19	27	-0.1	0.926	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	14	17	31	19	26.7	-0.9	0.926	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	14	17	41	19	25.8	-1.1	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	17	51	19	26.2	-0.4	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	18	1	19	26.6	-1.5	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	18	11	19	26.9	-2.3	0.926	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	14	18	21	19	25.8	-1.4	0.926	0.4	0.3	0	56.8	58.5	0	159	162	0	27	26
2025	5	14	18	31	19	27.3	-2.6	0.926	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	14	18	41	19	27.1	-1.6	0.925	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	14	18	51	19	26	0.2	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	19	1	19	25.1	-1.1	0.925	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	14	19	11	19	25.7	-0.4	0.925	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	14	19	21	19	25.5	-0.9	0.926	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	19	31	19	27	-0.6	0.925	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	14	19	41	19	27.1	-0.8	0.926	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	14	19	51	19	25.6	-1.9	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	20	1	19	25.6	-0.8	0.926	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	14	20	11	19	27.7	-0.5	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	20	21	19	26	-1.9	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	20	31	19	26.2	-0.5	0.925	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	14	20	41	19	26.3	-1.1	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	14	20	51	19	25	-0.2	0.925	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	21	1	19	26.7	-1.9	0.925	0.6	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	14	21	11	19	25	-1.4	0.925	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	14	21	21	19	26.9	-1.1	0.925	0.5	0.5	0	57.6	58	0	159	162	0	25	27
2025	5	14	21	31	19	26.2	-0.7	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	14	21	41	19	26.7	-1.3	0.925	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	14	21	51	19	26.7	0.2	0.925	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	14	22	1	19	26.4	-0.9	0.925	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	14	22	11	19	26.2	-1.1	0.925	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	14	22	21	19	26.1	-0.8	0.925	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	14	22	31	19	26.4	-0.8	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	14	22	41	19	25.6	-0.8	0.925	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	5	14	22	51	19	25.7	-0.8	0.925	0.5	0.4	0	56.8	58	0	159	163	0	27	28
2025	5	14	23	1	19	27	-1	0.925	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	14	23	11	19	25.9	-0.4	0.925	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	14	23	21	19	27.4	-0.9	0.924	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	14	23	31	19	25.5	-0.9	0.924	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	14	23	41	19	26.7	-1.3	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	14	23	51	19	25.4	-0.9	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	15	0	1	19	26.5	-0.9	0.923	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	0	11	19	26.9	-1.9	0.923	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	15	0	21	19	26.4	-0.5	0.923	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	0	31	19	26.4	-1.1	0.923	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	15	0	41	19	26.4	-1	0.922	0.6	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	0	51	19	26.4	-1.8	0.923	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	1	1	19	26	0.1	0.922	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	1	11	19	25.6	-0.9	0.922	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	1	21	19	26.2	-2	0.922	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	1	31	19	25.9	-0.7	0.922	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	1	41	19	26	-1.1	0.921	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	1	51	19	25.5	-0.4	0.921	0.4	0.3	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	2	1	19	25.6	-1	0.922	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	15	2	11	19	26.3	-0.9	0.921	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	2	21	19	25.7	-0.7	0.922	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	2	31	19	25.7	-1.6	0.921	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	15	2	41	19	24.7	-1.7	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	15	2	51	19	25.6	-0.9	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	3	1	19	26.1	-1	0.921	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	15	3	11	19	26.1	-1.2	0.92	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	3	21	19	26.3	-1.1	0.921	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	3	31	19	25.8	-1.1	0.92	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	15	3	41	19	26.5	-1.2	0.92	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	3	51	19	25.3	-0.4	0.92	0.5	0.5	0	57.2	57.6	0	160	162	0	27	28
2025	5	15	4	1	19	25.8	-0.9	0.92	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	15	4	11	19	26.9	-1.3	0.92	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	15	4	21	19	26.4	-0.7	0.92	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	4	31	19	25.5	-1.4	0.92	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	4	41	19	26.1	-0.8	0.92	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	4	51	19	26.2	-0.5	0.921	0.5	0.5	0	56.8	57.6	0	158	162	0	26	28
2025	5	15	5	1	19	25.9	0	0.92	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	15	5	11	19	25.4	-1.8	0.92	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	5	21	19	26.9	-0.6	0.92	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	5	31	19	26.1	-0.9	0.92	0.6	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	15	5	41	19	25.7	-0.7	0.921	0.4	0.3	0	56.8	58	0	159	163	0	27	28
2025	5	15	5	51	19	25.1	-0.9	0.92	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	15	6	1	19	26.3	-0.8	0.92	0.5	0.4	0	57.2	58	0	159	163	0	26	28
2025	5	15	6	11	19	26	-2	0.92	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	6	21	19	25.1	-1.6	0.921	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	15	6	31	19	25.8	-0.9	0.92	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	6	41	19	25.1	-0.3	0.92	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	15	6	51	19	25.5	-0.7	0.921	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	7	1	19	26.2	-1.6	0.92	0.5	0.4	0	56.8	58	0	159	163	0	27	28
2025	5	15	7	11	19	26.9	-1.1	0.921	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	15	7	21	19	25.1	-2.4	0.921	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	15	7	31	19	26.2	-2.1	0.921	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	15	7	41	19	26.6	-0.9	0.921	0.4	0.3	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	7	51	19	26	-1.7	0.921	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	15	8	1	19	25.8	-1.8	0.921	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	15	8	11	19	25.4	-0.8	0.92	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	15	8	21	19	26.6	-0.8	0.921	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	15	8	31	19	26.1	-1.8	0.92	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	15	8	41	19	24.6	-0.9	0.92	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	15	8	51	19	26	-1.3	0.92	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	15	9	1	19	24.7	-1.3	0.919	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	15	9	11	19	26.3	-1	0.918	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	15	9	21	19	25.5	-1.7	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	9	31	19	26.7	-2	0.919	0.5	0.5	0	57.2	57.6	0	159	162	0	26	28
2025	5	15	9	41	19	26.1	-2.7	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	9	51	19	25.5	-1.5	0.918	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	15	10	1	19	25.6	-0.9	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	10	11	19	26.7	-1.4	0.917	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	15	10	21	19	25.6	-1.1	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	10	31	19	26.2	-0.9	0.918	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	15	10	41	19	25.5	-1.1	0.918	0.5	0.5	0	56.8	57.6	0	158	162	0	26	28
2025	5	15	10	51	19	26.6	-1.2	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	11	1	19	26.6	-0.4	0.917	0.5	0.4	0	55.5	57.6	0	157	161	0	28	27
2025	5	15	11	11	19	25.8	-1	0.918	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	15	11	21	19	27	-0.9	0.918	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	11	31	19	26.6	-1.5	0.918	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	15	11	41	19	24.5	-0.6	0.918	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	11	51	19	25.4	-0.3	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	12	1	19	25.2	-0.8	0.918	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	15	12	11	19	26	-1	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	15	12	21	19	25.6	-1.9	0.919	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	15	12	31	19	25.6	-1.4	0.919	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	15	12	41	19	26.5	-1.7	0.919	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	15	12	51	19	25.6	-0.3	0.919	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	15	13	1	19	24.9	-1.1	0.919	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	13	11	19	27.2	-1.1	0.919	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	15	13	21	19	26.4	-1	0.919	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	15	13	31	19	26.4	-1.4	0.919	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	15	13	41	19	25.9	-0.9	0.92	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	15	13	51	19	26.2	-0.9	0.919	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	14	1	19	26.5	-1.6	0.92	0.6	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	15	14	11	19	23.9	-0.7	0.92	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	15	14	21	19	26.2	-1.4	0.92	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	14	31	19	26.9	-1.7	0.92	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	14	41	19	25.7	-1.7	0.921	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	15	14	51	19	25.6	-0.2	0.92	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	15	1	19	26.4	-1	0.921	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	15	15	11	19	24.6	-0.5	0.919	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	15	15	21	19	26.8	-1	0.92	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	15	15	31	19	25.8	-1.8	0.92	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	15	15	41	19	25.7	-0.4	0.92	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	15	15	51	19	26.5	-1.3	0.92	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	15	16	1	19	26.5	-1.3	0.92	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	16	11	19	27.1	-0.5	0.921	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	16	21	19	26	-0.3	0.921	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	15	16	31	19	26.4	-1.3	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	16	41	19	27.5	-0.3	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	16	51	19	26.1	-1.9	0.921	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	17	1	19	26.2	-0.6	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	17	11	19	26.9	-0.6	0.921	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	17	21	19	26.8	-2.4	0.921	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	17	31	19	25.8	-1.7	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	17	41	19	26.6	-1	0.922	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	17	51	19	26.9	-1.6	0.921	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	18	1	19	26.3	-1	0.921	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	18	11	19	25.5	-1.3	0.921	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	15	18	21	19	25.7	-0.6	0.921	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	15	18	31	19	27.3	-0.5	0.921	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	15	18	41	19	26.6	-0.9	0.921	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	18	51	19	26.3	-1.2	0.921	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	15	19	1	19	26.5	-2.1	0.921	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	15	19	11	19	26.2	-0.6	0.921	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	15	19	21	19	26	-1.3	0.921	0.5	0.5	0	57.2	58	0	158	162	0	25	27
2025	5	15	19	31	19	27.4	-0.6	0.922	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	15	19	41	19	25.4	0.1	0.922	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	19	51	19	26.5	-1.4	0.922	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	15	20	1	19	26.4	-0.1	0.922	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	15	20	11	19	25.8	-0.4	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	20	21	19	24.4	-0.8	0.922	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	20	31	19	26.4	-1.7	0.922	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	15	20	41	19	26.1	-0.7	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	20	51	19	25.9	-0.2	0.922	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	15	21	1	19	25.6	-0.5	0.922	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	5	15	21	11	19	26.5	-0.8	0.922	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	15	21	21	19	25.1	-0.4	0.922	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	15	21	31	19	26	-1.6	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	21	41	19	27.1	-1.2	0.922	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	15	21	51	19	26.1	-1	0.922	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	22	1	19	27	-0.3	0.922	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	15	22	11	19	26.7	-1.2	0.922	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	22	21	19	25.6	-0.1	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	22	31	19	25.3	-0.6	0.922	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	15	22	41	19	26.4	-1.4	0.922	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	15	22	51	19	26.7	-1	0.922	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	15	23	1	19	25.6	-0.5	0.922	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	15	23	11	19	26.1	-1.2	0.922	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	15	23	21	19	26.5	-1.3	0.921	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	15	23	31	19	26	-1.1	0.921	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	23	41	19	25.7	-1	0.921	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	15	23	51	19	26.2	-0.7	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	16	0	1	19	27	-0.5	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	0	11	19	25.5	-1	0.921	0.5	0.5	0	56.8	58	0	159	161	0	27	26
2025	5	16	0	21	19	25.6	-1.3	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	16	0	31	19	26.6	-1.4	0.921	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	16	0	41	19	26.3	-0.4	0.921	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	0	51	19	25.6	-0.9	0.921	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	16	1	1	19	26	-0.2	0.921	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	16	1	11	19	26.2	-0.9	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	1	21	19	25.9	-1.4	0.921	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	1	31	19	26.2	-1.6	0.921	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	1	41	19	25.5	-0.2	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	16	1	51	19	27.7	-1.9	0.921	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	16	2	1	19	27.2	-0.6	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	2	11	19	26.5	-0.2	0.921	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	16	2	21	19	26.1	-1.4	0.921	0.6	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	16	2	31	19	26.1	-1	0.921	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	16	2	41	19	25.5	-1.3	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	2	51	19	25.3	-0.7	0.921	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	16	3	1	19	25.4	-0.6	0.921	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	3	11	19	25.7	-0.6	0.921	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	3	21	19	26.2	-1.4	0.922	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	16	3	31	19	26	-0.3	0.922	0.5	0.5	0	57.2	58.5	0	160	162	0	27	26
2025	5	16	3	41	19	26.9	-1.3	0.923	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	16	3	51	19	26.8	-1.5	0.923	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	16	4	1	19	25.8	-2	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	4	11	19	26.9	-1.2	0.924	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	4	21	19	25.9	-0.4	0.924	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	4	31	19	24.9	-0.8	0.924	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	16	4	41	19	27.3	-0.8	0.924	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	16	4	51	19	26.9	-0.9	0.924	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	16	5	1	19	26.7	-0.9	0.924	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	5	11	19	26.9	-0.9	0.924	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	16	5	21	19	26.5	-1.3	0.925	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	5	31	19	26.2	-1.3	0.925	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	16	5	41	19	25.8	-0.6	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	5	51	19	25.1	-0.9	0.925	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	16	6	1	19	25.7	-1.1	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	6	11	19	26.6	-0.3	0.925	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	16	6	21	19	27.1	-1.1	0.925	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	16	6	31	19	26.3	-1.6	0.925	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	16	6	41	19	26.6	-1.7	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	6	51	19	26.9	-1.3	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	7	1	19	26.5	-1.1	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	7	11	19	27.1	-1.6	0.925	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	16	7	21	19	25.8	-0.8	0.925	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	7	31	19	25.5	-0.8	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	7	41	19	26.2	-1.4	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	7	51	19	26.5	-0.9	0.925	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	16	8	1	19	26.4	-1.2	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	16	8	11	19	26.2	-1.2	0.925	0.4	0.3	0	57.6	58	0	160	162	0	26	27
2025	5	16	8	21	19	26.2	-1.4	0.926	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	16	8	48	10	26.6	-2	0.926	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	16	8	58	10	27	-1.1	0.926	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	16	9	8	10	25.7	-0.4	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	16	9	18	10	27.4	-1.8	0.926	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	16	9	28	10	27.1	-2	0.926	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	16	9	38	10	25.5	-0.9	0.926	0.5	0.5	0	58	58	0	161	163	0	26	28
2025	5	16	9	48	10	27	-1.1	0.926	0.5	0.5	0	57.2	57.6	0	160	162	0	27	28
2025	5	16	9	58	10	26.3	-1.7	0.926	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	10	8	10	26.6	-1.7	0.926	0.5	0.4	0	57.2	57.6	0	160	162	0	27	28
2025	5	16	10	18	10	25.6	0	0.926	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	10	28	10	26.2	-0.6	0.926	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	16	10	38	10	25.5	-0.8	0.926	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	10	48	10	27.1	-0.2	0.926	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	16	10	58	10	25.8	-0.9	0.926	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	16	11	8	10	26.3	-0.9	0.926	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	11	18	10	26.1	-0.6	0.925	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	16	11	28	10	27.8	-0.4	0.924	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	16	11	38	10	26	-0.2	0.923	0.3	0.2	0	56.8	58	0	159	162	0	27	27
2025	5	16	11	48	10	25.5	-0.7	0.923	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	16	11	58	10	26.4	-0.5	0.923	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	16	12	8	10	25.7	-0.4	0.923	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	12	18	10	26	-2	0.923	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	16	12	28	10	25.7	-0.2	0.922	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	12	38	10	26.3	-0.6	0.923	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	16	12	48	10	26.4	-1.2	0.923	0.6	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	12	58	10	26.5	-0.4	0.922	0.5	0.5	0	56.8	58	0	159	161	0	27	26
2025	5	16	13	8	10	26.1	-1.6	0.922	0.5	0.4	0	57.2	58	0	158	162	0	25	27
2025	5	16	13	18	10	25.4	-0.7	0.922	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	16	13	28	10	26.8	-0.5	0.923	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	16	13	38	10	26.6	-1.7	0.923	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	16	13	48	10	26.7	-1.9	0.922	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	16	13	58	10	26.1	-0.9	0.924	0.3	0.2	0	56.8	58	0	158	161	0	26	26
2025	5	16	14	8	10	27	-0.6	0.923	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	16	14	18	10	27	-1.8	0.923	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	16	14	28	10	26.2	-2.3	0.923	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	14	38	10	27	-1.1	0.923	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	14	48	10	25.7	-0.1	0.923	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	14	58	10	26.5	-1.6	0.923	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	15	8	10	27.5	-0.9	0.923	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	15	18	10	26.4	-0.8	0.923	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	16	15	28	10	26.2	-0.6	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	15	38	10	26.5	-0.3	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	15	48	10	26.2	-1.7	0.923	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	15	58	10	26.9	-1.9	0.923	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	16	16	8	10	26.1	-1	0.923	0.3	0.2	0	56.8	58.5	0	158	162	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	16	16	18	10	26.2	-0.8	0.923	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	16	16	28	10	26.9	-0.6	0.922	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	16	16	38	10	25.5	-0.5	0.923	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	16	16	48	10	27.2	-1.5	0.923	0.5	0.4	0	56.3	58	0	158	161	0	27	26
2025	5	16	16	58	10	25.8	-1	0.923	0.5	0.4	0	56.3	58	0	158	161	0	27	26
2025	5	16	17	8	10	26.2	-1.2	0.923	0.3	0.2	0	56.8	58	0	158	161	0	26	26
2025	5	16	17	18	10	26.2	-0.2	0.923	0.4	0.3	0	56.8	58	0	158	161	0	26	26
2025	5	16	17	28	10	26.7	-1.2	0.922	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	16	17	38	10	26.9	-1.1	0.922	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	16	17	48	10	27.3	0	0.922	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	17	58	10	26.1	-0.6	0.922	0.6	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	16	18	8	10	27.1	-1.4	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	18	18	10	26.4	-1	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	18	28	10	26.4	-1	0.922	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	16	18	38	10	25.9	-1.6	0.922	0.5	0.5	0	55.9	58	0	157	161	0	27	26
2025	5	16	18	48	10	26.3	-1.4	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	18	58	10	26.8	-1.4	0.921	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	16	19	8	10	27.4	-0.1	0.922	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	5	16	19	18	10	26.1	-1.3	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	19	28	10	25.8	0	0.922	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	19	38	10	25.7	-0.5	0.922	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	16	19	48	10	25.3	-0.7	0.922	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	16	19	58	10	26.4	-1.1	0.922	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	16	20	8	10	26.1	-1	0.922	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	16	20	18	10	25.1	-0.8	0.922	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	20	28	10	25.9	-1.4	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	20	38	10	26.1	-1.1	0.922	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	20	48	10	27.3	-1.4	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	20	58	10	26.2	-1	0.923	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	21	8	10	26.1	-1	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	21	18	10	26.6	-0.7	0.923	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	21	28	10	26.6	-1	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	21	38	10	25.5	-0.4	0.922	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	16	21	48	10	26.1	-0.5	0.922	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	21	58	10	26.6	-1	0.922	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	22	8	10	25.6	-1.7	0.922	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	16	22	18	10	25.4	-0.7	0.922	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	22	28	10	26.7	-1.3	0.922	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	16	22	38	10	25.1	-0.7	0.922	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	16	22	48	10	26.6	-1	0.922	0.5	0.5	0	57.2	58	0	158	162	0	25	27
2025	5	16	22	58	10	25.8	-2.2	0.922	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	16	23	8	10	26.5	-1.3	0.922	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	23	18	10	25.6	-1.5	0.922	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	16	23	28	10	25.6	-1.5	0.922	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	16	23	38	10	26.7	-1.2	0.922	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	16	23	48	10	25.7	-1.1	0.922	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	16	23	58	10	26.7	-1.2	0.922	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	17	0	8	10	25.4	-1	0.922	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	17	0	18	10	26.2	0	0.922	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	17	0	28	10	27.1	-0.1	0.921	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	0	38	10	26.9	-1.9	0.921	0.7	0.6	0	56.8	58.5	0	158	162	0	26	26
2025	5	17	0	48	10	26.2	-0.9	0.921	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	0	58	10	26.3	-0.6	0.921	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	1	8	10	26	0	0.921	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	17	1	18	10	25.8	-0.8	0.921	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	1	28	10	26.1	-1.4	0.921	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	1	38	10	25.8	-0.8	0.921	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	1	48	10	26.5	-1.4	0.921	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	17	1	58	10	25.6	-0.1	0.921	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	2	8	10	25.3	-0.8	0.921	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	2	18	10	25.8	-1.6	0.921	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	2	28	10	26.1	-0.8	0.921	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	2	38	10	27	-0.2	0.921	0.5	0.4	0	58	59.3	0	161	163	0	26	25
2025	5	17	2	48	10	26.1	-0.4	0.921	0.5	0.5	0	58	58.9	0	161	163	0	26	26
2025	5	17	2	58	10	26.5	-1	0.921	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	17	3	8	10	26.8	-0.3	0.921	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	17	3	18	10	25.5	-0.5	0.921	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	17	3	28	10	26	-0.7	0.921	0.4	0.3	0	58	58.9	0	161	163	0	26	26
2025	5	17	3	38	10	26.9	-0.5	0.921	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	17	3	48	10	26.3	-2.2	0.921	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	3	58	10	26.1	-0.9	0.921	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	4	8	10	26.2	-1.4	0.921	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	4	18	10	26.7	-0.4	0.921	0.5	0.5	0	57.6	58.9	0	161	163	0	27	26
2025	5	17	4	28	10	25.7	-0.8	0.921	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	4	38	10	24.1	0	0.921	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	17	4	48	10	26.3	-2.2	0.921	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	17	4	58	10	25.6	-1.1	0.921	0.4	0.3	0	58	58.9	0	161	163	0	26	26
2025	5	17	5	8	10	25.9	-1.4	0.921	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	5	18	10	25.3	-1.4	0.921	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	5	28	10	25.6	-1.5	0.922	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	5	38	10	26.5	-0.7	0.922	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	17	5	48	10	26.6	-1.8	0.922	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	5	58	10	26.6	-1.4	0.922	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	17	6	8	10	26	-0.7	0.922	0.6	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	17	6	18	10	26.1	-1.5	0.922	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	17	6	28	10	27	-1.3	0.923	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	6	38	10	26.7	-0.1	0.923	0.5	0.5	0	57.2	58.9	0	160	164	0	27	27
2025	5	17	6	48	10	26.7	-0.8	0.923	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	6	58	10	27.9	-0.4	0.924	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	7	8	10	25.5	-0.4	0.925	0.6	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	7	18	10	26.6	-0.9	0.925	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	7	28	10	26.6	-1.2	0.925	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	7	38	10	25.9	-1.9	0.925	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	7	48	10	27.3	-0.5	0.925	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	7	58	10	26.6	-1.8	0.926	0.5	0.4	0	57.6	58.5	0	160	164	0	26	28
2025	5	17	8	8	10	26.5	-2.3	0.925	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	17	8	18	10	25.8	-0.5	0.926	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	8	28	10	26.8	-1.2	0.926	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	8	38	10	26	-0.9	0.926	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	8	48	10	27.4	-2	0.926	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	17	8	58	10	26.8	-0.9	0.926	0.5	0.5	0	56.8	58.9	0	160	163	0	28	26
2025	5	17	9	8	10	26	-1.3	0.926	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	17	9	18	10	26.1	-2	0.926	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	9	28	10	25.5	-0.5	0.926	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	9	38	10	26.4	-0.8	0.926	0.5	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	17	9	48	10	26.1	-0.9	0.926	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	9	58	10	26.6	-1.6	0.925	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	17	10	8	10	27.5	-0.5	0.924	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	17	10	18	10	26.4	-0.6	0.924	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	17	10	28	10	26.3	-0.5	0.924	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	10	38	10	25.6	-1.6	0.924	0.6	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	17	10	48	10	26.6	-0.6	0.923	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	17	10	58	10	26.7	-1.6	0.923	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	17	11	8	10	26.8	-0.5	0.923	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	11	18	10	27	-0.5	0.923	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	17	11	28	10	25.9	-0.6	0.924	0.6	0.5	0	57.6	57.6	0	160	161	0	26	27
2025	5	17	11	38	10	27.7	-1.6	0.924	0.4	0.3	0	57.6	57.6	0	160	161	0	26	27
2025	5	17	11	48	10	26.7	-1.2	0.924	0.5	0.4	0	57.6	57.6	0	160	161	0	26	27
2025	5	17	11	58	10	25.9	-1.2	0.923	0.5	0.4	0	58	58	0	161	162	0	26	27
2025	5	17	12	8	10	26	-1.9	0.924	0.5	0.4	0	58	58	0	161	162	0	26	27
2025	5	17	12	18	10	26.5	-1.4	0.923	0.5	0.4	0	58	58.5	0	161	163	0	26	27
2025	5	17	12	28	10	25.3	-0.3	0.924	0.5	0.4	0	58.5	60.2	0	162	166	0	26	26
2025	5	17	12	38	10	26	-0.2	0.923	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	5	17	12	48	10	25.2	-1	0.923	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	5	17	12	58	10	27	0.1	0.924	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	17	13	8	10	26	0.2	0.923	0.5	0.5	0	57.6	59.8	0	161	165	0	27	26
2025	5	17	13	18	10	26.6	-1.2	0.923	0.6	0.5	0	57.2	59.3	0	160	164	0	27	26
2025	5	17	13	28	10	26.6	-1.4	0.923	0.5	0.5	0	58	59.3	0	161	165	0	26	27
2025	5	17	13	38	10	25.1	-1.3	0.923	0.5	0.5	0	58	59.3	0	161	165	0	26	27
2025	5	17	13	48	10	26.8	-1.6	0.923	0.5	0.5	0	58	59.8	0	162	166	0	27	27
2025	5	17	13	58	10	26.1	-1.5	0.923	0.5	0.5	0	57.6	59.8	0	161	165	0	27	26
2025	5	17	14	8	10	26.2	-0.2	0.923	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	14	18	10	25.3	-0.9	0.923	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26
2025	5	17	14	28	10	27.1	-2.2	0.923	0.5	0.5	0	57.2	59.3	0	160	164	0	27	26
2025	5	17	14	38	10	26.2	-0.8	0.923	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	17	14	48	10	26.8	-0.3	0.922	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	14	58	10	25.3	-1.7	0.923	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	15	8	10	26.2	-1	0.923	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	17	15	18	10	26.3	-1.4	0.923	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	15	28	10	26.4	-1	0.923	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	15	38	10	26.9	-0.5	0.922	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	17	15	48	10	26.8	-1.9	0.923	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	17	15	58	10	26	-1.9	0.923	0.6	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	16	8	10	25	-0.2	0.923	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	17	16	18	10	26.5	-0.8	0.923	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	17	16	28	10	26	-0.7	0.922	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	16	38	10	26.3	-0.9	0.923	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	5	17	16	48	10	25.9	-1.6	0.922	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	16	58	10	26.1	-1.5	0.922	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	17	8	10	26	-1.8	0.922	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	17	18	10	26.7	-1.1	0.922	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	17	28	10	26.8	0	0.922	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	17	17	38	10	26.1	-0.2	0.922	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	17	48	10	27.1	-1.7	0.921	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	17	17	58	10	26.5	0	0.921	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	17	18	8	10	26.9	-0.5	0.922	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	17	18	18	10	26.7	-1.3	0.921	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	17	18	28	10	25.8	-0.7	0.921	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	17	18	38	10	27.3	-0.2	0.922	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	17	18	48	10	26.2	-1.4	0.921	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	17	18	58	10	25.9	-0.4	0.921	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	17	19	8	10	24.9	0	0.922	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	17	19	18	10	25.6	-1.5	0.921	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	17	19	28	10	26.3	0.2	0.921	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	17	19	38	10	26.3	-1.7	0.921	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	17	19	48	10	27.1	-1.3	0.921	0.4	0.3	0	56.3	58	0	157	162	0	26	27
2025	5	17	19	58	10	26.1	-0.7	0.921	0.6	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	17	20	8	10	26.8	-1.6	0.921	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	17	20	18	10	26.2	-1	0.921	0.4	0.3	0	56.3	58.5	0	157	162	0	26	26
2025	5	17	20	28	10	26.7	-0.9	0.921	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	17	20	38	10	26.7	0.4	0.921	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	17	20	48	10	25.2	-0.5	0.921	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	17	20	58	10	26.2	-0.8	0.921	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	17	21	8	10	26.2	-0.4	0.921	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	17	21	18	10	26.3	-1.1	0.92	0.5	0.5	0	55.9	58	0	156	162	0	26	27
2025	5	17	21	28	10	26.1	-0.8	0.92	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	17	21	38	10	26.5	-1.4	0.92	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	17	21	48	10	26	-1.3	0.92	0.5	0.4	0	55.5	58	0	155	162	0	26	27
2025	5	17	21	58	10	26.5	-1.1	0.92	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	17	22	8	10	26.3	-1.1	0.92	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	17	22	18	10	26	-1.9	0.92	0.5	0.4	0	55.5	58.5	0	156	162	0	27	26
2025	5	17	22	28	10	25.8	-0.4	0.92	0.5	0.5	0	55.9	58	0	156	162	0	26	27
2025	5	17	22	38	10	25.9	-1.4	0.92	0.5	0.5	0	55.9	58.5	0	157	163	0	27	27
2025	5	17	22	48	10	26.8	-1.8	0.92	0.5	0.4	0	55.9	58.5	0	156	163	0	26	27
2025	5	17	22	58	10	25.9	-1.4	0.919	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	17	23	8	10	26.3	-0.7	0.919	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	17	23	18	10	26.5	-0.9	0.919	0.5	0.4	0	55.9	58.5	0	156	163	0	26	27
2025	5	17	23	28	10	26.1	-1.4	0.919	0.5	0.4	0	55.9	58.5	0	156	163	0	26	27
2025	5	17	23	38	10	26.8	-0.7	0.919	0.4	0.3	0	55.5	58	0	156	162	0	27	27
2025	5	17	23	48	10	25.7	-0.1	0.919	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	17	23	58	10	26.8	-1.7	0.919	0.5	0.4	0	55.5	58.5	0	156	163	0	27	27
2025	5	18	0	8	10	26.7	-0.9	0.919	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	18	0	18	10	25.5	-0.4	0.919	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	0	28	10	26.9	-0.8	0.919	0.4	0.3	0	58	58.5	0	161	163	0	26	27
2025	5	18	0	38	10	25.7	-0.8	0.919	0.5	0.4	0	57.6	58.5	0	161	163	0	27	27
2025	5	18	0	48	10	26.2	-2.1	0.918	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	0	58	10	27.2	-0.6	0.918	0.6	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	18	1	8	10	27.5	-1.3	0.918	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	1	18	10	26.8	-0.7	0.918	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	1	28	10	25.9	0	0.918	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	18	1	38	10	26.3	-1.8	0.918	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	1	48	10	26.8	-1.2	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	1	58	10	26.2	-0.5	0.918	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	18	2	8	10	25.5	-0.1	0.918	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	2	18	10	24.9	-0.7	0.918	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	2	28	10	26.6	-1	0.918	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	18	2	38	10	25.8	-0.6	0.918	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	18	2	48	10	25.8	0.3	0.918	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	2	58	10	24.9	-0.7	0.918	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	18	3	8	10	25.9	-0.7	0.918	0.4	0.3	0	56.8	58.5	0	159	162	0	27	26
2025	5	18	3	18	10	25.7	-1.3	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	3	28	10	25.8	-0.9	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	3	38	10	26.6	-0.2	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	3	48	10	26.2	-1.5	0.918	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	3	58	10	25.7	-2.2	0.917	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	18	4	8	10	26.1	-1.5	0.917	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	18	4	18	10	27	-2.5	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	18	4	28	10	25.6	-1.7	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	18	4	38	10	25.7	-1.2	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	4	48	10	25	-0.8	0.915	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	18	4	58	10	26.9	-1.3	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	18	5	8	10	26.9	-0.9	0.915	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	18	5	18	10	25.1	-1.2	0.915	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	18	5	28	10	27.2	-1.5	0.915	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	18	5	38	10	25.5	-0.7	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	5	48	10	24.9	-0.2	0.915	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	5	58	10	26.8	-1.8	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	6	8	10	25	-0.7	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	6	18	10	26.8	-1.6	0.914	0.5	0.5	0	57.2	58.5	0	160	162	0	27	26
2025	5	18	6	28	10	25.2	-0.9	0.914	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	6	38	10	26.4	-1.3	0.914	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	6	48	10	26.8	-2	0.914	0.5	0.4	0	57.6	57.6	0	160	162	0	26	28
2025	5	18	6	58	10	26.5	-1	0.914	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	18	7	8	10	25.4	-1.3	0.915	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	7	18	10	27.7	-1.2	0.914	0.5	0.5	0	57.2	57.6	0	159	162	0	26	28
2025	5	18	7	28	10	25.7	-1.3	0.914	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	18	7	38	10	25.9	-1.7	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	7	48	10	26	-0.7	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	7	58	10	26.5	-0.9	0.915	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	8	8	10	27.2	-0.4	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	18	8	18	10	24.6	-0.5	0.914	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	8	28	10	26.5	-1.8	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	8	38	10	25.8	-0.9	0.915	0.4	0.3	0	57.2	58	0	160	163	0	27	28
2025	5	18	8	48	10	25.4	-1	0.914	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	8	58	10	26.3	-1.2	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	9	8	10	26.3	-2	0.914	0.6	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	9	18	10	26.5	-2	0.915	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	9	28	10	25.3	-0.4	0.915	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	9	38	10	26.3	-1.1	0.914	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	18	9	48	10	25.5	-0.4	0.915	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	9	58	10	26.3	-0.5	0.914	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	10	8	10	26.6	-1.3	0.914	0.5	0.4	0	57.2	58	0	160	163	0	27	28
2025	5	18	10	18	10	26.2	-2.2	0.915	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	18	10	28	10	26	-1.8	0.914	0.5	0.4	0	57.2	57.6	0	159	162	0	26	28
2025	5	18	10	38	10	26.4	-0.4	0.915	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	10	48	10	25.5	-2.6	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	10	58	10	26.6	-2	0.915	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	18	11	8	10	26.7	-1.7	0.915	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	11	18	10	26.8	-0.9	0.915	0.4	0.3	0	56.3	58	0	159	162	0	28	27
2025	5	18	11	28	10	25.6	-0.7	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	18	11	38	10	26.2	-1	0.915	0.6	0.5	0	57.2	57.6	0	159	162	0	26	28
2025	5	18	11	48	10	26.3	-0.3	0.915	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	18	11	58	10	26.3	-0.4	0.915	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	12	8	10	25.9	-1.8	0.915	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	18	12	18	10	26.4	-0.9	0.916	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	12	28	10	26.1	-1.2	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	18	12	38	10	25.8	-2	0.915	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	12	48	10	25.4	-1.8	0.915	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	12	58	10	26.4	-0.9	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	18	13	8	10	25.5	-0.5	0.916	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	18	13	18	10	25.8	-0.2	0.916	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	18	13	28	10	25.9	-0.9	0.916	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	18	13	38	10	26	-2	0.916	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	13	48	10	25.6	-1.1	0.916	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	13	58	10	26	-1	0.916	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	14	8	10	25.4	-1.4	0.916	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	14	18	10	25.9	-1.4	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	18	14	28	10	26.6	-0.9	0.916	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	14	38	10	26	0.2	0.916	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	14	48	10	26.4	-1.9	0.916	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	14	58	10	26.6	-0.9	0.917	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	15	8	10	26.6	-1.6	0.916	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	15	18	10	27	-0.4	0.916	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	15	28	10	26.2	-1	0.917	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	18	15	38	10	26.4	-0.9	0.916	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	15	48	10	26.2	-0.5	0.917	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	18	15	58	10	26.6	-0.9	0.917	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	18	16	8	10	26.9	-1.5	0.917	0.5	0.5	0	56.8	58	0	158	162	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	18	16	18	10	26.7	-1.1	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	16	28	10	26.1	-1.4	0.918	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	18	16	38	10	27.4	-0.7	0.916	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	18	16	48	10	26.3	-0.6	0.918	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	18	16	58	10	26.1	-1.2	0.918	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	18	17	8	10	26.4	-0.9	0.918	0.3	0.2	0	56.8	58	0	158	162	0	26	27
2025	5	18	17	18	10	26.8	-0.8	0.918	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	18	17	28	10	26	-0.6	0.918	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	18	17	38	10	26.5	0.4	0.918	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	17	48	10	27	-0.5	0.918	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	18	17	58	10	26.9	-0.5	0.918	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	18	8	10	26.1	-0.9	0.918	0.5	0.4	0	56.3	58	0	158	161	0	27	26
2025	5	18	18	18	10	26.7	-1.3	0.919	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	18	18	28	10	26.8	-0.2	0.918	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	18	38	10	26.4	-0.4	0.918	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2025	5	18	18	48	10	27	-1.3	0.919	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	18	58	10	26.7	-1.5	0.918	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	18	19	8	10	26.5	-0.1	0.918	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	19	18	10	26.7	-1.7	0.919	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	19	28	10	26	-0.3	0.918	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	18	19	38	10	28.5	-0.4	0.918	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	19	48	10	26	-0.9	0.918	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	18	19	58	10	25.9	-1.5	0.918	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	18	20	8	10	26.3	-1.4	0.918	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	20	18	10	27	-1.3	0.918	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	18	20	28	10	26.7	-1.5	0.919	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	18	20	38	10	26.9	-0.7	0.919	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	18	20	48	10	27	-1.5	0.918	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	18	20	58	10	25.3	0.6	0.919	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	18	21	8	10	25.3	-0.4	0.919	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	18	21	18	10	26.6	-0.9	0.919	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	18	21	28	10	27.3	-1.6	0.919	0.4	0.3	0	57.2	58	0	159	161	0	26	26
2025	5	18	21	38	10	25.3	-0.4	0.919	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	18	21	48	10	26.8	-1.9	0.919	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	18	21	58	10	25.8	-1.3	0.919	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	5	18	22	8	10	27.2	-1.9	0.918	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	18	22	18	10	26.8	-1	0.918	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	18	22	28	10	25.9	-0.8	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	22	38	10	25.5	-1.5	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	18	22	48	10	26.2	-0.4	0.918	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	18	22	58	10	25.7	-0.8	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	18	23	8	10	25.5	-1.2	0.918	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	18	23	18	10	26.6	-0.2	0.918	0.6	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	18	23	28	10	26.8	-1	0.918	0.5	0.5	0	58	58.5	0	161	163	0	26	27
2025	5	18	23	38	10	26.6	-0.9	0.918	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	18	23	48	10	27	-1.1	0.918	0.6	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	18	23	58	10	27.1	-1	0.918	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	19	0	8	10	25.9	0.1	0.917	0.5	0.5	0	57.2	58	0	160	162	0	27	27

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	19	0	18	10	27.3	-1.2	0.917	0.6	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	19	0	28	10	26.9	-1.1	0.917	0.4	0.3	0	56.8	58	0	160	162	0	28	27
2025	5	19	0	38	10	26.6	-0.4	0.917	0.4	0.3	0	57.2	58	0	160	162	0	27	27
2025	5	19	0	48	10	25.8	0	0.917	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	19	0	58	10	26.7	-1.1	0.917	0.4	0.3	0	57.2	58	0	160	162	0	27	27
2025	5	19	1	8	10	26.8	-2.3	0.917	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	1	18	10	26.6	-1.4	0.917	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	1	28	10	25.7	-1.1	0.917	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	1	38	10	26.2	-1.3	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	1	48	10	26.2	-1.1	0.917	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	1	58	10	25.7	-0.6	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	2	8	10	25	-0.3	0.917	0.5	0.5	0	56.3	58.5	0	158	163	0	27	27
2025	5	19	2	18	10	25.6	-1.2	0.916	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	2	28	10	26.4	-0.7	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	2	38	10	26.5	-0.1	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	2	48	10	26.1	-1.7	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	2	58	10	26.2	-1.5	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	3	8	10	26.3	-1.1	0.916	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	19	3	18	10	26.9	-1.2	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	3	28	10	25.6	-1.9	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	3	38	10	25.6	-1.2	0.916	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	3	48	10	25.7	-1.7	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	3	58	10	26	-1.6	0.916	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	4	8	10	24.7	-1	0.916	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	4	18	10	26.3	-1.1	0.916	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	4	28	10	25.7	-1	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	4	38	10	26	-0.9	0.916	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	19	4	48	10	25.4	-1.5	0.916	0.5	0.5	0	57.2	57.6	0	159	162	0	26	28
2025	5	19	4	58	10	25.7	-0.4	0.916	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	19	5	8	10	26.5	-1.2	0.916	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	5	18	10	27	-1.5	0.916	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	19	5	28	10	25.6	-1.1	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	5	38	10	26.6	-0.8	0.916	0.6	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	5	48	10	27.3	-1	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	5	58	10	26.3	-1.9	0.915	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	19	6	8	10	25.5	-0.9	0.916	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	19	6	18	10	27.3	-1.7	0.916	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	19	6	28	10	26.3	-1.2	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	6	38	10	26.3	-1.6	0.915	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	6	48	10	25.5	-1.3	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	6	58	10	26.6	-0.9	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	19	7	8	10	26.3	-1.5	0.916	0.5	0.4	0	56.8	58	0	159	163	0	27	28
2025	5	19	7	18	10	26.5	-1.3	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	7	28	10	25.7	-1.7	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	7	38	10	26.6	-1.4	0.915	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	7	48	10	26.8	-1	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	7	58	10	26.7	-1.7	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	8	8	10	24.9	-1.3	0.916	0.5	0.5	0	56.8	57.6	0	159	162	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	19	8	18	10	26.7	-1.6	0.916	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	8	28	10	26.4	-1.4	0.916	0.5	0.4	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	8	38	10	25.3	-0.7	0.916	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	8	48	10	26.8	-0.9	0.916	0.5	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	8	58	10	26.1	-1.9	0.916	0.6	0.5	0	56.3	57.2	0	158	161	0	27	28
2025	5	19	9	8	10	26.2	-2.3	0.915	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	9	18	10	26	-1.5	0.916	0.6	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	9	28	10	27	-1	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	9	38	10	27.7	-1.5	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	9	48	10	27.1	-1.1	0.915	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	9	58	10	24.9	-1.8	0.916	0.5	0.4	0	56.3	57.6	0	158	162	0	27	28
2025	5	19	10	8	10	26.7	-2.5	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	19	10	18	10	26.6	-0.8	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	10	28	10	25.6	-1.4	0.915	0.5	0.5	0	56.8	57.6	0	159	162	0	27	28
2025	5	19	10	38	10	25.7	-0.4	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	10	48	10	26.6	-1.8	0.915	0.6	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	10	58	10	25.9	-0.7	0.915	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	19	11	8	10	27	-1.6	0.916	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	11	18	10	26.6	-0.5	0.916	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	11	28	10	25.6	-0.4	0.916	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	11	38	10	26	-1.1	0.916	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	11	48	10	27.5	-0.6	0.915	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	19	11	58	10	26.6	-1.4	0.916	0.5	0.4	0	56.3	58	0	159	162	0	28	27
2025	5	19	12	8	10	25.9	-1.8	0.916	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	12	18	10	25.5	-1.2	0.916	0.5	0.5	0	57.6	57.6	0	160	161	0	26	27
2025	5	19	12	28	10	25.6	-0.2	0.916	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	19	12	38	10	26.8	-0.4	0.916	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	12	48	10	26.1	-1.1	0.916	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	12	58	10	26.5	-2.2	0.916	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	19	13	8	10	26.7	-0.5	0.916	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	13	18	10	25.4	0	0.916	0.3	0.2	0	57.2	58	0	159	162	0	26	27
2025	5	19	13	28	10	26.2	-0.9	0.916	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	13	38	10	25	-0.5	0.916	0.4	0.3	0	56.8	58	0	159	161	0	27	26
2025	5	19	13	48	10	26.3	-1.4	0.916	0.5	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	13	58	10	25.3	-0.4	0.916	0.6	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	14	8	10	26.5	-2.5	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	14	18	10	27.4	-0.1	0.915	0.5	0.4	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	14	28	10	26.9	-1.7	0.916	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	14	38	10	25.3	-0.4	0.915	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	14	48	10	26.7	-1.2	0.915	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	19	14	58	10	25.8	-1.4	0.915	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	15	8	10	26.1	0	0.914	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	5	19	15	18	10	26.6	-1	0.914	0.5	0.4	0	56.8	57.6	0	159	161	0	27	27
2025	5	19	15	28	10	27.2	-0.2	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	15	38	10	26.5	-0.6	0.914	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	15	48	10	26.8	-0.6	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	15	58	10	27.3	-1.4	0.914	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	5	19	16	8	10	26.5	-1.1	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	19	16	18	10	25.2	-0.8	0.914	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	19	16	28	10	26.9	-1	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	16	38	10	26.7	-0.8	0.914	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	19	16	48	10	25.4	-0.7	0.914	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	19	16	58	10	25.9	-0.2	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	17	8	10	27	-0.8	0.914	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	17	18	10	26.1	-1.7	0.914	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	5	19	17	28	10	26.4	-0.5	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	17	38	10	26.2	-0.8	0.914	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	17	48	10	26.5	-1.2	0.914	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	19	17	58	10	26.3	-0.9	0.914	0.5	0.5	0	57.2	58.5	0	160	162	0	27	26
2025	5	19	18	8	10	26.6	-1.9	0.914	0.5	0.4	0	57.2	58	0	159	161	0	26	26
2025	5	19	18	18	10	25.3	-1.5	0.914	0.4	0.3	0	57.2	58	0	159	161	0	26	26
2025	5	19	18	28	10	26.4	-1.3	0.914	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2025	5	19	18	38	10	24.4	-1.3	0.914	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	19	18	48	10	27.4	-1.2	0.914	0.5	0.5	0	56.8	57.2	0	158	160	0	26	27
2025	5	19	18	58	10	26.3	-1.2	0.914	0.5	0.4	0	56.8	57.6	0	158	160	0	26	26
2025	5	19	19	8	10	26.5	-1.4	0.914	0.4	0.3	0	56.3	57.2	0	157	160	0	26	27
2025	5	19	19	18	10	26	-1.5	0.914	0.6	0.5	0	56.3	58	0	158	161	0	27	26
2025	5	19	19	28	10	25.3	-0.5	0.914	0.4	0.3	0	56.8	58	0	159	161	0	27	26
2025	5	19	19	38	10	26	-1.1	0.914	0.5	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	19	19	48	10	26.4	-0.9	0.914	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2025	5	19	19	58	10	25.2	-1.1	0.914	0.5	0.4	0	57.6	58	0	159	161	0	25	26
2025	5	19	20	8	10	25.7	-1.6	0.914	0.6	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	19	20	18	10	26.8	-1.4	0.914	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	19	20	28	10	26.4	-0.6	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	20	38	10	25.8	-0.9	0.913	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	20	48	10	25.9	-1.2	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	19	20	58	10	25.5	-0.8	0.914	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	19	21	8	10	26.3	-2.3	0.914	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	19	21	18	10	26.7	-1.4	0.914	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	19	21	28	10	26.6	-1.2	0.914	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	19	21	38	10	27.3	-0.6	0.914	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	19	21	48	10	26.1	0	0.914	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	19	21	58	10	26.8	-1.3	0.914	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	19	22	8	10	25.4	-0.7	0.914	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	19	22	18	10	25.2	-1	0.914	0.5	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	19	22	28	10	26.6	-1.2	0.914	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	19	22	38	10	27	-0.6	0.915	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	19	22	48	10	25.7	-1	0.915	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	19	22	58	10	26.3	-0.1	0.916	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	19	23	8	10	26	-0.4	0.916	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	19	23	18	10	27.4	-1.3	0.916	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	19	23	28	10	26.8	-0.5	0.916	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	19	23	38	10	26.2	-1.2	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	23	48	10	26.1	-1.6	0.917	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	19	23	58	10	26.9	-0.8	0.917	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	20	0	8	10	27.1	-0.6	0.917	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	20	0	18	10	25.9	-1	0.916	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	20	0	28	10	26.3	0.1	0.916	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	0	38	10	26.3	-0.3	0.916	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	0	48	10	26.1	-0.3	0.916	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	0	58	10	26.5	-0.9	0.916	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	1	8	10	25.5	-1.4	0.916	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	1	18	10	25.8	0	0.916	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	20	1	28	10	24.7	-0.7	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	1	38	10	25.8	-0.5	0.916	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	1	48	10	26.7	-1.8	0.916	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	1	58	10	26.7	-0.7	0.916	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	20	2	8	10	26.8	0	0.916	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	2	18	10	27.5	-2.2	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	2	28	10	26.9	-1.3	0.916	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	2	38	10	26	-0.4	0.916	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	2	48	10	25.8	-1.2	0.916	0.6	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	20	2	58	10	26.2	-0.5	0.916	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	20	3	8	10	25.6	-0.7	0.916	0.4	0.3	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	3	18	10	26.5	-0.9	0.916	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	20	3	28	10	26.3	-0.4	0.916	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	3	38	10	26.5	-1.6	0.916	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	3	48	10	25.9	-1.9	0.916	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	3	58	10	25.8	-0.9	0.916	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	20	4	8	10	25.8	-0.4	0.916	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	20	4	18	10	26.7	-1.6	0.916	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	4	28	10	26.7	-0.9	0.915	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	4	38	10	26.8	-0.5	0.915	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	4	48	10	26.8	-0.3	0.915	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	20	4	58	10	26.7	-2.7	0.915	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	5	8	10	26.8	-0.7	0.915	0.5	0.5	0	57.6	58.5	0	160	164	0	26	28
2025	5	20	5	18	10	26.1	-1	0.915	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	5	28	10	26.2	-0.9	0.915	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	20	5	38	10	26.1	-1	0.915	0.4	0.3	0	57.2	58.9	0	160	164	0	27	27
2025	5	20	5	48	10	26.3	-1	0.915	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	5	58	10	25.7	-0.6	0.915	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	20	6	8	10	26.4	-2.3	0.915	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	20	6	18	10	25.3	-1.6	0.915	0.6	0.5	0	56.8	58.9	0	159	164	0	27	27
2025	5	20	6	28	10	25.9	-0.9	0.915	0.4	0.3	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	6	38	10	25.8	-0.9	0.915	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	6	48	10	25.9	-1.8	0.915	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	6	58	10	25.7	-1.6	0.915	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	7	8	10	27.7	-0.4	0.915	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	20	7	18	10	26.2	-1.5	0.915	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	7	28	10	26.5	-1.9	0.915	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	7	38	10	26.2	-1	0.915	0.6	0.5	0	57.6	59.3	0	161	164	0	27	26
2025	5	20	7	48	10	25.7	-0.7	0.915	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	20	7	58	10	25.4	-0.7	0.915	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	20	8	8	10	26.3	-1.8	0.915	0.5	0.4	0	57.2	58	0	160	163	0	27	28

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	20	8	18	10	26.8	-0.6	0.915	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	20	8	28	10	25.2	-1.3	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	20	8	38	10	26.5	0	0.914	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	20	8	48	10	24	-0.6	0.914	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	20	8	58	10	26.5	-0.9	0.914	0.5	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	20	9	8	10	26.3	-1.8	0.914	0.4	0.3	0	57.2	58	0	160	163	0	27	28
2025	5	20	9	18	10	26.2	-0.6	0.914	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	9	28	10	26.8	-1.3	0.914	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	20	9	38	10	25.8	-1.4	0.914	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	9	48	10	26.3	-0.5	0.914	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	9	58	10	25.1	-0.9	0.914	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	10	8	10	25.4	-0.9	0.914	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	20	10	18	10	25.8	-1.4	0.913	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	20	10	28	10	26	-1.3	0.913	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	20	10	38	10	26.5	-1.2	0.913	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	20	10	48	10	26.3	-0.9	0.912	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	10	58	10	26.1	-1	0.911	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	20	11	8	10	26.2	-1.9	0.911	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	20	11	18	10	25.7	-1	0.91	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	20	11	28	10	25.7	-1.1	0.91	0.6	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	20	11	38	10	26.9	-2.3	0.91	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	11	48	10	27.4	-1.1	0.911	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	20	11	58	10	27.1	-0.6	0.91	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	12	8	10	25.6	-0.6	0.91	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	12	18	10	25.6	0	0.911	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	20	12	28	10	25.5	-1.2	0.911	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	20	12	38	10	26	-1.1	0.911	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	12	48	10	25.7	-0.9	0.911	0.4	0.3	0	56.3	58	0	158	162	0	27	27
2025	5	20	12	58	10	26.3	-1.1	0.911	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	20	13	8	10	26.2	-0.3	0.911	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	13	18	10	26.4	-0.7	0.912	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	20	13	28	10	27	-1	0.911	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	13	38	10	26.3	-0.7	0.911	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	20	13	48	10	26.3	-1.2	0.911	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	13	58	10	26.4	-0.9	0.911	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	20	14	8	10	26.6	-0.9	0.911	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	20	14	18	10	25.7	-1	0.911	0.4	0.3	0	56.3	58.5	0	158	162	0	27	26
2025	5	20	14	28	10	25.5	-1.2	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	14	38	10	26.3	-1.5	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	14	48	10	27.1	-1.3	0.912	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	20	14	58	10	27	-0.2	0.912	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	20	15	8	10	24.6	-0.1	0.912	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	20	15	18	10	27	-0.5	0.911	0.4	0.3	0	56.8	58.9	0	157	162	0	25	25
2025	5	20	15	28	10	26.3	0	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	15	38	10	26.8	-1.7	0.911	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	20	15	48	10	26.5	-0.9	0.912	0.5	0.4	0	56.8	57.6	0	157	161	0	25	27
2025	5	20	15	58	10	26.7	-1.5	0.911	0.5	0.4	0	56.3	58.9	0	157	162	0	26	25
2025	5	20	16	8	10	26.8	-0.5	0.912	0.4	0.3	0	55.9	58	0	156	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	20	16	18	10	25.4	-0.5	0.912	0.3	0.2	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	16	28	10	26.1	-0.8	0.912	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	20	16	38	10	26.9	-1.4	0.913	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	20	16	48	10	26	-1	0.912	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	16	58	10	26.8	-1	0.912	0.5	0.5	0	56.8	58.5	0	157	162	0	25	26
2025	5	20	17	8	10	26.3	-0.6	0.911	0.4	0.3	0	56.8	58	0	157	162	0	25	27
2025	5	20	17	18	10	27.4	0.5	0.912	0.6	0.5	0	55.9	58.5	0	157	162	0	27	26
2025	5	20	17	28	10	25.3	-0.5	0.911	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	5	20	17	38	10	26.7	-0.9	0.912	0.4	0.3	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	17	48	10	25.1	-0.1	0.912	0.4	0.3	0	56.3	58.9	0	157	163	0	26	26
2025	5	20	17	58	10	25.7	-1.4	0.912	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	20	18	8	10	25.8	-0.8	0.912	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	18	18	10	27.6	-0.5	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	18	28	10	25.4	-1.9	0.911	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	20	18	38	10	26.6	-1.6	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	18	48	10	25	-1.2	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	18	58	10	26.3	-1.1	0.911	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	20	19	8	10	26.3	-0.6	0.911	0.5	0.5	0	56.3	58.5	0	156	162	0	25	26
2025	5	20	19	18	10	25.9	-1.3	0.911	0.5	0.4	0	56.3	58.9	0	157	162	0	26	25
2025	5	20	19	28	10	25.6	-0.8	0.912	0.5	0.4	0	55.9	58.5	0	157	162	0	27	26
2025	5	20	19	38	10	26.7	-2	0.912	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	20	19	48	10	26.7	0	0.912	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	5	20	19	58	10	25.4	-1.8	0.912	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	5	20	20	8	10	25.8	-1.6	0.912	0.5	0.4	0	56.3	58	0	156	161	0	25	26
2025	5	20	20	18	10	25.8	-1	0.912	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	20	20	28	10	26.5	-0.9	0.912	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	20	20	38	10	26.6	-0.6	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	20	20	48	10	25.5	-0.5	0.912	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	20	58	10	27	-0.5	0.912	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	21	8	10	25.7	-0.9	0.912	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	20	21	18	10	26.3	-0.2	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	21	28	10	27.2	-0.4	0.912	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	20	21	38	10	25.3	-0.5	0.912	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	20	21	48	10	26.3	-0.6	0.912	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	21	58	10	25.6	-0.4	0.912	0.5	0.4	0	57.6	59.3	0	160	163	0	26	25
2025	5	20	22	8	10	26.1	-1.1	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	22	18	10	25.1	-0.5	0.912	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	22	28	10	26	-0.7	0.912	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	5	20	22	38	10	28.1	-0.3	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	22	48	10	27.1	0.3	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	22	58	10	26.1	-0.6	0.911	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	23	8	10	24.9	-1.1	0.911	0.4	0.3	0	56.8	58.5	0	159	162	0	27	26
2025	5	20	23	18	10	25.1	-0.7	0.911	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	5	20	23	28	10	26.5	-1.2	0.911	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	20	23	38	10	26	-0.4	0.911	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	20	23	48	10	26.4	-0.5	0.911	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	5	20	23	58	10	27.3	-0.4	0.911	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	21	0	8	10	24.1	-0.4	0.911	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	21	0	18	10	26.9	-0.6	0.911	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	0	28	10	26	-0.1	0.911	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	0	38	10	25.3	-0.7	0.911	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	0	48	10	26.6	-0.2	0.911	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	21	0	58	10	25.9	0.2	0.911	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	1	8	10	26.2	-1	0.911	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	21	1	18	10	26.1	-1	0.911	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	1	28	10	26	-1.4	0.911	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	21	1	38	10	26.9	-0.7	0.911	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	1	48	10	26.5	-1.3	0.911	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	1	58	10	26.2	-0.5	0.911	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	2	8	10	25.4	-1.4	0.911	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	21	2	18	10	27.6	0.2	0.91	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	2	28	10	25.4	-1.2	0.91	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	21	2	38	10	25.8	0.3	0.91	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	21	2	48	10	25.8	-0.4	0.91	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	2	58	10	27	-0.6	0.91	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	3	8	10	25.9	0	0.91	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	21	3	18	10	25.3	-0.9	0.911	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	3	28	10	26.7	-1.4	0.91	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	21	3	38	10	25.9	-0.4	0.91	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	3	48	10	25.5	-1.3	0.911	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	21	3	58	10	26.2	-1.5	0.911	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	4	8	10	25.9	-0.2	0.911	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	4	18	10	26	-1.2	0.911	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	4	28	10	26.5	-1.5	0.911	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	4	38	10	26.8	-1.9	0.911	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	21	4	48	10	26.1	-0.9	0.911	0.3	0.2	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	4	58	10	25.4	-1.6	0.911	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	5	8	10	25.9	-0.3	0.911	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	5	18	10	24.9	-1.7	0.911	0.4	0.3	0	58	58.5	0	161	163	0	26	27
2025	5	21	5	28	10	26.3	-1	0.911	0.5	0.5	0	57.6	58.5	0	161	163	0	27	27
2025	5	21	5	38	10	26.7	-0.9	0.911	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	5	48	10	25.4	-1.9	0.912	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	21	5	58	10	25.4	-1.1	0.912	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	21	6	8	10	26.7	-1.5	0.913	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	6	18	10	26.5	-1	0.914	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	6	28	10	26.7	-0.6	0.914	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	6	38	10	25.7	-0.9	0.914	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	21	6	48	10	26.2	-1.1	0.914	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	6	58	10	26.4	-0.9	0.915	0.4	0.3	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	7	8	10	25.6	-1.4	0.915	0.5	0.4	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	7	18	10	25.8	-1.5	0.915	0.6	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	7	28	10	26.1	0	0.915	0.5	0.5	0	58.5	58.9	0	161	164	0	25	27
2025	5	21	7	38	10	25.6	-1.8	0.915	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	21	7	48	10	26.4	-1.6	0.915	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	21	7	58	10	26.6	-1.5	0.915	0.5	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	21	8	8	10	26.6	-1.3	0.915	0.5	0.4	0	58	58.9	0	161	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	21	8	18	10	26.8	-1.5	0.915	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	8	28	10	25.7	-0.9	0.915	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	21	8	38	10	27.1	-2.2	0.915	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	8	48	10	27	0	0.915	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	8	58	10	25.9	-1.8	0.915	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	9	8	10	25.7	-0.9	0.915	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	9	18	10	27	-1	0.915	0.5	0.5	0	56.8	58	0	159	163	0	27	28
2025	5	21	9	28	10	26.1	-1.9	0.915	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	9	38	10	25.9	-0.6	0.915	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	21	9	48	10	25.6	-1.1	0.915	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	9	58	10	26	-0.9	0.915	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	21	10	8	10	25.5	-0.5	0.914	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	21	10	18	10	26.2	-0.7	0.914	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	21	10	28	10	26	-1.8	0.913	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	21	10	38	10	26.4	-0.9	0.913	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	10	48	10	25.4	-1.4	0.913	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	21	10	58	10	26.1	-0.4	0.913	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	21	11	8	10	27.8	-1.9	0.912	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	21	11	18	10	24.7	-1.7	0.913	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	21	11	28	10	25.3	-1.9	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	11	38	10	26.8	-1.9	0.912	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	21	11	48	10	25.7	-0.9	0.913	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	21	11	58	10	25.8	-1.2	0.912	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	12	8	10	25.8	-1.1	0.913	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	21	12	18	10	26.1	-1	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	12	28	10	25.2	-1.1	0.913	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	21	12	38	10	25.6	-0.7	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	12	48	10	26.5	-1	0.912	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	12	58	10	27.9	-1	0.912	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	21	13	8	10	26.8	-0.9	0.913	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	21	13	18	10	26.8	-1.2	0.913	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	21	13	28	10	26.8	-1	0.913	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	21	13	38	10	26.3	-1.1	0.913	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	21	13	48	10	25.8	-0.1	0.914	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	21	13	58	10	27	-0.7	0.912	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	21	14	8	10	27	-1.5	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	14	18	10	26.7	-0.5	0.912	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	21	14	28	10	26.7	-1.7	0.913	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	5	21	14	38	10	25.9	-0.8	0.913	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	14	48	10	26.7	-1.9	0.912	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	14	58	10	26.7	-1	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	15	8	10	27.3	-1.4	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	15	18	10	26.7	-0.5	0.913	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	21	15	28	10	26.7	-0.4	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	15	38	10	26.3	0	0.912	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	21	15	48	10	26.3	-0.1	0.912	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	15	58	10	25.6	-0.3	0.913	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	16	8	10	26.1	0	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	21	16	18	10	25.2	0	0.913	0.6	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	16	28	10	26.9	-0.5	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	16	38	10	26.7	-1.6	0.913	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	16	48	10	26.3	-0.7	0.912	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	16	58	10	25.8	-1.3	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	17	8	10	25.8	-0.4	0.911	0.4	0.3	0	56.8	58.5	0	157	162	0	25	26
2025	5	21	17	18	10	27.2	-1.1	0.912	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	21	17	28	10	25.9	-0.9	0.912	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	21	17	38	10	26.1	-0.9	0.912	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	21	17	48	10	26.4	-0.2	0.913	0.5	0.5	0	56.8	58.9	0	157	162	0	25	25
2025	5	21	17	58	10	25.4	-0.4	0.912	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	21	18	8	10	27.2	-0.5	0.912	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	5	21	18	18	10	25.6	0.4	0.913	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	18	28	10	25.9	-0.2	0.913	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	18	38	10	26.2	-0.8	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	21	18	48	10	26.2	-1.5	0.913	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	18	58	10	27.2	-2	0.913	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	19	8	10	26.2	-0.6	0.914	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	21	19	18	10	27	-0.8	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	19	28	10	26.4	-1.7	0.913	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	21	19	38	10	26.6	-1	0.913	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	19	48	10	25.6	-0.7	0.913	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	21	19	58	10	25.6	-0.5	0.913	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	21	20	8	10	27.5	-1.1	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	20	18	10	26.5	-1.3	0.913	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	20	28	10	26.2	-1.5	0.913	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	20	38	10	25.7	-0.3	0.913	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	21	20	48	10	25.7	-0.5	0.913	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	21	20	58	10	26.4	0.2	0.913	0.5	0.4	0	57.6	59.3	0	159	164	0	25	26
2025	5	21	21	8	10	26.3	-1.6	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	21	18	10	26.4	-1	0.913	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	21	28	10	27.7	0.2	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	21	38	10	26.3	0.3	0.913	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	21	48	10	25.8	0.1	0.913	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	21	58	10	26.5	-0.7	0.913	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	22	8	10	27	-1.7	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	21	22	18	10	26.2	-1.9	0.913	0.5	0.5	0	57.6	58.9	0	159	164	0	25	27
2025	5	21	22	28	10	25.7	-1.2	0.913	0.4	0.3	0	57.2	59.3	0	159	164	0	26	26
2025	5	21	22	38	10	26.5	-0.8	0.913	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	21	22	48	10	27.9	-0.5	0.913	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	21	22	58	10	27.5	-1.5	0.913	0.5	0.4	0	56.8	58.9	0	158	162	0	26	25
2025	5	21	23	8	10	26.5	-1.4	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	23	18	10	25.8	-0.7	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	23	28	10	25.9	-1.3	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	23	38	10	27.1	-1.6	0.913	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	21	23	48	10	26.9	-0.8	0.913	0.4	0.3	0	57.2	58.9	0	158	162	0	25	25
2025	5	21	23	58	10	26.4	-0.5	0.913	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	0	8	10	27.3	-0.9	0.913	0.5	0.4	0	57.2	58.5	0	158	163	0	25	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	22	0	18	10	26.6	0	0.913	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	0	28	10	28	-1	0.912	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	0	38	10	25.9	-1.1	0.912	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	22	0	48	10	27.1	-0.9	0.912	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	0	58	10	26.1	-1.4	0.912	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	1	8	10	26.6	-0.4	0.912	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	1	18	10	27	-1.4	0.912	0.4	0.3	0	57.6	58.5	0	159	163	0	25	27
2025	5	22	1	28	10	27.4	-1.3	0.912	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	1	38	10	26.9	-1.1	0.912	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	1	48	10	26.6	-1	0.912	0.4	0.3	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	1	58	10	26.5	-0.8	0.912	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	2	8	10	26.6	-1.5	0.912	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	22	2	18	10	26.5	-0.8	0.912	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	22	2	28	10	25.9	-1.4	0.912	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	22	2	38	10	25.8	-0.1	0.912	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	22	2	48	10	27.1	0	0.912	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	2	58	10	25.7	-1.3	0.912	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	22	3	8	10	26.6	-0.5	0.912	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	22	3	18	10	27	-0.3	0.912	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	3	28	10	27	-1.3	0.912	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	3	38	10	25.7	-1.4	0.912	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	3	48	10	26.9	-2	0.912	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	3	58	10	26.7	-0.4	0.913	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	4	8	10	27.1	0	0.913	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	22	4	18	10	26.8	-0.6	0.913	0.4	0.3	0	57.2	58.9	0	159	164	0	26	27
2025	5	22	4	28	10	26	-0.9	0.913	0.5	0.4	0	56.8	59.3	0	159	164	0	27	26
2025	5	22	4	38	10	26.9	-1.9	0.913	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	22	4	48	10	25.4	-1	0.913	0.5	0.5	0	56.8	59.3	0	159	164	0	27	26
2025	5	22	4	58	10	26.5	-0.6	0.914	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	22	5	8	10	27.8	-0.3	0.914	0.4	0.3	0	57.2	59.3	0	159	164	0	26	26
2025	5	22	5	18	10	26.3	-0.9	0.914	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	22	5	28	10	25.5	-0.8	0.915	0.6	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	22	5	38	10	26.6	-1.3	0.915	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	22	5	48	10	26.2	-1	0.916	0.6	0.5	0	58	59.3	0	161	164	0	26	26
2025	5	22	5	58	10	25.9	-0.4	0.916	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	22	6	8	10	27.1	-1.1	0.916	0.5	0.5	0	58	58.9	0	161	164	0	26	27
2025	5	22	6	18	10	27.5	-0.5	0.917	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	5	22	6	28	10	26.6	-0.9	0.917	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	22	6	38	10	26.1	-0.6	0.916	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	22	6	48	10	25.9	-0.6	0.917	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	22	6	58	10	26.6	-0.6	0.917	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	22	7	8	10	27.5	-1.2	0.917	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	22	7	18	10	28.2	-1.5	0.917	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	22	7	28	10	26.8	-0.3	0.917	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	22	7	38	10	27.6	-2.8	0.917	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	22	7	48	10	26.8	-0.9	0.917	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	22	7	58	10	26.7	-1.5	0.917	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	22	8	8	10	26.7	-1.2	0.917	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	22	8	18	10	25.4	-1.6	0.917	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	22	8	28	10	27	-2	0.917	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	22	8	38	10	25.8	-0.6	0.917	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	22	8	48	10	26.8	-2.8	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	22	8	58	10	26	-2	0.917	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	22	9	8	10	26.4	-1	0.917	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	22	9	18	10	26.5	-1.4	0.917	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	22	9	28	10	26.9	-1.9	0.917	0.6	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	22	9	38	10	26.8	-1.6	0.916	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	22	9	48	10	26.9	-2	0.916	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	9	58	10	27.1	-2.8	0.916	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	22	10	8	10	27.1	-0.9	0.916	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	22	10	18	10	26.4	-0.5	0.916	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	22	10	28	10	26.2	-1	0.915	0.5	0.4	0	56.3	58	0	158	162	0	27	27
2025	5	22	10	38	10	25.7	-2.3	0.915	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	22	10	48	10	26.1	-0.7	0.914	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	22	10	58	10	25.7	-0.1	0.914	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	11	8	10	26.2	-1.6	0.913	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	22	11	18	10	26.2	-0.3	0.913	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	22	11	28	10	26.4	-1	0.914	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	22	11	38	10	26.9	0	0.914	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	11	48	10	26.2	-0.1	0.914	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	22	11	58	10	26.5	-1.2	0.914	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	22	12	8	10	26.1	-1.5	0.913	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	22	12	18	10	27	-0.4	0.914	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	12	28	10	26.9	-1.4	0.914	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	12	38	10	26.2	-1.1	0.914	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	12	48	10	26.7	-1.5	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	22	12	58	10	26.1	-1.1	0.913	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	22	13	8	10	26.9	-1.8	0.914	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	22	13	18	10	27.3	-0.3	0.913	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	22	13	28	10	26.8	-1	0.914	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	22	13	38	10	24.5	-0.5	0.913	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	13	48	10	25.4	-0.7	0.914	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	13	58	10	26.4	0	0.913	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	22	14	8	10	25.8	-0.1	0.914	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	22	14	18	10	26.1	-0.6	0.913	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	22	14	28	10	27	-1.6	0.913	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	14	38	10	26.5	-0.6	0.913	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	22	14	48	10	26	-1	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	14	58	10	26.3	-1.1	0.913	0.6	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	22	15	8	10	27.1	-0.2	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	15	18	10	26.6	-0.1	0.913	0.5	0.5	0	56.8	58.5	0	157	162	0	25	26
2025	5	22	15	28	10	26.4	-0.4	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	15	38	10	26.5	-0.6	0.913	0.6	0.5	0	56.8	58.5	0	157	162	0	25	26
2025	5	22	15	48	10	25.7	0.3	0.913	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	15	58	10	26.7	-0.5	0.912	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	16	8	10	26.5	-1.3	0.912	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	22	16	18	10	25.4	0.5	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	16	28	10	26.5	-1.3	0.911	0.5	0.5	0	56.8	58	0	157	161	0	25	26
2025	5	22	16	38	10	25.7	-0.4	0.911	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	16	48	10	26.7	-1.5	0.912	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	22	16	58	10	26.8	-0.5	0.912	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	22	17	8	10	25.9	-0.4	0.912	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	17	18	10	26.4	-0.9	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	17	28	10	25.2	-0.1	0.912	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	17	38	10	26.3	-1	0.912	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	22	17	48	10	27.2	-1.9	0.912	0.5	0.4	0	56.8	58.9	0	158	162	0	26	25
2025	5	22	17	58	10	26.6	0	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	18	8	10	25.7	-1	0.911	0.6	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	18	18	10	26.1	-0.9	0.911	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	18	28	10	26.6	-0.8	0.911	0.6	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	18	38	10	26.2	-0.7	0.911	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	18	48	10	26	-0.4	0.912	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	18	58	10	25.9	-0.2	0.911	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	19	8	10	25.8	-1.9	0.911	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	19	18	10	25.7	0	0.911	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	19	28	10	26.1	-0.2	0.911	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	19	38	10	26.4	-0.7	0.911	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	19	48	10	26.2	-0.2	0.911	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	22	19	58	10	26.8	-0.6	0.911	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	22	20	8	10	26.1	-0.8	0.911	0.5	0.5	0	56.3	58.9	0	158	163	0	27	26
2025	5	22	20	18	10	25.7	-1.5	0.911	0.6	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	22	20	28	10	25.9	-1.2	0.911	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	22	20	38	10	25.9	-0.9	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	20	48	10	27.5	-0.9	0.911	0.6	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	20	58	10	26.6	-1.4	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	21	8	10	26.8	-0.8	0.911	0.5	0.5	0	56.8	58.5	0	157	162	0	25	26
2025	5	22	21	18	10	27.5	-0.4	0.911	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	21	28	10	25.8	0	0.911	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	21	38	10	24.4	-2.1	0.911	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	22	21	48	10	26.4	-1.4	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	21	58	10	25.8	-0.9	0.911	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	22	8	10	27.2	-0.5	0.912	0.5	0.5	0	56.3	58.9	0	157	162	0	26	25
2025	5	22	22	18	10	26.7	-1	0.911	0.5	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	22	22	28	10	26.6	-0.8	0.912	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	22	22	38	10	27.2	-1	0.911	0.5	0.5	0	55.9	58	0	156	162	0	26	27
2025	5	22	22	48	10	26.1	0	0.911	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	22	22	58	10	25.2	-0.8	0.911	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	23	8	10	27	-0.6	0.912	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	22	23	18	10	27	-1	0.911	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	22	23	28	10	26.5	-1	0.911	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	22	23	38	10	25.7	-1.3	0.911	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	22	23	48	10	26.4	-1.4	0.911	0.6	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	22	23	58	10	26.8	-1	0.911	0.6	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	0	8	10	26.7	-1.1	0.911	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	23	0	18	10	26.3	-1.9	0.911	0.5	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	5	23	0	28	10	25	-0.3	0.911	0.5	0.5	0	56.8	58.5	0	157	163	0	25	27
2025	5	23	0	38	10	27	-0.5	0.911	0.5	0.4	0	55.9	58.9	0	157	163	0	27	26
2025	5	23	0	48	10	25.9	-1.7	0.911	0.4	0.3	0	55.9	58.9	0	156	163	0	26	26
2025	5	23	0	58	10	26.4	-0.4	0.911	0.6	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	1	8	10	26.8	-0.5	0.911	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	1	18	10	25.3	-1.4	0.911	0.4	0.3	0	55.9	58	0	156	162	0	26	27
2025	5	23	1	28	10	26.9	-0.5	0.911	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	23	1	38	10	26.9	-1.7	0.911	0.4	0.3	0	55.9	58.5	0	156	162	0	26	26
2025	5	23	1	48	10	26	-0.9	0.911	0.4	0.3	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	1	58	10	27	0.6	0.911	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	2	8	10	25.5	-1.1	0.911	0.4	0.3	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	2	18	10	26.4	-0.2	0.911	0.5	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	2	28	10	26.5	-2.3	0.911	0.5	0.5	0	56.3	58.9	0	156	163	0	25	26
2025	5	23	2	38	10	25.6	-0.9	0.911	0.6	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	2	48	10	26.6	-1	0.911	0.5	0.5	0	55.9	58.9	0	157	163	0	27	26
2025	5	23	2	58	10	26.4	-1.7	0.911	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	23	3	8	10	27.5	-0.5	0.911	0.6	0.5	0	55.9	58.5	0	157	162	0	27	26
2025	5	23	3	18	10	26.9	-1.7	0.911	0.6	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	3	28	10	25.1	0	0.912	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	3	38	10	27.4	-1.6	0.911	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	3	48	10	27	-0.4	0.912	0.5	0.4	0	55.9	58.5	0	157	163	0	27	27
2025	5	23	3	58	10	24.7	-0.7	0.912	0.6	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	4	8	10	27	-1.5	0.912	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	4	18	10	27.7	-0.9	0.912	0.6	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	23	4	28	10	25.7	-1.7	0.913	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	4	38	10	25.8	-0.3	0.913	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	23	4	48	10	26.3	-2.2	0.913	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	23	4	58	10	25.6	0	0.914	0.5	0.4	0	55.9	58.9	0	157	163	0	27	26
2025	5	23	5	8	10	27.1	-1.8	0.914	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	5	18	10	27	-0.7	0.915	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	5	28	10	26.5	-0.9	0.915	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	5	38	10	26.8	-1.5	0.915	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	5	48	10	26.4	-1.3	0.916	0.5	0.4	0	55.9	58.5	0	157	163	0	27	27
2025	5	23	5	58	10	25.9	-0.9	0.916	0.5	0.4	0	56.8	58.5	0	157	163	0	25	27
2025	5	23	6	8	10	26.7	-0.6	0.916	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	6	18	10	26.3	-1.2	0.916	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	6	28	10	26	-0.2	0.916	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	6	38	10	26.8	-1.5	0.916	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	23	6	48	10	25.9	-0.9	0.916	0.4	0.3	0	56.8	58.5	0	158	163	0	26	27
2025	5	23	6	58	10	26.8	-1	0.916	0.5	0.4	0	56.3	58.9	0	157	164	0	26	27
2025	5	23	7	8	10	27.2	-0.8	0.916	0.5	0.5	0	55.9	58.9	0	157	163	0	27	26
2025	5	23	7	18	10	26.7	-1.3	0.916	0.4	0.3	0	55.9	58.5	0	157	163	0	27	27
2025	5	23	7	28	10	26.9	-1.6	0.916	0.5	0.4	0	55.9	58.5	0	157	163	0	27	27
2025	5	23	7	38	10	25.7	-1.8	0.916	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27
2025	5	23	7	48	10	25.9	-1.6	0.916	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	23	7	58	10	26.8	-1.5	0.916	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	8	8	10	25.5	-1.4	0.917	0.4	0.3	0	56.3	58	0	157	162	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	23	8	18	10	27.5	-1.4	0.917	0.5	0.5	0	55.9	58	0	156	162	0	26	27
2025	5	23	8	28	10	26.4	-1.1	0.917	0.5	0.4	0	55.9	58.9	0	157	163	0	27	26
2025	5	23	8	38	10	26.2	-1	0.917	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	23	8	48	10	26.5	-0.9	0.917	0.5	0.4	0	55.5	58	0	156	162	0	27	27
2025	5	23	8	58	10	26.8	-1.5	0.917	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	23	9	8	10	26.1	-1.4	0.917	0.4	0.3	0	55.9	58	0	156	162	0	26	27
2025	5	23	9	18	10	25.7	-2.1	0.917	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	23	9	28	10	26.7	-0.4	0.917	0.5	0.4	0	55.5	58	0	156	162	0	27	27
2025	5	23	9	38	10	26.1	-1.1	0.916	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	23	9	48	10	26.8	-0.9	0.916	0.5	0.4	0	55.5	58	0	156	162	0	27	27
2025	5	23	9	58	10	26.7	-1.2	0.917	0.5	0.4	0	55.5	58	0	155	162	0	26	27
2025	5	23	10	8	10	26	-1.7	0.916	0.5	0.4	0	55.5	58	0	155	162	0	26	27
2025	5	23	10	18	10	26.2	-1.2	0.916	0.5	0.5	0	55.5	58	0	155	162	0	26	27
2025	5	23	10	28	10	27.1	-2.3	0.916	0.6	0.5	0	55	58	0	155	162	0	27	27
2025	5	23	10	38	10	26.8	-0.8	0.916	0.5	0.5	0	55.5	58	0	155	162	0	26	27
2025	5	23	10	48	10	26.1	-1.3	0.915	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	23	10	58	10	25.9	-1	0.916	0.5	0.5	0	55.5	58.5	0	156	163	0	27	27
2025	5	23	11	8	10	27.7	-0.2	0.915	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	23	11	18	10	26.5	-1	0.914	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	23	11	28	10	26.1	-0.9	0.914	0.5	0.5	0	55.5	58	0	155	162	0	26	27
2025	5	23	11	38	10	26.5	-1.9	0.914	0.5	0.5	0	54.2	57.6	0	153	161	0	27	27
2025	5	23	11	48	10	27.6	-1.4	0.913	0.5	0.5	0	54.6	57.2	0	153	160	0	26	27
2025	5	23	11	58	10	26.7	-1.7	0.913	0.5	0.4	0	54.6	58	0	153	161	0	26	26
2025	5	23	12	8	10	27.3	-1.3	0.913	0.5	0.4	0	54.6	57.6	0	153	161	0	26	27
2025	5	23	12	18	10	27	-1.1	0.913	0.5	0.4	0	54.6	58.5	0	153	162	0	26	26
2025	5	23	12	28	10	26.4	-2	0.913	0.5	0.4	0	54.6	57.6	0	153	161	0	26	27
2025	5	23	12	38	10	26.8	-0.5	0.913	0.5	0.4	0	54.6	58	0	153	161	0	26	26
2025	5	23	12	48	10	26.7	-0.6	0.913	0.5	0.5	0	55	57.6	0	154	161	0	26	27
2025	5	23	12	58	10	27.2	-0.8	0.914	0.5	0.5	0	54.2	58	0	152	161	0	26	26
2025	5	23	13	8	10	26.1	-1.1	0.913	0.5	0.4	0	54.6	58.5	0	153	162	0	26	26
2025	5	23	13	18	10	26	-2.6	0.914	0.4	0.3	0	54.6	57.6	0	153	161	0	26	27
2025	5	23	13	28	10	26.7	-1.4	0.914	0.5	0.4	0	55	57.6	0	153	161	0	25	27
2025	5	23	13	38	10	27.2	-1.3	0.914	0.5	0.5	0	54.6	58	0	153	161	0	26	26
2025	5	23	13	48	10	27	-1.9	0.914	0.5	0.4	0	54.6	58	0	153	161	0	26	26
2025	5	23	13	58	10	27.8	-1.2	0.914	0.5	0.4	0	54.6	58.5	0	153	161	0	26	25
2025	5	23	14	8	10	27.2	-0.2	0.914	0.5	0.4	0	54.6	58	0	153	161	0	26	26
2025	5	23	14	18	10	26.8	-1.4	0.914	0.5	0.4	0	54.2	58	0	152	161	0	26	26
2025	5	23	14	28	10	26.3	-0.4	0.914	0.4	0.3	0	54.6	58.5	0	153	162	0	26	26
2025	5	23	14	38	10	26.1	-1.6	0.914	0.5	0.5	0	54.2	58	0	152	161	0	26	26
2025	5	23	14	48	10	27.7	-0.5	0.914	0.5	0.4	0	54.6	58	0	153	161	0	26	26
2025	5	23	14	58	10	26.4	-0.4	0.914	0.5	0.5	0	55	58.5	0	154	162	0	26	26
2025	5	23	15	8	10	27.4	-2	0.914	0.5	0.5	0	54.6	58	0	153	161	0	26	26
2025	5	23	15	18	10	26.3	-1.6	0.915	0.5	0.4	0	54.2	58	0	152	161	0	26	26
2025	5	23	15	28	10	26.4	-1.5	0.915	0.5	0.5	0	54.6	58.5	0	152	162	0	25	26
2025	5	23	15	38	10	27	-1	0.915	0.5	0.5	0	54.2	58.5	0	152	162	0	26	26
2025	5	23	15	48	10	25.1	-1	0.915	0.5	0.5	0	54.2	58.5	0	152	162	0	26	26
2025	5	23	15	58	10	26.1	-1.1	0.915	0.5	0.5	0	54.2	58	0	152	161	0	26	26
2025	5	23	16	8	10	25.7	-1	0.915	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	23	16	18	10	27.1	-1.8	0.916	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	23	16	28	10	27.1	-1	0.916	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	23	16	38	10	26.6	-1.7	0.916	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	23	16	48	10	24.9	0.2	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	23	16	58	10	26.3	-0.4	0.916	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	23	17	8	10	26.5	-1.6	0.916	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	23	17	18	10	25.6	-0.5	0.916	0.6	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	23	17	28	10	26.9	-0.9	0.916	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	23	17	38	10	26.9	-0.4	0.916	0.4	0.3	0	57.2	58	0	158	161	0	25	26
2025	5	23	17	48	10	27.3	-1.8	0.916	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	23	17	58	10	25.3	0.2	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	23	18	8	10	27.2	0.9	0.916	0.6	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	23	18	18	10	26.8	-0.3	0.916	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	23	18	28	10	25.9	-1	0.916	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	23	18	38	10	26.5	-1	0.916	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	23	18	48	10	26.5	-1.9	0.916	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	23	18	58	10	26.1	-1.4	0.916	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	23	19	8	10	27	0	0.916	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	23	19	18	10	26.6	-0.6	0.916	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	23	19	28	10	26.4	-1.2	0.916	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	23	19	38	10	26.4	-2	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	23	19	48	10	26.3	-1	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	23	19	58	10	25.1	-0.2	0.916	0.3	0.2	0	57.6	58.9	0	159	163	0	25	26
2025	5	23	20	8	10	26.8	-1	0.916	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	23	20	18	10	26.5	-0.8	0.916	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	23	20	28	10	26.5	-1	0.916	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	23	20	38	10	25.5	-0.9	0.916	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	23	20	48	10	27	-1.3	0.916	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	23	20	58	10	26.5	0	0.916	0.4	0.3	0	57.6	58.5	0	159	163	0	25	27
2025	5	23	21	8	10	26.7	-0.4	0.916	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	23	21	18	10	27.1	-1.3	0.916	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	23	21	28	10	26.5	-0.8	0.916	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	23	21	38	10	26.9	-0.6	0.916	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	23	21	48	10	26.8	-0.1	0.916	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	23	21	58	10	27.8	0	0.916	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	23	22	8	10	26.3	-0.8	0.916	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	23	22	18	10	25.8	-1	0.917	0.5	0.4	0	58	58.9	0	160	164	0	25	27
2025	5	23	22	28	10	26.2	-1.2	0.917	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	23	22	38	10	26.7	-1.2	0.917	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	23	22	48	10	26.4	-1.4	0.916	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	23	22	58	10	25.5	0	0.916	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	23	23	8	10	26	-0.4	0.917	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	23	23	18	10	25.8	0	0.917	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	23	23	28	10	25.6	-0.4	0.916	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	23	23	38	10	26.5	0	0.916	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	23	23	48	10	27.6	-0.5	0.916	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	23	23	58	10	27	-1.4	0.916	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	0	8	10	25.9	-0.3	0.916	0.5	0.5	0	58	58.5	0	160	163	0	25	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	24	0	18	10	26.9	-0.5	0.916	0.6	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	0	28	10	27.3	-0.4	0.916	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	0	38	10	26	-0.3	0.916	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	0	48	10	26	-0.4	0.916	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	0	58	10	26.4	-0.7	0.917	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	1	8	10	27.7	-0.6	0.917	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	1	18	10	27.1	-1.2	0.917	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	1	28	10	26.5	-1	0.916	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	1	38	10	27	-0.6	0.916	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	1	48	10	27.9	-2.2	0.916	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	24	1	58	10	26.4	-0.9	0.917	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	2	8	10	27.1	-0.5	0.917	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	2	18	10	27.8	-0.3	0.917	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	2	28	10	27.1	-0.1	0.917	0.4	0.3	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	2	38	10	26.3	-0.6	0.917	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	2	48	10	25.8	-0.8	0.917	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	2	58	10	25.8	-1.8	0.917	0.4	0.3	0	58	59.3	0	161	164	0	26	26
2025	5	24	3	8	10	24.8	-0.6	0.917	0.6	0.5	0	57.2	59.3	0	160	164	0	27	26
2025	5	24	3	18	10	25.5	-0.9	0.917	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	3	28	10	26.4	-1.9	0.918	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	3	38	10	25.9	-0.2	0.918	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	24	3	48	10	27.2	-1	0.918	0.6	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	3	58	10	26.9	-1.2	0.918	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	4	8	10	26.4	-2.1	0.918	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	4	18	10	26.7	-0.9	0.918	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	4	28	10	26.2	-0.7	0.918	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	4	38	10	26.3	-2.1	0.918	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	24	4	48	10	27.7	-1.8	0.918	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	24	4	58	10	26.9	-1.6	0.917	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	5	8	10	26.2	-0.2	0.918	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	24	5	18	10	27.1	-1.9	0.918	0.5	0.5	0	58	59.3	0	161	164	0	26	26
2025	5	24	5	28	10	27.9	-1.1	0.918	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	24	5	38	10	26	0	0.918	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	24	5	48	10	25.7	-1.5	0.918	0.5	0.4	0	58	59.3	0	161	165	0	26	27
2025	5	24	5	58	10	26	-1	0.918	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	24	6	8	10	26.7	-1.8	0.918	0.5	0.5	0	57.6	58.9	0	161	164	0	27	27
2025	5	24	6	18	10	27.6	-1.6	0.918	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	24	6	28	10	27.2	-0.6	0.917	0.5	0.4	0	58	58.9	0	161	164	0	26	27
2025	5	24	6	38	10	26.8	-1.5	0.918	0.5	0.4	0	57.2	58.9	0	160	164	0	27	27
2025	5	24	6	48	10	26	-1.2	0.917	0.5	0.5	0	57.2	58.9	0	160	164	0	27	27
2025	5	24	6	58	10	27.1	-0.9	0.918	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	7	8	10	26.4	-0.6	0.917	0.4	0.3	0	58	58.9	0	161	164	0	26	27
2025	5	24	7	18	10	27.1	-0.8	0.917	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	7	28	10	26.2	-0.5	0.917	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	24	7	38	10	27.5	-2.1	0.917	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	24	7	48	10	26.5	-0.4	0.917	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	7	58	10	26.9	-1.8	0.917	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	24	8	8	10	25.2	-0.9	0.917	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	24	8	18	10	26.4	-1.3	0.917	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	24	8	28	10	26.1	-0.8	0.917	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	24	8	38	10	27.8	-0.7	0.917	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	8	48	10	26.7	-2.3	0.916	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	24	8	58	10	26.6	-1.3	0.916	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	9	8	10	27.7	-0.9	0.916	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	24	9	18	10	27	-0.9	0.916	0.4	0.3	0	57.6	58	0	160	162	0	26	27
2025	5	24	9	28	10	27	-0.5	0.916	0.5	0.5	0	57.2	58.5	0	160	162	0	27	26
2025	5	24	9	38	10	27.7	-1.3	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	24	9	48	10	26.8	-0.9	0.915	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	9	58	10	26.6	-0.8	0.916	0.6	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	24	10	8	10	26.4	-0.5	0.915	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	24	10	18	10	25.2	-1	0.915	0.4	0.3	0	56.8	58.5	0	159	162	0	27	26
2025	5	24	10	28	10	26.6	-1.1	0.915	0.6	0.5	0	57.2	57.6	0	158	161	0	25	27
2025	5	24	10	38	10	27	-0.7	0.914	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	24	10	48	10	26	-1.4	0.914	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	24	10	58	10	26.6	-1.8	0.914	0.5	0.5	0	56.8	57.6	0	159	161	0	27	27
2025	5	24	11	8	10	25.5	-1	0.914	0.6	0.5	0	57.2	57.6	0	159	161	0	26	27
2025	5	24	11	18	10	25.9	-1.1	0.914	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	11	28	10	26.2	-1.7	0.913	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	11	38	10	26.5	-0.2	0.913	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	24	11	48	10	26.7	-1.5	0.913	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	24	11	58	10	27.1	-1.1	0.913	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	12	8	10	25.9	-1.9	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	12	18	10	26.6	-0.8	0.913	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	12	28	10	25.7	0	0.913	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	12	38	10	25.9	0.3	0.912	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	12	48	10	27.7	-1	0.912	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	12	58	10	25.7	-1.4	0.912	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	24	13	8	10	25.2	-1.3	0.912	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	24	13	18	10	26.5	-1.1	0.912	0.5	0.4	0	56.8	58	0	158	161	0	26	26
2025	5	24	13	28	10	25.7	-1.4	0.913	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	24	13	38	10	26.9	-1.4	0.912	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	24	13	48	10	26.5	-0.6	0.912	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	5	24	13	58	10	25.9	-1.7	0.912	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	14	8	10	26.9	-1.2	0.912	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	24	14	18	10	26.4	-1.6	0.912	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	24	14	28	10	26.4	-0.8	0.912	0.5	0.5	0	56.3	57.2	0	157	160	0	26	27
2025	5	24	14	38	10	25	-0.4	0.912	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	24	14	48	10	27.2	-0.8	0.912	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	24	14	58	10	25.2	-1.8	0.912	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	24	15	8	10	26.9	-1	0.912	0.4	0.3	0	56.8	57.6	0	157	160	0	25	26
2025	5	24	15	18	10	26.8	-0.5	0.912	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	5	24	15	28	10	27.2	-1.1	0.913	0.4	0.3	0	56.8	57.2	0	157	160	0	25	27
2025	5	24	15	38	10	26.4	-2.3	0.913	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	15	48	10	26.3	-1.4	0.913	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	15	58	10	26.9	-0.5	0.913	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	16	8	10	26.3	-1.3	0.913	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	24	16	18	10	26.2	-1.2	0.913	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	16	28	10	27.2	-1	0.913	0.3	0.2	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	16	38	10	26.4	-0.1	0.913	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	16	48	10	27	-1.7	0.913	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	16	58	10	26.8	-1.4	0.913	0.4	0.3	0	55.9	57.2	0	156	160	0	26	27
2025	5	24	17	8	10	25.9	-0.8	0.913	0.5	0.5	0	55.5	57.2	0	155	159	0	26	26
2025	5	24	17	18	10	26.8	-0.3	0.913	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	5	24	17	28	10	27.1	-0.5	0.913	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	24	17	38	10	25.9	-1	0.912	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	24	17	48	10	26.8	-1.6	0.913	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	24	17	58	10	26.4	-1	0.913	0.6	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	24	18	8	10	26.8	-1.4	0.913	0.4	0.3	0	55.5	57.6	0	155	160	0	26	26
2025	5	24	18	18	10	25.6	-1	0.913	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	24	18	28	10	26.8	-0.4	0.913	0.3	0.2	0	55.9	57.6	0	156	160	0	26	26
2025	5	24	18	38	10	26.2	-0.2	0.913	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	24	18	48	10	28	-0.5	0.913	0.5	0.5	0	56.3	57.2	0	156	160	0	25	27
2025	5	24	18	58	10	26.2	-1.7	0.913	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	24	19	8	10	25.8	0	0.913	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	24	19	18	10	26.2	-0.5	0.913	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	24	19	28	10	26	-1.4	0.913	0.5	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	24	19	38	10	25.9	-1.3	0.913	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	24	19	48	10	27	-0.7	0.913	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	24	19	58	10	26.4	-1.6	0.913	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	20	8	10	25.9	-1.8	0.913	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	24	20	18	10	26.9	-0.8	0.913	0.5	0.4	0	57.6	58	0	159	162	0	25	27
2025	5	24	20	28	10	25.7	-1.3	0.913	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	20	38	10	26.6	-1.7	0.913	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	24	20	48	10	26.3	-0.5	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	20	58	10	26.9	-1.1	0.913	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	21	8	10	26.7	-0.6	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	21	18	10	27	-0.5	0.913	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	24	21	28	10	26.5	0.4	0.913	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	21	38	10	27	-1.6	0.913	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	21	48	10	26.7	-0.6	0.913	0.4	0.3	0	57.2	57.6	0	159	161	0	26	27
2025	5	24	21	58	10	26.6	-1.2	0.913	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	22	8	10	26.8	-1.4	0.913	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	22	18	10	25.4	-1	0.913	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	22	28	10	27.2	-1.9	0.913	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	24	22	38	10	25.5	-0.1	0.913	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	24	22	48	10	26.3	-0.6	0.913	0.4	0.3	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	22	58	10	27.7	-0.5	0.914	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	23	8	10	26.4	-1	0.914	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	23	18	10	26.2	-1.4	0.914	0.4	0.3	0	57.2	58.5	0	160	163	0	27	27
2025	5	24	23	28	10	26.5	-1.3	0.914	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	24	23	38	10	26.3	-1.6	0.915	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	24	23	48	10	26.8	-0.8	0.916	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	24	23	58	10	26.3	-0.6	0.916	0.6	0.5	0	57.6	58.9	0	160	162	0	26	25
2025	5	25	0	8	10	26.1	-0.4	0.916	0.5	0.4	0	58	58	0	160	162	0	25	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	25	0	18	10	26.6	-0.8	0.917	0.3	0.2	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	0	28	10	27	-0.5	0.917	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	25	0	38	10	26.5	-0.8	0.917	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	25	0	48	10	27	-1.3	0.917	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	25	0	58	10	26.1	-1.6	0.918	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	25	1	8	10	26.4	-1.2	0.917	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	25	1	18	10	26.1	-1.3	0.918	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	25	1	28	10	25.6	-0.9	0.918	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	25	1	38	10	26.2	-1.5	0.918	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	25	1	48	10	26.8	-1.2	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	1	58	10	25.4	-2.3	0.918	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	25	2	8	10	26.6	-1.1	0.918	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	25	2	18	10	27.2	-1	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	2	28	10	26.1	-1.3	0.918	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	2	38	10	26.8	-1.4	0.918	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	2	48	10	28.2	-1.1	0.918	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	25	2	58	10	27.2	-1.5	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	3	8	10	26.3	-0.9	0.918	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	25	3	18	10	25.6	-0.1	0.918	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	3	28	10	26.5	-0.7	0.918	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	25	3	38	10	27	-1.8	0.918	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	25	3	48	10	27.3	-1.8	0.918	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	3	58	10	27.7	-0.9	0.918	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	25	4	8	10	26.9	-1.1	0.918	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	4	18	10	27.6	-0.9	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	4	28	10	26.5	-1.4	0.918	0.6	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	4	38	10	26.9	-1.8	0.918	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	4	48	10	26.6	-0.7	0.918	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	25	4	58	10	27.5	-0.9	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	5	8	10	26.6	-0.4	0.918	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	25	5	18	10	25.5	-1.2	0.918	0.5	0.4	0	57.2	58	0	160	162	0	27	27
2025	5	25	5	28	10	25.9	-0.9	0.918	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	25	5	38	10	26.8	-2	0.918	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	25	5	48	10	26.8	-1.7	0.918	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	25	5	58	10	26.9	-1.3	0.918	0.5	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	25	6	8	10	27.7	-1.1	0.918	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	25	6	18	10	25.8	-1	0.918	0.6	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	25	6	28	10	26.6	-1.4	0.918	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	25	6	38	10	25	-1.1	0.918	0.6	0.5	0	57.2	58.9	0	160	163	0	27	26
2025	5	25	6	48	10	27.5	-0.8	0.918	0.5	0.5	0	57.2	58	0	160	162	0	27	27
2025	5	25	6	58	10	26.6	-0.4	0.918	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	7	8	10	26.2	-0.9	0.918	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	25	7	18	10	25.8	0	0.918	0.5	0.4	0	57.2	58.5	0	160	163	0	27	27
2025	5	25	7	28	10	27.2	-0.9	0.918	0.5	0.4	0	56.8	58	0	159	162	0	27	27
2025	5	25	7	38	10	27.1	-1.3	0.918	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	25	7	48	10	26.8	-0.1	0.918	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	25	7	58	10	27.6	-1	0.918	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	8	8	10	25.9	-1.4	0.918	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	25	8	18	10	27.8	-1.1	0.919	0.5	0.5	0	56.8	58	0	159	162	0	27	27
2025	5	25	8	28	10	26.4	-1.4	0.919	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	25	8	38	10	25.9	-1.5	0.919	0.4	0.3	0	56.8	58	0	159	162	0	27	27
2025	5	25	8	48	10	26.5	-0.5	0.919	0.4	0.3	0	56.8	58.5	0	159	163	0	27	27
2025	5	25	8	58	10	26.2	-1.8	0.919	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	9	8	10	26.4	-1.6	0.919	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	9	18	10	27.1	-2.2	0.919	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	9	28	10	27	-1.8	0.919	0.5	0.5	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	9	38	10	25.4	-1	0.919	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	9	48	10	26.7	-1.4	0.919	0.4	0.3	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	9	58	10	26	-1	0.919	0.5	0.4	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	10	8	10	26.9	-1.1	0.919	0.5	0.5	0	55.9	57.2	0	157	160	0	27	27
2025	5	25	10	18	10	25.6	-1	0.92	0.5	0.4	0	56.8	57.6	0	158	161	0	26	27
2025	5	25	10	28	10	25.8	-0.9	0.92	0.5	0.4	0	55.9	57.2	0	157	160	0	27	27
2025	5	25	10	38	10	27.1	-1.4	0.92	0.6	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	10	48	10	26.6	0	0.92	0.4	0.3	0	56.3	57.6	0	158	161	0	27	27
2025	5	25	10	58	10	26.8	-0.4	0.92	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	11	8	10	26.8	-1.2	0.92	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	11	18	10	25.9	-0.9	0.92	0.5	0.5	0	56.8	57.6	0	158	161	0	26	27
2025	5	25	11	28	10	26.8	-1.8	0.921	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	25	11	38	10	25.4	0	0.921	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	25	11	48	10	27.3	-1.7	0.921	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	11	58	10	27.3	-1.5	0.921	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	25	12	8	10	26	-2	0.921	0.5	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	25	12	18	10	27.5	-0.8	0.922	0.5	0.4	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	12	28	10	27.1	-0.8	0.922	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	25	12	38	10	26.9	-1.5	0.922	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	25	12	48	10	27.2	0.3	0.922	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	25	12	58	10	27.1	-0.7	0.923	0.6	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	25	13	8	10	27.3	-1.1	0.922	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	25	13	18	10	27.5	-0.5	0.923	0.5	0.5	0	55.9	57.6	0	157	161	0	27	27
2025	5	25	13	28	10	26.3	-0.4	0.923	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	13	38	10	27.6	-1.7	0.923	0.5	0.5	0	55.9	58	0	157	161	0	27	26
2025	5	25	13	48	10	26.9	-1	0.923	0.6	0.5	0	56.3	57.6	0	157	161	0	26	27
2025	5	25	13	58	10	26.5	-1.2	0.923	0.5	0.4	0	56.3	57.6	0	157	161	0	26	27
2025	5	25	14	8	10	26.4	-1	0.923	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	5	25	14	18	10	26.3	-1	0.924	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	25	14	28	10	27.1	-1.3	0.924	0.6	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	25	14	38	10	27.1	-1.1	0.924	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	25	14	48	10	27.5	-0.7	0.924	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	25	14	58	10	27	-1.4	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	15	8	10	27.2	-1.4	0.925	0.6	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	25	15	18	10	27.2	-0.7	0.925	0.6	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	15	28	10	26.6	-1.5	0.924	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	25	15	38	10	28.7	-1.7	0.925	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	25	15	48	10	27.5	-0.5	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	15	58	10	27.9	-0.4	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	16	8	10	27.6	-0.2	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26

Mazourka (0354)																			
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	25	16	18	10	26.7	-1.2	0.925	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	25	16	28	10	26.2	-0.4	0.925	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	16	38	10	26.8	-1.5	0.926	0.4	0.3	0	56.3	58	0	157	162	0	26	27
2025	5	25	16	48	10	26.7	-0.8	0.924	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	25	16	58	10	27.7	-0.1	0.926	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	17	8	10	27.7	-0.7	0.926	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	17	18	10	26.9	-0.9	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	17	28	10	27.9	-1.4	0.925	0.5	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	5	25	17	38	10	27.5	-0.5	0.925	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	17	48	10	26.6	-0.7	0.925	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	17	58	10	25.7	-0.4	0.925	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	25	18	8	10	27	-0.8	0.926	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	25	18	18	10	27.2	-0.5	0.926	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	18	28	10	28.2	-1	0.926	0.5	0.5	0	56.3	58.9	0	157	162	0	26	25
2025	5	25	18	38	10	25.7	-1.5	0.926	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	18	48	10	28	-1	0.927	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	25	18	58	10	26.5	-0.1	0.927	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	25	19	8	10	26.8	-0.1	0.927	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	5	25	19	18	10	27.4	-1	0.927	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	25	19	28	10	26.7	0.3	0.927	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	5	25	19	38	10	27	0	0.927	0.5	0.5	0	56.8	58.9	0	157	163	0	25	26
2025	5	25	19	48	10	28.2	-1	0.927	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	25	19	58	10	27.5	-1	0.927	0.6	0.5	0	56.3	58.9	0	156	163	0	25	26
2025	5	25	20	8	10	26.7	-1.1	0.927	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	25	20	18	10	27.9	-1.4	0.927	0.6	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	25	20	28	10	28.1	-1.9	0.927	0.5	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	25	20	38	10	27	-1.5	0.927	0.5	0.5	0	56.3	59.3	0	156	164	0	25	26
2025	5	25	20	48	10	27.6	-2	0.927	0.5	0.5	0	55.9	58.9	0	155	163	0	25	26
2025	5	25	20	58	10	27.1	-1	0.927	0.5	0.4	0	55.5	58.9	0	155	163	0	26	26
2025	5	25	21	8	10	26.9	-0.9	0.927	0.6	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	25	21	18	10	27.9	-0.2	0.927	0.5	0.4	0	55.9	59.3	0	155	164	0	25	26
2025	5	25	21	28	10	27.4	-0.9	0.927	0.6	0.5	0	55.5	58.9	0	154	163	0	25	26
2025	5	25	21	38	10	27.7	-0.9	0.927	0.5	0.5	0	55.9	59.3	0	155	163	0	25	25
2025	5	25	21	48	10	26.5	-0.1	0.927	0.5	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	25	21	58	10	26.6	-1.3	0.927	0.5	0.4	0	55	58.9	0	154	163	0	26	26
2025	5	25	22	8	10	27	-1	0.927	0.5	0.4	0	55.5	58.9	0	154	163	0	25	26
2025	5	25	22	18	10	27.3	-1	0.927	0.4	0.3	0	55	58.5	0	154	163	0	26	27
2025	5	25	22	28	10	27.1	-1.1	0.927	0.4	0.3	0	55.9	59.3	0	155	163	0	25	25
2025	5	25	22	38	10	27.3	-1	0.927	0.5	0.4	0	55.5	58.9	0	154	163	0	25	26
2025	5	25	22	48	10	27.2	-1	0.927	0.5	0.5	0	55	58.5	0	154	163	0	26	27
2025	5	25	22	58	10	27.2	-1	0.927	0.5	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	25	23	8	10	27.7	-1.2	0.927	0.5	0.4	0	55	58.9	0	154	163	0	26	26
2025	5	25	23	18	10	27.9	-1	0.927	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	25	23	28	10	27	-0.5	0.927	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	25	23	38	10	27.4	-1.1	0.927	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	25	23	48	10	28.3	-0.7	0.927	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	25	23	58	10	27.3	-1	0.927	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	26	0	8	10	26.7	-1.6	0.927	0.4	0.3	0	57.6	58.5	0	160	163	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	26	0	18	10	26.5	0	0.927	0.5	0.5	0	58	58.9	0	160	164	0	25	27
2025	5	26	0	28	10	27.2	0.3	0.927	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	26	0	38	10	27.1	0.1	0.927	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	26	0	48	10	27.3	-1.5	0.927	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	0	58	10	26.8	-1.2	0.927	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	1	8	10	26.7	-1.3	0.927	0.6	0.5	0	58	58.5	0	160	163	0	25	27
2025	5	26	1	18	10	27.4	-1	0.927	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	1	28	10	27	-1.2	0.927	0.6	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	1	38	10	27.1	0	0.927	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	1	48	10	26.8	-0.5	0.927	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	1	58	10	27	-1.1	0.927	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	2	8	10	27.9	-1	0.927	0.5	0.4	0	58	58.9	0	160	164	0	25	27
2025	5	26	2	18	10	27.3	-0.7	0.927	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	2	28	10	27.7	-0.5	0.927	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	2	38	10	27.5	-0.8	0.927	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	2	48	10	28.1	-0.9	0.927	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	2	58	10	26.7	-0.1	0.927	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	26	3	8	10	26.2	-0.6	0.927	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	26	3	18	10	26.1	-0.5	0.928	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	3	28	10	26.8	-0.7	0.928	0.5	0.4	0	58	58.9	0	160	164	0	25	27
2025	5	26	3	38	10	26.6	-1.9	0.928	0.6	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	3	48	10	26.7	-1	0.929	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	3	58	10	27.4	-0.5	0.929	0.5	0.4	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	4	8	10	26.5	-1.3	0.929	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	4	18	10	27.7	-1.1	0.929	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	26	4	28	10	27.4	-0.7	0.929	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	4	38	10	27.6	-0.5	0.929	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	4	48	10	28.4	-1.4	0.929	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	4	58	10	26.7	-1.4	0.929	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	5	8	10	27.7	-0.9	0.93	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	26	5	18	10	27.1	-0.9	0.93	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	26	5	28	10	26.6	0	0.93	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26
2025	5	26	5	38	10	26.7	-1.5	0.93	0.5	0.4	0	57.6	59.8	0	160	165	0	26	26
2025	5	26	5	48	10	26.8	-0.9	0.93	0.5	0.5	0	57.6	58.9	0	160	164	0	26	27
2025	5	26	5	58	10	27.6	-0.6	0.93	0.6	0.5	0	57.6	59.8	0	160	165	0	26	26
2025	5	26	6	8	10	26.7	-0.9	0.93	0.5	0.4	0	57.6	59.8	0	160	165	0	26	26
2025	5	26	6	18	10	27.4	-0.7	0.93	0.5	0.5	0	57.6	59.8	0	160	165	0	26	26
2025	5	26	6	28	10	27.2	-0.9	0.93	0.3	0.2	0	57.2	59.3	0	160	165	0	27	27
2025	5	26	6	38	10	27.9	-2	0.93	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	26	6	48	10	26.8	-0.9	0.93	0.5	0.4	0	58	59.8	0	160	165	0	25	26
2025	5	26	6	58	10	27.4	-2	0.93	0.4	0.3	0	57.2	58.9	0	159	164	0	26	27
2025	5	26	7	8	10	25.7	-1.5	0.93	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	26	7	18	10	28	-0.5	0.93	0.5	0.4	0	56.8	59.3	0	159	164	0	27	26
2025	5	26	7	28	10	27.6	-1.9	0.93	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	26	7	38	10	27.5	-1.5	0.929	0.3	0.2	0	57.2	59.3	0	159	164	0	26	26
2025	5	26	7	48	10	27.5	-1.9	0.929	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	26	7	58	10	26.2	-1	0.929	0.5	0.4	0	56.3	58.9	0	158	164	0	27	27
2025	5	26	8	8	10	26.7	-1.7	0.929	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	26	8	18	10	26.9	-0.7	0.929	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	26	8	28	10	27.5	-1.9	0.929	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	26	8	38	10	27.4	-1.6	0.929	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	26	8	48	10	28.1	-1.9	0.929	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	26	8	58	10	25.6	-0.8	0.929	0.5	0.4	0	56.3	58.9	0	158	163	0	27	26
2025	5	26	9	8	10	27.9	-1.4	0.928	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	26	9	18	10	26.1	-1.5	0.929	0.5	0.4	0	55.5	58.5	0	156	162	0	27	26
2025	5	26	9	28	10	27.8	-0.5	0.928	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	26	9	38	10	27.6	-1.1	0.927	0.5	0.5	0	55.5	58	0	156	161	0	27	26
2025	5	26	9	48	10	28.5	-1.6	0.926	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	26	9	58	10	26.6	-1.3	0.925	0.6	0.5	0	55.5	57.6	0	155	161	0	26	27
2025	5	26	10	8	10	26.9	-1.2	0.925	0.5	0.5	0	55.5	57.6	0	156	161	0	27	27
2025	5	26	10	18	10	26.2	-1.1	0.925	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	26	10	28	10	27.1	-1.3	0.925	0.5	0.4	0	55.5	58	0	156	162	0	27	27
2025	5	26	10	38	10	27.4	-0.5	0.925	0.5	0.4	0	55.5	58	0	155	161	0	26	26
2025	5	26	10	48	10	28	-1.1	0.925	0.4	0.3	0	55.5	58	0	155	161	0	26	26
2025	5	26	10	58	10	28.2	-0.1	0.925	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	26	11	8	10	27.6	-1.7	0.925	0.5	0.4	0	55.5	57.2	0	155	160	0	26	27
2025	5	26	11	18	10	27.2	-0.8	0.925	0.5	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	26	11	28	10	28	-1.6	0.924	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	11	38	10	27.5	-1.1	0.925	0.4	0.3	0	55	57.2	0	154	160	0	26	27
2025	5	26	11	48	10	27	-1.4	0.925	0.5	0.4	0	55	57.2	0	154	160	0	26	27
2025	5	26	11	58	10	27.2	-0.6	0.925	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	26	12	8	10	26.6	-1.2	0.925	0.6	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	26	12	18	10	27	-1.9	0.925	0.6	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	26	12	28	10	27.6	-1.2	0.925	0.5	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	26	12	38	10	27.6	-1.2	0.925	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	26	12	48	10	26.7	-1.2	0.926	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	12	58	10	27.2	-0.9	0.926	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	13	8	10	26.7	-0.9	0.926	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	13	18	10	28.3	0.2	0.926	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	26	13	28	10	27.8	-1.7	0.926	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	26	13	38	10	27.5	-0.7	0.926	0.5	0.5	0	54.6	56.8	0	153	159	0	26	27
2025	5	26	13	48	10	27.3	-1	0.926	0.5	0.4	0	54.2	57.2	0	152	159	0	26	26
2025	5	26	13	58	10	27.7	-0.4	0.927	0.5	0.5	0	54.2	57.2	0	152	159	0	26	26
2025	5	26	14	8	10	27	-0.7	0.926	0.5	0.5	0	55	57.2	0	153	159	0	25	26
2025	5	26	14	18	10	26.9	-0.4	0.926	0.5	0.4	0	55	57.2	0	153	159	0	25	26
2025	5	26	14	28	10	27.8	-1.3	0.926	0.6	0.5	0	55	57.2	0	153	159	0	25	26
2025	5	26	14	38	10	27.9	-0.5	0.926	0.4	0.3	0	55	57.2	0	153	159	0	25	26
2025	5	26	14	48	10	28.4	-0.4	0.926	0.5	0.4	0	54.6	57.2	0	153	159	0	26	26
2025	5	26	14	58	10	27	-0.6	0.926	0.5	0.4	0	54.6	57.6	0	153	159	0	26	25
2025	5	26	15	8	10	27	-1.3	0.927	0.5	0.5	0	54.2	57.2	0	152	159	0	26	26
2025	5	26	15	18	10	27.4	0.3	0.926	0.5	0.5	0	55	57.2	0	153	159	0	25	26
2025	5	26	15	28	10	27.2	-0.4	0.927	0.5	0.4	0	54.6	57.2	0	153	159	0	26	26
2025	5	26	15	38	10	26.3	-0.8	0.927	0.5	0.4	0	54.6	57.2	0	153	159	0	26	26
2025	5	26	15	48	10	26.5	-0.9	0.927	0.5	0.4	0	55	57.2	0	153	159	0	25	26
2025	5	26	15	58	10	27	-0.6	0.926	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	5	26	16	8	10	27.3	-1.3	0.926	0.5	0.5	0	54.6	57.6	0	153	160	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	26	16	18	10	26.5	-0.5	0.924	0.4	0.3	0	54.6	56.8	0	153	159	0	26	27
2025	5	26	16	28	10	26.9	-0.4	0.926	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	16	38	10	27.7	-0.7	0.924	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	26	16	48	10	27.5	0.1	0.926	0.5	0.5	0	55	58	0	154	160	0	26	25
2025	5	26	16	58	10	27.7	-0.4	0.925	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	26	17	8	10	26.4	0	0.925	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	17	18	10	26.1	-1.5	0.926	0.5	0.4	0	55.5	58	0	154	160	0	25	25
2025	5	26	17	28	10	27.4	-1.2	0.925	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	26	17	38	10	27.4	-1.5	0.925	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	26	17	48	10	28.4	-1	0.925	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	26	17	58	10	26.7	-0.9	0.925	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	26	18	8	10	27.3	-1.4	0.925	0.5	0.5	0	55	58	0	155	161	0	27	26
2025	5	26	18	18	10	27.1	-1.2	0.924	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	26	18	28	10	26.8	-1.3	0.924	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	26	18	38	10	26.1	-1.3	0.925	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	5	26	18	48	10	26.3	-0.3	0.924	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	26	18	58	10	26.7	0	0.925	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	26	19	8	10	26.6	-1	0.925	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	26	19	18	10	26.5	-1.1	0.924	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	26	19	28	10	26.7	-0.2	0.925	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	26	19	38	10	27	-1.9	0.924	0.6	0.5	0	56.8	58	0	157	161	0	25	26
2025	5	26	19	48	10	27	-0.5	0.924	0.5	0.4	0	56.3	58	0	156	161	0	25	26
2025	5	26	19	58	10	26.8	-1.6	0.924	0.5	0.5	0	55.5	57.6	0	156	161	0	27	27
2025	5	26	20	8	10	27.8	-0.8	0.925	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	26	20	18	10	27.8	-1	0.924	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	26	20	28	10	26.4	-0.5	0.924	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	26	20	38	10	26.9	-1	0.924	0.5	0.5	0	56.8	58.5	0	157	162	0	25	26
2025	5	26	20	48	10	26.7	-0.2	0.924	0.7	0.6	0	56.3	58.5	0	157	162	0	26	26
2025	5	26	20	58	10	26.7	-1	0.924	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	26	21	8	10	27.3	-1.2	0.923	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	26	21	18	10	26.8	-0.5	0.923	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	26	21	28	10	27.3	-0.3	0.924	0.6	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	26	21	38	10	28	-0.7	0.924	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	26	21	48	10	26.4	-0.5	0.924	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	26	21	58	10	27.3	-1.1	0.924	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	26	22	8	10	27.7	-0.9	0.923	0.5	0.5	0	55.9	58	0	156	162	0	26	27
2025	5	26	22	18	10	27	-0.7	0.923	0.5	0.4	0	55.9	58.5	0	155	162	0	25	26
2025	5	26	22	28	10	26.8	-1.6	0.924	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	5	26	22	38	10	26.2	-1	0.924	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	26	22	48	10	28.3	-0.2	0.924	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	26	22	58	10	27.2	-1	0.924	0.6	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	26	23	8	10	28.1	-1.1	0.924	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	26	23	18	10	28	-1.7	0.924	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	26	23	28	10	27	-0.5	0.924	0.5	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	26	23	38	10	26.2	-1.4	0.924	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	26	23	48	10	27	-1.9	0.924	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	26	23	58	10	26.7	-1.1	0.924	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	27	0	8	10	27.4	-1.8	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	27	0	18	10	27.4	-2.1	0.923	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	27	0	28	10	25.8	-1.4	0.923	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	5	27	0	38	10	26.6	-0.4	0.923	0.5	0.4	0	57.2	58.9	0	159	162	0	26	25
2025	5	27	0	48	10	26.7	-0.8	0.923	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	27	0	58	10	27	-1.1	0.923	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	27	1	8	10	27.2	-1.4	0.923	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	27	1	18	10	26.7	-0.1	0.923	0.5	0.5	0	57.2	58	0	159	162	0	26	27
2025	5	27	1	28	10	26.6	-0.9	0.923	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	27	1	38	10	26.7	-0.1	0.923	0.5	0.4	0	57.2	58	0	158	162	0	25	27
2025	5	27	1	48	10	27.1	-0.2	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	27	1	58	10	26.9	0	0.923	0.5	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	5	27	2	8	10	28.3	-1.4	0.923	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	27	2	18	10	26.4	-1.2	0.923	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	27	2	28	10	26.2	-0.4	0.923	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	2	38	10	26.3	-2	0.923	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	2	48	10	26.7	-0.9	0.923	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	2	58	10	26.7	-1.4	0.923	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	3	8	10	27.1	-1.3	0.923	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	3	18	10	27.6	-0.9	0.923	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	3	28	10	26.5	-1.1	0.923	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	3	38	10	27.6	-0.9	0.923	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	3	48	10	26.9	-1.4	0.922	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	3	58	10	27	-0.6	0.922	0.3	0.2	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	4	8	10	27.2	-0.9	0.922	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	4	18	10	27.2	-0.4	0.923	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	4	28	10	26.4	-1.5	0.922	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	4	38	10	27.1	-1.1	0.922	0.6	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	4	48	10	27.6	-0.8	0.923	0.5	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	27	4	58	10	26.5	-0.9	0.922	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	5	8	10	27.4	-2.2	0.922	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	5	18	10	27.3	-1.3	0.922	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	5	28	10	27	-0.5	0.923	0.6	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	5	38	10	27	-1.5	0.923	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	27	5	48	10	27.2	-1	0.922	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	5	58	10	26.3	-1.3	0.922	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	27	6	8	10	27.3	-0.7	0.922	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	6	18	10	27.9	-0.6	0.922	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	27	6	28	10	26.3	-1.5	0.923	0.4	0.3	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	6	38	10	25.9	-1.5	0.922	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	6	48	10	27.3	-2	0.922	0.4	0.3	0	57.2	59.3	0	159	164	0	26	26
2025	5	27	6	58	10	26	-1.7	0.922	0.4	0.3	0	57.2	58.5	0	159	163	0	26	27
2025	5	27	7	8	10	26.4	-1.3	0.922	0.5	0.5	0	56.8	58.9	0	159	164	0	27	27
2025	5	27	7	18	10	26.9	-0.9	0.923	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	27	7	28	10	26.3	-1.8	0.923	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	27	7	38	10	27.3	-0.9	0.923	0.5	0.4	0	56.3	58.9	0	158	163	0	27	26
2025	5	27	7	48	10	26.7	-1.3	0.923	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	7	58	10	27.4	-1.8	0.922	0.4	0.3	0	56.3	58.5	0	158	163	0	27	27
2025	5	27	8	8	10	26.2	-0.9	0.923	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	27	8	18	10	26.7	-0.5	0.922	0.5	0.5	0	56.3	58.9	0	158	163	0	27	26
2025	5	27	8	28	10	26.6	-1.1	0.923	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	8	38	10	26.7	-1.1	0.923	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27
2025	5	27	8	48	10	26.6	-1.3	0.923	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	8	58	10	26.7	-1.4	0.923	0.5	0.5	0	55.9	58	0	157	162	0	27	27
2025	5	27	9	8	10	26.4	-1.1	0.922	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	27	9	18	10	26.8	-2.1	0.923	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	27	9	28	10	26.3	-1.7	0.923	0.4	0.3	0	55.9	58.5	0	157	163	0	27	27
2025	5	27	9	38	10	26.4	-1.4	0.922	0.5	0.4	0	55.9	58	0	157	162	0	27	27
2025	5	27	9	48	10	27.3	-0.6	0.923	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	27	9	58	10	27.3	-1	0.923	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	27	10	8	10	28.4	-1.6	0.922	0.5	0.5	0	55.9	58.5	0	157	162	0	27	26
2025	5	27	10	18	10	27.5	-0.5	0.922	0.4	0.3	0	55.9	58	0	156	161	0	26	26
2025	5	27	10	28	10	27.4	-1.6	0.923	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	27	10	38	10	27	-1.3	0.922	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	27	10	48	10	26	-1.2	0.922	0.4	0.3	0	55.9	58.5	0	156	162	0	26	26
2025	5	27	10	58	10	27.2	-1.4	0.922	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	11	8	10	26.3	-2.3	0.922	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	11	18	10	25.9	-0.5	0.922	0.6	0.5	0	56.3	58.5	0	158	162	0	27	26
2025	5	27	11	28	10	26.2	-0.6	0.922	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	27	11	38	10	27.2	-1.7	0.922	0.5	0.5	0	56.3	58	0	157	162	0	26	27
2025	5	27	11	48	10	26.7	-1.2	0.923	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	27	11	58	10	26.7	-2	0.922	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	27	12	8	10	26.3	-1.8	0.922	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	27	12	18	10	27.3	-1.1	0.922	0.4	0.3	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	12	28	10	27	-0.5	0.922	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	12	38	10	26	-0.8	0.922	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	12	48	10	27	-1.1	0.923	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	27	12	58	10	26.6	-1.5	0.923	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	27	13	8	10	26.5	-0.5	0.922	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	27	13	18	10	27.1	-2.2	0.922	0.5	0.5	0	56.8	58	0	157	162	0	25	27
2025	5	27	13	28	10	26.6	0.2	0.923	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	13	38	10	27.2	-0.8	0.923	0.5	0.5	0	55.9	58.5	0	157	162	0	27	26
2025	5	27	13	48	10	27.7	-1.1	0.922	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	13	58	10	26.7	-0.6	0.923	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	14	8	10	26.7	-1.7	0.923	0.6	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	27	14	18	10	27.1	-1	0.922	0.5	0.4	0	56.8	58	0	157	161	0	25	26
2025	5	27	14	28	10	27	-0.5	0.921	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	27	14	38	10	27.3	-0.8	0.923	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	27	14	48	10	26.8	-1.3	0.921	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	27	14	58	10	26.3	-1.5	0.922	0.5	0.5	0	56.3	58	0	157	161	0	26	26
2025	5	27	15	8	10	27.4	-0.4	0.922	0.5	0.4	0	56.3	58.5	0	157	161	0	26	25
2025	5	27	15	18	10	26.9	-1.4	0.921	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	27	15	28	10	26.9	-1.2	0.921	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	27	15	38	10	27	-1	0.92	0.5	0.5	0	55.9	58.5	0	156	161	0	26	25
2025	5	27	15	48	10	26.7	-1.2	0.92	0.4	0.3	0	55.9	57.6	0	156	160	0	26	26
2025	5	27	15	58	10	27.6	0.4	0.919	0.5	0.5	0	56.3	58	0	156	161	0	25	26
2025	5	27	16	8	10	27.6	-0.8	0.92	0.5	0.4	0	55.9	58	0	156	161	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	27	16	18	10	27	-0.8	0.919	0.5	0.4	0	55.9	58	0	156	161	0	26	26
2025	5	27	16	28	10	27.6	-1.2	0.919	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	27	16	38	10	25.6	-1.7	0.919	0.4	0.3	0	56.3	57.6	0	157	161	0	26	27
2025	5	27	16	48	10	27	-1.3	0.919	0.5	0.5	0	56.8	57.6	0	157	160	0	25	26
2025	5	27	16	58	10	26.4	-1	0.919	0.5	0.4	0	56.8	58.5	0	158	161	0	26	25
2025	5	27	17	8	10	28	-2.1	0.919	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	27	17	18	10	28.2	-0.9	0.919	0.4	0.3	0	56.3	58.5	0	157	161	0	26	25
2025	5	27	17	28	10	27.2	-0.8	0.919	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	27	17	38	10	26.3	-0.7	0.919	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	27	17	48	10	27.7	-1.5	0.919	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	27	17	58	10	28	-1.8	0.918	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	27	18	8	10	27.2	-0.3	0.919	0.5	0.5	0	56.8	58	0	158	162	0	26	27
2025	5	27	18	18	10	26.4	0	0.918	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	27	18	28	10	26.7	-1	0.918	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	27	18	38	10	27.2	0	0.918	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	27	18	48	10	26.3	-1.3	0.917	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	18	58	10	26.5	-1.5	0.918	0.4	0.3	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	19	8	10	26.7	-0.9	0.918	0.5	0.5	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	19	18	10	26.9	-1.4	0.918	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	27	19	28	10	26.5	-1	0.918	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	27	19	38	10	26.7	-1	0.918	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	27	19	48	10	27	-1.8	0.918	0.5	0.5	0	56.8	59.3	0	158	163	0	26	25
2025	5	27	19	58	10	27.1	-0.5	0.918	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	20	8	10	26.6	-0.6	0.918	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	20	18	10	27.1	-1.4	0.917	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	20	28	10	27.1	-0.9	0.917	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	5	27	20	38	10	27.1	-0.5	0.917	0.5	0.4	0	57.2	58.9	0	158	163	0	25	26
2025	5	27	20	48	10	25.6	-1.3	0.917	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	20	58	10	26.2	-1.7	0.917	0.5	0.5	0	57.2	58.9	0	158	163	0	25	26
2025	5	27	21	8	10	27.4	-0.4	0.917	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	27	21	18	10	26.5	-1.1	0.917	0.6	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	27	21	28	10	26.4	-0.4	0.917	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	5	27	21	38	10	27	-1.3	0.917	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	27	21	48	10	26.7	-1.2	0.917	0.5	0.4	0	56.8	58.5	0	157	162	0	25	26
2025	5	27	21	58	10	26.1	-1	0.917	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	22	8	10	26.9	-0.5	0.917	0.5	0.4	0	55.9	58.9	0	156	162	0	26	25
2025	5	27	22	18	10	26.9	-0.8	0.917	0.6	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	27	22	28	10	26.4	-0.3	0.917	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	27	22	38	10	26.9	-0.5	0.917	0.5	0.5	0	56.3	59.3	0	157	163	0	26	25
2025	5	27	22	48	10	27.2	0	0.917	0.5	0.4	0	56.8	58.9	0	157	163	0	25	26
2025	5	27	22	58	10	25.7	-0.7	0.917	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	8	10	27.9	-0.3	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	18	10	27	-1.7	0.916	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	28	10	27.4	-1	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	38	10	26.8	-1.7	0.916	0.4	0.3	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	48	10	25.9	-0.4	0.916	0.4	0.3	0	55.9	58.9	0	156	163	0	26	26
2025	5	27	23	58	10	27.5	-0.9	0.916	0.4	0.3	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	0	8	10	27.6	-0.2	0.916	0.5	0.4	0	55.5	58.9	0	156	163	0	27	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	28	0	18	10	27.1	0	0.916	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	0	28	10	26.1	-1	0.916	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	0	38	10	26.6	-1	0.916	0.5	0.4	0	55.9	58.5	0	156	163	0	26	27
2025	5	28	0	48	10	26	-0.4	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	0	58	10	26.5	-0.7	0.915	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	1	8	10	26.8	-0.5	0.916	0.6	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	1	18	10	26.6	-0.7	0.915	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	1	28	10	27.2	0.3	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	1	38	10	26.9	-1.2	0.915	0.5	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	28	1	48	10	25.1	-1.7	0.916	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	1	58	10	26.4	-1.7	0.916	0.5	0.4	0	55.5	58.9	0	155	163	0	26	26
2025	5	28	2	8	10	26.4	-0.5	0.916	0.5	0.4	0	55.9	58.9	0	155	163	0	25	26
2025	5	28	2	18	10	25.5	-0.4	0.916	0.5	0.4	0	55.5	58.5	0	155	163	0	26	27
2025	5	28	2	28	10	27.3	0.2	0.916	0.5	0.5	0	55.5	58.5	0	155	163	0	26	27
2025	5	28	2	38	10	26.8	-1	0.916	0.5	0.5	0	55	58.9	0	154	163	0	26	26
2025	5	28	2	48	10	27.3	-1	0.917	0.5	0.5	0	55	58.9	0	154	162	0	26	25
2025	5	28	2	58	10	27.4	-1.5	0.917	0.6	0.5	0	55	58.9	0	154	163	0	26	26
2025	5	28	3	8	10	27.4	-0.7	0.917	0.5	0.5	0	55.5	58.9	0	155	163	0	26	26
2025	5	28	3	18	10	26.2	-0.3	0.917	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	3	28	10	26.2	-0.3	0.917	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	3	38	10	27.4	0	0.918	0.6	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	28	3	48	10	27.1	-0.9	0.918	0.5	0.4	0	55.5	58.9	0	156	163	0	27	26
2025	5	28	3	58	10	26.7	-0.7	0.917	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	4	8	10	26.2	-0.7	0.918	0.5	0.4	0	56.8	58.5	0	159	163	0	27	27
2025	5	28	4	18	10	26.7	-0.7	0.918	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	28	4	28	10	25.8	-0.9	0.918	0.5	0.4	0	56.8	58.9	0	159	163	0	27	26
2025	5	28	4	38	10	26.4	-0.5	0.918	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	28	4	48	10	26.1	-1.4	0.918	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	28	4	58	10	25.2	-1.7	0.918	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	28	5	8	10	27.4	-0.6	0.917	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	28	5	18	10	26.4	-0.8	0.918	0.5	0.4	0	57.6	58.9	0	160	164	0	26	27
2025	5	28	5	28	10	27.1	-1.3	0.917	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	28	5	38	10	28.3	0	0.918	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	28	5	48	10	26.9	-1.5	0.918	0.5	0.4	0	57.2	58.9	0	159	164	0	26	27
2025	5	28	5	58	10	27.7	-1.9	0.918	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	28	6	8	10	25.7	-1.5	0.918	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	28	6	18	10	26.3	-0.9	0.918	0.5	0.5	0	57.2	58.9	0	159	164	0	26	27
2025	5	28	6	28	10	26.4	-1.8	0.917	0.6	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	28	6	38	10	26.6	-1.3	0.917	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	28	6	48	10	26.4	-1.1	0.918	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	28	6	58	10	26.8	-0.9	0.918	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27
2025	5	28	7	8	10	26.5	-1.4	0.917	0.5	0.5	0	56.3	58.5	0	158	163	0	27	27
2025	5	28	7	18	10	26	-2	0.917	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27
2025	5	28	7	28	10	27.4	-1.6	0.917	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	28	7	38	10	27.9	-1.4	0.917	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	28	7	48	10	25.7	-1.3	0.917	0.5	0.4	0	56.3	58.5	0	158	163	0	27	27
2025	5	28	7	58	10	26.7	-0.9	0.917	0.5	0.4	0	56.3	58	0	157	162	0	26	27
2025	5	28	8	8	10	27.4	-1.8	0.917	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	28	8	18	10	26	-1.4	0.917	0.5	0.5	0	55.5	58.5	0	156	162	0	27	26
2025	5	28	8	28	10	27.2	-1	0.917	0.5	0.4	0	55.9	58	0	157	162	0	27	27
2025	5	28	8	38	10	25.9	0	0.917	0.5	0.4	0	55.5	58	0	156	162	0	27	27
2025	5	28	8	48	10	27.1	-0.3	0.917	0.5	0.4	0	55.9	57.6	0	156	161	0	26	27
2025	5	28	8	58	10	26.4	-1.9	0.917	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	28	9	8	10	26.5	-2	0.917	0.5	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	28	9	18	10	27.6	-1.8	0.917	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	28	9	28	10	26.6	-0.6	0.917	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	28	9	38	10	27.9	-0.9	0.917	0.5	0.4	0	55.5	57.6	0	155	161	0	26	27
2025	5	28	9	48	10	26.5	-1.7	0.917	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	28	9	58	10	26.3	-0.8	0.917	0.5	0.4	0	55.5	58	0	156	161	0	27	26
2025	5	28	10	8	10	26.4	-1.4	0.917	0.5	0.4	0	55.5	57.6	0	155	161	0	26	27
2025	5	28	10	18	10	27.2	-0.5	0.917	0.6	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	28	10	28	10	26.5	-0.7	0.916	0.5	0.5	0	55.5	58	0	155	161	0	26	26
2025	5	28	10	38	10	25.9	-0.9	0.916	0.6	0.5	0	55	57.2	0	154	160	0	26	27
2025	5	28	10	48	10	26.9	-0.9	0.917	0.5	0.4	0	54.6	57.6	0	154	160	0	27	26
2025	5	28	10	58	10	26.7	-1.2	0.915	0.5	0.4	0	55	57.2	0	154	160	0	26	27
2025	5	28	11	8	10	25.2	-1.5	0.916	0.4	0.3	0	55	57.6	0	154	160	0	26	26
2025	5	28	11	18	10	26.4	-1.2	0.914	0.5	0.5	0	54.6	57.2	0	153	160	0	26	27
2025	5	28	11	28	10	27.3	-2.1	0.915	0.5	0.4	0	54.6	56.8	0	153	159	0	26	27
2025	5	28	11	38	10	27.3	-1.1	0.914	0.5	0.4	0	54.6	56.8	0	153	159	0	26	27
2025	5	28	11	48	10	26.8	-1.5	0.914	0.5	0.4	0	55	56.8	0	153	159	0	25	27
2025	5	28	11	58	10	26.8	-0.3	0.914	0.5	0.4	0	54.6	56.8	0	153	159	0	26	27
2025	5	28	12	8	10	27.3	-1.2	0.914	0.5	0.5	0	54.6	57.2	0	153	159	0	26	26
2025	5	28	12	18	10	26.3	-1.4	0.914	0.5	0.4	0	53.8	57.2	0	152	159	0	27	26
2025	5	28	12	28	10	27.1	-1.4	0.914	0.5	0.5	0	54.2	56.3	0	152	158	0	26	27
2025	5	28	12	38	10	26.2	-0.1	0.914	0.3	0.2	0	54.2	56.8	0	152	159	0	26	27
2025	5	28	12	48	10	27.1	-0.3	0.914	0.5	0.4	0	54.2	56.3	0	152	158	0	26	27
2025	5	28	12	58	10	27.4	-1.6	0.914	0.6	0.5	0	54.2	56.3	0	152	158	0	26	27
2025	5	28	13	8	10	26.2	-1.3	0.914	0.5	0.5	0	54.2	56.8	0	152	158	0	26	26
2025	5	28	13	18	10	25.9	-1.1	0.914	0.5	0.4	0	54.2	57.2	0	152	158	0	26	25
2025	5	28	13	28	10	26.5	-1.4	0.914	0.4	0.3	0	54.2	56.8	0	152	158	0	26	26
2025	5	28	13	38	10	26.1	-0.6	0.915	0.5	0.5	0	54.2	57.2	0	152	158	0	26	25
2025	5	28	13	48	10	27.8	-1	0.914	0.5	0.4	0	54.2	56.8	0	152	158	0	26	26
2025	5	28	13	58	10	26.2	-1.4	0.915	0.5	0.4	0	53.8	56.3	0	151	158	0	26	27
2025	5	28	14	8	10	26.8	-0.1	0.914	0.5	0.5	0	54.2	56.8	0	152	159	0	26	27
2025	5	28	14	18	10	26.6	-1.5	0.915	0.5	0.4	0	54.2	56.3	0	151	158	0	25	27
2025	5	28	14	28	10	26.1	-1.1	0.915	0.6	0.5	0	54.2	56.8	0	151	158	0	25	26
2025	5	28	14	38	10	27	-1.2	0.915	0.5	0.5	0	54.2	56.8	0	151	158	0	25	26
2025	5	28	14	48	10	27	-1.3	0.915	0.5	0.5	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	14	58	10	26.1	-1.4	0.916	0.5	0.4	0	54.2	56.3	0	151	158	0	25	27
2025	5	28	15	8	10	27.5	-0.8	0.915	0.4	0.3	0	54.2	56.8	0	151	158	0	25	26
2025	5	28	15	18	10	26.1	-0.9	0.915	0.5	0.4	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	15	28	10	26.3	-0.6	0.915	0.5	0.4	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	15	38	10	26.7	-1.8	0.915	0.5	0.5	0	53.3	56.8	0	151	158	0	27	26
2025	5	28	15	48	10	26.1	-0.7	0.915	0.5	0.5	0	54.2	56.8	0	151	158	0	25	26
2025	5	28	15	58	10	27.6	-1.4	0.915	0.5	0.4	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	16	8	10	27.3	-1.9	0.915	0.5	0.5	0	53.8	56.8	0	151	158	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	28	16	18	10	25.6	-1.2	0.915	0.5	0.5	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	16	28	10	27.1	-1.7	0.915	0.5	0.5	0	53.8	56.8	0	151	158	0	26	26
2025	5	28	16	38	10	27.2	-0.5	0.915	0.5	0.4	0	54.6	57.6	0	152	159	0	25	25
2025	5	28	16	48	10	26.9	-2.4	0.916	0.5	0.4	0	55	57.2	0	153	159	0	25	26
2025	5	28	16	58	10	25.7	-0.3	0.916	0.5	0.4	0	55	58	0	153	160	0	25	25
2025	5	28	17	8	10	26.9	-1.5	0.916	0.5	0.4	0	55	57.6	0	153	160	0	25	26
2025	5	28	17	18	10	25.4	-0.3	0.915	0.5	0.5	0	55	57.6	0	153	160	0	25	26
2025	5	28	17	28	10	26.6	-0.2	0.916	0.5	0.4	0	55	58	0	153	161	0	25	26
2025	5	28	17	38	10	26	0.4	0.916	0.5	0.4	0	55.5	58	0	154	161	0	25	26
2025	5	28	17	48	10	26.4	-0.4	0.915	0.5	0.4	0	55.5	58	0	154	161	0	25	26
2025	5	28	17	58	10	27	-1.5	0.915	0.5	0.5	0	54.6	58	0	153	161	0	26	26
2025	5	28	18	8	10	27.4	0.3	0.915	0.6	0.5	0	55	57.6	0	153	161	0	25	27
2025	5	28	18	18	10	26.8	-0.9	0.916	0.5	0.5	0	54.6	58.5	0	152	161	0	25	25
2025	5	28	18	28	10	27	-1.6	0.915	0.5	0.4	0	54.6	58	0	152	161	0	25	26
2025	5	28	18	38	10	26.6	-2.2	0.915	0.5	0.5	0	54.2	58	0	152	161	0	26	26
2025	5	28	18	48	10	25.7	-0.8	0.916	0.5	0.5	0	54.6	58	0	152	161	0	25	26
2025	5	28	18	58	10	27	0.4	0.916	0.5	0.4	0	55	58.5	0	154	161	0	26	25
2025	5	28	19	8	10	26.5	-0.5	0.916	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	5	28	19	18	10	26.2	-0.6	0.916	0.5	0.5	0	56.3	58.5	0	156	162	0	25	26
2025	5	28	19	28	10	26.4	-0.1	0.916	0.5	0.4	0	55.5	58.5	0	155	162	0	26	26
2025	5	28	19	38	10	26.6	-0.9	0.916	0.4	0.3	0	55.9	58.5	0	156	162	0	26	26
2025	5	28	19	48	10	26.4	-0.7	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	19	58	10	26.5	-0.6	0.916	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	28	20	8	10	26.9	-1.7	0.916	0.5	0.4	0	55.9	59.3	0	156	163	0	26	25
2025	5	28	20	18	10	25.9	-1.4	0.916	0.6	0.5	0	56.8	58.5	0	156	162	0	24	26
2025	5	28	20	28	10	27	-0.6	0.916	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	5	28	20	38	10	26.8	-1	0.916	0.5	0.4	0	56.3	58.5	0	156	162	0	25	26
2025	5	28	20	48	10	26.5	-0.8	0.916	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	28	20	58	10	27	-0.6	0.916	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	5	28	21	8	10	27.1	-0.9	0.916	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	28	21	18	10	26.2	-0.6	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	28	21	28	10	26.3	-0.6	0.916	0.3	0.2	0	57.6	58.9	0	159	162	0	25	25
2025	5	28	21	38	10	27.7	-1	0.915	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	28	21	48	10	25.4	0.5	0.916	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	28	21	58	10	27.1	-0.5	0.916	0.4	0.3	0	57.2	58.9	0	159	162	0	26	25
2025	5	28	22	8	10	25.6	-2.4	0.916	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	28	22	18	10	26.7	0	0.916	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25
2025	5	28	22	28	10	26.9	-0.2	0.915	0.5	0.5	0	57.2	58.9	0	159	162	0	26	25
2025	5	28	22	38	10	26.1	0.1	0.915	0.4	0.3	0	57.2	58.5	0	159	162	0	26	26
2025	5	28	22	48	10	26.1	-0.5	0.915	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	28	22	58	10	26.3	-1	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	28	23	8	10	25.6	-0.8	0.915	0.5	0.5	0	57.6	58.5	0	159	163	0	25	27
2025	5	28	23	18	10	26.1	0.1	0.915	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	28	23	28	10	26.8	0	0.915	0.6	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	28	23	38	10	27.2	-1	0.915	0.5	0.5	0	56.8	58.9	0	158	162	0	26	25
2025	5	28	23	48	10	26.4	-0.7	0.915	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	28	23	58	10	26.8	-1.1	0.915	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	29	0	8	10	25.8	-0.7	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	29	0	18	10	26.9	-0.5	0.915	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	0	28	10	26.8	-1.3	0.915	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	0	38	10	26.7	-0.4	0.915	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	0	48	10	27.1	-0.6	0.915	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	29	0	58	10	26.2	0	0.915	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	1	8	10	26.3	-0.5	0.915	0.5	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	29	1	18	10	26.3	-1.7	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	1	28	10	26.6	-0.7	0.915	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	1	38	10	26.7	-0.5	0.915	0.4	0.3	0	57.2	58.9	0	158	163	0	25	26
2025	5	29	1	48	10	27.6	-1.7	0.915	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	29	1	58	10	25.5	-0.7	0.915	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	2	8	10	27	-1.1	0.915	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	2	18	10	26.2	-1	0.915	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	2	28	10	26.7	-0.6	0.915	0.5	0.4	0	56.3	58.5	0	157	162	0	26	26
2025	5	29	2	38	10	26.5	-0.9	0.915	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	2	48	10	27.1	-0.5	0.915	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	2	58	10	26	-0.2	0.915	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	29	3	8	10	26.5	-1.9	0.916	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	3	18	10	26.2	-1.4	0.915	0.4	0.3	0	56.8	58.5	0	158	163	0	26	27
2025	5	29	3	28	10	27.9	-0.2	0.917	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	29	3	38	10	26.4	-1.1	0.917	0.5	0.4	0	55.9	58.9	0	157	163	0	27	26
2025	5	29	3	48	10	26.3	-1.3	0.918	0.5	0.5	0	55.9	58.5	0	157	163	0	27	27
2025	5	29	3	58	10	25.9	-0.7	0.918	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	4	8	10	26.4	-1	0.918	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	4	18	10	26.3	-0.1	0.918	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	29	4	28	10	26.9	-1.5	0.918	0.5	0.5	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	4	38	10	27.5	-0.6	0.918	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	4	48	10	25.7	-0.7	0.919	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	29	4	58	10	26.9	-0.7	0.919	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	29	5	8	10	26.2	-1.7	0.918	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	29	5	18	10	26.6	-1.5	0.919	0.5	0.4	0	55.9	58.9	0	157	163	0	27	26
2025	5	29	5	28	10	26.8	-1.4	0.919	0.5	0.5	0	56.3	59.3	0	157	164	0	26	26
2025	5	29	5	38	10	27.4	-1.9	0.919	0.5	0.5	0	56.3	59.3	0	157	164	0	26	26
2025	5	29	5	48	10	26.9	-0.5	0.919	0.5	0.5	0	55.9	59.3	0	156	164	0	26	26
2025	5	29	5	58	10	25.7	-1.5	0.919	0.4	0.3	0	55.9	59.3	0	156	164	0	26	26
2025	5	29	6	8	10	26.2	-0.7	0.919	0.5	0.4	0	55.9	59.3	0	156	164	0	26	26
2025	5	29	6	18	10	26.6	0.1	0.919	0.5	0.4	0	55.5	58.9	0	156	164	0	27	27
2025	5	29	6	28	10	26.1	-0.9	0.919	0.4	0.3	0	55.5	59.3	0	155	164	0	26	26
2025	5	29	6	38	10	25.7	-1.4	0.919	0.5	0.5	0	55.5	59.3	0	155	164	0	26	26
2025	5	29	6	48	10	27	-1.1	0.919	0.5	0.5	0	55	58.9	0	154	163	0	26	26
2025	5	29	6	58	10	27.2	-1	0.919	0.5	0.5	0	55	58.5	0	154	163	0	26	27
2025	5	29	7	8	10	26.7	-0.9	0.919	0.5	0.5	0	57.2	58.5	0	160	163	0	27	27
2025	5	29	7	18	10	26	-1.4	0.919	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	29	7	28	10	26.9	-0.9	0.919	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	29	7	38	10	26.5	-1.4	0.919	0.4	0.3	0	57.2	58.9	0	160	163	0	27	26
2025	5	29	7	48	10	26.1	-2.9	0.919	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	29	7	58	10	27.4	-0.7	0.918	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	29	8	8	10	27	-1.3	0.919	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	29	8	18	10	26.3	-0.8	0.918	0.6	0.5	0	56.8	58.9	0	159	163	0	27	26
2025	5	29	8	28	10	26.5	-0.8	0.919	0.5	0.5	0	56.8	58.5	0	159	163	0	27	27
2025	5	29	8	38	10	26.2	-1.4	0.918	0.4	0.3	0	56.8	58.5	0	158	162	0	26	26
2025	5	29	8	48	10	26.1	-1.1	0.919	0.5	0.4	0	57.2	58.5	0	158	162	0	25	26
2025	5	29	8	58	10	26.4	-0.7	0.919	0.5	0.4	0	57.2	58	0	159	162	0	26	27
2025	5	29	9	8	10	25.1	-2.2	0.918	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	29	9	18	10	27.4	-1.9	0.919	0.5	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	29	9	28	10	27.1	-1.6	0.919	0.5	0.4	0	55.9	58.5	0	157	162	0	27	26
2025	5	29	9	38	10	26.1	-1.6	0.918	0.5	0.4	0	56.3	58.5	0	158	162	0	27	26
2025	5	29	9	48	10	27.1	-1.6	0.918	0.5	0.4	0	55.9	58.5	0	157	162	0	27	26
2025	5	29	9	58	10	26.2	-1.4	0.918	0.4	0.3	0	56.3	58	0	157	161	0	26	26
2025	5	29	10	8	10	25.7	-1.5	0.917	0.5	0.5	0	55.9	58	0	156	161	0	26	26
2025	5	29	10	18	10	27.2	-1.4	0.918	0.5	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	29	10	28	10	26.8	0	0.917	0.5	0.5	0	55.9	57.6	0	156	161	0	26	27
2025	5	29	10	38	10	26	-1.4	0.917	0.5	0.4	0	55.5	58	0	155	161	0	26	26
2025	5	29	10	48	10	25.8	-1.8	0.916	0.4	0.3	0	55.5	57.6	0	155	161	0	26	27
2025	5	29	10	58	10	27	-2.3	0.915	0.4	0.3	0	55.9	58.5	0	156	162	0	26	26
2025	5	29	11	8	10	26.5	-1.4	0.915	0.4	0.3	0	55.5	58	0	155	161	0	26	26
2025	5	29	11	18	10	26.9	-1.1	0.915	0.6	0.5	0	55	58	0	154	161	0	26	26
2025	5	29	11	28	10	25.7	-0.8	0.915	0.4	0.3	0	55.5	58	0	155	161	0	26	26
2025	5	29	11	38	10	26.1	-1	0.915	0.5	0.4	0	54.6	57.6	0	154	161	0	27	27
2025	5	29	11	48	10	26.5	-1.7	0.915	0.5	0.5	0	55.5	57.6	0	154	161	0	25	27
2025	5	29	11	58	10	26	-1.4	0.915	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	29	12	8	10	26.2	-0.4	0.914	0.5	0.4	0	55.5	57.6	0	155	161	0	26	27
2025	5	29	12	18	10	26.9	-1.6	0.915	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	29	12	28	10	27.2	-1.8	0.915	0.6	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	29	12	38	10	26.3	-0.8	0.914	0.5	0.4	0	55	58	0	154	160	0	26	25
2025	5	29	12	48	10	25.9	-0.8	0.915	0.5	0.4	0	55	58	0	154	161	0	26	26
2025	5	29	12	58	10	26.1	-1.8	0.915	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	29	13	8	10	25.9	-1.3	0.915	0.5	0.5	0	54.6	57.6	0	154	160	0	27	26
2025	5	29	13	18	10	26.6	-1.6	0.915	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	29	13	28	10	27.4	-0.2	0.915	0.4	0.3	0	55.5	58	0	154	161	0	25	26
2025	5	29	13	38	10	26.5	-0.9	0.915	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	29	13	48	10	26.1	-1.5	0.915	0.5	0.4	0	55	57.6	0	153	160	0	25	26
2025	5	29	13	58	10	27.1	-0.6	0.915	0.6	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	29	14	8	10	26.2	-1.3	0.915	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	29	14	18	10	27.1	-1.9	0.915	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	29	14	28	10	26.3	-0.1	0.916	0.5	0.4	0	54.6	57.2	0	152	159	0	25	26
2025	5	29	14	38	10	27.2	-1.1	0.916	0.5	0.5	0	55.5	57.6	0	154	160	0	25	26
2025	5	29	14	48	10	25.8	-1	0.915	0.5	0.5	0	55	57.6	0	153	160	0	25	26
2025	5	29	14	58	10	26.8	-0.5	0.916	0.5	0.5	0	54.6	57.6	0	153	160	0	26	26
2025	5	29	15	8	10	25.8	-0.4	0.916	0.5	0.5	0	54.6	58	0	153	161	0	26	26
2025	5	29	15	18	10	26	0.1	0.915	0.5	0.4	0	55	58	0	154	160	0	26	25
2025	5	29	15	28	10	26.6	-1	0.915	0.5	0.5	0	55	58	0	154	161	0	26	26
2025	5	29	15	38	10	26.9	-0.4	0.915	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	29	15	48	10	27	-0.5	0.915	0.4	0.3	0	55	57.6	0	154	160	0	26	26
2025	5	29	15	58	10	28	-0.4	0.915	0.5	0.5	0	55	57.6	0	153	160	0	25	26
2025	5	29	16	8	10	26.2	-1	0.915	0.6	0.5	0	55	58.5	0	154	161	0	26	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	29	16	18	10	26.5	-0.4	0.916	0.5	0.5	0	55.5	58.5	0	155	162	0	26	26
2025	5	29	16	28	10	26.8	-0.7	0.915	0.5	0.4	0	55.5	58	0	155	161	0	26	26
2025	5	29	16	38	10	25.4	-0.1	0.915	0.5	0.4	0	55.5	58.9	0	155	163	0	26	26
2025	5	29	16	48	10	26.2	-1.8	0.914	0.6	0.5	0	55.9	58.5	0	155	162	0	25	26
2025	5	29	16	58	10	27.5	-1.4	0.914	0.5	0.4	0	56.3	58.9	0	156	163	0	25	26
2025	5	29	17	8	10	26.6	-0.9	0.914	0.5	0.5	0	55.9	58.5	0	155	162	0	25	26
2025	5	29	17	18	10	25.9	-0.4	0.914	0.5	0.5	0	56.3	58.9	0	156	163	0	25	26
2025	5	29	17	28	10	26.4	-0.3	0.913	0.5	0.4	0	55.9	59.3	0	155	163	0	25	25
2025	5	29	17	38	10	25.8	-0.5	0.913	0.5	0.4	0	55.5	58.9	0	155	163	0	26	26
2025	5	29	17	48	10	27	0	0.913	0.5	0.5	0	56.3	59.8	0	156	164	0	25	25
2025	5	29	17	58	10	25.9	-1.3	0.913	0.5	0.4	0	55.9	59.3	0	155	163	0	25	25
2025	5	29	18	8	10	25.8	-0.5	0.913	0.5	0.4	0	55.9	59.3	0	155	163	0	25	25
2025	5	29	18	18	10	24.8	-0.4	0.914	0.5	0.5	0	55.9	59.8	0	156	164	0	26	25
2025	5	29	18	28	10	27	-0.2	0.914	0.5	0.4	0	55.5	58.5	0	154	162	0	25	26
2025	5	29	18	38	10	26.3	-0.7	0.913	0.5	0.5	0	55.9	58.9	0	155	163	0	25	26
2025	5	29	18	48	10	26.5	-1.5	0.913	0.5	0.5	0	55.9	58.9	0	156	163	0	26	26
2025	5	29	18	58	10	26.7	0	0.913	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	29	19	8	10	26.5	0	0.913	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	29	19	18	10	26.6	-0.5	0.913	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	5	29	19	28	10	27.3	-0.5	0.913	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	29	19	38	10	26.3	-1.4	0.913	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	19	48	10	27.4	-1.3	0.914	0.4	0.3	0	57.6	59.3	0	160	163	0	26	25
2025	5	29	19	58	10	27	-1.2	0.915	0.4	0.3	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	20	8	10	26.3	-2.2	0.915	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	29	20	18	10	26.4	0.1	0.915	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	29	20	28	10	25.5	0	0.915	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	20	38	10	25.9	-1.4	0.915	0.4	0.3	0	57.6	59.3	0	159	163	0	25	25
2025	5	29	20	48	10	26.5	-1	0.915	0.6	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	29	20	58	10	26.2	0	0.915	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	21	8	10	26.3	-0.3	0.915	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	29	21	18	10	27.4	-0.9	0.915	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	21	28	10	25.9	-1.7	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	21	38	10	26.7	-0.8	0.915	0.5	0.5	0	57.2	58.5	0	159	163	0	26	27
2025	5	29	21	48	10	27.3	0.3	0.915	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	21	58	10	26.7	-0.4	0.915	0.5	0.5	0	57.2	58.5	0	158	162	0	25	26
2025	5	29	22	8	10	26.7	-0.8	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	22	18	10	25.7	0	0.915	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	29	22	28	10	26.4	-0.5	0.915	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	22	38	10	26.4	-0.4	0.915	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	22	48	10	27	-1.3	0.915	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	29	22	58	10	27.1	-0.6	0.915	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	29	23	8	10	27	-1.3	0.915	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	23	18	10	26.7	-1.7	0.915	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	29	23	28	10	26.8	-0.8	0.915	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	5	29	23	38	10	26.9	-1.4	0.915	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	29	23	48	10	25.3	-1.1	0.915	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	29	23	58	10	26	0.2	0.915	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	30	0	8	10	26.8	-0.6	0.915	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	30	0	18	10	26.1	0	0.915	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	0	28	10	26.7	-1	0.915	0.5	0.4	0	57.2	58.9	0	158	162	0	25	25
2025	5	30	0	38	10	26.4	-0.2	0.914	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	0	48	10	25.9	-0.6	0.914	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	0	58	10	26.9	-0.1	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	1	8	10	27.6	-1.1	0.915	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	1	18	10	26.6	-1.9	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	1	28	10	26	-0.9	0.914	0.4	0.3	0	57.2	58.9	0	159	163	0	26	26
2025	5	30	1	38	10	26.8	-0.2	0.914	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	1	48	10	26	-0.7	0.914	0.5	0.5	0	57.2	58.9	0	158	162	0	25	25
2025	5	30	1	58	10	27.1	-1.4	0.914	0.3	0.2	0	57.2	58.9	0	159	163	0	26	26
2025	5	30	2	8	10	26.7	-1	0.914	0.5	0.4	0	57.6	58.5	0	159	162	0	25	26
2025	5	30	2	18	10	26.7	-0.4	0.914	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	30	2	28	10	27.1	-0.1	0.914	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	30	2	38	10	27.3	-1	0.914	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	30	2	48	10	25.7	0	0.914	0.6	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	30	2	58	10	27.1	-2	0.914	0.5	0.4	0	57.2	58.5	0	160	162	0	27	26
2025	5	30	3	8	10	26.4	-0.8	0.914	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	3	18	10	25.9	-0.3	0.914	0.6	0.5	0	57.6	58	0	160	162	0	26	27
2025	5	30	3	28	10	25.7	-1	0.914	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	30	3	38	10	26.1	-1.4	0.914	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	3	48	10	25.5	-1	0.914	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	30	3	58	10	26	-1	0.914	0.5	0.5	0	57.6	58.5	0	160	162	0	26	26
2025	5	30	4	8	10	26.2	-0.4	0.914	0.5	0.4	0	57.2	58.9	0	160	163	0	27	26
2025	5	30	4	18	10	26.9	-0.3	0.914	0.5	0.4	0	57.6	58.5	0	160	162	0	26	26
2025	5	30	4	28	10	27.1	-1.2	0.914	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	30	4	38	10	26.4	-1	0.914	0.5	0.4	0	57.6	58	0	160	162	0	26	27
2025	5	30	4	48	10	25.7	-1	0.914	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	30	4	58	10	26.3	0	0.914	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	5	8	10	27.3	-1	0.914	0.4	0.3	0	57.6	59.3	0	160	164	0	26	26
2025	5	30	5	18	10	26.2	-0.8	0.914	0.5	0.4	0	57.6	58.5	0	160	163	0	26	27
2025	5	30	5	28	10	26.2	-1.1	0.914	0.5	0.4	0	58	59.3	0	161	164	0	26	26
2025	5	30	5	38	10	25.9	-1.5	0.914	0.5	0.5	0	57.6	59.3	0	160	164	0	26	26
2025	5	30	5	48	10	27.2	-0.3	0.914	0.5	0.4	0	57.2	59.3	0	160	164	0	27	26
2025	5	30	5	58	10	26	-1.1	0.914	0.5	0.4	0	58	58.5	0	160	163	0	25	27
2025	5	30	6	8	10	27	-1.1	0.914	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	6	18	10	27	-0.9	0.914	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	6	28	10	26.5	-1.3	0.914	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	6	38	10	25.2	0.1	0.914	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	6	48	10	27.2	-1.9	0.914	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	6	58	10	26.6	-0.9	0.914	0.5	0.4	0	57.2	58.5	0	159	163	0	26	27
2025	5	30	7	8	10	26.3	-0.5	0.914	0.5	0.5	0	57.6	58.5	0	160	163	0	26	27
2025	5	30	7	18	10	26.8	-0.8	0.914	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	30	7	28	10	25.5	-0.8	0.914	0.5	0.5	0	56.8	58.5	0	159	162	0	27	26
2025	5	30	7	38	10	27.5	-1.4	0.914	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	7	48	10	25.6	-0.4	0.913	0.5	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	5	30	7	58	10	26.9	-1.2	0.913	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	8	8	10	26	-0.4	0.913	0.5	0.4	0	57.2	58.5	0	159	162	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	30	8	18	10	27.1	-0.7	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	30	8	28	10	26.5	-1.1	0.913	0.5	0.4	0	56.8	58.5	0	158	162	0	26	26
2025	5	30	8	38	10	26.9	-0.7	0.913	0.5	0.5	0	57.2	58.5	0	159	162	0	26	26
2025	5	30	8	48	10	26.2	-1.7	0.913	0.5	0.5	0	56.3	58	0	158	162	0	27	27
2025	5	30	8	58	10	26.5	-1.8	0.912	0.4	0.3	0	56.8	58	0	158	162	0	26	27
2025	5	30	9	8	10	25.3	-2.1	0.912	0.5	0.4	0	56.8	58.5	0	159	162	0	27	26
2025	5	30	9	18	10	26.7	-1.1	0.913	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	30	9	28	10	26.8	-1.6	0.912	0.4	0.3	0	56.8	57.6	0	158	161	0	26	27
2025	5	30	9	38	10	26.6	-1.7	0.912	0.6	0.5	0	56.8	58	0	158	161	0	26	26
2025	5	30	9	48	10	26.9	-0.9	0.912	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	30	9	58	10	25.9	-1.2	0.912	0.5	0.4	0	56.3	57.2	0	156	160	0	25	27
2025	5	30	10	8	10	26.8	-1.1	0.912	0.5	0.4	0	56.3	57.2	0	157	160	0	26	27
2025	5	30	10	18	10	26.4	-0.5	0.911	0.5	0.4	0	56.8	57.6	0	157	160	0	25	26
2025	5	30	10	28	10	27	-1.6	0.911	0.5	0.5	0	55.9	57.6	0	156	160	0	26	26
2025	5	30	10	38	10	27.7	-1.1	0.912	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	30	10	48	10	25.9	-1.3	0.911	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	30	10	58	10	26.5	-1	0.911	0.5	0.4	0	56.3	58	0	157	161	0	26	26
2025	5	30	11	8	10	26.1	-1.5	0.911	0.5	0.5	0	56.3	57.6	0	157	160	0	26	26
2025	5	30	11	18	10	25.6	-2.4	0.911	0.5	0.4	0	55.9	57.6	0	156	160	0	26	26
2025	5	30	11	28	10	26	-0.7	0.911	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	5	30	11	38	10	26.6	-1	0.911	0.5	0.5	0	55.9	57.2	0	156	160	0	26	27
2025	5	30	11	48	10	26.7	-1.4	0.911	0.4	0.3	0	56.3	57.2	0	156	160	0	25	27
2025	5	30	11	58	10	25.6	-1	0.911	0.5	0.4	0	55.5	57.6	0	155	160	0	26	26
2025	5	30	12	8	10	25.9	-0.6	0.911	0.5	0.4	0	55.5	56.8	0	155	159	0	26	27
2025	5	30	12	18	10	26.5	-0.4	0.911	0.5	0.5	0	54.6	57.2	0	154	159	0	27	26
2025	5	30	12	28	10	25.4	-0.8	0.911	0.5	0.4	0	55.5	57.2	0	155	159	0	26	26
2025	5	30	12	38	10	26.8	-1.1	0.911	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	5	30	12	48	10	25.9	-1.5	0.91	0.5	0.5	0	55.9	57.2	0	155	159	0	25	26
2025	5	30	12	58	10	25.9	-1.5	0.91	0.6	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	30	13	8	10	26.3	-0.4	0.91	0.5	0.5	0	55.5	57.6	0	155	160	0	26	26
2025	5	30	13	18	10	27.1	-1.4	0.909	0.4	0.3	0	55.5	57.2	0	154	159	0	25	26
2025	5	30	13	28	10	25.6	-1.1	0.907	0.5	0.5	0	55	56.8	0	154	159	0	26	27
2025	5	30	13	38	10	25.6	-0.7	0.907	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	5	30	13	48	10	25.8	0	0.907	0.5	0.5	0	55.5	57.6	0	155	159	0	26	25
2025	5	30	13	58	10	26.4	-0.2	0.907	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	5	30	14	8	10	25.6	-1.9	0.907	0.5	0.4	0	55.5	57.2	0	154	159	0	25	26
2025	5	30	14	18	10	26.3	-1	0.907	0.5	0.4	0	55	57.2	0	154	159	0	26	26
2025	5	30	14	28	10	27	-1.3	0.907	0.5	0.4	0	54.6	56.8	0	153	158	0	26	26
2025	5	30	14	38	10	26.9	-1.5	0.907	0.5	0.4	0	55.5	57.2	0	154	159	0	25	26
2025	5	30	14	48	10	26.1	-1.4	0.907	0.5	0.5	0	55.5	57.2	0	154	159	0	25	26
2025	5	30	14	58	10	26.4	-1.1	0.907	0.5	0.4	0	55.5	56.8	0	154	159	0	25	27
2025	5	30	15	8	10	27.6	-1	0.907	0.5	0.4	0	55	57.2	0	153	159	0	25	26
2025	5	30	15	18	10	26.3	-0.5	0.907	0.6	0.5	0	54.6	57.6	0	153	159	0	26	25
2025	5	30	15	28	10	26.8	-0.9	0.907	0.5	0.5	0	55	57.2	0	154	159	0	26	26
2025	5	30	15	38	10	26.1	0	0.907	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25
2025	5	30	15	48	10	25.5	-1	0.907	0.5	0.5	0	55	57.2	0	153	159	0	25	26
2025	5	30	15	58	10	26.1	-0.1	0.907	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	5	30	16	8	10	26.1	-0.3	0.907	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	30	16	18	10	25.6	-0.4	0.907	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	5	30	16	28	10	25.6	-0.9	0.907	0.5	0.5	0	55.5	57.6	0	154	159	0	25	25
2025	5	30	16	38	10	26	-1	0.907	0.5	0.4	0	55.9	58	0	155	160	0	25	25
2025	5	30	16	48	10	26.8	-1.2	0.907	0.5	0.5	0	55.9	57.6	0	155	160	0	25	26
2025	5	30	16	58	10	27.5	-0.7	0.907	0.5	0.4	0	55.5	58	0	154	160	0	25	25
2025	5	30	17	8	10	25.7	-0.5	0.907	0.5	0.5	0	55.9	57.6	0	155	160	0	25	26
2025	5	30	17	18	10	26.4	0	0.907	0.5	0.5	0	55.9	58.5	0	155	161	0	25	25
2025	5	30	17	28	10	25.7	-1.5	0.907	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	5	30	17	38	10	26.7	-0.9	0.907	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	30	17	48	10	26.7	0	0.907	0.5	0.4	0	55.9	58.5	0	155	161	0	25	25
2025	5	30	17	58	10	25.9	-0.1	0.907	0.6	0.5	0	55.9	58	0	155	161	0	25	26
2025	5	30	18	8	10	26.6	-0.6	0.907	0.5	0.4	0	56.3	58.9	0	156	162	0	25	25
2025	5	30	18	18	10	25.8	-0.8	0.908	0.6	0.5	0	56.3	58.5	0	156	162	0	25	26
2025	5	30	18	28	10	24.8	-0.5	0.908	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	30	18	38	10	25.4	-0.4	0.907	0.6	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	5	30	18	48	10	27.8	-0.5	0.907	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	5	30	18	58	10	26.7	-0.4	0.907	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	30	19	8	10	26.9	-0.8	0.907	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	30	19	18	10	24.8	0.6	0.907	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	30	19	28	10	25.9	0	0.907	0.5	0.5	0	58	58.9	0	160	162	0	25	25
2025	5	30	19	38	10	26.1	-1	0.907	0.5	0.4	0	58.5	58.9	0	161	163	0	25	26
2025	5	30	19	48	10	26.3	0.9	0.907	0.5	0.5	0	58	58.9	0	160	162	0	25	25
2025	5	30	19	58	10	25.1	-0.1	0.907	0.5	0.4	0	58.5	58.9	0	161	163	0	25	26
2025	5	30	20	8	10	26.4	-0.1	0.907	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	30	20	18	10	26.5	-1.5	0.907	0.6	0.5	0	58	59.3	0	160	164	0	25	26
2025	5	30	20	28	10	27	0	0.907	0.6	0.5	0	58	59.8	0	160	164	0	25	25
2025	5	30	20	38	10	26	-0.9	0.906	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	20	48	10	26.3	-1.4	0.906	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	20	58	10	26.2	-0.2	0.906	0.4	0.3	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	21	8	10	25.6	-1.3	0.906	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	21	18	10	26.3	-0.2	0.906	0.6	0.5	0	57.6	59.8	0	160	164	0	26	25
2025	5	30	21	28	10	26.7	-0.5	0.906	0.6	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	30	21	38	10	26	-1.5	0.906	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	30	21	48	10	25.3	-0.7	0.906	0.6	0.5	0	57.2	59.3	0	159	163	0	26	25
2025	5	30	21	58	10	26.4	-1	0.906	0.6	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	30	22	8	10	26.8	-0.2	0.906	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	30	22	18	10	25.9	-0.6	0.906	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	30	22	28	10	25.3	-0.7	0.906	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	22	38	10	25.4	0.1	0.906	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	30	22	48	10	26	-1.2	0.906	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	30	22	58	10	27.7	-1.1	0.906	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	23	8	10	26.4	-0.8	0.906	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	30	23	18	10	27.3	-0.9	0.906	0.5	0.4	0	57.6	59.3	0	160	163	0	26	25
2025	5	30	23	28	10	26.5	-1	0.906	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	30	23	38	10	26.2	-1	0.906	0.6	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	30	23	48	10	25.9	-0.8	0.906	0.5	0.4	0	57.6	58.9	0	159	163	0	25	26
2025	5	30	23	58	10	25.5	-0.6	0.906	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	31	0	8	10	26.8	-0.6	0.906	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	31	0	18	10	27.3	-0.4	0.906	0.6	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	31	0	28	10	26.1	-0.7	0.906	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	31	0	38	10	26.7	-0.1	0.905	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	0	48	10	26.1	-0.5	0.905	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	0	58	10	26.4	-1.4	0.905	0.5	0.4	0	57.6	59.3	0	159	163	0	25	25
2025	5	31	1	8	10	26.2	-0.4	0.906	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	31	1	18	10	26.6	0	0.905	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	1	28	10	25.7	-0.6	0.905	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	31	1	38	10	25.4	-0.7	0.905	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	1	48	10	26	-0.4	0.905	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	31	1	58	10	26.5	-1.3	0.905	0.5	0.5	0	57.6	58.9	0	160	163	0	26	26
2025	5	31	2	8	10	25.6	-0.8	0.905	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	31	2	18	10	25.4	0	0.905	0.5	0.5	0	58	59.3	0	160	164	0	25	26
2025	5	31	2	28	10	26.7	-0.9	0.905	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	31	2	38	10	25.2	-0.9	0.905	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	5	31	2	48	10	25.5	-1	0.905	0.5	0.4	0	57.6	58.9	0	160	163	0	26	26
2025	5	31	2	58	10	26.5	-1	0.905	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	31	3	8	10	25.9	-0.4	0.905	0.4	0.3	0	57.2	58	0	159	162	0	26	27
2025	5	31	3	18	10	25.6	-1.8	0.905	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	5	31	3	28	10	26.5	-0.2	0.905	0.5	0.5	0	57.2	58.9	0	159	163	0	26	26
2025	5	31	3	38	10	26.7	-0.2	0.906	0.6	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	3	48	10	25.6	-1.8	0.906	0.4	0.3	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	3	58	10	26.7	0	0.906	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	31	4	8	10	27.2	-0.2	0.906	0.6	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	31	4	18	10	26.4	-1.4	0.906	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	4	28	10	26.2	-1	0.906	0.5	0.4	0	56.8	58	0	158	162	0	26	27
2025	5	31	4	38	10	26.3	-0.5	0.907	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	4	48	10	25.9	0.1	0.907	0.5	0.4	0	57.2	58.9	0	159	163	0	26	26
2025	5	31	4	58	10	26.5	-1.9	0.908	0.5	0.5	0	56.8	58.5	0	158	162	0	26	26
2025	5	31	5	8	10	26.3	-1	0.908	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	31	5	18	10	26	-1	0.908	0.5	0.4	0	57.6	59.3	0	159	164	0	25	26
2025	5	31	5	28	10	27.1	-0.3	0.909	0.4	0.3	0	57.6	59.3	0	159	164	0	25	26
2025	5	31	5	38	10	26.6	0	0.909	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	31	5	48	10	26	-1.2	0.909	0.6	0.5	0	56.8	58.5	0	158	163	0	26	27
2025	5	31	5	58	10	25.7	-1.1	0.909	0.5	0.5	0	57.2	59.3	0	159	164	0	26	26
2025	5	31	6	8	10	25.3	-1.9	0.909	0.5	0.4	0	57.2	59.3	0	159	164	0	26	26
2025	5	31	6	18	10	26.2	-0.3	0.909	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	6	28	10	26.2	-0.4	0.909	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	31	6	38	10	25.1	-0.9	0.909	0.4	0.3	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	6	48	10	25.1	-1.5	0.909	0.4	0.3	0	56.8	59.3	0	158	163	0	26	25
2025	5	31	6	58	10	26.6	-1.5	0.909	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	7	8	10	25.6	-1	0.91	0.5	0.5	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	7	18	10	26.1	-0.2	0.91	0.5	0.5	0	57.2	59.3	0	158	164	0	25	26
2025	5	31	7	28	10	25.1	-1.8	0.91	0.5	0.4	0	56.8	58.9	0	158	163	0	26	26
2025	5	31	7	38	10	26.6	-0.4	0.91	0.5	0.4	0	56.3	58.5	0	157	163	0	26	27
2025	5	31	7	48	10	25.5	-1.4	0.91	0.5	0.4	0	56.8	59.3	0	158	163	0	26	25
2025	5	31	7	58	10	25.5	-1	0.91	0.5	0.4	0	56.8	58.5	0	158	163	0	26	27
2025	5	31	8	8	10	25.6	-0.9	0.91	0.4	0.3	0	56.3	58.9	0	157	163	0	26	26

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	31	8	18	10	26.3	-0.4	0.91	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	31	8	28	10	25.6	-1.4	0.91	0.5	0.4	0	56.3	58.9	0	157	163	0	26	26
2025	5	31	8	38	10	26.5	-1.4	0.91	0.5	0.5	0	56.3	58.9	0	157	163	0	26	26
2025	5	31	8	48	10	25.5	-0.3	0.91	0.5	0.4	0	55.9	58.9	0	156	163	0	26	26
2025	5	31	8	58	10	26.1	-1.7	0.91	0.6	0.5	0	56.3	58.9	0	156	162	0	25	25
2025	5	31	9	8	10	26	-1.2	0.91	0.5	0.4	0	55.9	58.5	0	156	162	0	26	26
2025	5	31	9	18	10	25.6	-0.7	0.91	0.4	0.3	0	55.9	58.5	0	156	162	0	26	26
2025	5	31	9	28	10	26.1	-1	0.91	0.5	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	31	9	38	10	26	-1.2	0.91	0.5	0.4	0	55.9	58	0	156	162	0	26	27
2025	5	31	9	48	10	25.8	-1	0.91	0.6	0.5	0	55.9	58.5	0	156	162	0	26	26
2025	5	31	9	58	10	25.3	-0.7	0.91	0.4	0.3	0	55.5	58.5	0	155	162	0	26	26
2025	5	31	10	8	10	27	-1.4	0.91	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	31	10	18	10	25.7	-1.5	0.909	0.4	0.3	0	55.9	57.6	0	155	161	0	25	27
2025	5	31	10	28	10	27.1	-1.3	0.909	0.5	0.4	0	55.9	58	0	155	161	0	25	26
2025	5	31	10	38	10	26.2	-1.2	0.909	0.5	0.4	0	55	58	0	154	161	0	26	26
2025	5	31	10	48	10	26.8	-0.8	0.91	0.5	0.4	0	55	57.6	0	154	161	0	26	27
2025	5	31	10	58	10	27.3	-1.4	0.908	0.5	0.5	0	55	57.6	0	154	160	0	26	26
2025	5	31	11	8	10	27.1	-1.3	0.907	0.4	0.3	0	54.6	57.2	0	153	159	0	26	26
2025	5	31	11	18	10	25.8	-1.1	0.907	0.5	0.4	0	55	57.6	0	154	160	0	26	26
2025	5	31	11	28	10	26.7	0.2	0.907	0.4	0.3	0	54.6	58	0	154	161	0	27	26
2025	5	31	11	38	10	26.7	-0.4	0.908	0.5	0.4	0	55.5	57.6	0	154	160	0	25	26
2025	5	31	11	48	10	26.3	-0.6	0.906	0.5	0.5	0	55.5	58	0	154	161	0	25	26
2025	5	31	11	58	10	26.6	-0.6	0.907	0.5	0.5	0	55.5	57.6	0	154	160	0	25	26
2025	5	31	12	8	10	26.7	-1.4	0.907	0.6	0.5	0	55	58	0	154	160	0	26	25
2025	5	31	12	18	10	26.2	-0.6	0.906	0.5	0.5	0	54.6	57.6	0	153	160	0	26	26
2025	5	31	12	28	10	26.3	-1.1	0.906	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	31	12	38	10	26.8	-1.6	0.907	0.5	0.4	0	54.6	57.6	0	153	160	0	26	26
2025	5	31	12	48	10	26.7	-1.5	0.906	0.5	0.5	0	53.8	57.2	0	151	159	0	26	26
2025	5	31	12	58	10	21.2	1.7	0.908	0.7	0.6	0	55	52	0	153	146	0	25	25
2025	5	31	13	8	10	24.6	-2.7	0.907	0.5	0.4	0	56.3	57.6	0	156	160	0	25	26
2025	5	31	13	18	10	17.7	-0.7	0.906	0.5	0.5	0	57.2	57.2	0	159	158	0	26	25
2025	5	31	13	28	10	27.6	-1.4	0.907	0.5	0.4	0	55.9	57.6	0	156	159	0	26	25
2025	5	31	13	38	10	29.1	-0.5	0.907	0.5	0.5	0	55.9	57.2	0	156	159	0	26	26
2025	5	31	13	48	10	28.7	0	0.907	0.5	0.5	0	55.9	57.2	0	155	158	0	25	25
2025	5	31	13	58	10	24	-2	0.907	0.5	0.5	0	57.2	58	0	158	161	0	25	26
2025	5	31	14	8	10	26.7	-1	0.907	0.5	0.4	0	55.9	57.2	0	156	159	0	26	26
2025	5	31	14	18	10	28.2	-0.8	0.907	0.5	0.4	0	55	57.2	0	154	158	0	26	25
2025	5	31	14	28	10	29.1	-1.4	0.907	0.5	0.5	0	55.9	56.8	0	156	158	0	26	26
2025	5	31	14	38	10	26.6	-1.1	0.907	0.5	0.4	0	56.8	58	0	157	160	0	25	25
2025	5	31	14	48	10	28.8	-1.8	0.907	0.6	0.5	0	57.2	58	0	159	161	0	26	26
2025	5	31	14	58	10	25.6	-1.5	0.908	0.5	0.5	0	57.6	58.9	0	159	163	0	25	26
2025	5	31	15	8	10	18.7	4.3	0.907	0.4	0.3	0	56.3	58.5	0	156	161	0	25	25
2025	5	31	15	18	10	25.9	0.3	0.907	0.5	0.5	0	55.9	51.2	0	155	145	0	25	26
2025	5	31	15	28	10	22	0	0.907	0.5	0.4	0	55.9	59.3	0	156	163	0	26	25
2025	5	31	15	38	10	24.2	-0.5	0.908	0.6	0.5	0	54.6	57.6	0	152	160	0	25	26
2025	5	31	15	48	10	29	-1.8	0.908	0.5	0.5	0	56.3	57.6	0	156	159	0	25	25
2025	5	31	15	58	10	28.5	-0.2	0.907	0.4	0.3	0	56.3	57.6	0	157	160	0	26	26
2025	5	31	16	8	10	27.5	-0.8	0.907	0.6	0.5	0	56.8	57.6	0	157	159	0	25	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2
2025	5	31	16	18	10	25.4	0	0.908	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	31	16	28	10	26.1	-1.5	0.907	0.5	0.5	0	61.9	62.8	0	169	171	0	25	25
2025	5	31	16	38	10	21.7	-2.6	0.907	0.5	0.5	0	58.5	58	0	161	160	0	25	25
2025	5	31	16	48	10	27.3	2.1	0.909	0.5	0.5	0	56.8	58.5	0	158	161	0	26	25
2025	5	31	16	58	10	27.3	-1.1	0.908	0.5	0.4	0	57.2	58	0	158	161	0	25	26
2025	5	31	17	8	10	26.6	0.1	0.908	0.5	0.4	0	57.6	58	0	158	161	0	24	26
2025	5	31	17	18	10	25.1	0.5	0.908	0.5	0.5	0	56.8	58	0	157	160	0	25	25
2025	5	31	17	28	10	24.4	-0.4	0.907	0.5	0.5	0	58	58.5	0	159	162	0	24	26
2025	5	31	17	38	10	18.5	2.7	0.908	0.5	0.5	0	57.6	60.6	0	159	166	0	25	25
2025	5	31	17	48	10	26.1	-0.4	0.908	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	5	31	17	58	10	26.5	-0.1	0.907	0.5	0.5	0	57.6	58	0	158	161	0	24	26
2025	5	31	18	8	10	27.9	0.5	0.908	0.5	0.4	0	57.6	58.5	0	159	161	0	25	25
2025	5	31	18	18	10	26	-0.1	0.907	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	5	31	18	28	10	26.7	-1.9	0.907	0.5	0.5	0	57.6	58.9	0	159	162	0	25	25
2025	5	31	18	38	10	26.6	-0.1	0.907	0.5	0.5	0	57.6	58.5	0	159	161	0	25	25
2025	5	31	18	48	10	25.8	-0.3	0.908	0.5	0.4	0	57.6	58.9	0	159	162	0	25	25
2025	5	31	18	58	10	26.6	0	0.907	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	19	8	10	25.5	-1	0.908	0.5	0.4	0	58.5	59.3	0	160	163	0	24	25
2025	5	31	19	18	10	26.4	-0.9	0.908	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	19	28	10	25.9	-0.7	0.908	0.5	0.5	0	58	58.9	0	160	163	0	25	26
2025	5	31	19	38	10	27.1	-0.5	0.908	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	31	19	48	10	25.6	-0.6	0.908	0.5	0.5	0	57.6	58.5	0	159	162	0	25	26
2025	5	31	19	58	10	26.8	0.6	0.908	0.5	0.5	0	58.5	58.9	0	161	163	0	25	26
2025	5	31	20	8	10	25.4	-0.7	0.908	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	31	20	18	10	27	-0.4	0.908	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	20	28	10	26.2	-0.9	0.908	0.6	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	20	38	10	25.8	-1.1	0.908	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	20	48	10	26.4	-0.1	0.907	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	20	58	10	26.8	0	0.907	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	31	21	8	10	26.2	-0.2	0.907	0.5	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	5	31	21	18	10	25.8	-0.3	0.907	0.6	0.5	0	58.5	59.3	0	161	164	0	25	26
2025	5	31	21	28	10	27.1	-0.3	0.907	0.5	0.5	0	58.5	58.9	0	160	163	0	24	26
2025	5	31	21	38	10	27	-0.9	0.907	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	21	48	10	26.3	-1	0.907	0.5	0.4	0	58	59.3	0	160	163	0	25	25
2025	5	31	21	58	10	26.2	-0.7	0.907	0.6	0.5	0	57.6	59.3	0	160	163	0	26	25
2025	5	31	22	8	10	27.3	-0.5	0.906	0.5	0.4	0	57.6	59.3	0	160	163	0	26	25
2025	5	31	22	18	10	25.5	-1.4	0.906	0.4	0.3	0	58	59.3	0	160	163	0	25	25
2025	5	31	22	28	10	25.6	-0.3	0.906	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	31	22	38	10	27.3	-0.5	0.906	0.5	0.5	0	57.6	59.3	0	159	163	0	25	25
2025	5	31	22	48	10	25.4	0	0.906	0.5	0.5	0	58	59.8	0	160	164	0	25	25
2025	5	31	22	58	10	26.2	-0.6	0.906	0.5	0.4	0	57.6	59.8	0	160	164	0	26	25
2025	5	31	23	8	10	27.1	-0.1	0.906	0.5	0.4	0	58	58.9	0	160	163	0	25	26
2025	5	31	23	18	10	24.8	0	0.906	0.5	0.4	0	58	59.3	0	160	164	0	25	26
2025	5	31	23	28	10	25.2	-0.5	0.906	0.5	0.5	0	58	59.3	0	160	163	0	25	25
2025	5	31	23	38	10	26.4	-1.1	0.906	0.4	0.3	0	57.6	59.3	0	160	163	0	26	25
2025	5	31	23	48	10	26	-1.4	0.906	0.5	0.4	0	57.2	59.3	0	159	163	0	26	25

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	5	8	1	19	27	0	0	0	0	0	0	0	13.43	0	0
2025	5	5	8	11	19	27	0	0	0	0	0	0	0	13.45	0	0
2025	5	5	8	21	19	27	0	0	0	0	0	0	0	13.46	0	0
2025	5	5	8	31	19	26	0	0	0	0	0	0	0	13.47	0	0
2025	5	5	8	41	19	27	0	0	0	0	0	0	0	13.48	0	0
2025	5	5	8	51	19	27	0	0	0	0	0	0	0	13.49	0	0
2025	5	5	9	1	19	27	0	0	0	0	0	0	0	13.51	0	0
2025	5	5	9	11	19	26	0	0	0	0	0	0	0	13.54	0	0
2025	5	5	9	21	19	27	0	0	0	0	0	0	0	13.57	0	0
2025	5	5	9	31	19	27	0	0	0	0	0	0	0	13.58	0	0
2025	5	5	9	41	19	26	0	0	0	0	0	0	0	13.61	0	0
2025	5	5	9	51	19	27	0	0	0	0	0	0	0	13.62	0	0
2025	5	5	10	1	19	27	0	0	0	0	0	0	0	13.65	0	0
2025	5	5	10	11	19	27	0	0	0	0	0	0	0	13.68	0	0
2025	5	5	10	21	19	27	0	0	0	0	0	0	0	13.72	0	0
2025	5	5	10	31	19	27	0	0	0	0	0	0	0	13.77	0	0
2025	5	5	10	41	19	27	0	0	0	0	0	0	0	13.83	0	0
2025	5	5	10	51	19	27	0	0	0	0	0	0	0	13.89	0	0
2025	5	5	11	1	19	27	0	0	0	0	0	0	0	13.93	0	0
2025	5	5	11	11	19	26	0	0	0	0	0	0	0	13.97	0	0
2025	5	5	11	21	19	26	0	0	0	0	0	0	0	14.02	0	0
2025	5	5	11	31	19	27	0	0	0	0	0	0	0	14.1	0	0
2025	5	5	11	41	19	27	0	0	0	0	0	0	0	14.18	0	0
2025	5	5	11	51	19	27	0	0	0	0	0	0	0	14.3	0	0
2025	5	5	12	1	19	26	0	0	0	0	0	0	0	14.42	0	0
2025	5	5	12	11	19	27	0	0	0	0	0	0	0	14.54	0	0
2025	5	5	12	21	19	27	0	0	0	0	0	0	0	14.62	0	0
2025	5	5	12	31	19	26	0	0	0	0	0	0	0	14.71	0	0
2025	5	5	12	41	19	27	0	0	0	0	0	0	0	14.81	0	0
2025	5	5	12	51	19	27	0	0	0	0	0	0	0	14.86	0	0
2025	5	5	13	1	19	27	0	0	0	0	0	0	0	14.92	0	0
2025	5	5	13	11	19	26	0	0	0	0	0	0	0	15.01	0	0
2025	5	5	13	21	19	27	0	0	0	0	0	0	0	15.12	0	0
2025	5	5	13	31	19	26	0	0	0	0	0	0	0	15.26	0	0
2025	5	5	13	41	19	26	0	0	0	0	0	0	0	15.39	0	0
2025	5	5	13	51	19	26	0	0	0	0	0	0	0	15.52	0	0
2025	5	5	14	1	19	26	0	0	0	0	0	0	0	15.64	0	0
2025	5	5	14	11	19	26	0	0	0	0	0	0	0	15.74	0	0
2025	5	5	14	21	19	27	0	0	0	0	0	0	0	15.85	0	0
2025	5	5	14	31	19	26	0	0	0	0	0	0	0	15.95	0	0
2025	5	5	14	41	19	26	0	0	0	0	0	0	0	16.07	0	0
2025	5	5	14	51	19	26	0	0	0	0	0	0	0	16.19	0	0
2025	5	5	15	1	19	26	0	0	0	0	0	0	0	16.31	0	0
2025	5	5	15	11	19	27	0	0	0	0	0	0	0	16.45	0	0
2025	5	5	15	21	19	27	0	0	0	0	0	0	0	16.59	0	0
2025	5	5	15	31	19	26	0	0	0	0	0	0	0	16.72	0	0
2025	5	5	15	41	19	26	0	0	0	0	0	0	0	16.82	0	0
2025	5	5	15	51	19	26	0	0	0	0	0	0	0	16.95	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	5	16	1	19	26	0	0	0	0	0	0	0	17.07	0	0
2025	5	5	16	11	19	26	0	0	0	0	0	0	0	17.18	0	0
2025	5	5	16	21	19	26	0	0	0	0	0	0	0	17.3	0	0
2025	5	5	16	31	19	26	0	0	0	0	0	0	0	17.43	0	0
2025	5	5	16	41	19	26	0	0	0	0	0	0	0	17.53	0	0
2025	5	5	16	51	19	26	0	0	0	0	0	0	0	17.64	0	0
2025	5	5	17	1	19	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	5	17	11	19	27	0	0	0	0	0	0	0	17.82	0	0
2025	5	5	17	21	19	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	5	17	31	19	26	0	0	0	0	0	0	0	17.96	0	0
2025	5	5	17	41	19	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	5	17	51	19	26	0	0	0	0	0	0	0	18.05	0	0
2025	5	5	18	1	19	26	0	0	0	0	0	0	0	18.07	0	0
2025	5	5	18	11	19	26	0	0	0	0	0	0	0	18.07	0	0
2025	5	5	18	21	19	26	0	0	0	0	0	0	0	18.07	0	0
2025	5	5	18	31	19	25	0	0	0	0	0	0	0	18.06	0	0
2025	5	5	18	41	19	26	0	0	0	0	0	0	0	18.03	0	0
2025	5	5	18	51	19	26	0	0	0	0	0	0	0	17.99	0	0
2025	5	5	19	1	19	25	0	0	0	0	0	0	0	17.96	0	0
2025	5	5	19	11	19	26	0	0	0	0	0	0	0	17.91	0	0
2025	5	5	19	21	19	26	0	0	0	0	0	0	0	17.87	0	0
2025	5	5	19	31	19	26	0	0	0	0	0	0	0	17.82	0	0
2025	5	5	19	41	19	26	0	0	0	0	0	0	0	17.77	0	0
2025	5	5	19	51	19	26	0	0	0	0	0	0	0	17.71	0	0
2025	5	5	20	1	19	26	0	0	0	0	0	0	0	17.66	0	0
2025	5	5	20	11	19	26	0	0	0	0	0	0	0	17.61	0	0
2025	5	5	20	21	19	26	0	0	0	0	0	0	0	17.56	0	0
2025	5	5	20	31	19	26	0	0	0	0	0	0	0	17.5	0	0
2025	5	5	20	41	19	26	0	0	0	0	0	0	0	17.45	0	0
2025	5	5	20	51	19	26	0	0	0	0	0	0	0	17.39	0	0
2025	5	5	21	1	19	26	0	0	0	0	0	0	0	17.33	0	0
2025	5	5	21	11	19	26	0	0	0	0	0	0	0	17.27	0	0
2025	5	5	21	21	19	26	0	0	0	0	0	0	0	17.2	0	0
2025	5	5	21	31	19	26	0	0	0	0	0	0	0	17.13	0	0
2025	5	5	21	41	19	26	0	0	0	0	0	0	0	17.05	0	0
2025	5	5	21	51	19	26	0	0	0	0	0	0	0	16.98	0	0
2025	5	5	22	1	19	26	0	0	0	0	0	0	0	16.89	0	0
2025	5	5	22	11	19	26	0	0	0	0	0	0	0	16.82	0	0
2025	5	5	22	21	19	26	0	0	0	0	0	0	0	16.74	0	0
2025	5	5	22	31	19	26	0	0	0	0	0	0	0	16.67	0	0
2025	5	5	22	41	19	27	0	0	0	0	0	0	0	16.59	0	0
2025	5	5	22	51	19	27	0	0	0	0	0	0	0	16.51	0	0
2025	5	5	23	1	19	26	0	0	0	0	0	0	0	16.44	0	0
2025	5	5	23	11	19	27	0	0	0	0	0	0	0	16.36	0	0
2025	5	5	23	21	19	26	0	0	0	0	0	0	0	16.27	0	0
2025	5	5	23	31	19	26	0	0	0	0	0	0	0	16.18	0	0
2025	5	5	23	41	19	27	0	0	0	0	0	0	0	16.11	0	0
2025	5	5	23	51	19	27	0	0	0	0	0	0	0	16.02	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	6	0	1	19	26	0	0	0	0	0	0	0	15.94	0	0
2025	5	6	0	11	19	26	0	0	0	0	0	0	0	15.86	0	0
2025	5	6	0	21	19	26	0	0	0	0	0	0	0	15.78	0	0
2025	5	6	0	31	19	27	0	0	0	0	0	0	0	15.7	0	0
2025	5	6	0	41	19	26	0	0	0	0	0	0	0	15.63	0	0
2025	5	6	0	51	19	27	0	0	0	0	0	0	0	15.56	0	0
2025	5	6	1	1	19	26	0	0	0	0	0	0	0	15.49	0	0
2025	5	6	1	11	19	27	0	0	0	0	0	0	0	15.43	0	0
2025	5	6	1	21	19	27	0	0	0	0	0	0	0	15.36	0	0
2025	5	6	1	31	19	27	0	0	0	0	0	0	0	15.3	0	0
2025	5	6	1	41	19	27	0	0	0	0	0	0	0	15.24	0	0
2025	5	6	1	51	19	26	0	0	0	0	0	0	0	15.19	0	0
2025	5	6	2	1	19	26	0	0	0	0	0	0	0	15.13	0	0
2025	5	6	2	11	19	27	0	0	0	0	0	0	0	15.06	0	0
2025	5	6	2	21	19	26	0	0	0	0	0	0	0	15.01	0	0
2025	5	6	2	31	19	27	0	0	0	0	0	0	0	14.95	0	0
2025	5	6	2	41	19	27	0	0	0	0	0	0	0	14.89	0	0
2025	5	6	2	51	19	27	0	0	0	0	0	0	0	14.83	0	0
2025	5	6	3	1	19	26	0	0	0	0	0	0	0	14.77	0	0
2025	5	6	3	11	19	26	0	0	0	0	0	0	0	14.71	0	0
2025	5	6	3	21	19	27	0	0	0	0	0	0	0	14.65	0	0
2025	5	6	3	31	19	26	0	0	0	0	0	0	0	14.56	0	0
2025	5	6	3	41	19	26	0	0	0	0	0	0	0	14.5	0	0
2025	5	6	3	51	19	26	0	0	0	0	0	0	0	14.43	0	0
2025	5	6	4	1	19	27	0	0	0	0	0	0	0	14.36	0	0
2025	5	6	4	11	19	27	0	0	0	0	0	0	0	14.29	0	0
2025	5	6	4	21	19	26	0	0	0	0	0	0	0	14.21	0	0
2025	5	6	4	31	19	27	0	0	0	0	0	0	0	14.13	0	0
2025	5	6	4	41	19	26	0	0	0	0	0	0	0	14.06	0	0
2025	5	6	4	51	19	27	0	0	0	0	0	0	0	13.99	0	0
2025	5	6	5	1	19	27	0	0	0	0	0	0	0	13.91	0	0
2025	5	6	5	11	19	26	0	0	0	0	0	0	0	13.84	0	0
2025	5	6	5	21	19	26	0	0	0	0	0	0	0	13.77	0	0
2025	5	6	5	31	19	27	0	0	0	0	0	0	0	13.7	0	0
2025	5	6	5	41	19	26	0	0	0	0	0	0	0	13.64	0	0
2025	5	6	5	51	19	27	0	0	0	0	0	0	0	13.58	0	0
2025	5	6	6	1	19	27	0	0	0	0	0	0	0	13.53	0	0
2025	5	6	6	11	19	27	0	0	0	0	0	0	0	13.48	0	0
2025	5	6	6	21	19	27	0	0	0	0	0	0	0	13.44	0	0
2025	5	6	6	31	19	26	0	0	0	0	0	0	0	13.4	0	0
2025	5	6	6	41	19	27	0	0	0	0	0	0	0	13.37	0	0
2025	5	6	6	51	19	26	0	0	0	0	0	0	0	13.35	0	0
2025	5	6	7	1	19	26	0	0	0	0	0	0	0	13.32	0	0
2025	5	6	7	11	19	26	0	0	0	0	0	0	0	13.31	0	0
2025	5	6	7	21	19	27	0	0	0	0	0	0	0	13.3	0	0
2025	5	6	7	31	19	27	0	0	0	0	0	0	0	13.3	0	0
2025	5	6	7	41	19	27	0	0	0	0	0	0	0	13.3	0	0
2025	5	6	7	51	19	27	0	0	0	0	0	0	0	13.31	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	6	8	1	19	27	0	0	0	0	0	0	0	13.33	0	0
2025	5	6	8	11	19	27	0	0	0	0	0	0	0	13.36	0	0
2025	5	6	8	21	19	27	0	0	0	0	0	0	0	13.38	0	0
2025	5	6	8	31	19	26	0	0	0	0	0	0	0	13.41	0	0
2025	5	6	8	41	19	27	0	0	0	0	0	0	0	13.45	0	0
2025	5	6	8	51	19	28	0	0	0	0	0	0	0	13.5	0	0
2025	5	6	9	1	19	27	0	0	0	0	0	0	0	13.54	0	0
2025	5	6	9	11	19	26	0	0	0	0	0	0	0	13.6	0	0
2025	5	6	9	21	19	27	0	0	0	0	0	0	0	13.66	0	0
2025	5	6	9	31	19	27	0	0	0	0	0	0	0	13.72	0	0
2025	5	6	9	41	19	27	0	0	0	0	0	0	0	13.79	0	0
2025	5	6	9	51	19	27	0	0	0	0	0	0	0	13.86	0	0
2025	5	6	10	1	19	27	0	0	0	0	0	0	0	13.94	0	0
2025	5	6	10	11	19	26	0	0	0	0	0	0	0	14.03	0	0
2025	5	6	10	21	19	26	0	0	0	0	0	0	0	14.12	0	0
2025	5	6	10	31	19	27	0	0	0	0	0	0	0	14.2	0	0
2025	5	6	10	41	19	26	0	0	0	0	0	0	0	14.3	0	0
2025	5	6	10	51	19	27	0	0	0	0	0	0	0	14.41	0	0
2025	5	6	11	1	19	26	0	0	0	0	0	0	0	14.51	0	0
2025	5	6	11	11	19	26	0	0	0	0	0	0	0	14.63	0	0
2025	5	6	11	21	19	27	0	0	0	0	0	0	0	14.74	0	0
2025	5	6	11	31	19	27	0	0	0	0	0	0	0	14.86	0	0
2025	5	6	11	41	19	26	0	0	0	0	0	0	0	14.99	0	0
2025	5	6	11	51	19	27	0	0	0	0	0	0	0	15.11	0	0
2025	5	6	12	1	19	27	0	0	0	0	0	0	0	15.24	0	0
2025	5	6	12	11	19	27	0	0	0	0	0	0	0	15.37	0	0
2025	5	6	12	21	19	27	0	0	0	0	0	0	0	15.5	0	0
2025	5	6	12	31	19	26	0	0	0	0	0	0	0	15.62	0	0
2025	5	6	12	41	19	26	0	0	0	0	0	0	0	15.76	0	0
2025	5	6	12	51	19	27	0	0	0	0	0	0	0	15.88	0	0
2025	5	6	13	1	19	27	0	0	0	0	0	0	0	16.01	0	0
2025	5	6	13	11	19	26	0	0	0	0	0	0	0	16.13	0	0
2025	5	6	13	21	19	26	0	0	0	0	0	0	0	16.23	0	0
2025	5	6	13	31	19	26	0	0	0	0	0	0	0	16.33	0	0
2025	5	6	13	41	19	26	0	0	0	0	0	0	0	16.44	0	0
2025	5	6	13	51	19	26	0	0	0	0	0	0	0	16.56	0	0
2025	5	6	14	1	19	27	0	0	0	0	0	0	0	16.67	0	0
2025	5	6	14	11	19	27	0	0	0	0	0	0	0	16.77	0	0
2025	5	6	14	21	19	26	0	0	0	0	0	0	0	16.87	0	0
2025	5	6	14	31	19	26	0	0	0	0	0	0	0	16.97	0	0
2025	5	6	14	41	19	27	0	0	0	0	0	0	0	17.05	0	0
2025	5	6	14	51	19	26	0	0	0	0	0	0	0	17.13	0	0
2025	5	6	15	1	19	25	0	0	0	0	0	0	0	17.2	0	0
2025	5	6	15	11	19	27	0	0	0	0	0	0	0	17.29	0	0
2025	5	6	15	21	19	26	0	0	0	0	0	0	0	17.36	0	0
2025	5	6	15	31	19	26	0	0	0	0	0	0	0	17.42	0	0
2025	5	6	15	41	19	26	0	0	0	0	0	0	0	17.47	0	0
2025	5	6	15	51	19	26	0	0	0	0	0	0	0	17.52	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	6	16	1	19	26	0	0	0	0	0	0	0	17.58	0	0
2025	5	6	16	11	19	26	0	0	0	0	0	0	0	17.65	0	0
2025	5	6	16	21	19	27	0	0	0	0	0	0	0	17.67	0	0
2025	5	6	16	31	19	26	0	0	0	0	0	0	0	17.7	0	0
2025	5	6	16	41	19	26	0	0	0	0	0	0	0	17.76	0	0
2025	5	6	16	51	19	26	0	0	0	0	0	0	0	17.8	0	0
2025	5	6	17	1	19	26	0	0	0	0	0	0	0	17.84	0	0
2025	5	6	17	11	19	26	0	0	0	0	0	0	0	17.87	0	0
2025	5	6	17	21	19	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	6	17	31	19	26	0	0	0	0	0	0	0	17.91	0	0
2025	5	6	17	41	19	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	6	17	51	19	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	6	18	1	19	27	0	0	0	0	0	0	0	17.92	0	0
2025	5	6	18	11	19	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	6	18	21	19	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	6	18	31	19	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	6	18	41	19	27	0	0	0	0	0	0	0	17.88	0	0
2025	5	6	18	51	19	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	6	19	1	19	25	0	0	0	0	0	0	0	17.83	0	0
2025	5	6	19	11	19	26	0	0	0	0	0	0	0	17.79	0	0
2025	5	6	19	21	19	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	6	19	31	19	26	0	0	0	0	0	0	0	17.68	0	0
2025	5	6	19	41	19	25	0	0	0	0	0	0	0	17.63	0	0
2025	5	6	19	51	19	26	0	0	0	0	0	0	0	17.57	0	0
2025	5	6	20	1	19	26	0	0	0	0	0	0	0	17.53	0	0
2025	5	6	20	11	19	26	0	0	0	0	0	0	0	17.46	0	0
2025	5	6	20	21	19	26	0	0	0	0	0	0	0	17.4	0	0
2025	5	6	20	31	19	26	0	0	0	0	0	0	0	17.34	0	0
2025	5	6	20	41	19	26	0	0	0	0	0	0	0	17.29	0	0
2025	5	6	20	51	19	26	0	0	0	0	0	0	0	17.23	0	0
2025	5	6	21	1	19	26	0	0	0	0	0	0	0	17.17	0	0
2025	5	6	21	11	19	26	0	0	0	0	0	0	0	17.11	0	0
2025	5	6	21	21	19	26	0	0	0	0	0	0	0	17.05	0	0
2025	5	6	21	31	19	26	0	0	0	0	0	0	0	16.99	0	0
2025	5	6	21	41	19	26	0	0	0	0	0	0	0	16.93	0	0
2025	5	6	21	51	19	26	0	0	0	0	0	0	0	16.87	0	0
2025	5	6	22	1	19	26	0	0	0	0	0	0	0	16.81	0	0
2025	5	6	22	11	19	26	0	0	0	0	0	0	0	16.75	0	0
2025	5	6	22	21	19	26	0	0	0	0	0	0	0	16.69	0	0
2025	5	6	22	31	19	26	0	0	0	0	0	0	0	16.63	0	0
2025	5	6	22	41	19	26	0	0	0	0	0	0	0	16.57	0	0
2025	5	6	22	51	19	26	0	0	0	0	0	0	0	16.51	0	0
2025	5	6	23	1	19	26	0	0	0	0	0	0	0	16.44	0	0
2025	5	6	23	11	19	27	0	0	0	0	0	0	0	16.38	0	0
2025	5	6	23	21	19	26	0	0	0	0	0	0	0	16.31	0	0
2025	5	6	23	31	19	26	0	0	0	0	0	0	0	16.25	0	0
2025	5	6	23	41	19	27	0	0	0	0	0	0	0	16.18	0	0
2025	5	6	23	51	19	26	0	0	0	0	0	0	0	16.11	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	7	0	1	19	26	0	0	0	0	0	0	0	16.04	0	0
2025	5	7	0	11	19	26	0	0	0	0	0	0	0	15.97	0	0
2025	5	7	0	21	19	27	0	0	0	0	0	0	0	15.9	0	0
2025	5	7	0	31	19	27	0	0	0	0	0	0	0	15.83	0	0
2025	5	7	0	41	19	26	0	0	0	0	0	0	0	15.77	0	0
2025	5	7	0	51	19	27	0	0	0	0	0	0	0	15.7	0	0
2025	5	7	1	1	19	27	0	0	0	0	0	0	0	15.64	0	0
2025	5	7	1	11	19	26	0	0	0	0	0	0	0	15.57	0	0
2025	5	7	1	21	19	26	0	0	0	0	0	0	0	15.5	0	0
2025	5	7	1	31	19	26	0	0	0	0	0	0	0	15.44	0	0
2025	5	7	1	41	19	26	0	0	0	0	0	0	0	15.37	0	0
2025	5	7	1	51	19	27	0	0	0	0	0	0	0	15.31	0	0
2025	5	7	2	1	19	26	0	0	0	0	0	0	0	15.25	0	0
2025	5	7	2	11	19	27	0	0	0	0	0	0	0	15.2	0	0
2025	5	7	2	21	19	27	0	0	0	0	0	0	0	15.15	0	0
2025	5	7	2	31	19	26	0	0	0	0	0	0	0	15.1	0	0
2025	5	7	2	41	19	26	0	0	0	0	0	0	0	15.05	0	0
2025	5	7	2	51	19	26	0	0	0	0	0	0	0	15	0	0
2025	5	7	3	1	19	26	0	0	0	0	0	0	0	14.96	0	0
2025	5	7	3	11	19	26	0	0	0	0	0	0	0	14.91	0	0
2025	5	7	3	21	19	27	0	0	0	0	0	0	0	14.87	0	0
2025	5	7	3	31	19	27	0	0	0	0	0	0	0	14.83	0	0
2025	5	7	3	41	19	27	0	0	0	0	0	0	0	14.78	0	0
2025	5	7	3	51	19	27	0	0	0	0	0	0	0	14.74	0	0
2025	5	7	4	1	19	27	0	0	0	0	0	0	0	14.69	0	0
2025	5	7	4	11	19	26	0	0	0	0	0	0	0	14.65	0	0
2025	5	7	4	21	19	27	0	0	0	0	0	0	0	14.61	0	0
2025	5	7	4	31	19	26	0	0	0	0	0	0	0	14.56	0	0
2025	5	7	4	41	19	27	0	0	0	0	0	0	0	14.52	0	0
2025	5	7	4	51	19	26	0	0	0	0	0	0	0	14.47	0	0
2025	5	7	5	1	19	26	0	0	0	0	0	0	0	14.42	0	0
2025	5	7	5	11	19	27	0	0	0	0	0	0	0	14.39	0	0
2025	5	7	5	21	19	26	0	0	0	0	0	0	0	14.35	0	0
2025	5	7	5	31	19	26	0	0	0	0	0	0	0	14.32	0	0
2025	5	7	5	41	19	27	0	0	0	0	0	0	0	14.28	0	0
2025	5	7	5	51	19	27	0	0	0	0	0	0	0	14.24	0	0
2025	5	7	6	1	19	26	0	0	0	0	0	0	0	14.21	0	0
2025	5	7	6	11	19	26	0	0	0	0	0	0	0	14.17	0	0
2025	5	7	6	21	19	27	0	0	0	0	0	0	0	14.15	0	0
2025	5	7	6	31	19	27	0	0	0	0	0	0	0	14.13	0	0
2025	5	7	6	41	19	27	0	0	0	0	0	0	0	14.1	0	0
2025	5	7	6	51	19	26	0	0	0	0	0	0	0	14.08	0	0
2025	5	7	7	1	19	27	0	0	0	0	0	0	0	14.06	0	0
2025	5	7	7	11	19	27	0	0	0	0	0	0	0	14.03	0	0
2025	5	7	7	21	19	26	0	0	0	0	0	0	0	14.01	0	0
2025	5	7	7	31	19	27	0	0	0	0	0	0	0	14	0	0
2025	5	7	7	41	19	26	0	0	0	0	0	0	0	13.99	0	0
2025	5	7	7	51	19	26	0	0	0	0	0	0	0	13.99	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	7	8	1	19	26	0	0	0	0	0	0	0	14	0	0
2025	5	7	8	11	19	27	0	0	0	0	0	0	0	14.01	0	0
2025	5	7	8	21	19	27	0	0	0	0	0	0	0	14.03	0	0
2025	5	7	8	31	19	27	0	0	0	0	0	0	0	14.05	0	0
2025	5	7	8	41	19	27	0	0	0	0	0	0	0	14.07	0	0
2025	5	7	8	51	19	26	0	0	0	0	0	0	0	14.1	0	0
2025	5	7	9	1	19	26	0	0	0	0	0	0	0	14.15	0	0
2025	5	7	9	11	19	26	0	0	0	0	0	0	0	14.19	0	0
2025	5	7	9	21	19	27	0	0	0	0	0	0	0	14.24	0	0
2025	5	7	9	31	19	27	0	0	0	0	0	0	0	14.31	0	0
2025	5	7	9	41	19	27	0	0	0	0	0	0	0	14.37	0	0
2025	5	7	9	51	19	27	0	0	0	0	0	0	0	14.44	0	0
2025	5	7	10	1	19	27	0	0	0	0	0	0	0	14.52	0	0
2025	5	7	10	11	19	27	0	0	0	0	0	0	0	14.6	0	0
2025	5	7	10	21	19	27	0	0	0	0	0	0	0	14.69	0	0
2025	5	7	10	31	19	26	0	0	0	0	0	0	0	14.79	0	0
2025	5	7	10	41	19	27	0	0	0	0	0	0	0	14.89	0	0
2025	5	7	10	51	19	28	0	0	0	0	0	0	0	14.99	0	0
2025	5	7	11	1	19	26	0	0	0	0	0	0	0	15.1	0	0
2025	5	7	11	11	19	26	0	0	0	0	0	0	0	15.21	0	0
2025	5	7	11	21	19	27	0	0	0	0	0	0	0	15.33	0	0
2025	5	7	11	31	19	27	0	0	0	0	0	0	0	15.45	0	0
2025	5	7	11	41	19	26	0	0	0	0	0	0	0	15.58	0	0
2025	5	7	11	51	19	26	0	0	0	0	0	0	0	15.7	0	0
2025	5	7	12	1	19	27	0	0	0	0	0	0	0	15.83	0	0
2025	5	7	12	11	19	27	0	0	0	0	0	0	0	15.97	0	0
2025	5	7	12	21	19	26	0	0	0	0	0	0	0	16.1	0	0
2025	5	7	12	31	19	26	0	0	0	0	0	0	0	16.23	0	0
2025	5	7	12	41	19	26	0	0	0	0	0	0	0	16.36	0	0
2025	5	7	12	51	19	26	0	0	0	0	0	0	0	16.5	0	0
2025	5	7	13	1	19	26	0	0	0	0	0	0	0	16.64	0	0
2025	5	7	13	11	19	26	0	0	0	0	0	0	0	16.77	0	0
2025	5	7	13	21	19	26	0	0	0	0	0	0	0	16.91	0	0
2025	5	7	13	31	19	26	0	0	0	0	0	0	0	17.04	0	0
2025	5	7	13	41	19	27	0	0	0	0	0	0	0	17.17	0	0
2025	5	7	13	51	19	26	0	0	0	0	0	0	0	17.29	0	0
2025	5	7	14	1	19	26	0	0	0	0	0	0	0	17.42	0	0
2025	5	7	14	11	19	26	0	0	0	0	0	0	0	17.54	0	0
2025	5	7	14	21	19	26	0	0	0	0	0	0	0	17.65	0	0
2025	5	7	14	31	19	26	0	0	0	0	0	0	0	17.77	0	0
2025	5	7	14	41	19	27	0	0	0	0	0	0	0	17.88	0	0
2025	5	7	14	51	19	26	0	0	0	0	0	0	0	17.99	0	0
2025	5	7	15	1	19	27	0	0	0	0	0	0	0	18.08	0	0
2025	5	7	15	11	19	26	0	0	0	0	0	0	0	18.18	0	0
2025	5	7	15	21	19	26	0	0	0	0	0	0	0	18.28	0	0
2025	5	7	15	31	19	26	0	0	0	0	0	0	0	18.38	0	0
2025	5	7	15	41	19	26	0	0	0	0	0	0	0	18.47	0	0
2025	5	7	15	51	19	26	0	0	0	0	0	0	0	18.55	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	7	16	1	19	25	0	0	0	0	0	0	0	18.63	0	0
2025	5	7	16	11	19	26	0	0	0	0	0	0	0	18.71	0	0
2025	5	7	16	21	19	26	0	0	0	0	0	0	0	18.78	0	0
2025	5	7	16	31	19	26	0	0	0	0	0	0	0	18.84	0	0
2025	5	7	16	41	19	25	0	0	0	0	0	0	0	18.9	0	0
2025	5	7	16	51	19	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	7	17	1	19	26	0	0	0	0	0	0	0	19	0	0
2025	5	7	17	11	19	26	0	0	0	0	0	0	0	19.05	0	0
2025	5	7	17	21	19	26	0	0	0	0	0	0	0	19.08	0	0
2025	5	7	17	31	19	26	0	0	0	0	0	0	0	19.11	0	0
2025	5	7	17	41	19	26	0	0	0	0	0	0	0	19.13	0	0
2025	5	7	17	51	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	7	18	1	19	26	0	0	0	0	0	0	0	19.16	0	0
2025	5	7	18	11	19	25	0	0	0	0	0	0	0	19.16	0	0
2025	5	7	18	21	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	7	18	31	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	7	18	41	19	25	0	0	0	0	0	0	0	19.14	0	0
2025	5	7	18	51	19	26	0	0	0	0	0	0	0	19.11	0	0
2025	5	7	19	1	19	26	0	0	0	0	0	0	0	19.09	0	0
2025	5	7	19	11	19	26	0	0	0	0	0	0	0	19.06	0	0
2025	5	7	19	21	19	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	7	19	31	19	26	0	0	0	0	0	0	0	18.99	0	0
2025	5	7	19	41	19	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	7	19	51	19	26	0	0	0	0	0	0	0	18.9	0	0
2025	5	7	20	1	19	26	0	0	0	0	0	0	0	18.86	0	0
2025	5	7	20	11	19	26	0	0	0	0	0	0	0	18.81	0	0
2025	5	7	20	21	19	26	0	0	0	0	0	0	0	18.76	0	0
2025	5	7	20	31	19	26	0	0	0	0	0	0	0	18.71	0	0
2025	5	7	20	41	19	26	0	0	0	0	0	0	0	18.66	0	0
2025	5	7	20	51	19	26	0	0	0	0	0	0	0	18.6	0	0
2025	5	7	21	1	19	25	0	0	0	0	0	0	0	18.55	0	0
2025	5	7	21	11	19	27	0	0	0	0	0	0	0	18.49	0	0
2025	5	7	21	21	19	26	0	0	0	0	0	0	0	18.44	0	0
2025	5	7	21	31	19	27	0	0	0	0	0	0	0	18.38	0	0
2025	5	7	21	41	19	25	0	0	0	0	0	0	0	18.34	0	0
2025	5	7	21	51	19	25	0	0	0	0	0	0	0	18.28	0	0
2025	5	7	22	1	19	25	0	0	0	0	0	0	0	18.23	0	0
2025	5	7	22	11	19	26	0	0	0	0	0	0	0	18.17	0	0
2025	5	7	22	21	19	26	0	0	0	0	0	0	0	18.12	0	0
2025	5	7	22	31	19	26	0	0	0	0	0	0	0	18.07	0	0
2025	5	7	22	41	19	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	7	22	51	19	25	0	0	0	0	0	0	0	17.96	0	0
2025	5	7	23	1	19	26	0	0	0	0	0	0	0	17.91	0	0
2025	5	7	23	11	19	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	7	23	21	19	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	7	23	31	19	26	0	0	0	0	0	0	0	17.75	0	0
2025	5	7	23	41	19	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	7	23	51	19	25	0	0	0	0	0	0	0	17.64	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	8	0	1	19	26	0	0	0	0	0	0	0	17.58	0	0
2025	5	8	0	11	19	26	0	0	0	0	0	0	0	17.52	0	0
2025	5	8	0	21	19	26	0	0	0	0	0	0	0	17.47	0	0
2025	5	8	0	31	19	26	0	0	0	0	0	0	0	17.42	0	0
2025	5	8	0	41	19	26	0	0	0	0	0	0	0	17.36	0	0
2025	5	8	0	51	19	26	0	0	0	0	0	0	0	17.31	0	0
2025	5	8	1	1	19	26	0	0	0	0	0	0	0	17.26	0	0
2025	5	8	1	11	19	26	0	0	0	0	0	0	0	17.2	0	0
2025	5	8	1	21	19	26	0	0	0	0	0	0	0	17.15	0	0
2025	5	8	1	31	19	26	0	0	0	0	0	0	0	17.1	0	0
2025	5	8	1	41	19	26	0	0	0	0	0	0	0	17.04	0	0
2025	5	8	1	51	19	26	0	0	0	0	0	0	0	16.99	0	0
2025	5	8	2	1	19	27	0	0	0	0	0	0	0	16.94	0	0
2025	5	8	2	11	19	26	0	0	0	0	0	0	0	16.89	0	0
2025	5	8	2	21	19	26	0	0	0	0	0	0	0	16.84	0	0
2025	5	8	2	31	19	26	0	0	0	0	0	0	0	16.8	0	0
2025	5	8	2	41	19	26	0	0	0	0	0	0	0	16.75	0	0
2025	5	8	2	51	19	26	0	0	0	0	0	0	0	16.7	0	0
2025	5	8	3	1	19	25	0	0	0	0	0	0	0	16.66	0	0
2025	5	8	3	11	19	27	0	0	0	0	0	0	0	16.61	0	0
2025	5	8	3	21	19	26	0	0	0	0	0	0	0	16.57	0	0
2025	5	8	3	31	19	26	0	0	0	0	0	0	0	16.52	0	0
2025	5	8	3	41	19	26	0	0	0	0	0	0	0	16.48	0	0
2025	5	8	3	51	19	26	0	0	0	0	0	0	0	16.44	0	0
2025	5	8	4	1	19	26	0	0	0	0	0	0	0	16.39	0	0
2025	5	8	4	11	19	27	0	0	0	0	0	0	0	16.35	0	0
2025	5	8	4	21	19	26	0	0	0	0	0	0	0	16.3	0	0
2025	5	8	4	31	19	27	0	0	0	0	0	0	0	16.26	0	0
2025	5	8	4	41	19	26	0	0	0	0	0	0	0	16.21	0	0
2025	5	8	4	51	19	26	0	0	0	0	0	0	0	16.17	0	0
2025	5	8	5	1	19	27	0	0	0	0	0	0	0	16.13	0	0
2025	5	8	5	11	19	26	0	0	0	0	0	0	0	16.09	0	0
2025	5	8	5	21	19	26	0	0	0	0	0	0	0	16.05	0	0
2025	5	8	5	31	19	26	0	0	0	0	0	0	0	16	0	0
2025	5	8	5	41	19	26	0	0	0	0	0	0	0	15.96	0	0
2025	5	8	5	51	19	26	0	0	0	0	0	0	0	15.92	0	0
2025	5	8	6	1	19	27	0	0	0	0	0	0	0	15.88	0	0
2025	5	8	6	11	19	27	0	0	0	0	0	0	0	15.84	0	0
2025	5	8	6	21	19	26	0	0	0	0	0	0	0	15.8	0	0
2025	5	8	6	31	19	26	0	0	0	0	0	0	0	15.76	0	0
2025	5	8	6	41	19	26	0	0	0	0	0	0	0	15.73	0	0
2025	5	8	6	51	19	27	0	0	0	0	0	0	0	15.7	0	0
2025	5	8	7	1	19	26	0	0	0	0	0	0	0	15.66	0	0
2025	5	8	7	11	19	26	0	0	0	0	0	0	0	15.64	0	0
2025	5	8	7	21	19	27	0	0	0	0	0	0	0	15.62	0	0
2025	5	8	7	31	19	26	0	0	0	0	0	0	0	15.62	0	0
2025	5	8	7	41	19	27	0	0	0	0	0	0	0	15.61	0	0
2025	5	8	7	51	19	27	0	0	0	0	0	0	0	15.61	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	8	8	1	19	26	0	0	0	0	0	0	0	15.61	0	0
2025	5	8	8	11	19	27	0	0	0	0	0	0	0	15.62	0	0
2025	5	8	8	21	19	26	0	0	0	0	0	0	0	15.64	0	0
2025	5	8	8	31	19	27	0	0	0	0	0	0	0	15.66	0	0
2025	5	8	8	41	19	26	0	0	0	0	0	0	0	15.69	0	0
2025	5	8	8	51	19	26	0	0	0	0	0	0	0	15.74	0	0
2025	5	8	9	1	19	27	0	0	0	0	0	0	0	15.78	0	0
2025	5	8	9	11	19	27	0	0	0	0	0	0	0	15.84	0	0
2025	5	8	9	21	19	26	0	0	0	0	0	0	0	15.9	0	0
2025	5	8	9	31	19	27	0	0	0	0	0	0	0	15.97	0	0
2025	5	8	9	41	19	26	0	0	0	0	0	0	0	16.04	0	0
2025	5	8	9	51	19	26	0	0	0	0	0	0	0	16.12	0	0
2025	5	8	10	1	19	26	0	0	0	0	0	0	0	16.2	0	0
2025	5	8	10	11	19	26	0	0	0	0	0	0	0	16.3	0	0
2025	5	8	10	21	19	26	0	0	0	0	0	0	0	16.39	0	0
2025	5	8	10	31	19	26	0	0	0	0	0	0	0	16.48	0	0
2025	5	8	10	41	19	27	0	0	0	0	0	0	0	16.59	0	0
2025	5	8	10	51	19	26	0	0	0	0	0	0	0	16.69	0	0
2025	5	8	11	1	19	26	0	0	0	0	0	0	0	16.8	0	0
2025	5	8	11	11	19	26	0	0	0	0	0	0	0	16.92	0	0
2025	5	8	11	21	19	26	0	0	0	0	0	0	0	17.04	0	0
2025	5	8	11	31	19	27	0	0	0	0	0	0	0	17.15	0	0
2025	5	8	11	41	19	26	0	0	0	0	0	0	0	17.28	0	0
2025	5	8	11	51	19	27	0	0	0	0	0	0	0	17.39	0	0
2025	5	8	12	1	19	26	0	0	0	0	0	0	0	17.51	0	0
2025	5	8	12	11	19	27	0	0	0	0	0	0	0	17.64	0	0
2025	5	8	12	21	19	26	0	0	0	0	0	0	0	17.77	0	0
2025	5	8	12	31	19	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	8	12	41	19	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	8	12	51	19	26	0	0	0	0	0	0	0	18.16	0	0
2025	5	8	13	1	19	27	0	0	0	0	0	0	0	18.28	0	0
2025	5	8	13	11	19	26	0	0	0	0	0	0	0	18.41	0	0
2025	5	8	13	21	19	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	8	13	31	19	26	0	0	0	0	0	0	0	18.66	0	0
2025	5	8	13	41	19	26	0	0	0	0	0	0	0	18.8	0	0
2025	5	8	13	51	19	26	0	0	0	0	0	0	0	18.91	0	0
2025	5	8	14	1	19	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	8	14	11	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	8	14	21	19	26	0	0	0	0	0	0	0	19.27	0	0
2025	5	8	14	31	19	26	0	0	0	0	0	0	0	19.38	0	0
2025	5	8	14	41	19	26	0	0	0	0	0	0	0	19.49	0	0
2025	5	8	14	51	19	26	0	0	0	0	0	0	0	19.6	0	0
2025	5	8	15	1	19	26	0	0	0	0	0	0	0	19.7	0	0
2025	5	8	15	11	19	27	0	0	0	0	0	0	0	19.8	0	0
2025	5	8	15	21	19	26	0	0	0	0	0	0	0	19.9	0	0
2025	5	8	15	31	19	25	0	0	0	0	0	0	0	19.99	0	0
2025	5	8	15	41	19	26	0	0	0	0	0	0	0	20.07	0	0
2025	5	8	15	51	19	26	0	0	0	0	0	0	0	20.16	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	9	0	1	19	26	0	0	0	0	0	0	0	19.1	0	0
2025	5	9	0	11	19	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	9	0	21	19	26	0	0	0	0	0	0	0	18.96	0	0
2025	5	9	0	31	19	26	0	0	0	0	0	0	0	18.9	0	0
2025	5	9	0	41	19	25	0	0	0	0	0	0	0	18.84	0	0
2025	5	9	0	51	19	26	0	0	0	0	0	0	0	18.78	0	0
2025	5	9	1	1	19	26	0	0	0	0	0	0	0	18.71	0	0
2025	5	9	1	11	19	26	0	0	0	0	0	0	0	18.65	0	0
2025	5	9	1	21	19	25	0	0	0	0	0	0	0	18.59	0	0
2025	5	9	1	31	19	26	0	0	0	0	0	0	0	18.53	0	0
2025	5	9	1	41	19	26	0	0	0	0	0	0	0	18.48	0	0
2025	5	9	1	51	19	26	0	0	0	0	0	0	0	18.41	0	0
2025	5	9	2	1	19	26	0	0	0	0	0	0	0	18.35	0	0
2025	5	9	2	11	19	25	0	0	0	0	0	0	0	18.3	0	0
2025	5	9	2	21	19	26	0	0	0	0	0	0	0	18.25	0	0
2025	5	9	2	31	19	26	0	0	0	0	0	0	0	18.19	0	0
2025	5	9	2	41	19	26	0	0	0	0	0	0	0	18.14	0	0
2025	5	9	2	51	19	26	0	0	0	0	0	0	0	18.08	0	0
2025	5	9	3	1	19	26	0	0	0	0	0	0	0	18.03	0	0
2025	5	9	3	11	19	25	0	0	0	0	0	0	0	17.98	0	0
2025	5	9	3	21	19	26	0	0	0	0	0	0	0	17.94	0	0
2025	5	9	3	31	19	26	0	0	0	0	0	0	0	17.88	0	0
2025	5	9	3	41	19	26	0	0	0	0	0	0	0	17.84	0	0
2025	5	9	3	51	19	26	0	0	0	0	0	0	0	17.79	0	0
2025	5	9	4	1	19	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	9	4	11	19	26	0	0	0	0	0	0	0	17.68	0	0
2025	5	9	4	21	19	26	0	0	0	0	0	0	0	17.64	0	0
2025	5	9	4	31	19	26	0	0	0	0	0	0	0	17.58	0	0
2025	5	9	4	41	19	26	0	0	0	0	0	0	0	17.54	0	0
2025	5	9	4	51	19	25	0	0	0	0	0	0	0	17.49	0	0
2025	5	9	5	1	19	26	0	0	0	0	0	0	0	17.44	0	0
2025	5	9	5	11	19	26	0	0	0	0	0	0	0	17.39	0	0
2025	5	9	5	21	19	26	0	0	0	0	0	0	0	17.35	0	0
2025	5	9	5	31	19	27	0	0	0	0	0	0	0	17.3	0	0
2025	5	9	5	41	19	27	0	0	0	0	0	0	0	17.25	0	0
2025	5	9	5	51	19	26	0	0	0	0	0	0	0	17.21	0	0
2025	5	9	6	1	19	26	0	0	0	0	0	0	0	17.17	0	0
2025	5	9	6	11	19	27	0	0	0	0	0	0	0	17.12	0	0
2025	5	9	6	21	19	27	0	0	0	0	0	0	0	17.07	0	0
2025	5	9	6	31	19	26	0	0	0	0	0	0	0	17.03	0	0
2025	5	9	6	41	19	26	0	0	0	0	0	0	0	17	0	0
2025	5	9	6	51	19	26	0	0	0	0	0	0	0	16.96	0	0
2025	5	9	7	1	19	26	0	0	0	0	0	0	0	16.93	0	0
2025	5	9	7	11	19	26	0	0	0	0	0	0	0	16.9	0	0
2025	5	9	7	21	19	26	0	0	0	0	0	0	0	16.88	0	0
2025	5	9	7	31	19	27	0	0	0	0	0	0	0	16.86	0	0
2025	5	9	7	41	19	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	9	7	51	19	26	0	0	0	0	0	0	0	16.84	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	9	8	1	19	26	0	0	0	0	0	0	0	16.84	0	0
2025	5	9	8	11	19	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	9	8	21	19	26	0	0	0	0	0	0	0	16.86	0	0
2025	5	9	8	31	19	26	0	0	0	0	0	0	0	16.88	0	0
2025	5	9	8	41	19	26	0	0	0	0	0	0	0	16.91	0	0
2025	5	9	8	51	19	26	0	0	0	0	0	0	0	16.96	0	0
2025	5	9	9	1	19	26	0	0	0	0	0	0	0	17	0	0
2025	5	9	9	11	19	26	0	0	0	0	0	0	0	17.05	0	0
2025	5	9	9	21	19	26	0	0	0	0	0	0	0	17.12	0	0
2025	5	9	9	31	19	26	0	0	0	0	0	0	0	17.18	0	0
2025	5	9	9	41	19	26	0	0	0	0	0	0	0	17.25	0	0
2025	5	9	9	51	19	26	0	0	0	0	0	0	0	17.33	0	0
2025	5	9	10	1	19	27	0	0	0	0	0	0	0	17.41	0	0
2025	5	9	10	11	19	26	0	0	0	0	0	0	0	17.5	0	0
2025	5	9	10	21	19	26	0	0	0	0	0	0	0	17.6	0	0
2025	5	9	10	31	19	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	9	10	41	19	26	0	0	0	0	0	0	0	17.79	0	0
2025	5	9	10	51	19	26	0	0	0	0	0	0	0	17.89	0	0
2025	5	9	11	1	19	26	0	0	0	0	0	0	0	18	0	0
2025	5	9	11	11	19	26	0	0	0	0	0	0	0	18.11	0	0
2025	5	9	11	21	19	27	0	0	0	0	0	0	0	18.23	0	0
2025	5	9	11	31	19	26	0	0	0	0	0	0	0	18.34	0	0
2025	5	9	11	41	19	26	0	0	0	0	0	0	0	18.46	0	0
2025	5	9	11	51	19	26	0	0	0	0	0	0	0	18.58	0	0
2025	5	9	12	1	19	26	0	0	0	0	0	0	0	18.7	0	0
2025	5	9	12	11	19	26	0	0	0	0	0	0	0	18.82	0	0
2025	5	9	12	21	19	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	9	12	31	19	26	0	0	0	0	0	0	0	19.08	0	0
2025	5	9	12	41	19	26	0	0	0	0	0	0	0	19.2	0	0
2025	5	9	12	51	19	26	0	0	0	0	0	0	0	19.34	0	0
2025	5	9	13	1	19	26	0	0	0	0	0	0	0	19.47	0	0
2025	5	9	13	11	19	26	0	0	0	0	0	0	0	19.59	0	0
2025	5	9	13	21	19	25	0	0	0	0	0	0	0	19.72	0	0
2025	5	9	13	31	19	25	0	0	0	0	0	0	0	19.84	0	0
2025	5	9	13	41	19	25	0	0	0	0	0	0	0	19.97	0	0
2025	5	9	13	51	19	25	0	0	0	0	0	0	0	20.09	0	0
2025	5	9	14	1	19	26	0	0	0	0	0	0	0	20.21	0	0
2025	5	9	14	11	19	27	0	0	0	0	0	0	0	20.32	0	0
2025	5	9	14	21	19	25	0	0	0	0	0	0	0	20.42	0	0
2025	5	9	14	31	19	26	0	0	0	0	0	0	0	20.52	0	0
2025	5	9	14	41	19	25	0	0	0	0	0	0	0	20.63	0	0
2025	5	9	14	51	19	25	0	0	0	0	0	0	0	20.72	0	0
2025	5	9	15	1	19	26	0	0	0	0	0	0	0	20.81	0	0
2025	5	9	15	11	19	26	0	0	0	0	0	0	0	20.89	0	0
2025	5	9	15	21	19	26	0	0	0	0	0	0	0	20.97	0	0
2025	5	9	15	31	19	25	0	0	0	0	0	0	0	21.05	0	0
2025	5	9	15	41	19	26	0	0	0	0	0	0	0	21.13	0	0
2025	5	9	15	51	19	26	0	0	0	0	0	0	0	21.2	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	10	0	1	19	26	0	0	0	0	0	0	0	19.63	0	0
2025	5	10	0	11	19	26	0	0	0	0	0	0	0	19.56	0	0
2025	5	10	0	21	19	26	0	0	0	0	0	0	0	19.49	0	0
2025	5	10	0	31	19	26	0	0	0	0	0	0	0	19.42	0	0
2025	5	10	0	41	19	26	0	0	0	0	0	0	0	19.35	0	0
2025	5	10	0	51	19	26	0	0	0	0	0	0	0	19.28	0	0
2025	5	10	1	1	19	26	0	0	0	0	0	0	0	19.22	0	0
2025	5	10	1	11	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	10	1	21	19	25	0	0	0	0	0	0	0	19.09	0	0
2025	5	10	1	31	19	24	0	0	0	0	0	0	0	19.02	0	0
2025	5	10	1	41	19	26	0	0	0	0	0	0	0	18.96	0	0
2025	5	10	1	51	19	26	0	0	0	0	0	0	0	18.89	0	0
2025	5	10	2	1	19	26	0	0	0	0	0	0	0	18.84	0	0
2025	5	10	2	11	19	26	0	0	0	0	0	0	0	18.78	0	0
2025	5	10	2	21	19	26	0	0	0	0	0	0	0	18.72	0	0
2025	5	10	2	31	19	25	0	0	0	0	0	0	0	18.66	0	0
2025	5	10	2	41	19	26	0	0	0	0	0	0	0	18.61	0	0
2025	5	10	2	51	19	26	0	0	0	0	0	0	0	18.55	0	0
2025	5	10	3	1	19	26	0	0	0	0	0	0	0	18.5	0	0
2025	5	10	3	11	19	26	0	0	0	0	0	0	0	18.45	0	0
2025	5	10	3	21	19	26	0	0	0	0	0	0	0	18.4	0	0
2025	5	10	3	31	19	27	0	0	0	0	0	0	0	18.35	0	0
2025	5	10	3	41	19	26	0	0	0	0	0	0	0	18.3	0	0
2025	5	10	3	51	19	26	0	0	0	0	0	0	0	18.25	0	0
2025	5	10	4	1	19	26	0	0	0	0	0	0	0	18.2	0	0
2025	5	10	4	11	19	26	0	0	0	0	0	0	0	18.15	0	0
2025	5	10	4	21	19	26	0	0	0	0	0	0	0	18.1	0	0
2025	5	10	4	31	19	26	0	0	0	0	0	0	0	18.05	0	0
2025	5	10	4	41	19	26	0	0	0	0	0	0	0	18.01	0	0
2025	5	10	4	51	19	25	0	0	0	0	0	0	0	17.96	0	0
2025	5	10	5	1	19	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	10	5	11	19	26	0	0	0	0	0	0	0	17.88	0	0
2025	5	10	5	21	19	26	0	0	0	0	0	0	0	17.84	0	0
2025	5	10	5	31	19	26	0	0	0	0	0	0	0	17.79	0	0
2025	5	10	5	41	19	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	10	5	51	19	25	0	0	0	0	0	0	0	17.7	0	0
2025	5	10	6	1	19	25	0	0	0	0	0	0	0	17.66	0	0
2025	5	10	6	11	19	26	0	0	0	0	0	0	0	17.62	0	0
2025	5	10	6	21	19	26	0	0	0	0	0	0	0	17.59	0	0
2025	5	10	6	31	19	26	0	0	0	0	0	0	0	17.55	0	0
2025	5	10	6	41	19	26	0	0	0	0	0	0	0	17.52	0	0
2025	5	10	6	51	19	26	0	0	0	0	0	0	0	17.49	0	0
2025	5	10	7	1	19	26	0	0	0	0	0	0	0	17.46	0	0
2025	5	10	7	11	19	25	0	0	0	0	0	0	0	17.44	0	0
2025	5	10	7	21	19	26	0	0	0	0	0	0	0	17.42	0	0
2025	5	10	7	31	19	26	0	0	0	0	0	0	0	17.41	0	0
2025	5	10	7	41	19	26	0	0	0	0	0	0	0	17.4	0	0
2025	5	10	7	51	19	26	0	0	0	0	0	0	0	17.4	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	11	16	1	19	25	0	0	0	0	0	0	0	22.18	0	0
2025	5	11	16	11	19	26	0	0	0	0	0	0	0	22.24	0	0
2025	5	11	16	21	19	26	0	0	0	0	0	0	0	22.3	0	0
2025	5	11	16	31	19	25	0	0	0	0	0	0	0	22.34	0	0
2025	5	11	16	41	19	25	0	0	0	0	0	0	0	22.38	0	0
2025	5	11	16	51	19	25	0	0	0	0	0	0	0	22.41	0	0
2025	5	11	17	1	19	25	0	0	0	0	0	0	0	22.44	0	0
2025	5	11	17	11	19	25	0	0	0	0	0	0	0	22.47	0	0
2025	5	11	17	21	19	26	0	0	0	0	0	0	0	22.48	0	0
2025	5	11	17	31	19	25	0	0	0	0	0	0	0	22.5	0	0
2025	5	11	17	41	19	25	0	0	0	0	0	0	0	22.5	0	0
2025	5	11	17	51	19	26	0	0	0	0	0	0	0	22.51	0	0
2025	5	11	18	1	19	25	0	0	0	0	0	0	0	22.5	0	0
2025	5	11	18	11	19	25	0	0	0	0	0	0	0	22.49	0	0
2025	5	11	18	21	19	25	0	0	0	0	0	0	0	22.46	0	0
2025	5	11	18	31	19	25	0	0	0	0	0	0	0	22.43	0	0
2025	5	11	18	41	19	25	0	0	0	0	0	0	0	22.39	0	0
2025	5	11	18	51	19	25	0	0	0	0	0	0	0	22.35	0	0
2025	5	11	19	1	19	25	0	0	0	0	0	0	0	22.3	0	0
2025	5	11	19	11	19	25	0	0	0	0	0	0	0	22.25	0	0
2025	5	11	19	21	19	26	0	0	0	0	0	0	0	22.19	0	0
2025	5	11	19	31	19	25	0	0	0	0	0	0	0	22.14	0	0
2025	5	11	19	41	19	25	0	0	0	0	0	0	0	22.07	0	0
2025	5	11	19	51	19	25	0	0	0	0	0	0	0	22.01	0	0
2025	5	11	20	1	19	26	0	0	0	0	0	0	0	21.95	0	0
2025	5	11	20	11	19	25	0	0	0	0	0	0	0	21.9	0	0
2025	5	11	20	21	19	25	0	0	0	0	0	0	0	21.83	0	0
2025	5	11	20	31	19	24	0	0	0	0	0	0	0	21.76	0	0
2025	5	11	20	41	19	26	0	0	0	0	0	0	0	21.7	0	0
2025	5	11	20	51	19	26	0	0	0	0	0	0	0	21.64	0	0
2025	5	11	21	1	19	25	0	0	0	0	0	0	0	21.58	0	0
2025	5	11	21	11	19	26	0	0	0	0	0	0	0	21.53	0	0
2025	5	11	21	21	19	25	0	0	0	0	0	0	0	21.47	0	0
2025	5	11	21	31	19	25	0	0	0	0	0	0	0	21.41	0	0
2025	5	11	21	41	19	26	0	0	0	0	0	0	0	21.35	0	0
2025	5	11	21	51	19	25	0	0	0	0	0	0	0	21.29	0	0
2025	5	11	22	1	19	25	0	0	0	0	0	0	0	21.22	0	0
2025	5	11	22	11	19	25	0	0	0	0	0	0	0	21.15	0	0
2025	5	11	22	21	19	26	0	0	0	0	0	0	0	21.08	0	0
2025	5	11	22	31	19	25	0	0	0	0	0	0	0	21	0	0
2025	5	11	22	41	19	26	0	0	0	0	0	0	0	20.94	0	0
2025	5	11	22	51	19	25	0	0	0	0	0	0	0	20.88	0	0
2025	5	11	23	1	19	26	0	0	0	0	0	0	0	20.82	0	0
2025	5	11	23	11	19	25	0	0	0	0	0	0	0	20.75	0	0
2025	5	11	23	21	19	26	0	0	0	0	0	0	0	20.67	0	0
2025	5	11	23	31	19	25	0	0	0	0	0	0	0	20.6	0	0
2025	5	11	23	41	19	25	0	0	0	0	0	0	0	20.53	0	0
2025	5	11	23	51	19	25	0	0	0	0	0	0	0	20.46	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	12	0	1	19	26	0	0	0	0	0	0	0	20.39	0	0
2025	5	12	0	11	19	25	0	0	0	0	0	0	0	20.32	0	0
2025	5	12	0	21	19	26	0	0	0	0	0	0	0	20.26	0	0
2025	5	12	0	31	19	26	0	0	0	0	0	0	0	20.19	0	0
2025	5	12	0	41	19	25	0	0	0	0	0	0	0	20.12	0	0
2025	5	12	0	51	19	26	0	0	0	0	0	0	0	20.05	0	0
2025	5	12	1	1	19	26	0	0	0	0	0	0	0	19.97	0	0
2025	5	12	1	11	19	26	0	0	0	0	0	0	0	19.9	0	0
2025	5	12	1	21	19	25	0	0	0	0	0	0	0	19.82	0	0
2025	5	12	1	31	19	25	0	0	0	0	0	0	0	19.75	0	0
2025	5	12	1	41	19	26	0	0	0	0	0	0	0	19.68	0	0
2025	5	12	1	51	19	25	0	0	0	0	0	0	0	19.62	0	0
2025	5	12	2	1	19	25	0	0	0	0	0	0	0	19.55	0	0
2025	5	12	2	11	19	25	0	0	0	0	0	0	0	19.48	0	0
2025	5	12	2	21	19	26	0	0	0	0	0	0	0	19.42	0	0
2025	5	12	2	31	19	26	0	0	0	0	0	0	0	19.36	0	0
2025	5	12	2	41	19	25	0	0	0	0	0	0	0	19.3	0	0
2025	5	12	2	51	19	25	0	0	0	0	0	0	0	19.25	0	0
2025	5	12	3	1	19	26	0	0	0	0	0	0	0	19.2	0	0
2025	5	12	3	11	19	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	12	3	21	19	26	0	0	0	0	0	0	0	19.1	0	0
2025	5	12	3	31	19	25	0	0	0	0	0	0	0	19.05	0	0
2025	5	12	3	41	19	27	0	0	0	0	0	0	0	19.01	0	0
2025	5	12	3	51	19	26	0	0	0	0	0	0	0	18.96	0	0
2025	5	12	4	1	19	26	0	0	0	0	0	0	0	18.91	0	0
2025	5	12	4	11	19	26	0	0	0	0	0	0	0	18.87	0	0
2025	5	12	4	21	19	25	0	0	0	0	0	0	0	18.82	0	0
2025	5	12	4	31	19	26	0	0	0	0	0	0	0	18.77	0	0
2025	5	12	4	41	19	26	0	0	0	0	0	0	0	18.72	0	0
2025	5	12	4	51	19	26	0	0	0	0	0	0	0	18.68	0	0
2025	5	12	5	1	19	26	0	0	0	0	0	0	0	18.63	0	0
2025	5	12	5	11	19	26	0	0	0	0	0	0	0	18.59	0	0
2025	5	12	5	21	19	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	12	5	31	19	25	0	0	0	0	0	0	0	18.5	0	0
2025	5	12	5	41	19	26	0	0	0	0	0	0	0	18.44	0	0
2025	5	12	5	51	19	26	0	0	0	0	0	0	0	18.39	0	0
2025	5	12	6	1	19	26	0	0	0	0	0	0	0	18.34	0	0
2025	5	12	6	11	19	25	0	0	0	0	0	0	0	18.29	0	0
2025	5	12	6	21	19	26	0	0	0	0	0	0	0	18.24	0	0
2025	5	12	6	31	19	26	0	0	0	0	0	0	0	18.2	0	0
2025	5	12	6	41	19	25	0	0	0	0	0	0	0	18.15	0	0
2025	5	12	6	51	19	25	0	0	0	0	0	0	0	18.11	0	0
2025	5	12	7	1	19	25	0	0	0	0	0	0	0	18.07	0	0
2025	5	12	7	11	19	26	0	0	0	0	0	0	0	18.04	0	0
2025	5	12	7	21	19	26	0	0	0	0	0	0	0	18.01	0	0
2025	5	12	7	31	19	26	0	0	0	0	0	0	0	18	0	0
2025	5	12	7	41	19	26	0	0	0	0	0	0	0	17.99	0	0
2025	5	12	7	51	19	26	0	0	0	0	0	0	0	17.98	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	12	16	1	19	25	0	0	0	0	0	0	0	21.89	0	0
2025	5	12	16	11	19	25	0	0	0	0	0	0	0	21.96	0	0
2025	5	12	16	21	19	25	0	0	0	0	0	0	0	22	0	0
2025	5	12	16	31	19	26	0	0	0	0	0	0	0	22.05	0	0
2025	5	12	16	41	19	25	0	0	0	0	0	0	0	22.09	0	0
2025	5	12	16	51	19	25	0	0	0	0	0	0	0	22.13	0	0
2025	5	12	17	1	19	26	0	0	0	0	0	0	0	22.17	0	0
2025	5	12	17	11	19	26	0	0	0	0	0	0	0	22.19	0	0
2025	5	12	17	21	19	26	0	0	0	0	0	0	0	22.2	0	0
2025	5	12	17	31	19	25	0	0	0	0	0	0	0	22.21	0	0
2025	5	12	17	41	19	25	0	0	0	0	0	0	0	22.21	0	0
2025	5	12	17	51	19	25	0	0	0	0	0	0	0	22.21	0	0
2025	5	12	18	1	19	25	0	0	0	0	0	0	0	22.19	0	0
2025	5	12	18	11	19	25	0	0	0	0	0	0	0	22.18	0	0
2025	5	12	18	21	19	26	0	0	0	0	0	0	0	22.14	0	0
2025	5	12	18	31	19	25	0	0	0	0	0	0	0	22.09	0	0
2025	5	12	18	41	19	25	0	0	0	0	0	0	0	22.04	0	0
2025	5	12	18	51	19	26	0	0	0	0	0	0	0	22	0	0
2025	5	12	19	1	19	25	0	0	0	0	0	0	0	21.96	0	0
2025	5	12	19	11	19	25	0	0	0	0	0	0	0	21.91	0	0
2025	5	12	19	21	19	25	0	0	0	0	0	0	0	21.86	0	0
2025	5	12	19	31	19	25	0	0	0	0	0	0	0	21.8	0	0
2025	5	12	19	41	19	25	0	0	0	0	0	0	0	21.72	0	0
2025	5	12	19	51	19	25	0	0	0	0	0	0	0	21.66	0	0
2025	5	12	20	1	19	25	0	0	0	0	0	0	0	21.58	0	0
2025	5	12	20	11	19	26	0	0	0	0	0	0	0	21.49	0	0
2025	5	12	20	21	19	25	0	0	0	0	0	0	0	21.4	0	0
2025	5	12	20	31	19	25	0	0	0	0	0	0	0	21.3	0	0
2025	5	12	20	41	19	26	0	0	0	0	0	0	0	21.2	0	0
2025	5	12	20	51	19	25	0	0	0	0	0	0	0	21.11	0	0
2025	5	12	21	1	19	26	0	0	0	0	0	0	0	20.99	0	0
2025	5	12	21	11	19	25	0	0	0	0	0	0	0	20.86	0	0
2025	5	12	21	21	19	26	0	0	0	0	0	0	0	20.74	0	0
2025	5	12	21	31	19	25	0	0	0	0	0	0	0	20.61	0	0
2025	5	12	21	41	19	25	0	0	0	0	0	0	0	20.48	0	0
2025	5	12	21	51	19	25	0	0	0	0	0	0	0	20.37	0	0
2025	5	12	22	1	19	26	0	0	0	0	0	0	0	20.25	0	0
2025	5	12	22	11	19	26	0	0	0	0	0	0	0	20.14	0	0
2025	5	12	22	21	19	25	0	0	0	0	0	0	0	20.02	0	0
2025	5	12	22	31	19	25	0	0	0	0	0	0	0	19.9	0	0
2025	5	12	22	41	19	26	0	0	0	0	0	0	0	19.78	0	0
2025	5	12	22	51	19	25	0	0	0	0	0	0	0	19.65	0	0
2025	5	12	23	1	19	26	0	0	0	0	0	0	0	19.53	0	0
2025	5	12	23	11	19	26	0	0	0	0	0	0	0	19.39	0	0
2025	5	12	23	21	19	26	0	0	0	0	0	0	0	19.28	0	0
2025	5	12	23	31	19	26	0	0	0	0	0	0	0	19.16	0	0
2025	5	12	23	41	19	26	0	0	0	0	0	0	0	19.06	0	0
2025	5	12	23	51	19	26	0	0	0	0	0	0	0	18.95	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	15	0	1	19	26	0	0	0	0	0	0	0	17.06	0	0
2025	5	15	0	11	19	26	0	0	0	0	0	0	0	17	0	0
2025	5	15	0	21	19	26	0	0	0	0	0	0	0	16.95	0	0
2025	5	15	0	31	19	27	0	0	0	0	0	0	0	16.89	0	0
2025	5	15	0	41	19	26	0	0	0	0	0	0	0	16.83	0	0
2025	5	15	0	51	19	26	0	0	0	0	0	0	0	16.77	0	0
2025	5	15	1	1	19	26	0	0	0	0	0	0	0	16.71	0	0
2025	5	15	1	11	19	26	0	0	0	0	0	0	0	16.65	0	0
2025	5	15	1	21	19	26	0	0	0	0	0	0	0	16.59	0	0
2025	5	15	1	31	19	26	0	0	0	0	0	0	0	16.52	0	0
2025	5	15	1	41	19	26	0	0	0	0	0	0	0	16.47	0	0
2025	5	15	1	51	19	27	0	0	0	0	0	0	0	16.41	0	0
2025	5	15	2	1	19	27	0	0	0	0	0	0	0	16.35	0	0
2025	5	15	2	11	19	27	0	0	0	0	0	0	0	16.29	0	0
2025	5	15	2	21	19	26	0	0	0	0	0	0	0	16.23	0	0
2025	5	15	2	31	19	26	0	0	0	0	0	0	0	16.18	0	0
2025	5	15	2	41	19	26	0	0	0	0	0	0	0	16.11	0	0
2025	5	15	2	51	19	27	0	0	0	0	0	0	0	16.06	0	0
2025	5	15	3	1	19	26	0	0	0	0	0	0	0	16.01	0	0
2025	5	15	3	11	19	26	0	0	0	0	0	0	0	15.95	0	0
2025	5	15	3	21	19	27	0	0	0	0	0	0	0	15.91	0	0
2025	5	15	3	31	19	26	0	0	0	0	0	0	0	15.86	0	0
2025	5	15	3	41	19	27	0	0	0	0	0	0	0	15.81	0	0
2025	5	15	3	51	19	27	0	0	0	0	0	0	0	15.76	0	0
2025	5	15	4	1	19	26	0	0	0	0	0	0	0	15.72	0	0
2025	5	15	4	11	19	27	0	0	0	0	0	0	0	15.67	0	0
2025	5	15	4	21	19	27	0	0	0	0	0	0	0	15.62	0	0
2025	5	15	4	31	19	27	0	0	0	0	0	0	0	15.57	0	0
2025	5	15	4	41	19	27	0	0	0	0	0	0	0	15.52	0	0
2025	5	15	4	51	19	26	0	0	0	0	0	0	0	15.48	0	0
2025	5	15	5	1	19	27	0	0	0	0	0	0	0	15.44	0	0
2025	5	15	5	11	19	26	0	0	0	0	0	0	0	15.4	0	0
2025	5	15	5	21	19	26	0	0	0	0	0	0	0	15.36	0	0
2025	5	15	5	31	19	26	0	0	0	0	0	0	0	15.32	0	0
2025	5	15	5	41	19	26	0	0	0	0	0	0	0	15.28	0	0
2025	5	15	5	51	19	27	0	0	0	0	0	0	0	15.25	0	0
2025	5	15	6	1	19	27	0	0	0	0	0	0	0	15.21	0	0
2025	5	15	6	11	19	26	0	0	0	0	0	0	0	15.18	0	0
2025	5	15	6	21	19	26	0	0	0	0	0	0	0	15.16	0	0
2025	5	15	6	31	19	27	0	0	0	0	0	0	0	15.12	0	0
2025	5	15	6	41	19	26	0	0	0	0	0	0	0	15.1	0	0
2025	5	15	6	51	19	26	0	0	0	0	0	0	0	15.07	0	0
2025	5	15	7	1	19	26	0	0	0	0	0	0	0	15.05	0	0
2025	5	15	7	11	19	27	0	0	0	0	0	0	0	15.04	0	0
2025	5	15	7	21	19	26	0	0	0	0	0	0	0	15.02	0	0
2025	5	15	7	31	19	26	0	0	0	0	0	0	0	15.01	0	0
2025	5	15	7	41	19	27	0	0	0	0	0	0	0	15	0	0
2025	5	15	7	51	19	26	0	0	0	0	0	0	0	15.01	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	16	0	1	19	26	0	0	0	0	0	0	0	18.24	0	0
2025	5	16	0	11	19	26	0	0	0	0	0	0	0	18.17	0	0
2025	5	16	0	21	19	26	0	0	0	0	0	0	0	18.09	0	0
2025	5	16	0	31	19	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	16	0	41	19	26	0	0	0	0	0	0	0	17.96	0	0
2025	5	16	0	51	19	26	0	0	0	0	0	0	0	17.88	0	0
2025	5	16	1	1	19	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	16	1	11	19	25	0	0	0	0	0	0	0	17.74	0	0
2025	5	16	1	21	19	27	0	0	0	0	0	0	0	17.67	0	0
2025	5	16	1	31	19	26	0	0	0	0	0	0	0	17.61	0	0
2025	5	16	1	41	19	26	0	0	0	0	0	0	0	17.54	0	0
2025	5	16	1	51	19	26	0	0	0	0	0	0	0	17.48	0	0
2025	5	16	2	1	19	26	0	0	0	0	0	0	0	17.41	0	0
2025	5	16	2	11	19	26	0	0	0	0	0	0	0	17.36	0	0
2025	5	16	2	21	19	26	0	0	0	0	0	0	0	17.3	0	0
2025	5	16	2	31	19	27	0	0	0	0	0	0	0	17.23	0	0
2025	5	16	2	41	19	26	0	0	0	0	0	0	0	17.17	0	0
2025	5	16	2	51	19	26	0	0	0	0	0	0	0	17.11	0	0
2025	5	16	3	1	19	26	0	0	0	0	0	0	0	17.06	0	0
2025	5	16	3	11	19	26	0	0	0	0	0	0	0	17	0	0
2025	5	16	3	21	19	26	0	0	0	0	0	0	0	16.94	0	0
2025	5	16	3	31	19	27	0	0	0	0	0	0	0	16.89	0	0
2025	5	16	3	41	19	26	0	0	0	0	0	0	0	16.83	0	0
2025	5	16	3	51	19	26	0	0	0	0	0	0	0	16.77	0	0
2025	5	16	4	1	19	26	0	0	0	0	0	0	0	16.72	0	0
2025	5	16	4	11	19	26	0	0	0	0	0	0	0	16.67	0	0
2025	5	16	4	21	19	26	0	0	0	0	0	0	0	16.62	0	0
2025	5	16	4	31	19	26	0	0	0	0	0	0	0	16.57	0	0
2025	5	16	4	41	19	26	0	0	0	0	0	0	0	16.52	0	0
2025	5	16	4	51	19	26	0	0	0	0	0	0	0	16.47	0	0
2025	5	16	5	1	19	27	0	0	0	0	0	0	0	16.43	0	0
2025	5	16	5	11	19	26	0	0	0	0	0	0	0	16.38	0	0
2025	5	16	5	21	19	26	0	0	0	0	0	0	0	16.33	0	0
2025	5	16	5	31	19	27	0	0	0	0	0	0	0	16.29	0	0
2025	5	16	5	41	19	26	0	0	0	0	0	0	0	16.24	0	0
2025	5	16	5	51	19	26	0	0	0	0	0	0	0	16.2	0	0
2025	5	16	6	1	19	27	0	0	0	0	0	0	0	16.16	0	0
2025	5	16	6	11	19	25	0	0	0	0	0	0	0	16.12	0	0
2025	5	16	6	21	19	27	0	0	0	0	0	0	0	16.07	0	0
2025	5	16	6	31	19	26	0	0	0	0	0	0	0	16.04	0	0
2025	5	16	6	41	19	26	0	0	0	0	0	0	0	16	0	0
2025	5	16	6	51	19	26	0	0	0	0	0	0	0	15.97	0	0
2025	5	16	7	1	19	26	0	0	0	0	0	0	0	15.95	0	0
2025	5	16	7	11	19	26	0	0	0	0	0	0	0	15.92	0	0
2025	5	16	7	21	19	27	0	0	0	0	0	0	0	15.9	0	0
2025	5	16	7	31	19	26	0	0	0	0	0	0	0	15.89	0	0
2025	5	16	7	41	19	26	0	0	0	0	0	0	0	15.88	0	0
2025	5	16	7	51	19	27	0	0	0	0	0	0	0	15.88	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	17	0	18	10	26	0	0	0	0	0	0	0	19.04	0	0
2025	5	17	0	28	10	26	0	0	0	0	0	0	0	18.97	0	0
2025	5	17	0	38	10	26	0	0	0	0	0	0	0	18.91	0	0
2025	5	17	0	48	10	25	0	0	0	0	0	0	0	18.85	0	0
2025	5	17	0	58	10	26	0	0	0	0	0	0	0	18.78	0	0
2025	5	17	1	8	10	26	0	0	0	0	0	0	0	18.72	0	0
2025	5	17	1	18	10	26	0	0	0	0	0	0	0	18.66	0	0
2025	5	17	1	28	10	26	0	0	0	0	0	0	0	18.6	0	0
2025	5	17	1	38	10	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	17	1	48	10	26	0	0	0	0	0	0	0	18.48	0	0
2025	5	17	1	58	10	25	0	0	0	0	0	0	0	18.43	0	0
2025	5	17	2	8	10	26	0	0	0	0	0	0	0	18.38	0	0
2025	5	17	2	18	10	26	0	0	0	0	0	0	0	18.33	0	0
2025	5	17	2	28	10	26	0	0	0	0	0	0	0	18.28	0	0
2025	5	17	2	38	10	26	0	0	0	0	0	0	0	18.23	0	0
2025	5	17	2	48	10	26	0	0	0	0	0	0	0	18.18	0	0
2025	5	17	2	58	10	26	0	0	0	0	0	0	0	18.14	0	0
2025	5	17	3	8	10	26	0	0	0	0	0	0	0	18.09	0	0
2025	5	17	3	18	10	26	0	0	0	0	0	0	0	18.04	0	0
2025	5	17	3	28	10	27	0	0	0	0	0	0	0	18	0	0
2025	5	17	3	38	10	26	0	0	0	0	0	0	0	17.95	0	0
2025	5	17	3	48	10	26	0	0	0	0	0	0	0	17.91	0	0
2025	5	17	3	58	10	26	0	0	0	0	0	0	0	17.87	0	0
2025	5	17	4	8	10	26	0	0	0	0	0	0	0	17.83	0	0
2025	5	17	4	18	10	25	0	0	0	0	0	0	0	17.78	0	0
2025	5	17	4	28	10	26	0	0	0	0	0	0	0	17.73	0	0
2025	5	17	4	38	10	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	17	4	48	10	26	0	0	0	0	0	0	0	17.65	0	0
2025	5	17	4	58	10	26	0	0	0	0	0	0	0	17.6	0	0
2025	5	17	5	8	10	27	0	0	0	0	0	0	0	17.56	0	0
2025	5	17	5	18	10	26	0	0	0	0	0	0	0	17.52	0	0
2025	5	17	5	28	10	26	0	0	0	0	0	0	0	17.48	0	0
2025	5	17	5	38	10	26	0	0	0	0	0	0	0	17.44	0	0
2025	5	17	5	48	10	27	0	0	0	0	0	0	0	17.4	0	0
2025	5	17	5	58	10	26	0	0	0	0	0	0	0	17.37	0	0
2025	5	17	6	8	10	26	0	0	0	0	0	0	0	17.33	0	0
2025	5	17	6	18	10	27	0	0	0	0	0	0	0	17.3	0	0
2025	5	17	6	28	10	26	0	0	0	0	0	0	0	17.27	0	0
2025	5	17	6	38	10	26	0	0	0	0	0	0	0	17.24	0	0
2025	5	17	6	48	10	25	0	0	0	0	0	0	0	17.22	0	0
2025	5	17	6	58	10	25	0	0	0	0	0	0	0	17.19	0	0
2025	5	17	7	8	10	26	0	0	0	0	0	0	0	17.17	0	0
2025	5	17	7	18	10	26	0	0	0	0	0	0	0	17.15	0	0
2025	5	17	7	28	10	27	0	0	0	0	0	0	0	17.14	0	0
2025	5	17	7	38	10	26	0	0	0	0	0	0	0	17.12	0	0
2025	5	17	7	48	10	26	0	0	0	0	0	0	0	17.12	0	0
2025	5	17	7	58	10	26	0	0	0	0	0	0	0	17.11	0	0
2025	5	17	8	8	10	25	0	0	0	0	0	0	0	17.11	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	18	0	18	10	26	0	0	0	0	0	0	0	17.42	0	0
2025	5	18	0	28	10	26	0	0	0	0	0	0	0	17.34	0	0
2025	5	18	0	38	10	25	0	0	0	0	0	0	0	17.25	0	0
2025	5	18	0	48	10	27	0	0	0	0	0	0	0	17.17	0	0
2025	5	18	0	58	10	26	0	0	0	0	0	0	0	17.08	0	0
2025	5	18	1	8	10	26	0	0	0	0	0	0	0	17	0	0
2025	5	18	1	18	10	26	0	0	0	0	0	0	0	16.93	0	0
2025	5	18	1	28	10	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	18	1	38	10	25	0	0	0	0	0	0	0	16.79	0	0
2025	5	18	1	48	10	26	0	0	0	0	0	0	0	16.72	0	0
2025	5	18	1	58	10	26	0	0	0	0	0	0	0	16.66	0	0
2025	5	18	2	8	10	26	0	0	0	0	0	0	0	16.6	0	0
2025	5	18	2	18	10	26	0	0	0	0	0	0	0	16.55	0	0
2025	5	18	2	28	10	26	0	0	0	0	0	0	0	16.5	0	0
2025	5	18	2	38	10	26	0	0	0	0	0	0	0	16.45	0	0
2025	5	18	2	48	10	27	0	0	0	0	0	0	0	16.41	0	0
2025	5	18	2	58	10	27	0	0	0	0	0	0	0	16.38	0	0
2025	5	18	3	8	10	26	0	0	0	0	0	0	0	16.34	0	0
2025	5	18	3	18	10	26	0	0	0	0	0	0	0	16.3	0	0
2025	5	18	3	28	10	26	0	0	0	0	0	0	0	16.26	0	0
2025	5	18	3	38	10	27	0	0	0	0	0	0	0	16.22	0	0
2025	5	18	3	48	10	26	0	0	0	0	0	0	0	16.18	0	0
2025	5	18	3	58	10	27	0	0	0	0	0	0	0	16.14	0	0
2025	5	18	4	8	10	26	0	0	0	0	0	0	0	16.11	0	0
2025	5	18	4	18	10	26	0	0	0	0	0	0	0	16.07	0	0
2025	5	18	4	28	10	27	0	0	0	0	0	0	0	16.03	0	0
2025	5	18	4	38	10	26	0	0	0	0	0	0	0	15.99	0	0
2025	5	18	4	48	10	26	0	0	0	0	0	0	0	15.95	0	0
2025	5	18	4	58	10	26	0	0	0	0	0	0	0	15.91	0	0
2025	5	18	5	8	10	26	0	0	0	0	0	0	0	15.87	0	0
2025	5	18	5	18	10	27	0	0	0	0	0	0	0	15.83	0	0
2025	5	18	5	28	10	26	0	0	0	0	0	0	0	15.79	0	0
2025	5	18	5	38	10	26	0	0	0	0	0	0	0	15.75	0	0
2025	5	18	5	48	10	26	0	0	0	0	0	0	0	15.72	0	0
2025	5	18	5	58	10	26	0	0	0	0	0	0	0	15.68	0	0
2025	5	18	6	8	10	26	0	0	0	0	0	0	0	15.63	0	0
2025	5	18	6	18	10	27	0	0	0	0	0	0	0	15.59	0	0
2025	5	18	6	28	10	27	0	0	0	0	0	0	0	15.55	0	0
2025	5	18	6	38	10	26	0	0	0	0	0	0	0	15.51	0	0
2025	5	18	6	48	10	27	0	0	0	0	0	0	0	15.47	0	0
2025	5	18	6	58	10	26	0	0	0	0	0	0	0	15.44	0	0
2025	5	18	7	8	10	27	0	0	0	0	0	0	0	15.4	0	0
2025	5	18	7	18	10	27	0	0	0	0	0	0	0	15.37	0	0
2025	5	18	7	28	10	26	0	0	0	0	0	0	0	15.34	0	0
2025	5	18	7	38	10	26	0	0	0	0	0	0	0	15.31	0	0
2025	5	18	7	48	10	27	0	0	0	0	0	0	0	15.29	0	0
2025	5	18	7	58	10	26	0	0	0	0	0	0	0	15.27	0	0
2025	5	18	8	8	10	27	0	0	0	0	0	0	0	15.27	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	18	8	18	10	26	0	0	0	0	0	0	0	15.27	0	0
2025	5	18	8	28	10	26	0	0	0	0	0	0	0	15.28	0	0
2025	5	18	8	38	10	27	0	0	0	0	0	0	0	15.29	0	0
2025	5	18	8	48	10	27	0	0	0	0	0	0	0	15.31	0	0
2025	5	18	8	58	10	26	0	0	0	0	0	0	0	15.33	0	0
2025	5	18	9	8	10	27	0	0	0	0	0	0	0	15.35	0	0
2025	5	18	9	18	10	27	0	0	0	0	0	0	0	15.39	0	0
2025	5	18	9	28	10	26	0	0	0	0	0	0	0	15.43	0	0
2025	5	18	9	38	10	27	0	0	0	0	0	0	0	15.47	0	0
2025	5	18	9	48	10	26	0	0	0	0	0	0	0	15.53	0	0
2025	5	18	9	58	10	27	0	0	0	0	0	0	0	15.58	0	0
2025	5	18	10	8	10	26	0	0	0	0	0	0	0	15.64	0	0
2025	5	18	10	18	10	26	0	0	0	0	0	0	0	15.71	0	0
2025	5	18	10	28	10	26	0	0	0	0	0	0	0	15.78	0	0
2025	5	18	10	38	10	26	0	0	0	0	0	0	0	15.86	0	0
2025	5	18	10	48	10	26	0	0	0	0	0	0	0	15.94	0	0
2025	5	18	10	58	10	26	0	0	0	0	0	0	0	16.04	0	0
2025	5	18	11	8	10	26	0	0	0	0	0	0	0	16.14	0	0
2025	5	18	11	18	10	26	0	0	0	0	0	0	0	16.23	0	0
2025	5	18	11	28	10	26	0	0	0	0	0	0	0	16.33	0	0
2025	5	18	11	38	10	26	0	0	0	0	0	0	0	16.44	0	0
2025	5	18	11	48	10	26	0	0	0	0	0	0	0	16.53	0	0
2025	5	18	11	58	10	26	0	0	0	0	0	0	0	16.64	0	0
2025	5	18	12	8	10	26	0	0	0	0	0	0	0	16.76	0	0
2025	5	18	12	18	10	26	0	0	0	0	0	0	0	16.87	0	0
2025	5	18	12	28	10	27	0	0	0	0	0	0	0	17	0	0
2025	5	18	12	38	10	26	0	0	0	0	0	0	0	17.11	0	0
2025	5	18	12	48	10	26	0	0	0	0	0	0	0	17.22	0	0
2025	5	18	12	58	10	26	0	0	0	0	0	0	0	17.34	0	0
2025	5	18	13	8	10	26	0	0	0	0	0	0	0	17.45	0	0
2025	5	18	13	18	10	25	0	0	0	0	0	0	0	17.57	0	0
2025	5	18	13	28	10	27	0	0	0	0	0	0	0	17.69	0	0
2025	5	18	13	38	10	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	18	13	48	10	26	0	0	0	0	0	0	0	17.92	0	0
2025	5	18	13	58	10	26	0	0	0	0	0	0	0	18.03	0	0
2025	5	18	14	8	10	26	0	0	0	0	0	0	0	18.13	0	0
2025	5	18	14	18	10	26	0	0	0	0	0	0	0	18.24	0	0
2025	5	18	14	28	10	26	0	0	0	0	0	0	0	18.34	0	0
2025	5	18	14	38	10	25	0	0	0	0	0	0	0	18.44	0	0
2025	5	18	14	48	10	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	18	14	58	10	27	0	0	0	0	0	0	0	18.63	0	0
2025	5	18	15	8	10	25	0	0	0	0	0	0	0	18.71	0	0
2025	5	18	15	18	10	26	0	0	0	0	0	0	0	18.79	0	0
2025	5	18	15	28	10	26	0	0	0	0	0	0	0	18.88	0	0
2025	5	18	15	38	10	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	18	15	48	10	26	0	0	0	0	0	0	0	19.04	0	0
2025	5	18	15	58	10	25	0	0	0	0	0	0	0	19.11	0	0
2025	5	18	16	8	10	25	0	0	0	0	0	0	0	19.18	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	19	8	18	10	26	0	0	0	0	0	0	0	15.13	0	0
2025	5	19	8	28	10	26	0	0	0	0	0	0	0	15.15	0	0
2025	5	19	8	38	10	26	0	0	0	0	0	0	0	15.18	0	0
2025	5	19	8	48	10	26	0	0	0	0	0	0	0	15.21	0	0
2025	5	19	8	58	10	27	0	0	0	0	0	0	0	15.24	0	0
2025	5	19	9	8	10	27	0	0	0	0	0	0	0	15.28	0	0
2025	5	19	9	18	10	26	0	0	0	0	0	0	0	15.34	0	0
2025	5	19	9	28	10	26	0	0	0	0	0	0	0	15.4	0	0
2025	5	19	9	38	10	26	0	0	0	0	0	0	0	15.46	0	0
2025	5	19	9	48	10	27	0	0	0	0	0	0	0	15.53	0	0
2025	5	19	9	58	10	26	0	0	0	0	0	0	0	15.61	0	0
2025	5	19	10	8	10	25	0	0	0	0	0	0	0	15.69	0	0
2025	5	19	10	18	10	27	0	0	0	0	0	0	0	15.77	0	0
2025	5	19	10	28	10	27	0	0	0	0	0	0	0	15.86	0	0
2025	5	19	10	38	10	26	0	0	0	0	0	0	0	15.96	0	0
2025	5	19	10	48	10	26	0	0	0	0	0	0	0	16.06	0	0
2025	5	19	10	58	10	26	0	0	0	0	0	0	0	16.16	0	0
2025	5	19	11	8	10	27	0	0	0	0	0	0	0	16.27	0	0
2025	5	19	11	18	10	26	0	0	0	0	0	0	0	16.38	0	0
2025	5	19	11	28	10	27	0	0	0	0	0	0	0	16.49	0	0
2025	5	19	11	38	10	27	0	0	0	0	0	0	0	16.6	0	0
2025	5	19	11	48	10	26	0	0	0	0	0	0	0	16.72	0	0
2025	5	19	11	58	10	26	0	0	0	0	0	0	0	16.84	0	0
2025	5	19	12	8	10	25	0	0	0	0	0	0	0	16.97	0	0
2025	5	19	12	18	10	26	0	0	0	0	0	0	0	17.09	0	0
2025	5	19	12	28	10	26	0	0	0	0	0	0	0	17.21	0	0
2025	5	19	12	38	10	26	0	0	0	0	0	0	0	17.34	0	0
2025	5	19	12	48	10	25	0	0	0	0	0	0	0	17.47	0	0
2025	5	19	12	58	10	26	0	0	0	0	0	0	0	17.59	0	0
2025	5	19	13	8	10	25	0	0	0	0	0	0	0	17.71	0	0
2025	5	19	13	18	10	26	0	0	0	0	0	0	0	17.83	0	0
2025	5	19	13	28	10	26	0	0	0	0	0	0	0	17.96	0	0
2025	5	19	13	38	10	26	0	0	0	0	0	0	0	18.08	0	0
2025	5	19	13	48	10	26	0	0	0	0	0	0	0	18.2	0	0
2025	5	19	13	58	10	25	0	0	0	0	0	0	0	18.32	0	0
2025	5	19	14	8	10	26	0	0	0	0	0	0	0	18.44	0	0
2025	5	19	14	18	10	26	0	0	0	0	0	0	0	18.55	0	0
2025	5	19	14	28	10	26	0	0	0	0	0	0	0	18.65	0	0
2025	5	19	14	38	10	26	0	0	0	0	0	0	0	18.76	0	0
2025	5	19	14	48	10	26	0	0	0	0	0	0	0	18.86	0	0
2025	5	19	14	58	10	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	19	15	8	10	26	0	0	0	0	0	0	0	19.05	0	0
2025	5	19	15	18	10	26	0	0	0	0	0	0	0	19.14	0	0
2025	5	19	15	28	10	26	0	0	0	0	0	0	0	19.24	0	0
2025	5	19	15	38	10	26	0	0	0	0	0	0	0	19.32	0	0
2025	5	19	15	48	10	26	0	0	0	0	0	0	0	19.39	0	0
2025	5	19	15	58	10	26	0	0	0	0	0	0	0	19.47	0	0
2025	5	19	16	8	10	25	0	0	0	0	0	0	0	19.54	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	20	0	18	10	26	0	0	0	0	0	0	0	18.27	0	0
2025	5	20	0	28	10	26	0	0	0	0	0	0	0	18.22	0	0
2025	5	20	0	38	10	26	0	0	0	0	0	0	0	18.15	0	0
2025	5	20	0	48	10	26	0	0	0	0	0	0	0	18.09	0	0
2025	5	20	0	58	10	27	0	0	0	0	0	0	0	18.03	0	0
2025	5	20	1	8	10	26	0	0	0	0	0	0	0	17.97	0	0
2025	5	20	1	18	10	26	0	0	0	0	0	0	0	17.91	0	0
2025	5	20	1	28	10	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	20	1	38	10	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	20	1	48	10	26	0	0	0	0	0	0	0	17.75	0	0
2025	5	20	1	58	10	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	20	2	8	10	26	0	0	0	0	0	0	0	17.65	0	0
2025	5	20	2	18	10	25	0	0	0	0	0	0	0	17.6	0	0
2025	5	20	2	28	10	26	0	0	0	0	0	0	0	17.54	0	0
2025	5	20	2	38	10	26	0	0	0	0	0	0	0	17.49	0	0
2025	5	20	2	48	10	26	0	0	0	0	0	0	0	17.44	0	0
2025	5	20	2	58	10	26	0	0	0	0	0	0	0	17.38	0	0
2025	5	20	3	8	10	26	0	0	0	0	0	0	0	17.34	0	0
2025	5	20	3	18	10	26	0	0	0	0	0	0	0	17.29	0	0
2025	5	20	3	28	10	26	0	0	0	0	0	0	0	17.24	0	0
2025	5	20	3	38	10	26	0	0	0	0	0	0	0	17.19	0	0
2025	5	20	3	48	10	26	0	0	0	0	0	0	0	17.14	0	0
2025	5	20	3	58	10	26	0	0	0	0	0	0	0	17.1	0	0
2025	5	20	4	8	10	26	0	0	0	0	0	0	0	17.04	0	0
2025	5	20	4	18	10	26	0	0	0	0	0	0	0	17	0	0
2025	5	20	4	28	10	26	0	0	0	0	0	0	0	16.95	0	0
2025	5	20	4	38	10	26	0	0	0	0	0	0	0	16.9	0	0
2025	5	20	4	48	10	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	20	4	58	10	27	0	0	0	0	0	0	0	16.8	0	0
2025	5	20	5	8	10	26	0	0	0	0	0	0	0	16.76	0	0
2025	5	20	5	18	10	26	0	0	0	0	0	0	0	16.71	0	0
2025	5	20	5	28	10	26	0	0	0	0	0	0	0	16.67	0	0
2025	5	20	5	38	10	26	0	0	0	0	0	0	0	16.63	0	0
2025	5	20	5	48	10	26	0	0	0	0	0	0	0	16.58	0	0
2025	5	20	5	58	10	26	0	0	0	0	0	0	0	16.54	0	0
2025	5	20	6	8	10	26	0	0	0	0	0	0	0	16.5	0	0
2025	5	20	6	18	10	25	0	0	0	0	0	0	0	16.45	0	0
2025	5	20	6	28	10	25	0	0	0	0	0	0	0	16.42	0	0
2025	5	20	6	38	10	26	0	0	0	0	0	0	0	16.38	0	0
2025	5	20	6	48	10	26	0	0	0	0	0	0	0	16.35	0	0
2025	5	20	6	58	10	26	0	0	0	0	0	0	0	16.31	0	0
2025	5	20	7	8	10	27	0	0	0	0	0	0	0	16.29	0	0
2025	5	20	7	18	10	27	0	0	0	0	0	0	0	16.27	0	0
2025	5	20	7	28	10	27	0	0	0	0	0	0	0	16.26	0	0
2025	5	20	7	38	10	26	0	0	0	0	0	0	0	16.25	0	0
2025	5	20	7	48	10	27	0	0	0	0	0	0	0	16.25	0	0
2025	5	20	7	58	10	26	0	0	0	0	0	0	0	16.25	0	0
2025	5	20	8	8	10	26	0	0	0	0	0	0	0	16.26	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	20	8	18	10	26	0	0	0	0	0	0	0	16.28	0	0
2025	5	20	8	28	10	26	0	0	0	0	0	0	0	16.3	0	0
2025	5	20	8	38	10	26	0	0	0	0	0	0	0	16.33	0	0
2025	5	20	8	48	10	26	0	0	0	0	0	0	0	16.38	0	0
2025	5	20	8	58	10	26	0	0	0	0	0	0	0	16.42	0	0
2025	5	20	9	8	10	26	0	0	0	0	0	0	0	16.48	0	0
2025	5	20	9	18	10	26	0	0	0	0	0	0	0	16.53	0	0
2025	5	20	9	28	10	26	0	0	0	0	0	0	0	16.6	0	0
2025	5	20	9	38	10	26	0	0	0	0	0	0	0	16.68	0	0
2025	5	20	9	48	10	26	0	0	0	0	0	0	0	16.76	0	0
2025	5	20	9	58	10	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	20	10	8	10	26	0	0	0	0	0	0	0	16.95	0	0
2025	5	20	10	18	10	26	0	0	0	0	0	0	0	17.05	0	0
2025	5	20	10	28	10	25	0	0	0	0	0	0	0	17.15	0	0
2025	5	20	10	38	10	26	0	0	0	0	0	0	0	17.26	0	0
2025	5	20	10	48	10	26	0	0	0	0	0	0	0	17.37	0	0
2025	5	20	10	58	10	26	0	0	0	0	0	0	0	17.48	0	0
2025	5	20	11	8	10	26	0	0	0	0	0	0	0	17.6	0	0
2025	5	20	11	18	10	26	0	0	0	0	0	0	0	17.73	0	0
2025	5	20	11	28	10	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	20	11	38	10	26	0	0	0	0	0	0	0	17.99	0	0
2025	5	20	11	48	10	26	0	0	0	0	0	0	0	18.12	0	0
2025	5	20	11	58	10	26	0	0	0	0	0	0	0	18.26	0	0
2025	5	20	12	8	10	26	0	0	0	0	0	0	0	18.4	0	0
2025	5	20	12	18	10	25	0	0	0	0	0	0	0	18.54	0	0
2025	5	20	12	28	10	26	0	0	0	0	0	0	0	18.68	0	0
2025	5	20	12	38	10	25	0	0	0	0	0	0	0	18.81	0	0
2025	5	20	12	48	10	26	0	0	0	0	0	0	0	18.96	0	0
2025	5	20	12	58	10	26	0	0	0	0	0	0	0	19.1	0	0
2025	5	20	13	8	10	26	0	0	0	0	0	0	0	19.24	0	0
2025	5	20	13	18	10	26	0	0	0	0	0	0	0	19.38	0	0
2025	5	20	13	28	10	26	0	0	0	0	0	0	0	19.52	0	0
2025	5	20	13	38	10	26	0	0	0	0	0	0	0	19.66	0	0
2025	5	20	13	48	10	26	0	0	0	0	0	0	0	19.79	0	0
2025	5	20	13	58	10	26	0	0	0	0	0	0	0	19.92	0	0
2025	5	20	14	8	10	26	0	0	0	0	0	0	0	20.05	0	0
2025	5	20	14	18	10	26	0	0	0	0	0	0	0	20.16	0	0
2025	5	20	14	28	10	26	0	0	0	0	0	0	0	20.27	0	0
2025	5	20	14	38	10	25	0	0	0	0	0	0	0	20.38	0	0
2025	5	20	14	48	10	25	0	0	0	0	0	0	0	20.49	0	0
2025	5	20	14	58	10	25	0	0	0	0	0	0	0	20.59	0	0
2025	5	20	15	8	10	26	0	0	0	0	0	0	0	20.68	0	0
2025	5	20	15	18	10	26	0	0	0	0	0	0	0	20.77	0	0
2025	5	20	15	28	10	26	0	0	0	0	0	0	0	20.86	0	0
2025	5	20	15	38	10	26	0	0	0	0	0	0	0	20.94	0	0
2025	5	20	15	48	10	26	0	0	0	0	0	0	0	21.02	0	0
2025	5	20	15	58	10	25	0	0	0	0	0	0	0	21.1	0	0
2025	5	20	16	8	10	25	0	0	0	0	0	0	0	21.17	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	5	20	16	18	10	26	0	0	0	0	0	0	0	21.24	0	0
	2025	5	20	16	28	10	25	0	0	0	0	0	0	0	21.31	0	0
	2025	5	20	16	38	10	25	0	0	0	0	0	0	0	21.38	0	0
	2025	5	20	16	48	10	25	0	0	0	0	0	0	0	21.43	0	0
	2025	5	20	16	58	10	26	0	0	0	0	0	0	0	21.49	0	0
	2025	5	20	17	8	10	26	0	0	0	0	0	0	0	21.53	0	0
	2025	5	20	17	18	10	25	0	0	0	0	0	0	0	21.56	0	0
	2025	5	20	17	28	10	25	0	0	0	0	0	0	0	21.6	0	0
	2025	5	20	17	38	10	25	0	0	0	0	0	0	0	21.62	0	0
	2025	5	20	17	48	10	25	0	0	0	0	0	0	0	21.65	0	0
	2025	5	20	17	58	10	25	0	0	0	0	0	0	0	21.67	0	0
	2025	5	20	18	8	10	25	0	0	0	0	0	0	0	21.67	0	0
	2025	5	20	18	18	10	25	0	0	0	0	0	0	0	21.67	0	0
	2025	5	20	18	28	10	26	0	0	0	0	0	0	0	21.67	0	0
	2025	5	20	18	38	10	26	0	0	0	0	0	0	0	21.66	0	0
	2025	5	20	18	48	10	25	0	0	0	0	0	0	0	21.64	0	0
	2025	5	20	18	58	10	25	0	0	0	0	0	0	0	21.62	0	0
	2025	5	20	19	8	10	26	0	0	0	0	0	0	0	21.6	0	0
	2025	5	20	19	18	10	25	0	0	0	0	0	0	0	21.57	0	0
	2025	5	20	19	28	10	25	0	0	0	0	0	0	0	21.53	0	0
	2025	5	20	19	38	10	25	0	0	0	0	0	0	0	21.5	0	0
	2025	5	20	19	48	10	25	0	0	0	0	0	0	0	21.46	0	0
	2025	5	20	19	58	10	25	0	0	0	0	0	0	0	21.41	0	0
	2025	5	20	20	8	10	25	0	0	0	0	0	0	0	21.35	0	0
	2025	5	20	20	18	10	26	0	0	0	0	0	0	0	21.3	0	0
	2025	5	20	20	28	10	25	0	0	0	0	0	0	0	21.25	0	0
	2025	5	20	20	38	10	25	0	0	0	0	0	0	0	21.19	0	0
	2025	5	20	20	48	10	26	0	0	0	0	0	0	0	21.14	0	0
	2025	5	20	20	58	10	25	0	0	0	0	0	0	0	21.08	0	0
	2025	5	20	21	8	10	25	0	0	0	0	0	0	0	21.03	0	0
	2025	5	20	21	18	10	25	0	0	0	0	0	0	0	20.97	0	0
	2025	5	20	21	28	10	25	0	0	0	0	0	0	0	20.91	0	0
	2025	5	20	21	38	10	26	0	0	0	0	0	0	0	20.85	0	0
	2025	5	20	21	48	10	25	0	0	0	0	0	0	0	20.79	0	0
	2025	5	20	21	58	10	25	0	0	0	0	0	0	0	20.73	0	0
	2025	5	20	22	8	10	25	0	0	0	0	0	0	0	20.66	0	0
	2025	5	20	22	18	10	25	0	0	0	0	0	0	0	20.59	0	0
	2025	5	20	22	28	10	25	0	0	0	0	0	0	0	20.52	0	0
	2025	5	20	22	38	10	25	0	0	0	0	0	0	0	20.45	0	0
	2025	5	20	22	48	10	26	0	0	0	0	0	0	0	20.38	0	0
	2025	5	20	22	58	10	25	0	0	0	0	0	0	0	20.32	0	0
	2025	5	20	23	8	10	26	0	0	0	0	0	0	0	20.25	0	0
	2025	5	20	23	18	10	26	0	0	0	0	0	0	0	20.18	0	0
	2025	5	20	23	28	10	26	0	0	0	0	0	0	0	20.12	0	0
	2025	5	20	23	38	10	25	0	0	0	0	0	0	0	20.05	0	0
	2025	5	20	23	48	10	25	0	0	0	0	0	0	0	19.98	0	0
	2025	5	20	23	58	10	25	0	0	0	0	0	0	0	19.91	0	0
	2025	5	21	0	8	10	26	0	0	0	0	0	0	0	19.84	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	21	8	18	10	27	0	0	0	0	0	0	0	17.59	0	0
2025	5	21	8	28	10	26	0	0	0	0	0	0	0	17.61	0	0
2025	5	21	8	38	10	26	0	0	0	0	0	0	0	17.64	0	0
2025	5	21	8	48	10	26	0	0	0	0	0	0	0	17.68	0	0
2025	5	21	8	58	10	25	0	0	0	0	0	0	0	17.73	0	0
2025	5	21	9	8	10	27	0	0	0	0	0	0	0	17.78	0	0
2025	5	21	9	18	10	26	0	0	0	0	0	0	0	17.84	0	0
2025	5	21	9	28	10	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	21	9	38	10	26	0	0	0	0	0	0	0	17.98	0	0
2025	5	21	9	48	10	26	0	0	0	0	0	0	0	18.05	0	0
2025	5	21	9	58	10	26	0	0	0	0	0	0	0	18.13	0	0
2025	5	21	10	8	10	26	0	0	0	0	0	0	0	18.22	0	0
2025	5	21	10	18	10	26	0	0	0	0	0	0	0	18.32	0	0
2025	5	21	10	28	10	26	0	0	0	0	0	0	0	18.43	0	0
2025	5	21	10	38	10	26	0	0	0	0	0	0	0	18.53	0	0
2025	5	21	10	48	10	26	0	0	0	0	0	0	0	18.63	0	0
2025	5	21	10	58	10	25	0	0	0	0	0	0	0	18.75	0	0
2025	5	21	11	8	10	26	0	0	0	0	0	0	0	18.87	0	0
2025	5	21	11	18	10	26	0	0	0	0	0	0	0	18.99	0	0
2025	5	21	11	28	10	26	0	0	0	0	0	0	0	19.11	0	0
2025	5	21	11	38	10	26	0	0	0	0	0	0	0	19.24	0	0
2025	5	21	11	48	10	25	0	0	0	0	0	0	0	19.37	0	0
2025	5	21	11	58	10	26	0	0	0	0	0	0	0	19.51	0	0
2025	5	21	12	8	10	26	0	0	0	0	0	0	0	19.64	0	0
2025	5	21	12	18	10	26	0	0	0	0	0	0	0	19.78	0	0
2025	5	21	12	28	10	26	0	0	0	0	0	0	0	19.91	0	0
2025	5	21	12	38	10	26	0	0	0	0	0	0	0	20.04	0	0
2025	5	21	12	48	10	25	0	0	0	0	0	0	0	20.18	0	0
2025	5	21	12	58	10	26	0	0	0	0	0	0	0	20.31	0	0
2025	5	21	13	8	10	26	0	0	0	0	0	0	0	20.44	0	0
2025	5	21	13	18	10	25	0	0	0	0	0	0	0	20.57	0	0
2025	5	21	13	28	10	26	0	0	0	0	0	0	0	20.69	0	0
2025	5	21	13	38	10	25	0	0	0	0	0	0	0	20.81	0	0
2025	5	21	13	48	10	25	0	0	0	0	0	0	0	20.93	0	0
2025	5	21	13	58	10	26	0	0	0	0	0	0	0	21.05	0	0
2025	5	21	14	8	10	26	0	0	0	0	0	0	0	21.16	0	0
2025	5	21	14	18	10	25	0	0	0	0	0	0	0	21.27	0	0
2025	5	21	14	28	10	25	0	0	0	0	0	0	0	21.37	0	0
2025	5	21	14	38	10	25	0	0	0	0	0	0	0	21.46	0	0
2025	5	21	14	48	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	5	21	14	58	10	25	0	0	0	0	0	0	0	21.65	0	0
2025	5	21	15	8	10	25	0	0	0	0	0	0	0	21.73	0	0
2025	5	21	15	18	10	26	0	0	0	0	0	0	0	21.82	0	0
2025	5	21	15	28	10	25	0	0	0	0	0	0	0	21.9	0	0
2025	5	21	15	38	10	25	0	0	0	0	0	0	0	21.97	0	0
2025	5	21	15	48	10	25	0	0	0	0	0	0	0	22.04	0	0
2025	5	21	15	58	10	25	0	0	0	0	0	0	0	22.11	0	0
2025	5	21	16	8	10	25	0	0	0	0	0	0	0	22.17	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	5	23	16	18	10	26	0	0	0	0	0	0	0	22.1	0	0
	2025	5	23	16	28	10	25	0	0	0	0	0	0	0	22.16	0	0
	2025	5	23	16	38	10	26	0	0	0	0	0	0	0	22.2	0	0
	2025	5	23	16	48	10	25	0	0	0	0	0	0	0	22.25	0	0
	2025	5	23	16	58	10	26	0	0	0	0	0	0	0	22.29	0	0
	2025	5	23	17	8	10	25	0	0	0	0	0	0	0	22.3	0	0
	2025	5	23	17	18	10	25	0	0	0	0	0	0	0	22.32	0	0
	2025	5	23	17	28	10	25	0	0	0	0	0	0	0	22.34	0	0
	2025	5	23	17	38	10	25	0	0	0	0	0	0	0	22.35	0	0
	2025	5	23	17	48	10	25	0	0	0	0	0	0	0	22.35	0	0
	2025	5	23	17	58	10	25	0	0	0	0	0	0	0	22.34	0	0
	2025	5	23	18	8	10	26	0	0	0	0	0	0	0	22.32	0	0
	2025	5	23	18	18	10	25	0	0	0	0	0	0	0	22.3	0	0
	2025	5	23	18	28	10	25	0	0	0	0	0	0	0	22.27	0	0
	2025	5	23	18	38	10	25	0	0	0	0	0	0	0	22.25	0	0
	2025	5	23	18	48	10	26	0	0	0	0	0	0	0	22.22	0	0
	2025	5	23	18	58	10	25	0	0	0	0	0	0	0	22.19	0	0
	2025	5	23	19	8	10	25	0	0	0	0	0	0	0	22.15	0	0
	2025	5	23	19	18	10	25	0	0	0	0	0	0	0	22.11	0	0
	2025	5	23	19	28	10	24	0	0	0	0	0	0	0	22.06	0	0
	2025	5	23	19	38	10	26	0	0	0	0	0	0	0	22.02	0	0
	2025	5	23	19	48	10	25	0	0	0	0	0	0	0	21.98	0	0
	2025	5	23	19	58	10	26	0	0	0	0	0	0	0	21.94	0	0
	2025	5	23	20	8	10	25	0	0	0	0	0	0	0	21.89	0	0
	2025	5	23	20	18	10	25	0	0	0	0	0	0	0	21.85	0	0
	2025	5	23	20	28	10	25	0	0	0	0	0	0	0	21.8	0	0
	2025	5	23	20	38	10	25	0	0	0	0	0	0	0	21.76	0	0
	2025	5	23	20	48	10	26	0	0	0	0	0	0	0	21.71	0	0
	2025	5	23	20	58	10	26	0	0	0	0	0	0	0	21.65	0	0
	2025	5	23	21	8	10	25	0	0	0	0	0	0	0	21.59	0	0
	2025	5	23	21	18	10	25	0	0	0	0	0	0	0	21.52	0	0
	2025	5	23	21	28	10	25	0	0	0	0	0	0	0	21.44	0	0
	2025	5	23	21	38	10	25	0	0	0	0	0	0	0	21.36	0	0
	2025	5	23	21	48	10	25	0	0	0	0	0	0	0	21.27	0	0
	2025	5	23	21	58	10	26	0	0	0	0	0	0	0	21.19	0	0
	2025	5	23	22	8	10	26	0	0	0	0	0	0	0	21.1	0	0
	2025	5	23	22	18	10	25	0	0	0	0	0	0	0	21.01	0	0
	2025	5	23	22	28	10	25	0	0	0	0	0	0	0	20.92	0	0
	2025	5	23	22	38	10	25	0	0	0	0	0	0	0	20.82	0	0
	2025	5	23	22	48	10	25	0	0	0	0	0	0	0	20.73	0	0
	2025	5	23	22	58	10	26	0	0	0	0	0	0	0	20.65	0	0
	2025	5	23	23	8	10	26	0	0	0	0	0	0	0	20.56	0	0
	2025	5	23	23	18	10	25	0	0	0	0	0	0	0	20.47	0	0
	2025	5	23	23	28	10	25	0	0	0	0	0	0	0	20.39	0	0
	2025	5	23	23	38	10	26	0	0	0	0	0	0	0	20.31	0	0
	2025	5	23	23	48	10	24	0	0	0	0	0	0	0	20.23	0	0
	2025	5	23	23	58	10	26	0	0	0	0	0	0	0	20.16	0	0
	2025	5	24	0	8	10	26	0	0	0	0	0	0	0	20.08	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	24	0	18	10	25	0	0	0	0	0	0	0	20	0	0
2025	5	24	0	28	10	25	0	0	0	0	0	0	0	19.93	0	0
2025	5	24	0	38	10	25	0	0	0	0	0	0	0	19.85	0	0
2025	5	24	0	48	10	26	0	0	0	0	0	0	0	19.78	0	0
2025	5	24	0	58	10	25	0	0	0	0	0	0	0	19.71	0	0
2025	5	24	1	8	10	26	0	0	0	0	0	0	0	19.63	0	0
2025	5	24	1	18	10	26	0	0	0	0	0	0	0	19.56	0	0
2025	5	24	1	28	10	26	0	0	0	0	0	0	0	19.48	0	0
2025	5	24	1	38	10	25	0	0	0	0	0	0	0	19.41	0	0
2025	5	24	1	48	10	25	0	0	0	0	0	0	0	19.33	0	0
2025	5	24	1	58	10	26	0	0	0	0	0	0	0	19.26	0	0
2025	5	24	2	8	10	26	0	0	0	0	0	0	0	19.18	0	0
2025	5	24	2	18	10	26	0	0	0	0	0	0	0	19.11	0	0
2025	5	24	2	28	10	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	24	2	38	10	26	0	0	0	0	0	0	0	18.96	0	0
2025	5	24	2	48	10	26	0	0	0	0	0	0	0	18.89	0	0
2025	5	24	2	58	10	25	0	0	0	0	0	0	0	18.82	0	0
2025	5	24	3	8	10	26	0	0	0	0	0	0	0	18.75	0	0
2025	5	24	3	18	10	26	0	0	0	0	0	0	0	18.69	0	0
2025	5	24	3	28	10	26	0	0	0	0	0	0	0	18.63	0	0
2025	5	24	3	38	10	26	0	0	0	0	0	0	0	18.56	0	0
2025	5	24	3	48	10	26	0	0	0	0	0	0	0	18.5	0	0
2025	5	24	3	58	10	26	0	0	0	0	0	0	0	18.44	0	0
2025	5	24	4	8	10	26	0	0	0	0	0	0	0	18.38	0	0
2025	5	24	4	18	10	26	0	0	0	0	0	0	0	18.32	0	0
2025	5	24	4	28	10	26	0	0	0	0	0	0	0	18.26	0	0
2025	5	24	4	38	10	26	0	0	0	0	0	0	0	18.21	0	0
2025	5	24	4	48	10	26	0	0	0	0	0	0	0	18.16	0	0
2025	5	24	4	58	10	26	0	0	0	0	0	0	0	18.1	0	0
2025	5	24	5	8	10	26	0	0	0	0	0	0	0	18.06	0	0
2025	5	24	5	18	10	26	0	0	0	0	0	0	0	18.01	0	0
2025	5	24	5	28	10	26	0	0	0	0	0	0	0	17.96	0	0
2025	5	24	5	38	10	25	0	0	0	0	0	0	0	17.92	0	0
2025	5	24	5	48	10	26	0	0	0	0	0	0	0	17.87	0	0
2025	5	24	5	58	10	26	0	0	0	0	0	0	0	17.83	0	0
2025	5	24	6	8	10	27	0	0	0	0	0	0	0	17.78	0	0
2025	5	24	6	18	10	26	0	0	0	0	0	0	0	17.73	0	0
2025	5	24	6	28	10	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	24	6	38	10	26	0	0	0	0	0	0	0	17.66	0	0
2025	5	24	6	48	10	26	0	0	0	0	0	0	0	17.62	0	0
2025	5	24	6	58	10	26	0	0	0	0	0	0	0	17.58	0	0
2025	5	24	7	8	10	26	0	0	0	0	0	0	0	17.55	0	0
2025	5	24	7	18	10	26	0	0	0	0	0	0	0	17.53	0	0
2025	5	24	7	28	10	26	0	0	0	0	0	0	0	17.51	0	0
2025	5	24	7	38	10	26	0	0	0	0	0	0	0	17.49	0	0
2025	5	24	7	48	10	26	0	0	0	0	0	0	0	17.48	0	0
2025	5	24	7	58	10	26	0	0	0	0	0	0	0	17.46	0	0
2025	5	24	8	8	10	26	0	0	0	0	0	0	0	17.46	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	24	8	18	10	26	0	0	0	0	0	0	0	17.48	0	0
2025	5	24	8	28	10	26	0	0	0	0	0	0	0	17.49	0	0
2025	5	24	8	38	10	26	0	0	0	0	0	0	0	17.51	0	0
2025	5	24	8	48	10	26	0	0	0	0	0	0	0	17.53	0	0
2025	5	24	8	58	10	26	0	0	0	0	0	0	0	17.56	0	0
2025	5	24	9	8	10	26	0	0	0	0	0	0	0	17.6	0	0
2025	5	24	9	18	10	26	0	0	0	0	0	0	0	17.64	0	0
2025	5	24	9	28	10	26	0	0	0	0	0	0	0	17.66	0	0
2025	5	24	9	38	10	26	0	0	0	0	0	0	0	17.69	0	0
2025	5	24	9	48	10	26	0	0	0	0	0	0	0	17.73	0	0
2025	5	24	9	58	10	26	0	0	0	0	0	0	0	17.78	0	0
2025	5	24	10	8	10	26	0	0	0	0	0	0	0	17.82	0	0
2025	5	24	10	18	10	26	0	0	0	0	0	0	0	17.89	0	0
2025	5	24	10	28	10	26	0	0	0	0	0	0	0	17.95	0	0
2025	5	24	10	38	10	26	0	0	0	0	0	0	0	17.98	0	0
2025	5	24	10	48	10	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	24	10	58	10	26	0	0	0	0	0	0	0	18.08	0	0
2025	5	24	11	8	10	27	0	0	0	0	0	0	0	18.16	0	0
2025	5	24	11	18	10	26	0	0	0	0	0	0	0	18.24	0	0
2025	5	24	11	28	10	25	0	0	0	0	0	0	0	18.29	0	0
2025	5	24	11	38	10	26	0	0	0	0	0	0	0	18.35	0	0
2025	5	24	11	48	10	26	0	0	0	0	0	0	0	18.39	0	0
2025	5	24	11	58	10	26	0	0	0	0	0	0	0	18.44	0	0
2025	5	24	12	8	10	25	0	0	0	0	0	0	0	18.51	0	0
2025	5	24	12	18	10	26	0	0	0	0	0	0	0	18.58	0	0
2025	5	24	12	28	10	26	0	0	0	0	0	0	0	18.69	0	0
2025	5	24	12	38	10	25	0	0	0	0	0	0	0	18.77	0	0
2025	5	24	12	48	10	26	0	0	0	0	0	0	0	18.84	0	0
2025	5	24	12	58	10	26	0	0	0	0	0	0	0	18.92	0	0
2025	5	24	13	8	10	26	0	0	0	0	0	0	0	19.04	0	0
2025	5	24	13	18	10	26	0	0	0	0	0	0	0	19.16	0	0
2025	5	24	13	28	10	25	0	0	0	0	0	0	0	19.28	0	0
2025	5	24	13	38	10	26	0	0	0	0	0	0	0	19.42	0	0
2025	5	24	13	48	10	26	0	0	0	0	0	0	0	19.56	0	0
2025	5	24	13	58	10	26	0	0	0	0	0	0	0	19.66	0	0
2025	5	24	14	8	10	25	0	0	0	0	0	0	0	19.75	0	0
2025	5	24	14	18	10	26	0	0	0	0	0	0	0	19.87	0	0
2025	5	24	14	28	10	26	0	0	0	0	0	0	0	19.97	0	0
2025	5	24	14	38	10	26	0	0	0	0	0	0	0	20.07	0	0
2025	5	24	14	48	10	25	0	0	0	0	0	0	0	20.19	0	0
2025	5	24	14	58	10	26	0	0	0	0	0	0	0	20.32	0	0
2025	5	24	15	8	10	25	0	0	0	0	0	0	0	20.43	0	0
2025	5	24	15	18	10	26	0	0	0	0	0	0	0	20.53	0	0
2025	5	24	15	28	10	26	0	0	0	0	0	0	0	20.62	0	0
2025	5	24	15	38	10	26	0	0	0	0	0	0	0	20.71	0	0
2025	5	24	15	48	10	25	0	0	0	0	0	0	0	20.79	0	0
2025	5	24	15	58	10	26	0	0	0	0	0	0	0	20.87	0	0
2025	5	24	16	8	10	26	0	0	0	0	0	0	0	20.94	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	5	24	16	18	10	26	0	0	0	0	0	0	0	21.01	0	0
	2025	5	24	16	28	10	26	0	0	0	0	0	0	0	21.07	0	0
	2025	5	24	16	38	10	25	0	0	0	0	0	0	0	21.11	0	0
	2025	5	24	16	48	10	25	0	0	0	0	0	0	0	21.14	0	0
	2025	5	24	16	58	10	24	0	0	0	0	0	0	0	21.16	0	0
	2025	5	24	17	8	10	25	0	0	0	0	0	0	0	21.18	0	0
	2025	5	24	17	18	10	25	0	0	0	0	0	0	0	21.18	0	0
	2025	5	24	17	28	10	26	0	0	0	0	0	0	0	21.18	0	0
	2025	5	24	17	38	10	26	0	0	0	0	0	0	0	21.18	0	0
	2025	5	24	17	48	10	25	0	0	0	0	0	0	0	21.18	0	0
	2025	5	24	17	58	10	26	0	0	0	0	0	0	0	21.17	0	0
	2025	5	24	18	8	10	25	0	0	0	0	0	0	0	21.14	0	0
	2025	5	24	18	18	10	25	0	0	0	0	0	0	0	21.11	0	0
	2025	5	24	18	28	10	26	0	0	0	0	0	0	0	21.07	0	0
	2025	5	24	18	38	10	26	0	0	0	0	0	0	0	21.01	0	0
	2025	5	24	18	48	10	25	0	0	0	0	0	0	0	20.95	0	0
	2025	5	24	18	58	10	26	0	0	0	0	0	0	0	20.89	0	0
	2025	5	24	19	8	10	25	0	0	0	0	0	0	0	20.83	0	0
	2025	5	24	19	18	10	25	0	0	0	0	0	0	0	20.78	0	0
	2025	5	24	19	28	10	25	0	0	0	0	0	0	0	20.73	0	0
	2025	5	24	19	38	10	25	0	0	0	0	0	0	0	20.69	0	0
	2025	5	24	19	48	10	25	0	0	0	0	0	0	0	20.63	0	0
	2025	5	24	19	58	10	25	0	0	0	0	0	0	0	20.57	0	0
	2025	5	24	20	8	10	25	0	0	0	0	0	0	0	20.51	0	0
	2025	5	24	20	18	10	25	0	0	0	0	0	0	0	20.45	0	0
	2025	5	24	20	28	10	25	0	0	0	0	0	0	0	20.38	0	0
	2025	5	24	20	38	10	25	0	0	0	0	0	0	0	20.32	0	0
	2025	5	24	20	48	10	25	0	0	0	0	0	0	0	20.26	0	0
	2025	5	24	20	58	10	25	0	0	0	0	0	0	0	20.2	0	0
	2025	5	24	21	8	10	26	0	0	0	0	0	0	0	20.13	0	0
	2025	5	24	21	18	10	25	0	0	0	0	0	0	0	20.07	0	0
	2025	5	24	21	28	10	25	0	0	0	0	0	0	0	20.01	0	0
	2025	5	24	21	38	10	25	0	0	0	0	0	0	0	19.94	0	0
	2025	5	24	21	48	10	25	0	0	0	0	0	0	0	19.86	0	0
	2025	5	24	21	58	10	25	0	0	0	0	0	0	0	19.79	0	0
	2025	5	24	22	8	10	26	0	0	0	0	0	0	0	19.71	0	0
	2025	5	24	22	18	10	26	0	0	0	0	0	0	0	19.64	0	0
	2025	5	24	22	28	10	25	0	0	0	0	0	0	0	19.56	0	0
	2025	5	24	22	38	10	26	0	0	0	0	0	0	0	19.48	0	0
	2025	5	24	22	48	10	25	0	0	0	0	0	0	0	19.41	0	0
	2025	5	24	22	58	10	25	0	0	0	0	0	0	0	19.34	0	0
	2025	5	24	23	8	10	26	0	0	0	0	0	0	0	19.27	0	0
	2025	5	24	23	18	10	26	0	0	0	0	0	0	0	19.19	0	0
	2025	5	24	23	28	10	26	0	0	0	0	0	0	0	19.11	0	0
	2025	5	24	23	38	10	26	0	0	0	0	0	0	0	19.04	0	0
	2025	5	24	23	48	10	25	0	0	0	0	0	0	0	18.97	0	0
	2025	5	24	23	58	10	25	0	0	0	0	0	0	0	18.9	0	0
	2025	5	25	0	8	10	26	0	0	0	0	0	0	0	18.83	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	25	0	18	10	25	0	0	0	0	0	0	0	18.76	0	0
2025	5	25	0	28	10	26	0	0	0	0	0	0	0	18.69	0	0
2025	5	25	0	38	10	26	0	0	0	0	0	0	0	18.63	0	0
2025	5	25	0	48	10	25	0	0	0	0	0	0	0	18.56	0	0
2025	5	25	0	58	10	26	0	0	0	0	0	0	0	18.5	0	0
2025	5	25	1	8	10	26	0	0	0	0	0	0	0	18.43	0	0
2025	5	25	1	18	10	26	0	0	0	0	0	0	0	18.38	0	0
2025	5	25	1	28	10	26	0	0	0	0	0	0	0	18.32	0	0
2025	5	25	1	38	10	26	0	0	0	0	0	0	0	18.26	0	0
2025	5	25	1	48	10	26	0	0	0	0	0	0	0	18.2	0	0
2025	5	25	1	58	10	26	0	0	0	0	0	0	0	18.15	0	0
2025	5	25	2	8	10	26	0	0	0	0	0	0	0	18.09	0	0
2025	5	25	2	18	10	26	0	0	0	0	0	0	0	18.04	0	0
2025	5	25	2	28	10	25	0	0	0	0	0	0	0	17.98	0	0
2025	5	25	2	38	10	25	0	0	0	0	0	0	0	17.92	0	0
2025	5	25	2	48	10	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	25	2	58	10	26	0	0	0	0	0	0	0	17.8	0	0
2025	5	25	3	8	10	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	25	3	18	10	25	0	0	0	0	0	0	0	17.68	0	0
2025	5	25	3	28	10	26	0	0	0	0	0	0	0	17.61	0	0
2025	5	25	3	38	10	26	0	0	0	0	0	0	0	17.55	0	0
2025	5	25	3	48	10	26	0	0	0	0	0	0	0	17.5	0	0
2025	5	25	3	58	10	26	0	0	0	0	0	0	0	17.44	0	0
2025	5	25	4	8	10	26	0	0	0	0	0	0	0	17.38	0	0
2025	5	25	4	18	10	26	0	0	0	0	0	0	0	17.32	0	0
2025	5	25	4	28	10	26	0	0	0	0	0	0	0	17.26	0	0
2025	5	25	4	38	10	26	0	0	0	0	0	0	0	17.21	0	0
2025	5	25	4	48	10	26	0	0	0	0	0	0	0	17.15	0	0
2025	5	25	4	58	10	26	0	0	0	0	0	0	0	17.11	0	0
2025	5	25	5	8	10	26	0	0	0	0	0	0	0	17.05	0	0
2025	5	25	5	18	10	26	0	0	0	0	0	0	0	17	0	0
2025	5	25	5	28	10	26	0	0	0	0	0	0	0	16.95	0	0
2025	5	25	5	38	10	26	0	0	0	0	0	0	0	16.9	0	0
2025	5	25	5	48	10	26	0	0	0	0	0	0	0	16.85	0	0
2025	5	25	5	58	10	27	0	0	0	0	0	0	0	16.79	0	0
2025	5	25	6	8	10	26	0	0	0	0	0	0	0	16.75	0	0
2025	5	25	6	18	10	26	0	0	0	0	0	0	0	16.7	0	0
2025	5	25	6	28	10	26	0	0	0	0	0	0	0	16.66	0	0
2025	5	25	6	38	10	26	0	0	0	0	0	0	0	16.61	0	0
2025	5	25	6	48	10	26	0	0	0	0	0	0	0	16.58	0	0
2025	5	25	6	58	10	26	0	0	0	0	0	0	0	16.55	0	0
2025	5	25	7	8	10	26	0	0	0	0	0	0	0	16.52	0	0
2025	5	25	7	18	10	27	0	0	0	0	0	0	0	16.51	0	0
2025	5	25	7	28	10	26	0	0	0	0	0	0	0	16.5	0	0
2025	5	25	7	38	10	26	0	0	0	0	0	0	0	16.49	0	0
2025	5	25	7	48	10	26	0	0	0	0	0	0	0	16.49	0	0
2025	5	25	7	58	10	25	0	0	0	0	0	0	0	16.5	0	0
2025	5	25	8	8	10	26	0	0	0	0	0	0	0	16.51	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	25	8	18	10	26	0	0	0	0	0	0	0	16.53	0	0
2025	5	25	8	28	10	26	0	0	0	0	0	0	0	16.57	0	0
2025	5	25	8	38	10	26	0	0	0	0	0	0	0	16.6	0	0
2025	5	25	8	48	10	26	0	0	0	0	0	0	0	16.65	0	0
2025	5	25	8	58	10	26	0	0	0	0	0	0	0	16.7	0	0
2025	5	25	9	8	10	26	0	0	0	0	0	0	0	16.77	0	0
2025	5	25	9	18	10	26	0	0	0	0	0	0	0	16.83	0	0
2025	5	25	9	28	10	26	0	0	0	0	0	0	0	16.89	0	0
2025	5	25	9	38	10	26	0	0	0	0	0	0	0	16.97	0	0
2025	5	25	9	48	10	26	0	0	0	0	0	0	0	17.04	0	0
2025	5	25	9	58	10	25	0	0	0	0	0	0	0	17.13	0	0
2025	5	25	10	8	10	27	0	0	0	0	0	0	0	17.22	0	0
2025	5	25	10	18	10	26	0	0	0	0	0	0	0	17.31	0	0
2025	5	25	10	28	10	26	0	0	0	0	0	0	0	17.41	0	0
2025	5	25	10	38	10	27	0	0	0	0	0	0	0	17.51	0	0
2025	5	25	10	48	10	26	0	0	0	0	0	0	0	17.62	0	0
2025	5	25	10	58	10	26	0	0	0	0	0	0	0	17.74	0	0
2025	5	25	11	8	10	26	0	0	0	0	0	0	0	17.86	0	0
2025	5	25	11	18	10	26	0	0	0	0	0	0	0	17.98	0	0
2025	5	25	11	28	10	26	0	0	0	0	0	0	0	18.1	0	0
2025	5	25	11	38	10	25	0	0	0	0	0	0	0	18.24	0	0
2025	5	25	11	48	10	26	0	0	0	0	0	0	0	18.37	0	0
2025	5	25	11	58	10	26	0	0	0	0	0	0	0	18.52	0	0
2025	5	25	12	8	10	26	0	0	0	0	0	0	0	18.67	0	0
2025	5	25	12	18	10	26	0	0	0	0	0	0	0	18.82	0	0
2025	5	25	12	28	10	26	0	0	0	0	0	0	0	18.97	0	0
2025	5	25	12	38	10	26	0	0	0	0	0	0	0	19.13	0	0
2025	5	25	12	48	10	25	0	0	0	0	0	0	0	19.29	0	0
2025	5	25	12	58	10	26	0	0	0	0	0	0	0	19.44	0	0
2025	5	25	13	8	10	25	0	0	0	0	0	0	0	19.61	0	0
2025	5	25	13	18	10	26	0	0	0	0	0	0	0	19.76	0	0
2025	5	25	13	28	10	26	0	0	0	0	0	0	0	19.92	0	0
2025	5	25	13	38	10	26	0	0	0	0	0	0	0	20.07	0	0
2025	5	25	13	48	10	26	0	0	0	0	0	0	0	20.22	0	0
2025	5	25	13	58	10	26	0	0	0	0	0	0	0	20.37	0	0
2025	5	25	14	8	10	25	0	0	0	0	0	0	0	20.5	0	0
2025	5	25	14	18	10	25	0	0	0	0	0	0	0	20.64	0	0
2025	5	25	14	28	10	26	0	0	0	0	0	0	0	20.78	0	0
2025	5	25	14	38	10	26	0	0	0	0	0	0	0	20.91	0	0
2025	5	25	14	48	10	26	0	0	0	0	0	0	0	21.05	0	0
2025	5	25	14	58	10	25	0	0	0	0	0	0	0	21.17	0	0
2025	5	25	15	8	10	25	0	0	0	0	0	0	0	21.29	0	0
2025	5	25	15	18	10	25	0	0	0	0	0	0	0	21.41	0	0
2025	5	25	15	28	10	26	0	0	0	0	0	0	0	21.53	0	0
2025	5	25	15	38	10	25	0	0	0	0	0	0	0	21.64	0	0
2025	5	25	15	48	10	25	0	0	0	0	0	0	0	21.74	0	0
2025	5	25	15	58	10	25	0	0	0	0	0	0	0	21.84	0	0
2025	5	25	16	8	10	26	0	0	0	0	0	0	0	21.93	0	0

Mazourka (0354)

	Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
	2025	5	25	16	18	10	25	0	0	0	0	0	0	0	22.01	0	0
	2025	5	25	16	28	10	25	0	0	0	0	0	0	0	22.09	0	0
	2025	5	25	16	38	10	25	0	0	0	0	0	0	0	22.15	0	0
	2025	5	25	16	48	10	25	0	0	0	0	0	0	0	22.21	0	0
	2025	5	25	16	58	10	25	0	0	0	0	0	0	0	22.26	0	0
	2025	5	25	17	8	10	26	0	0	0	0	0	0	0	22.31	0	0
	2025	5	25	17	18	10	25	0	0	0	0	0	0	0	22.35	0	0
	2025	5	25	17	28	10	25	0	0	0	0	0	0	0	22.38	0	0
	2025	5	25	17	38	10	25	0	0	0	0	0	0	0	22.41	0	0
	2025	5	25	17	48	10	25	0	0	0	0	0	0	0	22.43	0	0
	2025	5	25	17	58	10	25	0	0	0	0	0	0	0	22.44	0	0
	2025	5	25	18	8	10	26	0	0	0	0	0	0	0	22.44	0	0
	2025	5	25	18	18	10	25	0	0	0	0	0	0	0	22.44	0	0
	2025	5	25	18	28	10	25	0	0	0	0	0	0	0	22.43	0	0
	2025	5	25	18	38	10	25	0	0	0	0	0	0	0	22.42	0	0
	2025	5	25	18	48	10	25	0	0	0	0	0	0	0	22.4	0	0
	2025	5	25	18	58	10	25	0	0	0	0	0	0	0	22.38	0	0
	2025	5	25	19	8	10	25	0	0	0	0	0	0	0	22.36	0	0
	2025	5	25	19	18	10	25	0	0	0	0	0	0	0	22.34	0	0
	2025	5	25	19	28	10	25	0	0	0	0	0	0	0	22.29	0	0
	2025	5	25	19	38	10	26	0	0	0	0	0	0	0	22.26	0	0
	2025	5	25	19	48	10	25	0	0	0	0	0	0	0	22.22	0	0
	2025	5	25	19	58	10	25	0	0	0	0	0	0	0	22.18	0	0
	2025	5	25	20	8	10	25	0	0	0	0	0	0	0	22.14	0	0
	2025	5	25	20	18	10	25	0	0	0	0	0	0	0	22.1	0	0
	2025	5	25	20	28	10	25	0	0	0	0	0	0	0	22.05	0	0
	2025	5	25	20	38	10	25	0	0	0	0	0	0	0	22.01	0	0
	2025	5	25	20	48	10	25	0	0	0	0	0	0	0	21.97	0	0
	2025	5	25	20	58	10	26	0	0	0	0	0	0	0	21.92	0	0
	2025	5	25	21	8	10	25	0	0	0	0	0	0	0	21.88	0	0
	2025	5	25	21	18	10	25	0	0	0	0	0	0	0	21.82	0	0
	2025	5	25	21	28	10	25	0	0	0	0	0	0	0	21.77	0	0
	2025	5	25	21	38	10	25	0	0	0	0	0	0	0	21.71	0	0
	2025	5	25	21	48	10	25	0	0	0	0	0	0	0	21.66	0	0
	2025	5	25	21	58	10	26	0	0	0	0	0	0	0	21.6	0	0
	2025	5	25	22	8	10	25	0	0	0	0	0	0	0	21.54	0	0
	2025	5	25	22	18	10	25	0	0	0	0	0	0	0	21.47	0	0
	2025	5	25	22	28	10	25	0	0	0	0	0	0	0	21.41	0	0
	2025	5	25	22	38	10	25	0	0	0	0	0	0	0	21.35	0	0
	2025	5	25	22	48	10	25	0	0	0	0	0	0	0	21.28	0	0
	2025	5	25	22	58	10	25	0	0	0	0	0	0	0	21.21	0	0
	2025	5	25	23	8	10	25	0	0	0	0	0	0	0	21.14	0	0
	2025	5	25	23	18	10	26	0	0	0	0	0	0	0	21.08	0	0
	2025	5	25	23	28	10	25	0	0	0	0	0	0	0	21	0	0
	2025	5	25	23	38	10	25	0	0	0	0	0	0	0	20.93	0	0
	2025	5	25	23	48	10	26	0	0	0	0	0	0	0	20.87	0	0
	2025	5	25	23	58	10	25	0	0	0	0	0	0	0	20.8	0	0
	2025	5	26	0	8	10	25	0	0	0	0	0	0	0	20.74	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	26	8	18	10	26	0	0	0	0	0	0	0	18.46	0	0
2025	5	26	8	28	10	26	0	0	0	0	0	0	0	18.48	0	0
2025	5	26	8	38	10	26	0	0	0	0	0	0	0	18.51	0	0
2025	5	26	8	48	10	26	0	0	0	0	0	0	0	18.55	0	0
2025	5	26	8	58	10	26	0	0	0	0	0	0	0	18.6	0	0
2025	5	26	9	8	10	26	0	0	0	0	0	0	0	18.66	0	0
2025	5	26	9	18	10	26	0	0	0	0	0	0	0	18.72	0	0
2025	5	26	9	28	10	26	0	0	0	0	0	0	0	18.78	0	0
2025	5	26	9	38	10	26	0	0	0	0	0	0	0	18.86	0	0
2025	5	26	9	48	10	26	0	0	0	0	0	0	0	18.92	0	0
2025	5	26	9	58	10	26	0	0	0	0	0	0	0	18.99	0	0
2025	5	26	10	8	10	26	0	0	0	0	0	0	0	19.06	0	0
2025	5	26	10	18	10	26	0	0	0	0	0	0	0	19.16	0	0
2025	5	26	10	28	10	26	0	0	0	0	0	0	0	19.26	0	0
2025	5	26	10	38	10	25	0	0	0	0	0	0	0	19.36	0	0
2025	5	26	10	48	10	26	0	0	0	0	0	0	0	19.44	0	0
2025	5	26	10	58	10	25	0	0	0	0	0	0	0	19.55	0	0
2025	5	26	11	8	10	26	0	0	0	0	0	0	0	19.66	0	0
2025	5	26	11	18	10	26	0	0	0	0	0	0	0	19.77	0	0
2025	5	26	11	28	10	26	0	0	0	0	0	0	0	19.89	0	0
2025	5	26	11	38	10	25	0	0	0	0	0	0	0	20	0	0
2025	5	26	11	48	10	26	0	0	0	0	0	0	0	20.1	0	0
2025	5	26	11	58	10	26	0	0	0	0	0	0	0	20.21	0	0
2025	5	26	12	8	10	26	0	0	0	0	0	0	0	20.34	0	0
2025	5	26	12	18	10	26	0	0	0	0	0	0	0	20.46	0	0
2025	5	26	12	28	10	25	0	0	0	0	0	0	0	20.55	0	0
2025	5	26	12	38	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	5	26	12	48	10	26	0	0	0	0	0	0	0	20.76	0	0
2025	5	26	12	58	10	25	0	0	0	0	0	0	0	20.86	0	0
2025	5	26	13	8	10	25	0	0	0	0	0	0	0	20.97	0	0
2025	5	26	13	18	10	26	0	0	0	0	0	0	0	21.09	0	0
2025	5	26	13	28	10	25	0	0	0	0	0	0	0	21.18	0	0
2025	5	26	13	38	10	25	0	0	0	0	0	0	0	21.25	0	0
2025	5	26	13	48	10	26	0	0	0	0	0	0	0	21.32	0	0
2025	5	26	13	58	10	25	0	0	0	0	0	0	0	21.37	0	0
2025	5	26	14	8	10	26	0	0	0	0	0	0	0	21.4	0	0
2025	5	26	14	18	10	26	0	0	0	0	0	0	0	21.44	0	0
2025	5	26	14	28	10	25	0	0	0	0	0	0	0	21.48	0	0
2025	5	26	14	38	10	26	0	0	0	0	0	0	0	21.5	0	0
2025	5	26	14	48	10	25	0	0	0	0	0	0	0	21.51	0	0
2025	5	26	14	58	10	25	0	0	0	0	0	0	0	21.52	0	0
2025	5	26	15	8	10	25	0	0	0	0	0	0	0	21.54	0	0
2025	5	26	15	18	10	25	0	0	0	0	0	0	0	21.56	0	0
2025	5	26	15	28	10	25	0	0	0	0	0	0	0	21.58	0	0
2025	5	26	15	38	10	25	0	0	0	0	0	0	0	21.59	0	0
2025	5	26	15	48	10	26	0	0	0	0	0	0	0	21.62	0	0
2025	5	26	15	58	10	25	0	0	0	0	0	0	0	21.66	0	0
2025	5	26	16	8	10	25	0	0	0	0	0	0	0	21.7	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	26	16	18	10	25	0	0	0	0	0	0	0	21.75	0	0
2025	5	26	16	28	10	25	0	0	0	0	0	0	0	21.8	0	0
2025	5	26	16	38	10	25	0	0	0	0	0	0	0	21.85	0	0
2025	5	26	16	48	10	25	0	0	0	0	0	0	0	21.87	0	0
2025	5	26	16	58	10	26	0	0	0	0	0	0	0	21.88	0	0
2025	5	26	17	8	10	25	0	0	0	0	0	0	0	21.88	0	0
2025	5	26	17	18	10	25	0	0	0	0	0	0	0	21.9	0	0
2025	5	26	17	28	10	25	0	0	0	0	0	0	0	21.9	0	0
2025	5	26	17	38	10	24	0	0	0	0	0	0	0	21.9	0	0
2025	5	26	17	48	10	26	0	0	0	0	0	0	0	21.9	0	0
2025	5	26	17	58	10	25	0	0	0	0	0	0	0	21.89	0	0
2025	5	26	18	8	10	26	0	0	0	0	0	0	0	21.87	0	0
2025	5	26	18	18	10	25	0	0	0	0	0	0	0	21.85	0	0
2025	5	26	18	28	10	26	0	0	0	0	0	0	0	21.81	0	0
2025	5	26	18	38	10	26	0	0	0	0	0	0	0	21.78	0	0
2025	5	26	18	48	10	25	0	0	0	0	0	0	0	21.75	0	0
2025	5	26	18	58	10	26	0	0	0	0	0	0	0	21.73	0	0
2025	5	26	19	8	10	26	0	0	0	0	0	0	0	21.7	0	0
2025	5	26	19	18	10	25	0	0	0	0	0	0	0	21.67	0	0
2025	5	26	19	28	10	25	0	0	0	0	0	0	0	21.65	0	0
2025	5	26	19	38	10	26	0	0	0	0	0	0	0	21.62	0	0
2025	5	26	19	48	10	25	0	0	0	0	0	0	0	21.58	0	0
2025	5	26	19	58	10	26	0	0	0	0	0	0	0	21.53	0	0
2025	5	26	20	8	10	26	0	0	0	0	0	0	0	21.49	0	0
2025	5	26	20	18	10	25	0	0	0	0	0	0	0	21.45	0	0
2025	5	26	20	28	10	25	0	0	0	0	0	0	0	21.4	0	0
2025	5	26	20	38	10	26	0	0	0	0	0	0	0	21.36	0	0
2025	5	26	20	48	10	25	0	0	0	0	0	0	0	21.32	0	0
2025	5	26	20	58	10	26	0	0	0	0	0	0	0	21.28	0	0
2025	5	26	21	8	10	25	0	0	0	0	0	0	0	21.23	0	0
2025	5	26	21	18	10	25	0	0	0	0	0	0	0	21.19	0	0
2025	5	26	21	28	10	25	0	0	0	0	0	0	0	21.15	0	0
2025	5	26	21	38	10	25	0	0	0	0	0	0	0	21.1	0	0
2025	5	26	21	48	10	25	0	0	0	0	0	0	0	21.06	0	0
2025	5	26	21	58	10	25	0	0	0	0	0	0	0	21.01	0	0
2025	5	26	22	8	10	25	0	0	0	0	0	0	0	20.96	0	0
2025	5	26	22	18	10	25	0	0	0	0	0	0	0	20.91	0	0
2025	5	26	22	28	10	25	0	0	0	0	0	0	0	20.86	0	0
2025	5	26	22	38	10	25	0	0	0	0	0	0	0	20.82	0	0
2025	5	26	22	48	10	25	0	0	0	0	0	0	0	20.76	0	0
2025	5	26	22	58	10	26	0	0	0	0	0	0	0	20.71	0	0
2025	5	26	23	8	10	25	0	0	0	0	0	0	0	20.65	0	0
2025	5	26	23	18	10	25	0	0	0	0	0	0	0	20.6	0	0
2025	5	26	23	28	10	26	0	0	0	0	0	0	0	20.53	0	0
2025	5	26	23	38	10	26	0	0	0	0	0	0	0	20.48	0	0
2025	5	26	23	48	10	25	0	0	0	0	0	0	0	20.42	0	0
2025	5	26	23	58	10	25	0	0	0	0	0	0	0	20.36	0	0
2025	5	27	0	8	10	26	0	0	0	0	0	0	0	20.29	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	27	0	18	10	25	0	0	0	0	0	0	0	20.22	0	0
2025	5	27	0	28	10	26	0	0	0	0	0	0	0	20.16	0	0
2025	5	27	0	38	10	25	0	0	0	0	0	0	0	20.1	0	0
2025	5	27	0	48	10	26	0	0	0	0	0	0	0	20.04	0	0
2025	5	27	0	58	10	25	0	0	0	0	0	0	0	19.98	0	0
2025	5	27	1	8	10	25	0	0	0	0	0	0	0	19.92	0	0
2025	5	27	1	18	10	26	0	0	0	0	0	0	0	19.86	0	0
2025	5	27	1	28	10	26	0	0	0	0	0	0	0	19.79	0	0
2025	5	27	1	38	10	25	0	0	0	0	0	0	0	19.74	0	0
2025	5	27	1	48	10	26	0	0	0	0	0	0	0	19.68	0	0
2025	5	27	1	58	10	26	0	0	0	0	0	0	0	19.62	0	0
2025	5	27	2	8	10	25	0	0	0	0	0	0	0	19.56	0	0
2025	5	27	2	18	10	26	0	0	0	0	0	0	0	19.5	0	0
2025	5	27	2	28	10	26	0	0	0	0	0	0	0	19.44	0	0
2025	5	27	2	38	10	26	0	0	0	0	0	0	0	19.38	0	0
2025	5	27	2	48	10	26	0	0	0	0	0	0	0	19.32	0	0
2025	5	27	2	58	10	26	0	0	0	0	0	0	0	19.25	0	0
2025	5	27	3	8	10	26	0	0	0	0	0	0	0	19.19	0	0
2025	5	27	3	18	10	26	0	0	0	0	0	0	0	19.12	0	0
2025	5	27	3	28	10	25	0	0	0	0	0	0	0	19.06	0	0
2025	5	27	3	38	10	26	0	0	0	0	0	0	0	19	0	0
2025	5	27	3	48	10	26	0	0	0	0	0	0	0	18.94	0	0
2025	5	27	3	58	10	25	0	0	0	0	0	0	0	18.88	0	0
2025	5	27	4	8	10	26	0	0	0	0	0	0	0	18.82	0	0
2025	5	27	4	18	10	25	0	0	0	0	0	0	0	18.76	0	0
2025	5	27	4	28	10	26	0	0	0	0	0	0	0	18.7	0	0
2025	5	27	4	38	10	27	0	0	0	0	0	0	0	18.64	0	0
2025	5	27	4	48	10	27	0	0	0	0	0	0	0	18.58	0	0
2025	5	27	4	58	10	26	0	0	0	0	0	0	0	18.53	0	0
2025	5	27	5	8	10	26	0	0	0	0	0	0	0	18.47	0	0
2025	5	27	5	18	10	26	0	0	0	0	0	0	0	18.41	0	0
2025	5	27	5	28	10	26	0	0	0	0	0	0	0	18.35	0	0
2025	5	27	5	38	10	26	0	0	0	0	0	0	0	18.29	0	0
2025	5	27	5	48	10	27	0	0	0	0	0	0	0	18.24	0	0
2025	5	27	5	58	10	25	0	0	0	0	0	0	0	18.18	0	0
2025	5	27	6	8	10	26	0	0	0	0	0	0	0	18.12	0	0
2025	5	27	6	18	10	26	0	0	0	0	0	0	0	18.07	0	0
2025	5	27	6	28	10	26	0	0	0	0	0	0	0	18.02	0	0
2025	5	27	6	38	10	26	0	0	0	0	0	0	0	17.97	0	0
2025	5	27	6	48	10	25	0	0	0	0	0	0	0	17.92	0	0
2025	5	27	6	58	10	26	0	0	0	0	0	0	0	17.88	0	0
2025	5	27	7	8	10	25	0	0	0	0	0	0	0	17.85	0	0
2025	5	27	7	18	10	26	0	0	0	0	0	0	0	17.83	0	0
2025	5	27	7	28	10	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	27	7	38	10	26	0	0	0	0	0	0	0	17.81	0	0
2025	5	27	7	48	10	25	0	0	0	0	0	0	0	17.8	0	0
2025	5	27	7	58	10	26	0	0	0	0	0	0	0	17.79	0	0
2025	5	27	8	8	10	26	0	0	0	0	0	0	0	17.8	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	27	8	18	10	25	0	0	0	0	0	0	0	17.8	0	0
2025	5	27	8	28	10	26	0	0	0	0	0	0	0	17.82	0	0
2025	5	27	8	38	10	26	0	0	0	0	0	0	0	17.84	0	0
2025	5	27	8	48	10	25	0	0	0	0	0	0	0	17.87	0	0
2025	5	27	8	58	10	26	0	0	0	0	0	0	0	17.9	0	0
2025	5	27	9	8	10	26	0	0	0	0	0	0	0	17.94	0	0
2025	5	27	9	18	10	25	0	0	0	0	0	0	0	17.98	0	0
2025	5	27	9	28	10	27	0	0	0	0	0	0	0	18.04	0	0
2025	5	27	9	38	10	26	0	0	0	0	0	0	0	18.1	0	0
2025	5	27	9	48	10	26	0	0	0	0	0	0	0	18.16	0	0
2025	5	27	9	58	10	26	0	0	0	0	0	0	0	18.22	0	0
2025	5	27	10	8	10	26	0	0	0	0	0	0	0	18.29	0	0
2025	5	27	10	18	10	26	0	0	0	0	0	0	0	18.37	0	0
2025	5	27	10	28	10	26	0	0	0	0	0	0	0	18.45	0	0
2025	5	27	10	38	10	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	27	10	48	10	26	0	0	0	0	0	0	0	18.64	0	0
2025	5	27	10	58	10	26	0	0	0	0	0	0	0	18.74	0	0
2025	5	27	11	8	10	26	0	0	0	0	0	0	0	18.85	0	0
2025	5	27	11	18	10	26	0	0	0	0	0	0	0	18.95	0	0
2025	5	27	11	28	10	26	0	0	0	0	0	0	0	19.05	0	0
2025	5	27	11	38	10	26	0	0	0	0	0	0	0	19.15	0	0
2025	5	27	11	48	10	26	0	0	0	0	0	0	0	19.26	0	0
2025	5	27	11	58	10	26	0	0	0	0	0	0	0	19.39	0	0
2025	5	27	12	8	10	26	0	0	0	0	0	0	0	19.52	0	0
2025	5	27	12	18	10	26	0	0	0	0	0	0	0	19.64	0	0
2025	5	27	12	28	10	26	0	0	0	0	0	0	0	19.77	0	0
2025	5	27	12	38	10	25	0	0	0	0	0	0	0	19.9	0	0
2025	5	27	12	48	10	26	0	0	0	0	0	0	0	20.03	0	0
2025	5	27	12	58	10	26	0	0	0	0	0	0	0	20.13	0	0
2025	5	27	13	8	10	25	0	0	0	0	0	0	0	20.22	0	0
2025	5	27	13	18	10	25	0	0	0	0	0	0	0	20.35	0	0
2025	5	27	13	28	10	25	0	0	0	0	0	0	0	20.48	0	0
2025	5	27	13	38	10	25	0	0	0	0	0	0	0	20.6	0	0
2025	5	27	13	48	10	26	0	0	0	0	0	0	0	20.73	0	0
2025	5	27	13	58	10	26	0	0	0	0	0	0	0	20.84	0	0
2025	5	27	14	8	10	26	0	0	0	0	0	0	0	20.95	0	0
2025	5	27	14	18	10	26	0	0	0	0	0	0	0	21.06	0	0
2025	5	27	14	28	10	26	0	0	0	0	0	0	0	21.17	0	0
2025	5	27	14	38	10	26	0	0	0	0	0	0	0	21.26	0	0
2025	5	27	14	48	10	25	0	0	0	0	0	0	0	21.35	0	0
2025	5	27	14	58	10	25	0	0	0	0	0	0	0	21.43	0	0
2025	5	27	15	8	10	25	0	0	0	0	0	0	0	21.54	0	0
2025	5	27	15	18	10	26	0	0	0	0	0	0	0	21.65	0	0
2025	5	27	15	28	10	25	0	0	0	0	0	0	0	21.74	0	0
2025	5	27	15	38	10	26	0	0	0	0	0	0	0	21.83	0	0
2025	5	27	15	48	10	26	0	0	0	0	0	0	0	21.91	0	0
2025	5	27	15	58	10	26	0	0	0	0	0	0	0	21.97	0	0
2025	5	27	16	8	10	26	0	0	0	0	0	0	0	22.04	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	28	16	18	10	25	0	0	0	0	0	0	0	22.78	0	0
2025	5	28	16	28	10	25	0	0	0	0	0	0	0	22.84	0	0
2025	5	28	16	38	10	25	0	0	0	0	0	0	0	22.9	0	0
2025	5	28	16	48	10	25	0	0	0	0	0	0	0	22.95	0	0
2025	5	28	16	58	10	25	0	0	0	0	0	0	0	23	0	0
2025	5	28	17	8	10	26	0	0	0	0	0	0	0	23.05	0	0
2025	5	28	17	18	10	25	0	0	0	0	0	0	0	23.08	0	0
2025	5	28	17	28	10	25	0	0	0	0	0	0	0	23.11	0	0
2025	5	28	17	38	10	25	0	0	0	0	0	0	0	23.14	0	0
2025	5	28	17	48	10	25	0	0	0	0	0	0	0	23.16	0	0
2025	5	28	17	58	10	25	0	0	0	0	0	0	0	23.17	0	0
2025	5	28	18	8	10	25	0	0	0	0	0	0	0	23.18	0	0
2025	5	28	18	18	10	25	0	0	0	0	0	0	0	23.18	0	0
2025	5	28	18	28	10	25	0	0	0	0	0	0	0	23.17	0	0
2025	5	28	18	38	10	25	0	0	0	0	0	0	0	23.15	0	0
2025	5	28	18	48	10	25	0	0	0	0	0	0	0	23.13	0	0
2025	5	28	18	58	10	25	0	0	0	0	0	0	0	23.1	0	0
2025	5	28	19	8	10	25	0	0	0	0	0	0	0	23.08	0	0
2025	5	28	19	18	10	25	0	0	0	0	0	0	0	23.04	0	0
2025	5	28	19	28	10	25	0	0	0	0	0	0	0	23	0	0
2025	5	28	19	38	10	25	0	0	0	0	0	0	0	22.96	0	0
2025	5	28	19	48	10	25	0	0	0	0	0	0	0	22.91	0	0
2025	5	28	19	58	10	25	0	0	0	0	0	0	0	22.86	0	0
2025	5	28	20	8	10	24	0	0	0	0	0	0	0	22.8	0	0
2025	5	28	20	18	10	26	0	0	0	0	0	0	0	22.75	0	0
2025	5	28	20	28	10	25	0	0	0	0	0	0	0	22.69	0	0
2025	5	28	20	38	10	25	0	0	0	0	0	0	0	22.63	0	0
2025	5	28	20	48	10	25	0	0	0	0	0	0	0	22.57	0	0
2025	5	28	20	58	10	25	0	0	0	0	0	0	0	22.51	0	0
2025	5	28	21	8	10	25	0	0	0	0	0	0	0	22.44	0	0
2025	5	28	21	18	10	25	0	0	0	0	0	0	0	22.38	0	0
2025	5	28	21	28	10	25	0	0	0	0	0	0	0	22.31	0	0
2025	5	28	21	38	10	25	0	0	0	0	0	0	0	22.24	0	0
2025	5	28	21	48	10	25	0	0	0	0	0	0	0	22.16	0	0
2025	5	28	21	58	10	26	0	0	0	0	0	0	0	22.09	0	0
2025	5	28	22	8	10	24	0	0	0	0	0	0	0	22.01	0	0
2025	5	28	22	18	10	25	0	0	0	0	0	0	0	21.93	0	0
2025	5	28	22	28	10	25	0	0	0	0	0	0	0	21.86	0	0
2025	5	28	22	38	10	25	0	0	0	0	0	0	0	21.77	0	0
2025	5	28	22	48	10	26	0	0	0	0	0	0	0	21.69	0	0
2025	5	28	22	58	10	25	0	0	0	0	0	0	0	21.61	0	0
2025	5	28	23	8	10	25	0	0	0	0	0	0	0	21.53	0	0
2025	5	28	23	18	10	25	0	0	0	0	0	0	0	21.45	0	0
2025	5	28	23	28	10	26	0	0	0	0	0	0	0	21.36	0	0
2025	5	28	23	38	10	25	0	0	0	0	0	0	0	21.27	0	0
2025	5	28	23	48	10	25	0	0	0	0	0	0	0	21.19	0	0
2025	5	28	23	58	10	25	0	0	0	0	0	0	0	21.11	0	0
2025	5	29	0	8	10	26	0	0	0	0	0	0	0	21.02	0	0

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	29	0	18	10	25	0	0	0	0	0	0	0	20.95	0	0
2025	5	29	0	28	10	25	0	0	0	0	0	0	0	20.87	0	0
2025	5	29	0	38	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	5	29	0	48	10	26	0	0	0	0	0	0	0	20.72	0	0
2025	5	29	0	58	10	25	0	0	0	0	0	0	0	20.65	0	0
2025	5	29	1	8	10	25	0	0	0	0	0	0	0	20.57	0	0
2025	5	29	1	18	10	25	0	0	0	0	0	0	0	20.5	0	0
2025	5	29	1	28	10	26	0	0	0	0	0	0	0	20.42	0	0
2025	5	29	1	38	10	26	0	0	0	0	0	0	0	20.35	0	0
2025	5	29	1	48	10	26	0	0	0	0	0	0	0	20.28	0	0
2025	5	29	1	58	10	26	0	0	0	0	0	0	0	20.21	0	0
2025	5	29	2	8	10	25	0	0	0	0	0	0	0	20.14	0	0
2025	5	29	2	18	10	26	0	0	0	0	0	0	0	20.07	0	0
2025	5	29	2	28	10	26	0	0	0	0	0	0	0	20	0	0
2025	5	29	2	38	10	26	0	0	0	0	0	0	0	19.94	0	0
2025	5	29	2	48	10	25	0	0	0	0	0	0	0	19.86	0	0
2025	5	29	2	58	10	26	0	0	0	0	0	0	0	19.8	0	0
2025	5	29	3	8	10	25	0	0	0	0	0	0	0	19.74	0	0
2025	5	29	3	18	10	26	0	0	0	0	0	0	0	19.68	0	0
2025	5	29	3	28	10	26	0	0	0	0	0	0	0	19.62	0	0
2025	5	29	3	38	10	26	0	0	0	0	0	0	0	19.56	0	0
2025	5	29	3	48	10	25	0	0	0	0	0	0	0	19.5	0	0
2025	5	29	3	58	10	26	0	0	0	0	0	0	0	19.44	0	0
2025	5	29	4	8	10	25	0	0	0	0	0	0	0	19.39	0	0
2025	5	29	4	18	10	26	0	0	0	0	0	0	0	19.33	0	0
2025	5	29	4	28	10	25	0	0	0	0	0	0	0	19.28	0	0
2025	5	29	4	38	10	25	0	0	0	0	0	0	0	19.22	0	0
2025	5	29	4	48	10	26	0	0	0	0	0	0	0	19.18	0	0
2025	5	29	4	58	10	26	0	0	0	0	0	0	0	19.13	0	0
2025	5	29	5	8	10	26	0	0	0	0	0	0	0	19.08	0	0
2025	5	29	5	18	10	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	29	5	28	10	26	0	0	0	0	0	0	0	18.98	0	0
2025	5	29	5	38	10	26	0	0	0	0	0	0	0	18.94	0	0
2025	5	29	5	48	10	26	0	0	0	0	0	0	0	18.89	0	0
2025	5	29	5	58	10	25	0	0	0	0	0	0	0	18.84	0	0
2025	5	29	6	8	10	26	0	0	0	0	0	0	0	18.79	0	0
2025	5	29	6	18	10	26	0	0	0	0	0	0	0	18.75	0	0
2025	5	29	6	28	10	26	0	0	0	0	0	0	0	18.7	0	0
2025	5	29	6	38	10	26	0	0	0	0	0	0	0	18.67	0	0
2025	5	29	6	48	10	26	0	0	0	0	0	0	0	18.63	0	0
2025	5	29	6	58	10	26	0	0	0	0	0	0	0	18.6	0	0
2025	5	29	7	8	10	26	0	0	0	0	0	0	0	18.58	0	0
2025	5	29	7	18	10	26	0	0	0	0	0	0	0	18.56	0	0
2025	5	29	7	28	10	26	0	0	0	0	0	0	0	18.55	0	0
2025	5	29	7	38	10	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	29	7	48	10	25	0	0	0	0	0	0	0	18.54	0	0
2025	5	29	7	58	10	26	0	0	0	0	0	0	0	18.54	0	0
2025	5	29	8	8	10	26	0	0	0	0	0	0	0	18.56	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	30	0	18	10	24	0	0	0	0	0	0	0	21.54	0	0
2025	5	30	0	28	10	26	0	0	0	0	0	0	0	21.47	0	0
2025	5	30	0	38	10	25	0	0	0	0	0	0	0	21.41	0	0
2025	5	30	0	48	10	25	0	0	0	0	0	0	0	21.34	0	0
2025	5	30	0	58	10	25	0	0	0	0	0	0	0	21.26	0	0
2025	5	30	1	8	10	25	0	0	0	0	0	0	0	21.2	0	0
2025	5	30	1	18	10	25	0	0	0	0	0	0	0	21.13	0	0
2025	5	30	1	28	10	25	0	0	0	0	0	0	0	21.06	0	0
2025	5	30	1	38	10	25	0	0	0	0	0	0	0	21	0	0
2025	5	30	1	48	10	25	0	0	0	0	0	0	0	20.92	0	0
2025	5	30	1	58	10	25	0	0	0	0	0	0	0	20.85	0	0
2025	5	30	2	8	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	5	30	2	18	10	25	0	0	0	0	0	0	0	20.72	0	0
2025	5	30	2	28	10	25	0	0	0	0	0	0	0	20.66	0	0
2025	5	30	2	38	10	25	0	0	0	0	0	0	0	20.59	0	0
2025	5	30	2	48	10	26	0	0	0	0	0	0	0	20.52	0	0
2025	5	30	2	58	10	26	0	0	0	0	0	0	0	20.45	0	0
2025	5	30	3	8	10	25	0	0	0	0	0	0	0	20.4	0	0
2025	5	30	3	18	10	25	0	0	0	0	0	0	0	20.33	0	0
2025	5	30	3	28	10	25	0	0	0	0	0	0	0	20.26	0	0
2025	5	30	3	38	10	25	0	0	0	0	0	0	0	20.2	0	0
2025	5	30	3	48	10	26	0	0	0	0	0	0	0	20.14	0	0
2025	5	30	3	58	10	25	0	0	0	0	0	0	0	20.07	0	0
2025	5	30	4	8	10	25	0	0	0	0	0	0	0	20.01	0	0
2025	5	30	4	18	10	26	0	0	0	0	0	0	0	19.94	0	0
2025	5	30	4	28	10	25	0	0	0	0	0	0	0	19.87	0	0
2025	5	30	4	38	10	26	0	0	0	0	0	0	0	19.81	0	0
2025	5	30	4	48	10	25	0	0	0	0	0	0	0	19.75	0	0
2025	5	30	4	58	10	26	0	0	0	0	0	0	0	19.69	0	0
2025	5	30	5	8	10	26	0	0	0	0	0	0	0	19.64	0	0
2025	5	30	5	18	10	26	0	0	0	0	0	0	0	19.58	0	0
2025	5	30	5	28	10	25	0	0	0	0	0	0	0	19.52	0	0
2025	5	30	5	38	10	26	0	0	0	0	0	0	0	19.47	0	0
2025	5	30	5	48	10	26	0	0	0	0	0	0	0	19.41	0	0
2025	5	30	5	58	10	26	0	0	0	0	0	0	0	19.36	0	0
2025	5	30	6	8	10	27	0	0	0	0	0	0	0	19.31	0	0
2025	5	30	6	18	10	26	0	0	0	0	0	0	0	19.26	0	0
2025	5	30	6	28	10	25	0	0	0	0	0	0	0	19.22	0	0
2025	5	30	6	38	10	25	0	0	0	0	0	0	0	19.18	0	0
2025	5	30	6	48	10	25	0	0	0	0	0	0	0	19.14	0	0
2025	5	30	6	58	10	26	0	0	0	0	0	0	0	19.11	0	0
2025	5	30	7	8	10	26	0	0	0	0	0	0	0	19.08	0	0
2025	5	30	7	18	10	26	0	0	0	0	0	0	0	19.06	0	0
2025	5	30	7	28	10	26	0	0	0	0	0	0	0	19.04	0	0
2025	5	30	7	38	10	26	0	0	0	0	0	0	0	19.03	0	0
2025	5	30	7	48	10	25	0	0	0	0	0	0	0	19.03	0	0
2025	5	30	7	58	10	27	0	0	0	0	0	0	0	19.03	0	0
2025	5	30	8	8	10	25	0	0	0	0	0	0	0	19.05	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)

[illegible]

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Noise3	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure
2025	5	31	8	18	10	25	0	0	0	0	0	0	0	20.14	0	0
2025	5	31	8	28	10	26	0	0	0	0	0	0	0	20.16	0	0
2025	5	31	8	38	10	25	0	0	0	0	0	0	0	20.19	0	0
2025	5	31	8	48	10	25	0	0	0	0	0	0	0	20.23	0	0
2025	5	31	8	58	10	25	0	0	0	0	0	0	0	20.27	0	0
2025	5	31	9	8	10	25	0	0	0	0	0	0	0	20.33	0	0
2025	5	31	9	18	10	26	0	0	0	0	0	0	0	20.38	0	0
2025	5	31	9	28	10	25	0	0	0	0	0	0	0	20.45	0	0
2025	5	31	9	38	10	25	0	0	0	0	0	0	0	20.52	0	0
2025	5	31	9	48	10	25	0	0	0	0	0	0	0	20.6	0	0
2025	5	31	9	58	10	26	0	0	0	0	0	0	0	20.69	0	0
2025	5	31	10	8	10	26	0	0	0	0	0	0	0	20.79	0	0
2025	5	31	10	18	10	25	0	0	0	0	0	0	0	20.88	0	0
2025	5	31	10	28	10	26	0	0	0	0	0	0	0	20.97	0	0
2025	5	31	10	38	10	25	0	0	0	0	0	0	0	21.08	0	0
2025	5	31	10	48	10	25	0	0	0	0	0	0	0	21.19	0	0
2025	5	31	10	58	10	26	0	0	0	0	0	0	0	21.3	0	0
2025	5	31	11	8	10	26	0	0	0	0	0	0	0	21.41	0	0
2025	5	31	11	18	10	25	0	0	0	0	0	0	0	21.51	0	0
2025	5	31	11	28	10	25	0	0	0	0	0	0	0	21.62	0	0
2025	5	31	11	38	10	25	0	0	0	0	0	0	0	21.73	0	0
2025	5	31	11	48	10	26	0	0	0	0	0	0	0	21.85	0	0
2025	5	31	11	58	10	25	0	0	0	0	0	0	0	21.97	0	0
2025	5	31	12	8	10	25	0	0	0	0	0	0	0	22.09	0	0
2025	5	31	12	18	10	25	0	0	0	0	0	0	0	22.22	0	0
2025	5	31	12	28	10	25	0	0	0	0	0	0	0	22.35	0	0
2025	5	31	12	38	10	25	0	0	0	0	0	0	0	22.5	0	0
2025	5	31	12	48	10	25	0	0	0	0	0	0	0	22.64	0	0
2025	5	31	12	58	10	25	0	0	0	0	0	0	0	22.81	0	0
2025	5	31	13	8	10	25	0	0	0	0	0	0	0	22.97	0	0
2025	5	31	13	18	10	25	0	0	0	0	0	0	0	23.12	0	0
2025	5	31	13	28	10	25	0	0	0	0	0	0	0	23.26	0	0
2025	5	31	13	38	10	25	0	0	0	0	0	0	0	23.41	0	0
2025	5	31	13	48	10	25	0	0	0	0	0	0	0	23.54	0	0
2025	5	31	13	58	10	26	0	0	0	0	0	0	0	23.67	0	0
2025	5	31	14	8	10	25	0	0	0	0	0	0	0	23.8	0	0
2025	5	31	14	18	10	25	0	0	0	0	0	0	0	23.92	0	0
2025	5	31	14	28	10	25	0	0	0	0	0	0	0	24.05	0	0
2025	5	31	14	38	10	25	0	0	0	0	0	0	0	24.17	0	0
2025	5	31	14	48	10	24	0	0	0	0	0	0	0	24.29	0	0
2025	5	31	14	58	10	25	0	0	0	0	0	0	0	24.39	0	0
2025	5	31	15	8	10	24	0	0	0	0	0	0	0	24.49	0	0
2025	5	31	15	18	10	25	0	0	0	0	0	0	0	24.56	0	0
2025	5	31	15	28	10	25	0	0	0	0	0	0	0	24.65	0	0
2025	5	31	15	38	10	25	0	0	0	0	0	0	0	24.76	0	0
2025	5	31	15	48	10	25	0	0	0	0	0	0	0	24.86	0	0
2025	5	31	15	58	10	25	0	0	0	0	0	0	0	24.93	0	0
2025	5	31	16	8	10	25	0	0	0	0	0	0	0	24.99	0	0

Mazourka (0354)

[illegible]

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	5	8	1	19	12.6	0.1	0.9	27.15	93.4	6.3118	56.6611
2025	5	5	8	11	19	12.4	0.1	0.9	26.93	92.8	6.3118	56.2429
2025	5	5	8	21	19	12.4	0.1	0.9	27.46	93.8	6.3118	57.2883
2025	5	5	8	31	19	12.4	0.1	0.9	26.63	92.6	6.3118	55.6157
2025	5	5	8	41	19	12.4	0.1	0.9	27.47	94.2	6.3179	57.346
2025	5	5	8	51	19	12.4	0.1	0.9	27.5	91	6.3118	57.4974
2025	5	5	9	1	19	12.6	0.1	0.9	27.51	95.2	6.3118	57.2883
2025	5	5	9	11	19	12.6	0.1	0.9	26.61	91.7	6.3118	55.6156
2025	5	5	9	21	19	12.6	0.1	0.9	27.43	92.7	6.3118	57.2882
2025	5	5	9	31	19	12.6	0.1	0.9	26.92	92.1	6.3118	56.2428
2025	5	5	9	41	19	12.6	0.1	0.9	27.86	93.9	6.3118	58.1245
2025	5	5	9	51	19	12.6	0.1	0.9	25.43	92.7	6.3118	53.1066
2025	5	5	10	1	19	12.6	0.1	0.9	28.15	93.3	6.3057	58.6926
2025	5	5	10	11	19	12.8	0.1	0.9	28.14	95.7	6.3179	58.6016
2025	5	5	10	21	19	12.8	0.1	0.9	27.33	92.7	6.3118	57.079
2025	5	5	10	31	19	14	0.1	0.9	28.31	95.1	6.3118	58.9607
2025	5	5	10	41	19	13.8	0.1	0.9	28.04	93.1	6.3118	58.5425
2025	5	5	10	51	19	13.4	0.1	0.9	28.16	93.9	6.3118	58.7515
2025	5	5	11	1	19	13.6	0.1	0.9	27.55	93.3	6.3179	57.555
2025	5	5	11	11	19	13	0.1	0.9	27.4	91	6.3118	57.2879
2025	5	5	11	21	19	13.6	0.1	0.9	28.53	92.6	6.3118	59.5878
2025	5	5	11	31	19	13.2	0.1	0.9	27.77	94.1	6.3118	57.9151
2025	5	5	11	41	19	14.2	0.1	0.9	27.77	93.9	6.3118	57.915
2025	5	5	11	51	19	14.2	0.1	0.9	28.4	90.8	6.3118	59.3784
2025	5	5	12	1	19	14.2	0.1	0.9	27.84	92.9	6.3179	58.1824
2025	5	5	12	11	19	13.8	0.1	0.9	27.43	92.7	6.3118	57.2875
2025	5	5	12	21	19	13.8	0.1	0.9	26.86	93.8	6.3179	56.0894
2025	5	5	12	31	19	13.8	0.1	0.9	27.86	93.9	6.3179	58.1822
2025	5	5	12	41	19	14	0.1	0.9	27.05	93.6	6.3118	56.4509
2025	5	5	12	51	19	13.6	0.1	0.9	28.5	90.8	6.3179	59.6471
2025	5	5	13	1	19	14	0.1	0.9	26.82	92.1	6.3179	56.0891
2025	5	5	13	11	19	14	0.1	0.9	28.49	94.4	6.3179	59.4377
2025	5	5	13	21	19	14.2	0.1	0.9	28.51	91.8	6.3179	59.6469
2025	5	5	13	31	19	14.2	0.1	0.9	27.1	89.8	6.3179	56.7167
2025	5	5	13	41	19	14.2	0.1	0.9	27.37	94.2	6.3118	57.0777
2025	5	5	13	51	19	14.2	0.1	0.9	27.37	94	6.3179	57.1351
2025	5	5	14	1	19	14.2	0.1	0.9	28.42	92.2	6.3118	59.3773
2025	5	5	14	11	19	14	0.1	0.9	27.41	91.5	6.3179	57.3442
2025	5	5	14	21	19	13.6	0.1	0.9	28.76	93.6	6.3179	60.0648
2025	5	5	14	31	19	13.6	0.1	0.9	27.2	90	6.3118	56.8682
2025	5	5	14	41	19	14.2	0.1	0.9	28.43	92.8	6.3118	59.377
2025	5	5	14	51	19	14.2	0.1	0.9	28.79	94.6	6.3118	60.0041
2025	5	5	15	1	19	14.2	0.1	0.9	27	90.2	6.3118	56.4498
2025	5	5	15	11	19	14.2	0.1	0.9	28.81	91.8	6.3118	60.213
2025	5	5	15	21	19	14	0.1	0.9	27.37	94	6.3118	57.0768
2025	5	5	15	31	19	13.6	0.1	0.9	27.7	91	6.3118	57.913
2025	5	5	15	41	19	14	0.1	0.9	27.51	91.7	6.3118	57.4947
2025	5	5	15	51	19	13.8	0.1	0.9	27.73	92.7	6.3118	57.9128

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	5	16	1	19	14	0.1	0.9	26.3	90.4	6.3057	54.9303
2025	5	5	16	11	19	14	0.1	0.9	26.2	90.2	6.3118	54.7765
2025	5	5	16	21	19	13.8	0.1	0.9	27.43	92.7	6.3118	57.2853
2025	5	5	16	31	19	13.8	0.1	0.9	27	91.1	6.3057	56.392
2025	5	5	16	41	19	13.8	0.1	0.9	28.3	90.4	6.3118	59.1668
2025	5	5	16	51	19	13.6	0.1	0.9	28.03	92.5	6.3118	58.5395
2025	5	5	17	1	19	13.8	0.1	0.9	26.56	93.9	6.3118	55.4033
2025	5	5	17	11	19	13.6	0.1	0.9	26.72	92.4	6.3118	55.8214
2025	5	5	17	21	19	13.6	0.1	0.9	28.96	93.8	6.3118	60.4209
2025	5	5	17	31	19	13.6	0.1	0.9	27.41	91.7	6.3118	57.2848
2025	5	5	17	41	19	13.6	0.1	0.9	27.4	90.2	6.3118	57.2848
2025	5	5	17	51	19	13.6	0.1	0.9	27.2	90	6.3118	56.8666
2025	5	5	18	1	19	13	0.1	0.9	28.35	93.4	6.3118	59.1663
2025	5	5	18	11	19	12.6	0.1	0.9	27.23	92.5	6.3118	56.8666
2025	5	5	18	21	19	12.4	0.1	0.9	27.31	91.3	6.3057	57.0181
2025	5	5	18	31	19	12.4	0.1	0.9	28.02	92	6.3118	58.5391
2025	5	5	18	41	19	12.2	0.1	0.9	27.21	91.9	6.3057	56.8093
2025	5	5	18	51	19	12.2	0.1	0.9	27.4	90	6.3057	57.2271
2025	5	5	19	1	19	12.2	0.1	0.9	28.13	92.9	6.3057	58.6891
2025	5	5	19	11	19	12.2	0.1	0.9	27.71	91.9	6.3057	57.8537
2025	5	5	19	21	19	12.2	0.1	0.9	27.12	92.3	6.3057	56.6006
2025	5	5	19	31	19	12.2	0.1	0.9	27.82	95.4	6.3057	57.8538
2025	5	5	19	41	19	12.2	0.1	0.9	26.3	91.1	6.3057	54.9298
2025	5	5	19	51	19	12.2	0.1	0.9	27.03	92.8	6.3057	56.3918
2025	5	5	20	1	19	12.2	0.1	0.9	26.91	91.7	6.3057	56.183
2025	5	5	20	11	19	12.2	0.1	0.9	28.53	92.6	6.3057	59.5248
2025	5	5	20	21	19	12.2	0.1	0.9	27.64	92.9	6.3057	57.6451
2025	5	5	20	31	19	12.2	0.1	0.9	27.7	90.6	6.3057	57.854
2025	5	5	20	41	19	12.2	0.1	0.9	26.71	91.3	6.3057	55.7654
2025	5	5	20	51	19	12.2	0.1	0.9	27.01	91.9	6.2996	56.3352
2025	5	5	21	1	19	12	0.1	0.9	27.11	91.5	6.2996	56.5439
2025	5	5	21	11	19	12	0.1	0.9	26.21	91.3	6.2996	54.6661
2025	5	5	21	21	19	12	0.1	0.9	26.2	90.7	6.2996	54.6661
2025	5	5	21	31	19	12	0.1	0.9	26	90.7	6.2996	54.2489
2025	5	5	21	41	19	12	0.1	0.9	26.91	91.3	6.2996	56.1268
2025	5	5	21	51	19	12	0.1	0.9	27.21	91.9	6.2996	56.7528
2025	5	5	22	1	19	12	0.1	0.9	28.06	93.7	6.2935	58.3631
2025	5	5	22	11	19	12	0.1	0.9	27.79	94.5	6.2996	57.7962
2025	5	5	22	21	19	12	0.1	0.9	27.61	91.9	6.2935	57.5295
2025	5	5	22	31	19	12	0.1	0.9	27.46	93.8	6.2935	57.1126
2025	5	5	22	41	19	12	0.1	0.9	26.73	92.8	6.2935	55.6536
2025	5	5	22	51	19	12	0.1	0.9	26.73	92.8	6.2935	55.6537
2025	5	5	23	1	19	12	0.1	0.9	27.21	91.7	6.2935	56.6959
2025	5	5	23	11	19	12	0.1	0.9	27.23	92.5	6.2935	56.696
2025	5	5	23	21	19	12	0.1	0.9	27.84	92.9	6.2935	57.9467
2025	5	5	23	31	19	12	0.1	0.9	27.64	92.9	6.2874	57.4718
2025	5	5	23	41	19	12	0.1	0.9	27.51	91.2	6.2935	57.3215
2025	5	5	23	51	19	12	0.1	0.9	27.02	92.1	6.2874	56.2225

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	6	0	1	19	12	0.1	0.9	27.4	90.8	6.2935	57.1132
2025	5	6	0	11	19	12	0.1	0.9	27.6	94.8	6.2874	57.2638
2025	5	6	0	21	19	12	0.1	0.9	26.96	93.8	6.2874	56.0144
2025	5	6	0	31	19	12	0.1	0.9	27.44	92.9	6.2874	57.0557
2025	5	6	0	41	19	12	0.1	0.9	26.42	92	6.2874	54.9734
2025	5	6	0	51	19	12	0.1	0.9	26.92	91.9	6.2813	55.958
2025	5	6	1	1	19	12	0.1	0.9	27.73	92.7	6.2813	57.6222
2025	5	6	1	11	19	12	0.1	0.9	27.23	92.7	6.2813	56.5821
2025	5	6	1	21	19	12	0.1	0.9	26.2	90.9	6.2813	54.502
2025	5	6	1	31	19	12	0.1	0.9	28.56	93.6	6.2813	59.2865
2025	5	6	1	41	19	12	0.1	0.9	27.81	91.4	6.2813	57.8304
2025	5	6	1	51	19	12	0.1	0.9	27.63	92.5	6.2813	57.4144
2025	5	6	2	1	19	12	0.1	0.9	27.48	94.4	6.2813	56.9984
2025	5	6	2	11	19	12	0.1	0.9	28.22	92.2	6.2813	58.6627
2025	5	6	2	21	19	12	0.1	0.9	26.71	91.3	6.2813	55.5423
2025	5	6	2	31	19	12	0.1	0.9	26.76	93.9	6.2813	55.5424
2025	5	6	2	41	19	12	0.1	0.9	27.72	92.3	6.2752	57.5643
2025	5	6	2	51	19	12	0.1	0.9	27.07	94.2	6.2752	56.1097
2025	5	6	3	1	19	12	0.1	0.9	27.39	94.6	6.2752	56.7332
2025	5	6	3	11	19	12	0.1	0.9	27.4	90.4	6.2752	56.941
2025	5	6	3	21	19	12	0.1	0.9	26.51	91.3	6.2752	55.0708
2025	5	6	3	31	19	11.8	0.1	0.9	27.86	93.7	6.2752	57.7724
2025	5	6	3	41	19	11.8	0.1	0.9	26.72	91.9	6.2752	55.4865
2025	5	6	3	51	19	11.8	0.1	0.9	26.33	92.8	6.2752	54.6553
2025	5	6	4	1	19	11.8	0.1	0.9	27.43	92.5	6.2752	56.9413
2025	5	6	4	11	19	11.8	0.1	0.9	27	90.2	6.2752	56.1101
2025	5	6	4	21	19	11.8	0.1	0.9	27.62	92.1	6.2752	57.3571
2025	5	6	4	31	19	11.8	0.1	0.9	27.73	92.7	6.2752	57.565
2025	5	6	4	41	19	11.8	0.1	0.9	27.63	92.7	6.2752	57.3572
2025	5	6	4	51	19	11.8	0.1	0.9	26.44	93.3	6.2752	54.8635
2025	5	6	5	1	19	11.8	0.1	0.9	27.27	94.2	6.2752	56.5261
2025	5	6	5	11	19	11.8	0.1	0.9	27.09	94.7	6.2691	56.0536
2025	5	6	5	21	19	11.2	0.1	0.9	27.58	94.4	6.2752	57.1496
2025	5	6	5	31	19	11.2	0.1	0.9	27.99	94.5	6.2752	57.9809
2025	5	6	5	41	19	11.2	0.1	0.9	27.19	94.6	6.2752	56.3185
2025	5	6	5	51	19	11.2	0.1	0.9	27.54	93.1	6.2752	57.1498
2025	5	6	6	1	19	11.2	0.1	0.9	27.72	92.1	6.2752	57.5654
2025	5	6	6	11	19	11.2	0.1	0.9	26.64	93.2	6.2752	55.2795
2025	5	6	6	21	19	11.8	0.1	0.9	26.54	93	6.2752	55.0717
2025	5	6	6	31	19	11.8	0.1	0.9	26.43	92.6	6.2752	54.8639
2025	5	6	6	41	19	11.8	0.1	0.9	27.95	93.5	6.2813	58.04
2025	5	6	6	51	19	12	0.1	0.9	27.31	95.3	6.2752	56.5265
2025	5	6	7	1	19	12	0.1	0.9	26.52	92.2	6.2752	55.0718
2025	5	6	7	11	19	12.2	0.1	0.9	28.06	93.7	6.2752	58.1891
2025	5	6	7	21	19	12.4	0.1	0.9	27.12	92.3	6.2752	56.3187
2025	5	6	7	31	19	12.6	0.1	0.9	26.61	91.7	6.2691	55.2236
2025	5	6	7	41	19	12.6	0.1	0.9	26.16	93.7	6.2691	54.1856
2025	5	6	7	51	19	12.8	0.1	0.9	27.5	94.8	6.2691	56.8845

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	6	8	1	19	12.8	0.1	0.9	27.86	93.7	6.2691	57.7149
2025	5	6	8	11	19	12.8	0.1	0.9	27.04	93.2	6.2691	56.054
2025	5	6	8	21	19	12.8	0.1	0.9	27.52	92.1	6.2691	57.092
2025	5	6	8	31	19	12.8	0.1	0.9	26.5	90.9	6.2691	55.0159
2025	5	6	8	41	19	12.8	0.1	0.9	27.3	90.6	6.2691	56.6768
2025	5	6	8	51	19	13	0.1	0.9	27.05	93.6	6.2691	56.0539
2025	5	6	9	1	19	13	0.1	0.9	27.45	93.6	6.2752	56.942
2025	5	6	9	11	19	13	0.1	0.9	26.52	92.4	6.2691	55.0158
2025	5	6	9	21	19	13.2	0.1	0.9	26.62	92.4	6.2691	55.2233
2025	5	6	9	31	19	13.2	0.1	0.9	27.94	92.9	6.2691	57.9222
2025	5	6	9	41	19	13.4	0.1	0.9	27.67	93.9	6.2691	57.2993
2025	5	6	9	51	19	13.4	0.1	0.9	27.65	93.3	6.2691	57.2992
2025	5	6	10	1	19	13.4	0.1	0.9	27.75	93.5	6.2691	57.5068
2025	5	6	10	11	19	13.4	0.1	0.9	27.34	92.9	6.2691	56.6763
2025	5	6	10	21	19	13.4	0.1	0.9	27.42	92.1	6.263	56.8261
2025	5	6	10	31	19	13.4	0.1	0.9	26.33	95.7	6.2691	54.3925
2025	5	6	10	41	19	13.4	0.1	0.9	26.78	94.5	6.263	55.3742
2025	5	6	10	51	19	13.4	0.1	0.9	27.03	92.8	6.2691	56.0532
2025	5	6	11	1	19	13.6	0.1	0.9	26.98	94.5	6.263	55.7888
2025	5	6	11	11	19	13.6	0.1	0.9	26.63	92.6	6.2691	55.2226
2025	5	6	11	21	19	13.6	0.1	0.9	27.45	93.3	6.2691	56.8833
2025	5	6	11	31	19	13.6	0.1	0.9	26.04	93.3	6.2691	53.9768
2025	5	6	11	41	19	13.6	0.1	0.9	27.42	92.3	6.2691	56.8831
2025	5	6	11	51	19	13.6	0.1	0.9	26.7	91.1	6.2691	55.4298
2025	5	6	12	1	19	13.6	0.1	0.9	26.33	92.6	6.2691	54.5993
2025	5	6	12	11	19	13.6	0.1	0.9	26.34	93.3	6.2691	54.5992
2025	5	6	12	21	19	13.6	0.1	0.9	27.12	92.3	6.2691	56.2599
2025	5	6	12	31	19	13.6	0.1	0.9	26.74	93.2	6.2691	55.4294
2025	5	6	12	41	19	13.6	0.1	0.9	26.6	90	6.2691	55.2217
2025	5	6	12	51	19	13.6	0.1	0.9	27.64	92.9	6.2752	57.3557
2025	5	6	13	1	19	13.6	0.1	0.9	28.43	92.8	6.2752	59.0181
2025	5	6	13	11	19	13.6	0.1	0.9	26.55	93.5	6.2752	55.0696
2025	5	6	13	21	19	13.6	0.1	0.9	26.84	93	6.2752	55.693
2025	5	6	13	31	19	13.6	0.1	0.9	26.71	91.5	6.2752	55.4851
2025	5	6	13	41	19	13.6	0.1	0.9	27.61	91.9	6.2691	57.2972
2025	5	6	13	51	19	13.6	0.1	0.9	27.24	95.9	6.2691	56.2591
2025	5	6	14	1	19	13.6	0.1	0.9	27.4	91	6.2691	56.8818
2025	5	6	14	11	19	13.6	0.1	0.9	27	90.6	6.2691	56.0513
2025	5	6	14	21	19	13.6	0.1	0.9	25.72	92	6.2691	53.3525
2025	5	6	14	31	19	13.6	0.1	0.9	26.43	92.6	6.2691	54.8056
2025	5	6	14	41	19	13.4	0.1	0.9	26.51	91.3	6.2691	55.0131
2025	5	6	14	51	19	13.4	0.1	0.9	28.21	91.8	6.2691	58.5422
2025	5	6	15	1	19	13.2	0.1	0.9	27.2	91.1	6.2691	56.4662
2025	5	6	15	11	19	13.2	0.1	0.9	26.7	90.6	6.2691	55.4281
2025	5	6	15	21	19	13.2	0.1	0.9	26.3	95	6.2691	54.3901
2025	5	6	15	31	19	13.2	0.1	0.9	27.43	92.7	6.263	56.8235
2025	5	6	15	41	19	13.2	0.1	0.9	26.92	92.3	6.263	55.7865
2025	5	6	15	51	19	13.2	0.1	0.9	28.33	92.8	6.263	58.6899

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	6	16	1	19	13.4	0.1	0.9	27.13	92.5	6.263	56.2012
2025	5	6	16	11	19	13.2	0.1	0.9	27.31	91.9	6.263	56.616
2025	5	6	16	21	19	13.2	0.1	0.9	26.72	91.9	6.263	55.3716
2025	5	6	16	31	19	13.4	0.1	0.9	26.74	93	6.2569	55.3154
2025	5	6	16	41	19	13.4	0.1	0.9	25.8	91.1	6.263	53.5051
2025	5	6	16	51	19	13.6	0.1	0.9	27.5	91	6.2569	56.9727
2025	5	6	17	1	19	13.6	0.1	0.9	25.34	93.2	6.2569	52.4148
2025	5	6	17	11	19	13.6	0.1	0.9	28.51	91.8	6.2569	59.0444
2025	5	6	17	21	19	13.6	0.1	0.9	27.1	89.8	6.2569	56.1439
2025	5	6	17	31	19	13.6	0.1	0.9	27.4	90.2	6.2569	56.7654
2025	5	6	17	41	19	13.6	0.1	0.9	28.4	90.8	6.2508	58.7774
2025	5	6	17	51	19	13.6	0.1	0.9	26.84	93	6.2569	55.5224
2025	5	6	18	1	19	13.4	0.1	0.9	27.91	91.8	6.2508	57.7425
2025	5	6	18	11	19	13	0.1	0.9	27.26	93.8	6.2508	56.2938
2025	5	6	18	21	19	12.4	0.1	0.9	26.71	91.3	6.2569	55.3152
2025	5	6	18	31	19	12.4	0.1	0.9	27.11	91.3	6.2508	56.0869
2025	5	6	18	41	19	12.4	0.1	0.9	26.6	91.1	6.2447	54.996
2025	5	6	18	51	19	12.2	0.1	0.9	26.86	93.8	6.2447	55.4096
2025	5	6	19	1	19	12.2	0.1	0.9	27.15	93.4	6.2447	56.0298
2025	5	6	19	11	19	12.2	0.1	0.9	26.61	91.7	6.2447	54.9961
2025	5	6	19	21	19	12.2	0.1	0.9	25.2	90.9	6.2447	52.1016
2025	5	6	19	31	19	12.2	0.1	0.9	27.53	92.5	6.2447	56.857
2025	5	6	19	41	19	12.2	0.1	0.9	27.07	94.2	6.2447	55.8232
2025	5	6	19	51	19	12.2	0.1	0.9	27	91.1	6.2447	55.8233
2025	5	6	20	1	19	12.2	0.1	0.9	27.41	91.9	6.2447	56.6503
2025	5	6	20	11	19	12.2	0.1	0.9	26.8	90	6.2447	55.4098
2025	5	6	20	21	19	12.2	0.1	0.9	27.55	93.3	6.2447	56.8572
2025	5	6	20	31	19	12.2	0.1	0.9	27.1	90.8	6.2447	56.0302
2025	5	6	20	41	19	12.2	0.1	0.9	26.71	91.3	6.2386	55.147
2025	5	6	20	51	19	12.2	0.1	0.9	26.51	91.5	6.2386	54.7339
2025	5	6	21	1	19	12.2	0.1	0.9	27	90	6.2386	55.7667
2025	5	6	21	11	19	12	0.1	0.9	26.62	92.2	6.2386	54.9406
2025	5	6	21	21	19	12	0.1	0.9	28.43	92.4	6.2386	58.6584
2025	5	6	21	31	19	12	0.1	0.9	27.94	92.9	6.2386	57.6257
2025	5	6	21	41	19	12	0.1	0.9	26.92	92.3	6.2386	55.5603
2025	5	6	21	51	19	12	0.1	0.9	27.3	90.4	6.2386	56.3866
2025	5	6	22	1	19	12	0.1	0.9	26.53	92.8	6.2386	54.7343
2025	5	6	22	11	19	12	0.1	0.9	26.82	92.1	6.2386	55.3539
2025	5	6	22	21	19	12	0.1	0.9	28.61	91.8	6.2326	59.0115
2025	5	6	22	31	19	12	0.1	0.9	26.51	91.7	6.2326	54.6786
2025	5	6	22	41	19	12	0.1	0.9	27.35	93.4	6.2326	56.3293
2025	5	6	22	51	19	12	0.1	0.9	27.11	91.9	6.2326	55.9167
2025	5	6	23	1	19	12	0.1	0.9	26.83	92.8	6.2326	55.2977
2025	5	6	23	11	19	12	0.1	0.9	27.04	93	6.2326	55.7104
2025	5	6	23	21	19	12	0.1	0.9	27.61	91.9	6.2326	56.9485
2025	5	6	23	31	19	12	0.1	0.9	26.41	91.5	6.2265	54.4169
2025	5	6	23	41	19	12	0.1	0.9	26.52	92.4	6.2265	54.6231
2025	5	6	23	51	19	12	0.1	0.9	26.82	92.4	6.2265	55.2415

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	7	0	1	19	12	0.1	0.9	27.33	92.7	6.2265	56.2722
2025	5	7	0	11	19	12	0.1	0.9	26.53	92.8	6.2265	54.6233
2025	5	7	0	21	19	12	0.1	0.9	28.03	92.9	6.2265	57.7152
2025	5	7	0	31	19	12	0.1	0.9	27.49	94.6	6.2265	56.4785
2025	5	7	0	41	19	12	0.1	0.9	26.72	92.1	6.2265	55.0357
2025	5	7	0	51	19	12	0.1	0.9	27.32	92.1	6.2204	56.215
2025	5	7	1	1	19	12	0.1	0.9	25.82	92.4	6.2204	53.1263
2025	5	7	1	11	19	12	0.1	0.9	28.24	93	6.2204	58.0683
2025	5	7	1	21	19	12	0.1	0.9	25.81	88.7	6.2204	53.1264
2025	5	7	1	31	19	12	0.1	0.9	27.35	93.6	6.2204	56.2152
2025	5	7	1	41	19	12	0.1	0.9	25.92	92.4	6.2204	53.3324
2025	5	7	1	51	19	12	0.1	0.9	26.35	93.7	6.2204	54.1561
2025	5	7	2	1	19	12	0.1	0.9	26.95	93.4	6.2204	55.3917
2025	5	7	2	11	19	12	0.1	0.9	25.9	90	6.2204	53.3325
2025	5	7	2	21	19	12	0.1	0.9	26.35	93.5	6.2204	54.1563
2025	5	7	2	31	19	12	0.1	0.9	25.62	92	6.2143	52.661
2025	5	7	2	41	19	12	0.1	0.9	26.72	91.9	6.2143	54.9238
2025	5	7	2	51	19	12	0.1	0.9	27.52	92.1	6.2204	56.6274
2025	5	7	3	1	19	12	0.1	0.9	27.34	93.1	6.2143	56.1581
2025	5	7	3	11	19	12	0.1	0.9	27.3	90	6.2143	56.1581
2025	5	7	3	21	19	12	0.1	0.9	27.99	94.5	6.2143	57.3924
2025	5	7	3	31	19	12	0.1	0.9	27.59	96.7	6.2143	56.3639
2025	5	7	3	41	19	12	0.1	0.9	26.61	91.3	6.2143	54.7183
2025	5	7	3	51	19	12	0.1	0.9	25.92	92	6.2143	53.2783
2025	5	7	4	1	19	11.8	0.1	0.9	26.22	92	6.2143	53.8955
2025	5	7	4	11	19	11.8	0.1	0.9	26.34	93.3	6.2143	54.1012
2025	5	7	4	21	19	11.8	0.1	0.9	27.81	91.9	6.2143	57.1869
2025	5	7	4	31	19	11.8	0.1	0.9	26.34	93.3	6.2143	54.1013
2025	5	7	4	41	19	11.8	0.1	0.9	27.44	92.9	6.2143	56.3641
2025	5	7	4	51	19	11.8	0.1	0.9	27.42	92.3	6.2204	56.4219
2025	5	7	5	1	19	11.8	0.1	0.9	28.25	93.4	6.2143	58.0099
2025	5	7	5	11	19	11.8	0.1	0.9	26.82	92.1	6.2204	55.1864
2025	5	7	5	21	19	11.8	0.1	0.9	26.86	93.8	6.2143	55.13
2025	5	7	5	31	19	11.8	0.1	0.9	27.71	91.9	6.2204	57.0398
2025	5	7	5	41	19	11.8	0.1	0.9	26.42	92	6.2143	54.3072
2025	5	7	5	51	19	11.8	0.1	0.9	26.82	92.1	6.2143	55.1301
2025	5	7	6	1	19	11.8	0.1	0.9	26.85	93.6	6.2143	55.1301
2025	5	7	6	11	19	11.8	0.1	0.9	26.42	92	6.2143	54.3073
2025	5	7	6	21	19	11.8	0.1	0.9	27	90	6.2143	55.5416
2025	5	7	6	31	19	11.8	0.1	0.9	26.75	93.4	6.2204	54.9807
2025	5	7	6	41	19	11.8	0.1	0.9	27.13	92.5	6.2204	55.8044
2025	5	7	6	51	19	11.8	0.1	0.9	27.33	92.7	6.2204	56.2163
2025	5	7	7	1	19	11.8	0.1	0.9	26.86	93.8	6.2143	55.1303
2025	5	7	7	11	19	12	0.1	0.9	27.14	93	6.2143	55.7474
2025	5	7	7	21	19	12.2	0.1	0.9	26.81	91.5	6.2204	55.1867
2025	5	7	7	31	19	12.4	0.1	0.9	26.03	92.9	6.2204	53.5394
2025	5	7	7	41	19	12.6	0.1	0.9	25.94	93.1	6.2204	53.3335
2025	5	7	7	51	19	12.8	0.1	0.9	25.92	92.4	6.2143	53.2789

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	7	8	1	19	12.8	0.1	0.9	27.21	91.7	6.2143	55.9531
2025	5	7	8	11	19	12.8	0.1	0.9	27.56	93.7	6.2082	56.5124
2025	5	7	8	21	19	12.8	0.1	0.9	27.41	91.9	6.2143	56.3645
2025	5	7	8	31	19	12.8	0.1	0.9	26.4	95	6.2143	54.1017
2025	5	7	8	41	19	12.8	0.1	0.9	27.65	93.3	6.2082	56.7178
2025	5	7	8	51	19	12.8	0.1	0.9	25.98	94.4	6.2082	53.2243
2025	5	7	9	1	19	13	0.1	0.9	25.92	92	6.2082	53.2243
2025	5	7	9	11	19	13	0.1	0.9	27.56	93.7	6.2082	56.5122
2025	5	7	9	21	19	13.2	0.1	0.9	26.77	94.1	6.2082	54.8682
2025	5	7	9	31	19	13.2	0.1	0.9	26.33	92.8	6.2082	54.0461
2025	5	7	9	41	19	13.2	0.1	0.9	25.74	93.1	6.2082	52.8131
2025	5	7	9	51	19	13.2	0.1	0.9	26.83	92.8	6.2082	55.0735
2025	5	7	10	1	19	13.2	0.1	0.9	26.72	91.9	6.2082	54.868
2025	5	7	10	11	19	13.2	0.1	0.9	26.93	92.8	6.2082	55.2789
2025	5	7	10	21	19	13.2	0.1	0.9	26.84	93.2	6.2082	55.0733
2025	5	7	10	31	19	13.2	0.1	0.9	25.73	92.9	6.2082	52.8128
2025	5	7	10	41	19	13.2	0.1	0.9	27.02	92.1	6.2082	55.4842
2025	5	7	10	51	19	13.2	0.1	0.9	26.22	92.4	6.2082	53.8401
2025	5	7	11	1	19	13.2	0.1	0.9	26.34	93.3	6.2082	54.0455
2025	5	7	11	11	19	13.2	0.1	0.9	25.31	91.8	6.2082	51.9905
2025	5	7	11	21	19	13.2	0.1	0.9	26.55	93.7	6.2082	54.4563
2025	5	7	11	31	19	13.2	0.1	0.9	27.01	91.5	6.2082	55.4837
2025	5	7	11	41	19	13.2	0.1	0.9	25.85	93.5	6.2143	53.072
2025	5	7	11	51	19	13.2	0.1	0.9	26.14	93.1	6.2143	53.689
2025	5	7	12	1	19	13.2	0.1	0.9	26.34	93	6.2143	54.1004
2025	5	7	12	11	19	13.2	0.1	0.9	27.41	91.7	6.2143	56.363
2025	5	7	12	21	19	13.2	0.1	0.9	26.43	92.6	6.2143	54.3059
2025	5	7	12	31	19	13.2	0.1	0.9	26.22	92.2	6.2143	53.8943
2025	5	7	12	41	19	13.2	0.1	0.9	26.52	92.4	6.2143	54.5114
2025	5	7	12	51	19	13.2	0.1	0.9	26.57	94.1	6.2143	54.5113
2025	5	7	13	1	19	13.2	0.1	0.9	27.14	93	6.2143	55.7454
2025	5	7	13	11	19	13.2	0.1	0.9	27.15	93.6	6.2204	55.8023
2025	5	7	13	21	19	13.2	0.1	0.9	26.21	91.3	6.2204	53.949
2025	5	7	13	31	19	13.2	0.1	0.9	27.15	93.6	6.2204	55.8021
2025	5	7	13	41	19	13.2	0.1	0.9	27.52	92.3	6.2204	56.6257
2025	5	7	13	51	19	13.2	0.1	0.9	27.46	93.8	6.2204	56.4197
2025	5	7	14	1	19	13.2	0.1	0.9	26.81	91.5	6.2204	55.1841
2025	5	7	14	11	19	13.2	0.1	0.9	25.8	91.1	6.2265	53.1793
2025	5	7	14	21	19	13.2	0.1	0.9	26.32	92.2	6.2265	54.2098
2025	5	7	14	31	19	13.2	0.1	0.9	26.7	90.6	6.2265	55.0342
2025	5	7	14	41	19	13.2	0.1	0.9	27.43	92.7	6.2265	56.4769
2025	5	7	14	51	19	13.2	0.1	0.9	26.38	94.3	6.2204	54.1542
2025	5	7	15	1	19	13	0.1	0.9	26.8	90.2	6.2204	55.1837
2025	5	7	15	11	19	13	0.1	0.9	26.32	92	6.2204	54.154
2025	5	7	15	21	19	13	0.1	0.9	27.11	91.7	6.2265	55.8583
2025	5	7	15	31	19	13	0.1	0.9	26.4	90.7	6.2204	54.3598
2025	5	7	15	41	19	13	0.1	0.9	26.84	93	6.2265	55.2398
2025	5	7	15	51	19	13	0.1	0.9	26.12	92.4	6.2265	53.7969

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	7	16	1	19	13	0.1	0.9	27.4	91	6.2143	56.361
2025	5	7	16	11	19	13	0.1	0.9	26.2	91.1	6.2265	54.0029
2025	5	7	16	21	19	13	0.1	0.9	26.31	91.3	6.2204	54.1536
2025	5	7	16	31	19	13	0.1	0.9	26.16	93.9	6.2204	53.7418
2025	5	7	16	41	19	13	0.1	0.9	26.33	92.8	6.2204	54.1535
2025	5	7	16	51	19	13	0.1	0.9	26.5	90.9	6.2204	54.5653
2025	5	7	17	1	19	13	0.1	0.9	27.41	91.5	6.2204	56.4184
2025	5	7	17	11	19	13	0.1	0.9	26.4	91.1	6.2204	54.3593
2025	5	7	17	21	19	13	0.1	0.9	26.85	93.4	6.2143	55.1265
2025	5	7	17	31	19	13	0.1	0.9	26.21	91.3	6.2204	53.9475
2025	5	7	17	41	19	13	0.1	0.9	26.64	93	6.2204	54.7711
2025	5	7	17	51	19	13	0.1	0.9	27.33	92.7	6.2143	56.1549
2025	5	7	18	1	19	12.6	0.1	0.9	27.22	92.1	6.2143	55.9492
2025	5	7	18	11	19	12.4	0.1	0.9	26.73	92.6	6.2143	54.9207
2025	5	7	18	21	19	12.4	0.1	0.9	28.15	93.5	6.2204	57.8597
2025	5	7	18	31	19	12.2	0.1	0.9	26.62	92.2	6.2204	54.7711
2025	5	7	18	41	19	12.2	0.1	0.9	25.8	90.9	6.2143	53.0695
2025	5	7	18	51	19	12.2	0.1	0.9	27.36	93.8	6.2143	56.155
2025	5	7	19	1	19	12.2	0.1	0.9	27.11	91.9	6.2204	55.8007
2025	5	7	19	11	19	12.2	0.1	0.9	26.22	92.4	6.2143	53.8923
2025	5	7	19	21	19	12	0.1	0.9	27.01	91.3	6.2204	55.5948
2025	5	7	19	31	19	12	0.1	0.9	26.1	90.9	6.2143	53.6867
2025	5	7	19	41	19	12	0.1	0.9	25.23	93	6.2204	51.8885
2025	5	7	19	51	19	12	0.1	0.9	26.64	93	6.2204	54.7713
2025	5	7	20	1	19	12	0.1	0.9	27.1	90	6.2143	55.7437
2025	5	7	20	11	19	12	0.1	0.9	28.42	92.2	6.2143	58.4178
2025	5	7	20	21	19	12	0.1	0.9	26.4	90	6.2143	54.3039
2025	5	7	20	31	19	12	0.1	0.9	26.51	91.7	6.2143	54.5097
2025	5	7	20	41	19	12	0.1	0.9	27.02	92.3	6.2082	55.4813
2025	5	7	20	51	19	12	0.1	0.9	27.11	91.7	6.2082	55.6869
2025	5	7	21	1	19	12	0.1	0.9	28.25	93.4	6.2143	58.0066
2025	5	7	21	11	19	12	0.1	0.9	27	90.8	6.2143	55.5383
2025	5	7	21	21	19	12	0.1	0.9	26.7	90.9	6.2143	54.9213
2025	5	7	21	31	19	12	0.1	0.9	25.04	93.4	6.2082	51.3718
2025	5	7	21	41	19	12	0.1	0.9	26.03	92.6	6.2143	53.4814
2025	5	7	21	51	19	12	0.1	0.9	26.81	91.7	6.2143	55.1271
2025	5	7	22	1	19	12	0.1	0.9	26.72	92.1	6.2143	54.9214
2025	5	7	22	11	19	12	0.1	0.9	26.53	92.6	6.2204	54.5659
2025	5	7	22	21	19	12	0.1	0.9	27.72	92.3	6.2204	57.0368
2025	5	7	22	31	19	12	0.1	0.9	26.85	93.4	6.2204	55.1837
2025	5	7	22	41	19	12	0.1	0.9	26.4	90.7	6.2204	54.3601
2025	5	7	22	51	19	12	0.1	0.9	26.33	92.8	6.2204	54.1542
2025	5	7	23	1	19	12	0.1	0.9	26.2	90.2	6.2204	53.9483
2025	5	7	23	11	19	12	0.1	0.9	27	90	6.2204	55.5956
2025	5	7	23	21	19	12	0.1	0.9	25.64	93.1	6.2204	52.7129
2025	5	7	23	31	19	12	0.1	0.9	26.8	90	6.2204	55.1839
2025	5	7	23	41	19	12	0.1	0.9	26.9	90	6.2143	55.3332
2025	5	7	23	51	19	12	0.1	0.9	26.73	92.8	6.2143	54.9218

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	8	0	1	19	12	0.1	0.9	26.22	92	6.2143	53.8934
2025	5	8	0	11	19	12	0.1	0.9	26.64	93	6.2143	54.7162
2025	5	8	0	21	19	12	0.1	0.9	27.16	93.8	6.2143	55.7448
2025	5	8	0	31	19	12	0.1	0.9	27.1	91.1	6.2143	55.7448
2025	5	8	0	41	19	12	0.1	0.9	26.2	90.7	6.2143	53.8935
2025	5	8	0	51	19	12	0.1	0.9	25.15	93.6	6.2143	51.6309
2025	5	8	1	1	19	12	0.1	0.9	27.6	91	6.2143	56.7734
2025	5	8	1	11	19	12	0.1	0.9	27.01	91.9	6.2143	55.5392
2025	5	8	1	21	19	12	0.1	0.9	27.24	92.9	6.2143	55.9507
2025	5	8	1	31	19	12	0.1	0.9	25.53	92.7	6.2143	52.4538
2025	5	8	1	41	19	12	0.1	0.9	27.46	93.8	6.2143	56.3622
2025	5	8	1	51	19	12	0.1	0.9	27.6	94.8	6.2143	56.5679
2025	5	8	2	1	19	11.8	0.1	0.9	26.34	93.3	6.2143	54.0995
2025	5	8	2	11	19	11.8	0.1	0.9	27.6	94.8	6.2143	56.568
2025	5	8	2	21	19	11.8	0.1	0.9	26.84	93	6.2143	55.1281
2025	5	8	2	31	19	11.8	0.1	0.9	26.75	93.4	6.2143	54.9224
2025	5	8	2	41	19	11.8	0.1	0.9	27.71	91.4	6.2143	56.9795
2025	5	8	2	51	19	11.8	0.1	0.9	27.02	92.3	6.2082	55.4828
2025	5	8	3	1	19	11.8	0.1	0.9	25.91	91.3	6.2082	53.2224
2025	5	8	3	11	19	11.8	0.1	0.9	28.1	90.8	6.2082	57.7433
2025	5	8	3	21	19	11.8	0.1	0.9	26.32	92	6.2082	54.0444
2025	5	8	3	31	19	11.8	0.1	0.9	26.72	92.1	6.2082	54.8664
2025	5	8	3	41	19	11.8	0.1	0.9	26.51	91.7	6.2082	54.4555
2025	5	8	3	51	19	11.8	0.1	0.9	26.32	92	6.2082	54.0445
2025	5	8	4	1	19	11.8	0.1	0.9	26.02	92	6.2082	53.4281
2025	5	8	4	11	19	11.8	0.1	0.9	27.13	92.7	6.2082	55.6885
2025	5	8	4	21	19	11.8	0.1	0.9	26.96	93.8	6.2082	55.2776
2025	5	8	4	31	19	11.8	0.1	0.9	27.15	93.4	6.2082	55.6886
2025	5	8	4	41	19	11.8	0.1	0.9	26.87	94.1	6.2082	55.0722
2025	5	8	4	51	19	11.8	0.1	0.9	27.45	93.6	6.2082	56.3051
2025	5	8	5	1	19	11.8	0.1	0.9	27.62	92.3	6.2082	56.7162
2025	5	8	5	11	19	11.8	0.1	0.9	24.74	93.2	6.2082	50.7569
2025	5	8	5	21	19	11.8	0.1	0.9	25.61	91.8	6.2082	52.6064
2025	5	8	5	31	19	11.8	0.1	0.9	27.54	92.9	6.2082	56.5108
2025	5	8	5	41	19	11.8	0.1	0.9	26.02	92.4	6.2082	53.4284
2025	5	8	5	51	19	11.8	0.1	0.9	26.52	92.4	6.2082	54.4559
2025	5	8	6	1	19	11.8	0.1	0.9	26.12	92.2	6.2021	53.579
2025	5	8	6	11	19	11.8	0.1	0.9	26.55	93.7	6.2082	54.456
2025	5	8	6	21	19	11.8	0.1	0.9	26.17	94.2	6.2021	53.579
2025	5	8	6	31	19	11.8	0.1	0.9	27.67	93.9	6.2021	56.6583
2025	5	8	6	41	19	11.8	0.1	0.9	26.61	91.3	6.2021	54.6055
2025	5	8	6	51	19	11.8	0.1	0.9	27.13	92.7	6.2021	55.6319
2025	5	8	7	1	19	12	0.1	0.9	26.54	93	6.2021	54.4003
2025	5	8	7	11	19	12.2	0.1	0.9	26.67	94.1	6.2021	54.6056
2025	5	8	7	21	19	12.4	0.1	0.9	27	90.4	6.2021	55.4267
2025	5	8	7	31	19	12.4	0.1	0.9	26.64	93	6.2021	54.6056
2025	5	8	7	41	19	12.6	0.1	0.9	27.13	92.7	6.2021	55.632
2025	5	8	7	51	19	12.6	0.1	0.9	25.93	92.9	6.2021	53.1686

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	8	8	1	19	12.6	0.1	0.9	27.34	92.9	6.2021	56.0426
2025	5	8	8	11	19	12.8	0.1	0.9	26.3	91.1	6.2021	53.9897
2025	5	8	8	21	19	12.8	0.1	0.9	26.8	90.6	6.2021	55.0161
2025	5	8	8	31	19	12.8	0.1	0.9	26.66	93.9	6.2021	54.6056
2025	5	8	8	41	19	12.8	0.1	0.9	26.85	93.4	6.2021	55.0161
2025	5	8	8	51	19	12.8	0.1	0.9	25.82	92.4	6.2021	52.9632
2025	5	8	9	1	19	12.8	0.1	0.9	26.41	91.3	6.2021	54.1949
2025	5	8	9	11	19	12.8	0.1	0.9	26.5	90.4	6.2021	54.4001
2025	5	8	9	21	19	13	0.1	0.9	26.73	92.6	6.2021	54.8107
2025	5	8	9	31	19	13	0.1	0.9	26.21	91.5	6.2082	53.8394
2025	5	8	9	41	19	13	0.1	0.9	26.61	91.7	6.2082	54.6613
2025	5	8	9	51	19	13	0.1	0.9	26.95	93.6	6.2082	55.2777
2025	5	8	10	1	19	13	0.1	0.9	26.43	92.6	6.2082	54.2502
2025	5	8	10	11	19	13	0.1	0.9	27.72	92.1	6.2082	56.9215
2025	5	8	10	21	19	13	0.1	0.9	27.01	91.3	6.2082	55.483
2025	5	8	10	31	19	13	0.1	0.9	26.44	93.3	6.2082	54.25
2025	5	8	10	41	19	13	0.1	0.9	25.5	90.2	6.2082	52.4005
2025	5	8	10	51	19	13	0.1	0.9	26.71	91.7	6.2082	54.8663
2025	5	8	11	1	19	13	0.1	0.9	25.4	90.2	6.2082	52.1948
2025	5	8	11	11	19	13	0.1	0.9	27.8	90.4	6.2082	57.1265
2025	5	8	11	21	19	13.2	0.1	0.9	26.82	91.9	6.2082	55.0715
2025	5	8	11	31	19	13.2	0.1	0.9	26.92	91.9	6.2021	55.2203
2025	5	8	11	41	19	13.2	0.1	0.9	26.55	93.7	6.2021	54.3991
2025	5	8	11	51	19	13.2	0.1	0.9	26.63	92.8	6.2021	54.6043
2025	5	8	12	1	19	13.2	0.1	0.9	26.83	92.6	6.2021	55.0148
2025	5	8	12	11	19	13.2	0.1	0.9	25.76	94	6.2021	52.7566
2025	5	8	12	21	19	13.2	0.1	0.9	26.82	95.3	6.2021	54.8093
2025	5	8	12	31	19	13.2	0.1	0.9	25.9	90.2	6.2021	53.167
2025	5	8	12	41	19	13.2	0.1	0.9	26.4	90.7	6.2021	54.1933
2025	5	8	12	51	19	13.2	0.1	0.9	25.92	92.4	6.196	53.1123
2025	5	8	13	1	19	13.2	0.1	0.9	26.74	93	6.1899	54.6965
2025	5	8	13	11	19	13.2	0.1	0.9	25.24	93.2	6.196	51.6766
2025	5	8	13	21	19	13.2	0.1	0.9	27.45	93.3	6.196	56.188
2025	5	8	13	31	19	13.2	0.1	0.9	26.55	93.7	6.1899	54.2865
2025	5	8	13	41	19	13.2	0.1	0.9	27.5	90	6.1899	56.335
2025	5	8	13	51	19	13.2	0.1	0.9	25.94	93.3	6.1899	53.0572
2025	5	8	14	1	19	13.2	0.1	0.9	26.97	94	6.1899	55.1057
2025	5	8	14	11	19	13.2	0.1	0.9	27.06	93.8	6.196	55.3673
2025	5	8	14	21	19	13	0.1	0.9	27	90.6	6.196	55.3672
2025	5	8	14	31	19	13	0.1	0.9	27.51	91.9	6.2021	56.4503
2025	5	8	14	41	19	13	0.1	0.9	27.65	93.5	6.1899	56.5393
2025	5	8	14	51	19	13	0.1	0.9	25.62	92	6.196	52.4961
2025	5	8	15	1	19	13	0.1	0.9	26.73	92.8	6.196	54.7517
2025	5	8	15	11	19	13	0.1	0.9	26.92	92.3	6.196	55.1618
2025	5	8	15	21	19	13	0.1	0.9	27.17	94	6.196	55.5718
2025	5	8	15	31	19	13	0.1	0.9	25.52	92.2	6.196	52.2908
2025	5	8	15	41	19	13	0.1	0.9	26.46	93.9	6.196	54.1363
2025	5	8	15	51	19	13	0.1	0.9	26.21	91.7	6.2021	53.7813

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	8	16	1	19	13	0.1	0.9	26.02	92	6.2021	53.3707
2025	5	8	16	11	19	13	0.1	0.9	27.34	93.1	6.2021	56.0391
2025	5	8	16	21	19	13	0.1	0.9	26.52	91.9	6.196	54.3411
2025	5	8	16	31	19	13	0.1	0.9	26.64	93	6.196	54.5462
2025	5	8	16	41	19	13	0.1	0.9	26.62	92.4	6.196	54.5461
2025	5	8	16	51	19	13	0.1	0.9	26.24	93.3	6.2021	53.781
2025	5	8	17	1	19	13	0.1	0.9	26.53	92.6	6.196	54.341
2025	5	8	17	11	19	13	0.1	0.9	27.92	92.3	6.2021	57.2705
2025	5	8	17	21	19	13	0.1	0.9	27.11	91.3	6.2021	55.6283
2025	5	8	17	31	19	13	0.1	0.9	27.2	90.4	6.2021	55.8336
2025	5	8	17	41	19	13	0.1	0.9	26.2	90.9	6.2021	53.7809
2025	5	8	17	51	19	13	0.1	0.9	27.22	92.1	6.196	55.7763
2025	5	8	18	1	19	12.6	0.1	0.9	27.32	92.1	6.2021	56.0388
2025	5	8	18	11	19	12.4	0.1	0.9	26.9	91.1	6.2021	55.2178
2025	5	8	18	21	19	12.4	0.1	0.9	27.22	92.1	6.2021	55.8336
2025	5	8	18	31	19	12.2	0.1	0.9	26.52	91.9	6.2021	54.3967
2025	5	8	18	41	19	12.2	0.1	0.9	26.74	93	6.2021	54.8072
2025	5	8	18	51	19	12.2	0.1	0.9	27.01	91.5	6.196	55.3662
2025	5	8	19	1	19	12.2	0.1	0.9	27.41	91.7	6.196	56.1865
2025	5	8	19	11	19	12.2	0.1	0.9	28.33	92.4	6.196	58.032
2025	5	8	19	21	19	12	0.1	0.9	27.1	89.2	6.2021	55.6284
2025	5	8	19	31	19	12	0.1	0.9	27.57	94	6.2021	56.4495
2025	5	8	19	41	19	12	0.1	0.9	27.45	93.3	6.2021	56.2442
2025	5	8	19	51	19	12	0.1	0.9	27.72	92.3	6.2021	56.8601
2025	5	8	20	1	19	12	0.1	0.9	26.65	93.7	6.196	54.5461
2025	5	8	20	11	19	12	0.1	0.9	26.5	91.1	6.196	54.3411
2025	5	8	20	21	19	12	0.1	0.9	26.12	92	6.196	53.5209
2025	5	8	20	31	19	12	0.1	0.9	25.91	91.8	6.196	53.1108
2025	5	8	20	41	19	12	0.1	0.9	26.5	91.1	6.196	54.3412
2025	5	8	20	51	19	12	0.1	0.9	27.03	92.8	6.196	55.3665
2025	5	8	21	1	19	12	0.1	0.9	27.01	91.5	6.196	55.3666
2025	5	8	21	11	19	12	0.1	0.9	28.22	92.2	6.196	57.8274
2025	5	8	21	21	19	12	0.1	0.9	28.13	92.4	6.196	57.6223
2025	5	8	21	31	19	12	0.1	0.9	26.81	91.5	6.196	54.9566
2025	5	8	21	41	19	12	0.1	0.9	27.04	93	6.196	55.3667
2025	5	8	21	51	19	12	0.1	0.9	26.34	93	6.196	53.9313
2025	5	8	22	1	19	12	0.1	0.9	26.11	91.5	6.1899	53.4663
2025	5	8	22	11	19	12	0.1	0.9	25.7	90.9	6.196	52.701
2025	5	8	22	21	19	12	0.1	0.9	26.91	91.3	6.1899	55.1052
2025	5	8	22	31	19	12	0.1	0.9	26.41	88.7	6.1899	54.081
2025	5	8	22	41	19	12	0.1	0.9	25.7	89.3	6.1899	52.6471
2025	5	8	22	51	19	12	0.1	0.9	26.51	91.3	6.1899	54.2859
2025	5	8	23	1	19	12	0.1	0.9	26.31	91.3	6.1899	53.8762
2025	5	8	23	11	19	12	0.1	0.9	27.27	94	6.1899	55.72
2025	5	8	23	21	19	12	0.1	0.9	27	91.1	6.1899	55.3103
2025	5	8	23	31	19	12	0.1	0.9	26.32	92.4	6.1899	53.8764
2025	5	8	23	41	19	12	0.1	0.9	26.1	90.4	6.1899	53.4667
2025	5	8	23	51	19	12	0.1	0.9	27.22	92.1	6.1899	55.7201

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	9	0	1	19	11.8	0.1	0.9	25.72	92.2	6.1899	52.6474
2025	5	9	0	11	19	11.8	0.1	0.9	25.56	94	6.1899	52.2377
2025	5	9	0	21	19	11.8	0.1	0.9	26.55	93.5	6.1838	54.2305
2025	5	9	0	31	19	11.8	0.1	0.9	26.22	92	6.1838	53.6166
2025	5	9	0	41	19	11.8	0.1	0.9	26.13	92.6	6.1838	53.412
2025	5	9	0	51	19	11.8	0.1	0.9	26.93	92.6	6.1899	55.1058
2025	5	9	1	1	19	11.8	0.1	0.9	27.5	90	6.1838	56.2771
2025	5	9	1	11	19	11.8	0.1	0.9	26.71	91.5	6.1838	54.64
2025	5	9	1	21	19	11.8	0.1	0.9	26.02	92	6.1838	53.2075
2025	5	9	1	31	19	11.8	0.1	0.9	26.96	93.8	6.1838	55.0494
2025	5	9	1	41	19	11.8	0.1	0.9	27.09	94.7	6.1838	55.2541
2025	5	9	1	51	19	11.8	0.1	0.9	27.8	91	6.1838	56.8913
2025	5	9	2	1	19	11.8	0.1	0.9	26.24	93.1	6.1838	53.617
2025	5	9	2	11	19	11.8	0.1	0.9	26.31	91.3	6.1838	53.8217
2025	5	9	2	21	19	11.8	0.1	0.9	25.42	92	6.1838	51.9799
2025	5	9	2	31	19	11.8	0.1	0.9	27.98	94.3	6.1838	57.0961
2025	5	9	2	41	19	11.8	0.1	0.9	25.92	92.4	6.1838	53.0032
2025	5	9	2	51	19	11.8	0.1	0.9	26.44	93	6.1838	54.0265
2025	5	9	3	1	19	11.8	0.1	0.9	25.42	92.5	6.1838	51.98
2025	5	9	3	11	19	11.8	0.1	0.9	27.46	93.8	6.1838	56.073
2025	5	9	3	21	19	11.8	0.1	0.9	26.92	92.3	6.1838	55.0498
2025	5	9	3	31	19	11.8	0.1	0.9	26.91	91.3	6.1838	55.0498
2025	5	9	3	41	19	11.8	0.1	0.9	24.81	91.6	6.1838	50.7523
2025	5	9	3	51	19	11.8	0.1	0.9	26.01	91.5	6.1838	53.2081
2025	5	9	4	1	19	11.8	0.1	0.9	26.71	91.7	6.1838	54.6406
2025	5	9	4	11	19	11.8	0.1	0.9	26.56	93.9	6.196	54.343
2025	5	9	4	21	19	11.8	0.1	0.9	26.73	92.8	6.2204	54.9781
2025	5	9	4	31	19	11.8	0.1	0.9	26.59	94.7	6.2204	54.5663
2025	5	9	4	41	19	11.8	0.1	0.9	26.5	91.1	6.2265	54.6221
2025	5	9	4	51	19	11.8	0.1	0.9	26.21	91.7	6.2265	54.0038
2025	5	9	5	1	19	11.8	0.1	0.9	26.51	91.7	6.2265	54.6222
2025	5	9	5	11	19	11.8	0.1	0.9	26.27	94.1	6.2265	54.0038
2025	5	9	5	21	19	11.8	0.1	0.9	27.01	91.9	6.2265	55.6529
2025	5	9	5	31	19	11.8	0.1	0.9	26.6	91.1	6.2265	54.8284
2025	5	9	5	41	19	11.8	0.1	0.9	25.51	91.6	6.2265	52.5611
2025	5	9	5	51	19	11.8	0.1	0.9	26.14	93.1	6.2265	53.7979
2025	5	9	6	1	19	11.8	0.1	0.9	27.06	93.8	6.2326	55.7098
2025	5	9	6	11	19	11.8	0.1	0.9	24.83	92.8	6.2265	51.1183
2025	5	9	6	21	19	11.8	0.1	0.9	25.42	92	6.2265	52.3551
2025	5	9	6	31	19	11.8	0.1	0.9	25.98	94.6	6.2265	53.3857
2025	5	9	6	41	19	11.8	0.1	0.9	25.9	90.7	6.2326	53.4403
2025	5	9	6	51	19	12	0.1	0.9	26.43	92.6	6.2326	54.472
2025	5	9	7	1	19	12	0.1	0.9	25.91	91.8	6.2326	53.4404
2025	5	9	7	11	19	12.2	0.1	0.9	25.73	92.9	6.2265	52.9736
2025	5	9	7	21	19	12.4	0.1	0.9	26.92	91.9	6.2265	55.4471
2025	5	9	7	31	19	12.4	0.1	0.9	26.4	91.1	6.2326	54.4721
2025	5	9	7	41	19	12.6	0.1	0.9	26.6	91.1	6.2326	54.8848
2025	5	9	7	51	19	12.6	0.1	0.9	26.83	92.8	6.2326	55.2974

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	9	8	1	19	12.6	0.1	0.9	25.52	92	6.2326	52.6151
2025	5	9	8	11	19	12.8	0.1	0.9	26.45	93.5	6.2326	54.4721
2025	5	9	8	21	19	12.8	0.1	0.9	26.71	91.3	6.2326	55.0911
2025	5	9	8	31	19	12.8	0.1	0.9	26.6	90.9	6.2326	54.8847
2025	5	9	8	41	19	12.8	0.1	0.9	25.41	91.6	6.2326	52.4087
2025	5	9	8	51	19	12.8	0.1	0.9	26.54	93	6.2326	54.6783
2025	5	9	9	1	19	12.8	0.1	0.9	26.1	91.1	6.2326	53.853
2025	5	9	9	11	19	12.8	0.1	0.9	25.5	90.9	6.2326	52.6149
2025	5	9	9	21	19	13	0.1	0.9	26.2	90	6.2326	54.0592
2025	5	9	9	31	19	13	0.1	0.9	26.34	93.3	6.2326	54.2655
2025	5	9	9	41	19	13	0.1	0.9	26.34	93	6.2326	54.2655
2025	5	9	9	51	19	13	0.1	0.9	26.31	91.5	6.2326	54.2654
2025	5	9	10	1	19	13	0.1	0.9	26.24	93.1	6.2326	54.059
2025	5	9	10	11	19	13	0.1	0.9	26.46	93.9	6.2326	54.4716
2025	5	9	10	21	19	13	0.1	0.9	27.71	91.7	6.2326	57.1539
2025	5	9	10	31	19	13	0.1	0.9	26.85	93.6	6.2326	55.2968
2025	5	9	10	41	19	13	0.1	0.9	26.71	91.7	6.2386	55.1466
2025	5	9	10	51	19	13	0.1	0.9	25.44	93.2	6.2386	52.4615
2025	5	9	11	1	19	13	0.1	0.9	26.87	94.1	6.2386	55.353
2025	5	9	11	11	19	13	0.1	0.9	25.6	90.7	6.2386	52.8745
2025	5	9	11	21	19	13	0.1	0.9	26.3	90	6.2386	54.3202
2025	5	9	11	31	19	13	0.1	0.9	27.44	92.9	6.2386	56.592
2025	5	9	11	41	19	13	0.1	0.9	26	91.1	6.2386	53.7004
2025	5	9	11	51	19	13	0.1	0.9	26	90.9	6.2326	53.6455
2025	5	9	12	1	19	13	0.1	0.9	26.14	93.1	6.2386	53.9067
2025	5	9	12	11	19	13	0.1	0.9	26.7	90	6.2386	55.1459
2025	5	9	12	21	19	13	0.1	0.9	26.92	92.1	6.2326	55.5022
2025	5	9	12	31	19	13	0.1	0.9	25.72	92	6.2386	53.0803
2025	5	9	12	41	19	13	0.1	0.9	26.32	92	6.2386	54.3195
2025	5	9	12	51	19	13	0.1	0.9	26.42	92	6.2447	54.5815
2025	5	9	13	1	19	13	0.1	0.9	26.52	92.2	6.2386	54.7324
2025	5	9	13	11	19	13	0.1	0.9	26.81	91.5	6.2386	55.3519
2025	5	9	13	21	19	13	0.1	0.9	27.34	92.9	6.2386	56.3845
2025	5	9	13	31	19	13	0.1	0.9	26.85	93.6	6.2386	55.3517
2025	5	9	13	41	19	13	0.1	0.9	26.64	93	6.2326	54.8825
2025	5	9	13	51	19	13	0.1	0.9	26.82	92.1	6.2386	55.3516
2025	5	9	14	1	19	13	0.1	0.9	27.1	90.8	6.2386	55.9711
2025	5	9	14	11	19	13	0.1	0.9	27.02	92.1	6.2386	55.7645
2025	5	9	14	21	19	13	0.1	0.9	26.1	90.9	6.2326	53.8506
2025	5	9	14	31	19	13	0.1	0.9	26.87	94.1	6.2326	55.2948
2025	5	9	14	41	19	13	0.1	0.9	27.12	92.1	6.2326	55.9137
2025	5	9	14	51	19	13	0.1	0.9	27.42	92.1	6.2326	56.5326
2025	5	9	15	1	19	13	0.1	0.9	26.04	93.3	6.2326	53.644
2025	5	9	15	11	19	13	0.1	0.9	26	90	6.2265	53.5892
2025	5	9	15	21	19	13	0.1	0.9	26.84	93.2	6.2265	55.2381
2025	5	9	15	31	19	13	0.1	0.9	26.32	92	6.2326	54.2629
2025	5	9	15	41	19	13	0.1	0.9	26.61	91.7	6.2326	54.8818
2025	5	9	15	51	19	13	0.1	0.9	26.83	92.6	6.2265	55.2379

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	9	16	1	19	13	0.1	0.9	26.7	88.9	6.2326	55.088
2025	5	9	16	11	19	13	0.1	0.9	27.23	92.5	6.2326	56.1196
2025	5	9	16	21	19	13	0.1	0.9	25.32	92.3	6.2265	52.1461
2025	5	9	16	31	19	13	0.1	0.9	27.31	95	6.2265	56.0622
2025	5	9	16	41	19	13	0.1	0.9	26.9	90.4	6.2326	55.5005
2025	5	9	16	51	19	13	0.1	0.9	26.64	93.2	6.2265	54.8255
2025	5	9	17	1	19	13	0.1	0.9	26.9	90.9	6.2265	55.4438
2025	5	9	17	11	19	13	0.1	0.9	26.83	92.8	6.2265	55.2377
2025	5	9	17	21	19	13	0.1	0.9	26.4	91.1	6.2265	54.4132
2025	5	9	17	31	19	13	0.1	0.9	27.01	91.9	6.2204	55.593
2025	5	9	17	41	19	13	0.1	0.9	27.2	90	6.2386	56.1767
2025	5	9	17	51	19	12.8	0.1	0.9	26.42	92	6.2265	54.4132
2025	5	9	18	1	19	12.4	0.1	0.9	27.1	91.1	6.2265	55.856
2025	5	9	18	11	19	12.4	0.1	0.9	27.57	94	6.2265	56.6804
2025	5	9	18	21	19	12.2	0.1	0.9	26.3	90	6.2265	54.2071
2025	5	9	18	31	19	12.2	0.1	0.9	27	91.1	6.2204	55.593
2025	5	9	18	41	19	12.2	0.1	0.9	25.43	92.7	6.2265	52.3521
2025	5	9	18	51	19	12.2	0.1	0.9	26.34	93.3	6.2204	54.1518
2025	5	9	19	1	19	12.2	0.1	0.9	26.52	92.2	6.2204	54.5636
2025	5	9	19	11	19	12.2	0.1	0.9	26.9	91.1	6.2204	55.3872
2025	5	9	19	21	19	12.2	0.1	0.9	26.5	89.6	6.2204	54.5636
2025	5	9	19	31	19	12	0.1	0.9	27.04	93	6.2204	55.5932
2025	5	9	19	41	19	12	0.1	0.9	26.1	90	6.2204	53.7401
2025	5	9	19	51	19	12	0.1	0.9	26.23	92.6	6.2204	53.946
2025	5	9	20	1	19	12	0.1	0.9	25.1	91.1	6.2204	51.6812
2025	5	9	20	11	19	12	0.1	0.9	26.61	91.7	6.2204	54.7697
2025	5	9	20	21	19	12	0.1	0.9	26	90	6.2204	53.5343
2025	5	9	20	31	19	12	0.1	0.9	26.82	92.1	6.2204	55.1816
2025	5	9	20	41	19	12	0.1	0.9	26.4	90	6.2204	54.358
2025	5	9	20	51	19	12	0.1	0.9	26.32	92	6.2204	54.1521
2025	5	9	21	1	19	12	0.1	0.9	26.83	92.6	6.2204	55.1817
2025	5	9	21	11	19	12	0.1	0.9	26.33	92.6	6.2204	54.1522
2025	5	9	21	21	19	12	0.1	0.9	25.62	92.2	6.2204	52.7109
2025	5	9	21	31	19	12	0.1	0.9	27.2	91.1	6.2204	56.0054
2025	5	9	21	41	19	12	0.1	0.9	26.26	93.9	6.2143	53.8913
2025	5	9	21	51	19	12	0.1	0.9	26.71	91.3	6.2143	54.9198
2025	5	9	22	1	19	12	0.1	0.9	25.5	91.1	6.2143	52.4515
2025	5	9	22	11	19	12	0.1	0.9	27.13	92.7	6.2143	55.7426
2025	5	9	22	21	19	12	0.1	0.9	26	91.1	6.2143	53.4801
2025	5	9	22	31	19	12	0.1	0.9	26.91	91.3	6.2143	55.3313
2025	5	9	22	41	19	12	0.1	0.9	27.01	91.3	6.2143	55.5371
2025	5	9	22	51	19	12	0.1	0.9	27.1	91.1	6.2143	55.7428
2025	5	9	23	1	19	12	0.1	0.9	26.52	92.2	6.2143	54.5087
2025	5	9	23	11	19	12	0.1	0.9	26.5	90.2	6.2204	54.5646
2025	5	9	23	21	19	12	0.1	0.9	26.34	93.3	6.2204	54.1528
2025	5	9	23	31	19	12	0.1	0.9	26.5	90	6.2143	54.5089
2025	5	9	23	41	19	12	0.1	0.9	27.1	89.6	6.2204	55.8002
2025	5	9	23	51	19	12	0.1	0.9	25.3	90	6.2204	52.0939

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	10	0	1	19	12	0.1	0.9	26.22	92.4	6.2204	53.9471
2025	5	10	0	11	19	11.8	0.1	0.9	26.21	91.7	6.2204	53.9472
2025	5	10	0	21	19	11.8	0.1	0.9	26.14	93.1	6.2204	53.7413
2025	5	10	0	31	19	12	0.1	0.9	25.8	90.7	6.2204	53.1237
2025	5	10	0	41	19	11.8	0.1	0.9	26.17	94.2	6.2204	53.7414
2025	5	10	0	51	19	11.8	0.1	0.9	26.54	93	6.2265	54.6209
2025	5	10	1	1	19	11.8	0.1	0.9	26.61	91.7	6.2265	54.827
2025	5	10	1	11	19	11.8	0.1	0.9	25.9	90.9	6.2265	53.3843
2025	5	10	1	21	19	11.8	0.1	0.9	26.81	91.7	6.2265	55.2394
2025	5	10	1	31	19	11.8	0.1	0.9	26.2	91.1	6.2265	54.0027
2025	5	10	1	41	19	11.8	0.1	0.9	26.11	91.5	6.2265	53.7966
2025	5	10	1	51	19	11.8	0.1	0.9	26.5	91.1	6.2265	54.6212
2025	5	10	2	1	19	11.8	0.1	0.9	27.1	90.4	6.2265	55.8579
2025	5	10	2	11	19	11.8	0.1	0.9	26.04	93.1	6.2265	53.5906
2025	5	10	2	21	19	11.8	0.1	0.9	26.42	92.2	6.2265	54.4152
2025	5	10	2	31	19	11.8	0.1	0.9	26.49	94.8	6.2265	54.4152
2025	5	10	2	41	19	11.8	0.1	0.9	26.4	90.9	6.2265	54.4152
2025	5	10	2	51	19	11.8	0.1	0.9	26.5	91.1	6.2265	54.6214
2025	5	10	3	1	19	11.8	0.1	0.9	26.04	93.3	6.2265	53.5908
2025	5	10	3	11	19	11.8	0.1	0.9	26.01	91.8	6.2265	53.5909
2025	5	10	3	21	19	11.8	0.1	0.9	26.2	90	6.2265	54.0031
2025	5	10	3	31	19	11.8	0.1	0.9	26.03	92.6	6.2265	53.5909
2025	5	10	3	41	19	11.8	0.1	0.9	26.15	93.5	6.2265	53.7971
2025	5	10	3	51	19	11.8	0.1	0.9	26.9	90.4	6.2265	55.4461
2025	5	10	4	1	19	11.8	0.1	0.9	26.46	96.3	6.2265	54.2094
2025	5	10	4	11	19	11.8	0.1	0.9	27.11	91.7	6.2265	55.8584
2025	5	10	4	21	19	11.8	0.1	0.9	26.2	90.9	6.2265	54.0033
2025	5	10	4	31	19	11.8	0.1	0.9	26.32	92	6.2265	54.2095
2025	5	10	4	41	19	11.8	0.1	0.9	26.5	90.4	6.2265	54.6218
2025	5	10	4	51	19	11.8	0.1	0.9	26.85	93.6	6.2265	55.2402
2025	5	10	5	1	19	11.8	0.1	0.9	25.24	93.2	6.2265	51.9423
2025	5	10	5	11	19	11.8	0.1	0.9	26.02	92	6.2265	53.5913
2025	5	10	5	21	19	11.8	0.1	0.9	26.3	95	6.2265	54.0035
2025	5	10	5	31	19	11.8	0.1	0.9	25.72	92.5	6.2265	52.973
2025	5	10	5	41	19	11.8	0.1	0.9	26.42	92	6.2265	54.4158
2025	5	10	5	51	19	11.8	0.1	0.9	27.12	92.3	6.2265	55.8587
2025	5	10	6	1	19	11.8	0.1	0.9	25.83	92.7	6.2265	53.1792
2025	5	10	6	11	19	11.8	0.1	0.9	27.34	92.9	6.2265	56.271
2025	5	10	6	21	19	11.8	0.1	0.9	26.22	92.2	6.2265	54.0037
2025	5	10	6	31	19	11.8	0.1	0.9	27.95	93.3	6.2265	57.5078
2025	5	10	6	41	19	11.8	0.1	0.9	26.5	91.1	6.2265	54.6221
2025	5	10	6	51	19	11.8	0.1	0.9	25.6	90.4	6.2265	52.7671
2025	5	10	7	1	19	12	0.1	0.9	26.68	94.3	6.2265	54.8283
2025	5	10	7	11	19	12.2	0.1	0.9	26.68	94.3	6.2265	54.8283
2025	5	10	7	21	19	12.4	0.1	0.9	27.58	94.4	6.2265	56.6834
2025	5	10	7	31	19	12.4	0.1	0.9	26.97	94	6.2265	55.4467
2025	5	10	7	41	19	12.6	0.1	0.9	26.62	92.2	6.2265	54.8283
2025	5	10	7	51	19	12.6	0.1	0.9	27.28	94.4	6.2265	56.0651

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	10	8	1	19	12.6	0.1	0.9	26.52	91.9	6.2265	54.6222
2025	5	10	8	11	19	12.6	0.1	0.9	26.92	92.3	6.2265	55.4467
2025	5	10	8	21	19	12.6	0.1	0.9	26.13	92.6	6.2265	53.7977
2025	5	10	8	31	19	12.8	0.1	0.9	26.62	91.9	6.2265	54.8283
2025	5	10	8	41	19	12.8	0.1	0.9	26.1	90.9	6.2265	53.7977
2025	5	10	8	51	19	12.8	0.1	0.9	26.4	90.2	6.2265	54.416
2025	5	10	9	1	19	12.8	0.1	0.9	27.23	92.7	6.2265	56.0649
2025	5	10	9	11	19	12.8	0.1	0.9	26.23	92.8	6.2265	54.0037
2025	5	10	9	21	19	12.8	0.1	0.9	27.14	93.2	6.2326	55.9158
2025	5	10	9	31	19	13	0.1	0.9	25.23	93	6.2265	51.9424
2025	5	10	9	41	19	13	0.1	0.9	26.5	90	6.2326	54.6777
2025	5	10	9	51	19	13	0.1	0.9	26.91	91.3	6.2326	55.503
2025	5	10	10	1	19	13	0.1	0.9	26.44	93	6.2326	54.4713
2025	5	10	10	11	19	12.8	0.1	0.9	27.23	92.5	6.2326	56.1219
2025	5	10	10	21	19	12.8	0.1	0.9	26.72	91.9	6.2326	55.0901
2025	5	10	10	31	19	12.8	0.1	0.9	25.91	91.8	6.2326	53.4394
2025	5	10	10	41	19	12.8	0.1	0.9	26.22	92.2	6.2386	54.1135
2025	5	10	10	51	19	12.8	0.1	0.9	27.9	90.2	6.2386	57.6246
2025	5	10	11	1	19	12.8	0.1	0.9	26.82	92.4	6.2386	55.3526
2025	5	10	11	11	19	12.8	0.1	0.9	26.35	93.5	6.2326	54.2644
2025	5	10	11	21	19	12.8	0.1	0.9	26.1	95.1	6.2386	53.7001
2025	5	10	11	31	19	12.8	0.1	0.9	27.14	93	6.2386	55.9719
2025	5	10	11	41	19	13	0.1	0.9	27.6	91	6.2326	56.9464
2025	5	10	11	51	19	13	0.1	0.9	27.14	93.2	6.2326	55.9147
2025	5	10	12	1	19	13	0.1	0.9	27.11	91.9	6.2326	55.9146
2025	5	10	12	11	19	13	0.1	0.9	27.69	94.6	6.2326	56.9462
2025	5	10	12	21	19	13	0.1	0.9	26.56	93.9	6.2326	54.6765
2025	5	10	12	31	19	13	0.1	0.9	27.35	93.4	6.2386	56.3845
2025	5	10	12	41	19	13	0.1	0.9	26.7	90	6.2326	55.089
2025	5	10	12	51	19	13	0.1	0.9	27.74	92.9	6.2265	57.0938
2025	5	10	13	1	19	13	0.1	0.9	27.2	91.1	6.2265	56.0632
2025	5	10	13	11	19	13	0.1	0.9	26.45	93.5	6.2326	54.4698
2025	5	10	13	21	19	13	0.1	0.9	26.66	93.9	6.2265	54.8263
2025	5	10	13	31	19	13	0.1	0.9	25.82	92.2	6.2326	53.2317
2025	5	10	13	41	19	13	0.1	0.9	26.63	92.8	6.2326	54.8822
2025	5	10	13	51	19	13	0.1	0.9	27.17	94	6.2326	55.9137
2025	5	10	14	1	19	13	0.1	0.9	27.3	90	6.2265	56.2688
2025	5	10	14	11	19	13	0.1	0.9	26.02	92	6.2386	53.6988
2025	5	10	14	21	19	13	0.1	0.9	27.98	94.3	6.2326	57.5641
2025	5	10	14	31	19	13	0.1	0.9	26.42	92.2	6.2265	54.4136
2025	5	10	14	41	19	13	0.1	0.9	25.84	93.1	6.2326	53.2312
2025	5	10	14	51	19	13	0.1	0.9	28.15	93.3	6.2265	57.9174
2025	5	10	15	1	19	12.8	0.1	0.9	26.73	92.6	6.2386	55.1442
2025	5	10	15	11	19	12.8	0.1	0.9	26.62	92.2	6.2265	54.8256
2025	5	10	15	21	19	13	0.1	0.9	26.91	91.7	6.2386	55.5572
2025	5	10	15	31	19	13	0.1	0.9	26.96	93.8	6.2265	55.4439
2025	5	10	15	41	19	12.4	0.1	0.9	27	90.6	6.2265	55.6499
2025	5	10	15	51	19	12.8	0.1	0.9	26.3	90.2	6.2326	54.2626

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	10	16	1	19	12.2	0.1	0.9	28.24	93	6.2326	58.1827
2025	5	10	16	11	19	12.2	0.1	0.9	26.27	94.1	6.2204	53.9459
2025	5	10	16	21	19	12.6	0.1	0.9	27.79	94.5	6.2265	57.0927
2025	5	10	16	31	19	12.4	0.1	0.9	26.42	92.2	6.2326	54.4689
2025	5	10	16	41	19	12.4	0.1	0.9	26.61	91.7	6.2265	54.8255
2025	5	10	16	51	19	13	0.1	0.9	26.93	92.6	6.2265	55.4438
2025	5	10	17	1	19	13	0.1	0.9	27.7	90.8	6.2326	57.1511
2025	5	10	17	11	19	13	0.1	0.9	27.42	92.3	6.2326	56.5321
2025	5	10	17	21	19	13	0.1	0.9	27.61	91.2	6.2386	57.0029
2025	5	10	17	31	19	13	0.1	0.9	25.91	91.3	6.2265	53.3828
2025	5	10	17	41	19	12.2	0.1	0.9	27.71	91.9	6.2326	57.1511
2025	5	10	17	51	19	12.2	0.1	0.9	27.44	93.1	6.2326	56.5322
2025	5	10	18	1	19	13	0.1	0.9	27.12	92.1	6.2326	55.9132
2025	5	10	18	11	19	12.8	0.1	0.9	27.81	91.6	6.2265	57.299
2025	5	10	18	21	19	12.6	0.1	0.9	26.2	90.9	6.2204	53.946
2025	5	10	18	31	19	12.2	0.1	0.9	26.99	94.7	6.2265	55.444
2025	5	10	18	41	19	12.2	0.1	0.9	28.41	91.6	6.2265	58.5357
2025	5	10	18	51	19	12	0.1	0.9	27.35	93.4	6.2204	56.211
2025	5	10	19	1	19	12	0.1	0.9	26.93	92.8	6.2204	55.3874
2025	5	10	19	11	19	12	0.1	0.9	25.12	92.3	6.2204	51.6812
2025	5	10	19	21	19	12	0.1	0.9	26.31	91.3	6.2204	54.152
2025	5	10	19	31	19	12	0.1	0.9	26.93	92.6	6.2204	55.3874
2025	5	10	19	41	19	12	0.1	0.9	26.22	92.2	6.2204	53.9461
2025	5	10	19	51	19	12	0.1	0.9	25.63	92.9	6.2204	52.7107
2025	5	10	20	1	19	12	0.1	0.9	26.5	91.1	6.2204	54.5639
2025	5	10	20	11	19	12	0.1	0.9	26.2	90.9	6.2204	53.9462
2025	5	10	20	21	19	12	0.1	0.9	27.2	90	6.2204	56.0052
2025	5	10	20	31	19	12	0.1	0.9	27.11	91.7	6.2204	55.7993
2025	5	10	20	41	19	12	0.1	0.9	25.74	93.1	6.2204	52.9167
2025	5	10	20	51	19	12	0.1	0.9	27.12	92.1	6.2143	55.7423
2025	5	10	21	1	19	12	0.1	0.9	25.73	92.7	6.2143	52.8627
2025	5	10	21	11	19	12	0.1	0.9	26.72	92.1	6.2143	54.9196
2025	5	10	21	21	19	11.8	0.1	0.9	27.4	90.2	6.2204	56.4172
2025	5	10	21	31	19	11.8	0.1	0.9	26.7	90	6.2143	54.9197
2025	5	10	21	41	19	11.8	0.1	0.9	27.25	93.4	6.2143	55.9482
2025	5	10	21	51	19	11.8	0.1	0.9	25.72	92.2	6.2143	52.8628
2025	5	10	22	1	19	11.8	0.1	0.9	26.26	93.9	6.2143	53.8913
2025	5	10	22	11	19	11.8	0.1	0.9	26.5	90.9	6.2143	54.5084
2025	5	10	22	21	19	11.8	0.1	0.9	26.7	90.2	6.2082	54.8636
2025	5	10	22	31	19	11.8	0.1	0.9	26.7	90	6.2082	54.8637
2025	5	10	22	41	19	11.8	0.1	0.9	26.22	92.4	6.2082	53.8363
2025	5	10	22	51	19	11.8	0.1	0.9	27.21	91.7	6.2082	55.8911
2025	5	10	23	1	19	11.8	0.1	0.9	25.8	90.4	6.2082	53.0144
2025	5	10	23	11	19	11.8	0.1	0.9	27.12	92.1	6.2082	55.6857
2025	5	10	23	21	19	11.8	0.1	0.9	26.52	92.2	6.2021	54.397
2025	5	10	23	31	19	11.8	0.1	0.9	25.2	90.7	6.2021	51.7285
2025	5	10	23	41	19	11.8	0.1	0.9	26.5	90.2	6.2021	54.3971
2025	5	10	23	51	19	11.8	0.1	0.9	25.7	90	6.2021	52.755

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	11	0	1	19	11.8	0.1	0.9	25.53	92.7	6.2021	52.3444
2025	5	11	0	11	19	11.8	0.1	0.9	26.71	91.3	6.2021	54.8077
2025	5	11	0	21	19	11.8	0.1	0.9	26.32	92	6.2021	53.9867
2025	5	11	0	31	19	11.8	0.1	0.9	25.51	91.3	6.2021	52.3445
2025	5	11	0	41	19	11.8	0.1	0.9	27.83	92.7	6.196	57.0073
2025	5	11	0	51	19	11.8	0.1	0.9	27.33	92.5	6.196	55.982
2025	5	11	1	1	19	11.8	0.1	0.9	26	90.9	6.196	53.3163
2025	5	11	1	11	19	11.8	0.1	0.9	26.82	91.9	6.196	54.9568
2025	5	11	1	21	19	11.8	0.1	0.9	26.41	91.7	6.196	54.1366
2025	5	11	1	31	19	11.8	0.1	0.9	27.4	91	6.196	56.1872
2025	5	11	1	41	19	11.8	0.1	0.9	25.83	92.7	6.196	52.9063
2025	5	11	1	51	19	11.8	0.1	0.9	25.3	90.9	6.196	51.881
2025	5	11	2	1	19	11.8	0.1	0.9	26.93	92.6	6.196	55.162
2025	5	11	2	11	19	11.8	0.1	0.9	25.9	90	6.1899	53.0569
2025	5	11	2	21	19	11.8	0.1	0.9	26.32	92	6.1899	53.8764
2025	5	11	2	31	19	11.8	0.1	0.9	26.3	91.1	6.1899	53.8764
2025	5	11	2	41	19	11.8	0.1	0.9	26.6	90.9	6.1899	54.491
2025	5	11	2	51	19	11.8	0.1	0.9	24.4	90.5	6.1899	49.9842
2025	5	11	3	1	19	11.8	0.1	0.9	26.02	92.4	6.1899	53.2619
2025	5	11	3	11	19	11.8	0.1	0.9	25.67	94.2	6.1899	52.4425
2025	5	11	3	21	19	11.8	0.1	0.9	25.2	91.1	6.1899	51.6231
2025	5	11	3	31	19	11.8	0.1	0.9	25.7	91.1	6.1899	52.6474
2025	5	11	3	41	19	11.8	0.1	0.9	27.77	94.1	6.1899	56.7445
2025	5	11	3	51	19	11.8	0.1	0.9	26.72	91.9	6.1899	54.696
2025	5	11	4	1	19	11.8	0.1	0.9	26.4	95	6.1899	53.8767
2025	5	11	4	11	19	11.8	0.1	0.9	26.65	93.7	6.1899	54.4912
2025	5	11	4	21	19	11.6	0.1	0.9	27.04	93	6.1899	55.3107
2025	5	11	4	31	19	11.6	0.1	0.9	26.12	92	6.1899	53.467
2025	5	11	4	41	19	11.6	0.1	0.9	26.44	93.3	6.1899	54.0816
2025	5	11	4	51	19	11.6	0.1	0.9	26.54	93.2	6.1899	54.2865
2025	5	11	5	1	19	11.6	0.1	0.9	26.5	90.6	6.1899	54.2865
2025	5	11	5	11	19	11.6	0.1	0.9	25.66	94	6.1899	52.4429
2025	5	11	5	21	19	11.6	0.1	0.9	26.06	93.7	6.1899	53.2623
2025	5	11	5	31	19	11.6	0.1	0.9	27.23	92.5	6.1899	55.7206
2025	5	11	5	41	19	11.6	0.1	0.9	25.4	90.5	6.1899	52.0332
2025	5	11	5	51	19	11.6	0.1	0.9	26.63	92.8	6.1899	54.4915
2025	5	11	6	1	19	11.6	0.1	0.9	27.2	91.1	6.1899	55.7207
2025	5	11	6	11	19	11.6	0.1	0.9	25.07	94.3	6.1899	51.2139
2025	5	11	6	21	19	11.6	0.1	0.9	26.32	92.4	6.1899	53.877
2025	5	11	6	31	19	11.8	0.1	0.9	26.4	90	6.1899	54.0819
2025	5	11	6	41	19	11.8	0.1	0.9	26.3	90.2	6.196	53.9324
2025	5	11	6	51	19	11.8	0.1	0.9	25.62	92	6.196	52.497
2025	5	11	7	1	19	12	0.1	0.9	26.82	92.4	6.1899	54.9014
2025	5	11	7	11	19	12	0.1	0.9	26.2	95	6.196	53.5224
2025	5	11	7	21	19	12.2	0.1	0.9	24.82	92.1	6.196	50.8565
2025	5	11	7	31	19	12.2	0.1	0.9	25.3	90.7	6.196	51.8818
2025	5	11	7	41	19	12.4	0.1	0.9	27.41	91.7	6.196	56.1882
2025	5	11	7	51	19	12.4	0.1	0.9	26.04	93.3	6.2021	53.372

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	11	8	1	19	12.4	0.1	0.9	26.02	92	6.2021	53.372
2025	5	11	8	11	19	12.6	0.1	0.9	27.84	92.9	6.196	57.0085
2025	5	11	8	21	19	12.6	0.1	0.9	26.02	92.2	6.196	53.3173
2025	5	11	8	31	19	12.6	0.1	0.9	25.96	94	6.196	53.1122
2025	5	11	8	41	19	12.6	0.1	0.9	27.23	92.5	6.196	55.778
2025	5	11	8	51	19	12.6	0.1	0.9	26.2	91.1	6.196	53.7274
2025	5	11	9	1	19	12.6	0.1	0.9	26.77	94.1	6.196	54.7527
2025	5	11	9	11	19	12.8	0.1	0.9	26.14	93.1	6.1899	53.4673
2025	5	11	9	21	19	12.8	0.1	0.9	26.54	93	6.1899	54.2867
2025	5	11	9	31	19	12.8	0.1	0.9	26.7	90	6.1899	54.6963
2025	5	11	9	41	19	13	0.1	0.9	27.17	94	6.1899	55.5157
2025	5	11	9	51	19	13.2	0.1	0.9	27.1	94.9	6.2021	55.4245
2025	5	11	10	1	19	13.2	0.1	0.9	26.3	90	6.196	53.9322
2025	5	11	10	11	19	13.2	0.1	0.9	27.74	92.9	6.1899	56.7447
2025	5	11	10	21	19	13.2	0.1	0.9	27.07	94	6.196	55.3675
2025	5	11	10	31	19	13.2	0.1	0.9	25.46	93.8	6.1899	52.0329
2025	5	11	10	41	19	13.2	0.1	0.9	26.22	92.4	6.196	53.7269
2025	5	11	10	51	19	13.2	0.1	0.9	25.33	92.9	6.2021	51.9345
2025	5	11	11	1	19	13.2	0.1	0.9	25.7	91.1	6.196	52.7014
2025	5	11	11	11	19	13.2	0.1	0.9	26.63	92.6	6.196	54.5469
2025	5	11	11	21	19	13.2	0.1	0.9	26.2	90	6.196	53.7266
2025	5	11	11	31	19	13.2	0.1	0.9	26.82	92.1	6.196	54.9569
2025	5	11	11	41	19	13.2	0.1	0.9	26	90.7	6.196	53.3163
2025	5	11	11	51	19	13.2	0.1	0.9	25.9	90.4	6.196	53.1112
2025	5	11	12	1	19	13.2	0.1	0.9	25.63	92.7	6.196	52.4959
2025	5	11	12	11	19	13.2	0.1	0.9	26.92	92.3	6.2021	55.2183
2025	5	11	12	21	19	13.2	0.1	0.9	27.43	92.7	6.196	56.1869
2025	5	11	12	31	19	13.2	0.1	0.9	26.14	93.1	6.2021	53.5759
2025	5	11	12	41	19	13.2	0.1	0.9	26.64	93	6.2021	54.6022
2025	5	11	12	51	19	13.4	0.1	0.9	26	91.1	6.2021	53.3705
2025	5	11	13	1	19	13.4	0.1	0.9	27.52	92.1	6.2021	56.4495
2025	5	11	13	11	19	13.4	0.1	0.9	26.13	92.9	6.2021	53.5756
2025	5	11	13	21	19	13.4	0.1	0.9	25.9	90	6.2021	53.165
2025	5	11	13	31	19	13.4	0.1	0.9	26.33	92.8	6.2021	53.986
2025	5	11	13	41	19	13.4	0.1	0.9	27.42	92.1	6.2021	56.2439
2025	5	11	13	51	19	13.4	0.1	0.9	26.02	92.2	6.2021	53.3701
2025	5	11	14	1	19	13.4	0.1	0.9	25.1	91.1	6.2021	51.5226
2025	5	11	14	11	19	13.4	0.1	0.9	27.12	92.3	6.2082	55.685
2025	5	11	14	21	19	13.2	0.1	0.9	26.41	91.7	6.2082	54.2466
2025	5	11	14	31	19	13.4	0.1	0.9	26	90.4	6.2082	53.4246
2025	5	11	14	41	19	13.2	0.1	0.9	27.1	90	6.2082	55.6848
2025	5	11	14	51	19	13.2	0.1	0.9	25.93	92.7	6.2082	53.219
2025	5	11	15	1	19	13.2	0.1	0.9	26.5	90.4	6.2082	54.4518
2025	5	11	15	11	19	13.2	0.1	0.9	26.62	91.9	6.2082	54.6572
2025	5	11	15	21	19	13.2	0.1	0.9	26.1	90.9	6.2082	53.6298
2025	5	11	15	31	19	13.2	0.1	0.9	27.13	92.5	6.2082	55.6846
2025	5	11	15	41	19	13.2	0.1	0.9	27.6	90	6.2082	56.7119
2025	5	11	15	51	19	13.2	0.1	0.9	26.2	90.9	6.2082	53.8352

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	11	16	1	19	13.2	0.1	0.9	25.64	93.4	6.2082	52.6023
2025	5	11	16	11	19	13.2	0.1	0.9	27.65	93.5	6.2082	56.7118
2025	5	11	16	21	19	13.2	0.1	0.9	27.71	91.4	6.2143	56.9755
2025	5	11	16	31	19	13.2	0.1	0.9	26.3	90.9	6.2143	54.0959
2025	5	11	16	41	19	13.2	0.1	0.9	26.3	89.3	6.2143	54.0959
2025	5	11	16	51	19	13.2	0.1	0.9	27.41	95	6.2143	56.1527
2025	5	11	17	1	19	13.2	0.1	0.9	25.92	92	6.2143	53.2731
2025	5	11	17	11	19	13.2	0.1	0.9	26.8	90.2	6.2143	55.1242
2025	5	11	17	21	19	13.2	0.1	0.9	26.9	91.1	6.2143	55.3299
2025	5	11	17	31	19	13.2	0.1	0.9	26.92	91.9	6.2143	55.3299
2025	5	11	17	41	19	13.2	0.1	0.9	26	89.8	6.2143	53.4787
2025	5	11	17	51	19	13	0.1	0.9	26.1	89.6	6.2143	53.6844
2025	5	11	18	1	19	12.6	0.1	0.9	26.58	94.3	6.2143	54.5072
2025	5	11	18	11	19	12.2	0.1	0.9	26.3	90.9	6.2143	54.0958
2025	5	11	18	21	19	12.2	0.1	0.9	27.5	90.6	6.2021	56.4482
2025	5	11	18	31	19	12	0.1	0.9	26.33	92.6	6.2082	54.0405
2025	5	11	18	41	19	12	0.1	0.9	26.22	92.2	6.2082	53.835
2025	5	11	18	51	19	12	0.1	0.9	26.24	93.3	6.2143	53.8902
2025	5	11	19	1	19	12	0.1	0.9	27.12	92.1	6.2082	55.6844
2025	5	11	19	11	19	12	0.1	0.9	27.01	91.7	6.2082	55.4789
2025	5	11	19	21	19	12	0.1	0.9	25.5	90.9	6.2082	52.3968
2025	5	11	19	31	19	12	0.1	0.9	26.02	92.2	6.2082	53.4242
2025	5	11	19	41	19	12	0.1	0.9	27.56	93.7	6.2082	56.5064
2025	5	11	19	51	19	12	0.1	0.9	25.31	91.8	6.2082	51.9859
2025	5	11	20	1	19	12	0.1	0.9	27.12	92.1	6.2082	55.6846
2025	5	11	20	11	19	12	0.1	0.9	26.5	89.8	6.2082	54.4517
2025	5	11	20	21	19	12	0.1	0.9	26.58	94.5	6.2082	54.4518
2025	5	11	20	31	19	12	0.1	0.9	27.1	89.4	6.2082	55.6847
2025	5	11	20	41	19	12	0.1	0.9	25.9	91.1	6.2082	53.219
2025	5	11	20	51	19	12	0.1	0.9	26.01	91.8	6.2082	53.4245
2025	5	11	21	1	19	12	0.1	0.9	26.52	92.2	6.2082	54.4519
2025	5	11	21	11	19	12	0.1	0.9	26.24	93.3	6.2082	53.8355
2025	5	11	21	21	19	12	0.1	0.9	26.54	93.2	6.2082	54.452
2025	5	11	21	31	19	12	0.1	0.9	27.2	94.9	6.2082	55.6849
2025	5	11	21	41	19	12	0.1	0.9	26.73	92.6	6.2021	54.8068
2025	5	11	21	51	19	12	0.1	0.9	24.81	91.4	6.2021	50.9068
2025	5	11	22	1	19	12	0.1	0.9	26.7	90.4	6.2021	54.8069
2025	5	11	22	11	19	12	0.1	0.9	26.8	90	6.2021	55.0122
2025	5	11	22	21	19	12	0.1	0.9	25.38	94.5	6.2021	51.9332
2025	5	11	22	31	19	12	0.1	0.9	27.37	94	6.2021	56.0387
2025	5	11	22	41	19	12	0.1	0.9	26.2	91.1	6.2021	53.7807
2025	5	11	22	51	19	12	0.1	0.9	26.54	93.2	6.2021	54.3966
2025	5	11	23	1	19	12	0.1	0.9	26.71	91.7	6.2082	54.8634
2025	5	11	23	11	19	12	0.1	0.9	26.55	93.7	6.2082	54.4525
2025	5	11	23	21	19	12	0.1	0.9	25.71	91.8	6.2082	52.8087
2025	5	11	23	31	19	12	0.1	0.9	26.1	90.2	6.2082	53.6307
2025	5	11	23	41	19	12	0.1	0.9	26.72	92.1	6.2082	54.8636
2025	5	11	23	51	19	12	0.1	0.9	26.31	91.5	6.2082	54.0417

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	12	0	1	19	12	0.1	0.9	26.82	92.1	6.2082	55.0692
2025	5	12	0	11	19	12	0.1	0.9	27.14	93.2	6.2082	55.6857
2025	5	12	0	21	19	12	0.1	0.9	25.14	93.4	6.2082	51.5761
2025	5	12	0	31	19	12	0.1	0.9	27.05	93.4	6.2082	55.4803
2025	5	12	0	41	19	12	0.1	0.9	26.43	92.8	6.2082	54.2474
2025	5	12	0	51	19	12	0.1	0.9	25.1	90.9	6.2021	51.5233
2025	5	12	1	1	19	12	0.1	0.9	25.33	92.7	6.2021	51.9339
2025	5	12	1	11	19	12	0.1	0.9	26.52	92.2	6.2021	54.3972
2025	5	12	1	21	19	12	0.1	0.9	27.8	89.6	6.2021	57.0658
2025	5	12	1	31	19	12	0.1	0.9	25.92	92.2	6.2021	53.1657
2025	5	12	1	41	19	12	0.1	0.9	25.62	92.2	6.2021	52.5499
2025	5	12	1	51	19	12	0.1	0.9	25.5	90.9	6.2021	52.3447
2025	5	12	2	1	19	12	0.1	0.9	25.7	90.9	6.2021	52.7553
2025	5	12	2	11	19	12	0.1	0.9	26.23	92.8	6.2021	53.7817
2025	5	12	2	21	19	12	0.1	0.9	24.8	90.2	6.2021	50.9079
2025	5	12	2	31	19	12	0.1	0.9	25.93	92.7	6.196	53.1114
2025	5	12	2	41	19	12	0.1	0.9	26.31	91.7	6.196	53.9317
2025	5	12	2	51	19	12	0.1	0.9	25.6	90	6.196	52.4963
2025	5	12	3	1	19	12	0.1	0.9	25.8	90.2	6.196	52.9065
2025	5	12	3	11	19	12	0.1	0.9	25.4	90.9	6.196	52.0863
2025	5	12	3	21	19	11.8	0.1	0.9	25.81	91.8	6.196	52.9066
2025	5	12	3	31	19	11.8	0.1	0.9	26.67	94.1	6.196	54.5471
2025	5	12	3	41	19	11.8	0.1	0.9	26.02	92.4	6.196	53.3167
2025	5	12	3	51	19	11.8	0.1	0.9	24.91	91.6	6.196	51.0611
2025	5	12	4	1	19	11.8	0.1	0.9	25.14	93.2	6.196	51.4712
2025	5	12	4	11	19	11.8	0.1	0.9	25.12	92.1	6.196	51.4712
2025	5	12	4	21	19	11.8	0.1	0.9	25.93	92.7	6.196	53.1118
2025	5	12	4	31	19	11.8	0.1	0.9	26.05	93.5	6.196	53.3169
2025	5	12	4	41	19	11.8	0.1	0.9	26.51	91.7	6.196	54.3423
2025	5	12	4	51	19	11.8	0.1	0.9	26.51	91.7	6.196	54.3423
2025	5	12	5	1	19	11.8	0.1	0.9	25.52	92	6.196	52.2917
2025	5	12	5	11	19	11.8	0.1	0.9	26.4	90.4	6.196	54.1373
2025	5	12	5	21	19	11.8	0.1	0.9	26.33	92.8	6.196	53.9323
2025	5	12	5	31	19	11.8	0.1	0.9	26.32	92	6.196	53.9323
2025	5	12	5	41	19	11.8	0.1	0.9	25.51	91.3	6.196	52.2918
2025	5	12	5	51	19	11.8	0.1	0.9	26.72	92.1	6.196	54.7526
2025	5	12	6	1	19	11.8	0.1	0.9	25.51	91.6	6.196	52.2919
2025	5	12	6	11	19	11.8	0.1	0.9	25.9	90.2	6.196	53.1122
2025	5	12	6	21	19	11.8	0.1	0.9	26.21	91.5	6.196	53.7274
2025	5	12	6	31	19	11.8	0.1	0.9	25.79	94.9	6.2021	52.7562
2025	5	12	6	41	19	11.8	0.1	0.9	26.26	93.7	6.2021	53.7826
2025	5	12	6	51	19	12	0.1	0.9	26.22	92	6.2021	53.7826
2025	5	12	7	1	19	12.2	0.1	0.9	25.41	91.8	6.196	52.087
2025	5	12	7	11	19	12.2	0.1	0.9	26.36	93.9	6.2021	53.988
2025	5	12	7	21	19	12.4	0.1	0.9	27.25	93.6	6.2021	55.8355
2025	5	12	7	31	19	12.4	0.1	0.9	24.91	91.2	6.2021	51.1141
2025	5	12	7	41	19	12.4	0.1	0.9	26.32	92	6.196	53.9326
2025	5	12	7	51	19	12.6	0.1	0.9	26.74	93.2	6.196	54.7529

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	12	8	1	19	12.6	0.1	0.9	25.52	92.2	6.196	52.2921
2025	5	12	8	11	19	12.6	0.1	0.9	25.5	90.4	6.1899	52.2384
2025	5	12	8	21	19	12.6	0.1	0.9	25.84	93.3	6.1899	52.853
2025	5	12	8	31	19	12.6	0.1	0.9	25.61	91.3	6.1899	52.4433
2025	5	12	8	41	19	12.8	0.1	0.9	26.26	93.7	6.1838	53.6172
2025	5	12	8	51	19	12.8	0.1	0.9	25.64	93.1	6.1838	52.3893
2025	5	12	9	1	19	12.8	0.1	0.9	25.43	92.7	6.1838	51.98
2025	5	12	9	11	19	12.8	0.1	0.9	25.43	92.7	6.1838	51.9799
2025	5	12	9	21	19	12.8	0.1	0.9	25.7	91.1	6.1838	52.5939
2025	5	12	9	31	19	13	0.1	0.9	25.91	91.3	6.1838	53.0031
2025	5	12	9	41	19	12.8	0.1	0.9	25.98	94.4	6.1838	53.0031
2025	5	12	9	51	19	13	0.1	0.9	25.92	92.2	6.1838	53.003
2025	5	12	10	1	19	12.8	0.1	0.9	25.4	90.9	6.1838	51.9797
2025	5	12	10	11	19	12.8	0.1	0.9	25.42	92.3	6.1838	51.9797
2025	5	12	10	21	19	12.8	0.1	0.9	26.01	91.8	6.1838	53.2075
2025	5	12	10	31	19	12.8	0.1	0.9	26.23	92.6	6.1838	53.6167
2025	5	12	10	41	19	12.8	0.1	0.9	26.02	92	6.1838	53.2074
2025	5	12	10	51	19	12.8	0.1	0.9	25.8	90.7	6.1838	52.798
2025	5	12	11	1	19	13	0.1	0.9	25.31	91.4	6.1838	51.7747
2025	5	12	11	11	19	13	0.1	0.9	26.1	90	6.1838	53.4118
2025	5	12	11	21	19	13	0.1	0.9	26.81	91.7	6.1838	54.8442
2025	5	12	11	31	19	13	0.1	0.9	27.1	90.8	6.1838	55.4581
2025	5	12	11	41	19	13	0.1	0.9	26.4	91.1	6.1838	54.0255
2025	5	12	11	51	19	13	0.1	0.9	24.42	92.6	6.1838	49.9326
2025	5	12	12	1	19	13	0.1	0.9	26.47	94.1	6.1899	54.081
2025	5	12	12	11	19	13	0.1	0.9	26.91	91.3	6.1899	55.1052
2025	5	12	12	21	19	13	0.1	0.9	26.41	91.5	6.1899	54.0808
2025	5	12	12	31	19	13	0.1	0.9	26.82	91.9	6.1899	54.9002
2025	5	12	12	41	19	13	0.1	0.9	25.62	92.2	6.1899	52.4419
2025	5	12	12	51	19	13	0.1	0.9	27.3	90.4	6.1899	55.9243
2025	5	12	13	1	19	13	0.1	0.9	25.62	92.5	6.1899	52.4417
2025	5	12	13	11	19	13	0.1	0.9	26.06	93.7	6.1899	53.2611
2025	5	12	13	21	19	13	0.1	0.9	26.41	91.7	6.196	54.136
2025	5	12	13	31	19	13	0.1	0.9	27.16	93.8	6.196	55.5713
2025	5	12	13	41	19	13	0.1	0.9	25.87	94.2	6.1899	52.8512
2025	5	12	13	51	19	13	0.1	0.9	27.01	91.9	6.196	55.3661
2025	5	12	14	1	19	13	0.1	0.9	25.3	90.7	6.196	51.8801
2025	5	12	14	11	19	13	0.1	0.9	26.3	90.7	6.196	53.9306
2025	5	12	14	21	19	13	0.1	0.9	26	90.4	6.196	53.3154
2025	5	12	14	31	19	13	0.1	0.9	26.6	90.6	6.196	54.5457
2025	5	12	14	41	19	13	0.1	0.9	26.01	91.5	6.196	53.3152
2025	5	12	14	51	19	13	0.1	0.9	25.26	93.9	6.196	51.6747
2025	5	12	15	1	19	13	0.1	0.9	26.02	92.2	6.196	53.3151
2025	5	12	15	11	19	13	0.1	0.9	25.2	90.9	6.196	51.6746
2025	5	12	15	21	19	13	0.1	0.9	24.4	90.5	6.196	50.0341
2025	5	12	15	31	19	13	0.1	0.9	25.52	92.5	6.2021	52.3434
2025	5	12	15	41	19	13	0.1	0.9	24.19	95	6.196	49.4188
2025	5	12	15	51	19	13	0.1	0.9	26.52	92.2	6.2021	54.396

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	12	16	1	19	13	0.1	0.9	25.31	91.8	6.2021	51.9327
2025	5	12	16	11	19	13	0.1	0.9	26.6	90.6	6.2021	54.6012
2025	5	12	16	21	19	13	0.1	0.9	24.9	90	6.2021	51.1116
2025	5	12	16	31	19	13	0.1	0.9	25.63	92.7	6.2021	52.5484
2025	5	12	16	41	19	13	0.1	0.9	24.43	92.8	6.2082	50.1366
2025	5	12	16	51	19	13	0.1	0.9	25.9	90.9	6.2082	53.2187
2025	5	12	17	1	19	13	0.1	0.9	26.5	91.1	6.2021	54.3958
2025	5	12	17	11	19	13	0.1	0.9	26.1	90	6.2021	53.5747
2025	5	12	17	21	19	13	0.1	0.9	25.6	90	6.2021	52.5483
2025	5	12	17	31	19	13	0.1	0.9	25.32	92.3	6.2082	51.9858
2025	5	12	17	41	19	13	0.1	0.9	25.22	92.5	6.2082	51.7803
2025	5	12	17	51	19	13	0.1	0.9	27.57	94	6.2021	56.4484
2025	5	12	18	1	19	13	0.1	0.9	26.74	93.2	6.2082	54.8625
2025	5	12	18	11	19	12.6	0.1	0.9	25.41	91.6	6.196	52.0843
2025	5	12	18	21	19	12.2	0.1	0.9	24.87	94.2	6.2021	50.9062
2025	5	12	18	31	19	12.2	0.1	0.9	26.21	91.5	6.196	53.7248
2025	5	12	18	41	19	12.2	0.1	0.9	26.2	91.1	6.2021	53.78
2025	5	12	18	51	19	12	0.1	0.9	26.3	90	6.2082	54.0407
2025	5	12	19	1	19	12	0.1	0.9	26.41	91.5	6.2082	54.2462
2025	5	12	19	11	19	12	0.1	0.9	24.63	93	6.2082	50.5476
2025	5	12	19	21	19	12	0.1	0.9	27.1	90.6	6.2082	55.6846
2025	5	12	19	31	19	12	0.1	0.9	25.22	92.3	6.2082	51.7806
2025	5	12	19	41	19	12	0.1	0.9	27.6	89.8	6.2082	56.7121
2025	5	12	19	51	19	12	0.1	0.9	27.1	89.4	6.2082	55.6848
2025	5	12	20	1	19	12	0.1	0.9	25	90.5	6.2082	51.3698
2025	5	12	20	11	19	12	0.1	0.9	25.4	90.9	6.2021	52.1382
2025	5	12	20	21	19	12	0.1	0.9	26.4	91.1	6.2082	54.2466
2025	5	12	20	31	19	12	0.1	0.9	26.92	92.3	6.2021	55.2174
2025	5	12	20	41	19	12	0.1	0.9	25.62	92.2	6.2021	52.549
2025	5	12	20	51	19	12	0.1	0.9	26.43	92.8	6.2082	54.2468
2025	5	12	21	1	19	12	0.1	0.9	25.3	90.2	6.2021	51.9333
2025	5	12	21	11	19	12	0.1	0.9	25.84	93.1	6.2021	52.9597
2025	5	12	21	21	19	12	0.1	0.9	25.53	92.7	6.2021	52.344
2025	5	12	21	31	19	12	0.1	0.9	26.23	92.8	6.2021	53.781
2025	5	12	21	41	19	12	0.1	0.9	26.25	93.5	6.196	53.7259
2025	5	12	21	51	19	12	0.1	0.9	26.14	93.1	6.2021	53.5758
2025	5	12	22	1	19	12	0.1	0.9	25.41	91.8	6.196	52.0855
2025	5	12	22	11	19	12	0.1	0.9	26.14	93.3	6.196	53.521
2025	5	12	22	21	19	12	0.1	0.9	26.1	90.4	6.196	53.5211
2025	5	12	22	31	19	12	0.1	0.9	26.1	90.9	6.1899	53.4663
2025	5	12	22	41	19	12	0.1	0.9	26.14	93.1	6.1899	53.4663
2025	5	12	22	51	19	12	0.1	0.9	25.81	91.8	6.1899	52.8519
2025	5	12	23	1	19	12	0.1	0.9	25.9	91.1	6.1899	53.0568
2025	5	12	23	11	19	12	0.1	0.9	27.12	92.1	6.1899	55.5151
2025	5	12	23	21	19	12	0.1	0.9	25.71	91.6	6.1838	52.5931
2025	5	12	23	31	19	12	0.1	0.9	25.72	92	6.1899	52.6473
2025	5	12	23	41	19	12	0.1	0.9	25.32	92	6.1838	51.7747
2025	5	12	23	51	19	12	0.1	0.9	25.42	92.3	6.1899	52.0329

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	13	0	1	19	12	0.1	0.9	25.62	92	6.1838	52.3888
2025	5	13	0	11	19	12	0.1	0.9	26.5	90.6	6.1838	54.2307
2025	5	13	0	21	19	12	0.1	0.9	26.11	91.8	6.1838	53.4122
2025	5	13	0	31	19	11.8	0.1	0.9	26.64	93	6.1838	54.4355
2025	5	13	0	41	19	11.8	0.1	0.9	26.4	91.1	6.1777	53.9707
2025	5	13	0	51	19	11.8	0.1	0.9	27.21	91.9	6.1838	55.6635
2025	5	13	1	1	19	11.8	0.1	0.9	25.42	92.3	6.1838	51.9799
2025	5	13	1	11	19	11.8	0.1	0.9	26.33	92.8	6.1838	53.8218
2025	5	13	1	21	19	11.8	0.1	0.9	27.01	91.5	6.1838	55.2544
2025	5	13	1	31	19	11.8	0.1	0.9	25.33	92.9	6.1838	51.7754
2025	5	13	1	41	19	11.8	0.1	0.9	26.52	91.9	6.1777	54.1754
2025	5	13	1	51	19	11.8	0.1	0.9	27.21	91.9	6.1777	55.6065
2025	5	13	2	1	19	11.8	0.1	0.9	26.63	92.8	6.1777	54.38
2025	5	13	2	11	19	11.8	0.1	0.9	26.95	93.4	6.1838	55.05
2025	5	13	2	21	19	11.8	0.1	0.9	26.24	93.3	6.1838	53.6175
2025	5	13	2	31	19	11.8	0.1	0.9	26.24	93.3	6.1838	53.6176
2025	5	13	2	41	19	11.8	0.1	0.9	26.1	90.9	6.1777	53.358
2025	5	13	2	51	19	11.8	0.1	0.9	26.2	90.7	6.1838	53.6177
2025	5	13	3	1	19	11.8	0.1	0.9	26.21	91.3	6.1838	53.6177
2025	5	13	3	11	19	11.8	0.1	0.9	25.83	92.7	6.1838	52.7992
2025	5	13	3	21	19	11.8	0.1	0.9	25.97	94.2	6.1899	53.0584
2025	5	13	3	31	19	11.8	0.1	0.9	24.61	91.2	6.196	50.4471
2025	5	13	3	41	19	11.8	0.1	0.9	25.51	91.6	6.196	52.2927
2025	5	13	3	51	19	11.8	0.1	0.9	25.42	92	6.1899	52.0342
2025	5	13	4	1	19	11.8	0.1	0.9	25.91	91.8	6.196	53.1131
2025	5	13	4	11	19	11.8	0.1	0.9	26.34	93.3	6.196	53.9334
2025	5	13	4	21	19	11.8	0.1	0.9	25.7	89.3	6.196	52.703
2025	5	13	4	31	19	11.8	0.1	0.9	26.91	91.5	6.196	55.1639
2025	5	13	4	41	19	11.8	0.1	0.9	26.21	91.7	6.196	53.7284
2025	5	13	4	51	19	11.8	0.1	0.9	26.42	92	6.196	54.1386
2025	5	13	5	1	19	11.8	0.1	0.9	27.13	92.5	6.196	55.5741
2025	5	13	5	11	19	11.8	0.1	0.9	26.1	95.1	6.2021	53.3731
2025	5	13	5	21	19	11.8	0.1	0.9	26.11	91.5	6.196	53.5235
2025	5	13	5	31	19	11.8	0.1	0.9	26.16	93.7	6.2021	53.5785
2025	5	13	5	41	19	11.8	0.1	0.9	27.27	94	6.196	55.7794
2025	5	13	5	51	19	11.8	0.1	0.9	25.32	92.3	6.2021	51.9363
2025	5	13	6	1	19	11.8	0.1	0.9	26.7	91.1	6.2021	54.8103
2025	5	13	6	11	19	11.8	0.1	0.9	25.75	93.6	6.2021	52.7575
2025	5	13	6	21	19	11.8	0.1	0.9	25.5	90.9	6.2021	52.347
2025	5	13	6	31	19	11.8	0.1	0.9	25.39	94.7	6.2021	51.9364
2025	5	13	6	41	19	11.8	0.1	0.9	24.6	90.9	6.2021	50.4995
2025	5	13	6	51	19	12	0.1	0.9	25.31	91.8	6.2021	51.9365
2025	5	13	7	1	19	12	0.1	0.9	25.93	92.7	6.2021	53.1682
2025	5	13	7	11	19	12.2	0.1	0.9	25.64	93.1	6.2021	52.5524
2025	5	13	7	21	19	12.4	0.1	0.9	26.72	95.4	6.2021	54.6052
2025	5	13	7	31	19	12.4	0.1	0.9	25.52	92	6.2021	52.3471
2025	5	13	7	41	19	12.6	0.1	0.9	25.14	93.4	6.2021	51.526
2025	5	13	7	51	19	12.6	0.1	0.9	26.62	92.4	6.196	54.5493

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	13	8	1	19	12.6	0.1	0.9	25.36	94.1	6.2021	51.9366
2025	5	13	8	11	19	12.6	0.1	0.9	26.03	92.9	6.2021	53.3736
2025	5	13	8	21	19	12.8	0.1	0.9	26.4	90.4	6.2021	54.1947
2025	5	13	8	31	19	12.8	0.1	0.9	24.94	93.2	6.2021	51.1155
2025	5	13	8	41	19	12.8	0.1	0.9	25.61	91.6	6.2021	52.5524
2025	5	13	8	51	19	12.8	0.1	0.9	25.53	92.9	6.2021	52.3471
2025	5	13	9	1	19	12.8	0.1	0.9	25.69	94.7	6.2021	52.5524
2025	5	13	9	11	19	13	0.1	0.9	25.57	94.3	6.2021	52.3471
2025	5	13	9	21	19	13	0.1	0.9	25.55	93.6	6.2021	52.3471
2025	5	13	9	31	19	13.2	0.1	0.9	26.14	93.1	6.2021	53.5788
2025	5	13	9	41	19	13.4	0.1	0.9	26.91	91.5	6.2021	55.221
2025	5	13	9	51	19	13.6	0.1	0.9	25.6	90.9	6.2021	52.5523
2025	5	13	10	1	19	13.6	0.1	0.9	25.7	90	6.2021	52.7575
2025	5	13	10	11	19	13.6	0.1	0.9	27.54	92.9	6.2021	56.4525
2025	5	13	10	21	19	13.6	0.1	0.9	24.72	92.5	6.2021	50.7046
2025	5	13	10	31	19	13.6	0.1	0.9	25.11	95.5	6.2021	51.3204
2025	5	13	10	41	19	13.6	0.1	0.9	25.31	95.4	6.2021	51.7309
2025	5	13	10	51	19	13.6	0.1	0.9	26.64	93.2	6.2021	54.6047
2025	5	13	11	1	19	13.6	0.1	0.9	26.38	94.3	6.196	53.9335
2025	5	13	11	11	19	13.6	0.1	0.9	26.21	91.7	6.2021	53.7835
2025	5	13	11	21	19	13.6	0.1	0.9	26.34	93	6.196	53.9333
2025	5	13	11	31	19	13.6	0.1	0.9	25.56	94	6.196	52.2927
2025	5	13	11	41	19	13.6	0.1	0.9	25.84	93.1	6.196	52.9078
2025	5	13	11	51	19	13.6	0.1	0.9	27.3	91	6.196	55.9838
2025	5	13	12	1	19	13.6	0.1	0.9	25.72	92.5	6.196	52.7026
2025	5	13	12	11	19	13.6	0.1	0.9	24.61	91.9	6.1899	50.395
2025	5	13	12	21	19	13.6	0.1	0.9	26.38	94.3	6.1899	53.8775
2025	5	13	12	31	19	13.8	0.1	0.9	26.32	92	6.1899	53.8775
2025	5	13	12	41	19	13.8	0.1	0.9	26.41	91.3	6.1899	54.0822
2025	5	13	12	51	19	13.8	0.1	0.9	25.7	90.9	6.1899	52.6482
2025	5	13	13	1	19	13.8	0.1	0.9	26.82	92.4	6.1899	54.9015
2025	5	13	13	11	19	13.8	0.1	0.9	26.2	90	6.1899	53.6723
2025	5	13	13	21	19	13.8	0.1	0.9	25.04	93.4	6.1899	51.214
2025	5	13	13	31	19	13.8	0.1	0.9	25.71	91.6	6.1899	52.6479
2025	5	13	13	41	19	13.8	0.1	0.9	25.7	90.9	6.1899	52.6479
2025	5	13	13	51	19	13.8	0.1	0.9	26.23	92.6	6.1899	53.6721
2025	5	13	14	1	19	13.8	0.1	0.9	26.86	93.8	6.196	54.9576
2025	5	13	14	11	19	13.8	0.1	0.9	25.8	90.9	6.1899	52.8525
2025	5	13	14	21	19	13.6	0.1	0.9	25.1	90.5	6.1899	51.4185
2025	5	13	14	31	19	13.6	0.1	0.9	26.2	91.1	6.196	53.727
2025	5	13	14	41	19	13.6	0.1	0.9	27.24	93.2	6.1899	55.7203
2025	5	13	14	51	19	13.6	0.1	0.9	26.14	93.1	6.1899	53.4669
2025	5	13	15	1	19	13.6	0.1	0.9	27.37	94	6.196	55.9825
2025	5	13	15	11	19	13.6	0.1	0.9	26.06	94	6.196	53.3167
2025	5	13	15	21	19	13.6	0.1	0.9	25.71	91.8	6.196	52.7014
2025	5	13	15	31	19	13.6	0.1	0.9	26.14	93.3	6.196	53.5216
2025	5	13	15	41	19	13.6	0.1	0.9	27.44	93.1	6.196	56.1874
2025	5	13	15	51	19	13.6	0.1	0.9	25.9	90	6.2021	53.166

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	13	16	1	19	13.6	0.1	0.9	26.37	94.1	6.2021	53.987
2025	5	13	16	11	19	13.6	0.1	0.9	26.03	92.9	6.2082	53.4259
2025	5	13	16	21	19	13.6	0.1	0.9	26.22	92.4	6.2082	53.8369
2025	5	13	16	31	19	13.6	0.1	0.9	26.04	93.1	6.2082	53.4259
2025	5	13	16	41	19	13.6	0.1	0.9	26.02	92.2	6.2021	53.3711
2025	5	13	16	51	19	13.6	0.1	0.9	25.81	91.8	6.2082	53.0149
2025	5	13	17	1	19	13.8	0.1	0.9	25.7	89.3	6.2021	52.7553
2025	5	13	17	11	19	13.8	0.1	0.9	25.6	90.9	6.2082	52.604
2025	5	13	17	21	19	13.6	0.1	0.9	26.62	91.9	6.2082	54.6589
2025	5	13	17	31	19	13.8	0.1	0.9	25.01	91.8	6.2082	51.3712
2025	5	13	17	41	19	13.8	0.1	0.9	25.72	92	6.2082	52.8096
2025	5	13	17	51	19	13.8	0.1	0.9	25.82	92	6.2204	53.1238
2025	5	13	18	1	19	13.6	0.1	0.9	26.73	92.6	6.2143	54.9208
2025	5	13	18	11	19	13.2	0.1	0.9	24.91	88.4	6.2143	51.2183
2025	5	13	18	21	19	12.6	0.1	0.9	26.42	92.2	6.2143	54.3038
2025	5	13	18	31	19	12.4	0.1	0.9	26.73	92.6	6.2082	54.8647
2025	5	13	18	41	19	12.4	0.1	0.9	25.51	91.8	6.2143	52.4527
2025	5	13	18	51	19	12.2	0.1	0.9	25.57	94.3	6.2082	52.399
2025	5	13	19	1	19	12.2	0.1	0.9	25.51	91.8	6.2082	52.3991
2025	5	13	19	11	19	12.2	0.1	0.9	27.21	91.5	6.2143	55.9497
2025	5	13	19	21	19	12.2	0.1	0.9	25.65	93.6	6.2082	52.6047
2025	5	13	19	31	19	12	0.1	0.9	25.71	91.6	6.2143	52.8644
2025	5	13	19	41	19	12	0.1	0.9	26.02	92	6.2143	53.4815
2025	5	13	19	51	19	12	0.1	0.9	26.44	93	6.2143	54.3044
2025	5	13	20	1	19	12	0.1	0.9	25.4	90	6.2082	52.194
2025	5	13	20	11	19	12	0.1	0.9	26.12	92	6.2082	53.6325
2025	5	13	20	21	19	12	0.1	0.9	25.92	92	6.2082	53.2215
2025	5	13	20	31	19	12	0.1	0.9	27.26	93.8	6.2082	55.8929
2025	5	13	20	41	19	12	0.1	0.9	26.6	90.2	6.2082	54.6601
2025	5	13	20	51	19	12	0.1	0.9	26	90.4	6.2082	53.4272
2025	5	13	21	1	19	12	0.1	0.9	26.04	93.1	6.2082	53.4272
2025	5	13	21	11	19	12	0.1	0.9	25.93	92.9	6.2021	53.1673
2025	5	13	21	21	19	12	0.1	0.9	25.62	92.2	6.2082	52.6054
2025	5	13	21	31	19	12	0.1	0.9	25.5	90.9	6.2082	52.3999
2025	5	13	21	41	19	12	0.1	0.9	26.21	91.3	6.2082	53.8384
2025	5	13	21	51	19	12	0.1	0.9	26.71	91.3	6.2143	54.9221
2025	5	13	22	1	19	12	0.1	0.9	26.2	91.1	6.2143	53.8937
2025	5	13	22	11	19	12	0.1	0.9	26.23	92.8	6.2143	53.8937
2025	5	13	22	21	19	12	0.1	0.9	26.73	92.8	6.2082	54.8661
2025	5	13	22	31	19	12	0.1	0.9	25.1	90.7	6.2082	51.5783
2025	5	13	22	41	19	12	0.1	0.9	25.02	92.1	6.2082	51.3728
2025	5	13	22	51	19	12	0.1	0.9	25.6	88.9	6.2082	52.6058
2025	5	13	23	1	19	12	0.1	0.9	25.4	90	6.2082	52.1949
2025	5	13	23	11	19	12	0.1	0.9	26.16	93.9	6.2082	53.6334
2025	5	13	23	21	19	12	0.1	0.9	27.34	92.9	6.2082	56.0993
2025	5	13	23	31	19	12	0.1	0.9	26.16	93.7	6.2082	53.6335
2025	5	13	23	41	19	12	0.1	0.9	25.82	92.2	6.2082	53.0171
2025	5	13	23	51	19	12	0.1	0.9	26.71	91.3	6.2082	54.8666

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	14	0	1	19	12	0.1	0.9	27.2	90.4	6.2082	55.8941
2025	5	14	0	11	19	12	0.1	0.9	25.83	92.9	6.2082	53.0172
2025	5	14	0	21	19	12	0.1	0.9	26.32	92	6.2082	54.0448
2025	5	14	0	31	19	12	0.1	0.9	26.01	91.8	6.2082	53.4283
2025	5	14	0	41	19	12	0.1	0.9	25.92	92.2	6.2082	53.2229
2025	5	14	0	51	19	12	0.1	0.9	26.02	92	6.2082	53.4284
2025	5	14	1	1	19	12	0.1	0.9	25.82	92	6.2021	52.9632
2025	5	14	1	11	19	12	0.1	0.9	26.72	92.1	6.2021	54.8108
2025	5	14	1	21	19	12	0.1	0.9	26.18	94.6	6.2021	53.5791
2025	5	14	1	31	19	12	0.1	0.9	25.52	92.2	6.2021	52.3474
2025	5	14	1	41	19	12	0.1	0.9	26.3	89.3	6.2021	53.9898
2025	5	14	1	51	19	12	0.1	0.9	25.4	90.9	6.2021	52.1422
2025	5	14	2	1	19	12	0.1	0.9	26.4	95	6.2021	53.9899
2025	5	14	2	11	19	12	0.1	0.9	26.37	94.1	6.2021	53.9899
2025	5	14	2	21	19	12	0.1	0.9	26.03	92.9	6.2021	53.3741
2025	5	14	2	31	19	12	0.1	0.9	26.04	93.3	6.2021	53.3741
2025	5	14	2	41	19	12	0.1	0.9	25.26	94.1	6.2021	51.7319
2025	5	14	2	51	19	11.8	0.1	0.9	26.42	92	6.2021	54.1953
2025	5	14	3	1	19	11.8	0.1	0.9	26.34	93.3	6.2021	53.9901
2025	5	14	3	11	19	11.8	0.1	0.9	27.23	92.7	6.2021	55.8377
2025	5	14	3	21	19	11.8	0.1	0.9	25.42	92.5	6.2021	52.1426
2025	5	14	3	31	19	11.8	0.1	0.9	26.72	92.1	6.2021	54.8113
2025	5	14	3	41	19	11.8	0.1	0.9	26.91	91.3	6.2021	55.2219
2025	5	14	3	51	19	11.8	0.1	0.9	25.8	90.4	6.2021	52.9638
2025	5	14	4	1	19	11.8	0.1	0.9	25.6	90.9	6.2021	52.5533
2025	5	14	4	11	19	11.8	0.1	0.9	27.27	94	6.2021	55.8379
2025	5	14	4	21	19	11.8	0.1	0.9	25.42	92	6.2021	52.1427
2025	5	14	4	31	19	11.8	0.1	0.9	27.03	92.8	6.2021	55.4274
2025	5	14	4	41	19	11.8	0.1	0.9	25.9	90.9	6.2021	53.1692
2025	5	14	4	51	19	11.8	0.1	0.9	26.12	92	6.2021	53.5798
2025	5	14	5	1	19	11.8	0.1	0.9	26.14	93.1	6.2021	53.5799
2025	5	14	5	11	19	11.8	0.1	0.9	25.74	93.1	6.196	52.7047
2025	5	14	5	21	19	11.8	0.1	0.9	27.63	92.7	6.196	56.6011
2025	5	14	5	31	19	11.8	0.1	0.9	25.34	93.4	6.196	51.8844
2025	5	14	5	41	19	11.8	0.1	0.9	26.33	92.6	6.196	53.9352
2025	5	14	5	51	19	11.8	0.1	0.9	26.52	92.4	6.196	54.3454
2025	5	14	6	1	19	11.8	0.1	0.9	27.26	93.8	6.196	55.781
2025	5	14	6	11	19	11.8	0.1	0.9	26.02	92	6.196	53.3201
2025	5	14	6	21	19	11.8	0.1	0.9	25.96	94	6.196	53.115
2025	5	14	6	31	19	11.8	0.1	0.9	26.31	91.5	6.1899	53.88
2025	5	14	6	41	19	11.8	0.1	0.9	25.41	91.4	6.1899	52.0362
2025	5	14	6	51	19	12	0.1	0.9	26.14	93.3	6.1899	53.4703
2025	5	14	7	1	19	12.2	0.1	0.9	26.52	92.4	6.1899	54.2898
2025	5	14	7	11	19	12.2	0.1	0.9	26.82	92.4	6.1899	54.9044
2025	5	14	7	21	19	12.4	0.1	0.9	26.27	94.1	6.1899	53.6752
2025	5	14	7	31	19	12.6	0.1	0.9	25.92	92	6.1899	53.0606
2025	5	14	7	41	19	12.6	0.1	0.9	25.43	92.9	6.1899	52.0363
2025	5	14	7	51	19	12.6	0.1	0.9	25.86	94	6.1899	52.8558

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	14	8	1	19	12.6	0.1	0.9	25.92	92	6.1899	53.0607
2025	5	14	8	11	19	12.8	0.1	0.9	24.51	91.6	6.1899	50.1925
2025	5	14	8	21	19	12.8	0.1	0.9	25.84	93.3	6.1899	52.8558
2025	5	14	8	31	19	12.8	0.1	0.9	26.12	92	6.196	53.5253
2025	5	14	8	41	19	13	0.1	0.9	26.87	94.3	6.1899	54.9044
2025	5	14	8	51	19	13	0.1	0.9	26	91.1	6.1899	53.2655
2025	5	14	9	1	19	13	0.1	0.9	26.31	91.5	6.196	53.9354
2025	5	14	9	11	19	13	0.1	0.9	26.1	90.9	6.1899	53.4703
2025	5	14	9	21	19	13.2	0.1	0.9	26.97	94	6.196	55.1658
2025	5	14	9	31	19	13.2	0.1	0.9	25.46	94.1	6.1899	52.0361
2025	5	14	9	41	19	13.4	0.1	0.9	26.45	96.1	6.1899	53.8799
2025	5	14	9	51	19	13.6	0.1	0.9	27.15	93.6	6.1899	55.5188
2025	5	14	10	1	19	13.6	0.1	0.9	26.17	94.2	6.1899	53.4701
2025	5	14	10	11	19	13.8	0.1	0.9	25.43	92.9	6.1899	52.0359
2025	5	14	10	21	19	13.8	0.1	0.9	25.75	93.6	6.1899	52.6505
2025	5	14	10	31	19	13.8	0.1	0.9	26.72	92.4	6.1899	54.6991
2025	5	14	10	41	19	13.8	0.1	0.9	27.05	93.4	6.1899	55.3136
2025	5	14	10	51	19	13.8	0.1	0.9	25.83	92.9	6.1899	52.8552
2025	5	14	11	1	19	13.8	0.1	0.9	26.1	97	6.1899	53.06
2025	5	14	11	11	19	13.8	0.1	0.9	25.92	92	6.196	53.1144
2025	5	14	11	21	19	13.8	0.1	0.9	26.03	92.6	6.196	53.3194
2025	5	14	11	31	19	13.8	0.1	0.9	24.91	91.6	6.196	51.0635
2025	5	14	11	41	19	13.8	0.1	0.9	26.82	91.9	6.196	54.9599
2025	5	14	11	51	19	13.8	0.1	0.9	27.15	93.4	6.196	55.575
2025	5	14	12	1	19	13.8	0.1	0.9	27.13	92.7	6.196	55.5749
2025	5	14	12	11	19	13.8	0.1	0.9	25.13	92.7	6.196	51.4733
2025	5	14	12	21	19	13.8	0.1	0.9	26.53	92.6	6.2021	54.4001
2025	5	14	12	31	19	13.8	0.1	0.9	25.51	91.8	6.2021	52.3471
2025	5	14	12	41	19	13.8	0.1	0.9	25.9	91.1	6.2021	53.1682
2025	5	14	12	51	19	13.8	0.1	0.9	25.4	91.1	6.2021	52.1417
2025	5	14	13	1	19	13.8	0.1	0.9	25.61	91.6	6.2021	52.5521
2025	5	14	13	11	19	13.6	0.1	0.9	25.32	92.5	6.2021	51.9362
2025	5	14	13	21	19	13.6	0.1	0.9	26.34	93	6.2021	53.9889
2025	5	14	13	31	19	13.6	0.1	0.9	25.42	92	6.2021	52.1413
2025	5	14	13	41	19	13.4	0.1	0.9	26.72	91.9	6.196	54.7536
2025	5	14	13	51	19	13.2	0.1	0.9	27.48	94.4	6.196	56.189
2025	5	14	14	1	19	13.2	0.1	0.9	26.72	92.4	6.196	54.7534
2025	5	14	14	11	19	13.2	0.1	0.9	25.82	92.2	6.196	52.9077
2025	5	14	14	21	19	13.2	0.1	0.9	26.52	91.9	6.2021	54.3989
2025	5	14	14	31	19	13.2	0.1	0.9	25.62	92.5	6.196	52.4975
2025	5	14	14	41	19	13.2	0.1	0.9	26.1	95.1	6.2021	53.3724
2025	5	14	14	51	19	13.2	0.1	0.9	26.3	90.9	6.2082	54.0435
2025	5	14	15	1	19	13.2	0.1	0.9	26.02	92.2	6.2021	53.3722
2025	5	14	15	11	19	13.2	0.1	0.9	25.67	94.2	6.2021	52.5511
2025	5	14	15	21	19	13	0.1	0.9	26.26	93.7	6.196	53.7275
2025	5	14	15	31	19	13	0.1	0.9	25.82	92	6.196	52.9072
2025	5	14	15	41	19	13	0.1	0.9	26.1	89.8	6.2021	53.5773
2025	5	14	15	51	19	13	0.1	0.9	24.7	90.5	6.2021	50.7033

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	14	16	1	19	13	0.1	0.9	25.76	93.8	6.196	52.7019
2025	5	14	16	11	19	13	0.1	0.9	26.92	92.3	6.196	55.1627
2025	5	14	16	21	19	13	0.1	0.9	27.07	94.2	6.196	55.3677
2025	5	14	16	31	19	13	0.1	0.9	25.6	90.2	6.196	52.4967
2025	5	14	16	41	19	13	0.1	0.9	27.91	91.8	6.2021	57.2719
2025	5	14	16	51	19	13	0.1	0.9	26.12	92	6.2021	53.577
2025	5	14	17	1	19	13	0.1	0.9	25.32	92.5	6.2021	51.9347
2025	5	14	17	11	19	13	0.1	0.9	27.51	91.2	6.196	56.3929
2025	5	14	17	21	19	13	0.1	0.9	27	90.2	6.2021	55.4243
2025	5	14	17	31	19	13	0.1	0.9	26.72	91.9	6.2021	54.8085
2025	5	14	17	41	19	13	0.1	0.9	25.82	92.4	6.2021	52.961
2025	5	14	17	51	19	13	0.1	0.9	26.2	90.9	6.196	53.727
2025	5	14	18	1	19	12.6	0.1	0.9	26.64	93.2	6.196	54.5472
2025	5	14	18	11	19	12.4	0.1	0.9	27	94.9	6.2021	55.219
2025	5	14	18	21	19	12.2	0.1	0.9	25.84	93.1	6.2021	52.961
2025	5	14	18	31	19	12.2	0.1	0.9	27.42	95.4	6.2021	56.0402
2025	5	14	18	41	19	12.2	0.1	0.9	27.15	93.4	6.196	55.5726
2025	5	14	18	51	19	12	0.1	0.9	26	89.6	6.196	53.3169
2025	5	14	19	1	19	12	0.1	0.9	25.12	92.5	6.196	51.4713
2025	5	14	19	11	19	12	0.1	0.9	25.7	90.9	6.196	52.7017
2025	5	14	19	21	19	12	0.1	0.9	25.52	92	6.2021	52.3453
2025	5	14	19	31	19	12	0.1	0.9	27.01	91.3	6.196	55.3676
2025	5	14	19	41	19	12	0.1	0.9	27.11	91.7	6.2021	55.6298
2025	5	14	19	51	19	12	0.1	0.9	25.67	94.2	6.2021	52.5507
2025	5	14	20	1	19	12	0.1	0.9	25.61	91.8	6.2021	52.5507
2025	5	14	20	11	19	12	0.1	0.9	27.7	91	6.196	56.8032
2025	5	14	20	21	19	12	0.1	0.9	26.07	94.2	6.196	53.3172
2025	5	14	20	31	19	12	0.1	0.9	26.2	91.1	6.196	53.7273
2025	5	14	20	41	19	12	0.1	0.9	26.32	92.4	6.196	53.9324
2025	5	14	20	51	19	12	0.1	0.9	25	90.5	6.196	51.2666
2025	5	14	21	1	19	12	0.1	0.9	26.77	94.1	6.196	54.7528
2025	5	14	21	11	19	12	0.1	0.9	25.04	93.2	6.196	51.2667
2025	5	14	21	21	19	12	0.1	0.9	26.92	92.3	6.196	55.163
2025	5	14	21	31	19	12	0.1	0.9	26.21	91.5	6.196	53.7276
2025	5	14	21	41	19	12	0.1	0.9	26.73	92.8	6.196	54.753
2025	5	14	21	51	19	12	0.1	0.9	26.7	89.6	6.196	54.753
2025	5	14	22	1	19	12	0.1	0.9	26.42	92	6.196	54.1379
2025	5	14	22	11	19	12	0.1	0.9	26.22	92.4	6.196	53.7278
2025	5	14	22	21	19	12	0.1	0.9	26.11	91.8	6.196	53.5228
2025	5	14	22	31	19	12	0.1	0.9	26.41	91.7	6.196	54.138
2025	5	14	22	41	19	12	0.1	0.9	25.61	91.8	6.196	52.4975
2025	5	14	22	51	19	12	0.1	0.9	25.71	91.8	6.196	52.7026
2025	5	14	23	1	19	12	0.1	0.9	27.02	92.1	6.196	55.3685
2025	5	14	23	11	19	12	0.1	0.9	25.9	90.9	6.196	53.1128
2025	5	14	23	21	19	12	0.1	0.9	27.41	91.9	6.1899	56.1312
2025	5	14	23	31	19	12	0.1	0.9	25.52	92	6.1899	52.2389
2025	5	14	23	41	19	12	0.1	0.9	26.73	92.8	6.1899	54.6973
2025	5	14	23	51	19	12	0.1	0.9	25.42	92	6.1838	51.9807

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	15	0	1	19	12	0.1	0.9	26.52	91.9	6.1838	54.2318
2025	5	15	0	11	19	12	0.1	0.9	26.97	94	6.1838	55.0505
2025	5	15	0	21	19	12	0.1	0.9	26.4	91.1	6.1838	54.0273
2025	5	15	0	31	19	12	0.1	0.9	26.42	92.4	6.1838	54.0273
2025	5	15	0	41	19	12	0.1	0.9	26.42	92.2	6.1777	53.9718
2025	5	15	0	51	19	12	0.1	0.9	26.46	93.9	6.1838	54.0274
2025	5	15	1	1	19	12	0.1	0.9	26	89.8	6.1777	53.1541
2025	5	15	1	11	19	12	0.1	0.9	25.62	92	6.1777	52.3364
2025	5	15	1	21	19	12	0.1	0.9	26.28	94.4	6.1777	53.5631
2025	5	15	1	31	19	12	0.1	0.9	25.91	91.5	6.1777	52.9498
2025	5	15	1	41	19	12	0.1	0.9	26.02	92.4	6.1716	53.0995
2025	5	15	1	51	19	12	0.1	0.9	25.5	90.9	6.1716	52.0784
2025	5	15	2	1	19	12	0.1	0.9	25.62	92.2	6.1777	52.3366
2025	5	15	2	11	19	12	0.1	0.9	26.32	92	6.1716	53.7124
2025	5	15	2	21	19	12	0.1	0.9	25.71	91.6	6.1777	52.5411
2025	5	15	2	31	19	12	0.1	0.9	25.75	93.6	6.1716	52.4871
2025	5	15	2	41	19	12	0.1	0.9	24.76	93.9	6.1716	50.4448
2025	5	15	2	51	19	12	0.1	0.9	25.62	92	6.1716	52.2829
2025	5	15	3	1	19	12	0.1	0.9	26.12	92.2	6.1716	53.3041
2025	5	15	3	11	19	11.8	0.1	0.9	26.13	92.6	6.1655	53.2492
2025	5	15	3	21	19	11.8	0.1	0.9	26.32	92.4	6.1716	53.7126
2025	5	15	3	31	19	11.8	0.1	0.9	25.82	92.4	6.1655	52.6372
2025	5	15	3	41	19	11.8	0.1	0.9	26.53	92.6	6.1655	54.0654
2025	5	15	3	51	19	11.8	0.1	0.9	25.3	90.9	6.1655	51.6172
2025	5	15	4	1	19	11.8	0.1	0.9	25.82	92	6.1655	52.6373
2025	5	15	4	11	19	11.8	0.1	0.9	26.93	92.8	6.1655	54.8816
2025	5	15	4	21	19	11.8	0.1	0.9	26.41	91.5	6.1655	53.8615
2025	5	15	4	31	19	11.8	0.1	0.9	25.54	93.1	6.1655	52.0254
2025	5	15	4	41	19	11.8	0.1	0.9	26.11	91.8	6.1655	53.2495
2025	5	15	4	51	19	11.8	0.1	0.9	26.2	91.1	6.1716	53.5087
2025	5	15	5	1	19	11.8	0.1	0.9	25.9	90	6.1655	52.8415
2025	5	15	5	11	19	11.8	0.1	0.9	25.46	94.1	6.1655	51.8215
2025	5	15	5	21	19	11.8	0.1	0.9	26.91	91.3	6.1655	54.8818
2025	5	15	5	31	19	11.8	0.1	0.9	26.12	92	6.1655	53.2497
2025	5	15	5	41	19	11.8	0.1	0.9	25.71	91.6	6.1716	52.4877
2025	5	15	5	51	19	11.8	0.1	0.9	25.12	92.1	6.1655	51.2095
2025	5	15	6	1	19	11.8	0.1	0.9	26.31	91.7	6.1655	53.6578
2025	5	15	6	11	19	11.8	0.1	0.9	26.08	94.4	6.1655	53.0457
2025	5	15	6	21	19	11.8	0.1	0.9	25.15	93.6	6.1716	51.2624
2025	5	15	6	31	19	11.8	0.1	0.9	25.82	92	6.1655	52.6378
2025	5	15	6	41	19	11.8	0.1	0.9	25.1	90.7	6.1655	51.2096
2025	5	15	6	51	19	12	0.1	0.9	25.51	91.6	6.1716	52.0794
2025	5	15	7	1	19	12.2	0.1	0.9	26.25	93.5	6.1655	53.4539
2025	5	15	7	11	19	12.2	0.1	0.9	26.92	92.3	6.1716	54.9387
2025	5	15	7	21	19	12.4	0.1	0.9	25.21	95.5	6.1716	51.2625
2025	5	15	7	31	19	12.6	0.1	0.9	26.28	94.6	6.1716	53.5091
2025	5	15	7	41	19	12.6	0.1	0.9	26.62	91.9	6.1716	54.326
2025	5	15	7	51	19	12.6	0.1	0.9	26.06	93.7	6.1716	53.1006

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	15	8	1	19	12.6	0.1	0.9	25.86	94	6.1716	52.6922
2025	5	15	8	11	19	12.8	0.1	0.9	25.41	91.8	6.1655	51.8217
2025	5	15	8	21	19	12.8	0.1	0.9	26.61	91.7	6.1716	54.326
2025	5	15	8	31	19	12.8	0.1	0.9	26.16	93.9	6.1655	53.2499
2025	5	15	8	41	19	12.8	0.1	0.9	24.62	92.1	6.1655	50.1895
2025	5	15	8	51	19	12.8	0.1	0.9	26.03	92.9	6.1655	53.0458
2025	5	15	9	1	19	12.8	0.1	0.9	24.73	93	6.1594	50.3414
2025	5	15	9	11	19	13	0.1	0.9	26.32	92.2	6.1533	53.547
2025	5	15	9	21	19	13	0.1	0.9	25.56	93.8	6.1533	51.9182
2025	5	15	9	31	19	13	0.1	0.9	26.77	94.3	6.1594	54.4175
2025	5	15	9	41	19	13	0.1	0.9	26.24	95.9	6.1533	53.1397
2025	5	15	9	51	19	13	0.1	0.9	25.54	93.4	6.1533	51.918
2025	5	15	10	1	19	13.2	0.1	0.9	25.62	92	6.1533	52.1216
2025	5	15	10	11	19	13.2	0.1	0.9	26.74	93	6.1472	54.3049
2025	5	15	10	21	19	13.2	0.1	0.9	25.62	92.5	6.1533	52.1214
2025	5	15	10	31	19	13.2	0.1	0.9	26.22	92	6.1533	53.3429
2025	5	15	10	41	19	13.2	0.1	0.9	25.52	92.5	6.1533	51.9177
2025	5	15	10	51	19	13	0.1	0.9	26.63	92.6	6.1533	54.1572
2025	5	15	11	1	19	13	0.1	0.9	26.6	90.9	6.1472	54.1011
2025	5	15	11	11	19	13	0.1	0.9	25.82	92.2	6.1533	52.5282
2025	5	15	11	21	19	13	0.1	0.9	27.01	91.9	6.1533	54.9713
2025	5	15	11	31	19	13	0.1	0.9	26.64	93.2	6.1533	54.1568
2025	5	15	11	41	19	13	0.1	0.9	24.51	91.4	6.1533	49.8812
2025	5	15	11	51	19	13	0.1	0.9	25.4	90.7	6.1533	51.7134
2025	5	15	12	1	19	13	0.1	0.9	25.21	91.8	6.1533	51.3062
2025	5	15	12	11	19	13	0.1	0.9	26.02	92.2	6.1533	52.9348
2025	5	15	12	21	19	13	0.1	0.9	25.67	94.2	6.1594	52.1742
2025	5	15	12	31	19	13	0.1	0.9	25.64	93.1	6.1594	52.1741
2025	5	15	12	41	19	13	0.1	0.9	26.55	93.7	6.1594	54.0083
2025	5	15	12	51	19	13	0.1	0.9	25.6	90.7	6.1594	52.1739
2025	5	15	13	1	19	13	0.1	0.9	24.92	92.5	6.1594	50.7472
2025	5	15	13	11	19	13.2	0.1	0.9	27.22	92.3	6.1594	55.4346
2025	5	15	13	21	19	13	0.1	0.9	26.42	92.2	6.1594	53.8041
2025	5	15	13	31	19	13.2	0.1	0.9	26.44	93	6.1594	53.804
2025	5	15	13	41	19	13.2	0.1	0.9	25.92	92	6.1655	52.8394
2025	5	15	13	51	19	13	0.1	0.9	26.22	92	6.1594	53.3962
2025	5	15	14	1	19	13	0.1	0.9	26.55	93.5	6.1655	54.0633
2025	5	15	14	11	19	13	0.1	0.9	23.91	91.7	6.1655	48.7589
2025	5	15	14	21	19	13	0.1	0.9	26.24	93.1	6.1655	53.4511
2025	5	15	14	31	19	13	0.1	0.9	26.95	93.6	6.1655	54.8791
2025	5	15	14	41	19	13	0.1	0.9	25.76	93.8	6.1716	52.485
2025	5	15	14	51	19	13	0.1	0.9	25.6	90.4	6.1655	52.2268
2025	5	15	15	1	19	13	0.1	0.9	26.42	92.2	6.1716	53.9144
2025	5	15	15	11	19	13	0.1	0.9	24.61	91.2	6.1594	50.1348
2025	5	15	15	21	19	13	0.1	0.9	26.82	92.1	6.1655	54.6748
2025	5	15	15	31	19	13	0.1	0.9	25.86	94	6.1655	52.6346
2025	5	15	15	41	19	13	0.1	0.9	25.7	90.9	6.1655	52.4305
2025	5	15	15	51	19	13	0.1	0.9	26.53	92.8	6.1655	54.0625

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	15	16	1	19	13	0.1	0.9	26.53	92.8	6.1655	54.0625
2025	5	15	16	11	19	13	0.1	0.9	27.1	91.1	6.1716	55.3436
2025	5	15	16	21	19	12.8	0.1	0.9	26	90.7	6.1716	53.0971
2025	5	15	16	31	19	12.8	0.1	0.9	26.43	92.8	6.1716	53.914
2025	5	15	16	41	19	12.8	0.1	0.9	27.5	90.6	6.1716	56.1603
2025	5	15	16	51	19	12.8	0.1	0.9	26.17	94.2	6.1716	53.3012
2025	5	15	17	1	19	12.8	0.1	0.9	26.21	91.3	6.1716	53.5054
2025	5	15	17	11	19	12.8	0.1	0.9	26.91	91.3	6.1716	54.9349
2025	5	15	17	21	19	12.8	0.1	0.9	26.91	95.1	6.1716	54.7307
2025	5	15	17	31	19	13	0.1	0.9	25.86	93.8	6.1716	52.6885
2025	5	15	17	41	19	13	0.1	0.9	26.62	92.2	6.1777	54.3783
2025	5	15	17	51	19	13	0.1	0.9	26.95	93.4	6.1716	54.9349
2025	5	15	18	1	19	12.6	0.1	0.9	26.32	92.2	6.1716	53.7096
2025	5	15	18	11	19	12.2	0.1	0.9	25.53	92.9	6.1716	52.0759
2025	5	15	18	21	19	12.2	0.1	0.9	25.71	91.3	6.1716	52.4843
2025	5	15	18	31	19	12	0.1	0.9	27.3	91	6.1716	55.7518
2025	5	15	18	41	19	12	0.1	0.9	26.62	91.9	6.1716	54.3223
2025	5	15	18	51	19	12	0.1	0.9	26.33	92.6	6.1716	53.7097
2025	5	15	19	1	19	12	0.1	0.9	26.58	94.5	6.1716	54.1181
2025	5	15	19	11	19	12	0.1	0.9	26.21	91.3	6.1716	53.5055
2025	5	15	19	21	19	12	0.1	0.9	26.03	92.9	6.1716	53.0971
2025	5	15	19	31	19	12	0.1	0.9	27.41	91.3	6.1777	56.0139
2025	5	15	19	41	19	12	0.1	0.9	25.4	89.8	6.1777	51.9253
2025	5	15	19	51	19	12	0.1	0.9	26.54	93	6.1777	54.174
2025	5	15	20	1	19	12	0.1	0.9	26.4	90.2	6.1777	53.9697
2025	5	15	20	11	19	12	0.1	0.9	25.8	90.9	6.1777	52.7431
2025	5	15	20	21	19	12	0.1	0.9	24.41	91.9	6.1777	49.8811
2025	5	15	20	31	19	12	0.1	0.9	26.45	93.7	6.1777	53.9698
2025	5	15	20	41	19	12	0.1	0.9	26.11	91.5	6.1777	53.3565
2025	5	15	20	51	19	12	0.1	0.9	25.9	90.4	6.1777	52.9477
2025	5	15	21	1	19	12	0.1	0.9	25.6	91.1	6.1777	52.3344
2025	5	15	21	11	19	12	0.1	0.9	26.51	91.7	6.1777	54.1744
2025	5	15	21	21	19	12	0.1	0.9	25.1	90.9	6.1777	51.3124
2025	5	15	21	31	19	12	0.1	0.9	26.05	93.5	6.1777	53.1523
2025	5	15	21	41	19	12	0.1	0.9	27.13	92.5	6.1777	55.4011
2025	5	15	21	51	19	12	0.1	0.9	26.12	92.2	6.1777	53.3568
2025	5	15	22	1	19	12	0.1	0.9	27	90.6	6.1777	55.1968
2025	5	15	22	11	19	12	0.1	0.9	26.73	92.6	6.1777	54.5835
2025	5	15	22	21	19	12	0.1	0.9	25.6	90.2	6.1777	52.3348
2025	5	15	22	31	19	12	0.1	0.9	25.31	91.4	6.1777	51.7215
2025	5	15	22	41	19	12	0.1	0.9	26.44	93	6.1777	53.9704
2025	5	15	22	51	19	12	0.1	0.9	26.72	92.1	6.1777	54.5837
2025	5	15	23	1	19	12	0.1	0.9	25.6	91.1	6.1777	52.335
2025	5	15	23	11	19	11.8	0.1	0.9	26.13	92.6	6.1777	53.3572
2025	5	15	23	21	19	11.8	0.1	0.9	26.53	92.8	6.1716	54.1192
2025	5	15	23	31	19	11.8	0.1	0.9	26.02	92.4	6.1716	53.0981
2025	5	15	23	41	19	11.8	0.1	0.9	25.72	92.2	6.1716	52.4855
2025	5	15	23	51	19	11.8	0.1	0.9	26.21	91.5	6.1716	53.5067

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	16	0	1	19	11.8	0.1	0.9	27	91.1	6.1716	55.1405
2025	5	16	0	11	19	11.8	0.1	0.9	25.52	92.2	6.1716	52.0772
2025	5	16	0	21	19	11.8	0.1	0.9	25.63	92.9	6.1716	52.2815
2025	5	16	0	31	19	11.8	0.1	0.9	26.64	93	6.1716	54.3238
2025	5	16	0	41	19	11.8	0.1	0.9	26.3	90.9	6.1716	53.7112
2025	5	16	0	51	19	11.8	0.1	0.9	25.62	92	6.1716	52.2816
2025	5	16	1	1	19	11.8	0.1	0.9	26	90.4	6.1716	53.0986
2025	5	16	1	11	19	11.8	0.1	0.9	26.22	92	6.1716	53.5071
2025	5	16	1	21	19	11.8	0.1	0.9	25.94	93.1	6.1716	52.8945
2025	5	16	1	31	19	11.8	0.1	0.9	26.25	93.5	6.1716	53.5072
2025	5	16	1	41	19	11.8	0.1	0.9	25.5	90.4	6.1716	52.0776
2025	5	16	1	51	19	11.8	0.1	0.9	27.77	93.9	6.1716	56.5707
2025	5	16	2	1	19	11.8	0.1	0.9	27.21	91.3	6.1716	55.5496
2025	5	16	2	11	19	11.8	0.1	0.9	26.5	90.4	6.1716	54.12
2025	5	16	2	21	19	11.8	0.1	0.9	26.14	93.1	6.1716	53.3032
2025	5	16	2	31	19	11.8	0.1	0.9	26.12	92.2	6.1716	53.3032
2025	5	16	2	41	19	11.8	0.1	0.9	25.53	92.9	6.1716	52.0779
2025	5	16	2	51	19	11.8	0.1	0.9	25.31	91.6	6.1716	51.6695
2025	5	16	3	1	19	11.8	0.1	0.9	25.41	91.4	6.1716	51.8737
2025	5	16	3	11	19	11.8	0.1	0.9	25.71	91.3	6.1716	52.4865
2025	5	16	3	21	19	11.8	0.1	0.9	26.24	93.1	6.1777	53.5628
2025	5	16	3	31	19	11.8	0.1	0.9	26	90.7	6.1777	53.154
2025	5	16	3	41	19	11.8	0.1	0.9	26.93	92.8	6.1838	55.0506
2025	5	16	3	51	19	11.8	0.1	0.9	26.84	93.2	6.1838	54.846
2025	5	16	4	1	19	11.8	0.1	0.9	25.88	94.4	6.1899	52.8539
2025	5	16	4	11	19	11.8	0.1	0.9	26.93	92.6	6.1899	55.1074
2025	5	16	4	21	19	11.8	0.1	0.9	25.9	90.9	6.1899	53.0588
2025	5	16	4	31	19	11.8	0.1	0.9	24.91	91.8	6.1899	51.0102
2025	5	16	4	41	19	11.8	0.1	0.9	27.31	91.7	6.1899	55.9269
2025	5	16	4	51	19	11.8	0.1	0.9	26.92	91.9	6.1899	55.1075
2025	5	16	5	1	19	11.8	0.1	0.9	26.72	91.9	6.1899	54.6978
2025	5	16	5	11	19	11.8	0.1	0.9	26.92	91.9	6.1899	55.1076
2025	5	16	5	21	19	11.8	0.1	0.9	26.53	92.8	6.196	54.344
2025	5	16	5	31	19	11.8	0.1	0.9	26.23	92.8	6.196	53.7288
2025	5	16	5	41	19	11.8	0.1	0.9	25.81	91.3	6.196	52.9085
2025	5	16	5	51	19	11.8	0.1	0.9	25.12	92.1	6.196	51.4731
2025	5	16	6	1	19	11.8	0.1	0.9	25.72	92.5	6.196	52.7035
2025	5	16	6	11	19	11.8	0.1	0.9	26.6	90.6	6.196	54.5492
2025	5	16	6	21	19	11.8	0.1	0.9	27.12	92.3	6.196	55.5746
2025	5	16	6	31	19	11.8	0.1	0.9	26.35	93.5	6.196	53.9341
2025	5	16	6	41	19	11.8	0.1	0.9	26.65	93.7	6.196	54.5493
2025	5	16	6	51	19	11.8	0.1	0.9	26.93	92.8	6.196	55.1645
2025	5	16	7	1	19	11.8	0.1	0.9	26.52	92.4	6.196	54.3443
2025	5	16	7	11	19	12	0.1	0.9	27.15	93.4	6.196	55.5747
2025	5	16	7	21	19	12.4	0.1	0.9	25.81	91.8	6.196	52.9088
2025	5	16	7	31	19	12.4	0.1	0.9	25.51	91.8	6.196	52.2936
2025	5	16	7	41	19	12.4	0.1	0.9	26.24	93.1	6.196	53.7291
2025	5	16	7	51	19	12.6	0.1	0.9	26.52	91.9	6.196	54.3443

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	16	8	1	19	12.6	0.1	0.9	26.43	92.6	6.2021	54.1948
2025	5	16	8	11	19	12.6	0.1	0.9	26.23	92.6	6.196	53.7291
2025	5	16	8	21	19	12.8	0.1	0.9	26.24	93.1	6.2021	53.7842
2025	5	16	8	48	10	12.8	0.1	0.9	26.68	94.3	6.2021	54.6053
2025	5	16	8	58	10	12.8	0.1	0.9	27.02	92.3	6.2021	55.4264
2025	5	16	9	8	10	13.2	0.1	0.9	25.7	90.9	6.2021	52.7577
2025	5	16	9	18	10	13	0.1	0.9	27.46	93.8	6.2021	56.2474
2025	5	16	9	28	10	13.2	0.1	0.9	27.17	94.2	6.2021	55.6316
2025	5	16	9	38	10	13.2	0.1	0.9	25.52	92	6.2021	52.347
2025	5	16	9	48	10	13.2	0.1	0.9	27.02	92.3	6.2021	55.4262
2025	5	16	9	58	10	13.2	0.1	0.9	26.35	93.7	6.2021	53.9891
2025	5	16	10	8	10	13.2	0.1	0.9	26.65	93.7	6.2021	54.6049
2025	5	16	10	18	10	13.2	0.1	0.9	25.6	90	6.2021	52.552
2025	5	16	10	28	10	13.2	0.1	0.9	26.21	91.3	6.2021	53.7836
2025	5	16	10	38	10	13.2	0.1	0.9	25.51	91.8	6.2021	52.3466
2025	5	16	10	48	10	13.2	0.1	0.9	27.1	90.4	6.2021	55.631
2025	5	16	10	58	10	13	0.1	0.9	25.82	92	6.2021	52.9623
2025	5	16	11	8	10	13	0.1	0.9	26.32	92	6.2021	53.9886
2025	5	16	11	18	10	13	0.1	0.9	26.11	91.3	6.196	53.523
2025	5	16	11	28	10	13	0.1	0.9	27.8	90.8	6.1899	56.9506
2025	5	16	11	38	10	13	0.1	0.9	26	90.4	6.1838	53.2083
2025	5	16	11	48	10	13	0.1	0.9	25.51	91.6	6.1838	52.1849
2025	5	16	11	58	10	13	0.1	0.9	26.4	91.1	6.1838	54.0267
2025	5	16	12	8	10	13	0.1	0.9	25.7	90.9	6.1838	52.5941
2025	5	16	12	18	10	13	0.1	0.9	26.08	94.4	6.1838	53.2079
2025	5	16	12	28	10	13	0.1	0.9	25.7	90.4	6.1777	52.5397
2025	5	16	12	38	10	13.2	0.1	0.9	26.31	91.3	6.1838	53.8216
2025	5	16	12	48	10	13.2	0.1	0.9	26.43	92.6	6.1838	54.0262
2025	5	16	12	58	10	13.2	0.1	0.9	26.5	90.9	6.1777	54.1749
2025	5	16	13	8	10	13.2	0.1	0.9	26.15	93.5	6.1777	53.3571
2025	5	16	13	18	10	13	0.1	0.9	25.41	91.6	6.1777	51.926
2025	5	16	13	28	10	13	0.1	0.9	26.8	91.1	6.1838	54.8444
2025	5	16	13	38	10	13	0.1	0.9	26.65	93.7	6.1838	54.435
2025	5	16	13	48	10	13	0.1	0.9	26.77	94.1	6.1777	54.5834
2025	5	16	13	58	10	13	0.1	0.9	26.12	92	6.1899	53.4666
2025	5	16	14	8	10	13	0.1	0.9	27.01	91.3	6.1838	55.2533
2025	5	16	14	18	10	13	0.1	0.9	27.06	93.8	6.1838	55.2532
2025	5	16	14	28	10	13	0.1	0.9	26.3	95	6.1838	53.616
2025	5	16	14	38	10	13	0.1	0.9	27.02	92.3	6.1838	55.2531
2025	5	16	14	48	10	13	0.1	0.9	25.7	90.2	6.1838	52.5927
2025	5	16	14	58	10	13	0.1	0.9	26.55	93.5	6.1838	54.2298
2025	5	16	15	8	10	13	0.1	0.9	27.51	91.9	6.1838	56.2761
2025	5	16	15	18	10	13	0.1	0.9	26.41	91.7	6.1838	54.025
2025	5	16	15	28	10	13	0.1	0.9	26.21	91.3	6.1838	53.6157
2025	5	16	15	38	10	13	0.1	0.9	26.5	90.6	6.1777	54.1737
2025	5	16	15	48	10	13	0.1	0.9	26.26	93.7	6.1838	53.6156
2025	5	16	15	58	10	13	0.1	0.9	26.97	94	6.1838	55.048
2025	5	16	16	8	10	13	0.1	0.9	26.12	92.2	6.1838	53.4108

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	16	16	18	10	13	0.1	0.9	26.21	91.7	6.1838	53.6154
2025	5	16	16	28	10	13	0.1	0.9	26.91	91.3	6.1777	54.9912
2025	5	16	16	38	10	13	0.1	0.9	25.5	91.1	6.1838	52.1829
2025	5	16	16	48	10	13	0.1	0.9	27.24	93.2	6.1838	55.6617
2025	5	16	16	58	10	13	0.1	0.9	25.82	92.2	6.1838	52.7967
2025	5	16	17	8	10	13	0.1	0.9	26.23	92.6	6.1838	53.6153
2025	5	16	17	18	10	13	0.1	0.9	26.2	90.4	6.1838	53.6152
2025	5	16	17	28	10	13	0.1	0.9	26.73	92.6	6.1777	54.5822
2025	5	16	17	38	10	13	0.1	0.9	26.92	92.3	6.1777	54.991
2025	5	16	17	48	10	13	0.1	0.9	27.3	90	6.1777	55.8087
2025	5	16	17	58	10	12.4	0.1	0.9	26.11	91.3	6.1777	53.3556
2025	5	16	18	8	10	12.4	0.1	0.9	27.14	93	6.1777	55.3999
2025	5	16	18	18	10	12.2	0.1	0.9	26.42	92.2	6.1777	53.9689
2025	5	16	18	28	10	12.2	0.1	0.9	26.42	92.2	6.1777	53.9689
2025	5	16	18	38	10	12.2	0.1	0.9	25.95	93.5	6.1777	52.9468
2025	5	16	18	48	10	12.2	0.1	0.9	26.34	93	6.1777	53.7645
2025	5	16	18	58	10	12.2	0.1	0.9	26.84	93	6.1716	54.7302
2025	5	16	19	8	10	12	0.1	0.9	27.4	90.2	6.1777	56.0132
2025	5	16	19	18	10	12	0.1	0.9	26.13	92.9	6.1777	53.3557
2025	5	16	19	28	10	12	0.1	0.9	25.8	90	6.1777	52.7424
2025	5	16	19	38	10	12	0.1	0.9	25.7	91.1	6.1777	52.538
2025	5	16	19	48	10	12	0.1	0.9	25.31	91.6	6.1777	51.7204
2025	5	16	19	58	10	12	0.1	0.9	26.42	92.4	6.1777	53.9691
2025	5	16	20	8	10	12	0.1	0.9	26.12	92.2	6.1777	53.3558
2025	5	16	20	18	10	12	0.1	0.9	25.11	91.8	6.1777	51.3116
2025	5	16	20	28	10	12	0.1	0.9	25.94	93.1	6.1777	52.947
2025	5	16	20	38	10	12	0.1	0.9	26.12	92.4	6.1777	53.3559
2025	5	16	20	48	10	12	0.1	0.9	27.34	92.9	6.1777	55.8091
2025	5	16	20	58	10	12	0.1	0.9	26.22	92.2	6.1838	53.6156
2025	5	16	21	8	10	12	0.1	0.9	26.12	92.2	6.1777	53.3561
2025	5	16	21	18	10	12	0.1	0.9	26.61	91.5	6.1838	54.4343
2025	5	16	21	28	10	12	0.1	0.9	26.62	92.2	6.1777	54.3783
2025	5	16	21	38	10	12	0.1	0.9	25.5	90.9	6.1777	52.1296
2025	5	16	21	48	10	12	0.1	0.9	26.1	91.1	6.1777	53.3563
2025	5	16	21	58	10	12	0.1	0.9	26.62	92.2	6.1777	54.3785
2025	5	16	22	8	10	12	0.1	0.9	25.66	93.8	6.1777	52.3342
2025	5	16	22	18	10	12	0.1	0.9	25.41	91.6	6.1777	51.9254
2025	5	16	22	28	10	12	0.1	0.9	26.73	92.8	6.1777	54.583
2025	5	16	22	38	10	12	0.1	0.9	25.11	91.6	6.1777	51.3122
2025	5	16	22	48	10	12	0.1	0.9	26.62	92.2	6.1777	54.3787
2025	5	16	22	58	10	12	0.1	0.9	25.89	94.9	6.1777	52.7433
2025	5	16	23	8	10	12	0.1	0.9	26.53	92.8	6.1777	54.1743
2025	5	16	23	18	10	12	0.1	0.9	25.64	93.4	6.1777	52.3345
2025	5	16	23	28	10	12	0.1	0.9	25.64	93.4	6.1777	52.3345
2025	5	16	23	38	10	12	0.1	0.9	26.73	92.6	6.1777	54.5833
2025	5	16	23	48	10	12	0.1	0.9	25.72	92.5	6.1777	52.5391
2025	5	16	23	58	10	12	0.1	0.9	26.73	92.6	6.1777	54.5834
2025	5	17	0	8	10	12	0.1	0.9	25.42	92.3	6.1777	51.9258

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	17	0	18	10	12	0.1	0.9	26.2	90	6.1777	53.5614
2025	5	17	0	28	10	12	0.1	0.9	27.1	90.2	6.1716	55.3442
2025	5	17	0	38	10	12	0.1	0.9	26.97	94	6.1716	54.9358
2025	5	17	0	48	10	12	0.1	0.9	26.22	92	6.1716	53.5063
2025	5	17	0	58	10	12	0.1	0.9	26.31	91.3	6.1716	53.7106
2025	5	17	1	8	10	12	0.1	0.9	26	90	6.1716	53.098
2025	5	17	1	18	10	12	0.1	0.9	25.81	91.8	6.1716	52.6896
2025	5	17	1	28	10	12	0.1	0.9	26.14	93.1	6.1716	53.3023
2025	5	17	1	38	10	12	0.1	0.9	25.81	91.8	6.1716	52.6896
2025	5	17	1	48	10	12	0.1	0.9	26.54	93	6.1716	54.1192
2025	5	17	1	58	10	12	0.1	0.9	25.6	90.2	6.1716	52.2813
2025	5	17	2	8	10	12	0.1	0.9	25.31	91.8	6.1716	51.6686
2025	5	17	2	18	10	12	0.1	0.9	25.85	93.5	6.1716	52.6898
2025	5	17	2	28	10	12	0.1	0.9	26.11	91.8	6.1716	53.3025
2025	5	17	2	38	10	11.8	0.1	0.9	27	90.4	6.1716	55.1405
2025	5	17	2	48	10	11.8	0.1	0.9	26.1	90.9	6.1716	53.3026
2025	5	17	2	58	10	11.8	0.1	0.9	26.52	92.2	6.1716	54.1195
2025	5	17	3	8	10	11.8	0.1	0.9	26.8	90.6	6.1716	54.7322
2025	5	17	3	18	10	11.8	0.1	0.9	25.5	91.1	6.1716	52.0773
2025	5	17	3	28	10	11.8	0.1	0.9	26.01	91.5	6.1716	53.0985
2025	5	17	3	38	10	11.8	0.1	0.9	26.9	91.1	6.1716	54.9365
2025	5	17	3	48	10	11.8	0.1	0.9	26.39	94.8	6.1716	53.7112
2025	5	17	3	58	10	11.8	0.1	0.9	26.12	92	6.1716	53.3028
2025	5	17	4	8	10	11.8	0.1	0.9	26.24	93.1	6.1716	53.507
2025	5	17	4	18	10	11.8	0.1	0.9	26.7	90.9	6.1716	54.5282
2025	5	17	4	28	10	11.8	0.1	0.9	25.71	91.8	6.1716	52.486
2025	5	17	4	38	10	11.8	0.1	0.9	24.1	90	6.1716	49.2184
2025	5	17	4	48	10	11.8	0.1	0.9	26.39	94.8	6.1716	53.7114
2025	5	17	4	58	10	11.8	0.1	0.9	25.62	92.5	6.1716	52.2818
2025	5	17	5	8	10	11.8	0.1	0.9	25.94	93.1	6.1716	52.8945
2025	5	17	5	18	10	11.8	0.1	0.9	25.34	93.2	6.1716	51.6692
2025	5	17	5	28	10	11.8	0.1	0.9	25.64	93.4	6.1777	52.3358
2025	5	17	5	38	10	11.8	0.1	0.9	26.51	91.5	6.1777	54.1758
2025	5	17	5	48	10	11.8	0.1	0.9	26.66	93.9	6.1777	54.3802
2025	5	17	5	58	10	11.8	0.1	0.9	26.64	93	6.1777	54.3803
2025	5	17	6	8	10	11.8	0.1	0.9	26.01	91.5	6.1777	53.1537
2025	5	17	6	18	10	11.8	0.1	0.9	26.14	93.3	6.1777	53.3581
2025	5	17	6	28	10	11.8	0.1	0.9	27.03	92.8	6.1838	55.2549
2025	5	17	6	38	10	11.8	0.1	0.9	26.7	90.2	6.1838	54.641
2025	5	17	6	48	10	11.8	0.1	0.9	26.71	91.7	6.1838	54.641
2025	5	17	6	58	10	11.8	0.1	0.9	27.9	90.8	6.1899	57.1556
2025	5	17	7	8	10	11.8	0.1	0.9	25.5	90.9	6.196	52.2927
2025	5	17	7	18	10	12	0.1	0.9	26.62	91.9	6.196	54.5485
2025	5	17	7	28	10	12	0.1	0.9	26.63	92.6	6.196	54.5485
2025	5	17	7	38	10	11.8	0.1	0.9	25.97	94.2	6.196	53.113
2025	5	17	7	48	10	12	0.1	0.9	27.3	91	6.196	55.984
2025	5	17	7	58	10	12	0.1	0.9	26.66	93.9	6.2021	54.6045
2025	5	17	8	8	10	12	0.1	0.9	26.6	95	6.196	54.3434

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	17	8	18	10	12	0.1	0.9	25.8	91.1	6.2021	52.9622
2025	5	17	8	28	10	12	0.1	0.9	26.83	92.6	6.2021	55.0151
2025	5	17	8	38	10	12	0.1	0.9	26.02	92	6.2021	53.3728
2025	5	17	8	48	10	12.2	0.1	0.9	27.47	94.2	6.2021	56.2467
2025	5	17	8	58	10	12.2	0.1	0.9	26.82	91.9	6.2021	55.015
2025	5	17	9	8	10	12.4	0.1	0.9	26.03	92.9	6.2021	53.3728
2025	5	17	9	18	10	13	0.1	0.9	26.18	94.4	6.2021	53.578
2025	5	17	9	28	10	12.8	0.1	0.9	25.5	91.1	6.2021	52.3463
2025	5	17	9	38	10	12.8	0.1	0.9	26.41	91.7	6.2021	54.1938
2025	5	17	9	48	10	12.8	0.1	0.9	26.12	92	6.2021	53.578
2025	5	17	9	58	10	13	0.1	0.9	26.65	93.4	6.196	54.5483
2025	5	17	10	8	10	12.8	0.1	0.9	27.5	91	6.1899	56.336
2025	5	17	10	18	10	12.8	0.1	0.9	26.41	91.3	6.1899	54.0825
2025	5	17	10	28	10	13	0.1	0.9	26.3	91.1	6.1899	53.8776
2025	5	17	10	38	10	13.2	0.1	0.9	25.65	93.6	6.1899	52.4435
2025	5	17	10	48	10	13.2	0.1	0.9	26.61	91.3	6.1838	54.436
2025	5	17	10	58	10	13.4	0.1	0.9	26.75	93.4	6.1838	54.6406
2025	5	17	11	8	10	13.4	0.1	0.9	26.8	91.1	6.1838	54.8452
2025	5	17	11	18	10	12.8	0.1	0.9	27	91.1	6.1838	55.2544
2025	5	17	11	28	10	13	0.1	0.9	25.91	91.3	6.1899	53.0578
2025	5	17	11	38	10	13.4	0.1	0.9	27.75	93.3	6.1899	56.7452
2025	5	17	11	48	10	13.4	0.1	0.9	26.73	92.6	6.1899	54.6965
2025	5	17	11	58	10	13.4	0.1	0.9	25.93	92.7	6.1838	53.0031
2025	5	17	12	8	10	13.2	0.1	0.9	26.07	94.2	6.1899	53.2624
2025	5	17	12	18	10	13.6	0.1	0.9	26.54	93	6.1838	54.2308
2025	5	17	12	28	10	13.4	0.1	0.9	25.3	90.7	6.1899	51.8283
2025	5	17	12	38	10	13.6	0.1	0.9	26	90.4	6.1838	53.2075
2025	5	17	12	48	10	13.6	0.1	0.9	25.22	92.3	6.1838	51.5703
2025	5	17	12	58	10	13.2	0.1	0.9	27	89.8	6.1899	55.3107
2025	5	17	13	8	10	13	0.1	0.9	26	89.6	6.1838	53.2074
2025	5	17	13	18	10	12.8	0.1	0.9	26.63	92.6	6.1838	54.4352
2025	5	17	13	28	10	13.6	0.1	0.9	26.64	93	6.1838	54.4352
2025	5	17	13	38	10	13.6	0.1	0.9	25.13	93	6.1838	51.3655
2025	5	17	13	48	10	13.6	0.1	0.9	26.85	93.4	6.1838	54.8444
2025	5	17	13	58	10	13.6	0.1	0.9	26.14	93.3	6.1838	53.4118
2025	5	17	14	8	10	13.6	0.1	0.9	26.2	90.4	6.1838	53.6164
2025	5	17	14	18	10	13.6	0.1	0.9	25.32	92	6.1838	51.7746
2025	5	17	14	28	10	13.6	0.1	0.9	27.19	94.6	6.1838	55.4581
2025	5	17	14	38	10	13.6	0.1	0.9	26.21	91.7	6.1838	53.6163
2025	5	17	14	48	10	13.6	0.1	0.9	26.8	90.6	6.1777	54.7877
2025	5	17	14	58	10	13.6	0.1	0.9	25.36	93.8	6.1838	51.7744
2025	5	17	15	8	10	13.6	0.1	0.9	26.22	92.2	6.1838	53.6161
2025	5	17	15	18	10	13.6	0.1	0.9	26.34	93	6.1838	53.8207
2025	5	17	15	28	10	13.6	0.1	0.9	26.42	92.2	6.1838	54.0253
2025	5	17	15	38	10	13.6	0.1	0.9	26.9	91.1	6.1777	54.9918
2025	5	17	15	48	10	13.6	0.1	0.9	26.87	94.1	6.1838	54.8438
2025	5	17	15	58	10	13.6	0.1	0.9	26.07	94.2	6.1838	53.2066
2025	5	17	16	8	10	13.6	0.1	0.9	25	90.5	6.1838	51.1602

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	17	16	18	10	13.6	0.1	0.9	26.51	91.7	6.1838	54.2298
2025	5	17	16	28	10	13.6	0.1	0.9	26.01	91.5	6.1777	53.1518
2025	5	17	16	38	10	13.6	0.1	0.9	26.32	92	6.1838	53.8205
2025	5	17	16	48	10	13.6	0.1	0.9	25.95	93.5	6.1777	52.9474
2025	5	17	16	58	10	13.6	0.1	0.9	26.14	93.3	6.1777	53.3562
2025	5	17	17	8	10	13.6	0.1	0.9	26.06	94	6.1777	53.1518
2025	5	17	17	18	10	13.6	0.1	0.9	26.72	92.4	6.1777	54.5828
2025	5	17	17	28	10	13.6	0.1	0.9	26.8	90	6.1777	54.7873
2025	5	17	17	38	10	13.6	0.1	0.9	26.1	90.4	6.1777	53.3562
2025	5	17	17	48	10	13.6	0.1	0.9	27.15	93.6	6.1716	55.3435
2025	5	17	17	58	10	13.2	0.1	0.9	26.5	90	6.1716	54.1182
2025	5	17	18	8	10	12.6	0.1	0.9	26.9	91.1	6.1777	54.9917
2025	5	17	18	18	10	12.4	0.1	0.9	26.73	92.8	6.1716	54.5267
2025	5	17	18	28	10	12.2	0.1	0.9	25.81	91.6	6.1716	52.6887
2025	5	17	18	38	10	12.2	0.1	0.9	27.3	90.4	6.1777	55.8096
2025	5	17	18	48	10	12.2	0.1	0.9	26.24	93.1	6.1716	53.5057
2025	5	17	18	58	10	12	0.1	0.9	25.9	90.9	6.1716	52.8931
2025	5	17	19	8	10	12	0.1	0.9	24.9	90	6.1777	50.9034
2025	5	17	19	18	10	12	0.1	0.9	25.64	93.4	6.1716	52.2805
2025	5	17	19	28	10	12	0.1	0.9	26.3	89.6	6.1716	53.7101
2025	5	17	19	38	10	12	0.1	0.9	26.35	93.7	6.1716	53.7101
2025	5	17	19	48	10	12	0.1	0.9	27.13	92.7	6.1716	55.344
2025	5	17	19	58	10	12	0.1	0.9	26.11	91.5	6.1716	53.3018
2025	5	17	20	8	10	12	0.1	0.9	26.85	93.4	6.1716	54.7314
2025	5	17	20	18	10	12	0.1	0.9	26.22	92.2	6.1716	53.5061
2025	5	17	20	28	10	12	0.1	0.9	26.72	91.9	6.1716	54.5272
2025	5	17	20	38	10	12	0.1	0.9	26.7	89.1	6.1716	54.5273
2025	5	17	20	48	10	12	0.1	0.9	25.2	91.1	6.1716	51.464
2025	5	17	20	58	10	12	0.1	0.9	26.21	91.7	6.1716	53.5063
2025	5	17	21	8	10	12	0.1	0.9	26.2	90.9	6.1716	53.5063
2025	5	17	21	18	10	12	0.1	0.9	26.32	92.4	6.1655	53.6552
2025	5	17	21	28	10	12	0.1	0.9	26.11	91.8	6.1655	53.2472
2025	5	17	21	38	10	12	0.1	0.9	26.54	93	6.1655	54.0633
2025	5	17	21	48	10	12	0.1	0.9	26.03	92.9	6.1655	53.0433
2025	5	17	21	58	10	12	0.1	0.9	26.52	92.4	6.1655	54.0634
2025	5	17	22	8	10	12	0.1	0.9	26.32	92.4	6.1655	53.6554
2025	5	17	22	18	10	12	0.1	0.9	26.07	94.2	6.1655	53.0434
2025	5	17	22	28	10	12	0.1	0.9	25.8	90.9	6.1655	52.6354
2025	5	17	22	38	10	12	0.1	0.9	25.94	93.1	6.1655	52.8395
2025	5	17	22	48	10	12	0.1	0.9	26.86	93.8	6.1655	54.6757
2025	5	17	22	58	10	12	0.1	0.9	25.94	93.1	6.1594	52.7851
2025	5	17	23	8	10	12	0.1	0.9	26.31	91.5	6.1594	53.6003
2025	5	17	23	18	10	12	0.1	0.9	26.52	91.9	6.1594	54.008
2025	5	17	23	28	10	12	0.1	0.9	26.14	93.1	6.1594	53.1929
2025	5	17	23	38	10	12	0.1	0.9	26.81	91.5	6.1594	54.6195
2025	5	17	23	48	10	12	0.1	0.9	25.7	90.2	6.1594	52.3778
2025	5	17	23	58	10	12	0.1	0.9	26.85	93.6	6.1594	54.6197
2025	5	18	0	8	10	12	0.1	0.9	26.72	91.9	6.1594	54.4159

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	18	0	18	10	12	0.1	0.9	25.5	90.9	6.1594	51.9704
2025	5	18	0	28	10	12	0.1	0.9	26.91	91.7	6.1594	54.8237
2025	5	18	0	38	10	12	0.1	0.9	25.71	91.8	6.1594	52.3781
2025	5	18	0	48	10	12	0.1	0.9	26.28	94.6	6.1533	53.342
2025	5	18	0	58	10	12	0.1	0.9	27.21	91.3	6.1533	55.378
2025	5	18	1	8	10	12	0.1	0.9	27.53	92.7	6.1533	55.9889
2025	5	18	1	18	10	12	0.1	0.9	26.81	91.5	6.1533	54.5638
2025	5	18	1	28	10	12	0.1	0.9	25.9	90	6.1533	52.7315
2025	5	18	1	38	10	12	0.1	0.9	26.36	93.9	6.1533	53.5459
2025	5	18	1	48	10	12	0.1	0.9	26.83	92.6	6.1533	54.5639
2025	5	18	1	58	10	12	0.1	0.9	26.2	91.1	6.1533	53.3424
2025	5	18	2	8	10	11.8	0.1	0.9	25.5	90.2	6.1533	51.9172
2025	5	18	2	18	10	12	0.1	0.9	24.91	91.6	6.1533	50.6957
2025	5	18	2	28	10	12	0.1	0.9	26.62	92.2	6.1533	54.1569
2025	5	18	2	38	10	12	0.1	0.9	25.81	91.3	6.1533	52.5281
2025	5	18	2	48	10	12	0.1	0.9	25.8	89.3	6.1533	52.5282
2025	5	18	2	58	10	11.8	0.1	0.9	24.91	91.6	6.1533	50.6958
2025	5	18	3	8	10	11.8	0.1	0.9	25.91	91.5	6.1533	52.7318
2025	5	18	3	18	10	11.8	0.1	0.9	25.73	92.9	6.1533	52.3247
2025	5	18	3	28	10	11.8	0.1	0.9	25.82	92	6.1533	52.5283
2025	5	18	3	38	10	11.8	0.1	0.9	26.6	90.4	6.1533	54.1571
2025	5	18	3	48	10	11.8	0.1	0.9	26.24	93.3	6.1533	53.3427
2025	5	18	3	58	10	11.8	0.1	0.9	25.79	94.9	6.1472	52.2707
2025	5	18	4	8	10	11.8	0.1	0.9	26.14	93.3	6.1472	53.0842
2025	5	18	4	18	10	11.8	0.1	0.9	27.12	95.3	6.1411	54.8579
2025	5	18	4	28	10	11.8	0.1	0.9	25.66	93.8	6.1411	52.0135
2025	5	18	4	38	10	11.8	0.1	0.9	25.73	92.7	6.1411	52.2167
2025	5	18	4	48	10	11.8	0.1	0.9	25.01	91.8	6.135	50.7418
2025	5	18	4	58	10	11.8	0.1	0.9	26.93	92.8	6.135	54.5982
2025	5	18	5	8	10	11.8	0.1	0.9	26.92	91.9	6.135	54.5983
2025	5	18	5	18	10	11.8	0.1	0.9	25.13	92.7	6.135	50.9449
2025	5	18	5	28	10	11.8	0.1	0.9	27.24	93.2	6.135	55.2072
2025	5	18	5	38	10	11.8	0.1	0.9	25.51	91.6	6.135	51.7568
2025	5	18	5	48	10	11.8	0.1	0.9	24.9	90.5	6.135	50.539
2025	5	18	5	58	10	11.8	0.1	0.9	26.86	93.8	6.1289	54.339
2025	5	18	6	8	10	11.8	0.1	0.9	25.01	91.6	6.135	50.742
2025	5	18	6	18	10	11.8	0.1	0.9	26.85	93.4	6.1289	54.3391
2025	5	18	6	28	10	11.8	0.1	0.9	25.22	92	6.1289	51.095
2025	5	18	6	38	10	11.8	0.1	0.9	26.43	92.8	6.1289	53.5281
2025	5	18	6	48	10	12	0.1	0.9	26.87	94.3	6.1289	54.3392
2025	5	18	6	58	10	12	0.1	0.9	26.52	92.2	6.1289	53.7309
2025	5	18	7	8	10	12.2	0.1	0.9	25.43	92.9	6.135	51.5541
2025	5	18	7	18	10	12.4	0.1	0.9	27.73	92.5	6.1289	56.1641
2025	5	18	7	28	10	12.6	0.1	0.9	25.73	92.9	6.1289	52.1089
2025	5	18	7	38	10	12.6	0.1	0.9	25.96	93.8	6.1289	52.5145
2025	5	18	7	48	10	12.8	0.1	0.9	26.01	91.5	6.1289	52.7172
2025	5	18	7	58	10	12.8	0.1	0.9	26.52	91.9	6.135	53.7868
2025	5	18	8	8	10	12.8	0.1	0.9	27.2	90.8	6.1289	55.1504

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	18	8	18	10	13	0.1	0.9	24.61	91.2	6.1289	49.8786
2025	5	18	8	28	10	13	0.1	0.9	26.56	93.9	6.135	53.7868
2025	5	18	8	38	10	13	0.1	0.9	25.82	92	6.135	52.366
2025	5	18	8	48	10	13.2	0.1	0.9	25.42	92.3	6.1289	51.5007
2025	5	18	8	58	10	13.2	0.1	0.9	26.33	92.6	6.135	53.3809
2025	5	18	9	8	10	13.2	0.1	0.9	26.38	94.3	6.1289	53.3255
2025	5	18	9	18	10	13.4	0.1	0.9	26.58	94.3	6.135	53.7867
2025	5	18	9	28	10	13.6	0.1	0.9	25.3	90.9	6.135	51.3511
2025	5	18	9	38	10	13.6	0.1	0.9	26.32	92.4	6.1289	53.3254
2025	5	18	9	48	10	13.6	0.1	0.9	25.5	90.9	6.135	51.757
2025	5	18	9	58	10	13.6	0.1	0.9	26.3	91.1	6.1289	53.3253
2025	5	18	10	8	10	13.6	0.1	0.9	26.63	92.8	6.1289	53.9335
2025	5	18	10	18	10	13.6	0.1	0.9	26.29	94.8	6.135	53.1776
2025	5	18	10	28	10	13.6	0.1	0.9	26.06	94	6.1289	52.7169
2025	5	18	10	38	10	13.6	0.1	0.9	26.4	90.9	6.135	53.5834
2025	5	18	10	48	10	13.6	0.1	0.9	25.63	95.8	6.135	51.7567
2025	5	18	10	58	10	13.6	0.1	0.9	26.68	94.3	6.135	53.9892
2025	5	18	11	8	10	13.6	0.1	0.9	26.75	93.6	6.135	54.1921
2025	5	18	11	18	10	13.6	0.1	0.9	26.82	91.9	6.135	54.395
2025	5	18	11	28	10	13.6	0.1	0.9	25.61	91.6	6.135	51.9594
2025	5	18	11	38	10	13.6	0.1	0.9	26.22	92.2	6.135	53.1771
2025	5	18	11	48	10	13.6	0.1	0.9	26.3	90.7	6.135	53.38
2025	5	18	11	58	10	13.6	0.1	0.9	26.3	90.9	6.135	53.3799
2025	5	18	12	8	10	13.6	0.1	0.9	25.96	94	6.135	52.5679
2025	5	18	12	18	10	13.6	0.1	0.9	26.42	92	6.1411	53.6383
2025	5	18	12	28	10	13.6	0.1	0.9	26.13	92.6	6.135	52.9737
2025	5	18	12	38	10	13.6	0.1	0.9	25.88	94.4	6.135	52.3647
2025	5	18	12	48	10	13.6	0.1	0.9	25.46	94.1	6.135	51.5528
2025	5	18	12	58	10	13.6	0.1	0.9	26.42	92	6.135	53.5823
2025	5	18	13	8	10	13.6	0.1	0.9	25.5	91.1	6.1411	51.8093
2025	5	18	13	18	10	13.6	0.1	0.9	25.8	90.4	6.1411	52.4187
2025	5	18	13	28	10	13.6	0.1	0.9	25.92	92	6.1411	52.6218
2025	5	18	13	38	10	13.6	0.1	0.9	26.08	94.4	6.1411	52.8249
2025	5	18	13	48	10	13.6	0.1	0.9	25.62	92.5	6.1411	52.0121
2025	5	18	13	58	10	13.6	0.1	0.9	26.02	92.2	6.1411	52.8247
2025	5	18	14	8	10	13.6	0.1	0.9	25.44	93.2	6.1411	51.6056
2025	5	18	14	18	10	13.4	0.1	0.9	25.94	93.1	6.1411	52.6214
2025	5	18	14	28	10	13.4	0.1	0.9	26.62	91.9	6.1411	54.0436
2025	5	18	14	38	10	13.4	0.1	0.9	26	89.6	6.1411	52.8245
2025	5	18	14	48	10	13.4	0.1	0.9	26.47	94.1	6.1411	53.6371
2025	5	18	14	58	10	13.4	0.1	0.9	26.62	91.9	6.1472	54.0994
2025	5	18	15	8	10	13.4	0.1	0.9	26.65	93.4	6.1411	54.0433
2025	5	18	15	18	10	13.4	0.1	0.9	27	90.8	6.1411	54.8559
2025	5	18	15	28	10	13.4	0.1	0.9	26.22	92.2	6.1472	53.2857
2025	5	18	15	38	10	13.4	0.1	0.9	26.42	92	6.1411	53.6368
2025	5	18	15	48	10	13.4	0.1	0.9	26.2	91.1	6.1472	53.2855
2025	5	18	15	58	10	13.4	0.1	0.9	26.62	91.9	6.1472	54.099
2025	5	18	16	8	10	13.4	0.1	0.9	26.94	93.2	6.1472	54.7091

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	18	16	18	10	13.4	0.1	0.9	26.72	92.4	6.1533	54.3585
2025	5	18	16	28	10	13.4	0.1	0.9	26.14	93.1	6.1533	53.1369
2025	5	18	16	38	10	13.4	0.1	0.9	27.41	91.5	6.1411	55.6682
2025	5	18	16	48	10	13.4	0.1	0.9	26.31	91.3	6.1533	53.5441
2025	5	18	16	58	10	13.4	0.1	0.9	26.13	92.6	6.1533	53.1368
2025	5	18	17	8	10	13.4	0.1	0.9	26.42	92	6.1533	53.7476
2025	5	18	17	18	10	13.4	0.1	0.9	26.81	91.7	6.1533	54.5619
2025	5	18	17	28	10	13.4	0.1	0.9	26.01	91.3	6.1533	52.9332
2025	5	18	17	38	10	13.4	0.1	0.9	26.5	89.1	6.1533	53.9511
2025	5	18	17	48	10	13.4	0.1	0.9	27	91.1	6.1533	54.9691
2025	5	18	17	58	10	13	0.1	0.9	26.9	91.1	6.1533	54.7655
2025	5	18	18	8	10	12.6	0.1	0.9	26.12	92	6.1533	53.1368
2025	5	18	18	18	10	12.4	0.1	0.9	26.73	92.8	6.1594	54.4145
2025	5	18	18	28	10	12.2	0.1	0.9	26.8	90.4	6.1533	54.562
2025	5	18	18	38	10	12.2	0.1	0.9	26.4	90.9	6.1533	53.7476
2025	5	18	18	48	10	12.2	0.1	0.9	27.03	92.8	6.1594	55.026
2025	5	18	18	58	10	12.2	0.1	0.9	26.74	93.2	6.1533	54.3584
2025	5	18	19	8	10	12	0.1	0.9	26.5	90.2	6.1533	53.9513
2025	5	18	19	18	10	12	0.1	0.9	26.75	93.6	6.1594	54.4147
2025	5	18	19	28	10	12	0.1	0.9	26	90.7	6.1533	52.9334
2025	5	18	19	38	10	12	0.1	0.9	28.5	90.8	6.1533	58.0233
2025	5	18	19	48	10	12	0.1	0.9	26.02	92	6.1533	52.9335
2025	5	18	19	58	10	12	0.1	0.9	25.94	93.3	6.1533	52.73
2025	5	18	20	8	10	12	0.1	0.9	26.34	93	6.1533	53.5444
2025	5	18	20	18	10	12	0.1	0.9	27.03	92.8	6.1533	54.9696
2025	5	18	20	28	10	12	0.1	0.9	26.74	93.2	6.1594	54.4151
2025	5	18	20	38	10	12	0.1	0.9	26.91	91.5	6.1594	54.8227
2025	5	18	20	48	10	12	0.1	0.9	27.04	93.2	6.1533	54.9697
2025	5	18	20	58	10	12	0.1	0.9	25.31	88.6	6.1594	51.562
2025	5	18	21	8	10	12	0.1	0.9	25.3	90.9	6.1594	51.562
2025	5	18	21	18	10	12	0.1	0.9	26.62	91.9	6.1594	54.2115
2025	5	18	21	28	10	12	0.1	0.9	27.35	93.4	6.1594	55.6382
2025	5	18	21	38	10	12	0.1	0.9	25.3	90.9	6.1594	51.5622
2025	5	18	21	48	10	12	0.1	0.9	26.87	94.1	6.1594	54.6193
2025	5	18	21	58	10	12	0.1	0.9	25.83	92.9	6.1594	52.5813
2025	5	18	22	8	10	12	0.1	0.9	27.27	94	6.1533	55.3773
2025	5	18	22	18	10	12	0.1	0.9	26.82	92.1	6.1533	54.563
2025	5	18	22	28	10	12	0.1	0.9	25.91	91.8	6.1533	52.7307
2025	5	18	22	38	10	12	0.1	0.9	25.54	93.4	6.1533	51.9164
2025	5	18	22	48	10	12	0.1	0.9	26.2	90.9	6.1533	53.3416
2025	5	18	22	58	10	12	0.1	0.9	25.71	91.8	6.1533	52.3237
2025	5	18	23	8	10	12	0.1	0.9	25.53	92.7	6.1533	51.9165
2025	5	18	23	18	10	12	0.1	0.9	26.6	90.4	6.1533	54.1561
2025	5	18	23	28	10	12	0.1	0.9	26.82	92.1	6.1533	54.5634
2025	5	18	23	38	10	12	0.1	0.9	26.62	91.9	6.1533	54.1562
2025	5	18	23	48	10	12	0.1	0.9	27.02	92.3	6.1533	54.9707
2025	5	18	23	58	10	12	0.1	0.9	27.12	92.1	6.1533	55.1743
2025	5	19	0	8	10	12	0.1	0.9	25.9	89.8	6.1472	52.6767

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	19	0	18	10	12	0.1	0.9	27.33	92.5	6.1472	55.5241
2025	5	19	0	28	10	12	0.1	0.9	26.92	92.3	6.1472	54.7107
2025	5	19	0	38	10	12	0.1	0.9	26.6	90.9	6.1472	54.1005
2025	5	19	0	48	10	12	0.1	0.9	25.8	90	6.1472	52.4735
2025	5	19	0	58	10	12	0.1	0.9	26.72	92.4	6.1472	54.304
2025	5	19	1	8	10	12	0.1	0.9	26.9	94.9	6.1472	54.5075
2025	5	19	1	18	10	12	0.1	0.9	26.64	93	6.1472	54.1008
2025	5	19	1	28	10	12	0.1	0.9	25.72	92.5	6.1472	52.2703
2025	5	19	1	38	10	12	0.1	0.9	26.23	92.8	6.1472	53.2873
2025	5	19	1	48	10	12	0.1	0.9	26.22	92.4	6.1472	53.2873
2025	5	19	1	58	10	12	0.1	0.9	25.71	91.3	6.1472	52.2705
2025	5	19	2	8	10	12	0.1	0.9	25	90.7	6.1472	50.8468
2025	5	19	2	18	10	12	0.1	0.9	25.63	92.7	6.1411	52.0133
2025	5	19	2	28	10	12	0.1	0.9	26.41	91.5	6.1411	53.6387
2025	5	19	2	38	10	12	0.1	0.9	26.5	90.2	6.1411	53.8419
2025	5	19	2	48	10	12	0.1	0.9	26.16	93.7	6.1472	53.0842
2025	5	19	2	58	10	12	0.1	0.9	26.24	93.3	6.1472	53.2877
2025	5	19	3	8	10	11.8	0.1	0.9	26.32	92.4	6.1411	53.4357
2025	5	19	3	18	10	11.8	0.1	0.9	26.93	92.6	6.1411	54.6548
2025	5	19	3	28	10	11.8	0.1	0.9	25.67	94.2	6.1411	52.0135
2025	5	19	3	38	10	11.8	0.1	0.9	25.63	92.7	6.1411	52.0136
2025	5	19	3	48	10	11.8	0.1	0.9	25.76	93.8	6.1411	52.2168
2025	5	19	3	58	10	11.8	0.1	0.9	26.05	93.5	6.1411	52.8263
2025	5	19	4	8	10	11.8	0.1	0.9	24.72	92.3	6.1411	50.1851
2025	5	19	4	18	10	11.8	0.1	0.9	26.32	92.4	6.1411	53.436
2025	5	19	4	28	10	11.8	0.1	0.9	25.72	92.2	6.1411	52.2169
2025	5	19	4	38	10	11.8	0.1	0.9	26.02	92	6.1411	52.8265
2025	5	19	4	48	10	11.8	0.1	0.9	25.44	93.4	6.1411	51.6074
2025	5	19	4	58	10	11.8	0.1	0.9	25.7	90.9	6.1411	52.217
2025	5	19	5	8	10	11.8	0.1	0.9	26.53	92.6	6.1411	53.8424
2025	5	19	5	18	10	11.8	0.1	0.9	27.04	93.2	6.1411	54.8584
2025	5	19	5	28	10	11.8	0.1	0.9	25.62	92.5	6.1411	52.0139
2025	5	19	5	38	10	11.8	0.1	0.9	26.61	91.7	6.1411	54.0457
2025	5	19	5	48	10	11.8	0.1	0.9	27.32	92.1	6.1411	55.468
2025	5	19	5	58	10	11.8	0.1	0.9	26.37	94.1	6.135	53.3809
2025	5	19	6	8	10	11.8	0.1	0.9	25.52	92	6.1411	51.8108
2025	5	19	6	18	10	11.8	0.1	0.9	27.35	93.6	6.1411	55.4681
2025	5	19	6	28	10	11.8	0.1	0.9	26.33	92.6	6.1411	53.4363
2025	5	19	6	38	10	11.8	0.1	0.9	26.35	93.5	6.135	53.381
2025	5	19	6	48	10	12	0.1	0.9	25.53	92.9	6.1411	51.8109
2025	5	19	6	58	10	12	0.1	0.9	26.62	91.9	6.135	53.9899
2025	5	19	7	8	10	12.2	0.1	0.9	26.34	93.3	6.1411	53.4364
2025	5	19	7	18	10	12.4	0.1	0.9	26.53	92.8	6.135	53.7869
2025	5	19	7	28	10	12.4	0.1	0.9	25.76	93.8	6.135	52.1632
2025	5	19	7	38	10	12.6	0.1	0.9	26.64	93	6.135	53.9899
2025	5	19	7	48	10	12.6	0.1	0.9	26.82	92.1	6.135	54.3959
2025	5	19	7	58	10	12.6	0.1	0.9	26.75	93.6	6.1411	54.2491
2025	5	19	8	8	10	12.6	0.1	0.9	24.93	93	6.1411	50.5919

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	19	8	18	10	12.6	0.1	0.9	26.75	93.4	6.1411	54.2491
2025	5	19	8	28	10	12.8	0.1	0.9	26.44	93	6.1411	53.6395
2025	5	19	8	38	10	12.8	0.1	0.9	25.31	91.6	6.1411	51.4045
2025	5	19	8	48	10	12.8	0.1	0.9	26.82	91.9	6.1411	54.4522
2025	5	19	8	58	10	12.8	0.1	0.9	26.17	94.2	6.1411	53.0299
2025	5	19	9	8	10	13	0.1	0.9	26.3	95	6.135	53.1779
2025	5	19	9	18	10	13	0.1	0.9	26.04	93.3	6.1411	52.8267
2025	5	19	9	28	10	13	0.1	0.9	27.02	92.1	6.135	54.8016
2025	5	19	9	38	10	13.2	0.1	0.9	27.74	93.1	6.135	56.2223
2025	5	19	9	48	10	13.2	0.1	0.9	27.12	92.3	6.135	55.0045
2025	5	19	9	58	10	13.2	0.1	0.9	24.96	94.1	6.1411	50.5915
2025	5	19	10	8	10	13.2	0.1	0.9	26.82	95.3	6.1411	54.2487
2025	5	19	10	18	10	13.2	0.1	0.9	26.61	91.7	6.1411	54.0454
2025	5	19	10	28	10	13.2	0.1	0.9	25.64	93.1	6.135	51.9597
2025	5	19	10	38	10	13.2	0.1	0.9	25.7	90.9	6.135	52.1626
2025	5	19	10	48	10	13.2	0.1	0.9	26.66	93.9	6.135	53.9892
2025	5	19	10	58	10	13.2	0.1	0.9	25.91	91.5	6.135	52.5684
2025	5	19	11	8	10	13.2	0.1	0.9	27.05	93.4	6.1411	54.8577
2025	5	19	11	18	10	13.2	0.1	0.9	26.6	91.1	6.1411	54.045
2025	5	19	11	28	10	13.2	0.1	0.9	25.6	90.9	6.1411	52.0131
2025	5	19	11	38	10	13.2	0.1	0.9	26.02	92.4	6.1411	52.8257
2025	5	19	11	48	10	13.2	0.1	0.9	27.51	91.2	6.135	55.8154
2025	5	19	11	58	10	13.2	0.1	0.9	26.64	93	6.1411	54.0446
2025	5	19	12	8	10	13.2	0.1	0.9	25.96	94	6.1411	52.6223
2025	5	19	12	18	10	13.2	0.1	0.9	25.53	92.7	6.1411	51.8095
2025	5	19	12	28	10	13.2	0.1	0.9	25.6	90.4	6.1411	52.0126
2025	5	19	12	38	10	13.2	0.1	0.9	26.8	90.9	6.1411	54.4506
2025	5	19	12	48	10	13.2	0.1	0.9	26.12	92.4	6.1411	53.0283
2025	5	19	12	58	10	13.2	0.1	0.9	26.59	94.7	6.1411	53.8409
2025	5	19	13	8	10	13.2	0.1	0.9	26.7	91.1	6.1411	54.2472
2025	5	19	13	18	10	13.2	0.1	0.9	25.4	90	6.1411	51.6058
2025	5	19	13	28	10	13.2	0.1	0.9	26.22	92	6.1411	53.2311
2025	5	19	13	38	10	13.2	0.1	0.9	25	91.1	6.1411	50.793
2025	5	19	13	48	10	13	0.1	0.9	26.34	93	6.1411	53.4341
2025	5	19	13	58	10	13	0.1	0.9	25.3	90.9	6.1411	51.4023
2025	5	19	14	8	10	13	0.1	0.9	26.62	95.4	6.1411	53.8403
2025	5	19	14	18	10	13	0.1	0.9	27.4	90.2	6.135	55.6111
2025	5	19	14	28	10	13	0.1	0.9	26.95	93.6	6.1411	54.6528
2025	5	19	14	38	10	13	0.1	0.9	25.3	90.9	6.135	51.3488
2025	5	19	14	48	10	13	0.1	0.9	26.73	92.6	6.135	54.1902
2025	5	19	14	58	10	13	0.1	0.9	25.84	93.1	6.135	52.3635
2025	5	19	15	8	10	13	0.1	0.9	26.1	90	6.1289	52.9173
2025	5	19	15	18	10	13	0.1	0.9	26.62	92.2	6.1289	53.931
2025	5	19	15	28	10	13	0.1	0.9	27.2	90.4	6.1289	55.1474
2025	5	19	15	38	10	13	0.1	0.9	26.51	91.3	6.1289	53.7281
2025	5	19	15	48	10	13	0.1	0.9	26.81	91.3	6.1289	54.3363
2025	5	19	15	58	10	13	0.1	0.9	27.34	92.9	6.1289	55.35
2025	5	19	16	8	10	13	0.1	0.9	26.52	92.4	6.1289	53.728

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	19	16	18	10	13	0.1	0.9	25.21	91.8	6.1289	51.0922
2025	5	19	16	28	10	13	0.1	0.9	26.92	92.1	6.1289	54.5389
2025	5	19	16	38	10	13	0.1	0.9	26.71	91.7	6.1289	54.1334
2025	5	19	16	48	10	13	0.1	0.9	25.41	91.6	6.1289	51.4976
2025	5	19	16	58	10	13	0.1	0.9	25.9	90.4	6.1289	52.5113
2025	5	19	17	8	10	13	0.1	0.9	27.01	91.7	6.1289	54.7415
2025	5	19	17	18	10	13	0.1	0.9	26.16	93.7	6.1289	52.9168
2025	5	19	17	28	10	13	0.1	0.9	26.4	91.1	6.1289	53.525
2025	5	19	17	38	10	13	0.1	0.9	26.21	91.7	6.1289	53.1195
2025	5	19	17	48	10	13	0.1	0.9	26.53	92.6	6.1289	53.7277
2025	5	19	17	58	10	12.6	0.1	0.9	26.32	92	6.1289	53.3222
2025	5	19	18	8	10	12.4	0.1	0.9	26.67	94.1	6.1289	53.9304
2025	5	19	18	18	10	12.2	0.1	0.9	25.34	93.4	6.1289	51.2947
2025	5	19	18	28	10	12.2	0.1	0.9	26.43	92.8	6.1289	53.5249
2025	5	19	18	38	10	12.2	0.1	0.9	24.43	93	6.1289	49.47
2025	5	19	18	48	10	12	0.1	0.9	27.43	92.5	6.1289	55.5524
2025	5	19	18	58	10	12	0.1	0.9	26.33	92.6	6.1289	53.3222
2025	5	19	19	8	10	12	0.1	0.9	26.54	93	6.1289	53.7277
2025	5	19	19	18	10	12	0.1	0.9	26.04	93.3	6.1289	52.714
2025	5	19	19	28	10	12	0.1	0.9	25.3	91.1	6.1289	51.2948
2025	5	19	19	38	10	12	0.1	0.9	26.02	92.4	6.1289	52.714
2025	5	19	19	48	10	12	0.1	0.9	26.42	92	6.1289	53.5251
2025	5	19	19	58	10	12	0.1	0.9	25.22	92.5	6.1289	51.0921
2025	5	19	20	8	10	12	0.1	0.9	25.75	93.6	6.1289	52.1059
2025	5	19	20	18	10	12	0.1	0.9	26.84	93	6.1289	54.3361
2025	5	19	20	28	10	12	0.1	0.9	26.41	91.3	6.1289	53.5252
2025	5	19	20	38	10	12	0.1	0.9	25.82	92	6.1228	52.2544
2025	5	19	20	48	10	12	0.1	0.9	25.93	92.7	6.1289	52.5115
2025	5	19	20	58	10	12	0.1	0.9	25.51	91.8	6.1289	51.7006
2025	5	19	21	8	10	12	0.1	0.9	26.4	95	6.1289	53.3226
2025	5	19	21	18	10	12	0.1	0.9	26.74	93	6.1289	54.1336
2025	5	19	21	28	10	12	0.1	0.9	26.63	92.6	6.1289	53.9309
2025	5	19	21	38	10	12	0.1	0.9	27.31	91.3	6.1289	55.3502
2025	5	19	21	48	10	12	0.1	0.9	26.1	90	6.1289	52.9172
2025	5	19	21	58	10	12	0.1	0.9	26.83	92.8	6.1289	54.3365
2025	5	19	22	8	10	12	0.1	0.9	25.41	91.6	6.1289	51.4981
2025	5	19	22	18	10	12	0.1	0.9	25.22	92.3	6.1289	51.0926
2025	5	19	22	28	10	12	0.1	0.9	26.63	92.6	6.1289	53.9311
2025	5	19	22	38	10	12	0.1	0.9	27.01	91.3	6.135	54.799
2025	5	19	22	48	10	12	0.1	0.9	25.72	92.2	6.135	52.1606
2025	5	19	22	58	10	12	0.1	0.9	26.3	90.2	6.1411	53.4338
2025	5	19	23	8	10	12	0.1	0.9	26	90.9	6.1411	52.8243
2025	5	19	23	18	10	12	0.1	0.9	27.43	92.7	6.1411	55.6687
2025	5	19	23	28	10	12	0.1	0.9	26.8	91.1	6.1411	54.4497
2025	5	19	23	38	10	12	0.1	0.9	26.23	92.6	6.1411	53.2307
2025	5	19	23	48	10	12	0.1	0.9	26.15	93.5	6.1472	53.0826
2025	5	19	23	58	10	12	0.1	0.9	26.91	91.7	6.1472	54.7097
2025	5	20	0	8	10	11.8	0.1	0.9	27.11	91.3	6.1472	55.1165

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	20	0	18	10	11.8	0.1	0.9	25.92	92.2	6.1411	52.6214
2025	5	20	0	28	10	11.8	0.1	0.9	26.3	89.8	6.1411	53.4341
2025	5	20	0	38	10	11.8	0.1	0.9	26.3	90.7	6.1411	53.4342
2025	5	20	0	48	10	11.8	0.1	0.9	26.1	90.7	6.1411	53.0279
2025	5	20	0	58	10	11.8	0.1	0.9	26.52	91.9	6.1411	53.8406
2025	5	20	1	8	10	11.8	0.1	0.9	25.54	93.1	6.1411	51.8089
2025	5	20	1	18	10	11.8	0.1	0.9	25.8	90	6.1411	52.4185
2025	5	20	1	28	10	11.8	0.1	0.9	24.71	91.6	6.1411	50.1836
2025	5	20	1	38	10	11.8	0.1	0.9	25.8	91.1	6.1411	52.4186
2025	5	20	1	48	10	11.8	0.1	0.9	26.76	93.9	6.1411	54.2471
2025	5	20	1	58	10	11.8	0.1	0.9	26.71	91.5	6.1411	54.2472
2025	5	20	2	8	10	11.8	0.1	0.9	26.8	90	6.1411	54.4504
2025	5	20	2	18	10	11.8	0.1	0.9	27.59	94.6	6.1411	55.8726
2025	5	20	2	28	10	11.8	0.1	0.9	26.93	92.8	6.1411	54.6536
2025	5	20	2	38	10	11.8	0.1	0.9	26	90.9	6.1411	52.8251
2025	5	20	2	48	10	11.8	0.1	0.9	25.83	92.7	6.1411	52.4188
2025	5	20	2	58	10	11.8	0.1	0.9	26.2	91.1	6.1411	53.2315
2025	5	20	3	8	10	11.8	0.1	0.9	25.61	91.6	6.1411	52.0125
2025	5	20	3	18	10	11.8	0.1	0.9	26.52	91.9	6.1411	53.8411
2025	5	20	3	28	10	11.8	0.1	0.9	26.3	90.9	6.1411	53.4348
2025	5	20	3	38	10	11.8	0.1	0.9	26.55	93.5	6.1411	53.8412
2025	5	20	3	48	10	11.8	0.1	0.9	25.97	94.2	6.1411	52.6222
2025	5	20	3	58	10	11.8	0.1	0.9	25.82	92	6.1411	52.419
2025	5	20	4	8	10	11.8	0.1	0.9	25.8	90.9	6.1411	52.4191
2025	5	20	4	18	10	11.8	0.1	0.9	26.75	93.4	6.1411	54.2477
2025	5	20	4	28	10	11.8	0.1	0.9	26.72	91.9	6.135	54.1915
2025	5	20	4	38	10	11.8	0.1	0.9	26.8	91.1	6.135	54.3945
2025	5	20	4	48	10	11.8	0.1	0.9	26.8	90.6	6.135	54.3946
2025	5	20	4	58	10	11.8	0.1	0.9	26.84	95.8	6.135	54.1916
2025	5	20	5	8	10	11.8	0.1	0.9	26.81	91.5	6.135	54.3946
2025	5	20	5	18	10	11.8	0.1	0.9	26.12	92.2	6.135	52.9739
2025	5	20	5	28	10	11.8	0.1	0.9	26.22	92	6.135	53.1769
2025	5	20	5	38	10	11.8	0.1	0.9	26.12	92.2	6.135	52.974
2025	5	20	5	48	10	11.8	0.1	0.9	26.32	92.2	6.135	53.3799
2025	5	20	5	58	10	11.8	0.1	0.9	25.71	91.3	6.135	52.1622
2025	5	20	6	8	10	11.8	0.1	0.9	26.5	95	6.135	53.583
2025	5	20	6	18	10	11.8	0.1	0.9	25.35	93.6	6.135	51.3504
2025	5	20	6	28	10	11.8	0.1	0.9	25.92	92	6.135	52.5682
2025	5	20	6	38	10	11.8	0.1	0.9	25.82	92	6.135	52.3652
2025	5	20	6	48	10	12	0.1	0.9	25.96	94	6.135	52.5682
2025	5	20	6	58	10	12	0.1	0.9	25.75	93.6	6.135	52.1623
2025	5	20	7	8	10	12.2	0.1	0.9	27.7	90.8	6.135	56.2217
2025	5	20	7	18	10	12.4	0.1	0.9	26.24	93.3	6.135	53.1772
2025	5	20	7	28	10	12.6	0.1	0.9	26.57	94.1	6.135	53.7861
2025	5	20	7	38	10	12.6	0.1	0.9	26.22	92.2	6.135	53.1772
2025	5	20	7	48	10	12.8	0.1	0.9	25.71	91.6	6.135	52.1624
2025	5	20	7	58	10	12.6	0.1	0.9	25.41	91.6	6.135	51.5535
2025	5	20	8	8	10	12.8	0.1	0.9	26.36	93.9	6.135	53.3802

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	20	8	18	10	12.8	0.1	0.9	26.81	91.3	6.135	54.395
2025	5	20	8	28	10	12.8	0.1	0.9	25.23	93	6.1289	51.0945
2025	5	20	8	38	10	12.8	0.1	0.9	26.5	90	6.1289	53.7302
2025	5	20	8	48	10	12.8	0.1	0.9	24.01	91.4	6.1289	48.6613
2025	5	20	8	58	10	12.8	0.1	0.9	26.52	91.9	6.1289	53.7302
2025	5	20	9	8	10	12.8	0.1	0.9	26.36	93.9	6.1289	53.3246
2025	5	20	9	18	10	13	0.1	0.9	26.21	91.3	6.1289	53.1218
2025	5	20	9	28	10	13	0.1	0.9	26.83	92.8	6.1289	54.3383
2025	5	20	9	38	10	13.2	0.1	0.9	25.84	93.1	6.1289	52.3107
2025	5	20	9	48	10	13.2	0.1	0.9	26.3	91.1	6.1289	53.3244
2025	5	20	9	58	10	13.2	0.1	0.9	25.12	92.1	6.1289	50.8913
2025	5	20	10	8	10	13.2	0.1	0.9	25.42	92	6.1289	51.4995
2025	5	20	10	18	10	13	0.1	0.9	25.84	93.1	6.1228	52.2561
2025	5	20	10	28	10	13	0.1	0.9	26.03	92.9	6.1228	52.6612
2025	5	20	10	38	10	13	0.1	0.9	26.53	92.6	6.1228	53.6738
2025	5	20	10	48	10	13.2	0.1	0.9	26.32	92	6.1167	53.2133
2025	5	20	10	58	10	13.2	0.1	0.9	26.12	92.2	6.1106	52.7536
2025	5	20	11	8	10	13.2	0.1	0.9	26.27	94.1	6.1106	52.9556
2025	5	20	11	18	10	13.2	0.1	0.9	25.72	92.2	6.1045	51.8908
2025	5	20	11	28	10	13.2	0.1	0.9	25.72	92.5	6.1045	51.8907
2025	5	20	11	38	10	13.2	0.1	0.9	27	94.9	6.1045	54.3136
2025	5	20	11	48	10	13.2	0.1	0.9	27.42	92.3	6.1106	55.3807
2025	5	20	11	58	10	13.2	0.1	0.9	27.11	91.3	6.1045	54.7172
2025	5	20	12	8	10	13.2	0.1	0.9	25.61	91.3	6.1045	51.6885
2025	5	20	12	18	10	13.2	0.1	0.9	25.6	90	6.1106	51.7423
2025	5	20	12	28	10	13.2	0.1	0.9	25.53	92.7	6.1106	51.54
2025	5	20	12	38	10	13.2	0.1	0.9	26.02	92.4	6.1106	52.5505
2025	5	20	12	48	10	13.4	0.1	0.9	25.72	92	6.1106	51.9441
2025	5	20	12	58	10	13.4	0.1	0.9	26.32	92.4	6.1106	53.1567
2025	5	20	13	8	10	13.4	0.1	0.9	26.2	90.7	6.1106	52.9545
2025	5	20	13	18	10	13.2	0.1	0.9	26.41	91.5	6.1167	53.4142
2025	5	20	13	28	10	13.2	0.1	0.9	27.02	92.1	6.1106	54.5712
2025	5	20	13	38	10	13.2	0.1	0.9	26.31	91.5	6.1106	53.1563
2025	5	20	13	48	10	13.2	0.1	0.9	26.33	92.6	6.1106	53.1562
2025	5	20	13	58	10	13.2	0.1	0.9	26.42	92	6.1106	53.3583
2025	5	20	14	8	10	13.2	0.1	0.9	26.62	91.9	6.1106	53.7624
2025	5	20	14	18	10	13.2	0.1	0.9	25.72	92.2	6.1106	51.9433
2025	5	20	14	28	10	13.2	0.1	0.9	25.53	92.7	6.1106	51.539
2025	5	20	14	38	10	13.2	0.1	0.9	26.34	93.3	6.1106	53.1558
2025	5	20	14	48	10	13.2	0.1	0.9	27.13	92.7	6.1167	54.8297
2025	5	20	14	58	10	13.2	0.1	0.9	27	90.4	6.1167	54.6273
2025	5	20	15	8	10	13.2	0.1	0.9	24.6	90.2	6.1167	49.7715
2025	5	20	15	18	10	13.2	0.1	0.9	27	91.1	6.1106	54.5704
2025	5	20	15	28	10	13.2	0.1	0.9	26.3	90	6.1167	53.2109
2025	5	20	15	38	10	13.2	0.1	0.9	26.85	93.6	6.1106	54.166
2025	5	20	15	48	10	13.2	0.1	0.9	26.52	91.9	6.1167	53.6154
2025	5	20	15	58	10	13.2	0.1	0.9	26.74	93.2	6.1106	53.9638
2025	5	20	16	8	10	13	0.1	0.9	26.8	91.1	6.1167	54.2223

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	20	16	18	10	13	0.1	0.9	25.4	91.1	6.1167	51.3897
2025	5	20	16	28	10	13	0.1	0.9	26.11	91.8	6.1167	52.806
2025	5	20	16	38	10	13	0.1	0.9	26.94	93	6.1228	54.4811
2025	5	20	16	48	10	12.8	0.1	0.9	26.02	92.2	6.1167	52.6036
2025	5	20	16	58	10	12.8	0.1	0.9	26.82	92.1	6.1167	54.2221
2025	5	20	17	8	10	12.8	0.1	0.9	26.31	91.3	6.1106	53.1551
2025	5	20	17	18	10	12.8	0.1	0.9	27.4	89	6.1167	55.436
2025	5	20	17	28	10	12.8	0.1	0.9	25.3	91.1	6.1106	51.1339
2025	5	20	17	38	10	12.8	0.1	0.9	26.72	91.9	6.1167	54.0197
2025	5	20	17	48	10	12.8	0.1	0.9	25.1	90.2	6.1167	50.7825
2025	5	20	17	58	10	12.6	0.1	0.9	25.74	93.1	6.1167	51.9964
2025	5	20	18	8	10	12.4	0.1	0.9	25.81	91.8	6.1167	52.1988
2025	5	20	18	18	10	12.2	0.1	0.9	27.6	91	6.1106	55.7824
2025	5	20	18	28	10	12.2	0.1	0.9	25.47	94.3	6.1106	51.336
2025	5	20	18	38	10	12.2	0.1	0.9	26.65	93.4	6.1106	53.7613
2025	5	20	18	48	10	12.2	0.1	0.9	25.03	92.7	6.1106	50.5276
2025	5	20	18	58	10	12	0.1	0.9	26.32	92.4	6.1106	53.155
2025	5	20	19	8	10	12	0.1	0.9	26.31	91.3	6.1106	53.1551
2025	5	20	19	18	10	12	0.1	0.9	25.93	92.9	6.1106	52.3466
2025	5	20	19	28	10	12	0.1	0.9	25.61	91.8	6.1167	51.7942
2025	5	20	19	38	10	12	0.1	0.9	26.77	94.3	6.1167	54.0198
2025	5	20	19	48	10	12	0.1	0.9	26.7	90	6.1167	54.0198
2025	5	20	19	58	10	12	0.1	0.9	25.46	94.1	6.1167	51.3896
2025	5	20	20	8	10	12	0.1	0.9	25.85	93.5	6.1167	52.199
2025	5	20	20	18	10	12	0.1	0.9	25.82	92.2	6.1167	52.199
2025	5	20	20	28	10	12	0.1	0.9	26.52	91.9	6.1167	53.6153
2025	5	20	20	38	10	12	0.1	0.9	26.61	91.3	6.1167	53.8176
2025	5	20	20	48	10	12	0.1	0.9	25.5	91.1	6.1167	51.5921
2025	5	20	20	58	10	12	0.1	0.9	27	91.1	6.1167	54.627
2025	5	20	21	8	10	12	0.1	0.9	25.72	92	6.1167	51.9968
2025	5	20	21	18	10	12	0.1	0.9	26.3	90.4	6.1167	53.2108
2025	5	20	21	28	10	12	0.1	0.9	27.2	90.8	6.1167	55.0318
2025	5	20	21	38	10	12	0.1	0.9	25.3	91.1	6.1167	51.1877
2025	5	20	21	48	10	12	0.1	0.9	26.31	91.3	6.1167	53.2109
2025	5	20	21	58	10	12	0.1	0.9	25.6	90.9	6.1167	51.7947
2025	5	20	22	8	10	12	0.1	0.9	26.12	92.4	6.1167	52.8064
2025	5	20	22	18	10	12	0.1	0.9	25.1	91.1	6.1167	50.7832
2025	5	20	22	28	10	12	0.1	0.9	26.01	91.5	6.1167	52.6041
2025	5	20	22	38	10	12	0.1	0.9	28.1	90.6	6.1167	56.853
2025	5	20	22	48	10	12	0.1	0.9	27.1	89.4	6.1167	54.8298
2025	5	20	22	58	10	12	0.1	0.9	26.11	91.3	6.1106	52.7517
2025	5	20	23	8	10	12	0.1	0.9	24.92	92.5	6.1106	50.3263
2025	5	20	23	18	10	12	0.1	0.9	25.11	91.6	6.1106	50.7306
2025	5	20	23	28	10	12	0.1	0.9	26.53	92.6	6.1106	53.5602
2025	5	20	23	38	10	12	0.1	0.9	26	90.9	6.1106	52.5497
2025	5	20	23	48	10	12	0.1	0.9	26.4	91.1	6.1106	53.3582
2025	5	20	23	58	10	12	0.1	0.9	27.3	90.8	6.1106	55.1773
2025	5	21	0	8	10	12	0.1	0.9	24.1	91	6.1106	48.7097

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	21	0	18	10	12	0.1	0.9	26.91	91.3	6.1106	54.3689
2025	5	21	0	28	10	12	0.1	0.9	26	90.2	6.1106	52.5499
2025	5	21	0	38	10	12	0.1	0.9	25.31	91.6	6.1106	51.1352
2025	5	21	0	48	10	12	0.1	0.9	26.6	90.4	6.1106	53.7627
2025	5	21	0	58	10	12	0.1	0.9	25.9	89.6	6.1106	52.348
2025	5	21	1	8	10	12	0.1	0.9	26.22	92.2	6.1106	52.9544
2025	5	21	1	18	10	11.8	0.1	0.9	26.12	92.2	6.1106	52.7523
2025	5	21	1	28	10	11.8	0.1	0.9	26.04	93.1	6.1106	52.5502
2025	5	21	1	38	10	11.8	0.1	0.9	26.91	91.5	6.1106	54.3693
2025	5	21	1	48	10	11.8	0.1	0.9	26.53	92.8	6.1106	53.5609
2025	5	21	1	58	10	11.8	0.1	0.9	26.2	91.1	6.1106	52.9546
2025	5	21	2	8	10	11.8	0.1	0.9	25.44	93.2	6.1106	51.3377
2025	5	21	2	18	10	11.8	0.1	0.9	27.6	89.6	6.1045	55.7262
2025	5	21	2	28	10	11.8	0.1	0.9	25.43	92.7	6.1045	51.2843
2025	5	21	2	38	10	11.8	0.1	0.9	25.8	89.3	6.1045	52.092
2025	5	21	2	48	10	11.8	0.1	0.9	25.8	90.9	6.1045	52.092
2025	5	21	2	58	10	11.8	0.1	0.9	27.01	91.3	6.1045	54.5149
2025	5	21	3	8	10	11.8	0.1	0.9	25.9	90	6.1045	52.294
2025	5	21	3	18	10	11.8	0.1	0.9	25.32	92	6.1106	51.1358
2025	5	21	3	28	10	11.8	0.1	0.9	26.74	93	6.1045	53.9093
2025	5	21	3	38	10	11.8	0.1	0.9	25.9	90.9	6.1045	52.2941
2025	5	21	3	48	10	11.8	0.1	0.9	25.53	92.9	6.1106	51.5402
2025	5	21	3	58	10	11.8	0.1	0.9	26.24	93.3	6.1106	52.955
2025	5	21	4	8	10	11.8	0.1	0.9	25.9	90.4	6.1106	52.3487
2025	5	21	4	18	10	11.8	0.1	0.9	26.03	92.6	6.1106	52.5509
2025	5	21	4	28	10	11.8	0.1	0.9	26.54	93.2	6.1106	53.5615
2025	5	21	4	38	10	11.8	0.1	0.9	26.87	94.1	6.1106	54.1679
2025	5	21	4	48	10	11.8	0.1	0.9	26.12	92	6.1106	52.7531
2025	5	21	4	58	10	11.8	0.1	0.9	25.45	93.6	6.1106	51.3383
2025	5	21	5	8	10	11.8	0.1	0.9	25.9	90.7	6.1106	52.3489
2025	5	21	5	18	10	11.8	0.1	0.9	24.96	93.9	6.1106	50.3278
2025	5	21	5	28	10	11.8	0.1	0.9	26.32	92.2	6.1106	53.1575
2025	5	21	5	38	10	11.8	0.1	0.9	26.72	91.9	6.1106	53.966
2025	5	21	5	48	10	11.8	0.1	0.9	25.47	94.3	6.1167	51.3919
2025	5	21	5	58	10	11.8	0.1	0.9	25.42	92.5	6.1167	51.3919
2025	5	21	6	8	10	11.8	0.1	0.9	26.74	93.2	6.1228	54.0785
2025	5	21	6	18	10	11.8	0.1	0.9	26.52	92.2	6.1289	53.7292
2025	5	21	6	28	10	11.8	0.1	0.9	26.71	91.3	6.1289	54.1347
2025	5	21	6	38	10	11.8	0.1	0.9	25.72	92	6.1289	52.1072
2025	5	21	6	48	10	12	0.1	0.9	26.22	92.4	6.1289	53.121
2025	5	21	6	58	10	12	0.1	0.9	26.42	92	6.135	53.5821
2025	5	21	7	8	10	12.2	0.1	0.9	25.64	93.1	6.135	51.9585
2025	5	21	7	18	10	12.2	0.1	0.9	25.84	93.3	6.135	52.3644
2025	5	21	7	28	10	12.4	0.1	0.9	26.1	90	6.135	52.9733
2025	5	21	7	38	10	12.4	0.1	0.9	25.66	94	6.135	51.9585
2025	5	21	7	48	10	12.6	0.1	0.9	26.45	93.5	6.135	53.5822
2025	5	21	7	58	10	12.6	0.1	0.9	26.64	93.2	6.135	53.9881
2025	5	21	8	8	10	12.6	0.1	0.9	26.63	92.8	6.135	53.9881

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	21	8	18	10	12.6	0.1	0.9	26.84	93.2	6.135	54.394
2025	5	21	8	28	10	12.6	0.1	0.9	25.72	92	6.135	52.1614
2025	5	21	8	38	10	12.6	0.1	0.9	27.19	94.6	6.135	55.0029
2025	5	21	8	48	10	12.8	0.1	0.9	27	90	6.135	54.7999
2025	5	21	8	58	10	12.8	0.1	0.9	25.96	94	6.135	52.5673
2025	5	21	9	8	10	12.8	0.1	0.9	25.72	92	6.135	52.1613
2025	5	21	9	18	10	12.8	0.1	0.9	27.02	92.1	6.135	54.7998
2025	5	21	9	28	10	13	0.1	0.9	26.17	94.2	6.135	52.9731
2025	5	21	9	38	10	13	0.1	0.9	25.91	91.3	6.135	52.5671
2025	5	21	9	48	10	13	0.1	0.9	25.62	92.5	6.135	51.9581
2025	5	21	9	58	10	13	0.1	0.9	26.02	92	6.135	52.7699
2025	5	21	10	8	10	13	0.1	0.9	25.5	91.1	6.1289	51.7014
2025	5	21	10	18	10	13	0.1	0.9	26.21	91.5	6.1289	53.1206
2025	5	21	10	28	10	12.8	0.1	0.9	26.06	94	6.1228	52.6603
2025	5	21	10	38	10	12.8	0.1	0.9	26.42	92	6.1228	53.4704
2025	5	21	10	48	10	12.8	0.1	0.9	25.44	93.2	6.1228	51.4449
2025	5	21	10	58	10	12.8	0.1	0.9	26.1	90.9	6.1228	52.8626
2025	5	21	11	8	10	12.8	0.1	0.9	27.86	93.9	6.1167	56.2471
2025	5	21	11	18	10	12.8	0.1	0.9	24.76	93.9	6.1228	50.0269
2025	5	21	11	28	10	12.8	0.1	0.9	25.37	94.3	6.1167	51.1888
2025	5	21	11	38	10	13	0.1	0.9	26.87	94.1	6.1167	54.2236
2025	5	21	11	48	10	13	0.1	0.9	25.72	92	6.1228	52.052
2025	5	21	11	58	10	13	0.1	0.9	25.83	92.7	6.1167	52.2002
2025	5	21	12	8	10	13	0.1	0.9	25.82	92.4	6.1228	52.2544
2025	5	21	12	18	10	13	0.1	0.9	26.12	92.2	6.1228	52.8619
2025	5	21	12	28	10	13	0.1	0.9	25.22	92.5	6.1228	51.039
2025	5	21	12	38	10	13	0.1	0.9	25.61	91.6	6.1228	51.849
2025	5	21	12	48	10	13	0.1	0.9	26.52	92.2	6.1167	53.616
2025	5	21	12	58	10	13	0.1	0.9	27.92	92.1	6.1167	56.4484
2025	5	21	13	8	10	13	0.1	0.9	26.82	91.9	6.1228	54.2792
2025	5	21	13	18	10	13	0.1	0.9	26.83	92.6	6.1228	54.2791
2025	5	21	13	28	10	13	0.1	0.9	26.82	92.1	6.1228	54.279
2025	5	21	13	38	10	13	0.1	0.9	26.32	92.4	6.1228	53.2663
2025	5	21	13	48	10	13	0.1	0.9	25.8	90.2	6.1289	52.3079
2025	5	21	13	58	10	13	0.1	0.9	27.01	91.5	6.1167	54.627
2025	5	21	14	8	10	13	0.1	0.9	27.04	93.2	6.1228	54.6838
2025	5	21	14	18	10	13	0.1	0.9	26.7	91.1	6.1167	54.0199
2025	5	21	14	28	10	13	0.1	0.9	26.75	93.6	6.1228	54.076
2025	5	21	14	38	10	13	0.1	0.9	25.91	91.8	6.1228	52.4557
2025	5	21	14	48	10	12.8	0.1	0.9	26.77	94.1	6.1167	54.0197
2025	5	21	14	58	10	13	0.1	0.9	26.72	92.1	6.1228	54.0759
2025	5	21	15	8	10	13	0.1	0.9	27.34	92.9	6.1228	55.291
2025	5	21	15	18	10	13	0.1	0.9	26.7	91.1	6.1228	54.0758
2025	5	21	15	28	10	13	0.1	0.9	26.7	90.9	6.1228	54.0757
2025	5	21	15	38	10	13	0.1	0.9	26.3	90	6.1167	53.2102
2025	5	21	15	48	10	13	0.1	0.9	26.3	90.2	6.1167	53.2101
2025	5	21	15	58	10	12.8	0.1	0.9	25.6	90.7	6.1228	51.8477
2025	5	21	16	8	10	12.8	0.1	0.9	26.1	90	6.1167	52.8054

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	21	16	18	10	12.8	0.1	0.9	25.2	90	6.1228	51.0376
2025	5	21	16	28	10	12.8	0.1	0.9	26.9	91.1	6.1228	54.4805
2025	5	21	16	38	10	12.8	0.1	0.9	26.75	93.4	6.1228	54.0754
2025	5	21	16	48	10	12.8	0.1	0.9	26.31	91.5	6.1167	53.2099
2025	5	21	16	58	10	12.8	0.1	0.9	25.83	92.9	6.1228	52.2526
2025	5	21	17	8	10	12.8	0.1	0.9	25.8	90.9	6.1106	52.144
2025	5	21	17	18	10	12.8	0.1	0.9	27.22	92.3	6.1167	55.0307
2025	5	21	17	28	10	12.8	0.1	0.9	25.92	92	6.1167	52.4006
2025	5	21	17	38	10	12.8	0.1	0.9	26.12	92	6.1167	52.8052
2025	5	21	17	48	10	12.8	0.1	0.9	26.4	90.4	6.1228	53.4677
2025	5	21	17	58	10	12.6	0.1	0.9	25.4	90.9	6.1167	51.3889
2025	5	21	18	8	10	12.4	0.1	0.9	27.2	91.1	6.1167	55.0307
2025	5	21	18	18	10	12.2	0.1	0.9	25.6	89.1	6.1228	51.8474
2025	5	21	18	28	10	12.2	0.1	0.9	25.9	90.4	6.1228	52.455
2025	5	21	18	38	10	12.2	0.1	0.9	26.21	91.7	6.1228	53.0626
2025	5	21	18	48	10	12.2	0.1	0.9	26.24	93.3	6.1228	53.0626
2025	5	21	18	58	10	12	0.1	0.9	27.27	94.2	6.1228	55.0879
2025	5	21	19	8	10	12	0.1	0.9	26.21	91.3	6.1289	53.1178
2025	5	21	19	18	10	12	0.1	0.9	27.01	91.7	6.1228	54.6829
2025	5	21	19	28	10	12	0.1	0.9	26.45	93.7	6.1228	53.4677
2025	5	21	19	38	10	12	0.1	0.9	26.62	92.2	6.1228	53.8728
2025	5	21	19	48	10	12	0.1	0.9	25.61	91.6	6.1228	51.8475
2025	5	21	19	58	10	12	0.1	0.9	25.6	91.1	6.1228	51.8476
2025	5	21	20	8	10	12	0.1	0.9	27.52	92.3	6.1228	55.6956
2025	5	21	20	18	10	12	0.1	0.9	26.53	92.8	6.1228	53.6704
2025	5	21	20	28	10	12	0.1	0.9	26.24	93.3	6.1228	53.0628
2025	5	21	20	38	10	12	0.1	0.9	25.7	90.7	6.1228	52.0502
2025	5	21	20	48	10	12	0.1	0.9	25.7	91.1	6.1228	52.0502
2025	5	21	20	58	10	12	0.1	0.9	26.4	89.6	6.1228	53.468
2025	5	21	21	8	10	12	0.1	0.9	26.35	93.5	6.1228	53.2655
2025	5	21	21	18	10	12	0.1	0.9	26.42	92.2	6.1228	53.4681
2025	5	21	21	28	10	12	0.1	0.9	27.7	89.6	6.1228	56.101
2025	5	21	21	38	10	12	0.1	0.9	26.3	89.3	6.1228	53.2656
2025	5	21	21	48	10	12	0.1	0.9	25.8	89.8	6.1228	52.253
2025	5	21	21	58	10	12	0.1	0.9	26.51	91.5	6.1228	53.6708
2025	5	21	22	8	10	12	0.1	0.9	27.05	93.6	6.1228	54.6835
2025	5	21	22	18	10	12	0.1	0.9	26.27	94.1	6.1228	53.0633
2025	5	21	22	28	10	12	0.1	0.9	25.73	92.7	6.1228	52.0507
2025	5	21	22	38	10	12	0.1	0.9	26.51	91.7	6.1228	53.671
2025	5	21	22	48	10	12	0.1	0.9	27.9	91	6.1228	56.5065
2025	5	21	22	58	10	12	0.1	0.9	27.54	93.1	6.1228	55.6964
2025	5	21	23	8	10	11.8	0.1	0.9	26.54	93	6.1228	53.6711
2025	5	21	23	18	10	11.8	0.1	0.9	25.81	91.6	6.1228	52.2534
2025	5	21	23	28	10	11.8	0.1	0.9	25.93	92.9	6.1228	52.456
2025	5	21	23	38	10	11.8	0.1	0.9	27.15	93.4	6.1228	54.8865
2025	5	21	23	48	10	11.8	0.1	0.9	26.91	91.7	6.1228	54.4814
2025	5	21	23	58	10	11.8	0.1	0.9	26.4	91.1	6.1228	53.4688
2025	5	22	0	8	10	11.8	0.1	0.9	27.31	91.9	6.1228	55.2917

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	22	0	18	10	11.8	0.1	0.9	26.6	90	6.1228	53.874
2025	5	22	0	28	10	11.8	0.1	0.9	28.02	92	6.1167	56.6506
2025	5	22	0	38	10	11.8	0.1	0.9	25.92	92.4	6.1167	52.4018
2025	5	22	0	48	10	11.8	0.1	0.9	27.11	91.9	6.1167	54.8297
2025	5	22	0	58	10	11.8	0.1	0.9	26.14	93.1	6.1167	52.8066
2025	5	22	1	8	10	11.8	0.1	0.9	26.6	90.9	6.1167	53.8182
2025	5	22	1	18	10	11.8	0.1	0.9	27.04	93	6.1167	54.6276
2025	5	22	1	28	10	11.8	0.1	0.9	27.43	92.7	6.1167	55.4369
2025	5	22	1	38	10	11.8	0.1	0.9	26.92	92.3	6.1167	54.4254
2025	5	22	1	48	10	11.8	0.1	0.9	26.62	92.2	6.1167	53.8184
2025	5	22	1	58	10	11.8	0.1	0.9	26.51	91.7	6.1167	53.6161
2025	5	22	2	8	10	11.8	0.1	0.9	26.64	93.2	6.1167	53.8185
2025	5	22	2	18	10	11.8	0.1	0.9	26.51	91.7	6.1167	53.6162
2025	5	22	2	28	10	11.8	0.1	0.9	25.94	93.1	6.1167	52.4023
2025	5	22	2	38	10	11.8	0.1	0.9	25.8	90.2	6.1167	52.2001
2025	5	22	2	48	10	11.8	0.1	0.9	27.1	90	6.1167	54.8303
2025	5	22	2	58	10	11.8	0.1	0.9	25.73	92.9	6.1167	51.9978
2025	5	22	3	8	10	11.8	0.1	0.9	26.6	91.1	6.1167	53.8188
2025	5	22	3	18	10	11.8	0.1	0.9	27	90.6	6.1167	54.6282
2025	5	22	3	28	10	11.8	0.1	0.9	27.03	92.8	6.1167	54.6282
2025	5	22	3	38	10	11.8	0.1	0.9	25.74	93.1	6.1167	51.998
2025	5	22	3	48	10	11.8	0.1	0.9	26.97	94.3	6.1167	54.426
2025	5	22	3	58	10	11.8	0.1	0.9	26.7	90.9	6.1228	54.0776
2025	5	22	4	8	10	11.8	0.1	0.9	27.1	90	6.1228	54.8878
2025	5	22	4	18	10	11.8	0.1	0.9	26.81	91.3	6.1228	54.2802
2025	5	22	4	28	10	11.8	0.1	0.9	26.02	92	6.1228	52.6599
2025	5	22	4	38	10	11.8	0.1	0.9	26.97	94	6.1228	54.4828
2025	5	22	4	48	10	11.8	0.1	0.9	25.42	92.3	6.1228	51.4448
2025	5	22	4	58	10	11.8	0.1	0.9	26.51	91.3	6.1289	53.7285
2025	5	22	5	8	10	11.8	0.1	0.9	27.8	90.6	6.1289	56.3643
2025	5	22	5	18	10	11.8	0.1	0.9	26.32	92	6.1289	53.3231
2025	5	22	5	28	10	11.8	0.1	0.9	25.51	91.8	6.135	51.7548
2025	5	22	5	38	10	11.8	0.1	0.9	26.63	92.8	6.135	53.9874
2025	5	22	5	48	10	11.8	0.1	0.9	26.22	92.2	6.1411	53.2308
2025	5	22	5	58	10	11.8	0.1	0.9	25.9	90.9	6.1411	52.6213
2025	5	22	6	8	10	11.8	0.1	0.9	27.12	92.3	6.1411	55.0594
2025	5	22	6	18	10	11.8	0.1	0.9	27.5	91	6.1472	55.93
2025	5	22	6	28	10	11.8	0.1	0.9	26.62	91.9	6.1472	54.0996
2025	5	22	6	38	10	11.8	0.1	0.9	26.11	91.3	6.1411	53.0277
2025	5	22	6	48	10	12	0.1	0.9	25.91	91.3	6.1472	52.6759
2025	5	22	6	58	10	12	0.1	0.9	26.61	91.3	6.1472	54.0996
2025	5	22	7	8	10	12.2	0.1	0.9	27.53	92.5	6.1472	55.9301
2025	5	22	7	18	10	12.2	0.1	0.9	28.24	93	6.1472	57.3538
2025	5	22	7	28	10	12.4	0.1	0.9	26.8	90.6	6.1472	54.5064
2025	5	22	7	38	10	12.4	0.1	0.9	27.74	95.8	6.1472	56.1335
2025	5	22	7	48	10	12.4	0.1	0.9	26.82	91.9	6.1472	54.5065
2025	5	22	7	58	10	12.4	0.1	0.9	26.74	93.2	6.1472	54.3031
2025	5	22	8	8	10	12.4	0.1	0.9	26.73	92.6	6.1472	54.3031

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	22	8	18	10	12.4	0.1	0.9	25.45	93.6	6.1472	51.6591
2025	5	22	8	28	10	12.6	0.1	0.9	27.07	94.2	6.1472	54.9132
2025	5	22	8	38	10	12.6	0.1	0.9	25.81	91.3	6.1472	52.4726
2025	5	22	8	48	10	12.6	0.1	0.9	26.95	96	6.1472	54.5064
2025	5	22	8	58	10	12.6	0.1	0.9	26.08	94.4	6.1472	52.8793
2025	5	22	9	8	10	12.6	0.1	0.9	26.42	92.2	6.1472	53.6928
2025	5	22	9	18	10	12.8	0.1	0.9	26.54	93	6.1472	53.8961
2025	5	22	9	28	10	12.8	0.1	0.9	26.97	94	6.1472	54.7096
2025	5	22	9	38	10	12.8	0.1	0.9	26.85	93.4	6.1411	54.4498
2025	5	22	9	48	10	12.8	0.1	0.9	26.97	94.3	6.1411	54.6529
2025	5	22	9	58	10	12.8	0.1	0.9	27.24	95.9	6.1411	55.0592
2025	5	22	10	8	10	12.8	0.1	0.9	27.11	91.9	6.1411	55.0591
2025	5	22	10	18	10	12.8	0.1	0.9	26.4	91.1	6.1411	53.6368
2025	5	22	10	28	10	12.8	0.1	0.9	26.22	92.2	6.135	53.1753
2025	5	22	10	38	10	12.8	0.1	0.9	25.8	95.1	6.135	52.1604
2025	5	22	10	48	10	12.8	0.1	0.9	26.11	91.5	6.1289	52.9172
2025	5	22	10	58	10	12.8	0.1	0.9	25.7	90.2	6.1289	52.1062
2025	5	22	11	8	10	12.8	0.1	0.9	26.25	93.5	6.1228	53.0647
2025	5	22	11	18	10	12.8	0.1	0.9	26.2	90.7	6.1228	53.0646
2025	5	22	11	28	10	12.8	0.1	0.9	26.42	92.2	6.1289	53.5251
2025	5	22	11	38	10	12.8	0.1	0.9	26.9	90	6.1289	54.5388
2025	5	22	11	48	10	12.8	0.1	0.9	26.2	90.2	6.1289	53.1195
2025	5	22	11	58	10	12.8	0.1	0.9	26.53	92.6	6.1289	53.7276
2025	5	22	12	8	10	13	0.1	0.9	26.14	93.3	6.1228	52.8616
2025	5	22	12	18	10	13	0.1	0.9	27	90.8	6.1289	54.7412
2025	5	22	12	28	10	13.4	0.1	0.9	26.94	93	6.1289	54.5383
2025	5	22	12	38	10	13.4	0.1	0.9	26.22	92.4	6.1289	53.119
2025	5	22	12	48	10	13.2	0.1	0.9	26.74	93.2	6.1289	54.1327
2025	5	22	12	58	10	13.2	0.1	0.9	26.12	92.4	6.1228	52.8612
2025	5	22	13	8	10	13.2	0.1	0.9	26.96	93.8	6.1289	54.538
2025	5	22	13	18	10	13	0.1	0.9	27.3	90.6	6.1228	55.2914
2025	5	22	13	28	10	13.2	0.1	0.9	26.82	92.1	6.1289	54.3351
2025	5	22	13	38	10	13.2	0.1	0.9	24.51	91.2	6.1228	49.6204
2025	5	22	13	48	10	13.4	0.1	0.9	25.41	91.6	6.1289	51.4965
2025	5	22	13	58	10	13.2	0.1	0.9	26.4	90	6.1228	53.4683
2025	5	22	14	8	10	13.2	0.1	0.9	25.8	90.2	6.1289	52.3074
2025	5	22	14	18	10	13	0.1	0.9	26.11	91.3	6.1228	52.8606
2025	5	22	14	28	10	13	0.1	0.9	27.05	93.4	6.1228	54.6833
2025	5	22	14	38	10	13	0.1	0.9	26.51	91.3	6.1228	53.6706
2025	5	22	14	48	10	13	0.1	0.9	26.02	92.2	6.1228	52.6579
2025	5	22	14	58	10	13	0.1	0.9	26.32	92.4	6.1228	53.2655
2025	5	22	15	8	10	13	0.1	0.9	27.1	90.4	6.1228	54.8857
2025	5	22	15	18	10	13	0.1	0.9	26.6	90.2	6.1228	53.873
2025	5	22	15	28	10	13	0.1	0.9	26.4	90.9	6.1228	53.4679
2025	5	22	15	38	10	13	0.1	0.9	26.51	91.3	6.1228	53.6703
2025	5	22	15	48	10	13	0.1	0.9	25.7	89.3	6.1228	52.0501
2025	5	22	15	58	10	13	0.1	0.9	26.7	91.1	6.1167	54.0192
2025	5	22	16	8	10	12.8	0.1	0.9	26.53	92.8	6.1167	53.6145

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	22	16	18	10	12.6	0.1	0.9	25.4	88.9	6.1167	51.389
2025	5	22	16	28	10	12.4	0.1	0.9	26.53	92.8	6.1106	53.5587
2025	5	22	16	38	10	12.4	0.1	0.9	25.7	90.9	6.1106	51.9419
2025	5	22	16	48	10	12.4	0.1	0.9	26.74	93.2	6.1167	54.0192
2025	5	22	16	58	10	12.2	0.1	0.9	26.8	91.1	6.1167	54.2215
2025	5	22	17	8	10	12.2	0.1	0.9	25.9	90.9	6.1167	52.4007
2025	5	22	17	18	10	12.2	0.1	0.9	26.42	92	6.1167	53.4123
2025	5	22	17	28	10	12.2	0.1	0.9	25.2	90.2	6.1167	50.9845
2025	5	22	17	38	10	12.2	0.1	0.9	26.32	92.2	6.1167	53.21
2025	5	22	17	48	10	12.2	0.1	0.9	27.27	94	6.1167	55.0309
2025	5	22	17	58	10	12.4	0.1	0.9	26.6	90	6.1167	53.8171
2025	5	22	18	8	10	12.4	0.1	0.9	25.72	92.2	6.1106	51.9421
2025	5	22	18	18	10	12.4	0.1	0.9	26.12	92	6.1106	52.7506
2025	5	22	18	28	10	12.2	0.1	0.9	26.61	91.7	6.1106	53.7611
2025	5	22	18	38	10	12.2	0.1	0.9	26.21	91.5	6.1106	52.9527
2025	5	22	18	48	10	12.2	0.1	0.9	26	90.9	6.1167	52.6033
2025	5	22	18	58	10	12.2	0.1	0.9	25.9	90.4	6.1106	52.3465
2025	5	22	19	8	10	12.2	0.1	0.9	25.87	94.2	6.1106	52.1444
2025	5	22	19	18	10	12.2	0.1	0.9	25.7	90	6.1106	51.9423
2025	5	22	19	28	10	12.2	0.1	0.9	26.1	90.4	6.1106	52.7508
2025	5	22	19	38	10	12	0.1	0.9	26.41	91.5	6.1106	53.3571
2025	5	22	19	48	10	12	0.1	0.9	26.2	90.4	6.1106	52.9529
2025	5	22	19	58	10	12	0.1	0.9	26.81	91.3	6.1106	54.1656
2025	5	22	20	8	10	12	0.1	0.9	26.11	91.8	6.1106	52.7509
2025	5	22	20	18	10	12	0.1	0.9	25.74	93.3	6.1106	51.9425
2025	5	22	20	28	10	12	0.1	0.9	25.93	92.7	6.1106	52.3467
2025	5	22	20	38	10	12	0.1	0.9	25.92	92	6.1106	52.3468
2025	5	22	20	48	10	12	0.1	0.9	27.51	91.9	6.1106	55.5806
2025	5	22	20	58	10	12	0.1	0.9	26.64	93	6.1167	53.8176
2025	5	22	21	8	10	12	0.1	0.9	26.81	91.7	6.1106	54.1659
2025	5	22	21	18	10	12	0.1	0.9	27.5	90.8	6.1106	55.5807
2025	5	22	21	28	10	12	0.1	0.9	25.8	90	6.1106	52.1449
2025	5	22	21	38	10	12	0.1	0.9	24.49	94.9	6.1106	49.3154
2025	5	22	21	48	10	12	0.1	0.9	26.44	93	6.1106	53.3577
2025	5	22	21	58	10	12	0.1	0.9	25.82	92	6.1106	52.145
2025	5	22	22	8	10	12	0.1	0.9	27.2	91.1	6.1167	55.0319
2025	5	22	22	18	10	12	0.1	0.9	26.72	92.1	6.1106	53.9641
2025	5	22	22	28	10	12	0.1	0.9	26.61	91.7	6.1167	53.8181
2025	5	22	22	38	10	12	0.1	0.9	27.22	92.1	6.1106	54.9748
2025	5	22	22	48	10	12	0.1	0.9	26.1	90	6.1106	52.7516
2025	5	22	22	58	10	12	0.1	0.9	25.21	91.8	6.1106	50.9326
2025	5	22	23	8	10	12	0.1	0.9	27.01	91.3	6.1167	54.6275
2025	5	22	23	18	10	12	0.1	0.9	27.02	92.1	6.1106	54.5708
2025	5	22	23	28	10	12	0.1	0.9	26.52	92.2	6.1106	53.5602
2025	5	22	23	38	10	12	0.1	0.9	25.73	92.9	6.1106	51.9434
2025	5	22	23	48	10	12	0.1	0.9	26.44	93	6.1106	53.3582
2025	5	22	23	58	10	12	0.1	0.9	26.82	92.1	6.1106	54.1667
2025	5	23	0	8	10	12	0.1	0.9	26.72	92.4	6.1106	53.9646

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	23	0	18	10	12	0.1	0.9	26.37	94.1	6.1106	53.1562
2025	5	23	0	28	10	12	0.1	0.9	25	90.7	6.1106	50.5288
2025	5	23	0	38	10	12	0.1	0.9	27	91.1	6.1106	54.5711
2025	5	23	0	48	10	12	0.1	0.9	25.96	93.8	6.1106	52.3479
2025	5	23	0	58	10	12	0.1	0.9	26.4	90.9	6.1106	53.3585
2025	5	23	1	8	10	12	0.1	0.9	26.8	91.1	6.1106	54.167
2025	5	23	1	18	10	12	0.1	0.9	25.34	93.2	6.1106	51.1353
2025	5	23	1	28	10	12	0.1	0.9	26.9	91.1	6.1106	54.3692
2025	5	23	1	38	10	12	0.1	0.9	26.95	93.6	6.1106	54.3692
2025	5	23	1	48	10	12	0.1	0.9	26.02	92	6.1106	52.5502
2025	5	23	1	58	10	12	0.1	0.9	27.01	88.7	6.1106	54.5714
2025	5	23	2	8	10	12	0.1	0.9	25.52	92.5	6.1106	51.5397
2025	5	23	2	18	10	12	0.1	0.9	26.4	90.4	6.1106	53.3588
2025	5	23	2	28	10	12	0.1	0.9	26.6	95	6.1106	53.561
2025	5	23	2	38	10	12	0.1	0.9	25.62	92	6.1106	51.742
2025	5	23	2	48	10	12	0.1	0.9	26.62	92.2	6.1106	53.7632
2025	5	23	2	58	10	12	0.1	0.9	26.45	93.7	6.1106	53.359
2025	5	23	3	8	10	12	0.1	0.9	27.5	91	6.1106	55.5823
2025	5	23	3	18	10	11.8	0.1	0.9	26.95	93.6	6.1106	54.3697
2025	5	23	3	28	10	11.8	0.1	0.9	25.1	90	6.1167	50.7844
2025	5	23	3	38	10	11.8	0.1	0.9	27.45	93.3	6.1106	55.3803
2025	5	23	3	48	10	11.8	0.1	0.9	27	90.8	6.1167	54.6287
2025	5	23	3	58	10	11.8	0.1	0.9	24.71	91.6	6.1167	49.9752
2025	5	23	4	8	10	11.8	0.1	0.9	27.04	93.2	6.1167	54.6288
2025	5	23	4	18	10	11.8	0.1	0.9	27.71	91.9	6.1167	56.0452
2025	5	23	4	28	10	11.8	0.1	0.9	25.76	93.8	6.1228	52.0527
2025	5	23	4	38	10	11.8	0.1	0.9	25.8	90.7	6.1228	52.2553
2025	5	23	4	48	10	11.8	0.1	0.9	26.39	94.8	6.1228	53.268
2025	5	23	4	58	10	11.8	0.1	0.9	25.6	90	6.1289	51.9042
2025	5	23	5	8	10	11.8	0.1	0.9	27.16	93.8	6.1289	54.9455
2025	5	23	5	18	10	11.8	0.1	0.9	27.01	91.5	6.135	54.7996
2025	5	23	5	28	10	11.8	0.1	0.9	26.52	91.9	6.135	53.7848
2025	5	23	5	38	10	11.8	0.1	0.9	26.84	93.2	6.135	54.3937
2025	5	23	5	48	10	11.8	0.1	0.9	26.43	92.8	6.1411	53.6375
2025	5	23	5	58	10	11.8	0.1	0.9	25.92	92	6.1411	52.6217
2025	5	23	6	8	10	11.8	0.1	0.9	26.71	91.3	6.1411	54.2471
2025	5	23	6	18	10	11.8	0.1	0.9	26.33	92.6	6.1411	53.4344
2025	5	23	6	28	10	11.8	0.1	0.9	26	90.4	6.1411	52.8249
2025	5	23	6	38	10	12	0.1	0.9	26.84	93.2	6.1411	54.4504
2025	5	23	6	48	10	12	0.1	0.9	25.92	92	6.1411	52.6218
2025	5	23	6	58	10	12.2	0.1	0.9	26.82	92.1	6.1411	54.4504
2025	5	23	7	8	10	12.2	0.1	0.9	27.21	91.7	6.1411	55.2631
2025	5	23	7	18	10	12.4	0.1	0.9	26.73	92.8	6.1411	54.2473
2025	5	23	7	28	10	12.4	0.1	0.9	26.95	93.4	6.1411	54.6536
2025	5	23	7	38	10	12.4	0.1	0.9	25.76	94	6.1411	52.2155
2025	5	23	7	48	10	12.6	0.1	0.9	25.95	93.5	6.1411	52.6219
2025	5	23	7	58	10	12.6	0.1	0.9	26.84	93.2	6.1411	54.4505
2025	5	23	8	8	10	12.6	0.1	0.9	25.54	93.1	6.1472	51.8629

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	23	8	18	10	12.8	0.1	0.9	27.54	92.9	6.1472	55.9306
2025	5	23	8	28	10	12.8	0.1	0.9	26.42	92.4	6.1472	53.6933
2025	5	23	8	38	10	12.8	0.1	0.9	26.22	92.2	6.1472	53.2865
2025	5	23	8	48	10	12.8	0.1	0.9	26.52	91.9	6.1472	53.8967
2025	5	23	8	58	10	12.8	0.1	0.9	26.84	93.2	6.1472	54.5068
2025	5	23	9	8	10	12.8	0.1	0.9	26.14	93.1	6.1472	53.0831
2025	5	23	9	18	10	12.8	0.1	0.9	25.79	94.7	6.1472	52.2695
2025	5	23	9	28	10	13	0.1	0.9	26.7	90.9	6.1472	54.3033
2025	5	23	9	38	10	13	0.1	0.9	26.12	92.4	6.1411	53.028
2025	5	23	9	48	10	13	0.1	0.9	26.82	91.9	6.1411	54.4502
2025	5	23	9	58	10	13	0.1	0.9	26.73	92.6	6.1472	54.3032
2025	5	23	10	8	10	13	0.1	0.9	26.06	93.7	6.1411	52.8247
2025	5	23	10	18	10	13	0.1	0.9	26.23	92.6	6.1411	53.231
2025	5	23	10	28	10	13	0.1	0.9	27.2	94.9	6.1411	55.0595
2025	5	23	10	38	10	13	0.1	0.9	26.81	91.7	6.1411	54.4499
2025	5	23	10	48	10	13	0.1	0.9	26.13	92.9	6.135	52.9727
2025	5	23	10	58	10	13	0.1	0.9	25.92	92.2	6.1411	52.6213
2025	5	23	11	8	10	13	0.1	0.9	27.7	90.4	6.135	56.2199
2025	5	23	11	18	10	13	0.1	0.9	26.52	92.2	6.1289	53.7286
2025	5	23	11	28	10	13	0.1	0.9	26.12	92	6.1289	52.9175
2025	5	23	11	38	10	13	0.1	0.9	26.57	94.1	6.1289	53.7284
2025	5	23	11	48	10	13	0.1	0.9	27.64	92.9	6.1228	55.9004
2025	5	23	11	58	10	13	0.1	0.9	26.75	93.6	6.1228	54.0775
2025	5	23	12	8	10	13	0.1	0.9	27.33	92.7	6.1228	55.2926
2025	5	23	12	18	10	13	0.1	0.9	27.02	92.3	6.1228	54.6849
2025	5	23	12	28	10	13	0.1	0.9	26.48	94.3	6.1228	53.4696
2025	5	23	12	38	10	13	0.1	0.9	26.8	91.1	6.1228	54.2797
2025	5	23	12	48	10	13	0.1	0.9	26.71	91.3	6.1228	54.077
2025	5	23	12	58	10	13	0.1	0.9	27.21	91.7	6.1289	55.1469
2025	5	23	13	8	10	13	0.1	0.9	26.12	92.4	6.1228	52.8616
2025	5	23	13	18	10	13	0.1	0.9	26.13	95.7	6.1289	52.7137
2025	5	23	13	28	10	13	0.1	0.9	26.74	93	6.1289	54.1329
2025	5	23	13	38	10	13	0.1	0.9	27.23	92.7	6.1289	55.1465
2025	5	23	13	48	10	13	0.1	0.9	27.07	94	6.1289	54.7409
2025	5	23	13	58	10	13	0.1	0.9	27.83	92.5	6.1289	56.3628
2025	5	23	14	8	10	12.8	0.1	0.9	27.2	90.4	6.1289	55.1463
2025	5	23	14	18	10	12.8	0.1	0.9	26.84	93	6.1289	54.3352
2025	5	23	14	28	10	12.8	0.1	0.9	26.3	90.9	6.1289	53.3214
2025	5	23	14	38	10	12.8	0.1	0.9	26.15	93.5	6.1289	52.9159
2025	5	23	14	48	10	12.8	0.1	0.9	27.7	91	6.1289	56.1597
2025	5	23	14	58	10	12.8	0.1	0.9	26.4	90.9	6.1289	53.524
2025	5	23	15	8	10	12.8	0.1	0.9	27.47	94.2	6.1289	55.5513
2025	5	23	15	18	10	12.8	0.1	0.9	26.35	93.5	6.135	53.3765
2025	5	23	15	28	10	12.8	0.1	0.9	26.44	93.3	6.135	53.5794
2025	5	23	15	38	10	12.8	0.1	0.9	27.02	92.1	6.135	54.7971
2025	5	23	15	48	10	12.8	0.1	0.9	25.12	92.3	6.135	50.9409
2025	5	23	15	58	10	12.8	0.1	0.9	26.12	92.4	6.135	52.9704
2025	5	23	16	8	10	12.8	0.1	0.9	25.72	92.2	6.135	52.1585

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	23	16	18	10	12.8	0.1	0.9	27.16	93.8	6.1411	55.0568
2025	5	23	16	28	10	12.8	0.1	0.9	27.12	92.1	6.1411	55.0568
2025	5	23	16	38	10	12.8	0.1	0.9	26.65	93.7	6.1411	54.041
2025	5	23	16	48	10	12.8	0.1	0.9	24.9	89.5	6.1411	50.5872
2025	5	23	16	58	10	12.4	0.1	0.9	26.3	90.9	6.1411	53.4314
2025	5	23	17	8	10	12.4	0.1	0.9	26.55	93.5	6.1411	53.8377
2025	5	23	17	18	10	12.6	0.1	0.9	25.6	91.1	6.1411	52.0093
2025	5	23	17	28	10	12.4	0.1	0.9	26.92	91.9	6.1411	54.6504
2025	5	23	17	38	10	12.2	0.1	0.9	26.9	90.9	6.1411	54.6504
2025	5	23	17	48	10	12.2	0.1	0.9	27.36	93.8	6.1411	55.463
2025	5	23	17	58	10	12.2	0.1	0.9	25.3	89.5	6.1411	51.3998
2025	5	23	18	8	10	12.2	0.1	0.9	27.21	88.1	6.1411	55.2599
2025	5	23	18	18	10	12.2	0.1	0.9	26.8	90.6	6.1411	54.4472
2025	5	23	18	28	10	12.2	0.1	0.9	25.92	92.2	6.1411	52.6188
2025	5	23	18	38	10	12.2	0.1	0.9	26.52	92.2	6.1411	53.8378
2025	5	23	18	48	10	12	0.1	0.9	26.57	94.1	6.1411	53.8378
2025	5	23	18	58	10	12	0.1	0.9	26.14	93.1	6.1411	53.0252
2025	5	23	19	8	10	12	0.1	0.9	27	90	6.1411	54.8536
2025	5	23	19	18	10	12	0.1	0.9	26.61	91.3	6.1411	54.041
2025	5	23	19	28	10	12	0.1	0.9	26.43	92.6	6.1411	53.6347
2025	5	23	19	38	10	12	0.1	0.9	26.48	94.3	6.1411	53.6348
2025	5	23	19	48	10	12	0.1	0.9	26.32	92.2	6.1411	53.4316
2025	5	23	19	58	10	12	0.1	0.9	25.1	90.5	6.1411	50.9937
2025	5	23	20	8	10	12	0.1	0.9	26.82	92.1	6.1411	54.4475
2025	5	23	20	18	10	12	0.1	0.9	26.51	91.7	6.1411	53.838
2025	5	23	20	28	10	12	0.1	0.9	26.52	92.2	6.1411	53.8381
2025	5	23	20	38	10	12	0.1	0.9	25.52	92	6.1411	51.8065
2025	5	23	20	48	10	12	0.1	0.9	27.03	92.8	6.1411	54.8539
2025	5	23	20	58	10	12	0.1	0.9	26.5	90	6.1411	53.8382
2025	5	23	21	8	10	12	0.1	0.9	26.7	90.9	6.1411	54.2445
2025	5	23	21	18	10	12	0.1	0.9	27.13	92.7	6.1411	55.0572
2025	5	23	21	28	10	12	0.1	0.9	26.51	91.7	6.1411	53.8383
2025	5	23	21	38	10	12	0.1	0.9	26.91	91.3	6.1411	54.651
2025	5	23	21	48	10	12	0.1	0.9	26.8	90.2	6.1411	54.4479
2025	5	23	21	58	10	12	0.1	0.9	27.8	90	6.1411	56.4796
2025	5	23	22	8	10	12	0.1	0.9	26.31	91.7	6.1411	53.4322
2025	5	23	22	18	10	12	0.1	0.9	25.82	92.2	6.1472	52.4708
2025	5	23	22	28	10	12	0.1	0.9	26.23	92.6	6.1472	53.2843
2025	5	23	22	38	10	12	0.1	0.9	26.73	92.6	6.1472	54.3012
2025	5	23	22	48	10	12	0.1	0.9	26.44	93	6.1411	53.6356
2025	5	23	22	58	10	12	0.1	0.9	25.5	90	6.1411	51.8072
2025	5	23	23	8	10	12	0.1	0.9	26	90.9	6.1472	52.8778
2025	5	23	23	18	10	12	0.1	0.9	25.8	90	6.1472	52.4711
2025	5	23	23	28	10	12	0.1	0.9	25.6	90.9	6.1411	52.0105
2025	5	23	23	38	10	12	0.1	0.9	26.5	90	6.1411	53.839
2025	5	23	23	48	10	12	0.1	0.9	27.6	91	6.1411	56.0739
2025	5	23	23	58	10	12	0.1	0.9	27.04	93	6.1411	54.855
2025	5	24	0	8	10	12	0.1	0.9	25.9	90.7	6.1411	52.6202

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	24	0	18	10	12	0.1	0.9	26.9	91.1	6.1411	54.6519
2025	5	24	0	28	10	12	0.1	0.9	27.3	90.8	6.1411	55.4646
2025	5	24	0	38	10	12	0.1	0.9	26	90.7	6.1411	52.8235
2025	5	24	0	48	10	12	0.1	0.9	26	90.9	6.1411	52.8236
2025	5	24	0	58	10	12	0.1	0.9	26.41	91.5	6.1472	53.6919
2025	5	24	1	8	10	12	0.1	0.9	27.71	91.2	6.1472	56.3358
2025	5	24	1	18	10	11.8	0.1	0.9	27.13	92.5	6.1472	55.1156
2025	5	24	1	28	10	11.8	0.1	0.9	26.52	92.2	6.1411	53.8396
2025	5	24	1	38	10	11.8	0.1	0.9	27.01	91.3	6.1411	54.8555
2025	5	24	1	48	10	11.8	0.1	0.9	27.99	94.5	6.1411	56.6841
2025	5	24	1	58	10	11.8	0.1	0.9	26.42	92	6.1472	53.6922
2025	5	24	2	8	10	11.8	0.1	0.9	27.1	91.1	6.1472	55.1159
2025	5	24	2	18	10	11.8	0.1	0.9	27.8	90.6	6.1472	56.5396
2025	5	24	2	28	10	11.8	0.1	0.9	27.1	90.2	6.1472	55.116
2025	5	24	2	38	10	11.8	0.1	0.9	26.31	91.3	6.1472	53.489
2025	5	24	2	48	10	11.8	0.1	0.9	25.81	91.8	6.1472	52.4721
2025	5	24	2	58	10	11.8	0.1	0.9	25.86	94	6.1472	52.4722
2025	5	24	3	8	10	11.8	0.1	0.9	24.81	91.4	6.1472	50.4384
2025	5	24	3	18	10	11.8	0.1	0.9	25.52	92	6.1472	51.8621
2025	5	24	3	28	10	11.8	0.1	0.9	26.47	94.1	6.1533	53.7482
2025	5	24	3	38	10	11.8	0.1	0.9	25.9	90.4	6.1533	52.7303
2025	5	24	3	48	10	11.8	0.1	0.9	27.22	92.1	6.1533	55.377
2025	5	24	3	58	10	11.8	0.1	0.9	26.93	92.6	6.1533	54.7663
2025	5	24	4	8	10	11.8	0.1	0.9	26.48	94.5	6.1533	53.7483
2025	5	24	4	18	10	11.8	0.1	0.9	26.72	91.9	6.1533	54.3592
2025	5	24	4	28	10	11.8	0.1	0.9	26.21	91.5	6.1533	53.3412
2025	5	24	4	38	10	11.8	0.1	0.9	26.38	94.6	6.1533	53.5449
2025	5	24	4	48	10	11.8	0.1	0.9	27.76	93.7	6.1533	56.3952
2025	5	24	4	58	10	11.8	0.1	0.9	26.95	93.4	6.1472	54.7099
2025	5	24	5	8	10	11.8	0.1	0.9	26.2	90.4	6.1533	53.3414
2025	5	24	5	18	10	11.8	0.1	0.9	27.17	94	6.1533	55.1738
2025	5	24	5	28	10	11.8	0.1	0.9	27.92	92.3	6.1533	56.8025
2025	5	24	5	38	10	11.8	0.1	0.9	26	90	6.1533	52.9343
2025	5	24	5	48	10	11.8	0.1	0.9	25.74	93.3	6.1533	52.3236
2025	5	24	5	58	10	11.8	0.1	0.9	26.02	92.2	6.1533	52.9344
2025	5	24	6	8	10	11.8	0.1	0.9	26.76	93.9	6.1533	54.3595
2025	5	24	6	18	10	11.8	0.1	0.9	27.65	93.3	6.1533	56.1919
2025	5	24	6	28	10	11.8	0.1	0.9	27.21	91.3	6.1472	55.3203
2025	5	24	6	38	10	11.8	0.1	0.9	26.84	93.2	6.1533	54.5632
2025	5	24	6	48	10	11.8	0.1	0.9	26.03	92.6	6.1472	52.8798
2025	5	24	6	58	10	11.8	0.1	0.9	27.11	91.9	6.1533	55.1741
2025	5	24	7	8	10	11.8	0.1	0.9	26.41	91.3	6.1472	53.6934
2025	5	24	7	18	10	12	0.1	0.9	27.11	91.7	6.1472	55.1171
2025	5	24	7	28	10	12	0.1	0.9	26.2	91.1	6.1472	53.2866
2025	5	24	7	38	10	12	0.1	0.9	27.58	94.4	6.1472	55.9306
2025	5	24	7	48	10	12.2	0.1	0.9	26.5	90.9	6.1472	53.8968
2025	5	24	7	58	10	12.4	0.1	0.9	26.96	93.8	6.1472	54.7103
2025	5	24	8	8	10	12.6	0.1	0.9	25.22	92	6.1472	51.2528

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	24	8	18	10	12.6	0.1	0.9	26.43	92.8	6.1472	53.6934
2025	5	24	8	28	10	12.6	0.1	0.9	26.11	91.8	6.1472	53.0832
2025	5	24	8	38	10	12.6	0.1	0.9	27.81	91.4	6.1472	56.5408
2025	5	24	8	48	10	12.6	0.1	0.9	26.8	94.9	6.1411	54.2473
2025	5	24	8	58	10	12.6	0.1	0.9	26.63	92.8	6.1411	54.0441
2025	5	24	9	8	10	12.6	0.1	0.9	27.71	91.9	6.1411	56.279
2025	5	24	9	18	10	12.4	0.1	0.9	27.01	91.9	6.1411	54.8567
2025	5	24	9	28	10	12.4	0.1	0.9	27	91.1	6.1411	54.8567
2025	5	24	9	38	10	12.6	0.1	0.9	27.73	92.7	6.135	56.2206
2025	5	24	9	48	10	12.6	0.1	0.9	26.82	91.9	6.135	54.3939
2025	5	24	9	58	10	12.6	0.1	0.9	26.61	91.7	6.1411	54.0439
2025	5	24	10	8	10	12.8	0.1	0.9	26.4	91.1	6.135	53.582
2025	5	24	10	18	10	12.8	0.1	0.9	25.22	92.3	6.135	51.1464
2025	5	24	10	28	10	12.8	0.1	0.9	26.62	92.4	6.135	53.9878
2025	5	24	10	38	10	12.8	0.1	0.9	27.01	91.5	6.1289	54.7428
2025	5	24	10	48	10	12.8	0.1	0.9	26.04	93.1	6.1289	52.7153
2025	5	24	10	58	10	13.2	0.1	0.9	26.66	93.9	6.1289	53.9317
2025	5	24	11	8	10	13	0.1	0.9	25.52	92.2	6.1289	51.7014
2025	5	24	11	18	10	12.8	0.1	0.9	25.92	92.4	6.1289	52.5124
2025	5	24	11	28	10	13	0.1	0.9	26.26	93.7	6.1228	53.0654
2025	5	24	11	38	10	12.8	0.1	0.9	26.5	90.4	6.1228	53.673
2025	5	24	11	48	10	12.8	0.1	0.9	26.74	93.2	6.1228	54.0781
2025	5	24	11	58	10	13.2	0.1	0.9	27.12	92.3	6.1228	54.8882
2025	5	24	12	8	10	13.2	0.1	0.9	25.97	94.2	6.1228	52.4577
2025	5	24	12	18	10	13.2	0.1	0.9	26.61	91.7	6.1228	53.8754
2025	5	24	12	28	10	13.4	0.1	0.9	25.7	90	6.1228	52.0525
2025	5	24	12	38	10	13.4	0.1	0.9	25.9	89.3	6.1167	52.403
2025	5	24	12	48	10	13.4	0.1	0.9	27.72	92.1	6.1167	56.0448
2025	5	24	12	58	10	13.4	0.1	0.9	25.74	93.1	6.1167	51.9982
2025	5	24	13	8	10	13.2	0.1	0.9	25.23	93	6.1167	50.9865
2025	5	24	13	18	10	13.2	0.1	0.9	26.52	92.4	6.1167	53.6167
2025	5	24	13	28	10	13.2	0.1	0.9	25.74	93.1	6.1228	52.0521
2025	5	24	13	38	10	13.2	0.1	0.9	26.94	93	6.1167	54.4258
2025	5	24	13	48	10	13.2	0.1	0.9	26.51	91.3	6.1167	53.6164
2025	5	24	13	58	10	13.2	0.1	0.9	25.96	93.8	6.1167	52.4024
2025	5	24	14	8	10	13.2	0.1	0.9	26.93	92.6	6.1167	54.4256
2025	5	24	14	18	10	13.2	0.1	0.9	26.45	93.5	6.1167	53.4139
2025	5	24	14	28	10	13.2	0.1	0.9	26.41	91.7	6.1167	53.4138
2025	5	24	14	38	10	13.2	0.1	0.9	25	90.9	6.1167	50.5812
2025	5	24	14	48	10	13.2	0.1	0.9	27.21	91.7	6.1167	55.0323
2025	5	24	14	58	10	13.2	0.1	0.9	25.26	94.1	6.1167	50.9857
2025	5	24	15	8	10	13.2	0.1	0.9	26.92	92.1	6.1167	54.4251
2025	5	24	15	18	10	13	0.1	0.9	26.8	91.1	6.1167	54.2227
2025	5	24	15	28	10	13.2	0.1	0.9	27.22	92.3	6.1228	55.0892
2025	5	24	15	38	10	13	0.1	0.9	26.5	95	6.1228	53.4689
2025	5	24	15	48	10	13	0.1	0.9	26.34	93	6.1228	53.2663
2025	5	24	15	58	10	13	0.1	0.9	26.9	91.1	6.1228	54.4814
2025	5	24	16	8	10	12.8	0.1	0.9	26.33	92.8	6.1228	53.2662

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	24	16	18	10	12.8	0.1	0.9	26.23	92.6	6.1228	53.0636
2025	5	24	16	28	10	12.8	0.1	0.9	27.22	92.1	6.1228	55.0889
2025	5	24	16	38	10	12.8	0.1	0.9	26.4	90.2	6.1228	53.4686
2025	5	24	16	48	10	13	0.1	0.9	27.05	93.6	6.1228	54.6838
2025	5	24	16	58	10	12.6	0.1	0.9	26.84	93	6.1228	54.2787
2025	5	24	17	8	10	12.4	0.1	0.9	25.91	91.8	6.1228	52.4559
2025	5	24	17	18	10	12.4	0.1	0.9	26.8	90.6	6.1228	54.2787
2025	5	24	17	28	10	13	0.1	0.9	27.1	91.1	6.1228	54.8863
2025	5	24	17	38	10	13.2	0.1	0.9	25.92	92.2	6.1167	52.4014
2025	5	24	17	48	10	12.8	0.1	0.9	26.85	93.4	6.1228	54.2787
2025	5	24	17	58	10	12.4	0.1	0.9	26.42	92.2	6.1228	53.4686
2025	5	24	18	8	10	12.2	0.1	0.9	26.84	93	6.1228	54.2787
2025	5	24	18	18	10	12.2	0.1	0.9	25.62	92.2	6.1228	51.8484
2025	5	24	18	28	10	12	0.1	0.9	26.8	90.9	6.1228	54.2788
2025	5	24	18	38	10	12	0.1	0.9	26.2	90.4	6.1228	53.0636
2025	5	24	18	48	10	12	0.1	0.9	28	91	6.1228	56.7093
2025	5	24	18	58	10	12	0.1	0.9	26.26	93.7	6.1228	53.0637
2025	5	24	19	8	10	12	0.1	0.9	25.8	90	6.1228	52.2536
2025	5	24	19	18	10	12	0.1	0.9	26.2	91.1	6.1228	53.0638
2025	5	24	19	28	10	12	0.1	0.9	26.04	93.1	6.1228	52.6587
2025	5	24	19	38	10	12	0.1	0.9	25.93	92.9	6.1228	52.4562
2025	5	24	19	48	10	12	0.1	0.9	27.01	91.5	6.1228	54.6841
2025	5	24	19	58	10	12	0.1	0.9	26.45	93.5	6.1228	53.469
2025	5	24	20	8	10	12	0.1	0.9	25.96	94	6.1228	52.4563
2025	5	24	20	18	10	12	0.1	0.9	26.91	91.7	6.1228	54.4817
2025	5	24	20	28	10	12	0.1	0.9	25.73	92.9	6.1228	52.0514
2025	5	24	20	38	10	12	0.1	0.9	26.65	93.7	6.1228	53.8742
2025	5	24	20	48	10	12	0.1	0.9	26.3	91.1	6.1228	53.2666
2025	5	24	20	58	10	12	0.1	0.9	26.92	92.3	6.1228	54.4819
2025	5	24	21	8	10	12	0.1	0.9	26.71	91.3	6.1228	54.0769
2025	5	24	21	18	10	12	0.1	0.9	27	91.1	6.1228	54.6845
2025	5	24	21	28	10	12	0.1	0.9	26.5	89.1	6.1228	53.6719
2025	5	24	21	38	10	12	0.1	0.9	27.05	93.4	6.1228	54.6846
2025	5	24	21	48	10	12	0.1	0.9	26.71	91.3	6.1228	54.077
2025	5	24	21	58	10	12	0.1	0.9	26.63	92.6	6.1228	53.8746
2025	5	24	22	8	10	12	0.1	0.9	26.84	93	6.1228	54.2797
2025	5	24	22	18	10	12	0.1	0.9	25.42	92.3	6.1228	51.4442
2025	5	24	22	28	10	12	0.1	0.9	27.27	94	6.1228	55.0899
2025	5	24	22	38	10	11.8	0.1	0.9	25.5	90.2	6.1228	51.6469
2025	5	24	22	48	10	11.8	0.1	0.9	26.31	91.3	6.1228	53.2672
2025	5	24	22	58	10	12	0.1	0.9	27.7	91	6.1289	56.1611
2025	5	24	23	8	10	11.8	0.1	0.9	26.42	92.2	6.1289	53.5254
2025	5	24	23	18	10	11.8	0.1	0.9	26.24	93.1	6.1289	53.12
2025	5	24	23	28	10	11.8	0.1	0.9	26.53	92.8	6.1289	53.7283
2025	5	24	23	38	10	11.8	0.1	0.9	26.35	93.5	6.135	53.3782
2025	5	24	23	48	10	11.8	0.1	0.9	26.81	91.7	6.1411	54.4495
2025	5	24	23	58	10	11.8	0.1	0.9	26.31	91.3	6.1411	53.4337
2025	5	25	0	8	10	11.8	0.1	0.9	26.1	90.9	6.1411	53.0274

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	25	0	18	10	11.8	0.1	0.9	26.61	91.7	6.1472	54.0993
2025	5	25	0	28	10	11.8	0.1	0.9	27	91.1	6.1472	54.9128
2025	5	25	0	38	10	11.8	0.1	0.9	26.51	91.7	6.1472	53.896
2025	5	25	0	48	10	11.8	0.1	0.9	27.03	92.8	6.1472	54.9129
2025	5	25	0	58	10	11.8	0.1	0.9	26.15	93.5	6.1533	53.1375
2025	5	25	1	8	10	11.8	0.1	0.9	26.43	92.6	6.1472	53.6927
2025	5	25	1	18	10	11.8	0.1	0.9	26.13	92.9	6.1533	53.1376
2025	5	25	1	28	10	11.8	0.1	0.9	25.62	92	6.1533	52.1197
2025	5	25	1	38	10	11.8	0.1	0.9	26.24	93.3	6.1533	53.3412
2025	5	25	1	48	10	11.8	0.1	0.9	26.83	92.6	6.1533	54.5628
2025	5	25	1	58	10	11.8	0.1	0.9	25.5	95.2	6.1533	51.7126
2025	5	25	2	8	10	11.8	0.1	0.9	26.62	92.4	6.1533	54.1557
2025	5	25	2	18	10	11.8	0.1	0.9	27.22	92.1	6.1533	55.3773
2025	5	25	2	28	10	11.8	0.1	0.9	26.13	92.9	6.1533	53.1378
2025	5	25	2	38	10	11.8	0.1	0.9	26.84	93	6.1533	54.563
2025	5	25	2	48	10	11.8	0.1	0.9	28.22	92.2	6.1533	57.4134
2025	5	25	2	58	10	11.8	0.1	0.9	27.24	93.2	6.1533	55.3775
2025	5	25	3	8	10	11.8	0.1	0.9	26.32	92	6.1533	53.5452
2025	5	25	3	18	10	11.8	0.1	0.9	25.6	90.2	6.1533	52.1201
2025	5	25	3	28	10	11.8	0.1	0.9	26.51	91.5	6.1533	53.9525
2025	5	25	3	38	10	11.8	0.1	0.9	27.06	93.8	6.1533	54.9705
2025	5	25	3	48	10	11.8	0.1	0.9	27.36	93.8	6.1533	55.5813
2025	5	25	3	58	10	11.8	0.1	0.9	27.71	91.9	6.1533	56.3957
2025	5	25	4	8	10	11.8	0.1	0.9	26.92	92.3	6.1533	54.767
2025	5	25	4	18	10	11.8	0.1	0.9	27.61	91.9	6.1533	56.1922
2025	5	25	4	28	10	11.8	0.1	0.9	26.54	93	6.1533	53.9527
2025	5	25	4	38	10	11.8	0.1	0.9	26.96	93.8	6.1533	54.7672
2025	5	25	4	48	10	11.8	0.1	0.9	26.61	91.5	6.1533	54.1564
2025	5	25	4	58	10	11.6	0.1	0.9	27.51	91.9	6.1533	55.9888
2025	5	25	5	8	10	11.6	0.1	0.9	26.6	90.9	6.1533	54.1565
2025	5	25	5	18	10	11.6	0.1	0.9	25.53	92.7	6.1533	51.917
2025	5	25	5	28	10	11.6	0.1	0.9	25.92	92	6.1533	52.7314
2025	5	25	5	38	10	11.6	0.1	0.9	26.87	94.3	6.1533	54.5638
2025	5	25	5	48	10	11.6	0.1	0.9	26.85	93.6	6.1533	54.5638
2025	5	25	5	58	10	11.6	0.1	0.9	26.93	92.8	6.1533	54.7675
2025	5	25	6	8	10	11.6	0.1	0.9	27.72	92.3	6.1533	56.3963
2025	5	25	6	18	10	11.6	0.1	0.9	25.82	92.2	6.1533	52.528
2025	5	25	6	28	10	11.6	0.1	0.9	26.64	93	6.1533	54.1568
2025	5	25	6	38	10	11.8	0.1	0.9	25.02	92.5	6.1533	50.8993
2025	5	25	6	48	10	11.8	0.1	0.9	27.51	91.7	6.1533	55.9892
2025	5	25	6	58	10	12	0.1	0.9	26.6	90.9	6.1533	54.1569
2025	5	25	7	8	10	12.2	0.1	0.9	26.22	92	6.1533	53.3425
2025	5	25	7	18	10	12.4	0.1	0.9	25.8	90	6.1533	52.5281
2025	5	25	7	28	10	12.4	0.1	0.9	27.21	91.9	6.1533	55.3785
2025	5	25	7	38	10	12.6	0.1	0.9	27.13	92.7	6.1533	55.1749
2025	5	25	7	48	10	12.6	0.1	0.9	26.8	90.2	6.1533	54.5641
2025	5	25	7	58	10	12.8	0.1	0.9	27.62	92.1	6.1533	56.1929
2025	5	25	8	8	10	12.6	0.1	0.9	25.94	93.1	6.1533	52.7317

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	25	8	18	10	12.6	0.1	0.9	27.82	92.3	6.1594	56.6586
2025	5	25	8	28	10	12.6	0.1	0.9	26.44	93	6.1594	53.8052
2025	5	25	8	38	10	12.6	0.1	0.9	25.94	93.3	6.1594	52.7862
2025	5	25	8	48	10	12.8	0.1	0.9	26.5	91.1	6.1594	54.009
2025	5	25	8	58	10	12.8	0.1	0.9	26.26	93.9	6.1594	53.3975
2025	5	25	9	8	10	12.8	0.1	0.9	26.45	93.5	6.1594	53.8051
2025	5	25	9	18	10	12.8	0.1	0.9	27.19	94.6	6.1594	55.2317
2025	5	25	9	28	10	13	0.1	0.9	27.06	93.8	6.1594	55.0278
2025	5	25	9	38	10	13	0.1	0.9	25.42	92.3	6.1594	51.7669
2025	5	25	9	48	10	13	0.1	0.9	26.74	93	6.1594	54.4163
2025	5	25	9	58	10	13	0.1	0.9	26.02	92.2	6.1594	52.9896
2025	5	25	10	8	10	13	0.1	0.9	26.92	92.3	6.1594	54.8238
2025	5	25	10	18	10	13	0.1	0.9	25.62	92.2	6.1655	52.2281
2025	5	25	10	28	10	13	0.1	0.9	25.82	92	6.1655	52.6361
2025	5	25	10	38	10	13	0.1	0.9	27.14	93	6.1655	55.2882
2025	5	25	10	48	10	13	0.1	0.9	26.6	90	6.1655	54.2681
2025	5	25	10	58	10	13	0.1	0.9	26.8	90.9	6.1655	54.676
2025	5	25	11	8	10	13	0.1	0.9	26.83	92.6	6.1655	54.6759
2025	5	25	11	18	10	13	0.1	0.9	25.92	92	6.1655	52.8397
2025	5	25	11	28	10	13	0.1	0.9	26.86	93.8	6.1716	54.7322
2025	5	25	11	38	10	13	0.1	0.9	25.4	90	6.1716	51.8729
2025	5	25	11	48	10	13	0.1	0.9	27.35	93.6	6.1716	55.7531
2025	5	25	11	58	10	13	0.1	0.9	27.34	93.1	6.1716	55.753
2025	5	25	12	8	10	13	0.1	0.9	26.08	94.4	6.1716	53.098
2025	5	25	12	18	10	13	0.1	0.9	27.51	91.7	6.1777	56.2191
2025	5	25	12	28	10	13	0.1	0.9	27.11	91.7	6.1777	55.4013
2025	5	25	12	38	10	13	0.1	0.9	26.94	93.2	6.1777	54.9923
2025	5	25	12	48	10	13	0.1	0.9	27.2	89.4	6.1777	55.6055
2025	5	25	12	58	10	13	0.1	0.9	27.11	91.5	6.1838	55.458
2025	5	25	13	8	10	13	0.1	0.9	27.32	92.3	6.1777	55.8097
2025	5	25	13	18	10	13	0.1	0.9	27.5	91	6.1838	56.2764
2025	5	25	13	28	10	13	0.1	0.9	26.3	90.9	6.1838	53.8206
2025	5	25	13	38	10	13	0.1	0.9	27.65	93.5	6.1838	56.4808
2025	5	25	13	48	10	13	0.1	0.9	26.92	92.1	6.1838	55.0482
2025	5	25	13	58	10	13	0.1	0.9	26.53	92.6	6.1838	54.2295
2025	5	25	14	8	10	13	0.1	0.9	26.42	92.2	6.1838	54.0248
2025	5	25	14	18	10	13	0.1	0.9	26.32	92.2	6.1899	53.8755
2025	5	25	14	28	10	13	0.1	0.9	27.13	92.7	6.1899	55.5142
2025	5	25	14	38	10	13	0.1	0.9	27.12	92.3	6.1899	55.5141
2025	5	25	14	48	10	13	0.1	0.9	27.51	91.5	6.1899	56.3334
2025	5	25	14	58	10	12.8	0.1	0.9	27.04	93	6.196	55.3659
2025	5	25	15	8	10	12.8	0.1	0.9	27.24	92.9	6.196	55.7759
2025	5	25	15	18	10	12.8	0.1	0.9	27.21	91.5	6.196	55.7759
2025	5	25	15	28	10	12.8	0.1	0.9	26.64	93.2	6.1899	54.4894
2025	5	25	15	38	10	12.8	0.1	0.9	28.75	93.4	6.196	58.8516
2025	5	25	15	48	10	12.8	0.1	0.9	27.5	91	6.196	56.3908
2025	5	25	15	58	10	12.8	0.1	0.9	27.9	90.8	6.196	57.211
2025	5	25	16	8	10	12.8	0.1	0.9	27.6	90.4	6.196	56.5957

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	25	16	18	10	12.8	0.1	0.9	26.73	92.6	6.196	54.7502
2025	5	25	16	28	10	12.8	0.1	0.9	26.2	90.9	6.196	53.7248
2025	5	25	16	38	10	12.8	0.1	0.9	26.84	93.2	6.2021	55.0116
2025	5	25	16	48	10	12.8	0.1	0.9	26.71	91.7	6.1899	54.6938
2025	5	25	16	58	10	12.8	0.1	0.9	27.7	90.2	6.2021	56.8589
2025	5	25	17	8	10	12.8	0.1	0.9	27.71	91.4	6.2021	56.8589
2025	5	25	17	18	10	12.8	0.1	0.9	26.92	91.9	6.196	55.1601
2025	5	25	17	28	10	12.8	0.1	0.9	27.94	92.9	6.196	57.2106
2025	5	25	17	38	10	12.8	0.1	0.9	27.5	91	6.196	56.3904
2025	5	25	17	48	10	12.8	0.1	0.9	26.61	91.5	6.196	54.5449
2025	5	25	17	58	10	12.6	0.1	0.9	25.7	90.9	6.196	52.6994
2025	5	25	18	8	10	12.4	0.1	0.9	27.01	91.7	6.2021	55.4219
2025	5	25	18	18	10	12.2	0.1	0.9	27.2	91.1	6.2021	55.8325
2025	5	25	18	28	10	12.2	0.1	0.9	28.22	92	6.2021	57.8851
2025	5	25	18	38	10	12.2	0.1	0.9	25.74	93.3	6.2021	52.7535
2025	5	25	18	48	10	12.2	0.1	0.9	28.02	92	6.2082	57.5336
2025	5	25	18	58	10	12	0.1	0.9	26.5	90.2	6.2082	54.4514
2025	5	25	19	8	10	12	0.1	0.9	26.8	90.2	6.2082	55.0679
2025	5	25	19	18	10	12	0.1	0.9	27.42	92.1	6.2082	56.3008
2025	5	25	19	28	10	12	0.1	0.9	26.7	89.4	6.2082	54.8624
2025	5	25	19	38	10	12	0.1	0.9	27	90	6.2082	55.4789
2025	5	25	19	48	10	12	0.1	0.9	28.22	92	6.2082	57.9447
2025	5	25	19	58	10	12	0.1	0.9	27.52	92.1	6.2082	56.5063
2025	5	25	20	8	10	12	0.1	0.9	26.72	92.4	6.2082	54.8625
2025	5	25	20	18	10	12	0.1	0.9	27.94	92.9	6.2082	57.3283
2025	5	25	20	28	10	12	0.1	0.9	28.16	93.9	6.2082	57.7393
2025	5	25	20	38	10	12	0.1	0.9	27.04	93.2	6.2082	55.4791
2025	5	25	20	48	10	12	0.1	0.9	27.67	94.1	6.2082	56.712
2025	5	25	20	58	10	12	0.1	0.9	27.12	92.1	6.2082	55.6846
2025	5	25	21	8	10	12	0.1	0.9	26.92	91.9	6.2082	55.2737
2025	5	25	21	18	10	12	0.1	0.9	27.9	90.4	6.2082	57.3285
2025	5	25	21	28	10	12	0.1	0.9	27.41	91.9	6.2082	56.3011
2025	5	25	21	38	10	12	0.1	0.9	27.71	91.9	6.2082	56.9176
2025	5	25	21	48	10	12	0.1	0.9	26.5	90.2	6.2082	54.4519
2025	5	25	21	58	10	12	0.1	0.9	26.63	92.8	6.2082	54.6574
2025	5	25	22	8	10	12	0.1	0.9	27.02	92.1	6.2082	55.4794
2025	5	25	22	18	10	12	0.1	0.9	27.32	92.1	6.2082	56.0959
2025	5	25	22	28	10	12	0.1	0.9	27.12	92.3	6.2082	55.6849
2025	5	25	22	38	10	12	0.1	0.9	27.32	92.1	6.2082	56.0959
2025	5	25	22	48	10	12	0.1	0.9	27.22	92.1	6.2082	55.8905
2025	5	25	22	58	10	12	0.1	0.9	27.22	92.1	6.2082	55.8906
2025	5	25	23	8	10	12	0.1	0.9	27.73	92.5	6.2082	56.918
2025	5	25	23	18	10	12	0.1	0.9	27.92	92.1	6.2082	57.329
2025	5	25	23	28	10	12	0.1	0.9	27	91.1	6.2082	55.4797
2025	5	25	23	38	10	11.8	0.1	0.9	27.42	92.3	6.2082	56.3017
2025	5	25	23	48	10	11.8	0.1	0.9	28.31	91.4	6.2082	58.1511
2025	5	25	23	58	10	11.8	0.1	0.9	27.32	92.1	6.2082	56.0963
2025	5	26	0	8	10	11.8	0.1	0.9	26.75	93.4	6.2082	54.8635

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	26	0	18	10	11.8	0.1	0.9	26.5	90	6.2082	54.4525
2025	5	26	0	28	10	11.8	0.1	0.9	27.2	89.4	6.2082	55.8909
2025	5	26	0	38	10	11.8	0.1	0.9	27.1	89.8	6.2082	55.6855
2025	5	26	0	48	10	11.8	0.1	0.9	27.34	93.1	6.2082	56.0965
2025	5	26	0	58	10	11.8	0.1	0.9	26.83	92.6	6.2082	55.0691
2025	5	26	1	8	10	11.8	0.1	0.9	26.73	92.8	6.2082	54.8637
2025	5	26	1	18	10	11.8	0.1	0.9	27.42	92.1	6.2082	56.3021
2025	5	26	1	28	10	11.8	0.1	0.9	27.03	92.5	6.2082	55.4802
2025	5	26	1	38	10	11.8	0.1	0.9	27.1	90	6.2082	55.6857
2025	5	26	1	48	10	11.8	0.1	0.9	26.8	91.1	6.2082	55.0693
2025	5	26	1	58	10	11.8	0.1	0.9	27.02	92.3	6.2082	55.4803
2025	5	26	2	8	10	11.8	0.1	0.9	27.92	92.1	6.2082	57.3297
2025	5	26	2	18	10	11.8	0.1	0.9	27.31	91.5	6.2082	56.0969
2025	5	26	2	28	10	11.8	0.1	0.9	27.7	91	6.2082	56.9188
2025	5	26	2	38	10	11.8	0.1	0.9	27.51	91.7	6.2082	56.5079
2025	5	26	2	48	10	11.8	0.1	0.9	28.11	91.8	6.2082	57.7408
2025	5	26	2	58	10	11.8	0.1	0.9	26.7	90.2	6.2082	54.8641
2025	5	26	3	8	10	11.8	0.1	0.9	26.21	91.3	6.2082	53.8367
2025	5	26	3	18	10	11.8	0.1	0.9	26.1	91.1	6.2143	53.6862
2025	5	26	3	28	10	11.8	0.1	0.9	26.81	91.5	6.2143	55.1262
2025	5	26	3	38	10	11.8	0.1	0.9	26.67	94.1	6.2143	54.7148
2025	5	26	3	48	10	11.8	0.1	0.9	26.72	92.1	6.2204	54.9767
2025	5	26	3	58	10	11.8	0.1	0.9	27.4	91	6.2204	56.4181
2025	5	26	4	8	10	11.8	0.1	0.9	26.53	92.8	6.2204	54.565
2025	5	26	4	18	10	11.8	0.1	0.9	27.72	92.3	6.2204	57.0359
2025	5	26	4	28	10	11.8	0.1	0.9	27.41	91.5	6.2204	56.4182
2025	5	26	4	38	10	11.8	0.1	0.9	27.6	91	6.2204	56.8301
2025	5	26	4	48	10	11.8	0.1	0.9	28.43	92.8	6.2204	58.4774
2025	5	26	4	58	10	11.8	0.1	0.9	26.74	93	6.2204	54.977
2025	5	26	5	8	10	11.8	0.1	0.9	27.71	91.9	6.2265	57.0944
2025	5	26	5	18	10	11.8	0.1	0.9	27.11	91.9	6.2265	55.8578
2025	5	26	5	28	10	11.8	0.1	0.9	26.6	90	6.2265	54.8272
2025	5	26	5	38	10	11.8	0.1	0.9	26.74	93.2	6.2265	55.0334
2025	5	26	5	48	10	11.8	0.1	0.9	26.82	91.9	6.2265	55.2395
2025	5	26	5	58	10	11.8	0.1	0.9	27.61	91.2	6.2265	56.8885
2025	5	26	6	8	10	11.8	0.1	0.9	26.72	91.9	6.2265	55.0335
2025	5	26	6	18	10	11.8	0.1	0.9	27.41	91.5	6.2265	56.4764
2025	5	26	6	28	10	11.8	0.1	0.9	27.21	91.9	6.2265	56.0642
2025	5	26	6	38	10	11.8	0.1	0.9	27.97	94.1	6.2265	57.507
2025	5	26	6	48	10	12	0.1	0.9	26.82	91.9	6.2265	55.2397
2025	5	26	6	58	10	12	0.1	0.9	27.47	94.2	6.2265	56.4765
2025	5	26	7	8	10	12.2	0.1	0.9	25.74	93.3	6.2265	52.9725
2025	5	26	7	18	10	12.2	0.1	0.9	28	91	6.2265	57.7132
2025	5	26	7	28	10	12.2	0.1	0.9	27.67	93.9	6.2265	56.8888
2025	5	26	7	38	10	12.4	0.1	0.9	27.54	93.1	6.2204	56.6247
2025	5	26	7	48	10	12.4	0.1	0.9	27.57	94	6.2204	56.6248
2025	5	26	7	58	10	12.6	0.1	0.9	26.22	92.2	6.2204	53.948
2025	5	26	8	8	10	12.6	0.1	0.9	26.75	93.6	6.2204	54.9775

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	26	8	18	10	12.6	0.1	0.9	26.91	91.5	6.2204	55.3893
2025	5	26	8	28	10	12.6	0.1	0.9	27.57	94	6.2204	56.6247
2025	5	26	8	38	10	12.6	0.1	0.9	27.45	93.3	6.2204	56.4188
2025	5	26	8	48	10	12.8	0.1	0.9	28.16	93.9	6.2204	57.8601
2025	5	26	8	58	10	12.8	0.1	0.9	25.61	91.8	6.2204	52.7124
2025	5	26	9	8	10	12.8	0.1	0.9	27.94	92.9	6.2143	57.3895
2025	5	26	9	18	10	12.8	0.1	0.9	26.14	93.3	6.2204	53.7418
2025	5	26	9	28	10	12.8	0.1	0.9	27.8	91	6.2143	57.1837
2025	5	26	9	38	10	12.8	0.1	0.9	27.62	92.3	6.2082	56.7141
2025	5	26	9	48	10	12.8	0.1	0.9	28.54	93.2	6.2021	58.5034
2025	5	26	9	58	10	12.8	0.1	0.9	26.63	92.8	6.196	54.5471
2025	5	26	10	8	10	12.8	0.1	0.9	26.93	92.6	6.196	55.1623
2025	5	26	10	18	10	13	0.1	0.9	26.22	92.4	6.196	53.7268
2025	5	26	10	28	10	12.8	0.1	0.9	27.13	92.7	6.196	55.5723
2025	5	26	10	38	10	12.6	0.1	0.9	27.4	91	6.196	56.1874
2025	5	26	10	48	10	12.8	0.1	0.9	28.02	92.2	6.196	57.4177
2025	5	26	10	58	10	12.8	0.1	0.9	28.2	90.2	6.196	57.8278
2025	5	26	11	8	10	12.8	0.1	0.9	27.65	93.5	6.196	56.5973
2025	5	26	11	18	10	12.8	0.1	0.9	27.21	91.7	6.196	55.777
2025	5	26	11	28	10	12.8	0.1	0.9	28.05	93.3	6.1899	57.3584
2025	5	26	11	38	10	12.8	0.1	0.9	27.52	92.3	6.196	56.392
2025	5	26	11	48	10	12.8	0.1	0.9	27.04	93	6.196	55.3666
2025	5	26	11	58	10	13	0.1	0.9	27.21	91.3	6.196	55.7767
2025	5	26	12	8	10	13	0.1	0.9	26.63	92.6	6.196	54.5462
2025	5	26	12	18	10	13	0.1	0.9	27.07	94	6.196	55.3664
2025	5	26	12	28	10	13	0.1	0.9	27.63	92.5	6.196	56.5967
2025	5	26	12	38	10	13	0.1	0.9	27.63	92.5	6.196	56.5966
2025	5	26	12	48	10	13	0.1	0.9	26.73	92.6	6.2021	54.8072
2025	5	26	12	58	10	13	0.1	0.9	27.21	91.9	6.2021	55.8335
2025	5	26	13	8	10	13	0.1	0.9	26.72	91.9	6.2021	54.8071
2025	5	26	13	18	10	13	0.1	0.9	28.3	89.6	6.2021	58.0913
2025	5	26	13	28	10	13	0.1	0.9	27.85	93.5	6.2021	57.0649
2025	5	26	13	38	10	13	0.1	0.9	27.51	91.5	6.2021	56.449
2025	5	26	13	48	10	13	0.1	0.9	27.32	92.1	6.2021	56.0385
2025	5	26	13	58	10	13	0.1	0.9	27.7	90.8	6.2082	56.9178
2025	5	26	14	8	10	13	0.1	0.9	27.01	91.5	6.2021	55.4226
2025	5	26	14	18	10	13	0.1	0.9	26.9	90.9	6.2021	55.2173
2025	5	26	14	28	10	13	0.1	0.9	27.83	92.7	6.2021	57.0647
2025	5	26	14	38	10	13	0.1	0.9	27.9	91	6.2021	57.27
2025	5	26	14	48	10	13	0.1	0.9	28.4	90.8	6.2021	58.2963
2025	5	26	14	58	10	13	0.1	0.9	27.01	91.3	6.2021	55.4225
2025	5	26	15	8	10	13	0.1	0.9	27.03	92.8	6.2082	55.4794
2025	5	26	15	18	10	13	0.1	0.9	27.4	89.4	6.2021	56.2436
2025	5	26	15	28	10	13	0.1	0.9	27.2	90.8	6.2082	55.8903
2025	5	26	15	38	10	13	0.1	0.9	26.31	91.7	6.2082	54.041
2025	5	26	15	48	10	13	0.1	0.9	26.52	91.9	6.2082	54.4519
2025	5	26	15	58	10	13	0.1	0.9	27.01	91.3	6.2021	55.4224
2025	5	26	16	8	10	13	0.1	0.9	27.33	92.7	6.2021	56.0382

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	26	16	18	10	13	0.1	0.9	26.5	91.1	6.1899	54.2844
2025	5	26	16	28	10	13	0.1	0.9	26.9	90.9	6.2021	55.2171
2025	5	26	16	38	10	12.8	0.1	0.9	27.71	91.4	6.1899	56.7425
2025	5	26	16	48	10	12.6	0.1	0.9	27.5	89.8	6.2021	56.4486
2025	5	26	16	58	10	12.6	0.1	0.9	27.7	90.8	6.196	56.8008
2025	5	26	17	8	10	12.8	0.1	0.9	26.4	90	6.196	54.1351
2025	5	26	17	18	10	12.8	0.1	0.9	26.14	93.3	6.2021	53.5749
2025	5	26	17	28	10	12.8	0.1	0.9	27.43	92.5	6.196	56.1856
2025	5	26	17	38	10	13	0.1	0.9	27.44	93.1	6.196	56.1856
2025	5	26	17	48	10	13	0.1	0.9	28.42	92	6.196	58.2362
2025	5	26	17	58	10	13	0.1	0.9	26.72	91.9	6.196	54.7503
2025	5	26	18	8	10	13	0.1	0.9	27.34	92.9	6.196	55.9806
2025	5	26	18	18	10	12.6	0.1	0.9	27.13	92.5	6.1899	55.5135
2025	5	26	18	28	10	12.4	0.1	0.9	26.83	92.8	6.1899	54.8989
2025	5	26	18	38	10	12.4	0.1	0.9	26.13	92.9	6.196	53.52
2025	5	26	18	48	10	12.2	0.1	0.9	26.3	90.7	6.1899	53.8748
2025	5	26	18	58	10	12.2	0.1	0.9	26.7	90	6.196	54.7504
2025	5	26	19	8	10	12.2	0.1	0.9	26.62	92.2	6.196	54.5453
2025	5	26	19	18	10	12	0.1	0.9	26.52	92.4	6.1899	54.2845
2025	5	26	19	28	10	12	0.1	0.9	26.7	90.4	6.196	54.7504
2025	5	26	19	38	10	12	0.1	0.9	27.07	94	6.1899	55.3088
2025	5	26	19	48	10	12	0.1	0.9	27	91.1	6.1899	55.3088
2025	5	26	19	58	10	12	0.1	0.9	26.85	93.4	6.1899	54.8991
2025	5	26	20	8	10	12	0.1	0.9	27.81	91.6	6.196	57.0062
2025	5	26	20	18	10	12	0.1	0.9	27.82	92.1	6.1899	56.9477
2025	5	26	20	28	10	12	0.1	0.9	26.4	91.1	6.1899	54.0798
2025	5	26	20	38	10	12	0.1	0.9	26.92	92.1	6.1899	55.1041
2025	5	26	20	48	10	12	0.1	0.9	26.7	90.4	6.1899	54.6944
2025	5	26	20	58	10	12	0.1	0.9	26.72	92.1	6.1899	54.6944
2025	5	26	21	8	10	12	0.1	0.9	27.33	92.5	6.1838	55.8661
2025	5	26	21	18	10	12	0.1	0.9	26.8	91.1	6.1838	54.8429
2025	5	26	21	28	10	12	0.1	0.9	27.3	90.6	6.1899	55.9236
2025	5	26	21	38	10	12	0.1	0.9	28.01	91.4	6.1899	57.3576
2025	5	26	21	48	10	12	0.1	0.9	26.4	91.1	6.1899	54.08
2025	5	26	21	58	10	12	0.1	0.9	27.32	92.3	6.1899	55.9237
2025	5	26	22	8	10	12	0.1	0.9	27.71	91.9	6.1838	56.6848
2025	5	26	22	18	10	12	0.1	0.9	27.01	91.5	6.1838	55.2524
2025	5	26	22	28	10	12	0.1	0.9	26.85	93.4	6.1899	54.8996
2025	5	26	22	38	10	12	0.1	0.9	26.22	92.2	6.1899	53.6705
2025	5	26	22	48	10	12	0.1	0.9	28.3	90.4	6.1899	57.9724
2025	5	26	22	58	10	11.8	0.1	0.9	27.22	92.1	6.1899	55.7191
2025	5	26	23	8	10	11.8	0.1	0.9	28.12	92.2	6.1899	57.5628
2025	5	26	23	18	10	11.8	0.1	0.9	28.05	93.5	6.1899	57.3579
2025	5	26	23	28	10	11.8	0.1	0.9	27	91.1	6.1899	55.3095
2025	5	26	23	38	10	11.8	0.1	0.9	26.24	93.1	6.1899	53.6707
2025	5	26	23	48	10	11.8	0.1	0.9	27.07	94	6.1899	55.3096
2025	5	26	23	58	10	11.8	0.1	0.9	26.72	92.4	6.1899	54.6951
2025	5	27	0	8	10	11.8	0.1	0.9	27.46	93.8	6.1838	56.0714

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	27	0	18	10	11.8	0.1	0.9	27.48	94.4	6.1838	56.0714
2025	5	27	0	28	10	11.8	0.1	0.9	25.84	93.1	6.1838	52.7972
2025	5	27	0	38	10	11.8	0.1	0.9	26.6	90.9	6.1838	54.4344
2025	5	27	0	48	10	11.8	0.1	0.9	26.71	91.7	6.1838	54.639
2025	5	27	0	58	10	11.8	0.1	0.9	27.02	92.3	6.1838	55.253
2025	5	27	1	8	10	11.8	0.1	0.9	27.24	92.9	6.1838	55.6623
2025	5	27	1	18	10	11.8	0.1	0.9	26.7	90.2	6.1838	54.6392
2025	5	27	1	28	10	11.8	0.1	0.9	26.62	91.9	6.1838	54.4346
2025	5	27	1	38	10	11.8	0.1	0.9	26.7	90.2	6.1838	54.6393
2025	5	27	1	48	10	11.8	0.1	0.9	27.1	90.4	6.1838	55.4579
2025	5	27	1	58	10	11.8	0.1	0.9	26.9	90	6.1838	55.0486
2025	5	27	2	8	10	11.8	0.1	0.9	28.33	92.8	6.1838	57.9136
2025	5	27	2	18	10	11.8	0.1	0.9	26.43	92.6	6.1838	54.0255
2025	5	27	2	28	10	11.8	0.1	0.9	26.2	90.9	6.1838	53.6162
2025	5	27	2	38	10	11.8	0.1	0.9	26.38	94.3	6.1838	53.8209
2025	5	27	2	48	10	11.8	0.1	0.9	26.72	91.9	6.1838	54.6395
2025	5	27	2	58	10	11.8	0.1	0.9	26.74	93	6.1838	54.6396
2025	5	27	3	8	10	11.8	0.1	0.9	27.13	92.7	6.1838	55.4582
2025	5	27	3	18	10	11.8	0.1	0.9	27.61	91.9	6.1838	56.4815
2025	5	27	3	28	10	11.8	0.1	0.9	26.52	92.4	6.1838	54.2304
2025	5	27	3	38	10	11.8	0.1	0.9	27.61	91.9	6.1838	56.4815
2025	5	27	3	48	10	11.6	0.1	0.9	26.94	93	6.1777	54.9925
2025	5	27	3	58	10	11.8	0.1	0.9	27.01	91.3	6.1777	55.1969
2025	5	27	4	8	10	11.8	0.1	0.9	27.21	91.9	6.1777	55.6058
2025	5	27	4	18	10	11.6	0.1	0.9	27.2	90.8	6.1838	55.6632
2025	5	27	4	28	10	11.6	0.1	0.9	26.44	93.3	6.1777	53.9705
2025	5	27	4	38	10	11.6	0.1	0.9	27.12	92.3	6.1777	55.4015
2025	5	27	4	48	10	11.6	0.1	0.9	27.61	91.7	6.1838	56.4819
2025	5	27	4	58	10	11.6	0.1	0.9	26.52	91.9	6.1777	54.175
2025	5	27	5	8	10	11.6	0.1	0.9	27.49	94.6	6.1777	56.015
2025	5	27	5	18	10	11.6	0.1	0.9	27.33	92.7	6.1777	55.8106
2025	5	27	5	28	10	11.6	0.1	0.9	27	91.1	6.1838	55.2542
2025	5	27	5	38	10	11.6	0.1	0.9	27.04	93.2	6.1838	55.2542
2025	5	27	5	48	10	11.6	0.1	0.9	27.22	92.1	6.1777	55.6063
2025	5	27	5	58	10	11.6	0.1	0.9	26.33	92.8	6.1777	53.7664
2025	5	27	6	8	10	11.6	0.1	0.9	27.31	91.5	6.1777	55.8108
2025	5	27	6	18	10	11.6	0.1	0.9	27.91	91.2	6.1777	57.0374
2025	5	27	6	28	10	11.6	0.1	0.9	26.34	93.3	6.1838	53.8219
2025	5	27	6	38	10	11.8	0.1	0.9	25.94	93.3	6.1777	52.9488
2025	5	27	6	48	10	11.8	0.1	0.9	27.37	94.2	6.1777	55.8109
2025	5	27	6	58	10	12	0.1	0.9	26.06	93.7	6.1777	53.1533
2025	5	27	7	8	10	12.2	0.1	0.9	26.43	92.8	6.1777	53.9711
2025	5	27	7	18	10	12.2	0.1	0.9	26.92	91.9	6.1838	55.0499
2025	5	27	7	28	10	12.2	0.1	0.9	26.36	93.9	6.1838	53.822
2025	5	27	7	38	10	12.4	0.1	0.9	27.31	91.9	6.1838	55.8685
2025	5	27	7	48	10	12.4	0.1	0.9	26.73	92.8	6.1838	54.6406
2025	5	27	7	58	10	12.4	0.1	0.9	27.46	93.8	6.1777	56.0155
2025	5	27	8	8	10	12.6	0.1	0.9	26.22	92	6.1838	53.6174

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	27	8	18	10	12.6	0.1	0.9	26.7	91.1	6.1777	54.5844
2025	5	27	8	28	10	12.6	0.1	0.9	26.62	92.4	6.1838	54.436
2025	5	27	8	38	10	12.6	0.1	0.9	26.72	92.4	6.1838	54.6406
2025	5	27	8	48	10	12.8	0.1	0.9	26.63	92.8	6.1838	54.4359
2025	5	27	8	58	10	12.8	0.1	0.9	26.74	93	6.1838	54.6405
2025	5	27	9	8	10	12.8	0.1	0.9	26.42	92.4	6.1777	53.971
2025	5	27	9	18	10	12.8	0.1	0.9	26.88	94.5	6.1838	54.8451
2025	5	27	9	28	10	12.8	0.1	0.9	26.35	93.7	6.1838	53.8219
2025	5	27	9	38	10	13	0.1	0.9	26.44	93	6.1777	53.9709
2025	5	27	9	48	10	13	0.1	0.9	27.31	91.3	6.1838	55.8682
2025	5	27	9	58	10	13	0.1	0.9	27.32	92.1	6.1838	55.8682
2025	5	27	10	8	10	13	0.1	0.9	28.45	93.2	6.1777	58.0594
2025	5	27	10	18	10	13	0.1	0.9	27.5	91	6.1777	56.2195
2025	5	27	10	28	10	13	0.1	0.9	27.45	93.3	6.1838	56.0727
2025	5	27	10	38	10	13	0.1	0.9	27.03	92.8	6.1777	55.1972
2025	5	27	10	48	10	13	0.1	0.9	26.03	92.6	6.1777	53.1528
2025	5	27	10	58	10	13	0.1	0.9	27.24	92.9	6.1777	55.6059
2025	5	27	11	8	10	13.2	0.1	0.9	26.4	95	6.1777	53.7659
2025	5	27	11	18	10	13.2	0.1	0.9	25.9	91.1	6.1777	52.9481
2025	5	27	11	28	10	13.2	0.1	0.9	26.21	91.3	6.1777	53.5613
2025	5	27	11	38	10	13.2	0.1	0.9	27.25	93.6	6.1777	55.6056
2025	5	27	11	48	10	13.2	0.1	0.9	26.73	92.6	6.1838	54.6396
2025	5	27	11	58	10	13.2	0.1	0.9	26.77	94.3	6.1777	54.5833
2025	5	27	12	8	10	13.2	0.1	0.9	26.36	93.9	6.1777	53.7655
2025	5	27	12	18	10	13.2	0.1	0.9	27.32	92.3	6.1777	55.8097
2025	5	27	12	28	10	13.2	0.1	0.9	27	91.1	6.1777	55.1963
2025	5	27	12	38	10	13.2	0.1	0.9	26.01	91.8	6.1777	53.1519
2025	5	27	12	48	10	13.2	0.1	0.9	27.02	92.3	6.1838	55.253
2025	5	27	12	58	10	13.2	0.1	0.9	26.64	93.2	6.1838	54.4343
2025	5	27	13	8	10	13.2	0.1	0.9	26.5	91.1	6.1777	54.1739
2025	5	27	13	18	10	13.2	0.1	0.9	27.19	94.6	6.1777	55.4003
2025	5	27	13	28	10	13.2	0.1	0.9	26.6	89.6	6.1838	54.4341
2025	5	27	13	38	10	13.2	0.1	0.9	27.21	91.7	6.1838	55.6619
2025	5	27	13	48	10	13.2	0.1	0.9	27.72	92.3	6.1777	56.6267
2025	5	27	13	58	10	13.2	0.1	0.9	26.71	91.3	6.1838	54.6385
2025	5	27	14	8	10	13.2	0.1	0.9	26.75	93.6	6.1838	54.6384
2025	5	27	14	18	10	13.2	0.1	0.9	27.12	92.1	6.1777	55.3999
2025	5	27	14	28	10	13	0.1	0.9	27	91.1	6.1716	55.1385
2025	5	27	14	38	10	13	0.1	0.9	27.31	91.7	6.1838	55.8661
2025	5	27	14	48	10	13.2	0.1	0.9	26.83	92.8	6.1716	54.73
2025	5	27	14	58	10	13.2	0.1	0.9	26.34	93.3	6.1777	53.7642
2025	5	27	15	8	10	13.2	0.1	0.9	27.4	90.8	6.1777	56.0128
2025	5	27	15	18	10	12.8	0.1	0.9	26.94	93	6.1716	54.934
2025	5	27	15	28	10	12.8	0.1	0.9	26.93	92.6	6.1716	54.9339
2025	5	27	15	38	10	12.8	0.1	0.9	27.02	92.1	6.1655	55.0812
2025	5	27	15	48	10	12.8	0.1	0.9	26.73	92.6	6.1655	54.4692
2025	5	27	15	58	10	12.8	0.1	0.9	27.6	89.2	6.1594	56.2471
2025	5	27	16	8	10	12.8	0.1	0.9	27.61	91.7	6.1655	56.3051

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	27	16	18	10	12.8	0.1	0.9	27.01	91.7	6.1594	55.0242
2025	5	27	16	28	10	12.8	0.1	0.9	27.63	92.5	6.1594	56.2469
2025	5	27	16	38	10	12.8	0.1	0.9	25.66	93.8	6.1594	52.171
2025	5	27	16	48	10	12.8	0.1	0.9	27.03	92.8	6.1594	55.0241
2025	5	27	16	58	10	12.8	0.1	0.9	26.42	92.2	6.1594	53.8013
2025	5	27	17	8	10	12.8	0.1	0.9	28.08	94.3	6.1594	57.062
2025	5	27	17	18	10	12.8	0.1	0.9	28.21	91.8	6.1594	57.4695
2025	5	27	17	28	10	12.8	0.1	0.9	27.21	91.7	6.1594	55.4316
2025	5	27	17	38	10	12.8	0.1	0.9	26.31	91.5	6.1594	53.5974
2025	5	27	17	48	10	13	0.1	0.9	27.74	93.1	6.1594	56.4505
2025	5	27	17	58	10	12.6	0.1	0.9	28.06	93.7	6.1533	57.0029
2025	5	27	18	8	10	12.6	0.1	0.9	27.2	90.6	6.1594	55.4316
2025	5	27	18	18	10	12.4	0.1	0.9	26.4	90	6.1533	53.7456
2025	5	27	18	28	10	12.4	0.1	0.9	26.72	92.1	6.1533	54.3564
2025	5	27	18	38	10	12.2	0.1	0.9	27.2	90	6.1533	55.3743
2025	5	27	18	48	10	12.2	0.1	0.9	26.33	92.8	6.1472	53.4867
2025	5	27	18	58	10	12.2	0.1	0.9	26.54	93.2	6.1533	53.9493
2025	5	27	19	8	10	12.2	0.1	0.9	26.72	91.9	6.1533	54.3565
2025	5	27	19	18	10	12.2	0.1	0.9	26.94	93	6.1533	54.7636
2025	5	27	19	28	10	12.2	0.1	0.9	26.52	92.2	6.1533	53.9493
2025	5	27	19	38	10	12.2	0.1	0.9	26.72	92.1	6.1533	54.3565
2025	5	27	19	48	10	12	0.1	0.9	27.06	93.8	6.1533	54.9673
2025	5	27	19	58	10	12	0.1	0.9	27.1	91.1	6.1533	55.1709
2025	5	27	20	8	10	12	0.1	0.9	26.61	91.3	6.1533	54.153
2025	5	27	20	18	10	12	0.1	0.9	27.14	93	6.1472	55.1139
2025	5	27	20	28	10	12	0.1	0.9	27.11	91.9	6.1472	55.1139
2025	5	27	20	38	10	12	0.1	0.9	27.1	91.1	6.1472	55.114
2025	5	27	20	48	10	12	0.1	0.9	25.63	92.9	6.1472	52.0634
2025	5	27	20	58	10	12	0.1	0.9	26.26	93.7	6.1472	53.2837
2025	5	27	21	8	10	12	0.1	0.9	27.4	90.8	6.1472	55.7242
2025	5	27	21	18	10	12	0.1	0.9	26.52	92.4	6.1472	53.8939
2025	5	27	21	28	10	12	0.1	0.9	26.4	90.9	6.1472	53.6905
2025	5	27	21	38	10	12	0.1	0.9	27.03	92.8	6.1472	54.9108
2025	5	27	21	48	10	12	0.1	0.9	26.73	92.6	6.1472	54.3007
2025	5	27	21	58	10	12	0.1	0.9	26.12	92.2	6.1472	53.0806
2025	5	27	22	8	10	12	0.1	0.9	26.9	91.1	6.1472	54.7076
2025	5	27	22	18	10	12	0.1	0.9	26.91	91.7	6.1472	54.7076
2025	5	27	22	28	10	12	0.1	0.9	26.4	90.7	6.1472	53.6908
2025	5	27	22	38	10	12	0.1	0.9	26.9	91.1	6.1472	54.7077
2025	5	27	22	48	10	12	0.1	0.9	27.2	90	6.1472	55.3179
2025	5	27	22	58	10	11.8	0.1	0.9	25.71	91.6	6.1472	52.2673
2025	5	27	23	8	10	11.8	0.1	0.9	27.9	90.6	6.1411	56.6829
2025	5	27	23	18	10	12	0.1	0.9	27.05	93.6	6.1411	54.8544
2025	5	27	23	28	10	12	0.1	0.9	27.42	92.1	6.1411	55.6671
2025	5	27	23	38	10	12	0.1	0.9	26.85	93.6	6.1411	54.4482
2025	5	27	23	48	10	12	0.1	0.9	25.9	90.9	6.1411	52.6198
2025	5	27	23	58	10	12	0.1	0.9	27.51	91.9	6.1411	55.8705
2025	5	28	0	8	10	12	0.1	0.9	27.6	90.4	6.1411	56.0737

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	28	0	18	10	12	0.1	0.9	27.1	90	6.1411	55.0579
2025	5	28	0	28	10	12	0.1	0.9	26.12	92.2	6.1411	53.0263
2025	5	28	0	38	10	12	0.1	0.9	26.62	92.2	6.1411	54.0422
2025	5	28	0	48	10	12	0.1	0.9	26	90.9	6.1411	52.8232
2025	5	28	0	58	10	12	0.1	0.9	26.51	91.5	6.135	53.7833
2025	5	28	1	8	10	12	0.1	0.9	26.8	91.1	6.1411	54.4486
2025	5	28	1	18	10	11.8	0.1	0.9	26.61	91.5	6.135	53.9864
2025	5	28	1	28	10	11.8	0.1	0.9	27.2	89.4	6.1411	55.2614
2025	5	28	1	38	10	11.8	0.1	0.9	26.93	92.6	6.135	54.5953
2025	5	28	1	48	10	11.8	0.1	0.9	25.16	93.9	6.1411	50.995
2025	5	28	1	58	10	11.8	0.1	0.9	26.45	93.7	6.1411	53.6362
2025	5	28	2	8	10	11.8	0.1	0.9	26.4	91.1	6.1411	53.6362
2025	5	28	2	18	10	11.8	0.1	0.9	25.5	90.9	6.1411	51.8078
2025	5	28	2	28	10	11.8	0.1	0.9	27.3	89.6	6.1411	55.4649
2025	5	28	2	38	10	11.8	0.1	0.9	26.82	92.1	6.1411	54.4491
2025	5	28	2	48	10	11.8	0.1	0.9	27.32	92.1	6.1472	55.5224
2025	5	28	2	58	10	11.8	0.1	0.9	27.44	93.1	6.1472	55.7259
2025	5	28	3	8	10	11.8	0.1	0.9	27.41	91.5	6.1472	55.7259
2025	5	28	3	18	10	11.8	0.1	0.9	26.2	90.7	6.1472	53.2854
2025	5	28	3	28	10	11.8	0.1	0.9	26.2	90.7	6.1472	53.2855
2025	5	28	3	38	10	11.8	0.1	0.9	27.4	90	6.1533	55.7838
2025	5	28	3	48	10	11.8	0.1	0.9	27.11	91.9	6.1533	55.173
2025	5	28	3	58	10	11.8	0.1	0.9	26.71	91.5	6.1472	54.3025
2025	5	28	4	8	10	11.8	0.1	0.9	26.21	91.5	6.1533	53.3408
2025	5	28	4	18	10	11.8	0.1	0.9	26.71	91.5	6.1533	54.3588
2025	5	28	4	28	10	11.8	0.1	0.9	25.82	92	6.1533	52.5265
2025	5	28	4	38	10	11.8	0.1	0.9	26.4	91.1	6.1533	53.7481
2025	5	28	4	48	10	11.8	0.1	0.9	26.14	93.1	6.1533	53.1374
2025	5	28	4	58	10	11.6	0.1	0.9	25.26	93.9	6.1533	51.3051
2025	5	28	5	8	10	11.8	0.1	0.9	27.41	91.3	6.1472	55.7265
2025	5	28	5	18	10	11.8	0.1	0.9	26.41	91.7	6.1533	53.7483
2025	5	28	5	28	10	11.6	0.1	0.9	27.13	92.7	6.1472	55.1164
2025	5	28	5	38	10	11.8	0.1	0.9	28.3	90	6.1533	57.6166
2025	5	28	5	48	10	11.8	0.1	0.9	26.94	93.2	6.1533	54.7664
2025	5	28	5	58	10	11.8	0.1	0.9	27.77	93.9	6.1533	56.3952
2025	5	28	6	8	10	11.8	0.1	0.9	25.74	93.3	6.1533	52.3234
2025	5	28	6	18	10	11.8	0.1	0.9	26.32	92	6.1533	53.545
2025	5	28	6	28	10	11.8	0.1	0.9	26.46	93.9	6.1472	53.693
2025	5	28	6	38	10	11.8	0.1	0.9	26.63	92.8	6.1472	54.0998
2025	5	28	6	48	10	12	0.1	0.9	26.42	92.4	6.1533	53.7487
2025	5	28	6	58	10	12	0.1	0.9	26.82	91.9	6.1533	54.5631
2025	5	28	7	8	10	12.2	0.1	0.9	26.54	93	6.1472	53.8965
2025	5	28	7	18	10	12.2	0.1	0.9	26.08	94.4	6.1472	52.8796
2025	5	28	7	28	10	12.2	0.1	0.9	27.45	93.3	6.1472	55.727
2025	5	28	7	38	10	12.2	0.1	0.9	27.94	92.9	6.1472	56.7439
2025	5	28	7	48	10	12.6	0.1	0.9	25.73	92.9	6.1472	52.2695
2025	5	28	7	58	10	12.8	0.1	0.9	26.72	91.9	6.1472	54.3034
2025	5	28	8	8	10	12.8	0.1	0.9	27.46	93.8	6.1472	55.727

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	28	8	18	10	12.8	0.1	0.9	26.04	93.1	6.1472	52.8797
2025	5	28	8	28	10	13	0.1	0.9	27.22	92.1	6.1472	55.3203
2025	5	28	8	38	10	12.8	0.1	0.9	25.9	90	6.1472	52.6762
2025	5	28	8	48	10	12.8	0.1	0.9	27.1	90.6	6.1472	55.1168
2025	5	28	8	58	10	12.8	0.1	0.9	26.47	94.1	6.1472	53.6931
2025	5	28	9	8	10	13	0.1	0.9	26.58	94.3	6.1472	53.8965
2025	5	28	9	18	10	13	0.1	0.9	27.66	93.7	6.1472	56.1336
2025	5	28	9	28	10	13.2	0.1	0.9	26.61	91.3	6.1472	54.0997
2025	5	28	9	38	10	13.2	0.1	0.9	27.91	91.8	6.1472	56.7437
2025	5	28	9	48	10	13.2	0.1	0.9	26.55	93.7	6.1472	53.8963
2025	5	28	9	58	10	13.2	0.1	0.9	26.31	91.7	6.1472	53.4894
2025	5	28	10	8	10	13	0.1	0.9	26.44	93	6.1472	53.6928
2025	5	28	10	18	10	13	0.1	0.9	27.2	91.1	6.1472	55.3197
2025	5	28	10	28	10	13	0.1	0.9	26.51	91.5	6.1411	53.8402
2025	5	28	10	38	10	12.8	0.1	0.9	25.92	92	6.1411	52.6211
2025	5	28	10	48	10	12.8	0.1	0.9	26.92	91.9	6.1472	54.7094
2025	5	28	10	58	10	12.8	0.1	0.9	26.73	92.6	6.135	54.1901
2025	5	28	11	8	10	12.8	0.1	0.9	25.24	93.4	6.1411	51.1987
2025	5	28	11	18	10	12.8	0.1	0.9	26.43	92.6	6.1289	53.5255
2025	5	28	11	28	10	12.8	0.1	0.9	27.38	94.4	6.135	55.4076
2025	5	28	11	38	10	12.8	0.1	0.9	27.32	92.3	6.1289	55.35
2025	5	28	11	48	10	12.8	0.1	0.9	26.84	93.2	6.1289	54.3362
2025	5	28	11	58	10	13	0.1	0.9	26.8	90.6	6.1289	54.3361
2025	5	28	12	8	10	13	0.1	0.9	27.33	92.5	6.1289	55.3498
2025	5	28	12	18	10	13	0.1	0.9	26.34	93	6.1289	53.3222
2025	5	28	12	28	10	13	0.1	0.9	27.14	93	6.1289	54.9441
2025	5	28	12	38	10	13	0.1	0.9	26.2	90.2	6.1289	53.1193
2025	5	28	12	48	10	13	0.1	0.9	27.1	90.6	6.1289	54.9439
2025	5	28	12	58	10	13	0.1	0.9	27.45	93.3	6.1289	55.552
2025	5	28	13	8	10	12.8	0.1	0.9	26.23	92.8	6.1289	53.119
2025	5	28	13	18	10	13	0.1	0.9	25.92	92.4	6.1289	52.5107
2025	5	28	13	28	10	13	0.1	0.9	26.54	93	6.1289	53.727
2025	5	28	13	38	10	13	0.1	0.9	26.11	91.3	6.135	52.9709
2025	5	28	13	48	10	13	0.1	0.9	27.82	92.1	6.1289	56.3625
2025	5	28	13	58	10	13	0.1	0.9	26.24	93.1	6.135	53.1737
2025	5	28	14	8	10	12.8	0.1	0.9	26.8	90.2	6.1289	54.3349
2025	5	28	14	18	10	12.8	0.1	0.9	26.64	93.2	6.135	53.9854
2025	5	28	14	28	10	12.8	0.1	0.9	26.12	92.4	6.135	52.9705
2025	5	28	14	38	10	12.8	0.1	0.9	27.03	92.5	6.135	54.797
2025	5	28	14	48	10	12.8	0.1	0.9	27.03	92.8	6.135	54.797
2025	5	28	14	58	10	12.8	0.1	0.9	26.14	93.1	6.1411	53.0253
2025	5	28	15	8	10	12.8	0.1	0.9	27.51	91.7	6.135	55.8116
2025	5	28	15	18	10	12.8	0.1	0.9	26.12	92	6.135	52.9702
2025	5	28	15	28	10	12.8	0.1	0.9	26.31	91.3	6.135	53.376
2025	5	28	15	38	10	12.8	0.1	0.9	26.76	93.9	6.135	54.1878
2025	5	28	15	48	10	12.8	0.1	0.9	26.11	91.5	6.135	52.97
2025	5	28	15	58	10	12.8	0.1	0.9	27.64	92.9	6.135	56.0142
2025	5	28	16	8	10	12.8	0.1	0.9	27.37	94	6.135	55.4053

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	28	16	18	10	12.8	0.1	0.9	25.63	92.7	6.135	51.9551
2025	5	28	16	28	10	12.8	0.1	0.9	27.15	93.6	6.135	54.9993
2025	5	28	16	38	10	12.8	0.1	0.9	27.2	91.1	6.135	55.2022
2025	5	28	16	48	10	12.8	0.1	0.9	27.01	95.1	6.1411	54.65
2025	5	28	16	58	10	12.8	0.1	0.9	25.7	90.7	6.1411	52.212
2025	5	28	17	8	10	12.8	0.1	0.9	26.94	93.2	6.1411	54.6499
2025	5	28	17	18	10	12.8	0.1	0.9	25.4	90.7	6.135	51.549
2025	5	28	17	28	10	12.8	0.1	0.9	26.6	90.4	6.1411	54.0404
2025	5	28	17	38	10	12.8	0.1	0.9	26	89.1	6.1411	52.8214
2025	5	28	17	48	10	12.8	0.1	0.9	26.4	90.9	6.135	53.5785
2025	5	28	17	58	10	12.6	0.1	0.9	27.04	93.2	6.135	54.7962
2025	5	28	18	8	10	12.4	0.1	0.9	27.4	89.4	6.135	55.608
2025	5	28	18	18	10	12.2	0.1	0.9	26.82	91.9	6.1411	54.4467
2025	5	28	18	28	10	12.2	0.1	0.9	27.05	93.4	6.135	54.7962
2025	5	28	18	38	10	12.2	0.1	0.9	26.69	94.7	6.135	53.9844
2025	5	28	18	48	10	12.2	0.1	0.9	25.71	91.8	6.1411	52.212
2025	5	28	18	58	10	12.2	0.1	0.9	27	89.2	6.1411	54.8531
2025	5	28	19	8	10	12.2	0.1	0.9	26.5	91.1	6.1411	53.8373
2025	5	28	19	18	10	12	0.1	0.9	26.21	91.3	6.1411	53.2278
2025	5	28	19	28	10	12	0.1	0.9	26.4	90.2	6.1411	53.6342
2025	5	28	19	38	10	12	0.1	0.9	26.62	91.9	6.1411	54.0405
2025	5	28	19	48	10	12	0.1	0.9	26.41	91.5	6.1411	53.6342
2025	5	28	19	58	10	12	0.1	0.9	26.51	91.3	6.1411	53.8374
2025	5	28	20	8	10	12	0.1	0.9	26.95	93.6	6.1411	54.6501
2025	5	28	20	18	10	12	0.1	0.9	25.94	93.1	6.1411	52.6185
2025	5	28	20	28	10	12	0.1	0.9	27.01	91.3	6.1411	54.8533
2025	5	28	20	38	10	12	0.1	0.9	26.82	92.1	6.1411	54.447
2025	5	28	20	48	10	12	0.1	0.9	26.51	91.7	6.1411	53.8376
2025	5	28	20	58	10	12	0.1	0.9	27.01	91.3	6.1411	54.8534
2025	5	28	21	8	10	12	0.1	0.9	27.11	91.9	6.1411	55.0566
2025	5	28	21	18	10	12	0.1	0.9	26.21	91.3	6.1411	53.2282
2025	5	28	21	28	10	12	0.1	0.9	26.31	91.3	6.1411	53.4314
2025	5	28	21	38	10	12	0.1	0.9	27.72	92.1	6.135	56.2174
2025	5	28	21	48	10	12	0.1	0.9	25.4	88.9	6.1411	51.6031
2025	5	28	21	58	10	12	0.1	0.9	27.1	91.1	6.1411	55.0569
2025	5	28	22	8	10	11.8	0.1	0.9	25.71	95.4	6.1411	52.0095
2025	5	28	22	18	10	12	0.1	0.9	26.7	90	6.1411	54.2443
2025	5	28	22	28	10	12	0.1	0.9	26.9	90.4	6.135	54.5941
2025	5	28	22	38	10	12	0.1	0.9	26.1	89.8	6.135	52.9705
2025	5	28	22	48	10	12	0.1	0.9	26.1	91.1	6.135	52.9705
2025	5	28	22	58	10	11.8	0.1	0.9	26.32	92.2	6.135	53.3765
2025	5	28	23	8	10	11.8	0.1	0.9	25.61	91.8	6.135	51.9559
2025	5	28	23	18	10	12	0.1	0.9	26.1	89.8	6.135	52.9707
2025	5	28	23	28	10	12	0.1	0.9	26.8	90	6.135	54.3914
2025	5	28	23	38	10	12	0.1	0.9	27.22	92.1	6.135	55.2033
2025	5	28	23	48	10	12	0.1	0.9	26.41	91.5	6.135	53.5797
2025	5	28	23	58	10	12	0.1	0.9	26.82	92.4	6.135	54.3916
2025	5	29	0	8	10	12	0.1	0.9	25.81	91.6	6.135	52.3621

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	29	0	18	10	12	0.1	0.9	26.9	91.1	6.135	54.5947
2025	5	29	0	28	10	12	0.1	0.9	26.83	92.8	6.135	54.3918
2025	5	29	0	38	10	12	0.1	0.9	26.7	90.9	6.135	54.1888
2025	5	29	0	48	10	12	0.1	0.9	27.11	91.3	6.135	55.0007
2025	5	29	0	58	10	12	0.1	0.9	26.2	90	6.135	53.1742
2025	5	29	1	8	10	11.8	0.1	0.9	26.3	91.1	6.135	53.3772
2025	5	29	1	18	10	12	0.1	0.9	26.35	93.7	6.135	53.3772
2025	5	29	1	28	10	12	0.1	0.9	26.61	91.5	6.135	53.9861
2025	5	29	1	38	10	12	0.1	0.9	26.7	91.1	6.135	54.1891
2025	5	29	1	48	10	12	0.1	0.9	27.65	93.5	6.135	56.0158
2025	5	29	1	58	10	12	0.1	0.9	25.51	91.6	6.135	51.7538
2025	5	29	2	8	10	11.8	0.1	0.9	27.02	92.3	6.135	54.7981
2025	5	29	2	18	10	11.8	0.1	0.9	26.22	92.2	6.135	53.1745
2025	5	29	2	28	10	11.8	0.1	0.9	26.71	91.3	6.135	54.1894
2025	5	29	2	38	10	11.8	0.1	0.9	26.52	91.9	6.135	53.7835
2025	5	29	2	48	10	11.8	0.1	0.9	27.1	91.1	6.135	55.0013
2025	5	29	2	58	10	11.8	0.1	0.9	26	90.4	6.135	52.7688
2025	5	29	3	8	10	11.8	0.1	0.9	26.57	94.1	6.1411	53.8394
2025	5	29	3	18	10	11.8	0.1	0.9	26.24	93.1	6.135	53.1748
2025	5	29	3	28	10	11.8	0.1	0.9	27.9	90.4	6.1472	56.7426
2025	5	29	3	38	10	11.8	0.1	0.9	26.42	92.4	6.1472	53.692
2025	5	29	3	48	10	11.8	0.1	0.9	26.33	92.8	6.1533	53.544
2025	5	29	3	58	10	11.8	0.1	0.9	25.91	91.5	6.1533	52.7297
2025	5	29	4	8	10	11.8	0.1	0.9	26.42	92.2	6.1533	53.7477
2025	5	29	4	18	10	11.8	0.1	0.9	26.3	90.2	6.1533	53.5441
2025	5	29	4	28	10	11.8	0.1	0.9	26.94	93.2	6.1533	54.7657
2025	5	29	4	38	10	11.8	0.1	0.9	27.51	91.2	6.1533	55.9873
2025	5	29	4	48	10	11.8	0.1	0.9	25.71	91.6	6.1594	52.3768
2025	5	29	4	58	10	11.8	0.1	0.9	26.91	91.5	6.1594	54.8224
2025	5	29	5	8	10	11.8	0.1	0.9	26.26	93.7	6.1533	53.3407
2025	5	29	5	18	10	11.8	0.1	0.9	26.64	93.2	6.1594	54.2111
2025	5	29	5	28	10	11.8	0.1	0.9	26.84	93	6.1594	54.6187
2025	5	29	5	38	10	11.8	0.1	0.9	27.47	94	6.1594	55.8415
2025	5	29	5	48	10	11.8	0.1	0.9	26.9	91.1	6.1594	54.8226
2025	5	29	5	58	10	11.8	0.1	0.9	25.74	93.3	6.1594	52.377
2025	5	29	6	8	10	11.8	0.1	0.9	26.21	91.5	6.1594	53.396
2025	5	29	6	18	10	11.8	0.1	0.9	26.6	89.8	6.1594	54.2113
2025	5	29	6	28	10	11.8	0.1	0.9	26.12	92	6.1594	53.1923
2025	5	29	6	38	10	12	0.1	0.9	25.74	93.1	6.1594	52.3771
2025	5	29	6	48	10	12	0.1	0.9	27.02	92.3	6.1594	55.0266
2025	5	29	6	58	10	12	0.1	0.9	27.22	92.1	6.1594	55.4342
2025	5	29	7	8	10	12.2	0.1	0.9	26.72	91.9	6.1594	54.4152
2025	5	29	7	18	10	12.2	0.1	0.9	26.04	93.1	6.1594	52.9886
2025	5	29	7	28	10	12.2	0.1	0.9	26.92	91.9	6.1594	54.8228
2025	5	29	7	38	10	12.4	0.1	0.9	26.54	93	6.1594	54.0076
2025	5	29	7	48	10	12.4	0.1	0.9	26.26	96.3	6.1594	53.1924
2025	5	29	7	58	10	12.6	0.1	0.9	27.41	91.5	6.1533	55.7841
2025	5	29	8	8	10	12.6	0.1	0.9	27.03	92.8	6.1594	55.0266

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	29	8	18	10	12.6	0.1	0.9	26.31	91.7	6.1533	53.5446
2025	5	29	8	28	10	12.6	0.1	0.9	26.51	91.7	6.1594	54.0076
2025	5	29	8	38	10	12.8	0.1	0.9	26.24	93.1	6.1533	53.341
2025	5	29	8	48	10	12.8	0.1	0.9	26.12	92.4	6.1594	53.1923
2025	5	29	8	58	10	12.8	0.1	0.9	26.41	91.5	6.1594	53.8037
2025	5	29	9	8	10	12.8	0.1	0.9	25.2	95	6.1533	51.1014
2025	5	29	9	18	10	12.8	0.1	0.9	27.47	94	6.1594	55.8416
2025	5	29	9	28	10	12.8	0.1	0.9	27.15	93.4	6.1594	55.2302
2025	5	29	9	38	10	13	0.1	0.9	26.15	93.5	6.1533	53.1372
2025	5	29	9	48	10	12.8	0.1	0.9	27.15	93.4	6.1533	55.173
2025	5	29	9	58	10	12.8	0.1	0.9	26.24	93.1	6.1533	53.3406
2025	5	29	10	8	10	12.8	0.1	0.9	25.74	93.3	6.1472	52.2685
2025	5	29	10	18	10	12.8	0.1	0.9	27.24	92.9	6.1533	55.3764
2025	5	29	10	28	10	12.8	0.1	0.9	26.8	90	6.1472	54.5056
2025	5	29	10	38	10	12.8	0.1	0.9	26.04	93.1	6.1472	52.8785
2025	5	29	10	48	10	12.8	0.1	0.9	25.86	94	6.1411	52.4173
2025	5	29	10	58	10	12.8	0.1	0.9	27.1	94.9	6.135	54.7984
2025	5	29	11	8	10	12.8	0.1	0.9	26.54	93	6.135	53.7836
2025	5	29	11	18	10	13	0.1	0.9	26.92	92.3	6.135	54.5953
2025	5	29	11	28	10	13	0.1	0.9	25.71	91.8	6.135	52.1598
2025	5	29	11	38	10	13	0.1	0.9	26.12	92.2	6.135	52.9715
2025	5	29	11	48	10	13	0.1	0.9	26.55	93.7	6.135	53.7833
2025	5	29	11	58	10	13	0.1	0.9	26.04	93.1	6.135	52.7684
2025	5	29	12	8	10	13	0.1	0.9	26.2	90.9	6.1289	53.1191
2025	5	29	12	18	10	13	0.1	0.9	26.95	93.4	6.135	54.5948
2025	5	29	12	28	10	13	0.1	0.9	27.26	93.8	6.135	55.2036
2025	5	29	12	38	10	13	0.1	0.9	26.31	91.7	6.1289	53.3216
2025	5	29	12	48	10	13	0.1	0.9	25.91	91.8	6.135	52.565
2025	5	29	12	58	10	13	0.1	0.9	26.16	93.9	6.135	52.9708
2025	5	29	13	8	10	13	0.1	0.9	25.93	92.9	6.135	52.5648
2025	5	29	13	18	10	13	0.1	0.9	26.65	93.4	6.135	53.9854
2025	5	29	13	28	10	13	0.1	0.9	27.4	90.4	6.135	55.609
2025	5	29	13	38	10	13	0.1	0.9	26.52	91.9	6.135	53.7823
2025	5	29	13	48	10	13	0.1	0.9	26.14	93.3	6.135	52.9704
2025	5	29	13	58	10	13	0.1	0.9	27.11	91.3	6.135	54.9999
2025	5	29	14	8	10	13	0.1	0.9	26.23	92.8	6.135	53.1732
2025	5	29	14	18	10	13	0.1	0.9	27.17	94	6.135	54.9997
2025	5	29	14	28	10	12.8	0.1	0.9	26.3	90.2	6.1411	53.4314
2025	5	29	14	38	10	12.8	0.1	0.9	27.22	92.3	6.1411	55.2597
2025	5	29	14	48	10	12.8	0.1	0.9	25.82	92.2	6.135	52.3611
2025	5	29	14	58	10	12.8	0.1	0.9	26.8	91.1	6.1411	54.447
2025	5	29	15	8	10	12.8	0.1	0.9	25.8	90.9	6.1411	52.4153
2025	5	29	15	18	10	12.8	0.1	0.9	26	89.8	6.135	52.7668
2025	5	29	15	28	10	12.8	0.1	0.9	26.62	92.2	6.135	53.9845
2025	5	29	15	38	10	12.8	0.1	0.9	26.9	90.9	6.135	54.5933
2025	5	29	15	48	10	13	0.1	0.9	27	91.1	6.135	54.7962
2025	5	29	15	58	10	13	0.1	0.9	28	90.8	6.135	56.8256
2025	5	29	16	8	10	13	0.1	0.9	26.22	92.2	6.135	53.1725

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	29	16	18	10	13	0.1	0.9	26.5	90.9	6.1411	53.8371
2025	5	29	16	28	10	13	0.1	0.9	26.81	91.5	6.135	54.3901
2025	5	29	16	38	10	13	0.1	0.9	25.4	90.2	6.135	51.5488
2025	5	29	16	48	10	13	0.1	0.9	26.26	93.9	6.1289	53.1172
2025	5	29	16	58	10	13	0.1	0.9	27.54	92.9	6.1289	55.7528
2025	5	29	17	8	10	13	0.1	0.9	26.62	91.9	6.1289	53.9281
2025	5	29	17	18	10	13	0.1	0.9	25.9	90.9	6.1289	52.509
2025	5	29	17	28	10	13	0.1	0.9	26.4	90.7	6.1228	53.4671
2025	5	29	17	38	10	13	0.1	0.9	25.8	91.1	6.1228	52.2519
2025	5	29	17	48	10	13	0.1	0.9	27	90	6.1228	54.6822
2025	5	29	17	58	10	12.6	0.1	0.9	25.93	92.9	6.1228	52.4544
2025	5	29	18	8	10	12.4	0.1	0.9	25.8	91.1	6.1228	52.2519
2025	5	29	18	18	10	12.4	0.1	0.9	24.8	90.9	6.1289	50.2788
2025	5	29	18	28	10	12.2	0.1	0.9	27	90.4	6.1289	54.739
2025	5	29	18	38	10	12.2	0.1	0.9	26.31	91.5	6.1228	53.2645
2025	5	29	18	48	10	12.2	0.1	0.9	26.54	93.2	6.1228	53.6696
2025	5	29	18	58	10	12.2	0.1	0.9	26.7	90	6.1228	54.0747
2025	5	29	19	8	10	12.2	0.1	0.9	26.5	90	6.1228	53.6696
2025	5	29	19	18	10	12.2	0.1	0.9	26.6	91.1	6.1228	53.8722
2025	5	29	19	28	10	12	0.1	0.9	27.3	91	6.1228	55.2899
2025	5	29	19	38	10	12	0.1	0.9	26.34	93	6.1228	53.2647
2025	5	29	19	48	10	12	0.1	0.9	27.43	92.7	6.1289	55.5502
2025	5	29	19	58	10	12	0.1	0.9	27.03	92.5	6.135	54.7961
2025	5	29	20	8	10	12	0.1	0.9	26.39	94.8	6.135	53.3755
2025	5	29	20	18	10	12	0.1	0.9	26.4	89.8	6.135	53.5784
2025	5	29	20	28	10	12	0.1	0.9	25.5	90	6.135	51.7519
2025	5	29	20	38	10	12	0.1	0.9	25.94	93.1	6.135	52.5638
2025	5	29	20	48	10	12	0.1	0.9	26.52	92.2	6.135	53.7815
2025	5	29	20	58	10	12	0.1	0.9	26.2	90	6.135	53.1727
2025	5	29	21	8	10	12	0.1	0.9	26.3	90.7	6.135	53.3757
2025	5	29	21	18	10	12	0.1	0.9	27.41	91.9	6.135	55.6082
2025	5	29	21	28	10	12	0.1	0.9	25.96	93.8	6.135	52.564
2025	5	29	21	38	10	12	0.1	0.9	26.71	91.7	6.135	54.1876
2025	5	29	21	48	10	12	0.1	0.9	27.3	89.4	6.135	55.4054
2025	5	29	21	58	10	12	0.1	0.9	26.7	90.9	6.135	54.1877
2025	5	29	22	8	10	12	0.1	0.9	26.71	91.7	6.135	54.1877
2025	5	29	22	18	10	12	0.1	0.9	25.7	90	6.135	52.1583
2025	5	29	22	28	10	12	0.1	0.9	26.4	91.1	6.135	53.579
2025	5	29	22	38	10	12	0.1	0.9	26.4	90.9	6.135	53.579
2025	5	29	22	48	10	12	0.1	0.9	27.03	92.8	6.135	54.7968
2025	5	29	22	58	10	12	0.1	0.9	27.11	91.3	6.135	54.9998
2025	5	29	23	8	10	12	0.1	0.9	27.03	92.8	6.135	54.7969
2025	5	29	23	18	10	12	0.1	0.9	26.75	93.6	6.135	54.1881
2025	5	29	23	28	10	11.8	0.1	0.9	26.81	91.7	6.135	54.3911
2025	5	29	23	38	10	11.8	0.1	0.9	26.94	93	6.135	54.5941
2025	5	29	23	48	10	11.8	0.1	0.9	25.32	92.5	6.135	51.3469
2025	5	29	23	58	10	11.8	0.1	0.9	26	89.6	6.135	52.7676
2025	5	30	0	8	10	11.8	0.1	0.9	26.81	91.3	6.135	54.3913

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	30	0	18	10	11.8	0.1	0.9	26.1	90	6.135	52.9706
2025	5	30	0	28	10	12	0.1	0.9	26.72	92.1	6.135	54.1884
2025	5	30	0	38	10	11.8	0.1	0.9	26.4	90.4	6.1289	53.524
2025	5	30	0	48	10	11.8	0.1	0.9	25.91	91.3	6.1289	52.5103
2025	5	30	0	58	10	11.8	0.1	0.9	26.9	90.2	6.1289	54.5378
2025	5	30	1	8	10	11.8	0.1	0.9	27.62	92.3	6.135	56.0152
2025	5	30	1	18	10	11.8	0.1	0.9	26.67	94.1	6.1289	53.9297
2025	5	30	1	28	10	11.8	0.1	0.9	26.02	92	6.1289	52.7133
2025	5	30	1	38	10	11.8	0.1	0.9	26.8	90.4	6.1289	54.3352
2025	5	30	1	48	10	11.8	0.1	0.9	26.01	91.5	6.1289	52.7133
2025	5	30	1	58	10	11.8	0.1	0.9	27.14	93	6.1289	54.9436
2025	5	30	2	8	10	11.8	0.1	0.9	26.72	92.1	6.1289	54.1326
2025	5	30	2	18	10	11.8	0.1	0.9	26.7	90.9	6.1289	54.1327
2025	5	30	2	28	10	11.8	0.1	0.9	27.1	90.2	6.1289	54.9437
2025	5	30	2	38	10	11.8	0.1	0.9	27.32	92.1	6.1289	55.3492
2025	5	30	2	48	10	11.8	0.1	0.9	25.7	90	6.1289	52.1054
2025	5	30	2	58	10	11.8	0.1	0.9	27.17	94.2	6.1289	54.9438
2025	5	30	3	8	10	11.8	0.1	0.9	26.41	91.7	6.1289	53.5247
2025	5	30	3	18	10	11.8	0.1	0.9	25.9	90.7	6.1289	52.511
2025	5	30	3	28	10	11.8	0.1	0.9	25.72	92.2	6.1289	52.1055
2025	5	30	3	38	10	11.8	0.1	0.9	26.14	93.1	6.1289	52.9166
2025	5	30	3	48	10	11.8	0.1	0.9	25.52	92.2	6.1289	51.7001
2025	5	30	3	58	10	11.8	0.1	0.9	26.02	92.2	6.1289	52.7139
2025	5	30	4	8	10	11.8	0.1	0.9	26.2	90.9	6.1289	53.1194
2025	5	30	4	18	10	11.8	0.1	0.9	26.9	90.6	6.1289	54.5387
2025	5	30	4	28	10	11.8	0.1	0.9	27.13	92.5	6.1289	54.9442
2025	5	30	4	38	10	11.8	0.1	0.9	26.42	92.2	6.1289	53.5251
2025	5	30	4	48	10	11.8	0.1	0.9	25.72	92.2	6.1289	52.1059
2025	5	30	4	58	10	11.8	0.1	0.9	26.3	90	6.1289	53.3224
2025	5	30	5	8	10	11.8	0.1	0.9	27.32	92.1	6.1289	55.3499
2025	5	30	5	18	10	11.8	0.1	0.9	26.21	91.7	6.1289	53.1197
2025	5	30	5	28	10	11.8	0.1	0.9	26.22	92.4	6.1289	53.1198
2025	5	30	5	38	10	11.8	0.1	0.9	25.94	93.3	6.1289	52.5115
2025	5	30	5	48	10	11.8	0.1	0.9	27.2	90.6	6.1289	55.1473
2025	5	30	5	58	10	11.8	0.1	0.9	26.02	92.4	6.1289	52.7144
2025	5	30	6	8	10	11.8	0.1	0.9	27.02	92.3	6.1289	54.7419
2025	5	30	6	18	10	11.8	0.1	0.9	27.01	91.9	6.1289	54.7419
2025	5	30	6	28	10	11.8	0.1	0.9	26.53	92.8	6.1289	53.7282
2025	5	30	6	38	10	11.8	0.1	0.9	25.2	89.8	6.1289	51.0925
2025	5	30	6	48	10	12	0.1	0.9	27.27	94	6.1289	55.1475
2025	5	30	6	58	10	12	0.1	0.9	26.62	91.9	6.1289	53.931
2025	5	30	7	8	10	12	0.1	0.9	26.3	91.1	6.1289	53.3228
2025	5	30	7	18	10	12	0.1	0.9	26.81	91.7	6.1289	54.3366
2025	5	30	7	28	10	12.2	0.1	0.9	25.51	91.8	6.1289	51.7008
2025	5	30	7	38	10	12.2	0.1	0.9	27.54	92.9	6.1289	55.7558
2025	5	30	7	48	10	12.4	0.1	0.9	25.6	90.9	6.1228	51.8497
2025	5	30	7	58	10	12.4	0.1	0.9	26.93	92.6	6.1228	54.4827
2025	5	30	8	8	10	12.8	0.1	0.9	26	90.9	6.1228	52.6598

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	30	8	18	10	12.8	0.1	0.9	27.11	91.5	6.1228	54.8877
2025	5	30	8	28	10	12.8	0.1	0.9	26.52	92.4	6.1228	53.6725
2025	5	30	8	38	10	12.8	0.1	0.9	26.91	91.5	6.1228	54.4826
2025	5	30	8	48	10	12.8	0.1	0.9	26.26	93.7	6.1228	53.0649
2025	5	30	8	58	10	13	0.1	0.9	26.56	93.9	6.1167	53.6167
2025	5	30	9	8	10	13	0.1	0.9	25.39	94.7	6.1167	51.1887
2025	5	30	9	18	10	13	0.1	0.9	26.72	92.4	6.1228	54.0775
2025	5	30	9	28	10	13	0.1	0.9	26.85	93.4	6.1167	54.2235
2025	5	30	9	38	10	13	0.1	0.9	26.65	93.7	6.1167	53.8188
2025	5	30	9	48	10	13	0.1	0.9	26.92	91.9	6.1167	54.4258
2025	5	30	9	58	10	13	0.1	0.9	25.93	92.7	6.1167	52.4025
2025	5	30	10	8	10	13	0.1	0.9	26.82	92.4	6.1167	54.2234
2025	5	30	10	18	10	12.8	0.1	0.9	26.4	91.1	6.1106	53.3584
2025	5	30	10	28	10	12.8	0.1	0.9	27.05	93.4	6.1106	54.5711
2025	5	30	10	38	10	12.8	0.1	0.9	27.72	92.3	6.1167	56.0441
2025	5	30	10	48	10	12.8	0.1	0.9	25.93	92.9	6.1106	52.3477
2025	5	30	10	58	10	12.8	0.1	0.9	26.52	92.2	6.1106	53.5603
2025	5	30	11	8	10	13	0.1	0.9	26.14	93.3	6.1106	52.7518
2025	5	30	11	18	10	12.8	0.1	0.9	25.71	95.4	6.1106	51.7411
2025	5	30	11	28	10	12.8	0.1	0.9	26.01	91.5	6.1106	52.5495
2025	5	30	11	38	10	12.8	0.1	0.9	26.62	92.2	6.1106	53.7621
2025	5	30	11	48	10	12.8	0.1	0.9	26.74	93	6.1106	53.9642
2025	5	30	11	58	10	12.8	0.1	0.9	25.62	92.2	6.1106	51.7409
2025	5	30	12	8	10	12.8	0.1	0.9	25.91	91.3	6.1106	52.3471
2025	5	30	12	18	10	12.8	0.1	0.9	26.5	90.9	6.1106	53.5597
2025	5	30	12	28	10	12.8	0.1	0.9	25.41	91.8	6.1106	51.3364
2025	5	30	12	38	10	12.8	0.1	0.9	26.82	92.4	6.1106	54.1659
2025	5	30	12	48	10	12.8	0.1	0.9	25.94	93.3	6.1045	52.2922
2025	5	30	12	58	10	12.8	0.1	0.9	25.94	93.3	6.1045	52.2921
2025	5	30	13	8	10	12.8	0.1	0.9	26.3	90.9	6.1045	53.0997
2025	5	30	13	18	10	12.8	0.1	0.9	27.14	93	6.0984	54.6577
2025	5	30	13	28	10	12.8	0.1	0.9	25.62	92.5	6.0862	51.5245
2025	5	30	13	38	10	12.8	0.1	0.9	25.61	91.6	6.0862	51.5245
2025	5	30	13	48	10	12.8	0.1	0.9	25.8	90	6.0862	51.9269
2025	5	30	13	58	10	12.8	0.1	0.9	26.4	90.4	6.0862	53.1344
2025	5	30	14	8	10	12.8	0.1	0.9	25.67	94.2	6.0862	51.5242
2025	5	30	14	18	10	12.8	0.1	0.9	26.32	92.2	6.0862	52.933
2025	5	30	14	28	10	12.8	0.1	0.9	27.03	92.8	6.0862	54.3418
2025	5	30	14	38	10	12.8	0.1	0.9	26.94	93.2	6.0862	54.1404
2025	5	30	14	48	10	12.8	0.1	0.9	26.14	93.1	6.0862	52.5302
2025	5	30	14	58	10	12.8	0.1	0.9	26.42	92.4	6.0862	53.1339
2025	5	30	15	8	10	12.8	0.1	0.9	27.62	92.1	6.0862	55.5491
2025	5	30	15	18	10	12.8	0.1	0.9	26.3	91.1	6.0862	52.9326
2025	5	30	15	28	10	12.6	0.1	0.9	26.82	91.9	6.0862	53.9388
2025	5	30	15	38	10	12.8	0.1	0.9	26.1	90	6.0862	52.5299
2025	5	30	15	48	10	12.8	0.1	0.9	25.52	92.2	6.0862	51.3223
2025	5	30	15	58	10	12.8	0.1	0.9	26.1	90.2	6.0862	52.5298
2025	5	30	16	8	10	12.8	0.1	0.9	26.1	90.7	6.0862	52.5298

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	30	16	18	10	12.8	0.1	0.9	25.6	90.9	6.0862	51.5234
2025	5	30	16	28	10	12.2	0.1	0.9	25.62	92	6.0862	51.5233
2025	5	30	16	38	10	12.4	0.1	0.9	26.02	92.2	6.0862	52.3284
2025	5	30	16	48	10	12.6	0.1	0.9	26.83	92.6	6.0862	53.9384
2025	5	30	16	58	10	12.6	0.1	0.9	27.51	91.5	6.0862	55.3472
2025	5	30	17	8	10	12.6	0.1	0.9	25.7	91.1	6.0862	51.7245
2025	5	30	17	18	10	12.6	0.1	0.9	26.4	90	6.0862	53.1333
2025	5	30	17	28	10	12.6	0.1	0.9	25.74	93.3	6.0862	51.7244
2025	5	30	17	38	10	12.6	0.1	0.9	26.72	91.9	6.0862	53.737
2025	5	30	17	48	10	12.6	0.1	0.9	26.7	90	6.0862	53.737
2025	5	30	17	58	10	12.6	0.1	0.9	25.9	90.2	6.0862	52.1269
2025	5	30	18	8	10	12.4	0.1	0.9	26.61	91.3	6.0862	53.5357
2025	5	30	18	18	10	12.2	0.1	0.9	25.81	91.8	6.0923	51.9799
2025	5	30	18	28	10	12.2	0.1	0.9	24.81	91.2	6.0923	49.9652
2025	5	30	18	38	10	12.2	0.1	0.9	25.4	90.9	6.0862	51.1205
2025	5	30	18	48	10	12.2	0.1	0.9	27.8	91	6.0862	55.9508
2025	5	30	18	58	10	12.2	0.1	0.9	26.7	90.9	6.0862	53.737
2025	5	30	19	8	10	12.2	0.1	0.9	26.91	91.7	6.0862	54.1395
2025	5	30	19	18	10	12.2	0.1	0.9	24.81	88.6	6.0862	49.913
2025	5	30	19	28	10	12.2	0.1	0.9	25.9	90	6.0862	52.1269
2025	5	30	19	38	10	12.2	0.1	0.9	26.12	92.2	6.0862	52.5294
2025	5	30	19	48	10	12.2	0.1	0.9	26.32	88	6.0862	52.932
2025	5	30	19	58	10	12.2	0.1	0.9	25.1	90.2	6.0862	50.5168
2025	5	30	20	8	10	12.2	0.1	0.9	26.4	90.2	6.0862	53.1333
2025	5	30	20	18	10	12	0.1	0.9	26.54	93.2	6.0862	53.3346
2025	5	30	20	28	10	12	0.1	0.9	27	90	6.0862	54.3409
2025	5	30	20	38	10	12	0.1	0.9	26.02	92	6.0802	52.2736
2025	5	30	20	48	10	12	0.1	0.9	26.34	93	6.0802	52.8768
2025	5	30	20	58	10	12	0.1	0.9	26.2	90.4	6.0802	52.6758
2025	5	30	21	8	10	12	0.1	0.9	25.63	92.9	6.0802	51.4695
2025	5	30	21	18	10	12	0.1	0.9	26.3	90.4	6.0802	52.8769
2025	5	30	21	28	10	12	0.1	0.9	26.7	91.1	6.0802	53.6811
2025	5	30	21	38	10	12	0.1	0.9	26.04	93.3	6.0802	52.2738
2025	5	30	21	48	10	12	0.1	0.9	25.31	91.6	6.0802	50.8665
2025	5	30	21	58	10	12	0.1	0.9	26.42	92.2	6.0802	53.0781
2025	5	30	22	8	10	12	0.1	0.9	26.8	90.4	6.0802	53.8823
2025	5	30	22	18	10	12	0.1	0.9	25.91	91.3	6.0802	52.0729
2025	5	30	22	28	10	12	0.1	0.9	25.31	91.6	6.0802	50.8666
2025	5	30	22	38	10	12	0.1	0.9	25.4	89.8	6.0802	51.0677
2025	5	30	22	48	10	12	0.1	0.9	26.03	92.6	6.0802	52.274
2025	5	30	22	58	10	12	0.1	0.9	27.72	92.3	6.0802	55.692
2025	5	30	23	8	10	12	0.1	0.9	26.41	91.7	6.0802	53.0784
2025	5	30	23	18	10	12	0.1	0.9	27.31	91.9	6.0802	54.8879
2025	5	30	23	28	10	12	0.1	0.9	26.52	92.2	6.0802	53.2795
2025	5	30	23	38	10	12	0.1	0.9	26.22	92.2	6.0802	52.6764
2025	5	30	23	48	10	12	0.1	0.9	25.91	91.8	6.0802	52.0732
2025	5	30	23	58	10	12	0.1	0.9	25.51	91.3	6.0802	51.2691
2025	5	31	0	8	10	12	0.1	0.9	26.81	91.3	6.0802	53.8828

Mazourka (0354)												
Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	31	0	18	10	12	0.1	0.9	27.3	90.8	6.0802	54.8881
2025	5	31	0	28	10	12	0.1	0.9	26.11	91.5	6.0802	52.4755
2025	5	31	0	38	10	12	0.1	0.9	26.7	90.2	6.0741	53.6257
2025	5	31	0	48	10	12	0.1	0.9	26.1	91.1	6.0741	52.4207
2025	5	31	0	58	10	12	0.1	0.9	26.44	93	6.0741	53.0233
2025	5	31	1	8	10	12	0.1	0.9	26.2	90.9	6.0802	52.6767
2025	5	31	1	18	10	12	0.1	0.9	26.6	90	6.0741	53.425
2025	5	31	1	28	10	12	0.1	0.9	25.71	91.3	6.0741	51.6175
2025	5	31	1	38	10	12	0.1	0.9	25.41	91.6	6.0741	51.015
2025	5	31	1	48	10	12	0.1	0.9	26	90.9	6.0741	52.2201
2025	5	31	1	58	10	12	0.1	0.9	26.53	92.8	6.0741	53.2244
2025	5	31	2	8	10	12	0.1	0.9	25.61	91.8	6.0741	51.4168
2025	5	31	2	18	10	12	0.1	0.9	25.4	90	6.0741	51.0151
2025	5	31	2	28	10	12	0.1	0.9	26.72	91.9	6.0741	53.6262
2025	5	31	2	38	10	12	0.1	0.9	25.22	92	6.0741	50.6135
2025	5	31	2	48	10	11.8	0.1	0.9	25.52	92.2	6.0741	51.2161
2025	5	31	2	58	10	11.8	0.1	0.9	26.52	92.2	6.0741	53.2246
2025	5	31	3	8	10	11.8	0.1	0.9	25.9	90.9	6.0741	52.0196
2025	5	31	3	18	10	11.8	0.1	0.9	25.66	94	6.0741	51.4171
2025	5	31	3	28	10	11.8	0.1	0.9	26.5	90.4	6.0741	53.2247
2025	5	31	3	38	10	11.8	0.1	0.9	26.7	90.4	6.0802	53.6827
2025	5	31	3	48	10	11.8	0.1	0.9	25.66	94	6.0802	51.4711
2025	5	31	3	58	10	11.8	0.1	0.9	26.7	90	6.0802	53.6827
2025	5	31	4	8	10	11.8	0.1	0.9	27.2	90.4	6.0802	54.6881
2025	5	31	4	18	10	11.8	0.1	0.9	26.44	93	6.0802	53.0796
2025	5	31	4	28	10	11.8	0.1	0.9	26.22	92.2	6.0802	52.6776
2025	5	31	4	38	10	11.8	0.1	0.9	26.3	91.1	6.0862	52.934
2025	5	31	4	48	10	11.8	0.1	0.9	25.9	89.8	6.0862	52.129
2025	5	31	4	58	10	11.8	0.1	0.9	26.57	94.1	6.0923	53.3924
2025	5	31	5	8	10	11.8	0.1	0.9	26.32	92.2	6.0923	52.9895
2025	5	31	5	18	10	11.8	0.1	0.9	26.02	92.2	6.0923	52.3851
2025	5	31	5	28	10	11.8	0.1	0.9	27.1	90.6	6.0984	54.6585
2025	5	31	5	38	10	11.8	0.1	0.9	26.6	90	6.0984	53.65
2025	5	31	5	48	10	11.8	0.1	0.9	26.03	92.6	6.0984	52.4399
2025	5	31	5	58	10	11.8	0.1	0.9	25.72	92.5	6.0984	51.8349
2025	5	31	6	8	10	11.8	0.1	0.9	25.37	94.3	6.0984	51.0281
2025	5	31	6	18	10	11.8	0.1	0.9	26.2	90.7	6.0984	52.8434
2025	5	31	6	28	10	11.8	0.1	0.9	26.2	90.9	6.0984	52.8434
2025	5	31	6	38	10	12	0.1	0.9	25.12	92.1	6.0984	50.6248
2025	5	31	6	48	10	12	0.1	0.9	25.14	93.4	6.0984	50.6249
2025	5	31	6	58	10	12	0.1	0.9	26.64	93.2	6.0984	53.6503
2025	5	31	7	8	10	12.2	0.1	0.9	25.62	92.2	6.1045	51.6873
2025	5	31	7	18	10	12.4	0.1	0.9	26.1	90.4	6.1045	52.6968
2025	5	31	7	28	10	12.6	0.1	0.9	25.16	94.1	6.1045	50.6778
2025	5	31	7	38	10	12.6	0.1	0.9	26.6	90.9	6.1045	53.7063
2025	5	31	7	48	10	12.8	0.1	0.9	25.54	93.1	6.1045	51.4854
2025	5	31	7	58	10	12.8	0.1	0.9	25.52	92.2	6.1045	51.4854
2025	5	31	8	8	10	12.8	0.1	0.9	25.62	92	6.1045	51.6873

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	31	8	18	10	12.8	0.1	0.9	26.3	90.9	6.1045	53.1006
2025	5	31	8	28	10	13	0.1	0.9	25.64	93.1	6.1045	51.6873
2025	5	31	8	38	10	12.8	0.1	0.9	26.54	93	6.1045	53.5044
2025	5	31	8	48	10	12.8	0.1	0.9	25.5	90.7	6.1045	51.4854
2025	5	31	8	58	10	12.8	0.1	0.9	26.16	93.7	6.1045	52.6968
2025	5	31	9	8	10	13	0.1	0.9	26.03	92.6	6.1045	52.4948
2025	5	31	9	18	10	13	0.1	0.9	25.61	91.6	6.1045	51.6872
2025	5	31	9	28	10	13	0.1	0.9	26.12	92.2	6.1045	52.6966
2025	5	31	9	38	10	13	0.1	0.9	26.03	92.6	6.1045	52.4947
2025	5	31	9	48	10	13	0.1	0.9	25.82	92.2	6.1045	52.0908
2025	5	31	9	58	10	13	0.1	0.9	25.31	91.6	6.1045	51.0813
2025	5	31	10	8	10	13	0.1	0.9	27.04	93	6.1045	54.5135
2025	5	31	10	18	10	12.8	0.1	0.9	25.74	93.3	6.0984	51.8347
2025	5	31	10	28	10	12.8	0.1	0.9	27.13	92.7	6.0984	54.6583
2025	5	31	10	38	10	12.8	0.1	0.9	26.23	92.6	6.0984	52.843
2025	5	31	10	48	10	12.8	0.1	0.9	26.81	91.7	6.1045	54.1095
2025	5	31	10	58	10	12.8	0.1	0.9	27.34	92.9	6.0923	55.004
2025	5	31	11	8	10	12.6	0.1	0.9	27.13	92.7	6.0862	54.5439
2025	5	31	11	18	10	12.8	0.1	0.9	25.82	92.4	6.0862	51.9273
2025	5	31	11	28	10	13	0.1	0.9	26.7	89.6	6.0862	53.7387
2025	5	31	11	38	10	13	0.1	0.9	26.7	90.9	6.0923	53.7948
2025	5	31	11	48	10	13	0.1	0.9	26.31	91.3	6.0802	52.8781
2025	5	31	11	58	10	13	0.1	0.9	26.61	91.3	6.0862	53.5372
2025	5	31	12	8	10	13	0.1	0.9	26.74	93	6.0862	53.7384
2025	5	31	12	18	10	13	0.1	0.9	26.21	91.3	6.0802	52.6768
2025	5	31	12	28	10	13	0.1	0.9	26.32	92.4	6.0802	52.8778
2025	5	31	12	38	10	13	0.1	0.9	26.85	93.4	6.0862	53.9394
2025	5	31	12	48	10	13	0.1	0.9	26.74	93.2	6.0802	53.6818
2025	5	31	12	58	10	13	0.1	0.9	21.27	85.4	6.0923	42.7129
2025	5	31	13	8	10	13	0.1	0.9	24.75	96.3	6.0862	49.5113
2025	5	31	13	18	10	13	0.1	0.9	17.71	92.3	6.0802	35.5866
2025	5	31	13	28	10	13	0.1	0.9	27.64	92.9	6.0862	55.549
2025	5	31	13	38	10	13	0.1	0.9	29.1	91	6.0862	58.5679
2025	5	31	13	48	10	13	0.1	0.9	28.7	90	6.0862	57.7628
2025	5	31	13	58	10	13	0.1	0.9	24.08	94.8	6.0862	48.3033
2025	5	31	14	8	10	13	0.1	0.9	26.72	92.1	6.0862	53.7373
2025	5	31	14	18	10	13	0.1	0.9	28.21	91.6	6.0862	56.7562
2025	5	31	14	28	10	13	0.1	0.9	29.13	92.8	6.0862	58.5675
2025	5	31	14	38	10	13	0.1	0.9	26.62	92.4	6.0862	53.5358
2025	5	31	14	48	10	13	0.1	0.9	28.86	93.6	6.0862	57.9635
2025	5	31	14	58	10	12.8	0.1	0.9	25.64	93.4	6.0923	51.577
2025	5	31	15	8	10	12.8	0.1	0.9	19.19	77.1	6.0862	37.636
2025	5	31	15	18	10	12.8	0.1	0.9	25.9	89.3	6.0862	52.1268
2025	5	31	15	28	10	12.8	0.1	0.9	22	90	6.0862	44.2775
2025	5	31	15	38	10	12.8	0.1	0.9	24.21	91.2	6.0923	48.7562
2025	5	31	15	48	10	12.8	0.1	0.9	29.06	93.6	6.0923	58.4267
2025	5	31	15	58	10	12.8	0.1	0.9	28.5	90.4	6.0862	57.3593
2025	5	31	16	8	10	12.6	0.1	0.9	27.51	91.7	6.0862	55.3467

Mazourka (0354)

Year	Month	Day	Hour	Minute	Second	Voltage	CellBegin	CellEnd	Speed	Direction	Area	Flow
2025	5	31	16	18	10	12.8	0.1	0.9	25.4	90	6.0923	51.1737
2025	5	31	16	28	10	12.6	0.1	0.9	26.14	93.3	6.0862	52.529
2025	5	31	16	38	10	12.8	0.1	0.9	21.86	96.8	6.0862	43.6735
2025	5	31	16	48	10	12.8	0.1	0.9	27.38	85.6	6.0984	55.059
2025	5	31	16	58	10	12.8	0.1	0.9	27.32	92.3	6.0923	55.0015
2025	5	31	17	8	10	12.8	0.1	0.9	26.6	89.8	6.0923	53.5911
2025	5	31	17	18	10	12.4	0.1	0.9	25.1	88.9	6.0923	50.5691
2025	5	31	17	28	10	12.8	0.1	0.9	24.4	90.9	6.0862	49.1074
2025	5	31	17	38	10	12.8	0.1	0.9	18.7	81.7	6.0923	37.272
2025	5	31	17	48	10	12.8	0.1	0.9	26.1	90.9	6.0923	52.5838
2025	5	31	17	58	10	12.4	0.1	0.9	26.5	90.2	6.0862	53.3339
2025	5	31	18	8	10	12.2	0.1	0.9	27.9	89	6.0923	56.2102
2025	5	31	18	18	10	12.2	0.1	0.9	26	90.2	6.0862	52.3276
2025	5	31	18	28	10	12.2	0.1	0.9	26.77	94.1	6.0862	53.7364
2025	5	31	18	38	10	12.2	0.1	0.9	26.6	90.2	6.0862	53.5352
2025	5	31	18	48	10	12.2	0.1	0.9	25.8	90.7	6.0923	51.9794
2025	5	31	18	58	10	12.2	0.1	0.9	26.6	90	6.0862	53.5352
2025	5	31	19	8	10	12.2	0.1	0.9	25.52	92.2	6.0923	51.375
2025	5	31	19	18	10	12.2	0.1	0.9	26.42	92	6.0923	53.1883
2025	5	31	19	28	10	12.2	0.1	0.9	25.91	91.5	6.0923	52.181
2025	5	31	19	38	10	12.2	0.1	0.9	27.1	91.1	6.0923	54.5986
2025	5	31	19	48	10	12	0.1	0.9	25.61	91.3	6.0923	51.5766
2025	5	31	19	58	10	12	0.1	0.9	26.81	88.7	6.0923	53.9943
2025	5	31	20	8	10	12	0.1	0.9	25.41	91.6	6.0923	51.1737
2025	5	31	20	18	10	12	0.1	0.9	27	90.8	6.0923	54.3973
2025	5	31	20	28	10	12	0.1	0.9	26.22	92	6.0923	52.7855
2025	5	31	20	38	10	12	0.1	0.9	25.82	92.4	6.0923	51.9797
2025	5	31	20	48	10	12	0.1	0.9	26.4	90.2	6.0862	53.133
2025	5	31	20	58	10	12	0.1	0.9	26.8	90	6.0862	53.9381
2025	5	31	21	8	10	12	0.1	0.9	26.2	90.4	6.0862	52.7305
2025	5	31	21	18	10	12	0.1	0.9	25.8	90.7	6.0862	51.9255
2025	5	31	21	28	10	12	0.1	0.9	27.1	90.6	6.0862	54.542
2025	5	31	21	38	10	12	0.1	0.9	27.01	91.9	6.0862	54.3408
2025	5	31	21	48	10	12	0.1	0.9	26.32	92.2	6.0862	52.932
2025	5	31	21	58	10	12	0.1	0.9	26.21	91.5	6.0862	52.7308
2025	5	31	22	8	10	12	0.1	0.9	27.3	91	6.0802	54.8872
2025	5	31	22	18	10	12	0.1	0.9	25.54	93.1	6.0802	51.2684
2025	5	31	22	28	10	12	0.1	0.9	25.6	90.7	6.0802	51.4695
2025	5	31	22	38	10	12	0.1	0.9	27.3	91	6.0802	54.8874
2025	5	31	22	48	10	12	0.1	0.9	25.4	90	6.0802	51.0674
2025	5	31	22	58	10	12	0.1	0.9	26.21	91.3	6.0802	52.6759
2025	5	31	23	8	10	12	0.1	0.9	27.1	90.2	6.0802	54.4854
2025	5	31	23	18	10	12	0.1	0.9	24.8	90	6.0802	49.8613
2025	5	31	23	28	10	12	0.1	0.9	25.2	91.1	6.0802	50.6655
2025	5	31	23	38	10	12	0.1	0.9	26.42	92.4	6.0802	53.0782
2025	5	31	23	48	10	12	0.1	0.9	26.04	93.1	6.0802	52.274

Locust Ditch Return
Station 0215

Date	Flow (cfs)
5/1/2025	0
5/2/2025	0
5/3/2025	0
5/4/2025	0
5/5/2025	0
5/6/2025	0
5/7/2025	0
5/8/2025	0
5/9/2025	0
5/10/2025	0
5/11/2025	0
5/12/2025	0
5/13/2025	0
5/14/2025	0
5/15/2025	0
5/16/2025	0
5/17/2025	0
5/18/2025	0
5/19/2025	0
5/20/2025	0
5/21/2025	0
5/22/2025	0
5/23/2025	0
5/24/2025	0
5/25/2025	0
5/26/2025	0
5/27/2025	0
5/28/2025	0
5/29/2025	0
5/30/2025	0
5/31/2025	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	12:00:00 AM	0
5/1/2025	12:15:00 AM	0
5/1/2025	12:30:00 AM	0
5/1/2025	12:45:00 AM	0
5/1/2025	1:00:00 AM	0
5/1/2025	1:15:00 AM	0
5/1/2025	1:30:00 AM	0
5/1/2025	1:45:00 AM	0
5/1/2025	2:00:00 AM	0
5/1/2025	2:15:00 AM	0
5/1/2025	2:30:00 AM	0
5/1/2025	2:45:00 AM	0
5/1/2025	3:00:00 AM	0
5/1/2025	3:15:00 AM	0
5/1/2025	3:30:00 AM	0
5/1/2025	3:45:00 AM	0
5/1/2025	4:00:00 AM	0
5/1/2025	4:15:00 AM	0
5/1/2025	4:30:00 AM	0
5/1/2025	4:45:00 AM	0
5/1/2025	5:00:00 AM	0
5/1/2025	5:15:00 AM	0
5/1/2025	5:30:00 AM	0
5/1/2025	5:45:00 AM	0
5/1/2025	6:00:00 AM	0
5/1/2025	6:15:00 AM	0
5/1/2025	6:30:00 AM	0
5/1/2025	6:45:00 AM	0
5/1/2025	7:00:00 AM	0
5/1/2025	7:15:00 AM	0
5/1/2025	7:30:00 AM	0
5/1/2025	7:45:00 AM	0
5/1/2025	8:00:00 AM	0
5/1/2025	8:15:00 AM	0
5/1/2025	8:30:00 AM	0
5/1/2025	8:45:00 AM	0
5/1/2025	9:00:00 AM	0
5/1/2025	9:15:00 AM	0
5/1/2025	9:30:00 AM	0
5/1/2025	9:45:00 AM	0
5/1/2025	10:00:00 AM	0
5/1/2025	10:15:00 AM	0
5/1/2025	10:30:00 AM	0
5/1/2025	10:45:00 AM	0
5/1/2025	11:00:00 AM	0
5/1/2025	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	11:30:00 AM	0
5/1/2025	11:45:00 AM	0
5/1/2025	12:00:00 PM	0
5/1/2025	12:15:00 PM	0
5/1/2025	12:30:00 PM	0
5/1/2025	12:45:00 PM	0
5/1/2025	1:00:00 PM	0
5/1/2025	1:15:00 PM	0
5/1/2025	1:30:00 PM	0
5/1/2025	1:45:00 PM	0
5/1/2025	2:00:00 PM	0
5/1/2025	2:15:00 PM	0
5/1/2025	2:30:00 PM	0
5/1/2025	2:45:00 PM	0
5/1/2025	3:00:00 PM	0
5/1/2025	3:15:00 PM	0
5/1/2025	3:30:00 PM	0
5/1/2025	3:45:00 PM	0
5/1/2025	4:00:00 PM	0
5/1/2025	4:15:00 PM	0
5/1/2025	4:30:00 PM	0
5/1/2025	4:45:00 PM	0
5/1/2025	5:00:00 PM	0
5/1/2025	5:15:00 PM	0
5/1/2025	5:30:00 PM	0
5/1/2025	5:45:00 PM	0
5/1/2025	6:00:00 PM	0
5/1/2025	6:15:00 PM	0
5/1/2025	6:30:00 PM	0
5/1/2025	6:45:00 PM	0
5/1/2025	7:00:00 PM	0
5/1/2025	7:15:00 PM	0
5/1/2025	7:30:00 PM	0
5/1/2025	7:45:00 PM	0
5/1/2025	8:00:00 PM	0
5/1/2025	8:15:00 PM	0
5/1/2025	8:30:00 PM	0
5/1/2025	8:45:00 PM	0
5/1/2025	9:00:00 PM	0
5/1/2025	9:15:00 PM	0
5/1/2025	9:30:00 PM	0
5/1/2025	9:45:00 PM	0
5/1/2025	10:00:00 PM	0
5/1/2025	10:15:00 PM	0
5/1/2025	10:30:00 PM	0
5/1/2025	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	11:00:00 PM	0
5/1/2025	11:15:00 PM	0
5/1/2025	11:30:00 PM	0
5/1/2025	11:45:00 PM	0
5/2/2025	12:00:00 AM	0
5/2/2025	12:15:00 AM	0
5/2/2025	12:30:00 AM	0
5/2/2025	12:45:00 AM	0
5/2/2025	1:00:00 AM	0
5/2/2025	1:15:00 AM	0
5/2/2025	1:30:00 AM	0
5/2/2025	1:45:00 AM	0
5/2/2025	2:00:00 AM	0
5/2/2025	2:15:00 AM	0
5/2/2025	2:30:00 AM	0
5/2/2025	2:45:00 AM	0
5/2/2025	3:00:00 AM	0
5/2/2025	3:15:00 AM	0
5/2/2025	3:30:00 AM	0
5/2/2025	3:45:00 AM	0
5/2/2025	4:00:00 AM	0
5/2/2025	4:15:00 AM	0
5/2/2025	4:30:00 AM	0
5/2/2025	4:45:00 AM	0
5/2/2025	5:00:00 AM	0
5/2/2025	5:15:00 AM	0
5/2/2025	5:30:00 AM	0
5/2/2025	5:45:00 AM	0
5/2/2025	6:00:00 AM	0
5/2/2025	6:15:00 AM	0
5/2/2025	6:30:00 AM	0
5/2/2025	6:45:00 AM	0
5/2/2025	7:00:00 AM	0
5/2/2025	7:15:00 AM	0
5/2/2025	7:30:00 AM	0
5/2/2025	7:45:00 AM	0
5/2/2025	8:00:00 AM	0
5/2/2025	8:15:00 AM	0
5/2/2025	8:30:00 AM	0
5/2/2025	8:45:00 AM	0
5/2/2025	9:00:00 AM	0
5/2/2025	9:15:00 AM	0
5/2/2025	9:30:00 AM	0
5/2/2025	9:45:00 AM	0
5/2/2025	10:00:00 AM	0
5/2/2025	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/2/2025	10:30:00 AM	0
5/2/2025	10:45:00 AM	0
5/2/2025	11:00:00 AM	0
5/2/2025	11:15:00 AM	0
5/2/2025	11:30:00 AM	0
5/2/2025	11:45:00 AM	0
5/2/2025	12:00:00 PM	0
5/2/2025	12:15:00 PM	0
5/2/2025	12:30:00 PM	0
5/2/2025	12:45:00 PM	0
5/2/2025	1:00:00 PM	0
5/2/2025	1:15:00 PM	0
5/2/2025	1:30:00 PM	0
5/2/2025	1:45:00 PM	0
5/2/2025	2:00:00 PM	0
5/2/2025	2:15:00 PM	0
5/2/2025	2:30:00 PM	0
5/2/2025	2:45:00 PM	0
5/2/2025	3:00:00 PM	0
5/2/2025	3:15:00 PM	0
5/2/2025	3:30:00 PM	0
5/2/2025	3:45:00 PM	0
5/2/2025	4:00:00 PM	0
5/2/2025	4:15:00 PM	0
5/2/2025	4:30:00 PM	0
5/2/2025	4:45:00 PM	0
5/2/2025	5:00:00 PM	0
5/2/2025	5:15:00 PM	0
5/2/2025	5:30:00 PM	0
5/2/2025	5:45:00 PM	0
5/2/2025	6:00:00 PM	0
5/2/2025	6:15:00 PM	0
5/2/2025	6:30:00 PM	0
5/2/2025	6:45:00 PM	0
5/2/2025	7:00:00 PM	0
5/2/2025	7:15:00 PM	0
5/2/2025	7:30:00 PM	0
5/2/2025	7:45:00 PM	0
5/2/2025	8:00:00 PM	0
5/2/2025	8:15:00 PM	0
5/2/2025	8:30:00 PM	0
5/2/2025	8:45:00 PM	0
5/2/2025	9:00:00 PM	0
5/2/2025	9:15:00 PM	0
5/2/2025	9:30:00 PM	0
5/2/2025	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/2/2025	10:00:00 PM	0
5/2/2025	10:15:00 PM	0
5/2/2025	10:30:00 PM	0
5/2/2025	10:45:00 PM	0
5/2/2025	11:00:00 PM	0
5/2/2025	11:15:00 PM	0
5/2/2025	11:30:00 PM	0
5/2/2025	11:45:00 PM	0
5/3/2025	12:00:00 AM	0
5/3/2025	12:15:00 AM	0
5/3/2025	12:30:00 AM	0
5/3/2025	12:45:00 AM	0
5/3/2025	1:00:00 AM	0
5/3/2025	1:15:00 AM	0
5/3/2025	1:30:00 AM	0
5/3/2025	1:45:00 AM	0
5/3/2025	2:00:00 AM	0
5/3/2025	2:15:00 AM	0
5/3/2025	2:30:00 AM	0
5/3/2025	2:45:00 AM	0
5/3/2025	3:00:00 AM	0
5/3/2025	3:15:00 AM	0
5/3/2025	3:30:00 AM	0
5/3/2025	3:45:00 AM	0
5/3/2025	4:00:00 AM	0
5/3/2025	4:15:00 AM	0
5/3/2025	4:30:00 AM	0
5/3/2025	4:45:00 AM	0
5/3/2025	5:00:00 AM	0
5/3/2025	5:15:00 AM	0
5/3/2025	5:30:00 AM	0
5/3/2025	5:45:00 AM	0
5/3/2025	6:00:00 AM	0
5/3/2025	6:15:00 AM	0
5/3/2025	6:30:00 AM	0
5/3/2025	6:45:00 AM	0
5/3/2025	7:00:00 AM	0
5/3/2025	7:15:00 AM	0
5/3/2025	7:30:00 AM	0
5/3/2025	7:45:00 AM	0
5/3/2025	8:00:00 AM	0
5/3/2025	8:15:00 AM	0
5/3/2025	8:30:00 AM	0
5/3/2025	8:45:00 AM	0
5/3/2025	9:00:00 AM	0
5/3/2025	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/3/2025	9:30:00 AM	0
5/3/2025	9:45:00 AM	0
5/3/2025	10:00:00 AM	0
5/3/2025	10:15:00 AM	0
5/3/2025	10:30:00 AM	0
5/3/2025	10:45:00 AM	0
5/3/2025	11:00:00 AM	0
5/3/2025	11:15:00 AM	0
5/3/2025	11:30:00 AM	0
5/3/2025	11:45:00 AM	0
5/3/2025	12:00:00 PM	0
5/3/2025	12:15:00 PM	0
5/3/2025	12:30:00 PM	0
5/3/2025	12:45:00 PM	0
5/3/2025	1:00:00 PM	0
5/3/2025	1:15:00 PM	0
5/3/2025	1:30:00 PM	0
5/3/2025	1:45:00 PM	0
5/3/2025	2:00:00 PM	0
5/3/2025	2:15:00 PM	0
5/3/2025	2:30:00 PM	0
5/3/2025	2:45:00 PM	0
5/3/2025	3:00:00 PM	0
5/3/2025	3:15:00 PM	0
5/3/2025	3:30:00 PM	0
5/3/2025	3:45:00 PM	0
5/3/2025	4:00:00 PM	0
5/3/2025	4:15:00 PM	0
5/3/2025	4:30:00 PM	0
5/3/2025	4:45:00 PM	0
5/3/2025	5:00:00 PM	0
5/3/2025	5:15:00 PM	0
5/3/2025	5:30:00 PM	0
5/3/2025	5:45:00 PM	0
5/3/2025	6:00:00 PM	0
5/3/2025	6:15:00 PM	0
5/3/2025	6:30:00 PM	0
5/3/2025	6:45:00 PM	0
5/3/2025	7:00:00 PM	0
5/3/2025	7:15:00 PM	0
5/3/2025	7:30:00 PM	0
5/3/2025	7:45:00 PM	0
5/3/2025	8:00:00 PM	0
5/3/2025	8:15:00 PM	0
5/3/2025	8:30:00 PM	0
5/3/2025	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/3/2025	9:00:00 PM	0
5/3/2025	9:15:00 PM	0
5/3/2025	9:30:00 PM	0
5/3/2025	9:45:00 PM	0
5/3/2025	10:00:00 PM	0
5/3/2025	10:15:00 PM	0
5/3/2025	10:30:00 PM	0
5/3/2025	10:45:00 PM	0
5/3/2025	11:00:00 PM	0
5/3/2025	11:15:00 PM	0
5/3/2025	11:30:00 PM	0
5/3/2025	11:45:00 PM	0
5/4/2025	12:00:00 AM	0
5/4/2025	12:15:00 AM	0
5/4/2025	12:30:00 AM	0
5/4/2025	12:45:00 AM	0
5/4/2025	1:00:00 AM	0
5/4/2025	1:15:00 AM	0
5/4/2025	1:30:00 AM	0
5/4/2025	1:45:00 AM	0
5/4/2025	2:00:00 AM	0
5/4/2025	2:15:00 AM	0
5/4/2025	2:30:00 AM	0
5/4/2025	2:45:00 AM	0
5/4/2025	3:00:00 AM	0
5/4/2025	3:15:00 AM	0
5/4/2025	3:30:00 AM	0
5/4/2025	3:45:00 AM	0
5/4/2025	4:00:00 AM	0
5/4/2025	4:15:00 AM	0
5/4/2025	4:30:00 AM	0
5/4/2025	4:45:00 AM	0
5/4/2025	5:00:00 AM	0
5/4/2025	5:15:00 AM	0
5/4/2025	5:30:00 AM	0
5/4/2025	5:45:00 AM	0
5/4/2025	6:00:00 AM	0
5/4/2025	6:15:00 AM	0
5/4/2025	6:30:00 AM	0
5/4/2025	6:45:00 AM	0
5/4/2025	7:00:00 AM	0
5/4/2025	7:15:00 AM	0
5/4/2025	7:30:00 AM	0
5/4/2025	7:45:00 AM	0
5/4/2025	8:00:00 AM	0
5/4/2025	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/4/2025	8:30:00 AM	0
5/4/2025	8:45:00 AM	0
5/4/2025	9:00:00 AM	0
5/4/2025	9:15:00 AM	0
5/4/2025	9:30:00 AM	0
5/4/2025	9:45:00 AM	0
5/4/2025	10:00:00 AM	0
5/4/2025	10:15:00 AM	0
5/4/2025	10:30:00 AM	0
5/4/2025	10:45:00 AM	0
5/4/2025	11:00:00 AM	0
5/4/2025	11:15:00 AM	0
5/4/2025	11:30:00 AM	0
5/4/2025	11:45:00 AM	0
5/4/2025	12:00:00 PM	0
5/4/2025	12:15:00 PM	0
5/4/2025	12:30:00 PM	0
5/4/2025	12:45:00 PM	0
5/4/2025	1:00:00 PM	0
5/4/2025	1:15:00 PM	0
5/4/2025	1:30:00 PM	0
5/4/2025	1:45:00 PM	0
5/4/2025	2:00:00 PM	0
5/4/2025	2:15:00 PM	0
5/4/2025	2:30:00 PM	0
5/4/2025	2:45:00 PM	0
5/4/2025	3:00:00 PM	0
5/4/2025	3:15:00 PM	0
5/4/2025	3:30:00 PM	0
5/4/2025	3:45:00 PM	0
5/4/2025	4:00:00 PM	0
5/4/2025	4:15:00 PM	0
5/4/2025	4:30:00 PM	0
5/4/2025	4:45:00 PM	0
5/4/2025	5:00:00 PM	0
5/4/2025	5:15:00 PM	0
5/4/2025	5:30:00 PM	0
5/4/2025	5:45:00 PM	0
5/4/2025	6:00:00 PM	0
5/4/2025	6:15:00 PM	0
5/4/2025	6:30:00 PM	0
5/4/2025	6:45:00 PM	0
5/4/2025	7:00:00 PM	0
5/4/2025	7:15:00 PM	0
5/4/2025	7:30:00 PM	0
5/4/2025	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/4/2025	8:00:00 PM	0
5/4/2025	8:15:00 PM	0
5/4/2025	8:30:00 PM	0
5/4/2025	8:45:00 PM	0
5/4/2025	9:00:00 PM	0
5/4/2025	9:15:00 PM	0
5/4/2025	9:30:00 PM	0
5/4/2025	9:45:00 PM	0
5/4/2025	10:00:00 PM	0
5/4/2025	10:15:00 PM	0
5/4/2025	10:30:00 PM	0
5/4/2025	10:45:00 PM	0
5/4/2025	11:00:00 PM	0
5/4/2025	11:15:00 PM	0
5/4/2025	11:30:00 PM	0
5/4/2025	11:45:00 PM	0
5/5/2025	12:00:00 AM	0
5/5/2025	12:15:00 AM	0
5/5/2025	12:30:00 AM	0
5/5/2025	12:45:00 AM	0
5/5/2025	1:00:00 AM	0
5/5/2025	1:15:00 AM	0
5/5/2025	1:30:00 AM	0
5/5/2025	1:45:00 AM	0
5/5/2025	2:00:00 AM	0
5/5/2025	2:15:00 AM	0
5/5/2025	2:30:00 AM	0
5/5/2025	2:45:00 AM	0
5/5/2025	3:00:00 AM	0
5/5/2025	3:15:00 AM	0
5/5/2025	3:30:00 AM	0
5/5/2025	3:45:00 AM	0
5/5/2025	4:00:00 AM	0
5/5/2025	4:15:00 AM	0
5/5/2025	4:30:00 AM	0
5/5/2025	4:45:00 AM	0
5/5/2025	5:00:00 AM	0
5/5/2025	5:15:00 AM	0
5/5/2025	5:30:00 AM	0
5/5/2025	5:45:00 AM	0
5/5/2025	6:00:00 AM	0
5/5/2025	6:15:00 AM	0
5/5/2025	6:30:00 AM	0
5/5/2025	6:45:00 AM	0
5/5/2025	7:00:00 AM	0
5/5/2025	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/5/2025	7:30:00 AM	0
5/5/2025	7:45:00 AM	0
5/5/2025	8:00:00 AM	0
5/5/2025	8:15:00 AM	0
5/5/2025	8:30:00 AM	0
5/5/2025	8:45:00 AM	0
5/5/2025	9:00:00 AM	0
5/5/2025	9:15:00 AM	0
5/5/2025	9:30:00 AM	0
5/5/2025	9:45:00 AM	0
5/5/2025	10:00:00 AM	0
5/5/2025	10:15:00 AM	0
5/5/2025	10:30:00 AM	0
5/5/2025	10:45:00 AM	0
5/5/2025	11:00:00 AM	0
5/5/2025	11:15:00 AM	0
5/5/2025	11:30:00 AM	0
5/5/2025	11:45:00 AM	0
5/5/2025	12:00:00 PM	0
5/5/2025	12:15:00 PM	0
5/5/2025	12:30:00 PM	0
5/5/2025	12:45:00 PM	0
5/5/2025	1:00:00 PM	0
5/5/2025	1:15:00 PM	0
5/5/2025	1:30:00 PM	0
5/5/2025	1:45:00 PM	0
5/5/2025	2:00:00 PM	0
5/5/2025	2:15:00 PM	0
5/5/2025	2:30:00 PM	0
5/5/2025	2:45:00 PM	0
5/5/2025	3:00:00 PM	0
5/5/2025	3:15:00 PM	0
5/5/2025	3:30:00 PM	0
5/5/2025	3:45:00 PM	0
5/5/2025	4:00:00 PM	0
5/5/2025	4:15:00 PM	0
5/5/2025	4:30:00 PM	0
5/5/2025	4:45:00 PM	0
5/5/2025	5:00:00 PM	0
5/5/2025	5:15:00 PM	0
5/5/2025	5:30:00 PM	0
5/5/2025	5:45:00 PM	0
5/5/2025	6:00:00 PM	0
5/5/2025	6:15:00 PM	0
5/5/2025	6:30:00 PM	0
5/5/2025	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/5/2025	7:00:00 PM	0
5/5/2025	7:15:00 PM	0
5/5/2025	7:30:00 PM	0
5/5/2025	7:45:00 PM	0
5/5/2025	8:00:00 PM	0
5/5/2025	8:15:00 PM	0
5/5/2025	8:30:00 PM	0
5/5/2025	8:45:00 PM	0
5/5/2025	9:00:00 PM	0
5/5/2025	9:15:00 PM	0
5/5/2025	9:30:00 PM	0
5/5/2025	9:45:00 PM	0
5/5/2025	10:00:00 PM	0
5/5/2025	10:15:00 PM	0
5/5/2025	10:30:00 PM	0
5/5/2025	10:45:00 PM	0
5/5/2025	11:00:00 PM	0
5/5/2025	11:15:00 PM	0
5/5/2025	11:30:00 PM	0
5/5/2025	11:45:00 PM	0
5/6/2025	12:00:00 AM	0
5/6/2025	12:15:00 AM	0
5/6/2025	12:30:00 AM	0
5/6/2025	12:45:00 AM	0
5/6/2025	1:00:00 AM	0
5/6/2025	1:15:00 AM	0
5/6/2025	1:30:00 AM	0
5/6/2025	1:45:00 AM	0
5/6/2025	2:00:00 AM	0
5/6/2025	2:15:00 AM	0
5/6/2025	2:30:00 AM	0
5/6/2025	2:45:00 AM	0
5/6/2025	3:00:00 AM	0
5/6/2025	3:15:00 AM	0
5/6/2025	3:30:00 AM	0
5/6/2025	3:45:00 AM	0
5/6/2025	4:00:00 AM	0
5/6/2025	4:15:00 AM	0
5/6/2025	4:30:00 AM	0
5/6/2025	4:45:00 AM	0
5/6/2025	5:00:00 AM	0
5/6/2025	5:15:00 AM	0
5/6/2025	5:30:00 AM	0
5/6/2025	5:45:00 AM	0
5/6/2025	6:00:00 AM	0
5/6/2025	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/6/2025	6:30:00 AM	0
5/6/2025	6:45:00 AM	0
5/6/2025	7:00:00 AM	0
5/6/2025	7:15:00 AM	0
5/6/2025	7:30:00 AM	0
5/6/2025	7:45:00 AM	0
5/6/2025	8:00:00 AM	0
5/6/2025	8:15:00 AM	0
5/6/2025	8:30:00 AM	0
5/6/2025	8:45:00 AM	0
5/6/2025	9:00:00 AM	0
5/6/2025	9:15:00 AM	0
5/6/2025	9:30:00 AM	0
5/6/2025	9:45:00 AM	0
5/6/2025	10:00:00 AM	0
5/6/2025	10:15:00 AM	0
5/6/2025	10:30:00 AM	0
5/6/2025	10:45:00 AM	0
5/6/2025	11:00:00 AM	0
5/6/2025	11:15:00 AM	0
5/6/2025	11:30:00 AM	0
5/6/2025	11:45:00 AM	0
5/6/2025	12:00:00 PM	0
5/6/2025	12:15:00 PM	0
5/6/2025	12:30:00 PM	0
5/6/2025	12:45:00 PM	0
5/6/2025	1:00:00 PM	0
5/6/2025	1:15:00 PM	0
5/6/2025	1:30:00 PM	0
5/6/2025	1:45:00 PM	0
5/6/2025	2:00:00 PM	0
5/6/2025	2:15:00 PM	0
5/6/2025	2:30:00 PM	0
5/6/2025	2:45:00 PM	0
5/6/2025	3:00:00 PM	0
5/6/2025	3:15:00 PM	0
5/6/2025	3:30:00 PM	0
5/6/2025	3:45:00 PM	0
5/6/2025	4:00:00 PM	0
5/6/2025	4:15:00 PM	0
5/6/2025	4:30:00 PM	0
5/6/2025	4:45:00 PM	0
5/6/2025	5:00:00 PM	0
5/6/2025	5:15:00 PM	0
5/6/2025	5:30:00 PM	0
5/6/2025	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/6/2025	6:00:00 PM	0
5/6/2025	6:15:00 PM	0
5/6/2025	6:30:00 PM	0
5/6/2025	6:45:00 PM	0
5/6/2025	7:00:00 PM	0
5/6/2025	7:15:00 PM	0
5/6/2025	7:30:00 PM	0
5/6/2025	7:45:00 PM	0
5/6/2025	8:00:00 PM	0
5/6/2025	8:15:00 PM	0
5/6/2025	8:30:00 PM	0
5/6/2025	8:45:00 PM	0
5/6/2025	9:00:00 PM	0
5/6/2025	9:15:00 PM	0
5/6/2025	9:30:00 PM	0
5/6/2025	9:45:00 PM	0
5/6/2025	10:00:00 PM	0
5/6/2025	10:15:00 PM	0
5/6/2025	10:30:00 PM	0
5/6/2025	10:45:00 PM	0
5/6/2025	11:00:00 PM	0
5/6/2025	11:15:00 PM	0
5/6/2025	11:30:00 PM	0
5/6/2025	11:45:00 PM	0
5/7/2025	12:00:00 AM	0
5/7/2025	12:15:00 AM	0
5/7/2025	12:30:00 AM	0
5/7/2025	12:45:00 AM	0
5/7/2025	1:00:00 AM	0
5/7/2025	1:15:00 AM	0
5/7/2025	1:30:00 AM	0
5/7/2025	1:45:00 AM	0
5/7/2025	2:00:00 AM	0
5/7/2025	2:15:00 AM	0
5/7/2025	2:30:00 AM	0
5/7/2025	2:45:00 AM	0
5/7/2025	3:00:00 AM	0
5/7/2025	3:15:00 AM	0
5/7/2025	3:30:00 AM	0
5/7/2025	3:45:00 AM	0
5/7/2025	4:00:00 AM	0
5/7/2025	4:15:00 AM	0
5/7/2025	4:30:00 AM	0
5/7/2025	4:45:00 AM	0
5/7/2025	5:00:00 AM	0
5/7/2025	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/7/2025	5:30:00 AM	0
5/7/2025	5:45:00 AM	0
5/7/2025	6:00:00 AM	0
5/7/2025	6:15:00 AM	0
5/7/2025	6:30:00 AM	0
5/7/2025	6:45:00 AM	0
5/7/2025	7:00:00 AM	.
5/7/2025	7:15:00 AM	.
5/7/2025	7:30:00 AM	.
5/7/2025	7:45:00 AM	.
5/7/2025	8:00:00 AM	0
5/7/2025	8:15:00 AM	0
5/7/2025	8:30:00 AM	0
5/7/2025	8:45:00 AM	0
5/7/2025	9:00:00 AM	0
5/7/2025	9:15:00 AM	0
5/7/2025	9:30:00 AM	0
5/7/2025	9:45:00 AM	0
5/7/2025	10:00:00 AM	0
5/7/2025	10:15:00 AM	0
5/7/2025	10:30:00 AM	0
5/7/2025	10:45:00 AM	0
5/7/2025	11:00:00 AM	0
5/7/2025	11:15:00 AM	0
5/7/2025	11:30:00 AM	0
5/7/2025	11:45:00 AM	0
5/7/2025	12:00:00 PM	0
5/7/2025	12:15:00 PM	0
5/7/2025	12:30:00 PM	0
5/7/2025	12:45:00 PM	0
5/7/2025	1:00:00 PM	0
5/7/2025	1:15:00 PM	0
5/7/2025	1:30:00 PM	0
5/7/2025	1:45:00 PM	0
5/7/2025	2:00:00 PM	0
5/7/2025	2:15:00 PM	0
5/7/2025	2:30:00 PM	0
5/7/2025	2:45:00 PM	0
5/7/2025	3:00:00 PM	0
5/7/2025	3:15:00 PM	0
5/7/2025	3:30:00 PM	0
5/7/2025	3:45:00 PM	0
5/7/2025	4:00:00 PM	0
5/7/2025	4:15:00 PM	0
5/7/2025	4:30:00 PM	0
5/7/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/7/2025	5:00:00 PM	0
5/7/2025	5:15:00 PM	0
5/7/2025	5:30:00 PM	0
5/7/2025	5:45:00 PM	0
5/7/2025	6:00:00 PM	0
5/7/2025	6:15:00 PM	0
5/7/2025	6:30:00 PM	0
5/7/2025	6:45:00 PM	0
5/7/2025	7:00:00 PM	0
5/7/2025	7:15:00 PM	0
5/7/2025	7:30:00 PM	0
5/7/2025	7:45:00 PM	0
5/7/2025	8:00:00 PM	0
5/7/2025	8:15:00 PM	0
5/7/2025	8:30:00 PM	0
5/7/2025	8:45:00 PM	0
5/7/2025	9:00:00 PM	0
5/7/2025	9:15:00 PM	0
5/7/2025	9:30:00 PM	0
5/7/2025	9:45:00 PM	0
5/7/2025	10:00:00 PM	0
5/7/2025	10:15:00 PM	0
5/7/2025	10:30:00 PM	0
5/7/2025	10:45:00 PM	0
5/7/2025	11:00:00 PM	0
5/7/2025	11:15:00 PM	0
5/7/2025	11:30:00 PM	0
5/7/2025	11:45:00 PM	0
5/8/2025	12:00:00 AM	0
5/8/2025	12:15:00 AM	0
5/8/2025	12:30:00 AM	0
5/8/2025	12:45:00 AM	0
5/8/2025	1:00:00 AM	0
5/8/2025	1:15:00 AM	0
5/8/2025	1:30:00 AM	0
5/8/2025	1:45:00 AM	0
5/8/2025	2:00:00 AM	0
5/8/2025	2:15:00 AM	0
5/8/2025	2:30:00 AM	0
5/8/2025	2:45:00 AM	0
5/8/2025	3:00:00 AM	0
5/8/2025	3:15:00 AM	0
5/8/2025	3:30:00 AM	0
5/8/2025	3:45:00 AM	0
5/8/2025	4:00:00 AM	0
5/8/2025	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/8/2025	4:30:00 AM	0
5/8/2025	4:45:00 AM	0
5/8/2025	5:00:00 AM	0
5/8/2025	5:15:00 AM	0
5/8/2025	5:30:00 AM	0
5/8/2025	5:45:00 AM	0
5/8/2025	6:00:00 AM	0
5/8/2025	6:15:00 AM	0
5/8/2025	6:30:00 AM	0
5/8/2025	6:45:00 AM	0
5/8/2025	7:00:00 AM	0
5/8/2025	7:15:00 AM	0
5/8/2025	7:30:00 AM	0
5/8/2025	7:45:00 AM	0
5/8/2025	8:00:00 AM	0
5/8/2025	8:15:00 AM	0
5/8/2025	8:30:00 AM	0
5/8/2025	8:45:00 AM	0
5/8/2025	9:00:00 AM	0
5/8/2025	9:15:00 AM	0
5/8/2025	9:30:00 AM	0
5/8/2025	9:45:00 AM	0
5/8/2025	10:00:00 AM	0
5/8/2025	10:15:00 AM	0
5/8/2025	10:30:00 AM	0
5/8/2025	10:45:00 AM	0
5/8/2025	11:00:00 AM	0
5/8/2025	11:15:00 AM	0
5/8/2025	11:30:00 AM	0
5/8/2025	11:45:00 AM	0
5/8/2025	12:00:00 PM	0
5/8/2025	12:15:00 PM	0
5/8/2025	12:30:00 PM	0
5/8/2025	12:45:00 PM	0
5/8/2025	1:00:00 PM	0
5/8/2025	1:15:00 PM	0
5/8/2025	1:30:00 PM	0
5/8/2025	1:45:00 PM	0
5/8/2025	2:00:00 PM	0
5/8/2025	2:15:00 PM	0
5/8/2025	2:30:00 PM	0
5/8/2025	2:45:00 PM	0
5/8/2025	3:00:00 PM	0
5/8/2025	3:15:00 PM	0
5/8/2025	3:30:00 PM	0
5/8/2025	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/8/2025	4:00:00 PM	0
5/8/2025	4:15:00 PM	0
5/8/2025	4:30:00 PM	0
5/8/2025	4:45:00 PM	0
5/8/2025	5:00:00 PM	0
5/8/2025	5:15:00 PM	0
5/8/2025	5:30:00 PM	0
5/8/2025	5:45:00 PM	0
5/8/2025	6:00:00 PM	0
5/8/2025	6:15:00 PM	0
5/8/2025	6:30:00 PM	0
5/8/2025	6:45:00 PM	0
5/8/2025	7:00:00 PM	0
5/8/2025	7:15:00 PM	0
5/8/2025	7:30:00 PM	0
5/8/2025	7:45:00 PM	0
5/8/2025	8:00:00 PM	0
5/8/2025	8:15:00 PM	0
5/8/2025	8:30:00 PM	0
5/8/2025	8:45:00 PM	0
5/8/2025	9:00:00 PM	0
5/8/2025	9:15:00 PM	0
5/8/2025	9:30:00 PM	0
5/8/2025	9:45:00 PM	0
5/8/2025	10:00:00 PM	0
5/8/2025	10:15:00 PM	0
5/8/2025	10:30:00 PM	0
5/8/2025	10:45:00 PM	0
5/8/2025	11:00:00 PM	0
5/8/2025	11:15:00 PM	0
5/8/2025	11:30:00 PM	0
5/8/2025	11:45:00 PM	0
5/9/2025	12:00:00 AM	0
5/9/2025	12:15:00 AM	0
5/9/2025	12:30:00 AM	0
5/9/2025	12:45:00 AM	0
5/9/2025	1:00:00 AM	0
5/9/2025	1:15:00 AM	0
5/9/2025	1:30:00 AM	0
5/9/2025	1:45:00 AM	0
5/9/2025	2:00:00 AM	0
5/9/2025	2:15:00 AM	0
5/9/2025	2:30:00 AM	0
5/9/2025	2:45:00 AM	0
5/9/2025	3:00:00 AM	0
5/9/2025	3:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/9/2025	3:30:00 AM	0
5/9/2025	3:45:00 AM	0
5/9/2025	4:00:00 AM	0
5/9/2025	4:15:00 AM	0
5/9/2025	4:30:00 AM	0
5/9/2025	4:45:00 AM	0
5/9/2025	5:00:00 AM	0
5/9/2025	5:15:00 AM	0
5/9/2025	5:30:00 AM	0
5/9/2025	5:45:00 AM	0
5/9/2025	6:00:00 AM	0
5/9/2025	6:15:00 AM	0
5/9/2025	6:30:00 AM	0
5/9/2025	6:45:00 AM	0
5/9/2025	7:00:00 AM	0
5/9/2025	7:15:00 AM	0
5/9/2025	7:30:00 AM	0
5/9/2025	7:45:00 AM	0
5/9/2025	8:00:00 AM	0
5/9/2025	8:15:00 AM	0
5/9/2025	8:30:00 AM	0
5/9/2025	8:45:00 AM	0
5/9/2025	9:00:00 AM	0
5/9/2025	9:15:00 AM	0
5/9/2025	9:30:00 AM	0
5/9/2025	9:45:00 AM	0
5/9/2025	10:00:00 AM	0
5/9/2025	10:15:00 AM	0
5/9/2025	10:30:00 AM	0
5/9/2025	10:45:00 AM	0
5/9/2025	11:00:00 AM	0
5/9/2025	11:15:00 AM	0
5/9/2025	11:30:00 AM	0
5/9/2025	11:45:00 AM	0
5/9/2025	12:00:00 PM	0
5/9/2025	12:15:00 PM	0
5/9/2025	12:30:00 PM	0
5/9/2025	12:45:00 PM	0
5/9/2025	1:00:00 PM	0
5/9/2025	1:15:00 PM	0
5/9/2025	1:30:00 PM	0
5/9/2025	1:45:00 PM	0
5/9/2025	2:00:00 PM	0
5/9/2025	2:15:00 PM	0
5/9/2025	2:30:00 PM	0
5/9/2025	2:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/9/2025	3:00:00 PM	0
5/9/2025	3:15:00 PM	0
5/9/2025	3:30:00 PM	0
5/9/2025	3:45:00 PM	0
5/9/2025	4:00:00 PM	0
5/9/2025	4:15:00 PM	0
5/9/2025	4:30:00 PM	0
5/9/2025	4:45:00 PM	0
5/9/2025	5:00:00 PM	0
5/9/2025	5:15:00 PM	0
5/9/2025	5:30:00 PM	0
5/9/2025	5:45:00 PM	0
5/9/2025	6:00:00 PM	0
5/9/2025	6:15:00 PM	0
5/9/2025	6:30:00 PM	0
5/9/2025	6:45:00 PM	0
5/9/2025	7:00:00 PM	0
5/9/2025	7:15:00 PM	0
5/9/2025	7:30:00 PM	0
5/9/2025	7:45:00 PM	0
5/9/2025	8:00:00 PM	0
5/9/2025	8:15:00 PM	0
5/9/2025	8:30:00 PM	0
5/9/2025	8:45:00 PM	0
5/9/2025	9:00:00 PM	0
5/9/2025	9:15:00 PM	0
5/9/2025	9:30:00 PM	0
5/9/2025	9:45:00 PM	0
5/9/2025	10:00:00 PM	0
5/9/2025	10:15:00 PM	0
5/9/2025	10:30:00 PM	0
5/9/2025	10:45:00 PM	0
5/9/2025	11:00:00 PM	0
5/9/2025	11:15:00 PM	0
5/9/2025	11:30:00 PM	0
5/9/2025	11:45:00 PM	0
5/10/2025	12:00:00 AM	0
5/10/2025	12:15:00 AM	0
5/10/2025	12:30:00 AM	0
5/10/2025	12:45:00 AM	0
5/10/2025	1:00:00 AM	0
5/10/2025	1:15:00 AM	0
5/10/2025	1:30:00 AM	0
5/10/2025	1:45:00 AM	0
5/10/2025	2:00:00 AM	0
5/10/2025	2:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/10/2025	2:30:00 AM	0
5/10/2025	2:45:00 AM	0
5/10/2025	3:00:00 AM	0
5/10/2025	3:15:00 AM	0
5/10/2025	3:30:00 AM	0
5/10/2025	3:45:00 AM	0
5/10/2025	4:00:00 AM	0
5/10/2025	4:15:00 AM	0
5/10/2025	4:30:00 AM	0
5/10/2025	4:45:00 AM	0
5/10/2025	5:00:00 AM	0
5/10/2025	5:15:00 AM	0
5/10/2025	5:30:00 AM	0
5/10/2025	5:45:00 AM	0
5/10/2025	6:00:00 AM	0
5/10/2025	6:15:00 AM	0
5/10/2025	6:30:00 AM	0
5/10/2025	6:45:00 AM	0
5/10/2025	7:00:00 AM	0
5/10/2025	7:15:00 AM	0
5/10/2025	7:30:00 AM	0
5/10/2025	7:45:00 AM	0
5/10/2025	8:00:00 AM	0
5/10/2025	8:15:00 AM	0
5/10/2025	8:30:00 AM	0
5/10/2025	8:45:00 AM	0
5/10/2025	9:00:00 AM	0
5/10/2025	9:15:00 AM	0
5/10/2025	9:30:00 AM	0
5/10/2025	9:45:00 AM	0
5/10/2025	10:00:00 AM	0
5/10/2025	10:15:00 AM	0
5/10/2025	10:30:00 AM	0
5/10/2025	10:45:00 AM	0
5/10/2025	11:00:00 AM	0
5/10/2025	11:15:00 AM	0
5/10/2025	11:30:00 AM	0
5/10/2025	11:45:00 AM	0
5/10/2025	12:00:00 PM	0
5/10/2025	12:15:00 PM	0
5/10/2025	12:30:00 PM	0
5/10/2025	12:45:00 PM	0
5/10/2025	1:00:00 PM	0
5/10/2025	1:15:00 PM	0
5/10/2025	1:30:00 PM	0
5/10/2025	1:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/10/2025	2:00:00 PM	0
5/10/2025	2:15:00 PM	0
5/10/2025	2:30:00 PM	0
5/10/2025	2:45:00 PM	0
5/10/2025	3:00:00 PM	0
5/10/2025	3:15:00 PM	0
5/10/2025	3:30:00 PM	0
5/10/2025	3:45:00 PM	0
5/10/2025	4:00:00 PM	0
5/10/2025	4:15:00 PM	0
5/10/2025	4:30:00 PM	0
5/10/2025	4:45:00 PM	0
5/10/2025	5:00:00 PM	0
5/10/2025	5:15:00 PM	0
5/10/2025	5:30:00 PM	0
5/10/2025	5:45:00 PM	0
5/10/2025	6:00:00 PM	0
5/10/2025	6:15:00 PM	0
5/10/2025	6:30:00 PM	0
5/10/2025	6:45:00 PM	0
5/10/2025	7:00:00 PM	0
5/10/2025	7:15:00 PM	0
5/10/2025	7:30:00 PM	0
5/10/2025	7:45:00 PM	0
5/10/2025	8:00:00 PM	0
5/10/2025	8:15:00 PM	0
5/10/2025	8:30:00 PM	0
5/10/2025	8:45:00 PM	0
5/10/2025	9:00:00 PM	0
5/10/2025	9:15:00 PM	0
5/10/2025	9:30:00 PM	0
5/10/2025	9:45:00 PM	0
5/10/2025	10:00:00 PM	0
5/10/2025	10:15:00 PM	0
5/10/2025	10:30:00 PM	0
5/10/2025	10:45:00 PM	0
5/10/2025	11:00:00 PM	0
5/10/2025	11:15:00 PM	0
5/10/2025	11:30:00 PM	0
5/10/2025	11:45:00 PM	0
5/11/2025	12:00:00 AM	0
5/11/2025	12:15:00 AM	0
5/11/2025	12:30:00 AM	0
5/11/2025	12:45:00 AM	0
5/11/2025	1:00:00 AM	0
5/11/2025	1:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/11/2025	1:30:00 AM	0
5/11/2025	1:45:00 AM	0
5/11/2025	2:00:00 AM	0
5/11/2025	2:15:00 AM	0
5/11/2025	2:30:00 AM	0
5/11/2025	2:45:00 AM	0
5/11/2025	3:00:00 AM	0
5/11/2025	3:15:00 AM	0
5/11/2025	3:30:00 AM	0
5/11/2025	3:45:00 AM	0
5/11/2025	4:00:00 AM	0
5/11/2025	4:15:00 AM	0
5/11/2025	4:30:00 AM	0
5/11/2025	4:45:00 AM	0
5/11/2025	5:00:00 AM	0
5/11/2025	5:15:00 AM	0
5/11/2025	5:30:00 AM	0
5/11/2025	5:45:00 AM	0
5/11/2025	6:00:00 AM	0
5/11/2025	6:15:00 AM	0
5/11/2025	6:30:00 AM	0
5/11/2025	6:45:00 AM	0
5/11/2025	7:00:00 AM	0
5/11/2025	7:15:00 AM	0
5/11/2025	7:30:00 AM	0
5/11/2025	7:45:00 AM	0
5/11/2025	8:00:00 AM	0
5/11/2025	8:15:00 AM	0
5/11/2025	8:30:00 AM	0
5/11/2025	8:45:00 AM	0
5/11/2025	9:00:00 AM	0
5/11/2025	9:15:00 AM	0
5/11/2025	9:30:00 AM	0
5/11/2025	9:45:00 AM	0
5/11/2025	10:00:00 AM	0
5/11/2025	10:15:00 AM	0
5/11/2025	10:30:00 AM	0
5/11/2025	10:45:00 AM	0
5/11/2025	11:00:00 AM	0
5/11/2025	11:15:00 AM	0
5/11/2025	11:30:00 AM	0
5/11/2025	11:45:00 AM	0
5/11/2025	12:00:00 PM	0
5/11/2025	12:15:00 PM	0
5/11/2025	12:30:00 PM	0
5/11/2025	12:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/11/2025	1:00:00 PM	0
5/11/2025	1:15:00 PM	0
5/11/2025	1:30:00 PM	0
5/11/2025	1:45:00 PM	0
5/11/2025	2:00:00 PM	0
5/11/2025	2:15:00 PM	0
5/11/2025	2:30:00 PM	0
5/11/2025	2:45:00 PM	0
5/11/2025	3:00:00 PM	0
5/11/2025	3:15:00 PM	0
5/11/2025	3:30:00 PM	0
5/11/2025	3:45:00 PM	0
5/11/2025	4:00:00 PM	0
5/11/2025	4:15:00 PM	0
5/11/2025	4:30:00 PM	0
5/11/2025	4:45:00 PM	0
5/11/2025	5:00:00 PM	0
5/11/2025	5:15:00 PM	0
5/11/2025	5:30:00 PM	0
5/11/2025	5:45:00 PM	0
5/11/2025	6:00:00 PM	0
5/11/2025	6:15:00 PM	0
5/11/2025	6:30:00 PM	0
5/11/2025	6:45:00 PM	0
5/11/2025	7:00:00 PM	0
5/11/2025	7:15:00 PM	0
5/11/2025	7:30:00 PM	0
5/11/2025	7:45:00 PM	0
5/11/2025	8:00:00 PM	0
5/11/2025	8:15:00 PM	0
5/11/2025	8:30:00 PM	0
5/11/2025	8:45:00 PM	0
5/11/2025	9:00:00 PM	0
5/11/2025	9:15:00 PM	0
5/11/2025	9:30:00 PM	0
5/11/2025	9:45:00 PM	0
5/11/2025	10:00:00 PM	0
5/11/2025	10:15:00 PM	0
5/11/2025	10:30:00 PM	0
5/11/2025	10:45:00 PM	0
5/11/2025	11:00:00 PM	0
5/11/2025	11:15:00 PM	0
5/11/2025	11:30:00 PM	0
5/11/2025	11:45:00 PM	0
5/12/2025	12:00:00 AM	0
5/12/2025	12:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	12:30:00 AM	0
5/12/2025	12:45:00 AM	0
5/12/2025	1:00:00 AM	0
5/12/2025	1:15:00 AM	0
5/12/2025	1:30:00 AM	0
5/12/2025	1:45:00 AM	0
5/12/2025	2:00:00 AM	0
5/12/2025	2:15:00 AM	0
5/12/2025	2:30:00 AM	0
5/12/2025	2:45:00 AM	0
5/12/2025	3:00:00 AM	0
5/12/2025	3:15:00 AM	0
5/12/2025	3:30:00 AM	0
5/12/2025	3:45:00 AM	0
5/12/2025	4:00:00 AM	0
5/12/2025	4:15:00 AM	0
5/12/2025	4:30:00 AM	0
5/12/2025	4:45:00 AM	0
5/12/2025	5:00:00 AM	0
5/12/2025	5:15:00 AM	0
5/12/2025	5:30:00 AM	0
5/12/2025	5:45:00 AM	0
5/12/2025	6:00:00 AM	0
5/12/2025	6:15:00 AM	0
5/12/2025	6:30:00 AM	0
5/12/2025	6:45:00 AM	0
5/12/2025	7:00:00 AM	0
5/12/2025	7:15:00 AM	0
5/12/2025	7:30:00 AM	0
5/12/2025	7:45:00 AM	0
5/12/2025	8:00:00 AM	0
5/12/2025	8:15:00 AM	0
5/12/2025	8:30:00 AM	0
5/12/2025	8:45:00 AM	0
5/12/2025	9:00:00 AM	0
5/12/2025	9:15:00 AM	0
5/12/2025	9:30:00 AM	0
5/12/2025	9:45:00 AM	0
5/12/2025	10:00:00 AM	0
5/12/2025	10:15:00 AM	0
5/12/2025	10:30:00 AM	0
5/12/2025	10:45:00 AM	0
5/12/2025	11:00:00 AM	0
5/12/2025	11:15:00 AM	0
5/12/2025	11:30:00 AM	0
5/12/2025	11:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	12:00:00 PM	0
5/12/2025	12:15:00 PM	0
5/12/2025	12:30:00 PM	0
5/12/2025	12:45:00 PM	0
5/12/2025	1:00:00 PM	0
5/12/2025	1:15:00 PM	0
5/12/2025	1:30:00 PM	0
5/12/2025	1:45:00 PM	0
5/12/2025	2:00:00 PM	0
5/12/2025	2:15:00 PM	0
5/12/2025	2:30:00 PM	0
5/12/2025	2:45:00 PM	0
5/12/2025	3:00:00 PM	0
5/12/2025	3:15:00 PM	0
5/12/2025	3:30:00 PM	0
5/12/2025	3:45:00 PM	0
5/12/2025	4:00:00 PM	0
5/12/2025	4:15:00 PM	0
5/12/2025	4:30:00 PM	0
5/12/2025	4:45:00 PM	0
5/12/2025	5:00:00 PM	0
5/12/2025	5:15:00 PM	0
5/12/2025	5:30:00 PM	0
5/12/2025	5:45:00 PM	0
5/12/2025	6:00:00 PM	0
5/12/2025	6:15:00 PM	0
5/12/2025	6:30:00 PM	0
5/12/2025	6:45:00 PM	0
5/12/2025	7:00:00 PM	0
5/12/2025	7:15:00 PM	0
5/12/2025	7:30:00 PM	0
5/12/2025	7:45:00 PM	0
5/12/2025	8:00:00 PM	0
5/12/2025	8:15:00 PM	0
5/12/2025	8:30:00 PM	0
5/12/2025	8:45:00 PM	0
5/12/2025	9:00:00 PM	0
5/12/2025	9:15:00 PM	0
5/12/2025	9:30:00 PM	0
5/12/2025	9:45:00 PM	0
5/12/2025	10:00:00 PM	0
5/12/2025	10:15:00 PM	0
5/12/2025	10:30:00 PM	0
5/12/2025	10:45:00 PM	0
5/12/2025	11:00:00 PM	0
5/12/2025	11:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	11:30:00 PM	0
5/12/2025	11:45:00 PM	0
5/13/2025	12:00:00 AM	0
5/13/2025	12:15:00 AM	0
5/13/2025	12:30:00 AM	0
5/13/2025	12:45:00 AM	0
5/13/2025	1:00:00 AM	0
5/13/2025	1:15:00 AM	0
5/13/2025	1:30:00 AM	0
5/13/2025	1:45:00 AM	0
5/13/2025	2:00:00 AM	0
5/13/2025	2:15:00 AM	0
5/13/2025	2:30:00 AM	0
5/13/2025	2:45:00 AM	0
5/13/2025	3:00:00 AM	0
5/13/2025	3:15:00 AM	0
5/13/2025	3:30:00 AM	0
5/13/2025	3:45:00 AM	0
5/13/2025	4:00:00 AM	0
5/13/2025	4:15:00 AM	0
5/13/2025	4:30:00 AM	0
5/13/2025	4:45:00 AM	0
5/13/2025	5:00:00 AM	0
5/13/2025	5:15:00 AM	0
5/13/2025	5:30:00 AM	0
5/13/2025	5:45:00 AM	0
5/13/2025	6:00:00 AM	0
5/13/2025	6:15:00 AM	0
5/13/2025	6:30:00 AM	0
5/13/2025	6:45:00 AM	0
5/13/2025	7:00:00 AM	0
5/13/2025	7:15:00 AM	0
5/13/2025	7:30:00 AM	0
5/13/2025	7:45:00 AM	0
5/13/2025	8:00:00 AM	0
5/13/2025	8:15:00 AM	0
5/13/2025	8:30:00 AM	0
5/13/2025	8:45:00 AM	0
5/13/2025	9:00:00 AM	0
5/13/2025	9:15:00 AM	0
5/13/2025	9:30:00 AM	0
5/13/2025	9:45:00 AM	0
5/13/2025	10:00:00 AM	0
5/13/2025	10:15:00 AM	0
5/13/2025	10:30:00 AM	0
5/13/2025	10:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/13/2025	11:00:00 AM	0
5/13/2025	11:15:00 AM	0
5/13/2025	11:30:00 AM	0
5/13/2025	11:45:00 AM	0
5/13/2025	12:00:00 PM	0
5/13/2025	12:15:00 PM	0
5/13/2025	12:30:00 PM	0
5/13/2025	12:45:00 PM	0
5/13/2025	1:00:00 PM	0
5/13/2025	1:15:00 PM	0
5/13/2025	1:30:00 PM	0
5/13/2025	1:45:00 PM	0
5/13/2025	2:00:00 PM	0
5/13/2025	2:15:00 PM	0
5/13/2025	2:30:00 PM	0
5/13/2025	2:45:00 PM	0
5/13/2025	3:00:00 PM	0
5/13/2025	3:15:00 PM	0
5/13/2025	3:30:00 PM	0
5/13/2025	3:45:00 PM	0
5/13/2025	4:00:00 PM	0
5/13/2025	4:15:00 PM	0
5/13/2025	4:30:00 PM	0
5/13/2025	4:45:00 PM	0
5/13/2025	5:00:00 PM	0
5/13/2025	5:15:00 PM	0
5/13/2025	5:30:00 PM	0
5/13/2025	5:45:00 PM	0
5/13/2025	6:00:00 PM	0
5/13/2025	6:15:00 PM	0
5/13/2025	6:30:00 PM	0
5/13/2025	6:45:00 PM	0
5/13/2025	7:00:00 PM	0
5/13/2025	7:15:00 PM	0
5/13/2025	7:30:00 PM	0
5/13/2025	7:45:00 PM	0
5/13/2025	8:00:00 PM	0
5/13/2025	8:15:00 PM	0
5/13/2025	8:30:00 PM	0
5/13/2025	8:45:00 PM	0
5/13/2025	9:00:00 PM	0
5/13/2025	9:15:00 PM	0
5/13/2025	9:30:00 PM	0
5/13/2025	9:45:00 PM	0
5/13/2025	10:00:00 PM	0
5/13/2025	10:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/13/2025	10:30:00 PM	0
5/13/2025	10:45:00 PM	0
5/13/2025	11:00:00 PM	0
5/13/2025	11:15:00 PM	0
5/13/2025	11:30:00 PM	0
5/13/2025	11:45:00 PM	0
5/14/2025	12:00:00 AM	0
5/14/2025	12:15:00 AM	0
5/14/2025	12:30:00 AM	0
5/14/2025	12:45:00 AM	0
5/14/2025	1:00:00 AM	0
5/14/2025	1:15:00 AM	0
5/14/2025	1:30:00 AM	0
5/14/2025	1:45:00 AM	0
5/14/2025	2:00:00 AM	0
5/14/2025	2:15:00 AM	0
5/14/2025	2:30:00 AM	0
5/14/2025	2:45:00 AM	0
5/14/2025	3:00:00 AM	0
5/14/2025	3:15:00 AM	0
5/14/2025	3:30:00 AM	0
5/14/2025	3:45:00 AM	0
5/14/2025	4:00:00 AM	0
5/14/2025	4:15:00 AM	0
5/14/2025	4:30:00 AM	0
5/14/2025	4:45:00 AM	0
5/14/2025	5:00:00 AM	0
5/14/2025	5:15:00 AM	0
5/14/2025	5:30:00 AM	0
5/14/2025	5:45:00 AM	0
5/14/2025	6:00:00 AM	0
5/14/2025	6:15:00 AM	0
5/14/2025	6:30:00 AM	0
5/14/2025	6:45:00 AM	0
5/14/2025	7:00:00 AM	0
5/14/2025	7:15:00 AM	0
5/14/2025	7:30:00 AM	0
5/14/2025	7:45:00 AM	0
5/14/2025	8:00:00 AM	0
5/14/2025	8:15:00 AM	0
5/14/2025	8:30:00 AM	0
5/14/2025	8:45:00 AM	0
5/14/2025	9:00:00 AM	0
5/14/2025	9:15:00 AM	0
5/14/2025	9:30:00 AM	0
5/14/2025	9:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/14/2025	10:00:00 AM	0
5/14/2025	10:15:00 AM	0
5/14/2025	10:30:00 AM	0
5/14/2025	10:45:00 AM	0
5/14/2025	11:00:00 AM	0
5/14/2025	11:15:00 AM	0
5/14/2025	11:30:00 AM	0
5/14/2025	11:45:00 AM	0
5/14/2025	12:00:00 PM	0
5/14/2025	12:15:00 PM	0
5/14/2025	12:30:00 PM	0
5/14/2025	12:45:00 PM	0
5/14/2025	1:00:00 PM	0
5/14/2025	1:15:00 PM	0
5/14/2025	1:30:00 PM	0
5/14/2025	1:45:00 PM	0
5/14/2025	2:00:00 PM	0
5/14/2025	2:15:00 PM	0
5/14/2025	2:30:00 PM	0
5/14/2025	2:45:00 PM	0
5/14/2025	3:00:00 PM	0
5/14/2025	3:15:00 PM	0
5/14/2025	3:30:00 PM	0
5/14/2025	3:45:00 PM	0
5/14/2025	4:00:00 PM	0
5/14/2025	4:15:00 PM	0
5/14/2025	4:30:00 PM	0
5/14/2025	4:45:00 PM	0
5/14/2025	5:00:00 PM	0
5/14/2025	5:15:00 PM	0
5/14/2025	5:30:00 PM	0
5/14/2025	5:45:00 PM	0
5/14/2025	6:00:00 PM	0
5/14/2025	6:15:00 PM	0
5/14/2025	6:30:00 PM	0
5/14/2025	6:45:00 PM	0
5/14/2025	7:00:00 PM	0
5/14/2025	7:15:00 PM	0
5/14/2025	7:30:00 PM	0
5/14/2025	7:45:00 PM	0
5/14/2025	8:00:00 PM	0
5/14/2025	8:15:00 PM	0
5/14/2025	8:30:00 PM	0
5/14/2025	8:45:00 PM	0
5/14/2025	9:00:00 PM	0
5/14/2025	9:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/14/2025	9:30:00 PM	0
5/14/2025	9:45:00 PM	0
5/14/2025	10:00:00 PM	0
5/14/2025	10:15:00 PM	0
5/14/2025	10:30:00 PM	0
5/14/2025	10:45:00 PM	0
5/14/2025	11:00:00 PM	0
5/14/2025	11:15:00 PM	0
5/14/2025	11:30:00 PM	0
5/14/2025	11:45:00 PM	0
5/15/2025	12:00:00 AM	0
5/15/2025	12:15:00 AM	0
5/15/2025	12:30:00 AM	0
5/15/2025	12:45:00 AM	0
5/15/2025	1:00:00 AM	0
5/15/2025	1:15:00 AM	0
5/15/2025	1:30:00 AM	0
5/15/2025	1:45:00 AM	0
5/15/2025	2:00:00 AM	0
5/15/2025	2:15:00 AM	0
5/15/2025	2:30:00 AM	0
5/15/2025	2:45:00 AM	0
5/15/2025	3:00:00 AM	0
5/15/2025	3:15:00 AM	0
5/15/2025	3:30:00 AM	0
5/15/2025	3:45:00 AM	0
5/15/2025	4:00:00 AM	0
5/15/2025	4:15:00 AM	0
5/15/2025	4:30:00 AM	0
5/15/2025	4:45:00 AM	0
5/15/2025	5:00:00 AM	0
5/15/2025	5:15:00 AM	0
5/15/2025	5:30:00 AM	0
5/15/2025	5:45:00 AM	0
5/15/2025	6:00:00 AM	0
5/15/2025	6:15:00 AM	0
5/15/2025	6:30:00 AM	0
5/15/2025	6:45:00 AM	0
5/15/2025	7:00:00 AM	0
5/15/2025	7:15:00 AM	0
5/15/2025	7:30:00 AM	0
5/15/2025	7:45:00 AM	0
5/15/2025	8:00:00 AM	0
5/15/2025	8:15:00 AM	0
5/15/2025	8:30:00 AM	0
5/15/2025	8:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/15/2025	9:00:00 AM	0
5/15/2025	9:15:00 AM	0
5/15/2025	9:30:00 AM	0
5/15/2025	9:45:00 AM	0
5/15/2025	10:00:00 AM	0
5/15/2025	10:15:00 AM	0
5/15/2025	10:30:00 AM	0
5/15/2025	10:45:00 AM	0
5/15/2025	11:00:00 AM	0
5/15/2025	11:15:00 AM	0
5/15/2025	11:30:00 AM	0
5/15/2025	11:45:00 AM	0
5/15/2025	12:00:00 PM	0
5/15/2025	12:15:00 PM	0
5/15/2025	12:30:00 PM	0
5/15/2025	12:45:00 PM	0
5/15/2025	1:00:00 PM	0
5/15/2025	1:15:00 PM	0
5/15/2025	1:30:00 PM	0
5/15/2025	1:45:00 PM	0
5/15/2025	2:00:00 PM	0
5/15/2025	2:15:00 PM	0
5/15/2025	2:30:00 PM	0
5/15/2025	2:45:00 PM	0
5/15/2025	3:00:00 PM	0
5/15/2025	3:15:00 PM	0
5/15/2025	3:30:00 PM	0
5/15/2025	3:45:00 PM	0
5/15/2025	4:00:00 PM	0
5/15/2025	4:15:00 PM	0
5/15/2025	4:30:00 PM	0
5/15/2025	4:45:00 PM	0
5/15/2025	5:00:00 PM	0
5/15/2025	5:15:00 PM	0
5/15/2025	5:30:00 PM	0
5/15/2025	5:45:00 PM	0
5/15/2025	6:00:00 PM	0
5/15/2025	6:15:00 PM	0
5/15/2025	6:30:00 PM	0
5/15/2025	6:45:00 PM	0
5/15/2025	7:00:00 PM	0
5/15/2025	7:15:00 PM	0
5/15/2025	7:30:00 PM	0
5/15/2025	7:45:00 PM	0
5/15/2025	8:00:00 PM	0
5/15/2025	8:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/15/2025	8:30:00 PM	0
5/15/2025	8:45:00 PM	0
5/15/2025	9:00:00 PM	0
5/15/2025	9:15:00 PM	0
5/15/2025	9:30:00 PM	0
5/15/2025	9:45:00 PM	0
5/15/2025	10:00:00 PM	0
5/15/2025	10:15:00 PM	0
5/15/2025	10:30:00 PM	0
5/15/2025	10:45:00 PM	0
5/15/2025	11:00:00 PM	0
5/15/2025	11:15:00 PM	0
5/15/2025	11:30:00 PM	0
5/15/2025	11:45:00 PM	0
5/16/2025	12:00:00 AM	0
5/16/2025	12:15:00 AM	0
5/16/2025	12:30:00 AM	0
5/16/2025	12:45:00 AM	0
5/16/2025	1:00:00 AM	0
5/16/2025	1:15:00 AM	0
5/16/2025	1:30:00 AM	0
5/16/2025	1:45:00 AM	0
5/16/2025	2:00:00 AM	0
5/16/2025	2:15:00 AM	0
5/16/2025	2:30:00 AM	0
5/16/2025	2:45:00 AM	0
5/16/2025	3:00:00 AM	0
5/16/2025	3:15:00 AM	0
5/16/2025	3:30:00 AM	0
5/16/2025	3:45:00 AM	0
5/16/2025	4:00:00 AM	0
5/16/2025	4:15:00 AM	0
5/16/2025	4:30:00 AM	0
5/16/2025	4:45:00 AM	0
5/16/2025	5:00:00 AM	0
5/16/2025	5:15:00 AM	0
5/16/2025	5:30:00 AM	0
5/16/2025	5:45:00 AM	0
5/16/2025	6:00:00 AM	0
5/16/2025	6:15:00 AM	0
5/16/2025	6:30:00 AM	0
5/16/2025	6:45:00 AM	0
5/16/2025	7:00:00 AM	0
5/16/2025	7:15:00 AM	0
5/16/2025	7:30:00 AM	0
5/16/2025	7:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/16/2025	8:00:00 AM	0
5/16/2025	8:15:00 AM	0
5/16/2025	8:30:00 AM	0
5/16/2025	8:45:00 AM	0
5/16/2025	9:00:00 AM	0
5/16/2025	9:15:00 AM	0
5/16/2025	9:30:00 AM	0
5/16/2025	9:45:00 AM	0
5/16/2025	10:00:00 AM	0
5/16/2025	10:15:00 AM	0
5/16/2025	10:30:00 AM	0
5/16/2025	10:45:00 AM	0
5/16/2025	11:00:00 AM	0
5/16/2025	11:15:00 AM	0
5/16/2025	11:30:00 AM	0
5/16/2025	11:45:00 AM	0
5/16/2025	12:00:00 PM	0
5/16/2025	12:15:00 PM	0
5/16/2025	12:30:00 PM	0
5/16/2025	12:45:00 PM	0
5/16/2025	1:00:00 PM	0
5/16/2025	1:15:00 PM	0
5/16/2025	1:30:00 PM	0
5/16/2025	1:45:00 PM	0
5/16/2025	2:00:00 PM	0
5/16/2025	2:15:00 PM	0
5/16/2025	2:30:00 PM	0
5/16/2025	2:45:00 PM	0
5/16/2025	3:00:00 PM	0
5/16/2025	3:15:00 PM	0
5/16/2025	3:30:00 PM	0
5/16/2025	3:45:00 PM	0
5/16/2025	4:00:00 PM	0
5/16/2025	4:15:00 PM	0
5/16/2025	4:30:00 PM	0
5/16/2025	4:45:00 PM	0
5/16/2025	5:00:00 PM	0
5/16/2025	5:15:00 PM	0
5/16/2025	5:30:00 PM	0
5/16/2025	5:45:00 PM	0
5/16/2025	6:00:00 PM	0
5/16/2025	6:15:00 PM	0
5/16/2025	6:30:00 PM	0
5/16/2025	6:45:00 PM	0
5/16/2025	7:00:00 PM	0
5/16/2025	7:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/16/2025	7:30:00 PM	0
5/16/2025	7:45:00 PM	0
5/16/2025	8:00:00 PM	0
5/16/2025	8:15:00 PM	0
5/16/2025	8:30:00 PM	0
5/16/2025	8:45:00 PM	0
5/16/2025	9:00:00 PM	0
5/16/2025	9:15:00 PM	0
5/16/2025	9:30:00 PM	0
5/16/2025	9:45:00 PM	0
5/16/2025	10:00:00 PM	0
5/16/2025	10:15:00 PM	0
5/16/2025	10:30:00 PM	0
5/16/2025	10:45:00 PM	0
5/16/2025	11:00:00 PM	0
5/16/2025	11:15:00 PM	0
5/16/2025	11:30:00 PM	0
5/16/2025	11:45:00 PM	0
5/17/2025	12:00:00 AM	0
5/17/2025	12:15:00 AM	0
5/17/2025	12:30:00 AM	0
5/17/2025	12:45:00 AM	0
5/17/2025	1:00:00 AM	0
5/17/2025	1:15:00 AM	0
5/17/2025	1:30:00 AM	0
5/17/2025	1:45:00 AM	0
5/17/2025	2:00:00 AM	0
5/17/2025	2:15:00 AM	0
5/17/2025	2:30:00 AM	0
5/17/2025	2:45:00 AM	0
5/17/2025	3:00:00 AM	0
5/17/2025	3:15:00 AM	0
5/17/2025	3:30:00 AM	0
5/17/2025	3:45:00 AM	0
5/17/2025	4:00:00 AM	0
5/17/2025	4:15:00 AM	0
5/17/2025	4:30:00 AM	0
5/17/2025	4:45:00 AM	0
5/17/2025	5:00:00 AM	0
5/17/2025	5:15:00 AM	0
5/17/2025	5:30:00 AM	0
5/17/2025	5:45:00 AM	0
5/17/2025	6:00:00 AM	0
5/17/2025	6:15:00 AM	0
5/17/2025	6:30:00 AM	0
5/17/2025	6:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/17/2025	7:00:00 AM	0
5/17/2025	7:15:00 AM	0
5/17/2025	7:30:00 AM	0
5/17/2025	7:45:00 AM	0
5/17/2025	8:00:00 AM	0
5/17/2025	8:15:00 AM	0
5/17/2025	8:30:00 AM	0
5/17/2025	8:45:00 AM	0
5/17/2025	9:00:00 AM	0
5/17/2025	9:15:00 AM	0
5/17/2025	9:30:00 AM	0
5/17/2025	9:45:00 AM	0
5/17/2025	10:00:00 AM	0
5/17/2025	10:15:00 AM	0
5/17/2025	10:30:00 AM	0
5/17/2025	10:45:00 AM	0
5/17/2025	11:00:00 AM	0
5/17/2025	11:15:00 AM	0
5/17/2025	11:30:00 AM	0
5/17/2025	11:45:00 AM	0
5/17/2025	12:00:00 PM	0
5/17/2025	12:15:00 PM	0
5/17/2025	12:30:00 PM	0
5/17/2025	12:45:00 PM	0
5/17/2025	1:00:00 PM	0
5/17/2025	1:15:00 PM	0
5/17/2025	1:30:00 PM	0
5/17/2025	1:45:00 PM	0
5/17/2025	2:00:00 PM	0
5/17/2025	2:15:00 PM	0
5/17/2025	2:30:00 PM	0
5/17/2025	2:45:00 PM	0
5/17/2025	3:00:00 PM	0
5/17/2025	3:15:00 PM	0
5/17/2025	3:30:00 PM	0
5/17/2025	3:45:00 PM	0
5/17/2025	4:00:00 PM	0
5/17/2025	4:15:00 PM	0
5/17/2025	4:30:00 PM	0
5/17/2025	4:45:00 PM	0
5/17/2025	5:00:00 PM	0
5/17/2025	5:15:00 PM	0
5/17/2025	5:30:00 PM	0
5/17/2025	5:45:00 PM	0
5/17/2025	6:00:00 PM	0
5/17/2025	6:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/17/2025	6:30:00 PM	0
5/17/2025	6:45:00 PM	0
5/17/2025	7:00:00 PM	0
5/17/2025	7:15:00 PM	0
5/17/2025	7:30:00 PM	0
5/17/2025	7:45:00 PM	0
5/17/2025	8:00:00 PM	0
5/17/2025	8:15:00 PM	0
5/17/2025	8:30:00 PM	0
5/17/2025	8:45:00 PM	0
5/17/2025	9:00:00 PM	0
5/17/2025	9:15:00 PM	0
5/17/2025	9:30:00 PM	0
5/17/2025	9:45:00 PM	0
5/17/2025	10:00:00 PM	0
5/17/2025	10:15:00 PM	0
5/17/2025	10:30:00 PM	0
5/17/2025	10:45:00 PM	0
5/17/2025	11:00:00 PM	0
5/17/2025	11:15:00 PM	0
5/17/2025	11:30:00 PM	0
5/17/2025	11:45:00 PM	0
5/18/2025	12:00:00 AM	0
5/18/2025	12:15:00 AM	0
5/18/2025	12:30:00 AM	0
5/18/2025	12:45:00 AM	0
5/18/2025	1:00:00 AM	0
5/18/2025	1:15:00 AM	0
5/18/2025	1:30:00 AM	0
5/18/2025	1:45:00 AM	0
5/18/2025	2:00:00 AM	0
5/18/2025	2:15:00 AM	0
5/18/2025	2:30:00 AM	0
5/18/2025	2:45:00 AM	0
5/18/2025	3:00:00 AM	0
5/18/2025	3:15:00 AM	0
5/18/2025	3:30:00 AM	0
5/18/2025	3:45:00 AM	0
5/18/2025	4:00:00 AM	0
5/18/2025	4:15:00 AM	0
5/18/2025	4:30:00 AM	0
5/18/2025	4:45:00 AM	0
5/18/2025	5:00:00 AM	0
5/18/2025	5:15:00 AM	0
5/18/2025	5:30:00 AM	0
5/18/2025	5:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/18/2025	6:00:00 AM	0
5/18/2025	6:15:00 AM	0
5/18/2025	6:30:00 AM	0
5/18/2025	6:45:00 AM	0
5/18/2025	7:00:00 AM	0
5/18/2025	7:15:00 AM	0
5/18/2025	7:30:00 AM	0
5/18/2025	7:45:00 AM	0
5/18/2025	8:00:00 AM	0
5/18/2025	8:15:00 AM	0
5/18/2025	8:30:00 AM	0
5/18/2025	8:45:00 AM	0
5/18/2025	9:00:00 AM	0
5/18/2025	9:15:00 AM	0
5/18/2025	9:30:00 AM	0
5/18/2025	9:45:00 AM	0
5/18/2025	10:00:00 AM	0
5/18/2025	10:15:00 AM	0
5/18/2025	10:30:00 AM	0
5/18/2025	10:45:00 AM	0
5/18/2025	11:00:00 AM	0
5/18/2025	11:15:00 AM	0
5/18/2025	11:30:00 AM	0
5/18/2025	11:45:00 AM	0
5/18/2025	12:00:00 PM	0
5/18/2025	12:15:00 PM	0
5/18/2025	12:30:00 PM	0
5/18/2025	12:45:00 PM	0
5/18/2025	1:00:00 PM	0
5/18/2025	1:15:00 PM	0
5/18/2025	1:30:00 PM	0
5/18/2025	1:45:00 PM	0
5/18/2025	2:00:00 PM	0
5/18/2025	2:15:00 PM	0
5/18/2025	2:30:00 PM	0
5/18/2025	2:45:00 PM	0
5/18/2025	3:00:00 PM	0
5/18/2025	3:15:00 PM	0
5/18/2025	3:30:00 PM	0
5/18/2025	3:45:00 PM	0
5/18/2025	4:00:00 PM	0
5/18/2025	4:15:00 PM	0
5/18/2025	4:30:00 PM	0
5/18/2025	4:45:00 PM	0
5/18/2025	5:00:00 PM	0
5/18/2025	5:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/18/2025	5:30:00 PM	0
5/18/2025	5:45:00 PM	0
5/18/2025	6:00:00 PM	0
5/18/2025	6:15:00 PM	0
5/18/2025	6:30:00 PM	0
5/18/2025	6:45:00 PM	0
5/18/2025	7:00:00 PM	0
5/18/2025	7:15:00 PM	0
5/18/2025	7:30:00 PM	0
5/18/2025	7:45:00 PM	0
5/18/2025	8:00:00 PM	0
5/18/2025	8:15:00 PM	0
5/18/2025	8:30:00 PM	0
5/18/2025	8:45:00 PM	0
5/18/2025	9:00:00 PM	0
5/18/2025	9:15:00 PM	0
5/18/2025	9:30:00 PM	0
5/18/2025	9:45:00 PM	0
5/18/2025	10:00:00 PM	0
5/18/2025	10:15:00 PM	0
5/18/2025	10:30:00 PM	0
5/18/2025	10:45:00 PM	0
5/18/2025	11:00:00 PM	0
5/18/2025	11:15:00 PM	0
5/18/2025	11:30:00 PM	0
5/18/2025	11:45:00 PM	0
5/19/2025	12:00:00 AM	0
5/19/2025	12:15:00 AM	0
5/19/2025	12:30:00 AM	0
5/19/2025	12:45:00 AM	0
5/19/2025	1:00:00 AM	0
5/19/2025	1:15:00 AM	0
5/19/2025	1:30:00 AM	0
5/19/2025	1:45:00 AM	0
5/19/2025	2:00:00 AM	0
5/19/2025	2:15:00 AM	0
5/19/2025	2:30:00 AM	0
5/19/2025	2:45:00 AM	0
5/19/2025	3:00:00 AM	0
5/19/2025	3:15:00 AM	0
5/19/2025	3:30:00 AM	0
5/19/2025	3:45:00 AM	0
5/19/2025	4:00:00 AM	0
5/19/2025	4:15:00 AM	0
5/19/2025	4:30:00 AM	0
5/19/2025	4:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/19/2025	5:00:00 AM	0
5/19/2025	5:15:00 AM	0
5/19/2025	5:30:00 AM	0
5/19/2025	5:45:00 AM	0
5/19/2025	6:00:00 AM	0
5/19/2025	6:15:00 AM	0
5/19/2025	6:30:00 AM	0
5/19/2025	6:45:00 AM	0
5/19/2025	7:00:00 AM	0
5/19/2025	7:15:00 AM	0
5/19/2025	7:30:00 AM	0
5/19/2025	7:45:00 AM	0
5/19/2025	8:00:00 AM	0
5/19/2025	8:15:00 AM	0
5/19/2025	8:30:00 AM	0
5/19/2025	8:45:00 AM	0
5/19/2025	9:00:00 AM	0
5/19/2025	9:15:00 AM	0
5/19/2025	9:30:00 AM	0
5/19/2025	9:45:00 AM	0
5/19/2025	10:00:00 AM	0
5/19/2025	10:15:00 AM	0
5/19/2025	10:30:00 AM	0
5/19/2025	10:45:00 AM	0
5/19/2025	11:00:00 AM	0
5/19/2025	11:15:00 AM	0
5/19/2025	11:30:00 AM	0
5/19/2025	11:45:00 AM	0
5/19/2025	12:00:00 PM	0
5/19/2025	12:15:00 PM	0
5/19/2025	12:30:00 PM	0
5/19/2025	12:45:00 PM	0
5/19/2025	1:00:00 PM	0
5/19/2025	1:15:00 PM	0
5/19/2025	1:30:00 PM	0
5/19/2025	1:45:00 PM	0
5/19/2025	2:00:00 PM	0
5/19/2025	2:15:00 PM	0
5/19/2025	2:30:00 PM	0
5/19/2025	2:45:00 PM	0
5/19/2025	3:00:00 PM	0
5/19/2025	3:15:00 PM	0
5/19/2025	3:30:00 PM	0
5/19/2025	3:45:00 PM	0
5/19/2025	4:00:00 PM	0
5/19/2025	4:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/19/2025	4:30:00 PM	0
5/19/2025	4:45:00 PM	0
5/19/2025	5:00:00 PM	0
5/19/2025	5:15:00 PM	0
5/19/2025	5:30:00 PM	0
5/19/2025	5:45:00 PM	0
5/19/2025	6:00:00 PM	0
5/19/2025	6:15:00 PM	0
5/19/2025	6:30:00 PM	0
5/19/2025	6:45:00 PM	0
5/19/2025	7:00:00 PM	0
5/19/2025	7:15:00 PM	0
5/19/2025	7:30:00 PM	0
5/19/2025	7:45:00 PM	0
5/19/2025	8:00:00 PM	0
5/19/2025	8:15:00 PM	0
5/19/2025	8:30:00 PM	0
5/19/2025	8:45:00 PM	0
5/19/2025	9:00:00 PM	0
5/19/2025	9:15:00 PM	0
5/19/2025	9:30:00 PM	0
5/19/2025	9:45:00 PM	0
5/19/2025	10:00:00 PM	0
5/19/2025	10:15:00 PM	0
5/19/2025	10:30:00 PM	0
5/19/2025	10:45:00 PM	0
5/19/2025	11:00:00 PM	0
5/19/2025	11:15:00 PM	0
5/19/2025	11:30:00 PM	0
5/19/2025	11:45:00 PM	0
5/20/2025	12:00:00 AM	0
5/20/2025	12:15:00 AM	0
5/20/2025	12:30:00 AM	0
5/20/2025	12:45:00 AM	0
5/20/2025	1:00:00 AM	0
5/20/2025	1:15:00 AM	0
5/20/2025	1:30:00 AM	0
5/20/2025	1:45:00 AM	0
5/20/2025	2:00:00 AM	0
5/20/2025	2:15:00 AM	0
5/20/2025	2:30:00 AM	0
5/20/2025	2:45:00 AM	0
5/20/2025	3:00:00 AM	0
5/20/2025	3:15:00 AM	0
5/20/2025	3:30:00 AM	0
5/20/2025	3:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/20/2025	4:00:00 AM	0
5/20/2025	4:15:00 AM	0
5/20/2025	4:30:00 AM	0
5/20/2025	4:45:00 AM	0
5/20/2025	5:00:00 AM	0
5/20/2025	5:15:00 AM	0
5/20/2025	5:30:00 AM	0
5/20/2025	5:45:00 AM	0
5/20/2025	6:00:00 AM	0
5/20/2025	6:15:00 AM	0
5/20/2025	6:30:00 AM	0
5/20/2025	6:45:00 AM	0
5/20/2025	7:00:00 AM	0
5/20/2025	7:15:00 AM	0
5/20/2025	7:30:00 AM	0
5/20/2025	7:45:00 AM	0
5/20/2025	8:00:00 AM	0
5/20/2025	8:15:00 AM	0
5/20/2025	8:30:00 AM	0
5/20/2025	8:45:00 AM	0
5/20/2025	9:00:00 AM	0
5/20/2025	9:15:00 AM	0
5/20/2025	9:30:00 AM	0
5/20/2025	9:45:00 AM	0
5/20/2025	10:00:00 AM	0
5/20/2025	10:15:00 AM	0
5/20/2025	10:30:00 AM	0
5/20/2025	10:45:00 AM	0
5/20/2025	11:00:00 AM	0
5/20/2025	11:15:00 AM	0
5/20/2025	11:30:00 AM	0
5/20/2025	11:45:00 AM	0
5/20/2025	12:00:00 PM	0
5/20/2025	12:15:00 PM	0
5/20/2025	12:30:00 PM	0
5/20/2025	12:45:00 PM	0
5/20/2025	1:00:00 PM	0
5/20/2025	1:15:00 PM	0
5/20/2025	1:30:00 PM	0
5/20/2025	1:45:00 PM	0
5/20/2025	2:00:00 PM	0
5/20/2025	2:15:00 PM	0
5/20/2025	2:30:00 PM	0
5/20/2025	2:45:00 PM	0
5/20/2025	3:00:00 PM	0
5/20/2025	3:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/20/2025	3:30:00 PM	0
5/20/2025	3:45:00 PM	0
5/20/2025	4:00:00 PM	0
5/20/2025	4:15:00 PM	0
5/20/2025	4:30:00 PM	0
5/20/2025	4:45:00 PM	0
5/20/2025	5:00:00 PM	0
5/20/2025	5:15:00 PM	0
5/20/2025	5:30:00 PM	0
5/20/2025	5:45:00 PM	0
5/20/2025	6:00:00 PM	0
5/20/2025	6:15:00 PM	0
5/20/2025	6:30:00 PM	0
5/20/2025	6:45:00 PM	0
5/20/2025	7:00:00 PM	0
5/20/2025	7:15:00 PM	0
5/20/2025	7:30:00 PM	0
5/20/2025	7:45:00 PM	0
5/20/2025	8:00:00 PM	0
5/20/2025	8:15:00 PM	0
5/20/2025	8:30:00 PM	0
5/20/2025	8:45:00 PM	0
5/20/2025	9:00:00 PM	0
5/20/2025	9:15:00 PM	0
5/20/2025	9:30:00 PM	0
5/20/2025	9:45:00 PM	0
5/20/2025	10:00:00 PM	0
5/20/2025	10:15:00 PM	0
5/20/2025	10:30:00 PM	0
5/20/2025	10:45:00 PM	0
5/20/2025	11:00:00 PM	0
5/20/2025	11:15:00 PM	0
5/20/2025	11:30:00 PM	0
5/20/2025	11:45:00 PM	0
5/21/2025	12:00:00 AM	0
5/21/2025	12:15:00 AM	0
5/21/2025	12:30:00 AM	0
5/21/2025	12:45:00 AM	0
5/21/2025	1:00:00 AM	0
5/21/2025	1:15:00 AM	0
5/21/2025	1:30:00 AM	0
5/21/2025	1:45:00 AM	0
5/21/2025	2:00:00 AM	0
5/21/2025	2:15:00 AM	0
5/21/2025	2:30:00 AM	0
5/21/2025	2:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/21/2025	3:00:00 AM	0
5/21/2025	3:15:00 AM	0
5/21/2025	3:30:00 AM	0
5/21/2025	3:45:00 AM	0
5/21/2025	4:00:00 AM	0
5/21/2025	4:15:00 AM	0
5/21/2025	4:30:00 AM	0
5/21/2025	4:45:00 AM	0
5/21/2025	5:00:00 AM	0
5/21/2025	5:15:00 AM	0
5/21/2025	5:30:00 AM	0
5/21/2025	5:45:00 AM	0
5/21/2025	6:00:00 AM	0
5/21/2025	6:15:00 AM	0
5/21/2025	6:30:00 AM	0
5/21/2025	6:45:00 AM	0
5/21/2025	7:00:00 AM	0
5/21/2025	7:15:00 AM	0
5/21/2025	7:30:00 AM	0
5/21/2025	7:45:00 AM	0
5/21/2025	8:00:00 AM	0
5/21/2025	8:15:00 AM	0
5/21/2025	8:30:00 AM	0
5/21/2025	8:45:00 AM	0
5/21/2025	9:00:00 AM	0
5/21/2025	9:15:00 AM	0
5/21/2025	9:30:00 AM	0
5/21/2025	9:45:00 AM	0
5/21/2025	10:00:00 AM	0
5/21/2025	10:15:00 AM	0
5/21/2025	10:30:00 AM	0
5/21/2025	10:45:00 AM	0
5/21/2025	11:00:00 AM	0
5/21/2025	11:15:00 AM	0
5/21/2025	11:30:00 AM	0
5/21/2025	11:45:00 AM	0
5/21/2025	12:00:00 PM	0
5/21/2025	12:15:00 PM	0
5/21/2025	12:30:00 PM	0
5/21/2025	12:45:00 PM	0
5/21/2025	1:00:00 PM	0
5/21/2025	1:15:00 PM	0
5/21/2025	1:30:00 PM	0
5/21/2025	1:45:00 PM	0
5/21/2025	2:00:00 PM	0
5/21/2025	2:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/21/2025	2:30:00 PM	0
5/21/2025	2:45:00 PM	0
5/21/2025	3:00:00 PM	0
5/21/2025	3:15:00 PM	0
5/21/2025	3:30:00 PM	0
5/21/2025	3:45:00 PM	0
5/21/2025	4:00:00 PM	0
5/21/2025	4:15:00 PM	0
5/21/2025	4:30:00 PM	0
5/21/2025	4:45:00 PM	0
5/21/2025	5:00:00 PM	0
5/21/2025	5:15:00 PM	0
5/21/2025	5:30:00 PM	0
5/21/2025	5:45:00 PM	0
5/21/2025	6:00:00 PM	0
5/21/2025	6:15:00 PM	0
5/21/2025	6:30:00 PM	0
5/21/2025	6:45:00 PM	0
5/21/2025	7:00:00 PM	0
5/21/2025	7:15:00 PM	0
5/21/2025	7:30:00 PM	0
5/21/2025	7:45:00 PM	0
5/21/2025	8:00:00 PM	0
5/21/2025	8:15:00 PM	0
5/21/2025	8:30:00 PM	0
5/21/2025	8:45:00 PM	0
5/21/2025	9:00:00 PM	0
5/21/2025	9:15:00 PM	0
5/21/2025	9:30:00 PM	0
5/21/2025	9:45:00 PM	0
5/21/2025	10:00:00 PM	0
5/21/2025	10:15:00 PM	0
5/21/2025	10:30:00 PM	0
5/21/2025	10:45:00 PM	0
5/21/2025	11:00:00 PM	0
5/21/2025	11:15:00 PM	0
5/21/2025	11:30:00 PM	0
5/21/2025	11:45:00 PM	0
5/22/2025	12:00:00 AM	0
5/22/2025	12:15:00 AM	0
5/22/2025	12:30:00 AM	0
5/22/2025	12:45:00 AM	0
5/22/2025	1:00:00 AM	0
5/22/2025	1:15:00 AM	0
5/22/2025	1:30:00 AM	0
5/22/2025	1:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/22/2025	2:00:00 AM	0
5/22/2025	2:15:00 AM	0
5/22/2025	2:30:00 AM	0
5/22/2025	2:45:00 AM	0
5/22/2025	3:00:00 AM	0
5/22/2025	3:15:00 AM	0
5/22/2025	3:30:00 AM	0
5/22/2025	3:45:00 AM	0
5/22/2025	4:00:00 AM	0
5/22/2025	4:15:00 AM	0
5/22/2025	4:30:00 AM	0
5/22/2025	4:45:00 AM	0
5/22/2025	5:00:00 AM	0
5/22/2025	5:15:00 AM	0
5/22/2025	5:30:00 AM	0
5/22/2025	5:45:00 AM	0
5/22/2025	6:00:00 AM	0
5/22/2025	6:15:00 AM	0
5/22/2025	6:30:00 AM	0
5/22/2025	6:45:00 AM	0
5/22/2025	7:00:00 AM	0
5/22/2025	7:15:00 AM	0
5/22/2025	7:30:00 AM	0
5/22/2025	7:45:00 AM	0
5/22/2025	8:00:00 AM	0
5/22/2025	8:15:00 AM	0
5/22/2025	8:30:00 AM	0
5/22/2025	8:45:00 AM	0
5/22/2025	9:00:00 AM	0
5/22/2025	9:15:00 AM	0
5/22/2025	9:30:00 AM	0
5/22/2025	9:45:00 AM	0
5/22/2025	10:00:00 AM	0
5/22/2025	10:15:00 AM	0
5/22/2025	10:30:00 AM	0
5/22/2025	10:45:00 AM	0
5/22/2025	11:00:00 AM	0
5/22/2025	11:15:00 AM	0
5/22/2025	11:30:00 AM	0
5/22/2025	11:45:00 AM	0
5/22/2025	12:00:00 PM	0
5/22/2025	12:15:00 PM	0
5/22/2025	12:30:00 PM	0
5/22/2025	12:45:00 PM	0
5/22/2025	1:00:00 PM	0
5/22/2025	1:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/22/2025	1:30:00 PM	0
5/22/2025	1:45:00 PM	0
5/22/2025	2:00:00 PM	0
5/22/2025	2:15:00 PM	0
5/22/2025	2:30:00 PM	0
5/22/2025	2:45:00 PM	0
5/22/2025	3:00:00 PM	0
5/22/2025	3:15:00 PM	0
5/22/2025	3:30:00 PM	0
5/22/2025	3:45:00 PM	0
5/22/2025	4:00:00 PM	0
5/22/2025	4:15:00 PM	0
5/22/2025	4:30:00 PM	0
5/22/2025	4:45:00 PM	0
5/22/2025	5:00:00 PM	0
5/22/2025	5:15:00 PM	0
5/22/2025	5:30:00 PM	0
5/22/2025	5:45:00 PM	0
5/22/2025	6:00:00 PM	0
5/22/2025	6:15:00 PM	0
5/22/2025	6:30:00 PM	0
5/22/2025	6:45:00 PM	0
5/22/2025	7:00:00 PM	0
5/22/2025	7:15:00 PM	0
5/22/2025	7:30:00 PM	0
5/22/2025	7:45:00 PM	0
5/22/2025	8:00:00 PM	0
5/22/2025	8:15:00 PM	0
5/22/2025	8:30:00 PM	0
5/22/2025	8:45:00 PM	0
5/22/2025	9:00:00 PM	0
5/22/2025	9:15:00 PM	0
5/22/2025	9:30:00 PM	0
5/22/2025	9:45:00 PM	0
5/22/2025	10:00:00 PM	0
5/22/2025	10:15:00 PM	0
5/22/2025	10:30:00 PM	0
5/22/2025	10:45:00 PM	0
5/22/2025	11:00:00 PM	0
5/22/2025	11:15:00 PM	0
5/22/2025	11:30:00 PM	0
5/22/2025	11:45:00 PM	0
5/23/2025	12:00:00 AM	0
5/23/2025	12:15:00 AM	0
5/23/2025	12:30:00 AM	0
5/23/2025	12:45:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/23/2025	1:00:00 AM	0
5/23/2025	1:15:00 AM	0
5/23/2025	1:30:00 AM	0
5/23/2025	1:45:00 AM	0
5/23/2025	2:00:00 AM	0
5/23/2025	2:15:00 AM	0
5/23/2025	2:30:00 AM	0
5/23/2025	2:45:00 AM	0
5/23/2025	3:00:00 AM	0
5/23/2025	3:15:00 AM	0
5/23/2025	3:30:00 AM	0
5/23/2025	3:45:00 AM	0
5/23/2025	4:00:00 AM	0
5/23/2025	4:15:00 AM	0
5/23/2025	4:30:00 AM	0
5/23/2025	4:45:00 AM	0
5/23/2025	5:00:00 AM	0
5/23/2025	5:15:00 AM	0
5/23/2025	5:30:00 AM	0
5/23/2025	5:45:00 AM	0
5/23/2025	6:00:00 AM	0
5/23/2025	6:15:00 AM	0
5/23/2025	6:30:00 AM	0
5/23/2025	6:45:00 AM	0
5/23/2025	7:00:00 AM	0
5/23/2025	7:15:00 AM	0
5/23/2025	7:30:00 AM	0
5/23/2025	7:45:00 AM	0
5/23/2025	8:00:00 AM	0
5/23/2025	8:15:00 AM	0
5/23/2025	8:30:00 AM	0
5/23/2025	8:45:00 AM	0
5/23/2025	9:00:00 AM	0
5/23/2025	9:15:00 AM	0
5/23/2025	9:30:00 AM	0
5/23/2025	9:45:00 AM	0
5/23/2025	10:00:00 AM	0
5/23/2025	10:15:00 AM	0
5/23/2025	10:30:00 AM	0
5/23/2025	10:45:00 AM	0
5/23/2025	11:00:00 AM	0
5/23/2025	11:15:00 AM	0
5/23/2025	11:30:00 AM	0
5/23/2025	11:45:00 AM	0
5/23/2025	12:00:00 PM	0
5/23/2025	12:15:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/23/2025	12:30:00 PM	0
5/23/2025	12:45:00 PM	0
5/23/2025	1:00:00 PM	0
5/23/2025	1:15:00 PM	0
5/23/2025	1:30:00 PM	0
5/23/2025	1:45:00 PM	0
5/23/2025	2:00:00 PM	0
5/23/2025	2:15:00 PM	0
5/23/2025	2:30:00 PM	0
5/23/2025	2:45:00 PM	0
5/23/2025	3:00:00 PM	0
5/23/2025	3:15:00 PM	0
5/23/2025	3:30:00 PM	0
5/23/2025	3:45:00 PM	0
5/23/2025	4:00:00 PM	0
5/23/2025	4:15:00 PM	0
5/23/2025	4:30:00 PM	0
5/23/2025	4:45:00 PM	0
5/23/2025	5:00:00 PM	0
5/23/2025	5:15:00 PM	0
5/23/2025	5:30:00 PM	0
5/23/2025	5:45:00 PM	0
5/23/2025	6:00:00 PM	0
5/23/2025	6:15:00 PM	0
5/23/2025	6:30:00 PM	0
5/23/2025	6:45:00 PM	0
5/23/2025	7:00:00 PM	0
5/23/2025	7:15:00 PM	0
5/23/2025	7:30:00 PM	0
5/23/2025	7:45:00 PM	0
5/23/2025	8:00:00 PM	0
5/23/2025	8:15:00 PM	0
5/23/2025	8:30:00 PM	0
5/23/2025	8:45:00 PM	0
5/23/2025	9:00:00 PM	0
5/23/2025	9:15:00 PM	0
5/23/2025	9:30:00 PM	0
5/23/2025	9:45:00 PM	0
5/23/2025	10:00:00 PM	0
5/23/2025	10:15:00 PM	0
5/23/2025	10:30:00 PM	0
5/23/2025	10:45:00 PM	0
5/23/2025	11:00:00 PM	0
5/23/2025	11:15:00 PM	0
5/23/2025	11:30:00 PM	0
5/23/2025	11:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	12:00:00 AM	0
5/24/2025	12:15:00 AM	0
5/24/2025	12:30:00 AM	0
5/24/2025	12:45:00 AM	0
5/24/2025	1:00:00 AM	0
5/24/2025	1:15:00 AM	0
5/24/2025	1:30:00 AM	0
5/24/2025	1:45:00 AM	0
5/24/2025	2:00:00 AM	0
5/24/2025	2:15:00 AM	0
5/24/2025	2:30:00 AM	0
5/24/2025	2:45:00 AM	0
5/24/2025	3:00:00 AM	0
5/24/2025	3:15:00 AM	0
5/24/2025	3:30:00 AM	0
5/24/2025	3:45:00 AM	0
5/24/2025	4:00:00 AM	0
5/24/2025	4:15:00 AM	0
5/24/2025	4:30:00 AM	0
5/24/2025	4:45:00 AM	0
5/24/2025	5:00:00 AM	0
5/24/2025	5:15:00 AM	0
5/24/2025	5:30:00 AM	0
5/24/2025	5:45:00 AM	0
5/24/2025	6:00:00 AM	0
5/24/2025	6:15:00 AM	0
5/24/2025	6:30:00 AM	0
5/24/2025	6:45:00 AM	0
5/24/2025	7:00:00 AM	0
5/24/2025	7:15:00 AM	0
5/24/2025	7:30:00 AM	0
5/24/2025	7:45:00 AM	0
5/24/2025	8:00:00 AM	0
5/24/2025	8:15:00 AM	0
5/24/2025	8:30:00 AM	0
5/24/2025	8:45:00 AM	0
5/24/2025	9:00:00 AM	0
5/24/2025	9:15:00 AM	0
5/24/2025	9:30:00 AM	0
5/24/2025	9:45:00 AM	0
5/24/2025	10:00:00 AM	0
5/24/2025	10:15:00 AM	0
5/24/2025	10:30:00 AM	0
5/24/2025	10:45:00 AM	0
5/24/2025	11:00:00 AM	0
5/24/2025	11:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	11:30:00 AM	0
5/24/2025	11:45:00 AM	0
5/24/2025	12:00:00 PM	0
5/24/2025	12:15:00 PM	0
5/24/2025	12:30:00 PM	0
5/24/2025	12:45:00 PM	0
5/24/2025	1:00:00 PM	0
5/24/2025	1:15:00 PM	0
5/24/2025	1:30:00 PM	0
5/24/2025	1:45:00 PM	0
5/24/2025	2:00:00 PM	0
5/24/2025	2:15:00 PM	0
5/24/2025	2:30:00 PM	0
5/24/2025	2:45:00 PM	0
5/24/2025	3:00:00 PM	0
5/24/2025	3:15:00 PM	0
5/24/2025	3:30:00 PM	0
5/24/2025	3:45:00 PM	0
5/24/2025	4:00:00 PM	0
5/24/2025	4:15:00 PM	0
5/24/2025	4:30:00 PM	0
5/24/2025	4:45:00 PM	0
5/24/2025	5:00:00 PM	0
5/24/2025	5:15:00 PM	0
5/24/2025	5:30:00 PM	0
5/24/2025	5:45:00 PM	0
5/24/2025	6:00:00 PM	0
5/24/2025	6:15:00 PM	0
5/24/2025	6:30:00 PM	0
5/24/2025	6:45:00 PM	0
5/24/2025	7:00:00 PM	0
5/24/2025	7:15:00 PM	0
5/24/2025	7:30:00 PM	0
5/24/2025	7:45:00 PM	0
5/24/2025	8:00:00 PM	0
5/24/2025	8:15:00 PM	0
5/24/2025	8:30:00 PM	0
5/24/2025	8:45:00 PM	0
5/24/2025	9:00:00 PM	0
5/24/2025	9:15:00 PM	0
5/24/2025	9:30:00 PM	0
5/24/2025	9:45:00 PM	0
5/24/2025	10:00:00 PM	0
5/24/2025	10:15:00 PM	0
5/24/2025	10:30:00 PM	0
5/24/2025	10:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	11:00:00 PM	0
5/24/2025	11:15:00 PM	0
5/24/2025	11:30:00 PM	0
5/24/2025	11:45:00 PM	0
5/25/2025	12:00:00 AM	0
5/25/2025	12:15:00 AM	0
5/25/2025	12:30:00 AM	0
5/25/2025	12:45:00 AM	0
5/25/2025	1:00:00 AM	0
5/25/2025	1:15:00 AM	0
5/25/2025	1:30:00 AM	0
5/25/2025	1:45:00 AM	0
5/25/2025	2:00:00 AM	0
5/25/2025	2:15:00 AM	0
5/25/2025	2:30:00 AM	0
5/25/2025	2:45:00 AM	0
5/25/2025	3:00:00 AM	0
5/25/2025	3:15:00 AM	0
5/25/2025	3:30:00 AM	0
5/25/2025	3:45:00 AM	0
5/25/2025	4:00:00 AM	0
5/25/2025	4:15:00 AM	0
5/25/2025	4:30:00 AM	0
5/25/2025	4:45:00 AM	0
5/25/2025	5:00:00 AM	0
5/25/2025	5:15:00 AM	0
5/25/2025	5:30:00 AM	0
5/25/2025	5:45:00 AM	0
5/25/2025	6:00:00 AM	0
5/25/2025	6:15:00 AM	0
5/25/2025	6:30:00 AM	0
5/25/2025	6:45:00 AM	0
5/25/2025	7:00:00 AM	0
5/25/2025	7:15:00 AM	0
5/25/2025	7:30:00 AM	0
5/25/2025	7:45:00 AM	0
5/25/2025	8:00:00 AM	0
5/25/2025	8:15:00 AM	0
5/25/2025	8:30:00 AM	0
5/25/2025	8:45:00 AM	0
5/25/2025	9:00:00 AM	0
5/25/2025	9:15:00 AM	0
5/25/2025	9:30:00 AM	0
5/25/2025	9:45:00 AM	0
5/25/2025	10:00:00 AM	0
5/25/2025	10:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/25/2025	10:30:00 AM	0
5/25/2025	10:45:00 AM	0
5/25/2025	11:00:00 AM	0
5/25/2025	11:15:00 AM	0
5/25/2025	11:30:00 AM	0
5/25/2025	11:45:00 AM	0
5/25/2025	12:00:00 PM	0
5/25/2025	12:15:00 PM	0
5/25/2025	12:30:00 PM	0
5/25/2025	12:45:00 PM	0
5/25/2025	1:00:00 PM	0
5/25/2025	1:15:00 PM	0
5/25/2025	1:30:00 PM	0
5/25/2025	1:45:00 PM	0
5/25/2025	2:00:00 PM	0
5/25/2025	2:15:00 PM	0
5/25/2025	2:30:00 PM	0
5/25/2025	2:45:00 PM	0
5/25/2025	3:00:00 PM	0
5/25/2025	3:15:00 PM	0
5/25/2025	3:30:00 PM	0
5/25/2025	3:45:00 PM	0
5/25/2025	4:00:00 PM	0
5/25/2025	4:15:00 PM	0
5/25/2025	4:30:00 PM	0
5/25/2025	4:45:00 PM	0
5/25/2025	5:00:00 PM	0
5/25/2025	5:15:00 PM	0
5/25/2025	5:30:00 PM	0
5/25/2025	5:45:00 PM	0
5/25/2025	6:00:00 PM	0
5/25/2025	6:15:00 PM	0
5/25/2025	6:30:00 PM	0
5/25/2025	6:45:00 PM	0
5/25/2025	7:00:00 PM	0
5/25/2025	7:15:00 PM	0
5/25/2025	7:30:00 PM	0
5/25/2025	7:45:00 PM	0
5/25/2025	8:00:00 PM	0
5/25/2025	8:15:00 PM	0
5/25/2025	8:30:00 PM	0
5/25/2025	8:45:00 PM	0
5/25/2025	9:00:00 PM	0
5/25/2025	9:15:00 PM	0
5/25/2025	9:30:00 PM	0
5/25/2025	9:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/25/2025	10:00:00 PM	0
5/25/2025	10:15:00 PM	0
5/25/2025	10:30:00 PM	0
5/25/2025	10:45:00 PM	0
5/25/2025	11:00:00 PM	0
5/25/2025	11:15:00 PM	0
5/25/2025	11:30:00 PM	0
5/25/2025	11:45:00 PM	0
5/26/2025	12:00:00 AM	0
5/26/2025	12:15:00 AM	0
5/26/2025	12:30:00 AM	0
5/26/2025	12:45:00 AM	0
5/26/2025	1:00:00 AM	0
5/26/2025	1:15:00 AM	0
5/26/2025	1:30:00 AM	0
5/26/2025	1:45:00 AM	0
5/26/2025	2:00:00 AM	0
5/26/2025	2:15:00 AM	0
5/26/2025	2:30:00 AM	0
5/26/2025	2:45:00 AM	0
5/26/2025	3:00:00 AM	0
5/26/2025	3:15:00 AM	0
5/26/2025	3:30:00 AM	0
5/26/2025	3:45:00 AM	0
5/26/2025	4:00:00 AM	0
5/26/2025	4:15:00 AM	0
5/26/2025	4:30:00 AM	0
5/26/2025	4:45:00 AM	0
5/26/2025	5:00:00 AM	0
5/26/2025	5:15:00 AM	0
5/26/2025	5:30:00 AM	0
5/26/2025	5:45:00 AM	0
5/26/2025	6:00:00 AM	0
5/26/2025	6:15:00 AM	0
5/26/2025	6:30:00 AM	0
5/26/2025	6:45:00 AM	0
5/26/2025	7:00:00 AM	0
5/26/2025	7:15:00 AM	0
5/26/2025	7:30:00 AM	0
5/26/2025	7:45:00 AM	0
5/26/2025	8:00:00 AM	0
5/26/2025	8:15:00 AM	0
5/26/2025	8:30:00 AM	0
5/26/2025	8:45:00 AM	0
5/26/2025	9:00:00 AM	0
5/26/2025	9:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/26/2025	9:30:00 AM	0
5/26/2025	9:45:00 AM	0
5/26/2025	10:00:00 AM	0
5/26/2025	10:15:00 AM	0
5/26/2025	10:30:00 AM	0
5/26/2025	10:45:00 AM	0
5/26/2025	11:00:00 AM	0
5/26/2025	11:15:00 AM	0
5/26/2025	11:30:00 AM	0
5/26/2025	11:45:00 AM	0
5/26/2025	12:00:00 PM	0
5/26/2025	12:15:00 PM	0
5/26/2025	12:30:00 PM	0
5/26/2025	12:45:00 PM	0
5/26/2025	1:00:00 PM	0
5/26/2025	1:15:00 PM	0
5/26/2025	1:30:00 PM	0
5/26/2025	1:45:00 PM	0
5/26/2025	2:00:00 PM	0
5/26/2025	2:15:00 PM	0
5/26/2025	2:30:00 PM	0
5/26/2025	2:45:00 PM	0
5/26/2025	3:00:00 PM	0
5/26/2025	3:15:00 PM	0
5/26/2025	3:30:00 PM	0
5/26/2025	3:45:00 PM	0
5/26/2025	4:00:00 PM	0
5/26/2025	4:15:00 PM	0
5/26/2025	4:30:00 PM	0
5/26/2025	4:45:00 PM	0
5/26/2025	5:00:00 PM	0
5/26/2025	5:15:00 PM	0
5/26/2025	5:30:00 PM	0
5/26/2025	5:45:00 PM	0
5/26/2025	6:00:00 PM	0
5/26/2025	6:15:00 PM	0
5/26/2025	6:30:00 PM	0
5/26/2025	6:45:00 PM	0
5/26/2025	7:00:00 PM	0
5/26/2025	7:15:00 PM	0
5/26/2025	7:30:00 PM	0
5/26/2025	7:45:00 PM	0
5/26/2025	8:00:00 PM	0
5/26/2025	8:15:00 PM	0
5/26/2025	8:30:00 PM	0
5/26/2025	8:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/26/2025	9:00:00 PM	0
5/26/2025	9:15:00 PM	0
5/26/2025	9:30:00 PM	0
5/26/2025	9:45:00 PM	0
5/26/2025	10:00:00 PM	0
5/26/2025	10:15:00 PM	0
5/26/2025	10:30:00 PM	0
5/26/2025	10:45:00 PM	0
5/26/2025	11:00:00 PM	0
5/26/2025	11:15:00 PM	0
5/26/2025	11:30:00 PM	0
5/26/2025	11:45:00 PM	0
5/27/2025	12:00:00 AM	0
5/27/2025	12:15:00 AM	0
5/27/2025	12:30:00 AM	0
5/27/2025	12:45:00 AM	0
5/27/2025	1:00:00 AM	0
5/27/2025	1:15:00 AM	0
5/27/2025	1:30:00 AM	0
5/27/2025	1:45:00 AM	0
5/27/2025	2:00:00 AM	0
5/27/2025	2:15:00 AM	0
5/27/2025	2:30:00 AM	0
5/27/2025	2:45:00 AM	0
5/27/2025	3:00:00 AM	0
5/27/2025	3:15:00 AM	0
5/27/2025	3:30:00 AM	0
5/27/2025	3:45:00 AM	0
5/27/2025	4:00:00 AM	0
5/27/2025	4:15:00 AM	0
5/27/2025	4:30:00 AM	0
5/27/2025	4:45:00 AM	0
5/27/2025	5:00:00 AM	0
5/27/2025	5:15:00 AM	0
5/27/2025	5:30:00 AM	0
5/27/2025	5:45:00 AM	0
5/27/2025	6:00:00 AM	0
5/27/2025	6:15:00 AM	0
5/27/2025	6:30:00 AM	0
5/27/2025	6:45:00 AM	0
5/27/2025	7:00:00 AM	0
5/27/2025	7:15:00 AM	0
5/27/2025	7:30:00 AM	0
5/27/2025	7:45:00 AM	0
5/27/2025	8:00:00 AM	0
5/27/2025	8:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/27/2025	8:30:00 AM	0
5/27/2025	8:45:00 AM	0
5/27/2025	9:00:00 AM	0
5/27/2025	9:15:00 AM	0
5/27/2025	9:30:00 AM	0
5/27/2025	9:45:00 AM	0
5/27/2025	10:00:00 AM	0
5/27/2025	10:15:00 AM	0
5/27/2025	10:30:00 AM	0
5/27/2025	10:45:00 AM	0
5/27/2025	11:00:00 AM	0
5/27/2025	11:15:00 AM	0
5/27/2025	11:30:00 AM	0
5/27/2025	11:45:00 AM	0
5/27/2025	12:00:00 PM	0
5/27/2025	12:15:00 PM	0
5/27/2025	12:30:00 PM	0
5/27/2025	12:45:00 PM	0
5/27/2025	1:00:00 PM	0
5/27/2025	1:15:00 PM	0
5/27/2025	1:30:00 PM	0
5/27/2025	1:45:00 PM	0
5/27/2025	2:00:00 PM	0
5/27/2025	2:15:00 PM	0
5/27/2025	2:30:00 PM	0
5/27/2025	2:45:00 PM	0
5/27/2025	3:00:00 PM	0
5/27/2025	3:15:00 PM	0
5/27/2025	3:30:00 PM	0
5/27/2025	3:45:00 PM	0
5/27/2025	4:00:00 PM	0
5/27/2025	4:15:00 PM	0
5/27/2025	4:30:00 PM	0
5/27/2025	4:45:00 PM	0
5/27/2025	5:00:00 PM	0
5/27/2025	5:15:00 PM	0
5/27/2025	5:30:00 PM	0
5/27/2025	5:45:00 PM	0
5/27/2025	6:00:00 PM	0
5/27/2025	6:15:00 PM	0
5/27/2025	6:30:00 PM	0
5/27/2025	6:45:00 PM	0
5/27/2025	7:00:00 PM	0
5/27/2025	7:15:00 PM	0
5/27/2025	7:30:00 PM	0
5/27/2025	7:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/27/2025	8:00:00 PM	0
5/27/2025	8:15:00 PM	0
5/27/2025	8:30:00 PM	0
5/27/2025	8:45:00 PM	0
5/27/2025	9:00:00 PM	0
5/27/2025	9:15:00 PM	0
5/27/2025	9:30:00 PM	0
5/27/2025	9:45:00 PM	0
5/27/2025	10:00:00 PM	0
5/27/2025	10:15:00 PM	0
5/27/2025	10:30:00 PM	0
5/27/2025	10:45:00 PM	0
5/27/2025	11:00:00 PM	0
5/27/2025	11:15:00 PM	0
5/27/2025	11:30:00 PM	0
5/27/2025	11:45:00 PM	0
5/28/2025	12:00:00 AM	0
5/28/2025	12:15:00 AM	0
5/28/2025	12:30:00 AM	0
5/28/2025	12:45:00 AM	0
5/28/2025	1:00:00 AM	0
5/28/2025	1:15:00 AM	0
5/28/2025	1:30:00 AM	0
5/28/2025	1:45:00 AM	0
5/28/2025	2:00:00 AM	0
5/28/2025	2:15:00 AM	0
5/28/2025	2:30:00 AM	0
5/28/2025	2:45:00 AM	0
5/28/2025	3:00:00 AM	0
5/28/2025	3:15:00 AM	0
5/28/2025	3:30:00 AM	0
5/28/2025	3:45:00 AM	0
5/28/2025	4:00:00 AM	0
5/28/2025	4:15:00 AM	0
5/28/2025	4:30:00 AM	0
5/28/2025	4:45:00 AM	0
5/28/2025	5:00:00 AM	0
5/28/2025	5:15:00 AM	0
5/28/2025	5:30:00 AM	0
5/28/2025	5:45:00 AM	0
5/28/2025	6:00:00 AM	0
5/28/2025	6:15:00 AM	0
5/28/2025	6:30:00 AM	0
5/28/2025	6:45:00 AM	0
5/28/2025	7:00:00 AM	0
5/28/2025	7:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/28/2025	7:30:00 AM	0
5/28/2025	7:45:00 AM	0
5/28/2025	8:00:00 AM	0
5/28/2025	8:15:00 AM	0
5/28/2025	8:30:00 AM	0
5/28/2025	8:45:00 AM	0
5/28/2025	9:00:00 AM	0
5/28/2025	9:15:00 AM	0
5/28/2025	9:30:00 AM	0
5/28/2025	9:45:00 AM	0
5/28/2025	10:00:00 AM	0
5/28/2025	10:15:00 AM	0
5/28/2025	10:30:00 AM	0
5/28/2025	10:45:00 AM	0
5/28/2025	11:00:00 AM	0
5/28/2025	11:15:00 AM	0
5/28/2025	11:30:00 AM	0
5/28/2025	11:45:00 AM	0
5/28/2025	12:00:00 PM	0
5/28/2025	12:15:00 PM	0
5/28/2025	12:30:00 PM	0
5/28/2025	12:45:00 PM	0
5/28/2025	1:00:00 PM	0
5/28/2025	1:15:00 PM	0
5/28/2025	1:30:00 PM	0
5/28/2025	1:45:00 PM	0
5/28/2025	2:00:00 PM	0
5/28/2025	2:15:00 PM	0
5/28/2025	2:30:00 PM	0
5/28/2025	2:45:00 PM	0
5/28/2025	3:00:00 PM	0
5/28/2025	3:15:00 PM	0
5/28/2025	3:30:00 PM	0
5/28/2025	3:45:00 PM	0
5/28/2025	4:00:00 PM	0
5/28/2025	4:15:00 PM	0
5/28/2025	4:30:00 PM	0
5/28/2025	4:45:00 PM	0
5/28/2025	5:00:00 PM	0
5/28/2025	5:15:00 PM	0
5/28/2025	5:30:00 PM	0
5/28/2025	5:45:00 PM	0
5/28/2025	6:00:00 PM	0
5/28/2025	6:15:00 PM	0
5/28/2025	6:30:00 PM	0
5/28/2025	6:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/28/2025	7:00:00 PM	0
5/28/2025	7:15:00 PM	0
5/28/2025	7:30:00 PM	0
5/28/2025	7:45:00 PM	0
5/28/2025	8:00:00 PM	0
5/28/2025	8:15:00 PM	0
5/28/2025	8:30:00 PM	0
5/28/2025	8:45:00 PM	0
5/28/2025	9:00:00 PM	0
5/28/2025	9:15:00 PM	0
5/28/2025	9:30:00 PM	0
5/28/2025	9:45:00 PM	0
5/28/2025	10:00:00 PM	0
5/28/2025	10:15:00 PM	0
5/28/2025	10:30:00 PM	0
5/28/2025	10:45:00 PM	0
5/28/2025	11:00:00 PM	0
5/28/2025	11:15:00 PM	0
5/28/2025	11:30:00 PM	0
5/28/2025	11:45:00 PM	0
5/29/2025	12:00:00 AM	0
5/29/2025	12:15:00 AM	0
5/29/2025	12:30:00 AM	0
5/29/2025	12:45:00 AM	0
5/29/2025	1:00:00 AM	0
5/29/2025	1:15:00 AM	0
5/29/2025	1:30:00 AM	0
5/29/2025	1:45:00 AM	0
5/29/2025	2:00:00 AM	0
5/29/2025	2:15:00 AM	0
5/29/2025	2:30:00 AM	0
5/29/2025	2:45:00 AM	0
5/29/2025	3:00:00 AM	0
5/29/2025	3:15:00 AM	0
5/29/2025	3:30:00 AM	0
5/29/2025	3:45:00 AM	0
5/29/2025	4:00:00 AM	0
5/29/2025	4:15:00 AM	0
5/29/2025	4:30:00 AM	0
5/29/2025	4:45:00 AM	0
5/29/2025	5:00:00 AM	0
5/29/2025	5:15:00 AM	0
5/29/2025	5:30:00 AM	0
5/29/2025	5:45:00 AM	0
5/29/2025	6:00:00 AM	0
5/29/2025	6:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/29/2025	6:30:00 AM	0
5/29/2025	6:45:00 AM	0
5/29/2025	7:00:00 AM	0
5/29/2025	7:15:00 AM	0
5/29/2025	7:30:00 AM	0
5/29/2025	7:45:00 AM	0
5/29/2025	8:00:00 AM	0
5/29/2025	8:15:00 AM	0
5/29/2025	8:30:00 AM	0
5/29/2025	8:45:00 AM	0
5/29/2025	9:00:00 AM	0
5/29/2025	9:15:00 AM	0
5/29/2025	9:30:00 AM	0
5/29/2025	9:45:00 AM	0
5/29/2025	10:00:00 AM	0
5/29/2025	10:15:00 AM	0
5/29/2025	10:30:00 AM	0
5/29/2025	10:45:00 AM	0
5/29/2025	11:00:00 AM	0
5/29/2025	11:15:00 AM	0
5/29/2025	11:30:00 AM	0
5/29/2025	11:45:00 AM	0
5/29/2025	12:00:00 PM	0
5/29/2025	12:15:00 PM	0
5/29/2025	12:30:00 PM	0
5/29/2025	12:45:00 PM	0
5/29/2025	1:00:00 PM	0
5/29/2025	1:15:00 PM	0
5/29/2025	1:30:00 PM	0
5/29/2025	1:45:00 PM	0
5/29/2025	2:00:00 PM	0
5/29/2025	2:15:00 PM	0
5/29/2025	2:30:00 PM	0
5/29/2025	2:45:00 PM	0
5/29/2025	3:00:00 PM	0
5/29/2025	3:15:00 PM	0
5/29/2025	3:30:00 PM	0
5/29/2025	3:45:00 PM	0
5/29/2025	4:00:00 PM	0
5/29/2025	4:15:00 PM	0
5/29/2025	4:30:00 PM	0
5/29/2025	4:45:00 PM	0
5/29/2025	5:00:00 PM	0
5/29/2025	5:15:00 PM	0
5/29/2025	5:30:00 PM	0
5/29/2025	5:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/29/2025	6:00:00 PM	0
5/29/2025	6:15:00 PM	0
5/29/2025	6:30:00 PM	0
5/29/2025	6:45:00 PM	0
5/29/2025	7:00:00 PM	0
5/29/2025	7:15:00 PM	0
5/29/2025	7:30:00 PM	0
5/29/2025	7:45:00 PM	0
5/29/2025	8:00:00 PM	0
5/29/2025	8:15:00 PM	0
5/29/2025	8:30:00 PM	0
5/29/2025	8:45:00 PM	0
5/29/2025	9:00:00 PM	0
5/29/2025	9:15:00 PM	0
5/29/2025	9:30:00 PM	0
5/29/2025	9:45:00 PM	0
5/29/2025	10:00:00 PM	0
5/29/2025	10:15:00 PM	0
5/29/2025	10:30:00 PM	0
5/29/2025	10:45:00 PM	0
5/29/2025	11:00:00 PM	0
5/29/2025	11:15:00 PM	0
5/29/2025	11:30:00 PM	0
5/29/2025	11:45:00 PM	0
5/30/2025	12:00:00 AM	0
5/30/2025	12:15:00 AM	0
5/30/2025	12:30:00 AM	0
5/30/2025	12:45:00 AM	0
5/30/2025	1:00:00 AM	0
5/30/2025	1:15:00 AM	0
5/30/2025	1:30:00 AM	0
5/30/2025	1:45:00 AM	0
5/30/2025	2:00:00 AM	0
5/30/2025	2:15:00 AM	0
5/30/2025	2:30:00 AM	0
5/30/2025	2:45:00 AM	0
5/30/2025	3:00:00 AM	0
5/30/2025	3:15:00 AM	0
5/30/2025	3:30:00 AM	0
5/30/2025	3:45:00 AM	0
5/30/2025	4:00:00 AM	0
5/30/2025	4:15:00 AM	0
5/30/2025	4:30:00 AM	0
5/30/2025	4:45:00 AM	0
5/30/2025	5:00:00 AM	0
5/30/2025	5:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/30/2025	5:30:00 AM	0
5/30/2025	5:45:00 AM	0
5/30/2025	6:00:00 AM	0
5/30/2025	6:15:00 AM	0
5/30/2025	6:30:00 AM	0
5/30/2025	6:45:00 AM	0
5/30/2025	7:00:00 AM	0
5/30/2025	7:15:00 AM	0
5/30/2025	7:30:00 AM	0
5/30/2025	7:45:00 AM	0
5/30/2025	8:00:00 AM	0
5/30/2025	8:15:00 AM	0
5/30/2025	8:30:00 AM	0
5/30/2025	8:45:00 AM	0
5/30/2025	9:00:00 AM	0
5/30/2025	9:15:00 AM	0
5/30/2025	9:30:00 AM	0
5/30/2025	9:45:00 AM	0
5/30/2025	10:00:00 AM	0
5/30/2025	10:15:00 AM	0
5/30/2025	10:30:00 AM	0
5/30/2025	10:45:00 AM	0
5/30/2025	11:00:00 AM	0
5/30/2025	11:15:00 AM	0
5/30/2025	11:30:00 AM	0
5/30/2025	11:45:00 AM	0
5/30/2025	12:00:00 PM	0
5/30/2025	12:15:00 PM	0
5/30/2025	12:30:00 PM	0
5/30/2025	12:45:00 PM	0
5/30/2025	1:00:00 PM	0
5/30/2025	1:15:00 PM	0
5/30/2025	1:30:00 PM	0
5/30/2025	1:45:00 PM	0
5/30/2025	2:00:00 PM	0
5/30/2025	2:15:00 PM	0
5/30/2025	2:30:00 PM	0
5/30/2025	2:45:00 PM	0
5/30/2025	3:00:00 PM	0
5/30/2025	3:15:00 PM	0
5/30/2025	3:30:00 PM	0
5/30/2025	3:45:00 PM	0
5/30/2025	4:00:00 PM	0
5/30/2025	4:15:00 PM	0
5/30/2025	4:30:00 PM	0
5/30/2025	4:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/30/2025	5:00:00 PM	0
5/30/2025	5:15:00 PM	0
5/30/2025	5:30:00 PM	0
5/30/2025	5:45:00 PM	0
5/30/2025	6:00:00 PM	0
5/30/2025	6:15:00 PM	0
5/30/2025	6:30:00 PM	0
5/30/2025	6:45:00 PM	0
5/30/2025	7:00:00 PM	0
5/30/2025	7:15:00 PM	0
5/30/2025	7:30:00 PM	0
5/30/2025	7:45:00 PM	0
5/30/2025	8:00:00 PM	0
5/30/2025	8:15:00 PM	0
5/30/2025	8:30:00 PM	0
5/30/2025	8:45:00 PM	0
5/30/2025	9:00:00 PM	0
5/30/2025	9:15:00 PM	0
5/30/2025	9:30:00 PM	0
5/30/2025	9:45:00 PM	0
5/30/2025	10:00:00 PM	0
5/30/2025	10:15:00 PM	0
5/30/2025	10:30:00 PM	0
5/30/2025	10:45:00 PM	0
5/30/2025	11:00:00 PM	0
5/30/2025	11:15:00 PM	0
5/30/2025	11:30:00 PM	0
5/30/2025	11:45:00 PM	0
5/31/2025	12:00:00 AM	0
5/31/2025	12:15:00 AM	0
5/31/2025	12:30:00 AM	0
5/31/2025	12:45:00 AM	0
5/31/2025	1:00:00 AM	0
5/31/2025	1:15:00 AM	0
5/31/2025	1:30:00 AM	0
5/31/2025	1:45:00 AM	0
5/31/2025	2:00:00 AM	0
5/31/2025	2:15:00 AM	0
5/31/2025	2:30:00 AM	0
5/31/2025	2:45:00 AM	0
5/31/2025	3:00:00 AM	0
5/31/2025	3:15:00 AM	0
5/31/2025	3:30:00 AM	0
5/31/2025	3:45:00 AM	0
5/31/2025	4:00:00 AM	0
5/31/2025	4:15:00 AM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/31/2025	4:30:00 AM	0
5/31/2025	4:45:00 AM	0
5/31/2025	5:00:00 AM	0
5/31/2025	5:15:00 AM	0
5/31/2025	5:30:00 AM	0
5/31/2025	5:45:00 AM	0
5/31/2025	6:00:00 AM	0
5/31/2025	6:15:00 AM	0
5/31/2025	6:30:00 AM	0
5/31/2025	6:45:00 AM	0
5/31/2025	7:00:00 AM	0
5/31/2025	7:15:00 AM	0
5/31/2025	7:30:00 AM	0
5/31/2025	7:45:00 AM	0
5/31/2025	8:00:00 AM	0
5/31/2025	8:15:00 AM	0
5/31/2025	8:30:00 AM	0
5/31/2025	8:45:00 AM	0
5/31/2025	9:00:00 AM	0
5/31/2025	9:15:00 AM	0
5/31/2025	9:30:00 AM	0
5/31/2025	9:45:00 AM	0
5/31/2025	10:00:00 AM	0
5/31/2025	10:15:00 AM	0
5/31/2025	10:30:00 AM	0
5/31/2025	10:45:00 AM	0
5/31/2025	11:00:00 AM	0
5/31/2025	11:15:00 AM	0
5/31/2025	11:30:00 AM	0
5/31/2025	11:45:00 AM	0
5/31/2025	12:00:00 PM	0
5/31/2025	12:15:00 PM	0
5/31/2025	12:30:00 PM	0
5/31/2025	12:45:00 PM	0
5/31/2025	1:00:00 PM	0
5/31/2025	1:15:00 PM	0
5/31/2025	1:30:00 PM	0
5/31/2025	1:45:00 PM	0
5/31/2025	2:00:00 PM	0
5/31/2025	2:15:00 PM	0
5/31/2025	2:30:00 PM	0
5/31/2025	2:45:00 PM	0
5/31/2025	3:00:00 PM	0
5/31/2025	3:15:00 PM	0
5/31/2025	3:30:00 PM	0
5/31/2025	3:45:00 PM	0

Locust Ditch Return Gage

DATE	TIME	GAGE
5/31/2025	4:00:00 PM	0
5/31/2025	4:15:00 PM	0
5/31/2025	4:30:00 PM	0
5/31/2025	4:45:00 PM	0
5/31/2025	5:00:00 PM	0
5/31/2025	5:15:00 PM	0
5/31/2025	5:30:00 PM	0
5/31/2025	5:45:00 PM	0
5/31/2025	6:00:00 PM	0
5/31/2025	6:15:00 PM	0
5/31/2025	6:30:00 PM	0
5/31/2025	6:45:00 PM	0
5/31/2025	7:00:00 PM	0
5/31/2025	7:15:00 PM	0
5/31/2025	7:30:00 PM	0
5/31/2025	7:45:00 PM	0
5/31/2025	8:00:00 PM	0
5/31/2025	8:15:00 PM	0
5/31/2025	8:30:00 PM	0
5/31/2025	8:45:00 PM	0
5/31/2025	9:00:00 PM	0
5/31/2025	9:15:00 PM	0
5/31/2025	9:30:00 PM	0
5/31/2025	9:45:00 PM	0
5/31/2025	10:00:00 PM	0
5/31/2025	10:15:00 PM	0
5/31/2025	10:30:00 PM	0
5/31/2025	10:45:00 PM	0
5/31/2025	11:00:00 PM	0
5/31/2025	11:15:00 PM	0
5/31/2025	11:30:00 PM	0
5/31/2025	11:45:00 PM	0

Georges Ditch Return

Station 0217

Date	Flow (cfs)
5/1/2025	0.29
5/2/2025	0.17
5/3/2025	0.14
5/4/2025	0.09
5/5/2025	0.19
5/6/2025	0.15
5/7/2025	0.14
5/8/2025	0.24
5/9/2025	0.15
5/10/2025	0.12
5/11/2025	0.27
5/12/2025	0.12
5/13/2025	0.10
5/14/2025	0.11
5/15/2025	0.26
5/16/2025	0.21
5/17/2025	0.17
5/18/2025	0.14
5/19/2025	0.12
5/20/2025	0.09
5/21/2025	0.07
5/22/2025	0.03
5/23/2025	0.03
5/24/2025	0.02
5/25/2025	0.02
5/26/2025	0.24
5/27/2025	1.53
5/28/2025	0.13
5/29/2025	0.03
5/30/2025	0.03
5/31/2025	0.36

Georges Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	12:00:00 AM	0.04
5/1/2025	12:15:00 AM	0.05
5/1/2025	12:30:00 AM	0.05
5/1/2025	12:45:00 AM	0.05
5/1/2025	1:00:00 AM	0.06
5/1/2025	1:15:00 AM	0.06
5/1/2025	1:30:00 AM	0.07
5/1/2025	1:45:00 AM	0.07
5/1/2025	2:00:00 AM	0.07
5/1/2025	2:15:00 AM	0.07
5/1/2025	2:30:00 AM	0.07
5/1/2025	2:45:00 AM	0.08
5/1/2025	3:00:00 AM	0.08
5/1/2025	3:15:00 AM	0.08
5/1/2025	3:30:00 AM	0.08
5/1/2025	3:45:00 AM	0.08
5/1/2025	4:00:00 AM	0.08
5/1/2025	4:15:00 AM	0.08
5/1/2025	4:30:00 AM	0.08
5/1/2025	4:45:00 AM	0.08
5/1/2025	5:00:00 AM	0.08
5/1/2025	5:15:00 AM	0.08
5/1/2025	5:30:00 AM	0.08
5/1/2025	5:45:00 AM	0.08
5/1/2025	6:00:00 AM	0.08
5/1/2025	6:15:00 AM	0.08
5/1/2025	6:30:00 AM	0.08
5/1/2025	6:45:00 AM	0.08
5/1/2025	7:00:00 AM	0.08
5/1/2025	7:15:00 AM	0.08
5/1/2025	7:30:00 AM	0.08
5/1/2025	7:45:00 AM	0.08
5/1/2025	8:00:00 AM	0.08
5/1/2025	8:15:00 AM	0.08
5/1/2025	8:30:00 AM	0.08
5/1/2025	8:45:00 AM	0.07
5/1/2025	9:00:00 AM	0.07
5/1/2025	9:15:00 AM	0.07
5/1/2025	9:30:00 AM	0.07
5/1/2025	9:45:00 AM	0.07
5/1/2025	10:00:00 AM	0.07
5/1/2025	10:15:00 AM	0.07
5/1/2025	10:30:00 AM	0.07
5/1/2025	10:45:00 AM	0.07
5/1/2025	11:00:00 AM	0.07
5/1/2025	11:15:00 AM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	11:30:00 AM	0.07
5/1/2025	11:45:00 AM	0.07
5/1/2025	12:00:00 PM	0.07
5/1/2025	12:15:00 PM	0.07
5/1/2025	12:30:00 PM	0.07
5/1/2025	12:45:00 PM	0.07
5/1/2025	1:00:00 PM	0.07
5/1/2025	1:15:00 PM	0.06
5/1/2025	1:30:00 PM	0.06
5/1/2025	1:45:00 PM	0.06
5/1/2025	2:00:00 PM	0.06
5/1/2025	2:15:00 PM	0.06
5/1/2025	2:30:00 PM	0.06
5/1/2025	2:45:00 PM	0.06
5/1/2025	3:00:00 PM	0.06
5/1/2025	3:15:00 PM	0.06
5/1/2025	3:30:00 PM	0.05
5/1/2025	3:45:00 PM	0.05
5/1/2025	4:00:00 PM	0.05
5/1/2025	4:15:00 PM	0.06
5/1/2025	4:30:00 PM	0.06
5/1/2025	4:45:00 PM	0.06
5/1/2025	5:00:00 PM	0.06
5/1/2025	5:15:00 PM	0.06
5/1/2025	5:30:00 PM	0.06
5/1/2025	5:45:00 PM	0.06
5/1/2025	6:00:00 PM	0.06
5/1/2025	6:15:00 PM	0.06
5/1/2025	6:30:00 PM	0.06
5/1/2025	6:45:00 PM	0.06
5/1/2025	7:00:00 PM	0.06
5/1/2025	7:15:00 PM	0.06
5/1/2025	7:30:00 PM	0.06
5/1/2025	7:45:00 PM	0.06
5/1/2025	8:00:00 PM	0.06
5/1/2025	8:15:00 PM	0.06
5/1/2025	8:30:00 PM	0.06
5/1/2025	8:45:00 PM	0.06
5/1/2025	9:00:00 PM	0.06
5/1/2025	9:15:00 PM	0.06
5/1/2025	9:30:00 PM	0.06
5/1/2025	9:45:00 PM	0.06
5/1/2025	10:00:00 PM	0.06
5/1/2025	10:15:00 PM	0.06
5/1/2025	10:30:00 PM	0.06
5/1/2025	10:45:00 PM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
5/1/2025	11:00:00 PM	0.06
5/1/2025	11:15:00 PM	0.06
5/1/2025	11:30:00 PM	0.06
5/1/2025	11:45:00 PM	0.06
5/2/2025	12:00:00 AM	0.06
5/2/2025	12:15:00 AM	0.06
5/2/2025	12:30:00 AM	0.06
5/2/2025	12:45:00 AM	0.06
5/2/2025	1:00:00 AM	0.05
5/2/2025	1:15:00 AM	0.05
5/2/2025	1:30:00 AM	0.05
5/2/2025	1:45:00 AM	0.05
5/2/2025	2:00:00 AM	0.05
5/2/2025	2:15:00 AM	0.05
5/2/2025	2:30:00 AM	0.05
5/2/2025	2:45:00 AM	0.05
5/2/2025	3:00:00 AM	0.05
5/2/2025	3:15:00 AM	0.05
5/2/2025	3:30:00 AM	0.05
5/2/2025	3:45:00 AM	0.05
5/2/2025	4:00:00 AM	0.05
5/2/2025	4:15:00 AM	0.05
5/2/2025	4:30:00 AM	0.05
5/2/2025	4:45:00 AM	0.05
5/2/2025	5:00:00 AM	0.05
5/2/2025	5:15:00 AM	0.05
5/2/2025	5:30:00 AM	0.05
5/2/2025	5:45:00 AM	0.05
5/2/2025	6:00:00 AM	0.05
5/2/2025	6:15:00 AM	0.05
5/2/2025	6:30:00 AM	0.05
5/2/2025	6:45:00 AM	0.05
5/2/2025	7:00:00 AM	0.05
5/2/2025	7:15:00 AM	0.05
5/2/2025	7:30:00 AM	0.05
5/2/2025	7:45:00 AM	0.05
5/2/2025	8:00:00 AM	0.05
5/2/2025	8:15:00 AM	0.05
5/2/2025	8:30:00 AM	0.05
5/2/2025	8:45:00 AM	0.05
5/2/2025	9:00:00 AM	0.05
5/2/2025	9:15:00 AM	0.05
5/2/2025	9:30:00 AM	0.05
5/2/2025	9:45:00 AM	0.05
5/2/2025	10:00:00 AM	0.05
5/2/2025	10:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/2/2025	10:30:00 AM	0.05
5/2/2025	10:45:00 AM	0.05
5/2/2025	11:00:00 AM	0.05
5/2/2025	11:15:00 AM	0.05
5/2/2025	11:30:00 AM	0.05
5/2/2025	11:45:00 AM	0.05
5/2/2025	12:00:00 PM	0.05
5/2/2025	12:15:00 PM	0.05
5/2/2025	12:30:00 PM	0.04
5/2/2025	12:45:00 PM	0.04
5/2/2025	1:00:00 PM	0.04
5/2/2025	1:15:00 PM	0.04
5/2/2025	1:30:00 PM	0.04
5/2/2025	1:45:00 PM	0.04
5/2/2025	2:00:00 PM	0.04
5/2/2025	2:15:00 PM	0.04
5/2/2025	2:30:00 PM	0.04
5/2/2025	2:45:00 PM	0.04
5/2/2025	3:00:00 PM	0.04
5/2/2025	3:15:00 PM	0.04
5/2/2025	3:30:00 PM	0.03
5/2/2025	3:45:00 PM	0.03
5/2/2025	4:00:00 PM	0.03
5/2/2025	4:15:00 PM	0.03
5/2/2025	4:30:00 PM	0.04
5/2/2025	4:45:00 PM	0.04
5/2/2025	5:00:00 PM	0.04
5/2/2025	5:15:00 PM	0.04
5/2/2025	5:30:00 PM	0.04
5/2/2025	5:45:00 PM	0.04
5/2/2025	6:00:00 PM	0.04
5/2/2025	6:15:00 PM	0.04
5/2/2025	6:30:00 PM	0.04
5/2/2025	6:45:00 PM	0.04
5/2/2025	7:00:00 PM	0.04
5/2/2025	7:15:00 PM	0.04
5/2/2025	7:30:00 PM	0.05
5/2/2025	7:45:00 PM	0.05
5/2/2025	8:00:00 PM	0.06
5/2/2025	8:15:00 PM	0.04
5/2/2025	8:30:00 PM	0.04
5/2/2025	8:45:00 PM	0.04
5/2/2025	9:00:00 PM	0.04
5/2/2025	9:15:00 PM	0.04
5/2/2025	9:30:00 PM	0.04
5/2/2025	9:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/2/2025	10:00:00 PM	0.04
5/2/2025	10:15:00 PM	0.04
5/2/2025	10:30:00 PM	0.04
5/2/2025	10:45:00 PM	0.04
5/2/2025	11:00:00 PM	0.04
5/2/2025	11:15:00 PM	0.04
5/2/2025	11:30:00 PM	0.04
5/2/2025	11:45:00 PM	0.04
5/3/2025	12:00:00 AM	0.04
5/3/2025	12:15:00 AM	0.04
5/3/2025	12:30:00 AM	0.04
5/3/2025	12:45:00 AM	0.04
5/3/2025	1:00:00 AM	0.04
5/3/2025	1:15:00 AM	0.04
5/3/2025	1:30:00 AM	0.04
5/3/2025	1:45:00 AM	0.04
5/3/2025	2:00:00 AM	0.04
5/3/2025	2:15:00 AM	0.04
5/3/2025	2:30:00 AM	0.04
5/3/2025	2:45:00 AM	0.04
5/3/2025	3:00:00 AM	0.04
5/3/2025	3:15:00 AM	0.04
5/3/2025	3:30:00 AM	0.04
5/3/2025	3:45:00 AM	0.04
5/3/2025	4:00:00 AM	0.04
5/3/2025	4:15:00 AM	0.04
5/3/2025	4:30:00 AM	0.04
5/3/2025	4:45:00 AM	0.04
5/3/2025	5:00:00 AM	0.04
5/3/2025	5:15:00 AM	0.04
5/3/2025	5:30:00 AM	0.04
5/3/2025	5:45:00 AM	0.04
5/3/2025	6:00:00 AM	0.04
5/3/2025	6:15:00 AM	0.04
5/3/2025	6:30:00 AM	0.04
5/3/2025	6:45:00 AM	0.04
5/3/2025	7:00:00 AM	0.04
5/3/2025	7:15:00 AM	0.04
5/3/2025	7:30:00 AM	0.04
5/3/2025	7:45:00 AM	0.04
5/3/2025	8:00:00 AM	0.04
5/3/2025	8:15:00 AM	0.04
5/3/2025	8:30:00 AM	0.04
5/3/2025	8:45:00 AM	0.04
5/3/2025	9:00:00 AM	0.04
5/3/2025	9:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/3/2025	9:30:00 AM	0.04
5/3/2025	9:45:00 AM	0.04
5/3/2025	10:00:00 AM	0.04
5/3/2025	10:15:00 AM	0.04
5/3/2025	10:30:00 AM	0.04
5/3/2025	10:45:00 AM	0.04
5/3/2025	11:00:00 AM	0.04
5/3/2025	11:15:00 AM	0.04
5/3/2025	11:30:00 AM	0.04
5/3/2025	11:45:00 AM	0.04
5/3/2025	12:00:00 PM	0.04
5/3/2025	12:15:00 PM	0.04
5/3/2025	12:30:00 PM	0.04
5/3/2025	12:45:00 PM	0.04
5/3/2025	1:00:00 PM	0.04
5/3/2025	1:15:00 PM	0.04
5/3/2025	1:30:00 PM	0.04
5/3/2025	1:45:00 PM	0.04
5/3/2025	2:00:00 PM	0.04
5/3/2025	2:15:00 PM	0.04
5/3/2025	2:30:00 PM	0.04
5/3/2025	2:45:00 PM	0.04
5/3/2025	3:00:00 PM	0.04
5/3/2025	3:15:00 PM	0.04
5/3/2025	3:30:00 PM	0.04
5/3/2025	3:45:00 PM	0.04
5/3/2025	4:00:00 PM	0.04
5/3/2025	4:15:00 PM	0.04
5/3/2025	4:30:00 PM	0.04
5/3/2025	4:45:00 PM	0.04
5/3/2025	5:00:00 PM	0.04
5/3/2025	5:15:00 PM	0.04
5/3/2025	5:30:00 PM	0.04
5/3/2025	5:45:00 PM	0.04
5/3/2025	6:00:00 PM	0.04
5/3/2025	6:15:00 PM	0.04
5/3/2025	6:30:00 PM	0.04
5/3/2025	6:45:00 PM	0.04
5/3/2025	7:00:00 PM	0.04
5/3/2025	7:15:00 PM	0.04
5/3/2025	7:30:00 PM	0.04
5/3/2025	7:45:00 PM	0.04
5/3/2025	8:00:00 PM	0.04
5/3/2025	8:15:00 PM	0.04
5/3/2025	8:30:00 PM	0.04
5/3/2025	8:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/3/2025	9:00:00 PM	0.04
5/3/2025	9:15:00 PM	0.05
5/3/2025	9:30:00 PM	0.05
5/3/2025	9:45:00 PM	0.05
5/3/2025	10:00:00 PM	0.05
5/3/2025	10:15:00 PM	0.05
5/3/2025	10:30:00 PM	0.05
5/3/2025	10:45:00 PM	0.05
5/3/2025	11:00:00 PM	0.04
5/3/2025	11:15:00 PM	0.04
5/3/2025	11:30:00 PM	0.04
5/3/2025	11:45:00 PM	0.04
5/4/2025	12:00:00 AM	0.04
5/4/2025	12:15:00 AM	0.04
5/4/2025	12:30:00 AM	0.04
5/4/2025	12:45:00 AM	0.04
5/4/2025	1:00:00 AM	0.04
5/4/2025	1:15:00 AM	0.04
5/4/2025	1:30:00 AM	0.04
5/4/2025	1:45:00 AM	0.04
5/4/2025	2:00:00 AM	0.04
5/4/2025	2:15:00 AM	0.03
5/4/2025	2:30:00 AM	0.04
5/4/2025	2:45:00 AM	0.03
5/4/2025	3:00:00 AM	0.03
5/4/2025	3:15:00 AM	0.03
5/4/2025	3:30:00 AM	0.03
5/4/2025	3:45:00 AM	0.03
5/4/2025	4:00:00 AM	0.03
5/4/2025	4:15:00 AM	0.03
5/4/2025	4:30:00 AM	0.03
5/4/2025	4:45:00 AM	0.03
5/4/2025	5:00:00 AM	0.03
5/4/2025	5:15:00 AM	0.03
5/4/2025	5:30:00 AM	0.03
5/4/2025	5:45:00 AM	0.03
5/4/2025	6:00:00 AM	0.03
5/4/2025	6:15:00 AM	0.03
5/4/2025	6:30:00 AM	0.03
5/4/2025	6:45:00 AM	0.03
5/4/2025	7:00:00 AM	0.03
5/4/2025	7:15:00 AM	0.03
5/4/2025	7:30:00 AM	0.03
5/4/2025	7:45:00 AM	0.03
5/4/2025	8:00:00 AM	0.03
5/4/2025	8:15:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/4/2025	8:30:00 AM	0.03
5/4/2025	8:45:00 AM	0.03
5/4/2025	9:00:00 AM	0.03
5/4/2025	9:15:00 AM	0.03
5/4/2025	9:30:00 AM	0.03
5/4/2025	9:45:00 AM	0.03
5/4/2025	10:00:00 AM	0.03
5/4/2025	10:15:00 AM	0.03
5/4/2025	10:30:00 AM	0.03
5/4/2025	10:45:00 AM	0.03
5/4/2025	11:00:00 AM	0.03
5/4/2025	11:15:00 AM	0.03
5/4/2025	11:30:00 AM	0.03
5/4/2025	11:45:00 AM	0.03
5/4/2025	12:00:00 PM	0.03
5/4/2025	12:15:00 PM	0.03
5/4/2025	12:30:00 PM	0.03
5/4/2025	12:45:00 PM	0.03
5/4/2025	1:00:00 PM	0.03
5/4/2025	1:15:00 PM	0.03
5/4/2025	1:30:00 PM	0.03
5/4/2025	1:45:00 PM	0.03
5/4/2025	2:00:00 PM	0.03
5/4/2025	2:15:00 PM	0.03
5/4/2025	2:30:00 PM	0.03
5/4/2025	2:45:00 PM	0.03
5/4/2025	3:00:00 PM	0.03
5/4/2025	3:15:00 PM	0.03
5/4/2025	3:30:00 PM	0.03
5/4/2025	3:45:00 PM	0.03
5/4/2025	4:00:00 PM	0.03
5/4/2025	4:15:00 PM	0.03
5/4/2025	4:30:00 PM	0.03
5/4/2025	4:45:00 PM	0.03
5/4/2025	5:00:00 PM	0.03
5/4/2025	5:15:00 PM	0.03
5/4/2025	5:30:00 PM	0.03
5/4/2025	5:45:00 PM	0.02
5/4/2025	6:00:00 PM	0.03
5/4/2025	6:15:00 PM	0.03
5/4/2025	6:30:00 PM	0.03
5/4/2025	6:45:00 PM	0.03
5/4/2025	7:00:00 PM	0.03
5/4/2025	7:15:00 PM	0.03
5/4/2025	7:30:00 PM	0.03
5/4/2025	7:45:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/4/2025	8:00:00 PM	0.03
5/4/2025	8:15:00 PM	0.03
5/4/2025	8:30:00 PM	0.03
5/4/2025	8:45:00 PM	0.03
5/4/2025	9:00:00 PM	0.03
5/4/2025	9:15:00 PM	0.03
5/4/2025	9:30:00 PM	0.03
5/4/2025	9:45:00 PM	0.03
5/4/2025	10:00:00 PM	0.03
5/4/2025	10:15:00 PM	0.03
5/4/2025	10:30:00 PM	0.03
5/4/2025	10:45:00 PM	0.03
5/4/2025	11:00:00 PM	0.03
5/4/2025	11:15:00 PM	0.03
5/4/2025	11:30:00 PM	0.03
5/4/2025	11:45:00 PM	0.03
5/5/2025	12:00:00 AM	0.03
5/5/2025	12:15:00 AM	0.03
5/5/2025	12:30:00 AM	0.03
5/5/2025	12:45:00 AM	0.03
5/5/2025	1:00:00 AM	0.03
5/5/2025	1:15:00 AM	0.03
5/5/2025	1:30:00 AM	0.03
5/5/2025	1:45:00 AM	0.03
5/5/2025	2:00:00 AM	0.03
5/5/2025	2:15:00 AM	0.03
5/5/2025	2:30:00 AM	0.03
5/5/2025	2:45:00 AM	0.03
5/5/2025	3:00:00 AM	0.03
5/5/2025	3:15:00 AM	0.03
5/5/2025	3:30:00 AM	0.03
5/5/2025	3:45:00 AM	0.03
5/5/2025	4:00:00 AM	0.03
5/5/2025	4:15:00 AM	0.03
5/5/2025	4:30:00 AM	0.03
5/5/2025	4:45:00 AM	0.04
5/5/2025	5:00:00 AM	0.04
5/5/2025	5:15:00 AM	0.04
5/5/2025	5:30:00 AM	0.04
5/5/2025	5:45:00 AM	0.05
5/5/2025	6:00:00 AM	0.05
5/5/2025	6:15:00 AM	0.05
5/5/2025	6:30:00 AM	0.05
5/5/2025	6:45:00 AM	0.06
5/5/2025	7:00:00 AM	0.06
5/5/2025	7:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
5/5/2025	7:30:00 AM	0.06
5/5/2025	7:45:00 AM	0.06
5/5/2025	8:00:00 AM	0.06
5/5/2025	8:15:00 AM	0.06
5/5/2025	8:30:00 AM	0.06
5/5/2025	8:45:00 AM	0.06
5/5/2025	9:00:00 AM	0.06
5/5/2025	9:15:00 AM	0.06
5/5/2025	9:30:00 AM	0.06
5/5/2025	9:45:00 AM	0.06
5/5/2025	10:00:00 AM	0.06
5/5/2025	10:15:00 AM	0.06
5/5/2025	10:30:00 AM	0.06
5/5/2025	10:45:00 AM	0.06
5/5/2025	11:00:00 AM	0.06
5/5/2025	11:15:00 AM	0.06
5/5/2025	11:30:00 AM	0.06
5/5/2025	11:45:00 AM	0.06
5/5/2025	12:00:00 PM	0.06
5/5/2025	12:15:00 PM	0.06
5/5/2025	12:30:00 PM	0.06
5/5/2025	12:45:00 PM	0.06
5/5/2025	1:00:00 PM	0.06
5/5/2025	1:15:00 PM	0.06
5/5/2025	1:30:00 PM	0.06
5/5/2025	1:45:00 PM	0.06
5/5/2025	2:00:00 PM	0.06
5/5/2025	2:15:00 PM	0.06
5/5/2025	2:30:00 PM	0.05
5/5/2025	2:45:00 PM	0.05
5/5/2025	3:00:00 PM	0.05
5/5/2025	3:15:00 PM	0.05
5/5/2025	3:30:00 PM	0.05
5/5/2025	3:45:00 PM	0.05
5/5/2025	4:00:00 PM	0.05
5/5/2025	4:15:00 PM	0.05
5/5/2025	4:30:00 PM	0.05
5/5/2025	4:45:00 PM	0.05
5/5/2025	5:00:00 PM	0.05
5/5/2025	5:15:00 PM	0.05
5/5/2025	5:30:00 PM	0.05
5/5/2025	5:45:00 PM	0.05
5/5/2025	6:00:00 PM	0.05
5/5/2025	6:15:00 PM	0.05
5/5/2025	6:30:00 PM	0.05
5/5/2025	6:45:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/5/2025	7:00:00 PM	0.05
5/5/2025	7:15:00 PM	0.05
5/5/2025	7:30:00 PM	0.05
5/5/2025	7:45:00 PM	0.05
5/5/2025	8:00:00 PM	0.05
5/5/2025	8:15:00 PM	0.05
5/5/2025	8:30:00 PM	0.05
5/5/2025	8:45:00 PM	0.06
5/5/2025	9:00:00 PM	0.06
5/5/2025	9:15:00 PM	0.06
5/5/2025	9:30:00 PM	0.06
5/5/2025	9:45:00 PM	0.05
5/5/2025	10:00:00 PM	0.05
5/5/2025	10:15:00 PM	0.05
5/5/2025	10:30:00 PM	0.05
5/5/2025	10:45:00 PM	0.05
5/5/2025	11:00:00 PM	0.05
5/5/2025	11:15:00 PM	0.05
5/5/2025	11:30:00 PM	0.05
5/5/2025	11:45:00 PM	0.05
5/6/2025	12:00:00 AM	0.05
5/6/2025	12:15:00 AM	0.05
5/6/2025	12:30:00 AM	0.05
5/6/2025	12:45:00 AM	0.05
5/6/2025	1:00:00 AM	0.05
5/6/2025	1:15:00 AM	0.05
5/6/2025	1:30:00 AM	0.06
5/6/2025	1:45:00 AM	0.05
5/6/2025	2:00:00 AM	0.05
5/6/2025	2:15:00 AM	0.05
5/6/2025	2:30:00 AM	0.05
5/6/2025	2:45:00 AM	0.05
5/6/2025	3:00:00 AM	0.05
5/6/2025	3:15:00 AM	0.05
5/6/2025	3:30:00 AM	0.05
5/6/2025	3:45:00 AM	0.05
5/6/2025	4:00:00 AM	0.05
5/6/2025	4:15:00 AM	0.05
5/6/2025	4:30:00 AM	0.05
5/6/2025	4:45:00 AM	0.05
5/6/2025	5:00:00 AM	0.05
5/6/2025	5:15:00 AM	0.05
5/6/2025	5:30:00 AM	0.05
5/6/2025	5:45:00 AM	0.05
5/6/2025	6:00:00 AM	0.05
5/6/2025	6:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/6/2025	6:30:00 AM	0.05
5/6/2025	6:45:00 AM	0.05
5/6/2025	7:00:00 AM	0.05
5/6/2025	7:15:00 AM	0.05
5/6/2025	7:30:00 AM	0.05
5/6/2025	7:45:00 AM	0.05
5/6/2025	8:00:00 AM	0.05
5/6/2025	8:15:00 AM	0.05
5/6/2025	8:30:00 AM	0.04
5/6/2025	8:45:00 AM	0.04
5/6/2025	9:00:00 AM	0.04
5/6/2025	9:15:00 AM	0.04
5/6/2025	9:30:00 AM	0.04
5/6/2025	9:45:00 AM	0.04
5/6/2025	10:00:00 AM	0.04
5/6/2025	10:15:00 AM	0.04
5/6/2025	10:30:00 AM	0.04
5/6/2025	10:45:00 AM	0.04
5/6/2025	11:00:00 AM	0.04
5/6/2025	11:15:00 AM	0.04
5/6/2025	11:30:00 AM	0.04
5/6/2025	11:45:00 AM	0.04
5/6/2025	12:00:00 PM	0.04
5/6/2025	12:15:00 PM	0.04
5/6/2025	12:30:00 PM	0.04
5/6/2025	12:45:00 PM	0.04
5/6/2025	1:00:00 PM	0.04
5/6/2025	1:15:00 PM	0.04
5/6/2025	1:30:00 PM	0.04
5/6/2025	1:45:00 PM	0.04
5/6/2025	2:00:00 PM	0.04
5/6/2025	2:15:00 PM	0.04
5/6/2025	2:30:00 PM	0.04
5/6/2025	2:45:00 PM	0.03
5/6/2025	3:00:00 PM	0.04
5/6/2025	3:15:00 PM	0.03
5/6/2025	3:30:00 PM	0.04
5/6/2025	3:45:00 PM	0.03
5/6/2025	4:00:00 PM	0.03
5/6/2025	4:15:00 PM	0.03
5/6/2025	4:30:00 PM	0.03
5/6/2025	4:45:00 PM	0.04
5/6/2025	5:00:00 PM	0.03
5/6/2025	5:15:00 PM	0.04
5/6/2025	5:30:00 PM	0.04
5/6/2025	5:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/6/2025	6:00:00 PM	0.04
5/6/2025	6:15:00 PM	0.03
5/6/2025	6:30:00 PM	0.04
5/6/2025	6:45:00 PM	0.04
5/6/2025	7:00:00 PM	0.04
5/6/2025	7:15:00 PM	0.04
5/6/2025	7:30:00 PM	0.04
5/6/2025	7:45:00 PM	0.04
5/6/2025	8:00:00 PM	0.04
5/6/2025	8:15:00 PM	0.04
5/6/2025	8:30:00 PM	0.04
5/6/2025	8:45:00 PM	0.04
5/6/2025	9:00:00 PM	0.04
5/6/2025	9:15:00 PM	0.04
5/6/2025	9:30:00 PM	0.04
5/6/2025	9:45:00 PM	0.04
5/6/2025	10:00:00 PM	0.04
5/6/2025	10:15:00 PM	0.04
5/6/2025	10:30:00 PM	0.04
5/6/2025	10:45:00 PM	0.04
5/6/2025	11:00:00 PM	0.04
5/6/2025	11:15:00 PM	0.04
5/6/2025	11:30:00 PM	0.04
5/6/2025	11:45:00 PM	0.04
5/7/2025	12:00:00 AM	0.04
5/7/2025	12:15:00 AM	0.04
5/7/2025	12:30:00 AM	0.04
5/7/2025	12:45:00 AM	0.04
5/7/2025	1:00:00 AM	0.04
5/7/2025	1:15:00 AM	0.04
5/7/2025	1:30:00 AM	0.04
5/7/2025	1:45:00 AM	0.04
5/7/2025	2:00:00 AM	0.04
5/7/2025	2:15:00 AM	0.04
5/7/2025	2:30:00 AM	0.04
5/7/2025	2:45:00 AM	0.04
5/7/2025	3:00:00 AM	0.04
5/7/2025	3:15:00 AM	0.04
5/7/2025	3:30:00 AM	0.04
5/7/2025	3:45:00 AM	0.04
5/7/2025	4:00:00 AM	0.04
5/7/2025	4:15:00 AM	0.04
5/7/2025	4:30:00 AM	0.04
5/7/2025	4:45:00 AM	0.04
5/7/2025	5:00:00 AM	0.04
5/7/2025	5:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/7/2025	5:30:00 AM	0.04
5/7/2025	5:45:00 AM	0.04
5/7/2025	6:00:00 AM	0.04
5/7/2025	6:15:00 AM	0.04
5/7/2025	6:30:00 AM	.
5/7/2025	6:45:00 AM	.
5/7/2025	7:00:00 AM	.
5/7/2025	7:15:00 AM	.
5/7/2025	7:30:00 AM	0.05
5/7/2025	7:45:00 AM	0.05
5/7/2025	8:00:00 AM	0.05
5/7/2025	8:15:00 AM	0.05
5/7/2025	8:30:00 AM	0.04
5/7/2025	8:45:00 AM	0.04
5/7/2025	9:00:00 AM	0.04
5/7/2025	9:15:00 AM	0.04
5/7/2025	9:30:00 AM	0.04
5/7/2025	9:45:00 AM	0.04
5/7/2025	10:00:00 AM	0.04
5/7/2025	10:15:00 AM	0.04
5/7/2025	10:30:00 AM	0.04
5/7/2025	10:45:00 AM	0.04
5/7/2025	11:00:00 AM	0.04
5/7/2025	11:15:00 AM	0.04
5/7/2025	11:30:00 AM	0.04
5/7/2025	11:45:00 AM	0.04
5/7/2025	12:00:00 PM	0.04
5/7/2025	12:15:00 PM	0.04
5/7/2025	12:30:00 PM	0.04
5/7/2025	12:45:00 PM	0.04
5/7/2025	1:00:00 PM	0.04
5/7/2025	1:15:00 PM	0.04
5/7/2025	1:30:00 PM	0.04
5/7/2025	1:45:00 PM	0.04
5/7/2025	2:00:00 PM	0.04
5/7/2025	2:15:00 PM	0.04
5/7/2025	2:30:00 PM	0.04
5/7/2025	2:45:00 PM	0.04
5/7/2025	3:00:00 PM	0.04
5/7/2025	3:15:00 PM	0.04
5/7/2025	3:30:00 PM	0.04
5/7/2025	3:45:00 PM	0.04
5/7/2025	4:00:00 PM	0.04
5/7/2025	4:15:00 PM	0.04
5/7/2025	4:30:00 PM	0.05
5/7/2025	4:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/7/2025	5:00:00 PM	0.04
5/7/2025	5:15:00 PM	0.04
5/7/2025	5:30:00 PM	0.05
5/7/2025	5:45:00 PM	0.04
5/7/2025	6:00:00 PM	0.04
5/7/2025	6:15:00 PM	0.05
5/7/2025	6:30:00 PM	0.05
5/7/2025	6:45:00 PM	0.04
5/7/2025	7:00:00 PM	0.04
5/7/2025	7:15:00 PM	0.04
5/7/2025	7:30:00 PM	0.04
5/7/2025	7:45:00 PM	0.04
5/7/2025	8:00:00 PM	0.04
5/7/2025	8:15:00 PM	0.04
5/7/2025	8:30:00 PM	0.04
5/7/2025	8:45:00 PM	0.04
5/7/2025	9:00:00 PM	0.04
5/7/2025	9:15:00 PM	0.04
5/7/2025	9:30:00 PM	0.04
5/7/2025	9:45:00 PM	0.04
5/7/2025	10:00:00 PM	0.03
5/7/2025	10:15:00 PM	0.03
5/7/2025	10:30:00 PM	0.03
5/7/2025	10:45:00 PM	0.03
5/7/2025	11:00:00 PM	0.03
5/7/2025	11:15:00 PM	0.04
5/7/2025	11:30:00 PM	0.04
5/7/2025	11:45:00 PM	0.04
5/8/2025	12:00:00 AM	0.04
5/8/2025	12:15:00 AM	0.04
5/8/2025	12:30:00 AM	0.04
5/8/2025	12:45:00 AM	0.04
5/8/2025	1:00:00 AM	0.04
5/8/2025	1:15:00 AM	0.04
5/8/2025	1:30:00 AM	0.04
5/8/2025	1:45:00 AM	0.04
5/8/2025	2:00:00 AM	0.04
5/8/2025	2:15:00 AM	0.04
5/8/2025	2:30:00 AM	0.04
5/8/2025	2:45:00 AM	0.04
5/8/2025	3:00:00 AM	0.04
5/8/2025	3:15:00 AM	0.04
5/8/2025	3:30:00 AM	0.04
5/8/2025	3:45:00 AM	0.04
5/8/2025	4:00:00 AM	0.04
5/8/2025	4:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/8/2025	4:30:00 AM	0.04
5/8/2025	4:45:00 AM	0.04
5/8/2025	5:00:00 AM	0.04
5/8/2025	5:15:00 AM	0.04
5/8/2025	5:30:00 AM	0.04
5/8/2025	5:45:00 AM	0.04
5/8/2025	6:00:00 AM	0.04
5/8/2025	6:15:00 AM	0.04
5/8/2025	6:30:00 AM	0.04
5/8/2025	6:45:00 AM	0.04
5/8/2025	7:00:00 AM	0.04
5/8/2025	7:15:00 AM	0.04
5/8/2025	7:30:00 AM	0.04
5/8/2025	7:45:00 AM	0.04
5/8/2025	8:00:00 AM	0.04
5/8/2025	8:15:00 AM	0.04
5/8/2025	8:30:00 AM	0.04
5/8/2025	8:45:00 AM	0.04
5/8/2025	9:00:00 AM	0.04
5/8/2025	9:15:00 AM	0.04
5/8/2025	9:30:00 AM	0.04
5/8/2025	9:45:00 AM	0.04
5/8/2025	10:00:00 AM	0.04
5/8/2025	10:15:00 AM	0.04
5/8/2025	10:30:00 AM	0.04
5/8/2025	10:45:00 AM	0.04
5/8/2025	11:00:00 AM	0.04
5/8/2025	11:15:00 AM	0.04
5/8/2025	11:30:00 AM	0.04
5/8/2025	11:45:00 AM	0.04
5/8/2025	12:00:00 PM	0.04
5/8/2025	12:15:00 PM	0.04
5/8/2025	12:30:00 PM	0.04
5/8/2025	12:45:00 PM	0.04
5/8/2025	1:00:00 PM	0.04
5/8/2025	1:15:00 PM	0.04
5/8/2025	1:30:00 PM	0.04
5/8/2025	1:45:00 PM	0.04
5/8/2025	2:00:00 PM	0.04
5/8/2025	2:15:00 PM	0.04
5/8/2025	2:30:00 PM	0.04
5/8/2025	2:45:00 PM	0.07
5/8/2025	3:00:00 PM	0.11
5/8/2025	3:15:00 PM	0.12
5/8/2025	3:30:00 PM	0.12
5/8/2025	3:45:00 PM	0.11

Georges Ditch Return Gage

DATE	TIME	GAGE
5/8/2025	4:00:00 PM	0.11
5/8/2025	4:15:00 PM	0.11
5/8/2025	4:30:00 PM	0.1
5/8/2025	4:45:00 PM	0.1
5/8/2025	5:00:00 PM	0.1
5/8/2025	5:15:00 PM	0.09
5/8/2025	5:30:00 PM	0.09
5/8/2025	5:45:00 PM	0.09
5/8/2025	6:00:00 PM	0.08
5/8/2025	6:15:00 PM	0.08
5/8/2025	6:30:00 PM	0.08
5/8/2025	6:45:00 PM	0.08
5/8/2025	7:00:00 PM	0.08
5/8/2025	7:15:00 PM	0.08
5/8/2025	7:30:00 PM	0.07
5/8/2025	7:45:00 PM	0.07
5/8/2025	8:00:00 PM	0.07
5/8/2025	8:15:00 PM	0.07
5/8/2025	8:30:00 PM	0.07
5/8/2025	8:45:00 PM	0.07
5/8/2025	9:00:00 PM	0.07
5/8/2025	9:15:00 PM	0.07
5/8/2025	9:30:00 PM	0.07
5/8/2025	9:45:00 PM	0.07
5/8/2025	10:00:00 PM	0.07
5/8/2025	10:15:00 PM	0.07
5/8/2025	10:30:00 PM	0.07
5/8/2025	10:45:00 PM	0.07
5/8/2025	11:00:00 PM	0.07
5/8/2025	11:15:00 PM	0.07
5/8/2025	11:30:00 PM	0.07
5/8/2025	11:45:00 PM	0.06
5/9/2025	12:00:00 AM	0.06
5/9/2025	12:15:00 AM	0.06
5/9/2025	12:30:00 AM	0.06
5/9/2025	12:45:00 AM	0.06
5/9/2025	1:00:00 AM	0.06
5/9/2025	1:15:00 AM	0.06
5/9/2025	1:30:00 AM	0.06
5/9/2025	1:45:00 AM	0.06
5/9/2025	2:00:00 AM	0.06
5/9/2025	2:15:00 AM	0.06
5/9/2025	2:30:00 AM	0.06
5/9/2025	2:45:00 AM	0.06
5/9/2025	3:00:00 AM	0.06
5/9/2025	3:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
5/9/2025	3:30:00 AM	0.06
5/9/2025	3:45:00 AM	0.06
5/9/2025	4:00:00 AM	0.06
5/9/2025	4:15:00 AM	0.06
5/9/2025	4:30:00 AM	0.06
5/9/2025	4:45:00 AM	0.06
5/9/2025	5:00:00 AM	0.06
5/9/2025	5:15:00 AM	0.05
5/9/2025	5:30:00 AM	0.05
5/9/2025	5:45:00 AM	0.05
5/9/2025	6:00:00 AM	0.05
5/9/2025	6:15:00 AM	0.05
5/9/2025	6:30:00 AM	0.05
5/9/2025	6:45:00 AM	0.05
5/9/2025	7:00:00 AM	0.04
5/9/2025	7:15:00 AM	0.04
5/9/2025	7:30:00 AM	0.04
5/9/2025	7:45:00 AM	0.04
5/9/2025	8:00:00 AM	0.04
5/9/2025	8:15:00 AM	0.04
5/9/2025	8:30:00 AM	0.04
5/9/2025	8:45:00 AM	0.04
5/9/2025	9:00:00 AM	0.04
5/9/2025	9:15:00 AM	0.04
5/9/2025	9:30:00 AM	0.04
5/9/2025	9:45:00 AM	0.04
5/9/2025	10:00:00 AM	0.04
5/9/2025	10:15:00 AM	0.04
5/9/2025	10:30:00 AM	0.04
5/9/2025	10:45:00 AM	0.04
5/9/2025	11:00:00 AM	0.04
5/9/2025	11:15:00 AM	0.04
5/9/2025	11:30:00 AM	0.04
5/9/2025	11:45:00 AM	0.04
5/9/2025	12:00:00 PM	0.04
5/9/2025	12:15:00 PM	0.04
5/9/2025	12:30:00 PM	0.04
5/9/2025	12:45:00 PM	0.04
5/9/2025	1:00:00 PM	0.04
5/9/2025	1:15:00 PM	0.04
5/9/2025	1:30:00 PM	0.04
5/9/2025	1:45:00 PM	0.04
5/9/2025	2:00:00 PM	0.04
5/9/2025	2:15:00 PM	0.04
5/9/2025	2:30:00 PM	0.04
5/9/2025	2:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/9/2025	3:00:00 PM	0.04
5/9/2025	3:15:00 PM	0.04
5/9/2025	3:30:00 PM	0.04
5/9/2025	3:45:00 PM	0.04
5/9/2025	4:00:00 PM	0.04
5/9/2025	4:15:00 PM	0.03
5/9/2025	4:30:00 PM	0.04
5/9/2025	4:45:00 PM	0.04
5/9/2025	5:00:00 PM	0.03
5/9/2025	5:15:00 PM	0.03
5/9/2025	5:30:00 PM	0.03
5/9/2025	5:45:00 PM	0.03
5/9/2025	6:00:00 PM	0.03
5/9/2025	6:15:00 PM	0.03
5/9/2025	6:30:00 PM	0.03
5/9/2025	6:45:00 PM	0.03
5/9/2025	7:00:00 PM	0.03
5/9/2025	7:15:00 PM	0.03
5/9/2025	7:30:00 PM	0.03
5/9/2025	7:45:00 PM	0.03
5/9/2025	8:00:00 PM	0.03
5/9/2025	8:15:00 PM	0.03
5/9/2025	8:30:00 PM	0.03
5/9/2025	8:45:00 PM	0.03
5/9/2025	9:00:00 PM	0.03
5/9/2025	9:15:00 PM	0.03
5/9/2025	9:30:00 PM	0.03
5/9/2025	9:45:00 PM	0.04
5/9/2025	10:00:00 PM	0.03
5/9/2025	10:15:00 PM	0.03
5/9/2025	10:30:00 PM	0.03
5/9/2025	10:45:00 PM	0.04
5/9/2025	11:00:00 PM	0.04
5/9/2025	11:15:00 PM	0.03
5/9/2025	11:30:00 PM	0.04
5/9/2025	11:45:00 PM	0.04
5/10/2025	12:00:00 AM	0.04
5/10/2025	12:15:00 AM	0.04
5/10/2025	12:30:00 AM	0.04
5/10/2025	12:45:00 AM	0.04
5/10/2025	1:00:00 AM	0.04
5/10/2025	1:15:00 AM	0.04
5/10/2025	1:30:00 AM	0.04
5/10/2025	1:45:00 AM	0.04
5/10/2025	2:00:00 AM	0.04
5/10/2025	2:15:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/10/2025	2:30:00 AM	0.04
5/10/2025	2:45:00 AM	0.05
5/10/2025	3:00:00 AM	0.05
5/10/2025	3:15:00 AM	0.05
5/10/2025	3:30:00 AM	0.05
5/10/2025	3:45:00 AM	0.05
5/10/2025	4:00:00 AM	0.05
5/10/2025	4:15:00 AM	0.05
5/10/2025	4:30:00 AM	0.05
5/10/2025	4:45:00 AM	0.05
5/10/2025	5:00:00 AM	0.05
5/10/2025	5:15:00 AM	0.05
5/10/2025	5:30:00 AM	0.05
5/10/2025	5:45:00 AM	0.05
5/10/2025	6:00:00 AM	0.05
5/10/2025	6:15:00 AM	0.04
5/10/2025	6:30:00 AM	0.04
5/10/2025	6:45:00 AM	0.04
5/10/2025	7:00:00 AM	0.04
5/10/2025	7:15:00 AM	0.04
5/10/2025	7:30:00 AM	0.04
5/10/2025	7:45:00 AM	0.04
5/10/2025	8:00:00 AM	0.04
5/10/2025	8:15:00 AM	0.04
5/10/2025	8:30:00 AM	0.04
5/10/2025	8:45:00 AM	0.04
5/10/2025	9:00:00 AM	0.03
5/10/2025	9:15:00 AM	0.03
5/10/2025	9:30:00 AM	0.03
5/10/2025	9:45:00 AM	0.03
5/10/2025	10:00:00 AM	0.03
5/10/2025	10:15:00 AM	0.03
5/10/2025	10:30:00 AM	0.03
5/10/2025	10:45:00 AM	0.03
5/10/2025	11:00:00 AM	0.03
5/10/2025	11:15:00 AM	0.03
5/10/2025	11:30:00 AM	0.03
5/10/2025	11:45:00 AM	0.03
5/10/2025	12:00:00 PM	0.03
5/10/2025	12:15:00 PM	0.03
5/10/2025	12:30:00 PM	0.03
5/10/2025	12:45:00 PM	0.03
5/10/2025	1:00:00 PM	0.03
5/10/2025	1:15:00 PM	0.03
5/10/2025	1:30:00 PM	0.03
5/10/2025	1:45:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/10/2025	2:00:00 PM	0.02
5/10/2025	2:15:00 PM	0.02
5/10/2025	2:30:00 PM	0.02
5/10/2025	2:45:00 PM	0.02
5/10/2025	3:00:00 PM	0.02
5/10/2025	3:15:00 PM	0.02
5/10/2025	3:30:00 PM	0.02
5/10/2025	3:45:00 PM	0.02
5/10/2025	4:00:00 PM	0.02
5/10/2025	4:15:00 PM	0.02
5/10/2025	4:30:00 PM	0.02
5/10/2025	4:45:00 PM	0.02
5/10/2025	5:00:00 PM	0.02
5/10/2025	5:15:00 PM	0.02
5/10/2025	5:30:00 PM	0.02
5/10/2025	5:45:00 PM	0.02
5/10/2025	6:00:00 PM	0.02
5/10/2025	6:15:00 PM	0.02
5/10/2025	6:30:00 PM	0.02
5/10/2025	6:45:00 PM	0.02
5/10/2025	7:00:00 PM	0.03
5/10/2025	7:15:00 PM	0.02
5/10/2025	7:30:00 PM	0.03
5/10/2025	7:45:00 PM	0.03
5/10/2025	8:00:00 PM	0.03
5/10/2025	8:15:00 PM	0.03
5/10/2025	8:30:00 PM	0.04
5/10/2025	8:45:00 PM	0.04
5/10/2025	9:00:00 PM	0.04
5/10/2025	9:15:00 PM	0.05
5/10/2025	9:30:00 PM	0.05
5/10/2025	9:45:00 PM	0.05
5/10/2025	10:00:00 PM	0.05
5/10/2025	10:15:00 PM	0.05
5/10/2025	10:30:00 PM	0.05
5/10/2025	10:45:00 PM	0.05
5/10/2025	11:00:00 PM	0.05
5/10/2025	11:15:00 PM	0.05
5/10/2025	11:30:00 PM	0.05
5/10/2025	11:45:00 PM	0.05
5/11/2025	12:00:00 AM	0.05
5/11/2025	12:15:00 AM	0.05
5/11/2025	12:30:00 AM	0.05
5/11/2025	12:45:00 AM	0.05
5/11/2025	1:00:00 AM	0.05
5/11/2025	1:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/11/2025	1:30:00 AM	0.05
5/11/2025	1:45:00 AM	0.05
5/11/2025	2:00:00 AM	0.05
5/11/2025	2:15:00 AM	0.05
5/11/2025	2:30:00 AM	0.05
5/11/2025	2:45:00 AM	0.04
5/11/2025	3:00:00 AM	0.05
5/11/2025	3:15:00 AM	0.05
5/11/2025	3:30:00 AM	0.05
5/11/2025	3:45:00 AM	0.05
5/11/2025	4:00:00 AM	0.05
5/11/2025	4:15:00 AM	0.05
5/11/2025	4:30:00 AM	0.05
5/11/2025	4:45:00 AM	0.05
5/11/2025	5:00:00 AM	0.05
5/11/2025	5:15:00 AM	0.05
5/11/2025	5:30:00 AM	0.05
5/11/2025	5:45:00 AM	0.05
5/11/2025	6:00:00 AM	0.05
5/11/2025	6:15:00 AM	0.05
5/11/2025	6:30:00 AM	0.05
5/11/2025	6:45:00 AM	0.05
5/11/2025	7:00:00 AM	0.04
5/11/2025	7:15:00 AM	0.04
5/11/2025	7:30:00 AM	0.04
5/11/2025	7:45:00 AM	0.04
5/11/2025	8:00:00 AM	0.04
5/11/2025	8:15:00 AM	0.04
5/11/2025	8:30:00 AM	0.04
5/11/2025	8:45:00 AM	0.04
5/11/2025	9:00:00 AM	0.04
5/11/2025	9:15:00 AM	0.04
5/11/2025	9:30:00 AM	0.04
5/11/2025	9:45:00 AM	0.04
5/11/2025	10:00:00 AM	0.04
5/11/2025	10:15:00 AM	0.04
5/11/2025	10:30:00 AM	0.04
5/11/2025	10:45:00 AM	0.04
5/11/2025	11:00:00 AM	0.04
5/11/2025	11:15:00 AM	0.04
5/11/2025	11:30:00 AM	0.04
5/11/2025	11:45:00 AM	0.04
5/11/2025	12:00:00 PM	0.04
5/11/2025	12:15:00 PM	0.04
5/11/2025	12:30:00 PM	0.04
5/11/2025	12:45:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/11/2025	1:00:00 PM	0.04
5/11/2025	1:15:00 PM	0.04
5/11/2025	1:30:00 PM	0.04
5/11/2025	1:45:00 PM	0.04
5/11/2025	2:00:00 PM	0.04
5/11/2025	2:15:00 PM	0.04
5/11/2025	2:30:00 PM	0.04
5/11/2025	2:45:00 PM	0.04
5/11/2025	3:00:00 PM	0.04
5/11/2025	3:15:00 PM	0.04
5/11/2025	3:30:00 PM	0.04
5/11/2025	3:45:00 PM	0.04
5/11/2025	4:00:00 PM	0.09
5/11/2025	4:15:00 PM	0.15
5/11/2025	4:30:00 PM	0.15
5/11/2025	4:45:00 PM	0.15
5/11/2025	5:00:00 PM	0.14
5/11/2025	5:15:00 PM	0.13
5/11/2025	5:30:00 PM	0.13
5/11/2025	5:45:00 PM	0.12
5/11/2025	6:00:00 PM	0.11
5/11/2025	6:15:00 PM	0.11
5/11/2025	6:30:00 PM	0.1
5/11/2025	6:45:00 PM	0.1
5/11/2025	7:00:00 PM	0.1
5/11/2025	7:15:00 PM	0.09
5/11/2025	7:30:00 PM	0.09
5/11/2025	7:45:00 PM	0.08
5/11/2025	8:00:00 PM	0.08
5/11/2025	8:15:00 PM	0.08
5/11/2025	8:30:00 PM	0.08
5/11/2025	8:45:00 PM	0.08
5/11/2025	9:00:00 PM	0.08
5/11/2025	9:15:00 PM	0.07
5/11/2025	9:30:00 PM	0.07
5/11/2025	9:45:00 PM	0.07
5/11/2025	10:00:00 PM	0.07
5/11/2025	10:15:00 PM	0.07
5/11/2025	10:30:00 PM	0.07
5/11/2025	10:45:00 PM	0.07
5/11/2025	11:00:00 PM	0.07
5/11/2025	11:15:00 PM	0.07
5/11/2025	11:30:00 PM	0.07
5/11/2025	11:45:00 PM	0.07
5/12/2025	12:00:00 AM	0.06
5/12/2025	12:15:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	12:30:00 AM	0.06
5/12/2025	12:45:00 AM	0.06
5/12/2025	1:00:00 AM	0.06
5/12/2025	1:15:00 AM	0.06
5/12/2025	1:30:00 AM	0.06
5/12/2025	1:45:00 AM	0.06
5/12/2025	2:00:00 AM	0.06
5/12/2025	2:15:00 AM	0.06
5/12/2025	2:30:00 AM	0.06
5/12/2025	2:45:00 AM	0.06
5/12/2025	3:00:00 AM	0.06
5/12/2025	3:15:00 AM	0.06
5/12/2025	3:30:00 AM	0.06
5/12/2025	3:45:00 AM	0.06
5/12/2025	4:00:00 AM	0.05
5/12/2025	4:15:00 AM	0.05
5/12/2025	4:30:00 AM	0.05
5/12/2025	4:45:00 AM	0.05
5/12/2025	5:00:00 AM	0.05
5/12/2025	5:15:00 AM	0.05
5/12/2025	5:30:00 AM	0.05
5/12/2025	5:45:00 AM	0.05
5/12/2025	6:00:00 AM	0.05
5/12/2025	6:15:00 AM	0.05
5/12/2025	6:30:00 AM	0.04
5/12/2025	6:45:00 AM	0.04
5/12/2025	7:00:00 AM	0.04
5/12/2025	7:15:00 AM	0.04
5/12/2025	7:30:00 AM	0.04
5/12/2025	7:45:00 AM	0.04
5/12/2025	8:00:00 AM	0.04
5/12/2025	8:15:00 AM	0.04
5/12/2025	8:30:00 AM	0.04
5/12/2025	8:45:00 AM	0.04
5/12/2025	9:00:00 AM	0.04
5/12/2025	9:15:00 AM	0.04
5/12/2025	9:30:00 AM	0.04
5/12/2025	9:45:00 AM	0.04
5/12/2025	10:00:00 AM	0.04
5/12/2025	10:15:00 AM	0.04
5/12/2025	10:30:00 AM	0.04
5/12/2025	10:45:00 AM	0.04
5/12/2025	11:00:00 AM	0.04
5/12/2025	11:15:00 AM	0.04
5/12/2025	11:30:00 AM	0.03
5/12/2025	11:45:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	12:00:00 PM	0.03
5/12/2025	12:15:00 PM	0.04
5/12/2025	12:30:00 PM	0.03
5/12/2025	12:45:00 PM	0.03
5/12/2025	1:00:00 PM	0.03
5/12/2025	1:15:00 PM	0.03
5/12/2025	1:30:00 PM	0.03
5/12/2025	1:45:00 PM	0.03
5/12/2025	2:00:00 PM	0.03
5/12/2025	2:15:00 PM	0.03
5/12/2025	2:30:00 PM	0.03
5/12/2025	2:45:00 PM	0.03
5/12/2025	3:00:00 PM	0.03
5/12/2025	3:15:00 PM	0.03
5/12/2025	3:30:00 PM	0.02
5/12/2025	3:45:00 PM	0.02
5/12/2025	4:00:00 PM	0.03
5/12/2025	4:15:00 PM	0.02
5/12/2025	4:30:00 PM	0.02
5/12/2025	4:45:00 PM	0.02
5/12/2025	5:00:00 PM	0.02
5/12/2025	5:15:00 PM	0.02
5/12/2025	5:30:00 PM	0.02
5/12/2025	5:45:00 PM	0.02
5/12/2025	6:00:00 PM	0.02
5/12/2025	6:15:00 PM	0.02
5/12/2025	6:30:00 PM	0.02
5/12/2025	6:45:00 PM	0.02
5/12/2025	7:00:00 PM	0.02
5/12/2025	7:15:00 PM	0.02
5/12/2025	7:30:00 PM	0.02
5/12/2025	7:45:00 PM	0.02
5/12/2025	8:00:00 PM	0.02
5/12/2025	8:15:00 PM	0.02
5/12/2025	8:30:00 PM	0.02
5/12/2025	8:45:00 PM	0.02
5/12/2025	9:00:00 PM	0.02
5/12/2025	9:15:00 PM	0.02
5/12/2025	9:30:00 PM	0.02
5/12/2025	9:45:00 PM	0.02
5/12/2025	10:00:00 PM	0.02
5/12/2025	10:15:00 PM	0.02
5/12/2025	10:30:00 PM	0.02
5/12/2025	10:45:00 PM	0.02
5/12/2025	11:00:00 PM	0.02
5/12/2025	11:15:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/12/2025	11:30:00 PM	0.02
5/12/2025	11:45:00 PM	0.02
5/13/2025	12:00:00 AM	0.02
5/13/2025	12:15:00 AM	0.02
5/13/2025	12:30:00 AM	0.02
5/13/2025	12:45:00 AM	0.02
5/13/2025	1:00:00 AM	0.02
5/13/2025	1:15:00 AM	0.02
5/13/2025	1:30:00 AM	0.02
5/13/2025	1:45:00 AM	0.02
5/13/2025	2:00:00 AM	0.02
5/13/2025	2:15:00 AM	0.03
5/13/2025	2:30:00 AM	0.03
5/13/2025	2:45:00 AM	0.03
5/13/2025	3:00:00 AM	0.03
5/13/2025	3:15:00 AM	0.03
5/13/2025	3:30:00 AM	0.03
5/13/2025	3:45:00 AM	0.03
5/13/2025	4:00:00 AM	0.03
5/13/2025	4:15:00 AM	0.03
5/13/2025	4:30:00 AM	0.03
5/13/2025	4:45:00 AM	0.03
5/13/2025	5:00:00 AM	0.03
5/13/2025	5:15:00 AM	0.03
5/13/2025	5:30:00 AM	0.03
5/13/2025	5:45:00 AM	0.03
5/13/2025	6:00:00 AM	0.03
5/13/2025	6:15:00 AM	0.03
5/13/2025	6:30:00 AM	0.03
5/13/2025	6:45:00 AM	0.03
5/13/2025	7:00:00 AM	0.03
5/13/2025	7:15:00 AM	0.03
5/13/2025	7:30:00 AM	0.03
5/13/2025	7:45:00 AM	0.03
5/13/2025	8:00:00 AM	0.03
5/13/2025	8:15:00 AM	0.03
5/13/2025	8:30:00 AM	0.03
5/13/2025	8:45:00 AM	0.03
5/13/2025	9:00:00 AM	0.03
5/13/2025	9:15:00 AM	0.03
5/13/2025	9:30:00 AM	0.03
5/13/2025	9:45:00 AM	0.03
5/13/2025	10:00:00 AM	0.03
5/13/2025	10:15:00 AM	0.03
5/13/2025	10:30:00 AM	0.03
5/13/2025	10:45:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/13/2025	11:00:00 AM	0.03
5/13/2025	11:15:00 AM	0.03
5/13/2025	11:30:00 AM	0.03
5/13/2025	11:45:00 AM	0.02
5/13/2025	12:00:00 PM	0.02
5/13/2025	12:15:00 PM	0.02
5/13/2025	12:30:00 PM	0.02
5/13/2025	12:45:00 PM	0.02
5/13/2025	1:00:00 PM	0.02
5/13/2025	1:15:00 PM	0.03
5/13/2025	1:30:00 PM	0.03
5/13/2025	1:45:00 PM	0.03
5/13/2025	2:00:00 PM	0.04
5/13/2025	2:15:00 PM	0.04
5/13/2025	2:30:00 PM	0.04
5/13/2025	2:45:00 PM	0.04
5/13/2025	3:00:00 PM	0.04
5/13/2025	3:15:00 PM	0.04
5/13/2025	3:30:00 PM	0.04
5/13/2025	3:45:00 PM	0.04
5/13/2025	4:00:00 PM	0.04
5/13/2025	4:15:00 PM	0.04
5/13/2025	4:30:00 PM	0.04
5/13/2025	4:45:00 PM	0.04
5/13/2025	5:00:00 PM	0.04
5/13/2025	5:15:00 PM	0.04
5/13/2025	5:30:00 PM	0.04
5/13/2025	5:45:00 PM	0.04
5/13/2025	6:00:00 PM	0.04
5/13/2025	6:15:00 PM	0.04
5/13/2025	6:30:00 PM	0.04
5/13/2025	6:45:00 PM	0.04
5/13/2025	7:00:00 PM	0.04
5/13/2025	7:15:00 PM	0.04
5/13/2025	7:30:00 PM	0.04
5/13/2025	7:45:00 PM	0.04
5/13/2025	8:00:00 PM	0.04
5/13/2025	8:15:00 PM	0.04
5/13/2025	8:30:00 PM	0.04
5/13/2025	8:45:00 PM	0.04
5/13/2025	9:00:00 PM	0.04
5/13/2025	9:15:00 PM	0.04
5/13/2025	9:30:00 PM	0.04
5/13/2025	9:45:00 PM	0.04
5/13/2025	10:00:00 PM	0.04
5/13/2025	10:15:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/13/2025	10:30:00 PM	0.04
5/13/2025	10:45:00 PM	0.04
5/13/2025	11:00:00 PM	0.04
5/13/2025	11:15:00 PM	0.04
5/13/2025	11:30:00 PM	0.04
5/13/2025	11:45:00 PM	0.04
5/14/2025	12:00:00 AM	0.04
5/14/2025	12:15:00 AM	0.04
5/14/2025	12:30:00 AM	0.04
5/14/2025	12:45:00 AM	0.04
5/14/2025	1:00:00 AM	0.04
5/14/2025	1:15:00 AM	0.04
5/14/2025	1:30:00 AM	0.04
5/14/2025	1:45:00 AM	0.04
5/14/2025	2:00:00 AM	0.04
5/14/2025	2:15:00 AM	0.04
5/14/2025	2:30:00 AM	0.04
5/14/2025	2:45:00 AM	0.04
5/14/2025	3:00:00 AM	0.04
5/14/2025	3:15:00 AM	0.04
5/14/2025	3:30:00 AM	0.04
5/14/2025	3:45:00 AM	0.04
5/14/2025	4:00:00 AM	0.04
5/14/2025	4:15:00 AM	0.04
5/14/2025	4:30:00 AM	0.04
5/14/2025	4:45:00 AM	0.04
5/14/2025	5:00:00 AM	0.04
5/14/2025	5:15:00 AM	0.04
5/14/2025	5:30:00 AM	0.04
5/14/2025	5:45:00 AM	0.04
5/14/2025	6:00:00 AM	0.04
5/14/2025	6:15:00 AM	0.04
5/14/2025	6:30:00 AM	0.04
5/14/2025	6:45:00 AM	0.04
5/14/2025	7:00:00 AM	0.04
5/14/2025	7:15:00 AM	0.04
5/14/2025	7:30:00 AM	0.03
5/14/2025	7:45:00 AM	0.03
5/14/2025	8:00:00 AM	0.03
5/14/2025	8:15:00 AM	0.04
5/14/2025	8:30:00 AM	0.04
5/14/2025	8:45:00 AM	0.04
5/14/2025	9:00:00 AM	0.04
5/14/2025	9:15:00 AM	0.03
5/14/2025	9:30:00 AM	0.03
5/14/2025	9:45:00 AM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/14/2025	10:00:00 AM	0.03
5/14/2025	10:15:00 AM	0.03
5/14/2025	10:30:00 AM	0.03
5/14/2025	10:45:00 AM	0.03
5/14/2025	11:00:00 AM	0.03
5/14/2025	11:15:00 AM	0.03
5/14/2025	11:30:00 AM	0.03
5/14/2025	11:45:00 AM	0.03
5/14/2025	12:00:00 PM	0.03
5/14/2025	12:15:00 PM	0.03
5/14/2025	12:30:00 PM	0.03
5/14/2025	12:45:00 PM	0.03
5/14/2025	1:00:00 PM	0.03
5/14/2025	1:15:00 PM	0.03
5/14/2025	1:30:00 PM	0.03
5/14/2025	1:45:00 PM	0.03
5/14/2025	2:00:00 PM	0.03
5/14/2025	2:15:00 PM	0.03
5/14/2025	2:30:00 PM	0.04
5/14/2025	2:45:00 PM	0.03
5/14/2025	3:00:00 PM	0.03
5/14/2025	3:15:00 PM	0.03
5/14/2025	3:30:00 PM	0.03
5/14/2025	3:45:00 PM	0.03
5/14/2025	4:00:00 PM	0.03
5/14/2025	4:15:00 PM	0.03
5/14/2025	4:30:00 PM	0.03
5/14/2025	4:45:00 PM	0.03
5/14/2025	5:00:00 PM	0.03
5/14/2025	5:15:00 PM	0.03
5/14/2025	5:30:00 PM	0.03
5/14/2025	5:45:00 PM	0.03
5/14/2025	6:00:00 PM	0.03
5/14/2025	6:15:00 PM	0.03
5/14/2025	6:30:00 PM	0.03
5/14/2025	6:45:00 PM	0.03
5/14/2025	7:00:00 PM	0.03
5/14/2025	7:15:00 PM	0.03
5/14/2025	7:30:00 PM	0.03
5/14/2025	7:45:00 PM	0.03
5/14/2025	8:00:00 PM	0.03
5/14/2025	8:15:00 PM	0.03
5/14/2025	8:30:00 PM	0.03
5/14/2025	8:45:00 PM	0.03
5/14/2025	9:00:00 PM	0.03
5/14/2025	9:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/14/2025	9:30:00 PM	0.03
5/14/2025	9:45:00 PM	0.03
5/14/2025	10:00:00 PM	0.03
5/14/2025	10:15:00 PM	0.03
5/14/2025	10:30:00 PM	0.03
5/14/2025	10:45:00 PM	0.03
5/14/2025	11:00:00 PM	0.03
5/14/2025	11:15:00 PM	0.03
5/14/2025	11:30:00 PM	0.03
5/14/2025	11:45:00 PM	0.04
5/15/2025	12:00:00 AM	0.04
5/15/2025	12:15:00 AM	0.04
5/15/2025	12:30:00 AM	0.04
5/15/2025	12:45:00 AM	0.05
5/15/2025	1:00:00 AM	0.05
5/15/2025	1:15:00 AM	0.05
5/15/2025	1:30:00 AM	0.05
5/15/2025	1:45:00 AM	0.05
5/15/2025	2:00:00 AM	0.05
5/15/2025	2:15:00 AM	0.05
5/15/2025	2:30:00 AM	0.06
5/15/2025	2:45:00 AM	0.06
5/15/2025	3:00:00 AM	0.06
5/15/2025	3:15:00 AM	0.06
5/15/2025	3:30:00 AM	0.06
5/15/2025	3:45:00 AM	0.06
5/15/2025	4:00:00 AM	0.06
5/15/2025	4:15:00 AM	0.06
5/15/2025	4:30:00 AM	0.06
5/15/2025	4:45:00 AM	0.06
5/15/2025	5:00:00 AM	0.06
5/15/2025	5:15:00 AM	0.06
5/15/2025	5:30:00 AM	0.06
5/15/2025	5:45:00 AM	0.06
5/15/2025	6:00:00 AM	0.06
5/15/2025	6:15:00 AM	0.06
5/15/2025	6:30:00 AM	0.07
5/15/2025	6:45:00 AM	0.07
5/15/2025	7:00:00 AM	0.06
5/15/2025	7:15:00 AM	0.06
5/15/2025	7:30:00 AM	0.06
5/15/2025	7:45:00 AM	0.06
5/15/2025	8:00:00 AM	0.06
5/15/2025	8:15:00 AM	0.06
5/15/2025	8:30:00 AM	0.06
5/15/2025	8:45:00 AM	0.06

Georges Ditch Return Gage

DATE	TIME	GAGE
5/15/2025	9:00:00 AM	0.06
5/15/2025	9:15:00 AM	0.06
5/15/2025	9:30:00 AM	0.06
5/15/2025	9:45:00 AM	0.06
5/15/2025	10:00:00 AM	0.06
5/15/2025	10:15:00 AM	0.07
5/15/2025	10:30:00 AM	0.06
5/15/2025	10:45:00 AM	0.07
5/15/2025	11:00:00 AM	0.06
5/15/2025	11:15:00 AM	0.06
5/15/2025	11:30:00 AM	0.06
5/15/2025	11:45:00 AM	0.06
5/15/2025	12:00:00 PM	0.07
5/15/2025	12:15:00 PM	0.07
5/15/2025	12:30:00 PM	0.07
5/15/2025	12:45:00 PM	0.06
5/15/2025	1:00:00 PM	0.06
5/15/2025	1:15:00 PM	0.06
5/15/2025	1:30:00 PM	0.06
5/15/2025	1:45:00 PM	0.06
5/15/2025	2:00:00 PM	0.06
5/15/2025	2:15:00 PM	0.06
5/15/2025	2:30:00 PM	0.06
5/15/2025	2:45:00 PM	0.06
5/15/2025	3:00:00 PM	0.06
5/15/2025	3:15:00 PM	0.06
5/15/2025	3:30:00 PM	0.06
5/15/2025	3:45:00 PM	0.06
5/15/2025	4:00:00 PM	0.06
5/15/2025	4:15:00 PM	0.06
5/15/2025	4:30:00 PM	0.06
5/15/2025	4:45:00 PM	0.06
5/15/2025	5:00:00 PM	0.06
5/15/2025	5:15:00 PM	0.06
5/15/2025	5:30:00 PM	0.07
5/15/2025	5:45:00 PM	0.07
5/15/2025	6:00:00 PM	0.07
5/15/2025	6:15:00 PM	0.07
5/15/2025	6:30:00 PM	0.07
5/15/2025	6:45:00 PM	0.07
5/15/2025	7:00:00 PM	0.07
5/15/2025	7:15:00 PM	0.07
5/15/2025	7:30:00 PM	0.07
5/15/2025	7:45:00 PM	0.07
5/15/2025	8:00:00 PM	0.07
5/15/2025	8:15:00 PM	0.07

Georges Ditch Return Gage

DATE	TIME	GAGE
5/15/2025	8:30:00 PM	0.07
5/15/2025	8:45:00 PM	0.07
5/15/2025	9:00:00 PM	0.07
5/15/2025	9:15:00 PM	0.07
5/15/2025	9:30:00 PM	0.07
5/15/2025	9:45:00 PM	0.07
5/15/2025	10:00:00 PM	0.07
5/15/2025	10:15:00 PM	0.07
5/15/2025	10:30:00 PM	0.07
5/15/2025	10:45:00 PM	0.07
5/15/2025	11:00:00 PM	0.07
5/15/2025	11:15:00 PM	0.07
5/15/2025	11:30:00 PM	0.07
5/15/2025	11:45:00 PM	0.07
5/16/2025	12:00:00 AM	0.07
5/16/2025	12:15:00 AM	0.07
5/16/2025	12:30:00 AM	0.07
5/16/2025	12:45:00 AM	0.07
5/16/2025	1:00:00 AM	0.07
5/16/2025	1:15:00 AM	0.07
5/16/2025	1:30:00 AM	0.07
5/16/2025	1:45:00 AM	0.07
5/16/2025	2:00:00 AM	0.07
5/16/2025	2:15:00 AM	0.06
5/16/2025	2:30:00 AM	0.07
5/16/2025	2:45:00 AM	0.06
5/16/2025	3:00:00 AM	0.06
5/16/2025	3:15:00 AM	0.06
5/16/2025	3:30:00 AM	0.06
5/16/2025	3:45:00 AM	0.06
5/16/2025	4:00:00 AM	0.06
5/16/2025	4:15:00 AM	0.06
5/16/2025	4:30:00 AM	0.06
5/16/2025	4:45:00 AM	0.06
5/16/2025	5:00:00 AM	0.06
5/16/2025	5:15:00 AM	0.06
5/16/2025	5:30:00 AM	0.05
5/16/2025	5:45:00 AM	0.05
5/16/2025	6:00:00 AM	0.05
5/16/2025	6:15:00 AM	0.05
5/16/2025	6:30:00 AM	0.05
5/16/2025	6:45:00 AM	0.05
5/16/2025	7:00:00 AM	0.05
5/16/2025	7:15:00 AM	0.05
5/16/2025	7:30:00 AM	0.05
5/16/2025	7:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/16/2025	8:00:00 AM	0.04
5/16/2025	8:15:00 AM	0.04
5/16/2025	8:30:00 AM	0.04
5/16/2025	8:45:00 AM	0.04
5/16/2025	9:00:00 AM	0.04
5/16/2025	9:15:00 AM	0.04
5/16/2025	9:30:00 AM	0.05
5/16/2025	9:45:00 AM	0.04
5/16/2025	10:00:00 AM	0.04
5/16/2025	10:15:00 AM	0.04
5/16/2025	10:30:00 AM	0.05
5/16/2025	10:45:00 AM	0.05
5/16/2025	11:00:00 AM	0.05
5/16/2025	11:15:00 AM	0.05
5/16/2025	11:30:00 AM	0.06
5/16/2025	11:45:00 AM	0.06
5/16/2025	12:00:00 PM	0.06
5/16/2025	12:15:00 PM	0.06
5/16/2025	12:30:00 PM	0.06
5/16/2025	12:45:00 PM	0.06
5/16/2025	1:00:00 PM	0.06
5/16/2025	1:15:00 PM	0.04
5/16/2025	1:30:00 PM	0.06
5/16/2025	1:45:00 PM	0.06
5/16/2025	2:00:00 PM	0.06
5/16/2025	2:15:00 PM	0.06
5/16/2025	2:30:00 PM	0.06
5/16/2025	2:45:00 PM	0.06
5/16/2025	3:00:00 PM	0.06
5/16/2025	3:15:00 PM	0.06
5/16/2025	3:30:00 PM	0.06
5/16/2025	3:45:00 PM	0.06
5/16/2025	4:00:00 PM	0.06
5/16/2025	4:15:00 PM	0.06
5/16/2025	4:30:00 PM	0.05
5/16/2025	4:45:00 PM	0.05
5/16/2025	5:00:00 PM	0.05
5/16/2025	5:15:00 PM	0.05
5/16/2025	5:30:00 PM	0.05
5/16/2025	5:45:00 PM	0.05
5/16/2025	6:00:00 PM	0.05
5/16/2025	6:15:00 PM	0.05
5/16/2025	6:30:00 PM	0.05
5/16/2025	6:45:00 PM	0.05
5/16/2025	7:00:00 PM	0.05
5/16/2025	7:15:00 PM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/16/2025	7:30:00 PM	0.05
5/16/2025	7:45:00 PM	0.05
5/16/2025	8:00:00 PM	0.05
5/16/2025	8:15:00 PM	0.05
5/16/2025	8:30:00 PM	0.05
5/16/2025	8:45:00 PM	0.05
5/16/2025	9:00:00 PM	0.05
5/16/2025	9:15:00 PM	0.05
5/16/2025	9:30:00 PM	0.05
5/16/2025	9:45:00 PM	0.05
5/16/2025	10:00:00 PM	0.05
5/16/2025	10:15:00 PM	0.05
5/16/2025	10:30:00 PM	0.05
5/16/2025	10:45:00 PM	0.05
5/16/2025	11:00:00 PM	0.05
5/16/2025	11:15:00 PM	0.05
5/16/2025	11:30:00 PM	0.05
5/16/2025	11:45:00 PM	0.05
5/17/2025	12:00:00 AM	0.05
5/17/2025	12:15:00 AM	0.05
5/17/2025	12:30:00 AM	0.05
5/17/2025	12:45:00 AM	0.05
5/17/2025	1:00:00 AM	0.05
5/17/2025	1:15:00 AM	0.05
5/17/2025	1:30:00 AM	0.05
5/17/2025	1:45:00 AM	0.05
5/17/2025	2:00:00 AM	0.05
5/17/2025	2:15:00 AM	0.05
5/17/2025	2:30:00 AM	0.05
5/17/2025	2:45:00 AM	0.05
5/17/2025	3:00:00 AM	0.05
5/17/2025	3:15:00 AM	0.05
5/17/2025	3:30:00 AM	0.05
5/17/2025	3:45:00 AM	0.05
5/17/2025	4:00:00 AM	0.05
5/17/2025	4:15:00 AM	0.05
5/17/2025	4:30:00 AM	0.05
5/17/2025	4:45:00 AM	0.05
5/17/2025	5:00:00 AM	0.05
5/17/2025	5:15:00 AM	0.05
5/17/2025	5:30:00 AM	0.05
5/17/2025	5:45:00 AM	0.05
5/17/2025	6:00:00 AM	0.05
5/17/2025	6:15:00 AM	0.05
5/17/2025	6:30:00 AM	0.05
5/17/2025	6:45:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/17/2025	7:00:00 AM	0.05
5/17/2025	7:15:00 AM	0.05
5/17/2025	7:30:00 AM	0.05
5/17/2025	7:45:00 AM	0.05
5/17/2025	8:00:00 AM	0.05
5/17/2025	8:15:00 AM	0.05
5/17/2025	8:30:00 AM	0.05
5/17/2025	8:45:00 AM	0.05
5/17/2025	9:00:00 AM	0.05
5/17/2025	9:15:00 AM	0.05
5/17/2025	9:30:00 AM	0.05
5/17/2025	9:45:00 AM	0.05
5/17/2025	10:00:00 AM	0.05
5/17/2025	10:15:00 AM	0.05
5/17/2025	10:30:00 AM	0.05
5/17/2025	10:45:00 AM	0.05
5/17/2025	11:00:00 AM	0.05
5/17/2025	11:15:00 AM	0.05
5/17/2025	11:30:00 AM	0.05
5/17/2025	11:45:00 AM	0.05
5/17/2025	12:00:00 PM	0.04
5/17/2025	12:15:00 PM	0.04
5/17/2025	12:30:00 PM	0.04
5/17/2025	12:45:00 PM	0.04
5/17/2025	1:00:00 PM	0.04
5/17/2025	1:15:00 PM	0.04
5/17/2025	1:30:00 PM	0.04
5/17/2025	1:45:00 PM	0.04
5/17/2025	2:00:00 PM	0.04
5/17/2025	2:15:00 PM	0.04
5/17/2025	2:30:00 PM	0.04
5/17/2025	2:45:00 PM	0.04
5/17/2025	3:00:00 PM	0.04
5/17/2025	3:15:00 PM	0.04
5/17/2025	3:30:00 PM	0.04
5/17/2025	3:45:00 PM	0.04
5/17/2025	4:00:00 PM	0.04
5/17/2025	4:15:00 PM	0.04
5/17/2025	4:30:00 PM	0.04
5/17/2025	4:45:00 PM	0.04
5/17/2025	5:00:00 PM	0.04
5/17/2025	5:15:00 PM	0.04
5/17/2025	5:30:00 PM	0.04
5/17/2025	5:45:00 PM	0.04
5/17/2025	6:00:00 PM	0.04
5/17/2025	6:15:00 PM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/17/2025	6:30:00 PM	0.04
5/17/2025	6:45:00 PM	0.04
5/17/2025	7:00:00 PM	0.05
5/17/2025	7:15:00 PM	0.05
5/17/2025	7:30:00 PM	0.05
5/17/2025	7:45:00 PM	0.05
5/17/2025	8:00:00 PM	0.05
5/17/2025	8:15:00 PM	0.05
5/17/2025	8:30:00 PM	0.05
5/17/2025	8:45:00 PM	0.05
5/17/2025	9:00:00 PM	0.05
5/17/2025	9:15:00 PM	0.05
5/17/2025	9:30:00 PM	0.05
5/17/2025	9:45:00 PM	0.05
5/17/2025	10:00:00 PM	0.05
5/17/2025	10:15:00 PM	0.05
5/17/2025	10:30:00 PM	0.05
5/17/2025	10:45:00 PM	0.05
5/17/2025	11:00:00 PM	0.05
5/17/2025	11:15:00 PM	0.05
5/17/2025	11:30:00 PM	0.05
5/17/2025	11:45:00 PM	0.05
5/18/2025	12:00:00 AM	0.05
5/18/2025	12:15:00 AM	0.05
5/18/2025	12:30:00 AM	0.05
5/18/2025	12:45:00 AM	0.05
5/18/2025	1:00:00 AM	0.05
5/18/2025	1:15:00 AM	0.05
5/18/2025	1:30:00 AM	0.05
5/18/2025	1:45:00 AM	0.05
5/18/2025	2:00:00 AM	0.05
5/18/2025	2:15:00 AM	0.05
5/18/2025	2:30:00 AM	0.05
5/18/2025	2:45:00 AM	0.05
5/18/2025	3:00:00 AM	0.04
5/18/2025	3:15:00 AM	0.05
5/18/2025	3:30:00 AM	0.05
5/18/2025	3:45:00 AM	0.04
5/18/2025	4:00:00 AM	0.05
5/18/2025	4:15:00 AM	0.05
5/18/2025	4:30:00 AM	0.04
5/18/2025	4:45:00 AM	0.05
5/18/2025	5:00:00 AM	0.05
5/18/2025	5:15:00 AM	0.05
5/18/2025	5:30:00 AM	0.05
5/18/2025	5:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/18/2025	6:00:00 AM	0.04
5/18/2025	6:15:00 AM	0.05
5/18/2025	6:30:00 AM	0.04
5/18/2025	6:45:00 AM	0.04
5/18/2025	7:00:00 AM	0.04
5/18/2025	7:15:00 AM	0.04
5/18/2025	7:30:00 AM	0.04
5/18/2025	7:45:00 AM	0.04
5/18/2025	8:00:00 AM	0.04
5/18/2025	8:15:00 AM	0.04
5/18/2025	8:30:00 AM	0.04
5/18/2025	8:45:00 AM	0.04
5/18/2025	9:00:00 AM	0.04
5/18/2025	9:15:00 AM	0.04
5/18/2025	9:30:00 AM	0.04
5/18/2025	9:45:00 AM	0.04
5/18/2025	10:00:00 AM	0.04
5/18/2025	10:15:00 AM	0.04
5/18/2025	10:30:00 AM	0.04
5/18/2025	10:45:00 AM	0.04
5/18/2025	11:00:00 AM	0.04
5/18/2025	11:15:00 AM	0.04
5/18/2025	11:30:00 AM	0.04
5/18/2025	11:45:00 AM	0.04
5/18/2025	12:00:00 PM	0.04
5/18/2025	12:15:00 PM	0.04
5/18/2025	12:30:00 PM	0.04
5/18/2025	12:45:00 PM	0.04
5/18/2025	1:00:00 PM	0.03
5/18/2025	1:15:00 PM	0.04
5/18/2025	1:30:00 PM	0.04
5/18/2025	1:45:00 PM	0.03
5/18/2025	2:00:00 PM	0.04
5/18/2025	2:15:00 PM	0.03
5/18/2025	2:30:00 PM	0.03
5/18/2025	2:45:00 PM	0.03
5/18/2025	3:00:00 PM	0.03
5/18/2025	3:15:00 PM	0.03
5/18/2025	3:30:00 PM	0.03
5/18/2025	3:45:00 PM	0.03
5/18/2025	4:00:00 PM	0.03
5/18/2025	4:15:00 PM	0.03
5/18/2025	4:30:00 PM	0.03
5/18/2025	4:45:00 PM	0.03
5/18/2025	5:00:00 PM	0.03
5/18/2025	5:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/18/2025	5:30:00 PM	0.03
5/18/2025	5:45:00 PM	0.03
5/18/2025	6:00:00 PM	0.03
5/18/2025	6:15:00 PM	0.03
5/18/2025	6:30:00 PM	0.03
5/18/2025	6:45:00 PM	0.03
5/18/2025	7:00:00 PM	0.03
5/18/2025	7:15:00 PM	0.04
5/18/2025	7:30:00 PM	0.04
5/18/2025	7:45:00 PM	0.03
5/18/2025	8:00:00 PM	0.04
5/18/2025	8:15:00 PM	0.04
5/18/2025	8:30:00 PM	0.04
5/18/2025	8:45:00 PM	0.04
5/18/2025	9:00:00 PM	0.04
5/18/2025	9:15:00 PM	0.04
5/18/2025	9:30:00 PM	0.04
5/18/2025	9:45:00 PM	0.04
5/18/2025	10:00:00 PM	0.04
5/18/2025	10:15:00 PM	0.04
5/18/2025	10:30:00 PM	0.04
5/18/2025	10:45:00 PM	0.04
5/18/2025	11:00:00 PM	0.04
5/18/2025	11:15:00 PM	0.04
5/18/2025	11:30:00 PM	0.04
5/18/2025	11:45:00 PM	0.04
5/19/2025	12:00:00 AM	0.04
5/19/2025	12:15:00 AM	0.04
5/19/2025	12:30:00 AM	0.04
5/19/2025	12:45:00 AM	0.04
5/19/2025	1:00:00 AM	0.04
5/19/2025	1:15:00 AM	0.04
5/19/2025	1:30:00 AM	0.04
5/19/2025	1:45:00 AM	0.04
5/19/2025	2:00:00 AM	0.05
5/19/2025	2:15:00 AM	0.04
5/19/2025	2:30:00 AM	0.05
5/19/2025	2:45:00 AM	0.05
5/19/2025	3:00:00 AM	0.05
5/19/2025	3:15:00 AM	0.05
5/19/2025	3:30:00 AM	0.05
5/19/2025	3:45:00 AM	0.05
5/19/2025	4:00:00 AM	0.05
5/19/2025	4:15:00 AM	0.05
5/19/2025	4:30:00 AM	0.05
5/19/2025	4:45:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/19/2025	5:00:00 AM	0.05
5/19/2025	5:15:00 AM	0.05
5/19/2025	5:30:00 AM	0.05
5/19/2025	5:45:00 AM	0.05
5/19/2025	6:00:00 AM	0.05
5/19/2025	6:15:00 AM	0.05
5/19/2025	6:30:00 AM	0.05
5/19/2025	6:45:00 AM	0.05
5/19/2025	7:00:00 AM	0.04
5/19/2025	7:15:00 AM	0.04
5/19/2025	7:30:00 AM	0.04
5/19/2025	7:45:00 AM	0.04
5/19/2025	8:00:00 AM	0.04
5/19/2025	8:15:00 AM	0.04
5/19/2025	8:30:00 AM	0.04
5/19/2025	8:45:00 AM	0.04
5/19/2025	9:00:00 AM	0.04
5/19/2025	9:15:00 AM	0.04
5/19/2025	9:30:00 AM	0.04
5/19/2025	9:45:00 AM	0.04
5/19/2025	10:00:00 AM	0.04
5/19/2025	10:15:00 AM	0.04
5/19/2025	10:30:00 AM	0.04
5/19/2025	10:45:00 AM	0.04
5/19/2025	11:00:00 AM	0.04
5/19/2025	11:15:00 AM	0.04
5/19/2025	11:30:00 AM	0.04
5/19/2025	11:45:00 AM	0.04
5/19/2025	12:00:00 PM	0.04
5/19/2025	12:15:00 PM	0.04
5/19/2025	12:30:00 PM	0.04
5/19/2025	12:45:00 PM	0.04
5/19/2025	1:00:00 PM	0.04
5/19/2025	1:15:00 PM	0.03
5/19/2025	1:30:00 PM	0.03
5/19/2025	1:45:00 PM	0.03
5/19/2025	2:00:00 PM	0.03
5/19/2025	2:15:00 PM	0.03
5/19/2025	2:30:00 PM	0.03
5/19/2025	2:45:00 PM	0.03
5/19/2025	3:00:00 PM	0.03
5/19/2025	3:15:00 PM	0.03
5/19/2025	3:30:00 PM	0.03
5/19/2025	3:45:00 PM	0.03
5/19/2025	4:00:00 PM	0.03
5/19/2025	4:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/19/2025	4:30:00 PM	0.03
5/19/2025	4:45:00 PM	0.03
5/19/2025	5:00:00 PM	0.03
5/19/2025	5:15:00 PM	0.02
5/19/2025	5:30:00 PM	0.03
5/19/2025	5:45:00 PM	0.03
5/19/2025	6:00:00 PM	0.03
5/19/2025	6:15:00 PM	0.02
5/19/2025	6:30:00 PM	0.02
5/19/2025	6:45:00 PM	0.02
5/19/2025	7:00:00 PM	0.02
5/19/2025	7:15:00 PM	0.02
5/19/2025	7:30:00 PM	0.02
5/19/2025	7:45:00 PM	0.03
5/19/2025	8:00:00 PM	0.03
5/19/2025	8:15:00 PM	0.03
5/19/2025	8:30:00 PM	0.03
5/19/2025	8:45:00 PM	0.03
5/19/2025	9:00:00 PM	0.03
5/19/2025	9:15:00 PM	0.03
5/19/2025	9:30:00 PM	0.03
5/19/2025	9:45:00 PM	0.03
5/19/2025	10:00:00 PM	0.03
5/19/2025	10:15:00 PM	0.03
5/19/2025	10:30:00 PM	0.03
5/19/2025	10:45:00 PM	0.04
5/19/2025	11:00:00 PM	0.04
5/19/2025	11:15:00 PM	0.04
5/19/2025	11:30:00 PM	0.04
5/19/2025	11:45:00 PM	0.04
5/20/2025	12:00:00 AM	0.04
5/20/2025	12:15:00 AM	0.04
5/20/2025	12:30:00 AM	0.04
5/20/2025	12:45:00 AM	0.04
5/20/2025	1:00:00 AM	0.04
5/20/2025	1:15:00 AM	0.04
5/20/2025	1:30:00 AM	0.04
5/20/2025	1:45:00 AM	0.04
5/20/2025	2:00:00 AM	0.04
5/20/2025	2:15:00 AM	0.04
5/20/2025	2:30:00 AM	0.04
5/20/2025	2:45:00 AM	0.04
5/20/2025	3:00:00 AM	0.04
5/20/2025	3:15:00 AM	0.04
5/20/2025	3:30:00 AM	0.04
5/20/2025	3:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/20/2025	4:00:00 AM	0.04
5/20/2025	4:15:00 AM	0.04
5/20/2025	4:30:00 AM	0.04
5/20/2025	4:45:00 AM	0.04
5/20/2025	5:00:00 AM	0.04
5/20/2025	5:15:00 AM	0.04
5/20/2025	5:30:00 AM	0.04
5/20/2025	5:45:00 AM	0.04
5/20/2025	6:00:00 AM	0.04
5/20/2025	6:15:00 AM	0.04
5/20/2025	6:30:00 AM	0.04
5/20/2025	6:45:00 AM	0.03
5/20/2025	7:00:00 AM	0.03
5/20/2025	7:15:00 AM	0.03
5/20/2025	7:30:00 AM	0.03
5/20/2025	7:45:00 AM	0.03
5/20/2025	8:00:00 AM	0.03
5/20/2025	8:15:00 AM	0.03
5/20/2025	8:30:00 AM	0.03
5/20/2025	8:45:00 AM	0.03
5/20/2025	9:00:00 AM	0.03
5/20/2025	9:15:00 AM	0.03
5/20/2025	9:30:00 AM	0.03
5/20/2025	9:45:00 AM	0.03
5/20/2025	10:00:00 AM	0.03
5/20/2025	10:15:00 AM	0.03
5/20/2025	10:30:00 AM	0.03
5/20/2025	10:45:00 AM	0.03
5/20/2025	11:00:00 AM	0.03
5/20/2025	11:15:00 AM	0.03
5/20/2025	11:30:00 AM	0.03
5/20/2025	11:45:00 AM	0.03
5/20/2025	12:00:00 PM	0.03
5/20/2025	12:15:00 PM	0.03
5/20/2025	12:30:00 PM	0.03
5/20/2025	12:45:00 PM	0.03
5/20/2025	1:00:00 PM	0.03
5/20/2025	1:15:00 PM	0.03
5/20/2025	1:30:00 PM	0.03
5/20/2025	1:45:00 PM	0.03
5/20/2025	2:00:00 PM	0.03
5/20/2025	2:15:00 PM	0.03
5/20/2025	2:30:00 PM	0.03
5/20/2025	2:45:00 PM	0.03
5/20/2025	3:00:00 PM	0.03
5/20/2025	3:15:00 PM	0.03

Georges Ditch Return Gage

DATE	TIME	GAGE
5/20/2025	3:30:00 PM	0.03
5/20/2025	3:45:00 PM	0.03
5/20/2025	4:00:00 PM	0.03
5/20/2025	4:15:00 PM	0.03
5/20/2025	4:30:00 PM	0.02
5/20/2025	4:45:00 PM	0.03
5/20/2025	5:00:00 PM	0.02
5/20/2025	5:15:00 PM	0.02
5/20/2025	5:30:00 PM	0.02
5/20/2025	5:45:00 PM	0.02
5/20/2025	6:00:00 PM	0.02
5/20/2025	6:15:00 PM	0.02
5/20/2025	6:30:00 PM	0.02
5/20/2025	6:45:00 PM	0.02
5/20/2025	7:00:00 PM	0.02
5/20/2025	7:15:00 PM	0.02
5/20/2025	7:30:00 PM	0.02
5/20/2025	7:45:00 PM	0.02
5/20/2025	8:00:00 PM	0.02
5/20/2025	8:15:00 PM	0.02
5/20/2025	8:30:00 PM	0.03
5/20/2025	8:45:00 PM	0.02
5/20/2025	9:00:00 PM	0.03
5/20/2025	9:15:00 PM	0.03
5/20/2025	9:30:00 PM	0.03
5/20/2025	9:45:00 PM	0.03
5/20/2025	10:00:00 PM	0.03
5/20/2025	10:15:00 PM	0.03
5/20/2025	10:30:00 PM	0.03
5/20/2025	10:45:00 PM	0.03
5/20/2025	11:00:00 PM	0.03
5/20/2025	11:15:00 PM	0.03
5/20/2025	11:30:00 PM	0.03
5/20/2025	11:45:00 PM	0.03
5/21/2025	12:00:00 AM	0.04
5/21/2025	12:15:00 AM	0.04
5/21/2025	12:30:00 AM	0.04
5/21/2025	12:45:00 AM	0.04
5/21/2025	1:00:00 AM	0.04
5/21/2025	1:15:00 AM	0.04
5/21/2025	1:30:00 AM	0.04
5/21/2025	1:45:00 AM	0.04
5/21/2025	2:00:00 AM	0.04
5/21/2025	2:15:00 AM	0.04
5/21/2025	2:30:00 AM	0.04
5/21/2025	2:45:00 AM	0.04

Georges Ditch Return Gage

DATE	TIME	GAGE
5/21/2025	3:00:00 AM	0.04
5/21/2025	3:15:00 AM	0.04
5/21/2025	3:30:00 AM	0.04
5/21/2025	3:45:00 AM	0.04
5/21/2025	4:00:00 AM	0.04
5/21/2025	4:15:00 AM	0.04
5/21/2025	4:30:00 AM	0.04
5/21/2025	4:45:00 AM	0.04
5/21/2025	5:00:00 AM	0.04
5/21/2025	5:15:00 AM	0.03
5/21/2025	5:30:00 AM	0.04
5/21/2025	5:45:00 AM	0.03
5/21/2025	6:00:00 AM	0.04
5/21/2025	6:15:00 AM	0.04
5/21/2025	6:30:00 AM	0.03
5/21/2025	6:45:00 AM	0.04
5/21/2025	7:00:00 AM	0.03
5/21/2025	7:15:00 AM	0.03
5/21/2025	7:30:00 AM	0.04
5/21/2025	7:45:00 AM	0.03
5/21/2025	8:00:00 AM	0.03
5/21/2025	8:15:00 AM	0.03
5/21/2025	8:30:00 AM	0.03
5/21/2025	8:45:00 AM	0.03
5/21/2025	9:00:00 AM	0.03
5/21/2025	9:15:00 AM	0.03
5/21/2025	9:30:00 AM	0.03
5/21/2025	9:45:00 AM	0.03
5/21/2025	10:00:00 AM	0.03
5/21/2025	10:15:00 AM	0.03
5/21/2025	10:30:00 AM	0.03
5/21/2025	10:45:00 AM	0.03
5/21/2025	11:00:00 AM	0.03
5/21/2025	11:15:00 AM	0.03
5/21/2025	11:30:00 AM	0.03
5/21/2025	11:45:00 AM	0.03
5/21/2025	12:00:00 PM	0.03
5/21/2025	12:15:00 PM	0.03
5/21/2025	12:30:00 PM	0.03
5/21/2025	12:45:00 PM	0.02
5/21/2025	1:00:00 PM	0.02
5/21/2025	1:15:00 PM	0.02
5/21/2025	1:30:00 PM	0.02
5/21/2025	1:45:00 PM	0.02
5/21/2025	2:00:00 PM	0.02
5/21/2025	2:15:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/21/2025	2:30:00 PM	0.02
5/21/2025	2:45:00 PM	0.02
5/21/2025	3:00:00 PM	0.02
5/21/2025	3:15:00 PM	0.02
5/21/2025	3:30:00 PM	0.01
5/21/2025	3:45:00 PM	0.01
5/21/2025	4:00:00 PM	0.01
5/21/2025	4:15:00 PM	0.01
5/21/2025	4:30:00 PM	0.01
5/21/2025	4:45:00 PM	0.01
5/21/2025	5:00:00 PM	0.01
5/21/2025	5:15:00 PM	0.01
5/21/2025	5:30:00 PM	0.01
5/21/2025	5:45:00 PM	0.01
5/21/2025	6:00:00 PM	0.01
5/21/2025	6:15:00 PM	0.01
5/21/2025	6:30:00 PM	0.01
5/21/2025	6:45:00 PM	0.01
5/21/2025	7:00:00 PM	0.01
5/21/2025	7:15:00 PM	0.01
5/21/2025	7:30:00 PM	0.01
5/21/2025	7:45:00 PM	0.01
5/21/2025	8:00:00 PM	0.01
5/21/2025	8:15:00 PM	0.01
5/21/2025	8:30:00 PM	0.01
5/21/2025	8:45:00 PM	0.01
5/21/2025	9:00:00 PM	0.01
5/21/2025	9:15:00 PM	0.01
5/21/2025	9:30:00 PM	0.01
5/21/2025	9:45:00 PM	0.01
5/21/2025	10:00:00 PM	0.01
5/21/2025	10:15:00 PM	0.01
5/21/2025	10:30:00 PM	0.01
5/21/2025	10:45:00 PM	0.01
5/21/2025	11:00:00 PM	0.01
5/21/2025	11:15:00 PM	0.01
5/21/2025	11:30:00 PM	0.01
5/21/2025	11:45:00 PM	0.01
5/22/2025	12:00:00 AM	0.01
5/22/2025	12:15:00 AM	0.01
5/22/2025	12:30:00 AM	0.01
5/22/2025	12:45:00 AM	0.01
5/22/2025	1:00:00 AM	0.02
5/22/2025	1:15:00 AM	0.01
5/22/2025	1:30:00 AM	0.01
5/22/2025	1:45:00 AM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/22/2025	2:00:00 AM	0.01
5/22/2025	2:15:00 AM	0.01
5/22/2025	2:30:00 AM	0.01
5/22/2025	2:45:00 AM	0.01
5/22/2025	3:00:00 AM	0.01
5/22/2025	3:15:00 AM	0.01
5/22/2025	3:30:00 AM	0.01
5/22/2025	3:45:00 AM	0.02
5/22/2025	4:00:00 AM	0.01
5/22/2025	4:15:00 AM	0.02
5/22/2025	4:30:00 AM	0.02
5/22/2025	4:45:00 AM	0.02
5/22/2025	5:00:00 AM	0.02
5/22/2025	5:15:00 AM	0.02
5/22/2025	5:30:00 AM	0.02
5/22/2025	5:45:00 AM	0.02
5/22/2025	6:00:00 AM	0.02
5/22/2025	6:15:00 AM	0.02
5/22/2025	6:30:00 AM	0.02
5/22/2025	6:45:00 AM	0.02
5/22/2025	7:00:00 AM	0.02
5/22/2025	7:15:00 AM	0.02
5/22/2025	7:30:00 AM	0.02
5/22/2025	7:45:00 AM	0.02
5/22/2025	8:00:00 AM	0.02
5/22/2025	8:15:00 AM	0.02
5/22/2025	8:30:00 AM	0.02
5/22/2025	8:45:00 AM	0.02
5/22/2025	9:00:00 AM	0.02
5/22/2025	9:15:00 AM	0.02
5/22/2025	9:30:00 AM	0.02
5/22/2025	9:45:00 AM	0.02
5/22/2025	10:00:00 AM	0.02
5/22/2025	10:15:00 AM	0.02
5/22/2025	10:30:00 AM	0.02
5/22/2025	10:45:00 AM	0.02
5/22/2025	11:00:00 AM	0.02
5/22/2025	11:15:00 AM	0.02
5/22/2025	11:30:00 AM	0.02
5/22/2025	11:45:00 AM	0.02
5/22/2025	12:00:00 PM	0.01
5/22/2025	12:15:00 PM	0.02
5/22/2025	12:30:00 PM	0.02
5/22/2025	12:45:00 PM	0.02
5/22/2025	1:00:00 PM	0.02
5/22/2025	1:15:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/22/2025	1:30:00 PM	0.02
5/22/2025	1:45:00 PM	0.02
5/22/2025	2:00:00 PM	0.02
5/22/2025	2:15:00 PM	0.02
5/22/2025	2:30:00 PM	0.02
5/22/2025	2:45:00 PM	0.01
5/22/2025	3:00:00 PM	0.02
5/22/2025	3:15:00 PM	0.02
5/22/2025	3:30:00 PM	0.01
5/22/2025	3:45:00 PM	0.01
5/22/2025	4:00:00 PM	0.01
5/22/2025	4:15:00 PM	0.01
5/22/2025	4:30:00 PM	0.01
5/22/2025	4:45:00 PM	0.01
5/22/2025	5:00:00 PM	0.01
5/22/2025	5:15:00 PM	0.01
5/22/2025	5:30:00 PM	0.01
5/22/2025	5:45:00 PM	0.01
5/22/2025	6:00:00 PM	0.01
5/22/2025	6:15:00 PM	0.01
5/22/2025	6:30:00 PM	0.01
5/22/2025	6:45:00 PM	0.01
5/22/2025	7:00:00 PM	0.01
5/22/2025	7:15:00 PM	0.01
5/22/2025	7:30:00 PM	0.01
5/22/2025	7:45:00 PM	0.01
5/22/2025	8:00:00 PM	0.01
5/22/2025	8:15:00 PM	0.01
5/22/2025	8:30:00 PM	0.01
5/22/2025	8:45:00 PM	0.01
5/22/2025	9:00:00 PM	0.01
5/22/2025	9:15:00 PM	0.01
5/22/2025	9:30:00 PM	0.01
5/22/2025	9:45:00 PM	0.01
5/22/2025	10:00:00 PM	0.01
5/22/2025	10:15:00 PM	0.01
5/22/2025	10:30:00 PM	0.01
5/22/2025	10:45:00 PM	0.01
5/22/2025	11:00:00 PM	0.01
5/22/2025	11:15:00 PM	0.01
5/22/2025	11:30:00 PM	0.01
5/22/2025	11:45:00 PM	0.01
5/23/2025	12:00:00 AM	0.01
5/23/2025	12:15:00 AM	0.01
5/23/2025	12:30:00 AM	0.01
5/23/2025	12:45:00 AM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/23/2025	1:00:00 AM	0.01
5/23/2025	1:15:00 AM	0.01
5/23/2025	1:30:00 AM	0.01
5/23/2025	1:45:00 AM	0.01
5/23/2025	2:00:00 AM	0.01
5/23/2025	2:15:00 AM	0.01
5/23/2025	2:30:00 AM	0.01
5/23/2025	2:45:00 AM	0.01
5/23/2025	3:00:00 AM	0.01
5/23/2025	3:15:00 AM	0.01
5/23/2025	3:30:00 AM	0.01
5/23/2025	3:45:00 AM	0.01
5/23/2025	4:00:00 AM	0.01
5/23/2025	4:15:00 AM	0.01
5/23/2025	4:30:00 AM	0.01
5/23/2025	4:45:00 AM	0.01
5/23/2025	5:00:00 AM	0.01
5/23/2025	5:15:00 AM	0.01
5/23/2025	5:30:00 AM	0.01
5/23/2025	5:45:00 AM	0.01
5/23/2025	6:00:00 AM	0.01
5/23/2025	6:15:00 AM	0.01
5/23/2025	6:30:00 AM	0.01
5/23/2025	6:45:00 AM	0.02
5/23/2025	7:00:00 AM	0.02
5/23/2025	7:15:00 AM	0.02
5/23/2025	7:30:00 AM	0.02
5/23/2025	7:45:00 AM	0.02
5/23/2025	8:00:00 AM	0.02
5/23/2025	8:15:00 AM	0.02
5/23/2025	8:30:00 AM	0.02
5/23/2025	8:45:00 AM	0.02
5/23/2025	9:00:00 AM	0.02
5/23/2025	9:15:00 AM	0.02
5/23/2025	9:30:00 AM	0.02
5/23/2025	9:45:00 AM	0.02
5/23/2025	10:00:00 AM	0.02
5/23/2025	10:15:00 AM	0.02
5/23/2025	10:30:00 AM	0.02
5/23/2025	10:45:00 AM	0.02
5/23/2025	11:00:00 AM	0.02
5/23/2025	11:15:00 AM	0.02
5/23/2025	11:30:00 AM	0.02
5/23/2025	11:45:00 AM	0.02
5/23/2025	12:00:00 PM	0.02
5/23/2025	12:15:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/23/2025	12:30:00 PM	0.02
5/23/2025	12:45:00 PM	0.01
5/23/2025	1:00:00 PM	0.01
5/23/2025	1:15:00 PM	0.02
5/23/2025	1:30:00 PM	0.01
5/23/2025	1:45:00 PM	0.01
5/23/2025	2:00:00 PM	0.01
5/23/2025	2:15:00 PM	0.01
5/23/2025	2:30:00 PM	0.01
5/23/2025	2:45:00 PM	0.01
5/23/2025	3:00:00 PM	0.01
5/23/2025	3:15:00 PM	0.01
5/23/2025	3:30:00 PM	0.01
5/23/2025	3:45:00 PM	0.01
5/23/2025	4:00:00 PM	0.01
5/23/2025	4:15:00 PM	0.01
5/23/2025	4:30:00 PM	0.01
5/23/2025	4:45:00 PM	0.01
5/23/2025	5:00:00 PM	0.01
5/23/2025	5:15:00 PM	0.01
5/23/2025	5:30:00 PM	0.01
5/23/2025	5:45:00 PM	0.01
5/23/2025	6:00:00 PM	0.01
5/23/2025	6:15:00 PM	0.01
5/23/2025	6:30:00 PM	0.01
5/23/2025	6:45:00 PM	0.01
5/23/2025	7:00:00 PM	0.01
5/23/2025	7:15:00 PM	0.01
5/23/2025	7:30:00 PM	0.01
5/23/2025	7:45:00 PM	0.01
5/23/2025	8:00:00 PM	0.01
5/23/2025	8:15:00 PM	0.01
5/23/2025	8:30:00 PM	0.01
5/23/2025	8:45:00 PM	0.01
5/23/2025	9:00:00 PM	0.01
5/23/2025	9:15:00 PM	0.01
5/23/2025	9:30:00 PM	0.01
5/23/2025	9:45:00 PM	0.01
5/23/2025	10:00:00 PM	0.01
5/23/2025	10:15:00 PM	0.01
5/23/2025	10:30:00 PM	0.01
5/23/2025	10:45:00 PM	0.01
5/23/2025	11:00:00 PM	0.01
5/23/2025	11:15:00 PM	0.01
5/23/2025	11:30:00 PM	0.01
5/23/2025	11:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	12:00:00 AM	0.01
5/24/2025	12:15:00 AM	0.01
5/24/2025	12:30:00 AM	0.01
5/24/2025	12:45:00 AM	0.01
5/24/2025	1:00:00 AM	0.01
5/24/2025	1:15:00 AM	0.01
5/24/2025	1:30:00 AM	0.01
5/24/2025	1:45:00 AM	0.01
5/24/2025	2:00:00 AM	0.01
5/24/2025	2:15:00 AM	0.01
5/24/2025	2:30:00 AM	0.01
5/24/2025	2:45:00 AM	0.01
5/24/2025	3:00:00 AM	0.01
5/24/2025	3:15:00 AM	0.02
5/24/2025	3:30:00 AM	0.01
5/24/2025	3:45:00 AM	0.01
5/24/2025	4:00:00 AM	0.02
5/24/2025	4:15:00 AM	0.02
5/24/2025	4:30:00 AM	0.02
5/24/2025	4:45:00 AM	0.02
5/24/2025	5:00:00 AM	0.01
5/24/2025	5:15:00 AM	0.02
5/24/2025	5:30:00 AM	0.02
5/24/2025	5:45:00 AM	0.01
5/24/2025	6:00:00 AM	0.02
5/24/2025	6:15:00 AM	0.02
5/24/2025	6:30:00 AM	0.01
5/24/2025	6:45:00 AM	0.02
5/24/2025	7:00:00 AM	0.01
5/24/2025	7:15:00 AM	0.01
5/24/2025	7:30:00 AM	0.01
5/24/2025	7:45:00 AM	0.01
5/24/2025	8:00:00 AM	0.01
5/24/2025	8:15:00 AM	0.01
5/24/2025	8:30:00 AM	0.01
5/24/2025	8:45:00 AM	0.01
5/24/2025	9:00:00 AM	0.01
5/24/2025	9:15:00 AM	0.01
5/24/2025	9:30:00 AM	0.01
5/24/2025	9:45:00 AM	0.01
5/24/2025	10:00:00 AM	0.01
5/24/2025	10:15:00 AM	0.01
5/24/2025	10:30:00 AM	0.01
5/24/2025	10:45:00 AM	0.01
5/24/2025	11:00:00 AM	0.01
5/24/2025	11:15:00 AM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	11:30:00 AM	0.01
5/24/2025	11:45:00 AM	0.01
5/24/2025	12:00:00 PM	0.01
5/24/2025	12:15:00 PM	0.01
5/24/2025	12:30:00 PM	0.01
5/24/2025	12:45:00 PM	0.01
5/24/2025	1:00:00 PM	0.01
5/24/2025	1:15:00 PM	0.01
5/24/2025	1:30:00 PM	0.01
5/24/2025	1:45:00 PM	0.01
5/24/2025	2:00:00 PM	0.01
5/24/2025	2:15:00 PM	0.01
5/24/2025	2:30:00 PM	0.01
5/24/2025	2:45:00 PM	0.01
5/24/2025	3:00:00 PM	0.01
5/24/2025	3:15:00 PM	0.01
5/24/2025	3:30:00 PM	0.01
5/24/2025	3:45:00 PM	0.01
5/24/2025	4:00:00 PM	0.01
5/24/2025	4:15:00 PM	0.01
5/24/2025	4:30:00 PM	0.01
5/24/2025	4:45:00 PM	0.01
5/24/2025	5:00:00 PM	0.01
5/24/2025	5:15:00 PM	0.01
5/24/2025	5:30:00 PM	0.01
5/24/2025	5:45:00 PM	0.01
5/24/2025	6:00:00 PM	0.01
5/24/2025	6:15:00 PM	0.01
5/24/2025	6:30:00 PM	0.01
5/24/2025	6:45:00 PM	0.01
5/24/2025	7:00:00 PM	0.01
5/24/2025	7:15:00 PM	0.01
5/24/2025	7:30:00 PM	0.01
5/24/2025	7:45:00 PM	0.01
5/24/2025	8:00:00 PM	0.01
5/24/2025	8:15:00 PM	0.01
5/24/2025	8:30:00 PM	0.01
5/24/2025	8:45:00 PM	0.01
5/24/2025	9:00:00 PM	0.01
5/24/2025	9:15:00 PM	0.01
5/24/2025	9:30:00 PM	0.01
5/24/2025	9:45:00 PM	0.01
5/24/2025	10:00:00 PM	0.01
5/24/2025	10:15:00 PM	0.01
5/24/2025	10:30:00 PM	0.01
5/24/2025	10:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/24/2025	11:00:00 PM	0.01
5/24/2025	11:15:00 PM	0.01
5/24/2025	11:30:00 PM	0.01
5/24/2025	11:45:00 PM	0.01
5/25/2025	12:00:00 AM	0.01
5/25/2025	12:15:00 AM	0.01
5/25/2025	12:30:00 AM	0.01
5/25/2025	12:45:00 AM	0.01
5/25/2025	1:00:00 AM	0.01
5/25/2025	1:15:00 AM	0.01
5/25/2025	1:30:00 AM	0.01
5/25/2025	1:45:00 AM	0.01
5/25/2025	2:00:00 AM	0.02
5/25/2025	2:15:00 AM	0.02
5/25/2025	2:30:00 AM	0.02
5/25/2025	2:45:00 AM	0.01
5/25/2025	3:00:00 AM	0.01
5/25/2025	3:15:00 AM	0.01
5/25/2025	3:30:00 AM	0.01
5/25/2025	3:45:00 AM	0.01
5/25/2025	4:00:00 AM	0.02
5/25/2025	4:15:00 AM	0.01
5/25/2025	4:30:00 AM	0.01
5/25/2025	4:45:00 AM	0.01
5/25/2025	5:00:00 AM	0.02
5/25/2025	5:15:00 AM	0.01
5/25/2025	5:30:00 AM	0.01
5/25/2025	5:45:00 AM	0.01
5/25/2025	6:00:00 AM	0.01
5/25/2025	6:15:00 AM	0.02
5/25/2025	6:30:00 AM	0.02
5/25/2025	6:45:00 AM	0.02
5/25/2025	7:00:00 AM	0.01
5/25/2025	7:15:00 AM	0.02
5/25/2025	7:30:00 AM	0.01
5/25/2025	7:45:00 AM	0.01
5/25/2025	8:00:00 AM	0.02
5/25/2025	8:15:00 AM	0.01
5/25/2025	8:30:00 AM	0.01
5/25/2025	8:45:00 AM	0.01
5/25/2025	9:00:00 AM	0.02
5/25/2025	9:15:00 AM	0.01
5/25/2025	9:30:00 AM	0.01
5/25/2025	9:45:00 AM	0.01
5/25/2025	10:00:00 AM	0.01
5/25/2025	10:15:00 AM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/25/2025	10:30:00 AM	0.01
5/25/2025	10:45:00 AM	0.01
5/25/2025	11:00:00 AM	0.01
5/25/2025	11:15:00 AM	0.01
5/25/2025	11:30:00 AM	0.01
5/25/2025	11:45:00 AM	0.01
5/25/2025	12:00:00 PM	0.01
5/25/2025	12:15:00 PM	0.01
5/25/2025	12:30:00 PM	0.01
5/25/2025	12:45:00 PM	0.01
5/25/2025	1:00:00 PM	0.01
5/25/2025	1:15:00 PM	0.01
5/25/2025	1:30:00 PM	0.01
5/25/2025	1:45:00 PM	0.01
5/25/2025	2:00:00 PM	0.01
5/25/2025	2:15:00 PM	0.01
5/25/2025	2:30:00 PM	0.01
5/25/2025	2:45:00 PM	0.01
5/25/2025	3:00:00 PM	0.01
5/25/2025	3:15:00 PM	0.01
5/25/2025	3:30:00 PM	0.01
5/25/2025	3:45:00 PM	0.01
5/25/2025	4:00:00 PM	0.01
5/25/2025	4:15:00 PM	0.01
5/25/2025	4:30:00 PM	0.01
5/25/2025	4:45:00 PM	0.01
5/25/2025	5:00:00 PM	0.01
5/25/2025	5:15:00 PM	0.01
5/25/2025	5:30:00 PM	0.01
5/25/2025	5:45:00 PM	0.01
5/25/2025	6:00:00 PM	0.01
5/25/2025	6:15:00 PM	0.01
5/25/2025	6:30:00 PM	0.01
5/25/2025	6:45:00 PM	0.01
5/25/2025	7:00:00 PM	0.01
5/25/2025	7:15:00 PM	0.01
5/25/2025	7:30:00 PM	0.01
5/25/2025	7:45:00 PM	0.01
5/25/2025	8:00:00 PM	0.01
5/25/2025	8:15:00 PM	0.01
5/25/2025	8:30:00 PM	0.01
5/25/2025	8:45:00 PM	0.01
5/25/2025	9:00:00 PM	0.01
5/25/2025	9:15:00 PM	0.01
5/25/2025	9:30:00 PM	0.01
5/25/2025	9:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/25/2025	10:00:00 PM	0.01
5/25/2025	10:15:00 PM	0.01
5/25/2025	10:30:00 PM	0.01
5/25/2025	10:45:00 PM	0.01
5/25/2025	11:00:00 PM	0.02
5/25/2025	11:15:00 PM	0.01
5/25/2025	11:30:00 PM	0.02
5/25/2025	11:45:00 PM	0.01
5/26/2025	12:00:00 AM	0.01
5/26/2025	12:15:00 AM	0.02
5/26/2025	12:30:00 AM	0.01
5/26/2025	12:45:00 AM	0.02
5/26/2025	1:00:00 AM	0.02
5/26/2025	1:15:00 AM	0.02
5/26/2025	1:30:00 AM	0.02
5/26/2025	1:45:00 AM	0.02
5/26/2025	2:00:00 AM	0.02
5/26/2025	2:15:00 AM	0.02
5/26/2025	2:30:00 AM	0.02
5/26/2025	2:45:00 AM	0.02
5/26/2025	3:00:00 AM	0.02
5/26/2025	3:15:00 AM	0.02
5/26/2025	3:30:00 AM	0.02
5/26/2025	3:45:00 AM	0.02
5/26/2025	4:00:00 AM	0.02
5/26/2025	4:15:00 AM	0.01
5/26/2025	4:30:00 AM	0.01
5/26/2025	4:45:00 AM	0.01
5/26/2025	5:00:00 AM	0.01
5/26/2025	5:15:00 AM	0.01
5/26/2025	5:30:00 AM	0.01
5/26/2025	5:45:00 AM	0.01
5/26/2025	6:00:00 AM	0.01
5/26/2025	6:15:00 AM	0.02
5/26/2025	6:30:00 AM	0.01
5/26/2025	6:45:00 AM	0.01
5/26/2025	7:00:00 AM	0.01
5/26/2025	7:15:00 AM	0.01
5/26/2025	7:30:00 AM	0.01
5/26/2025	7:45:00 AM	0.01
5/26/2025	8:00:00 AM	0.01
5/26/2025	8:15:00 AM	0.01
5/26/2025	8:30:00 AM	0.01
5/26/2025	8:45:00 AM	0.01
5/26/2025	9:00:00 AM	0.01
5/26/2025	9:15:00 AM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/26/2025	9:30:00 AM	0.01
5/26/2025	9:45:00 AM	0.01
5/26/2025	10:00:00 AM	0.01
5/26/2025	10:15:00 AM	0.01
5/26/2025	10:30:00 AM	0.01
5/26/2025	10:45:00 AM	0.01
5/26/2025	11:00:00 AM	0.01
5/26/2025	11:15:00 AM	0.01
5/26/2025	11:30:00 AM	0.01
5/26/2025	11:45:00 AM	0.01
5/26/2025	12:00:00 PM	0.01
5/26/2025	12:15:00 PM	0.01
5/26/2025	12:30:00 PM	0.01
5/26/2025	12:45:00 PM	0.01
5/26/2025	1:00:00 PM	0.01
5/26/2025	1:15:00 PM	0.01
5/26/2025	1:30:00 PM	0.01
5/26/2025	1:45:00 PM	0.01
5/26/2025	2:00:00 PM	0.01
5/26/2025	2:15:00 PM	0.01
5/26/2025	2:30:00 PM	0.01
5/26/2025	2:45:00 PM	0.01
5/26/2025	3:00:00 PM	0.01
5/26/2025	3:15:00 PM	0.01
5/26/2025	3:30:00 PM	0.01
5/26/2025	3:45:00 PM	0.01
5/26/2025	4:00:00 PM	0.01
5/26/2025	4:15:00 PM	0.01
5/26/2025	4:30:00 PM	0.01
5/26/2025	4:45:00 PM	0.01
5/26/2025	5:00:00 PM	0.01
5/26/2025	5:15:00 PM	0.01
5/26/2025	5:30:00 PM	0
5/26/2025	5:45:00 PM	0
5/26/2025	6:00:00 PM	0.01
5/26/2025	6:15:00 PM	0.01
5/26/2025	6:30:00 PM	0.01
5/26/2025	6:45:00 PM	0.01
5/26/2025	7:00:00 PM	0.01
5/26/2025	7:15:00 PM	0.01
5/26/2025	7:30:00 PM	0.01
5/26/2025	7:45:00 PM	0.01
5/26/2025	8:00:00 PM	0.01
5/26/2025	8:15:00 PM	0.01
5/26/2025	8:30:00 PM	0.01
5/26/2025	8:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/26/2025	9:00:00 PM	0.01
5/26/2025	9:15:00 PM	0.14
5/26/2025	9:30:00 PM	0.21
5/26/2025	9:45:00 PM	0.22
5/26/2025	10:00:00 PM	0.23
5/26/2025	10:15:00 PM	0.24
5/26/2025	10:30:00 PM	0.24
5/26/2025	10:45:00 PM	0.24
5/26/2025	11:00:00 PM	0.25
5/26/2025	11:15:00 PM	0.25
5/26/2025	11:30:00 PM	0.25
5/26/2025	11:45:00 PM	0.25
5/27/2025	12:00:00 AM	0.25
5/27/2025	12:15:00 AM	0.25
5/27/2025	12:30:00 AM	0.25
5/27/2025	12:45:00 AM	0.25
5/27/2025	1:00:00 AM	0.25
5/27/2025	1:15:00 AM	0.24
5/27/2025	1:30:00 AM	0.24
5/27/2025	1:45:00 AM	0.24
5/27/2025	2:00:00 AM	0.23
5/27/2025	2:15:00 AM	0.23
5/27/2025	2:30:00 AM	0.23
5/27/2025	2:45:00 AM	0.23
5/27/2025	3:00:00 AM	0.22
5/27/2025	3:15:00 AM	0.22
5/27/2025	3:30:00 AM	0.22
5/27/2025	3:45:00 AM	0.22
5/27/2025	4:00:00 AM	0.23
5/27/2025	4:15:00 AM	0.23
5/27/2025	4:30:00 AM	0.23
5/27/2025	4:45:00 AM	0.23
5/27/2025	5:00:00 AM	0.22
5/27/2025	5:15:00 AM	0.23
5/27/2025	5:30:00 AM	0.23
5/27/2025	5:45:00 AM	0.23
5/27/2025	6:00:00 AM	0.23
5/27/2025	6:15:00 AM	0.23
5/27/2025	6:30:00 AM	0.23
5/27/2025	6:45:00 AM	0.23
5/27/2025	7:00:00 AM	0.23
5/27/2025	7:15:00 AM	0.23
5/27/2025	7:30:00 AM	0.23
5/27/2025	7:45:00 AM	0.23
5/27/2025	8:00:00 AM	0.23
5/27/2025	8:15:00 AM	0.23

Georges Ditch Return Gage

DATE	TIME	GAGE
5/27/2025	8:30:00 AM	0.23
5/27/2025	8:45:00 AM	0.23
5/27/2025	9:00:00 AM	0.23
5/27/2025	9:15:00 AM	0.23
5/27/2025	9:30:00 AM	0.23
5/27/2025	9:45:00 AM	0.23
5/27/2025	10:00:00 AM	0.23
5/27/2025	10:15:00 AM	0.23
5/27/2025	10:30:00 AM	0.23
5/27/2025	10:45:00 AM	0.23
5/27/2025	11:00:00 AM	0.23
5/27/2025	11:15:00 AM	0.22
5/27/2025	11:30:00 AM	0.22
5/27/2025	11:45:00 AM	0.22
5/27/2025	12:00:00 PM	0.22
5/27/2025	12:15:00 PM	0.22
5/27/2025	12:30:00 PM	0.22
5/27/2025	12:45:00 PM	0.22
5/27/2025	1:00:00 PM	0.22
5/27/2025	1:15:00 PM	0.22
5/27/2025	1:30:00 PM	0.22
5/27/2025	1:45:00 PM	0.22
5/27/2025	2:00:00 PM	0.22
5/27/2025	2:15:00 PM	0.22
5/27/2025	2:30:00 PM	0.22
5/27/2025	2:45:00 PM	0.22
5/27/2025	3:00:00 PM	0.22
5/27/2025	3:15:00 PM	0.22
5/27/2025	3:30:00 PM	0.22
5/27/2025	3:45:00 PM	0.22
5/27/2025	4:00:00 PM	0.22
5/27/2025	4:15:00 PM	0.22
5/27/2025	4:30:00 PM	0.22
5/27/2025	4:45:00 PM	0.21
5/27/2025	5:00:00 PM	0.21
5/27/2025	5:15:00 PM	0.21
5/27/2025	5:30:00 PM	0.2
5/27/2025	5:45:00 PM	0.19
5/27/2025	6:00:00 PM	0.18
5/27/2025	6:15:00 PM	0.17
5/27/2025	6:30:00 PM	0.17
5/27/2025	6:45:00 PM	0.16
5/27/2025	7:00:00 PM	0.15
5/27/2025	7:15:00 PM	0.15
5/27/2025	7:30:00 PM	0.14
5/27/2025	7:45:00 PM	0.13

Georges Ditch Return Gage

DATE	TIME	GAGE
5/27/2025	8:00:00 PM	0.13
5/27/2025	8:15:00 PM	0.12
5/27/2025	8:30:00 PM	0.12
5/27/2025	8:45:00 PM	0.11
5/27/2025	9:00:00 PM	0.11
5/27/2025	9:15:00 PM	0.1
5/27/2025	9:30:00 PM	0.1
5/27/2025	9:45:00 PM	0.1
5/27/2025	10:00:00 PM	0.1
5/27/2025	10:15:00 PM	0.1
5/27/2025	10:30:00 PM	0.09
5/27/2025	10:45:00 PM	0.09
5/27/2025	11:00:00 PM	0.09
5/27/2025	11:15:00 PM	0.09
5/27/2025	11:30:00 PM	0.08
5/27/2025	11:45:00 PM	0.08
5/28/2025	12:00:00 AM	0.08
5/28/2025	12:15:00 AM	0.08
5/28/2025	12:30:00 AM	0.08
5/28/2025	12:45:00 AM	0.08
5/28/2025	1:00:00 AM	0.07
5/28/2025	1:15:00 AM	0.07
5/28/2025	1:30:00 AM	0.07
5/28/2025	1:45:00 AM	0.07
5/28/2025	2:00:00 AM	0.07
5/28/2025	2:15:00 AM	0.07
5/28/2025	2:30:00 AM	0.07
5/28/2025	2:45:00 AM	0.07
5/28/2025	3:00:00 AM	0.06
5/28/2025	3:15:00 AM	0.06
5/28/2025	3:30:00 AM	0.06
5/28/2025	3:45:00 AM	0.06
5/28/2025	4:00:00 AM	0.06
5/28/2025	4:15:00 AM	0.06
5/28/2025	4:30:00 AM	0.06
5/28/2025	4:45:00 AM	0.06
5/28/2025	5:00:00 AM	0.05
5/28/2025	5:15:00 AM	0.05
5/28/2025	5:30:00 AM	0.05
5/28/2025	5:45:00 AM	0.05
5/28/2025	6:00:00 AM	0.05
5/28/2025	6:15:00 AM	0.05
5/28/2025	6:30:00 AM	0.05
5/28/2025	6:45:00 AM	0.05
5/28/2025	7:00:00 AM	0.05
5/28/2025	7:15:00 AM	0.05

Georges Ditch Return Gage

DATE	TIME	GAGE
5/28/2025	7:30:00 AM	0.04
5/28/2025	7:45:00 AM	0.04
5/28/2025	8:00:00 AM	0.04
5/28/2025	8:15:00 AM	0.04
5/28/2025	8:30:00 AM	0.04
5/28/2025	8:45:00 AM	0.04
5/28/2025	9:00:00 AM	0.04
5/28/2025	9:15:00 AM	0.04
5/28/2025	9:30:00 AM	0.04
5/28/2025	9:45:00 AM	0.04
5/28/2025	10:00:00 AM	0.04
5/28/2025	10:15:00 AM	0.04
5/28/2025	10:30:00 AM	0.03
5/28/2025	10:45:00 AM	0.03
5/28/2025	11:00:00 AM	0.03
5/28/2025	11:15:00 AM	0.03
5/28/2025	11:30:00 AM	0.03
5/28/2025	11:45:00 AM	0.03
5/28/2025	12:00:00 PM	0.03
5/28/2025	12:15:00 PM	0.03
5/28/2025	12:30:00 PM	0.03
5/28/2025	12:45:00 PM	0.03
5/28/2025	1:00:00 PM	0.03
5/28/2025	1:15:00 PM	0.03
5/28/2025	1:30:00 PM	0.03
5/28/2025	1:45:00 PM	0.03
5/28/2025	2:00:00 PM	0.03
5/28/2025	2:15:00 PM	0.03
5/28/2025	2:30:00 PM	0.03
5/28/2025	2:45:00 PM	0.02
5/28/2025	3:00:00 PM	0.02
5/28/2025	3:15:00 PM	0.02
5/28/2025	3:30:00 PM	0.02
5/28/2025	3:45:00 PM	0.02
5/28/2025	4:00:00 PM	0.02
5/28/2025	4:15:00 PM	0.02
5/28/2025	4:30:00 PM	0.02
5/28/2025	4:45:00 PM	0.02
5/28/2025	5:00:00 PM	0.02
5/28/2025	5:15:00 PM	0.02
5/28/2025	5:30:00 PM	0.02
5/28/2025	5:45:00 PM	0.02
5/28/2025	6:00:00 PM	0.02
5/28/2025	6:15:00 PM	0.02
5/28/2025	6:30:00 PM	0.02
5/28/2025	6:45:00 PM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/28/2025	7:00:00 PM	0.02
5/28/2025	7:15:00 PM	0.02
5/28/2025	7:30:00 PM	0.02
5/28/2025	7:45:00 PM	0.02
5/28/2025	8:00:00 PM	0.02
5/28/2025	8:15:00 PM	0.02
5/28/2025	8:30:00 PM	0.02
5/28/2025	8:45:00 PM	0.02
5/28/2025	9:00:00 PM	0.02
5/28/2025	9:15:00 PM	0.02
5/28/2025	9:30:00 PM	0.02
5/28/2025	9:45:00 PM	0.02
5/28/2025	10:00:00 PM	0.02
5/28/2025	10:15:00 PM	0.02
5/28/2025	10:30:00 PM	0.02
5/28/2025	10:45:00 PM	0.02
5/28/2025	11:00:00 PM	0.02
5/28/2025	11:15:00 PM	0.02
5/28/2025	11:30:00 PM	0.02
5/28/2025	11:45:00 PM	0.02
5/29/2025	12:00:00 AM	0.02
5/29/2025	12:15:00 AM	0.02
5/29/2025	12:30:00 AM	0.02
5/29/2025	12:45:00 AM	0.02
5/29/2025	1:00:00 AM	0.02
5/29/2025	1:15:00 AM	0.02
5/29/2025	1:30:00 AM	0.02
5/29/2025	1:45:00 AM	0.02
5/29/2025	2:00:00 AM	0.02
5/29/2025	2:15:00 AM	0.02
5/29/2025	2:30:00 AM	0.02
5/29/2025	2:45:00 AM	0.02
5/29/2025	3:00:00 AM	0.02
5/29/2025	3:15:00 AM	0.02
5/29/2025	3:30:00 AM	0.02
5/29/2025	3:45:00 AM	0.02
5/29/2025	4:00:00 AM	0.02
5/29/2025	4:15:00 AM	0.02
5/29/2025	4:30:00 AM	0.02
5/29/2025	4:45:00 AM	0.02
5/29/2025	5:00:00 AM	0.02
5/29/2025	5:15:00 AM	0.02
5/29/2025	5:30:00 AM	0.02
5/29/2025	5:45:00 AM	0.02
5/29/2025	6:00:00 AM	0.02
5/29/2025	6:15:00 AM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/29/2025	6:30:00 AM	0.02
5/29/2025	6:45:00 AM	0.02
5/29/2025	7:00:00 AM	0.02
5/29/2025	7:15:00 AM	0.02
5/29/2025	7:30:00 AM	0.02
5/29/2025	7:45:00 AM	0.02
5/29/2025	8:00:00 AM	0.02
5/29/2025	8:15:00 AM	0.02
5/29/2025	8:30:00 AM	0.02
5/29/2025	8:45:00 AM	0.02
5/29/2025	9:00:00 AM	0.02
5/29/2025	9:15:00 AM	0.02
5/29/2025	9:30:00 AM	0.02
5/29/2025	9:45:00 AM	0.02
5/29/2025	10:00:00 AM	0.01
5/29/2025	10:15:00 AM	0.02
5/29/2025	10:30:00 AM	0.02
5/29/2025	10:45:00 AM	0.02
5/29/2025	11:00:00 AM	0.02
5/29/2025	11:15:00 AM	0.02
5/29/2025	11:30:00 AM	0.01
5/29/2025	11:45:00 AM	0.01
5/29/2025	12:00:00 PM	0.01
5/29/2025	12:15:00 PM	0.01
5/29/2025	12:30:00 PM	0.01
5/29/2025	12:45:00 PM	0.01
5/29/2025	1:00:00 PM	0.01
5/29/2025	1:15:00 PM	0.01
5/29/2025	1:30:00 PM	0.01
5/29/2025	1:45:00 PM	0.01
5/29/2025	2:00:00 PM	0.01
5/29/2025	2:15:00 PM	0.01
5/29/2025	2:30:00 PM	0.01
5/29/2025	2:45:00 PM	0.01
5/29/2025	3:00:00 PM	0.01
5/29/2025	3:15:00 PM	0.01
5/29/2025	3:30:00 PM	0.01
5/29/2025	3:45:00 PM	0.01
5/29/2025	4:00:00 PM	0.01
5/29/2025	4:15:00 PM	0.01
5/29/2025	4:30:00 PM	0.01
5/29/2025	4:45:00 PM	0.01
5/29/2025	5:00:00 PM	0.01
5/29/2025	5:15:00 PM	0.01
5/29/2025	5:30:00 PM	0.01
5/29/2025	5:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/29/2025	6:00:00 PM	0.01
5/29/2025	6:15:00 PM	0.01
5/29/2025	6:30:00 PM	0.01
5/29/2025	6:45:00 PM	0.01
5/29/2025	7:00:00 PM	0.01
5/29/2025	7:15:00 PM	0.01
5/29/2025	7:30:00 PM	0.01
5/29/2025	7:45:00 PM	0.01
5/29/2025	8:00:00 PM	0.01
5/29/2025	8:15:00 PM	0.01
5/29/2025	8:30:00 PM	0.01
5/29/2025	8:45:00 PM	0.01
5/29/2025	9:00:00 PM	0.01
5/29/2025	9:15:00 PM	0.01
5/29/2025	9:30:00 PM	0.01
5/29/2025	9:45:00 PM	0.01
5/29/2025	10:00:00 PM	0.01
5/29/2025	10:15:00 PM	0.01
5/29/2025	10:30:00 PM	0.01
5/29/2025	10:45:00 PM	0.01
5/29/2025	11:00:00 PM	0.01
5/29/2025	11:15:00 PM	0.01
5/29/2025	11:30:00 PM	0.01
5/29/2025	11:45:00 PM	0.01
5/30/2025	12:00:00 AM	0.01
5/30/2025	12:15:00 AM	0.01
5/30/2025	12:30:00 AM	0.01
5/30/2025	12:45:00 AM	0.01
5/30/2025	1:00:00 AM	0.01
5/30/2025	1:15:00 AM	0.01
5/30/2025	1:30:00 AM	0.01
5/30/2025	1:45:00 AM	0.02
5/30/2025	2:00:00 AM	0.02
5/30/2025	2:15:00 AM	0.02
5/30/2025	2:30:00 AM	0.02
5/30/2025	2:45:00 AM	0.02
5/30/2025	3:00:00 AM	0.02
5/30/2025	3:15:00 AM	0.02
5/30/2025	3:30:00 AM	0.02
5/30/2025	3:45:00 AM	0.02
5/30/2025	4:00:00 AM	0.02
5/30/2025	4:15:00 AM	0.02
5/30/2025	4:30:00 AM	0.02
5/30/2025	4:45:00 AM	0.02
5/30/2025	5:00:00 AM	0.02
5/30/2025	5:15:00 AM	0.02

Georges Ditch Return Gage

DATE	TIME	GAGE
5/30/2025	5:30:00 AM	0.02
5/30/2025	5:45:00 AM	0.02
5/30/2025	6:00:00 AM	0.02
5/30/2025	6:15:00 AM	0.02
5/30/2025	6:30:00 AM	0.02
5/30/2025	6:45:00 AM	0.02
5/30/2025	7:00:00 AM	0.02
5/30/2025	7:15:00 AM	0.02
5/30/2025	7:30:00 AM	0.02
5/30/2025	7:45:00 AM	0.02
5/30/2025	8:00:00 AM	0.02
5/30/2025	8:15:00 AM	0.02
5/30/2025	8:30:00 AM	0.02
5/30/2025	8:45:00 AM	0.02
5/30/2025	9:00:00 AM	0.02
5/30/2025	9:15:00 AM	0.02
5/30/2025	9:30:00 AM	0.02
5/30/2025	9:45:00 AM	0.02
5/30/2025	10:00:00 AM	0.02
5/30/2025	10:15:00 AM	0.01
5/30/2025	10:30:00 AM	0.01
5/30/2025	10:45:00 AM	0.01
5/30/2025	11:00:00 AM	0.01
5/30/2025	11:15:00 AM	0.01
5/30/2025	11:30:00 AM	0.01
5/30/2025	11:45:00 AM	0.01
5/30/2025	12:00:00 PM	0.01
5/30/2025	12:15:00 PM	0.01
5/30/2025	12:30:00 PM	0.01
5/30/2025	12:45:00 PM	0.01
5/30/2025	1:00:00 PM	0.01
5/30/2025	1:15:00 PM	0.01
5/30/2025	1:30:00 PM	0.01
5/30/2025	1:45:00 PM	0.01
5/30/2025	2:00:00 PM	0.01
5/30/2025	2:15:00 PM	0.01
5/30/2025	2:30:00 PM	0.01
5/30/2025	2:45:00 PM	0.01
5/30/2025	3:00:00 PM	0.01
5/30/2025	3:15:00 PM	0.01
5/30/2025	3:30:00 PM	0.01
5/30/2025	3:45:00 PM	0.01
5/30/2025	4:00:00 PM	0.01
5/30/2025	4:15:00 PM	0.01
5/30/2025	4:30:00 PM	0.01
5/30/2025	4:45:00 PM	0.01

Georges Ditch Return Gage

DATE	TIME	GAGE
5/30/2025	5:00:00 PM	0.01
5/30/2025	5:15:00 PM	0.01
5/30/2025	5:30:00 PM	0.01
5/30/2025	5:45:00 PM	0.01
5/30/2025	6:00:00 PM	0.01
5/30/2025	6:15:00 PM	0.01
5/30/2025	6:30:00 PM	0.01
5/30/2025	6:45:00 PM	0.01
5/30/2025	7:00:00 PM	0.01
5/30/2025	7:15:00 PM	0.01
5/30/2025	7:30:00 PM	0.01
5/30/2025	7:45:00 PM	0.01
5/30/2025	8:00:00 PM	0.01
5/30/2025	8:15:00 PM	0.01
5/30/2025	8:30:00 PM	0.01
5/30/2025	8:45:00 PM	0.01
5/30/2025	9:00:00 PM	0.01
5/30/2025	9:15:00 PM	0.01
5/30/2025	9:30:00 PM	0.01
5/30/2025	9:45:00 PM	0.01
5/30/2025	10:00:00 PM	0.01
5/30/2025	10:15:00 PM	0.01
5/30/2025	10:30:00 PM	0.01
5/30/2025	10:45:00 PM	0.01
5/30/2025	11:00:00 PM	0.01
5/30/2025	11:15:00 PM	0.01
5/30/2025	11:30:00 PM	0.01
5/30/2025	11:45:00 PM	0.01
5/31/2025	12:00:00 AM	0.01
5/31/2025	12:15:00 AM	0.05
5/31/2025	12:30:00 AM	0.06
5/31/2025	12:45:00 AM	0.07
5/31/2025	1:00:00 AM	0.08
5/31/2025	1:15:00 AM	0.08
5/31/2025	1:30:00 AM	0.08
5/31/2025	1:45:00 AM	0.08
5/31/2025	2:00:00 AM	0.08
5/31/2025	2:15:00 AM	0.08
5/31/2025	2:30:00 AM	0.08
5/31/2025	2:45:00 AM	0.08
5/31/2025	3:00:00 AM	0.08
5/31/2025	3:15:00 AM	0.08
5/31/2025	3:30:00 AM	0.08
5/31/2025	3:45:00 AM	0.08
5/31/2025	4:00:00 AM	0.08
5/31/2025	4:15:00 AM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
5/31/2025	4:30:00 AM	0.08
5/31/2025	4:45:00 AM	0.08
5/31/2025	5:00:00 AM	0.08
5/31/2025	5:15:00 AM	0.08
5/31/2025	5:30:00 AM	0.08
5/31/2025	5:45:00 AM	0.08
5/31/2025	6:00:00 AM	0.08
5/31/2025	6:15:00 AM	0.08
5/31/2025	6:30:00 AM	0.08
5/31/2025	6:45:00 AM	0.08
5/31/2025	7:00:00 AM	0.08
5/31/2025	7:15:00 AM	0.08
5/31/2025	7:30:00 AM	0.08
5/31/2025	7:45:00 AM	0.08
5/31/2025	8:00:00 AM	0.08
5/31/2025	8:15:00 AM	0.08
5/31/2025	8:30:00 AM	0.08
5/31/2025	8:45:00 AM	0.08
5/31/2025	9:00:00 AM	0.09
5/31/2025	9:15:00 AM	0.09
5/31/2025	9:30:00 AM	0.09
5/31/2025	9:45:00 AM	0.08
5/31/2025	10:00:00 AM	0.08
5/31/2025	10:15:00 AM	0.08
5/31/2025	10:30:00 AM	0.08
5/31/2025	10:45:00 AM	0.08
5/31/2025	11:00:00 AM	0.08
5/31/2025	11:15:00 AM	0.08
5/31/2025	11:30:00 AM	0.08
5/31/2025	11:45:00 AM	0.08
5/31/2025	12:00:00 PM	0.08
5/31/2025	12:15:00 PM	0.08
5/31/2025	12:30:00 PM	0.08
5/31/2025	12:45:00 PM	0.08
5/31/2025	1:00:00 PM	0.08
5/31/2025	1:15:00 PM	0.08
5/31/2025	1:30:00 PM	0.08
5/31/2025	1:45:00 PM	0.08
5/31/2025	2:00:00 PM	0.08
5/31/2025	2:15:00 PM	0.08
5/31/2025	2:30:00 PM	0.07
5/31/2025	2:45:00 PM	0.08
5/31/2025	3:00:00 PM	0.08
5/31/2025	3:15:00 PM	0.08
5/31/2025	3:30:00 PM	0.08
5/31/2025	3:45:00 PM	0.08

Georges Ditch Return Gage

DATE	TIME	GAGE
5/31/2025	4:00:00 PM	0.07
5/31/2025	4:15:00 PM	0.07
5/31/2025	4:30:00 PM	0.07
5/31/2025	4:45:00 PM	0.07
5/31/2025	5:00:00 PM	0.07
5/31/2025	5:15:00 PM	0.07
5/31/2025	5:30:00 PM	0.07
5/31/2025	5:45:00 PM	0.07
5/31/2025	6:00:00 PM	0.07
5/31/2025	6:15:00 PM	0.07
5/31/2025	6:30:00 PM	0.07
5/31/2025	6:45:00 PM	0.07
5/31/2025	7:00:00 PM	0.07
5/31/2025	7:15:00 PM	0.07
5/31/2025	7:30:00 PM	0.07
5/31/2025	7:45:00 PM	0.07
5/31/2025	8:00:00 PM	0.07
5/31/2025	8:15:00 PM	0.08
5/31/2025	8:30:00 PM	0.08
5/31/2025	8:45:00 PM	0.08
5/31/2025	9:00:00 PM	0.07
5/31/2025	9:15:00 PM	0.08
5/31/2025	9:30:00 PM	0.08
5/31/2025	9:45:00 PM	0.08
5/31/2025	10:00:00 PM	0.08
5/31/2025	10:15:00 PM	0.08
5/31/2025	10:30:00 PM	0.08
5/31/2025	10:45:00 PM	0.08
5/31/2025	11:00:00 PM	0.07
5/31/2025	11:15:00 PM	0.08
5/31/2025	11:30:00 PM	0.08
5/31/2025	11:45:00 PM	0.08

Party: BRP / BJA	Width: 21.0 ft	Processed by: BJA
Boat/Motor: BOAT	Area: 71.9 ft ²	Mean Velocity: 0.679 ft/s
Gage Height: 3.68 ft	G.H.Change: 0.000 ft	Discharge: 48.9 ft ³ /s

Area Method: Avg. Course	ADCP Depth: 0.164 ft	Index Vel.: 0.00 ft/s	Rating No.: 1
Nav. Method: Bottom Track	Shore Ens.:10	Adj.Mean Vel: 0.00 ft/s	Qm Rating: U
MagVar Method: None (0.00°)	Bottom Est: Power (0.1667)	Rated Area: 0.000 ft ²	Diff.: 0.000%
Depth: Composite (BT)	Top Est: Power (0.1667)	Control1: Unspecified	
Discharge Method: None		Control2: Unspecified	
% Correction: 0.00		Control3: Unspecified	

Screening Thresholds:		ADCP:	
BT 3-Beam Solution: YES	Max. Vel.: 1.32 ft/s	Type/Freq.: StreamPro / 2000 kHz	
WT 3-Beam Solution: YES	Max. Depth: 3.91 ft	Serial #: 2370	Firmware: 31.17
BT Error Vel.: 0.33 ft/s	Mean Depth: 3.42 ft	Bin Size: 17 cm	Blank: 3 cm
WT Error Vel.: 0.98 ft/s	% Meas.: 56.54	BT Mode: 10	BT Pings: 2
BT Up Vel.: 1.00 ft/s	Water Temp.: None	WT Mode: 12	WT Pings: 6
WT Up Vel.: 1.64 ft/s	ADCP Temp.: 71.6 °F		
Use Weighted Mean Depth: YES			

Performed Diag. Test: YES
 Performed Moving Bed Test: NO
 Performed Compass Calibration: NO Evaluation: NO
 Meas. Location: BRIDGE

Project Name: 250513 LOR @ REINHACKLE_
 Software: 2.26.00.04

Tr.#		Edge Distance		#Ens.	Discharge						Width	Area	Time		Mean Vel.		% Bad	
		L	R		Top	Middle	Bottom	Left	Right	Total			Start	End	Boat	Water	Ens.	Bins
000	L	2	2	29	9.18	27.6	8.09	2.01	1.62	48.6	21	73	11:05	11:06	0.54	0.66	0	0
001	R	2	2	33	8.51	25.5	7.73	2.01	1.87	45.7	20	69	11:06	11:07	0.47	0.66	0	0
002	L	2	2	30	9.36	28.1	8.23	2.05	2.01	49.8	21	72	11:07	11:08	0.52	0.69	0	0
003	R	2	2	28	9.78	29.4	8.83	1.91	1.87	51.8	21	73	11:08	11:08	0.57	0.71	0	0
Mean		2	2	30	9.21	27.7	8.22	2.00	1.85	48.9	21	72	Total	00:03	0.53	0.68	0	0
SDev		0	0	2	0.529	1.61	0.456	0.061	0.162	2.56	0.6	2.0			0.04	0.02		
SD/M		0.0%	0.0%	7.2%	5.7%	5.8%	5.6%	3.1%	8.8%	5.2%	2.7%	2.7%			7.6%	3.5%		

Remarks:

Discharge for transects in *italics* have a total Q more than 5% from the mean

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	1	0	5	24	26.2	-3.5	1.145	0.4	0.3	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	1	0	15	24	26.7	-2.8	1.145	0.5	0.4	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	1	0	25	24	25.9	-1.7	1.145	0.3	0.2	0	46.4	39.1	0	142	123	0	34	32	34
2025	5	1	0	35	24	26.5	-2.9	1.145	0.3	0.2	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	1	0	45	24	24.9	-2.7	1.145	0.3	0.2	0	46.4	38.7	0	142	123	0	34	33	34
2025	5	1	0	55	24	26.7	-2.5	1.144	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	1	1	5	24	26.9	-2.2	1.145	0.5	0.4	0	46	38.7	0	141	122	0	34	32	34
2025	5	1	1	15	24	26	-2.6	1.145	0.3	0.2	0	46	38.7	0	141	123	0	34	33	34
2025	5	1	1	25	24	25.2	-1.6	1.145	0.3	0.2	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	1	1	35	24	26	-2.6	1.144	0.4	0.3	0	46	38.7	0	141	123	0	34	33	34
2025	5	1	1	45	24	25.1	-3.1	1.145	0.4	0.3	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	1	1	55	24	25.2	-2.1	1.145	0.4	0.3	0	46.4	38.7	0	142	123	0	34	33	34
2025	5	1	2	5	24	26.1	-3	1.144	0.3	0.2	0	46	38.7	0	142	123	0	35	33	34
2025	5	1	2	15	24	27.2	-3	1.145	0.3	0.2	0	46	38.7	0	141	122	0	34	32	33
2025	5	1	2	25	24	26.7	-2.6	1.145	0.4	0.3	0	46	38.3	0	141	122	0	34	33	34
2025	5	1	2	35	24	26.3	-1.9	1.145	0.4	0.3	0	46	38.7	0	141	123	0	34	33	33
2025	5	1	2	45	24	25.4	-1.7	1.145	0.3	0.2	0	46	38.7	0	141	123	0	34	33	33
2025	5	1	2	55	24	25.8	-1.5	1.145	0.5	0.4	0	45.6	39.1	0	141	123	0	35	32	34
2025	5	1	3	5	24	25.1	-1.8	1.145	0.5	0.4	0	46.9	38.7	0	142	123	0	33	33	34
2025	5	1	3	15	24	27.1	-1.8	1.145	0.4	0.3	0	46.4	39.1	0	142	124	0	34	33	33
2025	5	1	3	25	24	25.7	-2.8	1.145	0.3	0.2	0	46	39.1	0	141	123	0	34	32	34
2025	5	1	3	35	24	25.8	-2.9	1.145	0.4	0.3	0	46	38.7	0	141	123	0	34	33	33
2025	5	1	3	45	24	25.7	-3.3	1.145	0.4	0.3	0	46	38.3	0	141	122	0	34	33	34
2025	5	1	3	55	24	25.6	-3.3	1.145	0.4	0.3	0	46	38.7	0	141	123	0	34	33	34
2025	5	1	4	5	24	26.9	-3.3	1.145	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	1	4	15	24	27.1	-2.4	1.145	0.3	0.2	0	46	38.7	0	141	123	0	34	33	34
2025	5	1	4	25	24	26.8	-2.6	1.145	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	1	4	35	24	27	-3.1	1.145	0.3	0.2	0	45.2	38.7	0	140	123	0	35	33	34
2025	5	1	4	45	24	25.4	-3	1.145	0.4	0.3	0	46	39.1	0	141	123	0	34	32	33
2025	5	1	4	55	24	24.9	-3.1	1.145	0.5	0.4	0	46	38.7	0	141	123	0	34	33	34
2025	5	1	5	5	24	25.8	-2.8	1.145	0.5	0.4	0	45.2	38.7	0	140	123	0	35	33	34
2025	5	1	5	15	24	26.7	-3.1	1.145	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	34
2025	5	1	5	25	24	26.7	-3	1.145	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	1	5	35	24	25.8	-2.6	1.145	0.3	0.2	0	46	39.1	0	141	123	0	34	32	34
2025	5	1	5	45	24	25.3	-2.5	1.145	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	34
2025	5	1	5	55	24	26.5	-2.2	1.145	0.3	0.2	0	45.6	38.3	0	140	122	0	34	33	33
2025	5	1	6	5	24	25.7	-2.3	1.145	0.5	0.4	0	45.6	38.3	0	140	122	0	34	33	33
2025	5	1	6	15	24	24.5	-2.7	1.145	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	1	6	25	24	26.7	-2.8	1.145	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	1	6	35	24	26.9	-2.3	1.145	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	32
2025	5	1	6	45	24	26.2	-2.6	1.145	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	33
2025	5	1	6	55	24	26.7	-2.6	1.145	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	1	7	5	24	27.6	-2.6	1.145	0.4	0.3	0	44.7	37.8	0	138	121	0	34	33	34
2025	5	1	7	15	24	27.6	-3.7	1.145	0.5	0.4	0	44.7	38.3	0	138	121	0	34	32	34
2025	5	1	7	25	24	26.4	-1.8	1.145	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	1	7	35	24	26.2	-2.3	1.145	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	1	7	45	24	26.6	-2.3	1.145	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	1	7	55	24	27.7	-2.6	1.145	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	1	8	5	24	25.4	-1.8	1.145	0.4	0.3	0	44.3	37.4	0	138	120	0	35	33	34
2025	5	1	8	15	24	26.2	-2.4	1.146	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	1	8	25	24	25.6	-3	1.146	0.4	0.3	0	43.9	37	0	136	119	0	34	33	33
2025	5	1	8	35	24	26.8	-1.9	1.146	0.3	0.2	0	44.3	37.4	0	136	119	0	33	32	33
2025	5	1	8	45	24	25.6	-3.3	1.146	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2025	5	1	8	55	24	27.6	-2.6	1.146	0.3	0.2	0	43.9	37	0	136	119	0	34	33	33
2025	5	1	9	5	24	27.5	-2.7	1.146	0.3	0.2	0	44.3	37.4	0	137	119	0	34	32	33
2025	5	1	9	15	24	25.8	-2.5	1.146	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	34
2025	5	1	9	25	24	26.7	-3.1	1.146	0.4	0.3	0	43.9	37	0	137	119	0	35	33	34
2025	5	1	9	35	24	26.6	-3.3	1.146	0.4	0.3	0	43.9	37	0	136	119	0	34	33	34
2025	5	1	9	45	24	25.6	-2.3	1.146	0.4	0.3	0	44.3	37.4	0	136	120	0	33	33	34
2025	5	1	9	55	24	25.5	-2.6	1.146	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	1	10	5	24	26	-2.4	1.146	0.3	0.2	0	44.3	37.4	0	136	120	0	33	33	33
2025	5	1	10	15	24	26.1	-1.8	1.146	0.5	0.4	0	43.9	37	0	136	119	0	34	33	35
2025	5	1	10	25	24	26.3	-2.3	1.146	0.3	0.2	0	43.9	37.4	0	136	119	0	34	32	33
2025	5	1	10	35	24	25.3	-2.3	1.146	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	33
2025	5	1	10	45	24	26.1	-1.8	1.146	0.4	0.3	0	43.9	37.4	0	136	119	0	34	32	34
2025	5	1	10	55	24	26.8	-3.5	1.147	0.4	0.3	0	43.9	37	0	136	119	0	34	33	33
2025	5	1	11	5	24	25.7	-1.9	1.146	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	11	15	24	26.3	-1.7	1.147	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	34
2025	5	1	11	25	24	25.4	-2.7	1.147	0.5	0.4	0	44.3	37	0	136	119	0	33	33	33
2025	5	1	11	35	24	27	-2.2	1.147	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	34
2025	5	1	11	45	24	25.5	-2	1.147	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	11	55	24	26.2	-3.7	1.147	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	1	12	5	24	26.3	-2.6	1.147	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	1	12	15	24	26.4	-3.4	1.147	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	1	12	25	24	25.1	-1.8	1.147	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	34
2025	5	1	12	35	24	26.4	-2.6	1.147	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2025	5	1	12	45	24	26.8	-2.8	1.147	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	1	12	55	24	27	-2.7	1.147	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	1	13	5	24	27.3	-3.3	1.147	0.3	0.2	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	1	13	15	24	25.2	-3.7	1.147	0.3	0.2	0	43.9	37	0	136	119	0	34	33	33
2025	5	1	13	25	24	25.8	-1.9	1.148	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	1	13	35	24	25.7	-2.3	1.148	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	13	45	24	26.9	-2.4	1.147	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	1	13	55	24	25.3	-3	1.148	0.5	0.4	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	1	14	5	24	25.3	-1.2	1.148	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	14	15	24	26.8	-2.5	1.148	0.4	0.3	0	43.4	37.4	0	136	119	0	35	32	33
2025	5	1	14	25	24	26.7	-2.8	1.148	0.5	0.5	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	1	14	35	24	25.8	-3.6	1.148	0.5	0.5	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	14	45	24	26.7	-3.1	1.147	0.5	0.4	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	1	14	55	24	24.2	-3.2	1.147	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	15	5	24	28	-3.6	1.148	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	1	15	15	24	26.6	-2.2	1.147	0.5	0.4	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	1	15	25	24	26.3	-2.7	1.148	0.4	0.3	0	43.9	37	0	135	119	0	33	33	33
2025	5	1	15	35	24	27.1	-2.7	1.148	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	1	15	45	24	25.5	-2.5	1.148	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	1	15	55	24	26.1	-3.1	1.148	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	1	16	5	24	27	-2.3	1.148	0.3	0.2	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	1	16	15	24	26.3	-3.5	1.148	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	16	25	24	26.2	-1.8	1.148	0.5	0.4	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	1	16	35	24	25.5	-2.7	1.148	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33
2025	5	1	16	45	24	26.2	-2.7	1.148	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	1	16	55	24	27.1	-2.7	1.147	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33
2025	5	1	17	5	24	25.9	-2.4	1.148	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	1	17	15	24	26.6	-2.1	1.147	0.5	0.4	0	44.3	37.4	0	135	119	0	32	32	33
2025	5	1	17	25	24	24.7	-2	1.147	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	1	17	35	24	26.2	-3.3	1.147	0.5	0.4	0	43.4	37	0	135	119	0	34	33	33
2025	5	1	17	45	24	26.2	-2.9	1.147	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33
2025	5	1	17	55	24	25.8	-2.6	1.147	0.4	0.3	0	43	36.5	0	134	118	0	34	33	33
2025	5	1	18	5	24	26	-2.3	1.147	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	1	18	15	24	26.9	-1.8	1.147	0.3	0.2	0	43	36.5	0	134	118	0	34	33	34
2025	5	1	18	25	24	26.1	-1.9	1.146	0.5	0.5	0	43.4	37	0	135	119	0	34	33	33
2025	5	1	18	35	24	25.9	-1.7	1.145	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	1	18	45	24	25.9	-2.1	1.146	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	1	18	55	24	25.7	-3.2	1.147	0.3	0.2	0	43.9	37	0	135	119	0	33	33	33
2025	5	1	19	5	24	27.6	-2.8	1.147	0.5	0.5	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	1	19	15	24	26.2	-3.2	1.146	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2025	5	1	19	25	24	27	-2.7	1.146	0.3	0.2	0	44.3	37.8	0	137	121	0	34	33	34
2025	5	1	19	35	24	25.4	-1.9	1.146	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	1	19	45	24	25.9	-2.6	1.147	0.3	0.2	0	45.2	39.1	0	138	122	0	33	31	33
2025	5	1	19	55	24	26.2	-3.8	1.146	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2025	5	1	20	5	24	26	-3.3	1.147	0.3	0.2	0	45.2	39.1	0	138	123	0	33	32	33
2025	5	1	20	15	24	26.5	-3	1.146	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2025	5	1	20	25	24	28	-2.7	1.146	0.3	0.2	0	45.2	38.7	0	139	123	0	34	33	33
2025	5	1	20	35	24	25.5	-2.7	1.146	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33
2025	5	1	20	45	24	25.9	-2.7	1.146	0.4	0.3	0	45.6	39.1	0	139	123	0	33	32	33
2025	5	1	20	55	24	25.8	-2.5	1.146	0.5	0.4	0	45.2	39.1	0	139	123	0	34	32	33
2025	5	1	21	5	24	26	-3.3	1.146	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	33
2025	5	1	21	15	24	26.1	-2.9	1.146	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2025	5	1	21	25	24	25.5	-3	1.146	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2025	5	1	21	35	24	27	-3.7	1.146	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33
2025	5	1	21	45	24	26	-2	1.146	0.4	0.3	0	47.3	38.7	0	143	123	0	33	33	33
2025	5	1	21	55	24	26.5	-2.3	1.146	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	33
2025	5	1	22	5	24	26.2	-2.4	1.146	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	1	22	15	24	26.7	-2.7	1.146	0.3	0.2	0	46.4	38.3	0	142	121	0	34	32	33
2025	5	1	22	25	24	26.6	-2.8	1.146	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	1	22	35	24	26.6	-3.1	1.146	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	34
2025	5	1	22	45	24	26.3	-2.8	1.146	0.3	0.2	0	46.9	38.7	0	142	122	0	33	32	33
2025	5	1	22	55	24	26.3	-3	1.145	0.3	0.2	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	1	23	5	24	26.3	-3.5	1.146	0.3	0.2	0	46.4	38.3	0	142	122	0	34	33	34
2025	5	1	23	15	24	27.4	-3.3	1.145	0.3	0.2	0	46	37.8	0	141	121	0	34	33	34
2025	5	1	23	25	24	25.2	-2.7	1.145	0.5	0.4	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	1	23	35	24	25.2	-2.4	1.145	0.3	0.2	0	46.4	37.8	0	142	121	0	34	33	34
2025	5	1	23	45	24	25.9	-2.4	1.145	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	1	23	55	24	26.9	-1.8	1.145	0.3	0.2	0	46	38.3	0	141	122	0	34	33	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	2	0	5	24	26.8	-3.1	1.145	0.5	0.4	0	46	38.3	0	141	121	0	34	32	33
2025	5	2	0	15	24	26.3	-3.5	1.145	0.3	0.2	0	46	38.3	0	141	121	0	34	32	33
2025	5	2	0	25	24	26.2	-3.2	1.145	0.4	0.3	0	46	37.8	0	141	121	0	34	33	33
2025	5	2	0	35	24	27.2	-2.9	1.145	0.3	0.2	0	47.3	37.8	0	144	121	0	34	33	33
2025	5	2	0	45	24	25.5	-3.2	1.145	0.5	0.5	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	2	0	55	24	25.3	-2.8	1.145	0.3	0.2	0	46.9	37.8	0	143	121	0	34	33	33
2025	5	2	1	5	24	26.1	-3.6	1.145	0.4	0.3	0	47.3	38.3	0	144	122	0	34	33	33
2025	5	2	1	15	24	26.9	-2.5	1.145	0.3	0.2	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	2	1	25	24	26.8	-2	1.145	0.3	0.2	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	2	1	35	24	27.3	-2.2	1.145	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	2	1	45	24	27	-3.1	1.145	0.4	0.3	0	47.3	38.7	0	144	123	0	34	33	33
2025	5	2	1	55	24	25.9	-2.9	1.145	0.5	0.4	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	2	2	5	24	26.1	-3.8	1.145	0.4	0.3	0	47.3	38.3	0	144	122	0	34	33	34
2025	5	2	2	15	24	25.8	-2.6	1.145	0.3	0.2	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	2	2	25	24	26	-2.1	1.145	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	34
2025	5	2	2	35	24	27.3	-2.8	1.145	0.3	0.2	0	46.9	38.3	0	143	121	0	34	32	33
2025	5	2	2	45	24	25.4	-3.1	1.145	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	2	2	55	24	26.1	-2.3	1.145	0.5	0.4	0	46.9	38.3	0	143	121	0	34	32	33
2025	5	2	3	5	24	26.5	-3.1	1.146	0.3	0.2	0	46.4	38.3	0	142	121	0	34	32	33
2025	5	2	3	15	24	25.8	-2.2	1.146	0.3	0.2	0	46.4	38.3	0	142	121	0	34	32	34
2025	5	2	3	25	24	25.9	-2.9	1.146	0.4	0.3	0	47.3	37.8	0	143	121	0	33	33	33
2025	5	2	3	35	24	25.9	-2.7	1.146	0.3	0.2	0	47.3	38.3	0	143	122	0	33	33	34
2025	5	2	3	45	24	26	-2.6	1.146	0.4	0.3	0	46.4	37.8	0	142	121	0	34	33	33
2025	5	2	3	55	24	26.8	-3	1.146	0.4	0.3	0	46.4	37.8	0	142	121	0	34	33	33
2025	5	2	4	5	24	25.6	-3	1.146	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	34
2025	5	2	4	15	24	26.4	-2.7	1.146	0.5	0.4	0	46.9	37.8	0	142	121	0	33	33	33
2025	5	2	4	25	24	26	-2.5	1.146	0.3	0.2	0	46.4	37.8	0	142	121	0	34	33	33
2025	5	2	4	35	24	26.5	-2.2	1.146	0.3	0.2	0	46	37.8	0	141	121	0	34	33	33
2025	5	2	4	45	24	26	-3.2	1.146	0.3	0.2	0	46.9	38.7	0	143	122	0	34	32	32
2025	5	2	4	55	24	26.5	-2	1.146	0.5	0.4	0	46.9	38.3	0	143	122	0	34	33	34
2025	5	2	5	5	24	26.5	-2.2	1.146	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	2	5	15	24	25.6	-2.6	1.146	0.4	0.3	0	46.4	38.3	0	142	122	0	34	33	34
2025	5	2	5	25	24	25.4	-1.6	1.146	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	2	5	35	24	27.1	-2.5	1.146	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	33
2025	5	2	5	45	24	26.4	-2.9	1.146	0.5	0.4	0	46.4	37.8	0	142	121	0	34	33	33
2025	5	2	5	55	24	24.9	-2.9	1.147	0.3	0.2	0	46.9	38.7	0	142	121	0	33	31	33
2025	5	2	6	5	24	26.4	-2.4	1.147	0.4	0.3	0	46	37.8	0	141	121	0	34	33	33
2025	5	2	6	15	24	25.9	-3.4	1.147	0.4	0.3	0	46	37.8	0	141	120	0	34	32	33
2025	5	2	6	25	24	26.7	-2.9	1.147	0.3	0.2	0	45.6	37.8	0	140	120	0	34	32	34
2025	5	2	6	35	24	26.6	-3.6	1.147	0.3	0.2	0	45.6	37.4	0	140	119	0	34	32	33
2025	5	2	6	45	24	25.4	-3.4	1.147	0.3	0.2	0	45.2	37.4	0	139	119	0	34	32	33
2025	5	2	6	55	24	26.3	-3.2	1.147	0.5	0.4	0	45.2	37.4	0	139	119	0	34	32	33
2025	5	2	7	5	24	25.7	-2.6	1.147	0.5	0.4	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	2	7	15	24	26.2	-3.1	1.147	0.4	0.3	0	45.2	37.4	0	139	119	0	34	32	33
2025	5	2	7	25	24	27	-2.9	1.147	0.3	0.2	0	45.2	37	0	139	119	0	34	33	33
2025	5	2	7	35	24	25.7	-3.4	1.147	0.3	0.2	0	46	37.8	0	140	120	0	33	32	34
2025	5	2	7	45	24	26.9	-3.1	1.148	0.4	0.3	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	2	7	55	24	26.1	-2.2	1.148	0.4	0.3	0	45.6	37.8	0	140	120	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	2	8	5	24	26.6	-2.7	1.148	0.5	0.4	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	2	8	15	24	26.7	-3.2	1.148	0.3	0.2	0	45.6	37	0	140	120	0	34	34	33
2025	5	2	8	25	24	26	-2.2	1.148	0.3	0.2	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	2	8	35	24	26.3	-2.7	1.148	0.4	0.3	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	2	8	45	24	25.4	-2.6	1.148	0.3	0.2	0	45.2	37.4	0	139	120	0	34	33	33
2025	5	2	8	55	24	26.7	-2.5	1.149	0.4	0.3	0	45.2	37.4	0	139	119	0	34	32	34
2025	5	2	9	5	24	26.6	-1.9	1.149	0.5	0.4	0	45.6	37.8	0	140	120	0	34	32	34
2025	5	2	9	15	24	26.2	-2.9	1.149	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	9	25	24	26.2	-2.3	1.149	0.4	0.3	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	2	9	35	24	27.3	-2.8	1.149	0.3	0.2	0	45.6	37.4	0	139	120	0	33	33	33
2025	5	2	9	45	24	26.8	-2.6	1.149	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	9	55	24	26.5	-2	1.149	0.3	0.2	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	2	10	5	24	26	-2.8	1.149	0.3	0.2	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	2	10	15	24	26.3	-2.3	1.15	0.5	0.4	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	10	25	24	26.7	-3	1.149	0.4	0.3	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	2	10	35	24	27.5	-2.8	1.15	0.3	0.2	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	2	10	45	24	27.2	-2.2	1.15	0.4	0.3	0	45.6	37.4	0	139	120	0	33	33	33
2025	5	2	10	55	24	26	-2.5	1.15	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	34
2025	5	2	11	5	24	26	-2.4	1.15	0.5	0.5	0	45.6	37.4	0	139	120	0	33	33	33
2025	5	2	11	15	24	27.3	-2.4	1.15	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	32
2025	5	2	11	25	24	26.6	-3.1	1.15	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	11	35	24	27	-2.4	1.151	0.3	0.2	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	11	45	24	27.9	-2.7	1.151	0.3	0.2	0	45.2	37.4	0	139	120	0	34	33	33
2025	5	2	11	55	24	26.7	-2.8	1.151	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	12	5	24	26	-1.3	1.151	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	2	12	15	24	26.1	-3.1	1.151	0.5	0.4	0	45.2	37.8	0	139	120	0	34	32	32
2025	5	2	12	25	24	26.3	-3.7	1.151	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	34
2025	5	2	12	35	24	27	-3.7	1.151	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	12	45	24	26.1	-2.8	1.151	0.4	0.3	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	12	55	24	25.6	-2.5	1.151	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	2	13	5	24	25.7	-1.9	1.151	0.5	0.4	0	45.6	37.4	0	139	120	0	33	33	33
2025	5	2	13	15	24	25.5	-3.2	1.151	0.4	0.3	0	45.6	37	0	139	119	0	33	33	34
2025	5	2	13	25	24	26.5	-2.3	1.151	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	13	35	24	26.6	-3.3	1.152	0.3	0.2	0	45.2	37.8	0	138	119	0	33	31	32
2025	5	2	13	45	24	26.3	-3	1.152	0.5	0.4	0	45.2	37.4	0	138	119	0	33	32	32
2025	5	2	13	55	24	25.9	-2.3	1.151	0.4	0.3	0	44.7	37.8	0	138	120	0	34	32	33
2025	5	2	14	5	24	26	-3.7	1.152	0.5	0.4	0	44.7	37.4	0	138	119	0	34	32	33
2025	5	2	14	15	24	25.3	-1.7	1.151	0.4	0.3	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	14	25	24	26.6	-3.2	1.151	0.4	0.3	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	2	14	35	24	25.1	-2.2	1.151	0.5	0.4	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	14	45	24	26.1	-2.7	1.152	0.3	0.2	0	45.2	37.4	0	138	119	0	33	32	33
2025	5	2	14	55	24	26.9	-2.5	1.151	0.3	0.2	0	45.2	37.4	0	138	119	0	33	32	32
2025	5	2	15	5	24	25.2	-2.6	1.151	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	15	15	24	25.2	-2.4	1.151	0.5	0.4	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	15	25	24	25.6	-1.5	1.151	0.5	0.4	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	15	35	24	25.6	-2.5	1.151	0.4	0.3	0	45.6	38.3	0	139	120	0	33	31	33
2025	5	2	15	45	24	25.2	-2.8	1.151	0.3	0.2	0	45.6	37.8	0	139	121	0	33	33	33
2025	5	2	15	55	24	26.6	-2.7	1.151	0.3	0.2	0	45.2	37.4	0	139	120	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	2	16	5	24	25.3	-2	1.151	0.3	0.2	0	45.6	38.3	0	139	121	0	33	32	33
2025	5	2	16	15	24	25.6	-3	1.151	0.3	0.2	0	45.6	38.3	0	139	121	0	33	32	32
2025	5	2	16	25	24	26.1	-2.3	1.151	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	2	16	35	24	27.7	-2.4	1.151	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	2	16	45	24	25.2	-2.8	1.151	0.4	0.3	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	16	55	24	26.1	-2.3	1.15	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	2	17	5	24	26.5	-3.1	1.151	0.5	0.4	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	2	17	15	24	26.2	-2.3	1.15	0.3	0.2	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	17	25	24	26.6	-2.3	1.15	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	2	17	35	24	25.7	-2.7	1.15	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	2	17	45	24	26.1	-3.2	1.15	0.4	0.3	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	2	17	55	24	26.3	-3.3	1.151	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	2	18	5	24	26.4	-2.8	1.151	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	2	18	15	24	26.8	-3.7	1.151	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	2	18	25	24	25.5	-1.4	1.15	0.3	0.2	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	18	35	24	26.2	-2.5	1.151	0.5	0.4	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	2	18	45	24	26.7	-3.1	1.151	0.4	0.3	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	18	55	24	25.7	-3.1	1.151	0.5	0.4	0	46	38.3	0	140	121	0	33	32	33
2025	5	2	19	5	24	26.7	-2.5	1.151	0.4	0.3	0	46	38.7	0	140	122	0	33	32	33
2025	5	2	19	15	24	25.9	-2.8	1.151	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	33
2025	5	2	19	25	24	25.9	-2.7	1.15	0.4	0.3	0	47.3	38.3	0	143	121	0	33	32	32
2025	5	2	19	35	24	27.6	-2.9	1.15	0.3	0.2	0	47.7	38.7	0	144	122	0	33	32	32
2025	5	2	19	45	24	26.5	-3.1	1.15	0.3	0.2	0	47.7	38.7	0	144	122	0	33	32	33
2025	5	2	19	55	24	25.6	-2.2	1.15	0.5	0.4	0	47.3	38.7	0	144	122	0	34	32	32
2025	5	2	20	5	24	26.8	-2.9	1.15	0.4	0.3	0	47.7	39.1	0	145	123	0	34	32	33
2025	5	2	20	15	24	24.7	-3.5	1.15	0.3	0.2	0	47.7	39.1	0	145	123	0	34	32	33
2025	5	2	20	25	24	27.7	-2.7	1.15	0.3	0.2	0	48.2	39.6	0	145	124	0	33	32	32
2025	5	2	20	35	24	26	-2.7	1.15	0.3	0.2	0	48.2	39.6	0	145	124	0	33	32	33
2025	5	2	20	45	24	27.2	-3.3	1.15	0.3	0.2	0	47.7	39.6	0	145	124	0	34	32	33
2025	5	2	20	55	24	26	-3.1	1.15	0.4	0.3	0	48.2	39.6	0	146	124	0	34	32	32
2025	5	2	21	5	24	26	-2.9	1.15	0.4	0.3	0	48.6	39.6	0	146	124	0	33	32	33
2025	5	2	21	15	24	27	-1.9	1.149	0.4	0.3	0	48.6	39.1	0	146	124	0	33	33	33
2025	5	2	21	25	24	25.6	-2.2	1.15	0.5	0.5	0	49	40	0	147	125	0	33	32	33
2025	5	2	21	35	24	27.1	-2.9	1.15	0.3	0.2	0	48.6	40	0	146	125	0	33	32	33
2025	5	2	21	45	24	26.1	-3.2	1.15	0.3	0.2	0	48.2	39.6	0	145	124	0	33	32	33
2025	5	2	21	55	24	26.6	-1.6	1.149	0.4	0.3	0	48.6	40	0	146	125	0	33	32	33
2025	5	2	22	5	24	26	-3.5	1.149	0.3	0.2	0	47.7	39.6	0	145	124	0	34	32	34
2025	5	2	22	15	24	26.9	-2.1	1.149	0.5	0.4	0	48.2	39.6	0	145	124	0	33	32	32
2025	5	2	22	25	24	26.1	-2.9	1.149	0.4	0.3	0	47.3	39.1	0	144	124	0	34	33	33
2025	5	2	22	35	24	25.6	-1.9	1.149	0.4	0.3	0	47.3	39.6	0	144	124	0	34	32	33
2025	5	2	22	45	24	27.2	-2.8	1.149	0.4	0.3	0	47.7	39.6	0	144	124	0	33	32	34
2025	5	2	22	55	24	26.7	-3.3	1.149	0.3	0.2	0	47.3	39.6	0	144	124	0	34	32	33
2025	5	2	23	5	24	26.8	-3.6	1.149	0.3	0.2	0	47.3	39.1	0	144	124	0	34	33	33
2025	5	2	23	15	24	26.7	-3.6	1.149	0.3	0.2	0	46.9	38.7	0	143	123	0	34	33	33
2025	5	2	23	25	24	26.9	-3.7	1.149	0.5	0.4	0	47.3	38.7	0	144	123	0	34	33	33
2025	5	2	23	35	24	26.4	-4.1	1.149	0.5	0.4	0	47.3	38.7	0	144	123	0	34	33	33
2025	5	2	23	45	24	26.3	-2.2	1.149	0.3	0.2	0	47.3	39.6	0	143	124	0	33	32	34
2025	5	2	23	55	24	26.9	-3.6	1.149	0.4	0.3	0	47.3	39.1	0	143	123	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	3	0	5	24	26.1	-1.8	1.149	0.4	0.3	0	47.7	39.1	0	144	123	0	33	32	32
2025	5	3	0	15	24	25.6	-3.2	1.149	0.3	0.2	0	46.9	39.6	0	143	123	0	34	31	33
2025	5	3	0	25	24	26.8	-2.8	1.149	0.3	0.2	0	46.9	39.6	0	143	124	0	34	32	34
2025	5	3	0	35	24	26.3	-3.2	1.149	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	3	0	45	24	26.8	-3	1.149	0.4	0.3	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	3	0	55	24	26.1	-3.1	1.149	0.4	0.3	0	47.3	39.1	0	143	123	0	33	32	33
2025	5	3	1	5	24	26.4	-2.9	1.149	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	3	1	15	24	27.6	-2.7	1.149	0.3	0.2	0	47.3	39.1	0	143	123	0	33	32	33
2025	5	3	1	25	24	26.8	-2.3	1.149	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	3	1	35	24	25.4	-2.5	1.149	0.4	0.3	0	46.9	39.1	0	143	123	0	34	32	32
2025	5	3	1	45	24	27.4	-2.9	1.149	0.4	0.3	0	46.9	38.7	0	142	123	0	33	33	33
2025	5	3	1	55	24	26.2	-2.8	1.149	0.3	0.2	0	47.3	39.6	0	143	123	0	33	31	33
2025	5	3	2	5	24	27.4	-2.7	1.149	0.4	0.3	0	47.3	39.1	0	143	123	0	33	32	32
2025	5	3	2	15	24	25.4	-2.3	1.15	0.3	0.2	0	47.3	38.7	0	143	123	0	33	33	33
2025	5	3	2	25	24	26.8	-2.9	1.15	0.3	0.2	0	47.3	39.1	0	143	123	0	33	32	33
2025	5	3	2	35	24	25.5	-1.7	1.15	0.4	0.3	0	47.3	38.7	0	143	123	0	33	33	33
2025	5	3	2	45	24	25.3	-2.9	1.15	0.4	0.3	0	46.9	38.7	0	143	123	0	34	33	33
2025	5	3	2	55	24	26.8	-3.3	1.15	0.5	0.4	0	46.9	39.1	0	142	123	0	33	32	33
2025	5	3	3	5	24	26.8	-3	1.15	0.3	0.2	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	3	3	15	24	26.4	-2.1	1.15	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	3	3	25	24	25.9	-2.9	1.15	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	3	3	35	24	26.5	-2.8	1.15	0.3	0.2	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	3	3	45	24	26.3	-3.2	1.151	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	3	3	55	24	26.3	-3.1	1.151	0.3	0.2	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	3	4	5	24	26.6	-2.1	1.151	0.5	0.4	0	46.4	38.7	0	141	122	0	33	32	33
2025	5	3	4	15	24	27	-3.1	1.151	0.4	0.3	0	47.3	39.1	0	143	123	0	33	32	33
2025	5	3	4	25	24	26.6	-2.4	1.151	0.4	0.3	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	3	4	35	24	26.1	-2.2	1.151	0.5	0.5	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	3	4	45	24	26.3	-2.7	1.151	0.4	0.3	0	46.9	38.7	0	142	123	0	33	33	33
2025	5	3	4	55	24	26.5	-2.7	1.152	0.3	0.2	0	46.4	39.6	0	142	124	0	34	32	33
2025	5	3	5	5	24	27.7	-3.1	1.152	0.3	0.2	0	46.9	39.1	0	142	123	0	33	32	32
2025	5	3	5	15	24	27.2	-3.1	1.152	0.4	0.3	0	46.9	39.1	0	142	123	0	33	32	32
2025	5	3	5	25	24	27.6	-2.1	1.152	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	34
2025	5	3	5	35	24	28.2	-3	1.152	0.3	0.2	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	3	5	45	24	27.7	-3.1	1.152	0.5	0.4	0	46	39.1	0	141	123	0	34	32	32
2025	5	3	5	55	24	26.6	-1.9	1.153	0.5	0.4	0	46	39.1	0	141	123	0	34	32	33
2025	5	3	6	5	24	26.7	-2	1.153	0.5	0.4	0	46.4	38.7	0	141	122	0	33	32	33
2025	5	3	6	15	24	27.5	-2.3	1.153	0.5	0.4	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	3	6	25	24	27.2	-3.1	1.154	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	3	6	35	24	27.1	-2.9	1.154	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	3	6	45	24	27.8	-2.2	1.155	0.5	0.4	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	3	6	55	24	25.9	-2.7	1.156	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	3	7	5	24	26.7	-2.5	1.156	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	3	7	15	24	28.2	-2.5	1.157	0.5	0.4	0	45.6	39.1	0	140	122	0	34	31	33
2025	5	3	7	25	24	26.9	-2.3	1.157	0.5	0.5	0	45.6	38.3	0	140	122	0	34	33	33
2025	5	3	7	35	24	26.4	-2.7	1.157	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	3	7	45	24	27.8	-2.3	1.157	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	3	7	55	24	27.7	-2.5	1.158	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	3	8	5	24	27.2	-3.3	1.158	0.5	0.4	0	45.6	38.3	0	139	121	0	33	32	33	
2025	5	3	8	15	24	27.4	-2.9	1.158	0.4	0.3	0	45.6	38.3	0	139	121	0	33	32	33	
2025	5	3	8	25	24	25.3	-2.6	1.158	0.4	0.3	0	45.6	37.8	0	139	121	0	33	33	33	
2025	5	3	8	35	24	25.3	-2.3	1.158	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33	
2025	5	3	8	45	24	26.4	-3.9	1.159	0.3	0.2	0	46	38.7	0	140	122	0	33	32	33	
2025	5	3	8	55	24	27.6	-2.4	1.159	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33	
2025	5	3	9	5	24	27.2	-2.3	1.159	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33	
2025	5	3	9	15	24	27.2	-1.4	1.159	0.5	0.4	0	45.6	38.7	0	140	123	0	34	33	33	
2025	5	3	9	25	24	27.5	-2.7	1.159	0.3	0.2	0	45.6	38.7	0	140	122	0	34	32	33	
2025	5	3	9	35	24	27.5	-2.7	1.159	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	33	
2025	5	3	9	45	24	26.5	-3.4	1.159	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33	
2025	5	3	9	55	24	26.5	-2.9	1.16	0.3	0.2	0	45.6	38.7	0	140	122	0	34	32	33	
2025	5	3	10	5	24	25.6	-1.9	1.16	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	33	
2025	5	3	10	15	24	25.2	-1.7	1.16	0.4	0.3	0	45.2	38.7	0	139	122	0	34	32	33	
2025	5	3	10	25	24	27	-3.4	1.16	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	33	
2025	5	3	10	35	24	26.8	-2.9	1.16	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	33	
2025	5	3	10	45	24	26.4	-2.5	1.16	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	32	
2025	5	3	10	55	24	26	-3.1	1.16	0.5	0.4	0	45.2	38.3	0	139	121	0	34	32	34	
2025	5	3	11	5	24	25.5	-2.4	1.159	0.4	0.3	0	45.6	38.7	0	139	122	0	33	32	33	
2025	5	3	11	15	24	26.2	-2.6	1.159	0.5	0.5	0	45.2	38.3	0	139	122	0	34	33	33	
2025	5	3	11	25	24	25.2	-3	1.159	0.5	0.4	0	45.2	38.3	0	139	121	0	34	32	33	
2025	5	3	11	35	24	25.9	-3	1.158	0.4	0.3	0	45.6	39.1	0	140	123	0	34	32	34	
2025	5	3	11	45	24	25.8	-2.6	1.158	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	33	
2025	5	3	11	55	24	26.5	-2.1	1.159	0.4	0.3	0	45.6	38.7	0	139	122	0	33	32	33	
2025	5	3	12	5	24	26.3	-1.8	1.157	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	34	
2025	5	3	12	15	24	25.7	-2.6	1.157	0.3	0.2	0	45.6	38.7	0	139	122	0	33	32	33	
2025	5	3	12	25	24	27.2	-2.3	1.158	0.3	0.2	0	45.6	38.7	0	139	121	0	33	31	32	
2025	5	3	12	35	24	25.3	-1.4	1.159	0.3	0.2	0	45.6	38.3	0	139	122	0	33	33	32	
2025	5	3	12	45	24	26	-2.4	1.157	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33	
2025	5	3	12	55	24	26.6	-3.3	1.157	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	33	
2025	5	3	13	5	24	27.1	-2.8	1.159	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33	
2025	5	3	13	15	24	26.6	-1.2	1.159	0.4	0.3	0	45.2	37.8	0	138	121	0	33	33	33	
2025	5	3	13	25	24	25.9	-2.7	1.16	0.3	0.2	0	45.2	38.3	0	138	121	0	33	32	33	
2025	5	3	13	35	24	26.5	-2.1	1.158	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33	
2025	5	3	13	45	24	26.8	-3.6	1.159	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	33	
2025	5	3	13	55	24	26.4	-2.7	1.159	0.3	0.2	0	44.7	38.3	0	137	120	0	33	31	33	
2025	5	3	14	5	24	26.4	-2.5	1.159	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	33	
2025	5	3	14	15	24	26.8	-2.1	1.159	0.5	0.4	0	43.9	38.3	0	137	121	0	35	32	32	
2025	5	3	14	25	24	26.3	-1.4	1.159	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33	
2025	5	3	14	35	24	27.6	-2.7	1.159	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	32	
2025	5	3	14	45	24	26.2	-2.3	1.159	0.4	0.3	0	44.7	38.3	0	138	121	0	34	32	33	
2025	5	3	14	55	24	26.2	-2.7	1.159	0.4	0.3	0	44.7	37.8	0	137	121	0	33	33	33	
2025	5	3	15	5	24	27	-3.4	1.159	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	33	
2025	5	3	15	15	24	26.7	-2.5	1.158	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33	
2025	5	3	15	25	24	26.2	-2.7	1.158	0.4	0.3	0	46	39.1	0	140	123	0	33	32	32	
2025	5	3	15	35	24	26.2	-3	1.158	0.4	0.3	0	46	39.1	0	140	123	0	33	32	33	
2025	5	3	15	45	24	26.2	-2	1.159	0.3	0.2	0	45.6	39.1	0	140	123	0	34	32	32	
2025	5	3	15	55	24	27.3	-3.6	1.16	0.3	0.2	0	45.6	39.1	0	139	123	0	33	32	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	3	16	5	24	25.8	-2.1	1.16	0.4	0.3	0	45.2	38.7	0	138	122	0	33	32	33
2025	5	3	16	15	24	26.9	-2	1.16	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33
2025	5	3	16	25	24	25.7	-2.3	1.16	0.3	0.2	0	45.2	37.8	0	138	121	0	33	33	33
2025	5	3	16	35	24	26.1	-2.4	1.159	0.3	0.2	0	44.7	39.1	0	138	122	0	34	31	33
2025	5	3	16	45	24	27.4	-1.8	1.159	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	3	16	55	24	26.6	-2.4	1.159	0.3	0.2	0	45.2	38.3	0	138	121	0	33	32	34
2025	5	3	17	5	24	26.8	-3.1	1.159	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	3	17	15	24	26.7	-2.2	1.159	0.4	0.3	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	17	25	24	26	-2.6	1.159	0.5	0.4	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	17	35	24	27.1	-3.6	1.159	0.4	0.3	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	17	45	24	25.8	-2.3	1.159	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	34
2025	5	3	17	55	24	26.5	-1.6	1.159	0.5	0.4	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	3	18	5	24	26.6	-3.2	1.158	0.3	0.2	0	44.7	37.8	0	137	120	0	33	32	32
2025	5	3	18	15	24	26	-2.6	1.159	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	3	18	25	24	26.6	-2.3	1.158	0.3	0.2	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	3	18	35	24	26.1	-2.4	1.158	0.4	0.3	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	18	45	24	27.8	-3	1.157	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	3	18	55	24	27.5	-1.4	1.157	0.3	0.2	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	19	5	24	27.6	-2.2	1.157	0.5	0.4	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	3	19	15	24	26.6	-2.4	1.157	0.3	0.2	0	45.2	38.3	0	138	122	0	33	33	34
2025	5	3	19	25	24	26.2	-2.8	1.157	0.5	0.4	0	45.2	38.3	0	138	122	0	33	33	33
2025	5	3	19	35	24	26.6	-2.4	1.157	0.5	0.4	0	45.2	38.7	0	138	122	0	33	32	34
2025	5	3	19	45	24	26.4	-3.1	1.156	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33
2025	5	3	19	55	24	27	-2.3	1.157	0.5	0.5	0	45.2	39.1	0	139	123	0	34	32	33
2025	5	3	20	5	24	25.7	-2.5	1.156	0.5	0.4	0	45.6	39.6	0	140	124	0	34	32	33
2025	5	3	20	15	24	28.5	-2.7	1.156	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	34
2025	5	3	20	25	24	26.5	-2	1.156	0.4	0.3	0	45.6	39.6	0	140	124	0	34	32	33
2025	5	3	20	35	24	26	-3	1.155	0.4	0.3	0	46	39.6	0	141	124	0	34	32	34
2025	5	3	20	45	24	25.5	-2.3	1.155	0.3	0.2	0	46	39.1	0	141	124	0	34	33	32
2025	5	3	20	55	24	26.9	-2.7	1.155	0.4	0.3	0	46	39.6	0	140	124	0	33	32	33
2025	5	3	21	5	24	26.2	-2.7	1.156	0.4	0.3	0	46.4	39.1	0	141	124	0	33	33	32
2025	5	3	21	15	24	27.6	-3.6	1.156	0.3	0.2	0	46	39.6	0	140	124	0	33	32	33
2025	5	3	21	25	24	25.9	-2.6	1.156	0.4	0.3	0	45.6	39.1	0	140	124	0	34	33	33
2025	5	3	21	35	24	26	-2.5	1.154	0.3	0.2	0	45.6	39.6	0	140	124	0	34	32	34
2025	5	3	21	45	24	26.2	-2	1.154	0.4	0.3	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	3	21	55	24	26.7	-2.6	1.154	0.3	0.2	0	45.2	39.1	0	139	123	0	34	32	33
2025	5	3	22	5	24	27.3	-2.8	1.154	0.4	0.3	0	45.6	38.7	0	139	122	0	33	32	34
2025	5	3	22	15	24	27.2	-2.6	1.154	0.4	0.3	0	45.2	38.7	0	139	123	0	34	33	33
2025	5	3	22	25	24	26.8	-1.8	1.153	0.3	0.2	0	45.2	38.7	0	139	123	0	34	33	33
2025	5	3	22	35	24	26.4	-2.7	1.152	0.3	0.2	0	45.6	38.7	0	140	123	0	34	33	32
2025	5	3	22	45	24	24.8	-2.3	1.153	0.4	0.3	0	47.3	38.7	0	143	123	0	33	33	33
2025	5	3	22	55	24	26.9	-2.1	1.152	0.5	0.4	0	47.3	39.1	0	144	123	0	34	32	33
2025	5	3	23	5	24	26.6	-2.1	1.153	0.4	0.3	0	47.3	39.1	0	144	123	0	34	32	34
2025	5	3	23	15	24	26.5	-2.7	1.151	0.4	0.3	0	47.3	39.1	0	144	123	0	34	32	34
2025	5	3	23	25	24	25.3	-2.3	1.151	0.3	0.2	0	47.3	39.1	0	144	123	0	34	32	34
2025	5	3	23	35	24	25.6	-2.9	1.15	0.3	0.2	0	47.3	39.1	0	144	123	0	34	32	33
2025	5	3	23	45	24	26.6	-2.2	1.15	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	3	23	55	24	26.1	-3.1	1.15	0.3	0.2	0	46.9	38.3	0	143	122	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	4	0	5	24	25.6	-3	1.15	0.5	0.4	0	46.9	38.3	0	143	122	0	34	33	34
2025	5	4	0	15	24	25.5	-2.7	1.15	0.3	0.2	0	46.9	38.3	0	142	122	0	33	33	34
2025	5	4	0	25	24	27.1	-2.7	1.149	0.4	0.3	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	4	0	35	24	25.6	-3.6	1.149	0.4	0.3	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	4	0	45	24	26.3	-2.7	1.149	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	4	0	55	24	25.7	-3.1	1.149	0.4	0.3	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	4	1	5	24	25.4	-3.1	1.149	0.3	0.2	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	4	1	15	24	26	-1.5	1.149	0.5	0.4	0	46	38.7	0	142	122	0	35	32	33
2025	5	4	1	25	24	24.8	-2.2	1.149	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	4	1	35	24	27	-2.7	1.149	0.3	0.2	0	46	38.7	0	141	122	0	34	32	33
2025	5	4	1	45	24	26.7	-2.4	1.148	0.3	0.2	0	46	38.3	0	141	122	0	34	33	33
2025	5	4	1	55	24	26.6	-2.8	1.148	0.3	0.2	0	46	38.3	0	141	122	0	34	33	33
2025	5	4	2	5	24	26.3	-3	1.148	0.5	0.4	0	46.4	38.3	0	142	122	0	34	33	33
2025	5	4	2	15	24	26.1	-2	1.148	0.4	0.3	0	46.4	38.3	0	141	121	0	33	32	33
2025	5	4	2	25	24	27.3	-1.8	1.148	0.4	0.3	0	46	38.3	0	141	121	0	34	32	33
2025	5	4	2	35	24	25.9	-2.7	1.148	0.3	0.2	0	46	38.3	0	141	122	0	34	33	33
2025	5	4	2	45	24	25.6	-2.6	1.148	0.4	0.3	0	46	38.3	0	141	122	0	34	33	34
2025	5	4	2	55	24	25.5	-2.3	1.147	0.3	0.2	0	46	38.3	0	141	122	0	34	33	33
2025	5	4	3	5	24	25.2	-3.6	1.148	0.4	0.3	0	46	37.8	0	141	121	0	34	33	33
2025	5	4	3	15	24	25.5	-3.3	1.147	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	4	3	25	24	26	-2.7	1.147	0.4	0.3	0	46.4	37.8	0	141	121	0	33	33	34
2025	5	4	3	35	24	27.8	-2.6	1.147	0.3	0.2	0	46.4	38.3	0	141	121	0	33	32	33
2025	5	4	3	45	24	24.5	-3.7	1.147	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	4	3	55	24	25.5	-1.8	1.147	0.3	0.2	0	45.6	38.3	0	140	121	0	34	32	34
2025	5	4	4	5	24	26.6	-2.2	1.147	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	4	4	15	24	26	-1.9	1.147	0.4	0.3	0	46	38.3	0	141	121	0	34	32	33
2025	5	4	4	25	24	25.8	-2.5	1.147	0.3	0.2	0	46	38.7	0	141	122	0	34	32	33
2025	5	4	4	35	24	26	-3.1	1.147	0.4	0.3	0	46	38.3	0	141	122	0	34	33	34
2025	5	4	4	45	24	26.1	-2.5	1.146	0.3	0.2	0	46	38.7	0	140	122	0	33	32	34
2025	5	4	4	55	24	26.9	-2.4	1.146	0.5	0.4	0	46	38.7	0	140	122	0	33	32	33
2025	5	4	5	5	24	25.5	-1.5	1.146	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	4	5	15	24	26.3	-2.8	1.146	0.4	0.3	0	46	37.8	0	140	121	0	33	33	33
2025	5	4	5	25	24	28.2	-2.6	1.146	0.5	0.4	0	45.6	37.8	0	139	121	0	33	33	33
2025	5	4	5	35	24	26	-2.7	1.146	0.5	0.4	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	4	5	45	24	26.4	-2.4	1.146	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	4	5	55	24	25.5	-3.1	1.146	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	4	6	5	24	25.5	-2.5	1.146	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	34
2025	5	4	6	15	24	26.7	-2.6	1.146	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	4	6	25	24	24.9	-2.3	1.146	0.3	0.2	0	45.2	37.4	0	139	120	0	34	33	34
2025	5	4	6	35	24	26	-3.1	1.146	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	33
2025	5	4	6	45	24	26.6	-2.5	1.146	0.4	0.3	0	45.2	37.4	0	138	120	0	33	33	33
2025	5	4	6	55	24	25.7	-3.1	1.146	0.5	0.4	0	44.3	37	0	137	119	0	34	33	34
2025	5	4	7	5	24	26.2	-2.2	1.146	0.5	0.4	0	44.7	37.4	0	138	119	0	34	32	33
2025	5	4	7	15	24	27.7	-2.9	1.146	0.3	0.2	0	44.3	37	0	137	119	0	34	33	34
2025	5	4	7	25	24	24.6	-3.1	1.146	0.3	0.2	0	44.7	37.4	0	137	119	0	33	32	32
2025	5	4	7	35	24	25.1	-2.3	1.146	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	33
2025	5	4	7	45	24	25.1	-2.7	1.146	0.4	0.3	0	44.3	37	0	137	119	0	34	33	34
2025	5	4	7	55	24	26	-2.7	1.146	0.5	0.4	0	44.3	37	0	138	119	0	35	33	34

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	4	8	5	24	26.2	-3.2	1.146	0.5	0.5	0	44.3	37.4	0	137	119	0	34	32	34	
2025	5	4	8	15	24	25.9	-2.2	1.146	0.5	0.4	0	44.3	37.4	0	137	119	0	34	32	34	
2025	5	4	8	25	24	26	-2.7	1.146	0.3	0.2	0	44.7	37.4	0	137	119	0	33	32	33	
2025	5	4	8	35	24	24.8	-1.5	1.146	0.5	0.4	0	43.9	37	0	137	118	0	35	32	33	
2025	5	4	8	45	24	26.2	-3.1	1.146	0.5	0.4	0	43.9	36.5	0	136	118	0	34	33	33	
2025	5	4	8	55	24	26.7	-2.7	1.146	0.3	0.2	0	44.3	36.5	0	137	118	0	34	33	34	
2025	5	4	9	5	24	26.4	-2.6	1.146	0.4	0.3	0	43.9	36.5	0	136	118	0	34	33	34	
2025	5	4	9	15	24	26.1	-3.1	1.146	0.4	0.3	0	44.3	36.5	0	136	118	0	33	33	34	
2025	5	4	9	25	24	26.2	-2.2	1.146	0.4	0.3	0	44.3	36.5	0	136	118	0	33	33	33	
2025	5	4	9	35	24	25.7	-2.6	1.146	0.3	0.2	0	43.4	37	0	135	118	0	34	32	33	
2025	5	4	9	45	24	27.3	-3.6	1.146	0.3	0.2	0	43.9	36.5	0	135	117	0	33	32	33	
2025	5	4	9	55	24	25.9	-0.9	1.146	0.3	0.2	0	43.4	37	0	135	118	0	34	32	33	
2025	5	4	10	5	24	25.9	-3.4	1.146	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34	
2025	5	4	10	15	24	26.4	-2.7	1.146	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	32	
2025	5	4	10	25	24	24.7	-2.9	1.146	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34	
2025	5	4	10	35	24	26.4	-2.4	1.146	0.3	0.2	0	43.4	37	0	135	118	0	34	32	33	
2025	5	4	10	45	24	26	-2	1.146	0.3	0.2	0	43.9	36.5	0	135	118	0	33	33	33	
2025	5	4	10	55	24	26.2	-2.6	1.146	0.3	0.2	0	43.4	37	0	135	118	0	34	32	33	
2025	5	4	11	5	24	26.8	-1.5	1.146	0.3	0.2	0	43.4	36.5	0	134	118	0	33	33	34	
2025	5	4	11	15	24	26.3	-2.2	1.146	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	11	25	24	27.1	-2.8	1.146	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	33	
2025	5	4	11	35	24	25.2	-2.9	1.146	0.4	0.3	0	43.4	37	0	135	118	0	34	32	34	
2025	5	4	11	45	24	26.4	-1.9	1.146	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33	
2025	5	4	11	55	24	26.2	-3.1	1.146	0.3	0.2	0	43.9	37.4	0	135	119	0	33	32	33	
2025	5	4	12	5	24	25.2	-0.8	1.146	0.6	0.5	0	43.4	37.4	0	135	119	0	34	32	34	
2025	5	4	12	15	24	25.1	-2.4	1.146	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	12	25	24	26.5	-2.3	1.146	0.3	0.2	0	43.4	37	0	135	119	0	34	33	34	
2025	5	4	12	35	24	25.7	-2.2	1.145	0.3	0.2	0	43.9	37	0	136	119	0	34	33	33	
2025	5	4	12	45	24	26.4	-2.2	1.146	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34	
2025	5	4	12	55	24	26.3	-2.7	1.146	0.4	0.3	0	43.4	37	0	135	119	0	34	33	34	
2025	5	4	13	5	24	25.8	-2	1.146	0.5	0.5	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	13	15	24	25.8	-2.3	1.146	0.4	0.3	0	44.3	37.4	0	136	120	0	33	33	33	
2025	5	4	13	25	24	25.6	-3	1.146	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33	
2025	5	4	13	35	24	26	-2.2	1.146	0.5	0.4	0	43.9	37.8	0	136	120	0	34	32	33	
2025	5	4	13	45	24	26.4	-3.2	1.146	0.3	0.2	0	43.4	36.5	0	134	118	0	33	33	34	
2025	5	4	13	55	24	26.3	-3.6	1.146	0.5	0.4	0	43.9	36.5	0	135	118	0	33	33	33	
2025	5	4	14	5	24	27	-1.9	1.146	0.4	0.3	0	43.4	37	0	134	118	0	33	32	33	
2025	5	4	14	15	24	26.8	-2.7	1.146	0.4	0.3	0	43.4	37	0	134	118	0	33	32	33	
2025	5	4	14	25	24	26.1	-1.6	1.146	0.3	0.2	0	43.4	37	0	135	119	0	34	33	33	
2025	5	4	14	35	24	26.8	-2.3	1.146	0.4	0.3	0	43.4	37	0	134	118	0	33	32	34	
2025	5	4	14	45	24	26	-2.3	1.146	0.5	0.4	0	43.9	37.8	0	136	121	0	34	33	34	
2025	5	4	14	55	24	26	-3.1	1.146	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	34	
2025	5	4	15	5	24	25.9	-3.1	1.147	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33	
2025	5	4	15	15	24	25.9	-2.4	1.147	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33	
2025	5	4	15	25	24	25.6	-2.8	1.147	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	15	35	24	27.1	-3.3	1.147	0.4	0.3	0	43	36.5	0	134	118	0	34	33	33	
2025	5	4	15	45	24	27	-2.2	1.147	0.4	0.3	0	43	37	0	134	118	0	34	32	34	
2025	5	4	15	55	24	27.3	-2.5	1.147	0.3	0.2	0	43	37	0	134	118	0	34	32	33	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	4	16	5	24	25.8	-2.3	1.147	0.5	0.4	0	43	36.5	0	134	118	0	34	33	33	
2025	5	4	16	15	24	26.1	-1.8	1.147	0.5	0.4	0	43	37	0	134	118	0	34	32	33	
2025	5	4	16	25	24	26.8	-3.3	1.147	0.4	0.3	0	43.4	36.5	0	134	118	0	33	33	33	
2025	5	4	16	35	24	26.3	-2.5	1.147	0.4	0.3	0	43	36.5	0	133	117	0	33	32	33	
2025	5	4	16	45	24	25.6	-3.2	1.147	0.3	0.2	0	42.6	36.5	0	133	117	0	34	32	34	
2025	5	4	16	55	24	26.9	-3.3	1.147	0.5	0.4	0	42.6	36.5	0	133	117	0	34	32	33	
2025	5	4	17	5	24	26.5	-1.7	1.147	0.3	0.2	0	43	37	0	134	118	0	34	32	34	
2025	5	4	17	15	24	27	-2.2	1.146	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	33	
2025	5	4	17	25	24	26.2	-2.4	1.146	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	33	
2025	5	4	17	35	24	26.4	-2.6	1.146	0.3	0.2	0	43	36.5	0	134	117	0	34	32	33	
2025	5	4	17	45	24	26.6	-3.6	1.146	0.3	0.2	0	43	37	0	134	118	0	34	32	33	
2025	5	4	17	55	24	26.9	-3.6	1.146	0.4	0.3	0	42.6	36.5	0	133	117	0	34	32	33	
2025	5	4	18	5	24	26.1	-2.3	1.146	0.4	0.3	0	43.4	37	0	134	118	0	33	32	33	
2025	5	4	18	15	24	25.7	-2.9	1.146	0.5	0.4	0	43	36.5	0	134	118	0	34	33	33	
2025	5	4	18	25	24	25.7	-1.9	1.146	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	18	35	24	25.4	-2.4	1.146	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	33	
2025	5	4	18	45	24	26.4	-3.4	1.146	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33	
2025	5	4	18	55	24	26.1	-3	1.146	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	34	
2025	5	4	19	5	24	25.5	-1.8	1.147	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	34	
2025	5	4	19	15	24	26.2	-2.7	1.147	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	33	
2025	5	4	19	25	24	25.9	-2.6	1.147	0.3	0.2	0	44.7	37.8	0	137	121	0	33	33	33	
2025	5	4	19	35	24	25	-2.3	1.147	0.6	0.5	0	44.7	38.3	0	138	122	0	34	33	34	
2025	5	4	19	45	24	27.1	-2	1.147	0.5	0.4	0	44.3	37.8	0	137	121	0	34	33	33	
2025	5	4	19	55	24	26.3	-1.4	1.147	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33	
2025	5	4	20	5	24	26.7	-1.9	1.147	0.5	0.4	0	44.3	38.3	0	137	121	0	34	32	34	
2025	5	4	20	15	24	26.5	-2.9	1.147	0.3	0.2	0	44.7	37.8	0	137	121	0	33	33	33	
2025	5	4	20	25	24	26.2	-2.4	1.147	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33	
2025	5	4	20	35	24	27.5	-2.2	1.147	0.3	0.2	0	44.3	37.4	0	137	121	0	34	34	33	
2025	5	4	20	45	24	27	-2.9	1.147	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	34	
2025	5	4	20	55	24	27.1	-2.9	1.147	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	33	
2025	5	4	21	5	24	26.2	-2.8	1.147	0.5	0.5	0	44.3	37.8	0	137	121	0	34	33	33	
2025	5	4	21	15	24	25.9	-2.6	1.147	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33	
2025	5	4	21	25	24	26.6	-2.2	1.147	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34	
2025	5	4	21	35	24	26.5	-2.9	1.147	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	33	
2025	5	4	21	45	24	25.3	-3	1.147	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	34	
2025	5	4	21	55	24	25.7	-2.9	1.147	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33	
2025	5	4	22	5	24	26.6	-3.2	1.146	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33	
2025	5	4	22	15	24	27.5	-2.7	1.146	0.4	0.3	0	43	37	0	134	119	0	34	33	33	
2025	5	4	22	25	24	26.5	-1.8	1.147	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33	
2025	5	4	22	35	24	25.3	-2.1	1.146	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	34	
2025	5	4	22	45	24	25.5	-2.6	1.146	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	34	
2025	5	4	22	55	24	26.4	-2.2	1.146	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33	
2025	5	4	23	5	24	26.6	-2.2	1.146	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	34	
2025	5	4	23	15	24	25.7	-3.1	1.146	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33	
2025	5	4	23	25	24	26.8	-2.4	1.146	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33	
2025	5	4	23	35	24	26.4	-1.8	1.146	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33	
2025	5	4	23	45	24	26.5	-2.7	1.146	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33	
2025	5	4	23	55	24	26	-1.4	1.146	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	5	0	5	24	26.5	-3.7	1.146	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	5	0	15	24	26.3	-2.6	1.147	0.3	0.2	0	42.6	37.4	0	134	119	0	35	32	33
2025	5	5	0	25	24	27.2	-3.3	1.147	0.4	0.3	0	42.6	37	0	134	119	0	35	33	33
2025	5	5	0	35	24	26.6	-2.2	1.147	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	5	0	45	24	26.1	-2.5	1.147	0.4	0.3	0	43	37	0	134	119	0	34	33	34
2025	5	5	0	55	24	26.1	-2.7	1.147	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2025	5	5	1	5	24	26.6	-3	1.146	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	5	1	15	24	25.1	-2.8	1.146	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	34
2025	5	5	1	25	24	25.1	-2.7	1.147	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	5	1	35	24	26	-2.2	1.146	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	5	1	45	24	26.7	-2.8	1.147	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	5	1	55	24	25.8	-2.6	1.146	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2025	5	5	2	5	24	26.5	-3.1	1.146	0.3	0.2	0	42.6	37.4	0	134	119	0	35	32	34
2025	5	5	2	15	24	25.1	-1.7	1.146	0.5	0.4	0	43	36.5	0	134	119	0	34	34	33
2025	5	5	2	25	24	25.6	-3.1	1.147	0.5	0.4	0	43	37	0	134	119	0	34	33	34
2025	5	5	2	35	24	26.6	-2.6	1.147	0.4	0.3	0	42.6	37	0	134	119	0	35	33	33
2025	5	5	2	45	24	26.1	-2.9	1.146	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	5	2	55	24	27.3	-1.9	1.147	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	5	3	5	24	26.7	-2	1.146	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2025	5	5	3	15	24	26.5	-2.4	1.147	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2025	5	5	3	25	24	26.8	-1.4	1.147	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	5	3	35	24	26.5	-2.9	1.146	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2025	5	5	3	45	24	25.7	-2	1.146	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	5	3	55	24	25.7	-3	1.146	0.3	0.2	0	42.6	37	0	133	119	0	34	33	34
2025	5	5	4	5	24	27.3	-3.4	1.146	0.3	0.2	0	42.6	37	0	133	119	0	34	33	34
2025	5	5	4	15	24	25.7	-1.6	1.146	0.5	0.5	0	43	37.4	0	134	119	0	34	32	33
2025	5	5	4	25	24	27.2	-2.8	1.146	0.3	0.2	0	42.6	37	0	133	119	0	34	33	33
2025	5	5	4	35	24	27.4	-1.5	1.146	0.4	0.3	0	43	37	0	134	119	0	34	33	34
2025	5	5	4	45	24	25.9	-2.2	1.146	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	5	4	55	24	27.3	-2.7	1.146	0.4	0.3	0	43	37.4	0	134	120	0	34	33	33
2025	5	5	5	5	24	26.7	-2	1.146	0.3	0.2	0	43	37.4	0	134	120	0	34	33	34
2025	5	5	5	15	24	27.7	-3.6	1.146	0.5	0.4	0	43	37.8	0	134	120	0	34	32	34
2025	5	5	5	25	24	25.2	-1.7	1.146	0.3	0.2	0	42.6	37.8	0	134	120	0	35	32	34
2025	5	5	5	35	24	26.2	-1.8	1.146	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2025	5	5	5	45	24	25.7	-2.9	1.146	0.3	0.2	0	43	37.4	0	134	120	0	34	33	34
2025	5	5	5	55	24	26.9	-2.3	1.146	0.3	0.2	0	43	37.4	0	134	119	0	34	32	34
2025	5	5	6	5	24	25.8	-2.7	1.146	0.4	0.3	0	43	37.8	0	134	120	0	34	32	34
2025	5	5	6	15	24	26.3	-1.7	1.146	0.3	0.2	0	42.6	36.5	0	133	118	0	34	33	34
2025	5	5	6	25	24	26.4	-2.8	1.146	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	5	6	35	24	26.4	-2.3	1.146	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	33
2025	5	5	6	45	24	26.9	-3.1	1.146	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	33
2025	5	5	6	55	24	27.5	-3.5	1.146	0.5	0.4	0	42.1	37	0	132	118	0	34	32	33
2025	5	5	7	5	24	26.6	-2.6	1.146	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	34
2025	5	5	7	15	24	25	-2.6	1.146	0.4	0.3	0	42.1	36.1	0	132	117	0	34	33	33
2025	5	5	7	25	24	26.2	-2.3	1.146	0.4	0.3	0	42.6	36.1	0	132	117	0	33	33	34
2025	5	5	7	35	24	26.6	-2.7	1.146	0.4	0.3	0	41.7	36.5	0	132	117	0	35	32	34
2025	5	5	7	45	24	25.5	-0.9	1.145	0.4	0.3	0	41.7	36.1	0	131	117	0	34	33	33
2025	5	5	7	55	24	25.2	-2.8	1.145	0.4	0.3	0	42.1	36.5	0	132	118	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	5	8	5	24	25.4	-2.2	1.146	0.4	0.3	0	42.1	37	0	132	118	0	34	32	34
2025	5	5	8	15	24	26.1	-2.5	1.146	0.3	0.2	0	41.3	36.1	0	130	117	0	34	33	33
2025	5	5	8	25	24	27.3	-3.2	1.146	0.4	0.3	0	41.7	36.1	0	131	117	0	34	33	33
2025	5	5	8	35	24	27.5	-2.9	1.146	0.3	0.2	0	41.7	36.5	0	131	117	0	34	32	33
2025	5	5	8	45	24	26.3	-1.7	1.146	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	34
2025	5	5	8	55	24	25.8	-1.4	1.146	0.5	0.4	0	42.1	37	0	132	119	0	34	33	34
2025	5	5	9	5	24	27.3	-2.2	1.146	0.3	0.2	0	42.1	36.5	0	132	118	0	34	33	34
2025	5	5	9	15	24	26.5	-4.2	1.145	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	5	9	25	24	26.1	-2	1.145	0.3	0.2	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	9	35	24	25.7	-2.6	1.145	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	34
2025	5	5	9	45	24	25.9	-1.7	1.146	0.4	0.3	0	42.6	36.5	0	133	119	0	34	34	34
2025	5	5	9	55	24	25.7	-3.1	1.145	0.3	0.2	0	41.7	37	0	131	118	0	34	32	34
2025	5	5	10	5	24	25	-2.1	1.145	0.3	0.2	0	41.7	36.1	0	131	118	0	34	34	34
2025	5	5	10	15	24	26.6	-2.8	1.145	0.3	0.2	0	41.7	36.5	0	131	118	0	34	33	34
2025	5	5	10	25	24	25.9	-1.5	1.145	0.3	0.2	0	43	37.4	0	133	119	0	33	32	34
2025	5	5	10	35	24	25.5	-3.1	1.146	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	10	45	24	25.1	-1.7	1.145	0.5	0.5	0	42.6	37	0	133	119	0	34	33	34
2025	5	5	10	55	24	25.5	-2.3	1.145	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	34
2025	5	5	11	5	24	24.6	-2.3	1.145	0.3	0.2	0	42.6	37	0	132	119	0	33	33	33
2025	5	5	11	15	24	25.8	-2.8	1.145	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	11	25	24	26.8	-1.8	1.145	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	34
2025	5	5	11	35	24	25.9	-2.7	1.145	0.4	0.3	0	41.7	37	0	132	119	0	35	33	33
2025	5	5	11	45	24	25	-3	1.145	0.3	0.2	0	42.6	37	0	132	119	0	33	33	34
2025	5	5	11	55	24	26.1	-3.1	1.145	0.5	0.4	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	12	5	24	25.8	-3.1	1.145	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	12	15	24	25.4	-2.4	1.145	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	34
2025	5	5	12	25	24	26	-2.3	1.145	0.3	0.2	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	12	35	24	26.3	-2.6	1.145	0.5	0.4	0	42.1	37	0	131	118	0	33	32	33
2025	5	5	12	45	24	25.7	-2.6	1.145	0.3	0.2	0	41.7	36.5	0	131	118	0	34	33	34
2025	5	5	12	55	24	25.8	-3	1.145	0.5	0.4	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	13	5	24	26.2	-2.6	1.144	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	13	15	24	25.6	-2.4	1.145	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	34
2025	5	5	13	25	24	25	-1.8	1.145	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	13	35	24	25.5	-2	1.145	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	13	45	24	26.3	-2.5	1.144	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	34
2025	5	5	13	55	24	25.1	-2.6	1.144	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	14	5	24	24.7	-2.7	1.144	0.3	0.2	0	42.6	37	0	132	118	0	33	32	33
2025	5	5	14	15	24	25.4	-1.4	1.144	0.5	0.4	0	42.1	37	0	132	119	0	34	33	34
2025	5	5	14	25	24	26.6	-2.2	1.144	0.3	0.2	0	42.1	37	0	131	118	0	33	32	34
2025	5	5	14	35	24	27.1	-2.2	1.144	0.3	0.2	0	41.3	36.5	0	131	118	0	35	33	33
2025	5	5	14	45	24	25.4	-2.4	1.144	0.3	0.2	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	14	55	24	25.5	-3.2	1.144	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	32
2025	5	5	15	5	24	24.1	-2.4	1.143	0.3	0.2	0	42.6	36.5	0	132	118	0	33	33	34
2025	5	5	15	15	24	25.7	-2.2	1.144	0.3	0.2	0	41.7	36.5	0	131	118	0	34	33	33
2025	5	5	15	25	24	25	-2.8	1.143	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	15	35	24	25.4	-2.3	1.143	0.3	0.2	0	42.1	37	0	132	118	0	34	32	34
2025	5	5	15	45	24	26.2	-1.6	1.143	0.3	0.2	0	42.1	36.5	0	131	118	0	33	33	32
2025	5	5	15	55	24	25.7	-2.7	1.143	0.3	0.2	0	42.1	37	0	132	119	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	5	16	5	24	25.2	-1.7	1.143	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	5	16	15	24	25.3	-1.4	1.142	0.4	0.3	0	42.6	37	0	133	119	0	34	33	32
2025	5	5	16	25	24	25.7	-3.6	1.142	0.3	0.2	0	41.7	36.1	0	131	117	0	34	33	33
2025	5	5	16	35	24	25.8	-2.7	1.142	0.3	0.2	0	42.1	37	0	131	118	0	33	32	33
2025	5	5	16	45	24	26	-2.7	1.141	0.3	0.2	0	42.1	37	0	132	118	0	34	32	33
2025	5	5	16	55	24	26.4	-3.1	1.142	0.4	0.3	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	17	5	24	25.6	-2.7	1.142	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2025	5	5	17	15	24	25.3	-1.3	1.141	0.3	0.2	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	17	25	24	26.5	-1.5	1.141	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	17	35	24	27	-3.1	1.141	0.4	0.3	0	41.7	37	0	131	119	0	34	33	33
2025	5	5	17	45	24	26.6	-2.7	1.141	0.4	0.3	0	41.7	36.5	0	131	118	0	34	33	33
2025	5	5	17	55	24	27	-3	1.141	0.5	0.4	0	41.7	37	0	131	118	0	34	32	33
2025	5	5	18	5	24	25.3	-2.2	1.141	0.5	0.4	0	42.6	37	0	132	118	0	33	32	33
2025	5	5	18	15	24	24.7	-1.3	1.141	0.4	0.3	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	18	25	24	25.2	-2.1	1.141	0.4	0.3	0	41.7	37	0	132	118	0	35	32	34
2025	5	5	18	35	24	25.7	-2.7	1.14	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	18	45	24	25.7	-3.2	1.14	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	5	18	55	24	25.6	-2.7	1.14	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2025	5	5	19	5	24	25.6	-1.8	1.14	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	34
2025	5	5	19	15	24	25.3	-2.8	1.14	0.5	0.4	0	42.1	37	0	132	119	0	34	33	33
2025	5	5	19	25	24	26.2	-2.9	1.138	0.3	0.2	0	42.1	37.4	0	132	119	0	34	32	33
2025	5	5	19	35	24	25.1	-3	1.139	0.3	0.2	0	42.1	37.8	0	132	120	0	34	32	34
2025	5	5	19	45	24	25.7	-2.7	1.138	0.3	0.2	0	42.6	37.4	0	132	119	0	33	32	33
2025	5	5	19	55	24	25.8	-2.7	1.138	0.5	0.4	0	42.6	37.4	0	133	120	0	34	33	33
2025	5	5	20	5	24	26.4	-3.4	1.138	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	34
2025	5	5	20	15	24	25.9	-1.8	1.137	0.6	0.5	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	5	20	25	24	25.6	-2.8	1.138	0.5	0.4	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	5	20	35	24	25.7	-3.1	1.137	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	34
2025	5	5	20	45	24	24.6	-2.4	1.137	0.3	0.2	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	5	20	55	24	26.5	-2.3	1.137	0.3	0.2	0	47.3	38.3	0	144	122	0	34	33	34
2025	5	5	21	5	24	25.5	-2.4	1.137	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	5	21	15	24	24.4	-2.4	1.137	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	5	21	25	24	26.7	-3.1	1.137	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	5	21	35	24	25.4	-0.6	1.137	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	5	21	45	24	26.2	-2.7	1.137	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	5	21	55	24	24.7	-2.3	1.136	0.5	0.4	0	46.9	38.3	0	142	122	0	33	33	34
2025	5	5	22	5	24	26	-2.4	1.136	0.4	0.3	0	46.4	37.8	0	142	122	0	34	34	33
2025	5	5	22	15	24	25.3	-3.6	1.136	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	5	22	25	24	25.7	-1.9	1.136	0.5	0.4	0	46	38.7	0	141	122	0	34	32	33
2025	5	5	22	35	24	25.5	-2.7	1.136	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	33
2025	5	5	22	45	24	25.8	-2.8	1.135	0.3	0.2	0	46	37.8	0	141	121	0	34	33	33
2025	5	5	22	55	24	27.2	-1.8	1.135	0.4	0.3	0	46.4	37.8	0	141	121	0	33	33	34
2025	5	5	23	5	24	26.3	-2.2	1.135	0.4	0.3	0	46.4	38.3	0	141	122	0	33	33	33
2025	5	5	23	15	24	25.7	-3.6	1.135	0.3	0.2	0	46	37.8	0	141	121	0	34	33	34
2025	5	5	23	25	24	26.3	-2.9	1.135	0.5	0.4	0	45.6	37.8	0	140	121	0	34	33	34
2025	5	5	23	35	24	26.2	-2	1.135	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	34
2025	5	5	23	45	24	26.4	-2.3	1.135	0.4	0.3	0	46	37.8	0	140	121	0	33	33	34
2025	5	5	23	55	24	25.7	-2.1	1.134	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	6	0	5	24	25.5	-2.3	1.134	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	6	0	15	24	25.1	-2.2	1.134	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	34
2025	5	6	0	25	24	26.7	-2.6	1.134	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	34
2025	5	6	0	35	24	25.9	-2.3	1.134	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	6	0	45	24	25.3	-1.5	1.134	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	34
2025	5	6	0	55	24	26.7	-2.6	1.134	0.5	0.4	0	44.7	37.4	0	138	120	0	34	33	33
2025	5	6	1	5	24	24.8	-2.8	1.134	0.3	0.2	0	45.2	37.8	0	139	120	0	34	32	34
2025	5	6	1	15	24	26.2	-2.7	1.133	0.4	0.3	0	44.7	37.4	0	138	120	0	34	33	34
2025	5	6	1	25	24	24.9	-2.8	1.133	0.5	0.4	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	6	1	35	24	25.5	-3.2	1.133	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	6	1	45	24	25.8	-3.9	1.133	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	6	1	55	24	24.2	-2.4	1.133	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	6	2	5	24	25.5	-2.4	1.133	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	34
2025	5	6	2	15	24	26.7	-3	1.133	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2025	5	6	2	25	24	25.1	-2.7	1.133	0.5	0.4	0	44.7	37.8	0	138	120	0	34	32	34
2025	5	6	2	35	24	25	-2.2	1.133	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	34
2025	5	6	2	45	24	24.3	-2	1.133	0.4	0.3	0	44.7	38.3	0	138	121	0	34	32	33
2025	5	6	2	55	24	25.7	-3.3	1.133	0.3	0.2	0	44.3	37.4	0	138	120	0	35	33	34
2025	5	6	3	5	24	27	-3	1.133	0.3	0.2	0	44.7	37.4	0	138	120	0	34	33	34
2025	5	6	3	15	24	24.9	-2.2	1.133	0.4	0.3	0	44.7	38.3	0	138	121	0	34	32	33
2025	5	6	3	25	24	24.6	-2.8	1.133	0.3	0.2	0	44.7	37.8	0	138	120	0	34	32	33
2025	5	6	3	35	24	24.1	-2.3	1.132	0.3	0.2	0	44.7	37.4	0	137	120	0	33	33	33
2025	5	6	3	45	24	24.4	-2.4	1.132	0.4	0.3	0	44.3	38.3	0	138	121	0	35	32	34
2025	5	6	3	55	24	25.9	-2.5	1.132	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	6	4	5	24	26	-3.6	1.132	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	6	4	15	24	25.3	-2.1	1.132	0.5	0.5	0	44.7	37.8	0	138	120	0	34	32	34
2025	5	6	4	25	24	25.8	-2.6	1.132	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	6	4	35	24	25.9	-2.6	1.132	0.4	0.3	0	44.7	37.4	0	137	120	0	33	33	33
2025	5	6	4	45	24	26.7	-3.3	1.132	0.3	0.2	0	44.3	37	0	137	120	0	34	34	33
2025	5	6	4	55	24	24.6	-2.3	1.132	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	6	5	5	24	26.2	-2.6	1.132	0.5	0.4	0	44.7	37.8	0	137	120	0	33	32	34
2025	5	6	5	15	24	26.8	-2.2	1.132	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2025	5	6	5	25	24	25	-2.9	1.131	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	6	5	35	24	26.9	-3.3	1.131	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	6	5	45	24	25.3	-2.9	1.131	0.3	0.2	0	43.9	37	0	136	119	0	34	33	34
2025	5	6	5	55	24	26	-2.9	1.131	0.3	0.2	0	43.9	37.4	0	136	119	0	34	32	34
2025	5	6	6	5	24	24.9	-2.7	1.131	0.3	0.2	0	44.3	37	0	136	119	0	33	33	33
2025	5	6	6	15	24	26	-2.7	1.131	0.3	0.2	0	43.4	36.5	0	135	119	0	34	34	34
2025	5	6	6	25	24	25.1	-3.1	1.131	0.5	0.4	0	43.4	36.5	0	135	118	0	34	33	34
2025	5	6	6	35	24	23.8	-2.5	1.13	0.4	0.3	0	43	36.5	0	134	118	0	34	33	34
2025	5	6	6	45	24	25.7	-2.1	1.13	0.5	0.4	0	43.4	36.5	0	135	118	0	34	33	34
2025	5	6	6	55	24	25.5	-3.9	1.13	0.5	0.4	0	43	36.5	0	134	118	0	34	33	33
2025	5	6	7	5	24	24.7	-2.3	1.13	0.4	0.3	0	43	36.5	0	134	118	0	34	33	33
2025	5	6	7	15	24	24.6	-1.8	1.13	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2025	5	6	7	25	24	25.3	-2.3	1.13	0.4	0.3	0	42.6	36.1	0	133	117	0	34	33	34
2025	5	6	7	35	24	24.1	-1.8	1.13	0.5	0.4	0	43.4	37	0	135	119	0	34	33	33
2025	5	6	7	45	24	25.5	-2.7	1.129	0.3	0.2	0	42.6	36.1	0	133	117	0	34	33	34
2025	5	6	7	55	24	25.5	-2.7	1.129	0.3	0.2	0	43	36.5	0	134	118	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	6	8	5	24	25.1	-2.5	1.129	0.4	0.3	0	43	36.5	0	134	118	0	34	33	33
2025	5	6	8	15	24	25.4	-2.3	1.129	0.3	0.2	0	43	36.5	0	134	118	0	34	33	34
2025	5	6	8	25	24	25.2	-2.6	1.128	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	33
2025	5	6	8	35	24	26.1	-1.8	1.128	0.5	0.4	0	42.6	36.1	0	133	117	0	34	33	34
2025	5	6	8	45	24	25.2	-3.1	1.127	0.3	0.2	0	43	36.1	0	133	117	0	33	33	33
2025	5	6	8	55	24	24.9	-3.1	1.126	0.4	0.3	0	43	36.5	0	133	117	0	33	32	34
2025	5	6	9	5	24	25.4	-3	1.126	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	33
2025	5	6	9	15	24	25	-2.7	1.125	0.3	0.2	0	42.6	37.4	0	133	118	0	34	31	34
2025	5	6	9	25	24	25.6	-2	1.125	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2025	5	6	9	35	24	25.7	-2.4	1.126	0.4	0.3	0	43.4	37	0	134	119	0	33	33	33
2025	5	6	9	45	24	26.4	-3	1.125	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33
2025	5	6	9	55	24	25.5	-2.9	1.125	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	6	10	5	24	25.8	-2.6	1.125	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2025	5	6	10	15	24	23.9	-2.6	1.125	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	6	10	25	24	26.8	-2.5	1.125	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	6	10	35	24	25.6	-2.3	1.124	0.5	0.5	0	43.9	38.3	0	136	121	0	34	32	34
2025	5	6	10	45	24	26.2	-4.2	1.125	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	6	10	55	24	25.2	-2.7	1.125	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	6	11	5	24	24.9	-2.4	1.124	0.3	0.2	0	43.4	37	0	135	119	0	34	33	33
2025	5	6	11	15	24	26.8	-3.6	1.124	0.3	0.2	0	43	37.4	0	134	119	0	34	32	33
2025	5	6	11	25	24	25.6	-2.6	1.124	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2025	5	6	11	35	24	25.9	-3.1	1.124	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	6	11	45	24	26	-1.8	1.124	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	33
2025	5	6	11	55	24	25.8	-3	1.124	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	32
2025	5	6	12	5	24	25.7	-2.3	1.124	0.4	0.3	0	43.9	37.4	0	135	120	0	33	33	33
2025	5	6	12	15	24	24.1	-2.3	1.124	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	6	12	25	24	25.1	-3.1	1.124	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	6	12	35	24	24.7	-3.3	1.124	0.3	0.2	0	44.7	37	0	138	119	0	34	33	33
2025	5	6	12	45	24	24.8	-2.4	1.124	0.4	0.3	0	44.7	37.8	0	138	120	0	34	32	33
2025	5	6	12	55	24	24.7	-3	1.124	0.4	0.3	0	44.3	37.4	0	137	119	0	34	32	33
2025	5	6	13	5	24	25.3	-2.7	1.124	0.5	0.4	0	44.3	37	0	137	119	0	34	33	33
2025	5	6	13	15	24	25.4	-2.7	1.124	0.4	0.3	0	43.9	37	0	136	118	0	34	32	34
2025	5	6	13	25	24	25.5	-3	1.123	0.5	0.5	0	43.9	37.4	0	136	119	0	34	32	33
2025	5	6	13	35	24	25	-2.2	1.124	0.4	0.3	0	43.9	37.4	0	136	119	0	34	32	34
2025	5	6	13	45	24	26	-2.8	1.123	0.4	0.3	0	44.3	37	0	136	118	0	33	32	33
2025	5	6	13	55	24	25.5	-2.7	1.123	0.3	0.2	0	43.9	37.4	0	136	119	0	34	32	33
2025	5	6	14	5	24	24.5	-2.1	1.123	0.3	0.2	0	43.9	37	0	136	119	0	34	33	33
2025	5	6	14	15	24	24.1	-2.6	1.122	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	6	14	25	24	26.7	-2.7	1.122	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	33
2025	5	6	14	35	24	25.8	-2.9	1.122	0.5	0.4	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	6	14	45	24	23.8	-2.1	1.121	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	6	14	55	24	23.7	-2.2	1.12	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	6	15	5	24	25.4	-2.8	1.121	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	34
2025	5	6	15	15	24	23.9	-3	1.121	0.4	0.3	0	43.4	37.8	0	135	119	0	34	31	34
2025	5	6	15	25	24	25.4	-2.3	1.12	0.3	0.2	0	43.9	37.8	0	135	119	0	33	31	33
2025	5	6	15	35	24	24.9	-2	1.12	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2025	5	6	15	45	24	23.5	-2.3	1.119	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	32
2025	5	6	15	55	24	24.8	-1.4	1.119	0.3	0.2	0	44.3	37.4	0	136	120	0	33	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	6	16	5	24	26.2	-2.5	1.118	0.4	0.3	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	6	16	15	24	23.7	-2.8	1.118	0.5	0.5	0	43.9	37.8	0	136	120	0	34	32	34
2025	5	6	16	25	24	25.5	-2	1.118	0.4	0.3	0	43.4	37	0	135	119	0	34	33	33
2025	5	6	16	35	24	24.8	-3.2	1.118	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	32
2025	5	6	16	45	24	24.7	-2.3	1.117	0.3	0.2	0	43.9	37	0	135	119	0	33	33	33
2025	5	6	16	55	24	25	-1.7	1.117	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	6	17	5	24	25	-2.7	1.117	0.5	0.4	0	43.9	37.8	0	136	121	0	34	33	33
2025	5	6	17	15	24	24.8	-1.8	1.116	0.5	0.4	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	6	17	25	24	24.2	-1.5	1.117	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	6	17	35	24	25.3	-2.4	1.116	0.4	0.3	0	43.4	37	0	134	119	0	33	33	33
2025	5	6	17	45	24	23.7	-2.2	1.116	0.3	0.2	0	43.4	37	0	135	119	0	34	33	34
2025	5	6	17	55	24	25.7	-3.6	1.116	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	6	18	5	24	25.6	-3.1	1.116	0.5	0.4	0	43	37	0	134	118	0	34	32	33
2025	5	6	18	15	24	24.8	-2.7	1.115	0.3	0.2	0	43.9	37	0	135	118	0	33	32	33
2025	5	6	18	25	24	24.9	-2.6	1.116	0.4	0.3	0	43.4	36.5	0	134	118	0	33	33	32
2025	5	6	18	35	24	25.3	-3.6	1.115	0.5	0.4	0	43	37	0	134	118	0	34	32	33
2025	5	6	18	45	24	25.1	-2.4	1.115	0.3	0.2	0	43.4	37	0	134	118	0	33	32	33
2025	5	6	18	55	24	24.1	-3.1	1.115	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2025	5	6	19	5	24	25.6	-3.1	1.115	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	32
2025	5	6	19	15	24	25.5	-2.7	1.115	0.4	0.3	0	43	37	0	134	118	0	34	32	33
2025	5	6	19	25	24	25.9	-2.2	1.114	0.4	0.3	0	43	37.4	0	134	119	0	34	32	34
2025	5	6	19	35	24	24.7	-2.3	1.115	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	34
2025	5	6	19	45	24	24.6	-2.3	1.114	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	6	19	55	24	23.8	-2.7	1.114	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	6	20	5	24	26.8	-2	1.114	0.5	0.5	0	44.3	37.4	0	136	120	0	33	33	33
2025	5	6	20	15	24	25.4	-2.9	1.114	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2025	5	6	20	25	24	26	-3.5	1.114	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	6	20	35	24	24.8	-3	1.114	0.3	0.2	0	44.3	38.3	0	137	122	0	34	33	33
2025	5	6	20	45	24	26.4	-3.8	1.114	0.5	0.4	0	44.7	38.3	0	138	122	0	34	33	33
2025	5	6	20	55	24	25.5	-3.1	1.113	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	34
2025	5	6	21	5	24	25.2	-2.4	1.113	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	6	21	15	24	25	-3.6	1.113	0.3	0.2	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	6	21	25	24	25	-3.1	1.113	0.4	0.3	0	44.7	38.3	0	137	122	0	33	33	34
2025	5	6	21	35	24	25.1	-2	1.113	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	34
2025	5	6	21	45	24	24.5	-2.6	1.112	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	34
2025	5	6	21	55	24	24.9	-2.9	1.112	0.5	0.4	0	43.9	38.3	0	136	122	0	34	33	33
2025	5	6	22	5	24	24.5	-3.2	1.112	0.5	0.4	0	43.9	38.7	0	136	122	0	34	32	33
2025	5	6	22	15	24	24	-3.1	1.112	0.5	0.5	0	43.9	38.3	0	136	121	0	34	32	34
2025	5	6	22	25	24	26.7	-3.6	1.112	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	34
2025	5	6	22	35	24	24.5	-3	1.112	0.5	0.4	0	43.4	38.3	0	135	121	0	34	32	34
2025	5	6	22	45	24	23.4	-1.1	1.112	0.3	0.2	0	43.4	38.7	0	136	122	0	35	32	34
2025	5	6	22	55	24	25.6	-1.3	1.112	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	34
2025	5	6	23	5	24	25.4	-2.2	1.111	0.5	0.4	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	6	23	15	24	25.2	-2.1	1.111	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	6	23	25	24	25.4	-2.6	1.111	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2025	5	6	23	35	24	24.3	-2.3	1.111	0.4	0.3	0	43.9	37.8	0	135	121	0	33	33	33
2025	5	6	23	45	24	24.9	-2.5	1.111	0.5	0.4	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	6	23	55	24	26.2	-2.4	1.111	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	7	0	5	24	23.9	-3.4	1.111	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	0	15	24	26.1	-2.7	1.111	0.3	0.2	0	43.9	37.8	0	135	121	0	33	33	33
2025	5	7	0	25	24	24.8	-3.1	1.11	0.4	0.3	0	43	37.8	0	135	121	0	35	33	33
2025	5	7	0	35	24	24.7	-2.4	1.11	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2025	5	7	0	45	24	24.2	-2.9	1.11	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	7	0	55	24	25.3	-3.3	1.11	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	1	5	24	24.6	-2.8	1.11	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	1	15	24	24.3	-3.3	1.11	0.5	0.4	0	42.6	37.4	0	134	120	0	35	33	33
2025	5	7	1	25	24	24.2	-3.2	1.11	0.5	0.5	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	1	35	24	24.5	-3.5	1.11	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	1	45	24	25.4	-2.5	1.11	0.4	0.3	0	42.6	37.8	0	134	121	0	35	33	33
2025	5	7	1	55	24	26.5	-3.1	1.11	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	2	5	24	26.1	-3.2	1.109	0.4	0.3	0	43	38.3	0	134	121	0	34	32	34
2025	5	7	2	15	24	25.3	-2.6	1.109	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	7	2	25	24	24	-3.7	1.109	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	34
2025	5	7	2	35	24	24.6	-2.8	1.109	0.4	0.3	0	42.6	37.8	0	134	121	0	35	33	33
2025	5	7	2	45	24	24.9	-4.3	1.109	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	2	55	24	24.2	-3.7	1.109	0.5	0.5	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	3	5	24	24.1	-4.3	1.109	0.5	0.5	0	43	37.8	0	134	121	0	34	33	32
2025	5	7	3	15	24	25.4	-3.3	1.109	0.4	0.3	0	42.6	37.4	0	133	120	0	34	33	34
2025	5	7	3	25	24	23.8	-2.2	1.109	0.4	0.3	0	42.6	37.8	0	134	121	0	35	33	34
2025	5	7	3	35	24	24	-3.2	1.109	0.5	0.5	0	43	37.8	0	134	121	0	34	33	34
2025	5	7	3	45	24	24.1	-3.5	1.109	0.3	0.2	0	42.6	38.3	0	133	121	0	34	32	33
2025	5	7	3	55	24	23.9	-2.4	1.109	0.3	0.2	0	43.4	37.8	0	135	121	0	34	33	34
2025	5	7	4	5	24	23.9	-2.1	1.109	0.3	0.2	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	4	15	24	24.2	-3.1	1.109	0.4	0.3	0	43	37.8	0	134	121	0	34	33	33
2025	5	7	4	25	24	23.5	-3.6	1.109	0.4	0.3	0	43	38.7	0	134	122	0	34	32	33
2025	5	7	4	35	24	24.6	-2.8	1.109	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33
2025	5	7	4	45	24	22.9	-2.1	1.109	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	34
2025	5	7	4	55	24	23.5	-2.5	1.109	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	34
2025	5	7	5	5	24	26	-3.1	1.108	0.4	0.3	0	43.9	38.3	0	137	121	0	35	32	33
2025	5	7	5	15	24	25.3	-3.1	1.108	0.5	0.4	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	7	5	25	24	24.7	-3.4	1.108	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	34
2025	5	7	5	35	24	23.8	-2.7	1.108	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2025	5	7	5	45	24	24.8	-3.4	1.108	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	34
2025	5	7	5	55	24	24.7	-3.2	1.108	0.4	0.3	0	43.9	37.8	0	137	120	0	35	32	33
2025	5	7	6	5	24	24.5	-3.2	1.108	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	34
2025	5	7	6	15	24	25	-3.2	1.108	0.3	0.2	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	7	6	25	24	23.9	-2.4	1.108	0.4	0.3	0	43.9	37.4	0	136	120	0	34	33	34
2025	5	7	6	35	24	24.6	-2.5	1.108	0.3	0.2	0	43.4	37	0	135	119	0	34	33	34
2025	5	7	6	45	24	25.3	-3.1	1.108	0.3	0.2	0	43	37	0	134	119	0	34	33	32
2025	5	7	6	55	24	24.8	-3.2	1.108	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	7	7	5	24	24.4	-2.7	1.108	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	7	7	15	24	23.2	-2.4	1.108	0.4	0.3	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	7	7	25	24	24.3	-3	1.108	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	34
2025	5	7	7	35	24	26.2	-2.5	1.108	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	7	7	45	24	23.6	-2.8	1.108	0.4	0.3	0	43.4	37	0	135	119	0	34	33	34
2025	5	7	7	55	24	25.2	-2.3	1.108	0.5	0.4	0	43	37.4	0	134	119	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	7	8	5	24	24	-3.1	1.108	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2025	5	7	8	15	24	24.6	-3.2	1.108	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2025	5	7	8	25	24	24.9	-3.1	1.108	0.5	0.4	0	43	37	0	134	119	0	34	33	34
2025	5	7	8	35	24	24	-2.7	1.107	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	34
2025	5	7	8	45	24	24.8	-2.7	1.107	0.5	0.4	0	43	37.4	0	134	120	0	34	33	34
2025	5	7	8	55	24	25.2	-2.6	1.107	0.5	0.4	0	43	37	0	134	119	0	34	33	34
2025	5	7	9	5	24	24.1	-2.7	1.108	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	7	9	15	24	26.3	-3.6	1.107	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	9	25	24	23.6	-2.1	1.107	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	33
2025	5	7	9	35	24	24.6	-2.8	1.107	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2025	5	7	9	45	24	26.2	-2.9	1.107	0.3	0.2	0	43.4	37.4	0	135	121	0	34	34	34
2025	5	7	9	55	24	24.8	-2.7	1.107	0.3	0.2	0	43.4	37.4	0	135	120	0	34	33	34
2025	5	7	10	5	24	24.4	-2.7	1.107	0.5	0.4	0	43.9	37.4	0	135	120	0	33	33	34
2025	5	7	10	15	24	23.5	-2.7	1.107	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	7	10	25	24	25.1	-2.6	1.107	0.4	0.3	0	43.9	37.4	0	135	120	0	33	33	34
2025	5	7	10	35	24	23.6	-2.6	1.106	0.3	0.2	0	42.6	37	0	134	119	0	35	33	33
2025	5	7	10	45	24	23.7	-2.9	1.106	0.4	0.3	0	43.4	37.4	0	135	120	0	34	33	34
2025	5	7	10	55	24	23.7	-3.8	1.105	0.3	0.2	0	43	37	0	134	119	0	34	33	34
2025	5	7	11	5	24	23.9	-3.2	1.105	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	7	11	15	24	25.7	-2.1	1.105	0.3	0.2	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	11	25	24	23.5	-3	1.104	0.3	0.2	0	43	37	0	134	119	0	34	33	33
2025	5	7	11	35	24	24	-2.3	1.104	0.3	0.2	0	43.4	37	0	134	119	0	33	33	33
2025	5	7	11	45	24	24.3	-2.7	1.104	0.3	0.2	0	43	37.8	0	134	120	0	34	32	34
2025	5	7	11	55	24	23.4	-2.5	1.104	0.4	0.3	0	43	37.8	0	134	120	0	34	32	34
2025	5	7	12	5	24	24.3	-2.7	1.104	0.5	0.4	0	43	37.4	0	134	120	0	34	33	33
2025	5	7	12	15	24	24.8	-3.3	1.104	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	7	12	25	24	24.4	-2.5	1.104	0.3	0.2	0	43	37.4	0	134	120	0	34	33	33
2025	5	7	12	35	24	25.1	-2.6	1.104	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	12	45	24	25.3	-2.3	1.104	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33
2025	5	7	12	55	24	25.1	-2.6	1.104	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	13	5	24	25.6	-2.4	1.104	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	34
2025	5	7	13	15	24	24.7	-3.3	1.103	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	13	25	24	24.2	-2.5	1.104	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	13	35	24	25	-3.6	1.103	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	34
2025	5	7	13	45	24	23.9	-2.8	1.103	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	13	55	24	26.2	-2.5	1.103	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2025	5	7	14	5	24	24.6	-3.3	1.103	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	34
2025	5	7	14	15	24	23.3	-2.1	1.103	0.3	0.2	0	42.6	37.4	0	133	120	0	34	33	33
2025	5	7	14	25	24	23.9	-2.8	1.103	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33
2025	5	7	14	35	24	23.7	-1.8	1.103	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	14	45	24	25.3	-2.6	1.103	0.5	0.4	0	43	37.8	0	134	120	0	34	32	33
2025	5	7	14	55	24	23.7	-1.5	1.103	0.5	0.4	0	43	38.3	0	134	120	0	34	31	33
2025	5	7	15	5	24	24.7	-4.2	1.103	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	34
2025	5	7	15	15	24	25.5	-2.7	1.103	0.5	0.4	0	43	37.8	0	134	120	0	34	32	34
2025	5	7	15	25	24	24.6	-2.7	1.103	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	15	35	24	24.7	-3.1	1.103	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	15	45	24	24.5	-2.9	1.103	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	15	55	24	23.2	-2.1	1.103	0.3	0.2	0	43	37.8	0	134	120	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	7	16	5	24	24	-1.9	1.102	0.3	0.2	0	43	38.3	0	134	121	0	34	32	34
2025	5	7	16	15	24	24.7	-2	1.102	0.4	0.3	0	43	38.3	0	134	121	0	34	32	33
2025	5	7	16	25	24	23.6	-2.3	1.102	0.4	0.3	0	43	38.3	0	134	121	0	34	32	34
2025	5	7	16	35	24	23.9	-3.2	1.102	0.3	0.2	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	7	16	45	24	24.5	-2.4	1.103	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2025	5	7	16	55	24	24.2	-2.5	1.102	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	7	17	5	24	25.1	-2.5	1.102	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	17	15	24	24.2	-3.2	1.101	0.4	0.3	0	43	37.4	0	133	119	0	33	32	32
2025	5	7	17	25	24	24.5	-3.3	1.102	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	17	35	24	24.2	-1.3	1.101	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	17	45	24	24.5	-2.6	1.102	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	7	17	55	24	24.3	-2.8	1.102	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	18	5	24	24.6	-1.5	1.101	0.4	0.3	0	42.6	37	0	133	119	0	34	33	33
2025	5	7	18	15	24	23.6	-1.9	1.102	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	7	18	25	24	24.1	-2.3	1.101	0.4	0.3	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	7	18	35	24	24.6	-2	1.101	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	18	45	24	24.1	-2.1	1.101	0.5	0.4	0	42.1	37	0	132	119	0	34	33	33
2025	5	7	18	55	24	24.6	-2.4	1.101	0.5	0.4	0	42.6	37.4	0	132	119	0	33	32	33
2025	5	7	19	5	24	25.6	-2.3	1.101	0.5	0.4	0	42.1	37	0	132	118	0	34	32	33
2025	5	7	19	15	24	24.2	-2.7	1.101	0.3	0.2	0	42.6	37	0	133	119	0	34	33	33
2025	5	7	19	25	24	24.3	-2.7	1.101	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	7	19	35	24	24.5	-3.3	1.101	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	7	19	45	24	25.4	-2.1	1.101	0.5	0.5	0	43	37.4	0	133	120	0	33	33	33
2025	5	7	19	55	24	24.1	-2.6	1.1	0.5	0.4	0	43	37.8	0	133	120	0	33	32	33
2025	5	7	20	5	24	24.9	-3	1.1	0.5	0.4	0	46.9	37.8	0	143	121	0	34	33	33
2025	5	7	20	15	24	24.4	-2.5	1.099	0.3	0.2	0	46.4	38.3	0	142	121	0	34	32	34
2025	5	7	20	25	24	25.8	-2.8	1.1	0.3	0.2	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	7	20	35	24	25.2	-2.7	1.098	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	7	20	45	24	25.2	-2	1.099	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	32
2025	5	7	20	55	24	23.8	-1.4	1.099	0.4	0.3	0	47.3	39.1	0	144	123	0	34	32	33
2025	5	7	21	5	24	24.9	-2.6	1.1	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	34
2025	5	7	21	15	24	23.9	-1.6	1.099	0.5	0.4	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	7	21	25	24	23.9	-2.6	1.099	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	7	21	35	24	25.5	-4	1.099	0.5	0.4	0	46	37.8	0	142	121	0	35	33	34
2025	5	7	21	45	24	24.7	-2.1	1.099	0.4	0.3	0	46.4	38.3	0	142	121	0	34	32	34
2025	5	7	21	55	24	24.8	-3	1.099	0.5	0.4	0	46.4	37.8	0	142	121	0	34	33	33
2025	5	7	22	5	24	25.1	-2.7	1.099	0.5	0.4	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	7	22	15	24	24.7	-1.4	1.099	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	7	22	25	24	24.5	-2.2	1.099	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	7	22	35	24	25.3	-2.5	1.099	0.5	0.4	0	46	38.3	0	141	121	0	34	32	33
2025	5	7	22	45	24	24.7	-2.4	1.099	0.5	0.5	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	7	22	55	24	25.2	-2.7	1.099	0.3	0.2	0	45.6	37.4	0	140	120	0	34	33	33
2025	5	7	23	5	24	24.6	-2.4	1.099	0.5	0.4	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	7	23	15	24	24.6	-2	1.099	0.3	0.2	0	46	38.3	0	141	121	0	34	32	34
2025	5	7	23	25	24	24.6	-3	1.099	0.4	0.3	0	46	38.3	0	141	121	0	34	32	33
2025	5	7	23	35	24	24.8	-2.3	1.099	0.3	0.2	0	46	37.8	0	140	121	0	33	33	33
2025	5	7	23	45	24	24.4	-3.2	1.099	0.5	0.4	0	45.6	38.3	0	140	121	0	34	32	34
2025	5	7	23	55	24	24.6	-2.6	1.099	0.3	0.2	0	45.6	37.8	0	140	121	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	8	0	5	24	23.6	-2.1	1.099	0.5	0.4	0	45.6	37.8	0	140	120	0	34	32	34
2025	5	8	0	15	24	23.7	-2.7	1.098	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	34
2025	5	8	0	25	24	24.2	-2.1	1.098	0.3	0.2	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	8	0	35	24	24.6	-1.4	1.099	0.4	0.3	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	8	0	45	24	24.5	-2.5	1.098	0.3	0.2	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	8	0	55	24	22.8	-1.5	1.098	0.5	0.4	0	46	38.7	0	141	122	0	34	32	33
2025	5	8	1	5	24	23.9	-2.3	1.098	0.5	0.4	0	45.6	37.8	0	139	121	0	33	33	33
2025	5	8	1	15	24	23.5	-1	1.098	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	34
2025	5	8	1	25	24	23.3	-2.3	1.098	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	8	1	35	24	23.9	-1.4	1.098	0.4	0.3	0	46	38.7	0	141	122	0	34	32	34
2025	5	8	1	45	24	24.8	-2.5	1.098	0.4	0.3	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	8	1	55	24	23.9	-2.7	1.098	0.5	0.4	0	45.6	38.3	0	140	122	0	34	33	34
2025	5	8	2	5	24	24.8	-2.2	1.098	0.5	0.4	0	46	37.8	0	141	121	0	34	33	34
2025	5	8	2	15	24	23.8	-2.3	1.098	0.3	0.2	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	8	2	25	24	24.1	-2.8	1.098	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	8	2	35	24	24.8	-3	1.098	0.5	0.4	0	45.6	37.8	0	140	121	0	34	33	33
2025	5	8	2	45	24	25.3	-1.5	1.098	0.3	0.2	0	44.7	37.8	0	139	121	0	35	33	34
2025	5	8	2	55	24	24.2	-2.9	1.097	0.3	0.2	0	45.2	38.3	0	140	121	0	35	32	33
2025	5	8	3	5	24	24.9	-2.7	1.097	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	8	3	15	24	24.1	-2	1.097	0.3	0.2	0	45.2	37.8	0	139	121	0	34	33	34
2025	5	8	3	25	24	25.4	-3.4	1.097	0.5	0.4	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	8	3	35	24	24.7	-2.4	1.097	0.3	0.2	0	45.6	38.7	0	140	122	0	34	32	34
2025	5	8	3	45	24	25	-1.7	1.097	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	8	3	55	24	25.1	-2.1	1.097	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	33
2025	5	8	4	5	24	24	-2.8	1.097	0.4	0.3	0	44.7	38.3	0	138	121	0	34	32	34
2025	5	8	4	15	24	24.5	-3.8	1.097	0.3	0.2	0	44.7	37.8	0	138	121	0	34	33	34
2025	5	8	4	25	24	23.7	-3.2	1.097	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	33
2025	5	8	4	35	24	24.3	-2.3	1.097	0.4	0.3	0	45.2	37.8	0	139	121	0	34	33	33
2025	5	8	4	45	24	25	-2.8	1.096	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	34
2025	5	8	4	55	24	24.2	-2.9	1.097	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	34
2025	5	8	5	5	24	24.7	-2.1	1.096	0.3	0.2	0	45.2	38.3	0	139	122	0	34	33	34
2025	5	8	5	15	24	24.4	-3.7	1.096	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	34
2025	5	8	5	25	24	25.1	-2.5	1.096	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	34
2025	5	8	5	35	24	25.2	-3.6	1.096	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33
2025	5	8	5	45	24	23.6	-2.9	1.096	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33
2025	5	8	5	55	24	24.6	-2.3	1.096	0.5	0.4	0	44.3	38.3	0	137	121	0	34	32	34
2025	5	8	6	5	24	23.6	-3.4	1.096	0.3	0.2	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	8	6	15	24	24.7	-3.1	1.096	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	32
2025	5	8	6	25	24	25	-2.3	1.096	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	6	35	24	25.4	-2.6	1.096	0.4	0.3	0	43.4	36.5	0	135	118	0	34	33	34
2025	5	8	6	45	24	24.3	-1.8	1.095	0.5	0.4	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	8	6	55	24	25.1	-3.1	1.095	0.5	0.4	0	43.4	37	0	135	118	0	34	32	33
2025	5	8	7	5	24	25.5	-3.3	1.095	0.3	0.2	0	43	37	0	134	118	0	34	32	33
2025	5	8	7	15	24	25.7	-1.4	1.093	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	8	7	25	24	24.9	-2.3	1.094	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	8	7	35	24	25.7	-3.2	1.094	0.3	0.2	0	43.4	37.4	0	135	119	0	34	32	33
2025	5	8	7	45	24	23.9	-2.7	1.093	0.3	0.2	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	8	7	55	24	23.6	-1.9	1.093	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	8	8	5	24	24.5	-2	1.093	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	8	15	24	24.8	-2.6	1.093	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	8	8	25	24	24.4	-2.1	1.092	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	34
2025	5	8	8	35	24	24	-3.5	1.092	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	8	45	24	24.8	-2.5	1.093	0.5	0.4	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	8	8	55	24	26.2	-3	1.092	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	9	5	24	25.7	-2	1.092	0.4	0.3	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	9	15	24	25.8	-1.8	1.092	0.4	0.3	0	43.9	37.8	0	136	121	0	34	33	33
2025	5	8	9	25	24	23	-2.1	1.092	0.5	0.4	0	44.3	38.3	0	137	122	0	34	33	33
2025	5	8	9	35	24	24	-2.9	1.092	0.3	0.2	0	43.9	37.8	0	136	121	0	34	33	33
2025	5	8	9	45	24	24.1	-1.4	1.093	0.5	0.5	0	43.9	38.3	0	136	121	0	34	32	34
2025	5	8	9	55	24	23.8	-2.3	1.093	0.4	0.3	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	8	10	5	24	24.4	-2.2	1.093	0.5	0.4	0	43.9	37.8	0	136	121	0	34	33	32
2025	5	8	10	15	24	24.6	-3	1.093	0.5	0.4	0	44.3	38.3	0	136	121	0	33	32	34
2025	5	8	10	25	24	24.2	-2	1.092	0.5	0.4	0	43.4	37.4	0	135	120	0	34	33	33
2025	5	8	10	35	24	24.9	-3.3	1.093	0.5	0.4	0	43.9	37.8	0	136	120	0	34	32	33
2025	5	8	10	45	24	24.9	-2.7	1.092	0.4	0.3	0	44.3	37.4	0	136	120	0	33	33	33
2025	5	8	10	55	24	24.3	-1.6	1.093	0.5	0.4	0	43.9	37.4	0	136	120	0	34	33	33
2025	5	8	11	5	24	24.1	-2.2	1.093	0.3	0.2	0	43.9	37.4	0	135	120	0	33	33	33
2025	5	8	11	15	24	24.8	-2.6	1.093	0.5	0.4	0	43	37.4	0	134	119	0	34	32	34
2025	5	8	11	25	24	24.7	-2.5	1.092	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	11	35	24	24.1	-2.7	1.092	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	34
2025	5	8	11	45	24	25.4	-2.7	1.092	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	11	55	24	24.2	-2.8	1.092	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	34
2025	5	8	12	5	24	25.4	-3.8	1.092	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	12	15	24	25	-3.2	1.092	0.5	0.4	0	43.4	37.8	0	134	119	0	33	31	33
2025	5	8	12	25	24	24.6	-3	1.092	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33
2025	5	8	12	35	24	24.3	-2	1.092	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	32
2025	5	8	12	45	24	24.1	-2.3	1.092	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	12	55	24	24.6	-2.8	1.092	0.5	0.4	0	43.9	38.3	0	135	120	0	33	31	33
2025	5	8	13	5	24	24.4	-2.8	1.092	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	34
2025	5	8	13	15	24	24.2	-1.8	1.092	0.5	0.4	0	43.9	37.4	0	135	120	0	33	33	33
2025	5	8	13	25	24	24.4	-2.8	1.092	0.4	0.3	0	44.3	38.3	0	136	121	0	33	32	33
2025	5	8	13	35	24	23.8	-2.5	1.092	0.5	0.4	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	13	45	24	23.2	-2.3	1.092	0.4	0.3	0	43	38.3	0	134	120	0	34	31	33
2025	5	8	13	55	24	24.4	-2.3	1.092	0.3	0.2	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	14	5	24	24.8	-3.2	1.092	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	32
2025	5	8	14	15	24	24.3	-2.7	1.092	0.5	0.4	0	43.9	37.4	0	135	120	0	33	33	33
2025	5	8	14	25	24	24	-2.3	1.092	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	14	35	24	25.3	-2.5	1.092	0.4	0.3	0	43.4	37.8	0	135	121	0	34	33	33
2025	5	8	14	45	24	24.2	-2.9	1.092	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	33
2025	5	8	14	55	24	24.9	-2.4	1.092	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	32
2025	5	8	15	5	24	24.9	-2.9	1.092	0.4	0.3	0	43.9	37.8	0	135	120	0	33	32	32
2025	5	8	15	15	24	23.8	-2	1.091	0.6	0.5	0	43.9	38.3	0	136	121	0	34	32	33
2025	5	8	15	25	24	24.7	-2.9	1.092	0.4	0.3	0	43.4	38.7	0	135	121	0	34	31	32
2025	5	8	15	35	24	23.5	-3.2	1.09	0.5	0.5	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	15	45	24	24.5	-2.4	1.091	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2025	5	8	15	55	24	24.1	-2.8	1.09	0.5	0.4	0	43.9	38.3	0	135	121	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	8	16	5	24	25.4	-1.8	1.091	0.5	0.4	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	16	15	24	24.8	-2.8	1.091	0.5	0.4	0	43.9	38.3	0	135	121	0	33	32	32
2025	5	8	16	25	24	24.1	-2.2	1.09	0.5	0.4	0	43.9	38.7	0	135	121	0	33	31	33
2025	5	8	16	35	24	24.9	-2.9	1.09	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	16	45	24	25.5	-2.6	1.089	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	32
2025	5	8	16	55	24	24.7	-2.1	1.088	0.5	0.5	0	43.4	37.8	0	135	120	0	34	32	33
2025	5	8	17	5	24	24.8	-2	1.089	0.4	0.3	0	43.9	38.3	0	135	120	0	33	31	33
2025	5	8	17	15	24	24.2	-3.3	1.09	0.4	0.3	0	43	37	0	134	119	0	34	33	33
2025	5	8	17	25	24	25.2	-2.6	1.088	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32
2025	5	8	17	35	24	24.9	-2.4	1.088	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2025	5	8	17	45	24	23.2	-2.8	1.088	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33
2025	5	8	17	55	24	24.2	-2.9	1.088	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	8	18	5	24	24.2	-2.1	1.088	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	8	18	15	24	24.5	-2	1.087	0.4	0.3	0	43	37.4	0	133	119	0	33	32	33
2025	5	8	18	25	24	24	-2.6	1.089	0.5	0.4	0	43	37	0	133	119	0	33	33	33
2025	5	8	18	35	24	25.4	-2.8	1.088	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33
2025	5	8	18	45	24	25	-2.3	1.088	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	8	18	55	24	25.7	-2.1	1.087	0.5	0.5	0	43	37.4	0	133	119	0	33	32	32
2025	5	8	19	5	24	24.1	-3.2	1.088	0.4	0.3	0	43.4	37.8	0	134	119	0	33	31	33
2025	5	8	19	15	24	23.7	-2.3	1.088	0.5	0.4	0	43	37.8	0	134	120	0	34	32	32
2025	5	8	19	25	24	24.6	-3.2	1.089	0.3	0.2	0	43.9	38.3	0	135	120	0	33	31	33
2025	5	8	19	35	24	24.1	-3	1.089	0.4	0.3	0	43.9	38.3	0	135	120	0	33	31	32
2025	5	8	19	45	24	26.2	-3.2	1.089	0.3	0.2	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	8	19	55	24	24.7	-2.8	1.089	0.4	0.3	0	43.9	38.7	0	136	121	0	34	31	33
2025	5	8	20	5	24	25.5	-1.9	1.088	0.3	0.2	0	44.3	38.7	0	136	121	0	33	31	32
2025	5	8	20	15	24	23.8	-2	1.088	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	8	20	25	24	24.6	-2.5	1.088	0.4	0.3	0	43.9	38.7	0	136	122	0	34	32	33
2025	5	8	20	35	24	25	-1.9	1.088	0.3	0.2	0	47.3	38.7	0	143	123	0	33	33	33
2025	5	8	20	45	24	25.3	-2.8	1.088	0.4	0.3	0	46.4	38.3	0	141	122	0	33	33	33
2025	5	8	20	55	24	24.8	-2.9	1.089	0.4	0.3	0	46.9	38.7	0	142	123	0	33	33	33
2025	5	8	21	5	24	23.9	-2.7	1.089	0.5	0.4	0	46.4	39.1	0	141	123	0	33	32	33
2025	5	8	21	15	24	24.7	-2.1	1.089	0.3	0.2	0	46	39.1	0	141	123	0	34	32	33
2025	5	8	21	25	24	25.1	-2.8	1.088	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	33
2025	5	8	21	35	24	23.8	-3.3	1.089	0.5	0.4	0	46	39.1	0	140	123	0	33	32	32
2025	5	8	21	45	24	24.7	-3.3	1.088	0.4	0.3	0	45.6	38.3	0	139	122	0	33	33	33
2025	5	8	21	55	24	23.7	-3.5	1.088	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	34
2025	5	8	22	5	24	24.7	-2.4	1.088	0.4	0.3	0	45.6	39.1	0	139	122	0	33	31	33
2025	5	8	22	15	24	25.1	-2.8	1.088	0.5	0.4	0	45.2	38.3	0	139	122	0	34	33	33
2025	5	8	22	25	24	25.3	-2.9	1.088	0.4	0.3	0	45.2	38.3	0	139	122	0	34	33	34
2025	5	8	22	35	24	24.7	-2.8	1.088	0.5	0.4	0	45.6	38.7	0	139	122	0	33	32	33
2025	5	8	22	45	24	24.4	-3	1.088	0.3	0.2	0	45.2	38.7	0	139	122	0	34	32	32
2025	5	8	22	55	24	25.1	-2.6	1.088	0.4	0.3	0	45.2	38.3	0	138	121	0	33	32	33
2025	5	8	23	5	24	25.1	-3	1.088	0.3	0.2	0	44.7	38.7	0	138	122	0	34	32	33
2025	5	8	23	15	24	24.8	-3.4	1.088	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	32
2025	5	8	23	25	24	24.5	-2.8	1.088	0.3	0.2	0	44.7	38.3	0	138	122	0	34	33	33
2025	5	8	23	35	24	25	-2.1	1.088	0.5	0.4	0	45.6	38.3	0	139	122	0	33	33	33
2025	5	8	23	45	24	23.6	-2.2	1.088	0.5	0.4	0	45.6	39.1	0	139	123	0	33	32	33
2025	5	8	23	55	24	23.2	-1.5	1.088	0.4	0.3	0	45.2	39.1	0	139	123	0	34	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	9	0	5	24	23.3	-2.1	1.088	0.4	0.3	0	45.2	39.1	0	139	123	0	34	32	33
2025	5	9	0	15	24	25	-2	1.088	0.4	0.3	0	45.2	38.3	0	138	122	0	33	33	33
2025	5	9	0	25	24	24.2	-2.7	1.088	0.5	0.4	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	9	0	35	24	25.8	-2.4	1.088	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	34
2025	5	9	0	45	24	24	-2	1.088	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	33
2025	5	9	0	55	24	24.6	-2.7	1.088	0.5	0.5	0	45.2	39.1	0	138	123	0	33	32	33
2025	5	9	1	5	24	24	-2.8	1.088	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	33
2025	5	9	1	15	24	25.9	-3.2	1.088	0.5	0.4	0	44.7	38.7	0	137	122	0	33	32	34
2025	5	9	1	25	24	24.6	-2.7	1.088	0.4	0.3	0	44.3	39.1	0	137	123	0	34	32	33
2025	5	9	1	35	24	23.5	-2.8	1.088	0.4	0.3	0	44.3	38.7	0	137	123	0	34	33	33
2025	5	9	1	45	24	24.1	-2.4	1.088	0.4	0.3	0	44.7	38.3	0	137	122	0	33	33	33
2025	5	9	1	55	24	25.4	-2.8	1.088	0.5	0.4	0	43.9	38.7	0	136	122	0	34	32	33
2025	5	9	2	5	24	24	-1.9	1.088	0.3	0.2	0	44.7	39.1	0	137	123	0	33	32	32
2025	5	9	2	15	24	23.2	-3	1.087	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	34
2025	5	9	2	25	24	23.6	-3.3	1.087	0.4	0.3	0	47.3	39.1	0	144	123	0	34	32	33
2025	5	9	2	35	24	24.2	-2.2	1.087	0.4	0.3	0	46.9	38.3	0	143	122	0	34	33	33
2025	5	9	2	45	24	22.9	-1.5	1.087	0.4	0.3	0	47.3	39.1	0	144	123	0	34	32	33
2025	5	9	2	55	24	24.2	-2.3	1.087	0.4	0.3	0	47.3	39.6	0	144	124	0	34	32	33
2025	5	9	3	5	24	24.3	-3.1	1.087	0.3	0.2	0	46.9	39.1	0	142	123	0	33	32	33
2025	5	9	3	15	24	24.5	-2	1.087	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	9	3	25	24	26.1	-2.7	1.087	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	34
2025	5	9	3	35	24	23.9	-2.8	1.087	0.4	0.3	0	46.9	39.1	0	142	123	0	33	32	33
2025	5	9	3	45	24	24.3	-2.4	1.087	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	33
2025	5	9	3	55	24	24	-1.5	1.087	0.5	0.4	0	46.4	39.1	0	142	123	0	34	32	34
2025	5	9	4	5	24	24.7	-2.5	1.086	0.3	0.2	0	46	39.1	0	141	123	0	34	32	33
2025	5	9	4	15	24	22.8	-0.6	1.087	0.4	0.3	0	46.4	38.7	0	142	123	0	34	33	33
2025	5	9	4	25	24	23.2	-2.4	1.086	0.5	0.4	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	9	4	35	24	24.2	-1.2	1.086	0.4	0.3	0	45.6	39.1	0	140	123	0	34	32	33
2025	5	9	4	45	24	23.9	-2.2	1.086	0.5	0.4	0	45.6	39.1	0	140	123	0	34	32	34
2025	5	9	4	55	24	25.5	-1.8	1.086	0.4	0.3	0	45.6	38.7	0	140	122	0	34	32	32
2025	5	9	5	5	24	23.8	-1.4	1.086	0.4	0.3	0	46	39.1	0	140	123	0	33	32	33
2025	5	9	5	15	24	24.3	-2.3	1.086	0.5	0.4	0	45.6	38.7	0	140	123	0	34	33	33
2025	5	9	5	25	24	24.7	-2.5	1.086	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	33
2025	5	9	5	35	24	25.4	-2.3	1.086	0.5	0.5	0	45.2	38.7	0	139	122	0	34	32	33
2025	5	9	5	45	24	24	-1.8	1.085	0.4	0.3	0	45.2	39.1	0	139	122	0	34	31	33
2025	5	9	5	55	24	24.2	-2	1.085	0.4	0.3	0	44.7	38.7	0	138	122	0	34	32	33
2025	5	9	6	5	24	22.6	-1.7	1.085	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	33
2025	5	9	6	15	24	24.5	-3.1	1.085	0.3	0.2	0	45.2	38.7	0	138	121	0	33	31	33
2025	5	9	6	25	24	23	-2.1	1.085	0.5	0.5	0	44.7	38.3	0	138	122	0	34	33	33
2025	5	9	6	35	24	24	-2.1	1.084	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	33
2025	5	9	6	45	24	25.5	-3.1	1.085	0.3	0.2	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	9	6	55	24	24	-2.4	1.084	0.5	0.5	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	9	7	5	24	24.9	-2.2	1.084	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	9	7	15	24	24.3	-2.9	1.084	0.4	0.3	0	44.3	37.4	0	137	120	0	34	33	33
2025	5	9	7	25	24	25	-1.8	1.083	0.3	0.2	0	44.3	37.8	0	137	120	0	34	32	33
2025	5	9	7	35	24	24.1	-2.3	1.083	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	9	7	45	24	24.6	-2.1	1.083	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	33
2025	5	9	7	55	24	24.7	-3	1.083	0.4	0.3	0	44.3	38.3	0	136	121	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	9	8	5	24	24.6	-4.2	1.083	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	33
2025	5	9	8	15	24	23.6	-3.2	1.083	0.4	0.3	0	44.3	38.3	0	136	121	0	33	32	32
2025	5	9	8	25	24	25.2	-1.7	1.083	0.4	0.3	0	44.7	38.3	0	137	121	0	33	32	33
2025	5	9	8	35	24	24.5	-2.3	1.083	0.4	0.3	0	44.3	37.8	0	136	121	0	33	33	34
2025	5	9	8	45	24	23.8	-2.9	1.083	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	9	8	55	24	23.8	-2.2	1.083	0.4	0.3	0	44.3	37.8	0	137	121	0	34	33	33
2025	5	9	9	5	24	25.1	-2.2	1.083	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	33
2025	5	9	9	15	24	24.9	-2.7	1.083	0.4	0.3	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	9	9	25	24	24.3	-3.3	1.083	0.3	0.2	0	45.6	38.7	0	138	122	0	32	32	33
2025	5	9	9	35	24	24	-1.8	1.083	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	33
2025	5	9	9	45	24	23.9	-3	1.083	0.4	0.3	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	9	9	55	24	25.3	-3.2	1.083	0.5	0.5	0	44.3	38.7	0	137	122	0	34	32	33
2025	5	9	10	5	24	23.9	-2	1.083	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	9	10	15	24	25.4	-1.5	1.083	0.3	0.2	0	44.7	39.1	0	138	123	0	34	32	34
2025	5	9	10	25	24	25.1	-2.3	1.083	0.4	0.3	0	45.2	39.1	0	138	123	0	33	32	33
2025	5	9	10	35	24	23.8	-2.5	1.083	0.4	0.3	0	44.7	39.1	0	137	122	0	33	31	33
2025	5	9	10	45	24	26.3	-3.3	1.083	0.3	0.2	0	44.3	37.8	0	136	121	0	33	33	33
2025	5	9	10	55	24	24.7	-1.6	1.083	0.4	0.3	0	44.7	38.7	0	137	122	0	33	32	33
2025	5	9	11	5	24	24.4	-2.5	1.083	0.3	0.2	0	44.3	38.3	0	137	121	0	34	32	32
2025	5	9	11	15	24	24.5	-2.6	1.083	0.5	0.4	0	43.9	38.3	0	136	121	0	34	32	32
2025	5	9	11	25	24	23.6	-2.7	1.083	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33
2025	5	9	11	35	24	25	-2.3	1.083	0.6	0.5	0	44.3	38.3	0	137	121	0	34	32	33
2025	5	9	11	45	24	23.9	-2.9	1.083	0.4	0.3	0	43.4	38.3	0	135	121	0	34	32	33
2025	5	9	11	55	24	23.9	-2.9	1.083	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2025	5	9	12	5	24	25.1	-2.4	1.083	0.4	0.3	0	43.9	38.3	0	136	121	0	34	32	33
2025	5	9	12	15	24	23.7	-1.7	1.083	0.5	0.4	0	44.3	38.7	0	136	121	0	33	31	32
2025	5	9	12	25	24	24.6	-2.8	1.083	0.3	0.2	0	43.9	37.8	0	135	120	0	33	32	33
2025	5	9	12	35	24	23.2	-2.2	1.082	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	32
2025	5	9	12	45	24	22.8	-2.9	1.083	0.5	0.4	0	44.3	37.8	0	136	121	0	33	33	33
2025	5	9	12	55	24	24.7	-1.8	1.083	0.5	0.4	0	44.3	38.3	0	136	121	0	33	32	33
2025	5	9	13	5	24	23.3	-2.2	1.082	0.4	0.3	0	43.9	38.3	0	135	121	0	33	32	33
2025	5	9	13	15	24	24.9	-1.1	1.082	0.3	0.2	0	44.3	38.7	0	136	121	0	33	31	33
2025	5	9	13	25	24	24.3	-2.6	1.082	0.4	0.3	0	44.3	38.7	0	136	121	0	33	31	33
2025	5	9	13	35	24	24.3	-2.6	1.081	0.5	0.4	0	44.7	38.7	0	137	122	0	33	32	33
2025	5	9	13	45	24	23.6	-2.3	1.081	0.3	0.2	0	43.9	38.3	0	136	121	0	34	32	33
2025	5	9	13	55	24	23.4	-2.9	1.081	0.4	0.3	0	44.3	38.3	0	136	121	0	33	32	33
2025	5	9	14	5	24	24.2	-2.8	1.081	0.5	0.4	0	43.9	37.8	0	135	120	0	33	32	33
2025	5	9	14	15	24	23.8	-2.4	1.081	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	32
2025	5	9	14	25	24	24.3	-3.2	1.081	0.5	0.4	0	43.9	38.7	0	135	121	0	33	31	32
2025	5	9	14	35	24	24	-2	1.08	0.5	0.4	0	43.9	38.7	0	136	121	0	34	31	33
2025	5	9	14	45	24	23.8	-2.4	1.081	0.4	0.3	0	46	38.3	0	140	121	0	33	32	32
2025	5	9	14	55	24	24	-2.5	1.079	0.4	0.3	0	46.4	38.3	0	140	121	0	32	32	32
2025	5	9	15	5	24	23.4	-2.2	1.079	0.4	0.3	0	46	38.3	0	140	121	0	33	32	33
2025	5	9	15	15	24	23.5	-1.9	1.079	0.5	0.4	0	46	38.7	0	140	121	0	33	31	33
2025	5	9	15	25	24	24.9	-2.7	1.079	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	9	15	35	24	24.1	-2.1	1.079	0.4	0.3	0	45.6	38.7	0	139	121	0	33	31	32
2025	5	9	15	45	24	24.6	-2.6	1.079	0.5	0.4	0	46	38.7	0	140	121	0	33	31	33
2025	5	9	15	55	24	24.2	-2.4	1.079	0.3	0.2	0	45.6	38.3	0	139	121	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	9	16	5	24	24	-1.5	1.077	0.5	0.4	0	45.6	38.3	0	139	121	0	33	32	32
2025	5	9	16	15	24	23.5	-1.7	1.077	0.5	0.4	0	45.6	38.7	0	139	121	0	33	31	32
2025	5	9	16	25	24	24.2	-2.8	1.077	0.5	0.5	0	45.6	38.3	0	139	121	0	33	32	33
2025	5	9	16	35	24	23.1	-2.1	1.078	0.3	0.2	0	45.2	38.3	0	139	121	0	34	32	33
2025	5	9	16	45	24	24.4	-2.2	1.077	0.4	0.3	0	45.6	38.7	0	139	121	0	33	31	32
2025	5	9	16	55	24	23.3	-2.9	1.076	0.5	0.4	0	45.2	37.8	0	138	120	0	33	32	32
2025	5	9	17	5	24	24.7	-2.7	1.076	0.5	0.4	0	46	37.8	0	139	120	0	32	32	33
2025	5	9	17	15	24	23.6	-2.3	1.076	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	9	17	25	24	24.4	-2.2	1.076	0.5	0.4	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	9	17	35	24	23.8	-2.3	1.076	0.4	0.3	0	45.6	37.4	0	138	119	0	32	32	33
2025	5	9	17	45	24	23.8	-2.3	1.075	0.5	0.5	0	44.7	37.4	0	137	119	0	33	32	33
2025	5	9	17	55	24	23.9	-1.9	1.076	0.5	0.5	0	45.6	38.3	0	139	120	0	33	31	32
2025	5	9	18	5	24	23.6	-2.3	1.075	0.5	0.4	0	45.2	37.4	0	138	119	0	33	32	33
2025	5	9	18	15	24	23.2	-1.2	1.076	0.3	0.2	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	9	18	25	24	24	-2.5	1.074	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	9	18	35	24	24.4	-1.9	1.074	0.5	0.4	0	45.6	38.3	0	139	120	0	33	31	32
2025	5	9	18	45	24	22.8	-3	1.074	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	9	18	55	24	24.7	-2	1.075	0.4	0.3	0	45.2	37.8	0	138	120	0	33	32	32
2025	5	9	19	5	24	24.9	-3.3	1.075	0.5	0.4	0	45.2	38.3	0	138	120	0	33	31	33
2025	5	9	19	15	24	23.7	-2.7	1.075	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	9	19	25	24	24.5	-1.8	1.075	0.5	0.5	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	9	19	35	24	25.5	-2	1.075	0.3	0.2	0	45.2	37.8	0	138	120	0	33	32	32
2025	5	9	19	45	24	24.1	-2.6	1.075	0.5	0.4	0	45.2	38.3	0	138	120	0	33	31	33
2025	5	9	19	55	24	24.2	-0.7	1.074	0.5	0.4	0	46.4	38.3	0	140	121	0	32	32	32
2025	5	9	20	5	24	25.3	-1.8	1.075	0.4	0.3	0	46.4	38.7	0	141	122	0	33	32	33
2025	5	9	20	15	24	23.1	-2.3	1.074	0.5	0.4	0	46.4	39.6	0	142	123	0	34	31	33
2025	5	9	20	25	24	23	-2	1.074	0.5	0.5	0	46.9	39.6	0	142	124	0	33	32	33
2025	5	9	20	35	24	23.8	-1.8	1.074	0.5	0.5	0	46.9	40	0	142	125	0	33	32	33
2025	5	9	20	45	24	24.6	-1.2	1.074	0.3	0.2	0	48.2	39.6	0	145	124	0	33	32	33
2025	5	9	20	55	24	25	-3.1	1.074	0.4	0.3	0	46.4	39.1	0	141	123	0	33	32	32
2025	5	9	21	5	24	24.2	-1.4	1.074	0.4	0.3	0	47.3	39.1	0	143	123	0	33	32	32
2025	5	9	21	15	24	23	-1.5	1.074	0.5	0.4	0	47.3	39.1	0	143	123	0	33	32	33
2025	5	9	21	25	24	23.6	-2.3	1.074	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	32
2025	5	9	21	35	24	24.4	-1.8	1.074	0.3	0.2	0	46.4	38.7	0	141	122	0	33	32	33
2025	5	9	21	45	24	23.9	-3.1	1.074	0.3	0.2	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	9	21	55	24	23.3	-2.4	1.074	0.4	0.3	0	48.2	38.7	0	146	123	0	34	33	32
2025	5	9	22	5	24	25.3	-3	1.074	0.3	0.2	0	48.2	38.7	0	145	122	0	33	32	32
2025	5	9	22	15	24	22.4	-2.1	1.074	0.5	0.4	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	9	22	25	24	23.9	-1.3	1.074	0.4	0.3	0	48.6	39.1	0	146	123	0	33	32	32
2025	5	9	22	35	24	24.8	-2.2	1.075	0.4	0.3	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	9	22	45	24	23.8	-3.1	1.075	0.3	0.2	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	9	22	55	24	24.4	-1.8	1.075	0.5	0.4	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	9	23	5	24	25.9	-1.8	1.075	0.5	0.4	0	47.7	38.7	0	144	122	0	33	32	33
2025	5	9	23	15	24	25.3	-3.2	1.074	0.5	0.4	0	47.7	38.3	0	144	122	0	33	33	33
2025	5	9	23	25	24	24.8	-2.3	1.076	0.3	0.2	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	9	23	35	24	24	-0.9	1.075	0.4	0.3	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	9	23	45	24	23.3	-2.6	1.075	0.4	0.3	0	47.7	38.7	0	144	122	0	33	32	33
2025	5	9	23	55	24	24.1	-2.3	1.075	0.5	0.5	0	48.2	38.7	0	145	122	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	10	0	5	24	23.6	-2.5	1.075	0.3	0.2	0	47.7	38.7	0	145	122	0	34	32	33
2025	5	10	0	15	24	24.8	-1.7	1.076	0.4	0.3	0	47.7	38.7	0	145	122	0	34	32	33
2025	5	10	0	25	24	25.2	-3	1.076	0.4	0.3	0	48.2	38.7	0	145	122	0	33	32	32
2025	5	10	0	35	24	25.2	-2	1.076	0.4	0.3	0	47.7	38.7	0	145	122	0	34	32	33
2025	5	10	0	45	24	24	-1.4	1.076	0.5	0.4	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	10	0	55	24	23.7	-2.8	1.076	0.3	0.2	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	10	1	5	24	24.8	-2.6	1.076	0.4	0.3	0	47.7	38.3	0	144	121	0	33	32	34
2025	5	10	1	15	24	24.8	-1.9	1.076	0.5	0.4	0	47.7	38.3	0	145	122	0	34	33	34
2025	5	10	1	25	24	24.6	-2	1.076	0.4	0.3	0	48.2	38.7	0	145	122	0	33	32	33
2025	5	10	1	35	24	24.2	-2.2	1.076	0.5	0.5	0	47.7	38.7	0	145	122	0	34	32	34
2025	5	10	1	45	24	24.9	-2.8	1.076	0.5	0.5	0	47.7	38.3	0	145	121	0	34	32	33
2025	5	10	1	55	24	23.5	-2.9	1.076	0.4	0.3	0	47.7	38.7	0	145	122	0	34	32	33
2025	5	10	2	5	24	23.6	-2.2	1.076	0.3	0.2	0	47.7	38.7	0	145	122	0	34	32	34
2025	5	10	2	15	24	24.5	-1.9	1.076	0.5	0.4	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	10	2	25	24	24.1	-1.7	1.076	0.5	0.4	0	47.7	38.7	0	145	122	0	34	32	33
2025	5	10	2	35	24	25.6	-2.9	1.076	0.5	0.4	0	46.9	38.3	0	143	121	0	34	32	33
2025	5	10	2	45	24	23.2	-3	1.076	0.5	0.4	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	10	2	55	24	23.5	-2.1	1.077	0.3	0.2	0	47.3	37.8	0	143	121	0	33	33	33
2025	5	10	3	5	24	25.6	-1.7	1.076	0.3	0.2	0	47.3	39.1	0	144	122	0	34	31	33
2025	5	10	3	15	24	24.3	-2.3	1.076	0.5	0.4	0	47.3	38.7	0	144	122	0	34	32	33
2025	5	10	3	25	24	23.9	-3	1.077	0.5	0.4	0	47.3	38.3	0	144	122	0	34	33	33
2025	5	10	3	35	24	23.6	-2.5	1.077	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	33
2025	5	10	3	45	24	23.1	-2.7	1.076	0.3	0.2	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	10	3	55	24	24.8	-2.1	1.076	0.3	0.2	0	46.4	38.7	0	142	122	0	34	32	33
2025	5	10	4	5	24	23.7	-2.4	1.077	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	33
2025	5	10	4	15	24	24.4	-1.8	1.077	0.5	0.4	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	10	4	25	24	24	-1.6	1.077	0.5	0.5	0	47.3	38.7	0	143	122	0	33	32	33
2025	5	10	4	35	24	25.3	-2.6	1.077	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	33
2025	5	10	4	45	24	24.8	-2.9	1.077	0.5	0.4	0	46.9	39.1	0	143	123	0	34	32	34
2025	5	10	4	55	24	24.4	-2.7	1.076	0.3	0.2	0	46.9	39.1	0	143	123	0	34	32	33
2025	5	10	5	5	24	23.7	-2.3	1.077	0.4	0.3	0	46.9	38.7	0	143	122	0	34	32	32
2025	5	10	5	15	24	24.2	-3.3	1.077	0.5	0.5	0	46.9	38.7	0	142	122	0	33	32	32
2025	5	10	5	25	24	24.5	-1.6	1.076	0.5	0.4	0	46.9	38.7	0	142	122	0	33	32	33
2025	5	10	5	35	24	24.4	-2.5	1.076	0.3	0.2	0	46	39.1	0	141	122	0	34	31	33
2025	5	10	5	45	24	22.7	-2.3	1.076	0.4	0.3	0	46	38.7	0	141	122	0	34	32	33
2025	5	10	5	55	24	23.8	-1.8	1.077	0.3	0.2	0	46.4	38.7	0	141	122	0	33	32	33
2025	5	10	6	5	24	22.1	-2.4	1.076	0.4	0.3	0	46	38.7	0	141	122	0	34	32	34
2025	5	10	6	15	24	23.8	-1.8	1.077	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	32
2025	5	10	6	25	24	25	-2.8	1.076	0.5	0.4	0	45.6	38.3	0	140	121	0	34	32	32
2025	5	10	6	35	24	25.9	-2.3	1.076	0.3	0.2	0	45.6	38.3	0	140	121	0	34	32	33
2025	5	10	6	45	24	24.8	-2.9	1.076	0.5	0.5	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	10	6	55	24	24.7	-3.1	1.076	0.4	0.3	0	45.2	37.8	0	139	120	0	34	32	33
2025	5	10	7	5	24	24.1	-2.5	1.076	0.4	0.3	0	46	38.7	0	141	121	0	34	31	33
2025	5	10	7	15	24	24.9	-2.7	1.076	0.4	0.3	0	45.6	38.3	0	140	121	0	34	32	32
2025	5	10	7	25	24	23.5	-2.6	1.076	0.4	0.3	0	46	38.3	0	141	121	0	34	32	33
2025	5	10	7	35	24	24.8	-2.4	1.076	0.4	0.3	0	46	38.3	0	141	121	0	34	32	33
2025	5	10	7	45	24	24.4	-1.5	1.076	0.3	0.2	0	46	38.3	0	140	121	0	33	32	32
2025	5	10	7	55	24	25.6	-1.8	1.076	0.5	0.4	0	43.4	38.7	0	134	122	0	33	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	10	8	5	24	23.4	-2.3	1.075	0.5	0.4	0	42.6	38.3	0	133	121	0	34	32	32	
2025	5	10	8	15	24	24.3	-1.8	1.075	0.3	0.2	0	44.3	38.3	0	136	121	0	33	32	33	
2025	5	10	8	25	24	24.7	-2.4	1.075	0.5	0.4	0	45.6	38.7	0	139	121	0	33	31	33	
2025	5	10	8	35	24	23.9	-1.8	1.075	0.5	0.4	0	45.2	38.7	0	139	122	0	34	32	32	
2025	5	10	8	45	24	23.4	-2.3	1.075	0.5	0.4	0	46	38.3	0	139	121	0	32	32	33	
2025	5	10	8	55	24	24.6	-2.5	1.075	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	32	
2025	5	10	9	5	24	23.4	-2.4	1.074	0.4	0.3	0	45.6	38.3	0	139	122	0	33	33	33	
2025	5	10	9	15	24	23.9	-3.6	1.074	0.5	0.4	0	45.6	38.7	0	139	122	0	33	32	33	
2025	5	10	9	25	24	24.2	-2.6	1.074	0.5	0.4	0	45.6	38.7	0	140	122	0	34	32	33	
2025	5	10	9	35	24	23.6	-2.5	1.074	0.4	0.3	0	45.6	38.7	0	139	122	0	33	32	32	
2025	5	10	9	45	24	24.6	-3.3	1.074	0.3	0.2	0	45.6	38.3	0	139	121	0	33	32	32	
2025	5	10	9	55	24	25	-3	1.074	0.5	0.4	0	45.6	38.3	0	139	121	0	33	32	33	
2025	5	10	10	5	24	25.2	-2.3	1.074	0.3	0.2	0	44.7	38.3	0	138	121	0	34	32	33	
2025	5	10	10	15	24	24.1	-2.2	1.074	0.5	0.4	0	45.6	38.7	0	139	122	0	33	32	33	
2025	5	10	10	25	24	24.1	-1.8	1.074	0.5	0.4	0	46.4	39.1	0	141	123	0	33	32	33	
2025	5	10	10	35	24	25.1	-2.8	1.074	0.4	0.3	0	45.2	38.3	0	139	121	0	34	32	33	
2025	5	10	10	45	24	24.3	-2.4	1.074	0.4	0.3	0	45.6	38.3	0	139	121	0	33	32	32	
2025	5	10	10	55	24	25.3	-2.7	1.074	0.5	0.4	0	46.4	38.7	0	142	122	0	34	32	32	
2025	5	10	11	5	24	25.3	-2.7	1.074	0.5	0.4	0	46.9	38.7	0	143	122	0	34	32	33	
2025	5	10	11	15	24	23.3	-1.6	1.074	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	32	
2025	5	10	11	25	24	24.2	-2.5	1.074	0.4	0.3	0	46.9	38.7	0	142	122	0	33	32	33	
2025	5	10	11	35	24	23.9	-1.9	1.074	0.4	0.3	0	46.4	38.7	0	142	122	0	34	32	33	
2025	5	10	11	45	24	24.6	-2.8	1.073	0.5	0.4	0	46.4	38.7	0	142	122	0	34	32	33	
2025	5	10	11	55	24	23.8	-3.6	1.074	0.3	0.2	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	12	5	24	23.8	-1.9	1.074	0.5	0.4	0	46.9	39.1	0	142	122	0	33	31	32	
2025	5	10	12	15	24	24.5	-1.7	1.073	0.5	0.4	0	46.9	38.3	0	142	121	0	33	32	32	
2025	5	10	12	25	24	23.5	-2.4	1.073	0.5	0.4	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	12	35	24	24.3	-2.9	1.073	0.5	0.4	0	47.3	39.1	0	143	123	0	33	32	33	
2025	5	10	12	45	24	24.1	-2.9	1.073	0.4	0.3	0	46.4	39.1	0	142	122	0	34	31	33	
2025	5	10	12	55	24	23.8	-2.3	1.074	0.4	0.3	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	13	5	24	23.5	-2.4	1.074	0.5	0.5	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	13	15	24	23.8	-2.8	1.072	0.4	0.3	0	47.3	39.1	0	143	122	0	33	31	32	
2025	5	10	13	25	24	24.6	-3.6	1.072	0.4	0.3	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	13	35	24	23.2	-2.5	1.073	0.4	0.3	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	13	45	24	24	-2.1	1.071	0.5	0.5	0	46.9	38.7	0	142	122	0	33	32	32	
2025	5	10	13	55	24	23.3	-2.5	1.073	0.5	0.4	0	46.9	38.7	0	142	122	0	33	32	33	
2025	5	10	14	5	24	23.7	-1.9	1.072	0.4	0.3	0	46.4	38.3	0	141	121	0	33	32	32	
2025	5	10	14	15	24	23.3	-1.9	1.073	0.4	0.3	0	46.4	39.1	0	141	122	0	33	31	32	
2025	5	10	14	25	24	23.8	-2.4	1.072	0.5	0.4	0	46.4	38.3	0	141	121	0	33	32	33	
2025	5	10	14	35	24	23.8	-2.8	1.073	0.5	0.4	0	48.6	38.3	0	146	121	0	33	32	32	
2025	5	10	14	45	24	24.5	-2	1.072	0.5	0.4	0	48.6	38.3	0	146	121	0	33	32	33	
2025	5	10	14	55	24	24	-1.9	1.071	0.4	0.3	0	48.6	38.7	0	147	122	0	34	32	33	
2025	5	10	15	5	24	24.1	-2.2	1.071	0.4	0.3	0	49	38.7	0	147	121	0	33	31	33	
2025	5	10	15	15	24	24.1	-2.6	1.07	0.3	0.2	0	48.6	39.1	0	146	122	0	33	31	33	
2025	5	10	15	25	24	22.4	-2.9	1.071	0.3	0.2	0	48.2	38.7	0	145	122	0	33	32	32	
2025	5	10	15	35	24	24.5	-1.6	1.071	0.3	0.2	0	48.2	38.3	0	145	121	0	33	32	32	
2025	5	10	15	45	24	23.9	-1.4	1.07	0.5	0.4	0	48.2	38.7	0	145	121	0	33	31	34	
2025	5	10	15	55	24	24.3	-2.1	1.069	0.4	0.3	0	48.2	38.3	0	145	121	0	33	32	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	10	16	5	24	23.5	-2.8	1.071	0.4	0.3	0	48.6	38.7	0	145	121	0	32	31	32	
2025	5	10	16	15	24	23.5	-2.5	1.071	0.5	0.4	0	48.2	38.7	0	145	121	0	33	31	32	
2025	5	10	16	25	24	24.1	-2.5	1.07	0.3	0.2	0	47.7	38.3	0	144	120	0	33	31	33	
2025	5	10	16	35	24	24.1	-1.4	1.069	0.4	0.3	0	47.7	38.3	0	144	120	0	33	31	33	
2025	5	10	16	45	24	23.6	-2.4	1.069	0.4	0.3	0	47.3	37.8	0	144	120	0	34	32	32	
2025	5	10	16	55	24	24.7	-1.7	1.069	0.5	0.4	0	47.7	37.8	0	144	120	0	33	32	32	
2025	5	10	17	5	24	24.1	-2.8	1.068	0.5	0.5	0	47.7	37.8	0	144	120	0	33	32	32	
2025	5	10	17	15	24	24.1	-2.9	1.069	0.4	0.3	0	47.3	38.3	0	143	120	0	33	31	33	
2025	5	10	17	25	24	22.6	-1.6	1.068	0.5	0.4	0	47.3	38.3	0	143	120	0	33	31	33	
2025	5	10	17	35	24	24	-2.1	1.068	0.4	0.3	0	46.9	37.8	0	143	120	0	34	32	32	
2025	5	10	17	45	24	24	-1.5	1.069	0.5	0.5	0	46.9	37.8	0	142	119	0	33	31	32	
2025	5	10	17	55	24	24.3	-3.9	1.069	0.5	0.5	0	47.3	37.8	0	143	120	0	33	32	33	
2025	5	10	18	5	24	23.9	-2.9	1.068	0.4	0.3	0	46.9	37.8	0	142	119	0	33	31	32	
2025	5	10	18	15	24	23.3	-2.1	1.068	0.4	0.3	0	47.3	37.8	0	143	119	0	33	31	32	
2025	5	10	18	25	24	23.8	-2.1	1.067	0.5	0.4	0	46.9	37.4	0	142	119	0	33	32	33	
2025	5	10	18	35	24	23	-2.2	1.067	0.3	0.2	0	46.4	37.4	0	142	119	0	34	32	32	
2025	5	10	18	45	24	23.4	-2.5	1.067	0.4	0.3	0	47.3	37.8	0	143	119	0	33	31	32	
2025	5	10	18	55	24	24.2	-2.4	1.067	0.4	0.3	0	47.3	37.4	0	143	119	0	33	32	32	
2025	5	10	19	5	24	24.5	-2.8	1.068	0.5	0.4	0	47.3	37.4	0	143	119	0	33	32	32	
2025	5	10	19	15	24	23.8	-1.6	1.068	0.5	0.4	0	48.2	37.4	0	145	119	0	33	32	33	
2025	5	10	19	25	24	25.1	-3.3	1.068	0.5	0.4	0	47.7	37.4	0	144	119	0	33	32	32	
2025	5	10	19	35	24	25	-3	1.069	0.6	0.5	0	48.2	37.8	0	145	120	0	33	32	32	
2025	5	10	19	45	24	24.3	-2.6	1.068	0.5	0.4	0	48.2	37.8	0	145	120	0	33	32	33	
2025	5	10	19	55	24	24.2	-3.9	1.068	0.4	0.3	0	48.6	37.8	0	145	120	0	32	32	33	
2025	5	10	20	5	24	24.5	-3.2	1.068	0.4	0.3	0	48.2	38.7	0	145	121	0	33	31	33	
2025	5	10	20	15	24	23.1	-2.3	1.068	0.3	0.2	0	48.6	38.3	0	146	121	0	33	32	33	
2025	5	10	20	25	24	23.7	-2	1.069	0.5	0.4	0	48.2	39.1	0	146	122	0	34	31	33	
2025	5	10	20	35	24	23.7	-2.4	1.068	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	32	
2025	5	10	20	45	24	24.5	-3.5	1.068	0.3	0.2	0	47.3	38.7	0	143	122	0	33	32	32	
2025	5	10	20	55	24	24.7	-2.8	1.068	0.4	0.3	0	47.3	39.1	0	143	122	0	33	31	32	
2025	5	10	21	5	24	24.3	-1.7	1.068	0.4	0.3	0	47.3	38.7	0	143	122	0	33	32	32	
2025	5	10	21	15	24	24.6	-3.1	1.068	0.4	0.3	0	46.9	38.3	0	143	121	0	34	32	32	
2025	5	10	21	25	24	23.3	-1.8	1.068	0.5	0.4	0	46.9	38.7	0	143	122	0	34	32	33	
2025	5	10	21	35	24	24.2	-3.9	1.068	0.4	0.3	0	46.9	38.3	0	142	121	0	33	32	33	
2025	5	10	21	45	24	24.2	-2.7	1.068	0.5	0.4	0	46.4	38.7	0	141	121	0	33	31	33	
2025	5	10	21	55	24	25	-2.5	1.069	0.5	0.4	0	46.4	38.3	0	141	121	0	33	32	32	
2025	5	10	22	5	24	25.1	-1.5	1.068	0.4	0.3	0	47.7	38.3	0	144	121	0	33	32	32	
2025	5	10	22	15	24	25.1	-2	1.069	0.3	0.2	0	46.9	37.8	0	142	120	0	33	32	33	
2025	5	10	22	25	24	23.9	-2.4	1.068	0.5	0.4	0	47.7	38.3	0	145	121	0	34	32	31	
2025	5	10	22	35	24	24.3	-1.7	1.068	0.5	0.4	0	47.7	38.3	0	144	121	0	33	32	32	
2025	5	10	22	45	24	24.3	-2.5	1.068	0.4	0.3	0	48.2	38.3	0	145	121	0	33	32	33	
2025	5	10	22	55	24	24.4	-1.9	1.068	0.3	0.2	0	46.9	37.8	0	142	120	0	33	32	32	
2025	5	10	23	5	24	23.5	-3.5	1.068	0.5	0.4	0	47.7	37.8	0	143	120	0	32	32	33	
2025	5	10	23	15	24	24.6	-2.8	1.068	0.4	0.3	0	47.7	37.8	0	143	120	0	32	32	33	
2025	5	10	23	25	24	24.8	-3.3	1.068	0.5	0.4	0	47.3	37.8	0	143	120	0	33	32	33	
2025	5	10	23	35	24	24.3	-2.2	1.068	0.4	0.3	0	47.3	37.4	0	143	120	0	33	33	32	
2025	5	10	23	45	24	25.1	-2.5	1.068	0.4	0.3	0	46.9	37.8	0	143	119	0	34	31	32	
2025	5	10	23	55	24	24	-2.8	1.068	0.4	0.3	0	47.3	38.3	0	143	120	0	33	31	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	11	0	5	24	24.3	-2.5	1.068	0.3	0.2	0	47.3	37.8	0	143	120	0	33	32	33
2025	5	11	0	15	24	24.5	-2.6	1.068	0.5	0.4	0	46.9	37.8	0	142	120	0	33	32	33
2025	5	11	0	25	24	23.9	-3	1.068	0.5	0.5	0	46.9	37.4	0	142	119	0	33	32	33
2025	5	11	0	35	24	22.4	-1.6	1.068	0.5	0.4	0	46.9	37.8	0	143	120	0	34	32	32
2025	5	11	0	45	24	23.5	-1.9	1.068	0.5	0.4	0	46.9	37.4	0	142	120	0	33	33	33
2025	5	11	0	55	24	24.9	-3.3	1.068	0.4	0.3	0	46.9	37.4	0	142	119	0	33	32	33
2025	5	11	1	5	24	24.8	-3.3	1.067	0.3	0.2	0	45.6	37.4	0	140	119	0	34	32	32
2025	5	11	1	15	24	24.4	-2.3	1.067	0.4	0.3	0	46.9	37.8	0	142	120	0	33	32	32
2025	5	11	1	25	24	23.2	-2.6	1.067	0.5	0.4	0	47.3	37.8	0	142	120	0	32	32	33
2025	5	11	1	35	24	24.1	-2	1.067	0.5	0.4	0	47.3	38.3	0	143	120	0	33	31	33
2025	5	11	1	45	24	24.9	-3.3	1.067	0.3	0.2	0	46.9	37	0	142	119	0	33	33	32
2025	5	11	1	55	24	23.7	-1.8	1.067	0.4	0.3	0	46.9	37.8	0	142	120	0	33	32	33
2025	5	11	2	5	24	23.9	-1.6	1.068	0.3	0.2	0	46.4	37.4	0	142	119	0	34	32	33
2025	5	11	2	15	24	24.2	-2.1	1.068	0.4	0.3	0	46.4	37.4	0	142	120	0	34	33	32
2025	5	11	2	25	24	23.8	-2.9	1.068	0.5	0.4	0	46.9	37.8	0	142	120	0	33	32	33
2025	5	11	2	35	24	24.7	-2.9	1.068	0.5	0.5	0	46.4	37.8	0	141	119	0	33	31	33
2025	5	11	2	45	24	25.2	-3.2	1.068	0.4	0.3	0	45.6	37.4	0	140	119	0	34	32	33
2025	5	11	2	55	24	23.8	-2.5	1.068	0.3	0.2	0	46	37.4	0	141	120	0	34	33	33
2025	5	11	3	5	24	25.7	-2.9	1.069	0.3	0.2	0	46.4	37	0	141	119	0	33	33	33
2025	5	11	3	15	24	24.3	-2.3	1.069	0.4	0.3	0	46	37.4	0	140	119	0	33	32	32
2025	5	11	3	25	24	24.6	-3	1.069	0.5	0.4	0	46.4	37.8	0	141	120	0	33	32	32
2025	5	11	3	35	24	25.1	-2.3	1.069	0.3	0.2	0	45.6	38.3	0	140	120	0	34	31	33
2025	5	11	3	45	24	24.2	-2.4	1.069	0.5	0.4	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	11	3	55	24	25.9	-3.9	1.069	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	32
2025	5	11	4	5	24	23.8	-2.5	1.069	0.5	0.4	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	11	4	15	24	25.4	-2.3	1.069	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	33
2025	5	11	4	25	24	23.2	-2.8	1.069	0.4	0.3	0	45.2	37.8	0	138	120	0	33	32	33
2025	5	11	4	35	24	25.1	-2.5	1.069	0.5	0.4	0	44.3	37.4	0	137	119	0	34	32	33
2025	5	11	4	45	24	23.6	-2.1	1.069	0.3	0.2	0	45.2	37.8	0	137	120	0	32	32	32
2025	5	11	4	55	24	24.6	-1.8	1.069	0.5	0.4	0	44.3	37.8	0	137	120	0	34	32	32
2025	5	11	5	5	24	25.5	-1.3	1.07	0.4	0.3	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	11	5	15	24	24.6	-2.3	1.07	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	32
2025	5	11	5	25	24	24.6	-2	1.07	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	11	5	35	24	24.1	-1.1	1.07	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	33
2025	5	11	5	45	24	23.8	-2.9	1.07	0.5	0.4	0	43.9	37.8	0	135	120	0	33	32	32
2025	5	11	5	55	24	22.8	-0.9	1.07	0.3	0.2	0	44.3	38.3	0	136	120	0	33	31	33
2025	5	11	6	5	24	23.6	-2.7	1.07	0.3	0.2	0	44.3	37.8	0	136	120	0	33	32	32
2025	5	11	6	15	24	23.5	-2.6	1.07	0.5	0.4	0	43.4	37.8	0	134	119	0	33	31	32
2025	5	11	6	25	24	25.5	-2.9	1.07	0.4	0.3	0	43.4	37.4	0	134	119	0	33	32	33
2025	5	11	6	35	24	23.1	-3.5	1.07	0.5	0.5	0	42.6	37	0	133	118	0	34	32	32
2025	5	11	6	45	24	23.6	-0.6	1.07	0.3	0.2	0	43	37	0	133	118	0	33	32	32
2025	5	11	6	55	24	24	-2.7	1.07	0.5	0.5	0	42.6	37.4	0	133	119	0	34	32	32
2025	5	11	7	5	24	23.8	-2.7	1.069	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2025	5	11	7	15	24	24.1	-2.7	1.07	0.5	0.4	0	42.6	37.8	0	133	120	0	34	32	33
2025	5	11	7	25	24	25.8	-3.2	1.07	0.5	0.4	0	43	37.4	0	133	119	0	33	32	32
2025	5	11	7	35	24	25.1	-2.4	1.07	0.5	0.5	0	43.9	37.8	0	134	120	0	32	32	33
2025	5	11	7	45	24	24.9	-2.6	1.07	0.3	0.2	0	43.4	37.4	0	134	119	0	33	32	32
2025	5	11	7	55	24	22.7	-2.9	1.07	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	11	8	5	24	24.7	-2.4	1.07	0.5	0.4	0	43	37.8	0	134	120	0	34	32	33	
2025	5	11	8	15	24	24.7	-2.1	1.07	0.4	0.3	0	42.6	37.4	0	133	119	0	34	32	33	
2025	5	11	8	25	24	24.2	-2.3	1.07	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33	
2025	5	11	8	35	24	24.9	-1.9	1.07	0.3	0.2	0	43.4	38.3	0	134	120	0	33	31	33	
2025	5	11	8	45	24	24	-2.8	1.07	0.5	0.4	0	43	37.4	0	133	119	0	33	32	32	
2025	5	11	8	55	24	23.6	-2.4	1.07	0.5	0.5	0	43	37.4	0	133	119	0	33	32	33	
2025	5	11	9	5	24	24.1	-1.8	1.069	0.5	0.4	0	43	38.3	0	134	120	0	34	31	33	
2025	5	11	9	15	24	24.1	-0.8	1.07	0.5	0.5	0	43.4	37.8	0	134	120	0	33	32	33	
2025	5	11	9	25	24	24	-3	1.07	0.5	0.5	0	43	37.4	0	133	119	0	33	32	33	
2025	5	11	9	35	24	23.8	-1.5	1.07	0.5	0.5	0	43	37.8	0	133	120	0	33	32	32	
2025	5	11	9	45	24	24.3	-2.5	1.07	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	32	
2025	5	11	9	55	24	24.3	-2.8	1.07	0.3	0.2	0	43.4	38.3	0	134	120	0	33	31	33	
2025	5	11	10	5	24	24	-2.7	1.07	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	32	
2025	5	11	10	15	24	24.8	-3.2	1.07	0.5	0.4	0	43	37.4	0	133	119	0	33	32	32	
2025	5	11	10	25	24	25.2	-2.4	1.07	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33	
2025	5	11	10	35	24	22.9	-2.4	1.07	0.5	0.4	0	43	37	0	133	118	0	33	32	32	
2025	5	11	10	45	24	24.1	-3.4	1.07	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33	
2025	5	11	10	55	24	23.6	-3.1	1.07	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33	
2025	5	11	11	5	24	24.9	-2.6	1.068	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33	
2025	5	11	11	15	24	23.4	-1.2	1.068	0.5	0.4	0	43.4	37.4	0	134	119	0	33	32	32	
2025	5	11	11	25	24	25.2	-2.8	1.067	0.5	0.4	0	43	37.8	0	133	119	0	33	31	32	
2025	5	11	11	35	24	23.5	-2.6	1.067	0.5	0.4	0	43	37.8	0	134	120	0	34	32	32	
2025	5	11	11	45	24	22.9	-3.4	1.068	0.5	0.4	0	43.4	37.8	0	134	120	0	33	32	32	
2025	5	11	11	55	24	23.7	-1.4	1.067	0.4	0.3	0	44.3	38.3	0	135	121	0	32	32	32	
2025	5	11	12	5	24	22.7	-1.4	1.067	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	33	
2025	5	11	12	15	24	24	-1.9	1.067	0.3	0.2	0	43.4	38.3	0	134	120	0	33	31	33	
2025	5	11	12	25	24	24.2	-2.4	1.067	0.4	0.3	0	43	37.8	0	134	120	0	34	32	33	
2025	5	11	12	35	24	24.1	-2.4	1.066	0.4	0.3	0	43	37.4	0	133	119	0	33	32	32	
2025	5	11	12	45	24	24	-2.9	1.066	0.5	0.4	0	43	38.3	0	134	120	0	34	31	32	
2025	5	11	12	55	24	24.5	-3.1	1.066	0.4	0.3	0	43.4	37.8	0	134	120	0	33	32	32	
2025	5	11	13	5	24	24	-1.9	1.066	0.4	0.3	0	43.9	38.3	0	134	120	0	32	31	32	
2025	5	11	13	15	24	23.9	-1.9	1.065	0.5	0.4	0	43.9	38.7	0	135	121	0	33	31	33	
2025	5	11	13	25	24	24.1	-2.1	1.065	0.3	0.2	0	42.6	37.8	0	133	120	0	34	32	33	
2025	5	11	13	35	24	24.3	-2.9	1.065	0.5	0.4	0	43	38.3	0	133	120	0	33	31	32	
2025	5	11	13	45	24	24.3	-2.9	1.065	0.4	0.3	0	43.4	38.3	0	134	120	0	33	31	33	
2025	5	11	13	55	24	24.3	-2.4	1.065	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33	
2025	5	11	14	5	24	23.6	-2.7	1.065	0.5	0.4	0	43.4	38.7	0	134	121	0	33	31	33	
2025	5	11	14	15	24	24.8	-2.3	1.065	0.3	0.2	0	43	37.8	0	133	120	0	33	32	33	
2025	5	11	14	25	24	24.4	-2.5	1.065	0.5	0.4	0	43.4	38.7	0	133	121	0	32	31	33	
2025	5	11	14	35	24	24.1	-2.5	1.065	0.3	0.2	0	43.4	38.3	0	134	121	0	33	32	33	
2025	5	11	14	45	24	25	-2.9	1.064	0.4	0.3	0	43	37.8	0	133	120	0	33	32	32	
2025	5	11	14	55	24	25.2	-2.6	1.064	0.4	0.3	0	43	37.8	0	133	120	0	33	32	32	
2025	5	11	15	5	24	25.1	-2.9	1.064	0.3	0.2	0	42.6	38.3	0	133	120	0	34	31	32	
2025	5	11	15	15	24	24.1	-1.9	1.064	0.5	0.4	0	42.6	37.4	0	132	120	0	33	33	32	
2025	5	11	15	25	24	24.8	-2.1	1.064	0.5	0.4	0	42.6	38.3	0	132	120	0	33	31	32	
2025	5	11	15	35	24	24.2	-1.9	1.064	0.4	0.3	0	42.6	37.8	0	132	119	0	33	31	32	
2025	5	11	15	45	24	24.9	-2.2	1.064	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32	
2025	5	11	15	55	24	24.6	-2	1.064	0.5	0.5	0	42.6	37.8	0	131	119	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	11	16	5	24	23.8	-2.9	1.064	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	33
2025	5	11	16	15	24	23.6	-2.2	1.064	0.5	0.4	0	43	38.3	0	133	121	0	33	32	32
2025	5	11	16	25	24	23.8	-1.5	1.064	0.3	0.2	0	43	37.8	0	133	120	0	33	32	32
2025	5	11	16	35	24	25.2	-1.4	1.064	0.5	0.4	0	42.6	38.3	0	132	120	0	33	31	32
2025	5	11	16	45	24	24.7	-1.9	1.063	0.5	0.4	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	16	55	24	24.5	-1.8	1.063	0.5	0.5	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	17	5	24	23.9	-1.9	1.063	0.5	0.5	0	42.1	37.8	0	131	119	0	33	31	32
2025	5	11	17	15	24	23.1	-2.7	1.063	0.5	0.4	0	42.6	37.8	0	131	119	0	32	31	32
2025	5	11	17	25	24	24.6	-1.7	1.063	0.3	0.2	0	42.6	37.4	0	131	118	0	32	31	33
2025	5	11	17	35	24	24.2	-1.9	1.063	0.5	0.4	0	41.7	37	0	130	118	0	33	32	33
2025	5	11	17	45	24	22.4	-1	1.063	0.3	0.2	0	41.7	37	0	130	117	0	33	31	32
2025	5	11	17	55	24	25.4	-3.5	1.063	0.4	0.3	0	41.3	36.5	0	129	116	0	33	31	33
2025	5	11	18	5	24	23.9	-1.5	1.063	0.5	0.5	0	41.7	36.5	0	130	117	0	33	32	32
2025	5	11	18	15	24	23.8	-2.1	1.063	0.5	0.4	0	41.3	36.5	0	129	116	0	33	31	32
2025	5	11	18	25	24	23.6	-1.5	1.063	0.5	0.5	0	41.3	37	0	130	118	0	34	32	32
2025	5	11	18	35	24	24.6	-1.5	1.063	0.5	0.4	0	41.7	37	0	129	117	0	32	31	32
2025	5	11	18	45	24	24.5	-2.6	1.063	0.4	0.3	0	41.7	37.4	0	130	118	0	33	31	32
2025	5	11	18	55	24	23.7	-2	1.062	0.3	0.2	0	41.7	36.5	0	129	117	0	32	32	32
2025	5	11	19	5	24	24.1	-2.4	1.062	0.5	0.4	0	41.7	36.5	0	129	117	0	32	32	33
2025	5	11	19	15	24	23.8	-2.6	1.062	0.4	0.3	0	41.3	36.5	0	129	117	0	33	32	32
2025	5	11	19	25	24	24.4	-2.7	1.062	0.5	0.4	0	41.3	37	0	129	117	0	33	31	32
2025	5	11	19	35	24	23.8	-2.4	1.061	0.4	0.3	0	41.7	37	0	129	118	0	32	32	32
2025	5	11	19	45	24	24.7	-2.2	1.062	0.4	0.3	0	41.7	37	0	129	118	0	32	32	33
2025	5	11	19	55	24	24.4	-1.9	1.062	0.5	0.5	0	41.7	37.4	0	130	118	0	33	31	33
2025	5	11	20	5	24	24.4	-2.9	1.062	0.6	0.5	0	41.7	37	0	130	118	0	33	32	33
2025	5	11	20	15	24	23.8	-1.5	1.062	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	33
2025	5	11	20	25	24	23.9	-1.2	1.062	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	33
2025	5	11	20	35	24	23.6	-1.6	1.062	0.5	0.5	0	43	37.8	0	132	120	0	32	32	32
2025	5	11	20	45	24	25.2	-2.4	1.062	0.3	0.2	0	41.7	37.4	0	131	119	0	34	32	32
2025	5	11	20	55	24	23.8	-2.4	1.062	0.5	0.4	0	42.1	38.3	0	132	120	0	34	31	32
2025	5	11	21	5	24	24	-2.2	1.062	0.4	0.3	0	43	38.7	0	132	121	0	32	31	32
2025	5	11	21	15	24	24.6	-2.3	1.062	0.5	0.4	0	42.6	37.8	0	132	120	0	33	32	32
2025	5	11	21	25	24	24.6	-2.4	1.061	0.4	0.3	0	42.1	37.4	0	131	119	0	33	32	32
2025	5	11	21	35	24	23.9	-3.1	1.062	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	21	45	24	24.4	-1.8	1.062	0.5	0.4	0	43	38.3	0	133	120	0	33	31	33
2025	5	11	21	55	24	24.7	-2.4	1.062	0.4	0.3	0	42.1	38.3	0	132	120	0	34	31	33
2025	5	11	22	5	24	24.7	-2.7	1.062	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	22	15	24	25.7	-2.4	1.062	0.4	0.3	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	22	25	24	24.1	-1.8	1.062	0.5	0.4	0	42.6	37.4	0	132	119	0	33	32	32
2025	5	11	22	35	24	24.2	-2	1.062	0.4	0.3	0	42.1	37.4	0	132	119	0	34	32	32
2025	5	11	22	45	24	25.6	-2.8	1.062	0.4	0.3	0	42.1	37	0	131	118	0	33	32	33
2025	5	11	22	55	24	24.9	-2.6	1.062	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	33
2025	5	11	23	5	24	24.7	-2.8	1.062	0.4	0.3	0	42.1	37.8	0	131	119	0	33	31	32
2025	5	11	23	15	24	24.7	-1.7	1.062	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	32
2025	5	11	23	25	24	23.3	-3.2	1.062	0.5	0.4	0	43	37.4	0	132	119	0	32	32	33
2025	5	11	23	35	24	25.2	-2.3	1.062	0.5	0.4	0	42.1	37	0	130	118	0	32	32	32
2025	5	11	23	45	24	25.6	-2.8	1.062	0.3	0.2	0	42.1	37.4	0	131	119	0	33	32	33
2025	5	11	23	55	24	25.2	-2.8	1.063	0.4	0.3	0	42.1	37.4	0	131	119	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	12	0	5	24	23.5	-3	1.063	0.5	0.4	0	42.1	37.8	0	131	119	0	33	31	33
2025	5	12	0	15	24	24.4	-1.9	1.063	0.5	0.4	0	42.1	37.8	0	131	119	0	33	31	33
2025	5	12	0	25	24	25.1	-2	1.063	0.5	0.4	0	42.1	37.4	0	131	119	0	33	32	32
2025	5	12	0	35	24	23.1	-2.4	1.063	0.5	0.4	0	43	38.3	0	132	120	0	32	31	33
2025	5	12	0	45	24	23.4	-2.1	1.063	0.5	0.4	0	41.7	37.8	0	130	119	0	33	31	33
2025	5	12	0	55	24	24.1	-1.9	1.063	0.4	0.3	0	41.3	37.4	0	130	119	0	34	32	32
2025	5	12	1	5	24	24.1	-3.8	1.063	0.5	0.4	0	41.7	37.4	0	130	119	0	33	32	33
2025	5	12	1	15	24	24.2	-2.9	1.063	0.5	0.4	0	41.7	37.4	0	130	119	0	33	32	32
2025	5	12	1	25	24	22.4	-1.3	1.063	0.5	0.4	0	41.3	37.8	0	130	120	0	34	32	33
2025	5	12	1	35	24	23.4	-2.8	1.063	0.5	0.4	0	46	37.4	0	140	119	0	33	32	32
2025	5	12	1	45	24	24.4	-2.4	1.062	0.4	0.3	0	45.6	37.8	0	140	119	0	34	31	33
2025	5	12	1	55	24	24.9	-2.9	1.063	0.4	0.3	0	45.6	37.8	0	140	120	0	34	32	33
2025	5	12	2	5	24	24.1	-2.2	1.063	0.4	0.3	0	46	37.8	0	140	120	0	33	32	33
2025	5	12	2	15	24	24.4	-2.9	1.063	0.3	0.2	0	45.2	37.4	0	138	119	0	33	32	32
2025	5	12	2	25	24	24.6	-3	1.063	0.5	0.5	0	45.2	37.4	0	138	119	0	33	32	33
2025	5	12	2	35	24	24.3	-2	1.062	0.3	0.2	0	45.2	37	0	138	119	0	33	33	32
2025	5	12	2	45	24	22.7	-2.6	1.063	0.4	0.3	0	45.2	37.8	0	138	119	0	33	31	33
2025	5	12	2	55	24	22.8	-1.2	1.063	0.5	0.5	0	45.6	38.3	0	139	120	0	33	31	32
2025	5	12	3	5	24	24.3	-3	1.063	0.4	0.3	0	45.2	37.4	0	138	119	0	33	32	33
2025	5	12	3	15	24	23.7	-2.8	1.063	0.4	0.3	0	44.7	37.4	0	138	119	0	34	32	32
2025	5	12	3	25	24	23.9	-2.8	1.063	0.5	0.5	0	44.7	37.8	0	138	119	0	34	31	33
2025	5	12	3	35	24	23.7	-2.4	1.063	0.4	0.3	0	43.9	37.4	0	137	119	0	35	32	33
2025	5	12	3	45	24	23.3	-3.7	1.063	0.5	0.4	0	44.7	37.8	0	138	120	0	34	32	32
2025	5	12	3	55	24	23.5	-2.6	1.063	0.5	0.4	0	44.3	37.4	0	137	119	0	34	32	33
2025	5	12	4	5	24	24.3	-2	1.063	0.4	0.3	0	44.7	37.4	0	137	119	0	33	32	33
2025	5	12	4	15	24	24.2	-2.8	1.062	0.3	0.2	0	43.9	37.4	0	136	119	0	34	32	32
2025	5	12	4	25	24	24.2	-2.3	1.062	0.4	0.3	0	44.3	37.4	0	136	119	0	33	32	32
2025	5	12	4	35	24	24.2	-2.1	1.063	0.4	0.3	0	44.3	37.8	0	137	120	0	34	32	32
2025	5	12	4	45	24	23.5	-2.6	1.063	0.5	0.4	0	44.7	38.3	0	137	120	0	33	31	33
2025	5	12	4	55	24	23.1	-2.4	1.063	0.4	0.3	0	44.7	37.8	0	137	120	0	33	32	32
2025	5	12	5	5	24	24.4	-2.8	1.063	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	12	5	15	24	23.2	-1.4	1.063	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	32
2025	5	12	5	25	24	24.4	-1.6	1.063	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	33
2025	5	12	5	35	24	24.4	-2.8	1.063	0.4	0.3	0	43.9	37.4	0	135	119	0	33	32	32
2025	5	12	5	45	24	24.4	-1.8	1.062	0.5	0.5	0	43	37	0	134	118	0	34	32	32
2025	5	12	5	55	24	24.3	-2.7	1.062	0.5	0.4	0	43	37	0	134	118	0	34	32	32
2025	5	12	6	5	24	24.1	-2.3	1.062	0.4	0.3	0	43	37.4	0	134	119	0	34	32	33
2025	5	12	6	15	24	24.6	-2	1.062	0.5	0.4	0	43	37	0	133	118	0	33	32	33
2025	5	12	6	25	24	23.7	-2.4	1.062	0.5	0.4	0	43	37	0	133	118	0	33	32	32
2025	5	12	6	35	24	23.9	-3.1	1.062	0.5	0.4	0	42.6	36.5	0	133	117	0	34	32	33
2025	5	12	6	45	24	25	-2.8	1.062	0.5	0.5	0	42.6	37	0	132	117	0	33	31	33
2025	5	12	6	55	24	24.4	-1.6	1.062	0.4	0.3	0	42.1	37	0	132	117	0	34	31	33
2025	5	12	7	5	24	24.5	-3.6	1.062	0.3	0.2	0	42.6	37	0	133	118	0	34	32	32
2025	5	12	7	15	24	23.6	-1.9	1.062	0.3	0.2	0	42.6	37	0	133	118	0	34	32	32
2025	5	12	7	25	24	23.7	-2.1	1.062	0.4	0.3	0	42.6	36.5	0	133	118	0	34	33	33
2025	5	12	7	35	24	26	-2.2	1.062	0.5	0.4	0	42.6	37	0	133	118	0	34	32	33
2025	5	12	7	45	24	24.1	-3	1.062	0.5	0.4	0	43.4	37	0	134	119	0	33	33	33
2025	5	12	7	55	24	23.7	-2.9	1.062	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	12	8	5	24	24.7	-2.6	1.062	0.5	0.4	0	42.6	37.4	0	133	119	0	34	32	33
2025	5	12	8	15	24	24.1	-1.6	1.062	0.4	0.3	0	43	37	0	133	118	0	33	32	32
2025	5	12	8	25	24	23.1	-2.2	1.062	0.5	0.4	0	43	36.5	0	133	118	0	33	33	33
2025	5	12	8	35	24	24.4	-2.3	1.062	0.4	0.3	0	42.6	37	0	132	118	0	33	32	33
2025	5	12	8	45	24	24.3	-1.8	1.062	0.3	0.2	0	43	37.4	0	133	119	0	33	32	33
2025	5	12	8	55	24	23.7	-2.3	1.062	0.5	0.4	0	43	37.4	0	133	119	0	33	32	33
2025	5	12	9	5	24	24	-2.7	1.062	0.4	0.3	0	42.6	37.4	0	132	118	0	33	31	33
2025	5	12	9	15	24	23	-2.2	1.062	0.5	0.4	0	47.7	37.8	0	144	119	0	33	31	32
2025	5	12	9	25	24	24.5	-2.7	1.062	0.4	0.3	0	46.9	36.5	0	142	118	0	33	33	33
2025	5	12	9	35	24	23.1	-2.8	1.062	0.5	0.4	0	47.3	37.4	0	143	119	0	33	32	32
2025	5	12	9	45	24	24.1	-3.3	1.061	0.4	0.3	0	46.9	37.4	0	142	119	0	33	32	33
2025	5	12	9	55	24	23	-2.4	1.062	0.4	0.3	0	46.9	37	0	142	118	0	33	32	33
2025	5	12	10	5	24	23.4	-2.3	1.061	0.4	0.3	0	46.9	37	0	142	118	0	33	32	33
2025	5	12	10	15	24	23.3	-2.4	1.061	0.4	0.3	0	46.9	37	0	142	118	0	33	32	33
2025	5	12	10	25	24	23.3	-1.4	1.06	0.5	0.4	0	47.3	37.8	0	143	120	0	33	32	33
2025	5	12	10	35	24	24.5	-1.7	1.061	0.4	0.3	0	46.9	36.5	0	142	118	0	33	33	33
2025	5	12	10	45	24	23.4	-1.3	1.061	0.4	0.3	0	47.3	37.8	0	143	119	0	33	31	33
2025	5	12	10	55	24	23.6	-2.1	1.061	0.5	0.4	0	46.9	37.4	0	142	119	0	33	32	32
2025	5	12	11	5	24	23.4	-2.6	1.061	0.4	0.3	0	46.9	37.4	0	142	119	0	33	32	33
2025	5	12	11	15	24	24.4	-1.8	1.062	0.5	0.4	0	46.4	37.4	0	141	118	0	33	31	33
2025	5	12	11	25	24	24.6	-2.1	1.062	0.4	0.3	0	46.4	37.4	0	141	118	0	33	31	33
2025	5	12	11	35	24	22.3	-0.8	1.061	0.4	0.3	0	47.3	37.8	0	143	120	0	33	32	33
2025	5	12	11	45	24	25.4	-2.7	1.062	0.5	0.5	0	46.4	37.4	0	141	119	0	33	32	33
2025	5	12	11	55	24	24.4	-2.7	1.062	0.5	0.4	0	46.4	37.4	0	141	119	0	33	32	33
2025	5	12	12	5	24	25.4	-3.1	1.062	0.5	0.4	0	46	37	0	140	118	0	33	32	32
2025	5	12	12	15	24	25	-2.8	1.062	0.4	0.3	0	46	37	0	140	118	0	33	32	33
2025	5	12	12	25	24	24.3	-2.3	1.062	0.4	0.3	0	45.6	36.5	0	139	117	0	33	32	33
2025	5	12	12	35	24	24	-2.6	1.061	0.4	0.3	0	46	37	0	140	118	0	33	32	33
2025	5	12	12	45	24	25	-2.2	1.061	0.5	0.4	0	46.9	37.8	0	142	119	0	33	31	33
2025	5	12	12	55	24	24.5	-1.5	1.061	0.5	0.4	0	46	37.4	0	140	119	0	33	32	33
2025	5	12	13	5	24	24.8	-2.1	1.061	0.4	0.3	0	45.6	37	0	140	118	0	34	32	32
2025	5	12	13	15	24	23.4	-1.9	1.061	0.4	0.3	0	46.4	37.4	0	140	119	0	32	32	32
2025	5	12	13	25	24	24.5	-1.9	1.06	0.4	0.3	0	46.9	37.8	0	141	119	0	32	31	32
2025	5	12	13	35	24	24.3	-1.6	1.06	0.5	0.4	0	46	37.4	0	140	119	0	33	32	33
2025	5	12	13	45	24	24.4	-1	1.061	0.4	0.3	0	45.6	37.4	0	140	119	0	34	32	33
2025	5	12	13	55	24	25	-1.6	1.061	0.5	0.4	0	46.4	37.4	0	141	119	0	33	32	32
2025	5	12	14	5	24	24.7	-3.2	1.06	0.5	0.4	0	46.4	37.8	0	141	120	0	33	32	32
2025	5	12	14	15	24	24.4	-3.2	1.059	0.5	0.5	0	46.4	38.3	0	141	120	0	33	31	32
2025	5	12	14	25	24	23.9	-2.2	1.059	0.3	0.2	0	46.4	37.8	0	141	119	0	33	31	32
2025	5	12	14	35	24	23.8	-1.3	1.06	0.5	0.5	0	46.4	37.4	0	141	119	0	33	32	32
2025	5	12	14	45	24	24.4	-2.4	1.058	0.5	0.4	0	46.4	37.4	0	141	119	0	33	32	33
2025	5	12	14	55	24	24.6	-2	1.059	0.5	0.4	0	46.9	38.3	0	141	120	0	32	31	32
2025	5	12	15	5	24	23.7	-3.5	1.057	0.5	0.5	0	46.4	38.3	0	141	120	0	33	31	32
2025	5	12	15	15	24	25.1	-3.2	1.058	0.5	0.4	0	46.9	38.3	0	142	120	0	33	31	32
2025	5	12	15	25	24	24.4	-1.4	1.058	0.5	0.4	0	46.4	38.3	0	141	120	0	33	31	32
2025	5	12	15	35	24	22.8	-1.3	1.056	0.4	0.3	0	46.4	37.8	0	140	119	0	32	31	33
2025	5	12	15	45	24	24.1	-2.7	1.056	0.4	0.3	0	46	37.8	0	140	119	0	33	31	32
2025	5	12	15	55	24	24.7	-1.4	1.057	0.3	0.2	0	46	37.8	0	140	119	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	12	16	5	24	23.4	-2.4	1.055	0.6	0.5	0	46	37.4	0	139	118	0	32	31	32
2025	5	12	16	15	24	22.9	-2.2	1.056	0.4	0.3	0	46	37.4	0	140	119	0	33	32	32
2025	5	12	16	25	24	23.6	-1.9	1.055	0.5	0.4	0	45.6	37	0	139	118	0	33	32	32
2025	5	12	16	35	24	22.4	-3	1.055	0.5	0.4	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	16	45	24	24	-2.3	1.055	0.3	0.2	0	46	37	0	140	118	0	33	32	32
2025	5	12	16	55	24	22.7	-1.7	1.055	0.4	0.3	0	45.6	37.4	0	139	118	0	33	31	32
2025	5	12	17	5	24	23.6	-2.4	1.055	0.5	0.5	0	45.6	37.4	0	139	118	0	33	31	32
2025	5	12	17	15	24	23.2	-2.4	1.054	0.4	0.3	0	45.6	37	0	139	118	0	33	32	32
2025	5	12	17	25	24	22.1	-2.5	1.054	0.4	0.3	0	45.2	37.4	0	138	118	0	33	31	33
2025	5	12	17	35	24	23.4	-2	1.055	0.4	0.3	0	45.2	36.5	0	138	117	0	33	32	32
2025	5	12	17	45	24	23.1	-3.9	1.053	0.4	0.3	0	45.2	37	0	138	118	0	33	32	32
2025	5	12	17	55	24	23.4	-2.4	1.053	0.5	0.4	0	45.6	36.5	0	138	117	0	32	32	32
2025	5	12	18	5	24	24.1	-2.7	1.053	0.3	0.2	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	18	15	24	23	-2.5	1.053	0.4	0.3	0	45.2	36.5	0	138	117	0	33	32	32
2025	5	12	18	25	24	23.3	-2.6	1.053	0.3	0.2	0	44.7	36.5	0	137	117	0	33	32	33
2025	5	12	18	35	24	23	-1.6	1.052	0.4	0.3	0	44.7	37	0	137	117	0	33	31	33
2025	5	12	18	45	24	24	-3.1	1.054	0.3	0.2	0	44.7	36.5	0	137	116	0	33	31	32
2025	5	12	18	55	24	23.6	-2.9	1.053	0.3	0.2	0	45.2	36.1	0	137	116	0	32	32	32
2025	5	12	19	5	24	23.2	-1.4	1.052	0.4	0.3	0	44.7	36.1	0	138	116	0	34	32	33
2025	5	12	19	15	24	23	-2	1.052	0.5	0.5	0	45.2	36.5	0	138	117	0	33	32	33
2025	5	12	19	25	24	23.5	-1.7	1.052	0.5	0.4	0	45.2	36.1	0	138	116	0	33	32	32
2025	5	12	19	35	24	24.7	-3.4	1.052	0.6	0.5	0	45.2	36.5	0	138	116	0	33	31	33
2025	5	12	19	45	24	23.8	-2.9	1.052	0.5	0.4	0	44.7	36.5	0	137	116	0	33	31	33
2025	5	12	19	55	24	23.9	-2.6	1.052	0.4	0.3	0	45.2	36.5	0	138	117	0	33	32	32
2025	5	12	20	5	24	24.4	-3.9	1.052	0.5	0.4	0	45.2	37	0	138	117	0	33	31	33
2025	5	12	20	15	24	23.4	-2.4	1.052	0.5	0.4	0	45.6	37.4	0	139	118	0	33	31	32
2025	5	12	20	25	24	24.5	-3.7	1.052	0.3	0.2	0	46	37	0	140	118	0	33	32	32
2025	5	12	20	35	24	23.4	-3.3	1.052	0.4	0.3	0	46	37	0	140	118	0	33	32	33
2025	5	12	20	45	24	23.8	-2.9	1.052	0.5	0.4	0	45.6	37.4	0	139	118	0	33	31	33
2025	5	12	20	55	24	23.6	-2.3	1.052	0.3	0.2	0	45.6	37.8	0	139	119	0	33	31	33
2025	5	12	21	5	24	24.3	-2.7	1.052	0.5	0.4	0	46	37.4	0	140	119	0	33	32	32
2025	5	12	21	15	24	24.8	-2.4	1.052	0.5	0.4	0	46.4	37.8	0	141	119	0	33	31	32
2025	5	12	21	25	24	22.4	-1.5	1.051	0.4	0.3	0	46	37.4	0	140	119	0	33	32	33
2025	5	12	21	35	24	24.5	-3	1.052	0.3	0.2	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	21	45	24	23.4	-3.8	1.051	0.4	0.3	0	46	37	0	140	118	0	33	32	32
2025	5	12	21	55	24	23.2	-3.1	1.051	0.5	0.4	0	45.2	37.4	0	138	119	0	33	32	33
2025	5	12	22	5	24	23	-3	1.051	0.4	0.3	0	44.3	37	0	137	118	0	34	32	33
2025	5	12	22	15	24	24.7	-2.5	1.051	0.4	0.3	0	44.7	37.4	0	137	118	0	33	31	33
2025	5	12	22	25	24	24.2	-2.1	1.051	0.3	0.2	0	46.4	37	0	141	118	0	33	32	33
2025	5	12	22	35	24	24.1	-2.8	1.051	0.5	0.4	0	46.4	37.4	0	141	118	0	33	31	32
2025	5	12	22	45	24	24.8	-2.5	1.051	0.3	0.2	0	46.4	37.4	0	141	119	0	33	32	33
2025	5	12	22	55	24	24.5	-2.4	1.051	0.4	0.3	0	46	37	0	140	118	0	33	32	33
2025	5	12	23	5	24	23.9	-2.3	1.051	0.4	0.3	0	46	37	0	140	118	0	33	32	33
2025	5	12	23	15	24	24.1	-3	1.051	0.5	0.4	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	23	25	24	25	-1.8	1.051	0.4	0.3	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	23	35	24	24.7	-2.4	1.051	0.3	0.2	0	45.6	37	0	139	118	0	33	32	33
2025	5	12	23	45	24	25	-1.8	1.051	0.5	0.5	0	45.6	37.4	0	140	119	0	34	32	32
2025	5	12	23	55	24	23.7	-1.9	1.051	0.5	0.4	0	45.6	37.4	0	139	118	0	33	31	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	13	0	5	24	24.9	-1.6	1.051	0.4	0.3	0	45.2	37	0	138	118	0	33	32	33
2025	5	13	0	15	24	22.8	-2.4	1.051	0.4	0.3	0	45.6	37	0	139	118	0	33	32	32
2025	5	13	0	25	24	24.4	-2	1.051	0.3	0.2	0	45.6	36.5	0	139	118	0	33	33	33
2025	5	13	0	35	24	25.1	-3.2	1.051	0.5	0.5	0	45.2	37	0	138	118	0	33	32	33
2025	5	13	0	45	24	24.2	-2.3	1.051	0.4	0.3	0	45.6	37.4	0	140	119	0	34	32	33
2025	5	13	0	55	24	23.5	-2.3	1.05	0.3	0.2	0	45.6	37.4	0	139	119	0	33	32	33
2025	5	13	1	5	24	23.3	-1.7	1.05	0.4	0.3	0	45.6	37.4	0	139	119	0	33	32	32
2025	5	13	1	15	24	23.9	-1.7	1.051	0.5	0.4	0	45.2	37.4	0	139	119	0	34	32	33
2025	5	13	1	25	24	24.9	-2.7	1.05	0.5	0.4	0	45.2	37	0	139	118	0	34	32	32
2025	5	13	1	35	24	23.5	-3.1	1.05	0.4	0.3	0	44.7	37	0	138	118	0	34	32	33
2025	5	13	1	45	24	23.6	-1.9	1.05	0.5	0.5	0	45.2	37	0	138	118	0	33	32	32
2025	5	13	1	55	24	25	-2.9	1.05	0.5	0.4	0	44.3	37.4	0	137	118	0	34	31	33
2025	5	13	2	5	24	24.7	-2.4	1.051	0.4	0.3	0	44.7	37	0	138	118	0	34	32	33
2025	5	13	2	15	24	23.8	-2.7	1.051	0.4	0.3	0	44.7	37	0	138	118	0	34	32	32
2025	5	13	2	25	24	22.4	-2.9	1.051	0.4	0.3	0	45.2	37	0	138	118	0	33	32	32
2025	5	13	2	35	24	23.8	-2.7	1.051	0.4	0.3	0	45.2	37	0	138	118	0	33	32	33
2025	5	13	2	45	24	22.9	-2.4	1.051	0.4	0.3	0	44.7	37	0	137	118	0	33	32	33
2025	5	13	2	55	24	24.7	-3.4	1.052	0.5	0.5	0	44.7	36.5	0	137	117	0	33	32	32
2025	5	13	3	5	24	22.9	-2.3	1.052	0.5	0.4	0	44.7	37	0	137	118	0	33	32	33
2025	5	13	3	15	24	23.5	-2.3	1.052	0.4	0.3	0	44.7	37	0	137	118	0	33	32	33
2025	5	13	3	25	24	23.9	-2.6	1.051	0.5	0.4	0	44.7	36.5	0	137	117	0	33	32	33
2025	5	13	3	35	24	23.3	-2.4	1.051	0.5	0.4	0	44.3	37	0	137	118	0	34	32	33
2025	5	13	3	45	24	24.3	-3.1	1.053	0.4	0.3	0	44.3	37	0	137	118	0	34	32	33
2025	5	13	3	55	24	23.7	-2.6	1.052	0.3	0.2	0	44.3	37	0	136	118	0	33	32	32
2025	5	13	4	5	24	23.6	-4	1.052	0.5	0.4	0	44.3	37	0	136	118	0	33	32	33
2025	5	13	4	15	24	23.4	-2.9	1.053	0.3	0.2	0	44.7	37	0	137	118	0	33	32	32
2025	5	13	4	25	24	23.1	-2.5	1.051	0.4	0.3	0	44.3	37.4	0	137	119	0	34	32	33
2025	5	13	4	35	24	24.3	-2.7	1.051	0.4	0.3	0	44.7	37	0	137	118	0	33	32	33
2025	5	13	4	45	24	23.5	-2.4	1.051	0.4	0.3	0	43.9	37	0	136	118	0	34	32	33
2025	5	13	4	55	24	24	-2.6	1.051	0.4	0.3	0	44.3	37.4	0	136	119	0	33	32	33
2025	5	13	5	5	24	23.9	-2.4	1.051	0.4	0.3	0	43.9	36.5	0	135	118	0	33	33	33
2025	5	13	5	15	24	23.6	-1.9	1.05	0.5	0.4	0	44.7	37.4	0	137	119	0	33	32	33
2025	5	13	5	25	24	24.5	-1.8	1.051	0.4	0.3	0	44.3	37	0	136	118	0	33	32	33
2025	5	13	5	35	24	23.7	-2.3	1.051	0.5	0.4	0	43.9	37	0	135	118	0	33	32	34
2025	5	13	5	45	24	23.7	-2.1	1.052	0.5	0.4	0	43.9	36.5	0	135	117	0	33	32	33
2025	5	13	5	55	24	23.4	-2.4	1.05	0.4	0.3	0	43	36.5	0	134	117	0	34	32	33
2025	5	13	6	5	24	23	-1.4	1.05	0.5	0.4	0	43.4	36.5	0	134	117	0	33	32	33
2025	5	13	6	15	24	22.9	-1.8	1.05	0.4	0.3	0	43	37	0	134	117	0	34	31	33
2025	5	13	6	25	24	23.1	-1.7	1.051	0.4	0.3	0	43.4	36.5	0	134	116	0	33	31	33
2025	5	13	6	35	24	24	-2.8	1.051	0.5	0.5	0	43.4	35.7	0	134	116	0	33	33	33
2025	5	13	6	45	24	23.7	-2.6	1.051	0.4	0.3	0	43.4	36.5	0	134	117	0	33	32	33
2025	5	13	6	55	24	22.7	-2.3	1.051	0.5	0.4	0	42.6	36.1	0	133	116	0	34	32	32
2025	5	13	7	5	24	22.9	-2.4	1.051	0.4	0.3	0	43	36.1	0	133	116	0	33	32	32
2025	5	13	7	15	24	22.9	-2.5	1.05	0.5	0.5	0	43	36.1	0	134	116	0	34	32	33
2025	5	13	7	25	24	24.3	-2.5	1.051	0.5	0.4	0	43.4	36.1	0	134	116	0	33	32	33
2025	5	13	7	35	24	22.5	-1.8	1.05	0.4	0.3	0	43	36.5	0	134	117	0	34	32	33
2025	5	13	7	45	24	23.3	-2.2	1.052	0.5	0.4	0	43.4	36.5	0	134	117	0	33	32	33
2025	5	13	7	55	24	23.1	-2.2	1.05	0.4	0.3	0	43.4	36.5	0	134	117	0	33	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	13	8	5	24	22.6	-2.5	1.05	0.4	0.3	0	43.9	36.5	0	135	117	0	33	32	32	
2025	5	13	8	15	24	23.5	-1.8	1.051	0.4	0.3	0	43.4	36.5	0	134	117	0	33	32	33	
2025	5	13	8	25	24	24.1	-2.7	1.05	0.4	0.3	0	43	36.1	0	133	116	0	33	32	32	
2025	5	13	8	35	24	23.8	-2.3	1.05	0.4	0.3	0	43.4	37	0	134	117	0	33	31	32	
2025	5	13	8	45	24	24.2	-1.9	1.05	0.4	0.3	0	43	36.5	0	133	116	0	33	31	32	
2025	5	13	8	55	24	24.1	-2.3	1.049	0.3	0.2	0	42.6	36.1	0	133	116	0	34	32	33	
2025	5	13	9	5	24	24.1	-1.4	1.05	0.5	0.4	0	43	36.5	0	133	117	0	33	32	32	
2025	5	13	9	15	24	23.6	-2.5	1.05	0.3	0.2	0	42.6	36.1	0	133	116	0	34	32	32	
2025	5	13	9	25	24	23.2	-1.8	1.05	0.5	0.4	0	43.4	36.5	0	134	117	0	33	32	33	
2025	5	13	9	35	24	23.6	-1.9	1.05	0.4	0.3	0	43.4	37	0	134	117	0	33	31	33	
2025	5	13	9	45	24	24.4	-2.4	1.05	0.5	0.4	0	43.4	36.5	0	134	117	0	33	32	32	
2025	5	13	9	55	24	24.1	-1.7	1.049	0.5	0.4	0	43	36.5	0	133	117	0	33	32	33	
2025	5	13	10	5	24	23.7	-2.3	1.05	0.4	0.3	0	42.6	36.5	0	133	117	0	34	32	33	
2025	5	13	10	15	24	23.5	-1.9	1.05	0.5	0.5	0	42.6	36.1	0	133	116	0	34	32	33	
2025	5	13	10	25	24	23.5	-2.3	1.05	0.3	0.2	0	43	36.1	0	133	117	0	33	33	33	
2025	5	13	10	35	24	24.7	-2.9	1.05	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	33	
2025	5	13	10	45	24	23.4	-2.3	1.05	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	33	
2025	5	13	10	55	24	24.3	-2.7	1.05	0.5	0.4	0	43	36.5	0	133	117	0	33	32	32	
2025	5	13	11	5	24	22.7	-2	1.05	0.6	0.5	0	43	36.5	0	133	117	0	33	32	33	
2025	5	13	11	15	24	24.7	-1.8	1.049	0.4	0.3	0	43	36.5	0	133	117	0	33	32	33	
2025	5	13	11	25	24	24	-2.5	1.05	0.5	0.5	0	43	36.5	0	133	117	0	33	32	32	
2025	5	13	11	35	24	23.4	-1.8	1.05	0.3	0.2	0	42.1	36.1	0	131	115	0	33	31	33	
2025	5	13	11	45	24	23.7	-2.4	1.05	0.5	0.4	0	42.6	36.1	0	132	116	0	33	32	33	
2025	5	13	11	55	24	24.1	-2.6	1.05	0.5	0.4	0	42.6	35.7	0	131	115	0	32	32	33	
2025	5	13	12	5	24	25.2	-1.8	1.05	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	32	
2025	5	13	12	15	24	23.3	-1.4	1.049	0.5	0.4	0	42.6	36.5	0	132	116	0	33	31	33	
2025	5	13	12	25	24	23.2	-2.3	1.049	0.3	0.2	0	43	37	0	133	117	0	33	31	32	
2025	5	13	12	35	24	22.2	-1.5	1.049	0.3	0.2	0	42.6	36.1	0	132	116	0	33	32	32	
2025	5	13	12	45	24	24.2	-3.3	1.049	0.5	0.4	0	43	36.1	0	133	116	0	33	32	32	
2025	5	13	12	55	24	23.4	-1.9	1.049	0.4	0.3	0	43	36.1	0	133	117	0	33	33	33	
2025	5	13	13	5	24	22.7	-2.7	1.049	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	33	
2025	5	13	13	15	24	24	-2.4	1.049	0.5	0.5	0	43.4	36.5	0	133	117	0	32	32	32	
2025	5	13	13	25	24	23.6	-3.1	1.049	0.4	0.3	0	43	36.5	0	132	116	0	32	31	32	
2025	5	13	13	35	24	24.8	-2.2	1.049	0.5	0.5	0	42.6	36.1	0	132	116	0	33	32	32	
2025	5	13	13	45	24	22.4	-1.6	1.049	0.5	0.5	0	42.6	36.5	0	132	116	0	33	31	32	
2025	5	13	13	55	24	23.5	-1.5	1.049	0.5	0.4	0	42.6	36.1	0	132	116	0	33	32	32	
2025	5	13	14	5	24	23.1	-2.3	1.049	0.4	0.3	0	42.1	36.5	0	132	116	0	34	31	32	
2025	5	13	14	15	24	24.8	-2.4	1.049	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	33	
2025	5	13	14	25	24	23.9	-1.1	1.048	0.5	0.4	0	43	36.5	0	133	117	0	33	32	32	
2025	5	13	14	35	24	22.1	-1.5	1.048	0.4	0.3	0	44.7	36.1	0	136	116	0	32	32	33	
2025	5	13	14	45	24	24.3	-2.1	1.048	0.5	0.4	0	44.3	35.7	0	136	116	0	33	33	33	
2025	5	13	14	55	24	24.8	-1.8	1.048	0.4	0.3	0	44.3	35.7	0	136	116	0	33	33	32	
2025	5	13	15	5	24	23.5	-1.7	1.048	0.5	0.4	0	44.3	35.7	0	136	116	0	33	33	33	
2025	5	13	15	15	24	22.7	-1.7	1.048	0.5	0.4	0	43.9	35.7	0	135	115	0	33	32	32	
2025	5	13	15	25	24	23.3	-2.9	1.048	0.5	0.4	0	43.9	36.1	0	135	116	0	33	32	33	
2025	5	13	15	35	24	24.4	-2.8	1.047	0.5	0.5	0	43.4	36.5	0	134	116	0	33	31	33	
2025	5	13	15	45	24	22.9	-2.1	1.048	0.4	0.3	0	44.3	36.5	0	136	117	0	33	32	33	
2025	5	13	15	55	24	25.1	-2.6	1.048	0.5	0.4	0	43.4	36.1	0	134	116	0	33	32	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	13	16	5	24	22.5	-1.5	1.048	0.5	0.4	0	43.9	36.5	0	135	116	0	33	31	33
2025	5	13	16	15	24	23.2	-2.4	1.047	0.5	0.4	0	44.3	36.5	0	136	116	0	33	31	32
2025	5	13	16	25	24	23.8	-1.5	1.047	0.5	0.4	0	43.9	36.1	0	135	116	0	33	32	33
2025	5	13	16	35	24	25.3	-1.9	1.047	0.3	0.2	0	43	36.1	0	134	115	0	34	31	32
2025	5	13	16	45	24	24.3	-2.6	1.046	0.4	0.3	0	43.9	36.1	0	135	116	0	33	32	33
2025	5	13	16	55	24	23.2	-1.7	1.045	0.4	0.3	0	44.3	37	0	136	117	0	33	31	33
2025	5	13	17	5	24	23.2	-1.7	1.046	0.4	0.3	0	44.7	37	0	138	118	0	34	32	32
2025	5	13	17	15	24	23.6	-2.1	1.045	0.3	0.2	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	13	17	25	24	24.3	-1.6	1.045	0.5	0.4	0	45.6	37.8	0	139	120	0	33	32	33
2025	5	13	17	35	24	23.2	-1.9	1.045	0.3	0.2	0	46.9	38.7	0	141	121	0	32	31	33
2025	5	13	17	45	24	24.8	-2.8	1.044	0.4	0.3	0	45.6	37.8	0	139	120	0	33	32	32
2025	5	13	17	55	24	23.1	-2.4	1.046	0.4	0.3	0	46.4	37.8	0	140	120	0	32	32	32
2025	5	13	18	5	24	24.3	-1.3	1.045	0.4	0.3	0	45.2	27.1	0	138	95	0	33	32	32
2025	5	13	18	15	24	25.4	-2.6	1.045	0.4	0.3	0	44.7	29.7	0	138	101	0	34	32	33
2025	5	13	18	25	24	24.8	-2.2	1.045	0.6	0.5	0	44.7	37.8	0	137	119	0	33	31	33
2025	5	13	18	35	24	24.1	-1.7	1.044	0.4	0.3	0	44.7	37	0	137	118	0	33	32	33
2025	5	13	18	45	24	23.8	-1.5	1.044	0.3	0.2	0	44.7	36.5	0	137	118	0	33	33	33
2025	5	13	18	55	24	23.9	-1.9	1.044	0.4	0.3	0	43.9	37.4	0	136	118	0	34	31	33
2025	5	13	19	5	24	23.2	-2.4	1.044	0.4	0.3	0	44.7	37	0	137	118	0	33	32	32
2025	5	13	19	15	24	23.3	-1.5	1.045	0.3	0.2	0	44.3	37	0	136	117	0	33	31	33
2025	5	13	19	25	24	23.8	-2.2	1.044	0.4	0.3	0	43.4	36.5	0	135	117	0	34	32	32
2025	5	13	19	35	24	23.8	-1.5	1.045	0.3	0.2	0	43.9	36.1	0	135	116	0	33	32	33
2025	5	13	19	45	24	22.6	-2.7	1.045	0.5	0.4	0	44.3	36.1	0	135	116	0	32	32	32
2025	5	13	19	55	24	23.5	-2	1.045	0.3	0.2	0	43	36.1	0	133	116	0	33	32	33
2025	5	13	20	5	24	23	-1.4	1.045	0.5	0.4	0	43	36.1	0	133	116	0	33	32	32
2025	5	13	20	15	24	22	-0.5	1.045	0.4	0.3	0	43	36.1	0	133	116	0	33	32	32
2025	5	13	20	25	24	23.8	-2	1.046	0.4	0.3	0	43	36.1	0	133	116	0	33	32	33
2025	5	13	20	35	24	22.4	-2.9	1.046	0.5	0.4	0	43	36.1	0	133	116	0	33	32	33
2025	5	13	20	45	24	22.9	-3.3	1.046	0.3	0.2	0	43	36.1	0	133	116	0	33	32	33
2025	5	13	20	55	24	23.8	-2.3	1.046	0.3	0.2	0	43	36.1	0	133	116	0	33	32	33
2025	5	13	21	5	24	23.9	-1.4	1.045	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	33
2025	5	13	21	15	24	23.5	-2.8	1.045	0.5	0.4	0	42.1	36.1	0	132	115	0	34	31	33
2025	5	13	21	25	24	23.2	-3.3	1.046	0.5	0.4	0	42.1	35.7	0	132	116	0	34	33	33
2025	5	13	21	35	24	23.5	-2.4	1.045	0.3	0.2	0	42.6	36.1	0	132	116	0	33	32	33
2025	5	13	21	45	24	22	-1.6	1.046	0.4	0.3	0	42.6	36.1	0	132	116	0	33	32	33
2025	5	13	21	55	24	24.3	-2.8	1.045	0.5	0.4	0	42.6	36.1	0	132	116	0	33	32	33
2025	5	13	22	5	24	23.3	-1.7	1.045	0.4	0.3	0	42.1	36.1	0	132	116	0	34	32	33
2025	5	13	22	15	24	22.4	-2.5	1.045	0.4	0.3	0	42.1	35.3	0	131	115	0	33	33	33
2025	5	13	22	25	24	23.9	-2.2	1.045	0.4	0.3	0	41.7	34.8	0	131	113	0	34	32	33
2025	5	13	22	35	24	23.1	-2.8	1.045	0.5	0.4	0	41.7	34.8	0	131	114	0	34	33	33
2025	5	13	22	45	24	22.8	-1.1	1.045	0.3	0.2	0	42.1	36.1	0	131	115	0	33	31	33
2025	5	13	22	55	24	24.1	-2	1.045	0.4	0.3	0	41.7	36.1	0	131	115	0	34	31	33
2025	5	13	23	5	24	23	-1.8	1.045	0.5	0.4	0	41.7	36.1	0	130	115	0	33	31	33
2025	5	13	23	15	24	23.5	-1.8	1.045	0.5	0.5	0	40.9	34.8	0	129	114	0	34	33	33
2025	5	13	23	25	24	22.3	-1.6	1.045	0.5	0.4	0	41.7	34.8	0	130	114	0	33	33	33
2025	5	13	23	35	24	22.2	-2.2	1.045	0.5	0.4	0	41.3	35.3	0	129	114	0	33	32	33
2025	5	13	23	45	24	22.3	-1.8	1.045	0.5	0.4	0	40.4	35.3	0	128	114	0	34	32	32
2025	5	13	23	55	24	22.9	-2.2	1.045	0.4	0.3	0	40.4	34.8	0	129	114	0	35	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	14	0	5	24	24.3	-2.1	1.045	0.5	0.5	0	40.9	35.3	0	129	114	0	34	32	33
2025	5	14	0	15	24	23.5	-2.3	1.045	0.3	0.2	0	41.3	35.3	0	129	115	0	33	33	33
2025	5	14	0	25	24	23.4	-2.8	1.044	0.4	0.3	0	40.4	35.3	0	128	114	0	34	32	33
2025	5	14	0	35	24	23	-3.2	1.045	0.4	0.3	0	40.4	35.3	0	128	114	0	34	32	34
2025	5	14	0	45	24	23.3	-2.3	1.045	0.4	0.3	0	40.4	35.3	0	128	114	0	34	32	34
2025	5	14	0	55	24	22.6	-1.9	1.045	0.4	0.3	0	40.4	35.3	0	128	114	0	34	32	33
2025	5	14	1	5	24	23.6	-2.9	1.045	0.4	0.3	0	40.4	35.3	0	128	114	0	34	32	33
2025	5	14	1	15	24	24.3	-3.3	1.045	0.4	0.3	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	1	25	24	24.2	-2	1.045	0.5	0.4	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	1	35	24	22.4	-1.4	1.045	0.5	0.4	0	40.4	35.7	0	128	115	0	34	32	33
2025	5	14	1	45	24	23.5	-2.3	1.045	0.4	0.3	0	40.4	34.8	0	127	114	0	33	33	33
2025	5	14	1	55	24	22.7	-2.8	1.045	0.4	0.3	0	40.4	34.8	0	127	114	0	33	33	33
2025	5	14	2	5	24	24	-1.8	1.045	0.5	0.4	0	40.4	34.8	0	127	114	0	33	33	33
2025	5	14	2	15	24	22.9	-2.8	1.045	0.4	0.3	0	40	34.8	0	127	113	0	34	32	33
2025	5	14	2	25	24	24.6	-2.7	1.045	0.4	0.3	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	2	35	24	24.1	-2.4	1.045	0.5	0.4	0	40	34.8	0	127	113	0	34	32	33
2025	5	14	2	45	24	23.9	-1.7	1.045	0.5	0.4	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	2	55	24	23.4	-2.2	1.045	0.6	0.5	0	39.6	34.4	0	127	113	0	35	33	33
2025	5	14	3	5	24	22.6	-3.1	1.045	0.5	0.5	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	3	15	24	24.9	-2.4	1.045	0.5	0.4	0	40	34.8	0	127	114	0	34	33	34
2025	5	14	3	25	24	24.3	-2.1	1.045	0.5	0.4	0	40	35.3	0	127	114	0	34	32	34
2025	5	14	3	35	24	23.4	-2.3	1.045	0.5	0.4	0	40	35.3	0	126	114	0	33	32	33
2025	5	14	3	45	24	23.5	-2.2	1.045	0.4	0.3	0	39.6	34.4	0	126	113	0	34	33	33
2025	5	14	3	55	24	23.2	-3	1.045	0.3	0.2	0	39.6	35.3	0	126	114	0	34	32	33
2025	5	14	4	5	24	23.5	-2.5	1.045	0.4	0.3	0	39.6	35.3	0	126	114	0	34	32	33
2025	5	14	4	15	24	24.9	-2.1	1.045	0.3	0.2	0	39.6	34.8	0	126	113	0	34	32	33
2025	5	14	4	25	24	23.4	-2.2	1.045	0.4	0.3	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	4	35	24	24.2	-1.8	1.045	0.4	0.3	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	4	45	24	23.3	-2.9	1.046	0.4	0.3	0	40	34.8	0	126	114	0	33	33	33
2025	5	14	4	55	24	22.9	-3.2	1.046	0.4	0.3	0	39.6	34.4	0	126	113	0	34	33	33
2025	5	14	5	5	24	23.8	-3.7	1.045	0.3	0.2	0	39.6	34.8	0	126	113	0	34	32	33
2025	5	14	5	15	24	23.2	-2.2	1.046	0.5	0.4	0	40	35.3	0	127	114	0	34	32	33
2025	5	14	5	25	24	22.9	-1.4	1.046	0.4	0.3	0	39.6	35.3	0	126	114	0	34	32	33
2025	5	14	5	35	24	24.4	-1.9	1.046	0.5	0.4	0	39.6	34.8	0	126	113	0	34	32	32
2025	5	14	5	45	24	22.5	-1.7	1.046	0.4	0.3	0	39.6	34.8	0	126	113	0	34	32	33
2025	5	14	5	55	24	23.8	-3.2	1.046	0.4	0.3	0	39.1	34.4	0	125	112	0	34	32	33
2025	5	14	6	5	24	22.9	-2.1	1.045	0.4	0.3	0	39.1	34.4	0	125	112	0	34	32	33
2025	5	14	6	15	24	23.5	-1.7	1.046	0.3	0.2	0	39.6	34.8	0	125	113	0	33	32	34
2025	5	14	6	25	24	23.9	-2.3	1.046	0.4	0.3	0	38.7	33.5	0	124	111	0	34	33	33
2025	5	14	6	35	24	23.9	-2.3	1.046	0.4	0.3	0	38.7	33.5	0	124	111	0	34	33	33
2025	5	14	6	45	24	23.7	-2.8	1.046	0.4	0.3	0	39.6	34.4	0	125	112	0	33	32	33
2025	5	14	6	55	24	24.2	-2.3	1.046	0.4	0.3	0	38.7	34	0	124	111	0	34	32	32
2025	5	14	7	5	24	24.3	-2.9	1.046	0.4	0.3	0	38.7	34	0	124	111	0	34	32	33
2025	5	14	7	15	24	24.8	-2.6	1.046	0.3	0.2	0	38.3	34	0	123	111	0	34	32	34
2025	5	14	7	25	24	23.1	-2.8	1.046	0.5	0.5	0	38.7	34	0	124	111	0	34	32	34
2025	5	14	7	35	24	24.1	-2.4	1.046	0.4	0.3	0	38.7	34.4	0	124	112	0	34	32	34
2025	5	14	7	45	24	22.3	-1.4	1.046	0.3	0.2	0	38.7	34	0	124	112	0	34	33	34
2025	5	14	7	55	24	24.4	-2.3	1.046	0.5	0.4	0	38.7	34	0	124	112	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	14	8	5	24	23.9	-3.1	1.046	0.5	0.4	0	39.1	34.4	0	124	112	0	33	32	33
2025	5	14	8	15	24	24.6	-2.6	1.046	0.5	0.4	0	38.7	34.4	0	124	112	0	34	32	34
2025	5	14	8	25	24	24.2	-2.7	1.046	0.4	0.3	0	38.7	34.4	0	124	112	0	34	32	33
2025	5	14	8	35	24	23.5	-2.3	1.046	0.5	0.4	0	39.1	34.4	0	125	113	0	34	33	33
2025	5	14	8	45	24	23	-2.6	1.046	0.3	0.2	0	38.7	34.4	0	124	112	0	34	32	34
2025	5	14	8	55	24	23.9	-2.2	1.046	0.4	0.3	0	38.7	34.4	0	124	112	0	34	32	34
2025	5	14	9	5	24	23.7	-1.8	1.046	0.4	0.3	0	39.1	34.4	0	125	113	0	34	33	34
2025	5	14	9	15	24	24.4	-2.5	1.046	0.5	0.5	0	38.7	34	0	124	112	0	34	33	33
2025	5	14	9	25	24	23	-2.6	1.046	0.5	0.4	0	39.1	34.8	0	125	113	0	34	32	34
2025	5	14	9	35	24	21.9	-2.5	1.046	0.5	0.5	0	39.6	34.8	0	126	114	0	34	33	33
2025	5	14	9	45	24	23.4	-2.2	1.046	0.5	0.4	0	39.6	34.8	0	126	114	0	34	33	32
2025	5	14	9	55	24	22.2	-2.8	1.046	0.5	0.4	0	40	35.3	0	126	114	0	33	32	33
2025	5	14	10	5	24	23.1	-3.3	1.046	0.3	0.2	0	39.6	35.3	0	126	114	0	34	32	32
2025	5	14	10	15	24	24	-3	1.046	0.3	0.2	0	39.6	34.8	0	126	113	0	34	32	33
2025	5	14	10	25	24	23.1	-2.2	1.047	0.3	0.2	0	39.1	34.8	0	125	113	0	34	32	33
2025	5	14	10	35	24	22.6	-2.2	1.046	0.4	0.3	0	39.1	34.8	0	125	113	0	34	32	33
2025	5	14	10	45	24	25.4	-2.7	1.047	0.5	0.4	0	38.7	34.4	0	124	112	0	34	32	33
2025	5	14	10	55	24	23.8	-2.9	1.046	0.3	0.2	0	39.1	34.8	0	125	113	0	34	32	32
2025	5	14	11	5	24	23.8	-1.8	1.047	0.5	0.4	0	39.1	34.8	0	124	113	0	33	32	34
2025	5	14	11	15	24	23.6	-3	1.047	0.4	0.3	0	38.7	34.4	0	124	112	0	34	32	33
2025	5	14	11	25	24	24.5	-2.4	1.046	0.5	0.5	0	39.1	34.8	0	125	113	0	34	32	33
2025	5	14	11	35	24	23	-3.1	1.047	0.5	0.4	0	39.1	34.4	0	125	112	0	34	32	33
2025	5	14	11	45	24	23.8	-2.4	1.047	0.5	0.4	0	39.6	34	0	125	112	0	33	33	33
2025	5	14	11	55	24	24	-2.4	1.047	0.5	0.4	0	38.7	34.4	0	123	112	0	33	32	34
2025	5	14	12	5	24	23.8	-1.7	1.047	0.4	0.3	0	39.1	34.4	0	125	112	0	34	32	34
2025	5	14	12	15	24	24.7	-2.3	1.047	0.5	0.4	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	12	25	24	24	-1.1	1.047	0.4	0.3	0	38.3	33.5	0	123	110	0	34	32	33
2025	5	14	12	35	24	24.1	-2.7	1.047	0.3	0.2	0	38.7	34.4	0	124	112	0	34	32	33
2025	5	14	12	45	24	23.2	-2.3	1.047	0.4	0.3	0	39.1	34	0	124	111	0	33	32	33
2025	5	14	12	55	24	23.3	-2.4	1.047	0.4	0.3	0	39.1	34.4	0	124	112	0	33	32	33
2025	5	14	13	5	24	23	-2.8	1.047	0.4	0.3	0	39.1	34.4	0	124	112	0	33	32	33
2025	5	14	13	15	24	23.9	-2.8	1.047	0.5	0.4	0	39.6	34.8	0	125	113	0	33	32	33
2025	5	14	13	25	24	23.4	-3.6	1.047	0.4	0.3	0	38.7	34.4	0	124	112	0	34	32	33
2025	5	14	13	35	24	23.6	-2	1.047	0.4	0.3	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	13	45	24	24.1	-3.3	1.048	0.4	0.3	0	38.7	34.4	0	123	111	0	33	31	33
2025	5	14	13	55	24	23.3	-3.2	1.047	0.5	0.4	0	39.1	34.8	0	124	112	0	33	31	33
2025	5	14	14	5	24	23.7	-2.4	1.048	0.5	0.4	0	39.1	34	0	124	111	0	33	32	32
2025	5	14	14	15	24	23.3	-1.9	1.047	0.5	0.5	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	14	25	24	24.3	-2.3	1.048	0.5	0.4	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	14	35	24	23.1	-1.9	1.048	0.4	0.3	0	38.7	34.4	0	123	111	0	33	31	33
2025	5	14	14	45	24	24	-2.6	1.047	0.4	0.3	0	39.1	34.4	0	124	112	0	33	32	34
2025	5	14	14	55	24	23	-2.4	1.047	0.4	0.3	0	39.1	34	0	124	112	0	33	33	33
2025	5	14	15	5	24	25	-3.1	1.047	0.4	0.3	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	15	15	24	24.1	-2	1.047	0.3	0.2	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	15	25	24	23.5	-2.5	1.047	0.4	0.3	0	38.7	34	0	123	111	0	33	32	32
2025	5	14	15	35	24	24	-2.3	1.047	0.4	0.3	0	38.3	34	0	123	111	0	34	32	34
2025	5	14	15	45	24	23.8	-2.5	1.047	0.3	0.2	0	38.3	33.5	0	123	111	0	34	33	32
2025	5	14	15	55	24	23	-3.1	1.047	0.5	0.5	0	38.7	34	0	123	111	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	14	16	5	24	23.8	-2.5	1.047	0.5	0.4	0	38.3	33.5	0	122	110	0	33	32	33
2025	5	14	16	15	24	23	-2.3	1.047	0.4	0.3	0	35.7	33.5	0	116	110	0	33	32	32
2025	5	14	16	25	24	22.7	-3.4	1.047	0.4	0.3	0	36.1	33.5	0	117	110	0	33	32	32
2025	5	14	16	35	24	23.1	-1.8	1.048	0.4	0.3	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	16	45	24	23.3	-2.2	1.047	0.3	0.2	0	39.1	34	0	124	111	0	33	32	34
2025	5	14	16	55	24	23.5	-1.7	1.047	0.5	0.4	0	38.7	33.5	0	123	110	0	33	32	33
2025	5	14	17	5	24	23.9	-2.4	1.047	0.4	0.3	0	38.7	33.5	0	123	110	0	33	32	32
2025	5	14	17	15	24	24	-2.2	1.047	0.4	0.3	0	38.7	33.5	0	123	110	0	33	32	33
2025	5	14	17	25	24	23.4	-2.3	1.047	0.3	0.2	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	17	35	24	24.9	-2.3	1.047	0.5	0.4	0	38.3	33.1	0	122	109	0	33	32	32
2025	5	14	17	45	24	23.7	-2.3	1.047	0.5	0.5	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	17	55	24	23.6	-2.9	1.047	0.4	0.3	0	38.3	32.7	0	122	108	0	33	32	32
2025	5	14	18	5	24	24.3	-2.3	1.047	0.5	0.4	0	37.8	32.7	0	121	108	0	33	32	33
2025	5	14	18	15	24	23.6	-2.5	1.047	0.5	0.4	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	18	25	24	23.8	-2.5	1.047	0.4	0.3	0	37.8	32.7	0	121	109	0	33	33	33
2025	5	14	18	35	24	23.2	-2.6	1.047	0.4	0.3	0	37.4	32.3	0	121	108	0	34	33	33
2025	5	14	18	45	24	23.9	-1.3	1.047	0.3	0.2	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	18	55	24	24.7	-1.6	1.047	0.5	0.5	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	19	5	24	23.8	-2.3	1.047	0.5	0.4	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	14	19	15	24	25.1	-1.7	1.047	0.3	0.2	0	38.3	33.5	0	122	110	0	33	32	32
2025	5	14	19	25	24	23.8	-2.7	1.047	0.4	0.3	0	38.7	33.5	0	123	110	0	33	32	32
2025	5	14	19	35	24	23.9	-1.5	1.047	0.5	0.4	0	38.3	33.5	0	122	110	0	33	32	33
2025	5	14	19	45	24	22	-2.1	1.047	0.4	0.3	0	39.1	34	0	124	111	0	33	32	33
2025	5	14	19	55	24	23.6	-3.3	1.047	0.3	0.2	0	38.7	34	0	123	110	0	33	31	33
2025	5	14	20	5	24	24.1	-3.7	1.047	0.4	0.3	0	38.7	33.1	0	123	110	0	33	33	33
2025	5	14	20	15	24	23.9	-2.5	1.048	0.5	0.5	0	38.3	34	0	123	111	0	34	32	32
2025	5	14	20	25	24	24.7	-2.8	1.048	0.5	0.4	0	38.7	34	0	124	111	0	34	32	33
2025	5	14	20	35	24	24.1	-2.2	1.048	0.5	0.4	0	39.1	34.4	0	125	112	0	34	32	32
2025	5	14	20	45	24	23.2	-2.8	1.048	0.4	0.3	0	39.6	34.4	0	125	112	0	33	32	34
2025	5	14	20	55	24	24.3	-2.9	1.048	0.5	0.4	0	38.7	34.8	0	124	112	0	34	31	32
2025	5	14	21	5	24	24.4	-2.8	1.048	0.4	0.3	0	39.1	34	0	124	111	0	33	32	33
2025	5	14	21	15	24	22.4	-2	1.048	0.4	0.3	0	39.1	34.4	0	125	112	0	34	32	33
2025	5	14	21	25	24	23.6	-2.7	1.048	0.5	0.4	0	39.1	33.5	0	124	111	0	33	33	33
2025	5	14	21	35	24	23.7	-3	1.048	0.4	0.3	0	38.7	33.5	0	124	111	0	34	33	33
2025	5	14	21	45	24	23.6	-3.2	1.047	0.5	0.4	0	39.1	34	0	123	111	0	32	32	33
2025	5	14	21	55	24	23.5	-2.6	1.047	0.3	0.2	0	38.3	34	0	123	111	0	34	32	33
2025	5	14	22	5	24	23.6	-3.3	1.048	0.5	0.4	0	38.7	33.5	0	123	111	0	33	33	33
2025	5	14	22	15	24	23.7	-3	1.048	0.5	0.4	0	38.3	33.5	0	123	110	0	34	32	33
2025	5	14	22	25	24	24.1	-3.3	1.047	0.4	0.3	0	38.3	34	0	123	111	0	34	32	34
2025	5	14	22	35	24	23.6	-1.9	1.049	0.4	0.3	0	38.3	34	0	123	111	0	34	32	33
2025	5	14	22	45	24	24.3	-2.3	1.05	0.5	0.4	0	38.7	34	0	123	111	0	33	32	33
2025	5	14	22	55	24	22.6	-2.7	1.049	0.4	0.3	0	37.8	34	0	122	111	0	34	32	33
2025	5	14	23	5	24	24.5	-2.3	1.05	0.4	0.3	0	38.3	34	0	122	111	0	33	32	33
2025	5	14	23	15	24	23	-2.4	1.05	0.5	0.5	0	38.3	34	0	123	111	0	34	32	33
2025	5	14	23	25	24	23.8	-2.9	1.05	0.5	0.4	0	37.8	33.1	0	122	110	0	34	33	33
2025	5	14	23	35	24	23.4	-2.6	1.05	0.3	0.2	0	38.3	34	0	123	111	0	34	32	33
2025	5	14	23	45	24	23.2	-2.4	1.05	0.5	0.4	0	37.8	34	0	122	111	0	34	32	34
2025	5	14	23	55	24	23.4	-3.4	1.05	0.5	0.4	0	37.8	34	0	122	111	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	15	0	5	24	23.6	-1.6	1.05	0.5	0.4	0	37.8	33.1	0	122	110	0	34	33	33
2025	5	15	0	15	24	23.1	-2.9	1.051	0.4	0.3	0	38.7	34	0	123	111	0	33	32	33
2025	5	15	0	25	24	24.4	-3.1	1.051	0.3	0.2	0	38.3	33.5	0	122	110	0	33	32	33
2025	5	15	0	35	24	24.8	-1.8	1.051	0.4	0.3	0	38.3	33.5	0	122	111	0	33	33	34
2025	5	15	0	45	24	23.4	-2.2	1.051	0.4	0.3	0	37.8	34	0	122	111	0	34	32	33
2025	5	15	0	55	24	23.4	-2.6	1.051	0.5	0.4	0	37.8	34	0	122	111	0	34	32	33
2025	5	15	1	5	24	24.8	-2	1.051	0.5	0.4	0	37.8	34	0	122	111	0	34	32	33
2025	5	15	1	15	24	22.9	-2.3	1.051	0.5	0.4	0	37.8	33.5	0	122	111	0	34	33	33
2025	5	15	1	25	24	24.7	-2.8	1.051	0.3	0.2	0	37.4	34	0	121	111	0	34	32	33
2025	5	15	1	35	24	22.3	-1.4	1.051	0.5	0.5	0	38.3	34	0	122	111	0	33	32	33
2025	5	15	1	45	24	24	-3.3	1.052	0.3	0.2	0	37.4	34	0	121	111	0	34	32	34
2025	5	15	1	55	24	23.8	-2.3	1.052	0.5	0.5	0	37.8	34	0	122	111	0	34	32	33
2025	5	15	2	5	24	24.1	-1.8	1.052	0.4	0.3	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	2	15	24	23.1	-2.6	1.052	0.4	0.3	0	37.8	33.1	0	122	110	0	34	33	33
2025	5	15	2	25	24	24.9	-2.6	1.052	0.4	0.3	0	37.8	32.7	0	122	109	0	34	33	34
2025	5	15	2	35	24	23.4	-3.2	1.052	0.5	0.5	0	37.8	33.5	0	122	110	0	34	32	34
2025	5	15	2	45	24	23.4	-2.3	1.052	0.5	0.4	0	38.3	33.1	0	123	110	0	34	33	33
2025	5	15	2	55	24	24.8	-2.7	1.052	0.5	0.4	0	38.3	33.5	0	122	110	0	33	32	33
2025	5	15	3	5	24	25.2	-2.3	1.052	0.3	0.2	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	3	15	24	23.4	-2.6	1.052	0.4	0.3	0	37.8	33.5	0	122	110	0	34	32	34
2025	5	15	3	25	24	25.4	-3.2	1.052	0.3	0.2	0	38.7	33.5	0	123	110	0	33	32	34
2025	5	15	3	35	24	24.3	-2.3	1.052	0.4	0.3	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	3	45	24	23	-2	1.052	0.4	0.3	0	37.8	33.1	0	122	110	0	34	33	33
2025	5	15	3	55	24	24.2	-2.5	1.053	0.5	0.4	0	38.3	33.1	0	122	109	0	33	32	33
2025	5	15	4	5	24	23.9	-1.4	1.052	0.5	0.4	0	38.3	33.5	0	123	110	0	34	32	34
2025	5	15	4	15	24	24	-2.5	1.053	0.4	0.3	0	38.3	33.1	0	123	110	0	34	33	34
2025	5	15	4	25	24	23.4	-2	1.053	0.4	0.3	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	4	35	24	24.7	-3.2	1.053	0.5	0.5	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	4	45	24	24	-2.3	1.053	0.5	0.4	0	37.4	33.1	0	121	110	0	34	33	33
2025	5	15	4	55	24	23.5	-1.7	1.053	0.4	0.3	0	37.4	33.5	0	121	110	0	34	32	33
2025	5	15	5	5	24	23.4	-1.5	1.053	0.5	0.4	0	37.4	33.5	0	121	110	0	34	32	33
2025	5	15	5	15	24	23.3	-1.9	1.053	0.3	0.2	0	37.4	33.5	0	121	110	0	34	32	33
2025	5	15	5	25	24	23.2	-3.7	1.053	0.5	0.5	0	37.8	33.1	0	121	109	0	33	32	33
2025	5	15	5	35	24	23.5	-1.8	1.053	0.3	0.2	0	37.4	33.1	0	121	109	0	34	32	33
2025	5	15	5	45	24	24.6	-2.3	1.053	0.5	0.4	0	37.4	32.7	0	121	108	0	34	32	33
2025	5	15	5	55	24	24.1	-2.6	1.054	0.5	0.4	0	37.4	33.1	0	121	109	0	34	32	33
2025	5	15	6	5	24	23.4	-1.7	1.054	0.4	0.3	0	37	32.7	0	120	108	0	34	32	33
2025	5	15	6	15	24	24.8	-2.7	1.054	0.4	0.3	0	37.4	32.3	0	121	108	0	34	33	33
2025	5	15	6	25	24	24	-1.2	1.054	0.5	0.4	0	37.4	32.7	0	120	108	0	33	32	33
2025	5	15	6	35	24	23.4	-2.3	1.054	0.4	0.3	0	37.4	32.7	0	120	108	0	33	32	33
2025	5	15	6	45	24	24.9	-1.8	1.054	0.5	0.4	0	37	32.7	0	120	108	0	34	32	32
2025	5	15	6	55	24	24	-2.2	1.054	0.4	0.3	0	37	32.3	0	120	108	0	34	33	33
2025	5	15	7	5	24	23.5	-2	1.054	0.4	0.3	0	37	31.8	0	120	107	0	34	33	33
2025	5	15	7	15	24	23.3	-2.4	1.054	0.5	0.4	0	37	32.7	0	120	108	0	34	32	33
2025	5	15	7	25	24	24.9	-2	1.054	0.4	0.3	0	37	32.3	0	120	108	0	34	33	33
2025	5	15	7	35	24	24.8	-2.7	1.054	0.4	0.3	0	37.4	32.3	0	120	108	0	33	33	33
2025	5	15	7	45	24	23	-1.3	1.054	0.3	0.2	0	37	32.7	0	120	108	0	34	32	33
2025	5	15	7	55	24	24.9	-1.5	1.054	0.4	0.3	0	37	32.3	0	120	108	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	15	8	5	24	24.1	-1.6	1.055	0.5	0.4	0	37	32.3	0	120	108	0	34	33	33
2025	5	15	8	15	24	23.2	-2.8	1.054	0.5	0.4	0	37.4	32.7	0	120	108	0	33	32	33
2025	5	15	8	25	24	24.1	-2.9	1.054	0.5	0.5	0	37.4	32.7	0	120	108	0	33	32	33
2025	5	15	8	35	24	22.3	-1.8	1.055	0.5	0.4	0	37.4	32.3	0	120	108	0	33	33	33
2025	5	15	8	45	24	23.5	-2.8	1.055	0.4	0.3	0	37.4	32.7	0	120	108	0	33	32	32
2025	5	15	8	55	24	23	-2.1	1.055	0.4	0.3	0	37	32.3	0	120	108	0	34	33	33
2025	5	15	9	5	24	23.5	-2.7	1.055	0.5	0.5	0	37.4	32.7	0	120	109	0	33	33	33
2025	5	15	9	15	24	23.2	-2.2	1.055	0.3	0.2	0	37	33.1	0	120	109	0	34	32	33
2025	5	15	9	25	24	23.9	-1.7	1.055	0.5	0.4	0	37.8	33.1	0	121	109	0	33	32	33
2025	5	15	9	35	24	23.1	-1.7	1.055	0.4	0.3	0	38.3	34	0	122	111	0	33	32	32
2025	5	15	9	45	24	22.8	-1.8	1.056	0.5	0.4	0	37.8	33.5	0	122	110	0	34	32	33
2025	5	15	9	55	24	24.8	-2.1	1.056	0.4	0.3	0	37	33.1	0	120	108	0	34	31	33
2025	5	15	10	5	24	24.1	-2.9	1.056	0.3	0.2	0	37.4	33.1	0	121	109	0	34	32	33
2025	5	15	10	15	24	23.4	-2.5	1.055	0.4	0.3	0	37.4	33.1	0	120	109	0	33	32	33
2025	5	15	10	25	24	23.3	-2.2	1.056	0.4	0.3	0	37.4	33.5	0	121	110	0	34	32	32
2025	5	15	10	35	24	23.8	-2.9	1.055	0.5	0.4	0	37.8	33.1	0	121	109	0	33	32	33
2025	5	15	10	45	24	24	-1.6	1.056	0.4	0.3	0	37.8	33.5	0	121	110	0	33	32	33
2025	5	15	10	55	24	22.1	-1.9	1.056	0.3	0.2	0	36.5	33.1	0	119	109	0	34	32	33
2025	5	15	11	5	24	24	-1.4	1.056	0.4	0.3	0	36.5	33.1	0	119	109	0	34	32	33
2025	5	15	11	15	24	22.4	-1.5	1.056	0.5	0.4	0	36.5	33.1	0	118	109	0	33	32	33
2025	5	15	11	25	24	23	-2.4	1.056	0.5	0.4	0	36.1	33.1	0	118	109	0	34	32	33
2025	5	15	11	35	24	22.9	-3.3	1.056	0.5	0.4	0	36.1	32.7	0	118	108	0	34	32	33
2025	5	15	11	45	24	24.5	-1.9	1.056	0.5	0.4	0	35.7	32.3	0	117	108	0	34	33	33
2025	5	15	11	55	24	23.8	-2.7	1.056	0.3	0.2	0	36.1	32.3	0	117	107	0	33	32	34
2025	5	15	12	5	24	23	-2.1	1.056	0.4	0.3	0	36.5	33.1	0	119	109	0	34	32	33
2025	5	15	12	15	24	23.5	-2.8	1.056	0.4	0.3	0	35.3	32.7	0	116	108	0	34	32	32
2025	5	15	12	25	24	23.9	-1.6	1.056	0.3	0.2	0	35.7	32.7	0	117	108	0	34	32	33
2025	5	15	12	35	24	24.8	-3.2	1.056	0.5	0.4	0	36.1	32.7	0	117	108	0	33	32	33
2025	5	15	12	45	24	22.7	-2.9	1.056	0.3	0.2	0	35.7	33.1	0	117	109	0	34	32	33
2025	5	15	12	55	24	24.6	-2.3	1.056	0.5	0.4	0	36.1	32.7	0	116	108	0	32	32	33
2025	5	15	13	5	24	22.9	-2.4	1.056	0.4	0.3	0	36.1	32.7	0	117	109	0	33	33	33
2025	5	15	13	15	24	24.3	-3	1.056	0.4	0.3	0	36.1	32.7	0	117	108	0	33	32	33
2025	5	15	13	25	24	24.3	-3	1.056	0.4	0.3	0	35.7	33.1	0	116	108	0	33	31	33
2025	5	15	13	35	24	23.7	-2.3	1.056	0.5	0.5	0	35.7	33.1	0	117	109	0	34	32	34
2025	5	15	13	45	24	24.1	-2.8	1.056	0.3	0.2	0	35.7	32.3	0	116	108	0	33	33	33
2025	5	15	13	55	24	22.8	-2.7	1.055	0.4	0.3	0	35.7	33.1	0	117	109	0	34	32	33
2025	5	15	14	5	24	23.2	-2.1	1.054	0.5	0.4	0	36.1	33.1	0	117	109	0	33	32	33
2025	5	15	14	15	24	24.1	-2.5	1.055	0.4	0.3	0	35.7	32.7	0	116	108	0	33	32	33
2025	5	15	14	25	24	23.2	-1.9	1.054	0.3	0.2	0	35.7	32.7	0	116	108	0	33	32	33
2025	5	15	14	35	24	23.6	-2.8	1.054	0.5	0.4	0	35.7	32.7	0	116	108	0	33	32	33
2025	5	15	14	45	24	23.7	-2.8	1.054	0.5	0.5	0	36.5	33.5	0	117	109	0	32	31	33
2025	5	15	14	55	24	23.3	-2.5	1.053	0.5	0.4	0	35.7	33.1	0	116	109	0	33	32	32
2025	5	15	15	5	24	23	-3.7	1.054	0.4	0.3	0	35.3	33.5	0	116	109	0	34	31	33
2025	5	15	15	15	24	23.6	-2.3	1.053	0.3	0.2	0	35.7	33.1	0	116	109	0	33	32	32
2025	5	15	15	25	24	23.3	-2.9	1.053	0.4	0.3	0	35.3	33.1	0	115	109	0	33	32	33
2025	5	15	15	35	24	22.5	-2.2	1.053	0.4	0.3	0	35.7	33.5	0	116	109	0	33	31	33
2025	5	15	15	45	24	22.4	-2.9	1.053	0.5	0.4	0	34.8	33.1	0	114	108	0	33	31	33
2025	5	15	15	55	24	23.5	-2.7	1.053	0.5	0.4	0	34.8	32.7	0	115	108	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	15	16	5	24	23.1	-3.1	1.053	0.4	0.3	0	34.8	32.3	0	114	108	0	33	33	32
2025	5	15	16	15	24	23.3	-3.2	1.053	0.3	0.2	0	35.3	33.1	0	115	109	0	33	32	33
2025	5	15	16	25	24	23.7	-2	1.053	0.5	0.4	0	35.3	33.1	0	115	109	0	33	32	32
2025	5	15	16	35	24	23.3	-2.5	1.053	0.5	0.4	0	35.3	33.1	0	115	109	0	33	32	32
2025	5	15	16	45	24	23.4	-3.1	1.053	0.5	0.4	0	34.8	32.7	0	114	108	0	33	32	33
2025	5	15	16	55	24	21.7	-2.2	1.053	0.4	0.3	0	35.3	33.1	0	115	109	0	33	32	32
2025	5	15	17	5	24	22.6	-3.3	1.052	0.5	0.4	0	34	32.3	0	113	107	0	34	32	33
2025	5	15	17	15	24	24.1	-3.5	1.053	0.4	0.3	0	34	32.3	0	112	107	0	33	32	33
2025	5	15	17	25	24	22.6	-3.1	1.053	0.4	0.3	0	33.5	32.3	0	112	107	0	34	32	33
2025	5	15	17	35	24	23.9	-3.1	1.054	0.4	0.3	0	34	32.3	0	112	107	0	33	32	33
2025	5	15	17	45	24	23.1	-2.9	1.053	0.5	0.5	0	34	32.3	0	112	107	0	33	32	33
2025	5	15	17	55	24	22.6	-3.3	1.053	0.4	0.3	0	34	31.8	0	112	106	0	33	32	33
2025	5	15	18	5	24	22.9	-2.6	1.053	0.4	0.3	0	34	32.7	0	112	107	0	33	31	33
2025	5	15	18	15	24	22.5	-3.3	1.053	0.4	0.3	0	34	32.3	0	112	106	0	33	31	33
2025	5	15	18	25	24	23.3	-2.5	1.053	0.4	0.3	0	34	32.3	0	112	107	0	33	32	32
2025	5	15	18	35	24	24.5	-3.2	1.054	0.4	0.3	0	34	32.7	0	112	107	0	33	31	32
2025	5	15	18	45	24	23.8	-2.9	1.053	0.4	0.3	0	33.5	32.3	0	112	107	0	34	32	33
2025	5	15	18	55	24	24.6	-2.7	1.054	0.3	0.2	0	33.5	33.1	0	112	108	0	34	31	33
2025	5	15	19	5	24	23.9	-2.9	1.055	0.5	0.4	0	33.5	31.8	0	111	106	0	33	32	33
2025	5	15	19	15	24	23.1	-1.8	1.056	0.4	0.3	0	34	31.8	0	112	107	0	33	33	32
2025	5	15	19	25	24	24.5	-2	1.056	0.5	0.4	0	33.5	31.8	0	111	106	0	33	32	33
2025	5	15	19	35	24	23.3	-3.3	1.056	0.5	0.4	0	33.5	31.8	0	111	106	0	33	32	33
2025	5	15	19	45	24	23	-2	1.056	0.4	0.3	0	34	32.7	0	112	108	0	33	32	33
2025	5	15	19	55	24	23.5	-1.7	1.056	0.4	0.3	0	33.5	32.7	0	112	108	0	34	32	33
2025	5	15	20	5	24	22.9	-2.4	1.056	0.5	0.5	0	33.5	33.1	0	112	108	0	34	31	33
2025	5	15	20	15	24	23	-3.1	1.056	0.3	0.2	0	34	34	0	112	111	0	33	32	33
2025	5	15	20	25	24	22.6	-2	1.056	0.3	0.2	0	34.8	34.4	0	114	112	0	33	32	33
2025	5	15	20	35	24	25.1	-2	1.057	0.4	0.3	0	35.3	34.4	0	116	111	0	34	31	33
2025	5	15	20	45	24	24.2	-1.3	1.057	0.5	0.4	0	36.1	34	0	117	111	0	33	32	33
2025	5	15	20	55	24	23	-1.6	1.057	0.5	0.4	0	36.1	34	0	117	111	0	33	32	33
2025	5	15	21	5	24	22.1	-2.4	1.057	0.3	0.2	0	35.7	34	0	117	111	0	34	32	33
2025	5	15	21	15	24	22.7	-3.4	1.057	0.4	0.3	0	35.3	34	0	116	111	0	34	32	33
2025	5	15	21	25	24	22.2	-0.3	1.057	0.5	0.4	0	36.5	33.5	0	118	111	0	33	33	33
2025	5	15	21	35	24	22.8	-1.7	1.056	0.5	0.5	0	36.1	34.4	0	117	112	0	33	32	32
2025	5	15	21	45	24	22.8	-1.9	1.056	0.4	0.3	0	36.1	34.4	0	118	111	0	34	31	33
2025	5	15	21	55	24	21.9	-1.7	1.057	0.4	0.3	0	35.7	34	0	117	111	0	34	32	33
2025	5	15	22	5	24	22.6	-1.5	1.057	0.5	0.4	0	36.5	34.8	0	118	112	0	33	31	32
2025	5	15	22	15	24	22.4	-0.5	1.056	0.4	0.3	0	35.7	34.4	0	117	112	0	34	32	33
2025	5	15	22	25	24	22.6	-1.4	1.057	0.3	0.2	0	35.7	34	0	117	111	0	34	32	32
2025	5	15	22	35	24	22.4	-1	1.056	0.5	0.4	0	35.7	34	0	117	111	0	34	32	34
2025	5	15	22	45	24	22.8	-0.5	1.056	0.5	0.5	0	36.1	34	0	117	111	0	33	32	33
2025	5	15	22	55	24	22.9	-2.2	1.056	0.3	0.2	0	36.1	34	0	117	111	0	33	32	33
2025	5	15	23	5	24	24.1	-1.7	1.056	0.4	0.3	0	36.5	34.4	0	118	112	0	33	32	33
2025	5	15	23	15	24	22.8	-1.2	1.056	0.4	0.3	0	36.1	33.5	0	117	111	0	33	33	32
2025	5	15	23	25	24	22	-1.6	1.056	0.4	0.3	0	36.1	34	0	117	111	0	33	32	33
2025	5	15	23	35	24	21.8	-2.3	1.057	0.5	0.4	0	36.1	33.5	0	117	111	0	33	33	33
2025	5	15	23	45	24	23.1	-2.2	1.057	0.6	0.5	0	35.3	33.5	0	116	110	0	34	32	33
2025	5	15	23	55	24	23.6	-2	1.057	0.4	0.3	0	35.7	33.5	0	117	111	0	34	33	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	16	0	5	24	23	-1.6	1.057	0.3	0.2	0	36.1	33.5	0	118	111	0	34	33	32
2025	5	16	0	15	24	23.8	-3.1	1.057	0.5	0.4	0	36.1	33.5	0	117	110	0	33	32	32
2025	5	16	0	25	24	22.4	-2	1.056	0.4	0.3	0	35.7	33.5	0	116	110	0	33	32	33
2025	5	16	0	35	24	23.7	-1.8	1.057	0.5	0.5	0	35.7	34	0	117	111	0	34	32	32
2025	5	16	0	45	24	22.3	-1.8	1.057	0.3	0.2	0	35.7	33.5	0	117	110	0	34	32	33
2025	5	16	0	55	24	23.6	-2.1	1.057	0.4	0.3	0	35.3	33.5	0	116	110	0	34	32	33
2025	5	16	1	5	24	23.7	-0.5	1.056	0.5	0.5	0	35.3	33.1	0	116	110	0	34	33	34
2025	5	16	1	15	24	22.6	-1.7	1.056	0.4	0.3	0	35.7	33.5	0	117	111	0	34	33	33
2025	5	16	1	25	24	23.2	-1.3	1.057	0.5	0.4	0	35.3	33.5	0	116	110	0	34	32	32
2025	5	16	1	35	24	22.3	-0.6	1.057	0.5	0.4	0	35.7	33.1	0	116	110	0	33	33	32
2025	5	16	1	45	24	22.8	-1.8	1.057	0.4	0.3	0	35.7	33.5	0	116	110	0	33	32	34
2025	5	16	1	55	24	23.3	-1.4	1.057	0.4	0.3	0	35.7	33.1	0	116	110	0	33	33	33
2025	5	16	2	5	24	23.9	-2.7	1.057	0.6	0.5	0	35.3	33.1	0	116	110	0	34	33	33
2025	5	16	2	15	24	24.1	-1.2	1.057	0.5	0.5	0	35.3	33.1	0	116	110	0	34	33	33
2025	5	16	2	25	24	23.5	-1.9	1.057	0.5	0.4	0	35.3	33.5	0	116	110	0	34	32	33
2025	5	16	2	35	24	22.9	-2.4	1.057	0.4	0.3	0	35.3	33.5	0	116	110	0	34	32	33
2025	5	16	2	45	24	23.4	-0.7	1.057	0.3	0.2	0	35.7	33.5	0	116	111	0	33	33	33
2025	5	16	2	55	24	23	-0.8	1.057	0.4	0.3	0	35.7	33.1	0	116	110	0	33	33	33
2025	5	16	3	5	24	23.3	-2.4	1.057	0.3	0.2	0	35.3	33.5	0	116	111	0	34	33	33
2025	5	16	3	15	24	22	-0.6	1.057	0.4	0.3	0	35.3	34	0	116	111	0	34	32	33
2025	5	16	3	25	24	21.8	-0.5	1.057	0.4	0.3	0	37	33.5	0	119	110	0	33	32	33
2025	5	16	3	35	24	22.6	-0.7	1.057	0.3	0.2	0	41.7	33.1	0	130	110	0	33	33	33
2025	5	16	3	45	24	22.7	-0.9	1.057	0.4	0.3	0	41.3	33.5	0	130	110	0	34	32	33
2025	5	16	3	55	24	22.8	-0.1	1.057	0.5	0.4	0	41.3	33.5	0	130	110	0	34	32	33
2025	5	16	4	5	24	23.8	-0.3	1.057	0.3	0.2	0	40.9	33.5	0	129	110	0	34	32	33
2025	5	16	4	15	24	21.9	-0.9	1.057	0.3	0.2	0	40.9	33.5	0	129	110	0	34	32	33
2025	5	16	4	25	24	23.6	-0.8	1.057	0.5	0.5	0	41.3	33.5	0	130	110	0	34	32	33
2025	5	16	4	35	24	22.2	-1.2	1.057	0.5	0.4	0	40.9	33.5	0	129	110	0	34	32	33
2025	5	16	4	45	24	22.4	-1.4	1.057	0.4	0.3	0	41.3	34	0	130	111	0	34	32	33
2025	5	16	4	55	24	21.9	-2.2	1.057	0.5	0.4	0	40.9	33.1	0	129	110	0	34	33	33
2025	5	16	5	5	24	22.8	-1.6	1.057	0.5	0.4	0	40.9	34	0	129	111	0	34	32	33
2025	5	16	5	15	24	23.1	-0.9	1.057	0.5	0.4	0	40.9	33.5	0	129	111	0	34	33	33
2025	5	16	5	25	24	23.4	-0.7	1.057	0.5	0.4	0	40.4	33.5	0	128	110	0	34	32	34
2025	5	16	5	35	24	23.1	-0.5	1.057	0.3	0.2	0	40.4	33.1	0	128	110	0	34	33	33
2025	5	16	5	45	24	21.8	-1.6	1.058	0.4	0.3	0	40.9	33.1	0	128	109	0	33	32	33
2025	5	16	5	55	24	24.4	-1.5	1.058	0.3	0.2	0	40	33.1	0	127	109	0	34	32	33
2025	5	16	6	5	24	24	-1.5	1.057	0.4	0.3	0	40.4	33.1	0	127	109	0	33	32	33
2025	5	16	6	15	24	23.6	-1.9	1.058	0.5	0.4	0	39.6	33.1	0	126	109	0	34	32	33
2025	5	16	6	25	24	23.7	-1	1.058	0.4	0.3	0	40	33.1	0	127	109	0	34	32	33
2025	5	16	6	35	24	23.1	-1.7	1.058	0.4	0.3	0	40.4	32.7	0	127	109	0	33	33	33
2025	5	16	6	45	24	24.5	-1.3	1.058	0.4	0.3	0	40	32.7	0	127	108	0	34	32	33
2025	5	16	6	55	24	24.9	-2.7	1.058	0.4	0.3	0	39.6	32.7	0	126	108	0	34	32	32
2025	5	16	7	5	24	22	-2.3	1.058	0.5	0.4	0	39.6	32.7	0	126	108	0	34	32	32
2025	5	16	7	15	24	24.6	-2.3	1.058	0.3	0.2	0	39.6	32.7	0	126	108	0	34	32	33
2025	5	16	7	25	24	22.9	-1.4	1.058	0.4	0.3	0	40.9	33.1	0	128	109	0	33	32	33
2025	5	16	7	35	24	23.8	-1.6	1.058	0.4	0.3	0	39.6	33.1	0	126	109	0	34	32	34
2025	5	16	7	45	24	23.2	-1.8	1.058	0.3	0.2	0	39.1	32.3	0	125	108	0	34	33	33
2025	5	16	7	55	24	22.8	-1.8	1.058	0.4	0.3	0	39.6	32.7	0	126	109	0	34	33	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	16	8	5	24	23	-0.9	1.057	0.3	0.2	0	39.6	33.5	0	126	110	0	34	32	33
2025	5	16	8	15	24	23.1	-1.7	1.057	0.4	0.3	0	39.6	33.1	0	126	109	0	34	32	33
2025	5	16	8	25	24	23.4	-2	1.057	0.4	0.3	0	39.6	33.1	0	125	108	0	33	31	34
2025	5	16	8	35	24	22.8	-2.6	1.057	0.4	0.3	0	40	33.5	0	126	109	0	33	31	33
2025	5	16	8	45	24	23.5	-1.6	1.057	0.5	0.5	0	39.1	32.7	0	125	108	0	34	32	33
2025	5	16	8	55	24	21.2	-0.8	1.057	0.4	0.3	0	38.7	33.1	0	124	109	0	34	32	34
2025	5	16	9	5	24	23.9	-0.7	1.057	0.4	0.3	0	39.1	32.3	0	124	108	0	33	33	32
2025	5	16	9	15	24	22.4	-1.2	1.057	0.5	0.4	0	39.6	33.1	0	125	108	0	33	31	33
2025	5	16	9	25	24	22.9	-1.4	1.057	0.5	0.5	0	40	33.5	0	126	110	0	33	32	33
2025	5	16	9	35	24	23.2	0.1	1.057	0.4	0.3	0	38.7	32.7	0	124	108	0	34	32	33
2025	5	16	9	45	24	22.2	-1.4	1.057	0.5	0.5	0	38.7	33.1	0	124	109	0	34	32	33
2025	5	16	9	55	24	23.3	-1.2	1.057	0.4	0.3	0	39.1	33.1	0	125	109	0	34	32	33
2025	5	16	10	5	24	23.2	-0.8	1.057	0.5	0.4	0	39.1	33.1	0	125	110	0	34	33	33
2025	5	16	10	15	24	24.3	-1.2	1.057	0.4	0.3	0	39.1	33.1	0	124	109	0	33	32	33
2025	5	16	10	25	24	21.9	-0.8	1.057	0.5	0.4	0	38.7	33.1	0	124	109	0	34	32	33
2025	5	16	10	35	24	23.4	-1.6	1.057	0.5	0.4	0	39.1	33.1	0	124	108	0	33	31	33
2025	5	16	10	45	24	22.9	-1.3	1.057	0.5	0.4	0	38.7	33.1	0	124	109	0	34	32	34
2025	5	16	10	55	24	25	-2.4	1.057	0.5	0.4	0	39.6	33.1	0	125	109	0	33	32	32
2025	5	16	11	5	24	23.4	-1.2	1.057	0.4	0.3	0	38.3	32.7	0	123	108	0	34	32	33
2025	5	16	11	15	24	23	-1.2	1.057	0.3	0.2	0	38.3	32.7	0	123	108	0	34	32	33
2025	5	16	11	25	24	23.9	-1.8	1.057	0.3	0.2	0	38.7	32.7	0	123	108	0	33	32	32
2025	5	16	11	35	24	23.5	-2.2	1.057	0.4	0.3	0	38.7	32.7	0	123	108	0	33	32	32
2025	5	16	11	45	24	23.6	-1.4	1.057	0.5	0.4	0	38.3	32.7	0	123	107	0	34	31	33
2025	5	16	11	55	24	23.1	-1.5	1.057	0.4	0.3	0	39.1	33.5	0	124	109	0	33	31	32
2025	5	16	12	5	24	23	-1.2	1.057	0.5	0.4	0	38.7	33.1	0	123	109	0	33	32	33
2025	5	16	12	15	24	24.3	-1.7	1.056	0.5	0.4	0	38.7	32.7	0	123	108	0	33	32	33
2025	5	16	12	25	24	24	-3.1	1.056	0.4	0.3	0	38.7	32.3	0	123	107	0	33	32	33
2025	5	16	12	35	24	23.1	-1.7	1.057	0.5	0.4	0	38.7	32.3	0	123	107	0	33	32	33
2025	5	16	12	45	24	23.9	-3.6	1.055	0.5	0.4	0	38.7	32.3	0	123	107	0	33	32	32
2025	5	16	12	55	24	22.8	-1.7	1.057	0.4	0.3	0	38.7	32.3	0	123	107	0	33	32	33
2025	5	16	13	5	24	24.6	-1.7	1.055	0.4	0.3	0	38.3	32.3	0	123	107	0	34	32	33
2025	5	16	13	15	24	24.2	-1.8	1.056	0.5	0.4	0	38.7	32.7	0	123	107	0	33	31	33
2025	5	16	13	25	24	23.7	-1.9	1.056	0.5	0.4	0	38.7	32.7	0	123	107	0	33	31	33
2025	5	16	13	35	24	23.3	-2.5	1.054	0.5	0.4	0	38.3	32.3	0	122	107	0	33	32	32
2025	5	16	13	45	24	22.7	-2.3	1.053	0.5	0.4	0	38.7	31.8	0	123	107	0	33	33	32
2025	5	16	13	55	24	23	-2.4	1.053	0.4	0.3	0	38.3	31.8	0	122	106	0	33	32	33
2025	5	16	14	5	24	23.6	-2.3	1.054	0.4	0.3	0	38.3	32.3	0	123	107	0	34	32	33
2025	5	16	14	15	24	22.8	-2.9	1.054	0.5	0.4	0	38.7	32.3	0	123	107	0	33	32	32
2025	5	16	14	25	24	23.5	-2	1.053	0.4	0.3	0	38.7	32.3	0	123	107	0	33	32	33
2025	5	16	14	35	24	23.3	-2.2	1.052	0.3	0.2	0	38.7	32.3	0	123	107	0	33	32	32
2025	5	16	14	45	24	23.7	-2.7	1.052	0.5	0.4	0	39.1	32.3	0	124	108	0	33	33	32
2025	5	16	14	55	24	23.7	-1.5	1.053	0.4	0.3	0	38.7	32.7	0	124	108	0	34	32	32
2025	5	16	15	5	24	22.9	-2.1	1.052	0.5	0.4	0	39.1	32.3	0	123	107	0	32	32	33
2025	5	16	15	15	24	23.1	-2.8	1.052	0.4	0.3	0	38.3	32.7	0	123	107	0	34	31	32
2025	5	16	15	25	24	22.9	-2.8	1.052	0.4	0.3	0	38.7	32.3	0	123	107	0	33	32	33
2025	5	16	15	35	24	22.5	-3.2	1.052	0.5	0.4	0	38.7	32.3	0	123	107	0	33	32	32
2025	5	16	15	45	24	24.7	-2.8	1.052	0.4	0.3	0	37.8	32.3	0	122	106	0	34	31	33
2025	5	16	15	55	24	23.3	-2.9	1.052	0.4	0.3	0	37.8	32.3	0	122	106	0	34	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	16	16	5	24	22.9	-1.7	1.051	0.5	0.4	0	38.7	31.8	0	123	106	0	33	32	33
2025	5	16	16	15	24	23.7	-1.9	1.051	0.5	0.4	0	37.8	32.3	0	122	106	0	34	31	32
2025	5	16	16	25	24	22.4	-1.9	1.051	0.5	0.4	0	37.4	31.8	0	121	105	0	34	31	32
2025	5	16	16	35	24	22.9	-1.8	1.051	0.5	0.4	0	38.3	31.8	0	122	106	0	33	32	32
2025	5	16	16	45	24	23.7	-1.7	1.051	0.5	0.5	0	38.3	31.8	0	122	106	0	33	32	33
2025	5	16	16	55	24	23.4	-2.6	1.051	0.5	0.4	0	38.3	32.3	0	123	107	0	34	32	32
2025	5	16	17	5	24	23.4	-3.3	1.051	0.5	0.4	0	37.8	31.8	0	122	106	0	34	32	32
2025	5	16	17	15	24	23.1	-2.1	1.051	0.4	0.3	0	38.3	31.8	0	122	105	0	33	31	32
2025	5	16	17	25	24	22.1	-3.8	1.051	0.5	0.4	0	38.3	31.8	0	122	106	0	33	32	33
2025	5	16	17	35	24	22.8	-2.5	1.051	0.5	0.4	0	38.3	31.8	0	122	106	0	33	32	33
2025	5	16	17	45	24	23.3	-2.4	1.051	0.5	0.4	0	37.8	31.4	0	121	105	0	33	32	33
2025	5	16	17	55	24	23.3	-1.6	1.051	0.5	0.4	0	37.8	31.8	0	121	105	0	33	31	32
2025	5	16	18	5	24	23.1	-2.1	1.05	0.4	0.3	0	38.3	32.3	0	122	106	0	33	31	32
2025	5	16	18	15	24	23.7	-3.2	1.05	0.3	0.2	0	37.8	31.4	0	122	105	0	34	32	33
2025	5	16	18	25	24	22.9	-2.4	1.051	0.3	0.2	0	37.8	31.4	0	121	104	0	33	31	33
2025	5	16	18	35	24	22.8	-2.2	1.05	0.5	0.4	0	37.4	31	0	121	104	0	34	32	33
2025	5	16	18	45	24	24.6	-3.1	1.051	0.5	0.4	0	37.8	31	0	121	104	0	33	32	33
2025	5	16	18	55	24	24	-2.5	1.05	0.5	0.4	0	37.4	31.4	0	121	105	0	34	32	33
2025	5	16	19	5	24	23.5	-2.7	1.05	0.5	0.4	0	37.8	31.8	0	121	105	0	33	31	32
2025	5	16	19	15	24	23.4	-2.8	1.05	0.4	0.3	0	37.8	31	0	121	104	0	33	32	33
2025	5	16	19	25	24	23.2	-2.9	1.051	0.5	0.4	0	38.3	31.4	0	122	105	0	33	32	32
2025	5	16	19	35	24	23.7	-2.9	1.051	0.4	0.3	0	38.3	31	0	122	105	0	33	33	33
2025	5	16	19	45	24	23.9	-2.9	1.05	0.3	0.2	0	38.3	31.8	0	122	105	0	33	31	32
2025	5	16	19	55	24	23.5	-1.7	1.05	0.3	0.2	0	38.3	31.8	0	122	106	0	33	32	33
2025	5	16	20	5	24	24.6	-2.1	1.05	0.4	0.3	0	38.7	31.4	0	123	105	0	33	32	33
2025	5	16	20	15	24	24.4	-2.3	1.05	0.3	0.2	0	39.1	32.3	0	124	107	0	33	32	33
2025	5	16	20	25	24	23.4	-3.3	1.05	0.4	0.3	0	40.9	31.8	0	129	106	0	34	32	33
2025	5	16	20	35	24	24	-3.1	1.05	0.5	0.4	0	41.7	32.7	0	130	107	0	33	31	33
2025	5	16	20	45	24	22.9	-2.8	1.05	0.4	0.3	0	41.7	32.3	0	130	107	0	33	32	33
2025	5	16	20	55	24	23.3	-2.7	1.05	0.4	0.3	0	40	32.3	0	127	107	0	34	32	33
2025	5	16	21	5	24	23.8	-2.7	1.05	0.4	0.3	0	40.4	32.3	0	127	107	0	33	32	33
2025	5	16	21	15	24	24.4	-1.9	1.05	0.5	0.4	0	40.4	32.3	0	127	107	0	33	32	33
2025	5	16	21	25	24	23.8	-2.7	1.05	0.5	0.4	0	40	32.3	0	127	107	0	34	32	34
2025	5	16	21	35	24	24.2	-2.8	1.05	0.4	0.3	0	39.6	32.3	0	126	107	0	34	32	33
2025	5	16	21	45	24	24.3	-2.1	1.05	0.5	0.4	0	40	32.7	0	126	107	0	33	31	32
2025	5	16	21	55	24	23.9	-1.2	1.05	0.5	0.4	0	39.6	32.3	0	126	107	0	34	32	33
2025	5	16	22	5	24	24.7	-2.9	1.05	0.4	0.3	0	39.6	31.8	0	126	106	0	34	32	33
2025	5	16	22	15	24	23.4	-2.2	1.049	0.5	0.4	0	40	31.8	0	126	106	0	33	32	33
2025	5	16	22	25	24	23.9	-2.5	1.05	0.4	0.3	0	40	31.8	0	126	106	0	33	32	33
2025	5	16	22	35	24	23.4	-1.9	1.05	0.4	0.3	0	39.6	31.8	0	126	106	0	34	32	33
2025	5	16	22	45	24	22.6	-3.2	1.05	0.3	0.2	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	16	22	55	24	24.8	-2.8	1.051	0.5	0.4	0	39.1	31.4	0	125	106	0	34	33	33
2025	5	16	23	5	24	23.8	-2.6	1.049	0.5	0.4	0	39.1	31.8	0	125	106	0	34	32	33
2025	5	16	23	15	24	23.4	-1.9	1.05	0.5	0.5	0	39.6	31.8	0	126	106	0	34	32	32
2025	5	16	23	25	24	23.8	-2.5	1.05	0.5	0.5	0	39.6	31.8	0	126	106	0	34	32	33
2025	5	16	23	35	24	22.9	-3	1.049	0.5	0.4	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	16	23	45	24	24.2	-3	1.05	0.5	0.4	0	39.6	31.8	0	126	107	0	34	33	33
2025	5	16	23	55	24	23.6	-2.2	1.049	0.5	0.4	0	39.6	32.3	0	126	107	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	17	0	5	24	24	-2.9	1.049	0.5	0.4	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	17	0	15	24	22.5	-2.8	1.05	0.5	0.5	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	17	0	25	24	23.8	-3.3	1.049	0.3	0.2	0	40	31.8	0	126	106	0	33	32	33
2025	5	17	0	35	24	23.9	-2.7	1.049	0.3	0.2	0	39.1	31.8	0	125	106	0	34	32	33
2025	5	17	0	45	24	23.9	-2.5	1.049	0.4	0.3	0	39.6	31.8	0	126	106	0	34	32	33
2025	5	17	0	55	24	24.3	-3.3	1.05	0.3	0.2	0	40	31.8	0	126	106	0	33	32	33
2025	5	17	1	5	24	23.8	-1.8	1.049	0.4	0.3	0	40	31.8	0	127	107	0	34	33	33
2025	5	17	1	15	24	22.5	-2.4	1.049	0.5	0.4	0	40.4	32.3	0	127	107	0	33	32	32
2025	5	17	1	25	24	23.2	-3	1.05	0.5	0.4	0	40.4	32.3	0	127	107	0	33	32	33
2025	5	17	1	35	24	24.3	-3.1	1.05	0.4	0.3	0	40	31.8	0	126	106	0	33	32	33
2025	5	17	1	45	24	22.9	-2	1.05	0.4	0.3	0	39.6	32.3	0	126	107	0	34	32	33
2025	5	17	1	55	24	24.2	-2.5	1.05	0.3	0.2	0	40	31.8	0	126	106	0	33	32	33
2025	5	17	2	5	24	23.8	-1.2	1.05	0.5	0.4	0	39.6	32.3	0	125	107	0	33	32	33
2025	5	17	2	15	24	23.8	-1.6	1.051	0.5	0.5	0	39.6	31.8	0	126	107	0	34	33	32
2025	5	17	2	25	24	24.9	-2	1.05	0.4	0.3	0	39.1	31.4	0	125	106	0	34	33	33
2025	5	17	2	35	24	24.1	-1.4	1.051	0.5	0.5	0	40	32.3	0	126	107	0	33	32	33
2025	5	17	2	45	24	23.3	-2.3	1.052	0.3	0.2	0	40	31.8	0	126	107	0	33	33	33
2025	5	17	2	55	24	22.6	-1.5	1.05	0.4	0.3	0	39.6	32.3	0	126	108	0	34	33	33
2025	5	17	3	5	24	23.7	-2.4	1.051	0.4	0.3	0	38.7	31.8	0	124	107	0	34	33	34
2025	5	17	3	15	24	23.5	-2.9	1.051	0.4	0.3	0	40.4	32.3	0	128	107	0	34	32	33
2025	5	17	3	25	24	23.4	-2.5	1.052	0.4	0.3	0	40.4	31.4	0	128	106	0	34	33	33
2025	5	17	3	35	24	24.5	-3.3	1.052	0.4	0.3	0	40.9	31.4	0	128	106	0	33	33	33
2025	5	17	3	45	24	24.2	-2.6	1.053	0.5	0.4	0	40.9	31.8	0	128	106	0	33	32	32
2025	5	17	3	55	24	23.3	-2.4	1.052	0.4	0.3	0	39.1	32.3	0	125	107	0	34	32	33
2025	5	17	4	5	24	24.6	-2.2	1.052	0.4	0.3	0	39.1	31.4	0	125	106	0	34	33	34
2025	5	17	4	15	24	24.1	-2.3	1.052	0.5	0.4	0	48.6	31.8	0	147	106	0	34	32	32
2025	5	17	4	25	24	21.5	-1.8	1.052	0.3	0.2	0	47.7	32.3	0	145	107	0	34	32	33
2025	5	17	4	35	24	22.6	-2.5	1.052	0.4	0.3	0	47.7	32.7	0	144	107	0	33	31	33
2025	5	17	4	45	24	23.1	-2.4	1.053	0.5	0.4	0	47.7	32.3	0	145	107	0	34	32	34
2025	5	17	4	55	24	22.1	-2.7	1.053	0.5	0.4	0	47.7	32.7	0	145	108	0	34	32	33
2025	5	17	5	5	24	23.3	-2.3	1.052	0.4	0.3	0	47.3	32.3	0	144	107	0	34	32	32
2025	5	17	5	15	24	23.8	-2.2	1.052	0.5	0.4	0	47.3	32.3	0	144	107	0	34	32	34
2025	5	17	5	25	24	23.1	-2.8	1.051	0.5	0.4	0	46.9	32.3	0	143	107	0	34	32	33
2025	5	17	5	35	24	23.2	-3	1.052	0.4	0.3	0	46.9	32.3	0	143	107	0	34	32	33
2025	5	17	5	45	24	24.5	-2.1	1.052	0.4	0.3	0	47.3	31.8	0	143	106	0	33	32	33
2025	5	17	5	55	24	21.8	-2.3	1.053	0.5	0.4	0	47.7	32.3	0	144	107	0	33	32	32
2025	5	17	6	5	24	22.5	-2.1	1.053	0.5	0.4	0	47.7	32.3	0	144	107	0	33	32	32
2025	5	17	6	15	24	23.7	-2.3	1.053	0.4	0.3	0	47.3	31.8	0	143	106	0	33	32	33
2025	5	17	6	25	24	23.8	-1.9	1.053	0.4	0.3	0	46.9	32.3	0	143	107	0	34	32	33
2025	5	17	6	35	24	23	-1.8	1.053	0.4	0.3	0	46.9	31.8	0	143	106	0	34	32	33
2025	5	17	6	45	24	22.9	-1.9	1.053	0.4	0.3	0	46.4	31.8	0	142	106	0	34	32	33
2025	5	17	6	55	24	24.1	-0.5	1.053	0.5	0.4	0	47.3	31.8	0	142	106	0	32	32	33
2025	5	17	7	5	24	22.8	-2.4	1.053	0.5	0.4	0	46.9	31.8	0	142	106	0	33	32	33
2025	5	17	7	15	24	24.7	-3.1	1.053	0.4	0.3	0	46.4	31.8	0	142	106	0	34	32	33
2025	5	17	7	25	24	23.4	-1	1.053	0.4	0.3	0	46.4	32.3	0	142	107	0	34	32	33
2025	5	17	7	35	24	23.4	-1.9	1.053	0.4	0.3	0	46	31.8	0	141	106	0	34	32	33
2025	5	17	7	45	24	23.5	-1.8	1.052	0.3	0.2	0	46.4	31.4	0	142	106	0	34	33	33
2025	5	17	7	55	24	24.4	-3	1.053	0.4	0.3	0	46.4	31.8	0	141	106	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	17	8	5	24	23.5	-2.6	1.053	0.5	0.4	0	46.9	31.8	0	142	106	0	33	32	34
2025	5	17	8	15	24	23.1	-2.8	1.053	0.5	0.4	0	46	31.4	0	140	105	0	33	32	32
2025	5	17	8	25	24	23	-1	1.053	0.4	0.3	0	45.6	31.8	0	140	106	0	34	32	33
2025	5	17	8	35	24	25	-2.6	1.053	0.4	0.3	0	45.6	31.8	0	140	106	0	34	32	33
2025	5	17	8	45	24	22.4	-1.6	1.053	0.5	0.5	0	46.4	31.4	0	141	106	0	33	33	33
2025	5	17	8	55	24	22.1	-1.4	1.053	0.5	0.5	0	46	31.8	0	141	106	0	34	32	33
2025	5	17	9	5	24	23.3	-1.7	1.053	0.4	0.3	0	46	31	0	140	105	0	33	33	33
2025	5	17	9	15	24	23.3	-0.9	1.054	0.4	0.3	0	46	31.8	0	140	106	0	33	32	33
2025	5	17	9	25	24	24.4	-1.7	1.053	0.3	0.2	0	46	31.4	0	140	106	0	33	33	33
2025	5	17	9	35	24	24.4	-2.4	1.053	0.3	0.2	0	46	31.8	0	140	106	0	33	32	33
2025	5	17	9	45	24	23.6	-2.5	1.052	0.5	0.4	0	45.6	31.8	0	140	106	0	34	32	32
2025	5	17	9	55	24	24.2	-2.6	1.051	0.3	0.2	0	45.6	31.8	0	140	106	0	34	32	33
2025	5	17	10	5	24	23	-2.6	1.051	0.4	0.3	0	45.6	32.3	0	140	107	0	34	32	33
2025	5	17	10	15	24	23.5	-2.9	1.051	0.5	0.4	0	46	31.8	0	140	106	0	33	32	33
2025	5	17	10	25	24	23.5	-2.8	1.051	0.4	0.3	0	46	32.3	0	140	107	0	33	32	33
2025	5	17	10	35	24	22.2	-1.6	1.051	0.4	0.3	0	46	32.7	0	140	107	0	33	31	33
2025	5	17	10	45	24	22.6	-2.3	1.051	0.4	0.3	0	45.6	32.7	0	140	108	0	34	32	33
2025	5	17	10	55	24	23.1	-2.6	1.051	0.4	0.3	0	46	32.7	0	140	108	0	33	32	33
2025	5	17	11	5	24	23.6	-2.9	1.051	0.5	0.4	0	45.2	31.4	0	138	106	0	33	33	33
2025	5	17	11	15	24	23.6	-3.2	1.051	0.4	0.3	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	17	11	25	24	24.1	-2.4	1.051	0.5	0.4	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	17	11	35	24	23.7	-1.9	1.051	0.5	0.4	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	17	11	45	24	22.8	-2.5	1.051	0.4	0.3	0	45.6	32.7	0	139	108	0	33	32	33
2025	5	17	11	55	24	22.8	-1	1.051	0.4	0.3	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	17	12	5	24	25.1	-2.4	1.051	0.4	0.3	0	45.2	32.3	0	138	107	0	33	32	32
2025	5	17	12	15	24	23.7	-1.7	1.052	0.4	0.3	0	45.2	32.3	0	138	107	0	33	32	33
2025	5	17	12	25	24	23.4	-2.1	1.051	0.3	0.2	0	44.3	32.3	0	137	106	0	34	31	32
2025	5	17	12	35	24	23.8	-1.8	1.051	0.4	0.3	0	44.7	31.8	0	137	106	0	33	32	32
2025	5	17	12	45	24	25	-1.7	1.051	0.4	0.3	0	44.3	31.8	0	137	106	0	34	32	33
2025	5	17	12	55	24	23.5	-0.9	1.051	0.4	0.3	0	45.2	32.7	0	138	108	0	33	32	33
2025	5	17	13	5	24	23.1	-1.6	1.05	0.5	0.4	0	46	33.5	0	140	110	0	33	32	33
2025	5	17	13	15	24	22.9	-1.2	1.05	0.5	0.4	0	46	34.4	0	140	111	0	33	31	33
2025	5	17	13	25	24	24.6	-1.8	1.05	0.4	0.3	0	44.7	32.7	0	137	108	0	33	32	32
2025	5	17	13	35	24	24.3	-2.9	1.05	0.5	0.4	0	44.7	32.7	0	137	108	0	33	32	32
2025	5	17	13	45	24	23.3	-2.4	1.05	0.5	0.5	0	44.3	33.1	0	137	109	0	34	32	33
2025	5	17	13	55	24	22.7	-1.9	1.05	0.4	0.3	0	45.2	33.5	0	138	109	0	33	31	32
2025	5	17	14	5	24	22.5	-1.4	1.05	0.5	0.5	0	45.2	33.5	0	138	109	0	33	31	32
2025	5	17	14	15	24	23.8	-1.6	1.05	0.4	0.3	0	44.7	33.1	0	137	109	0	33	32	32
2025	5	17	14	25	24	23.3	-1.8	1.05	0.5	0.4	0	43.9	32.3	0	136	108	0	34	33	32
2025	5	17	14	35	24	24.9	-2.4	1.05	0.5	0.4	0	43.9	33.5	0	136	109	0	34	31	33
2025	5	17	14	45	24	23.3	-1.8	1.049	0.4	0.3	0	44.3	31.8	0	136	106	0	33	32	33
2025	5	17	14	55	24	22.7	-1.5	1.05	0.5	0.4	0	44.3	33.1	0	136	109	0	33	32	33
2025	5	17	15	5	24	24.2	-1.5	1.049	0.5	0.4	0	44.3	33.5	0	136	109	0	33	31	33
2025	5	17	15	15	24	22.8	-0.3	1.049	0.4	0.3	0	44.3	33.1	0	136	109	0	33	32	33
2025	5	17	15	25	24	22.9	-0.9	1.05	0.4	0.3	0	43.9	33.1	0	135	108	0	33	31	32
2025	5	17	15	35	24	23.5	-1	1.048	0.4	0.3	0	43.9	33.1	0	135	108	0	33	31	33
2025	5	17	15	45	24	24.4	-1.9	1.049	0.5	0.4	0	43.9	32.7	0	135	108	0	33	32	33
2025	5	17	15	55	24	23.2	-1.5	1.049	0.5	0.5	0	43.4	33.1	0	134	108	0	33	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	17	16	5	24	23.2	-2.2	1.049	0.5	0.4	0	43.4	33.1	0	134	108	0	33	31	32	
2025	5	17	16	15	24	24.4	-1.2	1.048	0.4	0.3	0	43.4	32.7	0	134	108	0	33	32	33	
2025	5	17	16	25	24	24.3	-1.6	1.048	0.4	0.3	0	43.4	32.7	0	134	108	0	33	32	33	
2025	5	17	16	35	24	23	-1.6	1.049	0.4	0.3	0	43.4	33.1	0	134	108	0	33	31	33	
2025	5	17	16	45	24	23.7	-1.9	1.049	0.4	0.3	0	43.9	32.7	0	134	108	0	32	32	32	
2025	5	17	16	55	24	23.4	-1.9	1.049	0.3	0.2	0	43	32.7	0	133	107	0	33	31	33	
2025	5	17	17	5	24	23.7	-2	1.049	0.5	0.4	0	43	32.3	0	133	107	0	33	32	32	
2025	5	17	17	15	24	24	-1.3	1.049	0.4	0.3	0	43	32.7	0	133	107	0	33	31	32	
2025	5	17	17	25	24	24.2	-2.5	1.048	0.5	0.5	0	42.1	31.8	0	131	105	0	33	31	33	
2025	5	17	17	35	24	22.4	-1.9	1.047	0.5	0.4	0	42.1	31.8	0	131	106	0	33	32	33	
2025	5	17	17	45	24	22.9	-3.1	1.048	0.4	0.3	0	42.6	32.3	0	132	106	0	33	31	32	
2025	5	17	17	55	24	23.8	-1.3	1.047	0.3	0.2	0	42.1	31.4	0	131	105	0	33	32	33	
2025	5	17	18	5	24	22.8	-2.3	1.047	0.4	0.3	0	42.1	31.8	0	131	105	0	33	31	33	
2025	5	17	18	15	24	23.5	-2.4	1.047	0.4	0.3	0	41.7	31.8	0	130	105	0	33	31	33	
2025	5	17	18	25	24	24.8	-2.4	1.047	0.5	0.4	0	41.7	31.4	0	130	105	0	33	32	32	
2025	5	17	18	35	24	23.4	-2.4	1.047	0.4	0.3	0	42.1	31.4	0	131	105	0	33	32	32	
2025	5	17	18	45	24	23.4	-0.8	1.047	0.4	0.3	0	42.1	31.4	0	131	105	0	33	32	32	
2025	5	17	18	55	24	22.4	-2.4	1.047	0.4	0.3	0	41.7	31.4	0	130	105	0	33	32	33	
2025	5	17	19	5	24	23.3	-1.5	1.047	0.3	0.2	0	42.1	32.3	0	131	106	0	33	31	33	
2025	5	17	19	15	24	25	-2.4	1.047	0.3	0.2	0	41.7	31.4	0	130	105	0	33	32	33	
2025	5	17	19	25	24	24	-2	1.047	0.4	0.3	0	41.7	31.4	0	130	105	0	33	32	32	
2025	5	17	19	35	24	23.6	-2.4	1.048	0.4	0.3	0	42.1	31.8	0	131	106	0	33	32	33	
2025	5	17	19	45	24	22.9	-1.4	1.047	0.5	0.5	0	42.1	31.8	0	131	106	0	33	32	32	
2025	5	17	19	55	24	23.4	-1.9	1.047	0.4	0.3	0	42.1	32.7	0	131	107	0	33	31	33	
2025	5	17	20	5	24	24	-2	1.047	0.5	0.4	0	41.7	32.7	0	131	107	0	34	31	32	
2025	5	17	20	15	24	22.9	-1.1	1.047	0.3	0.2	0	42.6	32.3	0	132	107	0	33	32	32	
2025	5	17	20	25	24	23.2	-1.4	1.047	0.4	0.3	0	41.7	31.8	0	130	107	0	33	33	32	
2025	5	17	20	35	24	24	-1.4	1.047	0.5	0.5	0	42.1	32.3	0	131	108	0	33	33	33	
2025	5	17	20	45	24	22.7	-1.1	1.047	0.5	0.5	0	42.6	33.1	0	132	109	0	33	32	32	
2025	5	17	20	55	24	24.7	-2.3	1.047	0.5	0.4	0	42.1	32.7	0	131	108	0	33	32	32	
2025	5	17	21	5	24	23.6	-2.5	1.047	0.5	0.4	0	41.7	32.7	0	131	108	0	34	32	33	
2025	5	17	21	15	24	23.9	-2.4	1.047	0.5	0.4	0	41.7	32.3	0	130	107	0	33	32	33	
2025	5	17	21	25	24	22.4	-1.3	1.048	0.3	0.2	0	41.7	32.7	0	130	108	0	33	32	32	
2025	5	17	21	35	24	21.8	-2	1.048	0.4	0.3	0	41.3	32.3	0	129	107	0	33	32	33	
2025	5	17	21	45	24	23.9	-1.6	1.047	0.5	0.4	0	42.1	31.8	0	131	107	0	33	33	33	
2025	5	17	21	55	24	24.1	-2.3	1.046	0.3	0.2	0	42.1	32.3	0	131	107	0	33	32	32	
2025	5	17	22	5	24	23.1	-1.4	1.046	0.4	0.3	0	41.7	31.8	0	130	107	0	33	33	33	
2025	5	17	22	15	24	23	-1.5	1.046	0.4	0.3	0	42.1	33.1	0	131	108	0	33	31	33	
2025	5	17	22	25	24	23.6	-2.5	1.046	0.5	0.4	0	42.1	33.1	0	131	108	0	33	31	33	
2025	5	17	22	35	24	22.2	-1.8	1.046	0.4	0.3	0	41.7	32.3	0	130	107	0	33	32	33	
2025	5	17	22	45	24	24.5	-1.9	1.046	0.4	0.3	0	41.3	32.3	0	129	107	0	33	32	33	
2025	5	17	22	55	24	22.3	-2.2	1.046	0.4	0.3	0	40.4	32.3	0	128	107	0	34	32	33	
2025	5	17	23	5	24	22.9	-1.7	1.046	0.4	0.3	0	41.3	31.8	0	129	107	0	33	33	32	
2025	5	17	23	15	24	23.8	-1.4	1.046	0.5	0.4	0	40.9	32.3	0	129	107	0	34	32	33	
2025	5	17	23	25	24	22.4	-1.3	1.046	0.4	0.3	0	41.7	32.3	0	130	107	0	33	32	33	
2025	5	17	23	35	24	23.2	-1.3	1.046	0.4	0.3	0	41.3	32.3	0	130	107	0	34	32	33	
2025	5	17	23	45	24	23.2	-2.3	1.046	0.5	0.4	0	40.9	31.8	0	129	107	0	34	33	33	
2025	5	17	23	55	24	23.8	-1.6	1.047	0.4	0.3	0	40.9	31.8	0	129	106	0	34	32	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	18	0	5	24	23.8	-1.9	1.047	0.5	0.4	0	40	31.8	0	127	106	0	34	32	33
2025	5	18	0	15	24	24.5	-2.8	1.047	0.5	0.4	0	40.4	31.4	0	127	106	0	33	33	33
2025	5	18	0	25	24	22.4	0	1.047	0.5	0.5	0	40	31.8	0	127	107	0	34	33	33
2025	5	18	0	35	24	23.2	-2.6	1.047	0.5	0.4	0	39.1	31.8	0	125	106	0	34	32	33
2025	5	18	0	45	24	22.1	-2.7	1.047	0.5	0.4	0	39.6	31.8	0	126	107	0	34	33	32
2025	5	18	0	55	24	22.6	-1.4	1.047	0.3	0.2	0	39.6	32.7	0	126	108	0	34	32	33
2025	5	18	1	5	24	22.9	-2	1.047	0.3	0.2	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	18	1	15	24	23.9	-2	1.047	0.4	0.3	0	39.6	31.8	0	126	106	0	34	32	33
2025	5	18	1	25	24	23.7	-2.2	1.047	0.4	0.3	0	39.1	31.8	0	125	106	0	34	32	33
2025	5	18	1	35	24	24.1	-4	1.047	0.3	0.2	0	39.6	31.8	0	125	106	0	33	32	33
2025	5	18	1	45	24	24.3	-2.8	1.046	0.5	0.4	0	38.7	31.4	0	124	106	0	34	33	34
2025	5	18	1	55	24	23.7	-3.2	1.046	0.4	0.3	0	39.6	31.8	0	125	107	0	33	33	33
2025	5	18	2	5	24	24.2	-1.8	1.046	0.5	0.5	0	39.1	32.3	0	125	107	0	34	32	33
2025	5	18	2	15	24	22.8	-2.1	1.046	0.4	0.3	0	39.1	32.3	0	124	107	0	33	32	33
2025	5	18	2	25	24	24.1	-2.9	1.046	0.4	0.3	0	38.7	32.3	0	124	107	0	34	32	33
2025	5	18	2	35	24	23.5	-3.3	1.046	0.4	0.3	0	38.7	31.8	0	123	106	0	33	32	33
2025	5	18	2	45	24	23	-2.4	1.046	0.5	0.4	0	43	32.3	0	133	107	0	33	32	33
2025	5	18	2	55	24	23.2	-3.1	1.047	0.4	0.3	0	42.6	32.3	0	132	107	0	33	32	33
2025	5	18	3	5	24	22.8	-2.8	1.046	0.5	0.4	0	42.6	31.8	0	132	106	0	33	32	33
2025	5	18	3	15	24	24.5	-2.3	1.046	0.3	0.2	0	41.7	31.8	0	131	106	0	34	32	33
2025	5	18	3	25	24	22.8	-1.4	1.046	0.4	0.3	0	42.1	32.3	0	131	107	0	33	32	32
2025	5	18	3	35	24	24	-2.8	1.046	0.5	0.4	0	41.3	31.4	0	130	105	0	34	32	33
2025	5	18	3	45	24	23.8	-1.8	1.046	0.5	0.4	0	42.1	31.8	0	131	106	0	33	32	33
2025	5	18	3	55	24	24.1	-2.3	1.046	0.4	0.3	0	41.3	31.8	0	129	106	0	33	32	33
2025	5	18	4	5	24	23.6	-3.7	1.046	0.5	0.5	0	40.4	31.4	0	128	106	0	34	33	33
2025	5	18	4	15	24	22.8	-2.6	1.047	0.4	0.3	0	39.6	31.8	0	126	106	0	34	32	34
2025	5	18	4	25	24	23.3	-1.9	1.047	0.4	0.3	0	39.1	31.8	0	125	106	0	34	32	33
2025	5	18	4	35	24	23.9	-2.2	1.047	0.5	0.4	0	38.7	31.8	0	123	106	0	33	32	33
2025	5	18	4	45	24	24.6	-3	1.046	0.5	0.4	0	38.3	31.8	0	123	106	0	34	32	32
2025	5	18	4	55	24	22.9	-3.5	1.046	0.5	0.4	0	37.8	32.3	0	122	107	0	34	32	33
2025	5	18	5	5	24	23.6	-2	1.046	0.5	0.4	0	37.8	32.7	0	122	107	0	34	31	33
2025	5	18	5	15	24	23.3	-2.8	1.046	0.5	0.5	0	38.3	32.3	0	122	107	0	33	32	33
2025	5	18	5	25	24	23.3	-2.1	1.046	0.3	0.2	0	37.8	32.3	0	121	107	0	33	32	33
2025	5	18	5	35	24	23.5	-2.3	1.046	0.4	0.3	0	37.4	31.8	0	121	107	0	34	33	33
2025	5	18	5	45	24	23.7	-3.3	1.046	0.4	0.3	0	36.1	32.3	0	118	107	0	34	32	32
2025	5	18	5	55	24	23.8	-2.9	1.046	0.5	0.4	0	36.1	31.8	0	118	106	0	34	32	33
2025	5	18	6	5	24	22.6	-3.5	1.046	0.4	0.3	0	36.5	32.3	0	118	107	0	33	32	33
2025	5	18	6	15	24	23.8	-1.9	1.047	0.4	0.3	0	35.7	31.8	0	117	106	0	34	32	32
2025	5	18	6	25	24	23.3	-2.9	1.046	0.5	0.4	0	35.3	31.8	0	116	106	0	34	32	34
2025	5	18	6	35	24	22.7	-3.2	1.046	0.4	0.3	0	35.7	31.8	0	116	106	0	33	32	33
2025	5	18	6	45	24	21.9	-2.2	1.046	0.4	0.3	0	35.7	31.8	0	116	106	0	33	32	32
2025	5	18	6	55	24	23.1	-2.2	1.047	0.4	0.3	0	35.3	31.4	0	116	105	0	34	32	33
2025	5	18	7	5	24	23.7	-1.6	1.046	0.4	0.3	0	35.3	31.4	0	116	105	0	34	32	33
2025	5	18	7	15	24	23	-2.1	1.047	0.5	0.4	0	43	29.2	0	134	100	0	34	32	33
2025	5	18	7	25	24	23.8	-2.9	1.047	0.5	0.4	0	42.6	28	0	133	97	0	34	32	33
2025	5	18	7	35	24	23.6	-2.3	1.046	0.5	0.5	0	43.4	30.5	0	134	102	0	33	31	33
2025	5	18	7	45	24	22.9	-2	1.046	0.3	0.2	0	46	32.3	0	140	107	0	33	32	34
2025	5	18	7	55	24	23.3	-2.4	1.046	0.5	0.5	0	46	31.8	0	140	107	0	33	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	18	8	5	24	22.3	-1.6	1.046	0.4	0.3	0	46.4	32.3	0	141	107	0	33	32	33
2025	5	18	8	15	24	24.5	-2.3	1.046	0.5	0.4	0	46.4	32.7	0	141	108	0	33	32	33
2025	5	18	8	25	24	25.1	-3.2	1.046	0.5	0.4	0	46.9	33.1	0	142	108	0	33	31	32
2025	5	18	8	35	24	22.8	-1.8	1.046	0.5	0.4	0	46.9	33.1	0	142	109	0	33	32	33
2025	5	18	8	45	24	23.3	-1.9	1.046	0.5	0.4	0	46.4	33.1	0	142	109	0	34	32	33
2025	5	18	8	55	24	22.5	-1.1	1.046	0.5	0.4	0	46.4	33.1	0	142	109	0	34	32	33
2025	5	18	9	5	24	23.8	-2.3	1.046	0.5	0.4	0	46	33.5	0	141	109	0	34	31	33
2025	5	18	9	15	24	24.1	-1.8	1.046	0.3	0.2	0	46.4	33.1	0	141	109	0	33	32	33
2025	5	18	9	25	24	23.1	-2	1.046	0.4	0.3	0	46	33.1	0	141	109	0	34	32	33
2025	5	18	9	35	24	23.7	-2.9	1.046	0.5	0.4	0	45.6	33.1	0	140	108	0	34	31	33
2025	5	18	9	45	24	24.2	-2.3	1.046	0.3	0.2	0	45.6	32.7	0	140	108	0	34	32	33
2025	5	18	9	55	24	22.9	-1.5	1.046	0.5	0.4	0	45.6	32.7	0	140	108	0	34	32	33
2025	5	18	10	5	24	24.9	-2	1.046	0.5	0.4	0	46	32.3	0	140	107	0	33	32	33
2025	5	18	10	15	24	22.5	-2.8	1.045	0.4	0.3	0	46	33.1	0	140	109	0	33	32	33
2025	5	18	10	25	24	22.9	-2.2	1.046	0.4	0.3	0	45.2	32.7	0	139	108	0	34	32	33
2025	5	18	10	35	24	22.8	-1.4	1.046	0.5	0.5	0	45.2	32.3	0	139	107	0	34	32	32
2025	5	18	10	45	24	23.9	-2.2	1.046	0.5	0.5	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	18	10	55	24	22.9	-2.2	1.046	0.4	0.3	0	45.6	32.3	0	139	107	0	33	32	33
2025	5	18	11	5	24	21.9	-0.8	1.047	0.4	0.3	0	45.6	33.1	0	139	108	0	33	31	33
2025	5	18	11	15	24	23.3	-2.7	1.047	0.4	0.3	0	43.4	32.7	0	135	107	0	34	31	32
2025	5	18	11	25	24	22.8	-2.9	1.046	0.4	0.3	0	43.4	31.4	0	134	106	0	33	33	33
2025	5	18	11	35	24	22.2	-3.3	1.047	0.4	0.3	0	43.4	32.3	0	134	107	0	33	32	33
2025	5	18	11	45	24	22.9	-2.2	1.045	0.4	0.3	0	43.9	32.3	0	135	107	0	33	32	34
2025	5	18	11	55	24	24.1	-3.5	1.046	0.5	0.4	0	42.6	31	0	132	105	0	33	33	33
2025	5	18	12	5	24	23.6	-1.9	1.046	0.5	0.5	0	42.6	31.4	0	132	106	0	33	33	33
2025	5	18	12	15	24	23.4	-1.4	1.046	0.5	0.5	0	42.6	31.8	0	132	106	0	33	32	33
2025	5	18	12	25	24	22.4	-2.6	1.046	0.3	0.2	0	42.6	31.8	0	132	106	0	33	32	33
2025	5	18	12	35	24	22.5	-1	1.046	0.5	0.5	0	42.1	31.4	0	132	106	0	34	33	33
2025	5	18	12	45	24	24	-3.8	1.046	0.4	0.3	0	42.1	31.4	0	131	106	0	33	33	33
2025	5	18	12	55	24	23.6	-1.9	1.047	0.4	0.3	0	42.6	31.8	0	132	106	0	33	32	32
2025	5	18	13	5	24	23.6	-3.2	1.046	0.4	0.3	0	42.1	31.8	0	132	106	0	34	32	33
2025	5	18	13	15	24	23.8	-2.2	1.046	0.5	0.4	0	42.6	31.8	0	132	106	0	33	32	32
2025	5	18	13	25	24	23.8	-2.5	1.046	0.5	0.4	0	42.6	32.7	0	132	107	0	33	31	32
2025	5	18	13	35	24	22.6	-2.1	1.046	0.4	0.3	0	42.1	32.3	0	131	106	0	33	31	32
2025	5	18	13	45	24	23.6	-2.3	1.046	0.5	0.4	0	42.6	32.3	0	132	107	0	33	32	33
2025	5	18	13	55	24	22.6	-2.3	1.046	0.5	0.4	0	42.6	31.8	0	132	106	0	33	32	33
2025	5	18	14	5	24	24	-3	1.046	0.5	0.4	0	43	32.3	0	132	107	0	32	32	33
2025	5	18	14	15	24	23.6	-2.3	1.046	0.5	0.5	0	42.1	31.8	0	131	106	0	33	32	32
2025	5	18	14	25	24	24.1	-2.9	1.046	0.5	0.5	0	42.1	31.4	0	131	105	0	33	32	32
2025	5	18	14	35	24	23.6	-2.3	1.046	0.5	0.4	0	42.1	32.3	0	131	106	0	33	31	33
2025	5	18	14	45	24	24.6	-2.4	1.046	0.5	0.5	0	41.7	31.8	0	131	106	0	34	32	33
2025	5	18	14	55	24	24	-2.7	1.046	0.4	0.3	0	42.1	31.8	0	131	106	0	33	32	33
2025	5	18	15	5	24	22.9	-2.9	1.046	0.5	0.5	0	42.6	32.3	0	132	107	0	33	32	32
2025	5	18	15	15	24	22.7	-2.9	1.046	0.4	0.3	0	41.3	34.8	0	130	112	0	34	31	33
2025	5	18	15	25	24	22.7	-3.3	1.044	0.4	0.3	0	41.3	40.9	0	129	128	0	33	33	33
2025	5	18	15	35	24	23.7	-2.5	1.044	0.4	0.3	0	41.3	41.7	0	129	128	0	33	31	32
2025	5	18	15	45	24	24.5	-2.7	1.044	0.4	0.3	0	42.1	40.9	0	131	127	0	33	32	33
2025	5	18	15	55	24	21.9	-2.4	1.044	0.4	0.3	0	42.1	41.3	0	131	128	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	18	16	5	24	24	-3.5	1.044	0.4	0.3	0	42.6	40.9	0	132	127	0	33	32	32
2025	5	18	16	15	24	23.2	-2.9	1.044	0.3	0.2	0	43	41.3	0	133	128	0	33	32	33
2025	5	18	16	25	24	23	-2.7	1.043	0.6	0.5	0	41.7	41.3	0	131	127	0	34	31	32
2025	5	18	16	35	24	23.9	-2.9	1.043	0.4	0.3	0	42.6	41.3	0	132	127	0	33	31	32
2025	5	18	16	45	24	23.6	-3	1.042	0.4	0.3	0	43	40.9	0	132	127	0	32	32	33
2025	5	18	16	55	24	24.8	-2.2	1.042	0.5	0.5	0	42.1	40.9	0	131	127	0	33	32	32
2025	5	18	17	5	24	23.9	-2.6	1.043	0.3	0.2	0	41.7	40.4	0	130	126	0	33	32	32
2025	5	18	17	15	24	23.5	-2	1.042	0.3	0.2	0	42.1	40.4	0	131	126	0	33	32	33
2025	5	18	17	25	24	22.9	-2.4	1.042	0.4	0.3	0	41.7	40	0	130	125	0	33	32	33
2025	5	18	17	35	24	23	-2.4	1.042	0.4	0.3	0	41.7	40.4	0	130	126	0	33	32	33
2025	5	18	17	45	24	24.3	-3.5	1.04	0.5	0.4	0	41.3	40.4	0	129	125	0	33	31	32
2025	5	18	17	55	24	24	-3.3	1.041	0.5	0.4	0	41.7	40.4	0	130	125	0	33	31	32
2025	5	18	18	5	24	22.7	-1.5	1.041	0.4	0.3	0	41.3	40	0	129	125	0	33	32	33
2025	5	18	18	15	24	23.5	-1.9	1.041	0.5	0.5	0	41.3	40.4	0	130	125	0	34	31	32
2025	5	18	18	25	24	22.8	-1.4	1.04	0.5	0.4	0	41.7	40	0	131	125	0	34	32	33
2025	5	18	18	35	24	22.2	-2.3	1.04	0.5	0.4	0	41.7	40	0	130	125	0	33	32	32
2025	5	18	18	45	24	22.7	-3.6	1.04	0.5	0.4	0	42.1	40	0	131	125	0	33	32	33
2025	5	18	18	55	24	23.5	-1.2	1.041	0.5	0.4	0	41.7	40.4	0	130	125	0	33	31	32
2025	5	18	19	5	24	22.8	-3.2	1.04	0.5	0.5	0	41.3	39.6	0	130	124	0	34	32	32
2025	5	18	19	15	24	22.2	-3.1	1.041	0.5	0.5	0	41.3	40	0	130	125	0	34	32	33
2025	5	18	19	25	24	23.5	-2.4	1.041	0.5	0.4	0	41.7	40	0	130	125	0	33	32	33
2025	5	18	19	35	24	23.4	-2.1	1.04	0.3	0.2	0	42.1	40.9	0	132	127	0	34	32	33
2025	5	18	19	45	24	23.3	-2.9	1.041	0.5	0.4	0	41.7	40	0	131	125	0	34	32	32
2025	5	18	19	55	24	22.8	-2.5	1.041	0.4	0.3	0	42.6	40.9	0	132	127	0	33	32	33
2025	5	18	20	5	24	23.6	-2.5	1.041	0.3	0.2	0	41.7	40.4	0	131	126	0	34	32	33
2025	5	18	20	15	24	23.9	-3.3	1.041	0.4	0.3	0	42.6	40.9	0	132	127	0	33	32	33
2025	5	18	20	25	24	23.4	-1	1.041	0.4	0.3	0	42.1	41.3	0	132	127	0	34	31	33
2025	5	18	20	35	24	22.9	-2.6	1.041	0.5	0.4	0	43	41.3	0	133	128	0	33	32	33
2025	5	18	20	45	24	22.9	-2.3	1.042	0.3	0.2	0	43.9	40.4	0	135	125	0	33	31	33
2025	5	18	20	55	24	23.2	-1.8	1.042	0.4	0.3	0	43.9	41.3	0	136	128	0	34	32	32
2025	5	18	21	5	24	24	-1.8	1.042	0.5	0.4	0	44.7	41.3	0	137	128	0	33	32	32
2025	5	18	21	15	24	23.8	-2.3	1.042	0.5	0.5	0	44.3	40.9	0	136	127	0	33	32	33
2025	5	18	21	25	24	23.8	-2.2	1.043	0.5	0.4	0	44.3	41.3	0	136	127	0	33	31	33
2025	5	18	21	35	24	23	-1.4	1.042	0.4	0.3	0	43.9	40.9	0	136	127	0	34	32	33
2025	5	18	21	45	24	23.6	-2.2	1.042	0.4	0.3	0	43.9	41.3	0	136	127	0	34	31	33
2025	5	18	21	55	24	22.9	-2.2	1.042	0.5	0.4	0	44.3	41.3	0	136	128	0	33	32	33
2025	5	18	22	5	24	23.2	-2.5	1.042	0.3	0.2	0	43.9	40.4	0	136	127	0	34	33	33
2025	5	18	22	15	24	23.7	-1.6	1.042	0.5	0.4	0	44.3	40.9	0	136	127	0	33	32	33
2025	5	18	22	25	24	23.7	-2.5	1.042	0.3	0.2	0	43.9	40.9	0	136	127	0	34	32	33
2025	5	18	22	35	24	23.9	-3.2	1.042	0.4	0.3	0	43.4	40.9	0	135	126	0	34	31	33
2025	5	18	22	45	24	23.2	-1.4	1.042	0.4	0.3	0	43.4	39.6	0	135	125	0	34	33	33
2025	5	18	22	55	24	24.1	-1.2	1.042	0.5	0.4	0	43.9	40	0	136	125	0	34	32	33
2025	5	18	23	5	24	20.3	-0.5	1.043	0.4	0.3	0	43.4	23.6	0	134	87	0	33	32	33
2025	5	18	23	15	24	24.1	-2.3	1.042	0.5	0.4	0	44.7	43.4	0	137	133	0	33	32	33
2025	5	18	23	25	24	23.9	-2.3	1.042	0.5	0.4	0	44.7	43.9	0	137	133	0	33	31	33
2025	5	18	23	35	24	23.7	-1.4	1.042	0.3	0.2	0	44.3	43.4	0	137	133	0	34	32	33
2025	5	18	23	45	24	24.4	-3.2	1.042	0.3	0.2	0	40.9	43.4	0	129	133	0	34	32	34
2025	5	18	23	55	24	24	-2.8	1.042	0.5	0.4	0	42.1	43.4	0	132	134	0	34	33	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	19	0	5	24	23.3	-2.6	1.042	0.6	0.5	0	43.4	43.4	0	134	133	0	33	32	33
2025	5	19	0	15	24	22.9	-2.7	1.042	0.4	0.3	0	43.9	43.9	0	136	134	0	34	32	33
2025	5	19	0	25	24	23.6	-3.2	1.042	0.4	0.3	0	44.3	43.9	0	136	134	0	33	32	33
2025	5	19	0	35	24	24.3	-2.1	1.041	0.5	0.5	0	44.3	43.9	0	136	134	0	33	32	33
2025	5	19	0	45	24	23.3	-2.1	1.041	0.4	0.3	0	44.7	43.9	0	137	134	0	33	32	33
2025	5	19	0	55	24	25.2	-2.8	1.042	0.4	0.3	0	44.3	43.9	0	137	134	0	34	32	33
2025	5	19	1	5	24	24.4	-2	1.042	0.5	0.4	0	44.3	43.9	0	137	134	0	34	32	33
2025	5	19	1	15	24	23.5	-2.2	1.042	0.5	0.4	0	44.3	43.9	0	136	134	0	33	32	33
2025	5	19	1	25	24	23.9	-2.3	1.042	0.5	0.5	0	43.9	43.9	0	136	133	0	34	31	34
2025	5	19	1	35	24	23.9	-1.4	1.042	0.4	0.3	0	44.7	43.9	0	138	134	0	34	32	33
2025	5	19	1	45	24	23.9	-1.8	1.042	0.5	0.4	0	43.9	43.4	0	136	133	0	34	32	33
2025	5	19	1	55	24	22.9	-2.7	1.041	0.5	0.4	0	43.9	43.4	0	136	134	0	34	33	33
2025	5	19	2	5	24	23.2	-2.5	1.041	0.4	0.3	0	44.3	43.9	0	136	134	0	33	32	34
2025	5	19	2	15	24	23.5	-1.4	1.041	0.4	0.3	0	44.3	43.4	0	137	133	0	34	32	33
2025	5	19	2	25	24	23	-2.7	1.041	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33
2025	5	19	2	35	24	23.5	-2	1.042	0.4	0.3	0	44.7	43	0	138	133	0	34	33	33
2025	5	19	2	45	24	24.1	-2.9	1.042	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33
2025	5	19	2	55	24	22.2	-1.9	1.042	0.3	0.2	0	45.2	43.9	0	139	134	0	34	32	33
2025	5	19	3	5	24	23.4	-2.7	1.042	0.3	0.2	0	45.2	43.9	0	139	134	0	34	32	33
2025	5	19	3	15	24	22.1	-2.2	1.042	0.4	0.3	0	44.3	43.4	0	137	134	0	34	33	33
2025	5	19	3	25	24	23.6	-2.3	1.042	0.5	0.4	0	44.7	43	0	138	133	0	34	33	33
2025	5	19	3	35	24	22.9	-1.9	1.042	0.3	0.2	0	45.2	43.4	0	138	133	0	33	32	33
2025	5	19	3	45	24	24.9	-2.8	1.042	0.4	0.3	0	45.6	43	0	139	133	0	33	33	32
2025	5	19	3	55	24	24.8	-1.9	1.042	0.4	0.3	0	45.2	43.4	0	139	134	0	34	33	33
2025	5	19	4	5	24	24.7	-2.3	1.042	0.5	0.5	0	46	43.9	0	140	134	0	33	32	33
2025	5	19	4	15	24	24	-2.7	1.042	0.5	0.4	0	45.2	43.4	0	138	133	0	33	32	33
2025	5	19	4	25	24	23.6	-2.1	1.042	0.3	0.2	0	45.2	43	0	138	133	0	33	33	33
2025	5	19	4	35	24	23.2	-1.7	1.042	0.4	0.3	0	45.2	43.4	0	139	133	0	34	32	33
2025	5	19	4	45	24	24.5	-2.7	1.042	0.5	0.4	0	45.2	43.4	0	138	133	0	33	32	33
2025	5	19	4	55	24	24.6	-0.9	1.043	0.5	0.5	0	44.7	43.4	0	138	133	0	34	32	32
2025	5	19	5	5	24	23.9	-2.5	1.042	0.5	0.5	0	44.7	43.4	0	138	133	0	34	32	33
2025	5	19	5	15	24	23.1	-2.9	1.043	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33
2025	5	19	5	25	24	23.8	-3.6	1.043	0.4	0.3	0	44.7	43	0	138	133	0	34	33	32
2025	5	19	5	35	24	23.1	-2	1.043	0.4	0.3	0	45.2	43.4	0	139	133	0	34	32	33
2025	5	19	5	45	24	23.9	-1.8	1.043	0.4	0.3	0	44.7	43	0	138	132	0	34	32	33
2025	5	19	5	55	24	22.8	-2.1	1.043	0.4	0.3	0	44.3	43	0	137	132	0	34	32	33
2025	5	19	6	5	24	22.8	-2.8	1.043	0.5	0.5	0	44.7	43	0	138	132	0	34	32	34
2025	5	19	6	15	24	23.2	-2	1.043	0.5	0.4	0	44.7	42.6	0	138	132	0	34	33	33
2025	5	19	6	25	24	23.7	-2.2	1.043	0.3	0.2	0	44.3	43	0	137	132	0	34	32	34
2025	5	19	6	35	24	23.1	-2.3	1.043	0.4	0.3	0	44.3	42.6	0	137	132	0	34	33	33
2025	5	19	6	45	24	23.2	-2.8	1.043	0.4	0.3	0	44.7	43	0	137	132	0	33	32	33
2025	5	19	6	55	24	22.6	-1.7	1.043	0.4	0.3	0	44.3	43	0	137	132	0	34	32	34
2025	5	19	7	5	24	24.2	-1.8	1.043	0.4	0.3	0	44.3	42.6	0	137	132	0	34	33	32
2025	5	19	7	15	24	24.4	-2.7	1.043	0.4	0.3	0	44.3	42.1	0	136	131	0	33	33	33
2025	5	19	7	25	24	22.6	-1.2	1.043	0.4	0.3	0	44.3	43	0	137	133	0	34	33	33
2025	5	19	7	35	24	23.7	-2.4	1.043	0.3	0.2	0	44.7	43	0	137	132	0	33	32	33
2025	5	19	7	45	24	23.7	-2	1.043	0.4	0.3	0	44.7	43	0	137	132	0	33	32	33
2025	5	19	7	55	24	23.8	-2.8	1.043	0.4	0.3	0	44.3	42.6	0	137	132	0	34	33	34

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	19	8	5	24	24.6	-1.9	1.043	0.5	0.5	0	44.7	43.4	0	138	133	0	34	32	32	
2025	5	19	8	15	24	23.7	-2.6	1.043	0.4	0.3	0	44.7	43	0	137	132	0	33	32	33	
2025	5	19	8	25	24	23.1	-2.5	1.043	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33	
2025	5	19	8	35	24	23.9	-2.5	1.043	0.5	0.4	0	45.2	43	0	138	133	0	33	33	33	
2025	5	19	8	45	24	23.8	-2.3	1.043	0.3	0.2	0	45.2	43.4	0	138	134	0	33	33	32	
2025	5	19	8	55	24	22.9	-2.2	1.043	0.5	0.4	0	45.2	43.4	0	138	134	0	33	33	33	
2025	5	19	9	5	24	23.2	-2.4	1.043	0.4	0.3	0	45.6	43.9	0	139	134	0	33	32	33	
2025	5	19	9	15	24	23.4	-2	1.042	0.4	0.3	0	45.2	43.9	0	139	134	0	34	32	33	
2025	5	19	9	25	24	23.1	-2.4	1.043	0.3	0.2	0	45.2	44.3	0	139	135	0	34	32	33	
2025	5	19	9	35	24	23.7	-2.6	1.043	0.5	0.4	0	44.7	43.4	0	138	134	0	34	33	32	
2025	5	19	9	45	24	23.8	-2.9	1.043	0.4	0.3	0	45.2	43.9	0	138	134	0	33	32	33	
2025	5	19	9	55	24	23.7	-2.1	1.043	0.4	0.3	0	45.2	43.4	0	138	133	0	33	32	32	
2025	5	19	10	5	24	23.6	-3.5	1.043	0.5	0.4	0	44.7	43.4	0	137	133	0	33	32	33	
2025	5	19	10	15	24	23.2	-2.8	1.042	0.5	0.4	0	45.2	43.9	0	138	134	0	33	32	33	
2025	5	19	10	25	24	23.5	-1.3	1.042	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33	
2025	5	19	10	35	24	23	-0.9	1.042	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	32	
2025	5	19	10	45	24	23.8	-2.5	1.042	0.4	0.3	0	44.3	43	0	137	132	0	34	32	32	
2025	5	19	10	55	24	24.6	-1.8	1.041	0.3	0.2	0	44.3	43.4	0	137	133	0	34	32	32	
2025	5	19	11	5	24	23.2	-2.3	1.042	0.4	0.3	0	44.7	43.4	0	137	133	0	33	32	33	
2025	5	19	11	15	24	23.4	-2.9	1.041	0.4	0.3	0	44.7	43.4	0	137	133	0	33	32	33	
2025	5	19	11	25	24	23.9	-2.9	1.04	0.3	0.2	0	44.7	43.4	0	137	133	0	33	32	33	
2025	5	19	11	35	24	24.7	-2.3	1.04	0.5	0.5	0	45.2	43.4	0	138	133	0	33	32	33	
2025	5	19	11	45	24	23.8	-2.3	1.039	0.5	0.4	0	44.7	43	0	137	132	0	33	32	33	
2025	5	19	11	55	24	23	-3.1	1.039	0.4	0.3	0	44.7	43.4	0	138	133	0	34	32	33	
2025	5	19	12	5	24	24.2	-2.8	1.038	0.5	0.4	0	44.7	43	0	137	132	0	33	32	32	
2025	5	19	12	15	24	24.3	-2.2	1.039	0.4	0.3	0	44.7	43.4	0	137	133	0	33	32	33	
2025	5	19	12	25	24	23.1	-3.2	1.039	0.4	0.3	0	44.3	43.4	0	137	133	0	34	32	33	
2025	5	19	12	35	24	22.9	-1.1	1.038	0.4	0.3	0	44.3	43.4	0	137	133	0	34	32	33	
2025	5	19	12	45	24	22.7	-2.1	1.038	0.4	0.3	0	44.3	43	0	137	132	0	34	32	33	
2025	5	19	12	55	24	22	-1.7	1.038	0.4	0.3	0	45.2	43.9	0	138	133	0	33	31	33	
2025	5	19	13	5	24	22.6	-2.1	1.038	0.5	0.5	0	45.2	43.9	0	138	134	0	33	32	32	
2025	5	19	13	15	24	24.7	-2.8	1.038	0.4	0.3	0	46.9	43.4	0	141	132	0	32	31	33	
2025	5	19	13	25	24	24.1	-2.2	1.037	0.5	0.4	0	46	43	0	140	132	0	33	32	32	
2025	5	19	13	35	24	23.6	-2.1	1.038	0.5	0.4	0	48.6	43.4	0	147	133	0	34	32	32	
2025	5	19	13	45	24	24.2	-2.5	1.037	0.4	0.3	0	49	43.4	0	147	133	0	33	32	33	
2025	5	19	13	55	24	23.4	-1.9	1.038	0.4	0.3	0	49	43.4	0	147	133	0	33	32	33	
2025	5	19	14	5	24	24	-2	1.037	0.4	0.3	0	49	43.9	0	147	133	0	33	31	33	
2025	5	19	14	15	24	23.8	-2.3	1.037	0.4	0.3	0	49	43	0	147	132	0	33	32	32	
2025	5	19	14	25	24	22.8	-2.2	1.037	0.5	0.4	0	48.2	43	0	146	132	0	34	32	33	
2025	5	19	14	35	24	23.8	-2.7	1.037	0.5	0.4	0	49	44.3	0	147	134	0	33	31	32	
2025	5	19	14	45	24	23.5	-2.5	1.037	0.5	0.4	0	49.5	43.4	0	148	134	0	33	33	32	
2025	5	19	14	55	24	23.3	-2.9	1.037	0.4	0.3	0	49	43.4	0	147	133	0	33	32	33	
2025	5	19	15	5	24	23.7	-1.7	1.037	0.5	0.4	0	49.9	43.9	0	148	134	0	32	32	33	
2025	5	19	15	15	24	23.6	-2.4	1.037	0.3	0.2	0	49.9	43.9	0	148	134	0	32	32	33	
2025	5	19	15	25	24	24.4	-2.1	1.037	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32	
2025	5	19	15	35	24	24.6	-2.3	1.037	0.5	0.4	0	49	43.9	0	147	133	0	33	31	32	
2025	5	19	15	45	24	23.3	-2.4	1.036	0.5	0.4	0	48.2	43	0	146	132	0	34	32	33	
2025	5	19	15	55	24	23.2	-2.5	1.036	0.3	0.2	0	48.6	43.4	0	146	133	0	33	32	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	19	16	5	24	22.7	-1.5	1.036	0.5	0.4	0	49	43.4	0	147	133	0	33	32	32
2025	5	19	16	15	24	24.2	-3	1.036	0.4	0.3	0	48.2	42.6	0	145	132	0	33	33	33
2025	5	19	16	25	24	22.9	-1.5	1.036	0.5	0.4	0	48.6	43.4	0	146	133	0	33	32	33
2025	5	19	16	35	24	23.3	-2.4	1.036	0.4	0.3	0	49	43.4	0	147	133	0	33	32	32
2025	5	19	16	45	24	23.3	-2.7	1.036	0.5	0.5	0	48.6	43.4	0	146	133	0	33	32	33
2025	5	19	16	55	24	23.4	-1.9	1.036	0.4	0.3	0	47.7	43	0	145	132	0	34	32	33
2025	5	19	17	5	24	24	-1.8	1.036	0.4	0.3	0	48.2	43	0	145	132	0	33	32	32
2025	5	19	17	15	24	23.8	-2.6	1.036	0.4	0.3	0	48.2	43	0	145	132	0	33	32	33
2025	5	19	17	25	24	23.6	-2.1	1.036	0.4	0.3	0	48.2	42.6	0	145	131	0	33	32	33
2025	5	19	17	35	24	23.5	-2.7	1.036	0.5	0.4	0	48.2	42.1	0	145	131	0	33	33	33
2025	5	19	17	45	24	23.2	-3	1.036	0.4	0.3	0	48.2	42.6	0	145	130	0	33	31	32
2025	5	19	17	55	24	24.1	-3.1	1.035	0.3	0.2	0	46.9	42.1	0	142	130	0	33	32	33
2025	5	19	18	5	24	24.1	-2.6	1.035	0.5	0.4	0	46.4	42.1	0	141	130	0	33	32	33
2025	5	19	18	15	24	23.6	-1.8	1.035	0.4	0.3	0	46.4	42.1	0	142	130	0	34	32	33
2025	5	19	18	25	24	24.3	-2.7	1.035	0.4	0.3	0	46.9	42.6	0	142	131	0	33	32	32
2025	5	19	18	35	24	22.8	-2.4	1.035	0.5	0.4	0	46.9	42.6	0	142	131	0	33	32	33
2025	5	19	18	45	24	23.6	-2.1	1.035	0.6	0.5	0	47.7	42.6	0	144	130	0	33	31	33
2025	5	19	18	55	24	24	-2.4	1.035	0.4	0.3	0	48.6	42.6	0	146	131	0	33	32	33
2025	5	19	19	5	24	23.7	-2	1.035	0.6	0.5	0	48.2	42.6	0	145	131	0	33	32	32
2025	5	19	19	15	24	22.7	-2.1	1.035	0.5	0.4	0	47.7	43	0	145	131	0	34	31	33
2025	5	19	19	25	24	21.5	-1.5	1.035	0.4	0.3	0	48.2	43	0	146	132	0	34	32	32
2025	5	19	19	35	24	23.4	-2.4	1.035	0.5	0.4	0	48.6	43	0	146	132	0	33	32	34
2025	5	19	19	45	24	23.9	-2.3	1.035	0.4	0.3	0	48.2	42.6	0	145	131	0	33	32	33
2025	5	19	19	55	24	22.9	-2.3	1.035	0.4	0.3	0	47.7	42.6	0	145	131	0	34	32	32
2025	5	19	20	5	24	23.4	-2.4	1.035	0.4	0.3	0	49	43.4	0	146	132	0	32	31	34
2025	5	19	20	15	24	23.7	-2.4	1.035	0.5	0.4	0	49	43.9	0	147	133	0	33	31	32
2025	5	19	20	25	24	22.3	-1.9	1.035	0.4	0.3	0	48.6	43.4	0	146	133	0	33	32	33
2025	5	19	20	35	24	23.1	-3.3	1.035	0.5	0.4	0	49	43.4	0	147	133	0	33	32	33
2025	5	19	20	45	24	24.2	-3.1	1.035	0.5	0.4	0	49	43.9	0	147	133	0	33	31	33
2025	5	19	20	55	24	23.8	-3.2	1.035	0.3	0.2	0	49	43.4	0	147	133	0	33	32	33
2025	5	19	21	5	24	23.9	-2.4	1.035	0.4	0.3	0	49	43	0	147	133	0	33	33	33
2025	5	19	21	15	24	23.8	-3.2	1.035	0.5	0.4	0	49	43.9	0	147	134	0	33	32	33
2025	5	19	21	25	24	23.5	-2.9	1.034	0.5	0.4	0	48.6	43.9	0	147	134	0	34	32	33
2025	5	19	21	35	24	22.8	-2.4	1.035	0.4	0.3	0	49	43.9	0	148	134	0	34	32	33
2025	5	19	21	45	24	23.1	-2.8	1.035	0.3	0.2	0	48.6	44.3	0	147	134	0	34	31	32
2025	5	19	21	55	24	24.9	-2.4	1.035	0.4	0.3	0	49	43.9	0	147	134	0	33	32	33
2025	5	19	22	5	24	23.5	-2.6	1.034	0.4	0.3	0	49	43.9	0	147	134	0	33	32	33
2025	5	19	22	15	24	24.8	-2.3	1.034	0.4	0.3	0	49	43.9	0	147	134	0	33	32	32
2025	5	19	22	25	24	23.6	-2.3	1.034	0.3	0.2	0	49	44.3	0	147	135	0	33	32	33
2025	5	19	22	35	24	24.5	-2.8	1.034	0.4	0.3	0	49	43.9	0	147	134	0	33	32	33
2025	5	19	22	45	24	23.6	-2.5	1.034	0.4	0.3	0	48.6	43.9	0	147	134	0	34	32	33
2025	5	19	22	55	24	24.5	-2.3	1.034	0.4	0.3	0	49	43.9	0	147	134	0	33	32	32
2025	5	19	23	5	24	22.7	-3.1	1.034	0.4	0.3	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	19	23	15	24	24	-2.1	1.034	0.5	0.5	0	48.2	43.9	0	146	134	0	34	32	33
2025	5	19	23	25	24	24.4	-3.2	1.034	0.5	0.5	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	19	23	35	24	24.2	-1.9	1.034	0.4	0.3	0	48.2	44.3	0	146	134	0	34	31	32
2025	5	19	23	45	24	23.6	-2.8	1.034	0.3	0.2	0	48.2	43.9	0	145	134	0	33	32	34
2025	5	19	23	55	24	23.4	-2.5	1.034	0.5	0.4	0	48.2	44.3	0	146	135	0	34	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	20	0	5	24	23	-2.1	1.034	0.4	0.3	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	20	0	15	24	24	-2.3	1.034	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	32
2025	5	20	0	25	24	23.8	-1.9	1.034	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	34
2025	5	20	0	35	24	24.4	-2.8	1.034	0.4	0.3	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	20	0	45	24	23.9	-2.7	1.034	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	20	0	55	24	23.6	-2.9	1.034	0.5	0.4	0	47.7	43.4	0	145	134	0	34	33	33
2025	5	20	1	5	24	22.6	-1.7	1.034	0.4	0.3	0	47.7	43.9	0	145	134	0	34	32	33
2025	5	20	1	15	24	23.8	-1.7	1.034	0.5	0.5	0	49	43.9	0	147	134	0	33	32	33
2025	5	20	1	25	24	24.8	-1.1	1.034	0.4	0.3	0	47.7	43.9	0	145	134	0	34	32	34
2025	5	20	1	35	24	22.6	-2.9	1.034	0.5	0.5	0	48.2	44.3	0	145	135	0	33	32	33
2025	5	20	1	45	24	23.5	-2.3	1.034	0.3	0.2	0	47.7	43.9	0	145	134	0	34	32	34
2025	5	20	1	55	24	23.1	-2.8	1.034	0.5	0.4	0	48.2	43.9	0	145	134	0	33	32	33
2025	5	20	2	5	24	22.7	-2.2	1.034	0.4	0.3	0	48.2	43.9	0	146	135	0	34	33	33
2025	5	20	2	15	24	24.4	-2.5	1.034	0.4	0.3	0	48.2	43.9	0	146	134	0	34	32	33
2025	5	20	2	25	24	24.4	-2	1.034	0.5	0.4	0	48.2	43.9	0	145	134	0	33	32	32
2025	5	20	2	35	24	24.1	-2.3	1.034	0.5	0.5	0	47.7	44.3	0	145	135	0	34	32	33
2025	5	20	2	45	24	23.7	-2.4	1.035	0.4	0.3	0	47.3	43	0	144	133	0	34	33	33
2025	5	20	2	55	24	23.7	-2.5	1.035	0.4	0.3	0	47.3	43	0	143	132	0	33	32	33
2025	5	20	3	5	24	24.3	-2.6	1.035	0.5	0.5	0	46.4	43	0	142	133	0	34	33	32
2025	5	20	3	15	24	23.9	-3.2	1.035	0.4	0.3	0	47.3	43.9	0	143	134	0	33	32	33
2025	5	20	3	25	24	23.5	-1.4	1.035	0.5	0.4	0	47.3	43.9	0	144	134	0	34	32	33
2025	5	20	3	35	24	22.7	-1.3	1.035	0.5	0.4	0	46.9	43.4	0	143	133	0	34	32	32
2025	5	20	3	45	24	23.5	-3.3	1.035	0.4	0.3	0	47.7	43.9	0	144	134	0	33	32	32
2025	5	20	3	55	24	23.9	-2.2	1.035	0.5	0.4	0	46.9	43.4	0	143	133	0	34	32	34
2025	5	20	4	5	24	23.4	-2.5	1.035	0.5	0.4	0	47.3	43.4	0	143	133	0	33	32	33
2025	5	20	4	15	24	22.8	-1.2	1.035	0.3	0.2	0	47.7	43.4	0	144	134	0	33	33	33
2025	5	20	4	25	24	23.5	-2.6	1.035	0.4	0.3	0	46.9	43	0	143	133	0	34	33	33
2025	5	20	4	35	24	24.2	-2.3	1.035	0.4	0.3	0	46.9	43.4	0	143	133	0	34	32	33
2025	5	20	4	45	24	24.1	-2.7	1.035	0.4	0.3	0	47.3	43.4	0	143	133	0	33	32	33
2025	5	20	4	55	24	22.9	-2	1.035	0.5	0.4	0	46.9	43	0	143	133	0	34	33	33
2025	5	20	5	5	24	23.7	-2.3	1.035	0.4	0.3	0	46.9	43.4	0	142	133	0	33	32	33
2025	5	20	5	15	24	24.4	-2.5	1.035	0.4	0.3	0	47.3	43.4	0	143	133	0	33	32	33
2025	5	20	5	25	24	23.2	-2	1.035	0.5	0.5	0	47.3	43.4	0	143	133	0	33	32	34
2025	5	20	5	35	24	24.9	-3.7	1.036	0.5	0.4	0	46.9	42.6	0	142	132	0	33	33	33
2025	5	20	5	45	24	24.4	-3	1.036	0.5	0.4	0	46.4	43.4	0	142	133	0	34	32	33
2025	5	20	5	55	24	23.5	-2.4	1.036	0.5	0.4	0	46.9	43.4	0	143	133	0	34	32	32
2025	5	20	6	5	24	23.9	-2.2	1.036	0.4	0.3	0	46.9	43	0	142	132	0	33	32	33
2025	5	20	6	15	24	25.1	-2.7	1.036	0.5	0.4	0	46.4	42.6	0	141	131	0	33	32	33
2025	5	20	6	25	24	25.4	-1.5	1.036	0.5	0.5	0	46.4	42.6	0	142	132	0	34	33	32
2025	5	20	6	35	24	24.8	-1.8	1.036	0.5	0.5	0	46	42.6	0	141	131	0	34	32	33
2025	5	20	6	45	24	23.3	-1.4	1.036	0.4	0.3	0	47.7	43	0	145	132	0	34	32	34
2025	5	20	6	55	24	23.9	-2.5	1.036	0.4	0.3	0	48.2	43	0	145	132	0	33	32	33
2025	5	20	7	5	24	23.7	-3.2	1.036	0.5	0.4	0	48.2	42.6	0	145	132	0	33	33	32
2025	5	20	7	15	24	24	-2.1	1.036	0.4	0.3	0	48.2	43	0	145	132	0	33	32	33
2025	5	20	7	25	24	22.8	-2	1.036	0.5	0.4	0	48.2	42.6	0	145	132	0	33	33	33
2025	5	20	7	35	24	24.7	-1.8	1.036	0.4	0.3	0	47.3	42.6	0	144	131	0	34	32	33
2025	5	20	7	45	24	24.2	-2.4	1.036	0.5	0.4	0	48.2	43	0	145	132	0	33	32	34
2025	5	20	7	55	24	24.6	-3.3	1.036	0.5	0.4	0	48.2	43.4	0	145	133	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	20	8	5	24	24.3	-2.3	1.037	0.4	0.3	0	47.7	43.4	0	145	133	0	34	32	34
2025	5	20	8	15	24	23.9	-1.6	1.036	0.3	0.2	0	47.3	43.4	0	144	132	0	34	31	33
2025	5	20	8	25	24	24.3	-2.6	1.036	0.5	0.4	0	47.7	43	0	144	132	0	33	32	33
2025	5	20	8	35	24	23.4	-2	1.037	0.4	0.3	0	48.6	43.4	0	145	133	0	32	32	33
2025	5	20	8	45	24	24.1	-2	1.037	0.5	0.5	0	47.7	43	0	144	132	0	33	32	32
2025	5	20	8	55	24	23.7	-1.8	1.037	0.5	0.4	0	48.2	43.4	0	145	133	0	33	32	32
2025	5	20	9	5	24	23.8	-1.8	1.037	0.4	0.3	0	48.2	43.4	0	146	133	0	34	32	33
2025	5	20	9	15	24	23.1	-3.2	1.037	0.4	0.3	0	49	43.9	0	147	133	0	33	31	33
2025	5	20	9	25	24	23.4	-3.1	1.037	0.3	0.2	0	49	42.1	0	147	130	0	33	32	32
2025	5	20	9	35	24	23.2	-2.8	1.037	0.3	0.2	0	49	43.4	0	148	134	0	34	33	32
2025	5	20	9	45	24	23.5	-1.4	1.037	0.4	0.3	0	49	43.9	0	148	134	0	34	32	33
2025	5	20	9	55	24	22.3	-2.5	1.037	0.5	0.5	0	48.2	43	0	146	132	0	34	32	32
2025	5	20	10	5	24	23.1	-2.2	1.037	0.5	0.4	0	49.5	43.4	0	148	134	0	33	33	32
2025	5	20	10	15	24	25.2	-2.9	1.037	0.5	0.4	0	48.2	43.4	0	146	133	0	34	32	33
2025	5	20	10	25	24	24.4	-2.3	1.037	0.3	0.2	0	48.6	43	0	146	132	0	33	32	33
2025	5	20	10	35	24	22.8	-2.4	1.037	0.6	0.5	0	48.6	43.9	0	147	133	0	34	31	33
2025	5	20	10	45	24	24.3	-2.7	1.037	0.5	0.5	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	20	10	55	24	24.3	-3	1.037	0.3	0.2	0	48.6	43	0	147	132	0	34	32	33
2025	5	20	11	5	24	24.2	-3.6	1.037	0.4	0.3	0	48.6	43.4	0	146	132	0	33	31	32
2025	5	20	11	15	24	24.7	-3.3	1.037	0.4	0.3	0	48.6	43	0	146	132	0	33	32	33
2025	5	20	11	25	24	23.8	-1.5	1.037	0.4	0.3	0	48.6	43.4	0	147	133	0	34	32	33
2025	5	20	11	35	24	24.3	-2.4	1.037	0.3	0.2	0	48.2	43	0	146	132	0	34	32	32
2025	5	20	11	45	24	24.6	-2.9	1.037	0.5	0.4	0	48.6	43.4	0	146	133	0	33	32	32
2025	5	20	11	55	24	23.9	-1.6	1.037	0.3	0.2	0	48.6	43	0	146	132	0	33	32	32
2025	5	20	12	5	24	23.6	-2.9	1.037	0.4	0.3	0	49	43.4	0	147	133	0	33	32	33
2025	5	20	12	15	24	23.8	-1.8	1.037	0.4	0.3	0	47.7	43	0	145	132	0	34	32	32
2025	5	20	12	25	24	23.7	-3.1	1.037	0.5	0.4	0	47.7	43	0	144	132	0	33	32	33
2025	5	20	12	35	24	23	-2.2	1.037	0.4	0.3	0	47.7	43	0	144	132	0	33	32	32
2025	5	20	12	45	24	24	-3	1.037	0.4	0.3	0	47.3	43	0	144	132	0	34	32	33
2025	5	20	12	55	24	23.3	-2.4	1.037	0.5	0.4	0	47.7	43.4	0	144	133	0	33	32	33
2025	5	20	13	5	24	23.1	-2.8	1.037	0.4	0.3	0	46.9	43	0	143	132	0	34	32	32
2025	5	20	13	15	24	22.4	-2.1	1.036	0.5	0.4	0	47.7	43.4	0	144	133	0	33	32	33
2025	5	20	13	25	24	22.7	-1.7	1.037	0.4	0.3	0	48.2	43.9	0	145	134	0	33	32	33
2025	5	20	13	35	24	25.4	-1.4	1.036	0.3	0.2	0	47.7	43.4	0	144	133	0	33	32	32
2025	5	20	13	45	24	23	-2.5	1.037	0.4	0.3	0	47.7	43.4	0	144	133	0	33	32	33
2025	5	20	13	55	24	23.6	-2.4	1.037	0.4	0.3	0	47.7	43.9	0	144	133	0	33	31	32
2025	5	20	14	5	24	22.3	-2.3	1.037	0.5	0.4	0	47.7	43.4	0	144	133	0	33	32	32
2025	5	20	14	15	24	23.6	-2.4	1.036	0.4	0.3	0	47.7	43.4	0	144	133	0	33	32	33
2025	5	20	14	25	24	23.3	-2.5	1.036	0.4	0.3	0	50.3	45.6	0	149	138	0	32	32	33
2025	5	20	14	35	24	23.4	-3	1.036	0.5	0.4	0	47.3	43.9	0	143	133	0	33	31	32
2025	5	20	14	45	24	24.6	-2.9	1.037	0.5	0.4	0	47.3	43	0	143	132	0	33	32	32
2025	5	20	14	55	24	22.9	-2.8	1.036	0.3	0.2	0	46.9	43.9	0	143	133	0	34	31	33
2025	5	20	15	5	24	23.3	-2.5	1.036	0.4	0.3	0	47.3	43.9	0	143	133	0	33	31	33
2025	5	20	15	15	24	22.9	-2	1.036	0.5	0.5	0	47.3	43	0	142	132	0	32	32	32
2025	5	20	15	25	24	24.1	-1.4	1.036	0.4	0.3	0	47.3	43.9	0	143	133	0	33	31	33
2025	5	20	15	35	24	23.3	-1.6	1.036	0.4	0.3	0	47.3	43.9	0	143	133	0	33	31	32
2025	5	20	15	45	24	22.7	-1.4	1.035	0.4	0.3	0	47.3	43.9	0	143	133	0	33	31	32
2025	5	20	15	55	24	23.4	-1.7	1.035	0.4	0.3	0	47.3	43.9	0	143	133	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	20	16	5	24	25	-3.1	1.036	0.3	0.2	0	46.9	43.4	0	142	132	0	33	31	32
2025	5	20	16	15	24	23.2	-3	1.035	0.5	0.5	0	46.9	43.4	0	142	132	0	33	31	33
2025	5	20	16	25	24	24.1	-2.7	1.035	0.4	0.3	0	46.9	43.4	0	142	132	0	33	31	33
2025	5	20	16	35	24	23.3	-2.8	1.034	0.5	0.4	0	46.9	43	0	142	132	0	33	32	32
2025	5	20	16	45	24	23.1	-2.3	1.034	0.5	0.5	0	47.3	43.4	0	143	133	0	33	32	32
2025	5	20	16	55	24	23.6	-1.9	1.034	0.4	0.3	0	46.9	43	0	142	132	0	33	32	33
2025	5	20	17	5	24	23.4	-1.7	1.034	0.5	0.4	0	46.9	43	0	142	132	0	33	32	32
2025	5	20	17	15	24	23	-2.1	1.034	0.4	0.3	0	46.9	43	0	142	132	0	33	32	33
2025	5	20	17	25	24	23.2	-1.9	1.034	0.4	0.3	0	46.4	43	0	142	132	0	34	32	32
2025	5	20	17	35	24	24.5	-2.8	1.033	0.5	0.5	0	46.4	43.4	0	141	132	0	33	31	32
2025	5	20	17	45	24	24	-1.9	1.034	0.5	0.4	0	46.4	43	0	141	132	0	33	32	32
2025	5	20	17	55	24	23.2	-2	1.034	0.4	0.3	0	46.4	42.6	0	141	131	0	33	32	32
2025	5	20	18	5	24	23.6	-2.3	1.034	0.3	0.2	0	46	43	0	140	131	0	33	31	32
2025	5	20	18	15	24	23.3	-2.6	1.033	0.5	0.5	0	46	42.6	0	140	131	0	33	32	33
2025	5	20	18	25	24	23	-2.2	1.034	0.4	0.3	0	46.4	42.6	0	141	131	0	33	32	32
2025	5	20	18	35	24	24	-2.3	1.035	0.5	0.4	0	45.6	42.6	0	139	130	0	33	31	33
2025	5	20	18	45	24	23.6	-1.6	1.034	0.5	0.4	0	46	43	0	140	131	0	33	31	33
2025	5	20	18	55	24	24.3	-2.6	1.035	0.5	0.4	0	45.6	42.6	0	139	130	0	33	31	33
2025	5	20	19	5	24	23.8	-3.6	1.035	0.4	0.3	0	45.6	42.6	0	139	130	0	33	31	33
2025	5	20	19	15	24	23.4	-2.7	1.035	0.4	0.3	0	46	43	0	140	131	0	33	31	32
2025	5	20	19	25	24	22.9	-2.4	1.035	0.4	0.3	0	46	43	0	140	132	0	33	32	33
2025	5	20	19	35	24	23.4	-1.7	1.035	0.4	0.3	0	46	42.6	0	140	131	0	33	32	33
2025	5	20	19	45	24	23.3	-2.8	1.035	0.5	0.5	0	46	42.6	0	140	131	0	33	32	32
2025	5	20	19	55	24	23	-2.5	1.035	0.5	0.4	0	45.6	43	0	139	131	0	33	31	32
2025	5	20	20	5	24	23.9	-3.1	1.035	0.4	0.3	0	46	43.4	0	140	132	0	33	31	33
2025	5	20	20	15	24	23.5	-2.4	1.035	0.3	0.2	0	46	43.4	0	140	132	0	33	31	32
2025	5	20	20	25	24	23.2	-2	1.035	0.5	0.5	0	46.4	43.4	0	141	133	0	33	32	33
2025	5	20	20	35	24	22.9	-2.4	1.035	0.5	0.4	0	48.6	44.7	0	146	136	0	33	32	33
2025	5	20	20	45	24	22.8	-1.6	1.035	0.5	0.4	0	47.7	43.9	0	144	134	0	33	32	33
2025	5	20	20	55	24	23.6	-1.9	1.035	0.4	0.3	0	47.3	44.7	0	144	135	0	34	31	33
2025	5	20	21	5	24	23.2	-2.7	1.035	0.3	0.2	0	47.3	44.3	0	143	134	0	33	31	32
2025	5	20	21	15	24	24.2	-2.5	1.035	0.5	0.4	0	47.3	43.4	0	143	133	0	33	32	33
2025	5	20	21	25	24	24.1	-2.8	1.035	0.5	0.5	0	47.7	43.4	0	143	134	0	32	33	33
2025	5	20	21	35	24	23.2	-2.4	1.035	0.5	0.4	0	47.3	43.9	0	143	133	0	33	31	32
2025	5	20	21	45	24	23.5	-2.5	1.035	0.4	0.3	0	47.3	43.9	0	143	134	0	33	32	33
2025	5	20	21	55	24	23.7	-2.2	1.035	0.5	0.4	0	48.2	43.4	0	145	133	0	33	32	33
2025	5	20	22	5	24	25	-2.4	1.035	0.4	0.3	0	47.3	43.4	0	144	133	0	34	32	32
2025	5	20	22	15	24	23.2	-2.4	1.035	0.5	0.4	0	47.7	43.9	0	144	134	0	33	32	33
2025	5	20	22	25	24	23.9	-1.4	1.035	0.4	0.3	0	46.9	43.4	0	143	134	0	34	33	33
2025	5	20	22	35	24	23.8	-2.7	1.035	0.4	0.3	0	46	43.9	0	140	133	0	33	31	33
2025	5	20	22	45	24	24.2	-3.1	1.035	0.5	0.4	0	46.4	43.4	0	141	133	0	33	32	34
2025	5	20	22	55	24	24.5	-2.7	1.035	0.4	0.3	0	46.9	43	0	142	133	0	33	33	32
2025	5	20	23	5	24	23.5	-2	1.035	0.3	0.2	0	46.4	43.4	0	142	133	0	34	32	32
2025	5	20	23	15	24	23.7	-2.4	1.035	0.3	0.2	0	47.3	43.9	0	143	134	0	33	32	32
2025	5	20	23	25	24	23	-2.3	1.035	0.5	0.4	0	46.9	43.9	0	143	134	0	34	32	32
2025	5	20	23	35	24	23.6	-2.3	1.035	0.4	0.3	0	46.4	43.4	0	141	133	0	33	32	32
2025	5	20	23	45	24	23	-2.4	1.034	0.4	0.3	0	46.4	44.3	0	141	135	0	33	32	32
2025	5	20	23	55	24	22.6	-2.4	1.035	0.5	0.4	0	45.6	43.9	0	140	134	0	34	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	21	0	5	24	23.2	-2.8	1.035	0.5	0.4	0	45.6	43.9	0	139	134	0	33	32	32
2025	5	21	0	15	24	23.9	-1.7	1.034	0.5	0.4	0	46	43.9	0	140	134	0	33	32	33
2025	5	21	0	25	24	24.2	-2.4	1.034	0.4	0.3	0	45.6	43.9	0	140	134	0	34	32	33
2025	5	21	0	35	24	24.1	-3.8	1.035	0.4	0.3	0	47.7	43.9	0	144	134	0	33	32	32
2025	5	21	0	45	24	23.1	-2.4	1.035	0.3	0.2	0	47.7	42.1	0	144	130	0	33	32	32
2025	5	21	0	55	24	22.9	-2.8	1.034	0.5	0.5	0	47.3	40.4	0	143	126	0	33	32	33
2025	5	21	1	5	24	24.8	-2.8	1.035	0.4	0.3	0	46.4	39.1	0	142	123	0	34	32	32
2025	5	21	1	15	24	23.5	-2	1.035	0.3	0.2	0	46.9	39.6	0	142	124	0	33	32	33
2025	5	21	1	25	24	22.7	-2.6	1.035	0.5	0.4	0	46.4	39.6	0	142	124	0	34	32	33
2025	5	21	1	35	24	23.7	-2.4	1.035	0.4	0.3	0	46.4	43	0	141	132	0	33	32	33
2025	5	21	1	45	24	24.1	-2.3	1.035	0.4	0.3	0	46.9	43.9	0	142	134	0	33	32	33
2025	5	21	1	55	24	23.3	-1.7	1.035	0.4	0.3	0	46.9	43.9	0	143	134	0	34	32	33
2025	5	21	2	5	24	23	-2.3	1.035	0.3	0.2	0	46.4	43.9	0	141	133	0	33	31	33
2025	5	21	2	15	24	23.4	-2.3	1.035	0.4	0.3	0	44.7	43.9	0	137	134	0	33	32	33
2025	5	21	2	25	24	23.7	-2.8	1.035	0.4	0.3	0	44.3	43.9	0	137	134	0	34	32	33
2025	5	21	2	35	24	22.9	-2.1	1.035	0.4	0.3	0	44.3	43.9	0	136	134	0	33	32	33
2025	5	21	2	45	24	24.5	-2.8	1.035	0.3	0.2	0	44.3	43.9	0	136	134	0	33	32	33
2025	5	21	2	55	24	23.7	-2.3	1.035	0.4	0.3	0	44.3	43.4	0	136	133	0	33	32	33
2025	5	21	3	5	24	22.5	-2.6	1.035	0.4	0.3	0	43.9	43.4	0	136	134	0	34	33	33
2025	5	21	3	15	24	23.5	-2.6	1.035	0.4	0.3	0	44.3	43.4	0	136	133	0	33	32	33
2025	5	21	3	25	24	23.4	-2.6	1.035	0.3	0.2	0	44.3	43.4	0	136	133	0	33	32	33
2025	5	21	3	35	24	22.5	-1.9	1.035	0.4	0.3	0	44.3	43	0	137	133	0	34	33	33
2025	5	21	3	45	24	23.4	-2.7	1.035	0.4	0.3	0	44.3	43.9	0	136	133	0	33	31	33
2025	5	21	3	55	24	22.9	-2.4	1.035	0.4	0.3	0	45.2	43.9	0	138	134	0	33	32	33
2025	5	21	4	5	24	23.5	-2.3	1.035	0.4	0.3	0	44.3	43.4	0	137	133	0	34	32	33
2025	5	21	4	15	24	22.8	-2.2	1.035	0.5	0.4	0	44.3	43.4	0	137	133	0	34	32	33
2025	5	21	4	25	24	23	-2.8	1.035	0.5	0.4	0	45.2	43.4	0	138	133	0	33	32	33
2025	5	21	4	35	24	24	-2.3	1.035	0.5	0.4	0	47.3	43.4	0	143	133	0	33	32	33
2025	5	21	4	45	24	24.2	-2.6	1.035	0.3	0.2	0	46.9	43.4	0	142	133	0	33	32	33
2025	5	21	4	55	24	23.5	-1.9	1.035	0.4	0.3	0	46.9	43	0	142	132	0	33	32	33
2025	5	21	5	5	24	24.4	-3.1	1.036	0.5	0.4	0	46.9	43.4	0	142	133	0	33	32	32
2025	5	21	5	15	24	24	-1.9	1.035	0.3	0.2	0	46.9	43.4	0	142	133	0	33	32	33
2025	5	21	5	25	24	22.9	-2.3	1.036	0.5	0.4	0	46.9	43.4	0	142	133	0	33	32	33
2025	5	21	5	35	24	23.4	-2.5	1.036	0.3	0.2	0	46.9	43.4	0	142	133	0	33	32	33
2025	5	21	5	45	24	22.5	-1.9	1.036	0.5	0.4	0	46.9	43	0	142	133	0	33	33	33
2025	5	21	5	55	24	23.9	-3	1.036	0.3	0.2	0	46.4	43	0	141	132	0	33	32	33
2025	5	21	6	5	24	22.8	-2.2	1.036	0.3	0.2	0	46.4	43.9	0	142	133	0	34	31	33
2025	5	21	6	15	24	23.4	-2.7	1.036	0.4	0.3	0	46.4	43.4	0	141	133	0	33	32	33
2025	5	21	6	25	24	22.5	-2.6	1.036	0.3	0.2	0	46.4	43	0	141	132	0	33	32	33
2025	5	21	6	35	24	23.7	-2.4	1.036	0.5	0.4	0	46.4	43	0	141	132	0	33	32	33
2025	5	21	6	45	24	22.3	-2.7	1.036	0.4	0.3	0	46.4	43.4	0	141	132	0	33	31	34
2025	5	21	6	55	24	25	-1.6	1.036	0.5	0.4	0	46.4	43.4	0	141	133	0	33	32	32
2025	5	21	7	5	24	23.9	-1.7	1.036	0.3	0.2	0	49	43	0	148	132	0	34	32	33
2025	5	21	7	15	24	23.6	-2	1.036	0.4	0.3	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	21	7	25	24	23.6	-1.7	1.036	0.3	0.2	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	21	7	35	24	23.5	-2.5	1.036	0.3	0.2	0	49	43	0	147	132	0	33	32	32
2025	5	21	7	45	24	24.1	-2	1.036	0.3	0.2	0	49	43.4	0	147	133	0	33	32	33
2025	5	21	7	55	24	23.7	-2.8	1.036	0.4	0.3	0	48.6	43.4	0	147	133	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	21	8	5	24	24.5	-2.6	1.036	0.4	0.3	0	49	43.4	0	147	133	0	33	32	32
2025	5	21	8	15	24	24.1	-2.5	1.036	0.3	0.2	0	48.6	43	0	146	132	0	33	32	33
2025	5	21	8	25	24	23.1	-2.2	1.036	0.5	0.5	0	49	43.4	0	147	133	0	33	32	32
2025	5	21	8	35	24	23.4	-2.6	1.036	0.3	0.2	0	48.6	43	0	146	132	0	33	32	33
2025	5	21	8	45	24	24	-3.8	1.036	0.5	0.4	0	48.6	43.4	0	146	133	0	33	32	32
2025	5	21	8	55	24	25.2	-2.4	1.037	0.3	0.2	0	48.2	43.4	0	146	133	0	34	32	32
2025	5	21	9	5	24	24.2	-2.1	1.037	0.5	0.4	0	49	43.9	0	147	134	0	33	32	33
2025	5	21	9	15	24	23.1	-2.9	1.037	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	21	9	25	24	23.5	-2.2	1.037	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	33
2025	5	21	9	35	24	23.6	-1.1	1.037	0.5	0.4	0	49.9	43.4	0	150	134	0	34	33	32
2025	5	21	9	45	24	23.8	-2.7	1.037	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	21	9	55	24	23.8	-1.8	1.037	0.4	0.3	0	50.3	43.9	0	150	134	0	33	32	33
2025	5	21	10	5	24	24.7	-2.5	1.037	0.4	0.3	0	49.5	43.4	0	149	133	0	34	32	32
2025	5	21	10	15	24	23.9	-1.8	1.037	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	33
2025	5	21	10	25	24	24.1	-1.9	1.037	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	32
2025	5	21	10	35	24	24.8	-2.2	1.037	0.5	0.5	0	49.5	43.4	0	148	133	0	33	32	32
2025	5	21	10	45	24	23.5	-1.5	1.037	0.5	0.4	0	49.9	43.4	0	149	133	0	33	32	33
2025	5	21	10	55	24	24	-2.4	1.037	0.4	0.3	0	49	43	0	148	132	0	34	32	33
2025	5	21	11	5	24	23.2	-1	1.037	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32
2025	5	21	11	15	24	22.9	-1.9	1.037	0.5	0.4	0	49.9	43.9	0	149	134	0	33	32	32
2025	5	21	11	25	24	23.3	-2.5	1.037	0.3	0.2	0	49	43.4	0	148	133	0	34	32	33
2025	5	21	11	35	24	23	-2.4	1.037	0.4	0.3	0	49.9	43.4	0	149	132	0	33	31	33
2025	5	21	11	45	24	23.3	-2.1	1.037	0.4	0.3	0	49.5	43.4	0	149	133	0	34	32	32
2025	5	21	11	55	24	24.8	-2.4	1.037	0.4	0.3	0	49.5	43	0	148	132	0	33	32	33
2025	5	21	12	5	24	24.4	-2.8	1.037	0.5	0.4	0	49	43	0	148	132	0	34	32	33
2025	5	21	12	15	24	24.6	-2.9	1.036	0.4	0.3	0	49	42.6	0	147	131	0	33	32	32
2025	5	21	12	25	24	22.6	-1.5	1.037	0.4	0.3	0	50.3	43.9	0	149	133	0	32	31	33
2025	5	21	12	35	24	24.3	-0.9	1.036	0.4	0.3	0	49.5	43.4	0	148	133	0	33	32	32
2025	5	21	12	45	24	23.6	-1.4	1.035	0.4	0.3	0	49.5	43.4	0	148	133	0	33	32	32
2025	5	21	12	55	24	22.7	-2.7	1.034	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	33
2025	5	21	13	5	24	23.2	-2.2	1.034	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	21	13	15	24	22.6	-2	1.034	0.4	0.3	0	49.9	43.9	0	148	133	0	32	31	33
2025	5	21	13	25	24	23	-3.2	1.034	0.5	0.4	0	49.9	43.4	0	148	133	0	32	32	33
2025	5	21	13	35	24	23.6	-3.5	1.033	0.5	0.5	0	49	43.9	0	147	133	0	33	31	33
2025	5	21	13	45	24	23	-2.9	1.033	0.3	0.2	0	49	43.4	0	147	132	0	33	31	32
2025	5	21	13	55	24	24.3	-2.1	1.033	0.5	0.4	0	49.5	43.4	0	147	132	0	32	31	32
2025	5	21	14	5	24	23.9	-2	1.032	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	5	21	14	15	24	23.7	-2.2	1.033	0.4	0.3	0	49.9	43	0	149	133	0	33	33	32
2025	5	21	14	25	24	22.4	-3	1.032	0.3	0.2	0	49.5	43	0	148	132	0	33	32	32
2025	5	21	14	35	24	23.3	-2.3	1.031	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	33
2025	5	21	14	45	24	23.5	-2.1	1.032	0.5	0.5	0	49.5	43	0	148	132	0	33	32	32
2025	5	21	14	55	24	24	-1.1	1.032	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	33
2025	5	21	15	5	24	23.5	-1.8	1.031	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	5	21	15	15	24	22.2	-3.2	1.031	0.5	0.4	0	50.3	43.4	0	149	133	0	32	32	33
2025	5	21	15	25	24	23.2	-2.5	1.031	0.4	0.3	0	50.3	43.4	0	149	132	0	32	31	32
2025	5	21	15	35	24	23.9	-2.2	1.031	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	33
2025	5	21	15	45	24	22.2	-1.5	1.03	0.5	0.4	0	49	43.4	0	148	133	0	34	32	32
2025	5	21	15	55	24	23.1	-2	1.03	0.5	0.4	0	50.3	43.4	0	149	133	0	32	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	21	16	5	24	23.2	-2.6	1.03	0.3	0.2	0	49.5	43	0	148	131	0	33	31	32	
2025	5	21	16	15	24	23.2	-1.8	1.031	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32	
2025	5	21	16	25	24	22.7	-2.6	1.03	0.5	0.4	0	49.5	43	0	148	131	0	33	31	33	
2025	5	21	16	35	24	24.2	-2.6	1.03	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32	
2025	5	21	16	45	24	23.3	-1.2	1.03	0.5	0.4	0	49.5	43.9	0	149	133	0	34	31	32	
2025	5	21	16	55	24	21.9	-2.2	1.029	0.5	0.4	0	49	43	0	147	132	0	33	32	32	
2025	5	21	17	5	24	23.2	-2.5	1.03	0.4	0.3	0	49	43	0	147	131	0	33	31	31	
2025	5	21	17	15	24	22.7	-2.3	1.029	0.5	0.4	0	49	42.6	0	147	131	0	33	32	33	
2025	5	21	17	25	24	22.8	-2	1.029	0.5	0.5	0	49	42.6	0	147	131	0	33	32	32	
2025	5	21	17	35	24	23.3	-2.8	1.029	0.5	0.4	0	49	41.7	0	146	129	0	32	32	33	
2025	5	21	17	45	24	23.8	-0.9	1.029	0.3	0.2	0	48.6	42.1	0	146	129	0	33	31	32	
2025	5	21	17	55	24	23.8	-2.4	1.029	0.5	0.4	0	49	42.1	0	147	130	0	33	32	32	
2025	5	21	18	5	24	23.3	-2.6	1.029	0.5	0.4	0	49	42.1	0	146	130	0	32	32	32	
2025	5	21	18	15	24	22.7	-3	1.029	0.5	0.4	0	48.6	42.6	0	146	130	0	33	31	32	
2025	5	21	18	25	24	23.7	-1.8	1.028	0.6	0.5	0	49	41.7	0	146	129	0	32	32	33	
2025	5	21	18	35	24	23.7	-1.6	1.029	0.5	0.4	0	49	42.1	0	146	129	0	32	31	32	
2025	5	21	18	45	24	23.6	-2.2	1.029	0.5	0.4	0	48.6	42.1	0	146	130	0	33	32	32	
2025	5	21	18	55	24	23.6	-1.7	1.028	0.3	0.2	0	49.5	42.1	0	147	131	0	32	33	32	
2025	5	21	19	5	24	24.4	-2	1.028	0.4	0.3	0	48.6	42.6	0	146	130	0	33	31	32	
2025	5	21	19	15	24	22.5	-2	1.029	0.5	0.5	0	48.6	42.6	0	146	130	0	33	31	32	
2025	5	21	19	25	24	23.1	-2.5	1.029	0.5	0.4	0	48.2	40.9	0	145	126	0	33	31	32	
2025	5	21	19	35	24	23	-2.5	1.028	0.5	0.4	0	48.6	42.6	0	146	131	0	33	32	32	
2025	5	21	19	45	24	22.9	-2.5	1.028	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	33	
2025	5	21	19	55	24	23.3	-2.6	1.028	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32	
2025	5	21	20	5	24	22.6	-2.1	1.028	0.5	0.4	0	49	44.7	0	146	135	0	32	31	33	
2025	5	21	20	15	24	24.2	-2.7	1.028	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32	
2025	5	21	20	25	24	22.8	-2.8	1.028	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32	
2025	5	21	20	35	24	23.8	-1.5	1.028	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	21	20	45	24	24.9	-2.7	1.028	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	33	
2025	5	21	20	55	24	23.5	-1.7	1.028	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32	
2025	5	21	21	5	24	24.9	-2	1.028	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	21	21	15	24	24.7	-1.2	1.028	0.5	0.5	0	50.7	45.6	0	151	137	0	33	31	32	
2025	5	21	21	25	24	23.9	-3.1	1.028	0.4	0.3	0	50.3	45.2	0	151	136	0	34	31	32	
2025	5	21	21	35	24	24.2	-1.7	1.028	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33	
2025	5	21	21	45	24	24.8	-1.9	1.028	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33	
2025	5	21	21	55	24	24.3	-2	1.028	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	33	
2025	5	21	22	5	24	23.3	-2.8	1.028	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	21	22	15	24	24.5	-1.8	1.028	0.5	0.5	0	50.7	44.7	0	150	136	0	32	32	33	
2025	5	21	22	25	24	22.6	-2.4	1.028	0.4	0.3	0	49.9	45.2	0	150	136	0	34	31	32	
2025	5	21	22	35	24	25.4	-2.4	1.028	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	21	22	45	24	23.6	-3.8	1.028	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	21	22	55	24	22.8	-2.7	1.027	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	33	
2025	5	21	23	5	24	24.1	-1.6	1.027	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32	
2025	5	21	23	15	24	24.2	-0.9	1.028	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	33	
2025	5	21	23	25	24	23.4	-1.8	1.027	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33	
2025	5	21	23	35	24	24.3	-2.8	1.027	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33	
2025	5	21	23	45	24	24.4	-2.9	1.028	0.6	0.5	0	49.9	43.9	0	149	135	0	33	33	33	
2025	5	21	23	55	24	23.2	-1.8	1.028	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	22	0	5	24	23.7	-2.3	1.028	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	22	0	15	24	23	-2.7	1.028	0.5	0.4	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	22	0	25	24	23.8	-1.8	1.027	0.5	0.4	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	22	0	35	24	23.4	-2.8	1.028	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	22	0	45	24	24.8	-2.7	1.028	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	0	55	24	23.5	-3.1	1.028	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	5	22	1	5	24	22.9	-2.3	1.028	0.5	0.4	0	50.3	44.7	0	150	137	0	33	33	33
2025	5	22	1	15	24	23.5	-2.3	1.028	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	33
2025	5	22	1	25	24	22.4	-3.3	1.028	0.5	0.4	0	49.9	45.2	0	149	137	0	33	32	32
2025	5	22	1	35	24	24.6	-2.6	1.028	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	22	1	45	24	23.4	-1.8	1.028	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	1	55	24	22.7	-1.1	1.028	0.5	0.5	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	22	2	5	24	23.1	-1.8	1.028	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	33
2025	5	22	2	15	24	22.9	-2.1	1.028	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	2	25	24	23.3	-2.7	1.028	0.4	0.3	0	49.9	45.2	0	149	137	0	33	32	33
2025	5	22	2	35	24	23.4	-2.4	1.028	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	33
2025	5	22	2	45	24	22.1	-2.9	1.028	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	22	2	55	24	23.2	-2.8	1.028	0.5	0.4	0	49.5	44.7	0	149	136	0	34	32	32
2025	5	22	3	5	24	22.6	-1.8	1.028	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	22	3	15	24	23.3	-2.2	1.029	0.6	0.5	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	22	3	25	24	23.9	-2.9	1.028	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	22	3	35	24	22.3	-1.2	1.029	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	3	45	24	23.4	-1.6	1.028	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	3	55	24	23.2	-1.8	1.029	0.5	0.4	0	49.5	44.7	0	149	136	0	34	32	32
2025	5	22	4	5	24	21.9	-1.1	1.029	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	22	4	15	24	24	-1.7	1.029	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	4	25	24	23.5	-3.6	1.029	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	22	4	35	24	22.7	-2.4	1.03	0.5	0.5	0	49.5	44.7	0	148	136	0	33	32	33
2025	5	22	4	45	24	23.6	-1.5	1.029	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	22	4	55	24	23.6	-2.5	1.029	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	22	5	5	24	23.4	-1.8	1.03	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	5	22	5	15	24	23.3	-2.2	1.03	0.5	0.4	0	49	44.7	0	148	136	0	34	32	33
2025	5	22	5	25	24	24.6	-2.3	1.029	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32
2025	5	22	5	35	24	23.1	-1.9	1.029	0.4	0.3	0	48.6	43.9	0	147	135	0	34	33	33
2025	5	22	5	45	24	24	-3.9	1.029	0.5	0.5	0	49	44.3	0	148	135	0	34	32	33
2025	5	22	5	55	24	22.7	-1.3	1.029	0.4	0.3	0	49	44.3	0	148	135	0	34	32	34
2025	5	22	6	5	24	23.1	-2.7	1.028	0.5	0.5	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	22	6	15	24	23.5	-2.6	1.029	0.4	0.3	0	49.5	44.3	0	147	135	0	32	32	32
2025	5	22	6	25	24	24.3	-2.2	1.029	0.3	0.2	0	49	44.3	0	147	135	0	33	32	33
2025	5	22	6	35	24	24.3	-2.5	1.029	0.4	0.3	0	49	44.3	0	147	134	0	33	31	33
2025	5	22	6	45	24	22.9	-2.3	1.029	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	5	22	6	55	24	22.7	-2.4	1.029	0.3	0.2	0	48.6	43.9	0	146	134	0	33	32	32
2025	5	22	7	5	24	23.3	-2.7	1.029	0.5	0.5	0	48.6	44.3	0	146	134	0	33	31	32
2025	5	22	7	15	24	24.6	-1.9	1.029	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	33
2025	5	22	7	25	24	23.8	-3.2	1.029	0.5	0.5	0	48.2	43.4	0	146	134	0	34	33	32
2025	5	22	7	35	24	24.2	-2.3	1.028	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	33
2025	5	22	7	45	24	23	-2.4	1.028	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	22	7	55	24	23.3	-2.2	1.028	0.4	0.3	0	49	43.9	0	148	134	0	34	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	22	8	5	24	23.1	-2.3	1.028	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	34
2025	5	22	8	15	24	23.7	-2.6	1.028	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	22	8	25	24	24.5	-2.7	1.028	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	22	8	35	24	24.2	-1.6	1.028	0.3	0.2	0	49.5	44.7	0	149	135	0	34	31	33
2025	5	22	8	45	24	24	-1.2	1.028	0.4	0.3	0	50.3	44.3	0	149	135	0	32	32	33
2025	5	22	8	55	24	24.2	-2.4	1.028	0.4	0.3	0	49	44.7	0	148	135	0	34	31	33
2025	5	22	9	5	24	23.4	-3.1	1.028	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	22	9	15	24	22.9	-2.4	1.028	0.4	0.3	0	49.5	44.3	0	149	136	0	34	33	33
2025	5	22	9	25	24	25.1	-2.4	1.028	0.6	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	22	9	35	24	23.6	-2.8	1.028	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	22	9	45	24	23.5	-1.7	1.028	0.5	0.4	0	49	44.7	0	148	136	0	34	32	33
2025	5	22	9	55	24	23.8	-2.5	1.028	0.5	0.5	0	49.5	45.2	0	148	136	0	33	31	33
2025	5	22	10	5	24	24.4	-1.9	1.028	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	33
2025	5	22	10	15	24	24.3	-2.4	1.028	0.5	0.4	0	49	44.3	0	148	135	0	34	32	32
2025	5	22	10	25	24	22	-3.9	1.028	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	22	10	35	24	23.9	-2.4	1.028	0.6	0.5	0	49	44.7	0	147	135	0	33	31	33
2025	5	22	10	45	24	24.8	-2.4	1.028	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	22	10	55	24	23.1	-1.9	1.027	0.6	0.5	0	49	44.3	0	147	135	0	33	32	32
2025	5	22	11	5	24	24	-1.9	1.028	0.4	0.3	0	49	44.7	0	147	135	0	33	31	33
2025	5	22	11	15	24	24	-2.4	1.028	0.5	0.5	0	49.5	44.7	0	148	136	0	33	32	32
2025	5	22	11	25	24	24	-1.9	1.028	0.4	0.3	0	49	43.4	0	147	133	0	33	32	33
2025	5	22	11	35	24	24	-2.8	1.028	0.5	0.4	0	48.6	42.6	0	147	131	0	34	32	32
2025	5	22	11	45	24	24	-2.6	1.028	0.5	0.4	0	48.6	42.6	0	146	131	0	33	32	32
2025	5	22	11	55	24	23.6	-1.5	1.028	0.4	0.3	0	49	43	0	147	132	0	33	32	33
2025	5	22	12	5	24	22.8	-2.5	1.028	0.5	0.5	0	49.5	43.4	0	148	133	0	33	32	32
2025	5	22	12	15	24	24.4	-3	1.028	0.5	0.5	0	48.6	43.9	0	145	133	0	32	31	32
2025	5	22	12	25	24	22.5	-2	1.028	0.5	0.4	0	48.6	43	0	145	132	0	32	32	32
2025	5	22	12	35	24	24.4	-3	1.028	0.5	0.5	0	48.2	43.9	0	145	133	0	33	31	33
2025	5	22	12	45	24	21.7	-1.6	1.028	0.5	0.4	0	48.2	43.9	0	145	134	0	33	32	32
2025	5	22	12	55	24	23.1	-2.2	1.028	0.5	0.4	0	48.6	44.7	0	145	135	0	32	31	32
2025	5	22	13	5	24	24.3	-1.9	1.028	0.5	0.4	0	48.2	44.3	0	145	135	0	33	32	33
2025	5	22	13	15	24	23.8	-1.8	1.028	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	5	22	13	25	24	22.9	-0.7	1.028	0.4	0.3	0	49	45.2	0	147	136	0	33	31	33
2025	5	22	13	35	24	23.2	-2.1	1.028	0.5	0.5	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	22	13	45	24	24.4	-1.5	1.028	0.5	0.4	0	49	44.3	0	147	135	0	33	32	32
2025	5	22	13	55	24	23.7	-0.9	1.028	0.5	0.5	0	48.6	44.7	0	146	135	0	33	31	33
2025	5	22	14	5	24	22.9	-2.5	1.027	0.5	0.5	0	48.6	44.7	0	146	136	0	33	32	32
2025	5	22	14	15	24	23.4	-1.9	1.027	0.5	0.4	0	48.2	44.3	0	145	135	0	33	32	32
2025	5	22	14	25	24	23.9	-2.6	1.027	0.5	0.4	0	48.2	44.7	0	145	135	0	33	31	32
2025	5	22	14	35	24	23.9	-2.4	1.027	0.5	0.4	0	49	44.7	0	146	135	0	32	31	32
2025	5	22	14	45	24	23.9	-1.5	1.027	0.5	0.4	0	48.6	44.3	0	145	135	0	32	32	33
2025	5	22	14	55	24	24.7	-2.6	1.027	0.4	0.3	0	48.2	44.7	0	145	135	0	33	31	32
2025	5	22	15	5	24	23.7	-1.8	1.027	0.5	0.4	0	48.2	44.3	0	145	134	0	33	31	32
2025	5	22	15	15	24	24.8	-2.5	1.026	0.4	0.3	0	48.2	44.3	0	145	134	0	33	31	32
2025	5	22	15	25	24	22.9	-2.9	1.026	0.5	0.4	0	49	44.7	0	147	136	0	33	32	33
2025	5	22	15	35	24	23.9	-2	1.025	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	31
2025	5	22	15	45	24	24.6	-3.5	1.025	0.5	0.5	0	49	44.7	0	146	136	0	32	32	32
2025	5	22	15	55	24	23.9	-2.3	1.025	0.4	0.3	0	49	45.2	0	146	136	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	22	16	5	24	24.1	-2.9	1.024	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	22	16	15	24	23.2	-2.5	1.025	0.5	0.5	0	48.2	44.7	0	145	135	0	33	31	32
2025	5	22	16	25	24	23.8	-1.9	1.024	0.5	0.5	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	22	16	35	24	23.9	-2.6	1.025	0.5	0.5	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	22	16	45	24	23.3	-1.7	1.025	0.5	0.4	0	48.2	44.3	0	145	135	0	33	32	32
2025	5	22	16	55	24	23.2	-2.3	1.025	0.5	0.4	0	48.6	44.3	0	145	135	0	32	32	32
2025	5	22	17	5	24	22.3	-1.9	1.026	0.5	0.4	0	48.2	43.9	0	144	134	0	32	32	32
2025	5	22	17	15	24	22.9	-3	1.025	0.5	0.4	0	47.7	44.3	0	144	134	0	33	31	32
2025	5	22	17	25	24	23.1	-2	1.024	0.4	0.3	0	48.2	43.9	0	144	134	0	32	32	32
2025	5	22	17	35	24	23.8	-2.8	1.023	0.5	0.4	0	47.7	43.9	0	144	134	0	33	32	32
2025	5	22	17	45	24	24.4	-2.5	1.023	0.4	0.3	0	47.3	43	0	143	132	0	33	32	32
2025	5	22	17	55	24	23.3	-2	1.023	0.5	0.4	0	47.7	43.9	0	143	133	0	32	31	32
2025	5	22	18	5	24	23.3	-2.3	1.023	0.3	0.2	0	47.3	43	0	143	132	0	33	32	32
2025	5	22	18	15	24	23.7	-3.5	1.023	0.4	0.3	0	48.2	43.9	0	144	133	0	32	31	32
2025	5	22	18	25	24	24.4	-2.5	1.022	0.5	0.5	0	47.7	43.9	0	144	133	0	33	31	32
2025	5	22	18	35	24	22.6	-2.5	1.023	0.4	0.3	0	47.3	43.4	0	143	132	0	33	31	32
2025	5	22	18	45	24	23.9	-2	1.024	0.5	0.4	0	47.7	43	0	144	132	0	33	32	33
2025	5	22	18	55	24	24.2	-1.5	1.023	0.5	0.4	0	48.6	43.9	0	145	133	0	32	31	32
2025	5	22	19	5	24	23.2	-2.2	1.022	0.3	0.2	0	48.2	43.4	0	145	133	0	33	32	32
2025	5	22	19	15	24	24.9	-2.5	1.023	0.4	0.3	0	48.2	43.4	0	145	133	0	33	32	32
2025	5	22	19	25	24	23.2	-3.1	1.024	0.3	0.2	0	47.7	43.4	0	144	132	0	33	31	33
2025	5	22	19	35	24	21.6	-1.5	1.024	0.3	0.2	0	48.6	43.9	0	145	133	0	32	31	32
2025	5	22	19	45	24	23	-2	1.024	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	5	22	19	55	24	22.3	-1.5	1.024	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	5	22	20	5	24	24.5	-2.1	1.024	0.5	0.5	0	48.2	44.3	0	145	134	0	33	31	32
2025	5	22	20	15	24	22.8	-1.3	1.024	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	5	22	20	25	24	23.5	-2.7	1.024	0.4	0.3	0	48.2	43.9	0	145	134	0	33	32	33
2025	5	22	20	35	24	23.3	-2.5	1.024	0.5	0.5	0	49	44.3	0	147	135	0	33	32	32
2025	5	22	20	45	24	23	-3.4	1.024	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	5	22	20	55	24	22.4	-2.5	1.024	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	22	21	5	24	24.7	-2.7	1.024	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	22	21	15	24	23.8	-1.3	1.024	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	22	21	25	24	23.5	-2.7	1.024	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	22	21	35	24	23.5	-1.8	1.024	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	22	21	45	24	25.1	-2.6	1.024	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	22	21	55	24	23.4	-2.5	1.024	0.4	0.3	0	49.9	44.3	0	150	135	0	34	32	33
2025	5	22	22	5	24	22.5	-1.5	1.024	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33
2025	5	22	22	15	24	22.9	-2.5	1.024	0.4	0.3	0	49.9	44.3	0	150	135	0	34	32	32
2025	5	22	22	25	24	23.1	-1.8	1.024	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	22	22	35	24	24.7	-2.5	1.024	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	22	22	45	24	22.9	-2.9	1.024	0.5	0.4	0	49.5	44.3	0	149	135	0	34	32	32
2025	5	22	22	55	24	22.9	-0.8	1.024	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	22	23	5	24	24.6	-1.4	1.024	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	22	23	15	24	22.4	-1.8	1.024	0.5	0.5	0	49.5	44.7	0	149	135	0	34	31	32
2025	5	22	23	25	24	23	-2.4	1.024	0.5	0.4	0	50.3	43.9	0	149	135	0	32	33	32
2025	5	22	23	35	24	23.5	-1.5	1.024	0.5	0.5	0	49.5	44.3	0	149	135	0	34	32	32
2025	5	22	23	45	24	23.8	-1.5	1.024	0.5	0.5	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	22	23	55	24	21.4	-1	1.024	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	23	0	5	24	23.4	-2.4	1.024	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	23	0	15	24	22.6	-3.3	1.024	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	33
2025	5	23	0	25	24	24.6	-2.3	1.024	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	23	0	35	24	24.2	-2.1	1.024	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	23	0	45	24	23.2	-1.9	1.024	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	23	0	55	24	23.2	-2.3	1.024	0.4	0.3	0	49	44.3	0	148	135	0	34	32	32
2025	5	23	1	5	24	23.8	-1.8	1.024	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	23	1	15	24	22.8	-1.9	1.024	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	23	1	25	24	23.3	-2.4	1.024	0.5	0.4	0	49	44.3	0	148	135	0	34	32	33
2025	5	23	1	35	24	22.1	-2.1	1.024	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	23	1	45	24	23.8	-2	1.024	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32
2025	5	23	1	55	24	23.9	-2.4	1.024	0.5	0.5	0	49	44.3	0	148	135	0	34	32	32
2025	5	23	2	5	24	24	-2.2	1.024	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	33
2025	5	23	2	15	24	23.7	-2.4	1.024	0.5	0.4	0	49	44.7	0	148	136	0	34	32	33
2025	5	23	2	25	24	24.1	-1.7	1.024	0.5	0.5	0	49	44.3	0	147	135	0	33	32	33
2025	5	23	2	35	24	23.2	-3.5	1.024	0.4	0.3	0	49	44.7	0	147	135	0	33	31	33
2025	5	23	2	45	24	21.6	-2.1	1.024	0.4	0.3	0	49	45.2	0	148	136	0	34	31	33
2025	5	23	2	55	24	22.5	-2.4	1.024	0.5	0.4	0	48.6	44.3	0	147	135	0	34	32	33
2025	5	23	3	5	24	23.2	-1.4	1.024	0.5	0.4	0	49	44.3	0	147	135	0	33	32	32
2025	5	23	3	15	24	23	-2	1.024	0.3	0.2	0	49	44.7	0	147	135	0	33	31	33
2025	5	23	3	25	24	21.9	-2.1	1.024	0.5	0.5	0	49	44.7	0	147	135	0	33	31	33
2025	5	23	3	35	24	23.2	-2.6	1.024	0.5	0.4	0	48.2	44.3	0	146	135	0	34	32	33
2025	5	23	3	45	24	22.5	-1.2	1.024	0.5	0.4	0	49	44.7	0	147	136	0	33	32	32
2025	5	23	3	55	24	23.6	-2.7	1.024	0.5	0.4	0	49	44.7	0	147	135	0	33	31	33
2025	5	23	4	5	24	22.3	-1.9	1.025	0.4	0.3	0	49	43.9	0	147	135	0	33	33	33
2025	5	23	4	15	24	23.7	-2.6	1.024	0.5	0.4	0	48.2	44.3	0	146	135	0	34	32	33
2025	5	23	4	25	24	23	-2.9	1.025	0.5	0.4	0	49	44.3	0	147	135	0	33	32	32
2025	5	23	4	35	24	22.7	-3.1	1.025	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	32
2025	5	23	4	45	24	22.6	-0.5	1.025	0.5	0.4	0	49	44.7	0	147	136	0	33	32	33
2025	5	23	4	55	24	23.4	-1.9	1.025	0.5	0.4	0	49	44.3	0	146	135	0	32	32	32
2025	5	23	5	5	24	24.5	-2.7	1.025	0.5	0.4	0	49	44.3	0	147	135	0	33	32	33
2025	5	23	5	15	24	24.5	-2.8	1.025	0.5	0.4	0	49	44.7	0	147	135	0	33	31	33
2025	5	23	5	25	24	23.1	-1.1	1.025	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	5	23	5	35	24	23	-1.9	1.025	0.5	0.5	0	49	44.7	0	147	136	0	33	32	33
2025	5	23	5	45	24	23.7	-1.9	1.025	0.5	0.5	0	49	44.3	0	147	135	0	33	32	32
2025	5	23	5	55	24	22.8	-1.2	1.025	0.4	0.3	0	48.2	43.9	0	146	134	0	34	32	32
2025	5	23	6	5	24	24.1	-2.8	1.025	0.4	0.3	0	48.6	44.3	0	145	134	0	32	31	33
2025	5	23	6	15	24	24.1	-2.4	1.025	0.4	0.3	0	47.7	43.9	0	145	134	0	34	32	33
2025	5	23	6	25	24	24.4	-3.3	1.025	0.5	0.4	0	48.2	44.3	0	145	134	0	33	31	33
2025	5	23	6	35	24	21.9	-2.1	1.025	0.4	0.3	0	48.6	43.4	0	146	133	0	33	32	32
2025	5	23	6	45	24	23.3	-1.5	1.025	0.3	0.2	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	23	6	55	24	23.5	-2.4	1.025	0.4	0.3	0	48.6	43.4	0	146	133	0	33	32	32
2025	5	23	7	5	24	23.5	-3.3	1.025	0.5	0.4	0	49	43.4	0	147	133	0	33	32	32
2025	5	23	7	15	24	23.1	-2.1	1.025	0.5	0.4	0	48.6	43.9	0	147	134	0	34	32	32
2025	5	23	7	25	24	24	-2.5	1.025	0.4	0.3	0	48.2	43.9	0	146	134	0	34	32	32
2025	5	23	7	35	24	22.8	-1.7	1.025	0.5	0.4	0	49	43.9	0	146	134	0	32	32	33
2025	5	23	7	45	24	23.7	-2.6	1.025	0.4	0.3	0	48.6	44.3	0	146	134	0	33	31	33
2025	5	23	7	55	24	23.3	-2.2	1.025	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	23	8	5	24	23.1	-3.4	1.025	0.5	0.4	0	49	44.7	0	148	135	0	34	31	33
2025	5	23	8	15	24	23.1	-2.4	1.025	0.4	0.3	0	49	44.3	0	147	134	0	33	31	33
2025	5	23	8	25	24	23.4	-2.3	1.025	0.5	0.5	0	49	43.9	0	147	134	0	33	32	32
2025	5	23	8	35	24	23.7	-2	1.025	0.3	0.2	0	49.5	43.9	0	147	134	0	32	32	32
2025	5	23	8	45	24	22.4	-2.3	1.025	0.5	0.4	0	49	43.9	0	147	134	0	33	32	32
2025	5	23	8	55	24	23.6	-3.6	1.025	0.4	0.3	0	49	43.4	0	147	134	0	33	33	33
2025	5	23	9	5	24	23.6	-1.9	1.025	0.3	0.2	0	48.6	44.3	0	147	134	0	34	31	32
2025	5	23	9	15	24	24.2	-1.7	1.025	0.5	0.4	0	49	43.9	0	147	134	0	33	32	33
2025	5	23	9	25	24	23.2	-3.2	1.026	0.5	0.5	0	48.6	44.3	0	147	135	0	34	32	33
2025	5	23	9	35	24	23	-1.8	1.026	0.4	0.3	0	49	44.3	0	148	135	0	34	32	33
2025	5	23	9	45	24	24	-2.5	1.026	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	5	23	9	55	24	24.2	-2.8	1.026	0.5	0.4	0	49	44.3	0	147	135	0	33	32	33
2025	5	23	10	5	24	23.6	-2.8	1.026	0.4	0.3	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	23	10	15	24	23.1	-1.8	1.026	0.5	0.4	0	49	43.9	0	147	134	0	33	32	32
2025	5	23	10	25	24	23.3	-2.8	1.026	0.4	0.3	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	23	10	35	24	23.5	-2.3	1.026	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	23	10	45	24	23.6	-2.6	1.026	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	23	10	55	24	23.6	-2.3	1.026	0.4	0.3	0	48.2	43.9	0	145	133	0	33	31	32
2025	5	23	11	5	24	22.9	-2.7	1.026	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	32
2025	5	23	11	15	24	22.8	-1.8	1.026	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	5	23	11	25	24	25	-3.6	1.026	0.3	0.2	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	23	11	35	24	22.5	-2	1.026	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	23	11	45	24	23.3	-2.6	1.026	0.5	0.4	0	49	43.9	0	147	133	0	33	31	32
2025	5	23	11	55	24	22.8	-2.3	1.025	0.3	0.2	0	49	44.3	0	147	134	0	33	31	32
2025	5	23	12	5	24	23.6	-2.9	1.026	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	23	12	15	24	22.7	-2.5	1.024	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	23	12	25	24	23.8	-2.6	1.025	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	23	12	35	24	24.6	-1.5	1.024	0.5	0.4	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	23	12	45	24	23.2	-2.3	1.025	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	23	12	55	24	24.9	-2.4	1.024	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	23	13	5	24	22.9	-2.2	1.023	0.5	0.4	0	49	43.9	0	148	134	0	34	32	31
2025	5	23	13	15	24	23.2	-1.6	1.023	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	23	13	25	24	23.1	-1.4	1.022	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	23	13	35	24	22.7	-3.6	1.022	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	31
2025	5	23	13	45	24	23.8	-2.5	1.023	0.5	0.5	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	23	13	55	24	23.8	-3.2	1.022	0.5	0.4	0	49	43.4	0	147	133	0	33	32	32
2025	5	23	14	5	24	23.6	-2.5	1.022	0.5	0.4	0	49	43.9	0	147	134	0	33	32	32
2025	5	23	14	15	24	23.6	-3.2	1.022	0.5	0.5	0	49	43.9	0	147	134	0	33	32	32
2025	5	23	14	25	24	22.1	-2	1.021	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	23	14	35	24	22.8	-2.2	1.021	0.6	0.5	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	23	14	45	24	22.8	-1.9	1.022	0.3	0.2	0	50.3	44.3	0	149	134	0	32	31	33
2025	5	23	14	55	24	23.4	-2.2	1.02	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	32
2025	5	23	15	5	24	23	-1.5	1.021	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	23	15	15	24	23.4	-1.8	1.02	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	23	15	25	24	23.6	-4	1.02	0.5	0.5	0	49.5	43.4	0	148	133	0	33	32	32
2025	5	23	15	35	24	23.9	-1.8	1.02	0.5	0.4	0	49	43.9	0	148	133	0	34	31	32
2025	5	23	15	45	24	23.8	-2.4	1.02	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	23	15	55	24	23.7	-2	1.019	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	23	16	5	24	24.1	-2.2	1.019	0.3	0.2	0	50.3	44.3	0	149	134	0	32	31	32
2025	5	23	16	15	24	23.2	-0.3	1.019	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	32
2025	5	23	16	25	24	23.6	-1.7	1.02	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	31
2025	5	23	16	35	24	22.4	-2.3	1.02	0.5	0.4	0	49.5	43.4	0	148	133	0	33	32	31
2025	5	23	16	45	24	23.7	-2.8	1.019	0.5	0.4	0	49.9	43.9	0	148	134	0	32	32	32
2025	5	23	16	55	24	22.8	-1.9	1.019	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	23	17	5	24	22.7	-1	1.019	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32
2025	5	23	17	15	24	22.6	-2	1.019	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	23	17	25	24	22.4	-2.4	1.018	0.4	0.3	0	49.5	43.9	0	148	133	0	33	31	32
2025	5	23	17	35	24	24.1	-2.4	1.018	0.5	0.4	0	49	43.4	0	147	132	0	33	31	32
2025	5	23	17	45	24	22.9	-2.8	1.018	0.4	0.3	0	49.9	43.4	0	148	133	0	32	32	32
2025	5	23	17	55	24	22.7	-3.1	1.018	0.4	0.3	0	48.6	43	0	146	132	0	33	32	32
2025	5	23	18	5	24	24.9	-2.2	1.018	0.4	0.3	0	49.5	43.4	0	148	132	0	33	31	32
2025	5	23	18	15	24	24.1	-2.2	1.018	0.3	0.2	0	49.9	43.4	0	148	132	0	32	31	32
2025	5	23	18	25	24	23.4	-1.7	1.018	0.5	0.5	0	49.5	42.6	0	148	132	0	33	33	32
2025	5	23	18	35	24	24.1	-1.7	1.018	0.5	0.4	0	49.9	43.4	0	148	132	0	32	31	32
2025	5	23	18	45	24	23.3	-2.2	1.018	0.4	0.3	0	49.9	43	0	148	132	0	32	32	33
2025	5	23	18	55	24	22.5	-2.6	1.018	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32
2025	5	23	19	5	24	22.7	-2.5	1.018	0.5	0.5	0	49.9	43.4	0	148	132	0	32	31	32
2025	5	23	19	15	24	25.3	-2.3	1.018	0.5	0.5	0	49	43.4	0	147	132	0	33	31	31
2025	5	23	19	25	24	22.5	-2.8	1.018	0.4	0.3	0	49.9	43.9	0	148	133	0	32	31	32
2025	5	23	19	35	24	23.4	-2.5	1.018	0.5	0.5	0	50.3	43.4	0	149	133	0	32	32	32
2025	5	23	19	45	24	22.9	-1.2	1.018	0.4	0.3	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	23	19	55	24	23	-2.8	1.018	0.5	0.4	0	49.5	43.9	0	149	134	0	34	32	32
2025	5	23	20	5	24	23.7	-2.4	1.018	0.5	0.4	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	23	20	15	24	23.2	-1.9	1.018	0.4	0.3	0	50.7	44.3	0	150	134	0	32	31	32
2025	5	23	20	25	24	23.9	-3.4	1.018	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	31
2025	5	23	20	35	24	22.5	-1.8	1.018	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	23	20	45	24	23.9	-2.2	1.018	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	23	20	55	24	23.4	-2	1.018	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	33
2025	5	23	21	5	24	22.9	-2.2	1.018	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	23	21	15	24	22.3	-1.5	1.018	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	33
2025	5	23	21	25	24	23.4	-1.4	1.018	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	23	21	35	24	23.3	-3.6	1.018	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	33
2025	5	23	21	45	24	24	-2.4	1.017	0.4	0.3	0	50.3	44.3	0	150	134	0	33	31	32
2025	5	23	21	55	24	24	-2.4	1.018	0.4	0.3	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	23	22	5	24	23	-2.4	1.017	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	23	22	15	24	23.5	-2.3	1.017	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	23	22	25	24	22.9	-2.9	1.018	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	23	22	35	24	23.1	-0.8	1.017	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	23	22	45	24	23.4	-1.4	1.018	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	33
2025	5	23	22	55	24	24	-2.7	1.018	0.3	0.2	0	49.9	43.9	0	150	133	0	34	31	32
2025	5	23	23	5	24	22.9	-2.5	1.018	0.5	0.4	0	49.9	44.3	0	150	134	0	34	31	32
2025	5	23	23	15	24	23.2	-1.5	1.018	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	32
2025	5	23	23	25	24	22.4	-2	1.018	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	23	23	35	24	24.8	-1.8	1.018	0.5	0.4	0	50.7	44.3	0	150	135	0	32	32	32
2025	5	23	23	45	24	24.5	-3.5	1.018	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	32
2025	5	23	23	55	24	23.4	-1.5	1.019	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	24	0	5	24	23.8	-1.8	1.019	0.5	0.4	0	49.9	44.7	0	150	135	0	34	31	33	
2025	5	24	0	15	24	21.5	-1.9	1.019	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	24	0	25	24	23.3	-2.9	1.018	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	24	0	35	24	23.3	-2.4	1.018	0.4	0.3	0	50.3	43.9	0	150	134	0	33	32	33	
2025	5	24	0	45	24	23.1	-2.4	1.019	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33	
2025	5	24	0	55	24	23.4	-1.9	1.02	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	24	1	5	24	23.1	-1.9	1.02	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33	
2025	5	24	1	15	24	22.8	-1.6	1.02	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33	
2025	5	24	1	25	24	23.3	-1.8	1.019	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	24	1	35	24	22.5	-2.5	1.021	0.4	0.3	0	49.9	44.3	0	150	134	0	34	31	33	
2025	5	24	1	45	24	24.2	-2.5	1.02	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	32	
2025	5	24	1	55	24	22.9	-2.4	1.021	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	32	
2025	5	24	2	5	24	22.2	-3	1.021	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	24	2	15	24	23.7	-2.4	1.021	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33	
2025	5	24	2	25	24	23.3	-1.1	1.021	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	24	2	35	24	23.3	-1.1	1.02	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	33	
2025	5	24	2	45	24	23.2	-2	1.021	0.3	0.2	0	49.5	44.7	0	149	135	0	34	31	32	
2025	5	24	2	55	24	23.1	-2.3	1.021	0.4	0.3	0	50.3	44.3	0	149	135	0	32	32	33	
2025	5	24	3	5	24	23.8	-2.3	1.022	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	24	3	15	24	24	-1.7	1.021	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33	
2025	5	24	3	25	24	23	-2	1.021	0.5	0.4	0	50.3	44.3	0	151	135	0	34	32	32	
2025	5	24	3	35	24	23.8	-2	1.021	0.4	0.3	0	50.7	44.3	0	151	135	0	33	32	34	
2025	5	24	3	45	24	23.8	-1.8	1.021	0.5	0.4	0	50.3	44.3	0	151	135	0	34	32	32	
2025	5	24	3	55	24	22.9	-1.7	1.022	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	33	
2025	5	24	4	5	24	23.5	-2.2	1.022	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32	
2025	5	24	4	15	24	22.9	-1.8	1.022	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32	
2025	5	24	4	25	24	23.4	-2.3	1.022	0.4	0.3	0	49.9	44.3	0	150	135	0	34	32	33	
2025	5	24	4	35	24	24.3	-3.3	1.022	0.5	0.4	0	50.7	44.3	0	151	135	0	33	32	33	
2025	5	24	4	45	24	24.4	-1.9	1.022	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	33	
2025	5	24	4	55	24	23.3	-2.4	1.022	0.5	0.5	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	24	5	5	24	22.8	-2.8	1.021	0.4	0.3	0	51.6	45.6	0	153	138	0	33	32	33	
2025	5	24	5	15	24	23.5	-1.4	1.022	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	24	5	25	24	23.9	-2.1	1.022	0.5	0.4	0	49.9	44.3	0	150	135	0	34	32	32	
2025	5	24	5	35	24	23.3	-1.3	1.022	0.3	0.2	0	50.3	43.9	0	150	134	0	33	32	33	
2025	5	24	5	45	24	23.6	-2.8	1.021	0.5	0.4	0	49.9	43.9	0	149	134	0	33	32	32	
2025	5	24	5	55	24	23.3	-2.3	1.022	0.5	0.5	0	49.5	43.9	0	149	134	0	34	32	32	
2025	5	24	6	5	24	22.9	-2.3	1.022	0.5	0.4	0	49.9	43.4	0	149	133	0	33	32	32	
2025	5	24	6	15	24	23.1	-1.9	1.022	0.5	0.4	0	49.9	43.9	0	149	134	0	33	32	32	
2025	5	24	6	25	24	23.3	-1.9	1.022	0.5	0.5	0	49.5	43.9	0	148	133	0	33	31	33	
2025	5	24	6	35	24	23.4	-2.4	1.023	0.5	0.5	0	49.9	43.4	0	149	133	0	33	32	33	
2025	5	24	6	45	24	22.5	-1.9	1.023	0.5	0.4	0	50.3	43.4	0	150	133	0	33	32	32	
2025	5	24	6	55	24	24	-3.2	1.023	0.5	0.5	0	49.9	43	0	149	132	0	33	32	32	
2025	5	24	7	5	24	22.4	-2.7	1.023	0.5	0.4	0	49.9	43.4	0	149	132	0	33	31	32	
2025	5	24	7	15	24	22.3	-1.6	1.022	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	33	
2025	5	24	7	25	24	23.4	-2.2	1.023	0.4	0.3	0	49	43	0	148	132	0	34	32	33	
2025	5	24	7	35	24	22.9	-1.9	1.022	0.5	0.4	0	50.3	43.9	0	150	133	0	33	31	33	
2025	5	24	7	45	24	22.5	-1.6	1.022	0.5	0.4	0	49.5	43.9	0	149	133	0	34	31	32	
2025	5	24	7	55	24	24.5	-2	1.023	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	24	8	5	24	22	-2.5	1.021	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	24	8	15	24	23.5	-1.3	1.022	0.5	0.4	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	24	8	25	24	24.5	-2.4	1.021	0.5	0.5	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	24	8	35	24	23.5	-1.5	1.02	0.4	0.3	0	50.3	43.4	0	150	133	0	33	32	32
2025	5	24	8	45	24	22	-1.9	1.02	0.3	0.2	0	50.3	44.3	0	150	134	0	33	31	33
2025	5	24	8	55	24	24.5	-2.3	1.021	0.5	0.4	0	50.3	43.4	0	150	133	0	33	32	31
2025	5	24	9	5	24	23.2	-1	1.02	0.4	0.3	0	50.3	44.3	0	150	134	0	33	31	32
2025	5	24	9	15	24	23.6	-1.9	1.02	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32
2025	5	24	9	25	24	23.7	-1.5	1.02	0.4	0.3	0	51.2	44.3	0	151	135	0	32	32	32
2025	5	24	9	35	24	23.6	-2.5	1.02	0.5	0.4	0	50.7	43.9	0	151	134	0	33	32	33
2025	5	24	9	45	24	23	-3.4	1.02	0.3	0.2	0	50.3	44.7	0	151	135	0	34	31	32
2025	5	24	9	55	24	23	-1.8	1.02	0.4	0.3	0	50.7	44.3	0	151	135	0	33	32	32
2025	5	24	10	5	24	24.5	-3.1	1.019	0.4	0.3	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	24	10	15	24	22.2	-2.4	1.019	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	24	10	25	24	23.7	-1.5	1.019	0.4	0.3	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	24	10	35	24	23.5	-2.8	1.019	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	24	10	45	24	23.4	-2.2	1.019	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32
2025	5	24	10	55	24	22.7	-3.1	1.019	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	24	11	5	24	23.7	-2.2	1.018	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	24	11	15	24	23.1	-2	1.018	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	24	11	25	24	23.9	-2	1.018	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	5	24	11	35	24	24.7	-1.8	1.018	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	24	11	45	24	23.8	-1.9	1.018	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	24	11	55	24	21.4	-1.4	1.018	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32
2025	5	24	12	5	24	22.3	-2	1.018	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	24	12	15	24	22.6	-2	1.018	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	5	24	12	25	24	23.3	-2.4	1.018	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	24	12	35	24	22.7	-1.8	1.017	0.5	0.4	0	51.6	44.7	0	152	136	0	32	32	33
2025	5	24	12	45	24	22.4	-2.2	1.017	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	32
2025	5	24	12	55	24	23.4	-2.1	1.017	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32
2025	5	24	13	5	24	23.4	-2.1	1.017	0.4	0.3	0	50.3	44.3	0	150	134	0	33	31	32
2025	5	24	13	15	24	23.9	-1.7	1.017	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	24	13	25	24	24	-1.9	1.017	0.5	0.5	0	51.2	44.3	0	151	135	0	32	32	31
2025	5	24	13	35	24	22.4	-1.8	1.017	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	24	13	45	24	23.4	-1.5	1.017	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	24	13	55	24	23.4	-2.5	1.017	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	24	14	5	24	22.8	-2.2	1.017	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	24	14	15	24	22.9	-2.4	1.017	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	24	14	25	24	22.2	-1.8	1.017	0.3	0.2	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	24	14	35	24	24	-2.7	1.017	0.5	0.4	0	49.9	44.7	0	150	136	0	34	32	32
2025	5	24	14	45	24	22.6	-2	1.017	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	24	14	55	24	22.5	-1.6	1.017	0.4	0.3	0	51.2	44.7	0	151	135	0	32	31	32
2025	5	24	15	5	24	24	-1.7	1.017	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	24	15	15	24	23.2	-2.1	1.016	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	24	15	25	24	22.8	-1.7	1.016	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	24	15	35	24	23.1	-3.2	1.016	0.4	0.3	0	51.2	44.3	0	151	134	0	32	31	32
2025	5	24	15	45	24	22.1	-2.4	1.016	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	24	15	55	24	23.4	-3	1.016	0.3	0.2	0	50.3	44.3	0	150	134	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	24	16	5	24	22.9	-1.6	1.016	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	33
2025	5	24	16	15	24	22.8	-1.9	1.016	0.5	0.5	0	50.3	44.7	0	149	134	0	32	30	32
2025	5	24	16	25	24	22.1	-2.4	1.016	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	24	16	35	24	24.5	-2.6	1.015	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32
2025	5	24	16	45	24	22	-3.1	1.015	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	32
2025	5	24	16	55	24	23.2	-2.3	1.015	0.4	0.3	0	49.9	43	0	148	132	0	32	32	32
2025	5	24	17	5	24	24.3	-2.4	1.015	0.5	0.5	0	49.5	43.4	0	148	132	0	33	31	31
2025	5	24	17	15	24	23.2	-2.8	1.015	0.4	0.3	0	49.9	43.4	0	148	132	0	32	31	32
2025	5	24	17	25	24	24.3	-2.4	1.015	0.4	0.3	0	50.3	43.9	0	149	133	0	32	31	33
2025	5	24	17	35	24	23.5	-2.3	1.015	0.3	0.2	0	49.9	43.4	0	148	133	0	32	32	32
2025	5	24	17	45	24	23.7	-2.4	1.014	0.4	0.3	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	24	17	55	24	23.5	-2.5	1.015	0.3	0.2	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	24	18	5	24	24	-1.7	1.015	0.4	0.3	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	24	18	15	24	24.3	-2.5	1.015	0.5	0.4	0	49.5	43.4	0	148	132	0	33	31	33
2025	5	24	18	25	24	23.3	-2.6	1.015	0.4	0.3	0	49.5	43.4	0	148	132	0	33	31	32
2025	5	24	18	35	24	23.7	-3	1.015	0.4	0.3	0	50.3	43.4	0	149	133	0	32	32	32
2025	5	24	18	45	24	23.4	-2	1.015	0.5	0.4	0	49.9	43	0	148	132	0	32	32	32
2025	5	24	18	55	24	23.6	-1.9	1.014	0.4	0.3	0	49.9	42.6	0	148	131	0	32	32	32
2025	5	24	19	5	24	22.9	-1.5	1.014	0.4	0.3	0	49.9	43.4	0	149	132	0	33	31	33
2025	5	24	19	15	24	24	-1.9	1.015	0.4	0.3	0	50.3	43.4	0	149	132	0	32	31	33
2025	5	24	19	25	24	24.2	-1.5	1.015	0.5	0.4	0	50.3	43	0	149	132	0	32	32	32
2025	5	24	19	35	24	23	-1.8	1.015	0.5	0.4	0	50.7	43.4	0	150	133	0	32	32	32
2025	5	24	19	45	24	23.9	-1.5	1.015	0.5	0.4	0	50.3	43.4	0	149	133	0	32	32	33
2025	5	24	19	55	24	23.9	-2.9	1.015	0.5	0.4	0	50.3	43.4	0	149	133	0	32	32	33
2025	5	24	20	5	24	23.1	-2.7	1.015	0.5	0.4	0	50.3	43.4	0	150	132	0	33	31	33
2025	5	24	20	15	24	21.8	-2	1.015	0.4	0.3	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	24	20	25	24	22.3	-2.1	1.015	0.4	0.3	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	24	20	35	24	22.8	-2.9	1.015	0.5	0.4	0	50.3	43.9	0	150	133	0	33	31	32
2025	5	24	20	45	24	22.5	-1.6	1.015	0.4	0.3	0	50.7	44.3	0	151	134	0	33	31	32
2025	5	24	20	55	24	23.6	-3.2	1.015	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	24	21	5	24	24	-1.9	1.015	0.5	0.4	0	50.7	44.7	0	151	135	0	33	31	32
2025	5	24	21	15	24	22.1	-1.5	1.015	0.5	0.4	0	50.3	44.3	0	150	134	0	33	31	32
2025	5	24	21	25	24	22.1	-1.6	1.015	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	24	21	35	24	25.1	-3.3	1.015	0.4	0.3	0	49.9	43.9	0	149	133	0	33	31	33
2025	5	24	21	45	24	23.4	-1.7	1.015	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	24	21	55	24	23.5	-2.5	1.015	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32
2025	5	24	22	5	24	22.6	-3.4	1.015	0.5	0.4	0	49.9	43.4	0	148	132	0	32	31	32
2025	5	24	22	15	24	23	-1.1	1.015	0.5	0.4	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	24	22	25	24	23.9	-1.5	1.015	0.5	0.5	0	49.9	43.4	0	149	133	0	33	32	32
2025	5	24	22	35	24	22	-2.9	1.015	0.5	0.4	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	24	22	45	24	23.5	-1.9	1.015	0.5	0.4	0	49.9	43.4	0	149	133	0	33	32	32
2025	5	24	22	55	24	22	-2	1.015	0.5	0.5	0	49.5	43	0	148	132	0	33	32	33
2025	5	24	23	5	24	22.8	-2.3	1.015	0.5	0.4	0	49.5	43	0	148	132	0	33	32	32
2025	5	24	23	15	24	24.2	-2	1.015	0.5	0.4	0	49.9	43	0	149	132	0	33	32	32
2025	5	24	23	25	24	23.6	-0.9	1.015	0.5	0.4	0	49.5	43.4	0	148	133	0	33	32	33
2025	5	24	23	35	24	23.3	-2.4	1.015	0.5	0.4	0	49.9	43	0	149	132	0	33	32	32
2025	5	24	23	45	24	22.5	-2.4	1.015	0.5	0.4	0	49.9	43.4	0	149	132	0	33	31	32
2025	5	24	23	55	24	22.6	-3.1	1.015	0.4	0.3	0	49.9	43	0	149	132	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	25	0	5	24	22.4	-2.4	1.015	0.5	0.4	0	49.5	43	0	148	132	0	33	32	32
2025	5	25	0	15	24	23.1	-2.1	1.015	0.4	0.3	0	49.5	43	0	148	132	0	33	32	33
2025	5	25	0	25	24	23	-2.5	1.015	0.5	0.4	0	49.9	43.4	0	149	133	0	33	32	33
2025	5	25	0	35	24	21.9	-2.1	1.015	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	33
2025	5	25	0	45	24	23.9	-2.1	1.015	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32
2025	5	25	0	55	24	23.4	-1.9	1.015	0.5	0.4	0	49.5	43.4	0	149	133	0	34	32	33
2025	5	25	1	5	24	23.9	-1.5	1.015	0.5	0.4	0	49.9	43.4	0	148	133	0	32	32	33
2025	5	25	1	15	24	23.4	-2.8	1.015	0.4	0.3	0	49.9	44.3	0	150	134	0	34	31	33
2025	5	25	1	25	24	23.6	-2.4	1.015	0.5	0.4	0	49.9	43.9	0	149	133	0	33	31	32
2025	5	25	1	35	24	23.4	-1.8	1.015	0.4	0.3	0	49.5	43	0	148	132	0	33	32	32
2025	5	25	1	45	24	23.4	-3.6	1.015	0.4	0.3	0	49.5	43	0	148	132	0	33	32	33
2025	5	25	1	55	24	22.5	-2	1.015	0.5	0.4	0	49.5	43	0	148	132	0	33	32	33
2025	5	25	2	5	24	23	-2.9	1.015	0.4	0.3	0	49.5	43	0	148	132	0	33	32	33
2025	5	25	2	15	24	23.3	-1.5	1.015	0.4	0.3	0	49.5	43	0	148	132	0	33	32	33
2025	5	25	2	25	24	22.9	-1.4	1.015	0.4	0.3	0	49.5	43.9	0	149	133	0	34	31	32
2025	5	25	2	35	24	23	-1.4	1.015	0.4	0.3	0	49.9	43.4	0	149	133	0	33	32	32
2025	5	25	2	45	24	24.2	-2.5	1.015	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	33
2025	5	25	2	55	24	22.8	-2.6	1.015	0.5	0.4	0	50.3	43.9	0	149	133	0	32	31	33
2025	5	25	3	5	24	21.4	-1.8	1.016	0.3	0.2	0	49.5	43.4	0	149	133	0	34	32	33
2025	5	25	3	15	24	22.1	-2	1.016	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	25	3	25	24	22.4	-2.6	1.018	0.5	0.4	0	47.7	44.3	0	145	134	0	34	31	33
2025	5	25	3	35	24	22.7	-3.4	1.017	0.4	0.3	0	49	40.9	0	147	126	0	33	31	32
2025	5	25	3	45	24	22.8	-1.4	1.016	0.4	0.3	0	48.6	41.7	0	147	129	0	34	32	33
2025	5	25	3	55	24	23.7	-3	1.016	0.5	0.5	0	49.5	41.7	0	148	129	0	33	32	32
2025	5	25	4	5	24	24.7	-3	1.016	0.5	0.4	0	48.6	44.7	0	146	136	0	33	32	33
2025	5	25	4	15	24	21	-0.5	1.017	0.5	0.5	0	48.6	26.2	0	146	93	0	33	32	33
2025	5	25	4	25	24	23.3	-1.6	1.017	0.5	0.5	0	48.2	34.8	0	145	113	0	33	32	32
2025	5	25	4	35	24	22.7	-1.5	1.017	0.5	0.4	0	49	42.6	0	147	132	0	33	33	32
2025	5	25	4	45	24	23.8	-2	1.016	0.4	0.3	0	48.6	45.6	0	146	137	0	33	31	33
2025	5	25	4	55	24	23.3	-2	1.017	0.3	0.2	0	48.6	45.2	0	146	137	0	33	32	33
2025	5	25	5	5	24	25.2	-2.2	1.017	0.5	0.4	0	48.6	45.2	0	146	137	0	33	32	32
2025	5	25	5	15	24	23	-2.4	1.017	0.5	0.4	0	48.6	45.2	0	146	137	0	33	32	33
2025	5	25	5	25	24	22.5	-1.7	1.019	0.5	0.5	0	48.2	41.7	0	146	129	0	34	32	33
2025	5	25	5	35	24	22.2	-3.4	1.018	0.4	0.3	0	49	44.3	0	147	134	0	33	31	33
2025	5	25	5	45	24	21.5	-0.4	1.018	0.5	0.4	0	49.5	32.7	0	148	108	0	33	32	33
2025	5	25	5	55	24	23.2	-2.5	1.018	0.4	0.3	0	49	43.4	0	147	133	0	33	32	32
2025	5	25	6	5	24	23.6	-1.3	1.019	0.5	0.5	0	49	39.6	0	147	124	0	33	32	33
2025	5	25	6	15	24	21.3	-1.3	1.02	0.5	0.4	0	49.5	42.1	0	148	130	0	33	32	33
2025	5	25	6	25	24	24	-3.3	1.02	0.5	0.4	0	48.6	45.2	0	146	136	0	33	31	33
2025	5	25	6	35	24	21.9	-2.3	1.02	0.3	0.2	0	49	44.7	0	147	136	0	33	32	33
2025	5	25	6	45	24	23.9	-2.6	1.019	0.5	0.5	0	49	45.2	0	147	137	0	33	32	33
2025	5	25	6	55	24	23.3	-1.7	1.02	0.5	0.4	0	48.2	45.2	0	146	136	0	34	31	33
2025	5	25	7	5	24	24	-2.4	1.02	0.4	0.3	0	48.6	44.7	0	146	136	0	33	32	33
2025	5	25	7	15	24	23.1	-2.8	1.021	0.5	0.4	0	49	45.2	0	147	137	0	33	32	33
2025	5	25	7	25	24	23	-1.2	1.021	0.4	0.3	0	49	44.7	0	146	136	0	32	32	33
2025	5	25	7	35	24	23.2	-2.8	1.021	0.4	0.3	0	49	44.7	0	147	136	0	33	32	33
2025	5	25	7	45	24	21.8	-1.9	1.021	0.5	0.4	0	49	45.2	0	147	137	0	33	32	32
2025	5	25	7	55	24	24.1	-2.4	1.021	0.4	0.3	0	49	45.6	0	147	137	0	33	31	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	25	8	5	24	22	-2.4	1.021	0.4	0.3	0	49	45.6	0	147	137	0	33	31	33
2025	5	25	8	15	24	24.5	-2.4	1.021	0.5	0.4	0	49	45.2	0	147	137	0	33	32	32
2025	5	25	8	25	24	23.2	-2.9	1.021	0.5	0.5	0	48.6	45.2	0	146	137	0	33	32	32
2025	5	25	8	35	24	23.4	-1.9	1.021	0.5	0.4	0	49	45.6	0	147	137	0	33	31	33
2025	5	25	8	45	24	21.9	-2.1	1.021	0.5	0.4	0	49	45.2	0	147	137	0	33	32	32
2025	5	25	8	55	24	23.4	-2.8	1.021	0.5	0.4	0	48.6	45.2	0	146	137	0	33	32	32
2025	5	25	9	5	24	23.4	-1.7	1.021	0.5	0.4	0	48.2	45.2	0	145	137	0	33	32	33
2025	5	25	9	15	24	23	-2.5	1.021	0.4	0.3	0	48.2	45.2	0	146	137	0	34	32	32
2025	5	25	9	25	24	23.3	-2.7	1.021	0.4	0.3	0	48.6	45.2	0	146	137	0	33	32	33
2025	5	25	9	35	24	23.4	-2.7	1.021	0.3	0.2	0	49.5	45.2	0	147	137	0	32	32	32
2025	5	25	9	45	24	23	-1.8	1.02	0.4	0.3	0	49.9	45.6	0	149	138	0	33	32	33
2025	5	25	9	55	24	22.7	-2.9	1.02	0.5	0.4	0	49.9	45.6	0	149	138	0	33	32	33
2025	5	25	10	5	24	23.4	-2.8	1.02	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	5	25	10	15	24	23.6	-2.6	1.019	0.4	0.3	0	49.5	44.7	0	147	136	0	32	32	32
2025	5	25	10	25	24	23.1	-1.8	1.019	0.5	0.5	0	49	44.7	0	147	136	0	33	32	33
2025	5	25	10	35	24	23.3	-2.6	1.019	0.4	0.3	0	49	44.7	0	147	136	0	33	32	33
2025	5	25	10	45	24	23.1	-3.6	1.019	0.7	0.6	0	49.5	44.7	0	147	136	0	32	32	31
2025	5	25	10	55	24	23.4	-2.2	1.018	0.4	0.3	0	48.6	44.7	0	146	136	0	33	32	32
2025	5	25	11	5	24	23.2	-3.2	1.019	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	25	11	15	24	24.2	-2	1.019	0.6	0.5	0	48.6	43.9	0	146	134	0	33	32	33
2025	5	25	11	25	24	24.2	-2.5	1.018	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	32
2025	5	25	11	35	24	22.7	-1.9	1.018	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	25	11	45	24	24.2	-2	1.018	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	25	11	55	24	24	-2.1	1.018	0.5	0.5	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	25	12	5	24	22.6	-1.7	1.018	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	25	12	15	24	23.5	-1.8	1.018	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	25	12	25	24	24.3	-1.4	1.018	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	25	12	35	24	23.6	-2.2	1.018	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	25	12	45	24	24	-1.8	1.018	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32
2025	5	25	12	55	24	24.7	-2.9	1.018	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	25	13	5	24	22.2	-1.8	1.018	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	25	13	15	24	24.1	-1.5	1.018	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	25	13	25	24	23.4	-1.5	1.018	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	25	13	35	24	23.8	-3	1.018	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	5	25	13	45	24	23.3	-2.2	1.018	0.3	0.2	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	25	13	55	24	23.4	-2.8	1.018	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	25	14	5	24	22.5	-1.3	1.018	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	32
2025	5	25	14	15	24	22.8	-1.7	1.018	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	25	14	25	24	22.5	-3	1.018	0.3	0.2	0	49	45.2	0	148	136	0	34	31	32
2025	5	25	14	35	24	23.4	-2	1.018	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	25	14	45	24	23.8	-2.5	1.018	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	25	14	55	24	24.1	-2.5	1.018	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32
2025	5	25	15	5	24	23.4	-2.7	1.018	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	25	15	15	24	23.1	-1.9	1.018	0.4	0.3	0	50.3	44.7	0	149	136	0	32	32	32
2025	5	25	15	25	24	22.8	-2.7	1.018	0.5	0.5	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	25	15	35	24	24.4	-1.4	1.018	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	25	15	45	24	23.9	-1.8	1.018	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	25	15	55	24	23.5	-2.4	1.018	0.5	0.4	0	49	44.3	0	147	134	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	25	16	5	24	24.4	-2.6	1.017	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	33
2025	5	25	16	15	24	21.9	-2.6	1.017	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	25	16	25	24	22.9	-3	1.017	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	5	25	16	35	24	24.2	-2.4	1.017	0.4	0.3	0	50.7	45.6	0	150	138	0	32	32	32
2025	5	25	16	45	24	22.7	-2.1	1.016	0.3	0.2	0	49.9	44.3	0	148	135	0	32	32	32
2025	5	25	16	55	24	24	-2	1.017	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	31
2025	5	25	17	5	24	23	-1.5	1.016	0.4	0.3	0	49	44.3	0	147	135	0	33	32	32
2025	5	25	17	15	24	23	-2	1.016	0.3	0.2	0	49	44.3	0	147	134	0	33	31	31
2025	5	25	17	25	24	22.5	-2	1.015	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32
2025	5	25	17	35	24	23.2	-2.1	1.016	0.4	0.3	0	50.3	45.2	0	149	135	0	32	30	33
2025	5	25	17	45	24	23.5	-2	1.016	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	25	17	55	24	22.9	-2.5	1.015	0.3	0.2	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	25	18	5	24	22.6	-3.2	1.016	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	25	18	15	24	23.6	-3	1.016	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	25	18	25	24	24.6	-1.7	1.016	0.4	0.3	0	49	43.9	0	147	133	0	33	31	32
2025	5	25	18	35	24	22.7	-2	1.016	0.3	0.2	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	25	18	45	24	23.5	-2.3	1.016	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	25	18	55	24	23.9	-2	1.016	0.5	0.5	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	25	19	5	24	22.9	-2.4	1.016	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	33
2025	5	25	19	15	24	24.5	-2.6	1.016	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	25	19	25	24	22.8	-2.4	1.016	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	25	19	35	24	23.6	-2.9	1.016	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	33
2025	5	25	19	45	24	24	-2.6	1.016	0.5	0.5	0	50.3	44.3	0	149	134	0	32	31	32
2025	5	25	19	55	24	23.8	-2.6	1.016	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	25	20	5	24	24.5	-2.1	1.016	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	25	20	15	24	23.4	-1.5	1.016	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	25	20	25	24	23	-2.5	1.016	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	5	25	20	35	24	22.2	-2	1.016	0.5	0.4	0	51.2	45.6	0	151	138	0	32	32	32
2025	5	25	20	45	24	23.1	-1.7	1.016	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	25	20	55	24	24.3	-1.9	1.016	0.3	0.2	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	25	21	5	24	24.2	-2	1.016	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	31
2025	5	25	21	15	24	23.9	-2.2	1.016	0.3	0.2	0	50.3	45.6	0	150	138	0	33	32	32
2025	5	25	21	25	24	23.8	-1.8	1.016	0.5	0.5	0	50.3	45.6	0	150	137	0	33	31	32
2025	5	25	21	35	24	23.5	-1.8	1.016	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	25	21	45	24	24.9	-2.7	1.016	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	25	21	55	24	23.3	-2.8	1.016	0.5	0.4	0	50.7	46	0	151	138	0	33	31	32
2025	5	25	22	5	24	22.9	-1.7	1.016	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	25	22	15	24	23.7	-2.7	1.015	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	5	25	22	25	24	23	-3.2	1.016	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	33
2025	5	25	22	35	24	23.4	-2.6	1.015	0.5	0.4	0	50.7	45.6	0	152	137	0	34	31	33
2025	5	25	22	45	24	23.9	-2.7	1.015	0.5	0.4	0	50.3	45.2	0	151	136	0	34	31	32
2025	5	25	22	55	24	23.7	-2.4	1.015	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	32
2025	5	25	23	5	24	21.8	-2	1.015	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	25	23	15	24	24.4	-3.3	1.016	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	25	23	25	24	23.4	-3.4	1.016	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	25	23	35	24	23.2	-2.7	1.016	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	25	23	45	24	23.6	-2.3	1.015	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	25	23	55	24	23.7	-2.4	1.015	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	26	0	5	24	23.7	-1.9	1.015	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	33
2025	5	26	0	15	24	23.1	-2.8	1.016	0.4	0.3	0	50.7	45.2	0	152	137	0	34	32	32
2025	5	26	0	25	24	23.6	-2.3	1.015	0.5	0.5	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	26	0	35	24	23.4	-3.2	1.015	0.3	0.2	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	26	0	45	24	24	-2.2	1.015	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	26	0	55	24	23.4	-2.1	1.016	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	26	1	5	24	23.2	-2.9	1.016	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	26	1	15	24	24.1	-1.6	1.016	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	26	1	25	24	24.9	-2.1	1.016	0.5	0.4	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	26	1	35	24	24.7	-3.4	1.017	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	33
2025	5	26	1	45	24	24.4	-1.1	1.017	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	26	1	55	24	23.9	-2.2	1.017	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32
2025	5	26	2	5	24	23.1	-1.6	1.017	0.3	0.2	0	51.2	45.6	0	152	138	0	33	32	32
2025	5	26	2	15	24	23.7	-1.9	1.017	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	26	2	25	24	23.9	-3.1	1.017	0.5	0.4	0	50.7	45.6	0	150	137	0	32	31	33
2025	5	26	2	35	24	23.4	-2.8	1.017	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	26	2	45	24	22.6	-2	1.017	0.4	0.3	0	50.3	45.2	0	151	137	0	34	32	32
2025	5	26	2	55	24	24.9	-3.1	1.018	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	26	3	5	24	22.7	-1.9	1.017	0.5	0.5	0	50.7	45.6	0	151	138	0	33	32	32
2025	5	26	3	15	24	23.3	-2.4	1.017	0.4	0.3	0	50.3	45.6	0	151	137	0	34	31	32
2025	5	26	3	25	24	23.9	-2.5	1.018	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	26	3	35	24	23.4	-1.5	1.019	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	26	3	45	24	23.8	-2.9	1.02	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32
2025	5	26	3	55	24	22.5	-2.4	1.019	0.4	0.3	0	50.3	45.6	0	151	138	0	34	32	32
2025	5	26	4	5	24	23.9	-2.4	1.02	0.3	0.2	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	26	4	15	24	23.9	-1.7	1.02	0.3	0.2	0	51.2	45.6	0	151	138	0	32	32	32
2025	5	26	4	25	24	23.2	-2.7	1.021	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	26	4	35	24	23.9	-2.5	1.021	0.5	0.4	0	50.3	45.2	0	151	137	0	34	32	33
2025	5	26	4	45	24	25.2	-2.2	1.021	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	32
2025	5	26	4	55	24	22.8	-2.3	1.021	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	26	5	5	24	24	-2.7	1.022	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	26	5	15	24	23.9	-3.1	1.022	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	26	5	25	24	22.1	-1.5	1.022	0.3	0.2	0	50.3	45.6	0	150	137	0	33	31	33
2025	5	26	5	35	24	22.3	-1.5	1.022	0.5	0.4	0	49.5	45.2	0	149	136	0	34	31	32
2025	5	26	5	45	24	24.5	-3	1.022	0.3	0.2	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	26	5	55	24	23.5	-2	1.022	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	26	6	5	24	22.5	-2.5	1.022	0.4	0.3	0	49.9	45.6	0	149	137	0	33	31	32
2025	5	26	6	15	24	24.3	-3.3	1.022	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	26	6	25	24	23.9	-2.1	1.022	0.5	0.5	0	49.9	44.7	0	149	137	0	33	33	32
2025	5	26	6	35	24	22.9	-2	1.022	0.5	0.4	0	49	44.3	0	148	135	0	34	32	32
2025	5	26	6	45	24	23.7	-2.7	1.022	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	26	6	55	24	24.1	-2.6	1.023	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	26	7	5	24	23	-2.7	1.022	0.4	0.3	0	49.5	45.2	0	149	136	0	34	31	33
2025	5	26	7	15	24	24.1	-2.6	1.023	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	33
2025	5	26	7	25	24	23.9	-2	1.023	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	26	7	35	24	22.5	-2.1	1.023	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	26	7	45	24	22.5	-2.5	1.023	0.3	0.2	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	26	7	55	24	23	-2.5	1.023	0.5	0.4	0	50.3	45.2	0	149	137	0	32	32	33

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	26	8	5	24	23.6	-2.1	1.023	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32	
2025	5	26	8	15	24	24.2	-2.7	1.023	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33	
2025	5	26	8	25	24	23	-1.8	1.023	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32	
2025	5	26	8	35	24	21.8	-2	1.023	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	32	
2025	5	26	8	45	24	23	-2.6	1.023	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33	
2025	5	26	8	55	24	22.4	-1.9	1.023	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32	
2025	5	26	9	5	24	23.3	-1.8	1.023	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	33	
2025	5	26	9	15	24	23.5	-1.5	1.023	0.4	0.3	0	49.9	45.2	0	148	136	0	32	31	32	
2025	5	26	9	25	24	22.8	-2.6	1.022	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	32	
2025	5	26	9	35	24	23.7	-2.9	1.022	0.5	0.4	0	49.9	45.2	0	149	137	0	33	32	32	
2025	5	26	9	45	24	23.5	-1.6	1.022	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32	
2025	5	26	9	55	24	23.2	-1.9	1.022	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32	
2025	5	26	10	5	24	24.7	-1.3	1.021	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32	
2025	5	26	10	15	24	24	-1.8	1.02	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	31	
2025	5	26	10	25	24	23.2	-2.2	1.02	0.6	0.5	0	49.5	44.7	0	148	136	0	33	32	32	
2025	5	26	10	35	24	24.2	-1.5	1.02	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32	
2025	5	26	10	45	24	24.5	-1.6	1.02	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33	
2025	5	26	10	55	24	24.1	-2.5	1.02	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	26	11	5	24	22.6	-2.4	1.02	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	26	11	15	24	24.9	-1.9	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33	
2025	5	26	11	25	24	24	-1.9	1.02	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33	
2025	5	26	11	35	24	23.3	-2.6	1.019	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32	
2025	5	26	11	45	24	22.7	-2.5	1.019	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	26	11	55	24	24.6	-4	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	26	12	5	24	23.1	-1.9	1.02	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	33	
2025	5	26	12	15	24	23.6	-2.5	1.019	0.4	0.3	0	50.3	45.6	0	149	136	0	32	30	33	
2025	5	26	12	25	24	23.5	-1.7	1.019	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	26	12	35	24	23.4	-2.4	1.019	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	33	
2025	5	26	12	45	24	23	-2	1.02	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	26	12	55	24	23.6	-2.7	1.02	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	26	13	5	24	23.7	-2.1	1.02	0.3	0.2	0	50.3	44.7	0	149	136	0	32	32	32	
2025	5	26	13	15	24	22.3	-2	1.02	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	26	13	25	24	23.9	-1.6	1.019	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	26	13	35	24	22.5	-2.2	1.019	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31	
2025	5	26	13	45	24	22.8	-2.4	1.019	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32	
2025	5	26	13	55	24	22.9	-2.6	1.02	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	26	14	5	24	22.9	-2.9	1.019	0.4	0.3	0	49.5	44.7	0	149	135	0	34	31	33	
2025	5	26	14	15	24	22.7	-2.1	1.019	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	26	14	25	24	22.3	-2	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33	
2025	5	26	14	35	24	22.2	-2.3	1.019	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	26	14	45	24	23	-2.5	1.019	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	26	14	55	24	23.3	-2.4	1.019	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33	
2025	5	26	15	5	24	24.3	-2.7	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	26	15	15	24	23.1	-2.2	1.019	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33	
2025	5	26	15	25	24	23.6	-1.9	1.018	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	31	
2025	5	26	15	35	24	23.8	-1	1.018	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32	
2025	5	26	15	45	24	22.7	-1.6	1.018	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	26	15	55	24	22.4	-2.5	1.018	0.3	0.2	0	49.9	44.7	0	148	135	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	26	16	5	24	23.2	-2.3	1.018	0.4	0.3	0	49.9	44.3	0	148	135	0	32	32	32
2025	5	26	16	15	24	22.7	-1.1	1.018	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31
2025	5	26	16	25	24	23.4	-3.1	1.018	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32
2025	5	26	16	35	24	22.9	-1.6	1.018	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	26	16	45	24	23.5	-2.5	1.018	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	26	16	55	24	23	-1.2	1.017	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	26	17	5	24	23	-0.5	1.018	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	26	17	15	24	23.4	-2.1	1.017	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32
2025	5	26	17	25	24	24	-2.3	1.017	0.4	0.3	0	49.9	43.9	0	148	134	0	32	32	32
2025	5	26	17	35	24	22.9	-2.8	1.018	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	33
2025	5	26	17	45	24	23.7	-3.1	1.017	0.3	0.2	0	54.6	49	0	159	145	0	32	31	31
2025	5	26	17	55	24	22.9	-2.4	1.017	0.6	0.5	0	53.8	48.6	0	158	144	0	33	31	32
2025	5	26	18	5	24	23.7	-2	1.018	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	26	18	15	24	23.4	-2	1.017	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	31
2025	5	26	18	25	24	23.2	-2.1	1.017	0.3	0.2	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	26	18	35	24	24.7	-1.3	1.018	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	26	18	45	24	23.4	-2.4	1.018	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32
2025	5	26	18	55	24	22.6	-3.4	1.017	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	26	19	5	24	23.3	-1.5	1.018	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	33
2025	5	26	19	15	24	23.9	-1.2	1.018	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	26	19	25	24	23.2	-3.4	1.018	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	26	19	35	24	22.7	-2.5	1.017	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	26	19	45	24	23.6	-2.9	1.017	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	26	19	55	24	23.3	-1.8	1.017	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32
2025	5	26	20	5	24	21.9	-2.4	1.018	0.5	0.5	0	49.5	45.2	0	149	136	0	34	31	32
2025	5	26	20	15	24	22.3	-1.8	1.017	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	26	20	25	24	22.6	-3	1.017	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	26	20	35	24	23.5	-2.9	1.017	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	26	20	45	24	24.2	-2.5	1.018	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	26	20	55	24	23.2	-2.9	1.018	0.3	0.2	0	51.2	45.2	0	151	137	0	32	32	32
2025	5	26	21	5	24	23.3	-2.3	1.019	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	26	21	15	24	24.1	-2.9	1.017	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	26	21	25	24	23.1	-2.8	1.018	0.4	0.3	0	50.7	45.6	0	151	138	0	33	32	33
2025	5	26	21	35	24	23.5	-2.3	1.018	0.5	0.4	0	50.7	45.6	0	152	137	0	34	31	33
2025	5	26	21	45	24	23.9	-3.3	1.018	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	26	21	55	24	23.8	-2.3	1.018	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	26	22	5	24	23.5	-2.2	1.018	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	26	22	15	24	22.2	-1.5	1.018	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	26	22	25	24	23.3	-2.9	1.018	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	33
2025	5	26	22	35	24	23.3	-2.3	1.018	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	26	22	45	24	23.9	-2.2	1.02	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	26	22	55	24	23.4	-2.6	1.02	0.5	0.4	0	49.9	44.7	0	150	136	0	34	32	33
2025	5	26	23	5	24	23.6	-2.4	1.019	0.4	0.3	0	50.3	44.7	0	150	137	0	33	33	32
2025	5	26	23	15	24	23.7	-3.9	1.021	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	26	23	25	24	23.9	-3.3	1.021	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	26	23	35	24	24.5	-2.8	1.021	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	26	23	45	24	23.1	-2.4	1.02	0.5	0.5	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	26	23	55	24	24.5	-2.5	1.022	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	27	0	5	24	23.6	-2.6	1.022	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	0	15	24	23.3	-2.1	1.023	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	27	0	25	24	23.8	-3.1	1.023	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	33
2025	5	27	0	35	24	23.3	-2.1	1.022	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	0	45	24	24.8	-2.8	1.023	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	27	0	55	24	24.1	-1.9	1.023	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	27	1	5	24	24.5	-2.8	1.023	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	33
2025	5	27	1	15	24	24.2	-2.8	1.023	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	27	1	25	24	24	-3.2	1.023	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	27	1	35	24	24	-2.8	1.024	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	27	1	45	24	23.4	-1.7	1.024	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	27	1	55	24	22.7	-2.5	1.024	0.5	0.4	0	50.7	44.3	0	151	136	0	33	33	32
2025	5	27	2	5	24	22.5	-2.7	1.024	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	2	15	24	23.9	-2.6	1.024	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	27	2	25	24	23.7	-2.2	1.024	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	2	35	24	23.5	-1.7	1.025	0.5	0.4	0	50.7	45.6	0	151	138	0	33	32	33
2025	5	27	2	45	24	23.3	-2.6	1.025	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	2	55	24	23.3	-2.4	1.025	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32
2025	5	27	3	5	24	22.3	-2.6	1.025	0.4	0.3	0	51.2	46	0	152	138	0	33	31	33
2025	5	27	3	15	24	24.2	-2.1	1.025	0.5	0.5	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	3	25	24	22.9	-1.5	1.026	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	3	35	24	23.6	-2.4	1.026	0.5	0.4	0	50.3	45.2	0	151	137	0	34	32	33
2025	5	27	3	45	24	22.7	-2.2	1.026	0.5	0.5	0	51.2	45.6	0	152	138	0	33	32	33
2025	5	27	3	55	24	23	-2.2	1.026	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	4	5	24	24.5	-2.7	1.027	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	27	4	15	24	22.7	-2	1.027	0.5	0.4	0	51.2	45.6	0	151	138	0	32	32	32
2025	5	27	4	25	24	22.3	-2.4	1.027	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	4	35	24	23.5	-2.7	1.028	0.3	0.2	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	4	45	24	23.7	-2.9	1.028	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	4	55	24	23.7	-2.5	1.03	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	27	5	5	24	23.5	-1.2	1.031	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	27	5	15	24	23.3	-1.9	1.032	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	33
2025	5	27	5	25	24	25.9	-2.6	1.033	0.3	0.2	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	27	5	35	24	24.7	-2.4	1.033	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	27	5	45	24	23.8	-2.4	1.033	0.5	0.5	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	27	5	55	24	25.1	-2.3	1.034	0.5	0.5	0	51.2	44.7	0	151	136	0	32	32	33
2025	5	27	6	5	24	23.9	-1.8	1.034	0.4	0.3	0	49.9	44.7	0	150	136	0	34	32	32
2025	5	27	6	15	24	24.2	-2.3	1.035	0.3	0.2	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	27	6	25	24	24.2	-1.3	1.035	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	27	6	35	24	23.2	-2	1.035	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	27	6	45	24	24.5	-1.7	1.035	0.4	0.3	0	49.9	44.7	0	150	135	0	34	31	33
2025	5	27	6	55	24	23.8	-3.3	1.035	0.5	0.4	0	49.9	43.4	0	149	134	0	33	33	33
2025	5	27	7	5	24	23.2	-2.4	1.036	0.4	0.3	0	49.9	44.3	0	150	135	0	34	32	32
2025	5	27	7	15	24	24.1	-3.2	1.036	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	27	7	25	24	24.5	-2.8	1.036	0.5	0.4	0	49.5	44.3	0	149	135	0	34	32	32
2025	5	27	7	35	24	24.7	-1.5	1.036	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	27	7	45	24	25	-2.5	1.036	0.4	0.3	0	49.9	45.2	0	150	136	0	34	31	32
2025	5	27	7	55	24	24.3	-2.4	1.037	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	27	8	5	24	23.8	-1.7	1.037	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	27	8	15	24	23.3	-1.6	1.037	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	27	8	25	24	24.1	-2.6	1.037	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	31
2025	5	27	8	35	24	22.9	-2.4	1.037	0.4	0.3	0	50.3	44.3	0	150	136	0	33	33	33
2025	5	27	8	45	24	24.7	-2.9	1.037	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	27	8	55	24	24.2	-2.3	1.038	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	27	9	5	24	23.8	-2.4	1.038	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	27	9	15	24	24	-0.9	1.038	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	27	9	25	24	24	-1.5	1.038	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	27	9	35	24	23.9	-1.3	1.038	0.5	0.5	0	50.7	44.7	0	150	136	0	32	32	33
2025	5	27	9	45	24	25.5	-2.5	1.038	0.3	0.2	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	27	9	55	24	24	-2.8	1.038	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	27	10	5	24	26.2	-2.5	1.039	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	27	10	15	24	25.4	-2.6	1.039	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	27	10	25	24	23.8	-2.4	1.039	0.5	0.4	0	49.9	45.2	0	149	137	0	33	32	33
2025	5	27	10	35	24	24.4	-3.3	1.039	0.5	0.4	0	49.9	45.2	0	149	137	0	33	32	32
2025	5	27	10	45	24	24.2	-2.8	1.039	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	33
2025	5	27	10	55	24	25.2	-1.5	1.039	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	27	11	5	24	23.9	-3.3	1.04	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	33
2025	5	27	11	15	24	24.1	-2.9	1.04	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	27	11	25	24	26	-3.2	1.04	0.5	0.4	0	49.9	44.3	0	148	135	0	32	32	33
2025	5	27	11	35	24	24.4	-2	1.04	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	33
2025	5	27	11	45	24	24.7	-2.4	1.04	0.4	0.3	0	49	45.2	0	148	136	0	34	31	33
2025	5	27	11	55	24	25.3	-3.4	1.04	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	27	12	5	24	23.7	-3	1.04	0.5	0.5	0	49.5	44.7	0	148	136	0	33	32	33
2025	5	27	12	15	24	25	-2.5	1.04	0.5	0.4	0	50.3	44.7	0	149	136	0	32	32	32
2025	5	27	12	25	24	24.5	-2.7	1.04	0.3	0.2	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	27	12	35	24	24.5	-2.4	1.04	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	33
2025	5	27	12	45	24	24.1	-2.4	1.04	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	5	27	12	55	24	24.3	-2.4	1.04	0.5	0.4	0	49.9	44.3	0	148	135	0	32	32	32
2025	5	27	13	5	24	24.2	-2.4	1.04	0.3	0.2	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	27	13	15	24	25.4	-2.5	1.04	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	5	27	13	25	24	24.1	-2.5	1.04	0.3	0.2	0	49.9	45.2	0	149	137	0	33	32	33
2025	5	27	13	35	24	24.7	-2.9	1.04	0.5	0.4	0	49	44.7	0	148	136	0	34	32	32
2025	5	27	13	45	24	25.2	-2.9	1.04	0.5	0.4	0	49.5	45.2	0	148	136	0	33	31	32
2025	5	27	13	55	24	24.3	-2.3	1.04	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	33
2025	5	27	14	5	24	24.2	-2.8	1.04	0.4	0.3	0	49.5	44.7	0	147	136	0	32	32	32
2025	5	27	14	15	24	24.1	-2.5	1.04	0.4	0.3	0	49	44.7	0	147	136	0	33	32	33
2025	5	27	14	25	24	23.7	-2.2	1.04	0.5	0.5	0	49	45.2	0	146	136	0	32	31	32
2025	5	27	14	35	24	24.1	-3.1	1.04	0.5	0.5	0	49	44.7	0	147	136	0	33	32	33
2025	5	27	14	45	24	24.9	-3.5	1.04	0.3	0.2	0	49.5	45.2	0	148	136	0	33	31	33
2025	5	27	14	55	24	24.3	-1.4	1.04	0.5	0.4	0	49.5	44.7	0	148	136	0	33	32	32
2025	5	27	15	5	24	24.4	-2.9	1.04	0.5	0.4	0	49	44.7	0	147	136	0	33	32	32
2025	5	27	15	15	24	24	-2.1	1.04	0.5	0.4	0	48.6	44.7	0	147	136	0	34	32	32
2025	5	27	15	25	24	25	-2.1	1.04	0.6	0.5	0	49.5	45.2	0	148	137	0	33	32	32
2025	5	27	15	35	24	23.8	-3.1	1.04	0.3	0.2	0	49.5	45.2	0	148	137	0	33	32	32
2025	5	27	15	45	24	24.3	-2.6	1.04	0.4	0.3	0	50.3	44.7	0	149	136	0	32	32	32
2025	5	27	15	55	24	25.8	-3.3	1.04	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	27	16	5	24	24.6	-1.9	1.04	0.5	0.4	0	49.9	45.6	0	149	137	0	33	31	32	
2025	5	27	16	15	24	24.1	-2	1.04	0.4	0.3	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	27	16	25	24	25.3	-2.8	1.04	0.5	0.4	0	49.9	44.3	0	148	135	0	32	32	32	
2025	5	27	16	35	24	25.2	-2.4	1.04	0.5	0.5	0	49.9	45.2	0	149	136	0	33	31	32	
2025	5	27	16	45	24	24.2	-2.1	1.04	0.3	0.2	0	50.3	45.2	0	148	136	0	31	31	32	
2025	5	27	16	55	24	23.5	-2.1	1.04	0.5	0.4	0	49.9	44.7	0	148	136	0	32	32	33	
2025	5	27	17	5	24	24.6	-2.2	1.04	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	27	17	15	24	24.3	-2.1	1.039	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	27	17	25	24	23.5	-2.8	1.039	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	27	17	35	24	23.7	-2.6	1.039	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	33	
2025	5	27	17	45	24	25.1	-2.7	1.039	0.3	0.2	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	27	17	55	24	23.6	-2.7	1.039	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	27	18	5	24	24	-2.4	1.039	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	27	18	15	24	24.8	-2.8	1.04	0.6	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	27	18	25	24	24.2	-1.9	1.039	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	27	18	35	24	25.2	-1.9	1.039	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	27	18	45	24	24.2	-1.7	1.04	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	33	
2025	5	27	18	55	24	25.8	-2.9	1.04	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	33	
2025	5	27	19	5	24	24.4	-2.5	1.039	0.5	0.5	0	49.5	43.9	0	148	134	0	33	32	33	
2025	5	27	19	15	24	25.8	-2.8	1.04	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	27	19	25	24	23.9	-1.5	1.039	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	27	19	35	24	24.1	-2.7	1.04	0.3	0.2	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	27	19	45	24	25.5	-1.9	1.039	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	27	19	55	24	24.5	-2.1	1.04	0.5	0.4	0	50.3	44.3	0	149	135	0	32	32	32	
2025	5	27	20	5	24	25.1	-2.8	1.04	0.5	0.4	0	49	44.3	0	148	134	0	34	31	33	
2025	5	27	20	15	24	24.5	-2.4	1.04	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	27	20	25	24	25.5	-3.1	1.039	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	27	20	35	24	24.8	-2.3	1.04	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	27	20	45	24	23.1	-2.3	1.039	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	27	20	55	24	23.1	-2.6	1.04	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	31	
2025	5	27	21	5	24	24.4	-1.2	1.04	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32	
2025	5	27	21	15	24	24	-3	1.039	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	33	
2025	5	27	21	25	24	22.9	-2.9	1.039	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32	
2025	5	27	21	35	24	24.9	-2.7	1.039	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	27	21	45	24	24.9	-2.6	1.04	0.4	0.3	0	50.3	45.2	0	150	137	0	33	32	32	
2025	5	27	21	55	24	23.9	-1.9	1.04	0.3	0.2	0	50.3	45.6	0	151	138	0	34	32	32	
2025	5	27	22	5	24	25.4	-2.6	1.04	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	27	22	15	24	23.6	-2.1	1.04	0.5	0.4	0	50.7	45.6	0	151	138	0	33	32	32	
2025	5	27	22	25	24	23.9	-2.4	1.04	0.4	0.3	0	50.7	45.2	0	150	137	0	32	32	32	
2025	5	27	22	35	24	24	-2.8	1.04	0.3	0.2	0	50.3	45.2	0	151	137	0	34	32	33	
2025	5	27	22	45	24	24.8	-2.8	1.04	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32	
2025	5	27	22	55	24	24.9	-2.8	1.04	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	27	23	5	24	24	-3	1.04	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	27	23	15	24	24.3	-2.4	1.04	0.3	0.2	0	51.2	45.2	0	152	137	0	33	32	32	
2025	5	27	23	25	24	24.3	-2.7	1.039	0.5	0.4	0	50.3	45.2	0	151	136	0	34	31	32	
2025	5	27	23	35	24	25.2	-2.2	1.039	0.4	0.3	0	50.7	44.3	0	151	136	0	33	33	32	
2025	5	27	23	45	24	24.9	-2.9	1.039	0.3	0.2	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	27	23	55	24	26.2	-2	1.039	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	28	0	5	24	25	-2.8	1.039	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	28	0	15	24	24.9	-2.6	1.039	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	0	25	24	24.2	-3.3	1.039	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	28	0	35	24	23.3	-2.1	1.039	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	28	0	45	24	25.1	-3.2	1.039	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	28	0	55	24	24.1	-1.8	1.039	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	28	1	5	24	23.4	-2.8	1.039	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	28	1	15	24	25	-1.8	1.038	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	28	1	25	24	24.4	-2.3	1.038	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	33
2025	5	28	1	35	24	24.7	-2.4	1.038	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	1	45	24	24.2	-2.6	1.038	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	1	55	24	23.6	-2.6	1.038	0.4	0.3	0	49.9	44.7	0	150	136	0	34	32	33
2025	5	28	2	5	24	24.4	-1.8	1.038	0.5	0.4	0	49.9	44.7	0	150	136	0	34	32	33
2025	5	28	2	15	24	24.7	-3.1	1.038	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	2	25	24	25	-2.2	1.038	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	28	2	35	24	24.1	-2.6	1.038	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	2	45	24	23.1	-1.3	1.038	0.5	0.4	0	49.9	45.2	0	150	136	0	34	31	33
2025	5	28	2	55	24	24.3	-3	1.037	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	28	3	5	24	23.4	-3.3	1.037	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	3	15	24	23.6	-2.8	1.037	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	3	25	24	24.3	-2	1.037	0.3	0.2	0	49.9	45.6	0	150	137	0	34	31	32
2025	5	28	3	35	24	23.5	-2.4	1.037	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	28	3	45	24	23.9	-2.3	1.037	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	3	55	24	24	-2.2	1.037	0.5	0.4	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	28	4	5	24	24.4	-2.8	1.037	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	4	15	24	25.1	-2.1	1.037	0.4	0.3	0	49.9	45.2	0	150	136	0	34	31	33
2025	5	28	4	25	24	22.8	-2.9	1.037	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	4	35	24	23.6	-1.6	1.037	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	28	4	45	24	23.4	-1.9	1.037	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	28	4	55	24	24.9	-1.6	1.037	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	28	5	5	24	24.2	-3	1.036	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	28	5	15	24	24.2	-2.1	1.036	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	28	5	25	24	24.4	-2.3	1.036	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	28	5	35	24	24.1	-1.3	1.036	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	5	45	24	24	-2.2	1.036	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	28	5	55	24	24.6	-3.8	1.036	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	28	6	5	24	24.4	-2.3	1.036	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	28	6	15	24	24.2	-3.3	1.036	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	28	6	25	24	24.3	-2.5	1.036	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	28	6	35	24	24.3	-2	1.036	0.3	0.2	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	28	6	45	24	23.2	-2.4	1.036	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	33
2025	5	28	6	55	24	24.1	-2.1	1.036	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	28	7	5	24	24.7	-2.5	1.036	0.3	0.2	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	28	7	15	24	23.8	-1.5	1.036	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	28	7	25	24	24.6	-2.4	1.036	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	28	7	35	24	23.9	-3.1	1.035	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	33
2025	5	28	7	45	24	24.9	-2.3	1.035	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	32
2025	5	28	7	55	24	24.6	-1.8	1.035	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	34

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	28	8	5	24	25.5	-2.4	1.035	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	33
2025	5	28	8	15	24	22.5	-2.2	1.035	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	33
2025	5	28	8	25	24	22.8	-2.9	1.035	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	28	8	35	24	23.9	-3.3	1.035	0.3	0.2	0	49.5	43.9	0	148	134	0	33	32	32
2025	5	28	8	45	24	25.5	-1.9	1.035	0.3	0.2	0	49	44.3	0	148	135	0	34	32	32
2025	5	28	8	55	24	23.2	-1.5	1.034	0.4	0.3	0	49.9	45.2	0	150	137	0	34	32	33
2025	5	28	9	5	24	24.9	-1.4	1.034	0.4	0.3	0	49.9	44.7	0	149	136	0	33	32	33
2025	5	28	9	15	24	24.2	-2.4	1.034	0.5	0.5	0	49.9	44.7	0	149	136	0	33	32	32
2025	5	28	9	25	24	22.1	-2.3	1.034	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	28	9	35	24	22.7	-2.5	1.034	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	33
2025	5	28	9	45	24	23.3	-2.5	1.032	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	28	9	55	24	24.7	-3.2	1.031	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	5	28	10	5	24	23.1	-3.6	1.031	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	5	28	10	15	24	23.5	-2.1	1.031	0.4	0.3	0	49.9	44.7	0	148	136	0	32	32	32
2025	5	28	10	25	24	24.5	-2.4	1.03	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	33
2025	5	28	10	35	24	23.1	-1.5	1.03	0.6	0.5	0	49.5	45.2	0	148	137	0	33	32	32
2025	5	28	10	45	24	25.1	-1.9	1.03	0.5	0.5	0	49	44.7	0	147	136	0	33	32	32
2025	5	28	10	55	24	23	-2.9	1.03	0.5	0.4	0	49	44.7	0	148	136	0	34	32	32
2025	5	28	11	5	24	23.8	-1.5	1.03	0.4	0.3	0	49.5	44.7	0	148	136	0	33	32	32
2025	5	28	11	15	24	24.7	-2.4	1.03	0.5	0.5	0	49.5	45.6	0	148	137	0	33	31	33
2025	5	28	11	25	24	24.3	-1.9	1.03	0.4	0.3	0	49	45.2	0	148	136	0	34	31	32
2025	5	28	11	35	24	23.5	-2.6	1.029	0.3	0.2	0	49	45.2	0	147	136	0	33	31	33
2025	5	28	11	45	24	24.3	-2.8	1.029	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	32
2025	5	28	11	55	24	23.7	-3.4	1.029	0.5	0.4	0	49	44.7	0	147	135	0	33	31	32
2025	5	28	12	5	24	25.1	-2.5	1.029	0.5	0.4	0	49	45.2	0	147	136	0	33	31	32
2025	5	28	12	15	24	24.2	-2.4	1.029	0.3	0.2	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	28	12	25	24	24.1	-1.4	1.029	0.4	0.3	0	49	44.3	0	146	135	0	32	32	33
2025	5	28	12	35	24	22.8	-2.2	1.029	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	28	12	45	24	23.5	-1.6	1.029	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	5	28	12	55	24	23.3	-3	1.028	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	31
2025	5	28	13	5	24	25.1	-0.9	1.029	0.4	0.3	0	49	44.3	0	146	134	0	32	31	33
2025	5	28	13	15	24	24.3	-2.4	1.029	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	33
2025	5	28	13	25	24	24	-2.3	1.028	0.5	0.4	0	48.6	43.9	0	146	134	0	33	32	32
2025	5	28	13	35	24	24.2	-2.1	1.029	0.5	0.4	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	28	13	45	24	23.8	-4	1.027	0.3	0.2	0	48.6	43.9	0	145	134	0	32	32	33
2025	5	28	13	55	24	23.9	-2.4	1.027	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	32
2025	5	28	14	5	24	23.6	-2.4	1.027	0.4	0.3	0	49	44.3	0	146	135	0	32	32	32
2025	5	28	14	15	24	24	-1.5	1.026	0.5	0.4	0	48.2	44.7	0	145	135	0	33	31	32
2025	5	28	14	25	24	24.2	-2.9	1.027	0.5	0.4	0	48.2	44.3	0	145	134	0	33	31	32
2025	5	28	14	35	24	24.2	-2.9	1.026	0.4	0.3	0	49	44.3	0	146	135	0	32	32	32
2025	5	28	14	45	24	23.1	-2.7	1.026	0.5	0.4	0	48.6	44.3	0	146	135	0	33	32	33
2025	5	28	14	55	24	23.2	-2	1.025	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	33
2025	5	28	15	5	24	24.8	-3.5	1.025	0.3	0.2	0	48.6	44.3	0	146	134	0	33	31	32
2025	5	28	15	15	24	23	-2.6	1.025	0.5	0.5	0	48.6	44.3	0	146	135	0	33	32	32
2025	5	28	15	25	24	24.4	-2.4	1.024	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32
2025	5	28	15	35	24	22.5	-2.5	1.024	0.3	0.2	0	48.6	45.2	0	146	135	0	33	30	32
2025	5	28	15	45	24	23.1	-3.4	1.023	0.4	0.3	0	48.6	44.7	0	146	135	0	33	31	32
2025	5	28	15	55	24	24	-2.6	1.024	0.5	0.4	0	49	44.7	0	146	135	0	32	31	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	28	16	5	24	23.5	-2.5	1.023	0.5	0.4	0	49.5	45.2	0	147	136	0	32	31	31	
2025	5	28	16	15	24	23.7	-2.4	1.024	0.5	0.4	0	48.6	44.3	0	145	134	0	32	31	33	
2025	5	28	16	25	24	22.3	-2.4	1.023	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	28	16	35	24	23.6	-1.7	1.022	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32	
2025	5	28	16	45	24	23.9	-2.4	1.022	0.5	0.4	0	49.5	44.3	0	147	134	0	32	31	32	
2025	5	28	16	55	24	23.5	-2.8	1.021	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	31	
2025	5	28	17	5	24	23.7	-2.4	1.022	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	33	
2025	5	28	17	15	24	22.9	-2.1	1.021	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	28	17	25	24	24.3	-3	1.021	0.5	0.4	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	28	17	35	24	24.5	-2.4	1.021	0.4	0.3	0	49.5	43.4	0	147	133	0	32	32	32	
2025	5	28	17	45	24	23.9	-2.6	1.021	0.4	0.3	0	49	43.9	0	147	133	0	33	31	32	
2025	5	28	17	55	24	23.7	-2.1	1.02	0.5	0.5	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	28	18	5	24	22.9	-1.9	1.022	0.3	0.2	0	49	44.3	0	147	134	0	33	31	32	
2025	5	28	18	15	24	23.4	-2.2	1.02	0.5	0.5	0	49	43.9	0	147	133	0	33	31	31	
2025	5	28	18	25	24	23.5	-2.6	1.02	0.3	0.2	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	28	18	35	24	23.7	-3	1.02	0.5	0.5	0	49.5	43.4	0	147	133	0	32	32	32	
2025	5	28	18	45	24	24.3	-2.4	1.02	0.5	0.4	0	49	43.4	0	147	133	0	33	32	33	
2025	5	28	18	55	24	24.6	-3	1.02	0.3	0.2	0	49	43.9	0	147	133	0	33	31	32	
2025	5	28	19	5	24	22.8	-2.5	1.02	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32	
2025	5	28	19	15	24	23.5	-2.6	1.02	0.5	0.5	0	49	43.9	0	147	133	0	33	31	32	
2025	5	28	19	25	24	23.8	-3.1	1.02	0.4	0.3	0	49.9	43.9	0	148	134	0	32	32	32	
2025	5	28	19	35	24	23.8	-2.2	1.02	0.4	0.3	0	49.5	44.3	0	148	135	0	33	32	31	
2025	5	28	19	45	24	24.5	-2.1	1.02	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	28	19	55	24	24.2	-2.2	1.02	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	28	20	5	24	24.2	-2.9	1.02	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	28	20	15	24	23.6	-3	1.021	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	28	20	25	24	24.6	-2	1.022	0.3	0.2	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	28	20	35	24	23.8	-2.9	1.021	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	20	45	24	23.3	-2.6	1.022	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	32	
2025	5	28	20	55	24	24	-2.1	1.022	0.5	0.4	0	51.6	45.6	0	152	137	0	32	31	33	
2025	5	28	21	5	24	23.8	-3.1	1.023	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	21	15	24	23.7	-2.7	1.023	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33	
2025	5	28	21	25	24	23.6	-2.3	1.023	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32	
2025	5	28	21	35	24	23.4	-2.7	1.023	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	21	45	24	25.5	-1.9	1.023	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	21	55	24	24	-2.2	1.023	0.3	0.2	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	22	5	24	24.2	-1.5	1.023	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	22	15	24	24.3	-2.1	1.023	0.3	0.2	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	28	22	25	24	22.9	-2.5	1.023	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	33	
2025	5	28	22	35	24	23.5	-2.2	1.023	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	28	22	45	24	24.4	-1.9	1.023	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	28	22	55	24	23.7	-2.2	1.023	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33	
2025	5	28	23	5	24	24.3	-2.4	1.023	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33	
2025	5	28	23	15	24	23.6	-1.9	1.023	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32	
2025	5	28	23	25	24	24	-2.2	1.023	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	33	
2025	5	28	23	35	24	24.1	-2.1	1.023	0.5	0.5	0	50.7	45.2	0	151	137	0	33	32	32	
2025	5	28	23	45	24	23.9	-2.3	1.023	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32	
2025	5	28	23	55	24	24.9	-1.7	1.023	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	29	0	5	24	23.8	-2.6	1.023	0.4	0.3	0	51.2	45.2	0	151	137	0	32	32	32
2025	5	29	0	15	24	25.8	-2.3	1.023	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	29	0	25	24	24.1	-2.1	1.023	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	29	0	35	24	24.1	-2.8	1.023	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	29	0	45	24	25	-2.8	1.023	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	29	0	55	24	23.6	-2.1	1.024	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	33
2025	5	29	1	5	24	23.7	-3	1.023	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	29	1	15	24	24.1	-2.1	1.023	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	31
2025	5	29	1	25	24	23.1	-1.9	1.024	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	29	1	35	24	23.8	-2	1.024	0.5	0.5	0	50.3	45.2	0	151	136	0	34	31	32
2025	5	29	1	45	24	23.6	-2.3	1.023	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32
2025	5	29	1	55	24	24.3	-1.9	1.023	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	29	2	5	24	24.5	-2.7	1.024	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	29	2	15	24	24.1	-1.6	1.024	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	29	2	25	24	24.8	-0.9	1.024	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	33
2025	5	29	2	35	24	24.3	-1.4	1.024	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	2	45	24	23.5	-1.7	1.024	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	2	55	24	24.7	-2.7	1.024	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	29	3	5	24	23.8	-2.4	1.024	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	3	15	24	23.9	-2.6	1.024	0.5	0.5	0	51.2	44.7	0	151	136	0	32	32	33
2025	5	29	3	25	24	23.8	-2.6	1.024	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	33
2025	5	29	3	35	24	22.9	-1.3	1.024	0.3	0.2	0	51.2	44.7	0	152	136	0	33	32	33
2025	5	29	3	45	24	22.7	-3.2	1.024	0.4	0.3	0	51.2	44.7	0	152	136	0	33	32	33
2025	5	29	3	55	24	24.3	-2.5	1.024	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	33
2025	5	29	4	5	24	23.4	-2	1.024	0.3	0.2	0	50.3	44.7	0	151	136	0	34	32	33
2025	5	29	4	15	24	23.5	-1.2	1.024	0.4	0.3	0	51.2	45.2	0	152	136	0	33	31	32
2025	5	29	4	25	24	23.8	-2.3	1.024	0.4	0.3	0	50.7	44.3	0	151	136	0	33	33	32
2025	5	29	4	35	24	24.4	-2.4	1.024	0.5	0.4	0	51.2	45.2	0	152	136	0	33	31	33
2025	5	29	4	45	24	23.3	-2.9	1.024	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	4	55	24	24.3	-1.9	1.024	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	5	5	24	23.8	-2.7	1.024	0.3	0.2	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	5	15	24	23.3	-2.9	1.024	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	29	5	25	24	24	-2.7	1.024	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	29	5	35	24	24.1	-1.6	1.024	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	29	5	45	24	24.5	-3	1.024	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	29	5	55	24	23.6	-2.8	1.024	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	29	6	5	24	23.9	-2.1	1.024	0.5	0.5	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	29	6	15	24	23.7	-2.4	1.023	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	29	6	25	24	23.8	-3.3	1.023	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	29	6	35	24	24.6	-2.4	1.024	0.5	0.4	0	49.9	43.4	0	149	134	0	33	33	32
2025	5	29	6	45	24	22.7	-2.4	1.024	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	29	6	55	24	24.2	-1.9	1.024	0.5	0.5	0	50.7	44.3	0	150	135	0	32	32	33
2025	5	29	7	5	24	25.3	-2.4	1.024	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	29	7	15	24	23.3	-1.6	1.024	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	29	7	25	24	24.3	-2.9	1.024	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	29	7	35	24	23.3	-2.6	1.024	0.5	0.4	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	29	7	45	24	23.5	-1.5	1.024	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	29	7	55	24	22.5	-2.7	1.024	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	29	8	5	24	25.2	-1.9	1.024	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32	
2025	5	29	8	15	24	23.5	-1.9	1.024	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	8	25	24	24.2	-2.2	1.024	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	29	8	35	24	23.8	-2.4	1.024	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	32	
2025	5	29	8	45	24	23.5	-2.2	1.024	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	8	55	24	24.3	-3.1	1.024	0.3	0.2	0	50.3	44.3	0	150	136	0	33	33	32	
2025	5	29	9	5	24	24.8	-2.1	1.024	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	29	9	15	24	22.4	-1.5	1.023	0.4	0.3	0	50.7	44.7	0	150	136	0	32	32	33	
2025	5	29	9	25	24	22.7	-0.9	1.023	0.5	0.5	0	49.9	45.2	0	150	136	0	34	31	32	
2025	5	29	9	35	24	23.6	-2.4	1.023	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	9	45	24	23	-1.5	1.023	0.3	0.2	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	29	9	55	24	24.4	-1.9	1.022	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	33	
2025	5	29	10	5	24	22.7	-2	1.022	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	10	15	24	24	-2.3	1.021	0.5	0.4	0	50.7	45.2	0	150	137	0	32	32	32	
2025	5	29	10	25	24	22.9	-2.4	1.02	0.3	0.2	0	50.3	45.2	0	150	137	0	33	32	33	
2025	5	29	10	35	24	23.7	-3.2	1.02	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32	
2025	5	29	10	45	24	23.3	-2.6	1.02	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	29	10	55	24	24.3	-2.6	1.02	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	11	5	24	23.6	-1	1.019	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	11	15	24	24.6	-2.5	1.019	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	29	11	25	24	22.8	-2	1.019	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	29	11	35	24	23.7	-2.1	1.019	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	29	11	45	24	24	-2.6	1.019	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	11	55	24	25	-2.4	1.019	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	31	
2025	5	29	12	5	24	23.9	-2.4	1.019	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	29	12	15	24	24.4	-1.6	1.019	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	12	25	24	23.5	-2.3	1.019	0.5	0.5	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	29	12	35	24	22.9	-1.9	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	33	
2025	5	29	12	45	24	22.9	-1.1	1.019	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	31	
2025	5	29	12	55	24	22.4	-1.3	1.018	0.5	0.5	0	49.9	44.7	0	148	135	0	32	31	32	
2025	5	29	13	5	24	23.4	-1.3	1.018	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	29	13	15	24	23.1	-2.9	1.018	0.4	0.3	0	49.5	43.9	0	148	134	0	33	32	32	
2025	5	29	13	25	24	24.8	-2	1.018	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	33	
2025	5	29	13	35	24	24.9	-2.4	1.018	0.5	0.4	0	49.5	43.9	0	148	134	0	33	32	32	
2025	5	29	13	45	24	23	-2.4	1.018	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	13	55	24	24.1	-1.9	1.018	0.5	0.4	0	49.5	44.3	0	148	135	0	33	32	33	
2025	5	29	14	5	24	24.9	-2.1	1.018	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	29	14	15	24	23.8	-3.2	1.018	0.5	0.4	0	49.9	44.7	0	148	135	0	32	31	32	
2025	5	29	14	25	24	22.9	-2	1.017	0.5	0.4	0	49	43.9	0	147	134	0	33	32	32	
2025	5	29	14	35	24	23.6	-2.5	1.018	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	29	14	45	24	23.5	-3	1.017	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	31	
2025	5	29	14	55	24	24.5	-2.5	1.017	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	32	
2025	5	29	15	5	24	22.7	-2.6	1.017	0.3	0.2	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	29	15	15	24	23.7	-2.1	1.016	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	15	25	24	23.2	-2.3	1.016	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	31	
2025	5	29	15	35	24	24.6	-2.3	1.016	0.3	0.2	0	50.3	45.2	0	150	135	0	33	30	32	
2025	5	29	15	45	24	23.2	-1.5	1.016	0.5	0.5	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	29	15	55	24	23	-1	1.014	0.3	0.2	0	50.3	44.7	0	150	135	0	33	31	32	

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	29	16	5	24	24.2	-2.1	1.015	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	29	16	15	24	25	-2.2	1.014	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	29	16	25	24	24	-2.4	1.014	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	29	16	35	24	24.9	-1.3	1.013	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	16	45	24	23.7	-1.6	1.013	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	16	55	24	22.7	-1.5	1.012	0.5	0.4	0	50.3	43.9	0	149	134	0	32	32	31	
2025	5	29	17	5	24	23	-2.8	1.012	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32	
2025	5	29	17	15	24	24.6	-1.4	1.012	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	17	25	24	24.5	-3	1.012	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32	
2025	5	29	17	35	24	24.1	-2.5	1.01	0.5	0.5	0	50.3	44.3	0	149	134	0	32	31	33	
2025	5	29	17	45	24	23.5	-2.9	1.011	0.4	0.3	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	29	17	55	24	24.1	-1.9	1.011	0.4	0.3	0	49.9	43.4	0	148	133	0	32	32	31	
2025	5	29	18	5	24	24.2	-2.6	1.011	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	29	18	15	24	22.9	-2.3	1.011	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	29	18	25	24	23.5	-2.3	1.011	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32	
2025	5	29	18	35	24	23.5	-1.7	1.011	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	29	18	45	24	25.1	-1.9	1.012	0.5	0.5	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	29	18	55	24	25	-2.4	1.012	0.3	0.2	0	50.3	44.3	0	149	134	0	32	31	33	
2025	5	29	19	5	24	22.1	-1.2	1.013	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	29	19	15	24	24.3	-2.9	1.012	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32	
2025	5	29	19	25	24	23.9	-3.3	1.013	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	29	19	35	24	23.3	-1.7	1.013	0.5	0.4	0	50.7	44.3	0	150	135	0	32	32	32	
2025	5	29	19	45	24	24	-2.1	1.013	0.5	0.5	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	29	19	55	24	24.6	-2.5	1.013	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	29	20	5	24	23.6	-2.7	1.014	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	29	20	15	24	23.9	-2.2	1.014	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32	
2025	5	29	20	25	24	24.8	-1.2	1.014	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	29	20	35	24	24.5	-1.8	1.013	0.4	0.3	0	50.3	45.6	0	150	136	0	33	30	32	
2025	5	29	20	45	24	22.6	-2.2	1.013	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	32	
2025	5	29	20	55	24	23.4	-1.5	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	31	
2025	5	29	21	5	24	23.5	-2.1	1.014	0.5	0.4	0	51.6	45.2	0	152	137	0	32	32	32	
2025	5	29	21	15	24	23.6	-3	1.014	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	29	21	25	24	24.4	-1.9	1.014	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	32	
2025	5	29	21	35	24	24.3	-2.8	1.014	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	29	21	45	24	24.7	-2	1.014	0.3	0.2	0	51.2	45.2	0	151	136	0	32	31	33	
2025	5	29	21	55	24	23.7	-1.9	1.014	0.4	0.3	0	50.3	45.2	0	151	136	0	34	31	33	
2025	5	29	22	5	24	23.7	-1.5	1.014	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33	
2025	5	29	22	15	24	23.9	-2.2	1.014	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	29	22	25	24	23.5	-1.9	1.014	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32	
2025	5	29	22	35	24	23.6	-2.5	1.014	0.4	0.3	0	51.2	44.7	0	151	136	0	32	32	32	
2025	5	29	22	45	24	23.7	-2.9	1.014	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33	
2025	5	29	22	55	24	23.9	-2.5	1.014	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32	
2025	5	29	23	5	24	23.1	-2.9	1.014	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	33	
2025	5	29	23	15	24	23.5	-2.9	1.014	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32	
2025	5	29	23	25	24	23.7	-3	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	29	23	35	24	24	-2.9	1.014	0.5	0.5	0	50.7	44.7	0	151	136	0	33	32	32	
2025	5	29	23	45	24	24	-1.5	1.014	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	33	
2025	5	29	23	55	24	23.2	-2.2	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	30	0	5	24	23.9	-2.9	1.014	0.5	0.5	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	30	0	15	24	22.3	-1.8	1.014	0.5	0.4	0	50.7	45.2	0	152	136	0	34	31	32
2025	5	30	0	25	24	24.4	-2	1.014	0.4	0.3	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	30	0	35	24	25	-2.7	1.014	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	33
2025	5	30	0	45	24	24.5	-3.2	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	0	55	24	23.5	-2.1	1.014	0.3	0.2	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	1	5	24	24.1	-2.3	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	1	15	24	23.5	-0.8	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	1	25	24	24.7	-3.2	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	1	35	24	24.2	-1.9	1.014	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	30	1	45	24	22.5	-2.2	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	1	55	24	23.3	-2.5	1.014	0.5	0.4	0	50.3	44.7	0	151	136	0	34	32	32
2025	5	30	2	5	24	23.6	-1.8	1.014	0.5	0.4	0	51.6	45.2	0	152	137	0	32	32	33
2025	5	30	2	15	24	23.7	-2.2	1.014	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	31
2025	5	30	2	25	24	23.6	-2.9	1.014	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	30	2	35	24	24.4	-2.6	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	30	2	45	24	23.8	-1.9	1.014	0.3	0.2	0	51.2	44.7	0	151	135	0	32	31	32
2025	5	30	2	55	24	24	-2.5	1.014	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	30	3	5	24	22.5	-2.3	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	3	15	24	23.2	-2.4	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	3	25	24	25.3	-2.3	1.014	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	30	3	35	24	22	-2.3	1.014	0.5	0.4	0	50.7	45.2	0	151	137	0	33	32	33
2025	5	30	3	45	24	22.6	-2.1	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	3	55	24	23.5	-0.9	1.014	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	30	4	5	24	23.8	-1.9	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	4	15	24	22.8	-3.3	1.014	0.4	0.3	0	50.7	44.3	0	151	136	0	33	33	32
2025	5	30	4	25	24	22.8	-2.1	1.014	0.5	0.4	0	51.2	44.7	0	152	136	0	33	32	32
2025	5	30	4	35	24	23.4	-1.5	1.014	0.5	0.4	0	51.6	45.2	0	152	136	0	32	31	32
2025	5	30	4	45	24	23.7	-2.4	1.014	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	32
2025	5	30	4	55	24	24	-2.2	1.014	0.5	0.4	0	51.2	45.6	0	152	137	0	33	31	32
2025	5	30	5	5	24	24	-1.9	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	5	15	24	22.5	-2.1	1.014	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	30	5	25	24	23.9	-1.7	1.014	0.4	0.3	0	51.6	45.6	0	152	137	0	32	31	33
2025	5	30	5	35	24	23	-2.4	1.014	0.4	0.3	0	50.7	44.7	0	151	136	0	33	32	32
2025	5	30	5	45	24	24.4	-2.4	1.014	0.5	0.5	0	50.7	44.3	0	151	135	0	33	32	32
2025	5	30	5	55	24	24.1	-2.1	1.015	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	30	6	5	24	23.6	-2.4	1.014	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	30	6	15	24	24.7	-2	1.014	0.5	0.4	0	49.9	44.7	0	150	135	0	34	31	32
2025	5	30	6	25	24	23.9	-2.4	1.015	0.5	0.4	0	50.3	44.3	0	150	135	0	33	32	33
2025	5	30	6	35	24	24	-2.7	1.015	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	30	6	45	24	23.3	-2.6	1.014	0.4	0.3	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	30	6	55	24	23.3	-1.9	1.015	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	30	7	5	24	23.7	-1.7	1.015	0.5	0.4	0	50.3	43.9	0	150	134	0	33	32	32
2025	5	30	7	15	24	22.2	-2.7	1.015	0.4	0.3	0	50.7	44.3	0	151	135	0	33	32	32
2025	5	30	7	25	24	23.6	-2.6	1.015	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	30	7	35	24	23.1	-2.1	1.015	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	30	7	45	24	23	-1.6	1.015	0.4	0.3	0	50.3	44.7	0	150	135	0	33	31	33
2025	5	30	7	55	24	23.5	-2.9	1.015	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	30	8	5	24	24.6	-2.6	1.015	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	30	8	15	24	22.5	-1.1	1.015	0.4	0.3	0	50.7	44.3	0	151	135	0	33	32	33	
2025	5	30	8	25	24	23.3	-2.8	1.015	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	8	35	24	23.6	-2.7	1.015	0.4	0.3	0	49.9	43.9	0	149	134	0	33	32	32	
2025	5	30	8	45	24	22.6	-2.7	1.015	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	33	
2025	5	30	8	55	24	22.8	-2	1.015	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	9	5	24	23.9	-1.9	1.015	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	33	
2025	5	30	9	15	24	25.5	-3.3	1.015	0.5	0.4	0	50.7	43.9	0	150	134	0	32	32	32	
2025	5	30	9	25	24	24.5	-2.6	1.015	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	9	35	24	23.5	-2.9	1.015	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	33	
2025	5	30	9	45	24	24.1	-1.7	1.015	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	33	
2025	5	30	9	55	24	23.7	-2.9	1.014	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	10	5	24	24.9	-2.9	1.014	0.4	0.3	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	30	10	15	24	23.1	-1.7	1.014	0.5	0.4	0	51.2	44.7	0	151	135	0	32	31	32	
2025	5	30	10	25	24	24.1	-3	1.014	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	10	35	24	22.9	-2.2	1.014	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	32	
2025	5	30	10	45	24	22.8	-2.2	1.014	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	30	10	55	24	22.9	-2.6	1.013	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	30	11	5	24	23.1	-2.4	1.013	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	30	11	15	24	23.4	-1.2	1.012	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	31	
2025	5	30	11	25	24	24.2	-3.4	1.012	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	30	11	35	24	24	-2.4	1.011	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	30	11	45	24	22.7	-2.3	1.011	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	30	11	55	24	23.5	-1.8	1.011	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	32	
2025	5	30	12	5	24	23.2	-2.6	1.01	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	30	12	15	24	23.4	-2.3	1.01	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	30	12	25	24	23.6	-1.2	1.01	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	32	
2025	5	30	12	35	24	23.9	-2.4	1.01	0.4	0.3	0	50.3	43.9	0	149	134	0	32	32	32	
2025	5	30	12	45	24	23.4	-2	1.01	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	30	12	55	24	23.5	-1.9	1.01	0.4	0.3	0	50.3	43.4	0	149	133	0	32	32	32	
2025	5	30	13	5	24	23.1	-2.3	1.01	0.4	0.3	0	50.3	43.9	0	149	134	0	32	32	32	
2025	5	30	13	15	24	22.5	-1.2	1.009	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32	
2025	5	30	13	25	24	23.9	-2.5	1.009	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	30	13	35	24	23.7	-2.2	1.009	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	13	45	24	23.7	-2	1.009	0.4	0.3	0	49.5	43.9	0	148	133	0	33	31	32	
2025	5	30	13	55	24	23.5	-1.4	1.009	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	14	5	24	22.3	-1.4	1.009	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	30	14	15	24	23.2	-3.5	1.009	0.6	0.5	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	14	25	24	23.8	-2.5	1.009	0.4	0.3	0	49.5	43.9	0	147	133	0	32	31	32	
2025	5	30	14	35	24	23.6	-2.3	1.009	0.5	0.5	0	49	43.4	0	147	132	0	33	31	32	
2025	5	30	14	45	24	23.5	-3.2	1.009	0.4	0.3	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	14	55	24	24.2	-2.5	1.008	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	15	5	24	24.2	-2.4	1.009	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32	
2025	5	30	15	15	24	25.3	-1.9	1.009	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32	
2025	5	30	15	25	24	23.2	-2.2	1.008	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32	
2025	5	30	15	35	24	23.3	-2.5	1.008	0.5	0.5	0	49.5	44.3	0	148	134	0	33	31	32	
2025	5	30	15	45	24	21.8	-1.5	1.008	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32	
2025	5	30	15	55	24	24.9	-1.9	1.008	0.4	0.3	0	49.9	44.3	0	148	134	0	32	31	32	

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	30	16	5	24	24.2	-2.5	1.008	0.5	0.5	0	50.3	44.3	0	148	134	0	31	31	32
2025	5	30	16	15	24	21.9	-2.8	1.008	0.5	0.4	0	50.3	44.3	0	148	134	0	31	31	31
2025	5	30	16	25	24	23.6	-3.3	1.008	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	30	16	35	24	22.8	-1.9	1.008	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	31
2025	5	30	16	45	24	24.4	-2.6	1.008	0.5	0.4	0	50.3	44.7	0	149	135	0	32	31	31
2025	5	30	16	55	24	23.7	-2.8	1.007	0.5	0.5	0	49.9	43.9	0	148	134	0	32	32	32
2025	5	30	17	5	24	23.8	-2.1	1.007	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	33
2025	5	30	17	15	24	23.2	-1.7	1.007	0.4	0.3	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	30	17	25	24	22.3	-1.4	1.007	0.5	0.4	0	50.3	44.3	0	149	134	0	32	31	32
2025	5	30	17	35	24	22.6	-2.1	1.006	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	30	17	45	24	22.6	-3	1.006	0.5	0.5	0	49.5	43.4	0	147	132	0	32	31	32
2025	5	30	17	55	24	23.3	-2	1.004	0.3	0.2	0	52.9	47.3	0	156	141	0	33	31	32
2025	5	30	18	5	24	26	-1.5	1.005	0.5	0.4	0	49.9	43.4	0	148	133	0	32	32	32
2025	5	30	18	15	24	23	-2.7	1.006	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	31
2025	5	30	18	25	24	22.6	-1.8	1.006	0.5	0.5	0	49.9	44.3	0	149	134	0	33	31	31
2025	5	30	18	35	24	23.3	-2.9	1.004	0.3	0.2	0	53.3	47.7	0	157	142	0	33	31	32
2025	5	30	18	45	24	23.7	-2.6	1.006	0.5	0.4	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	30	18	55	24	23.6	-2.5	1.006	0.5	0.4	0	49.5	43.9	0	148	133	0	33	31	32
2025	5	30	19	5	24	23.7	-1.9	1.006	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32
2025	5	30	19	15	24	24.2	-1.5	1.006	0.5	0.4	0	49.9	43.9	0	148	133	0	32	31	32
2025	5	30	19	25	24	23.8	-2.2	1.005	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	30	19	35	24	23.3	-3	1.006	0.4	0.3	0	47.3	44.3	0	142	134	0	32	31	32
2025	5	30	19	45	24	22.2	-3.1	1.006	0.4	0.3	0	47.3	44.7	0	142	135	0	32	31	32
2025	5	30	19	55	24	23.2	-2.5	1.006	0.5	0.4	0	49.9	43.9	0	149	134	0	33	32	31
2025	5	30	20	5	24	23.1	-1.3	1.006	0.5	0.4	0	49.9	44.3	0	149	134	0	33	31	32
2025	5	30	20	15	24	23.1	-3	1.006	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32
2025	5	30	20	25	24	22.9	-2.5	1.005	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	33
2025	5	30	20	35	24	23.3	-2.7	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	30	20	45	24	23.5	-3.3	1.006	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	30	20	55	24	24.1	-3.2	1.006	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	30	21	5	24	23.9	-2.4	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	30	21	15	24	23.3	-2.2	1.006	0.5	0.4	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	30	21	25	24	23.9	-2.4	1.006	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	5	30	21	35	24	23.5	-1.8	1.006	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32
2025	5	30	21	45	24	24.2	-2.1	1.006	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	30	21	55	24	24.6	-2.9	1.006	0.5	0.4	0	50.3	44.7	0	150	135	0	33	31	32
2025	5	30	22	5	24	23.4	-2	1.006	0.4	0.3	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	30	22	15	24	23.3	-2.5	1.006	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	31
2025	5	30	22	25	24	23.6	-2.5	1.006	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32
2025	5	30	22	35	24	23.3	-2	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	30	22	45	24	23.2	-2	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	30	22	55	24	23.3	-1.9	1.006	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	30	23	5	24	24.6	-2.4	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	30	23	15	24	23.7	-2.4	1.006	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	33
2025	5	30	23	25	24	23.5	-1.8	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33
2025	5	30	23	35	24	23.3	-2.1	1.006	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	30	23	45	24	22.3	-2	1.006	0.5	0.4	0	51.2	45.2	0	151	137	0	32	32	32
2025	5	30	23	55	24	24	-2.3	1.006	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	33

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	31	0	5	24	23.6	-1.4	1.006	0.6	0.5	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	31	0	15	24	21.9	-1.5	1.006	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	31	0	25	24	23.1	-2.2	1.006	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	31	0	35	24	23.4	-1.4	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	0	45	24	22.4	-2.7	1.006	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32
2025	5	31	0	55	24	22.3	-1.6	1.006	0.5	0.4	0	51.2	45.2	0	152	137	0	33	32	32
2025	5	31	1	5	24	23.7	-2	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	1	15	24	24.4	-2.5	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	31	1	25	24	23.5	-0.8	1.006	0.6	0.5	0	50.7	43	0	150	131	0	32	31	32
2025	5	31	1	35	24	24.3	-1.9	1.006	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	31	1	45	24	23	-2.3	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	1	55	24	23	-2.5	1.006	0.6	0.5	0	50.3	44.7	0	150	136	0	33	32	31
2025	5	31	2	5	24	22.5	-3.4	1.006	0.5	0.5	0	50.3	44.7	0	149	135	0	32	31	32
2025	5	31	2	15	24	24.7	-2	1.006	0.4	0.3	0	50.3	45.6	0	150	137	0	33	31	33
2025	5	31	2	25	24	23.1	-2.7	1.006	0.5	0.4	0	50.7	44.7	0	151	136	0	33	32	33
2025	5	31	2	35	24	23.4	-3	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32
2025	5	31	2	45	24	23.8	-1.9	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	33
2025	5	31	2	55	24	22.8	-2.6	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	33
2025	5	31	3	5	24	24	-1.5	1.006	0.5	0.5	0	50.7	45.2	0	151	137	0	33	32	32
2025	5	31	3	15	24	23.6	-3.1	1.006	0.5	0.5	0	50.3	44.7	0	150	136	0	33	32	33
2025	5	31	3	25	24	23.2	-2.2	1.006	0.5	0.4	0	50.7	44.7	0	150	136	0	32	32	32
2025	5	31	3	35	24	23.6	-3.1	1.006	0.4	0.3	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	31	3	45	24	23.9	-2.5	1.006	0.5	0.4	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	3	55	24	23.4	-2.7	1.006	0.4	0.3	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	31	4	5	24	23.2	-2.7	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	4	15	24	22.7	-2.5	1.007	0.5	0.4	0	50.7	45.6	0	151	137	0	33	31	32
2025	5	31	4	25	24	24	-3.1	1.006	0.5	0.5	0	50.7	44.7	0	150	136	0	32	32	32
2025	5	31	4	35	24	22.7	-2.4	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	4	45	24	22.4	-2	1.007	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	31
2025	5	31	4	55	24	23.2	-1.5	1.007	0.5	0.4	0	50.3	45.2	0	150	137	0	33	32	32
2025	5	31	5	5	24	23.2	-2.9	1.007	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	31	5	15	24	23.2	-2.8	1.007	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	31	5	25	24	22	-0.8	1.007	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	5	35	24	22.5	-3.1	1.007	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	5	45	24	22.3	-2	1.007	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	31	5	55	24	22.7	-1.3	1.007	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	31	6	5	24	24	-2.8	1.007	0.3	0.2	0	50.3	45.2	0	150	136	0	33	31	33
2025	5	31	6	15	24	23.6	-2.7	1.007	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	6	25	24	23.3	-2.1	1.007	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32
2025	5	31	6	35	24	22.2	-2	1.007	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	6	45	24	23.6	-1.9	1.007	0.3	0.2	0	50.3	44.3	0	150	135	0	33	32	32
2025	5	31	6	55	24	22.2	-3.3	1.007	0.5	0.5	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	7	5	24	23.5	-3.4	1.007	0.4	0.3	0	50.7	44.3	0	150	135	0	32	32	32
2025	5	31	7	15	24	23	-2.5	1.007	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	7	25	24	24.1	-2.4	1.008	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	7	35	24	22.4	-1.7	1.008	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	32
2025	5	31	7	45	24	22.4	-3	1.008	0.4	0.3	0	50.3	45.2	0	150	136	0	33	31	32
2025	5	31	7	55	24	23.4	-1.8	1.008	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32

Reinhackle (0365)																				
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3
2025	5	31	8	5	24	23.5	-2.5	1.008	0.5	0.4	0	49.9	44.7	0	149	136	0	33	32	31
2025	5	31	8	15	24	22.9	-1.5	1.008	0.4	0.3	0	49.9	45.2	0	150	137	0	34	32	32
2025	5	31	8	25	24	22	-2.5	1.008	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	31	8	35	24	24	-3	1.008	0.3	0.2	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	31	8	45	24	22.7	-2	1.008	0.5	0.4	0	49.9	44.7	0	149	135	0	33	31	32
2025	5	31	8	55	24	23.4	-2	1.008	0.4	0.3	0	50.3	44.3	0	149	135	0	32	32	32
2025	5	31	9	5	24	23.5	-1.8	1.008	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32
2025	5	31	9	15	24	22.4	-1.5	1.008	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	31	9	25	24	23.1	-1.7	1.008	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32
2025	5	31	9	35	24	24.1	-2.7	1.008	0.5	0.4	0	50.3	45.2	0	149	136	0	32	31	33
2025	5	31	9	45	24	23.6	-2.5	1.008	0.5	0.4	0	49.9	45.2	0	149	136	0	33	31	31
2025	5	31	9	55	24	25.5	-1.7	1.008	0.3	0.2	0	49.9	45.2	0	149	136	0	33	31	32
2025	5	31	10	5	24	23.8	-1.7	1.008	0.5	0.4	0	50.3	45.6	0	150	137	0	33	31	32
2025	5	31	10	15	24	23.1	-2.5	1.008	0.5	0.4	0	50.7	45.2	0	149	136	0	31	31	32
2025	5	31	10	25	24	23.7	-2.6	1.008	0.4	0.3	0	49.9	45.2	0	149	136	0	33	31	33
2025	5	31	10	35	24	23.1	-3.2	1.008	0.4	0.3	0	49.5	44.3	0	148	134	0	33	31	32
2025	5	31	10	45	24	22.2	-2.5	1.008	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	5	31	10	55	24	23.6	-2.5	1.008	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	5	31	11	5	24	24.3	-2.9	1.008	0.5	0.4	0	49.9	44.3	0	148	134	0	32	31	32
2025	5	31	11	15	24	23.2	-2.3	1.008	0.4	0.3	0	49	44.3	0	147	134	0	33	31	32
2025	5	31	11	25	24	23.7	-3	1.008	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	32
2025	5	31	11	35	24	23.9	-1.9	1.008	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	5	31	11	45	24	22.7	-2.1	1.008	0.3	0.2	0	49	44.3	0	146	134	0	32	31	32
2025	5	31	11	55	24	23.5	-1.5	1.008	0.4	0.3	0	49.5	44.7	0	148	135	0	33	31	31
2025	5	31	12	5	24	23.4	-2.8	1.008	0.5	0.4	0	49	44.3	0	147	134	0	33	31	32
2025	5	31	12	15	24	23.2	-2.1	1.008	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	33
2025	5	31	12	25	24	23.8	-3.6	1.008	0.4	0.3	0	49.9	44.7	0	148	135	0	32	31	31
2025	5	31	12	35	24	24.1	-3	1.008	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	31	12	45	24	24.4	-2.3	1.008	0.4	0.3	0	49	44.7	0	147	135	0	33	31	31
2025	5	31	12	55	24	23.1	-2	1.008	0.4	0.3	0	49.5	45.2	0	148	136	0	33	31	31
2025	5	31	13	5	24	23.8	-2.5	1.008	0.4	0.3	0	49.5	44.7	0	147	135	0	32	31	32
2025	5	31	13	15	24	23.7	-2.4	1.007	0.5	0.4	0	49.5	44.7	0	148	135	0	33	31	32
2025	5	31	13	25	24	22.5	-1.7	1.008	0.4	0.3	0	49	44.7	0	147	135	0	33	31	32
2025	5	31	13	35	24	23.7	-2	1.008	0.5	0.4	0	49.5	45.2	0	147	135	0	32	30	32
2025	5	31	13	45	24	23.4	-2.4	1.007	0.5	0.5	0	49.5	44.7	0	147	135	0	32	31	32
2025	5	31	13	55	24	24.3	-2.8	1.006	0.5	0.4	0	49.5	45.2	0	147	135	0	32	30	32
2025	5	31	14	5	24	22.5	-2.2	1.007	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	5	31	14	15	24	23.2	-2.9	1.008	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32
2025	5	31	14	25	24	23.7	-1.9	1.006	0.5	0.4	0	49.9	45.2	0	148	136	0	32	31	32
2025	5	31	14	35	24	22.7	-2.4	1.005	0.5	0.4	0	51.6	46.9	0	152	140	0	32	31	31
2025	5	31	14	45	24	23.1	-1.7	1.005	0.5	0.4	0	53.3	49.9	0	157	146	0	33	30	32
2025	5	31	14	55	24	22.9	-2.4	1.006	0.5	0.4	0	49.5	44.3	0	147	135	0	32	32	31
2025	5	31	15	5	24	24.2	-2.5	1.006	0.5	0.4	0	49	44.7	0	146	135	0	32	31	31
2025	5	31	15	15	24	23.9	-1.9	1.006	0.5	0.4	0	49	44.7	0	146	135	0	32	31	32
2025	5	31	15	25	24	23.3	-2	1.006	0.5	0.4	0	48.6	44.3	0	145	134	0	32	31	32
2025	5	31	15	35	24	23.5	-1.8	1.005	0.4	0.3	0	49	44.7	0	146	135	0	32	31	32
2025	5	31	15	45	24	23	-1.8	1.006	0.5	0.4	0	48.6	44.3	0	146	134	0	33	31	31
2025	5	31	15	55	24	22.7	-1.2	1.004	0.4	0.3	0	48.6	44.3	0	146	134	0	33	31	31

Reinhackle (0365)																					
Year	Month	Day	Hour	Minute	Second	VelocityX	VelocityY	Level	StdError1	StdError2	StdError3	SNR1	SNR2	SNR3	SignalAmp1	SignalAmp2	SignalAmp3	Noise1	Noise2	Noise3	
2025	5	31	16	5	24	24.9	-1.9	1.005	0.6	0.5	0	48.6	43.9	0	145	133	0	32	31	32	
2025	5	31	16	15	24	24.4	-2	1.005	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	32	
2025	5	31	16	25	24	23.7	-0.7	1.003	0.5	0.5	0	49.9	45.2	0	148	136	0	32	31	31	
2025	5	31	16	35	24	23.4	-2.9	1.003	0.5	0.4	0	49	44.7	0	146	134	0	32	30	31	
2025	5	31	16	45	24	24	-2.1	1.003	0.5	0.5	0	48.6	44.7	0	146	135	0	33	31	31	
2025	5	31	16	55	24	22.6	-2.5	1.003	0.5	0.5	0	49	45.2	0	147	136	0	33	31	32	
2025	5	31	17	5	24	23.8	-1.1	1.003	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31	
2025	5	31	17	15	24	23	-1.8	1.002	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31	
2025	5	31	17	25	24	23	-1.7	1.003	0.5	0.4	0	49.5	44.7	0	147	135	0	32	31	31	
2025	5	31	17	35	24	22.6	-2.5	1.001	0.5	0.5	0	49	44.3	0	146	134	0	32	31	32	
2025	5	31	17	45	24	23.1	-1.5	1.002	0.4	0.3	0	50.3	44.3	0	149	134	0	32	31	31	
2025	5	31	17	55	24	22.9	-2.2	1.001	0.5	0.4	0	49.9	45.2	0	149	135	0	33	30	32	
2025	5	31	18	5	24	23.5	-1.4	1.001	0.6	0.5	0	50.3	45.2	0	149	135	0	32	30	31	
2025	5	31	18	15	24	24.2	-2.4	1.002	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	31	18	25	24	22.2	-2.5	1.001	0.5	0.5	0	51.2	45.2	0	151	136	0	32	31	32	
2025	5	31	18	35	24	21.7	-1.6	1.001	0.6	0.5	0	51.2	45.2	0	151	136	0	32	31	31	
2025	5	31	18	45	24	23.4	-2.3	1.002	0.6	0.5	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	31	18	55	24	24.2	-1.4	1.003	0.5	0.4	0	50.7	43	0	150	131	0	32	31	32	
2025	5	31	19	5	24	23.2	-2.2	1.003	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	31	19	15	24	22.6	-2	1.003	0.5	0.5	0	50.7	44.7	0	150	135	0	32	31	32	
2025	5	31	19	25	24	22.8	-2.3	1.004	0.5	0.4	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	31	19	35	24	23.8	-2.4	1.004	0.4	0.3	0	50.7	44.7	0	150	135	0	32	31	31	
2025	5	31	19	45	24	23.3	-1.6	1.003	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	31	19	55	24	22.5	-1.9	1.005	0.5	0.4	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	31	20	5	24	23.9	-2.5	1.005	0.5	0.5	0	51.2	44.7	0	150	136	0	31	32	32	
2025	5	31	20	15	24	23.8	-1.7	1.005	0.4	0.3	0	50.7	45.6	0	150	136	0	32	30	31	
2025	5	31	20	25	24	24	-2.4	1.005	0.5	0.5	0	50.3	45.2	0	149	136	0	32	31	32	
2025	5	31	20	35	24	23.8	-1	1.005	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	32	
2025	5	31	20	45	24	23.1	-2.8	1.005	0.4	0.3	0	51.2	45.2	0	151	136	0	32	31	31	
2025	5	31	20	55	24	23.5	-2.2	1.005	0.5	0.4	0	51.2	45.6	0	151	137	0	32	31	31	
2025	5	31	21	5	24	23.7	-1	1.005	0.5	0.4	0	51.2	45.6	0	151	136	0	32	30	33	
2025	5	31	21	15	24	22.7	-1.5	1.005	0.4	0.3	0	51.2	45.6	0	151	137	0	32	31	32	
2025	5	31	21	25	24	23.6	-1.8	1.005	0.5	0.4	0	51.2	44.7	0	151	136	0	32	32	32	
2025	5	31	21	35	24	24.6	-1.4	1.005	0.5	0.4	0	51.2	46	0	151	137	0	32	30	32	
2025	5	31	21	45	24	25.1	-2	1.005	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31	
2025	5	31	21	55	24	23.9	-2.8	1.005	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	31	22	5	24	23	-2.4	1.005	0.5	0.4	0	50.7	45.2	0	151	136	0	33	31	31	
2025	5	31	22	15	24	23.5	-1.5	1.005	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	31	22	25	24	23	-2.4	1.005	0.4	0.3	0	50.3	44.7	0	150	136	0	33	32	32	
2025	5	31	22	35	24	22.9	-0.8	1.005	0.5	0.5	0	50.3	45.2	0	150	136	0	33	31	32	
2025	5	31	22	45	24	24.1	-2.4	1.006	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	31	22	55	24	23.5	-2.6	1.006	0.4	0.3	0	50.3	44.7	0	149	135	0	32	31	32	
2025	5	31	23	5	24	23	-1.9	1.006	0.4	0.3	0	50.7	45.2	0	150	136	0	32	31	32	
2025	5	31	23	15	24	23.3	-2.5	1.006	0.4	0.3	0	49.9	44.3	0	149	135	0	33	32	32	
2025	5	31	23	25	24	23.3	-2.5	1.005	0.5	0.5	0	50.7	44.3	0	150	135	0	32	32	32	
2025	5	31	23	35	24	24	-2.4	1.005	0.5	0.5	0	50.3	44.7	0	150	135	0	33	31	32	
2025	5	31	23	45	24	22.1	-1.9	1.006	0.4	0.3	0	50.7	45.2	0	151	136	0	33	31	32	
2025	5	31	23	55	24	24.1	-2.5	1.005	0.5	0.4	0	50.7	44.7	0	150	135	0	32	31	32	

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	1	0	5	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	0	15	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	0	25	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	0	35	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	1	0	45	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	0	55	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	5	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	15	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	25	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	35	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	45	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	1	55	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	1	2	5	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	1	2	15	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	1	2	25	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	1	2	35	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	2	45	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	2	55	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	3	5	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	1	3	15	24	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2025	5	1	3	25	24	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2025	5	1	3	35	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	1	3	45	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	1	3	55	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	1	4	5	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	1	4	15	24	0	0	0	0	0	0	0	13.98	0	0	11.6	0.1	1.1
2025	5	1	4	25	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	1	4	35	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	1	4	45	24	0	0	0	0	0	0	0	14	0	0	11.6	0.1	1.1
2025	5	1	4	55	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	1	5	5	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	1	5	15	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	1	5	25	24	0	0	0	0	0	0	0	14.02	0	0	11.6	0.1	1.1
2025	5	1	5	35	24	0	0	0	0	0	0	0	14.02	0	0	11.6	0.1	1.1
2025	5	1	5	45	24	0	0	0	0	0	0	0	14.02	0	0	11.6	0.1	1.1
2025	5	1	5	55	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	1	6	5	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	1	6	15	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	1	6	25	24	0	0	0	0	0	0	0	14.04	0	0	11.6	0.1	1.1
2025	5	1	6	35	24	0	0	0	0	0	0	0	14.05	0	0	11.6	0.1	1.1
2025	5	1	6	45	24	0	0	0	0	0	0	0	14.06	0	0	11.6	0.1	1.1
2025	5	1	6	55	24	0	0	0	0	0	0	0	14.07	0	0	11.6	0.1	1.1
2025	5	1	7	5	24	0	0	0	0	0	0	0	14.08	0	0	11.6	0.1	1.1
2025	5	1	7	15	24	0	0	0	0	0	0	0	14.09	0	0	11.6	0.1	1.1
2025	5	1	7	25	24	0	0	0	0	0	0	0	14.11	0	0	11.6	0.1	1.1
2025	5	1	7	35	24	0	0	0	0	0	0	0	14.12	0	0	11.6	0.1	1.1
2025	5	1	7	45	24	0	0	0	0	0	0	0	14.14	0	0	11.6	0.1	1.1
2025	5	1	7	55	24	0	0	0	0	0	0	0	14.15	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	1	8	5	24	0	0	0	0	0	0	0	14.16	0	0	11.6	0.1	1.1
2025	5	1	8	15	24	0	0	0	0	0	0	0	14.18	0	0	11.6	0.1	1.1
2025	5	1	8	25	24	0	0	0	0	0	0	0	14.19	0	0	11.6	0.1	1.1
2025	5	1	8	35	24	0	0	0	0	0	0	0	14.21	0	0	11.6	0.1	1.1
2025	5	1	8	45	24	0	0	0	0	0	0	0	14.23	0	0	11.8	0.1	1.1
2025	5	1	8	55	24	0	0	0	0	0	0	0	14.26	0	0	11.8	0.1	1.1
2025	5	1	9	5	24	0	0	0	0	0	0	0	14.28	0	0	12	0.1	1.1
2025	5	1	9	15	24	0	0	0	0	0	0	0	14.31	0	0	12.2	0.1	1.1
2025	5	1	9	25	24	0	0	0	0	0	0	0	14.34	0	0	12.4	0.1	1.1
2025	5	1	9	35	24	0	0	0	0	0	0	0	14.37	0	0	12.4	0.1	1.1
2025	5	1	9	45	24	0	0	0	0	0	0	0	14.39	0	0	12.4	0.1	1.1
2025	5	1	9	55	24	0	0	0	0	0	0	0	14.42	0	0	12.6	0.1	1.1
2025	5	1	10	5	24	0	0	0	0	0	0	0	14.45	0	0	12.4	0.1	1.1
2025	5	1	10	15	24	0	0	0	0	0	0	0	14.47	0	0	12.6	0.1	1.1
2025	5	1	10	25	24	0	0	0	0	0	0	0	14.5	0	0	12.6	0.1	1.1
2025	5	1	10	35	24	0	0	0	0	0	0	0	14.52	0	0	12.6	0.1	1.1
2025	5	1	10	45	24	0	0	0	0	0	0	0	14.54	0	0	12.6	0.1	1.1
2025	5	1	10	55	24	0	0	0	0	0	0	0	14.56	0	0	12.6	0.1	1.1
2025	5	1	11	5	24	0	0	0	0	0	0	0	14.58	0	0	12.6	0.1	1.1
2025	5	1	11	15	24	0	0	0	0	0	0	0	14.61	0	0	12.6	0.1	1.1
2025	5	1	11	25	24	0	0	0	0	0	0	0	14.64	0	0	12.6	0.1	1.1
2025	5	1	11	35	24	0	0	0	0	0	0	0	14.67	0	0	12.8	0.1	1.1
2025	5	1	11	45	24	0	0	0	0	0	0	0	14.71	0	0	12.8	0.1	1.1
2025	5	1	11	55	24	0	0	0	0	0	0	0	14.75	0	0	13.2	0.1	1.1
2025	5	1	12	5	24	0	0	0	0	0	0	0	14.77	0	0	13.2	0.1	1.1
2025	5	1	12	15	24	0	0	0	0	0	0	0	14.8	0	0	13.2	0.1	1.1
2025	5	1	12	25	24	0	0	0	0	0	0	0	14.84	0	0	13	0.1	1.1
2025	5	1	12	35	24	0	0	0	0	0	0	0	14.91	0	0	13.4	0.1	1.1
2025	5	1	12	45	24	0	0	0	0	0	0	0	14.96	0	0	13.4	0.1	1.1
2025	5	1	12	55	24	0	0	0	0	0	0	0	15.02	0	0	13.4	0.1	1.1
2025	5	1	13	5	24	0	0	0	0	0	0	0	15.08	0	0	13.4	0.1	1.1
2025	5	1	13	15	24	0	0	0	0	0	0	0	15.13	0	0	13.4	0.1	1.1
2025	5	1	13	25	24	0	0	0	0	0	0	0	15.17	0	0	13.4	0.1	1.1
2025	5	1	13	35	24	0	0	0	0	0	0	0	15.22	0	0	13.4	0.1	1.1
2025	5	1	13	45	24	0	0	0	0	0	0	0	15.25	0	0	13.6	0.1	1.1
2025	5	1	13	55	24	0	0	0	0	0	0	0	15.3	0	0	13.6	0.1	1.1
2025	5	1	14	5	24	0	0	0	0	0	0	0	15.33	0	0	13.6	0.1	1.1
2025	5	1	14	15	24	0	0	0	0	0	0	0	15.33	0	0	13.2	0.1	1.1
2025	5	1	14	25	24	0	0	0	0	0	0	0	15.37	0	0	13.6	0.1	1.1
2025	5	1	14	35	24	0	0	0	0	0	0	0	15.4	0	0	13.6	0.1	1.1
2025	5	1	14	45	24	0	0	0	0	0	0	0	15.43	0	0	13.4	0.1	1.1
2025	5	1	14	55	24	0	0	0	0	0	0	0	15.46	0	0	13.4	0.1	1.1
2025	5	1	15	5	24	0	0	0	0	0	0	0	15.48	0	0	13.6	0.1	1.1
2025	5	1	15	15	24	0	0	0	0	0	0	0	15.5	0	0	13.6	0.1	1.1
2025	5	1	15	25	24	0	0	0	0	0	0	0	15.51	0	0	13.6	0.1	1.1
2025	5	1	15	35	24	0	0	0	0	0	0	0	15.53	0	0	13.6	0.1	1.1
2025	5	1	15	45	24	0	0	0	0	0	0	0	15.56	0	0	13.6	0.1	1.1
2025	5	1	15	55	24	0	0	0	0	0	0	0	15.56	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	1	16	5	24	0	0	0	0	0	0	0	15.55	0	0	12.8	0.1	1.1
2025	5	1	16	15	24	0	0	0	0	0	0	0	15.57	0	0	13.6	0.1	1.1
2025	5	1	16	25	24	0	0	0	0	0	0	0	15.58	0	0	13.6	0.1	1.1
2025	5	1	16	35	24	0	0	0	0	0	0	0	15.56	0	0	12.6	0.1	1.1
2025	5	1	16	45	24	0	0	0	0	0	0	0	15.54	0	0	13	0.1	1.1
2025	5	1	16	55	24	0	0	0	0	0	0	0	15.51	0	0	12.4	0.1	1.1
2025	5	1	17	5	24	0	0	0	0	0	0	0	15.49	0	0	12.2	0.1	1.1
2025	5	1	17	15	24	0	0	0	0	0	0	0	15.5	0	0	12.8	0.1	1.1
2025	5	1	17	25	24	0	0	0	0	0	0	0	15.5	0	0	12.4	0.1	1.1
2025	5	1	17	35	24	0	0	0	0	0	0	0	15.5	0	0	12.4	0.1	1.1
2025	5	1	17	45	24	0	0	0	0	0	0	0	15.49	0	0	12.2	0.1	1.1
2025	5	1	17	55	24	0	0	0	0	0	0	0	15.5	0	0	12.2	0.1	1.1
2025	5	1	18	5	24	0	0	0	0	0	0	0	15.49	0	0	12	0.1	1.1
2025	5	1	18	15	24	0	0	0	0	0	0	0	15.48	0	0	12	0.1	1.1
2025	5	1	18	25	24	0	0	0	0	0	0	0	15.47	0	0	12	0.1	1.1
2025	5	1	18	35	24	0	0	0	0	0	0	0	15.45	0	0	11.8	0.1	1.1
2025	5	1	18	45	24	0	0	0	0	0	0	0	15.43	0	0	11.8	0.1	1.1
2025	5	1	18	55	24	0	0	0	0	0	0	0	15.42	0	0	11.8	0.1	1.1
2025	5	1	19	5	24	0	0	0	0	0	0	0	15.41	0	0	11.8	0.1	1.1
2025	5	1	19	15	24	0	0	0	0	0	0	0	15.39	0	0	11.8	0.1	1.1
2025	5	1	19	25	24	0	0	0	0	0	0	0	15.37	0	0	11.8	0.1	1.1
2025	5	1	19	35	24	0	0	0	0	0	0	0	15.36	0	0	11.8	0.1	1.1
2025	5	1	19	45	24	0	0	0	0	0	0	0	15.34	0	0	11.8	0.1	1.1
2025	5	1	19	55	24	0	0	0	0	0	0	0	15.32	0	0	11.8	0.1	1.1
2025	5	1	20	5	24	0	0	0	0	0	0	0	15.3	0	0	11.8	0.1	1.1
2025	5	1	20	15	24	0	0	0	0	0	0	0	15.27	0	0	11.8	0.1	1.1
2025	5	1	20	25	24	0	0	0	0	0	0	0	15.25	0	0	11.8	0.1	1.1
2025	5	1	20	35	24	0	0	0	0	0	0	0	15.24	0	0	11.8	0.1	1.1
2025	5	1	20	45	24	0	0	0	0	0	0	0	15.21	0	0	11.8	0.1	1.1
2025	5	1	20	55	24	0	0	0	0	0	0	0	15.2	0	0	11.8	0.1	1.1
2025	5	1	21	5	24	0	0	0	0	0	0	0	15.18	0	0	11.8	0.1	1.1
2025	5	1	21	15	24	0	0	0	0	0	0	0	15.16	0	0	11.8	0.1	1.1
2025	5	1	21	25	24	0	0	0	0	0	0	0	15.14	0	0	11.8	0.1	1.1
2025	5	1	21	35	24	0	0	0	0	0	0	0	15.12	0	0	11.8	0.1	1.1
2025	5	1	21	45	24	0	0	0	0	0	0	0	15.1	0	0	11.8	0.1	1.1
2025	5	1	21	55	24	0	0	0	0	0	0	0	15.07	0	0	11.8	0.1	1.1
2025	5	1	22	5	24	0	0	0	0	0	0	0	15.04	0	0	11.8	0.1	1.1
2025	5	1	22	15	24	0	0	0	0	0	0	0	15.01	0	0	11.8	0.1	1.1
2025	5	1	22	25	24	0	0	0	0	0	0	0	14.98	0	0	11.8	0.1	1.1
2025	5	1	22	35	24	0	0	0	0	0	0	0	14.97	0	0	11.8	0.1	1.1
2025	5	1	22	45	24	0	0	0	0	0	0	0	14.94	0	0	11.8	0.1	1.1
2025	5	1	22	55	24	0	0	0	0	0	0	0	14.91	0	0	11.8	0.1	1.1
2025	5	1	23	5	24	0	0	0	0	0	0	0	14.89	0	0	11.6	0.1	1.1
2025	5	1	23	15	24	0	0	0	0	0	0	0	14.87	0	0	11.6	0.1	1.1
2025	5	1	23	25	24	0	0	0	0	0	0	0	14.85	0	0	11.6	0.1	1.1
2025	5	1	23	35	24	0	0	0	0	0	0	0	14.83	0	0	11.6	0.1	1.1
2025	5	1	23	45	24	0	0	0	0	0	0	0	14.81	0	0	11.6	0.1	1.1
2025	5	1	23	55	24	0	0	0	0	0	0	0	14.79	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	2	0	5	24	0	0	0	0	0	0	0	14.77	0	0	11.6	0.1	1.1
2025	5	2	0	15	24	0	0	0	0	0	0	0	14.75	0	0	11.6	0.1	1.1
2025	5	2	0	25	24	0	0	0	0	0	0	0	14.74	0	0	11.6	0.1	1.1
2025	5	2	0	35	24	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2025	5	2	0	45	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	2	0	55	24	0	0	0	0	0	0	0	14.69	0	0	11.6	0.1	1.1
2025	5	2	1	5	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	2	1	15	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	2	1	25	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	2	1	35	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	1	45	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	1	55	24	0	0	0	0	0	0	0	14.65	0	0	11.6	0.1	1.1
2025	5	2	2	5	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	2	15	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	2	25	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	2	35	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	2	45	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	2	2	55	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	2	3	5	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	2	3	15	24	0	0	0	0	0	0	0	14.69	0	0	11.6	0.1	1.1
2025	5	2	3	25	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	2	3	35	24	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2025	5	2	3	45	24	0	0	0	0	0	0	0	14.72	0	0	11.6	0.1	1.1
2025	5	2	3	55	24	0	0	0	0	0	0	0	14.74	0	0	11.6	0.1	1.1
2025	5	2	4	5	24	0	0	0	0	0	0	0	14.75	0	0	11.6	0.1	1.1
2025	5	2	4	15	24	0	0	0	0	0	0	0	14.76	0	0	11.6	0.1	1.1
2025	5	2	4	25	24	0	0	0	0	0	0	0	14.78	0	0	11.6	0.1	1.1
2025	5	2	4	35	24	0	0	0	0	0	0	0	14.79	0	0	11.6	0.1	1.1
2025	5	2	4	45	24	0	0	0	0	0	0	0	14.8	0	0	11.6	0.1	1.1
2025	5	2	4	55	24	0	0	0	0	0	0	0	14.81	0	0	11.6	0.1	1.1
2025	5	2	5	5	24	0	0	0	0	0	0	0	14.83	0	0	11.6	0.1	1.1
2025	5	2	5	15	24	0	0	0	0	0	0	0	14.85	0	0	11.6	0.1	1.1
2025	5	2	5	25	24	0	0	0	0	0	0	0	14.86	0	0	11.6	0.1	1.1
2025	5	2	5	35	24	0	0	0	0	0	0	0	14.88	0	0	11.6	0.1	1.1
2025	5	2	5	45	24	0	0	0	0	0	0	0	14.89	0	0	11.6	0.1	1.1
2025	5	2	5	55	24	0	0	0	0	0	0	0	14.9	0	0	11.6	0.1	1.1
2025	5	2	6	5	24	0	0	0	0	0	0	0	14.92	0	0	11.6	0.1	1.1
2025	5	2	6	15	24	0	0	0	0	0	0	0	14.92	0	0	11.6	0.1	1.1
2025	5	2	6	25	24	0	0	0	0	0	0	0	14.94	0	0	11.6	0.1	1.1
2025	5	2	6	35	24	0	0	0	0	0	0	0	14.96	0	0	11.6	0.1	1.1
2025	5	2	6	45	24	0	0	0	0	0	0	0	14.97	0	0	11.6	0.1	1.1
2025	5	2	6	55	24	0	0	0	0	0	0	0	14.98	0	0	11.6	0.1	1.1
2025	5	2	7	5	24	0	0	0	0	0	0	0	15	0	0	11.8	0.1	1.1
2025	5	2	7	15	24	0	0	0	0	0	0	0	15.01	0	0	11.8	0.1	1.1
2025	5	2	7	25	24	0	0	0	0	0	0	0	15.04	0	0	12	0.1	1.1
2025	5	2	7	35	24	0	0	0	0	0	0	0	15.07	0	0	12.2	0.1	1.1
2025	5	2	7	45	24	0	0	0	0	0	0	0	15.09	0	0	12.4	0.1	1.1
2025	5	2	7	55	24	0	0	0	0	0	0	0	15.12	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	2	8	5	24	0	0	0	0	0	0	0	15.15	0	0	12.6	0.1	1.1
2025	5	2	8	15	24	0	0	0	0	0	0	0	15.19	0	0	12.6	0.1	1.1
2025	5	2	8	25	24	0	0	0	0	0	0	0	15.23	0	0	12.6	0.1	1.1
2025	5	2	8	35	24	0	0	0	0	0	0	0	15.26	0	0	12.8	0.1	1.1
2025	5	2	8	45	24	0	0	0	0	0	0	0	15.31	0	0	12.8	0.1	1.1
2025	5	2	8	55	24	0	0	0	0	0	0	0	15.35	0	0	12.8	0.1	1.1
2025	5	2	9	5	24	0	0	0	0	0	0	0	15.4	0	0	13	0.1	1.1
2025	5	2	9	15	24	0	0	0	0	0	0	0	15.44	0	0	13	0.1	1.1
2025	5	2	9	25	24	0	0	0	0	0	0	0	15.49	0	0	13.4	0.1	1.1
2025	5	2	9	35	24	0	0	0	0	0	0	0	15.54	0	0	13.6	0.1	1.1
2025	5	2	9	45	24	0	0	0	0	0	0	0	15.58	0	0	13.6	0.1	1.1
2025	5	2	9	55	24	0	0	0	0	0	0	0	15.64	0	0	13.8	0.1	1.1
2025	5	2	10	5	24	0	0	0	0	0	0	0	15.7	0	0	13.8	0.1	1.1
2025	5	2	10	15	24	0	0	0	0	0	0	0	15.74	0	0	13.6	0.1	1.1
2025	5	2	10	25	24	0	0	0	0	0	0	0	15.8	0	0	13.6	0.1	1.1
2025	5	2	10	35	24	0	0	0	0	0	0	0	15.85	0	0	13.4	0.1	1.1
2025	5	2	10	45	24	0	0	0	0	0	0	0	15.91	0	0	13.4	0.1	1.1
2025	5	2	10	55	24	0	0	0	0	0	0	0	15.97	0	0	13.4	0.1	1.1
2025	5	2	11	5	24	0	0	0	0	0	0	0	16.03	0	0	13.4	0.1	1.1
2025	5	2	11	15	24	0	0	0	0	0	0	0	16.09	0	0	13.4	0.1	1.1
2025	5	2	11	25	24	0	0	0	0	0	0	0	16.14	0	0	13.6	0.1	1.1
2025	5	2	11	35	24	0	0	0	0	0	0	0	16.21	0	0	13.6	0.1	1.1
2025	5	2	11	45	24	0	0	0	0	0	0	0	16.27	0	0	13.6	0.1	1.1
2025	5	2	11	55	24	0	0	0	0	0	0	0	16.32	0	0	13.6	0.1	1.1
2025	5	2	12	5	24	0	0	0	0	0	0	0	16.38	0	0	13.6	0.1	1.1
2025	5	2	12	15	24	0	0	0	0	0	0	0	16.43	0	0	13.6	0.1	1.1
2025	5	2	12	25	24	0	0	0	0	0	0	0	16.49	0	0	13.6	0.1	1.1
2025	5	2	12	35	24	0	0	0	0	0	0	0	16.54	0	0	13.4	0.1	1.1
2025	5	2	12	45	24	0	0	0	0	0	0	0	16.59	0	0	13.4	0.1	1.1
2025	5	2	12	55	24	0	0	0	0	0	0	0	16.64	0	0	13.4	0.1	1.1
2025	5	2	13	5	24	0	0	0	0	0	0	0	16.69	0	0	13.4	0.1	1.1
2025	5	2	13	15	24	0	0	0	0	0	0	0	16.73	0	0	13.4	0.1	1.1
2025	5	2	13	25	24	0	0	0	0	0	0	0	16.78	0	0	13.4	0.1	1.1
2025	5	2	13	35	24	0	0	0	0	0	0	0	16.82	0	0	13.4	0.1	1.1
2025	5	2	13	45	24	0	0	0	0	0	0	0	16.86	0	0	13.4	0.1	1.1
2025	5	2	13	55	24	0	0	0	0	0	0	0	16.9	0	0	13.4	0.1	1.1
2025	5	2	14	5	24	0	0	0	0	0	0	0	16.93	0	0	13.4	0.1	1.1
2025	5	2	14	15	24	0	0	0	0	0	0	0	16.97	0	0	13.4	0.1	1.1
2025	5	2	14	25	24	0	0	0	0	0	0	0	17	0	0	13.4	0.1	1.1
2025	5	2	14	35	24	0	0	0	0	0	0	0	17.02	0	0	13.4	0.1	1.1
2025	5	2	14	45	24	0	0	0	0	0	0	0	17.02	0	0	12.8	0.1	1.1
2025	5	2	14	55	24	0	0	0	0	0	0	0	17.04	0	0	13.4	0.1	1.1
2025	5	2	15	5	24	0	0	0	0	0	0	0	17.07	0	0	13.4	0.1	1.1
2025	5	2	15	15	24	0	0	0	0	0	0	0	17.09	0	0	13.4	0.1	1.1
2025	5	2	15	25	24	0	0	0	0	0	0	0	17.11	0	0	13.4	0.1	1.1
2025	5	2	15	35	24	0	0	0	0	0	0	0	17.13	0	0	13.4	0.1	1.1
2025	5	2	15	45	24	0	0	0	0	0	0	0	17.14	0	0	13.4	0.1	1.1
2025	5	2	15	55	24	0	0	0	0	0	0	0	17.14	0	0	13.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	2	16	5	24	0	0	0	0	0	0	0	17.15	0	0	13.4	0.1	1.1
2025	5	2	16	15	24	0	0	0	0	0	0	0	17.15	0	0	13.4	0.1	1.1
2025	5	2	16	25	24	0	0	0	0	0	0	0	17.15	0	0	13.2	0.1	1.1
2025	5	2	16	35	24	0	0	0	0	0	0	0	17.15	0	0	13.2	0.1	1.1
2025	5	2	16	45	24	0	0	0	0	0	0	0	17.14	0	0	13.2	0.1	1.1
2025	5	2	16	55	24	0	0	0	0	0	0	0	17.13	0	0	12.8	0.1	1.1
2025	5	2	17	5	24	0	0	0	0	0	0	0	17.11	0	0	12.6	0.1	1.1
2025	5	2	17	15	24	0	0	0	0	0	0	0	17.1	0	0	12.6	0.1	1.1
2025	5	2	17	25	24	0	0	0	0	0	0	0	17.08	0	0	12.4	0.1	1.1
2025	5	2	17	35	24	0	0	0	0	0	0	0	17.05	0	0	12.2	0.1	1.1
2025	5	2	17	45	24	0	0	0	0	0	0	0	17.02	0	0	12	0.1	1.1
2025	5	2	17	55	24	0	0	0	0	0	0	0	16.98	0	0	12	0.1	1.1
2025	5	2	18	5	24	0	0	0	0	0	0	0	16.94	0	0	12	0.1	1.1
2025	5	2	18	15	24	0	0	0	0	0	0	0	16.91	0	0	11.8	0.1	1.1
2025	5	2	18	25	24	0	0	0	0	0	0	0	16.87	0	0	11.8	0.1	1.1
2025	5	2	18	35	24	0	0	0	0	0	0	0	16.83	0	0	11.8	0.1	1.1
2025	5	2	18	45	24	0	0	0	0	0	0	0	16.79	0	0	11.8	0.1	1.1
2025	5	2	18	55	24	0	0	0	0	0	0	0	16.75	0	0	11.8	0.1	1.1
2025	5	2	19	5	24	0	0	0	0	0	0	0	16.71	0	0	11.8	0.1	1.1
2025	5	2	19	15	24	0	0	0	0	0	0	0	16.66	0	0	11.8	0.1	1.1
2025	5	2	19	25	24	0	0	0	0	0	0	0	16.61	0	0	11.8	0.1	1.1
2025	5	2	19	35	24	0	0	0	0	0	0	0	16.57	0	0	11.8	0.1	1.1
2025	5	2	19	45	24	0	0	0	0	0	0	0	16.53	0	0	11.8	0.1	1.1
2025	5	2	19	55	24	0	0	0	0	0	0	0	16.48	0	0	11.8	0.1	1.1
2025	5	2	20	5	24	0	0	0	0	0	0	0	16.44	0	0	11.8	0.1	1.1
2025	5	2	20	15	24	0	0	0	0	0	0	0	16.4	0	0	11.8	0.1	1.1
2025	5	2	20	25	24	0	0	0	0	0	0	0	16.35	0	0	11.8	0.1	1.1
2025	5	2	20	35	24	0	0	0	0	0	0	0	16.3	0	0	11.8	0.1	1.1
2025	5	2	20	45	24	0	0	0	0	0	0	0	16.26	0	0	11.8	0.1	1.1
2025	5	2	20	55	24	0	0	0	0	0	0	0	16.22	0	0	11.8	0.1	1.1
2025	5	2	21	5	24	0	0	0	0	0	0	0	16.18	0	0	11.8	0.1	1.1
2025	5	2	21	15	24	0	0	0	0	0	0	0	16.14	0	0	11.8	0.1	1.1
2025	5	2	21	25	24	0	0	0	0	0	0	0	16.1	0	0	11.8	0.1	1.1
2025	5	2	21	35	24	0	0	0	0	0	0	0	16.07	0	0	11.8	0.1	1.1
2025	5	2	21	45	24	0	0	0	0	0	0	0	16.04	0	0	11.8	0.1	1.1
2025	5	2	21	55	24	0	0	0	0	0	0	0	16	0	0	11.8	0.1	1.1
2025	5	2	22	5	24	0	0	0	0	0	0	0	15.97	0	0	11.8	0.1	1.1
2025	5	2	22	15	24	0	0	0	0	0	0	0	15.94	0	0	11.8	0.1	1.1
2025	5	2	22	25	24	0	0	0	0	0	0	0	15.91	0	0	11.8	0.1	1.1
2025	5	2	22	35	24	0	0	0	0	0	0	0	15.88	0	0	11.8	0.1	1.1
2025	5	2	22	45	24	0	0	0	0	0	0	0	15.85	0	0	11.8	0.1	1.1
2025	5	2	22	55	24	0	0	0	0	0	0	0	15.83	0	0	11.8	0.1	1.1
2025	5	2	23	5	24	0	0	0	0	0	0	0	15.81	0	0	11.8	0.1	1.1
2025	5	2	23	15	24	0	0	0	0	0	0	0	15.79	0	0	11.8	0.1	1.1
2025	5	2	23	25	24	0	0	0	0	0	0	0	15.77	0	0	11.8	0.1	1.1
2025	5	2	23	35	24	0	0	0	0	0	0	0	15.75	0	0	11.8	0.1	1.1
2025	5	2	23	45	24	0	0	0	0	0	0	0	15.74	0	0	11.8	0.1	1.1
2025	5	2	23	55	24	0	0	0	0	0	0	0	15.72	0	0	11.8	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	3	0	5	24	0	0	0	0	0	0	0	15.71	0	0	11.8	0.1	1.1
2025	5	3	0	15	24	0	0	0	0	0	0	0	15.7	0	0	11.8	0.1	1.1
2025	5	3	0	25	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1.1
2025	5	3	0	35	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1.1
2025	5	3	0	45	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	0	55	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	1	5	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	1	15	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	1	25	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	1	35	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	1	45	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	1	55	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	2	5	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	2	15	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	2	25	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	2	35	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	3	2	45	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	2	55	24	0	0	0	0	0	0	0	15.68	0	0	11.6	0.1	1.1
2025	5	3	3	5	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1.1
2025	5	3	3	15	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1.1
2025	5	3	3	25	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1.1
2025	5	3	3	35	24	0	0	0	0	0	0	0	15.71	0	0	11.6	0.1	1.1
2025	5	3	3	45	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1.1
2025	5	3	3	55	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1.1
2025	5	3	4	5	24	0	0	0	0	0	0	0	15.73	0	0	11.6	0.1	1.1
2025	5	3	4	15	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1.1
2025	5	3	4	25	24	0	0	0	0	0	0	0	15.75	0	0	11.6	0.1	1.1
2025	5	3	4	35	24	0	0	0	0	0	0	0	15.76	0	0	11.6	0.1	1.1
2025	5	3	4	45	24	0	0	0	0	0	0	0	15.76	0	0	11.6	0.1	1.1
2025	5	3	4	55	24	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.1
2025	5	3	5	5	24	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1.1
2025	5	3	5	15	24	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1.1
2025	5	3	5	25	24	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.1
2025	5	3	5	35	24	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.1
2025	5	3	5	45	24	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.1
2025	5	3	5	55	24	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.1
2025	5	3	6	5	24	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.1
2025	5	3	6	15	24	0	0	0	0	0	0	0	15.82	0	0	11.6	0.1	1.1
2025	5	3	6	25	24	0	0	0	0	0	0	0	15.82	0	0	11.6	0.1	1.1
2025	5	3	6	35	24	0	0	0	0	0	0	0	15.83	0	0	11.6	0.1	1.1
2025	5	3	6	45	24	0	0	0	0	0	0	0	15.84	0	0	11.6	0.1	1.1
2025	5	3	6	55	24	0	0	0	0	0	0	0	15.85	0	0	11.6	0.1	1.1
2025	5	3	7	5	24	0	0	0	0	0	0	0	15.86	0	0	11.8	0.1	1.1
2025	5	3	7	15	24	0	0	0	0	0	0	0	15.88	0	0	12	0.1	1.1
2025	5	3	7	25	24	0	0	0	0	0	0	0	15.89	0	0	12	0.1	1.1
2025	5	3	7	35	24	0	0	0	0	0	0	0	15.92	0	0	12	0.1	1.1
2025	5	3	7	45	24	0	0	0	0	0	0	0	15.94	0	0	12.2	0.1	1.1
2025	5	3	7	55	24	0	0	0	0	0	0	0	15.97	0	0	12.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	3	8	5	24	0	0	0	0	0	0	0	16	0	0	12.4	0.1	1.1
2025	5	3	8	15	24	0	0	0	0	0	0	0	16.03	0	0	12.4	0.1	1.1
2025	5	3	8	25	24	0	0	0	0	0	0	0	16.05	0	0	12.2	0.1	1.1
2025	5	3	8	35	24	0	0	0	0	0	0	0	16.07	0	0	12.2	0.1	1.1
2025	5	3	8	45	24	0	0	0	0	0	0	0	16.1	0	0	12.6	0.1	1.1
2025	5	3	8	55	24	0	0	0	0	0	0	0	16.16	0	0	12.8	0.1	1.1
2025	5	3	9	5	24	0	0	0	0	0	0	0	16.2	0	0	13.2	0.1	1.1
2025	5	3	9	15	24	0	0	0	0	0	0	0	16.23	0	0	13.2	0.1	1.1
2025	5	3	9	25	24	0	0	0	0	0	0	0	16.26	0	0	13.2	0.1	1.1
2025	5	3	9	35	24	0	0	0	0	0	0	0	16.31	0	0	13.4	0.1	1.1
2025	5	3	9	45	24	0	0	0	0	0	0	0	16.35	0	0	13.4	0.1	1.1
2025	5	3	9	55	24	0	0	0	0	0	0	0	16.38	0	0	13.4	0.1	1.1
2025	5	3	10	5	24	0	0	0	0	0	0	0	16.4	0	0	13.4	0.1	1.1
2025	5	3	10	15	24	0	0	0	0	0	0	0	16.43	0	0	13.2	0.1	1.1
2025	5	3	10	25	24	0	0	0	0	0	0	0	16.45	0	0	13.4	0.1	1.1
2025	5	3	10	35	24	0	0	0	0	0	0	0	16.48	0	0	13.4	0.1	1.1
2025	5	3	10	45	24	0	0	0	0	0	0	0	16.51	0	0	13.4	0.1	1.1
2025	5	3	10	55	24	0	0	0	0	0	0	0	16.53	0	0	13.2	0.1	1.1
2025	5	3	11	5	24	0	0	0	0	0	0	0	16.55	0	0	13.4	0.1	1.1
2025	5	3	11	15	24	0	0	0	0	0	0	0	16.58	0	0	13.4	0.1	1.1
2025	5	3	11	25	24	0	0	0	0	0	0	0	16.61	0	0	13.4	0.1	1.1
2025	5	3	11	35	24	0	0	0	0	0	0	0	16.65	0	0	13.4	0.1	1.1
2025	5	3	11	45	24	0	0	0	0	0	0	0	16.68	0	0	13.4	0.1	1.1
2025	5	3	11	55	24	0	0	0	0	0	0	0	16.71	0	0	13.4	0.1	1.1
2025	5	3	12	5	24	0	0	0	0	0	0	0	16.74	0	0	13.4	0.1	1.1
2025	5	3	12	15	24	0	0	0	0	0	0	0	16.76	0	0	13.6	0.1	1.1
2025	5	3	12	25	24	0	0	0	0	0	0	0	16.8	0	0	13.4	0.1	1.1
2025	5	3	12	35	24	0	0	0	0	0	0	0	16.82	0	0	13.4	0.1	1.1
2025	5	3	12	45	24	0	0	0	0	0	0	0	16.81	0	0	12.8	0.1	1.1
2025	5	3	12	55	24	0	0	0	0	0	0	0	16.79	0	0	12.4	0.1	1.1
2025	5	3	13	5	24	0	0	0	0	0	0	0	16.77	0	0	12.4	0.1	1.1
2025	5	3	13	15	24	0	0	0	0	0	0	0	16.76	0	0	12.4	0.1	1.1
2025	5	3	13	25	24	0	0	0	0	0	0	0	16.75	0	0	12.2	0.1	1.1
2025	5	3	13	35	24	0	0	0	0	0	0	0	16.74	0	0	12.2	0.1	1.1
2025	5	3	13	45	24	0	0	0	0	0	0	0	16.73	0	0	12.2	0.1	1.1
2025	5	3	13	55	24	0	0	0	0	0	0	0	16.71	0	0	12	0.1	1.1
2025	5	3	14	5	24	0	0	0	0	0	0	0	16.7	0	0	12	0.1	1.1
2025	5	3	14	15	24	0	0	0	0	0	0	0	16.67	0	0	12	0.1	1.1
2025	5	3	14	25	24	0	0	0	0	0	0	0	16.66	0	0	12.2	0.1	1.1
2025	5	3	14	35	24	0	0	0	0	0	0	0	16.67	0	0	12.4	0.1	1.1
2025	5	3	14	45	24	0	0	0	0	0	0	0	16.65	0	0	12	0.1	1.1
2025	5	3	14	55	24	0	0	0	0	0	0	0	16.63	0	0	12	0.1	1.1
2025	5	3	15	5	24	0	0	0	0	0	0	0	16.62	0	0	12.2	0.1	1.1
2025	5	3	15	15	24	0	0	0	0	0	0	0	16.61	0	0	12	0.1	1.1
2025	5	3	15	25	24	0	0	0	0	0	0	0	16.58	0	0	12	0.1	1.1
2025	5	3	15	35	24	0	0	0	0	0	0	0	16.54	0	0	12	0.1	1.1
2025	5	3	15	45	24	0	0	0	0	0	0	0	16.52	0	0	12	0.1	1.1
2025	5	3	15	55	24	0	0	0	0	0	0	0	16.49	0	0	12	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	3	16	5	24	0	0	0	0	0	0	0	16.46	0	0	12	0.1	1.1
2025	5	3	16	15	24	0	0	0	0	0	0	0	16.45	0	0	12	0.1	1.1
2025	5	3	16	25	24	0	0	0	0	0	0	0	16.43	0	0	12.2	0.1	1.1
2025	5	3	16	35	24	0	0	0	0	0	0	0	16.41	0	0	12.2	0.1	1.1
2025	5	3	16	45	24	0	0	0	0	0	0	0	16.39	0	0	12.2	0.1	1.1
2025	5	3	16	55	24	0	0	0	0	0	0	0	16.37	0	0	12.4	0.1	1.1
2025	5	3	17	5	24	0	0	0	0	0	0	0	16.36	0	0	12.4	0.1	1.1
2025	5	3	17	15	24	0	0	0	0	0	0	0	16.34	0	0	12.4	0.1	1.1
2025	5	3	17	25	24	0	0	0	0	0	0	0	16.32	0	0	12.4	0.1	1.1
2025	5	3	17	35	24	0	0	0	0	0	0	0	16.29	0	0	12.4	0.1	1.1
2025	5	3	17	45	24	0	0	0	0	0	0	0	16.26	0	0	12.2	0.1	1.1
2025	5	3	17	55	24	0	0	0	0	0	0	0	16.23	0	0	12	0.1	1.1
2025	5	3	18	5	24	0	0	0	0	0	0	0	16.19	0	0	12	0.1	1.1
2025	5	3	18	15	24	0	0	0	0	0	0	0	16.15	0	0	12	0.1	1.1
2025	5	3	18	25	24	0	0	0	0	0	0	0	16.1	0	0	11.8	0.1	1.1
2025	5	3	18	35	24	0	0	0	0	0	0	0	16.06	0	0	11.8	0.1	1.1
2025	5	3	18	45	24	0	0	0	0	0	0	0	16	0	0	11.8	0.1	1.1
2025	5	3	18	55	24	0	0	0	0	0	0	0	15.96	0	0	11.8	0.1	1.1
2025	5	3	19	5	24	0	0	0	0	0	0	0	15.9	0	0	11.8	0.1	1.1
2025	5	3	19	15	24	0	0	0	0	0	0	0	15.85	0	0	11.8	0.1	1.1
2025	5	3	19	25	24	0	0	0	0	0	0	0	15.8	0	0	11.8	0.1	1.1
2025	5	3	19	35	24	0	0	0	0	0	0	0	15.75	0	0	11.8	0.1	1.1
2025	5	3	19	45	24	0	0	0	0	0	0	0	15.7	0	0	11.8	0.1	1.1
2025	5	3	19	55	24	0	0	0	0	0	0	0	15.65	0	0	11.8	0.1	1.1
2025	5	3	20	5	24	0	0	0	0	0	0	0	15.6	0	0	11.8	0.1	1.1
2025	5	3	20	15	24	0	0	0	0	0	0	0	15.56	0	0	11.8	0.1	1.1
2025	5	3	20	25	24	0	0	0	0	0	0	0	15.52	0	0	11.8	0.1	1.1
2025	5	3	20	35	24	0	0	0	0	0	0	0	15.48	0	0	11.8	0.1	1.1
2025	5	3	20	45	24	0	0	0	0	0	0	0	15.44	0	0	11.8	0.1	1.1
2025	5	3	20	55	24	0	0	0	0	0	0	0	15.4	0	0	11.8	0.1	1.1
2025	5	3	21	5	24	0	0	0	0	0	0	0	15.36	0	0	11.8	0.1	1.1
2025	5	3	21	15	24	0	0	0	0	0	0	0	15.34	0	0	11.6	0.1	1.1
2025	5	3	21	25	24	0	0	0	0	0	0	0	15.31	0	0	11.6	0.1	1.1
2025	5	3	21	35	24	0	0	0	0	0	0	0	15.28	0	0	11.6	0.1	1.1
2025	5	3	21	45	24	0	0	0	0	0	0	0	15.25	0	0	11.6	0.1	1.1
2025	5	3	21	55	24	0	0	0	0	0	0	0	15.22	0	0	11.6	0.1	1.1
2025	5	3	22	5	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1.1
2025	5	3	22	15	24	0	0	0	0	0	0	0	15.17	0	0	11.6	0.1	1.1
2025	5	3	22	25	24	0	0	0	0	0	0	0	15.16	0	0	11.6	0.1	1.1
2025	5	3	22	35	24	0	0	0	0	0	0	0	15.13	0	0	11.6	0.1	1.1
2025	5	3	22	45	24	0	0	0	0	0	0	0	15.11	0	0	11.6	0.1	1.1
2025	5	3	22	55	24	0	0	0	0	0	0	0	15.07	0	0	11.6	0.1	1.1
2025	5	3	23	5	24	0	0	0	0	0	0	0	15.05	0	0	11.6	0.1	1.1
2025	5	3	23	15	24	0	0	0	0	0	0	0	15.03	0	0	11.6	0.1	1.1
2025	5	3	23	25	24	0	0	0	0	0	0	0	15.01	0	0	11.6	0.1	1.1
2025	5	3	23	35	24	0	0	0	0	0	0	0	15	0	0	11.6	0.1	1.1
2025	5	3	23	45	24	0	0	0	0	0	0	0	14.98	0	0	11.6	0.1	1.1
2025	5	3	23	55	24	0	0	0	0	0	0	0	14.97	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	4	0	5	24	0	0	0	0	0	0	0	14.96	0	0	11.6	0.1	1.1
2025	5	4	0	15	24	0	0	0	0	0	0	0	14.95	0	0	11.6	0.1	1.1
2025	5	4	0	25	24	0	0	0	0	0	0	0	14.94	0	0	11.6	0.1	1.1
2025	5	4	0	35	24	0	0	0	0	0	0	0	14.92	0	0	11.6	0.1	1.1
2025	5	4	0	45	24	0	0	0	0	0	0	0	14.91	0	0	11.6	0.1	1.1
2025	5	4	0	55	24	0	0	0	0	0	0	0	14.89	0	0	11.6	0.1	1.1
2025	5	4	1	5	24	0	0	0	0	0	0	0	14.88	0	0	11.6	0.1	1.1
2025	5	4	1	15	24	0	0	0	0	0	0	0	14.86	0	0	11.6	0.1	1.1
2025	5	4	1	25	24	0	0	0	0	0	0	0	14.84	0	0	11.6	0.1	1.1
2025	5	4	1	35	24	0	0	0	0	0	0	0	14.83	0	0	11.6	0.1	1.1
2025	5	4	1	45	24	0	0	0	0	0	0	0	14.81	0	0	11.6	0.1	1.1
2025	5	4	1	55	24	0	0	0	0	0	0	0	14.8	0	0	11.6	0.1	1.1
2025	5	4	2	5	24	0	0	0	0	0	0	0	14.79	0	0	11.6	0.1	1.1
2025	5	4	2	15	24	0	0	0	0	0	0	0	14.77	0	0	11.6	0.1	1.1
2025	5	4	2	25	24	0	0	0	0	0	0	0	14.76	0	0	11.6	0.1	1.1
2025	5	4	2	35	24	0	0	0	0	0	0	0	14.75	0	0	11.6	0.1	1.1
2025	5	4	2	45	24	0	0	0	0	0	0	0	14.74	0	0	11.6	0.1	1.1
2025	5	4	2	55	24	0	0	0	0	0	0	0	14.73	0	0	11.6	0.1	1.1
2025	5	4	3	5	24	0	0	0	0	0	0	0	14.72	0	0	11.6	0.1	1.1
2025	5	4	3	15	24	0	0	0	0	0	0	0	14.72	0	0	11.6	0.1	1.1
2025	5	4	3	25	24	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2025	5	4	3	35	24	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2025	5	4	3	45	24	0	0	0	0	0	0	0	14.69	0	0	11.6	0.1	1.1
2025	5	4	3	55	24	0	0	0	0	0	0	0	14.69	0	0	11.6	0.1	1.1
2025	5	4	4	5	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	4	4	15	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	4	4	25	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	4	4	35	24	0	0	0	0	0	0	0	14.65	0	0	11.6	0.1	1.1
2025	5	4	4	45	24	0	0	0	0	0	0	0	14.65	0	0	11.6	0.1	1.1
2025	5	4	4	55	24	0	0	0	0	0	0	0	14.65	0	0	11.6	0.1	1.1
2025	5	4	5	5	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	4	5	15	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	4	5	25	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	5	35	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	5	45	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	5	55	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	6	5	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	6	15	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	6	25	24	0	0	0	0	0	0	0	14.63	0	0	11.6	0.1	1.1
2025	5	4	6	35	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	4	6	45	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	4	6	55	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	4	7	5	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	4	7	15	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	4	7	25	24	0	0	0	0	0	0	0	14.67	0	0	11.6	0.1	1.1
2025	5	4	7	35	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	4	7	45	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	4	7	55	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	4	8	5	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	4	8	15	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	8	25	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	8	35	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	8	45	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	8	55	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	9	5	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	9	15	24	0	0	0	0	0	0	0	14.7	0	0	11.6	0.1	1.1
2025	5	4	9	25	24	0	0	0	0	0	0	0	14.7	0	0	11.8	0.1	1.1
2025	5	4	9	35	24	0	0	0	0	0	0	0	14.71	0	0	11.8	0.1	1.1
2025	5	4	9	45	24	0	0	0	0	0	0	0	14.71	0	0	11.8	0.1	1.1
2025	5	4	9	55	24	0	0	0	0	0	0	0	14.71	0	0	11.8	0.1	1.1
2025	5	4	10	5	24	0	0	0	0	0	0	0	14.71	0	0	11.8	0.1	1.1
2025	5	4	10	15	24	0	0	0	0	0	0	0	14.72	0	0	12	0.1	1.1
2025	5	4	10	25	24	0	0	0	0	0	0	0	14.72	0	0	11.8	0.1	1.1
2025	5	4	10	35	24	0	0	0	0	0	0	0	14.72	0	0	12	0.1	1.1
2025	5	4	10	45	24	0	0	0	0	0	0	0	14.72	0	0	12	0.1	1.1
2025	5	4	10	55	24	0	0	0	0	0	0	0	14.72	0	0	12	0.1	1.1
2025	5	4	11	5	24	0	0	0	0	0	0	0	14.73	0	0	12.2	0.1	1.1
2025	5	4	11	15	24	0	0	0	0	0	0	0	14.75	0	0	12.6	0.1	1.1
2025	5	4	11	25	24	0	0	0	0	0	0	0	14.77	0	0	12.6	0.1	1.1
2025	5	4	11	35	24	0	0	0	0	0	0	0	14.78	0	0	12.6	0.1	1.1
2025	5	4	11	45	24	0	0	0	0	0	0	0	14.79	0	0	12.8	0.1	1.1
2025	5	4	11	55	24	0	0	0	0	0	0	0	14.81	0	0	12.8	0.1	1.1
2025	5	4	12	5	24	0	0	0	0	0	0	0	14.83	0	0	12.8	0.1	1.1
2025	5	4	12	15	24	0	0	0	0	0	0	0	14.86	0	0	13.4	0.1	1.1
2025	5	4	12	25	24	0	0	0	0	0	0	0	14.88	0	0	13.6	0.1	1.1
2025	5	4	12	35	24	0	0	0	0	0	0	0	14.92	0	0	13.8	0.1	1.1
2025	5	4	12	45	24	0	0	0	0	0	0	0	14.98	0	0	13.6	0.1	1.1
2025	5	4	12	55	24	0	0	0	0	0	0	0	14.97	0	0	13.2	0.1	1.1
2025	5	4	13	5	24	0	0	0	0	0	0	0	14.95	0	0	13.2	0.1	1.1
2025	5	4	13	15	24	0	0	0	0	0	0	0	14.98	0	0	13.4	0.1	1.1
2025	5	4	13	25	24	0	0	0	0	0	0	0	15.04	0	0	13.6	0.1	1.1
2025	5	4	13	35	24	0	0	0	0	0	0	0	15.1	0	0	13.6	0.1	1.1
2025	5	4	13	45	24	0	0	0	0	0	0	0	15.06	0	0	13	0.1	1.1
2025	5	4	13	55	24	0	0	0	0	0	0	0	15.02	0	0	12.8	0.1	1.1
2025	5	4	14	5	24	0	0	0	0	0	0	0	14.98	0	0	12.4	0.1	1.1
2025	5	4	14	15	24	0	0	0	0	0	0	0	14.93	0	0	12.4	0.1	1.1
2025	5	4	14	25	24	0	0	0	0	0	0	0	14.9	0	0	12.4	0.1	1.1
2025	5	4	14	35	24	0	0	0	0	0	0	0	14.89	0	0	12.6	0.1	1.1
2025	5	4	14	45	24	0	0	0	0	0	0	0	14.9	0	0	14	0.1	1.1
2025	5	4	14	55	24	0	0	0	0	0	0	0	14.93	0	0	13.6	0.1	1.1
2025	5	4	15	5	24	0	0	0	0	0	0	0	14.93	0	0	13.4	0.1	1.1
2025	5	4	15	15	24	0	0	0	0	0	0	0	14.93	0	0	13	0.1	1.1
2025	5	4	15	25	24	0	0	0	0	0	0	0	14.92	0	0	12.6	0.1	1.1
2025	5	4	15	35	24	0	0	0	0	0	0	0	14.9	0	0	12.4	0.1	1.1
2025	5	4	15	45	24	0	0	0	0	0	0	0	14.88	0	0	12.4	0.1	1.1
2025	5	4	15	55	24	0	0	0	0	0	0	0	14.87	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	4	16	5	24	0	0	0	0	0	0	0	14.85	0	0	12.4	0.1	1.1
2025	5	4	16	15	24	0	0	0	0	0	0	0	14.84	0	0	12.4	0.1	1.1
2025	5	4	16	25	24	0	0	0	0	0	0	0	14.82	0	0	12.2	0.1	1.1
2025	5	4	16	35	24	0	0	0	0	0	0	0	14.8	0	0	12	0.1	1.1
2025	5	4	16	45	24	0	0	0	0	0	0	0	14.77	0	0	12	0.1	1.1
2025	5	4	16	55	24	0	0	0	0	0	0	0	14.75	0	0	11.8	0.1	1.1
2025	5	4	17	5	24	0	0	0	0	0	0	0	14.72	0	0	11.8	0.1	1.1
2025	5	4	17	15	24	0	0	0	0	0	0	0	14.7	0	0	12	0.1	1.1
2025	5	4	17	25	24	0	0	0	0	0	0	0	14.68	0	0	12	0.1	1.1
2025	5	4	17	35	24	0	0	0	0	0	0	0	14.67	0	0	11.8	0.1	1.1
2025	5	4	17	45	24	0	0	0	0	0	0	0	14.65	0	0	11.8	0.1	1.1
2025	5	4	17	55	24	0	0	0	0	0	0	0	14.63	0	0	11.8	0.1	1.1
2025	5	4	18	5	24	0	0	0	0	0	0	0	14.61	0	0	11.8	0.1	1.1
2025	5	4	18	15	24	0	0	0	0	0	0	0	14.59	0	0	11.8	0.1	1.1
2025	5	4	18	25	24	0	0	0	0	0	0	0	14.56	0	0	11.8	0.1	1.1
2025	5	4	18	35	24	0	0	0	0	0	0	0	14.54	0	0	11.8	0.1	1.1
2025	5	4	18	45	24	0	0	0	0	0	0	0	14.51	0	0	11.8	0.1	1.1
2025	5	4	18	55	24	0	0	0	0	0	0	0	14.48	0	0	11.8	0.1	1.1
2025	5	4	19	5	24	0	0	0	0	0	0	0	14.45	0	0	11.8	0.1	1.1
2025	5	4	19	15	24	0	0	0	0	0	0	0	14.42	0	0	11.8	0.1	1.1
2025	5	4	19	25	24	0	0	0	0	0	0	0	14.4	0	0	11.8	0.1	1.1
2025	5	4	19	35	24	0	0	0	0	0	0	0	14.37	0	0	11.8	0.1	1.1
2025	5	4	19	45	24	0	0	0	0	0	0	0	14.35	0	0	11.8	0.1	1.1
2025	5	4	19	55	24	0	0	0	0	0	0	0	14.32	0	0	11.8	0.1	1.1
2025	5	4	20	5	24	0	0	0	0	0	0	0	14.3	0	0	11.6	0.1	1.1
2025	5	4	20	15	24	0	0	0	0	0	0	0	14.28	0	0	11.6	0.1	1.1
2025	5	4	20	25	24	0	0	0	0	0	0	0	14.26	0	0	11.6	0.1	1.1
2025	5	4	20	35	24	0	0	0	0	0	0	0	14.24	0	0	11.6	0.1	1.1
2025	5	4	20	45	24	0	0	0	0	0	0	0	14.21	0	0	11.6	0.1	1.1
2025	5	4	20	55	24	0	0	0	0	0	0	0	14.19	0	0	11.6	0.1	1.1
2025	5	4	21	5	24	0	0	0	0	0	0	0	14.17	0	0	11.6	0.1	1.1
2025	5	4	21	15	24	0	0	0	0	0	0	0	14.14	0	0	11.6	0.1	1.1
2025	5	4	21	25	24	0	0	0	0	0	0	0	14.11	0	0	11.6	0.1	1.1
2025	5	4	21	35	24	0	0	0	0	0	0	0	14.08	0	0	11.6	0.1	1.1
2025	5	4	21	45	24	0	0	0	0	0	0	0	14.05	0	0	11.6	0.1	1.1
2025	5	4	21	55	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	4	22	5	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	4	22	15	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	4	22	25	24	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2025	5	4	22	35	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	4	22	45	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	4	22	55	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	4	23	5	24	0	0	0	0	0	0	0	13.86	0	0	11.6	0.1	1.1
2025	5	4	23	15	24	0	0	0	0	0	0	0	13.84	0	0	11.6	0.1	1.1
2025	5	4	23	25	24	0	0	0	0	0	0	0	13.83	0	0	11.6	0.1	1.1
2025	5	4	23	35	24	0	0	0	0	0	0	0	13.81	0	0	11.6	0.1	1.1
2025	5	4	23	45	24	0	0	0	0	0	0	0	13.79	0	0	11.6	0.1	1.1
2025	5	4	23	55	24	0	0	0	0	0	0	0	13.78	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	5	0	5	24	0	0	0	0	0	0	0	13.76	0	0	11.6	0.1	1.1
2025	5	5	0	15	24	0	0	0	0	0	0	0	13.75	0	0	11.6	0.1	1.1
2025	5	5	0	25	24	0	0	0	0	0	0	0	13.74	0	0	11.6	0.1	1.1
2025	5	5	0	35	24	0	0	0	0	0	0	0	13.72	0	0	11.6	0.1	1.1
2025	5	5	0	45	24	0	0	0	0	0	0	0	13.71	0	0	11.6	0.1	1.1
2025	5	5	0	55	24	0	0	0	0	0	0	0	13.69	0	0	11.6	0.1	1.1
2025	5	5	1	5	24	0	0	0	0	0	0	0	13.69	0	0	11.6	0.1	1.1
2025	5	5	1	15	24	0	0	0	0	0	0	0	13.68	0	0	11.6	0.1	1.1
2025	5	5	1	25	24	0	0	0	0	0	0	0	13.67	0	0	11.6	0.1	1.1
2025	5	5	1	35	24	0	0	0	0	0	0	0	13.67	0	0	11.6	0.1	1.1
2025	5	5	1	45	24	0	0	0	0	0	0	0	13.67	0	0	11.6	0.1	1.1
2025	5	5	1	55	24	0	0	0	0	0	0	0	13.68	0	0	11.6	0.1	1.1
2025	5	5	2	5	24	0	0	0	0	0	0	0	13.68	0	0	11.6	0.1	1.1
2025	5	5	2	15	24	0	0	0	0	0	0	0	13.68	0	0	11.6	0.1	1.1
2025	5	5	2	25	24	0	0	0	0	0	0	0	13.69	0	0	11.6	0.1	1.1
2025	5	5	2	35	24	0	0	0	0	0	0	0	13.69	0	0	11.6	0.1	1.1
2025	5	5	2	45	24	0	0	0	0	0	0	0	13.7	0	0	11.4	0.1	1.1
2025	5	5	2	55	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	5	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	15	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	25	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	35	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	45	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	3	55	24	0	0	0	0	0	0	0	13.71	0	0	11.4	0.1	1.1
2025	5	5	4	5	24	0	0	0	0	0	0	0	13.72	0	0	11.4	0.1	1.1
2025	5	5	4	15	24	0	0	0	0	0	0	0	13.73	0	0	11.4	0.1	1.1
2025	5	5	4	25	24	0	0	0	0	0	0	0	13.73	0	0	11.4	0.1	1.1
2025	5	5	4	35	24	0	0	0	0	0	0	0	13.74	0	0	11.4	0.1	1.1
2025	5	5	4	45	24	0	0	0	0	0	0	0	13.74	0	0	11.4	0.1	1.1
2025	5	5	4	55	24	0	0	0	0	0	0	0	13.74	0	0	11.4	0.1	1.1
2025	5	5	5	5	24	0	0	0	0	0	0	0	13.75	0	0	11.4	0.1	1.1
2025	5	5	5	15	24	0	0	0	0	0	0	0	13.75	0	0	11.4	0.1	1.1
2025	5	5	5	25	24	0	0	0	0	0	0	0	13.76	0	0	11.4	0.1	1.1
2025	5	5	5	35	24	0	0	0	0	0	0	0	13.76	0	0	11.4	0.1	1.1
2025	5	5	5	45	24	0	0	0	0	0	0	0	13.76	0	0	11.4	0.1	1.1
2025	5	5	5	55	24	0	0	0	0	0	0	0	13.76	0	0	11.4	0.1	1.1
2025	5	5	6	5	24	0	0	0	0	0	0	0	13.76	0	0	11.4	0.1	1.1
2025	5	5	6	15	24	0	0	0	0	0	0	0	13.77	0	0	11.4	0.1	1.1
2025	5	5	6	25	24	0	0	0	0	0	0	0	13.77	0	0	11.4	0.1	1.1
2025	5	5	6	35	24	0	0	0	0	0	0	0	13.77	0	0	11.4	0.1	1.1
2025	5	5	6	45	24	0	0	0	0	0	0	0	13.77	0	0	11.6	0.1	1.1
2025	5	5	6	55	24	0	0	0	0	0	0	0	13.78	0	0	11.6	0.1	1.1
2025	5	5	7	5	24	0	0	0	0	0	0	0	13.78	0	0	11.6	0.1	1.1
2025	5	5	7	15	24	0	0	0	0	0	0	0	13.78	0	0	11.6	0.1	1.1
2025	5	5	7	25	24	0	0	0	0	0	0	0	13.79	0	0	11.6	0.1	1.1
2025	5	5	7	35	24	0	0	0	0	0	0	0	13.8	0	0	11.6	0.1	1.1
2025	5	5	7	45	24	0	0	0	0	0	0	0	13.8	0	0	11.6	0.1	1.1
2025	5	5	7	55	24	0	0	0	0	0	0	0	13.81	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	5	8	5	24	0	0	0	0	0	0	0	13.82	0	0	11.6	0.1	1.1
2025	5	5	8	15	24	0	0	0	0	0	0	0	13.83	0	0	11.6	0.1	1.1
2025	5	5	8	25	24	0	0	0	0	0	0	0	13.84	0	0	11.6	0.1	1.1
2025	5	5	8	35	24	0	0	0	0	0	0	0	13.84	0	0	11.8	0.1	1.1
2025	5	5	8	45	24	0	0	0	0	0	0	0	13.86	0	0	12.2	0.1	1.1
2025	5	5	8	55	24	0	0	0	0	0	0	0	13.89	0	0	12.6	0.1	1.1
2025	5	5	9	5	24	0	0	0	0	0	0	0	13.9	0	0	12.6	0.1	1.1
2025	5	5	9	15	24	0	0	0	0	0	0	0	13.92	0	0	13.4	0.1	1.1
2025	5	5	9	25	24	0	0	0	0	0	0	0	13.98	0	0	13.2	0.1	1.1
2025	5	5	9	35	24	0	0	0	0	0	0	0	14	0	0	13	0.1	1.1
2025	5	5	9	45	24	0	0	0	0	0	0	0	14.02	0	0	13.4	0.1	1.1
2025	5	5	9	55	24	0	0	0	0	0	0	0	14.03	0	0	12.6	0.1	1.1
2025	5	5	10	5	24	0	0	0	0	0	0	0	14.03	0	0	12.4	0.1	1.1
2025	5	5	10	15	24	0	0	0	0	0	0	0	14.02	0	0	12.8	0.1	1.1
2025	5	5	10	25	24	0	0	0	0	0	0	0	14.07	0	0	13.8	0.1	1.1
2025	5	5	10	35	24	0	0	0	0	0	0	0	14.15	0	0	13.6	0.1	1.1
2025	5	5	10	45	24	0	0	0	0	0	0	0	14.19	0	0	13.8	0.1	1.1
2025	5	5	10	55	24	0	0	0	0	0	0	0	14.25	0	0	13.8	0.1	1.1
2025	5	5	11	5	24	0	0	0	0	0	0	0	14.31	0	0	13.8	0.1	1.1
2025	5	5	11	15	24	0	0	0	0	0	0	0	14.36	0	0	13.8	0.1	1.1
2025	5	5	11	25	24	0	0	0	0	0	0	0	14.4	0	0	13.8	0.1	1.1
2025	5	5	11	35	24	0	0	0	0	0	0	0	14.45	0	0	13.8	0.1	1.1
2025	5	5	11	45	24	0	0	0	0	0	0	0	14.5	0	0	13.8	0.1	1.1
2025	5	5	11	55	24	0	0	0	0	0	0	0	14.53	0	0	13.8	0.1	1.1
2025	5	5	12	5	24	0	0	0	0	0	0	0	14.54	0	0	13.4	0.1	1.1
2025	5	5	12	15	24	0	0	0	0	0	0	0	14.59	0	0	13.6	0.1	1.1
2025	5	5	12	25	24	0	0	0	0	0	0	0	14.63	0	0	13.6	0.1	1.1
2025	5	5	12	35	24	0	0	0	0	0	0	0	14.68	0	0	13.6	0.1	1.1
2025	5	5	12	45	24	0	0	0	0	0	0	0	14.71	0	0	13.6	0.1	1.1
2025	5	5	12	55	24	0	0	0	0	0	0	0	14.75	0	0	13.8	0.1	1.1
2025	5	5	13	5	24	0	0	0	0	0	0	0	14.8	0	0	13.6	0.1	1.1
2025	5	5	13	15	24	0	0	0	0	0	0	0	14.8	0	0	13.4	0.1	1.1
2025	5	5	13	25	24	0	0	0	0	0	0	0	14.85	0	0	13.6	0.1	1.1
2025	5	5	13	35	24	0	0	0	0	0	0	0	14.89	0	0	13.8	0.1	1.1
2025	5	5	13	45	24	0	0	0	0	0	0	0	14.92	0	0	13.8	0.1	1.1
2025	5	5	13	55	24	0	0	0	0	0	0	0	14.96	0	0	13.6	0.1	1.1
2025	5	5	14	5	24	0	0	0	0	0	0	0	14.99	0	0	13.8	0.1	1.1
2025	5	5	14	15	24	0	0	0	0	0	0	0	15.03	0	0	13.8	0.1	1.1
2025	5	5	14	25	24	0	0	0	0	0	0	0	15.06	0	0	13.4	0.1	1.1
2025	5	5	14	35	24	0	0	0	0	0	0	0	15.09	0	0	13.4	0.1	1.1
2025	5	5	14	45	24	0	0	0	0	0	0	0	15.12	0	0	13.4	0.1	1.1
2025	5	5	14	55	24	0	0	0	0	0	0	0	15.15	0	0	13.4	0.1	1.1
2025	5	5	15	5	24	0	0	0	0	0	0	0	15.17	0	0	13.4	0.1	1.1
2025	5	5	15	15	24	0	0	0	0	0	0	0	15.2	0	0	13.4	0.1	1.1
2025	5	5	15	25	24	0	0	0	0	0	0	0	15.24	0	0	13.4	0.1	1.1
2025	5	5	15	35	24	0	0	0	0	0	0	0	15.25	0	0	13.2	0.1	1.1
2025	5	5	15	45	24	0	0	0	0	0	0	0	15.25	0	0	12.8	0.1	1.1
2025	5	5	15	55	24	0	0	0	0	0	0	0	15.23	0	0	13.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	5	16	5	24	0	0	0	0	0	0	0	15.24	0	0	13.4	0.1	1.1
2025	5	5	16	15	24	0	0	0	0	0	0	0	15.26	0	0	13.4	0.1	1.1
2025	5	5	16	25	24	0	0	0	0	0	0	0	15.26	0	0	12.6	0.1	1.1
2025	5	5	16	35	24	0	0	0	0	0	0	0	15.25	0	0	13	0.1	1.1
2025	5	5	16	45	24	0	0	0	0	0	0	0	15.26	0	0	13	0.1	1.1
2025	5	5	16	55	24	0	0	0	0	0	0	0	15.26	0	0	12.4	0.1	1.1
2025	5	5	17	5	24	0	0	0	0	0	0	0	15.26	0	0	12.4	0.1	1.1
2025	5	5	17	15	24	0	0	0	0	0	0	0	15.24	0	0	12.2	0.1	1.1
2025	5	5	17	25	24	0	0	0	0	0	0	0	15.23	0	0	12.2	0.1	1.1
2025	5	5	17	35	24	0	0	0	0	0	0	0	15.22	0	0	12.2	0.1	1.1
2025	5	5	17	45	24	0	0	0	0	0	0	0	15.21	0	0	12.2	0.1	1.1
2025	5	5	17	55	24	0	0	0	0	0	0	0	15.2	0	0	12	0.1	1.1
2025	5	5	18	5	24	0	0	0	0	0	0	0	15.19	0	0	12	0.1	1.1
2025	5	5	18	15	24	0	0	0	0	0	0	0	15.17	0	0	12	0.1	1.1
2025	5	5	18	25	24	0	0	0	0	0	0	0	15.15	0	0	12	0.1	1.1
2025	5	5	18	35	24	0	0	0	0	0	0	0	15.14	0	0	11.8	0.1	1.1
2025	5	5	18	45	24	0	0	0	0	0	0	0	15.11	0	0	11.8	0.1	1.1
2025	5	5	18	55	24	0	0	0	0	0	0	0	15.09	0	0	11.8	0.1	1.1
2025	5	5	19	5	24	0	0	0	0	0	0	0	15.06	0	0	11.8	0.1	1.1
2025	5	5	19	15	24	0	0	0	0	0	0	0	15.03	0	0	11.8	0.1	1.1
2025	5	5	19	25	24	0	0	0	0	0	0	0	15	0	0	11.8	0.1	1.1
2025	5	5	19	35	24	0	0	0	0	0	0	0	14.97	0	0	11.8	0.1	1.1
2025	5	5	19	45	24	0	0	0	0	0	0	0	14.94	0	0	11.8	0.1	1.1
2025	5	5	19	55	24	0	0	0	0	0	0	0	14.9	0	0	11.8	0.1	1.1
2025	5	5	20	5	24	0	0	0	0	0	0	0	14.87	0	0	11.8	0.1	1.1
2025	5	5	20	15	24	0	0	0	0	0	0	0	14.84	0	0	11.8	0.1	1.1
2025	5	5	20	25	24	0	0	0	0	0	0	0	14.8	0	0	11.8	0.1	1.1
2025	5	5	20	35	24	0	0	0	0	0	0	0	14.76	0	0	11.8	0.1	1.1
2025	5	5	20	45	24	0	0	0	0	0	0	0	14.73	0	0	11.8	0.1	1.1
2025	5	5	20	55	24	0	0	0	0	0	0	0	14.69	0	0	11.8	0.1	1.1
2025	5	5	21	5	24	0	0	0	0	0	0	0	14.65	0	0	11.8	0.1	1.1
2025	5	5	21	15	24	0	0	0	0	0	0	0	14.62	0	0	11.8	0.1	1.1
2025	5	5	21	25	24	0	0	0	0	0	0	0	14.58	0	0	11.8	0.1	1.1
2025	5	5	21	35	24	0	0	0	0	0	0	0	14.55	0	0	11.8	0.1	1.1
2025	5	5	21	45	24	0	0	0	0	0	0	0	14.5	0	0	11.8	0.1	1.1
2025	5	5	21	55	24	0	0	0	0	0	0	0	14.47	0	0	11.8	0.1	1.1
2025	5	5	22	5	24	0	0	0	0	0	0	0	14.43	0	0	11.8	0.1	1.1
2025	5	5	22	15	24	0	0	0	0	0	0	0	14.39	0	0	11.8	0.1	1.1
2025	5	5	22	25	24	0	0	0	0	0	0	0	14.36	0	0	11.8	0.1	1.1
2025	5	5	22	35	24	0	0	0	0	0	0	0	14.32	0	0	11.8	0.1	1.1
2025	5	5	22	45	24	0	0	0	0	0	0	0	14.28	0	0	11.8	0.1	1.1
2025	5	5	22	55	24	0	0	0	0	0	0	0	14.25	0	0	11.8	0.1	1.1
2025	5	5	23	5	24	0	0	0	0	0	0	0	14.22	0	0	11.8	0.1	1.1
2025	5	5	23	15	24	0	0	0	0	0	0	0	14.18	0	0	11.8	0.1	1.1
2025	5	5	23	25	24	0	0	0	0	0	0	0	14.15	0	0	11.8	0.1	1.1
2025	5	5	23	35	24	0	0	0	0	0	0	0	14.13	0	0	11.6	0.1	1.1
2025	5	5	23	45	24	0	0	0	0	0	0	0	14.1	0	0	11.6	0.1	1.1
2025	5	5	23	55	24	0	0	0	0	0	0	0	14.07	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	6	0	5	24	0	0	0	0	0	0	0	14.05	0	0	11.6	0.1	1.1
2025	5	6	0	15	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	6	0	25	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	6	0	35	24	0	0	0	0	0	0	0	14	0	0	11.6	0.1	1.1
2025	5	6	0	45	24	0	0	0	0	0	0	0	13.98	0	0	11.6	0.1	1.1
2025	5	6	0	55	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	6	1	5	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	6	1	15	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	6	1	25	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	6	1	35	24	0	0	0	0	0	0	0	13.92	0	0	11.6	0.1	1.1
2025	5	6	1	45	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	6	1	55	24	0	0	0	0	0	0	0	13.9	0	0	11.6	0.1	1.1
2025	5	6	2	5	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	6	2	15	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	6	2	25	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	6	2	35	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	6	2	45	24	0	0	0	0	0	0	0	13.89	0	0	11.6	0.1	1.1
2025	5	6	2	55	24	0	0	0	0	0	0	0	13.9	0	0	11.6	0.1	1.1
2025	5	6	3	5	24	0	0	0	0	0	0	0	13.9	0	0	11.6	0.1	1.1
2025	5	6	3	15	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	6	3	25	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	6	3	35	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	6	3	45	24	0	0	0	0	0	0	0	13.92	0	0	11.6	0.1	1.1
2025	5	6	3	55	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	6	4	5	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1
2025	5	6	4	15	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	6	4	25	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	6	4	35	24	0	0	0	0	0	0	0	13.95	0	0	11.6	0.1	1.1
2025	5	6	4	45	24	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2025	5	6	4	55	24	0	0	0	0	0	0	0	13.97	0	0	11.6	0.1	1.1
2025	5	6	5	5	24	0	0	0	0	0	0	0	13.98	0	0	11.6	0.1	1.1
2025	5	6	5	15	24	0	0	0	0	0	0	0	13.98	0	0	11.6	0.1	1.1
2025	5	6	5	25	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	6	5	35	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	6	5	45	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	6	5	55	24	0	0	0	0	0	0	0	14	0	0	11.6	0.1	1.1
2025	5	6	6	5	24	0	0	0	0	0	0	0	14	0	0	11.6	0.1	1.1
2025	5	6	6	15	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	6	6	25	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	6	6	35	24	0	0	0	0	0	0	0	14.02	0	0	11.6	0.1	1.1
2025	5	6	6	45	24	0	0	0	0	0	0	0	14.02	0	0	11.6	0.1	1.1
2025	5	6	6	55	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	6	7	5	24	0	0	0	0	0	0	0	14.03	0	0	11.8	0.1	1.1
2025	5	6	7	15	24	0	0	0	0	0	0	0	14.04	0	0	11.8	0.1	1.1
2025	5	6	7	25	24	0	0	0	0	0	0	0	14.05	0	0	12	0.1	1.1
2025	5	6	7	35	24	0	0	0	0	0	0	0	14.08	0	0	12.2	0.1	1.1
2025	5	6	7	45	24	0	0	0	0	0	0	0	14.1	0	0	12.2	0.1	1.1
2025	5	6	7	55	24	0	0	0	0	0	0	0	14.11	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	6	8	5	24	0	0	0	0	0	0	0	14.14	0	0	12.4	0.1	1.1
2025	5	6	8	15	24	0	0	0	0	0	0	0	14.17	0	0	12.6	0.1	1.1
2025	5	6	8	25	24	0	0	0	0	0	0	0	14.19	0	0	12.6	0.1	1.1
2025	5	6	8	35	24	0	0	0	0	0	0	0	14.22	0	0	12.6	0.1	1.1
2025	5	6	8	45	24	0	0	0	0	0	0	0	14.26	0	0	12.8	0.1	1.1
2025	5	6	8	55	24	0	0	0	0	0	0	0	14.29	0	0	12.8	0.1	1.1
2025	5	6	9	5	24	0	0	0	0	0	0	0	14.33	0	0	12.8	0.1	1.1
2025	5	6	9	15	24	0	0	0	0	0	0	0	14.36	0	0	13	0.1	1.1
2025	5	6	9	25	24	0	0	0	0	0	0	0	14.4	0	0	13.2	0.1	1.1
2025	5	6	9	35	24	0	0	0	0	0	0	0	14.44	0	0	13.6	0.1	1.1
2025	5	6	9	45	24	0	0	0	0	0	0	0	14.46	0	0	13.6	0.1	1.1
2025	5	6	9	55	24	0	0	0	0	0	0	0	14.5	0	0	13.6	0.1	1.1
2025	5	6	10	5	24	0	0	0	0	0	0	0	14.54	0	0	13.6	0.1	1.1
2025	5	6	10	15	24	0	0	0	0	0	0	0	14.59	0	0	13.6	0.1	1.1
2025	5	6	10	25	24	0	0	0	0	0	0	0	14.63	0	0	13.6	0.1	1.1
2025	5	6	10	35	24	0	0	0	0	0	0	0	14.67	0	0	13.6	0.1	1.1
2025	5	6	10	45	24	0	0	0	0	0	0	0	14.72	0	0	13.6	0.1	1.1
2025	5	6	10	55	24	0	0	0	0	0	0	0	14.77	0	0	13.6	0.1	1.1
2025	5	6	11	5	24	0	0	0	0	0	0	0	14.81	0	0	13.6	0.1	1.1
2025	5	6	11	15	24	0	0	0	0	0	0	0	14.86	0	0	13.6	0.1	1.1
2025	5	6	11	25	24	0	0	0	0	0	0	0	14.91	0	0	13.4	0.1	1.1
2025	5	6	11	35	24	0	0	0	0	0	0	0	14.97	0	0	13.4	0.1	1.1
2025	5	6	11	45	24	0	0	0	0	0	0	0	15.02	0	0	13.4	0.1	1.1
2025	5	6	11	55	24	0	0	0	0	0	0	0	15.08	0	0	13.4	0.1	1.1
2025	5	6	12	5	24	0	0	0	0	0	0	0	15.12	0	0	13.4	0.1	1.1
2025	5	6	12	15	24	0	0	0	0	0	0	0	15.18	0	0	13.6	0.1	1.1
2025	5	6	12	25	24	0	0	0	0	0	0	0	15.22	0	0	13.6	0.1	1.1
2025	5	6	12	35	24	0	0	0	0	0	0	0	15.28	0	0	13.8	0.1	1.1
2025	5	6	12	45	24	0	0	0	0	0	0	0	15.33	0	0	13.6	0.1	1.1
2025	5	6	12	55	24	0	0	0	0	0	0	0	15.38	0	0	13.6	0.1	1.1
2025	5	6	13	5	24	0	0	0	0	0	0	0	15.42	0	0	13.6	0.1	1.1
2025	5	6	13	15	24	0	0	0	0	0	0	0	15.46	0	0	13	0.1	1.1
2025	5	6	13	25	24	0	0	0	0	0	0	0	15.49	0	0	13.2	0.1	1.1
2025	5	6	13	35	24	0	0	0	0	0	0	0	15.53	0	0	13	0.1	1.1
2025	5	6	13	45	24	0	0	0	0	0	0	0	15.56	0	0	13.2	0.1	1.1
2025	5	6	13	55	24	0	0	0	0	0	0	0	15.58	0	0	13.2	0.1	1.1
2025	5	6	14	5	24	0	0	0	0	0	0	0	15.58	0	0	13.2	0.1	1.1
2025	5	6	14	15	24	0	0	0	0	0	0	0	15.57	0	0	13	0.1	1.1
2025	5	6	14	25	24	0	0	0	0	0	0	0	15.55	0	0	12.6	0.1	1.1
2025	5	6	14	35	24	0	0	0	0	0	0	0	15.53	0	0	13.2	0.1	1.1
2025	5	6	14	45	24	0	0	0	0	0	0	0	15.57	0	0	13.2	0.1	1.1
2025	5	6	14	55	24	0	0	0	0	0	0	0	15.58	0	0	12.6	0.1	1.1
2025	5	6	15	5	24	0	0	0	0	0	0	0	15.57	0	0	12.8	0.1	1.1
2025	5	6	15	15	24	0	0	0	0	0	0	0	15.57	0	0	12.8	0.1	1.1
2025	5	6	15	25	24	0	0	0	0	0	0	0	15.55	0	0	13	0.1	1.1
2025	5	6	15	35	24	0	0	0	0	0	0	0	15.56	0	0	13.2	0.1	1.1
2025	5	6	15	45	24	0	0	0	0	0	0	0	15.56	0	0	13.2	0.1	1.1
2025	5	6	15	55	24	0	0	0	0	0	0	0	15.55	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	6	16	5	24	0	0	0	0	0	0	0	15.53	0	0	13.2	0.1	1.1
2025	5	6	16	15	24	0	0	0	0	0	0	0	15.55	0	0	12.8	0.1	1.1
2025	5	6	16	25	24	0	0	0	0	0	0	0	15.55	0	0	12.8	0.1	1.1
2025	5	6	16	35	24	0	0	0	0	0	0	0	15.54	0	0	12.8	0.1	1.1
2025	5	6	16	45	24	0	0	0	0	0	0	0	15.53	0	0	12.8	0.1	1.1
2025	5	6	16	55	24	0	0	0	0	0	0	0	15.51	0	0	12.8	0.1	1.1
2025	5	6	17	5	24	0	0	0	0	0	0	0	15.51	0	0	13.2	0.1	1.1
2025	5	6	17	15	24	0	0	0	0	0	0	0	15.5	0	0	13	0.1	1.1
2025	5	6	17	25	24	0	0	0	0	0	0	0	15.48	0	0	12.4	0.1	1.1
2025	5	6	17	35	24	0	0	0	0	0	0	0	15.45	0	0	12.4	0.1	1.1
2025	5	6	17	45	24	0	0	0	0	0	0	0	15.43	0	0	12.2	0.1	1.1
2025	5	6	17	55	24	0	0	0	0	0	0	0	15.39	0	0	12	0.1	1.1
2025	5	6	18	5	24	0	0	0	0	0	0	0	15.36	0	0	12	0.1	1.1
2025	5	6	18	15	24	0	0	0	0	0	0	0	15.32	0	0	11.8	0.1	1.1
2025	5	6	18	25	24	0	0	0	0	0	0	0	15.28	0	0	11.8	0.1	1.1
2025	5	6	18	35	24	0	0	0	0	0	0	0	15.24	0	0	11.8	0.1	1.1
2025	5	6	18	45	24	0	0	0	0	0	0	0	15.19	0	0	11.8	0.1	1.1
2025	5	6	18	55	24	0	0	0	0	0	0	0	15.15	0	0	11.8	0.1	1.1
2025	5	6	19	5	24	0	0	0	0	0	0	0	15.1	0	0	11.8	0.1	1.1
2025	5	6	19	15	24	0	0	0	0	0	0	0	15.05	0	0	11.6	0.1	1.1
2025	5	6	19	25	24	0	0	0	0	0	0	0	15	0	0	11.6	0.1	1.1
2025	5	6	19	35	24	0	0	0	0	0	0	0	14.94	0	0	11.6	0.1	1.1
2025	5	6	19	45	24	0	0	0	0	0	0	0	14.9	0	0	11.6	0.1	1.1
2025	5	6	19	55	24	0	0	0	0	0	0	0	14.85	0	0	11.6	0.1	1.1
2025	5	6	20	5	24	0	0	0	0	0	0	0	14.8	0	0	11.6	0.1	1.1
2025	5	6	20	15	24	0	0	0	0	0	0	0	14.74	0	0	11.6	0.1	1.1
2025	5	6	20	25	24	0	0	0	0	0	0	0	14.69	0	0	11.6	0.1	1.1
2025	5	6	20	35	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	6	20	45	24	0	0	0	0	0	0	0	14.59	0	0	11.6	0.1	1.1
2025	5	6	20	55	24	0	0	0	0	0	0	0	14.54	0	0	11.6	0.1	1.1
2025	5	6	21	5	24	0	0	0	0	0	0	0	14.5	0	0	11.6	0.1	1.1
2025	5	6	21	15	24	0	0	0	0	0	0	0	14.45	0	0	11.6	0.1	1.1
2025	5	6	21	25	24	0	0	0	0	0	0	0	14.4	0	0	11.6	0.1	1.1
2025	5	6	21	35	24	0	0	0	0	0	0	0	14.36	0	0	11.6	0.1	1.1
2025	5	6	21	45	24	0	0	0	0	0	0	0	14.31	0	0	11.6	0.1	1.1
2025	5	6	21	55	24	0	0	0	0	0	0	0	14.27	0	0	11.6	0.1	1.1
2025	5	6	22	5	24	0	0	0	0	0	0	0	14.23	0	0	11.6	0.1	1.1
2025	5	6	22	15	24	0	0	0	0	0	0	0	14.19	0	0	11.6	0.1	1.1
2025	5	6	22	25	24	0	0	0	0	0	0	0	14.15	0	0	11.6	0.1	1.1
2025	5	6	22	35	24	0	0	0	0	0	0	0	14.12	0	0	11.6	0.1	1.1
2025	5	6	22	45	24	0	0	0	0	0	0	0	14.09	0	0	11.6	0.1	1.1
2025	5	6	22	55	24	0	0	0	0	0	0	0	14.06	0	0	11.6	0.1	1.1
2025	5	6	23	5	24	0	0	0	0	0	0	0	14.03	0	0	11.6	0.1	1.1
2025	5	6	23	15	24	0	0	0	0	0	0	0	14.01	0	0	11.6	0.1	1.1
2025	5	6	23	25	24	0	0	0	0	0	0	0	13.98	0	0	11.6	0.1	1.1
2025	5	6	23	35	24	0	0	0	0	0	0	0	13.96	0	0	11.6	0.1	1.1
2025	5	6	23	45	24	0	0	0	0	0	0	0	13.94	0	0	11.6	0.1	1.1
2025	5	6	23	55	24	0	0	0	0	0	0	0	13.93	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	7	0	5	24	0	0	0	0	0	0	0	13.91	0	0	11.6	0.1	1.1
2025	5	7	0	15	24	0	0	0	0	0	0	0	13.9	0	0	11.6	0.1	1.1
2025	5	7	0	25	24	0	0	0	0	0	0	0	13.88	0	0	11.4	0.1	1.1
2025	5	7	0	35	24	0	0	0	0	0	0	0	13.87	0	0	11.4	0.1	1.1
2025	5	7	0	45	24	0	0	0	0	0	0	0	13.86	0	0	11.4	0.1	1.1
2025	5	7	0	55	24	0	0	0	0	0	0	0	13.86	0	0	11.4	0.1	1.1
2025	5	7	1	5	24	0	0	0	0	0	0	0	13.85	0	0	11.4	0.1	1.1
2025	5	7	1	15	24	0	0	0	0	0	0	0	13.84	0	0	11.4	0.1	1.1
2025	5	7	1	25	24	0	0	0	0	0	0	0	13.83	0	0	11.4	0.1	1.1
2025	5	7	1	35	24	0	0	0	0	0	0	0	13.83	0	0	11.4	0.1	1.1
2025	5	7	1	45	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	1	55	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	2	5	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	2	15	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	2	25	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	2	35	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	2	45	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	2	55	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	3	5	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	3	15	24	0	0	0	0	0	0	0	13.8	0	0	11.4	0.1	1.1
2025	5	7	3	25	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	3	35	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	3	45	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	3	55	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	4	5	24	0	0	0	0	0	0	0	13.81	0	0	11.4	0.1	1.1
2025	5	7	4	15	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	4	25	24	0	0	0	0	0	0	0	13.82	0	0	11.4	0.1	1.1
2025	5	7	4	35	24	0	0	0	0	0	0	0	13.83	0	0	11.4	0.1	1.1
2025	5	7	4	45	24	0	0	0	0	0	0	0	13.84	0	0	11.4	0.1	1.1
2025	5	7	4	55	24	0	0	0	0	0	0	0	13.85	0	0	11.4	0.1	1.1
2025	5	7	5	5	24	0	0	0	0	0	0	0	13.85	0	0	11.4	0.1	1.1
2025	5	7	5	15	24	0	0	0	0	0	0	0	13.86	0	0	11.4	0.1	1.1
2025	5	7	5	25	24	0	0	0	0	0	0	0	13.87	0	0	11.4	0.1	1.1
2025	5	7	5	35	24	0	0	0	0	0	0	0	13.88	0	0	11.4	0.1	1.1
2025	5	7	5	45	24	0	0	0	0	0	0	0	13.89	0	0	11.4	0.1	1.1
2025	5	7	5	55	24	0	0	0	0	0	0	0	13.9	0	0	11.4	0.1	1.1
2025	5	7	6	5	24	0	0	0	0	0	0	0	13.91	0	0	11.4	0.1	1.1
2025	5	7	6	15	24	0	0	0	0	0	0	0	13.92	0	0	11.4	0.1	1.1
2025	5	7	6	25	24	0	0	0	0	0	0	0	13.93	0	0	11.4	0.1	1.1
2025	5	7	6	35	24	0	0	0	0	0	0	0	13.95	0	0	11.4	0.1	1.1
2025	5	7	6	45	24	0	0	0	0	0	0	0	13.96	0	0	11.4	0.1	1.1
2025	5	7	6	55	24	0	0	0	0	0	0	0	13.97	0	0	11.4	0.1	1.1
2025	5	7	7	5	24	0	0	0	0	0	0	0	13.98	0	0	11.4	0.1	1.1
2025	5	7	7	15	24	0	0	0	0	0	0	0	13.99	0	0	11.6	0.1	1.1
2025	5	7	7	25	24	0	0	0	0	0	0	0	14.01	0	0	11.8	0.1	1.1
2025	5	7	7	35	24	0	0	0	0	0	0	0	14.04	0	0	12	0.1	1.1
2025	5	7	7	45	24	0	0	0	0	0	0	0	14.06	0	0	12.2	0.1	1.1
2025	5	7	7	55	24	0	0	0	0	0	0	0	14.08	0	0	12.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	7	8	5	24	0	0	0	0	0	0	0	14.11	0	0	12.4	0.1	1.1
2025	5	7	8	15	24	0	0	0	0	0	0	0	14.14	0	0	12.4	0.1	1.1
2025	5	7	8	25	24	0	0	0	0	0	0	0	14.17	0	0	12.4	0.1	1.1
2025	5	7	8	35	24	0	0	0	0	0	0	0	14.2	0	0	12.6	0.1	1.1
2025	5	7	8	45	24	0	0	0	0	0	0	0	14.24	0	0	12.6	0.1	1.1
2025	5	7	8	55	24	0	0	0	0	0	0	0	14.28	0	0	12.8	0.1	1.1
2025	5	7	9	5	24	0	0	0	0	0	0	0	14.33	0	0	12.8	0.1	1.1
2025	5	7	9	15	24	0	0	0	0	0	0	0	14.37	0	0	13	0.1	1.1
2025	5	7	9	25	24	0	0	0	0	0	0	0	14.42	0	0	13.4	0.1	1.1
2025	5	7	9	35	24	0	0	0	0	0	0	0	14.46	0	0	13.6	0.1	1.1
2025	5	7	9	45	24	0	0	0	0	0	0	0	14.51	0	0	13.8	0.1	1.1
2025	5	7	9	55	24	0	0	0	0	0	0	0	14.56	0	0	13.6	0.1	1.1
2025	5	7	10	5	24	0	0	0	0	0	0	0	14.62	0	0	13.6	0.1	1.1
2025	5	7	10	15	24	0	0	0	0	0	0	0	14.67	0	0	13.6	0.1	1.1
2025	5	7	10	25	24	0	0	0	0	0	0	0	14.72	0	0	13.4	0.1	1.1
2025	5	7	10	35	24	0	0	0	0	0	0	0	14.78	0	0	13.2	0.1	1.1
2025	5	7	10	45	24	0	0	0	0	0	0	0	14.84	0	0	13.2	0.1	1.1
2025	5	7	10	55	24	0	0	0	0	0	0	0	14.89	0	0	13.2	0.1	1.1
2025	5	7	11	5	24	0	0	0	0	0	0	0	14.95	0	0	13.2	0.1	1.1
2025	5	7	11	15	24	0	0	0	0	0	0	0	15.01	0	0	13.2	0.1	1.1
2025	5	7	11	25	24	0	0	0	0	0	0	0	15.07	0	0	13.2	0.1	1.1
2025	5	7	11	35	24	0	0	0	0	0	0	0	15.13	0	0	13.2	0.1	1.1
2025	5	7	11	45	24	0	0	0	0	0	0	0	15.19	0	0	13.2	0.1	1.1
2025	5	7	11	55	24	0	0	0	0	0	0	0	15.24	0	0	13.4	0.1	1.1
2025	5	7	12	5	24	0	0	0	0	0	0	0	15.3	0	0	13.4	0.1	1.1
2025	5	7	12	15	24	0	0	0	0	0	0	0	15.35	0	0	13.4	0.1	1.1
2025	5	7	12	25	24	0	0	0	0	0	0	0	15.41	0	0	13.4	0.1	1.1
2025	5	7	12	35	24	0	0	0	0	0	0	0	15.46	0	0	13.4	0.1	1.1
2025	5	7	12	45	24	0	0	0	0	0	0	0	15.51	0	0	13.2	0.1	1.1
2025	5	7	12	55	24	0	0	0	0	0	0	0	15.56	0	0	13.4	0.1	1.1
2025	5	7	13	5	24	0	0	0	0	0	0	0	15.62	0	0	13.4	0.1	1.1
2025	5	7	13	15	24	0	0	0	0	0	0	0	15.67	0	0	13.4	0.1	1.1
2025	5	7	13	25	24	0	0	0	0	0	0	0	15.71	0	0	13.4	0.1	1.1
2025	5	7	13	35	24	0	0	0	0	0	0	0	15.76	0	0	13.4	0.1	1.1
2025	5	7	13	45	24	0	0	0	0	0	0	0	15.8	0	0	13.4	0.1	1.1
2025	5	7	13	55	24	0	0	0	0	0	0	0	15.84	0	0	13.4	0.1	1.1
2025	5	7	14	5	24	0	0	0	0	0	0	0	15.88	0	0	13.4	0.1	1.1
2025	5	7	14	15	24	0	0	0	0	0	0	0	15.91	0	0	13.4	0.1	1.1
2025	5	7	14	25	24	0	0	0	0	0	0	0	15.95	0	0	13.4	0.1	1.1
2025	5	7	14	35	24	0	0	0	0	0	0	0	15.98	0	0	13.4	0.1	1.1
2025	5	7	14	45	24	0	0	0	0	0	0	0	16.01	0	0	13.4	0.1	1.1
2025	5	7	14	55	24	0	0	0	0	0	0	0	16.04	0	0	13.4	0.1	1.1
2025	5	7	15	5	24	0	0	0	0	0	0	0	16.06	0	0	13.4	0.1	1.1
2025	5	7	15	15	24	0	0	0	0	0	0	0	16.08	0	0	13.4	0.1	1.1
2025	5	7	15	25	24	0	0	0	0	0	0	0	16.1	0	0	13.4	0.1	1.1
2025	5	7	15	35	24	0	0	0	0	0	0	0	16.12	0	0	13.4	0.1	1.1
2025	5	7	15	45	24	0	0	0	0	0	0	0	16.13	0	0	13.4	0.1	1.1
2025	5	7	15	55	24	0	0	0	0	0	0	0	16.13	0	0	13.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	7	16	5	24	0	0	0	0	0	0	0	16.14	0	0	13.4	0.1	1.1
2025	5	7	16	15	24	0	0	0	0	0	0	0	16.14	0	0	13.4	0.1	1.1
2025	5	7	16	25	24	0	0	0	0	0	0	0	16.15	0	0	13.4	0.1	1.1
2025	5	7	16	35	24	0	0	0	0	0	0	0	16.14	0	0	13.4	0.1	1.1
2025	5	7	16	45	24	0	0	0	0	0	0	0	16.13	0	0	13.4	0.1	1.1
2025	5	7	16	55	24	0	0	0	0	0	0	0	16.12	0	0	12.6	0.1	1.1
2025	5	7	17	5	24	0	0	0	0	0	0	0	16.11	0	0	12.4	0.1	1.1
2025	5	7	17	15	24	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1.1
2025	5	7	17	25	24	0	0	0	0	0	0	0	16.06	0	0	12.2	0.1	1.1
2025	5	7	17	35	24	0	0	0	0	0	0	0	16.04	0	0	12	0.1	1.1
2025	5	7	17	45	24	0	0	0	0	0	0	0	16.01	0	0	12	0.1	1.1
2025	5	7	17	55	24	0	0	0	0	0	0	0	15.97	0	0	11.8	0.1	1.1
2025	5	7	18	5	24	0	0	0	0	0	0	0	15.94	0	0	11.8	0.1	1.1
2025	5	7	18	15	24	0	0	0	0	0	0	0	15.9	0	0	11.8	0.1	1.1
2025	5	7	18	25	24	0	0	0	0	0	0	0	15.87	0	0	11.8	0.1	1.1
2025	5	7	18	35	24	0	0	0	0	0	0	0	15.83	0	0	11.8	0.1	1.1
2025	5	7	18	45	24	0	0	0	0	0	0	0	15.79	0	0	11.8	0.1	1.1
2025	5	7	18	55	24	0	0	0	0	0	0	0	15.75	0	0	11.8	0.1	1.1
2025	5	7	19	5	24	0	0	0	0	0	0	0	15.71	0	0	11.8	0.1	1.1
2025	5	7	19	15	24	0	0	0	0	0	0	0	15.66	0	0	11.8	0.1	1.1
2025	5	7	19	25	24	0	0	0	0	0	0	0	15.62	0	0	11.8	0.1	1.1
2025	5	7	19	35	24	0	0	0	0	0	0	0	15.58	0	0	11.6	0.1	1.1
2025	5	7	19	45	24	0	0	0	0	0	0	0	15.53	0	0	11.6	0.1	1.1
2025	5	7	19	55	24	0	0	0	0	0	0	0	15.49	0	0	11.6	0.1	1.1
2025	5	7	20	5	24	0	0	0	0	0	0	0	15.41	0	0	11.6	0.1	1.1
2025	5	7	20	15	24	0	0	0	0	0	0	0	15.35	0	0	11.6	0.1	1.1
2025	5	7	20	25	24	0	0	0	0	0	0	0	15.3	0	0	11.6	0.1	1.1
2025	5	7	20	35	24	0	0	0	0	0	0	0	15.25	0	0	11.6	0.1	1.1
2025	5	7	20	45	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1.1
2025	5	7	20	55	24	0	0	0	0	0	0	0	15.16	0	0	11.6	0.1	1.1
2025	5	7	21	5	24	0	0	0	0	0	0	0	15.11	0	0	11.6	0.1	1.1
2025	5	7	21	15	24	0	0	0	0	0	0	0	15.07	0	0	11.6	0.1	1.1
2025	5	7	21	25	24	0	0	0	0	0	0	0	15.02	0	0	11.6	0.1	1.1
2025	5	7	21	35	24	0	0	0	0	0	0	0	14.99	0	0	11.6	0.1	1.1
2025	5	7	21	45	24	0	0	0	0	0	0	0	14.94	0	0	11.6	0.1	1.1
2025	5	7	21	55	24	0	0	0	0	0	0	0	14.9	0	0	11.6	0.1	1.1
2025	5	7	22	5	24	0	0	0	0	0	0	0	14.87	0	0	11.6	0.1	1.1
2025	5	7	22	15	24	0	0	0	0	0	0	0	14.83	0	0	11.6	0.1	1.1
2025	5	7	22	25	24	0	0	0	0	0	0	0	14.8	0	0	11.6	0.1	1.1
2025	5	7	22	35	24	0	0	0	0	0	0	0	14.77	0	0	11.6	0.1	1.1
2025	5	7	22	45	24	0	0	0	0	0	0	0	14.74	0	0	11.6	0.1	1.1
2025	5	7	22	55	24	0	0	0	0	0	0	0	14.71	0	0	11.6	0.1	1.1
2025	5	7	23	5	24	0	0	0	0	0	0	0	14.68	0	0	11.6	0.1	1.1
2025	5	7	23	15	24	0	0	0	0	0	0	0	14.66	0	0	11.6	0.1	1.1
2025	5	7	23	25	24	0	0	0	0	0	0	0	14.64	0	0	11.6	0.1	1.1
2025	5	7	23	35	24	0	0	0	0	0	0	0	14.62	0	0	11.6	0.1	1.1
2025	5	7	23	45	24	0	0	0	0	0	0	0	14.6	0	0	11.6	0.1	1.1
2025	5	7	23	55	24	0	0	0	0	0	0	0	14.58	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	8	0	5	24	0	0	0	0	0	0	0	14.56	0	0	11.6	0.1	1.1
2025	5	8	0	15	24	0	0	0	0	0	0	0	14.55	0	0	11.6	0.1	1.1
2025	5	8	0	25	24	0	0	0	0	0	0	0	14.54	0	0	11.6	0.1	1.1
2025	5	8	0	35	24	0	0	0	0	0	0	0	14.53	0	0	11.6	0.1	1.1
2025	5	8	0	45	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	0	55	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	1	5	24	0	0	0	0	0	0	0	14.51	0	0	11.6	0.1	1.1
2025	5	8	1	15	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	1	25	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	1	35	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	1	45	24	0	0	0	0	0	0	0	14.52	0	0	11.6	0.1	1.1
2025	5	8	1	55	24	0	0	0	0	0	0	0	14.53	0	0	11.6	0.1	1.1
2025	5	8	2	5	24	0	0	0	0	0	0	0	14.53	0	0	11.6	0.1	1.1
2025	5	8	2	15	24	0	0	0	0	0	0	0	14.54	0	0	11.6	0.1	1.1
2025	5	8	2	25	24	0	0	0	0	0	0	0	14.54	0	0	11.6	0.1	1.1
2025	5	8	2	35	24	0	0	0	0	0	0	0	14.54	0	0	11.4	0.1	1.1
2025	5	8	2	45	24	0	0	0	0	0	0	0	14.56	0	0	11.4	0.1	1.1
2025	5	8	2	55	24	0	0	0	0	0	0	0	14.56	0	0	11.4	0.1	1.1
2025	5	8	3	5	24	0	0	0	0	0	0	0	14.57	0	0	11.4	0.1	1.1
2025	5	8	3	15	24	0	0	0	0	0	0	0	14.59	0	0	11.4	0.1	1.1
2025	5	8	3	25	24	0	0	0	0	0	0	0	14.6	0	0	11.4	0.1	1.1
2025	5	8	3	35	24	0	0	0	0	0	0	0	14.61	0	0	11.4	0.1	1.1
2025	5	8	3	45	24	0	0	0	0	0	0	0	14.62	0	0	11.4	0.1	1.1
2025	5	8	3	55	24	0	0	0	0	0	0	0	14.64	0	0	11.4	0.1	1.1
2025	5	8	4	5	24	0	0	0	0	0	0	0	14.65	0	0	11.4	0.1	1.1
2025	5	8	4	15	24	0	0	0	0	0	0	0	14.67	0	0	11.4	0.1	1.1
2025	5	8	4	25	24	0	0	0	0	0	0	0	14.68	0	0	11.4	0.1	1.1
2025	5	8	4	35	24	0	0	0	0	0	0	0	14.7	0	0	11.4	0.1	1.1
2025	5	8	4	45	24	0	0	0	0	0	0	0	14.71	0	0	11.4	0.1	1.1
2025	5	8	4	55	24	0	0	0	0	0	0	0	14.73	0	0	11.4	0.1	1.1
2025	5	8	5	5	24	0	0	0	0	0	0	0	14.75	0	0	11.4	0.1	1.1
2025	5	8	5	15	24	0	0	0	0	0	0	0	14.77	0	0	11.4	0.1	1.1
2025	5	8	5	25	24	0	0	0	0	0	0	0	14.78	0	0	11.4	0.1	1.1
2025	5	8	5	35	24	0	0	0	0	0	0	0	14.8	0	0	11.4	0.1	1.1
2025	5	8	5	45	24	0	0	0	0	0	0	0	14.81	0	0	11.4	0.1	1.1
2025	5	8	5	55	24	0	0	0	0	0	0	0	14.83	0	0	11.4	0.1	1.1
2025	5	8	6	5	24	0	0	0	0	0	0	0	14.84	0	0	11.4	0.1	1.1
2025	5	8	6	15	24	0	0	0	0	0	0	0	14.86	0	0	11.4	0.1	1.1
2025	5	8	6	25	24	0	0	0	0	0	0	0	14.87	0	0	11.4	0.1	1.1
2025	5	8	6	35	24	0	0	0	0	0	0	0	14.89	0	0	11.4	0.1	1.1
2025	5	8	6	45	24	0	0	0	0	0	0	0	14.9	0	0	11.4	0.1	1.1
2025	5	8	6	55	24	0	0	0	0	0	0	0	14.92	0	0	11.6	0.1	1.1
2025	5	8	7	5	24	0	0	0	0	0	0	0	14.94	0	0	11.6	0.1	1.1
2025	5	8	7	15	24	0	0	0	0	0	0	0	14.97	0	0	11.8	0.1	1.1
2025	5	8	7	25	24	0	0	0	0	0	0	0	14.99	0	0	11.8	0.1	1.1
2025	5	8	7	35	24	0	0	0	0	0	0	0	15.03	0	0	12	0.1	1.1
2025	5	8	7	45	24	0	0	0	0	0	0	0	15.05	0	0	12.2	0.1	1.1
2025	5	8	7	55	24	0	0	0	0	0	0	0	15.09	0	0	12.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	8	8	5	24	0	0	0	0	0	0	0	15.12	0	0	12.4	0.1	1.1
2025	5	8	8	15	24	0	0	0	0	0	0	0	15.16	0	0	12.4	0.1	1.1
2025	5	8	8	25	24	0	0	0	0	0	0	0	15.2	0	0	12.4	0.1	1.1
2025	5	8	8	35	24	0	0	0	0	0	0	0	15.24	0	0	12.6	0.1	1.1
2025	5	8	8	45	24	0	0	0	0	0	0	0	15.29	0	0	12.6	0.1	1.1
2025	5	8	8	55	24	0	0	0	0	0	0	0	15.35	0	0	12.6	0.1	1.1
2025	5	8	9	5	24	0	0	0	0	0	0	0	15.39	0	0	12.8	0.1	1.1
2025	5	8	9	15	24	0	0	0	0	0	0	0	15.44	0	0	13	0.1	1.1
2025	5	8	9	25	24	0	0	0	0	0	0	0	15.5	0	0	13.4	0.1	1.1
2025	5	8	9	35	24	0	0	0	0	0	0	0	15.55	0	0	13.2	0.1	1.1
2025	5	8	9	45	24	0	0	0	0	0	0	0	15.61	0	0	13.2	0.1	1.1
2025	5	8	9	55	24	0	0	0	0	0	0	0	15.67	0	0	13.2	0.1	1.1
2025	5	8	10	5	24	0	0	0	0	0	0	0	15.72	0	0	13.2	0.1	1.1
2025	5	8	10	15	24	0	0	0	0	0	0	0	15.79	0	0	13.2	0.1	1.1
2025	5	8	10	25	24	0	0	0	0	0	0	0	15.84	0	0	13.2	0.1	1.1
2025	5	8	10	35	24	0	0	0	0	0	0	0	15.91	0	0	13.2	0.1	1.1
2025	5	8	10	45	24	0	0	0	0	0	0	0	15.97	0	0	13.2	0.1	1.1
2025	5	8	10	55	24	0	0	0	0	0	0	0	16.03	0	0	13.2	0.1	1.1
2025	5	8	11	5	24	0	0	0	0	0	0	0	16.1	0	0	13	0.1	1.1
2025	5	8	11	15	24	0	0	0	0	0	0	0	16.16	0	0	13	0.1	1.1
2025	5	8	11	25	24	0	0	0	0	0	0	0	16.23	0	0	13	0.1	1.1
2025	5	8	11	35	24	0	0	0	0	0	0	0	16.28	0	0	13	0.1	1.1
2025	5	8	11	45	24	0	0	0	0	0	0	0	16.35	0	0	13	0.1	1.1
2025	5	8	11	55	24	0	0	0	0	0	0	0	16.41	0	0	13	0.1	1.1
2025	5	8	12	5	24	0	0	0	0	0	0	0	16.48	0	0	13	0.1	1.1
2025	5	8	12	15	24	0	0	0	0	0	0	0	16.54	0	0	13.2	0.1	1.1
2025	5	8	12	25	24	0	0	0	0	0	0	0	16.59	0	0	13.2	0.1	1.1
2025	5	8	12	35	24	0	0	0	0	0	0	0	16.65	0	0	13.2	0.1	1.1
2025	5	8	12	45	24	0	0	0	0	0	0	0	16.71	0	0	13.2	0.1	1.1
2025	5	8	12	55	24	0	0	0	0	0	0	0	16.77	0	0	13.2	0.1	1.1
2025	5	8	13	5	24	0	0	0	0	0	0	0	16.82	0	0	13.2	0.1	1.1
2025	5	8	13	15	24	0	0	0	0	0	0	0	16.87	0	0	13.2	0.1	1.1
2025	5	8	13	25	24	0	0	0	0	0	0	0	16.92	0	0	13.2	0.1	1.1
2025	5	8	13	35	24	0	0	0	0	0	0	0	16.97	0	0	13.2	0.1	1.1
2025	5	8	13	45	24	0	0	0	0	0	0	0	17.02	0	0	13.2	0.1	1.1
2025	5	8	13	55	24	0	0	0	0	0	0	0	17.07	0	0	13.2	0.1	1.1
2025	5	8	14	5	24	0	0	0	0	0	0	0	17.11	0	0	13	0.1	1.1
2025	5	8	14	15	24	0	0	0	0	0	0	0	17.15	0	0	13	0.1	1.1
2025	5	8	14	25	24	0	0	0	0	0	0	0	17.18	0	0	13	0.1	1.1
2025	5	8	14	35	24	0	0	0	0	0	0	0	17.22	0	0	13	0.1	1.1
2025	5	8	14	45	24	0	0	0	0	0	0	0	17.25	0	0	13	0.1	1.1
2025	5	8	14	55	24	0	0	0	0	0	0	0	17.28	0	0	13	0.1	1.1
2025	5	8	15	5	24	0	0	0	0	0	0	0	17.31	0	0	13	0.1	1.1
2025	5	8	15	15	24	0	0	0	0	0	0	0	17.33	0	0	13	0.1	1.1
2025	5	8	15	25	24	0	0	0	0	0	0	0	17.36	0	0	13	0.1	1.1
2025	5	8	15	35	24	0	0	0	0	0	0	0	17.38	0	0	13	0.1	1.1
2025	5	8	15	45	24	0	0	0	0	0	0	0	17.39	0	0	13	0.1	1.1
2025	5	8	15	55	24	0	0	0	0	0	0	0	17.4	0	0	13	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	8	16	5	24	0	0	0	0	0	0	0	17.41	0	0	13	0.1	1.1
2025	5	8	16	15	24	0	0	0	0	0	0	0	17.41	0	0	13	0.1	1.1
2025	5	8	16	25	24	0	0	0	0	0	0	0	17.42	0	0	13	0.1	1.1
2025	5	8	16	35	24	0	0	0	0	0	0	0	17.41	0	0	13	0.1	1.1
2025	5	8	16	45	24	0	0	0	0	0	0	0	17.41	0	0	13	0.1	1.1
2025	5	8	16	55	24	0	0	0	0	0	0	0	17.4	0	0	12.6	0.1	1.1
2025	5	8	17	5	24	0	0	0	0	0	0	0	17.38	0	0	12.4	0.1	1.1
2025	5	8	17	15	24	0	0	0	0	0	0	0	17.37	0	0	12.4	0.1	1.1
2025	5	8	17	25	24	0	0	0	0	0	0	0	17.35	0	0	12.2	0.1	1.1
2025	5	8	17	35	24	0	0	0	0	0	0	0	17.32	0	0	12	0.1	1.1
2025	5	8	17	45	24	0	0	0	0	0	0	0	17.29	0	0	12	0.1	1.1
2025	5	8	17	55	24	0	0	0	0	0	0	0	17.26	0	0	12	0.1	1.1
2025	5	8	18	5	24	0	0	0	0	0	0	0	17.23	0	0	11.8	0.1	1.1
2025	5	8	18	15	24	0	0	0	0	0	0	0	17.2	0	0	11.8	0.1	1.1
2025	5	8	18	25	24	0	0	0	0	0	0	0	17.16	0	0	11.8	0.1	1.1
2025	5	8	18	35	24	0	0	0	0	0	0	0	17.12	0	0	11.8	0.1	1.1
2025	5	8	18	45	24	0	0	0	0	0	0	0	17.08	0	0	11.8	0.1	1.1
2025	5	8	18	55	24	0	0	0	0	0	0	0	17.04	0	0	11.8	0.1	1.1
2025	5	8	19	5	24	0	0	0	0	0	0	0	16.99	0	0	11.8	0.1	1.1
2025	5	8	19	15	24	0	0	0	0	0	0	0	16.95	0	0	11.8	0.1	1.1
2025	5	8	19	25	24	0	0	0	0	0	0	0	16.9	0	0	11.8	0.1	1.1
2025	5	8	19	35	24	0	0	0	0	0	0	0	16.86	0	0	11.8	0.1	1.1
2025	5	8	19	45	24	0	0	0	0	0	0	0	16.82	0	0	11.8	0.1	1.1
2025	5	8	19	55	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1.1
2025	5	8	20	5	24	0	0	0	0	0	0	0	16.72	0	0	11.6	0.1	1.1
2025	5	8	20	15	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1.1
2025	5	8	20	25	24	0	0	0	0	0	0	0	16.61	0	0	11.6	0.1	1.1
2025	5	8	20	35	24	0	0	0	0	0	0	0	16.56	0	0	11.6	0.1	1.1
2025	5	8	20	45	24	0	0	0	0	0	0	0	16.51	0	0	11.6	0.1	1.1
2025	5	8	20	55	24	0	0	0	0	0	0	0	16.46	0	0	11.6	0.1	1.1
2025	5	8	21	5	24	0	0	0	0	0	0	0	16.41	0	0	11.6	0.1	1.1
2025	5	8	21	15	24	0	0	0	0	0	0	0	16.37	0	0	11.6	0.1	1.1
2025	5	8	21	25	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1.1
2025	5	8	21	35	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	8	21	45	24	0	0	0	0	0	0	0	16.22	0	0	11.6	0.1	1.1
2025	5	8	21	55	24	0	0	0	0	0	0	0	16.18	0	0	11.6	0.1	1.1
2025	5	8	22	5	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1.1
2025	5	8	22	15	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1.1
2025	5	8	22	25	24	0	0	0	0	0	0	0	16.06	0	0	11.6	0.1	1.1
2025	5	8	22	35	24	0	0	0	0	0	0	0	16.02	0	0	11.6	0.1	1.1
2025	5	8	22	45	24	0	0	0	0	0	0	0	15.98	0	0	11.6	0.1	1.1
2025	5	8	22	55	24	0	0	0	0	0	0	0	15.95	0	0	11.6	0.1	1.1
2025	5	8	23	5	24	0	0	0	0	0	0	0	15.92	0	0	11.6	0.1	1.1
2025	5	8	23	15	24	0	0	0	0	0	0	0	15.89	0	0	11.6	0.1	1.1
2025	5	8	23	25	24	0	0	0	0	0	0	0	15.86	0	0	11.6	0.1	1.1
2025	5	8	23	35	24	0	0	0	0	0	0	0	15.84	0	0	11.6	0.1	1.1
2025	5	8	23	45	24	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1.1
2025	5	8	23	55	24	0	0	0	0	0	0	0	15.8	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	9	0	5	24	0	0	0	0	0	0	0	15.77	0	0	11.6	0.1	1.1
2025	5	9	0	15	24	0	0	0	0	0	0	0	15.75	0	0	11.6	0.1	1.1
2025	5	9	0	25	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1.1
2025	5	9	0	35	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1.1
2025	5	9	0	45	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1.1
2025	5	9	0	55	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1.1
2025	5	9	1	5	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1.1
2025	5	9	1	15	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1.1
2025	5	9	1	25	24	0	0	0	0	0	0	0	15.65	0	0	11.6	0.1	1.1
2025	5	9	1	35	24	0	0	0	0	0	0	0	15.64	0	0	11.6	0.1	1.1
2025	5	9	1	45	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1.1
2025	5	9	1	55	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1.1
2025	5	9	2	5	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1.1
2025	5	9	2	15	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1.1
2025	5	9	2	25	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1.1
2025	5	9	2	35	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1.1
2025	5	9	2	45	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1.1
2025	5	9	2	55	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1.1
2025	5	9	3	5	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1.1
2025	5	9	3	15	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1.1
2025	5	9	3	25	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1.1
2025	5	9	3	35	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1.1
2025	5	9	3	45	24	0	0	0	0	0	0	0	15.64	0	0	11.6	0.1	1.1
2025	5	9	3	55	24	0	0	0	0	0	0	0	15.64	0	0	11.6	0.1	1.1
2025	5	9	4	5	24	0	0	0	0	0	0	0	15.65	0	0	11.6	0.1	1.1
2025	5	9	4	15	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1.1
2025	5	9	4	25	24	0	0	0	0	0	0	0	15.67	0	0	11.4	0.1	1.1
2025	5	9	4	35	24	0	0	0	0	0	0	0	15.69	0	0	11.4	0.1	1.1
2025	5	9	4	45	24	0	0	0	0	0	0	0	15.69	0	0	11.4	0.1	1.1
2025	5	9	4	55	24	0	0	0	0	0	0	0	15.7	0	0	11.4	0.1	1.1
2025	5	9	5	5	24	0	0	0	0	0	0	0	15.71	0	0	11.4	0.1	1.1
2025	5	9	5	15	24	0	0	0	0	0	0	0	15.73	0	0	11.4	0.1	1.1
2025	5	9	5	25	24	0	0	0	0	0	0	0	15.74	0	0	11.4	0.1	1.1
2025	5	9	5	35	24	0	0	0	0	0	0	0	15.75	0	0	11.4	0.1	1.1
2025	5	9	5	45	24	0	0	0	0	0	0	0	15.76	0	0	11.4	0.1	1.1
2025	5	9	5	55	24	0	0	0	0	0	0	0	15.78	0	0	11.4	0.1	1.1
2025	5	9	6	5	24	0	0	0	0	0	0	0	15.79	0	0	11.4	0.1	1.1
2025	5	9	6	15	24	0	0	0	0	0	0	0	15.8	0	0	11.4	0.1	1.1
2025	5	9	6	25	24	0	0	0	0	0	0	0	15.81	0	0	11.4	0.1	1.1
2025	5	9	6	35	24	0	0	0	0	0	0	0	15.82	0	0	11.4	0.1	1.1
2025	5	9	6	45	24	0	0	0	0	0	0	0	15.83	0	0	11.4	0.1	1.1
2025	5	9	6	55	24	0	0	0	0	0	0	0	15.84	0	0	11.6	0.1	1.1
2025	5	9	7	5	24	0	0	0	0	0	0	0	15.86	0	0	11.6	0.1	1.1
2025	5	9	7	15	24	0	0	0	0	0	0	0	15.88	0	0	11.8	0.1	1.1
2025	5	9	7	25	24	0	0	0	0	0	0	0	15.91	0	0	12	0.1	1.1
2025	5	9	7	35	24	0	0	0	0	0	0	0	15.93	0	0	12	0.1	1.1
2025	5	9	7	45	24	0	0	0	0	0	0	0	15.97	0	0	12.2	0.1	1.1
2025	5	9	7	55	24	0	0	0	0	0	0	0	16.01	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	9	8	5	24	0	0	0	0	0	0	0	16.05	0	0	12.4	0.1	1.1
2025	5	9	8	15	24	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1.1
2025	5	9	8	25	24	0	0	0	0	0	0	0	16.14	0	0	12.6	0.1	1.1
2025	5	9	8	35	24	0	0	0	0	0	0	0	16.18	0	0	12.6	0.1	1.1
2025	5	9	8	45	24	0	0	0	0	0	0	0	16.23	0	0	12.6	0.1	1.1
2025	5	9	8	55	24	0	0	0	0	0	0	0	16.28	0	0	12.8	0.1	1.1
2025	5	9	9	5	24	0	0	0	0	0	0	0	16.34	0	0	13	0.1	1.1
2025	5	9	9	15	24	0	0	0	0	0	0	0	16.39	0	0	13	0.1	1.1
2025	5	9	9	25	24	0	0	0	0	0	0	0	16.44	0	0	13.6	0.1	1.1
2025	5	9	9	35	24	0	0	0	0	0	0	0	16.51	0	0	13.4	0.1	1.1
2025	5	9	9	45	24	0	0	0	0	0	0	0	16.57	0	0	13.2	0.1	1.1
2025	5	9	9	55	24	0	0	0	0	0	0	0	16.62	0	0	13.2	0.1	1.1
2025	5	9	10	5	24	0	0	0	0	0	0	0	16.69	0	0	13.2	0.1	1.1
2025	5	9	10	15	24	0	0	0	0	0	0	0	16.75	0	0	13.6	0.1	1.1
2025	5	9	10	25	24	0	0	0	0	0	0	0	16.81	0	0	13.4	0.1	1.1
2025	5	9	10	35	24	0	0	0	0	0	0	0	16.88	0	0	13.4	0.1	1.1
2025	5	9	10	45	24	0	0	0	0	0	0	0	16.94	0	0	13.4	0.1	1.1
2025	5	9	10	55	24	0	0	0	0	0	0	0	17	0	0	13.2	0.1	1.1
2025	5	9	11	5	24	0	0	0	0	0	0	0	17.06	0	0	13	0.1	1.1
2025	5	9	11	15	24	0	0	0	0	0	0	0	17.13	0	0	13.2	0.1	1.1
2025	5	9	11	25	24	0	0	0	0	0	0	0	17.2	0	0	13	0.1	1.1
2025	5	9	11	35	24	0	0	0	0	0	0	0	17.26	0	0	13	0.1	1.1
2025	5	9	11	45	24	0	0	0	0	0	0	0	17.33	0	0	13.2	0.1	1.1
2025	5	9	11	55	24	0	0	0	0	0	0	0	17.39	0	0	13.2	0.1	1.1
2025	5	9	12	5	24	0	0	0	0	0	0	0	17.46	0	0	13.2	0.1	1.1
2025	5	9	12	15	24	0	0	0	0	0	0	0	17.52	0	0	13.2	0.1	1.1
2025	5	9	12	25	24	0	0	0	0	0	0	0	17.58	0	0	13.2	0.1	1.1
2025	5	9	12	35	24	0	0	0	0	0	0	0	17.64	0	0	13.2	0.1	1.1
2025	5	9	12	45	24	0	0	0	0	0	0	0	17.7	0	0	13	0.1	1.1
2025	5	9	12	55	24	0	0	0	0	0	0	0	17.76	0	0	13.2	0.1	1.1
2025	5	9	13	5	24	0	0	0	0	0	0	0	17.82	0	0	13.2	0.1	1.1
2025	5	9	13	15	24	0	0	0	0	0	0	0	17.87	0	0	13.2	0.1	1.1
2025	5	9	13	25	24	0	0	0	0	0	0	0	17.92	0	0	13.2	0.1	1.1
2025	5	9	13	35	24	0	0	0	0	0	0	0	17.97	0	0	13.2	0.1	1.1
2025	5	9	13	45	24	0	0	0	0	0	0	0	18.01	0	0	13.2	0.1	1.1
2025	5	9	13	55	24	0	0	0	0	0	0	0	18.06	0	0	13.2	0.1	1.1
2025	5	9	14	5	24	0	0	0	0	0	0	0	18.1	0	0	13.2	0.1	1.1
2025	5	9	14	15	24	0	0	0	0	0	0	0	18.15	0	0	13.2	0.1	1.1
2025	5	9	14	25	24	0	0	0	0	0	0	0	18.19	0	0	13.2	0.1	1.1
2025	5	9	14	35	24	0	0	0	0	0	0	0	18.22	0	0	13.2	0.1	1.1
2025	5	9	14	45	24	0	0	0	0	0	0	0	18.25	0	0	13.2	0.1	1.1
2025	5	9	14	55	24	0	0	0	0	0	0	0	18.29	0	0	13.2	0.1	1.1
2025	5	9	15	5	24	0	0	0	0	0	0	0	18.31	0	0	13.2	0.1	1.1
2025	5	9	15	15	24	0	0	0	0	0	0	0	18.33	0	0	13.2	0.1	1.1
2025	5	9	15	25	24	0	0	0	0	0	0	0	18.35	0	0	13.2	0.1	1.1
2025	5	9	15	35	24	0	0	0	0	0	0	0	18.36	0	0	13.2	0.1	1.1
2025	5	9	15	45	24	0	0	0	0	0	0	0	18.37	0	0	13.2	0.1	1.1
2025	5	9	15	55	24	0	0	0	0	0	0	0	18.38	0	0	13.2	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	9	16	5	24	0	0	0	0	0	0	0	18.39	0	0	13.2	0.1	1.1
2025	5	9	16	15	24	0	0	0	0	0	0	0	18.39	0	0	13.2	0.1	1.1
2025	5	9	16	25	24	0	0	0	0	0	0	0	18.39	0	0	13.2	0.1	1.1
2025	5	9	16	35	24	0	0	0	0	0	0	0	18.39	0	0	13.2	0.1	1.1
2025	5	9	16	45	24	0	0	0	0	0	0	0	18.38	0	0	12.8	0.1	1.1
2025	5	9	16	55	24	0	0	0	0	0	0	0	18.36	0	0	12.6	0.1	1.1
2025	5	9	17	5	24	0	0	0	0	0	0	0	18.35	0	0	12.4	0.1	1.1
2025	5	9	17	15	24	0	0	0	0	0	0	0	18.33	0	0	12.4	0.1	1.1
2025	5	9	17	25	24	0	0	0	0	0	0	0	18.3	0	0	12.2	0.1	1.1
2025	5	9	17	35	24	0	0	0	0	0	0	0	18.28	0	0	12.2	0.1	1.1
2025	5	9	17	45	24	0	0	0	0	0	0	0	18.25	0	0	12	0.1	1.1
2025	5	9	17	55	24	0	0	0	0	0	0	0	18.21	0	0	12	0.1	1.1
2025	5	9	18	5	24	0	0	0	0	0	0	0	18.17	0	0	11.8	0.1	1.1
2025	5	9	18	15	24	0	0	0	0	0	0	0	18.14	0	0	11.8	0.1	1.1
2025	5	9	18	25	24	0	0	0	0	0	0	0	18.09	0	0	11.8	0.1	1
2025	5	9	18	35	24	0	0	0	0	0	0	0	18.04	0	0	11.8	0.1	1
2025	5	9	18	45	24	0	0	0	0	0	0	0	18	0	0	11.8	0.1	1
2025	5	9	18	55	24	0	0	0	0	0	0	0	17.96	0	0	11.8	0.1	1.1
2025	5	9	19	5	24	0	0	0	0	0	0	0	17.92	0	0	11.8	0.1	1.1
2025	5	9	19	15	24	0	0	0	0	0	0	0	17.87	0	0	11.8	0.1	1.1
2025	5	9	19	25	24	0	0	0	0	0	0	0	17.82	0	0	11.8	0.1	1.1
2025	5	9	19	35	24	0	0	0	0	0	0	0	17.78	0	0	11.8	0.1	1.1
2025	5	9	19	45	24	0	0	0	0	0	0	0	17.72	0	0	11.8	0.1	1.1
2025	5	9	19	55	24	0	0	0	0	0	0	0	17.68	0	0	11.8	0.1	1
2025	5	9	20	5	24	0	0	0	0	0	0	0	17.62	0	0	11.8	0.1	1.1
2025	5	9	20	15	24	0	0	0	0	0	0	0	17.57	0	0	11.8	0.1	1
2025	5	9	20	25	24	0	0	0	0	0	0	0	17.52	0	0	11.6	0.1	1
2025	5	9	20	35	24	0	0	0	0	0	0	0	17.46	0	0	11.6	0.1	1
2025	5	9	20	45	24	0	0	0	0	0	0	0	17.4	0	0	11.6	0.1	1
2025	5	9	20	55	24	0	0	0	0	0	0	0	17.33	0	0	11.6	0.1	1.1
2025	5	9	21	5	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1.1
2025	5	9	21	15	24	0	0	0	0	0	0	0	17.23	0	0	11.6	0.1	1.1
2025	5	9	21	25	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1.1
2025	5	9	21	35	24	0	0	0	0	0	0	0	17.13	0	0	11.6	0.1	1.1
2025	5	9	21	45	24	0	0	0	0	0	0	0	17.07	0	0	11.6	0.1	1.1
2025	5	9	21	55	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	9	22	5	24	0	0	0	0	0	0	0	16.95	0	0	11.6	0.1	1.1
2025	5	9	22	15	24	0	0	0	0	0	0	0	16.9	0	0	11.6	0.1	1.1
2025	5	9	22	25	24	0	0	0	0	0	0	0	16.86	0	0	11.6	0.1	1.1
2025	5	9	22	35	24	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1.1
2025	5	9	22	45	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1.1
2025	5	9	22	55	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1.1
2025	5	9	23	5	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1.1
2025	5	9	23	15	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1.1
2025	5	9	23	25	24	0	0	0	0	0	0	0	16.63	0	0	11.6	0.1	1.1
2025	5	9	23	35	24	0	0	0	0	0	0	0	16.6	0	0	11.6	0.1	1.1
2025	5	9	23	45	24	0	0	0	0	0	0	0	16.57	0	0	11.6	0.1	1.1
2025	5	9	23	55	24	0	0	0	0	0	0	0	16.54	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	10	0	5	24	0	0	0	0	0	0	0	16.5	0	0	11.6	0.1	1.1
2025	5	10	0	15	24	0	0	0	0	0	0	0	16.48	0	0	11.6	0.1	1.1
2025	5	10	0	25	24	0	0	0	0	0	0	0	16.45	0	0	11.6	0.1	1.1
2025	5	10	0	35	24	0	0	0	0	0	0	0	16.42	0	0	11.6	0.1	1.1
2025	5	10	0	45	24	0	0	0	0	0	0	0	16.4	0	0	11.6	0.1	1.1
2025	5	10	0	55	24	0	0	0	0	0	0	0	16.38	0	0	11.6	0.1	1.1
2025	5	10	1	5	24	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1.1
2025	5	10	1	15	24	0	0	0	0	0	0	0	16.34	0	0	11.6	0.1	1.1
2025	5	10	1	25	24	0	0	0	0	0	0	0	16.33	0	0	11.6	0.1	1.1
2025	5	10	1	35	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1.1
2025	5	10	1	45	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1.1
2025	5	10	1	55	24	0	0	0	0	0	0	0	16.29	0	0	11.6	0.1	1.1
2025	5	10	2	5	24	0	0	0	0	0	0	0	16.28	0	0	11.6	0.1	1.1
2025	5	10	2	15	24	0	0	0	0	0	0	0	16.28	0	0	11.6	0.1	1.1
2025	5	10	2	25	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	2	35	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1.1
2025	5	10	2	45	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1.1
2025	5	10	2	55	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	3	5	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1.1
2025	5	10	3	15	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	3	25	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	3	35	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	3	45	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1.1
2025	5	10	3	55	24	0	0	0	0	0	0	0	16.28	0	0	11.6	0.1	1.1
2025	5	10	4	5	24	0	0	0	0	0	0	0	16.28	0	0	11.6	0.1	1.1
2025	5	10	4	15	24	0	0	0	0	0	0	0	16.29	0	0	11.6	0.1	1.1
2025	5	10	4	25	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1.1
2025	5	10	4	35	24	0	0	0	0	0	0	0	16.32	0	0	11.6	0.1	1.1
2025	5	10	4	45	24	0	0	0	0	0	0	0	16.32	0	0	11.6	0.1	1.1
2025	5	10	4	55	24	0	0	0	0	0	0	0	16.34	0	0	11.6	0.1	1.1
2025	5	10	5	5	24	0	0	0	0	0	0	0	16.35	0	0	11.4	0.1	1.1
2025	5	10	5	15	24	0	0	0	0	0	0	0	16.36	0	0	11.4	0.1	1.1
2025	5	10	5	25	24	0	0	0	0	0	0	0	16.38	0	0	11.4	0.1	1.1
2025	5	10	5	35	24	0	0	0	0	0	0	0	16.39	0	0	11.4	0.1	1.1
2025	5	10	5	45	24	0	0	0	0	0	0	0	16.41	0	0	11.4	0.1	1.1
2025	5	10	5	55	24	0	0	0	0	0	0	0	16.42	0	0	11.4	0.1	1.1
2025	5	10	6	5	24	0	0	0	0	0	0	0	16.43	0	0	11.4	0.1	1.1
2025	5	10	6	15	24	0	0	0	0	0	0	0	16.44	0	0	11.4	0.1	1.1
2025	5	10	6	25	24	0	0	0	0	0	0	0	16.46	0	0	11.4	0.1	1.1
2025	5	10	6	35	24	0	0	0	0	0	0	0	16.47	0	0	11.4	0.1	1.1
2025	5	10	6	45	24	0	0	0	0	0	0	0	16.48	0	0	11.4	0.1	1.1
2025	5	10	6	55	24	0	0	0	0	0	0	0	16.5	0	0	11.6	0.1	1.1
2025	5	10	7	5	24	0	0	0	0	0	0	0	16.51	0	0	11.6	0.1	1.1
2025	5	10	7	15	24	0	0	0	0	0	0	0	16.54	0	0	11.8	0.1	1.1
2025	5	10	7	25	24	0	0	0	0	0	0	0	16.56	0	0	12	0.1	1.1
2025	5	10	7	35	24	0	0	0	0	0	0	0	16.59	0	0	12	0.1	1.1
2025	5	10	7	45	24	0	0	0	0	0	0	0	16.62	0	0	12.2	0.1	1.1
2025	5	10	7	55	24	0	0	0	0	0	0	0	16.67	0	0	12.4	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	10	8	5	24	0	0	0	0	0	0	0	16.69	0	0	12.4	0.1	1.1
2025	5	10	8	15	24	0	0	0	0	0	0	0	16.74	0	0	12.6	0.1	1.1
2025	5	10	8	25	24	0	0	0	0	0	0	0	16.78	0	0	12.6	0.1	1.1
2025	5	10	8	35	24	0	0	0	0	0	0	0	16.83	0	0	12.6	0.1	1.1
2025	5	10	8	45	24	0	0	0	0	0	0	0	16.89	0	0	12.8	0.1	1.1
2025	5	10	8	55	24	0	0	0	0	0	0	0	16.93	0	0	12.8	0.1	1.1
2025	5	10	9	5	24	0	0	0	0	0	0	0	16.98	0	0	13	0.1	1.1
2025	5	10	9	15	24	0	0	0	0	0	0	0	17.03	0	0	13	0.1	1.1
2025	5	10	9	25	24	0	0	0	0	0	0	0	17.09	0	0	13.6	0.1	1.1
2025	5	10	9	35	24	0	0	0	0	0	0	0	17.15	0	0	13.4	0.1	1.1
2025	5	10	9	45	24	0	0	0	0	0	0	0	17.2	0	0	13.2	0.1	1.1
2025	5	10	9	55	24	0	0	0	0	0	0	0	17.26	0	0	13.2	0.1	1.1
2025	5	10	10	5	24	0	0	0	0	0	0	0	17.32	0	0	13.2	0.1	1.1
2025	5	10	10	15	24	0	0	0	0	0	0	0	17.38	0	0	13.6	0.1	1.1
2025	5	10	10	25	24	0	0	0	0	0	0	0	17.44	0	0	13.4	0.1	1
2025	5	10	10	35	24	0	0	0	0	0	0	0	17.51	0	0	13.4	0.1	1
2025	5	10	10	45	24	0	0	0	0	0	0	0	17.57	0	0	13.2	0.1	1
2025	5	10	10	55	24	0	0	0	0	0	0	0	17.67	0	0	13.4	0.1	1
2025	5	10	11	5	24	0	0	0	0	0	0	0	17.73	0	0	13.4	0.1	1
2025	5	10	11	15	24	0	0	0	0	0	0	0	17.79	0	0	13.4	0.1	1
2025	5	10	11	25	24	0	0	0	0	0	0	0	17.85	0	0	13.4	0.1	1
2025	5	10	11	35	24	0	0	0	0	0	0	0	17.92	0	0	13.4	0.1	1
2025	5	10	11	45	24	0	0	0	0	0	0	0	17.97	0	0	13.4	0.1	1
2025	5	10	11	55	24	0	0	0	0	0	0	0	18.02	0	0	13.4	0.1	1
2025	5	10	12	5	24	0	0	0	0	0	0	0	18.07	0	0	13.4	0.1	1
2025	5	10	12	15	24	0	0	0	0	0	0	0	18.14	0	0	13.4	0.1	1
2025	5	10	12	25	24	0	0	0	0	0	0	0	18.19	0	0	13.4	0.1	1
2025	5	10	12	35	24	0	0	0	0	0	0	0	18.24	0	0	13.4	0.1	1
2025	5	10	12	45	24	0	0	0	0	0	0	0	18.3	0	0	13.4	0.1	1
2025	5	10	12	55	24	0	0	0	0	0	0	0	18.35	0	0	13.4	0.1	1
2025	5	10	13	5	24	0	0	0	0	0	0	0	18.41	0	0	13.4	0.1	1
2025	5	10	13	15	24	0	0	0	0	0	0	0	18.46	0	0	13.4	0.1	1
2025	5	10	13	25	24	0	0	0	0	0	0	0	18.51	0	0	13.4	0.1	1
2025	5	10	13	35	24	0	0	0	0	0	0	0	18.55	0	0	13.4	0.1	1
2025	5	10	13	45	24	0	0	0	0	0	0	0	18.6	0	0	13.4	0.1	1
2025	5	10	13	55	24	0	0	0	0	0	0	0	18.65	0	0	13.4	0.1	1
2025	5	10	14	5	24	0	0	0	0	0	0	0	18.69	0	0	13.4	0.1	1
2025	5	10	14	15	24	0	0	0	0	0	0	0	18.72	0	0	13.4	0.1	1
2025	5	10	14	25	24	0	0	0	0	0	0	0	18.76	0	0	13.4	0.1	1
2025	5	10	14	35	24	0	0	0	0	0	0	0	18.81	0	0	13.4	0.1	1
2025	5	10	14	45	24	0	0	0	0	0	0	0	18.84	0	0	13.4	0.1	1
2025	5	10	14	55	24	0	0	0	0	0	0	0	18.86	0	0	13.4	0.1	1
2025	5	10	15	5	24	0	0	0	0	0	0	0	18.88	0	0	13.4	0.1	1
2025	5	10	15	15	24	0	0	0	0	0	0	0	18.9	0	0	13.4	0.1	1
2025	5	10	15	25	24	0	0	0	0	0	0	0	18.91	0	0	13.4	0.1	1
2025	5	10	15	35	24	0	0	0	0	0	0	0	18.92	0	0	13.4	0.1	1
2025	5	10	15	45	24	0	0	0	0	0	0	0	18.93	0	0	13.4	0.1	1
2025	5	10	15	55	24	0	0	0	0	0	0	0	18.94	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	10	16	5	24	0	0	0	0	0	0	0	18.94	0	0	13.4	0.1	1
2025	5	10	16	15	24	0	0	0	0	0	0	0	18.94	0	0	13	0.1	1
2025	5	10	16	25	24	0	0	0	0	0	0	0	18.9	0	0	12.6	0.1	1
2025	5	10	16	35	24	0	0	0	0	0	0	0	18.89	0	0	12.8	0.1	1
2025	5	10	16	45	24	0	0	0	0	0	0	0	18.86	0	0	12.4	0.1	1
2025	5	10	16	55	24	0	0	0	0	0	0	0	18.83	0	0	12.4	0.1	1
2025	5	10	17	5	24	0	0	0	0	0	0	0	18.81	0	0	12.4	0.1	1
2025	5	10	17	15	24	0	0	0	0	0	0	0	18.78	0	0	12.2	0.1	1
2025	5	10	17	25	24	0	0	0	0	0	0	0	18.75	0	0	12.2	0.1	1
2025	5	10	17	35	24	0	0	0	0	0	0	0	18.71	0	0	12	0.1	1
2025	5	10	17	45	24	0	0	0	0	0	0	0	18.67	0	0	12	0.1	1
2025	5	10	17	55	24	0	0	0	0	0	0	0	18.66	0	0	12	0.1	1
2025	5	10	18	5	24	0	0	0	0	0	0	0	18.63	0	0	12	0.1	1
2025	5	10	18	15	24	0	0	0	0	0	0	0	18.58	0	0	12	0.1	1
2025	5	10	18	25	24	0	0	0	0	0	0	0	18.55	0	0	12	0.1	1
2025	5	10	18	35	24	0	0	0	0	0	0	0	18.51	0	0	11.8	0.1	1
2025	5	10	18	45	24	0	0	0	0	0	0	0	18.48	0	0	11.8	0.1	1
2025	5	10	18	55	24	0	0	0	0	0	0	0	18.42	0	0	11.8	0.1	1
2025	5	10	19	5	24	0	0	0	0	0	0	0	18.38	0	0	11.8	0.1	1
2025	5	10	19	15	24	0	0	0	0	0	0	0	18.33	0	0	11.8	0.1	1
2025	5	10	19	25	24	0	0	0	0	0	0	0	18.28	0	0	11.8	0.1	1
2025	5	10	19	35	24	0	0	0	0	0	0	0	18.23	0	0	11.8	0.1	1
2025	5	10	19	45	24	0	0	0	0	0	0	0	18.18	0	0	11.8	0.1	1
2025	5	10	19	55	24	0	0	0	0	0	0	0	18.14	0	0	11.8	0.1	1
2025	5	10	20	5	24	0	0	0	0	0	0	0	18.09	0	0	11.8	0.1	1
2025	5	10	20	15	24	0	0	0	0	0	0	0	18.04	0	0	11.8	0.1	1
2025	5	10	20	25	24	0	0	0	0	0	0	0	18	0	0	11.8	0.1	1
2025	5	10	20	35	24	0	0	0	0	0	0	0	17.94	0	0	11.8	0.1	1
2025	5	10	20	45	24	0	0	0	0	0	0	0	17.89	0	0	11.8	0.1	1
2025	5	10	20	55	24	0	0	0	0	0	0	0	17.84	0	0	11.6	0.1	1
2025	5	10	21	5	24	0	0	0	0	0	0	0	17.79	0	0	11.6	0.1	1
2025	5	10	21	15	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	10	21	25	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	10	21	35	24	0	0	0	0	0	0	0	17.64	0	0	11.6	0.1	1
2025	5	10	21	45	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	10	21	55	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1
2025	5	10	22	5	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	10	22	15	24	0	0	0	0	0	0	0	17.47	0	0	11.6	0.1	1
2025	5	10	22	25	24	0	0	0	0	0	0	0	17.41	0	0	11.6	0.1	1
2025	5	10	22	35	24	0	0	0	0	0	0	0	17.37	0	0	11.6	0.1	1
2025	5	10	22	45	24	0	0	0	0	0	0	0	17.33	0	0	11.6	0.1	1
2025	5	10	22	55	24	0	0	0	0	0	0	0	17.3	0	0	11.6	0.1	1.1
2025	5	10	23	5	24	0	0	0	0	0	0	0	17.27	0	0	11.6	0.1	1.1
2025	5	10	23	15	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1.1
2025	5	10	23	25	24	0	0	0	0	0	0	0	17.21	0	0	11.6	0.1	1.1
2025	5	10	23	35	24	0	0	0	0	0	0	0	17.19	0	0	11.6	0.1	1.1
2025	5	10	23	45	24	0	0	0	0	0	0	0	17.16	0	0	11.6	0.1	1.1
2025	5	10	23	55	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1.1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	11	0	5	24	0	0	0	0	0	0	0	17.12	0	0	11.6	0.1	1.1
2025	5	11	0	15	24	0	0	0	0	0	0	0	17.1	0	0	11.6	0.1	1.1
2025	5	11	0	25	24	0	0	0	0	0	0	0	17.08	0	0	11.6	0.1	1.1
2025	5	11	0	35	24	0	0	0	0	0	0	0	17.07	0	0	11.6	0.1	1.1
2025	5	11	0	45	24	0	0	0	0	0	0	0	17.06	0	0	11.6	0.1	1.1
2025	5	11	0	55	24	0	0	0	0	0	0	0	17.04	0	0	11.6	0.1	1.1
2025	5	11	1	5	24	0	0	0	0	0	0	0	17.03	0	0	11.6	0.1	1.1
2025	5	11	1	15	24	0	0	0	0	0	0	0	17.03	0	0	11.6	0.1	1.1
2025	5	11	1	25	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	1	35	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	1	45	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	1	55	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	2	5	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	2	15	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1.1
2025	5	11	2	25	24	0	0	0	0	0	0	0	17.02	0	0	11.6	0.1	1.1
2025	5	11	2	35	24	0	0	0	0	0	0	0	17.03	0	0	11.6	0.1	1.1
2025	5	11	2	45	24	0	0	0	0	0	0	0	17.03	0	0	11.6	0.1	1.1
2025	5	11	2	55	24	0	0	0	0	0	0	0	17.04	0	0	11.6	0.1	1.1
2025	5	11	3	5	24	0	0	0	0	0	0	0	17.06	0	0	11.6	0.1	1.1
2025	5	11	3	15	24	0	0	0	0	0	0	0	17.08	0	0	11.6	0.1	1.1
2025	5	11	3	25	24	0	0	0	0	0	0	0	17.09	0	0	11.6	0.1	1.1
2025	5	11	3	35	24	0	0	0	0	0	0	0	17.1	0	0	11.6	0.1	1.1
2025	5	11	3	45	24	0	0	0	0	0	0	0	17.11	0	0	11.6	0.1	1.1
2025	5	11	3	55	24	0	0	0	0	0	0	0	17.13	0	0	11.6	0.1	1.1
2025	5	11	4	5	24	0	0	0	0	0	0	0	17.15	0	0	11.6	0.1	1.1
2025	5	11	4	15	24	0	0	0	0	0	0	0	17.16	0	0	11.6	0.1	1.1
2025	5	11	4	25	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1.1
2025	5	11	4	35	24	0	0	0	0	0	0	0	17.19	0	0	11.6	0.1	1.1
2025	5	11	4	45	24	0	0	0	0	0	0	0	17.2	0	0	11.6	0.1	1.1
2025	5	11	4	55	24	0	0	0	0	0	0	0	17.21	0	0	11.6	0.1	1.1
2025	5	11	5	5	24	0	0	0	0	0	0	0	17.23	0	0	11.6	0.1	1.1
2025	5	11	5	15	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1.1
2025	5	11	5	25	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1.1
2025	5	11	5	35	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1.1
2025	5	11	5	45	24	0	0	0	0	0	0	0	17.27	0	0	11.6	0.1	1.1
2025	5	11	5	55	24	0	0	0	0	0	0	0	17.29	0	0	11.6	0.1	1.1
2025	5	11	6	5	24	0	0	0	0	0	0	0	17.3	0	0	11.6	0.1	1.1
2025	5	11	6	15	24	0	0	0	0	0	0	0	17.31	0	0	11.6	0.1	1.1
2025	5	11	6	25	24	0	0	0	0	0	0	0	17.33	0	0	11.6	0.1	1.1
2025	5	11	6	35	24	0	0	0	0	0	0	0	17.34	0	0	11.6	0.1	1.1
2025	5	11	6	45	24	0	0	0	0	0	0	0	17.36	0	0	11.6	0.1	1.1
2025	5	11	6	55	24	0	0	0	0	0	0	0	17.37	0	0	11.6	0.1	1
2025	5	11	7	5	24	0	0	0	0	0	0	0	17.39	0	0	11.8	0.1	1
2025	5	11	7	15	24	0	0	0	0	0	0	0	17.41	0	0	11.8	0.1	1
2025	5	11	7	25	24	0	0	0	0	0	0	0	17.44	0	0	12	0.1	1
2025	5	11	7	35	24	0	0	0	0	0	0	0	17.47	0	0	12	0.1	1
2025	5	11	7	45	24	0	0	0	0	0	0	0	17.49	0	0	12.2	0.1	1
2025	5	11	7	55	24	0	0	0	0	0	0	0	17.53	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	11	8	5	24	0	0	0	0	0	0	0	17.56	0	0	12.4	0.1	1
2025	5	11	8	15	24	0	0	0	0	0	0	0	17.59	0	0	12.4	0.1	1
2025	5	11	8	25	24	0	0	0	0	0	0	0	17.63	0	0	12.6	0.1	1
2025	5	11	8	35	24	0	0	0	0	0	0	0	17.67	0	0	12.6	0.1	1
2025	5	11	8	45	24	0	0	0	0	0	0	0	17.71	0	0	12.6	0.1	1
2025	5	11	8	55	24	0	0	0	0	0	0	0	17.76	0	0	12.8	0.1	1
2025	5	11	9	5	24	0	0	0	0	0	0	0	17.8	0	0	12.8	0.1	1
2025	5	11	9	15	24	0	0	0	0	0	0	0	17.83	0	0	13	0.1	1
2025	5	11	9	25	24	0	0	0	0	0	0	0	17.88	0	0	13.2	0.1	1
2025	5	11	9	35	24	0	0	0	0	0	0	0	17.92	0	0	13.2	0.1	1
2025	5	11	9	45	24	0	0	0	0	0	0	0	17.97	0	0	13.2	0.1	1
2025	5	11	9	55	24	0	0	0	0	0	0	0	18.02	0	0	13.6	0.1	1
2025	5	11	10	5	24	0	0	0	0	0	0	0	18.07	0	0	13.6	0.1	1
2025	5	11	10	15	24	0	0	0	0	0	0	0	18.12	0	0	13.4	0.1	1
2025	5	11	10	25	24	0	0	0	0	0	0	0	18.18	0	0	13.2	0.1	1
2025	5	11	10	35	24	0	0	0	0	0	0	0	18.23	0	0	13.2	0.1	1
2025	5	11	10	45	24	0	0	0	0	0	0	0	18.29	0	0	13.4	0.1	1
2025	5	11	10	55	24	0	0	0	0	0	0	0	18.35	0	0	13.4	0.1	1
2025	5	11	11	5	24	0	0	0	0	0	0	0	18.4	0	0	13.4	0.1	1
2025	5	11	11	15	24	0	0	0	0	0	0	0	18.45	0	0	13.4	0.1	1
2025	5	11	11	25	24	0	0	0	0	0	0	0	18.51	0	0	13.4	0.1	1
2025	5	11	11	35	24	0	0	0	0	0	0	0	18.56	0	0	13.4	0.1	1
2025	5	11	11	45	24	0	0	0	0	0	0	0	18.61	0	0	13.4	0.1	1
2025	5	11	11	55	24	0	0	0	0	0	0	0	18.66	0	0	13.4	0.1	1
2025	5	11	12	5	24	0	0	0	0	0	0	0	18.71	0	0	13.4	0.1	1
2025	5	11	12	15	24	0	0	0	0	0	0	0	18.75	0	0	13.4	0.1	1
2025	5	11	12	25	24	0	0	0	0	0	0	0	18.8	0	0	13.4	0.1	1
2025	5	11	12	35	24	0	0	0	0	0	0	0	18.85	0	0	13.4	0.1	1
2025	5	11	12	45	24	0	0	0	0	0	0	0	18.89	0	0	13.4	0.1	1
2025	5	11	12	55	24	0	0	0	0	0	0	0	18.94	0	0	13.2	0.1	1
2025	5	11	13	5	24	0	0	0	0	0	0	0	18.98	0	0	13.2	0.1	1
2025	5	11	13	15	24	0	0	0	0	0	0	0	19.02	0	0	13.2	0.1	1
2025	5	11	13	25	24	0	0	0	0	0	0	0	19.06	0	0	13.4	0.1	1
2025	5	11	13	35	24	0	0	0	0	0	0	0	19.1	0	0	13.4	0.1	1
2025	5	11	13	45	24	0	0	0	0	0	0	0	19.14	0	0	13.4	0.1	1
2025	5	11	13	55	24	0	0	0	0	0	0	0	19.17	0	0	13.4	0.1	1
2025	5	11	14	5	24	0	0	0	0	0	0	0	19.21	0	0	13.4	0.1	1
2025	5	11	14	15	24	0	0	0	0	0	0	0	19.24	0	0	13.4	0.1	1
2025	5	11	14	25	24	0	0	0	0	0	0	0	19.27	0	0	13.6	0.1	1
2025	5	11	14	35	24	0	0	0	0	0	0	0	19.29	0	0	13.6	0.1	1
2025	5	11	14	45	24	0	0	0	0	0	0	0	19.32	0	0	13.6	0.1	1
2025	5	11	14	55	24	0	0	0	0	0	0	0	19.34	0	0	13.6	0.1	1
2025	5	11	15	5	24	0	0	0	0	0	0	0	19.35	0	0	13.6	0.1	1
2025	5	11	15	15	24	0	0	0	0	0	0	0	19.36	0	0	13.8	0.1	1
2025	5	11	15	25	24	0	0	0	0	0	0	0	19.37	0	0	13.8	0.1	1
2025	5	11	15	35	24	0	0	0	0	0	0	0	19.38	0	0	13.6	0.1	1
2025	5	11	15	45	24	0	0	0	0	0	0	0	19.39	0	0	13.6	0.1	1
2025	5	11	15	55	24	0	0	0	0	0	0	0	19.39	0	0	13.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	11	16	5	24	0	0	0	0	0	0	0	19.39	0	0	13.6	0.1	1
2025	5	11	16	15	24	0	0	0	0	0	0	0	19.39	0	0	13.6	0.1	1
2025	5	11	16	25	24	0	0	0	0	0	0	0	19.38	0	0	13.6	0.1	1
2025	5	11	16	35	24	0	0	0	0	0	0	0	19.36	0	0	13.4	0.1	1
2025	5	11	16	45	24	0	0	0	0	0	0	0	19.35	0	0	13.2	0.1	1
2025	5	11	16	55	24	0	0	0	0	0	0	0	19.34	0	0	12.8	0.1	1
2025	5	11	17	5	24	0	0	0	0	0	0	0	19.31	0	0	12.6	0.1	1
2025	5	11	17	15	24	0	0	0	0	0	0	0	19.29	0	0	12.6	0.1	1
2025	5	11	17	25	24	0	0	0	0	0	0	0	19.26	0	0	12.4	0.1	1
2025	5	11	17	35	24	0	0	0	0	0	0	0	19.23	0	0	12.2	0.1	1
2025	5	11	17	45	24	0	0	0	0	0	0	0	19.2	0	0	12	0.1	1
2025	5	11	17	55	24	0	0	0	0	0	0	0	19.16	0	0	11.8	0.1	1
2025	5	11	18	5	24	0	0	0	0	0	0	0	19.12	0	0	11.8	0.1	1
2025	5	11	18	15	24	0	0	0	0	0	0	0	19.08	0	0	11.6	0.1	1
2025	5	11	18	25	24	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1
2025	5	11	18	35	24	0	0	0	0	0	0	0	19	0	0	11.8	0.1	1
2025	5	11	18	45	24	0	0	0	0	0	0	0	18.95	0	0	11.8	0.1	1
2025	5	11	18	55	24	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1
2025	5	11	19	5	24	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1
2025	5	11	19	15	24	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1
2025	5	11	19	25	24	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1
2025	5	11	19	35	24	0	0	0	0	0	0	0	18.7	0	0	11.8	0.1	1
2025	5	11	19	45	24	0	0	0	0	0	0	0	18.64	0	0	11.8	0.1	1
2025	5	11	19	55	24	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1
2025	5	11	20	5	24	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1
2025	5	11	20	15	24	0	0	0	0	0	0	0	18.48	0	0	11.8	0.1	1
2025	5	11	20	25	24	0	0	0	0	0	0	0	18.42	0	0	11.8	0.1	1
2025	5	11	20	35	24	0	0	0	0	0	0	0	18.37	0	0	11.8	0.1	1
2025	5	11	20	45	24	0	0	0	0	0	0	0	18.32	0	0	11.8	0.1	1
2025	5	11	20	55	24	0	0	0	0	0	0	0	18.27	0	0	11.8	0.1	1
2025	5	11	21	5	24	0	0	0	0	0	0	0	18.23	0	0	11.8	0.1	1
2025	5	11	21	15	24	0	0	0	0	0	0	0	18.18	0	0	11.8	0.1	1
2025	5	11	21	25	24	0	0	0	0	0	0	0	18.13	0	0	11.8	0.1	1
2025	5	11	21	35	24	0	0	0	0	0	0	0	18.07	0	0	11.8	0.1	1
2025	5	11	21	45	24	0	0	0	0	0	0	0	18.02	0	0	11.8	0.1	1
2025	5	11	21	55	24	0	0	0	0	0	0	0	17.98	0	0	11.8	0.1	1
2025	5	11	22	5	24	0	0	0	0	0	0	0	17.93	0	0	11.8	0.1	1
2025	5	11	22	15	24	0	0	0	0	0	0	0	17.9	0	0	11.6	0.1	1
2025	5	11	22	25	24	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1
2025	5	11	22	35	24	0	0	0	0	0	0	0	17.81	0	0	11.6	0.1	1
2025	5	11	22	45	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	11	22	55	24	0	0	0	0	0	0	0	17.73	0	0	11.6	0.1	1
2025	5	11	23	5	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	11	23	15	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	11	23	25	24	0	0	0	0	0	0	0	17.63	0	0	11.6	0.1	1
2025	5	11	23	35	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	11	23	45	24	0	0	0	0	0	0	0	17.57	0	0	11.6	0.1	1
2025	5	11	23	55	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	12	0	5	24	0	0	0	0	0	0	0	17.53	0	0	11.6	0.1	1
2025	5	12	0	15	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	12	0	25	24	0	0	0	0	0	0	0	17.49	0	0	11.6	0.1	1
2025	5	12	0	35	24	0	0	0	0	0	0	0	17.47	0	0	11.6	0.1	1
2025	5	12	0	45	24	0	0	0	0	0	0	0	17.45	0	0	11.6	0.1	1
2025	5	12	0	55	24	0	0	0	0	0	0	0	17.43	0	0	11.6	0.1	1
2025	5	12	1	5	24	0	0	0	0	0	0	0	17.41	0	0	11.6	0.1	1
2025	5	12	1	15	24	0	0	0	0	0	0	0	17.39	0	0	11.6	0.1	1
2025	5	12	1	25	24	0	0	0	0	0	0	0	17.37	0	0	11.6	0.1	1
2025	5	12	1	35	24	0	0	0	0	0	0	0	17.34	0	0	11.6	0.1	1
2025	5	12	1	45	24	0	0	0	0	0	0	0	17.32	0	0	11.6	0.1	1
2025	5	12	1	55	24	0	0	0	0	0	0	0	17.31	0	0	11.6	0.1	1
2025	5	12	2	5	24	0	0	0	0	0	0	0	17.29	0	0	11.6	0.1	1
2025	5	12	2	15	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	12	2	25	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	12	2	35	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	12	2	45	24	0	0	0	0	0	0	0	17.27	0	0	11.6	0.1	1
2025	5	12	2	55	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1
2025	5	12	3	5	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1
2025	5	12	3	15	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1
2025	5	12	3	25	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	3	35	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	3	45	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	3	55	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1
2025	5	12	4	5	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	4	15	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	4	25	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	4	35	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	4	45	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	4	55	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	5	5	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	5	15	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	5	25	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	5	35	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	5	45	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	5	55	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	6	5	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	6	15	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	6	25	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	6	35	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	6	45	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	12	6	55	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	7	5	24	0	0	0	0	0	0	0	17.26	0	0	11.8	0.1	1
2025	5	12	7	15	24	0	0	0	0	0	0	0	17.26	0	0	11.8	0.1	1
2025	5	12	7	25	24	0	0	0	0	0	0	0	17.27	0	0	12	0.1	1
2025	5	12	7	35	24	0	0	0	0	0	0	0	17.29	0	0	12.2	0.1	1
2025	5	12	7	45	24	0	0	0	0	0	0	0	17.31	0	0	12.4	0.1	1
2025	5	12	7	55	24	0	0	0	0	0	0	0	17.33	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	12	8	5	24	0	0	0	0	0	0	0	17.35	0	0	12.6	0.1	1
2025	5	12	8	15	24	0	0	0	0	0	0	0	17.38	0	0	12.6	0.1	1
2025	5	12	8	25	24	0	0	0	0	0	0	0	17.41	0	0	12.6	0.1	1
2025	5	12	8	35	24	0	0	0	0	0	0	0	17.44	0	0	12.8	0.1	1
2025	5	12	8	45	24	0	0	0	0	0	0	0	17.48	0	0	12.8	0.1	1
2025	5	12	8	55	24	0	0	0	0	0	0	0	17.52	0	0	12.8	0.1	1
2025	5	12	9	5	24	0	0	0	0	0	0	0	17.55	0	0	13	0.1	1
2025	5	12	9	15	24	0	0	0	0	0	0	0	17.59	0	0	13.6	0.1	1
2025	5	12	9	25	24	0	0	0	0	0	0	0	17.64	0	0	13.4	0.1	1
2025	5	12	9	35	24	0	0	0	0	0	0	0	17.67	0	0	13.4	0.1	1
2025	5	12	9	45	24	0	0	0	0	0	0	0	17.71	0	0	13.2	0.1	1
2025	5	12	9	55	24	0	0	0	0	0	0	0	17.76	0	0	13.2	0.1	1
2025	5	12	10	5	24	0	0	0	0	0	0	0	17.79	0	0	13.2	0.1	1
2025	5	12	10	15	24	0	0	0	0	0	0	0	17.83	0	0	13.2	0.1	1
2025	5	12	10	25	24	0	0	0	0	0	0	0	17.88	0	0	13.2	0.1	1
2025	5	12	10	35	24	0	0	0	0	0	0	0	17.92	0	0	13.2	0.1	1
2025	5	12	10	45	24	0	0	0	0	0	0	0	17.96	0	0	13.2	0.1	1
2025	5	12	10	55	24	0	0	0	0	0	0	0	18.01	0	0	13.2	0.1	1
2025	5	12	11	5	24	0	0	0	0	0	0	0	18.06	0	0	13.2	0.1	1
2025	5	12	11	15	24	0	0	0	0	0	0	0	18.11	0	0	13.2	0.1	1
2025	5	12	11	25	24	0	0	0	0	0	0	0	18.17	0	0	13.2	0.1	1
2025	5	12	11	35	24	0	0	0	0	0	0	0	18.23	0	0	13.2	0.1	1
2025	5	12	11	45	24	0	0	0	0	0	0	0	18.29	0	0	13.4	0.1	1
2025	5	12	11	55	24	0	0	0	0	0	0	0	18.35	0	0	13.4	0.1	1
2025	5	12	12	5	24	0	0	0	0	0	0	0	18.41	0	0	13.4	0.1	1
2025	5	12	12	15	24	0	0	0	0	0	0	0	18.47	0	0	13.4	0.1	1
2025	5	12	12	25	24	0	0	0	0	0	0	0	18.53	0	0	13.2	0.1	1
2025	5	12	12	35	24	0	0	0	0	0	0	0	18.59	0	0	13.4	0.1	1
2025	5	12	12	45	24	0	0	0	0	0	0	0	18.65	0	0	13.4	0.1	1
2025	5	12	12	55	24	0	0	0	0	0	0	0	18.7	0	0	13.4	0.1	1
2025	5	12	13	5	24	0	0	0	0	0	0	0	18.75	0	0	13.4	0.1	1
2025	5	12	13	15	24	0	0	0	0	0	0	0	18.8	0	0	13.6	0.1	1
2025	5	12	13	25	24	0	0	0	0	0	0	0	18.84	0	0	13.2	0.1	1
2025	5	12	13	35	24	0	0	0	0	0	0	0	18.87	0	0	13	0.1	1
2025	5	12	13	45	24	0	0	0	0	0	0	0	18.9	0	0	13.2	0.1	1
2025	5	12	13	55	24	0	0	0	0	0	0	0	18.94	0	0	13.2	0.1	1
2025	5	12	14	5	24	0	0	0	0	0	0	0	18.97	0	0	13.2	0.1	1
2025	5	12	14	15	24	0	0	0	0	0	0	0	18.99	0	0	13.4	0.1	1
2025	5	12	14	25	24	0	0	0	0	0	0	0	19.02	0	0	13.4	0.1	1
2025	5	12	14	35	24	0	0	0	0	0	0	0	19.06	0	0	13.4	0.1	1
2025	5	12	14	45	24	0	0	0	0	0	0	0	19.1	0	0	13.6	0.1	1
2025	5	12	14	55	24	0	0	0	0	0	0	0	19.13	0	0	13.6	0.1	1
2025	5	12	15	5	24	0	0	0	0	0	0	0	19.17	0	0	13.6	0.1	1
2025	5	12	15	15	24	0	0	0	0	0	0	0	19.2	0	0	13.6	0.1	1
2025	5	12	15	25	24	0	0	0	0	0	0	0	19.23	0	0	13.6	0.1	1
2025	5	12	15	35	24	0	0	0	0	0	0	0	19.26	0	0	13.4	0.1	1
2025	5	12	15	45	24	0	0	0	0	0	0	0	19.27	0	0	13.4	0.1	1
2025	5	12	15	55	24	0	0	0	0	0	0	0	19.28	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	12	16	5	24	0	0	0	0	0	0	0	19.29	0	0	13.4	0.1	1
2025	5	12	16	15	24	0	0	0	0	0	0	0	19.3	0	0	13.4	0.1	1
2025	5	12	16	25	24	0	0	0	0	0	0	0	19.29	0	0	13	0.1	1
2025	5	12	16	35	24	0	0	0	0	0	0	0	19.29	0	0	13.2	0.1	1
2025	5	12	16	45	24	0	0	0	0	0	0	0	19.27	0	0	13.2	0.1	1
2025	5	12	16	55	24	0	0	0	0	0	0	0	19.26	0	0	12.8	0.1	1
2025	5	12	17	5	24	0	0	0	0	0	0	0	19.24	0	0	12.6	0.1	1
2025	5	12	17	15	24	0	0	0	0	0	0	0	19.21	0	0	12.6	0.1	1
2025	5	12	17	25	24	0	0	0	0	0	0	0	19.19	0	0	12.4	0.1	1
2025	5	12	17	35	24	0	0	0	0	0	0	0	19.15	0	0	12.4	0.1	1
2025	5	12	17	45	24	0	0	0	0	0	0	0	19.1	0	0	12.2	0.1	1
2025	5	12	17	55	24	0	0	0	0	0	0	0	19.06	0	0	12	0.1	1
2025	5	12	18	5	24	0	0	0	0	0	0	0	19.01	0	0	12	0.1	1
2025	5	12	18	15	24	0	0	0	0	0	0	0	18.96	0	0	11.8	0.1	1
2025	5	12	18	25	24	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1
2025	5	12	18	35	24	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1
2025	5	12	18	45	24	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1
2025	5	12	18	55	24	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1
2025	5	12	19	5	24	0	0	0	0	0	0	0	18.65	0	0	11.8	0.1	1
2025	5	12	19	15	24	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1
2025	5	12	19	25	24	0	0	0	0	0	0	0	18.53	0	0	11.8	0.1	1
2025	5	12	19	35	24	0	0	0	0	0	0	0	18.48	0	0	11.8	0.1	1
2025	5	12	19	45	24	0	0	0	0	0	0	0	18.42	0	0	11.8	0.1	1
2025	5	12	19	55	24	0	0	0	0	0	0	0	18.36	0	0	11.8	0.1	1
2025	5	12	20	5	24	0	0	0	0	0	0	0	18.3	0	0	11.8	0.1	1
2025	5	12	20	15	24	0	0	0	0	0	0	0	18.24	0	0	11.8	0.1	1
2025	5	12	20	25	24	0	0	0	0	0	0	0	18.19	0	0	11.8	0.1	1
2025	5	12	20	35	24	0	0	0	0	0	0	0	18.13	0	0	11.8	0.1	1
2025	5	12	20	45	24	0	0	0	0	0	0	0	18.07	0	0	11.8	0.1	1
2025	5	12	20	55	24	0	0	0	0	0	0	0	18.01	0	0	11.8	0.1	1
2025	5	12	21	5	24	0	0	0	0	0	0	0	17.95	0	0	11.8	0.1	1
2025	5	12	21	15	24	0	0	0	0	0	0	0	17.88	0	0	11.8	0.1	1
2025	5	12	21	25	24	0	0	0	0	0	0	0	17.82	0	0	11.8	0.1	1
2025	5	12	21	35	24	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1
2025	5	12	21	45	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	12	21	55	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	12	22	5	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	12	22	15	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1
2025	5	12	22	25	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	12	22	35	24	0	0	0	0	0	0	0	17.44	0	0	11.6	0.1	1
2025	5	12	22	45	24	0	0	0	0	0	0	0	17.4	0	0	11.6	0.1	1
2025	5	12	22	55	24	0	0	0	0	0	0	0	17.35	0	0	11.6	0.1	1
2025	5	12	23	5	24	0	0	0	0	0	0	0	17.29	0	0	11.6	0.1	1
2025	5	12	23	15	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	12	23	25	24	0	0	0	0	0	0	0	17.19	0	0	11.6	0.1	1
2025	5	12	23	35	24	0	0	0	0	0	0	0	17.15	0	0	11.6	0.1	1
2025	5	12	23	45	24	0	0	0	0	0	0	0	17.11	0	0	11.6	0.1	1
2025	5	12	23	55	24	0	0	0	0	0	0	0	17.07	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	13	0	5	24	0	0	0	0	0	0	0	17.03	0	0	11.6	0.1	1
2025	5	13	0	15	24	0	0	0	0	0	0	0	16.99	0	0	11.6	0.1	1
2025	5	13	0	25	24	0	0	0	0	0	0	0	16.96	0	0	11.6	0.1	1
2025	5	13	0	35	24	0	0	0	0	0	0	0	16.92	0	0	11.6	0.1	1
2025	5	13	0	45	24	0	0	0	0	0	0	0	16.88	0	0	11.6	0.1	1
2025	5	13	0	55	24	0	0	0	0	0	0	0	16.85	0	0	11.6	0.1	1
2025	5	13	1	5	24	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1
2025	5	13	1	15	24	0	0	0	0	0	0	0	16.79	0	0	11.6	0.1	1
2025	5	13	1	25	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1
2025	5	13	1	35	24	0	0	0	0	0	0	0	16.75	0	0	11.6	0.1	1
2025	5	13	1	45	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1
2025	5	13	1	55	24	0	0	0	0	0	0	0	16.72	0	0	11.6	0.1	1
2025	5	13	2	5	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	13	2	15	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	13	2	25	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	13	2	35	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	13	2	45	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	2	55	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	3	5	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	3	15	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	3	25	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	3	35	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	3	45	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	3	55	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	4	5	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	4	15	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	4	25	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	4	35	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	4	45	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	4	55	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	5	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	15	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	25	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	35	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	45	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	13	5	55	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	6	5	24	0	0	0	0	0	0	0	16.67	0	0	11.6	0.1	1
2025	5	13	6	15	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	13	6	25	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	13	6	35	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	13	6	45	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	13	6	55	24	0	0	0	0	0	0	0	16.72	0	0	11.6	0.1	1
2025	5	13	7	5	24	0	0	0	0	0	0	0	16.73	0	0	11.8	0.1	1
2025	5	13	7	15	24	0	0	0	0	0	0	0	16.74	0	0	11.8	0.1	1
2025	5	13	7	25	24	0	0	0	0	0	0	0	16.75	0	0	12	0.1	1
2025	5	13	7	35	24	0	0	0	0	0	0	0	16.77	0	0	12.2	0.1	1
2025	5	13	7	45	24	0	0	0	0	0	0	0	16.78	0	0	12.4	0.1	1
2025	5	13	7	55	24	0	0	0	0	0	0	0	16.8	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	13	8	5	24	0	0	0	0	0	0	0	16.82	0	0	12.6	0.1	1
2025	5	13	8	15	24	0	0	0	0	0	0	0	16.83	0	0	12.6	0.1	1
2025	5	13	8	25	24	0	0	0	0	0	0	0	16.86	0	0	12.6	0.1	1
2025	5	13	8	35	24	0	0	0	0	0	0	0	16.89	0	0	12.8	0.1	1
2025	5	13	8	45	24	0	0	0	0	0	0	0	16.92	0	0	12.8	0.1	1
2025	5	13	8	55	24	0	0	0	0	0	0	0	16.96	0	0	12.8	0.1	1
2025	5	13	9	5	24	0	0	0	0	0	0	0	16.99	0	0	13	0.1	1
2025	5	13	9	15	24	0	0	0	0	0	0	0	17.02	0	0	13.2	0.1	1
2025	5	13	9	25	24	0	0	0	0	0	0	0	17.05	0	0	13.8	0.1	1
2025	5	13	9	35	24	0	0	0	0	0	0	0	17.1	0	0	13.8	0.1	1
2025	5	13	9	45	24	0	0	0	0	0	0	0	17.14	0	0	13.8	0.1	1
2025	5	13	9	55	24	0	0	0	0	0	0	0	17.18	0	0	13.6	0.1	1
2025	5	13	10	5	24	0	0	0	0	0	0	0	17.22	0	0	13.6	0.1	1
2025	5	13	10	15	24	0	0	0	0	0	0	0	17.26	0	0	13.6	0.1	1
2025	5	13	10	25	24	0	0	0	0	0	0	0	17.3	0	0	13.4	0.1	1
2025	5	13	10	35	24	0	0	0	0	0	0	0	17.35	0	0	13.8	0.1	1
2025	5	13	10	45	24	0	0	0	0	0	0	0	17.39	0	0	13.8	0.1	1
2025	5	13	10	55	24	0	0	0	0	0	0	0	17.43	0	0	13.8	0.1	1
2025	5	13	11	5	24	0	0	0	0	0	0	0	17.48	0	0	13.8	0.1	1
2025	5	13	11	15	24	0	0	0	0	0	0	0	17.52	0	0	13.8	0.1	1
2025	5	13	11	25	24	0	0	0	0	0	0	0	17.57	0	0	13.8	0.1	1
2025	5	13	11	35	24	0	0	0	0	0	0	0	17.62	0	0	13.4	0.1	1
2025	5	13	11	45	24	0	0	0	0	0	0	0	17.66	0	0	13.6	0.1	1
2025	5	13	11	55	24	0	0	0	0	0	0	0	17.71	0	0	13.6	0.1	1
2025	5	13	12	5	24	0	0	0	0	0	0	0	17.76	0	0	13.6	0.1	1
2025	5	13	12	15	24	0	0	0	0	0	0	0	17.8	0	0	13.6	0.1	1
2025	5	13	12	25	24	0	0	0	0	0	0	0	17.84	0	0	13.6	0.1	1
2025	5	13	12	35	24	0	0	0	0	0	0	0	17.88	0	0	13.6	0.1	1
2025	5	13	12	45	24	0	0	0	0	0	0	0	17.92	0	0	13.6	0.1	1
2025	5	13	12	55	24	0	0	0	0	0	0	0	17.95	0	0	13.6	0.1	1
2025	5	13	13	5	24	0	0	0	0	0	0	0	17.98	0	0	13.6	0.1	1
2025	5	13	13	15	24	0	0	0	0	0	0	0	18.01	0	0	13.6	0.1	1
2025	5	13	13	25	24	0	0	0	0	0	0	0	18.04	0	0	13.6	0.1	1
2025	5	13	13	35	24	0	0	0	0	0	0	0	18.06	0	0	13.6	0.1	1
2025	5	13	13	45	24	0	0	0	0	0	0	0	18.08	0	0	13.6	0.1	1
2025	5	13	13	55	24	0	0	0	0	0	0	0	18.11	0	0	13.6	0.1	1
2025	5	13	14	5	24	0	0	0	0	0	0	0	18.14	0	0	13.6	0.1	1
2025	5	13	14	15	24	0	0	0	0	0	0	0	18.16	0	0	13.6	0.1	1
2025	5	13	14	25	24	0	0	0	0	0	0	0	18.18	0	0	13.6	0.1	1
2025	5	13	14	35	24	0	0	0	0	0	0	0	18.2	0	0	13.6	0.1	1
2025	5	13	14	45	24	0	0	0	0	0	0	0	18.22	0	0	13.6	0.1	1
2025	5	13	14	55	24	0	0	0	0	0	0	0	18.23	0	0	13.6	0.1	1
2025	5	13	15	5	24	0	0	0	0	0	0	0	18.24	0	0	13.6	0.1	1
2025	5	13	15	15	24	0	0	0	0	0	0	0	18.25	0	0	13.6	0.1	1
2025	5	13	15	25	24	0	0	0	0	0	0	0	18.26	0	0	13.6	0.1	1
2025	5	13	15	35	24	0	0	0	0	0	0	0	18.26	0	0	13.6	0.1	1
2025	5	13	15	45	24	0	0	0	0	0	0	0	18.26	0	0	13.6	0.1	1
2025	5	13	15	55	24	0	0	0	0	0	0	0	18.26	0	0	13.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	13	16	5	24	0	0	0	0	0	0	0	18.25	0	0	13.6	0.1	1
2025	5	13	16	15	24	0	0	0	0	0	0	0	18.25	0	0	13.6	0.1	1
2025	5	13	16	25	24	0	0	0	0	0	0	0	18.23	0	0	13.6	0.1	1
2025	5	13	16	35	24	0	0	0	0	0	0	0	18.21	0	0	13.6	0.1	1
2025	5	13	16	45	24	0	0	0	0	0	0	0	18.19	0	0	13.6	0.1	1
2025	5	13	16	55	24	0	0	0	0	0	0	0	18.16	0	0	12.8	0.1	1
2025	5	13	17	5	24	0	0	0	0	0	0	0	18.11	0	0	12.8	0.1	1
2025	5	13	17	15	24	0	0	0	0	0	0	0	18.06	0	0	12.6	0.1	1
2025	5	13	17	25	24	0	0	0	0	0	0	0	18	0	0	12.6	0.1	1
2025	5	13	17	35	24	0	0	0	0	0	0	0	17.93	0	0	12.4	0.1	1
2025	5	13	17	45	24	0	0	0	0	0	0	0	17.87	0	0	12.4	0.1	1
2025	5	13	17	55	24	0	0	0	0	0	0	0	17.8	0	0	12.2	0.1	1
2025	5	13	18	5	24	0	0	0	0	0	0	0	17.74	0	0	12	0.1	1
2025	5	13	18	15	24	0	0	0	0	0	0	0	17.66	0	0	11.8	0.1	1
2025	5	13	18	25	24	0	0	0	0	0	0	0	17.59	0	0	11.8	0.1	1
2025	5	13	18	35	24	0	0	0	0	0	0	0	17.52	0	0	11.8	0.1	1
2025	5	13	18	45	24	0	0	0	0	0	0	0	17.44	0	0	11.8	0.1	1
2025	5	13	18	55	24	0	0	0	0	0	0	0	17.37	0	0	11.8	0.1	1
2025	5	13	19	5	24	0	0	0	0	0	0	0	17.31	0	0	11.8	0.1	1
2025	5	13	19	15	24	0	0	0	0	0	0	0	17.23	0	0	11.8	0.1	1
2025	5	13	19	25	24	0	0	0	0	0	0	0	17.16	0	0	11.8	0.1	1
2025	5	13	19	35	24	0	0	0	0	0	0	0	17.09	0	0	11.8	0.1	1
2025	5	13	19	45	24	0	0	0	0	0	0	0	17.02	0	0	11.8	0.1	1
2025	5	13	19	55	24	0	0	0	0	0	0	0	16.95	0	0	11.8	0.1	1
2025	5	13	20	5	24	0	0	0	0	0	0	0	16.89	0	0	11.8	0.1	1
2025	5	13	20	15	24	0	0	0	0	0	0	0	16.83	0	0	11.8	0.1	1
2025	5	13	20	25	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1
2025	5	13	20	35	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	13	20	45	24	0	0	0	0	0	0	0	16.65	0	0	11.6	0.1	1
2025	5	13	20	55	24	0	0	0	0	0	0	0	16.58	0	0	11.6	0.1	1
2025	5	13	21	5	24	0	0	0	0	0	0	0	16.51	0	0	11.6	0.1	1
2025	5	13	21	15	24	0	0	0	0	0	0	0	16.45	0	0	11.6	0.1	1
2025	5	13	21	25	24	0	0	0	0	0	0	0	16.38	0	0	11.6	0.1	1
2025	5	13	21	35	24	0	0	0	0	0	0	0	16.32	0	0	11.6	0.1	1
2025	5	13	21	45	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1
2025	5	13	21	55	24	0	0	0	0	0	0	0	16.2	0	0	11.6	0.1	1
2025	5	13	22	5	24	0	0	0	0	0	0	0	16.13	0	0	11.6	0.1	1
2025	5	13	22	15	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	13	22	25	24	0	0	0	0	0	0	0	16.01	0	0	11.6	0.1	1
2025	5	13	22	35	24	0	0	0	0	0	0	0	15.95	0	0	11.6	0.1	1
2025	5	13	22	45	24	0	0	0	0	0	0	0	15.89	0	0	11.6	0.1	1
2025	5	13	22	55	24	0	0	0	0	0	0	0	15.84	0	0	11.6	0.1	1
2025	5	13	23	5	24	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1
2025	5	13	23	15	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1
2025	5	13	23	25	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1
2025	5	13	23	35	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1
2025	5	13	23	45	24	0	0	0	0	0	0	0	15.58	0	0	11.6	0.1	1
2025	5	13	23	55	24	0	0	0	0	0	0	0	15.53	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	14	0	5	24	0	0	0	0	0	0	0	15.5	0	0	11.6	0.1	1
2025	5	14	0	15	24	0	0	0	0	0	0	0	15.46	0	0	11.6	0.1	1
2025	5	14	0	25	24	0	0	0	0	0	0	0	15.42	0	0	11.6	0.1	1
2025	5	14	0	35	24	0	0	0	0	0	0	0	15.39	0	0	11.6	0.1	1
2025	5	14	0	45	24	0	0	0	0	0	0	0	15.36	0	0	11.6	0.1	1
2025	5	14	0	55	24	0	0	0	0	0	0	0	15.33	0	0	11.6	0.1	1
2025	5	14	1	5	24	0	0	0	0	0	0	0	15.31	0	0	11.6	0.1	1
2025	5	14	1	15	24	0	0	0	0	0	0	0	15.29	0	0	11.6	0.1	1
2025	5	14	1	25	24	0	0	0	0	0	0	0	15.27	0	0	11.6	0.1	1
2025	5	14	1	35	24	0	0	0	0	0	0	0	15.25	0	0	11.6	0.1	1
2025	5	14	1	45	24	0	0	0	0	0	0	0	15.25	0	0	11.6	0.1	1
2025	5	14	1	55	24	0	0	0	0	0	0	0	15.23	0	0	11.6	0.1	1
2025	5	14	2	5	24	0	0	0	0	0	0	0	15.23	0	0	11.6	0.1	1
2025	5	14	2	15	24	0	0	0	0	0	0	0	15.22	0	0	11.6	0.1	1
2025	5	14	2	25	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	14	2	35	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	14	2	45	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	14	2	55	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	3	5	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	3	15	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	3	25	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	3	35	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	3	45	24	0	0	0	0	0	0	0	15.18	0	0	11.6	0.1	1
2025	5	14	3	55	24	0	0	0	0	0	0	0	15.18	0	0	11.6	0.1	1
2025	5	14	4	5	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	14	4	15	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	14	4	25	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	14	4	35	24	0	0	0	0	0	0	0	15.22	0	0	11.6	0.1	1
2025	5	14	4	45	24	0	0	0	0	0	0	0	15.23	0	0	11.4	0.1	1
2025	5	14	4	55	24	0	0	0	0	0	0	0	15.24	0	0	11.4	0.1	1
2025	5	14	5	5	24	0	0	0	0	0	0	0	15.24	0	0	11.4	0.1	1
2025	5	14	5	15	24	0	0	0	0	0	0	0	15.25	0	0	11.4	0.1	1
2025	5	14	5	25	24	0	0	0	0	0	0	0	15.26	0	0	11.4	0.1	1
2025	5	14	5	35	24	0	0	0	0	0	0	0	15.27	0	0	11.4	0.1	1
2025	5	14	5	45	24	0	0	0	0	0	0	0	15.27	0	0	11.4	0.1	1
2025	5	14	5	55	24	0	0	0	0	0	0	0	15.28	0	0	11.4	0.1	1
2025	5	14	6	5	24	0	0	0	0	0	0	0	15.28	0	0	11.4	0.1	1
2025	5	14	6	15	24	0	0	0	0	0	0	0	15.28	0	0	11.4	0.1	1
2025	5	14	6	25	24	0	0	0	0	0	0	0	15.29	0	0	11.4	0.1	1
2025	5	14	6	35	24	0	0	0	0	0	0	0	15.3	0	0	11.4	0.1	1
2025	5	14	6	45	24	0	0	0	0	0	0	0	15.3	0	0	11.6	0.1	1
2025	5	14	6	55	24	0	0	0	0	0	0	0	15.31	0	0	11.6	0.1	1
2025	5	14	7	5	24	0	0	0	0	0	0	0	15.31	0	0	11.8	0.1	1
2025	5	14	7	15	24	0	0	0	0	0	0	0	15.32	0	0	11.8	0.1	1
2025	5	14	7	25	24	0	0	0	0	0	0	0	15.33	0	0	12	0.1	1
2025	5	14	7	35	24	0	0	0	0	0	0	0	15.35	0	0	12.2	0.1	1
2025	5	14	7	45	24	0	0	0	0	0	0	0	15.37	0	0	12.4	0.1	1
2025	5	14	7	55	24	0	0	0	0	0	0	0	15.39	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	14	8	5	24	0	0	0	0	0	0	0	15.39	0	0	12.6	0.1	1
2025	5	14	8	15	24	0	0	0	0	0	0	0	15.42	0	0	12.6	0.1	1
2025	5	14	8	25	24	0	0	0	0	0	0	0	15.44	0	0	12.8	0.1	1
2025	5	14	8	35	24	0	0	0	0	0	0	0	15.46	0	0	12.8	0.1	1
2025	5	14	8	45	24	0	0	0	0	0	0	0	15.49	0	0	12.8	0.1	1
2025	5	14	8	55	24	0	0	0	0	0	0	0	15.52	0	0	13	0.1	1
2025	5	14	9	5	24	0	0	0	0	0	0	0	15.55	0	0	13	0.1	1
2025	5	14	9	15	24	0	0	0	0	0	0	0	15.58	0	0	13.2	0.1	1
2025	5	14	9	25	24	0	0	0	0	0	0	0	15.61	0	0	13.4	0.1	1
2025	5	14	9	35	24	0	0	0	0	0	0	0	15.64	0	0	14	0.1	1
2025	5	14	9	45	24	0	0	0	0	0	0	0	15.67	0	0	14	0.1	1
2025	5	14	9	55	24	0	0	0	0	0	0	0	15.7	0	0	14	0.1	1
2025	5	14	10	5	24	0	0	0	0	0	0	0	15.73	0	0	14	0.1	1
2025	5	14	10	15	24	0	0	0	0	0	0	0	15.77	0	0	13.8	0.1	1
2025	5	14	10	25	24	0	0	0	0	0	0	0	15.8	0	0	14	0.1	1
2025	5	14	10	35	24	0	0	0	0	0	0	0	15.85	0	0	13.8	0.1	1
2025	5	14	10	45	24	0	0	0	0	0	0	0	15.89	0	0	13.8	0.1	1
2025	5	14	10	55	24	0	0	0	0	0	0	0	15.93	0	0	13.8	0.1	1
2025	5	14	11	5	24	0	0	0	0	0	0	0	15.98	0	0	13.8	0.1	1
2025	5	14	11	15	24	0	0	0	0	0	0	0	16.02	0	0	13.8	0.1	1
2025	5	14	11	25	24	0	0	0	0	0	0	0	16.08	0	0	13.8	0.1	1
2025	5	14	11	35	24	0	0	0	0	0	0	0	16.13	0	0	13.8	0.1	1
2025	5	14	11	45	24	0	0	0	0	0	0	0	16.18	0	0	13.8	0.1	1
2025	5	14	11	55	24	0	0	0	0	0	0	0	16.23	0	0	13.8	0.1	1
2025	5	14	12	5	24	0	0	0	0	0	0	0	16.28	0	0	13.8	0.1	1
2025	5	14	12	15	24	0	0	0	0	0	0	0	16.33	0	0	13.8	0.1	1
2025	5	14	12	25	24	0	0	0	0	0	0	0	16.38	0	0	13.8	0.1	1
2025	5	14	12	35	24	0	0	0	0	0	0	0	16.42	0	0	13.8	0.1	1
2025	5	14	12	45	24	0	0	0	0	0	0	0	16.47	0	0	13.8	0.1	1
2025	5	14	12	55	24	0	0	0	0	0	0	0	16.52	0	0	13.8	0.1	1
2025	5	14	13	5	24	0	0	0	0	0	0	0	16.57	0	0	13.8	0.1	1
2025	5	14	13	15	24	0	0	0	0	0	0	0	16.62	0	0	13.8	0.1	1
2025	5	14	13	25	24	0	0	0	0	0	0	0	16.66	0	0	13.8	0.1	1
2025	5	14	13	35	24	0	0	0	0	0	0	0	16.7	0	0	13.6	0.1	1
2025	5	14	13	45	24	0	0	0	0	0	0	0	16.74	0	0	13.6	0.1	1
2025	5	14	13	55	24	0	0	0	0	0	0	0	16.79	0	0	13.4	0.1	1
2025	5	14	14	5	24	0	0	0	0	0	0	0	16.82	0	0	13.6	0.1	1
2025	5	14	14	15	24	0	0	0	0	0	0	0	16.86	0	0	13.6	0.1	1
2025	5	14	14	25	24	0	0	0	0	0	0	0	16.89	0	0	13.4	0.1	1
2025	5	14	14	35	24	0	0	0	0	0	0	0	16.92	0	0	13.6	0.1	1
2025	5	14	14	45	24	0	0	0	0	0	0	0	16.95	0	0	13.6	0.1	1
2025	5	14	14	55	24	0	0	0	0	0	0	0	16.97	0	0	13.6	0.1	1
2025	5	14	15	5	24	0	0	0	0	0	0	0	16.99	0	0	13.6	0.1	1
2025	5	14	15	15	24	0	0	0	0	0	0	0	17.01	0	0	13.6	0.1	1
2025	5	14	15	25	24	0	0	0	0	0	0	0	17.03	0	0	13.6	0.1	1
2025	5	14	15	35	24	0	0	0	0	0	0	0	17.04	0	0	13.6	0.1	1
2025	5	14	15	45	24	0	0	0	0	0	0	0	17.06	0	0	13.6	0.1	1
2025	5	14	15	55	24	0	0	0	0	0	0	0	17.07	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	14	16	5	24	0	0	0	0	0	0	0	17.08	0	0	13.4	0.1	1
2025	5	14	16	15	24	0	0	0	0	0	0	0	17.08	0	0	13.4	0.1	1
2025	5	14	16	25	24	0	0	0	0	0	0	0	17.07	0	0	13.2	0.1	1
2025	5	14	16	35	24	0	0	0	0	0	0	0	17.08	0	0	13.2	0.1	1
2025	5	14	16	45	24	0	0	0	0	0	0	0	17.07	0	0	13.2	0.1	1
2025	5	14	16	55	24	0	0	0	0	0	0	0	17.07	0	0	12.8	0.1	1
2025	5	14	17	5	24	0	0	0	0	0	0	0	17.06	0	0	12.6	0.1	1
2025	5	14	17	15	24	0	0	0	0	0	0	0	17.05	0	0	12.6	0.1	1
2025	5	14	17	25	24	0	0	0	0	0	0	0	17.04	0	0	12.4	0.1	1
2025	5	14	17	35	24	0	0	0	0	0	0	0	17.02	0	0	12.4	0.1	1
2025	5	14	17	45	24	0	0	0	0	0	0	0	16.99	0	0	12.2	0.1	1
2025	5	14	17	55	24	0	0	0	0	0	0	0	16.96	0	0	12	0.1	1
2025	5	14	18	5	24	0	0	0	0	0	0	0	16.93	0	0	12	0.1	1
2025	5	14	18	15	24	0	0	0	0	0	0	0	16.9	0	0	11.8	0.1	1
2025	5	14	18	25	24	0	0	0	0	0	0	0	16.87	0	0	11.8	0.1	1
2025	5	14	18	35	24	0	0	0	0	0	0	0	16.83	0	0	11.8	0.1	1
2025	5	14	18	45	24	0	0	0	0	0	0	0	16.79	0	0	11.8	0.1	1
2025	5	14	18	55	24	0	0	0	0	0	0	0	16.76	0	0	11.8	0.1	1
2025	5	14	19	5	24	0	0	0	0	0	0	0	16.71	0	0	11.8	0.1	1
2025	5	14	19	15	24	0	0	0	0	0	0	0	16.67	0	0	11.8	0.1	1
2025	5	14	19	25	24	0	0	0	0	0	0	0	16.63	0	0	11.8	0.1	1
2025	5	14	19	35	24	0	0	0	0	0	0	0	16.59	0	0	11.8	0.1	1
2025	5	14	19	45	24	0	0	0	0	0	0	0	16.55	0	0	11.8	0.1	1
2025	5	14	19	55	24	0	0	0	0	0	0	0	16.49	0	0	11.8	0.1	1
2025	5	14	20	5	24	0	0	0	0	0	0	0	16.44	0	0	11.8	0.1	1
2025	5	14	20	15	24	0	0	0	0	0	0	0	16.4	0	0	11.8	0.1	1
2025	5	14	20	25	24	0	0	0	0	0	0	0	16.35	0	0	11.8	0.1	1
2025	5	14	20	35	24	0	0	0	0	0	0	0	16.29	0	0	11.8	0.1	1
2025	5	14	20	45	24	0	0	0	0	0	0	0	16.24	0	0	11.8	0.1	1
2025	5	14	20	55	24	0	0	0	0	0	0	0	16.18	0	0	11.6	0.1	1
2025	5	14	21	5	24	0	0	0	0	0	0	0	16.13	0	0	11.6	0.1	1
2025	5	14	21	15	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	14	21	25	24	0	0	0	0	0	0	0	16.01	0	0	11.6	0.1	1
2025	5	14	21	35	24	0	0	0	0	0	0	0	15.95	0	0	11.6	0.1	1
2025	5	14	21	45	24	0	0	0	0	0	0	0	15.9	0	0	11.6	0.1	1
2025	5	14	21	55	24	0	0	0	0	0	0	0	15.85	0	0	11.6	0.1	1
2025	5	14	22	5	24	0	0	0	0	0	0	0	15.79	0	0	11.6	0.1	1
2025	5	14	22	15	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1
2025	5	14	22	25	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1
2025	5	14	22	35	24	0	0	0	0	0	0	0	15.65	0	0	11.6	0.1	1
2025	5	14	22	45	24	0	0	0	0	0	0	0	15.6	0	0	11.6	0.1	1
2025	5	14	22	55	24	0	0	0	0	0	0	0	15.57	0	0	11.6	0.1	1
2025	5	14	23	5	24	0	0	0	0	0	0	0	15.53	0	0	11.6	0.1	1
2025	5	14	23	15	24	0	0	0	0	0	0	0	15.49	0	0	11.6	0.1	1
2025	5	14	23	25	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	14	23	35	24	0	0	0	0	0	0	0	15.44	0	0	11.6	0.1	1
2025	5	14	23	45	24	0	0	0	0	0	0	0	15.41	0	0	11.6	0.1	1
2025	5	14	23	55	24	0	0	0	0	0	0	0	15.39	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	15	0	5	24	0	0	0	0	0	0	0	15.37	0	0	11.6	0.1	1
2025	5	15	0	15	24	0	0	0	0	0	0	0	15.35	0	0	11.6	0.1	1
2025	5	15	0	25	24	0	0	0	0	0	0	0	15.33	0	0	11.6	0.1	1
2025	5	15	0	35	24	0	0	0	0	0	0	0	15.31	0	0	11.6	0.1	1
2025	5	15	0	45	24	0	0	0	0	0	0	0	15.28	0	0	11.6	0.1	1
2025	5	15	0	55	24	0	0	0	0	0	0	0	15.27	0	0	11.6	0.1	1
2025	5	15	1	5	24	0	0	0	0	0	0	0	15.25	0	0	11.6	0.1	1
2025	5	15	1	15	24	0	0	0	0	0	0	0	15.23	0	0	11.6	0.1	1
2025	5	15	1	25	24	0	0	0	0	0	0	0	15.22	0	0	11.6	0.1	1
2025	5	15	1	35	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	15	1	45	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	15	1	55	24	0	0	0	0	0	0	0	15.18	0	0	11.6	0.1	1
2025	5	15	2	5	24	0	0	0	0	0	0	0	15.17	0	0	11.6	0.1	1
2025	5	15	2	15	24	0	0	0	0	0	0	0	15.17	0	0	11.6	0.1	1
2025	5	15	2	25	24	0	0	0	0	0	0	0	15.16	0	0	11.6	0.1	1
2025	5	15	2	35	24	0	0	0	0	0	0	0	15.16	0	0	11.6	0.1	1
2025	5	15	2	45	24	0	0	0	0	0	0	0	15.15	0	0	11.6	0.1	1
2025	5	15	2	55	24	0	0	0	0	0	0	0	15.15	0	0	11.6	0.1	1
2025	5	15	3	5	24	0	0	0	0	0	0	0	15.15	0	0	11.6	0.1	1
2025	5	15	3	15	24	0	0	0	0	0	0	0	15.15	0	0	11.6	0.1	1
2025	5	15	3	25	24	0	0	0	0	0	0	0	15.15	0	0	11.6	0.1	1
2025	5	15	3	35	24	0	0	0	0	0	0	0	15.16	0	0	11.6	0.1	1
2025	5	15	3	45	24	0	0	0	0	0	0	0	15.17	0	0	11.6	0.1	1
2025	5	15	3	55	24	0	0	0	0	0	0	0	15.18	0	0	11.6	0.1	1
2025	5	15	4	5	24	0	0	0	0	0	0	0	15.19	0	0	11.6	0.1	1
2025	5	15	4	15	24	0	0	0	0	0	0	0	15.2	0	0	11.6	0.1	1
2025	5	15	4	25	24	0	0	0	0	0	0	0	15.21	0	0	11.6	0.1	1
2025	5	15	4	35	24	0	0	0	0	0	0	0	15.22	0	0	11.6	0.1	1
2025	5	15	4	45	24	0	0	0	0	0	0	0	15.23	0	0	11.6	0.1	1
2025	5	15	4	55	24	0	0	0	0	0	0	0	15.24	0	0	11.6	0.1	1
2025	5	15	5	5	24	0	0	0	0	0	0	0	15.26	0	0	11.6	0.1	1
2025	5	15	5	15	24	0	0	0	0	0	0	0	15.27	0	0	11.6	0.1	1
2025	5	15	5	25	24	0	0	0	0	0	0	0	15.29	0	0	11.4	0.1	1
2025	5	15	5	35	24	0	0	0	0	0	0	0	15.3	0	0	11.4	0.1	1
2025	5	15	5	45	24	0	0	0	0	0	0	0	15.31	0	0	11.4	0.1	1
2025	5	15	5	55	24	0	0	0	0	0	0	0	15.32	0	0	11.4	0.1	1
2025	5	15	6	5	24	0	0	0	0	0	0	0	15.34	0	0	11.4	0.1	1
2025	5	15	6	15	24	0	0	0	0	0	0	0	15.36	0	0	11.4	0.1	1
2025	5	15	6	25	24	0	0	0	0	0	0	0	15.37	0	0	11.4	0.1	1
2025	5	15	6	35	24	0	0	0	0	0	0	0	15.38	0	0	11.4	0.1	1
2025	5	15	6	45	24	0	0	0	0	0	0	0	15.4	0	0	11.6	0.1	1
2025	5	15	6	55	24	0	0	0	0	0	0	0	15.42	0	0	11.6	0.1	1
2025	5	15	7	5	24	0	0	0	0	0	0	0	15.43	0	0	11.8	0.1	1
2025	5	15	7	15	24	0	0	0	0	0	0	0	15.44	0	0	11.8	0.1	1
2025	5	15	7	25	24	0	0	0	0	0	0	0	15.47	0	0	12	0.1	1
2025	5	15	7	35	24	0	0	0	0	0	0	0	15.49	0	0	12.2	0.1	1
2025	5	15	7	45	24	0	0	0	0	0	0	0	15.52	0	0	12.4	0.1	1
2025	5	15	7	55	24	0	0	0	0	0	0	0	15.54	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	15	8	5	24	0	0	0	0	0	0	0	15.57	0	0	12.6	0.1	1
2025	5	15	8	15	24	0	0	0	0	0	0	0	15.6	0	0	12.6	0.1	1
2025	5	15	8	25	24	0	0	0	0	0	0	0	15.63	0	0	12.6	0.1	1
2025	5	15	8	35	24	0	0	0	0	0	0	0	15.66	0	0	12.8	0.1	1
2025	5	15	8	45	24	0	0	0	0	0	0	0	15.7	0	0	12.8	0.1	1
2025	5	15	8	55	24	0	0	0	0	0	0	0	15.74	0	0	12.8	0.1	1
2025	5	15	9	5	24	0	0	0	0	0	0	0	15.77	0	0	13	0.1	1
2025	5	15	9	15	24	0	0	0	0	0	0	0	15.81	0	0	13	0.1	1
2025	5	15	9	25	24	0	0	0	0	0	0	0	15.86	0	0	13.2	0.1	1
2025	5	15	9	35	24	0	0	0	0	0	0	0	15.9	0	0	13.8	0.1	1
2025	5	15	9	45	24	0	0	0	0	0	0	0	15.95	0	0	13.8	0.1	1
2025	5	15	9	55	24	0	0	0	0	0	0	0	16	0	0	13.4	0.1	1
2025	5	15	10	5	24	0	0	0	0	0	0	0	16.06	0	0	13.4	0.1	1
2025	5	15	10	15	24	0	0	0	0	0	0	0	16.12	0	0	13.4	0.1	1
2025	5	15	10	25	24	0	0	0	0	0	0	0	16.17	0	0	13.8	0.1	1
2025	5	15	10	35	24	0	0	0	0	0	0	0	16.23	0	0	13.6	0.1	1
2025	5	15	10	45	24	0	0	0	0	0	0	0	16.29	0	0	13.6	0.1	1
2025	5	15	10	55	24	0	0	0	0	0	0	0	16.35	0	0	13.4	0.1	1
2025	5	15	11	5	24	0	0	0	0	0	0	0	16.4	0	0	13.4	0.1	1
2025	5	15	11	15	24	0	0	0	0	0	0	0	16.46	0	0	13.2	0.1	1
2025	5	15	11	25	24	0	0	0	0	0	0	0	16.52	0	0	13.2	0.1	1
2025	5	15	11	35	24	0	0	0	0	0	0	0	16.58	0	0	13.2	0.1	1
2025	5	15	11	45	24	0	0	0	0	0	0	0	16.65	0	0	13.2	0.1	1
2025	5	15	11	55	24	0	0	0	0	0	0	0	16.71	0	0	13.2	0.1	1
2025	5	15	12	5	24	0	0	0	0	0	0	0	16.78	0	0	13.2	0.1	1
2025	5	15	12	15	24	0	0	0	0	0	0	0	16.84	0	0	13.2	0.1	1
2025	5	15	12	25	24	0	0	0	0	0	0	0	16.9	0	0	13.2	0.1	1
2025	5	15	12	35	24	0	0	0	0	0	0	0	16.96	0	0	13.2	0.1	1
2025	5	15	12	45	24	0	0	0	0	0	0	0	17.02	0	0	13.2	0.1	1
2025	5	15	12	55	24	0	0	0	0	0	0	0	17.08	0	0	13.2	0.1	1
2025	5	15	13	5	24	0	0	0	0	0	0	0	17.14	0	0	13.2	0.1	1
2025	5	15	13	15	24	0	0	0	0	0	0	0	17.19	0	0	13.2	0.1	1
2025	5	15	13	25	24	0	0	0	0	0	0	0	17.25	0	0	13.2	0.1	1
2025	5	15	13	35	24	0	0	0	0	0	0	0	17.3	0	0	13.2	0.1	1
2025	5	15	13	45	24	0	0	0	0	0	0	0	17.35	0	0	13.2	0.1	1
2025	5	15	13	55	24	0	0	0	0	0	0	0	17.4	0	0	13.2	0.1	1
2025	5	15	14	5	24	0	0	0	0	0	0	0	17.45	0	0	13.2	0.1	1
2025	5	15	14	15	24	0	0	0	0	0	0	0	17.49	0	0	13.2	0.1	1
2025	5	15	14	25	24	0	0	0	0	0	0	0	17.53	0	0	13.2	0.1	1
2025	5	15	14	35	24	0	0	0	0	0	0	0	17.57	0	0	13.2	0.1	1
2025	5	15	14	45	24	0	0	0	0	0	0	0	17.6	0	0	13.2	0.1	1
2025	5	15	14	55	24	0	0	0	0	0	0	0	17.63	0	0	13.2	0.1	1
2025	5	15	15	5	24	0	0	0	0	0	0	0	17.66	0	0	13.2	0.1	1
2025	5	15	15	15	24	0	0	0	0	0	0	0	17.68	0	0	13.2	0.1	1
2025	5	15	15	25	24	0	0	0	0	0	0	0	17.71	0	0	13.2	0.1	1
2025	5	15	15	35	24	0	0	0	0	0	0	0	17.73	0	0	13.2	0.1	1
2025	5	15	15	45	24	0	0	0	0	0	0	0	17.74	0	0	13.2	0.1	1
2025	5	15	15	55	24	0	0	0	0	0	0	0	17.76	0	0	13.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	15	16	5	24	0	0	0	0	0	0	0	17.77	0	0	13.2	0.1	1
2025	5	15	16	15	24	0	0	0	0	0	0	0	17.78	0	0	13.2	0.1	1
2025	5	15	16	25	24	0	0	0	0	0	0	0	17.78	0	0	13.2	0.1	1
2025	5	15	16	35	24	0	0	0	0	0	0	0	17.79	0	0	13.2	0.1	1
2025	5	15	16	45	24	0	0	0	0	0	0	0	17.79	0	0	13	0.1	1
2025	5	15	16	55	24	0	0	0	0	0	0	0	17.78	0	0	12.8	0.1	1
2025	5	15	17	5	24	0	0	0	0	0	0	0	17.77	0	0	12.6	0.1	1
2025	5	15	17	15	24	0	0	0	0	0	0	0	17.75	0	0	12.4	0.1	1
2025	5	15	17	25	24	0	0	0	0	0	0	0	17.74	0	0	12.2	0.1	1
2025	5	15	17	35	24	0	0	0	0	0	0	0	17.71	0	0	12.2	0.1	1
2025	5	15	17	45	24	0	0	0	0	0	0	0	17.68	0	0	12	0.1	1
2025	5	15	17	55	24	0	0	0	0	0	0	0	17.66	0	0	12	0.1	1
2025	5	15	18	5	24	0	0	0	0	0	0	0	17.62	0	0	12	0.1	1
2025	5	15	18	15	24	0	0	0	0	0	0	0	17.59	0	0	11.8	0.1	1
2025	5	15	18	25	24	0	0	0	0	0	0	0	17.56	0	0	11.8	0.1	1
2025	5	15	18	35	24	0	0	0	0	0	0	0	17.53	0	0	11.8	0.1	1
2025	5	15	18	45	24	0	0	0	0	0	0	0	17.49	0	0	11.8	0.1	1
2025	5	15	18	55	24	0	0	0	0	0	0	0	17.45	0	0	11.8	0.1	1
2025	5	15	19	5	24	0	0	0	0	0	0	0	17.4	0	0	11.8	0.1	1
2025	5	15	19	15	24	0	0	0	0	0	0	0	17.37	0	0	11.8	0.1	1
2025	5	15	19	25	24	0	0	0	0	0	0	0	17.32	0	0	11.8	0.1	1
2025	5	15	19	35	24	0	0	0	0	0	0	0	17.27	0	0	11.8	0.1	1
2025	5	15	19	45	24	0	0	0	0	0	0	0	17.23	0	0	11.8	0.1	1
2025	5	15	19	55	24	0	0	0	0	0	0	0	17.18	0	0	11.8	0.1	1
2025	5	15	20	5	24	0	0	0	0	0	0	0	17.13	0	0	11.8	0.1	1
2025	5	15	20	15	24	0	0	0	0	0	0	0	17.09	0	0	11.8	0.1	1
2025	5	15	20	25	24	0	0	0	0	0	0	0	17.03	0	0	11.8	0.1	1
2025	5	15	20	35	24	0	0	0	0	0	0	0	16.98	0	0	11.8	0.1	1
2025	5	15	20	45	24	0	0	0	0	0	0	0	16.92	0	0	11.8	0.1	1
2025	5	15	20	55	24	0	0	0	0	0	0	0	16.87	0	0	11.8	0.1	1
2025	5	15	21	5	24	0	0	0	0	0	0	0	16.81	0	0	11.8	0.1	1
2025	5	15	21	15	24	0	0	0	0	0	0	0	16.76	0	0	11.6	0.1	1
2025	5	15	21	25	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	15	21	35	24	0	0	0	0	0	0	0	16.63	0	0	11.6	0.1	1
2025	5	15	21	45	24	0	0	0	0	0	0	0	16.57	0	0	11.6	0.1	1
2025	5	15	21	55	24	0	0	0	0	0	0	0	16.51	0	0	11.6	0.1	1
2025	5	15	22	5	24	0	0	0	0	0	0	0	16.45	0	0	11.6	0.1	1
2025	5	15	22	15	24	0	0	0	0	0	0	0	16.4	0	0	11.6	0.1	1
2025	5	15	22	25	24	0	0	0	0	0	0	0	16.34	0	0	11.6	0.1	1
2025	5	15	22	35	24	0	0	0	0	0	0	0	16.29	0	0	11.6	0.1	1
2025	5	15	22	45	24	0	0	0	0	0	0	0	16.24	0	0	11.6	0.1	1
2025	5	15	22	55	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	15	23	5	24	0	0	0	0	0	0	0	16.15	0	0	11.6	0.1	1
2025	5	15	23	15	24	0	0	0	0	0	0	0	16.11	0	0	11.6	0.1	1
2025	5	15	23	25	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	15	23	35	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	15	23	45	24	0	0	0	0	0	0	0	15.99	0	0	11.6	0.1	1
2025	5	15	23	55	24	0	0	0	0	0	0	0	15.95	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	16	0	5	24	0	0	0	0	0	0	0	15.92	0	0	11.6	0.1	1
2025	5	16	0	15	24	0	0	0	0	0	0	0	15.89	0	0	11.6	0.1	1
2025	5	16	0	25	24	0	0	0	0	0	0	0	15.86	0	0	11.6	0.1	1
2025	5	16	0	35	24	0	0	0	0	0	0	0	15.84	0	0	11.6	0.1	1
2025	5	16	0	45	24	0	0	0	0	0	0	0	15.81	0	0	11.6	0.1	1
2025	5	16	0	55	24	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1
2025	5	16	1	5	24	0	0	0	0	0	0	0	15.76	0	0	11.6	0.1	1
2025	5	16	1	15	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1
2025	5	16	1	25	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1
2025	5	16	1	35	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1
2025	5	16	1	45	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1
2025	5	16	1	55	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1
2025	5	16	2	5	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1
2025	5	16	2	15	24	0	0	0	0	0	0	0	15.65	0	0	11.6	0.1	1
2025	5	16	2	25	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1
2025	5	16	2	35	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1
2025	5	16	2	45	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1
2025	5	16	2	55	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	16	3	5	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	16	3	15	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	16	3	25	24	0	0	0	0	0	0	0	15.6	0	0	11.6	0.1	1
2025	5	16	3	35	24	0	0	0	0	0	0	0	15.59	0	0	11.6	0.1	1
2025	5	16	3	45	24	0	0	0	0	0	0	0	15.59	0	0	11.6	0.1	1
2025	5	16	3	55	24	0	0	0	0	0	0	0	15.59	0	0	11.6	0.1	1
2025	5	16	4	5	24	0	0	0	0	0	0	0	15.59	0	0	11.6	0.1	1
2025	5	16	4	15	24	0	0	0	0	0	0	0	15.6	0	0	11.6	0.1	1
2025	5	16	4	25	24	0	0	0	0	0	0	0	15.6	0	0	11.6	0.1	1
2025	5	16	4	35	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	16	4	45	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	16	4	55	24	0	0	0	0	0	0	0	15.62	0	0	11.6	0.1	1
2025	5	16	5	5	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1
2025	5	16	5	15	24	0	0	0	0	0	0	0	15.63	0	0	11.6	0.1	1
2025	5	16	5	25	24	0	0	0	0	0	0	0	15.64	0	0	11.6	0.1	1
2025	5	16	5	35	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1
2025	5	16	5	45	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1
2025	5	16	5	55	24	0	0	0	0	0	0	0	15.67	0	0	11.6	0.1	1
2025	5	16	6	5	24	0	0	0	0	0	0	0	15.69	0	0	11.6	0.1	1
2025	5	16	6	15	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1
2025	5	16	6	25	24	0	0	0	0	0	0	0	15.7	0	0	11.6	0.1	1
2025	5	16	6	35	24	0	0	0	0	0	0	0	15.72	0	0	11.6	0.1	1
2025	5	16	6	45	24	0	0	0	0	0	0	0	15.73	0	0	11.6	0.1	1
2025	5	16	6	55	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1
2025	5	16	7	5	24	0	0	0	0	0	0	0	15.76	0	0	11.6	0.1	1
2025	5	16	7	15	24	0	0	0	0	0	0	0	15.77	0	0	11.8	0.1	1
2025	5	16	7	25	24	0	0	0	0	0	0	0	15.79	0	0	12	0.1	1
2025	5	16	7	35	24	0	0	0	0	0	0	0	15.81	0	0	12.2	0.1	1
2025	5	16	7	45	24	0	0	0	0	0	0	0	15.84	0	0	12	0.1	1
2025	5	16	7	55	24	0	0	0	0	0	0	0	15.87	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	16	8	5	24	0	0	0	0	0	0	0	15.9	0	0	12.2	0.1	1
2025	5	16	8	15	24	0	0	0	0	0	0	0	15.92	0	0	12.4	0.1	1
2025	5	16	8	25	24	0	0	0	0	0	0	0	15.95	0	0	12.4	0.1	1
2025	5	16	8	35	24	0	0	0	0	0	0	0	15.99	0	0	12.4	0.1	1
2025	5	16	8	45	24	0	0	0	0	0	0	0	16.02	0	0	12.4	0.1	1
2025	5	16	8	55	24	0	0	0	0	0	0	0	16.05	0	0	12.4	0.1	1
2025	5	16	9	5	24	0	0	0	0	0	0	0	16.09	0	0	12.6	0.1	1
2025	5	16	9	15	24	0	0	0	0	0	0	0	16.13	0	0	12.6	0.1	1
2025	5	16	9	25	24	0	0	0	0	0	0	0	16.17	0	0	12.8	0.1	1
2025	5	16	9	35	24	0	0	0	0	0	0	0	16.22	0	0	13	0.1	1
2025	5	16	9	45	24	0	0	0	0	0	0	0	16.27	0	0	13	0.1	1
2025	5	16	9	55	24	0	0	0	0	0	0	0	16.32	0	0	13.6	0.1	1
2025	5	16	10	5	24	0	0	0	0	0	0	0	16.38	0	0	13.6	0.1	1
2025	5	16	10	15	24	0	0	0	0	0	0	0	16.44	0	0	13.4	0.1	1
2025	5	16	10	25	24	0	0	0	0	0	0	0	16.5	0	0	13.2	0.1	1
2025	5	16	10	35	24	0	0	0	0	0	0	0	16.56	0	0	13.2	0.1	1
2025	5	16	10	45	24	0	0	0	0	0	0	0	16.61	0	0	13.2	0.1	1
2025	5	16	10	55	24	0	0	0	0	0	0	0	16.67	0	0	13.2	0.1	1
2025	5	16	11	5	24	0	0	0	0	0	0	0	16.73	0	0	13.2	0.1	1
2025	5	16	11	15	24	0	0	0	0	0	0	0	16.79	0	0	13.2	0.1	1
2025	5	16	11	25	24	0	0	0	0	0	0	0	16.85	0	0	13.2	0.1	1
2025	5	16	11	35	24	0	0	0	0	0	0	0	16.91	0	0	13.2	0.1	1
2025	5	16	11	45	24	0	0	0	0	0	0	0	16.97	0	0	13.2	0.1	1
2025	5	16	11	55	24	0	0	0	0	0	0	0	17.03	0	0	13.2	0.1	1
2025	5	16	12	5	24	0	0	0	0	0	0	0	17.09	0	0	13.2	0.1	1
2025	5	16	12	15	24	0	0	0	0	0	0	0	17.15	0	0	13.2	0.1	1
2025	5	16	12	25	24	0	0	0	0	0	0	0	17.21	0	0	13.2	0.1	1
2025	5	16	12	35	24	0	0	0	0	0	0	0	17.26	0	0	13.2	0.1	1
2025	5	16	12	45	24	0	0	0	0	0	0	0	17.32	0	0	13	0.1	1
2025	5	16	12	55	24	0	0	0	0	0	0	0	17.36	0	0	13.2	0.1	1
2025	5	16	13	5	24	0	0	0	0	0	0	0	17.4	0	0	13.2	0.1	1
2025	5	16	13	15	24	0	0	0	0	0	0	0	17.44	0	0	13.2	0.1	1
2025	5	16	13	25	24	0	0	0	0	0	0	0	17.48	0	0	13.2	0.1	1
2025	5	16	13	35	24	0	0	0	0	0	0	0	17.52	0	0	13.2	0.1	1
2025	5	16	13	45	24	0	0	0	0	0	0	0	17.56	0	0	13.2	0.1	1
2025	5	16	13	55	24	0	0	0	0	0	0	0	17.61	0	0	13.2	0.1	1
2025	5	16	14	5	24	0	0	0	0	0	0	0	17.65	0	0	13.2	0.1	1
2025	5	16	14	15	24	0	0	0	0	0	0	0	17.7	0	0	13.2	0.1	1
2025	5	16	14	25	24	0	0	0	0	0	0	0	17.75	0	0	13.4	0.1	1
2025	5	16	14	35	24	0	0	0	0	0	0	0	17.79	0	0	13.4	0.1	1
2025	5	16	14	45	24	0	0	0	0	0	0	0	17.83	0	0	13.4	0.1	1
2025	5	16	14	55	24	0	0	0	0	0	0	0	17.87	0	0	13.4	0.1	1
2025	5	16	15	5	24	0	0	0	0	0	0	0	17.89	0	0	13.4	0.1	1
2025	5	16	15	15	24	0	0	0	0	0	0	0	17.92	0	0	13.4	0.1	1
2025	5	16	15	25	24	0	0	0	0	0	0	0	17.94	0	0	13.4	0.1	1
2025	5	16	15	35	24	0	0	0	0	0	0	0	17.95	0	0	13.4	0.1	1
2025	5	16	15	45	24	0	0	0	0	0	0	0	17.96	0	0	13.4	0.1	1
2025	5	16	15	55	24	0	0	0	0	0	0	0	17.97	0	0	13.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	16	16	5	24	0	0	0	0	0	0	0	17.98	0	0	13	0.1	1
2025	5	16	16	15	24	0	0	0	0	0	0	0	17.98	0	0	12.8	0.1	1
2025	5	16	16	25	24	0	0	0	0	0	0	0	17.97	0	0	12.6	0.1	1
2025	5	16	16	35	24	0	0	0	0	0	0	0	17.96	0	0	13	0.1	1
2025	5	16	16	45	24	0	0	0	0	0	0	0	17.95	0	0	12.8	0.1	1
2025	5	16	16	55	24	0	0	0	0	0	0	0	17.93	0	0	13.2	0.1	1
2025	5	16	17	5	24	0	0	0	0	0	0	0	17.93	0	0	12.8	0.1	1
2025	5	16	17	15	24	0	0	0	0	0	0	0	17.91	0	0	12.6	0.1	1
2025	5	16	17	25	24	0	0	0	0	0	0	0	17.91	0	0	12.6	0.1	1
2025	5	16	17	35	24	0	0	0	0	0	0	0	17.89	0	0	12.6	0.1	1
2025	5	16	17	45	24	0	0	0	0	0	0	0	17.87	0	0	12.4	0.1	1
2025	5	16	17	55	24	0	0	0	0	0	0	0	17.84	0	0	12.2	0.1	1
2025	5	16	18	5	24	0	0	0	0	0	0	0	17.82	0	0	12.2	0.1	1
2025	5	16	18	15	24	0	0	0	0	0	0	0	17.79	0	0	12	0.1	1
2025	5	16	18	25	24	0	0	0	0	0	0	0	17.76	0	0	11.8	0.1	1
2025	5	16	18	35	24	0	0	0	0	0	0	0	17.72	0	0	11.8	0.1	1
2025	5	16	18	45	24	0	0	0	0	0	0	0	17.68	0	0	11.8	0.1	1
2025	5	16	18	55	24	0	0	0	0	0	0	0	17.64	0	0	11.8	0.1	1
2025	5	16	19	5	24	0	0	0	0	0	0	0	17.59	0	0	11.8	0.1	1
2025	5	16	19	15	24	0	0	0	0	0	0	0	17.55	0	0	11.8	0.1	1
2025	5	16	19	25	24	0	0	0	0	0	0	0	17.5	0	0	11.8	0.1	1
2025	5	16	19	35	24	0	0	0	0	0	0	0	17.45	0	0	11.8	0.1	1
2025	5	16	19	45	24	0	0	0	0	0	0	0	17.4	0	0	11.8	0.1	1
2025	5	16	19	55	24	0	0	0	0	0	0	0	17.35	0	0	11.8	0.1	1
2025	5	16	20	5	24	0	0	0	0	0	0	0	17.3	0	0	11.8	0.1	1
2025	5	16	20	15	24	0	0	0	0	0	0	0	17.25	0	0	11.8	0.1	1
2025	5	16	20	25	24	0	0	0	0	0	0	0	17.15	0	0	11.8	0.1	1
2025	5	16	20	35	24	0	0	0	0	0	0	0	17.07	0	0	11.8	0.1	1
2025	5	16	20	45	24	0	0	0	0	0	0	0	17.01	0	0	11.8	0.1	1
2025	5	16	20	55	24	0	0	0	0	0	0	0	16.95	0	0	11.8	0.1	1
2025	5	16	21	5	24	0	0	0	0	0	0	0	16.91	0	0	11.8	0.1	1
2025	5	16	21	15	24	0	0	0	0	0	0	0	16.86	0	0	11.8	0.1	1
2025	5	16	21	25	24	0	0	0	0	0	0	0	16.8	0	0	11.8	0.1	1
2025	5	16	21	35	24	0	0	0	0	0	0	0	16.75	0	0	11.8	0.1	1
2025	5	16	21	45	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	16	21	55	24	0	0	0	0	0	0	0	16.65	0	0	11.6	0.1	1
2025	5	16	22	5	24	0	0	0	0	0	0	0	16.6	0	0	11.6	0.1	1
2025	5	16	22	15	24	0	0	0	0	0	0	0	16.56	0	0	11.6	0.1	1
2025	5	16	22	25	24	0	0	0	0	0	0	0	16.51	0	0	11.6	0.1	1
2025	5	16	22	35	24	0	0	0	0	0	0	0	16.47	0	0	11.6	0.1	1
2025	5	16	22	45	24	0	0	0	0	0	0	0	16.43	0	0	11.6	0.1	1
2025	5	16	22	55	24	0	0	0	0	0	0	0	16.39	0	0	11.6	0.1	1
2025	5	16	23	5	24	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1
2025	5	16	23	15	24	0	0	0	0	0	0	0	16.33	0	0	11.6	0.1	1
2025	5	16	23	25	24	0	0	0	0	0	0	0	16.29	0	0	11.6	0.1	1
2025	5	16	23	35	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1
2025	5	16	23	45	24	0	0	0	0	0	0	0	16.24	0	0	11.6	0.1	1
2025	5	16	23	55	24	0	0	0	0	0	0	0	16.22	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	17	0	5	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	17	0	15	24	0	0	0	0	0	0	0	16.18	0	0	11.6	0.1	1
2025	5	17	0	25	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	17	0	35	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1
2025	5	17	0	45	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1
2025	5	17	0	55	24	0	0	0	0	0	0	0	16.13	0	0	11.6	0.1	1
2025	5	17	1	5	24	0	0	0	0	0	0	0	16.12	0	0	11.6	0.1	1
2025	5	17	1	15	24	0	0	0	0	0	0	0	16.11	0	0	11.6	0.1	1
2025	5	17	1	25	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	1	35	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	1	45	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	1	55	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1
2025	5	17	2	5	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1
2025	5	17	2	15	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1
2025	5	17	2	25	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1
2025	5	17	2	35	24	0	0	0	0	0	0	0	16.09	0	0	11.6	0.1	1
2025	5	17	2	45	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	2	55	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	3	5	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	3	15	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	17	3	25	24	0	0	0	0	0	0	0	16.12	0	0	11.6	0.1	1
2025	5	17	3	35	24	0	0	0	0	0	0	0	16.13	0	0	11.6	0.1	1
2025	5	17	3	45	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1
2025	5	17	3	55	24	0	0	0	0	0	0	0	16.15	0	0	11.6	0.1	1
2025	5	17	4	5	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	17	4	15	24	0	0	0	0	0	0	0	16.15	0	0	11.6	0.1	1
2025	5	17	4	25	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	17	4	35	24	0	0	0	0	0	0	0	16.18	0	0	11.6	0.1	1
2025	5	17	4	45	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	17	4	55	24	0	0	0	0	0	0	0	16.2	0	0	11.6	0.1	1
2025	5	17	5	5	24	0	0	0	0	0	0	0	16.22	0	0	11.6	0.1	1
2025	5	17	5	15	24	0	0	0	0	0	0	0	16.24	0	0	11.6	0.1	1
2025	5	17	5	25	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1
2025	5	17	5	35	24	0	0	0	0	0	0	0	16.28	0	0	11.6	0.1	1
2025	5	17	5	45	24	0	0	0	0	0	0	0	16.29	0	0	11.6	0.1	1
2025	5	17	5	55	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1
2025	5	17	6	5	24	0	0	0	0	0	0	0	16.33	0	0	11.6	0.1	1
2025	5	17	6	15	24	0	0	0	0	0	0	0	16.35	0	0	11.6	0.1	1
2025	5	17	6	25	24	0	0	0	0	0	0	0	16.37	0	0	11.6	0.1	1
2025	5	17	6	35	24	0	0	0	0	0	0	0	16.39	0	0	11.6	0.1	1
2025	5	17	6	45	24	0	0	0	0	0	0	0	16.41	0	0	11.6	0.1	1
2025	5	17	6	55	24	0	0	0	0	0	0	0	16.43	0	0	11.6	0.1	1
2025	5	17	7	5	24	0	0	0	0	0	0	0	16.45	0	0	11.6	0.1	1
2025	5	17	7	15	24	0	0	0	0	0	0	0	16.47	0	0	11.6	0.1	1
2025	5	17	7	25	24	0	0	0	0	0	0	0	16.49	0	0	11.6	0.1	1
2025	5	17	7	35	24	0	0	0	0	0	0	0	16.52	0	0	11.6	0.1	1
2025	5	17	7	45	24	0	0	0	0	0	0	0	16.54	0	0	11.6	0.1	1
2025	5	17	7	55	24	0	0	0	0	0	0	0	16.57	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	17	8	5	24	0	0	0	0	0	0	0	16.6	0	0	11.8	0.1	1
2025	5	17	8	15	24	0	0	0	0	0	0	0	16.63	0	0	11.6	0.1	1
2025	5	17	8	25	24	0	0	0	0	0	0	0	16.65	0	0	11.8	0.1	1
2025	5	17	8	35	24	0	0	0	0	0	0	0	16.68	0	0	11.8	0.1	1
2025	5	17	8	45	24	0	0	0	0	0	0	0	16.71	0	0	11.8	0.1	1
2025	5	17	8	55	24	0	0	0	0	0	0	0	16.74	0	0	11.8	0.1	1
2025	5	17	9	5	24	0	0	0	0	0	0	0	16.77	0	0	12	0.1	1
2025	5	17	9	15	24	0	0	0	0	0	0	0	16.8	0	0	12.2	0.1	1
2025	5	17	9	25	24	0	0	0	0	0	0	0	16.83	0	0	12.8	0.1	1
2025	5	17	9	35	24	0	0	0	0	0	0	0	16.89	0	0	12.8	0.1	1
2025	5	17	9	45	24	0	0	0	0	0	0	0	16.95	0	0	12.8	0.1	1
2025	5	17	9	55	24	0	0	0	0	0	0	0	16.99	0	0	13	0.1	1
2025	5	17	10	5	24	0	0	0	0	0	0	0	17.05	0	0	13.2	0.1	1
2025	5	17	10	15	24	0	0	0	0	0	0	0	17.11	0	0	13.2	0.1	1
2025	5	17	10	25	24	0	0	0	0	0	0	0	17.16	0	0	13.6	0.1	1
2025	5	17	10	35	24	0	0	0	0	0	0	0	17.21	0	0	13.6	0.1	1
2025	5	17	10	45	24	0	0	0	0	0	0	0	17.27	0	0	13.4	0.1	1
2025	5	17	10	55	24	0	0	0	0	0	0	0	17.32	0	0	13.4	0.1	1
2025	5	17	11	5	24	0	0	0	0	0	0	0	17.37	0	0	13.4	0.1	1
2025	5	17	11	15	24	0	0	0	0	0	0	0	17.42	0	0	13.6	0.1	1
2025	5	17	11	25	24	0	0	0	0	0	0	0	17.48	0	0	13.6	0.1	1
2025	5	17	11	35	24	0	0	0	0	0	0	0	17.55	0	0	13.4	0.1	1
2025	5	17	11	45	24	0	0	0	0	0	0	0	17.61	0	0	13.4	0.1	1
2025	5	17	11	55	24	0	0	0	0	0	0	0	17.67	0	0	13.4	0.1	1
2025	5	17	12	5	24	0	0	0	0	0	0	0	17.73	0	0	13.4	0.1	1
2025	5	17	12	15	24	0	0	0	0	0	0	0	17.8	0	0	13.4	0.1	1
2025	5	17	12	25	24	0	0	0	0	0	0	0	17.87	0	0	13.4	0.1	1
2025	5	17	12	35	24	0	0	0	0	0	0	0	17.93	0	0	13.4	0.1	1
2025	5	17	12	45	24	0	0	0	0	0	0	0	17.98	0	0	13.4	0.1	1
2025	5	17	12	55	24	0	0	0	0	0	0	0	18.04	0	0	13.4	0.1	1
2025	5	17	13	5	24	0	0	0	0	0	0	0	18.1	0	0	13.6	0.1	1
2025	5	17	13	15	24	0	0	0	0	0	0	0	18.14	0	0	13.6	0.1	1
2025	5	17	13	25	24	0	0	0	0	0	0	0	18.17	0	0	13	0.1	1
2025	5	17	13	35	24	0	0	0	0	0	0	0	18.19	0	0	13	0.1	1
2025	5	17	13	45	24	0	0	0	0	0	0	0	18.21	0	0	13.4	0.1	1
2025	5	17	13	55	24	0	0	0	0	0	0	0	18.25	0	0	13.4	0.1	1
2025	5	17	14	5	24	0	0	0	0	0	0	0	18.29	0	0	13.4	0.1	1
2025	5	17	14	15	24	0	0	0	0	0	0	0	18.32	0	0	13.4	0.1	1
2025	5	17	14	25	24	0	0	0	0	0	0	0	18.35	0	0	13.6	0.1	1
2025	5	17	14	35	24	0	0	0	0	0	0	0	18.37	0	0	13.6	0.1	1
2025	5	17	14	45	24	0	0	0	0	0	0	0	18.39	0	0	13.6	0.1	1
2025	5	17	14	55	24	0	0	0	0	0	0	0	18.42	0	0	13.6	0.1	1
2025	5	17	15	5	24	0	0	0	0	0	0	0	18.44	0	0	13.6	0.1	1
2025	5	17	15	15	24	0	0	0	0	0	0	0	18.46	0	0	13.6	0.1	1
2025	5	17	15	25	24	0	0	0	0	0	0	0	18.46	0	0	13.6	0.1	1
2025	5	17	15	35	24	0	0	0	0	0	0	0	18.47	0	0	13.6	0.1	1
2025	5	17	15	45	24	0	0	0	0	0	0	0	18.47	0	0	13.6	0.1	1
2025	5	17	15	55	24	0	0	0	0	0	0	0	18.47	0	0	13.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	17	16	5	24	0	0	0	0	0	0	0	18.47	0	0	13.6	0.1	1
2025	5	17	16	15	24	0	0	0	0	0	0	0	18.47	0	0	13.4	0.1	1
2025	5	17	16	25	24	0	0	0	0	0	0	0	18.45	0	0	13.4	0.1	1
2025	5	17	16	35	24	0	0	0	0	0	0	0	18.44	0	0	13.4	0.1	1
2025	5	17	16	45	24	0	0	0	0	0	0	0	18.41	0	0	13.4	0.1	1
2025	5	17	16	55	24	0	0	0	0	0	0	0	18.4	0	0	13	0.1	1
2025	5	17	17	5	24	0	0	0	0	0	0	0	18.37	0	0	12.8	0.1	1
2025	5	17	17	15	24	0	0	0	0	0	0	0	18.35	0	0	12.6	0.1	1
2025	5	17	17	25	24	0	0	0	0	0	0	0	18.31	0	0	12.4	0.1	1
2025	5	17	17	35	24	0	0	0	0	0	0	0	18.28	0	0	12.2	0.1	1
2025	5	17	17	45	24	0	0	0	0	0	0	0	18.24	0	0	12	0.1	1
2025	5	17	17	55	24	0	0	0	0	0	0	0	18.2	0	0	12	0.1	1
2025	5	17	18	5	24	0	0	0	0	0	0	0	18.16	0	0	11.8	0.1	1
2025	5	17	18	15	24	0	0	0	0	0	0	0	18.11	0	0	11.8	0.1	1
2025	5	17	18	25	24	0	0	0	0	0	0	0	18.06	0	0	11.8	0.1	1
2025	5	17	18	35	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	17	18	45	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	17	18	55	24	0	0	0	0	0	0	0	17.91	0	0	11.6	0.1	1
2025	5	17	19	5	24	0	0	0	0	0	0	0	17.87	0	0	11.6	0.1	1
2025	5	17	19	15	24	0	0	0	0	0	0	0	17.81	0	0	11.6	0.1	1
2025	5	17	19	25	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	17	19	35	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	17	19	45	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	17	19	55	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1
2025	5	17	20	5	24	0	0	0	0	0	0	0	17.48	0	0	11.6	0.1	1
2025	5	17	20	15	24	0	0	0	0	0	0	0	17.41	0	0	11.6	0.1	1
2025	5	17	20	25	24	0	0	0	0	0	0	0	17.35	0	0	11.6	0.1	1
2025	5	17	20	35	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	17	20	45	24	0	0	0	0	0	0	0	17.23	0	0	11.6	0.1	1
2025	5	17	20	55	24	0	0	0	0	0	0	0	17.16	0	0	11.6	0.1	1
2025	5	17	21	5	24	0	0	0	0	0	0	0	17.11	0	0	11.6	0.1	1
2025	5	17	21	15	24	0	0	0	0	0	0	0	17.05	0	0	11.6	0.1	1
2025	5	17	21	25	24	0	0	0	0	0	0	0	16.99	0	0	11.6	0.1	1
2025	5	17	21	35	24	0	0	0	0	0	0	0	16.94	0	0	11.6	0.1	1
2025	5	17	21	45	24	0	0	0	0	0	0	0	16.87	0	0	11.6	0.1	1
2025	5	17	21	55	24	0	0	0	0	0	0	0	16.85	0	0	11.6	0.1	1
2025	5	17	22	5	24	0	0	0	0	0	0	0	16.79	0	0	11.6	0.1	1
2025	5	17	22	15	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1
2025	5	17	22	25	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	17	22	35	24	0	0	0	0	0	0	0	16.61	0	0	11.6	0.1	1
2025	5	17	22	45	24	0	0	0	0	0	0	0	16.56	0	0	11.6	0.1	1
2025	5	17	22	55	24	0	0	0	0	0	0	0	16.5	0	0	11.6	0.1	1
2025	5	17	23	5	24	0	0	0	0	0	0	0	16.45	0	0	11.6	0.1	1
2025	5	17	23	15	24	0	0	0	0	0	0	0	16.4	0	0	11.6	0.1	1
2025	5	17	23	25	24	0	0	0	0	0	0	0	16.35	0	0	11.6	0.1	1
2025	5	17	23	35	24	0	0	0	0	0	0	0	16.3	0	0	11.6	0.1	1
2025	5	17	23	45	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1
2025	5	17	23	55	24	0	0	0	0	0	0	0	16.23	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	18	0	5	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	18	0	15	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	18	0	25	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1
2025	5	18	0	35	24	0	0	0	0	0	0	0	16.12	0	0	11.6	0.1	1
2025	5	18	0	45	24	0	0	0	0	0	0	0	16.11	0	0	11.6	0.1	1
2025	5	18	0	55	24	0	0	0	0	0	0	0	16.08	0	0	11.6	0.1	1
2025	5	18	1	5	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	18	1	15	24	0	0	0	0	0	0	0	16.05	0	0	11.6	0.1	1
2025	5	18	1	25	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	18	1	35	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	18	1	45	24	0	0	0	0	0	0	0	16.01	0	0	11.6	0.1	1
2025	5	18	1	55	24	0	0	0	0	0	0	0	16	0	0	11.6	0.1	1
2025	5	18	2	5	24	0	0	0	0	0	0	0	15.99	0	0	11.6	0.1	1
2025	5	18	2	15	24	0	0	0	0	0	0	0	15.98	0	0	11.6	0.1	1
2025	5	18	2	25	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	18	2	35	24	0	0	0	0	0	0	0	15.96	0	0	11.4	0.1	1
2025	5	18	2	45	24	0	0	0	0	0	0	0	15.96	0	0	11.4	0.1	1
2025	5	18	2	55	24	0	0	0	0	0	0	0	15.96	0	0	11.4	0.1	1
2025	5	18	3	5	24	0	0	0	0	0	0	0	15.96	0	0	11.4	0.1	1
2025	5	18	3	15	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	18	3	25	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	18	3	35	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	18	3	45	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	18	3	55	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	18	4	5	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	18	4	15	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	18	4	25	24	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1
2025	5	18	4	35	24	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1
2025	5	18	4	45	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	4	55	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	5	5	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	5	15	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	5	25	24	0	0	0	0	0	0	0	16.01	0	0	11.4	0.1	1
2025	5	18	5	35	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	5	45	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	5	55	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	6	5	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	6	15	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	18	6	25	24	0	0	0	0	0	0	0	16.01	0	0	11.4	0.1	1
2025	5	18	6	35	24	0	0	0	0	0	0	0	16.02	0	0	11.4	0.1	1
2025	5	18	6	45	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	18	6	55	24	0	0	0	0	0	0	0	16.04	0	0	11.6	0.1	1
2025	5	18	7	5	24	0	0	0	0	0	0	0	16.06	0	0	11.6	0.1	1
2025	5	18	7	15	24	0	0	0	0	0	0	0	16.05	0	0	11.8	0.1	1
2025	5	18	7	25	24	0	0	0	0	0	0	0	16.06	0	0	12	0.1	1
2025	5	18	7	35	24	0	0	0	0	0	0	0	16.07	0	0	12.2	0.1	1
2025	5	18	7	45	24	0	0	0	0	0	0	0	16.09	0	0	12.4	0.1	1
2025	5	18	7	55	24	0	0	0	0	0	0	0	16.09	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	18	8	5	24	0	0	0	0	0	0	0	16.11	0	0	12.6	0.1	1
2025	5	18	8	15	24	0	0	0	0	0	0	0	16.12	0	0	13.2	0.1	1
2025	5	18	8	25	24	0	0	0	0	0	0	0	16.13	0	0	13	0.1	1
2025	5	18	8	35	24	0	0	0	0	0	0	0	16.15	0	0	13.6	0.1	1
2025	5	18	8	45	24	0	0	0	0	0	0	0	16.16	0	0	13.6	0.1	1
2025	5	18	8	55	24	0	0	0	0	0	0	0	16.18	0	0	13.8	0.1	1
2025	5	18	9	5	24	0	0	0	0	0	0	0	16.21	0	0	13.8	0.1	1
2025	5	18	9	15	24	0	0	0	0	0	0	0	16.23	0	0	13.8	0.1	1
2025	5	18	9	25	24	0	0	0	0	0	0	0	16.26	0	0	13.8	0.1	1
2025	5	18	9	35	24	0	0	0	0	0	0	0	16.29	0	0	14	0.1	1
2025	5	18	9	45	24	0	0	0	0	0	0	0	16.32	0	0	14	0.1	1
2025	5	18	9	55	24	0	0	0	0	0	0	0	16.35	0	0	14	0.1	1
2025	5	18	10	5	24	0	0	0	0	0	0	0	16.38	0	0	13.8	0.1	1
2025	5	18	10	15	24	0	0	0	0	0	0	0	16.41	0	0	14.2	0.1	1
2025	5	18	10	25	24	0	0	0	0	0	0	0	16.45	0	0	13.8	0.1	1
2025	5	18	10	35	24	0	0	0	0	0	0	0	16.49	0	0	13.8	0.1	1
2025	5	18	10	45	24	0	0	0	0	0	0	0	16.53	0	0	13.8	0.1	1
2025	5	18	10	55	24	0	0	0	0	0	0	0	16.57	0	0	13.8	0.1	1
2025	5	18	11	5	24	0	0	0	0	0	0	0	16.61	0	0	14	0.1	1
2025	5	18	11	15	24	0	0	0	0	0	0	0	16.64	0	0	14	0.1	1
2025	5	18	11	25	24	0	0	0	0	0	0	0	16.68	0	0	13.8	0.1	1
2025	5	18	11	35	24	0	0	0	0	0	0	0	16.73	0	0	13.8	0.1	1
2025	5	18	11	45	24	0	0	0	0	0	0	0	16.78	0	0	13.8	0.1	1
2025	5	18	11	55	24	0	0	0	0	0	0	0	16.82	0	0	13.6	0.1	1
2025	5	18	12	5	24	0	0	0	0	0	0	0	16.86	0	0	13.6	0.1	1
2025	5	18	12	15	24	0	0	0	0	0	0	0	16.91	0	0	13.6	0.1	1
2025	5	18	12	25	24	0	0	0	0	0	0	0	16.94	0	0	13.6	0.1	1
2025	5	18	12	35	24	0	0	0	0	0	0	0	16.98	0	0	13.6	0.1	1
2025	5	18	12	45	24	0	0	0	0	0	0	0	17.03	0	0	13.6	0.1	1
2025	5	18	12	55	24	0	0	0	0	0	0	0	17.06	0	0	13.6	0.1	1
2025	5	18	13	5	24	0	0	0	0	0	0	0	17.1	0	0	13.4	0.1	1
2025	5	18	13	15	24	0	0	0	0	0	0	0	17.15	0	0	13.4	0.1	1
2025	5	18	13	25	24	0	0	0	0	0	0	0	17.18	0	0	13.4	0.1	1
2025	5	18	13	35	24	0	0	0	0	0	0	0	17.22	0	0	13.4	0.1	1
2025	5	18	13	45	24	0	0	0	0	0	0	0	17.24	0	0	13.6	0.1	1
2025	5	18	13	55	24	0	0	0	0	0	0	0	17.27	0	0	13.6	0.1	1
2025	5	18	14	5	24	0	0	0	0	0	0	0	17.31	0	0	13.6	0.1	1
2025	5	18	14	15	24	0	0	0	0	0	0	0	17.34	0	0	13.6	0.1	1
2025	5	18	14	25	24	0	0	0	0	0	0	0	17.37	0	0	13.6	0.1	1
2025	5	18	14	35	24	0	0	0	0	0	0	0	17.4	0	0	13.8	0.1	1
2025	5	18	14	45	24	0	0	0	0	0	0	0	17.42	0	0	13.8	0.1	1
2025	5	18	14	55	24	0	0	0	0	0	0	0	17.44	0	0	13.8	0.1	1
2025	5	18	15	5	24	0	0	0	0	0	0	0	17.47	0	0	13.8	0.1	1
2025	5	18	15	15	24	0	0	0	0	0	0	0	17.48	0	0	13.8	0.1	1
2025	5	18	15	25	24	0	0	0	0	0	0	0	17.48	0	0	13.8	0.1	1
2025	5	18	15	35	24	0	0	0	0	0	0	0	17.49	0	0	13.8	0.1	1
2025	5	18	15	45	24	0	0	0	0	0	0	0	17.5	0	0	13.8	0.1	1
2025	5	18	15	55	24	0	0	0	0	0	0	0	17.51	0	0	13.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	18	16	5	24	0	0	0	0	0	0	0	17.52	0	0	13.6	0.1	1
2025	5	18	16	15	24	0	0	0	0	0	0	0	17.51	0	0	13.6	0.1	1
2025	5	18	16	25	24	0	0	0	0	0	0	0	17.52	0	0	13.6	0.1	1
2025	5	18	16	35	24	0	0	0	0	0	0	0	17.51	0	0	13.6	0.1	1
2025	5	18	16	45	24	0	0	0	0	0	0	0	17.5	0	0	13.4	0.1	1
2025	5	18	16	55	24	0	0	0	0	0	0	0	17.49	0	0	13	0.1	1
2025	5	18	17	5	24	0	0	0	0	0	0	0	17.47	0	0	12.6	0.1	1
2025	5	18	17	15	24	0	0	0	0	0	0	0	17.46	0	0	12.6	0.1	1
2025	5	18	17	25	24	0	0	0	0	0	0	0	17.43	0	0	12.4	0.1	1
2025	5	18	17	35	24	0	0	0	0	0	0	0	17.42	0	0	12.2	0.1	1
2025	5	18	17	45	24	0	0	0	0	0	0	0	17.4	0	0	12.2	0.1	1
2025	5	18	17	55	24	0	0	0	0	0	0	0	17.37	0	0	12	0.1	1
2025	5	18	18	5	24	0	0	0	0	0	0	0	17.34	0	0	11.8	0.1	1
2025	5	18	18	15	24	0	0	0	0	0	0	0	17.3	0	0	11.8	0.1	1
2025	5	18	18	25	24	0	0	0	0	0	0	0	17.27	0	0	11.8	0.1	1
2025	5	18	18	35	24	0	0	0	0	0	0	0	17.22	0	0	11.8	0.1	1
2025	5	18	18	45	24	0	0	0	0	0	0	0	17.18	0	0	11.8	0.1	1
2025	5	18	18	55	24	0	0	0	0	0	0	0	17.14	0	0	11.8	0.1	1
2025	5	18	19	5	24	0	0	0	0	0	0	0	17.09	0	0	11.8	0.1	1
2025	5	18	19	15	24	0	0	0	0	0	0	0	17.04	0	0	11.6	0.1	1
2025	5	18	19	25	24	0	0	0	0	0	0	0	16.99	0	0	11.8	0.1	1
2025	5	18	19	35	24	0	0	0	0	0	0	0	16.94	0	0	11.8	0.1	1
2025	5	18	19	45	24	0	0	0	0	0	0	0	16.88	0	0	11.6	0.1	1
2025	5	18	19	55	24	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1
2025	5	18	20	5	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1
2025	5	18	20	15	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	18	20	25	24	0	0	0	0	0	0	0	16.66	0	0	11.6	0.1	1
2025	5	18	20	35	24	0	0	0	0	0	0	0	16.61	0	0	11.6	0.1	1
2025	5	18	20	45	24	0	0	0	0	0	0	0	16.54	0	0	11.6	0.1	1
2025	5	18	20	55	24	0	0	0	0	0	0	0	16.5	0	0	11.6	0.1	1
2025	5	18	21	5	24	0	0	0	0	0	0	0	16.46	0	0	11.6	0.1	1
2025	5	18	21	15	24	0	0	0	0	0	0	0	16.41	0	0	11.6	0.1	1
2025	5	18	21	25	24	0	0	0	0	0	0	0	16.36	0	0	11.6	0.1	1
2025	5	18	21	35	24	0	0	0	0	0	0	0	16.31	0	0	11.6	0.1	1
2025	5	18	21	45	24	0	0	0	0	0	0	0	16.26	0	0	11.6	0.1	1
2025	5	18	21	55	24	0	0	0	0	0	0	0	16.21	0	0	11.6	0.1	1
2025	5	18	22	5	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	18	22	15	24	0	0	0	0	0	0	0	16.11	0	0	11.6	0.1	1
2025	5	18	22	25	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	18	22	35	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	18	22	45	24	0	0	0	0	0	0	0	15.95	0	0	11.6	0.1	1
2025	5	18	22	55	24	0	0	0	0	0	0	0	15.92	0	0	11.6	0.1	1
2025	5	18	23	5	24	0	0	0	0	0	0	0	15.89	0	0	11.6	0.1	1
2025	5	18	23	15	24	0	0	0	0	0	0	0	15.83	0	0	11.6	0.1	1
2025	5	18	23	25	24	0	0	0	0	0	0	0	15.78	0	0	11.6	0.1	1
2025	5	18	23	35	24	0	0	0	0	0	0	0	15.74	0	0	11.6	0.1	1
2025	5	18	23	45	24	0	0	0	0	0	0	0	15.71	0	0	11.6	0.1	1
2025	5	18	23	55	24	0	0	0	0	0	0	0	15.66	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	19	0	5	24	0	0	0	0	0	0	0	15.61	0	0	11.6	0.1	1
2025	5	19	0	15	24	0	0	0	0	0	0	0	15.58	0	0	11.6	0.1	1
2025	5	19	0	25	24	0	0	0	0	0	0	0	15.55	0	0	11.6	0.1	1
2025	5	19	0	35	24	0	0	0	0	0	0	0	15.52	0	0	11.6	0.1	1
2025	5	19	0	45	24	0	0	0	0	0	0	0	15.5	0	0	11.6	0.1	1
2025	5	19	0	55	24	0	0	0	0	0	0	0	15.49	0	0	11.6	0.1	1
2025	5	19	1	5	24	0	0	0	0	0	0	0	15.48	0	0	11.6	0.1	1
2025	5	19	1	15	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	19	1	25	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	19	1	35	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	19	1	45	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	19	1	55	24	0	0	0	0	0	0	0	15.46	0	0	11.6	0.1	1
2025	5	19	2	5	24	0	0	0	0	0	0	0	15.46	0	0	11.6	0.1	1
2025	5	19	2	15	24	0	0	0	0	0	0	0	15.45	0	0	11.6	0.1	1
2025	5	19	2	25	24	0	0	0	0	0	0	0	15.45	0	0	11.6	0.1	1
2025	5	19	2	35	24	0	0	0	0	0	0	0	15.45	0	0	11.6	0.1	1
2025	5	19	2	45	24	0	0	0	0	0	0	0	15.45	0	0	11.6	0.1	1
2025	5	19	2	55	24	0	0	0	0	0	0	0	15.45	0	0	11.6	0.1	1
2025	5	19	3	5	24	0	0	0	0	0	0	0	15.47	0	0	11.6	0.1	1
2025	5	19	3	15	24	0	0	0	0	0	0	0	15.48	0	0	11.6	0.1	1
2025	5	19	3	25	24	0	0	0	0	0	0	0	15.5	0	0	11.6	0.1	1
2025	5	19	3	35	24	0	0	0	0	0	0	0	15.51	0	0	11.6	0.1	1
2025	5	19	3	45	24	0	0	0	0	0	0	0	15.53	0	0	11.4	0.1	1
2025	5	19	3	55	24	0	0	0	0	0	0	0	15.55	0	0	11.4	0.1	1
2025	5	19	4	5	24	0	0	0	0	0	0	0	15.57	0	0	11.4	0.1	1
2025	5	19	4	15	24	0	0	0	0	0	0	0	15.59	0	0	11.4	0.1	1
2025	5	19	4	25	24	0	0	0	0	0	0	0	15.6	0	0	11.4	0.1	1
2025	5	19	4	35	24	0	0	0	0	0	0	0	15.62	0	0	11.4	0.1	1
2025	5	19	4	45	24	0	0	0	0	0	0	0	15.63	0	0	11.4	0.1	1
2025	5	19	4	55	24	0	0	0	0	0	0	0	15.65	0	0	11.4	0.1	1
2025	5	19	5	5	24	0	0	0	0	0	0	0	15.66	0	0	11.2	0.1	1
2025	5	19	5	15	24	0	0	0	0	0	0	0	15.68	0	0	11.2	0.1	1
2025	5	19	5	25	24	0	0	0	0	0	0	0	15.7	0	0	11.2	0.1	1
2025	5	19	5	35	24	0	0	0	0	0	0	0	15.71	0	0	11.2	0.1	1
2025	5	19	5	45	24	0	0	0	0	0	0	0	15.73	0	0	11.2	0.1	1
2025	5	19	5	55	24	0	0	0	0	0	0	0	15.74	0	0	11.2	0.1	1
2025	5	19	6	5	24	0	0	0	0	0	0	0	15.75	0	0	11.2	0.1	1
2025	5	19	6	15	24	0	0	0	0	0	0	0	15.76	0	0	11.2	0.1	1
2025	5	19	6	25	24	0	0	0	0	0	0	0	15.78	0	0	11.2	0.1	1
2025	5	19	6	35	24	0	0	0	0	0	0	0	15.8	0	0	11.2	0.1	1
2025	5	19	6	45	24	0	0	0	0	0	0	0	15.81	0	0	11.2	0.1	1
2025	5	19	6	55	24	0	0	0	0	0	0	0	15.83	0	0	11.4	0.1	1
2025	5	19	7	5	24	0	0	0	0	0	0	0	15.85	0	0	11.6	0.1	1
2025	5	19	7	15	24	0	0	0	0	0	0	0	15.88	0	0	11.6	0.1	1
2025	5	19	7	25	24	0	0	0	0	0	0	0	15.9	0	0	11.8	0.1	1
2025	5	19	7	35	24	0	0	0	0	0	0	0	15.93	0	0	12	0.1	1
2025	5	19	7	45	24	0	0	0	0	0	0	0	15.95	0	0	12.2	0.1	1
2025	5	19	7	55	24	0	0	0	0	0	0	0	15.98	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	19	8	5	24	0	0	0	0	0	0	0	16.01	0	0	12.4	0.1	1
2025	5	19	8	15	24	0	0	0	0	0	0	0	16.04	0	0	12.4	0.1	1
2025	5	19	8	25	24	0	0	0	0	0	0	0	16.07	0	0	12.8	0.1	1
2025	5	19	8	35	24	0	0	0	0	0	0	0	16.11	0	0	12.8	0.1	1
2025	5	19	8	45	24	0	0	0	0	0	0	0	16.14	0	0	13.4	0.1	1
2025	5	19	8	55	24	0	0	0	0	0	0	0	16.18	0	0	13.6	0.1	1
2025	5	19	9	5	24	0	0	0	0	0	0	0	16.22	0	0	13.8	0.1	1
2025	5	19	9	15	24	0	0	0	0	0	0	0	16.26	0	0	13.6	0.1	1
2025	5	19	9	25	24	0	0	0	0	0	0	0	16.3	0	0	13.6	0.1	1
2025	5	19	9	35	24	0	0	0	0	0	0	0	16.35	0	0	13.8	0.1	1
2025	5	19	9	45	24	0	0	0	0	0	0	0	16.39	0	0	13.6	0.1	1
2025	5	19	9	55	24	0	0	0	0	0	0	0	16.44	0	0	13.6	0.1	1
2025	5	19	10	5	24	0	0	0	0	0	0	0	16.48	0	0	13.4	0.1	1
2025	5	19	10	15	24	0	0	0	0	0	0	0	16.52	0	0	13.4	0.1	1
2025	5	19	10	25	24	0	0	0	0	0	0	0	16.57	0	0	13.2	0.1	1
2025	5	19	10	35	24	0	0	0	0	0	0	0	16.62	0	0	13.2	0.1	1
2025	5	19	10	45	24	0	0	0	0	0	0	0	16.67	0	0	13.2	0.1	1
2025	5	19	10	55	24	0	0	0	0	0	0	0	16.72	0	0	13.2	0.1	1
2025	5	19	11	5	24	0	0	0	0	0	0	0	16.78	0	0	13.2	0.1	1
2025	5	19	11	15	24	0	0	0	0	0	0	0	16.84	0	0	13.2	0.1	1
2025	5	19	11	25	24	0	0	0	0	0	0	0	16.89	0	0	13	0.1	1
2025	5	19	11	35	24	0	0	0	0	0	0	0	16.95	0	0	13.2	0.1	1
2025	5	19	11	45	24	0	0	0	0	0	0	0	17.01	0	0	13.2	0.1	1
2025	5	19	11	55	24	0	0	0	0	0	0	0	17.06	0	0	13.4	0.1	1
2025	5	19	12	5	24	0	0	0	0	0	0	0	17.11	0	0	13.2	0.1	1
2025	5	19	12	15	24	0	0	0	0	0	0	0	17.17	0	0	13.2	0.1	1
2025	5	19	12	25	24	0	0	0	0	0	0	0	17.22	0	0	13.2	0.1	1
2025	5	19	12	35	24	0	0	0	0	0	0	0	17.27	0	0	13.4	0.1	1
2025	5	19	12	45	24	0	0	0	0	0	0	0	17.32	0	0	13.4	0.1	1
2025	5	19	12	55	24	0	0	0	0	0	0	0	17.36	0	0	13.4	0.1	1
2025	5	19	13	5	24	0	0	0	0	0	0	0	17.42	0	0	13.4	0.1	1
2025	5	19	13	15	24	0	0	0	0	0	0	0	17.5	0	0	13.4	0.1	1
2025	5	19	13	25	24	0	0	0	0	0	0	0	17.54	0	0	13.2	0.1	1
2025	5	19	13	35	24	0	0	0	0	0	0	0	17.6	0	0	13.2	0.1	1
2025	5	19	13	45	24	0	0	0	0	0	0	0	17.65	0	0	13.6	0.1	1
2025	5	19	13	55	24	0	0	0	0	0	0	0	17.69	0	0	13.4	0.1	1
2025	5	19	14	5	24	0	0	0	0	0	0	0	17.73	0	0	13.6	0.1	1
2025	5	19	14	15	24	0	0	0	0	0	0	0	17.76	0	0	13.6	0.1	1
2025	5	19	14	25	24	0	0	0	0	0	0	0	17.8	0	0	13.6	0.1	1
2025	5	19	14	35	24	0	0	0	0	0	0	0	17.83	0	0	13.8	0.1	1
2025	5	19	14	45	24	0	0	0	0	0	0	0	17.86	0	0	13.8	0.1	1
2025	5	19	14	55	24	0	0	0	0	0	0	0	17.88	0	0	13.8	0.1	1
2025	5	19	15	5	24	0	0	0	0	0	0	0	17.9	0	0	13.8	0.1	1
2025	5	19	15	15	24	0	0	0	0	0	0	0	17.92	0	0	13.8	0.1	1
2025	5	19	15	25	24	0	0	0	0	0	0	0	17.93	0	0	13.8	0.1	1
2025	5	19	15	35	24	0	0	0	0	0	0	0	17.95	0	0	13.8	0.1	1
2025	5	19	15	45	24	0	0	0	0	0	0	0	17.96	0	0	13.8	0.1	1
2025	5	19	15	55	24	0	0	0	0	0	0	0	17.96	0	0	13.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	19	16	5	24	0	0	0	0	0	0	0	17.97	0	0	13.6	0.1	1
2025	5	19	16	15	24	0	0	0	0	0	0	0	17.97	0	0	13.6	0.1	1
2025	5	19	16	25	24	0	0	0	0	0	0	0	17.97	0	0	13.6	0.1	1
2025	5	19	16	35	24	0	0	0	0	0	0	0	17.97	0	0	13.6	0.1	1
2025	5	19	16	45	24	0	0	0	0	0	0	0	17.96	0	0	13.4	0.1	1
2025	5	19	16	55	24	0	0	0	0	0	0	0	17.95	0	0	12.8	0.1	1
2025	5	19	17	5	24	0	0	0	0	0	0	0	17.94	0	0	12.6	0.1	1
2025	5	19	17	15	24	0	0	0	0	0	0	0	17.92	0	0	12.4	0.1	1
2025	5	19	17	25	24	0	0	0	0	0	0	0	17.9	0	0	12.2	0.1	1
2025	5	19	17	35	24	0	0	0	0	0	0	0	17.88	0	0	12	0.1	1
2025	5	19	17	45	24	0	0	0	0	0	0	0	17.85	0	0	11.8	0.1	1
2025	5	19	17	55	24	0	0	0	0	0	0	0	17.83	0	0	11.6	0.1	1
2025	5	19	18	5	24	0	0	0	0	0	0	0	17.79	0	0	11.6	0.1	1
2025	5	19	18	15	24	0	0	0	0	0	0	0	17.77	0	0	11.4	0.1	1
2025	5	19	18	25	24	0	0	0	0	0	0	0	17.73	0	0	11.8	0.1	1
2025	5	19	18	35	24	0	0	0	0	0	0	0	17.7	0	0	11.8	0.1	1
2025	5	19	18	45	24	0	0	0	0	0	0	0	17.66	0	0	11.8	0.1	1
2025	5	19	18	55	24	0	0	0	0	0	0	0	17.62	0	0	11.8	0.1	1
2025	5	19	19	5	24	0	0	0	0	0	0	0	17.57	0	0	11.8	0.1	1
2025	5	19	19	15	24	0	0	0	0	0	0	0	17.53	0	0	11.8	0.1	1
2025	5	19	19	25	24	0	0	0	0	0	0	0	17.49	0	0	11.8	0.1	1
2025	5	19	19	35	24	0	0	0	0	0	0	0	17.44	0	0	11.8	0.1	1
2025	5	19	19	45	24	0	0	0	0	0	0	0	17.39	0	0	11.6	0.1	1
2025	5	19	19	55	24	0	0	0	0	0	0	0	17.34	0	0	11.6	0.1	1
2025	5	19	20	5	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	19	20	15	24	0	0	0	0	0	0	0	17.23	0	0	11.6	0.1	1
2025	5	19	20	25	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	19	20	35	24	0	0	0	0	0	0	0	17.12	0	0	11.6	0.1	1
2025	5	19	20	45	24	0	0	0	0	0	0	0	17.07	0	0	11.6	0.1	1
2025	5	19	20	55	24	0	0	0	0	0	0	0	17.01	0	0	11.6	0.1	1
2025	5	19	21	5	24	0	0	0	0	0	0	0	16.97	0	0	11.6	0.1	1
2025	5	19	21	15	24	0	0	0	0	0	0	0	16.91	0	0	11.6	0.1	1
2025	5	19	21	25	24	0	0	0	0	0	0	0	16.86	0	0	11.6	0.1	1
2025	5	19	21	35	24	0	0	0	0	0	0	0	16.8	0	0	11.6	0.1	1
2025	5	19	21	45	24	0	0	0	0	0	0	0	16.75	0	0	11.6	0.1	1
2025	5	19	21	55	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	19	22	5	24	0	0	0	0	0	0	0	16.65	0	0	11.6	0.1	1
2025	5	19	22	15	24	0	0	0	0	0	0	0	16.61	0	0	11.6	0.1	1
2025	5	19	22	25	24	0	0	0	0	0	0	0	16.56	0	0	11.6	0.1	1
2025	5	19	22	35	24	0	0	0	0	0	0	0	16.52	0	0	11.6	0.1	1
2025	5	19	22	45	24	0	0	0	0	0	0	0	16.48	0	0	11.6	0.1	1
2025	5	19	22	55	24	0	0	0	0	0	0	0	16.44	0	0	11.6	0.1	1
2025	5	19	23	5	24	0	0	0	0	0	0	0	16.41	0	0	11.6	0.1	1
2025	5	19	23	15	24	0	0	0	0	0	0	0	16.38	0	0	11.6	0.1	1
2025	5	19	23	25	24	0	0	0	0	0	0	0	16.34	0	0	11.6	0.1	1
2025	5	19	23	35	24	0	0	0	0	0	0	0	16.3	0	0	11.6	0.1	1
2025	5	19	23	45	24	0	0	0	0	0	0	0	16.27	0	0	11.6	0.1	1
2025	5	19	23	55	24	0	0	0	0	0	0	0	16.24	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	20	0	5	24	0	0	0	0	0	0	0	16.22	0	0	11.6	0.1	1
2025	5	20	0	15	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	20	0	25	24	0	0	0	0	0	0	0	16.16	0	0	11.6	0.1	1
2025	5	20	0	35	24	0	0	0	0	0	0	0	16.14	0	0	11.6	0.1	1
2025	5	20	0	45	24	0	0	0	0	0	0	0	16.12	0	0	11.6	0.1	1
2025	5	20	0	55	24	0	0	0	0	0	0	0	16.1	0	0	11.6	0.1	1
2025	5	20	1	5	24	0	0	0	0	0	0	0	16.08	0	0	11.6	0.1	1
2025	5	20	1	15	24	0	0	0	0	0	0	0	16.07	0	0	11.6	0.1	1
2025	5	20	1	25	24	0	0	0	0	0	0	0	16.05	0	0	11.6	0.1	1
2025	5	20	1	35	24	0	0	0	0	0	0	0	16.03	0	0	11.6	0.1	1
2025	5	20	1	45	24	0	0	0	0	0	0	0	16.02	0	0	11.6	0.1	1
2025	5	20	1	55	24	0	0	0	0	0	0	0	16.01	0	0	11.6	0.1	1
2025	5	20	2	5	24	0	0	0	0	0	0	0	16	0	0	11.6	0.1	1
2025	5	20	2	15	24	0	0	0	0	0	0	0	15.99	0	0	11.6	0.1	1
2025	5	20	2	25	24	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1
2025	5	20	2	35	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	20	2	45	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	20	2	55	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	20	3	5	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	20	3	15	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	20	3	25	24	0	0	0	0	0	0	0	15.97	0	0	11.4	0.1	1
2025	5	20	3	35	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	20	3	45	24	0	0	0	0	0	0	0	15.98	0	0	11.4	0.1	1
2025	5	20	3	55	24	0	0	0	0	0	0	0	15.99	0	0	11.4	0.1	1
2025	5	20	4	5	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	20	4	15	24	0	0	0	0	0	0	0	16	0	0	11.4	0.1	1
2025	5	20	4	25	24	0	0	0	0	0	0	0	16.01	0	0	11.4	0.1	1
2025	5	20	4	35	24	0	0	0	0	0	0	0	16.02	0	0	11.4	0.1	1
2025	5	20	4	45	24	0	0	0	0	0	0	0	16.02	0	0	11.4	0.1	1
2025	5	20	4	55	24	0	0	0	0	0	0	0	16.03	0	0	11.4	0.1	1
2025	5	20	5	5	24	0	0	0	0	0	0	0	16.04	0	0	11.4	0.1	1
2025	5	20	5	15	24	0	0	0	0	0	0	0	16.06	0	0	11.4	0.1	1
2025	5	20	5	25	24	0	0	0	0	0	0	0	16.06	0	0	11.4	0.1	1
2025	5	20	5	35	24	0	0	0	0	0	0	0	16.07	0	0	11.4	0.1	1
2025	5	20	5	45	24	0	0	0	0	0	0	0	16.08	0	0	11.4	0.1	1
2025	5	20	5	55	24	0	0	0	0	0	0	0	16.09	0	0	11.4	0.1	1
2025	5	20	6	5	24	0	0	0	0	0	0	0	16.11	0	0	11.4	0.1	1
2025	5	20	6	15	24	0	0	0	0	0	0	0	16.11	0	0	11.4	0.1	1
2025	5	20	6	25	24	0	0	0	0	0	0	0	16.13	0	0	11.4	0.1	1
2025	5	20	6	35	24	0	0	0	0	0	0	0	16.14	0	0	11.4	0.1	1
2025	5	20	6	45	24	0	0	0	0	0	0	0	16.16	0	0	11.4	0.1	1
2025	5	20	6	55	24	0	0	0	0	0	0	0	16.17	0	0	11.4	0.1	1
2025	5	20	7	5	24	0	0	0	0	0	0	0	16.19	0	0	11.6	0.1	1
2025	5	20	7	15	24	0	0	0	0	0	0	0	16.22	0	0	11.6	0.1	1
2025	5	20	7	25	24	0	0	0	0	0	0	0	16.25	0	0	11.8	0.1	1
2025	5	20	7	35	24	0	0	0	0	0	0	0	16.28	0	0	12	0.1	1
2025	5	20	7	45	24	0	0	0	0	0	0	0	16.31	0	0	12.2	0.1	1
2025	5	20	7	55	24	0	0	0	0	0	0	0	16.34	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	20	8	5	24	0	0	0	0	0	0	0	16.38	0	0	12.4	0.1	1
2025	5	20	8	15	24	0	0	0	0	0	0	0	16.42	0	0	12.4	0.1	1
2025	5	20	8	25	24	0	0	0	0	0	0	0	16.46	0	0	12.6	0.1	1
2025	5	20	8	35	24	0	0	0	0	0	0	0	16.5	0	0	12.6	0.1	1
2025	5	20	8	45	24	0	0	0	0	0	0	0	16.55	0	0	12.6	0.1	1
2025	5	20	8	55	24	0	0	0	0	0	0	0	16.6	0	0	12.8	0.1	1
2025	5	20	9	5	24	0	0	0	0	0	0	0	16.64	0	0	12.8	0.1	1
2025	5	20	9	15	24	0	0	0	0	0	0	0	16.7	0	0	13	0.1	1
2025	5	20	9	25	24	0	0	0	0	0	0	0	16.75	0	0	13.2	0.1	1
2025	5	20	9	35	24	0	0	0	0	0	0	0	16.81	0	0	13.8	0.1	1
2025	5	20	9	45	24	0	0	0	0	0	0	0	16.87	0	0	13.8	0.1	1
2025	5	20	9	55	24	0	0	0	0	0	0	0	16.93	0	0	13.6	0.1	1
2025	5	20	10	5	24	0	0	0	0	0	0	0	16.98	0	0	13.6	0.1	1
2025	5	20	10	15	24	0	0	0	0	0	0	0	17.04	0	0	13.4	0.1	1
2025	5	20	10	25	24	0	0	0	0	0	0	0	17.11	0	0	13	0.1	1
2025	5	20	10	35	24	0	0	0	0	0	0	0	17.17	0	0	13.6	0.1	1
2025	5	20	10	45	24	0	0	0	0	0	0	0	17.25	0	0	13.8	0.1	1
2025	5	20	10	55	24	0	0	0	0	0	0	0	17.31	0	0	13.8	0.1	1
2025	5	20	11	5	24	0	0	0	0	0	0	0	17.37	0	0	13.6	0.1	1
2025	5	20	11	15	24	0	0	0	0	0	0	0	17.44	0	0	13.8	0.1	1
2025	5	20	11	25	24	0	0	0	0	0	0	0	17.51	0	0	13.8	0.1	1
2025	5	20	11	35	24	0	0	0	0	0	0	0	17.58	0	0	13.8	0.1	1
2025	5	20	11	45	24	0	0	0	0	0	0	0	17.64	0	0	13.8	0.1	1
2025	5	20	11	55	24	0	0	0	0	0	0	0	17.71	0	0	13.8	0.1	1
2025	5	20	12	5	24	0	0	0	0	0	0	0	17.78	0	0	13.8	0.1	1
2025	5	20	12	15	24	0	0	0	0	0	0	0	17.84	0	0	13.8	0.1	1
2025	5	20	12	25	24	0	0	0	0	0	0	0	17.91	0	0	13.8	0.1	1
2025	5	20	12	35	24	0	0	0	0	0	0	0	17.98	0	0	13.6	0.1	1
2025	5	20	12	45	24	0	0	0	0	0	0	0	18.04	0	0	13.6	0.1	1
2025	5	20	12	55	24	0	0	0	0	0	0	0	18.1	0	0	13.8	0.1	1
2025	5	20	13	5	24	0	0	0	0	0	0	0	18.16	0	0	13.8	0.1	1
2025	5	20	13	15	24	0	0	0	0	0	0	0	18.23	0	0	13.8	0.1	1
2025	5	20	13	25	24	0	0	0	0	0	0	0	18.27	0	0	13.8	0.1	1
2025	5	20	13	35	24	0	0	0	0	0	0	0	18.33	0	0	13.8	0.1	1
2025	5	20	13	45	24	0	0	0	0	0	0	0	18.38	0	0	13.8	0.1	1
2025	5	20	13	55	24	0	0	0	0	0	0	0	18.43	0	0	13.8	0.1	1
2025	5	20	14	5	24	0	0	0	0	0	0	0	18.48	0	0	14	0.1	1
2025	5	20	14	15	24	0	0	0	0	0	0	0	18.52	0	0	14.2	0.1	1
2025	5	20	14	25	24	0	0	0	0	0	0	0	18.56	0	0	14	0.1	1
2025	5	20	14	35	24	0	0	0	0	0	0	0	18.6	0	0	14	0.1	1
2025	5	20	14	45	24	0	0	0	0	0	0	0	18.63	0	0	14	0.1	1
2025	5	20	14	55	24	0	0	0	0	0	0	0	18.67	0	0	14	0.1	1
2025	5	20	15	5	24	0	0	0	0	0	0	0	18.69	0	0	14	0.1	1
2025	5	20	15	15	24	0	0	0	0	0	0	0	18.72	0	0	14	0.1	1
2025	5	20	15	25	24	0	0	0	0	0	0	0	18.75	0	0	13.8	0.1	1
2025	5	20	15	35	24	0	0	0	0	0	0	0	18.76	0	0	14	0.1	1
2025	5	20	15	45	24	0	0	0	0	0	0	0	18.78	0	0	13.8	0.1	1
2025	5	20	15	55	24	0	0	0	0	0	0	0	18.79	0	0	13.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	20	16	5	24	0	0	0	0	0	0	0	18.8	0	0	13.8	0.1	1
2025	5	20	16	15	24	0	0	0	0	0	0	0	18.81	0	0	13.8	0.1	1
2025	5	20	16	25	24	0	0	0	0	0	0	0	18.81	0	0	13.6	0.1	1
2025	5	20	16	35	24	0	0	0	0	0	0	0	18.81	0	0	13.6	0.1	1
2025	5	20	16	45	24	0	0	0	0	0	0	0	18.81	0	0	13.4	0.1	1
2025	5	20	16	55	24	0	0	0	0	0	0	0	18.8	0	0	13	0.1	1
2025	5	20	17	5	24	0	0	0	0	0	0	0	18.79	0	0	12.6	0.1	1
2025	5	20	17	15	24	0	0	0	0	0	0	0	18.77	0	0	12.6	0.1	1
2025	5	20	17	25	24	0	0	0	0	0	0	0	18.75	0	0	12.4	0.1	1
2025	5	20	17	35	24	0	0	0	0	0	0	0	18.73	0	0	12.2	0.1	1
2025	5	20	17	45	24	0	0	0	0	0	0	0	18.7	0	0	12	0.1	1
2025	5	20	17	55	24	0	0	0	0	0	0	0	18.67	0	0	12	0.1	1
2025	5	20	18	5	24	0	0	0	0	0	0	0	18.64	0	0	11.8	0.1	1
2025	5	20	18	15	24	0	0	0	0	0	0	0	18.6	0	0	11.8	0.1	1
2025	5	20	18	25	24	0	0	0	0	0	0	0	18.56	0	0	11.8	0.1	1
2025	5	20	18	35	24	0	0	0	0	0	0	0	18.52	0	0	11.8	0.1	1
2025	5	20	18	45	24	0	0	0	0	0	0	0	18.48	0	0	11.8	0.1	1
2025	5	20	18	55	24	0	0	0	0	0	0	0	18.43	0	0	11.8	0.1	1
2025	5	20	19	5	24	0	0	0	0	0	0	0	18.39	0	0	11.8	0.1	1
2025	5	20	19	15	24	0	0	0	0	0	0	0	18.35	0	0	11.8	0.1	1
2025	5	20	19	25	24	0	0	0	0	0	0	0	18.3	0	0	11.8	0.1	1
2025	5	20	19	35	24	0	0	0	0	0	0	0	18.25	0	0	11.8	0.1	1
2025	5	20	19	45	24	0	0	0	0	0	0	0	18.2	0	0	11.8	0.1	1
2025	5	20	19	55	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	20	20	5	24	0	0	0	0	0	0	0	18.1	0	0	11.6	0.1	1
2025	5	20	20	15	24	0	0	0	0	0	0	0	18.04	0	0	11.6	0.1	1
2025	5	20	20	25	24	0	0	0	0	0	0	0	17.98	0	0	11.8	0.1	1
2025	5	20	20	35	24	0	0	0	0	0	0	0	17.9	0	0	11.8	0.1	1
2025	5	20	20	45	24	0	0	0	0	0	0	0	17.83	0	0	11.8	0.1	1
2025	5	20	20	55	24	0	0	0	0	0	0	0	17.77	0	0	11.8	0.1	1
2025	5	20	21	5	24	0	0	0	0	0	0	0	17.7	0	0	11.8	0.1	1
2025	5	20	21	15	24	0	0	0	0	0	0	0	17.64	0	0	11.8	0.1	1
2025	5	20	21	25	24	0	0	0	0	0	0	0	17.59	0	0	11.8	0.1	1
2025	5	20	21	35	24	0	0	0	0	0	0	0	17.53	0	0	11.8	0.1	1
2025	5	20	21	45	24	0	0	0	0	0	0	0	17.48	0	0	11.8	0.1	1
2025	5	20	21	55	24	0	0	0	0	0	0	0	17.42	0	0	11.8	0.1	1
2025	5	20	22	5	24	0	0	0	0	0	0	0	17.37	0	0	11.8	0.1	1
2025	5	20	22	15	24	0	0	0	0	0	0	0	17.32	0	0	11.8	0.1	1
2025	5	20	22	25	24	0	0	0	0	0	0	0	17.28	0	0	11.8	0.1	1
2025	5	20	22	35	24	0	0	0	0	0	0	0	17.24	0	0	11.8	0.1	1
2025	5	20	22	45	24	0	0	0	0	0	0	0	17.2	0	0	11.8	0.1	1
2025	5	20	22	55	24	0	0	0	0	0	0	0	17.16	0	0	11.8	0.1	1
2025	5	20	23	5	24	0	0	0	0	0	0	0	17.12	0	0	11.8	0.1	1
2025	5	20	23	15	24	0	0	0	0	0	0	0	17.08	0	0	11.8	0.1	1
2025	5	20	23	25	24	0	0	0	0	0	0	0	17.05	0	0	11.6	0.1	1
2025	5	20	23	35	24	0	0	0	0	0	0	0	17.02	0	0	11.6	0.1	1
2025	5	20	23	45	24	0	0	0	0	0	0	0	16.98	0	0	11.6	0.1	1
2025	5	20	23	55	24	0	0	0	0	0	0	0	16.94	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	21	0	5	24	0	0	0	0	0	0	0	16.91	0	0	11.6	0.1	1
2025	5	21	0	15	24	0	0	0	0	0	0	0	16.89	0	0	11.6	0.1	1
2025	5	21	0	25	24	0	0	0	0	0	0	0	16.86	0	0	11.6	0.1	1
2025	5	21	0	35	24	0	0	0	0	0	0	0	16.83	0	0	11.6	0.1	1
2025	5	21	0	45	24	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1
2025	5	21	0	55	24	0	0	0	0	0	0	0	16.8	0	0	11.6	0.1	1
2025	5	21	1	5	24	0	0	0	0	0	0	0	16.78	0	0	11.6	0.1	1
2025	5	21	1	15	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1
2025	5	21	1	25	24	0	0	0	0	0	0	0	16.75	0	0	11.6	0.1	1
2025	5	21	1	35	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1
2025	5	21	1	45	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1
2025	5	21	1	55	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	21	2	5	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	21	2	15	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	2	25	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	2	35	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	2	45	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	21	2	55	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	3	5	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	21	3	15	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	21	3	25	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	21	3	35	24	0	0	0	0	0	0	0	16.68	0	0	11.6	0.1	1
2025	5	21	3	45	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	3	55	24	0	0	0	0	0	0	0	16.69	0	0	11.6	0.1	1
2025	5	21	4	5	24	0	0	0	0	0	0	0	16.7	0	0	11.6	0.1	1
2025	5	21	4	15	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	21	4	25	24	0	0	0	0	0	0	0	16.71	0	0	11.6	0.1	1
2025	5	21	4	35	24	0	0	0	0	0	0	0	16.72	0	0	11.6	0.1	1
2025	5	21	4	45	24	0	0	0	0	0	0	0	16.73	0	0	11.6	0.1	1
2025	5	21	4	55	24	0	0	0	0	0	0	0	16.74	0	0	11.6	0.1	1
2025	5	21	5	5	24	0	0	0	0	0	0	0	16.75	0	0	11.6	0.1	1
2025	5	21	5	15	24	0	0	0	0	0	0	0	16.76	0	0	11.6	0.1	1
2025	5	21	5	25	24	0	0	0	0	0	0	0	16.77	0	0	11.6	0.1	1
2025	5	21	5	35	24	0	0	0	0	0	0	0	16.78	0	0	11.6	0.1	1
2025	5	21	5	45	24	0	0	0	0	0	0	0	16.79	0	0	11.6	0.1	1
2025	5	21	5	55	24	0	0	0	0	0	0	0	16.8	0	0	11.6	0.1	1
2025	5	21	6	5	24	0	0	0	0	0	0	0	16.81	0	0	11.6	0.1	1
2025	5	21	6	15	24	0	0	0	0	0	0	0	16.82	0	0	11.6	0.1	1
2025	5	21	6	25	24	0	0	0	0	0	0	0	16.83	0	0	11.6	0.1	1
2025	5	21	6	35	24	0	0	0	0	0	0	0	16.84	0	0	11.6	0.1	1
2025	5	21	6	45	24	0	0	0	0	0	0	0	16.86	0	0	11.6	0.1	1
2025	5	21	6	55	24	0	0	0	0	0	0	0	16.87	0	0	11.6	0.1	1
2025	5	21	7	5	24	0	0	0	0	0	0	0	16.9	0	0	11.8	0.1	1
2025	5	21	7	15	24	0	0	0	0	0	0	0	16.92	0	0	11.8	0.1	1
2025	5	21	7	25	24	0	0	0	0	0	0	0	16.94	0	0	12	0.1	1
2025	5	21	7	35	24	0	0	0	0	0	0	0	16.97	0	0	12.2	0.1	1
2025	5	21	7	45	24	0	0	0	0	0	0	0	17.01	0	0	12.4	0.1	1
2025	5	21	7	55	24	0	0	0	0	0	0	0	17.04	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	21	8	5	24	0	0	0	0	0	0	0	17.08	0	0	12.6	0.1	1
2025	5	21	8	15	24	0	0	0	0	0	0	0	17.12	0	0	12.6	0.1	1
2025	5	21	8	25	24	0	0	0	0	0	0	0	17.15	0	0	12.6	0.1	1
2025	5	21	8	35	24	0	0	0	0	0	0	0	17.19	0	0	12.6	0.1	1
2025	5	21	8	45	24	0	0	0	0	0	0	0	17.24	0	0	12.8	0.1	1
2025	5	21	8	55	24	0	0	0	0	0	0	0	17.28	0	0	12.8	0.1	1
2025	5	21	9	5	24	0	0	0	0	0	0	0	17.33	0	0	13.6	0.1	1
2025	5	21	9	15	24	0	0	0	0	0	0	0	17.39	0	0	13.8	0.1	1
2025	5	21	9	25	24	0	0	0	0	0	0	0	17.47	0	0	14	0.1	1
2025	5	21	9	35	24	0	0	0	0	0	0	0	17.52	0	0	13.8	0.1	1
2025	5	21	9	45	24	0	0	0	0	0	0	0	17.58	0	0	14	0.1	1
2025	5	21	9	55	24	0	0	0	0	0	0	0	17.63	0	0	13.8	0.1	1
2025	5	21	10	5	24	0	0	0	0	0	0	0	17.7	0	0	13.8	0.1	1
2025	5	21	10	15	24	0	0	0	0	0	0	0	17.75	0	0	13.8	0.1	1
2025	5	21	10	25	24	0	0	0	0	0	0	0	17.82	0	0	13.8	0.1	1
2025	5	21	10	35	24	0	0	0	0	0	0	0	17.88	0	0	14	0.1	1
2025	5	21	10	45	24	0	0	0	0	0	0	0	17.94	0	0	14.2	0.1	1
2025	5	21	10	55	24	0	0	0	0	0	0	0	18.01	0	0	13.6	0.1	1
2025	5	21	11	5	24	0	0	0	0	0	0	0	18.08	0	0	14	0.1	1
2025	5	21	11	15	24	0	0	0	0	0	0	0	18.15	0	0	14	0.1	1
2025	5	21	11	25	24	0	0	0	0	0	0	0	18.22	0	0	14	0.1	1
2025	5	21	11	35	24	0	0	0	0	0	0	0	18.28	0	0	14	0.1	1
2025	5	21	11	45	24	0	0	0	0	0	0	0	18.35	0	0	13.8	0.1	1
2025	5	21	11	55	24	0	0	0	0	0	0	0	18.42	0	0	13.8	0.1	1
2025	5	21	12	5	24	0	0	0	0	0	0	0	18.48	0	0	13.4	0.1	1
2025	5	21	12	15	24	0	0	0	0	0	0	0	18.55	0	0	13.4	0.1	1
2025	5	21	12	25	24	0	0	0	0	0	0	0	18.62	0	0	13.6	0.1	1
2025	5	21	12	35	24	0	0	0	0	0	0	0	18.67	0	0	13.8	0.1	1
2025	5	21	12	45	24	0	0	0	0	0	0	0	18.74	0	0	13.6	0.1	1
2025	5	21	12	55	24	0	0	0	0	0	0	0	18.79	0	0	13.6	0.1	1
2025	5	21	13	5	24	0	0	0	0	0	0	0	18.86	0	0	13.6	0.1	1
2025	5	21	13	15	24	0	0	0	0	0	0	0	18.92	0	0	13.6	0.1	1
2025	5	21	13	25	24	0	0	0	0	0	0	0	18.97	0	0	13.6	0.1	1
2025	5	21	13	35	24	0	0	0	0	0	0	0	19.02	0	0	13.6	0.1	1
2025	5	21	13	45	24	0	0	0	0	0	0	0	19.07	0	0	13.6	0.1	1
2025	5	21	13	55	24	0	0	0	0	0	0	0	19.12	0	0	13.6	0.1	1
2025	5	21	14	5	24	0	0	0	0	0	0	0	19.16	0	0	13.8	0.1	1
2025	5	21	14	15	24	0	0	0	0	0	0	0	19.21	0	0	13.8	0.1	1
2025	5	21	14	25	24	0	0	0	0	0	0	0	19.25	0	0	13.6	0.1	1
2025	5	21	14	35	24	0	0	0	0	0	0	0	19.28	0	0	13.8	0.1	1
2025	5	21	14	45	24	0	0	0	0	0	0	0	19.31	0	0	13.8	0.1	1
2025	5	21	14	55	24	0	0	0	0	0	0	0	19.34	0	0	13.8	0.1	1
2025	5	21	15	5	24	0	0	0	0	0	0	0	19.36	0	0	13.6	0.1	1
2025	5	21	15	15	24	0	0	0	0	0	0	0	19.39	0	0	13.6	0.1	1
2025	5	21	15	25	24	0	0	0	0	0	0	0	19.41	0	0	13.4	0.1	1
2025	5	21	15	35	24	0	0	0	0	0	0	0	19.43	0	0	13.4	0.1	1
2025	5	21	15	45	24	0	0	0	0	0	0	0	19.43	0	0	13.4	0.1	1
2025	5	21	15	55	24	0	0	0	0	0	0	0	19.45	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	21	16	5	24	0	0	0	0	0	0	0	19.46	0	0	13.4	0.1	1
2025	5	21	16	15	24	0	0	0	0	0	0	0	19.46	0	0	13.4	0.1	1
2025	5	21	16	25	24	0	0	0	0	0	0	0	19.46	0	0	13.2	0.1	1
2025	5	21	16	35	24	0	0	0	0	0	0	0	19.45	0	0	13.2	0.1	1
2025	5	21	16	45	24	0	0	0	0	0	0	0	19.44	0	0	13.2	0.1	1
2025	5	21	16	55	24	0	0	0	0	0	0	0	19.43	0	0	12.8	0.1	1
2025	5	21	17	5	24	0	0	0	0	0	0	0	19.41	0	0	12.6	0.1	1
2025	5	21	17	15	24	0	0	0	0	0	0	0	19.38	0	0	12.4	0.1	1
2025	5	21	17	25	24	0	0	0	0	0	0	0	19.36	0	0	12.2	0.1	1
2025	5	21	17	35	24	0	0	0	0	0	0	0	19.32	0	0	12.2	0.1	1
2025	5	21	17	45	24	0	0	0	0	0	0	0	19.29	0	0	12	0.1	1
2025	5	21	17	55	24	0	0	0	0	0	0	0	19.26	0	0	11.8	0.1	1
2025	5	21	18	5	24	0	0	0	0	0	0	0	19.23	0	0	11.8	0.1	1
2025	5	21	18	15	24	0	0	0	0	0	0	0	19.19	0	0	11.8	0.1	1
2025	5	21	18	25	24	0	0	0	0	0	0	0	19.15	0	0	11.8	0.1	1
2025	5	21	18	35	24	0	0	0	0	0	0	0	19.11	0	0	11.8	0.1	1
2025	5	21	18	45	24	0	0	0	0	0	0	0	19.06	0	0	11.6	0.1	1
2025	5	21	18	55	24	0	0	0	0	0	0	0	19.02	0	0	11.6	0.1	1
2025	5	21	19	5	24	0	0	0	0	0	0	0	18.98	0	0	11.6	0.1	1
2025	5	21	19	15	24	0	0	0	0	0	0	0	18.94	0	0	11.6	0.1	1
2025	5	21	19	25	24	0	0	0	0	0	0	0	18.88	0	0	11.6	0.1	1
2025	5	21	19	35	24	0	0	0	0	0	0	0	18.84	0	0	11.6	0.1	1
2025	5	21	19	45	24	0	0	0	0	0	0	0	18.78	0	0	11.6	0.1	1
2025	5	21	19	55	24	0	0	0	0	0	0	0	18.72	0	0	11.6	0.1	1
2025	5	21	20	5	24	0	0	0	0	0	0	0	18.66	0	0	11.6	0.1	1
2025	5	21	20	15	24	0	0	0	0	0	0	0	18.61	0	0	11.6	0.1	1
2025	5	21	20	25	24	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1
2025	5	21	20	35	24	0	0	0	0	0	0	0	18.45	0	0	11.8	0.1	1
2025	5	21	20	45	24	0	0	0	0	0	0	0	18.4	0	0	11.8	0.1	1
2025	5	21	20	55	24	0	0	0	0	0	0	0	18.33	0	0	11.8	0.1	1
2025	5	21	21	5	24	0	0	0	0	0	0	0	18.28	0	0	11.8	0.1	1
2025	5	21	21	15	24	0	0	0	0	0	0	0	18.22	0	0	11.8	0.1	1
2025	5	21	21	25	24	0	0	0	0	0	0	0	18.16	0	0	11.8	0.1	1
2025	5	21	21	35	24	0	0	0	0	0	0	0	18.11	0	0	11.8	0.1	1
2025	5	21	21	45	24	0	0	0	0	0	0	0	18.04	0	0	11.8	0.1	1
2025	5	21	21	55	24	0	0	0	0	0	0	0	18	0	0	11.8	0.1	1
2025	5	21	22	5	24	0	0	0	0	0	0	0	17.94	0	0	11.8	0.1	1
2025	5	21	22	15	24	0	0	0	0	0	0	0	17.89	0	0	11.8	0.1	1
2025	5	21	22	25	24	0	0	0	0	0	0	0	17.84	0	0	11.8	0.1	1
2025	5	21	22	35	24	0	0	0	0	0	0	0	17.79	0	0	11.8	0.1	1
2025	5	21	22	45	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	21	22	55	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	21	23	5	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	21	23	15	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	21	23	25	24	0	0	0	0	0	0	0	17.58	0	0	11.6	0.1	1
2025	5	21	23	35	24	0	0	0	0	0	0	0	17.53	0	0	11.6	0.1	1
2025	5	21	23	45	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	21	23	55	24	0	0	0	0	0	0	0	17.47	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	22	0	5	24	0	0	0	0	0	0	0	17.43	0	0	11.6	0.1	1
2025	5	22	0	15	24	0	0	0	0	0	0	0	17.4	0	0	11.6	0.1	1
2025	5	22	0	25	24	0	0	0	0	0	0	0	17.37	0	0	11.6	0.1	1
2025	5	22	0	35	24	0	0	0	0	0	0	0	17.35	0	0	11.6	0.1	1
2025	5	22	0	45	24	0	0	0	0	0	0	0	17.32	0	0	11.6	0.1	1
2025	5	22	0	55	24	0	0	0	0	0	0	0	17.31	0	0	11.6	0.1	1
2025	5	22	1	5	24	0	0	0	0	0	0	0	17.29	0	0	11.6	0.1	1
2025	5	22	1	15	24	0	0	0	0	0	0	0	17.27	0	0	11.6	0.1	1
2025	5	22	1	25	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	22	1	35	24	0	0	0	0	0	0	0	17.23	0	0	11.6	0.1	1
2025	5	22	1	45	24	0	0	0	0	0	0	0	17.22	0	0	11.6	0.1	1
2025	5	22	1	55	24	0	0	0	0	0	0	0	17.21	0	0	11.6	0.1	1
2025	5	22	2	5	24	0	0	0	0	0	0	0	17.19	0	0	11.6	0.1	1
2025	5	22	2	15	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	22	2	25	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	22	2	35	24	0	0	0	0	0	0	0	17.16	0	0	11.6	0.1	1
2025	5	22	2	45	24	0	0	0	0	0	0	0	17.15	0	0	11.6	0.1	1
2025	5	22	2	55	24	0	0	0	0	0	0	0	17.15	0	0	11.6	0.1	1
2025	5	22	3	5	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	3	15	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	3	25	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	3	35	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	3	45	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	3	55	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	4	5	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	4	15	24	0	0	0	0	0	0	0	17.14	0	0	11.6	0.1	1
2025	5	22	4	25	24	0	0	0	0	0	0	0	17.15	0	0	11.6	0.1	1
2025	5	22	4	35	24	0	0	0	0	0	0	0	17.16	0	0	11.6	0.1	1
2025	5	22	4	45	24	0	0	0	0	0	0	0	17.17	0	0	11.6	0.1	1
2025	5	22	4	55	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	22	5	5	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	22	5	15	24	0	0	0	0	0	0	0	17.18	0	0	11.6	0.1	1
2025	5	22	5	25	24	0	0	0	0	0	0	0	17.19	0	0	11.6	0.1	1
2025	5	22	5	35	24	0	0	0	0	0	0	0	17.2	0	0	11.6	0.1	1
2025	5	22	5	45	24	0	0	0	0	0	0	0	17.21	0	0	11.6	0.1	1
2025	5	22	5	55	24	0	0	0	0	0	0	0	17.22	0	0	11.6	0.1	1
2025	5	22	6	5	24	0	0	0	0	0	0	0	17.24	0	0	11.6	0.1	1
2025	5	22	6	15	24	0	0	0	0	0	0	0	17.25	0	0	11.6	0.1	1
2025	5	22	6	25	24	0	0	0	0	0	0	0	17.26	0	0	11.6	0.1	1
2025	5	22	6	35	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	22	6	45	24	0	0	0	0	0	0	0	17.28	0	0	11.6	0.1	1
2025	5	22	6	55	24	0	0	0	0	0	0	0	17.31	0	0	11.6	0.1	1
2025	5	22	7	5	24	0	0	0	0	0	0	0	17.33	0	0	11.8	0.1	1
2025	5	22	7	15	24	0	0	0	0	0	0	0	17.36	0	0	12	0.1	1
2025	5	22	7	25	24	0	0	0	0	0	0	0	17.39	0	0	12	0.1	1
2025	5	22	7	35	24	0	0	0	0	0	0	0	17.44	0	0	12.2	0.1	1
2025	5	22	7	45	24	0	0	0	0	0	0	0	17.47	0	0	12.4	0.1	1
2025	5	22	7	55	24	0	0	0	0	0	0	0	17.51	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	22	8	5	24	0	0	0	0	0	0	0	17.55	0	0	12.6	0.1	1
2025	5	22	8	15	24	0	0	0	0	0	0	0	17.59	0	0	12.6	0.1	1
2025	5	22	8	25	24	0	0	0	0	0	0	0	17.63	0	0	12.6	0.1	1
2025	5	22	8	35	24	0	0	0	0	0	0	0	17.68	0	0	12.8	0.1	1
2025	5	22	8	45	24	0	0	0	0	0	0	0	17.73	0	0	12.8	0.1	1
2025	5	22	8	55	24	0	0	0	0	0	0	0	17.78	0	0	12.8	0.1	1
2025	5	22	9	5	24	0	0	0	0	0	0	0	17.83	0	0	13.6	0.1	1
2025	5	22	9	15	24	0	0	0	0	0	0	0	17.89	0	0	13.8	0.1	1
2025	5	22	9	25	24	0	0	0	0	0	0	0	17.95	0	0	14	0.1	1
2025	5	22	9	35	24	0	0	0	0	0	0	0	18	0	0	13.8	0.1	1
2025	5	22	9	45	24	0	0	0	0	0	0	0	18.06	0	0	13.8	0.1	1
2025	5	22	9	55	24	0	0	0	0	0	0	0	18.12	0	0	13.8	0.1	1
2025	5	22	10	5	24	0	0	0	0	0	0	0	18.18	0	0	13.8	0.1	1
2025	5	22	10	15	24	0	0	0	0	0	0	0	18.25	0	0	13.8	0.1	1
2025	5	22	10	25	24	0	0	0	0	0	0	0	18.31	0	0	13.6	0.1	1
2025	5	22	10	35	24	0	0	0	0	0	0	0	18.37	0	0	13.6	0.1	1
2025	5	22	10	45	24	0	0	0	0	0	0	0	18.44	0	0	13.6	0.1	1
2025	5	22	10	55	24	0	0	0	0	0	0	0	18.51	0	0	13.6	0.1	1
2025	5	22	11	5	24	0	0	0	0	0	0	0	18.58	0	0	13.6	0.1	1
2025	5	22	11	15	24	0	0	0	0	0	0	0	18.65	0	0	13.6	0.1	1
2025	5	22	11	25	24	0	0	0	0	0	0	0	18.72	0	0	13.6	0.1	1
2025	5	22	11	35	24	0	0	0	0	0	0	0	18.79	0	0	13.8	0.1	1
2025	5	22	11	45	24	0	0	0	0	0	0	0	18.86	0	0	13.8	0.1	1
2025	5	22	11	55	24	0	0	0	0	0	0	0	18.93	0	0	13.6	0.1	1
2025	5	22	12	5	24	0	0	0	0	0	0	0	19	0	0	13.8	0.1	1
2025	5	22	12	15	24	0	0	0	0	0	0	0	19.06	0	0	13.8	0.1	1
2025	5	22	12	25	24	0	0	0	0	0	0	0	19.1	0	0	13.6	0.1	1
2025	5	22	12	35	24	0	0	0	0	0	0	0	19.15	0	0	13.4	0.1	1
2025	5	22	12	45	24	0	0	0	0	0	0	0	19.19	0	0	13.6	0.1	1
2025	5	22	12	55	24	0	0	0	0	0	0	0	19.25	0	0	13.4	0.1	1
2025	5	22	13	5	24	0	0	0	0	0	0	0	19.28	0	0	13.8	0.1	1
2025	5	22	13	15	24	0	0	0	0	0	0	0	19.35	0	0	13.6	0.1	1
2025	5	22	13	25	24	0	0	0	0	0	0	0	19.42	0	0	13.6	0.1	1
2025	5	22	13	35	24	0	0	0	0	0	0	0	19.48	0	0	13.8	0.1	1
2025	5	22	13	45	24	0	0	0	0	0	0	0	19.54	0	0	13.8	0.1	1
2025	5	22	13	55	24	0	0	0	0	0	0	0	19.59	0	0	13.8	0.1	1
2025	5	22	14	5	24	0	0	0	0	0	0	0	19.65	0	0	13.6	0.1	1
2025	5	22	14	15	24	0	0	0	0	0	0	0	19.69	0	0	13.6	0.1	1
2025	5	22	14	25	24	0	0	0	0	0	0	0	19.73	0	0	13.4	0.1	1
2025	5	22	14	35	24	0	0	0	0	0	0	0	19.78	0	0	13.6	0.1	1
2025	5	22	14	45	24	0	0	0	0	0	0	0	19.82	0	0	13.6	0.1	1
2025	5	22	14	55	24	0	0	0	0	0	0	0	19.85	0	0	13.6	0.1	1
2025	5	22	15	5	24	0	0	0	0	0	0	0	19.88	0	0	13.6	0.1	1
2025	5	22	15	15	24	0	0	0	0	0	0	0	19.91	0	0	13.6	0.1	1
2025	5	22	15	25	24	0	0	0	0	0	0	0	19.91	0	0	13.4	0.1	1
2025	5	22	15	35	24	0	0	0	0	0	0	0	19.92	0	0	13.4	0.1	1
2025	5	22	15	45	24	0	0	0	0	0	0	0	19.93	0	0	13.4	0.1	1
2025	5	22	15	55	24	0	0	0	0	0	0	0	19.93	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	22	16	5	24	0	0	0	0	0	0	0	19.92	0	0	13.4	0.1	1
2025	5	22	16	15	24	0	0	0	0	0	0	0	19.91	0	0	13.4	0.1	1
2025	5	22	16	25	24	0	0	0	0	0	0	0	19.9	0	0	13.2	0.1	1
2025	5	22	16	35	24	0	0	0	0	0	0	0	19.88	0	0	13.2	0.1	1
2025	5	22	16	45	24	0	0	0	0	0	0	0	19.87	0	0	13	0.1	1
2025	5	22	16	55	24	0	0	0	0	0	0	0	19.86	0	0	12.8	0.1	1
2025	5	22	17	5	24	0	0	0	0	0	0	0	19.86	0	0	12.6	0.1	1
2025	5	22	17	15	24	0	0	0	0	0	0	0	19.84	0	0	12.6	0.1	1
2025	5	22	17	25	24	0	0	0	0	0	0	0	19.81	0	0	12.4	0.1	1
2025	5	22	17	35	24	0	0	0	0	0	0	0	19.78	0	0	12.2	0.1	1
2025	5	22	17	45	24	0	0	0	0	0	0	0	19.74	0	0	12	0.1	1
2025	5	22	17	55	24	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1
2025	5	22	18	5	24	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1
2025	5	22	18	15	24	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1
2025	5	22	18	25	24	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1
2025	5	22	18	35	24	0	0	0	0	0	0	0	19.49	0	0	11.8	0.1	1
2025	5	22	18	45	24	0	0	0	0	0	0	0	19.43	0	0	11.8	0.1	1
2025	5	22	18	55	24	0	0	0	0	0	0	0	19.37	0	0	11.8	0.1	1
2025	5	22	19	5	24	0	0	0	0	0	0	0	19.32	0	0	11.6	0.1	1
2025	5	22	19	15	24	0	0	0	0	0	0	0	19.27	0	0	11.6	0.1	1
2025	5	22	19	25	24	0	0	0	0	0	0	0	19.22	0	0	11.6	0.1	1
2025	5	22	19	35	24	0	0	0	0	0	0	0	19.17	0	0	11.6	0.1	1
2025	5	22	19	45	24	0	0	0	0	0	0	0	19.11	0	0	11.6	0.1	1
2025	5	22	19	55	24	0	0	0	0	0	0	0	19.06	0	0	11.6	0.1	1
2025	5	22	20	5	24	0	0	0	0	0	0	0	19	0	0	11.4	0.1	1
2025	5	22	20	15	24	0	0	0	0	0	0	0	18.94	0	0	11.4	0.1	1
2025	5	22	20	25	24	0	0	0	0	0	0	0	18.88	0	0	11.6	0.1	1
2025	5	22	20	35	24	0	0	0	0	0	0	0	18.83	0	0	11.6	0.1	1
2025	5	22	20	45	24	0	0	0	0	0	0	0	18.76	0	0	11.6	0.1	1
2025	5	22	20	55	24	0	0	0	0	0	0	0	18.69	0	0	11.6	0.1	1
2025	5	22	21	5	24	0	0	0	0	0	0	0	18.63	0	0	11.4	0.1	1
2025	5	22	21	15	24	0	0	0	0	0	0	0	18.56	0	0	11.4	0.1	1
2025	5	22	21	25	24	0	0	0	0	0	0	0	18.49	0	0	11.8	0.1	1
2025	5	22	21	35	24	0	0	0	0	0	0	0	18.43	0	0	11.8	0.1	1
2025	5	22	21	45	24	0	0	0	0	0	0	0	18.36	0	0	11.8	0.1	1
2025	5	22	21	55	24	0	0	0	0	0	0	0	18.3	0	0	11.8	0.1	1
2025	5	22	22	5	24	0	0	0	0	0	0	0	18.25	0	0	11.6	0.1	1
2025	5	22	22	15	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	22	22	25	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	22	22	35	24	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1
2025	5	22	22	45	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	22	22	55	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	22	23	5	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	22	23	15	24	0	0	0	0	0	0	0	17.93	0	0	11.6	0.1	1
2025	5	22	23	25	24	0	0	0	0	0	0	0	17.9	0	0	11.6	0.1	1
2025	5	22	23	35	24	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1
2025	5	22	23	45	24	0	0	0	0	0	0	0	17.83	0	0	11.6	0.1	1
2025	5	22	23	55	24	0	0	0	0	0	0	0	17.8	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	23	0	5	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	23	0	15	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	23	0	25	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	23	0	35	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	23	0	45	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	23	0	55	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	23	1	5	24	0	0	0	0	0	0	0	17.63	0	0	11.6	0.1	1
2025	5	23	1	15	24	0	0	0	0	0	0	0	17.62	0	0	11.6	0.1	1
2025	5	23	1	25	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	23	1	35	24	0	0	0	0	0	0	0	17.59	0	0	11.6	0.1	1
2025	5	23	1	45	24	0	0	0	0	0	0	0	17.57	0	0	11.6	0.1	1
2025	5	23	1	55	24	0	0	0	0	0	0	0	17.56	0	0	11.6	0.1	1
2025	5	23	2	5	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1
2025	5	23	2	15	24	0	0	0	0	0	0	0	17.54	0	0	11.6	0.1	1
2025	5	23	2	25	24	0	0	0	0	0	0	0	17.53	0	0	11.6	0.1	1
2025	5	23	2	35	24	0	0	0	0	0	0	0	17.52	0	0	11.6	0.1	1
2025	5	23	2	45	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	23	2	55	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	23	3	5	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	3	15	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	3	25	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	3	35	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	3	45	24	0	0	0	0	0	0	0	17.49	0	0	11.6	0.1	1
2025	5	23	3	55	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	4	5	24	0	0	0	0	0	0	0	17.49	0	0	11.6	0.1	1
2025	5	23	4	15	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	4	25	24	0	0	0	0	0	0	0	17.5	0	0	11.6	0.1	1
2025	5	23	4	35	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	23	4	45	24	0	0	0	0	0	0	0	17.51	0	0	11.6	0.1	1
2025	5	23	4	55	24	0	0	0	0	0	0	0	17.52	0	0	11.6	0.1	1
2025	5	23	5	5	24	0	0	0	0	0	0	0	17.52	0	0	11.6	0.1	1
2025	5	23	5	15	24	0	0	0	0	0	0	0	17.52	0	0	11.6	0.1	1
2025	5	23	5	25	24	0	0	0	0	0	0	0	17.53	0	0	11.6	0.1	1
2025	5	23	5	35	24	0	0	0	0	0	0	0	17.54	0	0	11.6	0.1	1
2025	5	23	5	45	24	0	0	0	0	0	0	0	17.55	0	0	11.6	0.1	1
2025	5	23	5	55	24	0	0	0	0	0	0	0	17.57	0	0	11.6	0.1	1
2025	5	23	6	5	24	0	0	0	0	0	0	0	17.58	0	0	11.6	0.1	1
2025	5	23	6	15	24	0	0	0	0	0	0	0	17.59	0	0	11.6	0.1	1
2025	5	23	6	25	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	23	6	35	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	23	6	45	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	23	6	55	24	0	0	0	0	0	0	0	17.63	0	0	11.6	0.1	1
2025	5	23	7	5	24	0	0	0	0	0	0	0	17.66	0	0	11.8	0.1	1
2025	5	23	7	15	24	0	0	0	0	0	0	0	17.67	0	0	12	0.1	1
2025	5	23	7	25	24	0	0	0	0	0	0	0	17.7	0	0	12	0.1	1
2025	5	23	7	35	24	0	0	0	0	0	0	0	17.73	0	0	12.2	0.1	1
2025	5	23	7	45	24	0	0	0	0	0	0	0	17.76	0	0	12.4	0.1	1
2025	5	23	7	55	24	0	0	0	0	0	0	0	17.79	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	23	8	5	24	0	0	0	0	0	0	0	17.82	0	0	12.6	0.1	1
2025	5	23	8	15	24	0	0	0	0	0	0	0	17.86	0	0	12.6	0.1	1
2025	5	23	8	25	24	0	0	0	0	0	0	0	17.9	0	0	12.6	0.1	1
2025	5	23	8	35	24	0	0	0	0	0	0	0	17.93	0	0	12.8	0.1	1
2025	5	23	8	45	24	0	0	0	0	0	0	0	17.98	0	0	12.8	0.1	1
2025	5	23	8	55	24	0	0	0	0	0	0	0	18.02	0	0	12.8	0.1	1
2025	5	23	9	5	24	0	0	0	0	0	0	0	18.06	0	0	13	0.1	1
2025	5	23	9	15	24	0	0	0	0	0	0	0	18.12	0	0	13	0.1	1
2025	5	23	9	25	24	0	0	0	0	0	0	0	18.16	0	0	13.4	0.1	1
2025	5	23	9	35	24	0	0	0	0	0	0	0	18.22	0	0	13.4	0.1	1
2025	5	23	9	45	24	0	0	0	0	0	0	0	18.27	0	0	13.4	0.1	1
2025	5	23	9	55	24	0	0	0	0	0	0	0	18.32	0	0	13.4	0.1	1
2025	5	23	10	5	24	0	0	0	0	0	0	0	18.37	0	0	13.4	0.1	1
2025	5	23	10	15	24	0	0	0	0	0	0	0	18.45	0	0	13.4	0.1	1
2025	5	23	10	25	24	0	0	0	0	0	0	0	18.5	0	0	13.4	0.1	1
2025	5	23	10	35	24	0	0	0	0	0	0	0	18.56	0	0	13.2	0.1	1
2025	5	23	10	45	24	0	0	0	0	0	0	0	18.63	0	0	13.2	0.1	1
2025	5	23	10	55	24	0	0	0	0	0	0	0	18.69	0	0	13.2	0.1	1
2025	5	23	11	5	24	0	0	0	0	0	0	0	18.75	0	0	13.6	0.1	1
2025	5	23	11	15	24	0	0	0	0	0	0	0	18.82	0	0	13.8	0.1	1
2025	5	23	11	25	24	0	0	0	0	0	0	0	18.88	0	0	13.6	0.1	1
2025	5	23	11	35	24	0	0	0	0	0	0	0	18.94	0	0	13.6	0.1	1
2025	5	23	11	45	24	0	0	0	0	0	0	0	18.99	0	0	13.8	0.1	1
2025	5	23	11	55	24	0	0	0	0	0	0	0	19.04	0	0	14	0.1	1
2025	5	23	12	5	24	0	0	0	0	0	0	0	19.15	0	0	14	0.1	1
2025	5	23	12	15	24	0	0	0	0	0	0	0	19.2	0	0	14	0.1	1
2025	5	23	12	25	24	0	0	0	0	0	0	0	19.26	0	0	13.8	0.1	1
2025	5	23	12	35	24	0	0	0	0	0	0	0	19.32	0	0	14	0.1	1
2025	5	23	12	45	24	0	0	0	0	0	0	0	19.38	0	0	14	0.1	1
2025	5	23	12	55	24	0	0	0	0	0	0	0	19.43	0	0	14.2	0.1	1
2025	5	23	13	5	24	0	0	0	0	0	0	0	19.48	0	0	14.2	0.1	1
2025	5	23	13	15	24	0	0	0	0	0	0	0	19.55	0	0	14.2	0.1	1
2025	5	23	13	25	24	0	0	0	0	0	0	0	19.6	0	0	14	0.1	1
2025	5	23	13	35	24	0	0	0	0	0	0	0	19.65	0	0	14.2	0.1	1
2025	5	23	13	45	24	0	0	0	0	0	0	0	19.69	0	0	14.2	0.1	1
2025	5	23	13	55	24	0	0	0	0	0	0	0	19.74	0	0	14.2	0.1	1
2025	5	23	14	5	24	0	0	0	0	0	0	0	19.77	0	0	14.2	0.1	1
2025	5	23	14	15	24	0	0	0	0	0	0	0	19.81	0	0	14.2	0.1	1
2025	5	23	14	25	24	0	0	0	0	0	0	0	19.85	0	0	14.2	0.1	1
2025	5	23	14	35	24	0	0	0	0	0	0	0	19.88	0	0	14.2	0.1	1
2025	5	23	14	45	24	0	0	0	0	0	0	0	19.91	0	0	14.2	0.1	1
2025	5	23	14	55	24	0	0	0	0	0	0	0	19.94	0	0	14.2	0.1	1
2025	5	23	15	5	24	0	0	0	0	0	0	0	19.95	0	0	14	0.1	1
2025	5	23	15	15	24	0	0	0	0	0	0	0	19.98	0	0	14	0.1	1
2025	5	23	15	25	24	0	0	0	0	0	0	0	20	0	0	13.8	0.1	1
2025	5	23	15	35	24	0	0	0	0	0	0	0	20.02	0	0	13.8	0.1	1
2025	5	23	15	45	24	0	0	0	0	0	0	0	20.02	0	0	14	0.1	1
2025	5	23	15	55	24	0	0	0	0	0	0	0	20.03	0	0	13.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	23	16	5	24	0	0	0	0	0	0	0	20.03	0	0	13.8	0.1	1
2025	5	23	16	15	24	0	0	0	0	0	0	0	20.05	0	0	13.8	0.1	1
2025	5	23	16	25	24	0	0	0	0	0	0	0	20.04	0	0	13.8	0.1	1
2025	5	23	16	35	24	0	0	0	0	0	0	0	20.02	0	0	13.2	0.1	1
2025	5	23	16	45	24	0	0	0	0	0	0	0	19.99	0	0	13.6	0.1	1
2025	5	23	16	55	24	0	0	0	0	0	0	0	19.98	0	0	13	0.1	1
2025	5	23	17	5	24	0	0	0	0	0	0	0	19.95	0	0	12.8	0.1	1
2025	5	23	17	15	24	0	0	0	0	0	0	0	19.93	0	0	12.8	0.1	1
2025	5	23	17	25	24	0	0	0	0	0	0	0	19.9	0	0	12.4	0.1	1
2025	5	23	17	35	24	0	0	0	0	0	0	0	19.87	0	0	12.2	0.1	1
2025	5	23	17	45	24	0	0	0	0	0	0	0	19.84	0	0	12	0.1	1
2025	5	23	17	55	24	0	0	0	0	0	0	0	19.79	0	0	11.8	0.1	1
2025	5	23	18	5	24	0	0	0	0	0	0	0	19.76	0	0	11.6	0.1	1
2025	5	23	18	15	24	0	0	0	0	0	0	0	19.73	0	0	11.6	0.1	1
2025	5	23	18	25	24	0	0	0	0	0	0	0	19.7	0	0	11.6	0.1	1
2025	5	23	18	35	24	0	0	0	0	0	0	0	19.65	0	0	11.6	0.1	1
2025	5	23	18	45	24	0	0	0	0	0	0	0	19.61	0	0	11.6	0.1	1
2025	5	23	18	55	24	0	0	0	0	0	0	0	19.58	0	0	11.4	0.1	1
2025	5	23	19	5	24	0	0	0	0	0	0	0	19.52	0	0	11.4	0.1	1
2025	5	23	19	15	24	0	0	0	0	0	0	0	19.47	0	0	11.4	0.1	1
2025	5	23	19	25	24	0	0	0	0	0	0	0	19.42	0	0	11.8	0.1	1
2025	5	23	19	35	24	0	0	0	0	0	0	0	19.37	0	0	11.6	0.1	1
2025	5	23	19	45	24	0	0	0	0	0	0	0	19.3	0	0	11.6	0.1	1
2025	5	23	19	55	24	0	0	0	0	0	0	0	19.25	0	0	11.6	0.1	1
2025	5	23	20	5	24	0	0	0	0	0	0	0	19.19	0	0	11.6	0.1	1
2025	5	23	20	15	24	0	0	0	0	0	0	0	19.14	0	0	11.6	0.1	1
2025	5	23	20	25	24	0	0	0	0	0	0	0	19.08	0	0	11.4	0.1	1
2025	5	23	20	35	24	0	0	0	0	0	0	0	19.02	0	0	11.2	0.1	1
2025	5	23	20	45	24	0	0	0	0	0	0	0	18.97	0	0	11.2	0.1	1
2025	5	23	20	55	24	0	0	0	0	0	0	0	18.91	0	0	11.2	0.1	1
2025	5	23	21	5	24	0	0	0	0	0	0	0	18.85	0	0	11.2	0.1	1
2025	5	23	21	15	24	0	0	0	0	0	0	0	18.8	0	0	11.2	0.1	1
2025	5	23	21	25	24	0	0	0	0	0	0	0	18.75	0	0	11.8	0.1	1
2025	5	23	21	35	24	0	0	0	0	0	0	0	18.69	0	0	11.8	0.1	1
2025	5	23	21	45	24	0	0	0	0	0	0	0	18.64	0	0	11.8	0.1	1
2025	5	23	21	55	24	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1
2025	5	23	22	5	24	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1
2025	5	23	22	15	24	0	0	0	0	0	0	0	18.49	0	0	11.8	0.1	1
2025	5	23	22	25	24	0	0	0	0	0	0	0	18.45	0	0	11.8	0.1	1
2025	5	23	22	35	24	0	0	0	0	0	0	0	18.41	0	0	11.8	0.1	1
2025	5	23	22	45	24	0	0	0	0	0	0	0	18.36	0	0	11.8	0.1	1
2025	5	23	22	55	24	0	0	0	0	0	0	0	18.32	0	0	11.8	0.1	1
2025	5	23	23	5	24	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1
2025	5	23	23	15	24	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1
2025	5	23	23	25	24	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1
2025	5	23	23	35	24	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1
2025	5	23	23	45	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	23	23	55	24	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	24	0	5	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	24	0	15	24	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1
2025	5	24	0	25	24	0	0	0	0	0	0	0	18.07	0	0	11.6	0.1	1
2025	5	24	0	35	24	0	0	0	0	0	0	0	18.04	0	0	11.6	0.1	1
2025	5	24	0	45	24	0	0	0	0	0	0	0	18.03	0	0	11.6	0.1	1
2025	5	24	0	55	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	24	1	5	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	24	1	15	24	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1
2025	5	24	1	25	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	24	1	35	24	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1
2025	5	24	1	45	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	24	1	55	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	24	2	5	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	24	2	15	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	24	2	25	24	0	0	0	0	0	0	0	17.95	0	0	11.6	0.1	1
2025	5	24	2	35	24	0	0	0	0	0	0	0	17.95	0	0	11.6	0.1	1
2025	5	24	2	45	24	0	0	0	0	0	0	0	17.95	0	0	11.6	0.1	1
2025	5	24	2	55	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	24	3	5	24	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1
2025	5	24	3	15	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	24	3	25	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	24	3	35	24	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1
2025	5	24	3	45	24	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1
2025	5	24	3	55	24	0	0	0	0	0	0	0	18.02	0	0	11.6	0.1	1
2025	5	24	4	5	24	0	0	0	0	0	0	0	18.04	0	0	11.6	0.1	1
2025	5	24	4	15	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	24	4	25	24	0	0	0	0	0	0	0	18.06	0	0	11.6	0.1	1
2025	5	24	4	35	24	0	0	0	0	0	0	0	18.08	0	0	11.6	0.1	1
2025	5	24	4	45	24	0	0	0	0	0	0	0	18.1	0	0	11.6	0.1	1
2025	5	24	4	55	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	24	5	5	24	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1
2025	5	24	5	15	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	24	5	25	24	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1
2025	5	24	5	35	24	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1
2025	5	24	5	45	24	0	0	0	0	0	0	0	18.2	0	0	11.6	0.1	1
2025	5	24	5	55	24	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1
2025	5	24	6	5	24	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1
2025	5	24	6	15	24	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1
2025	5	24	6	25	24	0	0	0	0	0	0	0	18.29	0	0	11.6	0.1	1
2025	5	24	6	35	24	0	0	0	0	0	0	0	18.31	0	0	11.6	0.1	1
2025	5	24	6	45	24	0	0	0	0	0	0	0	18.34	0	0	11.6	0.1	1
2025	5	24	6	55	24	0	0	0	0	0	0	0	18.36	0	0	11.6	0.1	1
2025	5	24	7	5	24	0	0	0	0	0	0	0	18.38	0	0	11.6	0.1	1
2025	5	24	7	15	24	0	0	0	0	0	0	0	18.41	0	0	11.6	0.1	1
2025	5	24	7	25	24	0	0	0	0	0	0	0	18.43	0	0	11.6	0.1	1
2025	5	24	7	35	24	0	0	0	0	0	0	0	18.46	0	0	11.8	0.1	1
2025	5	24	7	45	24	0	0	0	0	0	0	0	18.49	0	0	12	0.1	1
2025	5	24	7	55	24	0	0	0	0	0	0	0	18.54	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	24	8	5	24	0	0	0	0	0	0	0	18.58	0	0	12.4	0.1	1
2025	5	24	8	15	24	0	0	0	0	0	0	0	18.62	0	0	12.4	0.1	1
2025	5	24	8	25	24	0	0	0	0	0	0	0	18.66	0	0	12.6	0.1	1
2025	5	24	8	35	24	0	0	0	0	0	0	0	18.69	0	0	12.6	0.1	1
2025	5	24	8	45	24	0	0	0	0	0	0	0	18.74	0	0	12.8	0.1	1
2025	5	24	8	55	24	0	0	0	0	0	0	0	18.78	0	0	13	0.1	1
2025	5	24	9	5	24	0	0	0	0	0	0	0	18.81	0	0	13.4	0.1	1
2025	5	24	9	15	24	0	0	0	0	0	0	0	18.85	0	0	13.8	0.1	1
2025	5	24	9	25	24	0	0	0	0	0	0	0	18.88	0	0	13.8	0.1	1
2025	5	24	9	35	24	0	0	0	0	0	0	0	18.93	0	0	13.8	0.1	1
2025	5	24	9	45	24	0	0	0	0	0	0	0	18.99	0	0	14	0.1	1
2025	5	24	9	55	24	0	0	0	0	0	0	0	19.04	0	0	13.8	0.1	1
2025	5	24	10	5	24	0	0	0	0	0	0	0	19.05	0	0	13.6	0.1	1
2025	5	24	10	15	24	0	0	0	0	0	0	0	19.07	0	0	13.8	0.1	1
2025	5	24	10	25	24	0	0	0	0	0	0	0	19.14	0	0	14	0.1	1
2025	5	24	10	35	24	0	0	0	0	0	0	0	19.2	0	0	14	0.1	1
2025	5	24	10	45	24	0	0	0	0	0	0	0	19.25	0	0	14	0.1	1
2025	5	24	10	55	24	0	0	0	0	0	0	0	19.29	0	0	14	0.1	1
2025	5	24	11	5	24	0	0	0	0	0	0	0	19.33	0	0	13.8	0.1	1
2025	5	24	11	15	24	0	0	0	0	0	0	0	19.37	0	0	14	0.1	1
2025	5	24	11	25	24	0	0	0	0	0	0	0	19.44	0	0	14	0.1	1
2025	5	24	11	35	24	0	0	0	0	0	0	0	19.51	0	0	14	0.1	1
2025	5	24	11	45	24	0	0	0	0	0	0	0	19.51	0	0	13.4	0.1	1
2025	5	24	11	55	24	0	0	0	0	0	0	0	19.53	0	0	13.6	0.1	1
2025	5	24	12	5	24	0	0	0	0	0	0	0	19.53	0	0	13.6	0.1	1
2025	5	24	12	15	24	0	0	0	0	0	0	0	19.61	0	0	14	0.1	1
2025	5	24	12	25	24	0	0	0	0	0	0	0	19.6	0	0	13.2	0.1	1
2025	5	24	12	35	24	0	0	0	0	0	0	0	19.66	0	0	14.2	0.1	1
2025	5	24	12	45	24	0	0	0	0	0	0	0	19.73	0	0	14	0.1	1
2025	5	24	12	55	24	0	0	0	0	0	0	0	19.71	0	0	13.6	0.1	1
2025	5	24	13	5	24	0	0	0	0	0	0	0	19.75	0	0	14	0.1	1
2025	5	24	13	15	24	0	0	0	0	0	0	0	19.82	0	0	14	0.1	1
2025	5	24	13	25	24	0	0	0	0	0	0	0	19.9	0	0	14	0.1	1
2025	5	24	13	35	24	0	0	0	0	0	0	0	19.96	0	0	14.2	0.1	1
2025	5	24	13	45	24	0	0	0	0	0	0	0	20.01	0	0	14.2	0.1	1
2025	5	24	13	55	24	0	0	0	0	0	0	0	20.02	0	0	14.2	0.1	1
2025	5	24	14	5	24	0	0	0	0	0	0	0	20.02	0	0	14	0.1	1
2025	5	24	14	15	24	0	0	0	0	0	0	0	20.07	0	0	14.2	0.1	1
2025	5	24	14	25	24	0	0	0	0	0	0	0	20.09	0	0	14.2	0.1	1
2025	5	24	14	35	24	0	0	0	0	0	0	0	20.12	0	0	14.2	0.1	1
2025	5	24	14	45	24	0	0	0	0	0	0	0	20.14	0	0	14.2	0.1	1
2025	5	24	14	55	24	0	0	0	0	0	0	0	20.14	0	0	13.4	0.1	1
2025	5	24	15	5	24	0	0	0	0	0	0	0	20.15	0	0	13.6	0.1	1
2025	5	24	15	15	24	0	0	0	0	0	0	0	20.17	0	0	14	0.1	1
2025	5	24	15	25	24	0	0	0	0	0	0	0	20.19	0	0	13.8	0.1	1
2025	5	24	15	35	24	0	0	0	0	0	0	0	20.2	0	0	13.8	0.1	1
2025	5	24	15	45	24	0	0	0	0	0	0	0	20.22	0	0	14	0.1	1
2025	5	24	15	55	24	0	0	0	0	0	0	0	20.22	0	0	14	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	24	16	5	24	0	0	0	0	0	0	0	20.19	0	0	13.2	0.1	1
2025	5	24	16	15	24	0	0	0	0	0	0	0	20.15	0	0	13.2	0.1	1
2025	5	24	16	25	24	0	0	0	0	0	0	0	20.12	0	0	13.2	0.1	1
2025	5	24	16	35	24	0	0	0	0	0	0	0	20.09	0	0	13.4	0.1	1
2025	5	24	16	45	24	0	0	0	0	0	0	0	20.06	0	0	12.8	0.1	1
2025	5	24	16	55	24	0	0	0	0	0	0	0	20.02	0	0	12.2	0.1	1
2025	5	24	17	5	24	0	0	0	0	0	0	0	19.98	0	0	12	0.1	1
2025	5	24	17	15	24	0	0	0	0	0	0	0	19.95	0	0	12	0.1	1
2025	5	24	17	25	24	0	0	0	0	0	0	0	19.93	0	0	12.2	0.1	1
2025	5	24	17	35	24	0	0	0	0	0	0	0	19.92	0	0	12.2	0.1	1
2025	5	24	17	45	24	0	0	0	0	0	0	0	19.91	0	0	12.2	0.1	1
2025	5	24	17	55	24	0	0	0	0	0	0	0	19.88	0	0	12.4	0.1	1
2025	5	24	18	5	24	0	0	0	0	0	0	0	19.87	0	0	12.4	0.1	1
2025	5	24	18	15	24	0	0	0	0	0	0	0	19.83	0	0	12	0.1	1
2025	5	24	18	25	24	0	0	0	0	0	0	0	19.79	0	0	11.8	0.1	1
2025	5	24	18	35	24	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1
2025	5	24	18	45	24	0	0	0	0	0	0	0	19.7	0	0	11.4	0.1	1
2025	5	24	18	55	24	0	0	0	0	0	0	0	19.65	0	0	11.4	0.1	1
2025	5	24	19	5	24	0	0	0	0	0	0	0	19.6	0	0	11.4	0.1	1
2025	5	24	19	15	24	0	0	0	0	0	0	0	19.55	0	0	11.4	0.1	1
2025	5	24	19	25	24	0	0	0	0	0	0	0	19.51	0	0	11.8	0.1	1
2025	5	24	19	35	24	0	0	0	0	0	0	0	19.46	0	0	11.8	0.1	1
2025	5	24	19	45	24	0	0	0	0	0	0	0	19.42	0	0	11.8	0.1	1
2025	5	24	19	55	24	0	0	0	0	0	0	0	19.38	0	0	11.6	0.1	1
2025	5	24	20	5	24	0	0	0	0	0	0	0	19.33	0	0	11.6	0.1	1
2025	5	24	20	15	24	0	0	0	0	0	0	0	19.28	0	0	11.6	0.1	1
2025	5	24	20	25	24	0	0	0	0	0	0	0	19.24	0	0	11.4	0.1	1
2025	5	24	20	35	24	0	0	0	0	0	0	0	19.19	0	0	11.2	0.1	1
2025	5	24	20	45	24	0	0	0	0	0	0	0	19.14	0	0	11.2	0.1	1
2025	5	24	20	55	24	0	0	0	0	0	0	0	19.08	0	0	11.2	0.1	1
2025	5	24	21	5	24	0	0	0	0	0	0	0	19.03	0	0	11.2	0.1	1
2025	5	24	21	15	24	0	0	0	0	0	0	0	18.98	0	0	11.2	0.1	1
2025	5	24	21	25	24	0	0	0	0	0	0	0	18.93	0	0	11.4	0.1	1
2025	5	24	21	35	24	0	0	0	0	0	0	0	18.88	0	0	11.4	0.1	1
2025	5	24	21	45	24	0	0	0	0	0	0	0	18.84	0	0	11.4	0.1	1
2025	5	24	21	55	24	0	0	0	0	0	0	0	18.78	0	0	11.2	0.1	1
2025	5	24	22	5	24	0	0	0	0	0	0	0	18.73	0	0	11.2	0.1	1
2025	5	24	22	15	24	0	0	0	0	0	0	0	18.69	0	0	11.2	0.1	1
2025	5	24	22	25	24	0	0	0	0	0	0	0	18.64	0	0	11.4	0.1	1
2025	5	24	22	35	24	0	0	0	0	0	0	0	18.59	0	0	11.2	0.1	1
2025	5	24	22	45	24	0	0	0	0	0	0	0	18.54	0	0	11.2	0.1	1
2025	5	24	22	55	24	0	0	0	0	0	0	0	18.49	0	0	11.2	0.1	1
2025	5	24	23	5	24	0	0	0	0	0	0	0	18.45	0	0	11.2	0.1	1
2025	5	24	23	15	24	0	0	0	0	0	0	0	18.4	0	0	11.2	0.1	1
2025	5	24	23	25	24	0	0	0	0	0	0	0	18.36	0	0	11.2	0.1	1
2025	5	24	23	35	24	0	0	0	0	0	0	0	18.32	0	0	11.2	0.1	1
2025	5	24	23	45	24	0	0	0	0	0	0	0	18.28	0	0	11.2	0.1	1
2025	5	24	23	55	24	0	0	0	0	0	0	0	18.24	0	0	11.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	25	0	5	24	0	0	0	0	0	0	0	18.2	0	0	11.2	0.1	1
2025	5	25	0	15	24	0	0	0	0	0	0	0	18.17	0	0	11.2	0.1	1
2025	5	25	0	25	24	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1
2025	5	25	0	35	24	0	0	0	0	0	0	0	18.1	0	0	11.6	0.1	1
2025	5	25	0	45	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	25	0	55	24	0	0	0	0	0	0	0	18.02	0	0	11.6	0.1	1
2025	5	25	1	5	24	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1
2025	5	25	1	15	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	25	1	25	24	0	0	0	0	0	0	0	17.93	0	0	11.2	0.1	1
2025	5	25	1	35	24	0	0	0	0	0	0	0	17.9	0	0	11.2	0.1	1
2025	5	25	1	45	24	0	0	0	0	0	0	0	17.88	0	0	11.2	0.1	1
2025	5	25	1	55	24	0	0	0	0	0	0	0	17.85	0	0	11.2	0.1	1
2025	5	25	2	5	24	0	0	0	0	0	0	0	17.83	0	0	11.2	0.1	1
2025	5	25	2	15	24	0	0	0	0	0	0	0	17.81	0	0	11.2	0.1	1
2025	5	25	2	25	24	0	0	0	0	0	0	0	17.79	0	0	11.6	0.1	1
2025	5	25	2	35	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	25	2	45	24	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1
2025	5	25	2	55	24	0	0	0	0	0	0	0	17.75	0	0	11.6	0.1	1
2025	5	25	3	5	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	25	3	15	24	0	0	0	0	0	0	0	17.73	0	0	11.6	0.1	1
2025	5	25	3	25	24	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1
2025	5	25	3	35	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	3	45	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	3	55	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	4	5	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	4	15	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	4	25	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	25	4	35	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	4	45	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	4	55	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	5	5	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	5	15	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	25	5	25	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	5	35	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	5	45	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	5	55	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	25	6	5	24	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1
2025	5	25	6	15	24	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1
2025	5	25	6	25	24	0	0	0	0	0	0	0	17.73	0	0	11.6	0.1	1
2025	5	25	6	35	24	0	0	0	0	0	0	0	17.73	0	0	11.6	0.1	1
2025	5	25	6	45	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	25	6	55	24	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1
2025	5	25	7	5	24	0	0	0	0	0	0	0	17.77	0	0	11.8	0.1	1
2025	5	25	7	15	24	0	0	0	0	0	0	0	17.79	0	0	11.8	0.1	1
2025	5	25	7	25	24	0	0	0	0	0	0	0	17.81	0	0	12	0.1	1
2025	5	25	7	35	24	0	0	0	0	0	0	0	17.83	0	0	12.2	0.1	1
2025	5	25	7	45	24	0	0	0	0	0	0	0	17.86	0	0	12.4	0.1	1
2025	5	25	7	55	24	0	0	0	0	0	0	0	17.88	0	0	12.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	25	8	5	24	0	0	0	0	0	0	0	17.91	0	0	12.6	0.1	1
2025	5	25	8	15	24	0	0	0	0	0	0	0	17.94	0	0	12.6	0.1	1
2025	5	25	8	25	24	0	0	0	0	0	0	0	17.97	0	0	12.6	0.1	1
2025	5	25	8	35	24	0	0	0	0	0	0	0	18.01	0	0	12.6	0.1	1
2025	5	25	8	45	24	0	0	0	0	0	0	0	18.05	0	0	12.8	0.1	1
2025	5	25	8	55	24	0	0	0	0	0	0	0	18.09	0	0	12.8	0.1	1
2025	5	25	9	5	24	0	0	0	0	0	0	0	18.13	0	0	12.8	0.1	1
2025	5	25	9	15	24	0	0	0	0	0	0	0	18.18	0	0	13	0.1	1
2025	5	25	9	25	24	0	0	0	0	0	0	0	18.23	0	0	13.2	0.1	1
2025	5	25	9	35	24	0	0	0	0	0	0	0	18.28	0	0	13.6	0.1	1
2025	5	25	9	45	24	0	0	0	0	0	0	0	18.34	0	0	13.6	0.1	1
2025	5	25	9	55	24	0	0	0	0	0	0	0	18.39	0	0	13.6	0.1	1
2025	5	25	10	5	24	0	0	0	0	0	0	0	18.44	0	0	13.2	0.1	1
2025	5	25	10	15	24	0	0	0	0	0	0	0	18.51	0	0	13.2	0.1	1
2025	5	25	10	25	24	0	0	0	0	0	0	0	18.57	0	0	13.2	0.1	1
2025	5	25	10	35	24	0	0	0	0	0	0	0	18.62	0	0	13.2	0.1	1
2025	5	25	10	45	24	0	0	0	0	0	0	0	18.69	0	0	13.2	0.1	1
2025	5	25	10	55	24	0	0	0	0	0	0	0	18.75	0	0	13.2	0.1	1
2025	5	25	11	5	24	0	0	0	0	0	0	0	18.82	0	0	13.2	0.1	1
2025	5	25	11	15	24	0	0	0	0	0	0	0	18.89	0	0	13.2	0.1	1
2025	5	25	11	25	24	0	0	0	0	0	0	0	18.95	0	0	13.2	0.1	1
2025	5	25	11	35	24	0	0	0	0	0	0	0	19.02	0	0	13.4	0.1	1
2025	5	25	11	45	24	0	0	0	0	0	0	0	19.09	0	0	13.4	0.1	1
2025	5	25	11	55	24	0	0	0	0	0	0	0	19.15	0	0	13.4	0.1	1
2025	5	25	12	5	24	0	0	0	0	0	0	0	19.22	0	0	13.4	0.1	1
2025	5	25	12	15	24	0	0	0	0	0	0	0	19.29	0	0	13.2	0.1	1
2025	5	25	12	25	24	0	0	0	0	0	0	0	19.35	0	0	13.2	0.1	1
2025	5	25	12	35	24	0	0	0	0	0	0	0	19.43	0	0	13.2	0.1	1
2025	5	25	12	45	24	0	0	0	0	0	0	0	19.49	0	0	13.2	0.1	1
2025	5	25	12	55	24	0	0	0	0	0	0	0	19.55	0	0	13.2	0.1	1
2025	5	25	13	5	24	0	0	0	0	0	0	0	19.61	0	0	13.2	0.1	1
2025	5	25	13	15	24	0	0	0	0	0	0	0	19.66	0	0	13.2	0.1	1
2025	5	25	13	25	24	0	0	0	0	0	0	0	19.72	0	0	13.2	0.1	1
2025	5	25	13	35	24	0	0	0	0	0	0	0	19.78	0	0	13.4	0.1	1
2025	5	25	13	45	24	0	0	0	0	0	0	0	19.83	0	0	13.2	0.1	1
2025	5	25	13	55	24	0	0	0	0	0	0	0	19.88	0	0	13.2	0.1	1
2025	5	25	14	5	24	0	0	0	0	0	0	0	19.92	0	0	13.2	0.1	1
2025	5	25	14	15	24	0	0	0	0	0	0	0	19.96	0	0	13	0.1	1
2025	5	25	14	25	24	0	0	0	0	0	0	0	19.99	0	0	13.4	0.1	1
2025	5	25	14	35	24	0	0	0	0	0	0	0	20.02	0	0	13.2	0.1	1
2025	5	25	14	45	24	0	0	0	0	0	0	0	20.05	0	0	13	0.1	1
2025	5	25	14	55	24	0	0	0	0	0	0	0	20.08	0	0	13	0.1	1
2025	5	25	15	5	24	0	0	0	0	0	0	0	20.1	0	0	13	0.1	1
2025	5	25	15	15	24	0	0	0	0	0	0	0	20.12	0	0	13	0.1	1
2025	5	25	15	25	24	0	0	0	0	0	0	0	20.14	0	0	13	0.1	1
2025	5	25	15	35	24	0	0	0	0	0	0	0	20.15	0	0	13	0.1	1
2025	5	25	15	45	24	0	0	0	0	0	0	0	20.16	0	0	13	0.1	1
2025	5	25	15	55	24	0	0	0	0	0	0	0	20.17	0	0	13	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	25	16	5	24	0	0	0	0	0	0	0	20.17	0	0	13	0.1	1
2025	5	25	16	15	24	0	0	0	0	0	0	0	20.16	0	0	13	0.1	1
2025	5	25	16	25	24	0	0	0	0	0	0	0	20.16	0	0	13	0.1	1
2025	5	25	16	35	24	0	0	0	0	0	0	0	20.14	0	0	13	0.1	1
2025	5	25	16	45	24	0	0	0	0	0	0	0	20.14	0	0	12.8	0.1	1
2025	5	25	16	55	24	0	0	0	0	0	0	0	20.12	0	0	12.6	0.1	1
2025	5	25	17	5	24	0	0	0	0	0	0	0	20.1	0	0	12.4	0.1	1
2025	5	25	17	15	24	0	0	0	0	0	0	0	20.08	0	0	12.4	0.1	1
2025	5	25	17	25	24	0	0	0	0	0	0	0	20.05	0	0	12.4	0.1	1
2025	5	25	17	35	24	0	0	0	0	0	0	0	20.03	0	0	12.2	0.1	1
2025	5	25	17	45	24	0	0	0	0	0	0	0	19.99	0	0	12.2	0.1	1
2025	5	25	17	55	24	0	0	0	0	0	0	0	19.96	0	0	12	0.1	1
2025	5	25	18	5	24	0	0	0	0	0	0	0	19.93	0	0	12	0.1	1
2025	5	25	18	15	24	0	0	0	0	0	0	0	19.9	0	0	12	0.1	1
2025	5	25	18	25	24	0	0	0	0	0	0	0	19.86	0	0	11.8	0.1	1
2025	5	25	18	35	24	0	0	0	0	0	0	0	19.82	0	0	11.8	0.1	1
2025	5	25	18	45	24	0	0	0	0	0	0	0	19.78	0	0	11.8	0.1	1
2025	5	25	18	55	24	0	0	0	0	0	0	0	19.73	0	0	11.8	0.1	1
2025	5	25	19	5	24	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1
2025	5	25	19	15	24	0	0	0	0	0	0	0	19.64	0	0	11.8	0.1	1
2025	5	25	19	25	24	0	0	0	0	0	0	0	19.59	0	0	11.8	0.1	1
2025	5	25	19	35	24	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1
2025	5	25	19	45	24	0	0	0	0	0	0	0	19.5	0	0	11.8	0.1	1
2025	5	25	19	55	24	0	0	0	0	0	0	0	19.44	0	0	11.8	0.1	1
2025	5	25	20	5	24	0	0	0	0	0	0	0	19.39	0	0	11.8	0.1	1
2025	5	25	20	15	24	0	0	0	0	0	0	0	19.33	0	0	11.8	0.1	1
2025	5	25	20	25	24	0	0	0	0	0	0	0	19.27	0	0	11.8	0.1	1
2025	5	25	20	35	24	0	0	0	0	0	0	0	19.21	0	0	11.8	0.1	1
2025	5	25	20	45	24	0	0	0	0	0	0	0	19.15	0	0	11.8	0.1	1
2025	5	25	20	55	24	0	0	0	0	0	0	0	19.09	0	0	11.8	0.1	1
2025	5	25	21	5	24	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1
2025	5	25	21	15	24	0	0	0	0	0	0	0	18.97	0	0	11.8	0.1	1
2025	5	25	21	25	24	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1
2025	5	25	21	35	24	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1
2025	5	25	21	45	24	0	0	0	0	0	0	0	18.79	0	0	11.8	0.1	1
2025	5	25	21	55	24	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1
2025	5	25	22	5	24	0	0	0	0	0	0	0	18.69	0	0	11.8	0.1	1
2025	5	25	22	15	24	0	0	0	0	0	0	0	18.64	0	0	11.8	0.1	1
2025	5	25	22	25	24	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1
2025	5	25	22	35	24	0	0	0	0	0	0	0	18.54	0	0	11.8	0.1	1
2025	5	25	22	45	24	0	0	0	0	0	0	0	18.5	0	0	11.8	0.1	1
2025	5	25	22	55	24	0	0	0	0	0	0	0	18.46	0	0	11.8	0.1	1
2025	5	25	23	5	24	0	0	0	0	0	0	0	18.43	0	0	11.8	0.1	1
2025	5	25	23	15	24	0	0	0	0	0	0	0	18.4	0	0	11.8	0.1	1
2025	5	25	23	25	24	0	0	0	0	0	0	0	18.37	0	0	11.6	0.1	1
2025	5	25	23	35	24	0	0	0	0	0	0	0	18.35	0	0	11.6	0.1	1
2025	5	25	23	45	24	0	0	0	0	0	0	0	18.33	0	0	11.6	0.1	1
2025	5	25	23	55	24	0	0	0	0	0	0	0	18.3	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	26	0	5	24	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1
2025	5	26	0	15	24	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1
2025	5	26	0	25	24	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1
2025	5	26	0	35	24	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1
2025	5	26	0	45	24	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1
2025	5	26	0	55	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	26	1	5	24	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1
2025	5	26	1	15	24	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1
2025	5	26	1	25	24	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1
2025	5	26	1	35	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	26	1	45	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	26	1	55	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	26	2	5	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	26	2	15	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	26	2	25	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	26	2	35	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	26	2	45	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	26	2	55	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	26	3	5	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	26	3	15	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	26	3	25	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	26	3	35	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	26	3	45	24	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1
2025	5	26	3	55	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	26	4	5	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	26	4	15	24	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1
2025	5	26	4	25	24	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1
2025	5	26	4	35	24	0	0	0	0	0	0	0	18.23	0	0	11.6	0.1	1
2025	5	26	4	45	24	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1
2025	5	26	4	55	24	0	0	0	0	0	0	0	18.25	0	0	11.6	0.1	1
2025	5	26	5	5	24	0	0	0	0	0	0	0	18.27	0	0	11.6	0.1	1
2025	5	26	5	15	24	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1
2025	5	26	5	25	24	0	0	0	0	0	0	0	18.3	0	0	11.6	0.1	1
2025	5	26	5	35	24	0	0	0	0	0	0	0	18.31	0	0	11.6	0.1	1
2025	5	26	5	45	24	0	0	0	0	0	0	0	18.32	0	0	11.6	0.1	1
2025	5	26	5	55	24	0	0	0	0	0	0	0	18.33	0	0	11.6	0.1	1
2025	5	26	6	5	24	0	0	0	0	0	0	0	18.34	0	0	11.6	0.1	1
2025	5	26	6	15	24	0	0	0	0	0	0	0	18.35	0	0	11.6	0.1	1
2025	5	26	6	25	24	0	0	0	0	0	0	0	18.37	0	0	11.6	0.1	1
2025	5	26	6	35	24	0	0	0	0	0	0	0	18.37	0	0	11.6	0.1	1
2025	5	26	6	45	24	0	0	0	0	0	0	0	18.38	0	0	11.6	0.1	1
2025	5	26	6	55	24	0	0	0	0	0	0	0	18.4	0	0	11.6	0.1	1
2025	5	26	7	5	24	0	0	0	0	0	0	0	18.42	0	0	11.8	0.1	1
2025	5	26	7	15	24	0	0	0	0	0	0	0	18.44	0	0	11.8	0.1	1
2025	5	26	7	25	24	0	0	0	0	0	0	0	18.47	0	0	12	0.1	1
2025	5	26	7	35	24	0	0	0	0	0	0	0	18.5	0	0	12.2	0.1	1
2025	5	26	7	45	24	0	0	0	0	0	0	0	18.52	0	0	12.4	0.1	1
2025	5	26	7	55	24	0	0	0	0	0	0	0	18.56	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	26	8	5	24	0	0	0	0	0	0	0	18.59	0	0	12.4	0.1	1
2025	5	26	8	15	24	0	0	0	0	0	0	0	18.63	0	0	12.4	0.1	1
2025	5	26	8	25	24	0	0	0	0	0	0	0	18.67	0	0	12.6	0.1	1
2025	5	26	8	35	24	0	0	0	0	0	0	0	18.72	0	0	12.6	0.1	1
2025	5	26	8	45	24	0	0	0	0	0	0	0	18.75	0	0	12.8	0.1	1
2025	5	26	8	55	24	0	0	0	0	0	0	0	18.81	0	0	12.8	0.1	1
2025	5	26	9	5	24	0	0	0	0	0	0	0	18.86	0	0	13	0.1	1
2025	5	26	9	15	24	0	0	0	0	0	0	0	18.92	0	0	13	0.1	1
2025	5	26	9	25	24	0	0	0	0	0	0	0	18.96	0	0	13.6	0.1	1
2025	5	26	9	35	24	0	0	0	0	0	0	0	19.01	0	0	13.4	0.1	1
2025	5	26	9	45	24	0	0	0	0	0	0	0	19.05	0	0	13.4	0.1	1
2025	5	26	9	55	24	0	0	0	0	0	0	0	19.09	0	0	13.2	0.1	1
2025	5	26	10	5	24	0	0	0	0	0	0	0	19.12	0	0	13.2	0.1	1
2025	5	26	10	15	24	0	0	0	0	0	0	0	19.2	0	0	13.2	0.1	1
2025	5	26	10	25	24	0	0	0	0	0	0	0	19.26	0	0	13.2	0.1	1
2025	5	26	10	35	24	0	0	0	0	0	0	0	19.34	0	0	13.2	0.1	1
2025	5	26	10	45	24	0	0	0	0	0	0	0	19.37	0	0	13.2	0.1	1
2025	5	26	10	55	24	0	0	0	0	0	0	0	19.44	0	0	13.2	0.1	1
2025	5	26	11	5	24	0	0	0	0	0	0	0	19.52	0	0	13.2	0.1	1
2025	5	26	11	15	24	0	0	0	0	0	0	0	19.57	0	0	13.2	0.1	1
2025	5	26	11	25	24	0	0	0	0	0	0	0	19.63	0	0	13.2	0.1	1
2025	5	26	11	35	24	0	0	0	0	0	0	0	19.7	0	0	13.2	0.1	1
2025	5	26	11	45	24	0	0	0	0	0	0	0	19.73	0	0	13	0.1	1
2025	5	26	11	55	24	0	0	0	0	0	0	0	19.75	0	0	13.2	0.1	1
2025	5	26	12	5	24	0	0	0	0	0	0	0	19.87	0	0	13.2	0.1	1
2025	5	26	12	15	24	0	0	0	0	0	0	0	19.92	0	0	13.2	0.1	1
2025	5	26	12	25	24	0	0	0	0	0	0	0	19.94	0	0	13.2	0.1	1
2025	5	26	12	35	24	0	0	0	0	0	0	0	19.99	0	0	13.2	0.1	1
2025	5	26	12	45	24	0	0	0	0	0	0	0	20.07	0	0	13.2	0.1	1
2025	5	26	12	55	24	0	0	0	0	0	0	0	20.12	0	0	13.2	0.1	1
2025	5	26	13	5	24	0	0	0	0	0	0	0	20.13	0	0	13.2	0.1	1
2025	5	26	13	15	24	0	0	0	0	0	0	0	20.14	0	0	13.2	0.1	1
2025	5	26	13	25	24	0	0	0	0	0	0	0	20.13	0	0	13.2	0.1	1
2025	5	26	13	35	24	0	0	0	0	0	0	0	20.12	0	0	13.2	0.1	1
2025	5	26	13	45	24	0	0	0	0	0	0	0	20.12	0	0	13.2	0.1	1
2025	5	26	13	55	24	0	0	0	0	0	0	0	20.12	0	0	13.2	0.1	1
2025	5	26	14	5	24	0	0	0	0	0	0	0	20.14	0	0	13.2	0.1	1
2025	5	26	14	15	24	0	0	0	0	0	0	0	20.14	0	0	13.2	0.1	1
2025	5	26	14	25	24	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1
2025	5	26	14	35	24	0	0	0	0	0	0	0	20.27	0	0	13.2	0.1	1
2025	5	26	14	45	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	14	55	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	15	5	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	15	15	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	15	25	24	0	0	0	0	0	0	0	20.27	0	0	13	0.1	1
2025	5	26	15	35	24	0	0	0	0	0	0	0	20.25	0	0	12.8	0.1	1
2025	5	26	15	45	24	0	0	0	0	0	0	0	20.24	0	0	13.2	0.1	1
2025	5	26	15	55	24	0	0	0	0	0	0	0	20.24	0	0	13.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	26	16	5	24	0	0	0	0	0	0	0	20.23	0	0	12.8	0.1	1
2025	5	26	16	15	24	0	0	0	0	0	0	0	20.24	0	0	13.2	0.1	1
2025	5	26	16	25	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	16	35	24	0	0	0	0	0	0	0	20.28	0	0	13.2	0.1	1
2025	5	26	16	45	24	0	0	0	0	0	0	0	20.26	0	0	13.2	0.1	1
2025	5	26	16	55	24	0	0	0	0	0	0	0	20.21	0	0	12.6	0.1	1
2025	5	26	17	5	24	0	0	0	0	0	0	0	20.16	0	0	12.4	0.1	1
2025	5	26	17	15	24	0	0	0	0	0	0	0	20.11	0	0	12.2	0.1	1
2025	5	26	17	25	24	0	0	0	0	0	0	0	20.07	0	0	12	0.1	1
2025	5	26	17	35	24	0	0	0	0	0	0	0	20.03	0	0	12	0.1	1
2025	5	26	17	45	24	0	0	0	0	0	0	0	19.98	0	0	12	0.1	1
2025	5	26	17	55	24	0	0	0	0	0	0	0	19.94	0	0	12	0.1	1
2025	5	26	18	5	24	0	0	0	0	0	0	0	19.9	0	0	12	0.1	1
2025	5	26	18	15	24	0	0	0	0	0	0	0	19.86	0	0	12	0.1	1
2025	5	26	18	25	24	0	0	0	0	0	0	0	19.82	0	0	12	0.1	1
2025	5	26	18	35	24	0	0	0	0	0	0	0	19.78	0	0	12	0.1	1
2025	5	26	18	45	24	0	0	0	0	0	0	0	19.74	0	0	11.8	0.1	1
2025	5	26	18	55	24	0	0	0	0	0	0	0	19.69	0	0	11.8	0.1	1
2025	5	26	19	5	24	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1
2025	5	26	19	15	24	0	0	0	0	0	0	0	19.57	0	0	11.8	0.1	1
2025	5	26	19	25	24	0	0	0	0	0	0	0	19.49	0	0	11.8	0.1	1
2025	5	26	19	35	24	0	0	0	0	0	0	0	19.43	0	0	11.8	0.1	1
2025	5	26	19	45	24	0	0	0	0	0	0	0	19.37	0	0	11.8	0.1	1
2025	5	26	19	55	24	0	0	0	0	0	0	0	19.29	0	0	11.8	0.1	1
2025	5	26	20	5	24	0	0	0	0	0	0	0	19.23	0	0	11.8	0.1	1
2025	5	26	20	15	24	0	0	0	0	0	0	0	19.16	0	0	11.8	0.1	1
2025	5	26	20	25	24	0	0	0	0	0	0	0	19.09	0	0	11.8	0.1	1
2025	5	26	20	35	24	0	0	0	0	0	0	0	19.03	0	0	11.8	0.1	1
2025	5	26	20	45	24	0	0	0	0	0	0	0	18.97	0	0	11.8	0.1	1
2025	5	26	20	55	24	0	0	0	0	0	0	0	18.92	0	0	11.8	0.1	1
2025	5	26	21	5	24	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1
2025	5	26	21	15	24	0	0	0	0	0	0	0	18.78	0	0	11.8	0.1	1
2025	5	26	21	25	24	0	0	0	0	0	0	0	18.73	0	0	11.8	0.1	1
2025	5	26	21	35	24	0	0	0	0	0	0	0	18.69	0	0	11.8	0.1	1
2025	5	26	21	45	24	0	0	0	0	0	0	0	18.64	0	0	11.8	0.1	1
2025	5	26	21	55	24	0	0	0	0	0	0	0	18.59	0	0	11.8	0.1	1
2025	5	26	22	5	24	0	0	0	0	0	0	0	18.55	0	0	11.8	0.1	1
2025	5	26	22	15	24	0	0	0	0	0	0	0	18.51	0	0	11.8	0.1	1
2025	5	26	22	25	24	0	0	0	0	0	0	0	18.47	0	0	11.8	0.1	1
2025	5	26	22	35	24	0	0	0	0	0	0	0	18.43	0	0	11.6	0.1	1
2025	5	26	22	45	24	0	0	0	0	0	0	0	18.39	0	0	11.6	0.1	1
2025	5	26	22	55	24	0	0	0	0	0	0	0	18.36	0	0	11.6	0.1	1
2025	5	26	23	5	24	0	0	0	0	0	0	0	18.32	0	0	11.6	0.1	1
2025	5	26	23	15	24	0	0	0	0	0	0	0	18.29	0	0	11.6	0.1	1
2025	5	26	23	25	24	0	0	0	0	0	0	0	18.26	0	0	11.6	0.1	1
2025	5	26	23	35	24	0	0	0	0	0	0	0	18.22	0	0	11.6	0.1	1
2025	5	26	23	45	24	0	0	0	0	0	0	0	18.2	0	0	11.6	0.1	1
2025	5	26	23	55	24	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	27	0	5	24	0	0	0	0	0	0	0	18.15	0	0	11.6	0.1	1
2025	5	27	0	15	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	27	0	25	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	27	0	35	24	0	0	0	0	0	0	0	18.1	0	0	11.6	0.1	1
2025	5	27	0	45	24	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1
2025	5	27	0	55	24	0	0	0	0	0	0	0	18.07	0	0	11.6	0.1	1
2025	5	27	1	5	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	27	1	15	24	0	0	0	0	0	0	0	18.03	0	0	11.6	0.1	1
2025	5	27	1	25	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	27	1	35	24	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1
2025	5	27	1	45	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	27	1	55	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	27	2	5	24	0	0	0	0	0	0	0	17.94	0	0	11.6	0.1	1
2025	5	27	2	15	24	0	0	0	0	0	0	0	17.92	0	0	11.6	0.1	1
2025	5	27	2	25	24	0	0	0	0	0	0	0	17.9	0	0	11.6	0.1	1
2025	5	27	2	35	24	0	0	0	0	0	0	0	17.88	0	0	11.6	0.1	1
2025	5	27	2	45	24	0	0	0	0	0	0	0	17.87	0	0	11.6	0.1	1
2025	5	27	2	55	24	0	0	0	0	0	0	0	17.85	0	0	11.6	0.1	1
2025	5	27	3	5	24	0	0	0	0	0	0	0	17.83	0	0	11.6	0.1	1
2025	5	27	3	15	24	0	0	0	0	0	0	0	17.82	0	0	11.6	0.1	1
2025	5	27	3	25	24	0	0	0	0	0	0	0	17.8	0	0	11.6	0.1	1
2025	5	27	3	35	24	0	0	0	0	0	0	0	17.79	0	0	11.6	0.1	1
2025	5	27	3	45	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	27	3	55	24	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1
2025	5	27	4	5	24	0	0	0	0	0	0	0	17.75	0	0	11.6	0.1	1
2025	5	27	4	15	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	27	4	25	24	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1
2025	5	27	4	35	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	27	4	45	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	27	4	55	24	0	0	0	0	0	0	0	17.68	0	0	11.6	0.1	1
2025	5	27	5	5	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	27	5	15	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	27	5	25	24	0	0	0	0	0	0	0	17.64	0	0	11.6	0.1	1
2025	5	27	5	35	24	0	0	0	0	0	0	0	17.63	0	0	11.6	0.1	1
2025	5	27	5	45	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	27	5	55	24	0	0	0	0	0	0	0	17.61	0	0	11.6	0.1	1
2025	5	27	6	5	24	0	0	0	0	0	0	0	17.6	0	0	11.6	0.1	1
2025	5	27	6	15	24	0	0	0	0	0	0	0	17.59	0	0	11.6	0.1	1
2025	5	27	6	25	24	0	0	0	0	0	0	0	17.58	0	0	11.6	0.1	1
2025	5	27	6	35	24	0	0	0	0	0	0	0	17.57	0	0	11.6	0.1	1
2025	5	27	6	45	24	0	0	0	0	0	0	0	17.56	0	0	11.6	0.1	1
2025	5	27	6	55	24	0	0	0	0	0	0	0	17.56	0	0	11.6	0.1	1
2025	5	27	7	5	24	0	0	0	0	0	0	0	17.56	0	0	11.8	0.1	1
2025	5	27	7	15	24	0	0	0	0	0	0	0	17.57	0	0	11.8	0.1	1
2025	5	27	7	25	24	0	0	0	0	0	0	0	17.58	0	0	12	0.1	1
2025	5	27	7	35	24	0	0	0	0	0	0	0	17.59	0	0	12.2	0.1	1
2025	5	27	7	45	24	0	0	0	0	0	0	0	17.61	0	0	12.4	0.1	1
2025	5	27	7	55	24	0	0	0	0	0	0	0	17.63	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	27	8	5	24	0	0	0	0	0	0	0	17.65	0	0	12.6	0.1	1
2025	5	27	8	15	24	0	0	0	0	0	0	0	17.68	0	0	12.6	0.1	1
2025	5	27	8	25	24	0	0	0	0	0	0	0	17.69	0	0	12.6	0.1	1
2025	5	27	8	35	24	0	0	0	0	0	0	0	17.73	0	0	12.6	0.1	1
2025	5	27	8	45	24	0	0	0	0	0	0	0	17.76	0	0	12.8	0.1	1
2025	5	27	8	55	24	0	0	0	0	0	0	0	17.8	0	0	12.8	0.1	1
2025	5	27	9	5	24	0	0	0	0	0	0	0	17.83	0	0	13	0.1	1
2025	5	27	9	15	24	0	0	0	0	0	0	0	17.86	0	0	13	0.1	1
2025	5	27	9	25	24	0	0	0	0	0	0	0	17.92	0	0	13.4	0.1	1
2025	5	27	9	35	24	0	0	0	0	0	0	0	17.95	0	0	13.4	0.1	1
2025	5	27	9	45	24	0	0	0	0	0	0	0	18	0	0	13.6	0.1	1
2025	5	27	9	55	24	0	0	0	0	0	0	0	18.05	0	0	13.6	0.1	1
2025	5	27	10	5	24	0	0	0	0	0	0	0	18.1	0	0	13.6	0.1	1
2025	5	27	10	15	24	0	0	0	0	0	0	0	18.14	0	0	13.6	0.1	1
2025	5	27	10	25	24	0	0	0	0	0	0	0	18.19	0	0	13.2	0.1	1
2025	5	27	10	35	24	0	0	0	0	0	0	0	18.24	0	0	13.2	0.1	1
2025	5	27	10	45	24	0	0	0	0	0	0	0	18.3	0	0	13.2	0.1	1
2025	5	27	10	55	24	0	0	0	0	0	0	0	18.35	0	0	13.2	0.1	1
2025	5	27	11	5	24	0	0	0	0	0	0	0	18.4	0	0	13.2	0.1	1
2025	5	27	11	15	24	0	0	0	0	0	0	0	18.46	0	0	13.2	0.1	1
2025	5	27	11	25	24	0	0	0	0	0	0	0	18.53	0	0	13.2	0.1	1
2025	5	27	11	35	24	0	0	0	0	0	0	0	18.58	0	0	13.2	0.1	1
2025	5	27	11	45	24	0	0	0	0	0	0	0	18.64	0	0	13.2	0.1	1
2025	5	27	11	55	24	0	0	0	0	0	0	0	18.7	0	0	13.2	0.1	1
2025	5	27	12	5	24	0	0	0	0	0	0	0	18.75	0	0	13.2	0.1	1
2025	5	27	12	15	24	0	0	0	0	0	0	0	18.81	0	0	13.2	0.1	1
2025	5	27	12	25	24	0	0	0	0	0	0	0	18.89	0	0	13.2	0.1	1
2025	5	27	12	35	24	0	0	0	0	0	0	0	18.93	0	0	13.2	0.1	1
2025	5	27	12	45	24	0	0	0	0	0	0	0	18.99	0	0	13.2	0.1	1
2025	5	27	12	55	24	0	0	0	0	0	0	0	19.04	0	0	13.2	0.1	1
2025	5	27	13	5	24	0	0	0	0	0	0	0	19.1	0	0	13.2	0.1	1
2025	5	27	13	15	24	0	0	0	0	0	0	0	19.15	0	0	13.2	0.1	1
2025	5	27	13	25	24	0	0	0	0	0	0	0	19.19	0	0	13.2	0.1	1
2025	5	27	13	35	24	0	0	0	0	0	0	0	19.24	0	0	13.2	0.1	1
2025	5	27	13	45	24	0	0	0	0	0	0	0	19.27	0	0	13.2	0.1	1
2025	5	27	13	55	24	0	0	0	0	0	0	0	19.32	0	0	13.2	0.1	1
2025	5	27	14	5	24	0	0	0	0	0	0	0	19.35	0	0	13.2	0.1	1
2025	5	27	14	15	24	0	0	0	0	0	0	0	19.37	0	0	13	0.1	1
2025	5	27	14	25	24	0	0	0	0	0	0	0	19.36	0	0	13	0.1	1
2025	5	27	14	35	24	0	0	0	0	0	0	0	19.35	0	0	13.2	0.1	1
2025	5	27	14	45	24	0	0	0	0	0	0	0	19.39	0	0	13.2	0.1	1
2025	5	27	14	55	24	0	0	0	0	0	0	0	19.43	0	0	13.2	0.1	1
2025	5	27	15	5	24	0	0	0	0	0	0	0	19.45	0	0	13.2	0.1	1
2025	5	27	15	15	24	0	0	0	0	0	0	0	19.47	0	0	13.4	0.1	1
2025	5	27	15	25	24	0	0	0	0	0	0	0	19.49	0	0	13.4	0.1	1
2025	5	27	15	35	24	0	0	0	0	0	0	0	19.51	0	0	13.4	0.1	1
2025	5	27	15	45	24	0	0	0	0	0	0	0	19.52	0	0	13	0.1	1
2025	5	27	15	55	24	0	0	0	0	0	0	0	19.52	0	0	13	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	27	16	5	24	0	0	0	0	0	0	0	19.52	0	0	13	0.1	1
2025	5	27	16	15	24	0	0	0	0	0	0	0	19.52	0	0	13	0.1	1
2025	5	27	16	25	24	0	0	0	0	0	0	0	19.52	0	0	13	0.1	1
2025	5	27	16	35	24	0	0	0	0	0	0	0	19.5	0	0	13	0.1	1
2025	5	27	16	45	24	0	0	0	0	0	0	0	19.48	0	0	12.8	0.1	1
2025	5	27	16	55	24	0	0	0	0	0	0	0	19.47	0	0	12.6	0.1	1
2025	5	27	17	5	24	0	0	0	0	0	0	0	19.45	0	0	12.6	0.1	1
2025	5	27	17	15	24	0	0	0	0	0	0	0	19.42	0	0	12.6	0.1	1
2025	5	27	17	25	24	0	0	0	0	0	0	0	19.4	0	0	12.6	0.1	1
2025	5	27	17	35	24	0	0	0	0	0	0	0	19.38	0	0	12.6	0.1	1
2025	5	27	17	45	24	0	0	0	0	0	0	0	19.36	0	0	12.6	0.1	1
2025	5	27	17	55	24	0	0	0	0	0	0	0	19.33	0	0	12.4	0.1	1
2025	5	27	18	5	24	0	0	0	0	0	0	0	19.29	0	0	12.2	0.1	1
2025	5	27	18	15	24	0	0	0	0	0	0	0	19.24	0	0	12	0.1	1
2025	5	27	18	25	24	0	0	0	0	0	0	0	19.2	0	0	11.8	0.1	1
2025	5	27	18	35	24	0	0	0	0	0	0	0	19.16	0	0	11.8	0.1	1
2025	5	27	18	45	24	0	0	0	0	0	0	0	19.11	0	0	11.8	0.1	1
2025	5	27	18	55	24	0	0	0	0	0	0	0	19.07	0	0	11.8	0.1	1
2025	5	27	19	5	24	0	0	0	0	0	0	0	19.02	0	0	11.8	0.1	1
2025	5	27	19	15	24	0	0	0	0	0	0	0	18.98	0	0	11.8	0.1	1
2025	5	27	19	25	24	0	0	0	0	0	0	0	18.94	0	0	11.8	0.1	1
2025	5	27	19	35	24	0	0	0	0	0	0	0	18.9	0	0	11.8	0.1	1
2025	5	27	19	45	24	0	0	0	0	0	0	0	18.85	0	0	11.8	0.1	1
2025	5	27	19	55	24	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1
2025	5	27	20	5	24	0	0	0	0	0	0	0	18.75	0	0	11.8	0.1	1
2025	5	27	20	15	24	0	0	0	0	0	0	0	18.7	0	0	11.8	0.1	1
2025	5	27	20	25	24	0	0	0	0	0	0	0	18.66	0	0	11.8	0.1	1
2025	5	27	20	35	24	0	0	0	0	0	0	0	18.6	0	0	11.8	0.1	1
2025	5	27	20	45	24	0	0	0	0	0	0	0	18.55	0	0	11.8	0.1	1
2025	5	27	20	55	24	0	0	0	0	0	0	0	18.5	0	0	11.8	0.1	1
2025	5	27	21	5	24	0	0	0	0	0	0	0	18.46	0	0	11.8	0.1	1
2025	5	27	21	15	24	0	0	0	0	0	0	0	18.4	0	0	11.8	0.1	1
2025	5	27	21	25	24	0	0	0	0	0	0	0	18.36	0	0	11.8	0.1	1
2025	5	27	21	35	24	0	0	0	0	0	0	0	18.31	0	0	11.8	0.1	1
2025	5	27	21	45	24	0	0	0	0	0	0	0	18.28	0	0	11.6	0.1	1
2025	5	27	21	55	24	0	0	0	0	0	0	0	18.23	0	0	11.6	0.1	1
2025	5	27	22	5	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	27	22	15	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	27	22	25	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	27	22	35	24	0	0	0	0	0	0	0	18.08	0	0	11.6	0.1	1
2025	5	27	22	45	24	0	0	0	0	0	0	0	18.04	0	0	11.6	0.1	1
2025	5	27	22	55	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	27	23	5	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	27	23	15	24	0	0	0	0	0	0	0	17.95	0	0	11.6	0.1	1
2025	5	27	23	25	24	0	0	0	0	0	0	0	17.93	0	0	11.6	0.1	1
2025	5	27	23	35	24	0	0	0	0	0	0	0	17.9	0	0	11.6	0.1	1
2025	5	27	23	45	24	0	0	0	0	0	0	0	17.87	0	0	11.6	0.1	1
2025	5	27	23	55	24	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	28	0	5	24	0	0	0	0	0	0	0	17.83	0	0	11.6	0.1	1
2025	5	28	0	15	24	0	0	0	0	0	0	0	17.82	0	0	11.6	0.1	1
2025	5	28	0	25	24	0	0	0	0	0	0	0	17.79	0	0	11.6	0.1	1
2025	5	28	0	35	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	28	0	45	24	0	0	0	0	0	0	0	17.75	0	0	11.6	0.1	1
2025	5	28	0	55	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	28	1	5	24	0	0	0	0	0	0	0	17.73	0	0	11.6	0.1	1
2025	5	28	1	15	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	28	1	25	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	28	1	35	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	28	1	45	24	0	0	0	0	0	0	0	17.68	0	0	11.6	0.1	1
2025	5	28	1	55	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	28	2	5	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	28	2	15	24	0	0	0	0	0	0	0	17.66	0	0	11.6	0.1	1
2025	5	28	2	25	24	0	0	0	0	0	0	0	17.66	0	0	11.6	0.1	1
2025	5	28	2	35	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	2	45	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	2	55	24	0	0	0	0	0	0	0	17.64	0	0	11.6	0.1	1
2025	5	28	3	5	24	0	0	0	0	0	0	0	17.64	0	0	11.6	0.1	1
2025	5	28	3	15	24	0	0	0	0	0	0	0	17.64	0	0	11.6	0.1	1
2025	5	28	3	25	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	3	35	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	3	45	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	3	55	24	0	0	0	0	0	0	0	17.65	0	0	11.6	0.1	1
2025	5	28	4	5	24	0	0	0	0	0	0	0	17.66	0	0	11.6	0.1	1
2025	5	28	4	15	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	28	4	25	24	0	0	0	0	0	0	0	17.67	0	0	11.6	0.1	1
2025	5	28	4	35	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	28	4	45	24	0	0	0	0	0	0	0	17.69	0	0	11.6	0.1	1
2025	5	28	4	55	24	0	0	0	0	0	0	0	17.7	0	0	11.6	0.1	1
2025	5	28	5	5	24	0	0	0	0	0	0	0	17.71	0	0	11.6	0.1	1
2025	5	28	5	15	24	0	0	0	0	0	0	0	17.72	0	0	11.6	0.1	1
2025	5	28	5	25	24	0	0	0	0	0	0	0	17.74	0	0	11.6	0.1	1
2025	5	28	5	35	24	0	0	0	0	0	0	0	17.75	0	0	11.6	0.1	1
2025	5	28	5	45	24	0	0	0	0	0	0	0	17.76	0	0	11.6	0.1	1
2025	5	28	5	55	24	0	0	0	0	0	0	0	17.77	0	0	11.6	0.1	1
2025	5	28	6	5	24	0	0	0	0	0	0	0	17.78	0	0	11.6	0.1	1
2025	5	28	6	15	24	0	0	0	0	0	0	0	17.8	0	0	11.6	0.1	1
2025	5	28	6	25	24	0	0	0	0	0	0	0	17.81	0	0	11.6	0.1	1
2025	5	28	6	35	24	0	0	0	0	0	0	0	17.82	0	0	11.6	0.1	1
2025	5	28	6	45	24	0	0	0	0	0	0	0	17.84	0	0	11.6	0.1	1
2025	5	28	6	55	24	0	0	0	0	0	0	0	17.86	0	0	11.6	0.1	1
2025	5	28	7	5	24	0	0	0	0	0	0	0	17.87	0	0	11.8	0.1	1
2025	5	28	7	15	24	0	0	0	0	0	0	0	17.9	0	0	11.8	0.1	1
2025	5	28	7	25	24	0	0	0	0	0	0	0	17.93	0	0	12	0.1	1
2025	5	28	7	35	24	0	0	0	0	0	0	0	17.96	0	0	12.2	0.1	1
2025	5	28	7	45	24	0	0	0	0	0	0	0	17.99	0	0	12.4	0.1	1
2025	5	28	7	55	24	0	0	0	0	0	0	0	18.03	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	28	8	5	24	0	0	0	0	0	0	0	18.06	0	0	12.6	0.1	1
2025	5	28	8	15	24	0	0	0	0	0	0	0	18.1	0	0	12.6	0.1	1
2025	5	28	8	25	24	0	0	0	0	0	0	0	18.15	0	0	12.6	0.1	1
2025	5	28	8	35	24	0	0	0	0	0	0	0	18.18	0	0	12.8	0.1	1
2025	5	28	8	45	24	0	0	0	0	0	0	0	18.23	0	0	12.8	0.1	1
2025	5	28	8	55	24	0	0	0	0	0	0	0	18.28	0	0	12.8	0.1	1
2025	5	28	9	5	24	0	0	0	0	0	0	0	18.33	0	0	13	0.1	1
2025	5	28	9	15	24	0	0	0	0	0	0	0	18.38	0	0	13	0.1	1
2025	5	28	9	25	24	0	0	0	0	0	0	0	18.43	0	0	13.2	0.1	1
2025	5	28	9	35	24	0	0	0	0	0	0	0	18.5	0	0	13.6	0.1	1
2025	5	28	9	45	24	0	0	0	0	0	0	0	18.55	0	0	13.6	0.1	1
2025	5	28	9	55	24	0	0	0	0	0	0	0	18.61	0	0	13.4	0.1	1
2025	5	28	10	5	24	0	0	0	0	0	0	0	18.66	0	0	13.2	0.1	1
2025	5	28	10	15	24	0	0	0	0	0	0	0	18.73	0	0	13.2	0.1	1
2025	5	28	10	25	24	0	0	0	0	0	0	0	18.79	0	0	13.2	0.1	1
2025	5	28	10	35	24	0	0	0	0	0	0	0	18.85	0	0	13.2	0.1	1
2025	5	28	10	45	24	0	0	0	0	0	0	0	18.91	0	0	13.2	0.1	1
2025	5	28	10	55	24	0	0	0	0	0	0	0	18.98	0	0	13.4	0.1	1
2025	5	28	11	5	24	0	0	0	0	0	0	0	19.05	0	0	13.4	0.1	1
2025	5	28	11	15	24	0	0	0	0	0	0	0	19.1	0	0	13.4	0.1	1
2025	5	28	11	25	24	0	0	0	0	0	0	0	19.18	0	0	13.4	0.1	1
2025	5	28	11	35	24	0	0	0	0	0	0	0	19.24	0	0	13.4	0.1	1
2025	5	28	11	45	24	0	0	0	0	0	0	0	19.3	0	0	13.4	0.1	1
2025	5	28	11	55	24	0	0	0	0	0	0	0	19.37	0	0	13.4	0.1	1
2025	5	28	12	5	24	0	0	0	0	0	0	0	19.43	0	0	13.4	0.1	1
2025	5	28	12	15	24	0	0	0	0	0	0	0	19.49	0	0	13.2	0.1	1
2025	5	28	12	25	24	0	0	0	0	0	0	0	19.56	0	0	13.2	0.1	1
2025	5	28	12	35	24	0	0	0	0	0	0	0	19.62	0	0	13.2	0.1	1
2025	5	28	12	45	24	0	0	0	0	0	0	0	19.67	0	0	13.2	0.1	1
2025	5	28	12	55	24	0	0	0	0	0	0	0	19.73	0	0	13.2	0.1	1
2025	5	28	13	5	24	0	0	0	0	0	0	0	19.78	0	0	13.2	0.1	1
2025	5	28	13	15	24	0	0	0	0	0	0	0	19.84	0	0	13.2	0.1	1
2025	5	28	13	25	24	0	0	0	0	0	0	0	19.89	0	0	13.2	0.1	1
2025	5	28	13	35	24	0	0	0	0	0	0	0	19.94	0	0	13.2	0.1	1
2025	5	28	13	45	24	0	0	0	0	0	0	0	19.98	0	0	13.2	0.1	1
2025	5	28	13	55	24	0	0	0	0	0	0	0	20.02	0	0	13.2	0.1	1
2025	5	28	14	5	24	0	0	0	0	0	0	0	20.05	0	0	13.2	0.1	1
2025	5	28	14	15	24	0	0	0	0	0	0	0	20.08	0	0	13.2	0.1	1
2025	5	28	14	25	24	0	0	0	0	0	0	0	20.11	0	0	13.2	0.1	1
2025	5	28	14	35	24	0	0	0	0	0	0	0	20.14	0	0	13.2	0.1	1
2025	5	28	14	45	24	0	0	0	0	0	0	0	20.16	0	0	13.2	0.1	1
2025	5	28	14	55	24	0	0	0	0	0	0	0	20.18	0	0	13.2	0.1	1
2025	5	28	15	5	24	0	0	0	0	0	0	0	20.2	0	0	13.2	0.1	1
2025	5	28	15	15	24	0	0	0	0	0	0	0	20.2	0	0	13.2	0.1	1
2025	5	28	15	25	24	0	0	0	0	0	0	0	20.21	0	0	13.2	0.1	1
2025	5	28	15	35	24	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1
2025	5	28	15	45	24	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1
2025	5	28	15	55	24	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	28	16	5	24	0	0	0	0	0	0	0	20.22	0	0	13.2	0.1	1
2025	5	28	16	15	24	0	0	0	0	0	0	0	20.21	0	0	13.2	0.1	1
2025	5	28	16	25	24	0	0	0	0	0	0	0	20.19	0	0	13.2	0.1	1
2025	5	28	16	35	24	0	0	0	0	0	0	0	20.18	0	0	13.2	0.1	1
2025	5	28	16	45	24	0	0	0	0	0	0	0	20.16	0	0	12.8	0.1	1
2025	5	28	16	55	24	0	0	0	0	0	0	0	20.14	0	0	12.6	0.1	1
2025	5	28	17	5	24	0	0	0	0	0	0	0	20.12	0	0	12.6	0.1	1
2025	5	28	17	15	24	0	0	0	0	0	0	0	20.09	0	0	12.4	0.1	1
2025	5	28	17	25	24	0	0	0	0	0	0	0	20.06	0	0	12.4	0.1	1
2025	5	28	17	35	24	0	0	0	0	0	0	0	20.02	0	0	12.2	0.1	1
2025	5	28	17	45	24	0	0	0	0	0	0	0	19.98	0	0	12.2	0.1	1
2025	5	28	17	55	24	0	0	0	0	0	0	0	19.94	0	0	12	0.1	1
2025	5	28	18	5	24	0	0	0	0	0	0	0	19.9	0	0	12	0.1	1
2025	5	28	18	15	24	0	0	0	0	0	0	0	19.86	0	0	11.8	0.1	1
2025	5	28	18	25	24	0	0	0	0	0	0	0	19.81	0	0	11.8	0.1	1
2025	5	28	18	35	24	0	0	0	0	0	0	0	19.77	0	0	11.8	0.1	1
2025	5	28	18	45	24	0	0	0	0	0	0	0	19.73	0	0	11.8	0.1	1
2025	5	28	18	55	24	0	0	0	0	0	0	0	19.67	0	0	11.8	0.1	1
2025	5	28	19	5	24	0	0	0	0	0	0	0	19.63	0	0	11.8	0.1	1
2025	5	28	19	15	24	0	0	0	0	0	0	0	19.57	0	0	11.8	0.1	1
2025	5	28	19	25	24	0	0	0	0	0	0	0	19.52	0	0	11.8	0.1	1
2025	5	28	19	35	24	0	0	0	0	0	0	0	19.46	0	0	11.8	0.1	1
2025	5	28	19	45	24	0	0	0	0	0	0	0	19.41	0	0	11.8	0.1	1
2025	5	28	19	55	24	0	0	0	0	0	0	0	19.35	0	0	11.8	0.1	1
2025	5	28	20	5	24	0	0	0	0	0	0	0	19.3	0	0	11.8	0.1	1
2025	5	28	20	15	24	0	0	0	0	0	0	0	19.23	0	0	11.8	0.1	1
2025	5	28	20	25	24	0	0	0	0	0	0	0	19.17	0	0	11.8	0.1	1
2025	5	28	20	35	24	0	0	0	0	0	0	0	19.11	0	0	11.8	0.1	1
2025	5	28	20	45	24	0	0	0	0	0	0	0	19.04	0	0	11.8	0.1	1
2025	5	28	20	55	24	0	0	0	0	0	0	0	18.98	0	0	11.8	0.1	1
2025	5	28	21	5	24	0	0	0	0	0	0	0	18.91	0	0	11.8	0.1	1
2025	5	28	21	15	24	0	0	0	0	0	0	0	18.86	0	0	11.8	0.1	1
2025	5	28	21	25	24	0	0	0	0	0	0	0	18.8	0	0	11.8	0.1	1
2025	5	28	21	35	24	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1
2025	5	28	21	45	24	0	0	0	0	0	0	0	18.69	0	0	11.8	0.1	1
2025	5	28	21	55	24	0	0	0	0	0	0	0	18.64	0	0	11.6	0.1	1
2025	5	28	22	5	24	0	0	0	0	0	0	0	18.59	0	0	11.6	0.1	1
2025	5	28	22	15	24	0	0	0	0	0	0	0	18.54	0	0	11.6	0.1	1
2025	5	28	22	25	24	0	0	0	0	0	0	0	18.5	0	0	11.6	0.1	1
2025	5	28	22	35	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	28	22	45	24	0	0	0	0	0	0	0	18.42	0	0	11.6	0.1	1
2025	5	28	22	55	24	0	0	0	0	0	0	0	18.38	0	0	11.6	0.1	1
2025	5	28	23	5	24	0	0	0	0	0	0	0	18.35	0	0	11.6	0.1	1
2025	5	28	23	15	24	0	0	0	0	0	0	0	18.32	0	0	11.6	0.1	1
2025	5	28	23	25	24	0	0	0	0	0	0	0	18.29	0	0	11.6	0.1	1
2025	5	28	23	35	24	0	0	0	0	0	0	0	18.27	0	0	11.6	0.1	1
2025	5	28	23	45	24	0	0	0	0	0	0	0	18.24	0	0	11.6	0.1	1
2025	5	28	23	55	24	0	0	0	0	0	0	0	18.21	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	29	0	5	24	0	0	0	0	0	0	0	18.19	0	0	11.6	0.1	1
2025	5	29	0	15	24	0	0	0	0	0	0	0	18.16	0	0	11.6	0.1	1
2025	5	29	0	25	24	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1
2025	5	29	0	35	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	29	0	45	24	0	0	0	0	0	0	0	18.08	0	0	11.6	0.1	1
2025	5	29	0	55	24	0	0	0	0	0	0	0	18.06	0	0	11.6	0.1	1
2025	5	29	1	5	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	29	1	15	24	0	0	0	0	0	0	0	18.02	0	0	11.6	0.1	1
2025	5	29	1	25	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	29	1	35	24	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1
2025	5	29	1	45	24	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1
2025	5	29	1	55	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	29	2	5	24	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1
2025	5	29	2	15	24	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1
2025	5	29	2	25	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	2	35	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	2	45	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	2	55	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	3	5	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	3	15	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	3	25	24	0	0	0	0	0	0	0	17.96	0	0	11.6	0.1	1
2025	5	29	3	35	24	0	0	0	0	0	0	0	17.97	0	0	11.6	0.1	1
2025	5	29	3	45	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	29	3	55	24	0	0	0	0	0	0	0	17.98	0	0	11.6	0.1	1
2025	5	29	4	5	24	0	0	0	0	0	0	0	17.99	0	0	11.6	0.1	1
2025	5	29	4	15	24	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1
2025	5	29	4	25	24	0	0	0	0	0	0	0	18	0	0	11.6	0.1	1
2025	5	29	4	35	24	0	0	0	0	0	0	0	18.01	0	0	11.6	0.1	1
2025	5	29	4	45	24	0	0	0	0	0	0	0	18.03	0	0	11.6	0.1	1
2025	5	29	4	55	24	0	0	0	0	0	0	0	18.03	0	0	11.6	0.1	1
2025	5	29	5	5	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	29	5	15	24	0	0	0	0	0	0	0	18.05	0	0	11.6	0.1	1
2025	5	29	5	25	24	0	0	0	0	0	0	0	18.07	0	0	11.6	0.1	1
2025	5	29	5	35	24	0	0	0	0	0	0	0	18.08	0	0	11.6	0.1	1
2025	5	29	5	45	24	0	0	0	0	0	0	0	18.09	0	0	11.6	0.1	1
2025	5	29	5	55	24	0	0	0	0	0	0	0	18.11	0	0	11.6	0.1	1
2025	5	29	6	5	24	0	0	0	0	0	0	0	18.12	0	0	11.6	0.1	1
2025	5	29	6	15	24	0	0	0	0	0	0	0	18.13	0	0	11.6	0.1	1
2025	5	29	6	25	24	0	0	0	0	0	0	0	18.14	0	0	11.6	0.1	1
2025	5	29	6	35	24	0	0	0	0	0	0	0	18.17	0	0	11.6	0.1	1
2025	5	29	6	45	24	0	0	0	0	0	0	0	18.18	0	0	11.6	0.1	1
2025	5	29	6	55	24	0	0	0	0	0	0	0	18.2	0	0	11.6	0.1	1
2025	5	29	7	5	24	0	0	0	0	0	0	0	18.23	0	0	11.8	0.1	1
2025	5	29	7	15	24	0	0	0	0	0	0	0	18.25	0	0	11.8	0.1	1
2025	5	29	7	25	24	0	0	0	0	0	0	0	18.29	0	0	12	0.1	1
2025	5	29	7	35	24	0	0	0	0	0	0	0	18.32	0	0	12.2	0.1	1
2025	5	29	7	45	24	0	0	0	0	0	0	0	18.36	0	0	12.4	0.1	1
2025	5	29	7	55	24	0	0	0	0	0	0	0	18.39	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	29	8	5	24	0	0	0	0	0	0	0	18.43	0	0	12.6	0.1	1
2025	5	29	8	15	24	0	0	0	0	0	0	0	18.48	0	0	12.6	0.1	1
2025	5	29	8	25	24	0	0	0	0	0	0	0	18.52	0	0	12.6	0.1	1
2025	5	29	8	35	24	0	0	0	0	0	0	0	18.57	0	0	12.6	0.1	1
2025	5	29	8	45	24	0	0	0	0	0	0	0	18.62	0	0	12.8	0.1	1
2025	5	29	8	55	24	0	0	0	0	0	0	0	18.67	0	0	12.8	0.1	1
2025	5	29	9	5	24	0	0	0	0	0	0	0	18.72	0	0	12.8	0.1	1
2025	5	29	9	15	24	0	0	0	0	0	0	0	18.78	0	0	13	0.1	1
2025	5	29	9	25	24	0	0	0	0	0	0	0	18.84	0	0	13.2	0.1	1
2025	5	29	9	35	24	0	0	0	0	0	0	0	18.89	0	0	13.6	0.1	1
2025	5	29	9	45	24	0	0	0	0	0	0	0	18.95	0	0	13.2	0.1	1
2025	5	29	9	55	24	0	0	0	0	0	0	0	19.01	0	0	13.2	0.1	1
2025	5	29	10	5	24	0	0	0	0	0	0	0	19.08	0	0	13.2	0.1	1
2025	5	29	10	15	24	0	0	0	0	0	0	0	19.14	0	0	13.2	0.1	1
2025	5	29	10	25	24	0	0	0	0	0	0	0	19.2	0	0	13.2	0.1	1
2025	5	29	10	35	24	0	0	0	0	0	0	0	19.26	0	0	13.2	0.1	1
2025	5	29	10	45	24	0	0	0	0	0	0	0	19.33	0	0	13.4	0.1	1
2025	5	29	10	55	24	0	0	0	0	0	0	0	19.4	0	0	13.6	0.1	1
2025	5	29	11	5	24	0	0	0	0	0	0	0	19.47	0	0	13.6	0.1	1
2025	5	29	11	15	24	0	0	0	0	0	0	0	19.54	0	0	13.6	0.1	1
2025	5	29	11	25	24	0	0	0	0	0	0	0	19.62	0	0	13.6	0.1	1
2025	5	29	11	35	24	0	0	0	0	0	0	0	19.69	0	0	13.6	0.1	1
2025	5	29	11	45	24	0	0	0	0	0	0	0	19.76	0	0	13.6	0.1	1
2025	5	29	11	55	24	0	0	0	0	0	0	0	19.82	0	0	13.8	0.1	1
2025	5	29	12	5	24	0	0	0	0	0	0	0	19.9	0	0	13.2	0.1	1
2025	5	29	12	15	24	0	0	0	0	0	0	0	19.96	0	0	13.2	0.1	1
2025	5	29	12	25	24	0	0	0	0	0	0	0	20.03	0	0	13	0.1	1
2025	5	29	12	35	24	0	0	0	0	0	0	0	20.09	0	0	13	0.1	1
2025	5	29	12	45	24	0	0	0	0	0	0	0	20.15	0	0	13	0.1	1
2025	5	29	12	55	24	0	0	0	0	0	0	0	20.21	0	0	13	0.1	1
2025	5	29	13	5	24	0	0	0	0	0	0	0	20.27	0	0	13	0.1	1
2025	5	29	13	15	24	0	0	0	0	0	0	0	20.32	0	0	13	0.1	1
2025	5	29	13	25	24	0	0	0	0	0	0	0	20.36	0	0	13	0.1	1
2025	5	29	13	35	24	0	0	0	0	0	0	0	20.42	0	0	13	0.1	1
2025	5	29	13	45	24	0	0	0	0	0	0	0	20.46	0	0	13	0.1	1
2025	5	29	13	55	24	0	0	0	0	0	0	0	20.5	0	0	13	0.1	1
2025	5	29	14	5	24	0	0	0	0	0	0	0	20.54	0	0	13	0.1	1
2025	5	29	14	15	24	0	0	0	0	0	0	0	20.58	0	0	13	0.1	1
2025	5	29	14	25	24	0	0	0	0	0	0	0	20.61	0	0	13	0.1	1
2025	5	29	14	35	24	0	0	0	0	0	0	0	20.64	0	0	13.2	0.1	1
2025	5	29	14	45	24	0	0	0	0	0	0	0	20.66	0	0	13.4	0.1	1
2025	5	29	14	55	24	0	0	0	0	0	0	0	20.67	0	0	13.4	0.1	1
2025	5	29	15	5	24	0	0	0	0	0	0	0	20.69	0	0	13.4	0.1	1
2025	5	29	15	15	24	0	0	0	0	0	0	0	20.7	0	0	13.4	0.1	1
2025	5	29	15	25	24	0	0	0	0	0	0	0	20.71	0	0	13	0.1	1
2025	5	29	15	35	24	0	0	0	0	0	0	0	20.71	0	0	13.4	0.1	1
2025	5	29	15	45	24	0	0	0	0	0	0	0	20.71	0	0	13.4	0.1	1
2025	5	29	15	55	24	0	0	0	0	0	0	0	20.72	0	0	13.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	29	16	5	24	0	0	0	0	0	0	0	20.71	0	0	13.2	0.1	1
2025	5	29	16	15	24	0	0	0	0	0	0	0	20.7	0	0	13.2	0.1	1
2025	5	29	16	25	24	0	0	0	0	0	0	0	20.69	0	0	13	0.1	1
2025	5	29	16	35	24	0	0	0	0	0	0	0	20.67	0	0	13	0.1	1
2025	5	29	16	45	24	0	0	0	0	0	0	0	20.66	0	0	13	0.1	1
2025	5	29	16	55	24	0	0	0	0	0	0	0	20.64	0	0	12.6	0.1	1
2025	5	29	17	5	24	0	0	0	0	0	0	0	20.62	0	0	12.4	0.1	1
2025	5	29	17	15	24	0	0	0	0	0	0	0	20.59	0	0	12.4	0.1	1
2025	5	29	17	25	24	0	0	0	0	0	0	0	20.55	0	0	12.4	0.1	1
2025	5	29	17	35	24	0	0	0	0	0	0	0	20.52	0	0	12.2	0.1	1
2025	5	29	17	45	24	0	0	0	0	0	0	0	20.49	0	0	12	0.1	1
2025	5	29	17	55	24	0	0	0	0	0	0	0	20.45	0	0	12	0.1	1
2025	5	29	18	5	24	0	0	0	0	0	0	0	20.41	0	0	12	0.1	1
2025	5	29	18	15	24	0	0	0	0	0	0	0	20.37	0	0	11.8	0.1	1
2025	5	29	18	25	24	0	0	0	0	0	0	0	20.33	0	0	11.8	0.1	1
2025	5	29	18	35	24	0	0	0	0	0	0	0	20.28	0	0	11.8	0.1	1
2025	5	29	18	45	24	0	0	0	0	0	0	0	20.23	0	0	11.8	0.1	1
2025	5	29	18	55	24	0	0	0	0	0	0	0	20.18	0	0	11.8	0.1	1
2025	5	29	19	5	24	0	0	0	0	0	0	0	20.13	0	0	11.8	0.1	1
2025	5	29	19	15	24	0	0	0	0	0	0	0	20.07	0	0	11.8	0.1	1
2025	5	29	19	25	24	0	0	0	0	0	0	0	20.03	0	0	11.8	0.1	1
2025	5	29	19	35	24	0	0	0	0	0	0	0	19.97	0	0	11.8	0.1	1
2025	5	29	19	45	24	0	0	0	0	0	0	0	19.92	0	0	11.8	0.1	1
2025	5	29	19	55	24	0	0	0	0	0	0	0	19.86	0	0	11.8	0.1	1
2025	5	29	20	5	24	0	0	0	0	0	0	0	19.8	0	0	11.8	0.1	1
2025	5	29	20	15	24	0	0	0	0	0	0	0	19.73	0	0	11.8	0.1	1
2025	5	29	20	25	24	0	0	0	0	0	0	0	19.67	0	0	11.8	0.1	1
2025	5	29	20	35	24	0	0	0	0	0	0	0	19.61	0	0	11.8	0.1	1
2025	5	29	20	45	24	0	0	0	0	0	0	0	19.54	0	0	11.8	0.1	1
2025	5	29	20	55	24	0	0	0	0	0	0	0	19.47	0	0	11.8	0.1	1
2025	5	29	21	5	24	0	0	0	0	0	0	0	19.42	0	0	11.8	0.1	1
2025	5	29	21	15	24	0	0	0	0	0	0	0	19.36	0	0	11.8	0.1	1
2025	5	29	21	25	24	0	0	0	0	0	0	0	19.3	0	0	11.8	0.1	1
2025	5	29	21	35	24	0	0	0	0	0	0	0	19.25	0	0	11.8	0.1	1
2025	5	29	21	45	24	0	0	0	0	0	0	0	19.2	0	0	11.8	0.1	1
2025	5	29	21	55	24	0	0	0	0	0	0	0	19.15	0	0	11.6	0.1	1
2025	5	29	22	5	24	0	0	0	0	0	0	0	19.11	0	0	11.6	0.1	1
2025	5	29	22	15	24	0	0	0	0	0	0	0	19.06	0	0	11.6	0.1	1
2025	5	29	22	25	24	0	0	0	0	0	0	0	19.02	0	0	11.6	0.1	1
2025	5	29	22	35	24	0	0	0	0	0	0	0	18.97	0	0	11.6	0.1	1
2025	5	29	22	45	24	0	0	0	0	0	0	0	18.94	0	0	11.6	0.1	1
2025	5	29	22	55	24	0	0	0	0	0	0	0	18.91	0	0	11.6	0.1	1
2025	5	29	23	5	24	0	0	0	0	0	0	0	18.87	0	0	11.6	0.1	1
2025	5	29	23	15	24	0	0	0	0	0	0	0	18.85	0	0	11.6	0.1	1
2025	5	29	23	25	24	0	0	0	0	0	0	0	18.81	0	0	11.6	0.1	1
2025	5	29	23	35	24	0	0	0	0	0	0	0	18.78	0	0	11.6	0.1	1
2025	5	29	23	45	24	0	0	0	0	0	0	0	18.75	0	0	11.6	0.1	1
2025	5	29	23	55	24	0	0	0	0	0	0	0	18.72	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	30	0	5	24	0	0	0	0	0	0	0	18.69	0	0	11.6	0.1	1
2025	5	30	0	15	24	0	0	0	0	0	0	0	18.66	0	0	11.6	0.1	1
2025	5	30	0	25	24	0	0	0	0	0	0	0	18.63	0	0	11.6	0.1	1
2025	5	30	0	35	24	0	0	0	0	0	0	0	18.6	0	0	11.6	0.1	1
2025	5	30	0	45	24	0	0	0	0	0	0	0	18.58	0	0	11.6	0.1	1
2025	5	30	0	55	24	0	0	0	0	0	0	0	18.56	0	0	11.6	0.1	1
2025	5	30	1	5	24	0	0	0	0	0	0	0	18.54	0	0	11.6	0.1	1
2025	5	30	1	15	24	0	0	0	0	0	0	0	18.52	0	0	11.6	0.1	1
2025	5	30	1	25	24	0	0	0	0	0	0	0	18.51	0	0	11.6	0.1	1
2025	5	30	1	35	24	0	0	0	0	0	0	0	18.49	0	0	11.6	0.1	1
2025	5	30	1	45	24	0	0	0	0	0	0	0	18.48	0	0	11.6	0.1	1
2025	5	30	1	55	24	0	0	0	0	0	0	0	18.47	0	0	11.6	0.1	1
2025	5	30	2	5	24	0	0	0	0	0	0	0	18.47	0	0	11.6	0.1	1
2025	5	30	2	15	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	2	25	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	2	35	24	0	0	0	0	0	0	0	18.45	0	0	11.6	0.1	1
2025	5	30	2	45	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	2	55	24	0	0	0	0	0	0	0	18.45	0	0	11.6	0.1	1
2025	5	30	3	5	24	0	0	0	0	0	0	0	18.45	0	0	11.6	0.1	1
2025	5	30	3	15	24	0	0	0	0	0	0	0	18.45	0	0	11.6	0.1	1
2025	5	30	3	25	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	3	35	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	3	45	24	0	0	0	0	0	0	0	18.46	0	0	11.6	0.1	1
2025	5	30	3	55	24	0	0	0	0	0	0	0	18.47	0	0	11.6	0.1	1
2025	5	30	4	5	24	0	0	0	0	0	0	0	18.48	0	0	11.6	0.1	1
2025	5	30	4	15	24	0	0	0	0	0	0	0	18.49	0	0	11.6	0.1	1
2025	5	30	4	25	24	0	0	0	0	0	0	0	18.49	0	0	11.6	0.1	1
2025	5	30	4	35	24	0	0	0	0	0	0	0	18.5	0	0	11.6	0.1	1
2025	5	30	4	45	24	0	0	0	0	0	0	0	18.51	0	0	11.6	0.1	1
2025	5	30	4	55	24	0	0	0	0	0	0	0	18.52	0	0	11.6	0.1	1
2025	5	30	5	5	24	0	0	0	0	0	0	0	18.53	0	0	11.6	0.1	1
2025	5	30	5	15	24	0	0	0	0	0	0	0	18.54	0	0	11.6	0.1	1
2025	5	30	5	25	24	0	0	0	0	0	0	0	18.55	0	0	11.6	0.1	1
2025	5	30	5	35	24	0	0	0	0	0	0	0	18.57	0	0	11.6	0.1	1
2025	5	30	5	45	24	0	0	0	0	0	0	0	18.58	0	0	11.6	0.1	1
2025	5	30	5	55	24	0	0	0	0	0	0	0	18.59	0	0	11.6	0.1	1
2025	5	30	6	5	24	0	0	0	0	0	0	0	18.61	0	0	11.6	0.1	1
2025	5	30	6	15	24	0	0	0	0	0	0	0	18.61	0	0	11.6	0.1	1
2025	5	30	6	25	24	0	0	0	0	0	0	0	18.63	0	0	11.6	0.1	1
2025	5	30	6	35	24	0	0	0	0	0	0	0	18.65	0	0	11.6	0.1	1
2025	5	30	6	45	24	0	0	0	0	0	0	0	18.66	0	0	11.6	0.1	1
2025	5	30	6	55	24	0	0	0	0	0	0	0	18.68	0	0	11.6	0.1	1
2025	5	30	7	5	24	0	0	0	0	0	0	0	18.71	0	0	11.8	0.1	1
2025	5	30	7	15	24	0	0	0	0	0	0	0	18.74	0	0	11.8	0.1	1
2025	5	30	7	25	24	0	0	0	0	0	0	0	18.77	0	0	12	0.1	1
2025	5	30	7	35	24	0	0	0	0	0	0	0	18.8	0	0	12.2	0.1	1
2025	5	30	7	45	24	0	0	0	0	0	0	0	18.84	0	0	12.4	0.1	1
2025	5	30	7	55	24	0	0	0	0	0	0	0	18.88	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	30	8	5	24	0	0	0	0	0	0	0	18.92	0	0	12.4	0.1	1
2025	5	30	8	15	24	0	0	0	0	0	0	0	18.95	0	0	12.6	0.1	1
2025	5	30	8	25	24	0	0	0	0	0	0	0	19	0	0	12.6	0.1	1
2025	5	30	8	35	24	0	0	0	0	0	0	0	19.05	0	0	12.6	0.1	1
2025	5	30	8	45	24	0	0	0	0	0	0	0	19.09	0	0	12.6	0.1	1
2025	5	30	8	55	24	0	0	0	0	0	0	0	19.15	0	0	12.8	0.1	1
2025	5	30	9	5	24	0	0	0	0	0	0	0	19.19	0	0	12.8	0.1	1
2025	5	30	9	15	24	0	0	0	0	0	0	0	19.25	0	0	12.8	0.1	1
2025	5	30	9	25	24	0	0	0	0	0	0	0	19.31	0	0	13	0.1	1
2025	5	30	9	35	24	0	0	0	0	0	0	0	19.37	0	0	13.4	0.1	1
2025	5	30	9	45	24	0	0	0	0	0	0	0	19.43	0	0	13.2	0.1	1
2025	5	30	9	55	24	0	0	0	0	0	0	0	19.49	0	0	13.2	0.1	1
2025	5	30	10	5	24	0	0	0	0	0	0	0	19.54	0	0	13.2	0.1	1
2025	5	30	10	15	24	0	0	0	0	0	0	0	19.61	0	0	13.2	0.1	1
2025	5	30	10	25	24	0	0	0	0	0	0	0	19.67	0	0	13.4	0.1	1
2025	5	30	10	35	24	0	0	0	0	0	0	0	19.74	0	0	14	0.1	1
2025	5	30	10	45	24	0	0	0	0	0	0	0	19.8	0	0	14.2	0.1	1
2025	5	30	10	55	24	0	0	0	0	0	0	0	19.86	0	0	14.2	0.1	1
2025	5	30	11	5	24	0	0	0	0	0	0	0	19.93	0	0	14.2	0.1	1
2025	5	30	11	15	24	0	0	0	0	0	0	0	19.99	0	0	14.2	0.1	1
2025	5	30	11	25	24	0	0	0	0	0	0	0	20.06	0	0	13.6	0.1	1
2025	5	30	11	35	24	0	0	0	0	0	0	0	20.13	0	0	13.8	0.1	1
2025	5	30	11	45	24	0	0	0	0	0	0	0	20.19	0	0	14	0.1	1
2025	5	30	11	55	24	0	0	0	0	0	0	0	20.26	0	0	13.6	0.1	1
2025	5	30	12	5	24	0	0	0	0	0	0	0	20.34	0	0	13.4	0.1	1
2025	5	30	12	15	24	0	0	0	0	0	0	0	20.39	0	0	13.6	0.1	1
2025	5	30	12	25	24	0	0	0	0	0	0	0	20.47	0	0	13.4	0.1	1
2025	5	30	12	35	24	0	0	0	0	0	0	0	20.54	0	0	13.4	0.1	1
2025	5	30	12	45	24	0	0	0	0	0	0	0	20.61	0	0	13.2	0.1	1
2025	5	30	12	55	24	0	0	0	0	0	0	0	20.66	0	0	13.4	0.1	1
2025	5	30	13	5	24	0	0	0	0	0	0	0	20.72	0	0	13.4	0.1	1
2025	5	30	13	15	24	0	0	0	0	0	0	0	20.78	0	0	13.4	0.1	1
2025	5	30	13	25	24	0	0	0	0	0	0	0	20.84	0	0	13.2	0.1	1
2025	5	30	13	35	24	0	0	0	0	0	0	0	20.89	0	0	13.4	0.1	1
2025	5	30	13	45	24	0	0	0	0	0	0	0	20.94	0	0	13	0.1	1
2025	5	30	13	55	24	0	0	0	0	0	0	0	20.98	0	0	13	0.1	1
2025	5	30	14	5	24	0	0	0	0	0	0	0	21.03	0	0	13	0.1	1
2025	5	30	14	15	24	0	0	0	0	0	0	0	21.07	0	0	13	0.1	1
2025	5	30	14	25	24	0	0	0	0	0	0	0	21.11	0	0	12.6	0.1	1
2025	5	30	14	35	24	0	0	0	0	0	0	0	21.14	0	0	12.6	0.1	1
2025	5	30	14	45	24	0	0	0	0	0	0	0	21.17	0	0	12.6	0.1	1
2025	5	30	14	55	24	0	0	0	0	0	0	0	21.19	0	0	12.6	0.1	1
2025	5	30	15	5	24	0	0	0	0	0	0	0	21.2	0	0	12.6	0.1	1
2025	5	30	15	15	24	0	0	0	0	0	0	0	21.2	0	0	12.6	0.1	1
2025	5	30	15	25	24	0	0	0	0	0	0	0	21.2	0	0	12.6	0.1	1
2025	5	30	15	35	24	0	0	0	0	0	0	0	21.24	0	0	12.6	0.1	1
2025	5	30	15	45	24	0	0	0	0	0	0	0	21.25	0	0	12.8	0.1	1
2025	5	30	15	55	24	0	0	0	0	0	0	0	21.27	0	0	12.8	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	30	16	5	24	0	0	0	0	0	0	0	21.27	0	0	12.6	0.1	1
2025	5	30	16	15	24	0	0	0	0	0	0	0	21.27	0	0	12.6	0.1	1
2025	5	30	16	25	24	0	0	0	0	0	0	0	21.26	0	0	12.6	0.1	1
2025	5	30	16	35	24	0	0	0	0	0	0	0	21.26	0	0	12.6	0.1	1
2025	5	30	16	45	24	0	0	0	0	0	0	0	21.25	0	0	12.6	0.1	1
2025	5	30	16	55	24	0	0	0	0	0	0	0	21.22	0	0	12.2	0.1	1
2025	5	30	17	5	24	0	0	0	0	0	0	0	21.21	0	0	12.2	0.1	1
2025	5	30	17	15	24	0	0	0	0	0	0	0	21.19	0	0	12.2	0.1	1
2025	5	30	17	25	24	0	0	0	0	0	0	0	21.16	0	0	12.2	0.1	1
2025	5	30	17	35	24	0	0	0	0	0	0	0	21.13	0	0	12	0.1	1
2025	5	30	17	45	24	0	0	0	0	0	0	0	21.08	0	0	11.8	0.1	1
2025	5	30	17	55	24	0	0	0	0	0	0	0	21.05	0	0	11.8	0.1	1
2025	5	30	18	5	24	0	0	0	0	0	0	0	21	0	0	11.8	0.1	1
2025	5	30	18	15	24	0	0	0	0	0	0	0	20.97	0	0	11.8	0.1	1
2025	5	30	18	25	24	0	0	0	0	0	0	0	20.93	0	0	11.6	0.1	1
2025	5	30	18	35	24	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1
2025	5	30	18	45	24	0	0	0	0	0	0	0	20.85	0	0	11.6	0.1	1
2025	5	30	18	55	24	0	0	0	0	0	0	0	20.8	0	0	11.6	0.1	1
2025	5	30	19	5	24	0	0	0	0	0	0	0	20.76	0	0	11.6	0.1	1
2025	5	30	19	15	24	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1
2025	5	30	19	25	24	0	0	0	0	0	0	0	20.66	0	0	11.6	0.1	1
2025	5	30	19	35	24	0	0	0	0	0	0	0	20.62	0	0	11.6	0.1	1
2025	5	30	19	45	24	0	0	0	0	0	0	0	20.56	0	0	11.6	0.1	1
2025	5	30	19	55	24	0	0	0	0	0	0	0	20.49	0	0	11.6	0.1	1
2025	5	30	20	5	24	0	0	0	0	0	0	0	20.42	0	0	11.6	0.1	1
2025	5	30	20	15	24	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	5	30	20	25	24	0	0	0	0	0	0	0	20.31	0	0	11.6	0.1	1
2025	5	30	20	35	24	0	0	0	0	0	0	0	20.24	0	0	11.6	0.1	1
2025	5	30	20	45	24	0	0	0	0	0	0	0	20.18	0	0	11.6	0.1	1
2025	5	30	20	55	24	0	0	0	0	0	0	0	20.12	0	0	11.6	0.1	1
2025	5	30	21	5	24	0	0	0	0	0	0	0	20.07	0	0	11.6	0.1	1
2025	5	30	21	15	24	0	0	0	0	0	0	0	20.03	0	0	11.6	0.1	1
2025	5	30	21	25	24	0	0	0	0	0	0	0	19.98	0	0	11.6	0.1	1
2025	5	30	21	35	24	0	0	0	0	0	0	0	19.93	0	0	11.6	0.1	1
2025	5	30	21	45	24	0	0	0	0	0	0	0	19.89	0	0	11.6	0.1	1
2025	5	30	21	55	24	0	0	0	0	0	0	0	19.83	0	0	11.6	0.1	1
2025	5	30	22	5	24	0	0	0	0	0	0	0	19.79	0	0	11.6	0.1	1
2025	5	30	22	15	24	0	0	0	0	0	0	0	19.75	0	0	11.6	0.1	1
2025	5	30	22	25	24	0	0	0	0	0	0	0	19.7	0	0	11.6	0.1	1
2025	5	30	22	35	24	0	0	0	0	0	0	0	19.66	0	0	11.6	0.1	1
2025	5	30	22	45	24	0	0	0	0	0	0	0	19.63	0	0	11.6	0.1	1
2025	5	30	22	55	24	0	0	0	0	0	0	0	19.59	0	0	11.6	0.1	1
2025	5	30	23	5	24	0	0	0	0	0	0	0	19.55	0	0	11.6	0.1	1
2025	5	30	23	15	24	0	0	0	0	0	0	0	19.52	0	0	11.6	0.1	1
2025	5	30	23	25	24	0	0	0	0	0	0	0	19.49	0	0	11.6	0.1	1
2025	5	30	23	35	24	0	0	0	0	0	0	0	19.46	0	0	11.6	0.1	1
2025	5	30	23	45	24	0	0	0	0	0	0	0	19.43	0	0	11.6	0.1	1
2025	5	30	23	55	24	0	0	0	0	0	0	0	19.4	0	0	11.6	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	31	0	5	24	0	0	0	0	0	0	0	19.38	0	0	11.6	0.1	1
2025	5	31	0	15	24	0	0	0	0	0	0	0	19.34	0	0	11.6	0.1	1
2025	5	31	0	25	24	0	0	0	0	0	0	0	19.32	0	0	11.6	0.1	1
2025	5	31	0	35	24	0	0	0	0	0	0	0	19.3	0	0	11.4	0.1	1
2025	5	31	0	45	24	0	0	0	0	0	0	0	19.28	0	0	11.4	0.1	1
2025	5	31	0	55	24	0	0	0	0	0	0	0	19.27	0	0	11.4	0.1	1
2025	5	31	1	5	24	0	0	0	0	0	0	0	19.25	0	0	11.4	0.1	1
2025	5	31	1	15	24	0	0	0	0	0	0	0	19.23	0	0	11.4	0.1	1
2025	5	31	1	25	24	0	0	0	0	0	0	0	19.22	0	0	11.4	0.1	1
2025	5	31	1	35	24	0	0	0	0	0	0	0	19.22	0	0	11.4	0.1	1
2025	5	31	1	45	24	0	0	0	0	0	0	0	19.2	0	0	11.4	0.1	1
2025	5	31	1	55	24	0	0	0	0	0	0	0	19.19	0	0	11.4	0.1	1
2025	5	31	2	5	24	0	0	0	0	0	0	0	19.18	0	0	11.4	0.1	1
2025	5	31	2	15	24	0	0	0	0	0	0	0	19.18	0	0	11.4	0.1	1
2025	5	31	2	25	24	0	0	0	0	0	0	0	19.17	0	0	11.4	0.1	1
2025	5	31	2	35	24	0	0	0	0	0	0	0	19.17	0	0	11.4	0.1	1
2025	5	31	2	45	24	0	0	0	0	0	0	0	19.17	0	0	11.4	0.1	1
2025	5	31	2	55	24	0	0	0	0	0	0	0	19.18	0	0	11.4	0.1	1
2025	5	31	3	5	24	0	0	0	0	0	0	0	19.18	0	0	11.4	0.1	1
2025	5	31	3	15	24	0	0	0	0	0	0	0	19.18	0	0	11.4	0.1	1
2025	5	31	3	25	24	0	0	0	0	0	0	0	19.19	0	0	11.4	0.1	1
2025	5	31	3	35	24	0	0	0	0	0	0	0	19.19	0	0	11.4	0.1	1
2025	5	31	3	45	24	0	0	0	0	0	0	0	19.2	0	0	11.4	0.1	1
2025	5	31	3	55	24	0	0	0	0	0	0	0	19.21	0	0	11.4	0.1	1
2025	5	31	4	5	24	0	0	0	0	0	0	0	19.22	0	0	11.4	0.1	1
2025	5	31	4	15	24	0	0	0	0	0	0	0	19.23	0	0	11.4	0.1	1
2025	5	31	4	25	24	0	0	0	0	0	0	0	19.23	0	0	11.4	0.1	1
2025	5	31	4	35	24	0	0	0	0	0	0	0	19.24	0	0	11.4	0.1	1
2025	5	31	4	45	24	0	0	0	0	0	0	0	19.26	0	0	11.4	0.1	1
2025	5	31	4	55	24	0	0	0	0	0	0	0	19.26	0	0	11.4	0.1	1
2025	5	31	5	5	24	0	0	0	0	0	0	0	19.27	0	0	11.4	0.1	1
2025	5	31	5	15	24	0	0	0	0	0	0	0	19.29	0	0	11.4	0.1	1
2025	5	31	5	25	24	0	0	0	0	0	0	0	19.3	0	0	11.4	0.1	1
2025	5	31	5	35	24	0	0	0	0	0	0	0	19.31	0	0	11.4	0.1	1
2025	5	31	5	45	24	0	0	0	0	0	0	0	19.33	0	0	11.4	0.1	1
2025	5	31	5	55	24	0	0	0	0	0	0	0	19.34	0	0	11.4	0.1	1
2025	5	31	6	5	24	0	0	0	0	0	0	0	19.35	0	0	11.4	0.1	1
2025	5	31	6	15	24	0	0	0	0	0	0	0	19.37	0	0	11.4	0.1	1
2025	5	31	6	25	24	0	0	0	0	0	0	0	19.38	0	0	11.4	0.1	1
2025	5	31	6	35	24	0	0	0	0	0	0	0	19.4	0	0	11.4	0.1	1
2025	5	31	6	45	24	0	0	0	0	0	0	0	19.42	0	0	11.4	0.1	1
2025	5	31	6	55	24	0	0	0	0	0	0	0	19.44	0	0	11.4	0.1	1
2025	5	31	7	5	24	0	0	0	0	0	0	0	19.48	0	0	11.6	0.1	1
2025	5	31	7	15	24	0	0	0	0	0	0	0	19.5	0	0	11.6	0.1	1
2025	5	31	7	25	24	0	0	0	0	0	0	0	19.55	0	0	11.8	0.1	1
2025	5	31	7	35	24	0	0	0	0	0	0	0	19.57	0	0	12	0.1	1
2025	5	31	7	45	24	0	0	0	0	0	0	0	19.62	0	0	12.2	0.1	1
2025	5	31	7	55	24	0	0	0	0	0	0	0	19.66	0	0	12.2	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	31	8	5	24	0	0	0	0	0	0	0	19.68	0	0	12	0.1	1
2025	5	31	8	15	24	0	0	0	0	0	0	0	19.72	0	0	12.2	0.1	1
2025	5	31	8	25	24	0	0	0	0	0	0	0	19.78	0	0	12.4	0.1	1
2025	5	31	8	35	24	0	0	0	0	0	0	0	19.83	0	0	12.4	0.1	1
2025	5	31	8	45	24	0	0	0	0	0	0	0	19.88	0	0	12.4	0.1	1
2025	5	31	8	55	24	0	0	0	0	0	0	0	19.95	0	0	12.6	0.1	1
2025	5	31	9	5	24	0	0	0	0	0	0	0	20	0	0	12.6	0.1	1
2025	5	31	9	15	24	0	0	0	0	0	0	0	20.05	0	0	12.6	0.1	1
2025	5	31	9	25	24	0	0	0	0	0	0	0	20.11	0	0	12.8	0.1	1
2025	5	31	9	35	24	0	0	0	0	0	0	0	20.17	0	0	13	0.1	1
2025	5	31	9	45	24	0	0	0	0	0	0	0	20.23	0	0	13	0.1	1
2025	5	31	9	55	24	0	0	0	0	0	0	0	20.29	0	0	13	0.1	1
2025	5	31	10	5	24	0	0	0	0	0	0	0	20.35	0	0	13.2	0.1	1
2025	5	31	10	15	24	0	0	0	0	0	0	0	20.41	0	0	13	0.1	1
2025	5	31	10	25	24	0	0	0	0	0	0	0	20.47	0	0	12.8	0.1	1
2025	5	31	10	35	24	0	0	0	0	0	0	0	20.54	0	0	12.8	0.1	1
2025	5	31	10	45	24	0	0	0	0	0	0	0	20.6	0	0	12.8	0.1	1
2025	5	31	10	55	24	0	0	0	0	0	0	0	20.66	0	0	12.8	0.1	1
2025	5	31	11	5	24	0	0	0	0	0	0	0	20.72	0	0	12.8	0.1	1
2025	5	31	11	15	24	0	0	0	0	0	0	0	20.78	0	0	12.8	0.1	1
2025	5	31	11	25	24	0	0	0	0	0	0	0	20.85	0	0	12.8	0.1	1
2025	5	31	11	35	24	0	0	0	0	0	0	0	20.9	0	0	12.8	0.1	1
2025	5	31	11	45	24	0	0	0	0	0	0	0	20.98	0	0	12.8	0.1	1
2025	5	31	11	55	24	0	0	0	0	0	0	0	21.03	0	0	12.8	0.1	1
2025	5	31	12	5	24	0	0	0	0	0	0	0	21.11	0	0	12.8	0.1	1
2025	5	31	12	15	24	0	0	0	0	0	0	0	21.17	0	0	12.8	0.1	1
2025	5	31	12	25	24	0	0	0	0	0	0	0	21.23	0	0	12.8	0.1	1
2025	5	31	12	35	24	0	0	0	0	0	0	0	21.31	0	0	12.8	0.1	1
2025	5	31	12	45	24	0	0	0	0	0	0	0	21.37	0	0	12.8	0.1	1
2025	5	31	12	55	24	0	0	0	0	0	0	0	21.44	0	0	13.2	0.1	1
2025	5	31	13	5	24	0	0	0	0	0	0	0	21.5	0	0	13.2	0.1	1
2025	5	31	13	15	24	0	0	0	0	0	0	0	21.56	0	0	13.2	0.1	1
2025	5	31	13	25	24	0	0	0	0	0	0	0	21.62	0	0	13.2	0.1	1
2025	5	31	13	35	24	0	0	0	0	0	0	0	21.67	0	0	12.8	0.1	1
2025	5	31	13	45	24	0	0	0	0	0	0	0	21.71	0	0	12.8	0.1	1
2025	5	31	13	55	24	0	0	0	0	0	0	0	21.76	0	0	12.8	0.1	1
2025	5	31	14	5	24	0	0	0	0	0	0	0	21.79	0	0	12.8	0.1	1
2025	5	31	14	15	24	0	0	0	0	0	0	0	21.84	0	0	12.8	0.1	1
2025	5	31	14	25	24	0	0	0	0	0	0	0	21.87	0	0	12.8	0.1	1
2025	5	31	14	35	24	0	0	0	0	0	0	0	21.92	0	0	12.8	0.1	1
2025	5	31	14	45	24	0	0	0	0	0	0	0	21.95	0	0	12.8	0.1	1
2025	5	31	14	55	24	0	0	0	0	0	0	0	21.99	0	0	12.8	0.1	1
2025	5	31	15	5	24	0	0	0	0	0	0	0	22.02	0	0	12.8	0.1	1
2025	5	31	15	15	24	0	0	0	0	0	0	0	22.03	0	0	12.8	0.1	1
2025	5	31	15	25	24	0	0	0	0	0	0	0	22.05	0	0	12.6	0.1	1
2025	5	31	15	35	24	0	0	0	0	0	0	0	22.07	0	0	12.6	0.1	1
2025	5	31	15	45	24	0	0	0	0	0	0	0	22.01	0	0	12.4	0.1	1
2025	5	31	15	55	24	0	0	0	0	0	0	0	21.99	0	0	12.4	0.1	1

Reinhackle (0365)																		
Year	Month	Day	Hour	Minute	Second	IceDetection	Heading	Pitch	Roll	StdDevHeading	StdDevPitch	StdDevRoll	Temperature	Pressure	StdDevPressure	Voltage	CellBegin	CellEnd
2025	5	31	16	5	24	0	0	0	0	0	0	0	21.95	0	0	12	0.1	1
2025	5	31	16	15	24	0	0	0	0	0	0	0	21.99	0	0	12.8	0.1	1
2025	5	31	16	25	24	0	0	0	0	0	0	0	21.99	0	0	12.8	0.1	1
2025	5	31	16	35	24	0	0	0	0	0	0	0	21.97	0	0	12.6	0.1	1
2025	5	31	16	45	24	0	0	0	0	0	0	0	21.96	0	0	12.6	0.1	1
2025	5	31	16	55	24	0	0	0	0	0	0	0	21.94	0	0	12.4	0.1	1
2025	5	31	17	5	24	0	0	0	0	0	0	0	21.93	0	0	12.2	0.1	1
2025	5	31	17	15	24	0	0	0	0	0	0	0	21.9	0	0	12.2	0.1	1
2025	5	31	17	25	24	0	0	0	0	0	0	0	21.87	0	0	12	0.1	1
2025	5	31	17	35	24	0	0	0	0	0	0	0	21.84	0	0	12	0.1	1
2025	5	31	17	45	24	0	0	0	0	0	0	0	21.8	0	0	11.8	0.1	1
2025	5	31	17	55	24	0	0	0	0	0	0	0	21.75	0	0	11.8	0.1	1
2025	5	31	18	5	24	0	0	0	0	0	0	0	21.69	0	0	11.6	0.1	1
2025	5	31	18	15	24	0	0	0	0	0	0	0	21.64	0	0	11.6	0.1	1
2025	5	31	18	25	24	0	0	0	0	0	0	0	21.61	0	0	11.6	0.1	1
2025	5	31	18	35	24	0	0	0	0	0	0	0	21.57	0	0	11.6	0.1	1
2025	5	31	18	45	24	0	0	0	0	0	0	0	21.52	0	0	11.6	0.1	1
2025	5	31	18	55	24	0	0	0	0	0	0	0	21.48	0	0	11.6	0.1	1
2025	5	31	19	5	24	0	0	0	0	0	0	0	21.43	0	0	11.6	0.1	1
2025	5	31	19	15	24	0	0	0	0	0	0	0	21.39	0	0	11.6	0.1	1
2025	5	31	19	25	24	0	0	0	0	0	0	0	21.34	0	0	11.6	0.1	1
2025	5	31	19	35	24	0	0	0	0	0	0	0	21.29	0	0	11.6	0.1	1
2025	5	31	19	45	24	0	0	0	0	0	0	0	21.22	0	0	11.6	0.1	1
2025	5	31	19	55	24	0	0	0	0	0	0	0	21.16	0	0	11.6	0.1	1
2025	5	31	20	5	24	0	0	0	0	0	0	0	21.11	0	0	11.6	0.1	1
2025	5	31	20	15	24	0	0	0	0	0	0	0	21.05	0	0	11.6	0.1	1
2025	5	31	20	25	24	0	0	0	0	0	0	0	21	0	0	11.6	0.1	1
2025	5	31	20	35	24	0	0	0	0	0	0	0	20.94	0	0	11.6	0.1	1
2025	5	31	20	45	24	0	0	0	0	0	0	0	20.89	0	0	11.6	0.1	1
2025	5	31	20	55	24	0	0	0	0	0	0	0	20.83	0	0	11.6	0.1	1
2025	5	31	21	5	24	0	0	0	0	0	0	0	20.78	0	0	11.6	0.1	1
2025	5	31	21	15	24	0	0	0	0	0	0	0	20.71	0	0	11.6	0.1	1
2025	5	31	21	25	24	0	0	0	0	0	0	0	20.66	0	0	11.6	0.1	1
2025	5	31	21	35	24	0	0	0	0	0	0	0	20.61	0	0	11.6	0.1	1
2025	5	31	21	45	24	0	0	0	0	0	0	0	20.56	0	0	11.6	0.1	1
2025	5	31	21	55	24	0	0	0	0	0	0	0	20.51	0	0	11.6	0.1	1
2025	5	31	22	5	24	0	0	0	0	0	0	0	20.47	0	0	11.6	0.1	1
2025	5	31	22	15	24	0	0	0	0	0	0	0	20.43	0	0	11.6	0.1	1
2025	5	31	22	25	24	0	0	0	0	0	0	0	20.4	0	0	11.6	0.1	1
2025	5	31	22	35	24	0	0	0	0	0	0	0	20.36	0	0	11.6	0.1	1
2025	5	31	22	45	24	0	0	0	0	0	0	0	20.33	0	0	11.6	0.1	1
2025	5	31	22	55	24	0	0	0	0	0	0	0	20.3	0	0	11.6	0.1	1
2025	5	31	23	5	24	0	0	0	0	0	0	0	20.28	0	0	11.6	0.1	1
2025	5	31	23	15	24	0	0	0	0	0	0	0	20.25	0	0	11.6	0.1	1
2025	5	31	23	25	24	0	0	0	0	0	0	0	20.22	0	0	11.6	0.1	1
2025	5	31	23	35	24	0	0	0	0	0	0	0	20.2	0	0	11.6	0.1	1
2025	5	31	23	45	24	0	0	0	0	0	0	0	20.18	0	0	11.6	0.1	1
2025	5	31	23	55	24	0	0	0	0	0	0	0	20.17	0	0	11.6	0.1	1

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	1	0	5	24	26.43	97.6	7.5371	66.2458
2025	5	1	0	15	24	26.85	96	7.5371	67.5101
2025	5	1	0	25	24	25.96	93.8	7.5371	65.4873
2025	5	1	0	35	24	26.66	96.2	7.5371	67.0044
2025	5	1	0	45	24	25.05	96.2	7.5371	62.9589
2025	5	1	0	55	24	26.82	95.3	7.531	67.453
2025	5	1	1	5	24	26.99	94.7	7.5371	68.0158
2025	5	1	1	15	24	26.13	95.7	7.5371	65.7402
2025	5	1	1	25	24	25.25	93.6	7.5371	63.7174
2025	5	1	1	35	24	26.13	95.7	7.531	65.6846
2025	5	1	1	45	24	25.29	97	7.5371	63.4645
2025	5	1	1	55	24	25.29	94.8	7.5371	63.7174
2025	5	1	2	5	24	26.27	96.6	7.531	65.9372
2025	5	1	2	15	24	27.36	96.3	7.5371	68.7743
2025	5	1	2	25	24	26.83	95.6	7.5371	67.5101
2025	5	1	2	35	24	26.37	94.1	7.5371	66.4987
2025	5	1	2	45	24	25.46	93.8	7.5371	64.2231
2025	5	1	2	55	24	25.84	93.3	7.5371	65.2345
2025	5	1	3	5	24	25.16	94.1	7.5371	63.4645
2025	5	1	3	15	24	27.16	93.8	7.5371	68.5215
2025	5	1	3	25	24	25.85	96.2	7.5371	64.9816
2025	5	1	3	35	24	25.96	96.4	7.5371	65.2344
2025	5	1	3	45	24	25.91	97.3	7.5371	64.9816
2025	5	1	3	55	24	25.81	97.3	7.5371	64.7288
2025	5	1	4	5	24	27.1	97	7.5371	68.0158
2025	5	1	4	15	24	27.21	95.1	7.5371	68.5214
2025	5	1	4	25	24	26.93	95.5	7.5371	67.7629
2025	5	1	4	35	24	27.18	96.5	7.5371	68.2686
2025	5	1	4	45	24	25.58	96.7	7.5371	64.223
2025	5	1	4	55	24	25.09	97.1	7.5371	62.9588
2025	5	1	5	5	24	25.95	96.2	7.5371	65.2344
2025	5	1	5	15	24	26.88	96.6	7.5371	67.51
2025	5	1	5	25	24	26.87	96.4	7.5371	67.51
2025	5	1	5	35	24	25.93	95.8	7.5371	65.2344
2025	5	1	5	45	24	25.42	95.6	7.5371	63.9702
2025	5	1	5	55	24	26.59	94.7	7.5371	67.0043
2025	5	1	6	5	24	25.8	95.1	7.5371	64.9815
2025	5	1	6	15	24	24.65	96.3	7.5371	61.9474
2025	5	1	6	25	24	26.85	96	7.5371	67.51
2025	5	1	6	35	24	27	94.9	7.5371	68.0157
2025	5	1	6	45	24	26.33	95.7	7.5371	66.2457
2025	5	1	6	55	24	26.83	95.6	7.5371	67.51
2025	5	1	7	5	24	27.72	95.4	7.5371	69.7856
2025	5	1	7	15	24	27.85	97.6	7.5371	69.7856
2025	5	1	7	25	24	26.46	93.9	7.5371	66.7514
2025	5	1	7	35	24	26.3	95	7.5371	66.2457
2025	5	1	7	45	24	26.7	94.9	7.5371	67.257
2025	5	1	7	55	24	27.82	95.4	7.5371	70.0383

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	1	8	5	24	25.46	94.1	7.5371	64.2229
2025	5	1	8	15	24	26.31	95.2	7.5432	66.3016
2025	5	1	8	25	24	25.78	96.7	7.5432	64.7832
2025	5	1	8	35	24	26.87	94.1	7.5432	67.8199
2025	5	1	8	45	24	25.81	97.3	7.5432	64.7832
2025	5	1	8	55	24	27.72	95.4	7.5432	69.8443
2025	5	1	9	5	24	27.63	95.6	7.5432	69.5913
2025	5	1	9	15	24	25.92	95.5	7.5432	65.2892
2025	5	1	9	25	24	26.88	96.6	7.5432	67.5667
2025	5	1	9	35	24	26.8	97.1	7.5432	67.3136
2025	5	1	9	45	24	25.7	95.1	7.5432	64.783
2025	5	1	9	55	24	25.63	95.8	7.5432	64.53
2025	5	1	10	5	24	26.11	95.3	7.5432	65.7952
2025	5	1	10	15	24	26.16	93.9	7.5432	66.0483
2025	5	1	10	25	24	26.4	95	7.5432	66.5543
2025	5	1	10	35	24	25.4	95.2	7.5432	64.0237
2025	5	1	10	45	24	26.16	93.9	7.5432	66.0482
2025	5	1	10	55	24	27.03	97.4	7.5493	67.8768
2025	5	1	11	5	24	25.77	94.2	7.5432	65.0359
2025	5	1	11	15	24	26.35	93.7	7.5493	66.6104
2025	5	1	11	25	24	25.54	96.1	7.5493	64.331
2025	5	1	11	35	24	27.09	94.7	7.5493	68.3833
2025	5	1	11	45	24	25.58	94.5	7.5493	64.5842
2025	5	1	11	55	24	26.46	98	7.5493	66.357
2025	5	1	12	5	24	26.43	95.6	7.5493	66.6103
2025	5	1	12	15	24	26.62	97.3	7.5493	66.8635
2025	5	1	12	25	24	25.16	94.1	7.5493	63.571
2025	5	1	12	35	24	26.53	95.6	7.5493	66.8634
2025	5	1	12	45	24	26.95	96	7.5493	67.8764
2025	5	1	12	55	24	27.13	95.7	7.5493	68.3829
2025	5	1	13	5	24	27.5	96.9	7.5493	69.1427
2025	5	1	13	15	24	25.47	98.4	7.5493	63.824
2025	5	1	13	25	24	25.87	94.2	7.5554	65.3987
2025	5	1	13	35	24	25.8	95.1	7.5554	65.1451
2025	5	1	13	45	24	27.01	95.1	7.5493	68.1294
2025	5	1	13	55	24	25.48	96.8	7.5554	64.1311
2025	5	1	14	5	24	25.33	92.7	7.5554	64.1311
2025	5	1	14	15	24	26.92	95.3	7.5554	67.9334
2025	5	1	14	25	24	26.85	96	7.5554	67.6798
2025	5	1	14	35	24	26.05	97.9	7.5554	65.3985
2025	5	1	14	45	24	26.88	96.6	7.5493	67.6227
2025	5	1	14	55	24	24.41	97.5	7.5493	61.291
2025	5	1	15	5	24	28.23	97.3	7.5554	70.975
2025	5	1	15	15	24	26.69	94.7	7.5493	67.3694
2025	5	1	15	25	24	26.44	95.9	7.5554	66.6658
2025	5	1	15	35	24	27.23	95.7	7.5554	68.6936
2025	5	1	15	45	24	25.62	95.6	7.5554	64.6379
2025	5	1	15	55	24	26.28	96.8	7.5554	66.1588

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	1	16	5	24	27.1	94.9	7.5554	68.4401
2025	5	1	16	15	24	26.53	97.6	7.5554	66.6657
2025	5	1	16	25	24	26.26	93.9	7.5554	66.4122
2025	5	1	16	35	24	25.64	96	7.5554	64.6379
2025	5	1	16	45	24	26.34	95.9	7.5554	66.4123
2025	5	1	16	55	24	27.23	95.7	7.5493	68.6357
2025	5	1	17	5	24	26.01	95.3	7.5554	65.6519
2025	5	1	17	15	24	26.68	94.5	7.5493	67.3694
2025	5	1	17	25	24	24.78	94.6	7.5493	62.5573
2025	5	1	17	35	24	26.41	97.2	7.5493	66.3563
2025	5	1	17	45	24	26.36	96.3	7.5493	66.3563
2025	5	1	17	55	24	25.93	95.8	7.5493	65.3432
2025	5	1	18	5	24	26.1	95.1	7.5493	65.8498
2025	5	1	18	15	24	26.96	93.8	7.5493	68.1292
2025	5	1	18	25	24	26.17	94.2	7.5432	66.0473
2025	5	1	18	35	24	25.96	93.8	7.5371	65.4859
2025	5	1	18	45	24	25.98	94.6	7.5432	65.5412
2025	5	1	18	55	24	25.9	97.1	7.5493	65.09
2025	5	1	19	5	24	27.74	95.8	7.5493	69.9022
2025	5	1	19	15	24	26.39	97	7.5432	66.3004
2025	5	1	19	25	24	27.13	95.7	7.5432	68.3249
2025	5	1	19	35	24	25.47	94.3	7.5432	64.276
2025	5	1	19	45	24	26.03	95.7	7.5493	65.5967
2025	5	1	19	55	24	26.47	98.3	7.5432	66.3005
2025	5	1	20	5	24	26.21	97.2	7.5493	65.85
2025	5	1	20	15	24	26.67	96.5	7.5432	67.0597
2025	5	1	20	25	24	28.13	95.5	7.5432	70.8556
2025	5	1	20	35	24	25.64	96	7.5432	64.5292
2025	5	1	20	45	24	26.04	96	7.5432	65.5414
2025	5	1	20	55	24	25.92	95.5	7.5432	65.2884
2025	5	1	21	5	24	26.21	97.2	7.5432	65.7945
2025	5	1	21	15	24	26.26	96.3	7.5432	66.0476
2025	5	1	21	25	24	25.68	96.7	7.5432	64.5293
2025	5	1	21	35	24	27.25	97.8	7.5432	68.3251
2025	5	1	21	45	24	26.08	94.4	7.5432	65.7946
2025	5	1	21	55	24	26.6	95	7.5432	67.0599
2025	5	1	22	5	24	26.31	95.2	7.5432	66.3008
2025	5	1	22	15	24	26.84	95.8	7.5432	67.5661
2025	5	1	22	25	24	26.75	96	7.5432	67.313
2025	5	1	22	35	24	26.78	96.6	7.5432	67.3131
2025	5	1	22	45	24	26.45	96.1	7.5432	66.5539
2025	5	1	22	55	24	26.47	96.5	7.5371	66.4977
2025	5	1	23	5	24	26.53	97.6	7.5432	66.554
2025	5	1	23	15	24	27.6	96.9	7.5371	69.2791
2025	5	1	23	25	24	25.34	96.1	7.5371	63.7165
2025	5	1	23	35	24	25.31	95.4	7.5371	63.7166
2025	5	1	23	45	24	26.01	95.3	7.5371	65.4865
2025	5	1	23	55	24	26.96	93.8	7.5371	68.0149

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	2	0	5	24	26.98	96.6	7.5371	67.7621
2025	5	2	0	15	24	26.53	97.6	7.5371	66.4979
2025	5	2	0	25	24	26.39	97	7.5371	66.2451
2025	5	2	0	35	24	27.35	96.1	7.5371	68.7735
2025	5	2	0	45	24	25.7	97.2	7.5371	64.4752
2025	5	2	0	55	24	25.45	96.3	7.5371	63.9695
2025	5	2	1	5	24	26.35	97.9	7.5371	65.9923
2025	5	2	1	15	24	27.02	95.3	7.5371	68.015
2025	5	2	1	25	24	26.87	94.3	7.5371	67.7622
2025	5	2	1	35	24	27.39	94.6	7.5371	69.0264
2025	5	2	1	45	24	27.18	96.5	7.5371	68.2679
2025	5	2	1	55	24	26.06	96.4	7.5371	65.4866
2025	5	2	2	5	24	26.38	98.3	7.5371	65.9923
2025	5	2	2	15	24	25.93	95.8	7.5371	65.2338
2025	5	2	2	25	24	26.08	94.6	7.5371	65.7395
2025	5	2	2	35	24	27.44	95.9	7.5371	69.0264
2025	5	2	2	45	24	25.59	97	7.5371	64.2224
2025	5	2	2	55	24	26.2	95	7.5371	65.9923
2025	5	2	3	5	24	26.68	96.7	7.5432	67.0603
2025	5	2	3	15	24	25.89	94.9	7.5432	65.2889
2025	5	2	3	25	24	26.06	96.4	7.5432	65.5419
2025	5	2	3	35	24	26.04	96	7.5432	65.5419
2025	5	2	3	45	24	26.13	95.7	7.5432	65.795
2025	5	2	3	55	24	26.97	96.4	7.5432	67.8194
2025	5	2	4	5	24	25.78	96.7	7.5432	64.7827
2025	5	2	4	15	24	26.54	95.8	7.5432	66.8071
2025	5	2	4	25	24	26.12	95.5	7.5432	65.7949
2025	5	2	4	35	24	26.59	94.7	7.5432	67.0602
2025	5	2	4	45	24	26.2	97	7.5432	65.7949
2025	5	2	4	55	24	26.58	94.3	7.5432	67.0602
2025	5	2	5	5	24	26.59	94.7	7.5432	67.0601
2025	5	2	5	15	24	25.73	95.8	7.5432	64.7826
2025	5	2	5	25	24	25.45	93.6	7.5432	64.2765
2025	5	2	5	35	24	27.22	95.3	7.5432	68.5784
2025	5	2	5	45	24	26.56	96.3	7.5432	66.807
2025	5	2	5	55	24	25.07	96.6	7.5493	63.0644
2025	5	2	6	5	24	26.51	95.2	7.5493	66.8634
2025	5	2	6	15	24	26.12	97.5	7.5493	65.5971
2025	5	2	6	25	24	26.86	96.2	7.5493	67.6232
2025	5	2	6	35	24	26.84	97.7	7.5493	67.3699
2025	5	2	6	45	24	25.63	97.6	7.5493	64.3307
2025	5	2	6	55	24	26.49	96.9	7.5493	66.6101
2025	5	2	7	5	24	25.83	95.8	7.5493	65.0904
2025	5	2	7	15	24	26.38	96.7	7.5493	66.3568
2025	5	2	7	25	24	27.16	96.1	7.5493	68.3829
2025	5	2	7	35	24	25.92	97.5	7.5493	65.0904
2025	5	2	7	45	24	27.08	96.6	7.5554	68.1871
2025	5	2	7	55	24	26.19	94.8	7.5554	66.1592

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	2	8	5	24	26.74	95.8	7.5554	67.4266
2025	5	2	8	15	24	26.89	96.8	7.5554	67.68
2025	5	2	8	25	24	26.09	94.8	7.5554	65.9056
2025	5	2	8	35	24	26.44	95.9	7.5554	66.666
2025	5	2	8	45	24	25.53	95.8	7.5554	64.3846
2025	5	2	8	55	24	26.82	95.3	7.5615	67.7369
2025	5	2	9	5	24	26.67	94.1	7.5615	67.4832
2025	5	2	9	15	24	26.36	96.3	7.5615	66.4683
2025	5	2	9	25	24	26.3	95	7.5615	66.4683
2025	5	2	9	35	24	27.44	95.9	7.5615	69.2589
2025	5	2	9	45	24	26.93	95.5	7.5615	67.9904
2025	5	2	9	55	24	26.58	94.3	7.5615	67.2292
2025	5	2	10	5	24	26.15	96.1	7.5615	65.9607
2025	5	2	10	15	24	26.4	95	7.5676	66.778
2025	5	2	10	25	24	26.87	96.4	7.5615	67.7365
2025	5	2	10	35	24	27.64	95.8	7.5676	69.8248
2025	5	2	10	45	24	27.29	94.6	7.5676	69.063
2025	5	2	10	55	24	26.12	95.5	7.5676	66.016
2025	5	2	11	5	24	26.11	95.3	7.5676	66.016
2025	5	2	11	15	24	27.41	95	7.5676	69.3167
2025	5	2	11	25	24	26.78	96.6	7.5676	67.5393
2025	5	2	11	35	24	27.11	95.1	7.5737	68.6125
2025	5	2	11	45	24	28.03	95.5	7.5737	70.8996
2025	5	2	11	55	24	26.85	96	7.5737	67.8501
2025	5	2	12	5	24	26.03	92.9	7.5737	66.0712
2025	5	2	12	15	24	26.28	96.8	7.5737	66.3253
2025	5	2	12	25	24	26.56	98	7.5737	66.8335
2025	5	2	12	35	24	27.25	97.8	7.5737	68.6122
2025	5	2	12	45	24	26.25	96.1	7.5737	66.3251
2025	5	2	12	55	24	25.72	95.6	7.5737	65.0545
2025	5	2	13	5	24	25.77	94.2	7.5737	65.3085
2025	5	2	13	15	24	25.7	97.2	7.5737	64.8003
2025	5	2	13	25	24	26.6	95	7.5737	67.3414
2025	5	2	13	35	24	26.8	97.1	7.5798	67.6524
2025	5	2	13	45	24	26.47	96.5	7.5798	66.8893
2025	5	2	13	55	24	26	95.1	7.5737	65.8166
2025	5	2	14	5	24	26.26	98.1	7.5798	66.1263
2025	5	2	14	15	24	25.36	93.8	7.5737	64.2918
2025	5	2	14	25	24	26.79	96.9	7.5737	67.5953
2025	5	2	14	35	24	25.2	95	7.5737	63.7835
2025	5	2	14	45	24	26.24	95.9	7.5798	66.3805
2025	5	2	14	55	24	27.02	95.3	7.5737	68.3576
2025	5	2	15	5	24	25.33	95.9	7.5737	64.0376
2025	5	2	15	15	24	25.31	95.4	7.5737	64.0376
2025	5	2	15	25	24	25.64	93.4	7.5737	65.0541
2025	5	2	15	35	24	25.72	95.6	7.5737	65.054
2025	5	2	15	45	24	25.36	96.3	7.5737	64.0376
2025	5	2	15	55	24	26.74	95.8	7.5737	67.5952

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	2	16	5	24	25.38	94.5	7.5737	64.2917
2025	5	2	16	15	24	25.78	96.7	7.5737	65.054
2025	5	2	16	25	24	26.2	95	7.5737	66.3246
2025	5	2	16	35	24	27.8	95	7.5737	70.3905
2025	5	2	16	45	24	25.36	96.3	7.5737	64.0376
2025	5	2	16	55	24	26.2	95	7.5676	66.2689
2025	5	2	17	5	24	26.68	96.7	7.5737	67.3411
2025	5	2	17	15	24	26.3	95	7.5676	66.5228
2025	5	2	17	25	24	26.7	94.9	7.5676	67.5384
2025	5	2	17	35	24	25.84	96	7.5676	65.2533
2025	5	2	17	45	24	26.3	97	7.5676	66.269
2025	5	2	17	55	24	26.51	97.2	7.5737	66.833
2025	5	2	18	5	24	26.55	96.1	7.5737	67.0872
2025	5	2	18	15	24	27.05	97.9	7.5737	68.1037
2025	5	2	18	25	24	25.54	93.1	7.5676	64.7457
2025	5	2	18	35	24	26.32	95.5	7.5737	66.579
2025	5	2	18	45	24	26.88	96.6	7.5737	67.8496
2025	5	2	18	55	24	25.89	96.9	7.5737	65.3085
2025	5	2	19	5	24	26.82	95.3	7.5737	67.8497
2025	5	2	19	15	24	26.05	96.2	7.5737	65.8168
2025	5	2	19	25	24	26.04	96	7.5676	65.7615
2025	5	2	19	35	24	27.75	96	7.5676	70.0779
2025	5	2	19	45	24	26.68	96.7	7.5676	67.285
2025	5	2	19	55	24	25.69	94.9	7.5676	64.9999
2025	5	2	20	5	24	26.96	96.2	7.5676	68.0468
2025	5	2	20	15	24	24.95	98.1	7.5676	62.7148
2025	5	2	20	25	24	27.83	95.6	7.5676	70.3321
2025	5	2	20	35	24	26.14	95.9	7.5676	66.0157
2025	5	2	20	45	24	27.4	96.9	7.5676	69.0626
2025	5	2	20	55	24	26.18	96.8	7.5676	66.0158
2025	5	2	21	5	24	26.16	96.4	7.5676	66.0158
2025	5	2	21	15	24	27.07	94	7.5615	68.4972
2025	5	2	21	25	24	25.69	94.9	7.5676	65.0003
2025	5	2	21	35	24	27.25	96.1	7.5676	68.8089
2025	5	2	21	45	24	26.3	97	7.5676	66.2699
2025	5	2	21	55	24	26.65	93.4	7.5615	67.4826
2025	5	2	22	5	24	26.23	97.7	7.5615	65.9604
2025	5	2	22	15	24	26.98	94.5	7.5615	68.2437
2025	5	2	22	25	24	26.26	96.3	7.5615	66.2142
2025	5	2	22	35	24	25.67	94.2	7.5615	64.9458
2025	5	2	22	45	24	27.34	95.9	7.5615	69.0049
2025	5	2	22	55	24	26.9	97	7.5615	67.7364
2025	5	2	23	5	24	27.04	97.7	7.5615	67.9902
2025	5	2	23	15	24	26.94	97.7	7.5615	67.7365
2025	5	2	23	25	24	27.15	97.8	7.5615	68.2439
2025	5	2	23	35	24	26.72	98.8	7.5615	66.9754
2025	5	2	23	45	24	26.39	94.8	7.5615	66.7218
2025	5	2	23	55	24	27.14	97.6	7.5615	68.2439

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	3	0	5	24	26.16	93.9	7.5615	66.2144
2025	5	3	0	15	24	25.8	97.1	7.5615	64.9459
2025	5	3	0	25	24	26.95	96	7.5615	67.9903
2025	5	3	0	35	24	26.49	96.9	7.5615	66.7218
2025	5	3	0	45	24	26.97	96.4	7.5615	67.9903
2025	5	3	0	55	24	26.28	96.8	7.5615	66.2144
2025	5	3	1	5	24	26.56	96.3	7.5615	66.9755
2025	5	3	1	15	24	27.73	95.6	7.5615	70.0198
2025	5	3	1	25	24	26.9	94.9	7.5615	67.9903
2025	5	3	1	35	24	25.52	95.6	7.5615	64.4385
2025	5	3	1	45	24	27.55	96	7.5615	69.5125
2025	5	3	1	55	24	26.35	96.1	7.5615	66.4681
2025	5	3	2	5	24	27.53	95.6	7.5615	69.5125
2025	5	3	2	15	24	25.5	95.2	7.5676	64.4928
2025	5	3	2	25	24	26.96	96.2	7.5676	68.0476
2025	5	3	2	35	24	25.56	93.8	7.5676	64.7467
2025	5	3	2	45	24	25.47	96.5	7.5676	64.2389
2025	5	3	2	55	24	27	97	7.5676	68.0476
2025	5	3	3	5	24	26.97	96.4	7.5676	68.0476
2025	5	3	3	15	24	26.48	94.5	7.5676	67.0319
2025	5	3	3	25	24	26.06	96.4	7.5676	65.7624
2025	5	3	3	35	24	26.65	96	7.5676	67.2858
2025	5	3	3	45	24	26.49	96.9	7.5737	66.8342
2025	5	3	3	55	24	26.48	96.7	7.5737	66.8342
2025	5	3	4	5	24	26.68	94.5	7.5737	67.5965
2025	5	3	4	15	24	27.18	96.5	7.5737	68.613
2025	5	3	4	25	24	26.71	95.2	7.5737	67.5965
2025	5	3	4	35	24	26.19	94.8	7.5737	66.3259
2025	5	3	4	45	24	26.44	95.9	7.5737	66.8341
2025	5	3	4	55	24	26.64	95.8	7.5798	67.399
2025	5	3	5	5	24	27.87	96.4	7.5798	70.451
2025	5	3	5	15	24	27.38	96.5	7.5798	69.1793
2025	5	3	5	25	24	27.68	94.4	7.5798	70.1967
2025	5	3	5	35	24	28.36	96.1	7.5798	71.7227
2025	5	3	5	45	24	27.87	96.4	7.5798	70.451
2025	5	3	5	55	24	26.67	94.1	7.5859	67.7102
2025	5	3	6	5	24	26.77	94.3	7.5859	67.9647
2025	5	3	6	15	24	27.6	94.8	7.5859	70.0011
2025	5	3	6	25	24	27.38	96.5	7.592	69.2956
2025	5	3	6	35	24	27.25	96.1	7.592	69.0408
2025	5	3	6	45	24	27.89	94.5	7.5981	70.8835
2025	5	3	6	55	24	26.04	96	7.6041	66.0943
2025	5	3	7	5	24	26.82	95.3	7.6041	68.1358
2025	5	3	7	15	24	28.31	95.1	7.6102	72.024
2025	5	3	7	25	24	27	94.9	7.6102	68.7037
2025	5	3	7	35	24	26.54	95.8	7.6102	67.4266
2025	5	3	7	45	24	27.89	94.7	7.6102	71.0023
2025	5	3	7	55	24	27.81	95.2	7.6163	70.8061

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	3	8	5	24	27.4	96.9	7.6163	69.5279
2025	5	3	8	15	24	27.55	96	7.6163	70.0391
2025	5	3	8	25	24	25.43	95.9	7.6163	64.6712
2025	5	3	8	35	24	25.4	95.2	7.6163	64.6711
2025	5	3	8	45	24	26.69	98.4	7.6224	67.5393
2025	5	3	8	55	24	27.7	95	7.6224	70.6092
2025	5	3	9	5	24	27.3	94.8	7.6224	69.5859
2025	5	3	9	15	24	27.24	92.9	7.6224	69.5858
2025	5	3	9	25	24	27.63	95.6	7.6224	70.3533
2025	5	3	9	35	24	27.63	95.6	7.6224	70.3533
2025	5	3	9	45	24	26.72	97.3	7.6224	67.7949
2025	5	3	9	55	24	26.66	96.2	7.6285	67.8515
2025	5	3	10	5	24	25.67	94.2	7.6285	65.5471
2025	5	3	10	15	24	25.26	93.9	7.6285	64.5229
2025	5	3	10	25	24	27.21	97.2	7.6285	69.1317
2025	5	3	10	35	24	26.96	96.2	7.6285	68.6196
2025	5	3	10	45	24	26.52	95.4	7.6285	67.5954
2025	5	3	10	55	24	26.18	96.8	7.6285	66.5712
2025	5	3	11	5	24	25.61	95.4	7.6224	65.2364
2025	5	3	11	15	24	26.33	95.7	7.6224	67.0272
2025	5	3	11	25	24	25.38	96.8	7.6224	64.4689
2025	5	3	11	35	24	26.07	96.6	7.6163	66.2043
2025	5	3	11	45	24	25.93	95.8	7.6163	65.9487
2025	5	3	11	55	24	26.58	94.5	7.6224	67.7946
2025	5	3	12	5	24	26.36	93.9	7.6102	67.1705
2025	5	3	12	15	24	25.83	95.8	7.6102	65.638
2025	5	3	12	25	24	27.3	94.8	7.6163	69.5272
2025	5	3	12	35	24	25.34	93.2	7.6224	64.7245
2025	5	3	12	45	24	26.11	95.3	7.6102	66.4042
2025	5	3	12	55	24	26.8	97.1	7.6102	67.9366
2025	5	3	13	5	24	27.24	95.9	7.6224	69.3295
2025	5	3	13	15	24	26.63	92.6	7.6224	68.0504
2025	5	3	13	25	24	26.04	96	7.6285	66.3149
2025	5	3	13	35	24	26.58	94.5	7.6163	67.7379
2025	5	3	13	45	24	27.04	97.7	7.6224	68.562
2025	5	3	13	55	24	26.54	95.8	7.6224	67.5387
2025	5	3	14	5	24	26.52	95.4	7.6224	67.5388
2025	5	3	14	15	24	26.88	94.5	7.6224	68.5621
2025	5	3	14	25	24	26.34	93	7.6224	67.283
2025	5	3	14	35	24	27.73	95.6	7.6224	70.6087
2025	5	3	14	45	24	26.3	95	7.6224	67.0271
2025	5	3	14	55	24	26.34	95.9	7.6224	67.0272
2025	5	3	15	5	24	27.21	97.2	7.6224	69.0738
2025	5	3	15	15	24	26.82	95.3	7.6163	68.2493
2025	5	3	15	25	24	26.34	95.9	7.6163	66.9712
2025	5	3	15	35	24	26.37	96.5	7.6163	66.9713
2025	5	3	15	45	24	26.28	94.4	7.6224	67.0273
2025	5	3	15	55	24	27.54	97.5	7.6285	69.8998

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	3	16	5	24	25.89	94.7	7.6285	66.0592
2025	5	3	16	15	24	26.97	94.3	7.6285	68.8756
2025	5	3	16	25	24	25.8	95.1	7.6285	65.8031
2025	5	3	16	35	24	26.21	95.3	7.6224	66.7715
2025	5	3	16	45	24	27.46	93.8	7.6224	70.0973
2025	5	3	16	55	24	26.71	95.2	7.6224	68.0507
2025	5	3	17	5	24	26.98	96.6	7.6224	68.5624
2025	5	3	17	15	24	26.79	94.7	7.6224	68.3066
2025	5	3	17	25	24	26.13	95.7	7.6224	66.5158
2025	5	3	17	35	24	27.34	97.6	7.6224	69.3299
2025	5	3	17	45	24	25.9	95.1	7.6224	66.0042
2025	5	3	17	55	24	26.55	93.5	7.6224	67.795
2025	5	3	18	5	24	26.79	96.9	7.6163	67.994
2025	5	3	18	15	24	26.13	95.7	7.6224	66.5159
2025	5	3	18	25	24	26.7	94.9	7.6163	67.9941
2025	5	3	18	35	24	26.21	95.3	7.6163	66.7161
2025	5	3	18	45	24	27.96	96.2	7.6102	71.0022
2025	5	3	18	55	24	27.54	92.9	7.6102	70.236
2025	5	3	19	5	24	27.69	94.6	7.6102	70.4915
2025	5	3	19	15	24	26.71	95.2	7.6102	67.9375
2025	5	3	19	25	24	26.35	96.1	7.6102	66.9159
2025	5	3	19	35	24	26.71	95.2	7.6102	67.9376
2025	5	3	19	45	24	26.58	96.7	7.6041	67.3704
2025	5	3	19	55	24	27.1	94.9	7.6102	68.9593
2025	5	3	20	5	24	25.82	95.6	7.6041	65.5842
2025	5	3	20	15	24	28.63	95.4	7.6041	72.7296
2025	5	3	20	25	24	26.58	94.3	7.6041	67.6258
2025	5	3	20	35	24	26.17	96.6	7.5981	66.2943
2025	5	3	20	45	24	25.6	95.2	7.5981	65.0194
2025	5	3	20	55	24	27.04	95.7	7.5981	68.5892
2025	5	3	21	5	24	26.34	95.9	7.6041	66.8604
2025	5	3	21	15	24	27.83	97.4	7.6041	70.4331
2025	5	3	21	25	24	26.03	95.7	7.6041	66.0948
2025	5	3	21	35	24	26.12	95.5	7.592	66.2389
2025	5	3	21	45	24	26.28	94.4	7.592	66.7485
2025	5	3	21	55	24	26.83	95.6	7.592	68.0223
2025	5	3	22	5	24	27.44	95.9	7.592	69.5509
2025	5	3	22	15	24	27.32	95.5	7.592	69.2962
2025	5	3	22	25	24	26.86	93.8	7.5859	68.2199
2025	5	3	22	35	24	26.54	95.8	7.5798	67.1453
2025	5	3	22	45	24	24.91	95.3	7.5859	63.1289
2025	5	3	22	55	24	26.98	94.5	7.5798	68.417
2025	5	3	23	5	24	26.68	94.5	7.5859	67.7109
2025	5	3	23	15	24	26.64	95.8	7.5737	67.3431
2025	5	3	23	25	24	25.4	95.2	7.5737	64.2936
2025	5	3	23	35	24	25.76	96.5	7.5676	65.0013
2025	5	3	23	45	24	26.69	94.7	7.5676	67.5404
2025	5	3	23	55	24	26.28	96.8	7.5676	66.2709

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	4	0	5	24	25.78	96.7	7.5676	65.0013
2025	5	4	0	15	24	25.64	96	7.5676	64.7474
2025	5	4	0	25	24	27.23	95.7	7.5615	68.7521
2025	5	4	0	35	24	25.85	98	7.5615	64.9467
2025	5	4	0	45	24	26.44	95.9	7.5615	66.7225
2025	5	4	0	55	24	25.89	96.9	7.5615	65.2004
2025	5	4	1	5	24	25.59	97	7.5615	64.4393
2025	5	4	1	15	24	26.04	93.3	7.5615	65.9615
2025	5	4	1	25	24	24.9	95.1	7.5615	62.9171
2025	5	4	1	35	24	27.13	95.7	7.5615	68.4985
2025	5	4	1	45	24	26.81	95.1	7.5554	67.6804
2025	5	4	1	55	24	26.75	96	7.5554	67.4269
2025	5	4	2	5	24	26.47	96.5	7.5554	66.6665
2025	5	4	2	15	24	26.18	94.4	7.5554	66.1595
2025	5	4	2	25	24	27.36	93.8	7.5554	69.2013
2025	5	4	2	35	24	26.04	96	7.5554	65.6526
2025	5	4	2	45	24	25.73	95.8	7.5554	64.8921
2025	5	4	2	55	24	25.6	95.2	7.5493	64.5842
2025	5	4	3	5	24	25.46	98.1	7.5554	63.8782
2025	5	4	3	15	24	25.71	97.4	7.5493	64.5842
2025	5	4	3	25	24	26.14	95.9	7.5493	65.8505
2025	5	4	3	35	24	27.92	95.3	7.5493	70.4094
2025	5	4	3	45	24	24.78	98.6	7.5493	62.0515
2025	5	4	3	55	24	25.56	94	7.5493	64.5842
2025	5	4	4	5	24	26.69	94.7	7.5493	67.3702
2025	5	4	4	15	24	26.07	94.2	7.5493	65.8506
2025	5	4	4	25	24	25.92	95.5	7.5493	65.344
2025	5	4	4	35	24	26.18	96.8	7.5493	65.8506
2025	5	4	4	45	24	26.22	95.5	7.5432	66.0481
2025	5	4	4	55	24	27.01	95.1	7.5432	68.0725
2025	5	4	5	5	24	25.54	93.4	7.5432	64.5297
2025	5	4	5	15	24	26.45	96.1	7.5432	66.5542
2025	5	4	5	25	24	28.32	95.3	7.5432	71.3623
2025	5	4	5	35	24	26.14	95.9	7.5432	65.795
2025	5	4	5	45	24	26.51	95.2	7.5432	66.8073
2025	5	4	5	55	24	25.69	96.9	7.5432	64.5298
2025	5	4	6	5	24	25.62	95.6	7.5432	64.5298
2025	5	4	6	15	24	26.83	95.6	7.5432	67.5664
2025	5	4	6	25	24	25.01	95.3	7.5432	63.0114
2025	5	4	6	35	24	26.18	96.8	7.5432	65.795
2025	5	4	6	45	24	26.72	95.4	7.5432	67.3134
2025	5	4	6	55	24	25.89	96.9	7.5432	65.0358
2025	5	4	7	5	24	26.29	94.8	7.5432	66.3011
2025	5	4	7	15	24	27.85	96	7.5432	70.097
2025	5	4	7	25	24	24.79	97.2	7.5432	62.2522
2025	5	4	7	35	24	25.21	95.2	7.5432	63.5175
2025	5	4	7	45	24	25.24	96.1	7.5432	63.5175
2025	5	4	7	55	24	26.14	95.9	7.5432	65.795

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	4	8	5	24	26.39	97	7.5432	66.3011
2025	5	4	8	15	24	25.99	94.9	7.5432	65.5419
2025	5	4	8	25	24	26.14	95.9	7.5432	65.795
2025	5	4	8	35	24	24.85	93.5	7.5432	62.7583
2025	5	4	8	45	24	26.38	96.7	7.5432	66.3011
2025	5	4	8	55	24	26.84	95.8	7.5432	67.5664
2025	5	4	9	5	24	26.53	95.6	7.5432	66.8072
2025	5	4	9	15	24	26.28	96.8	7.5432	66.048
2025	5	4	9	25	24	26.29	94.8	7.5432	66.3011
2025	5	4	9	35	24	25.83	95.8	7.5432	65.0358
2025	5	4	9	45	24	27.54	97.5	7.5432	69.0847
2025	5	4	9	55	24	25.92	92	7.5432	65.5419
2025	5	4	10	5	24	26.12	97.5	7.5432	65.5419
2025	5	4	10	15	24	26.54	95.8	7.5432	66.8072
2025	5	4	10	25	24	24.87	96.7	7.5432	62.5052
2025	5	4	10	35	24	26.51	95.2	7.5432	66.8072
2025	5	4	10	45	24	26.08	94.4	7.5432	65.795
2025	5	4	10	55	24	26.33	95.7	7.5432	66.3011
2025	5	4	11	5	24	26.84	93.2	7.5432	67.8194
2025	5	4	11	15	24	26.39	94.8	7.5432	66.5541
2025	5	4	11	25	24	27.24	95.9	7.5432	68.5785
2025	5	4	11	35	24	25.37	96.6	7.5432	63.7704
2025	5	4	11	45	24	26.47	94.1	7.5432	66.8071
2025	5	4	11	55	24	26.38	96.7	7.5432	66.301
2025	5	4	12	5	24	25.21	91.8	7.5432	63.7704
2025	5	4	12	15	24	25.21	95.5	7.5432	63.5173
2025	5	4	12	25	24	26.6	95	7.5432	67.0601
2025	5	4	12	35	24	25.79	94.9	7.5371	64.9807
2025	5	4	12	45	24	26.49	94.8	7.5432	66.8069
2025	5	4	12	55	24	26.44	95.9	7.5432	66.5539
2025	5	4	13	5	24	25.88	94.4	7.5432	65.2886
2025	5	4	13	15	24	25.9	95.1	7.5432	65.2886
2025	5	4	13	25	24	25.78	96.7	7.5432	64.7824
2025	5	4	13	35	24	26.09	94.8	7.5432	65.7946
2025	5	4	13	45	24	26.59	96.9	7.5432	66.8069
2025	5	4	13	55	24	26.55	97.8	7.5432	66.5538
2025	5	4	14	5	24	27.07	94	7.5432	68.3253
2025	5	4	14	15	24	26.94	95.8	7.5432	67.8192
2025	5	4	14	25	24	26.15	93.5	7.5432	66.0478
2025	5	4	14	35	24	26.9	94.9	7.5432	67.8193
2025	5	4	14	45	24	26.1	95.1	7.5432	65.7948
2025	5	4	14	55	24	26.18	96.8	7.5432	65.7948
2025	5	4	15	5	24	26.08	96.8	7.5493	65.597
2025	5	4	15	15	24	26.01	95.3	7.5493	65.597
2025	5	4	15	25	24	25.75	96.2	7.5493	64.8372
2025	5	4	15	35	24	27.3	96.9	7.5493	68.6363
2025	5	4	15	45	24	27.09	94.7	7.5493	68.3831
2025	5	4	15	55	24	27.41	95.2	7.5493	69.1429

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	4	16	5	24	25.9	95.1	7.5493	65.3439
2025	5	4	16	15	24	26.16	93.9	7.5493	66.1037
2025	5	4	16	25	24	27	97	7.5493	67.8766
2025	5	4	16	35	24	26.42	95.4	7.5493	66.6103
2025	5	4	16	45	24	25.8	97.1	7.5493	64.8374
2025	5	4	16	55	24	27.1	97	7.5493	68.1299
2025	5	4	17	5	24	26.55	93.7	7.5493	67.1169
2025	5	4	17	15	24	27.09	94.7	7.5432	68.3255
2025	5	4	17	25	24	26.31	95.2	7.5432	66.3011
2025	5	4	17	35	24	26.53	95.6	7.5432	66.8072
2025	5	4	17	45	24	26.84	97.7	7.5432	67.3134
2025	5	4	17	55	24	27.14	97.6	7.5432	68.0726
2025	5	4	18	5	24	26.2	95	7.5432	66.0481
2025	5	4	18	15	24	25.86	96.4	7.5432	65.0359
2025	5	4	18	25	24	25.77	94.2	7.5432	65.0359
2025	5	4	18	35	24	25.51	95.4	7.5432	64.2768
2025	5	4	18	45	24	26.62	97.3	7.5432	66.8074
2025	5	4	18	55	24	26.27	96.6	7.5432	66.0482
2025	5	4	19	5	24	25.56	94	7.5493	64.5844
2025	5	4	19	15	24	26.34	95.9	7.5493	66.3574
2025	5	4	19	25	24	26.03	95.7	7.5493	65.5976
2025	5	4	19	35	24	25.11	95.3	7.5493	63.3181
2025	5	4	19	45	24	27.17	94.2	7.5493	68.6369
2025	5	4	19	55	24	26.34	93	7.5493	66.6107
2025	5	4	20	5	24	26.77	94.1	7.5493	67.6238
2025	5	4	20	15	24	26.66	96.2	7.5493	67.1173
2025	5	4	20	25	24	26.31	95.2	7.5493	66.3575
2025	5	4	20	35	24	27.59	94.6	7.5493	69.6501
2025	5	4	20	45	24	27.16	96.1	7.5493	68.3837
2025	5	4	20	55	24	27.25	96.1	7.5493	68.637
2025	5	4	21	5	24	26.35	96.1	7.5493	66.3576
2025	5	4	21	15	24	26.03	95.7	7.5493	65.5978
2025	5	4	21	25	24	26.69	94.7	7.5493	67.3708
2025	5	4	21	35	24	26.66	96.2	7.5493	67.1175
2025	5	4	21	45	24	25.48	96.8	7.5493	64.0782
2025	5	4	21	55	24	25.86	96.4	7.5493	65.0914
2025	5	4	22	5	24	26.79	96.9	7.5432	67.314
2025	5	4	22	15	24	27.63	95.6	7.5432	69.5916
2025	5	4	22	25	24	26.56	93.9	7.5493	67.1176
2025	5	4	22	35	24	25.39	94.7	7.5432	64.0243
2025	5	4	22	45	24	25.63	95.8	7.5432	64.5304
2025	5	4	22	55	24	26.49	94.8	7.5432	66.808
2025	5	4	23	5	24	26.69	94.7	7.5432	67.3142
2025	5	4	23	15	24	25.89	96.9	7.5432	65.0366
2025	5	4	23	25	24	26.91	95.1	7.5432	67.8203
2025	5	4	23	35	24	26.46	93.9	7.5432	66.8081
2025	5	4	23	45	24	26.64	95.8	7.5432	67.0612
2025	5	4	23	55	24	26.04	93.1	7.5432	65.7959

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	5	0	5	24	26.76	97.9	7.5432	67.0612
2025	5	5	0	15	24	26.43	95.6	7.5493	66.6113
2025	5	5	0	25	24	27.4	96.9	7.5493	68.8908
2025	5	5	0	35	24	26.69	94.7	7.5493	67.3711
2025	5	5	0	45	24	26.22	95.5	7.5493	66.1048
2025	5	5	0	55	24	26.24	95.9	7.5493	66.1048
2025	5	5	1	5	24	26.77	96.4	7.5432	67.3143
2025	5	5	1	15	24	25.26	96.4	7.5432	63.5184
2025	5	5	1	25	24	25.24	96.1	7.5493	63.5721
2025	5	5	1	35	24	26.09	94.8	7.5432	65.796
2025	5	5	1	45	24	26.85	96	7.5493	67.6245
2025	5	5	1	55	24	25.93	95.8	7.5432	65.2899
2025	5	5	2	5	24	26.68	96.7	7.5432	67.0613
2025	5	5	2	15	24	25.16	93.9	7.5432	63.5184
2025	5	5	2	25	24	25.79	96.9	7.5493	64.8384
2025	5	5	2	35	24	26.73	95.6	7.5493	67.3712
2025	5	5	2	45	24	26.26	96.3	7.5432	66.049
2025	5	5	2	55	24	27.37	94	7.5493	69.1441
2025	5	5	3	5	24	26.77	94.3	7.5432	67.5674
2025	5	5	3	15	24	26.61	95.2	7.5493	67.1179
2025	5	5	3	25	24	26.84	93	7.5493	67.8777
2025	5	5	3	35	24	26.66	96.2	7.5432	67.0612
2025	5	5	3	45	24	25.78	94.4	7.5432	65.0368
2025	5	5	3	55	24	25.87	96.7	7.5432	65.0368
2025	5	5	4	5	24	27.51	97.1	7.5432	69.0857
2025	5	5	4	15	24	25.75	93.6	7.5432	65.0367
2025	5	5	4	25	24	27.34	95.9	7.5432	68.8327
2025	5	5	4	35	24	27.44	93.1	7.5432	69.3388
2025	5	5	4	45	24	25.99	94.9	7.5432	65.5429
2025	5	5	4	55	24	27.43	95.6	7.5432	69.0857
2025	5	5	5	5	24	26.77	94.3	7.5432	67.5673
2025	5	5	5	15	24	27.93	97.4	7.5432	70.0979
2025	5	5	5	25	24	25.26	93.9	7.5432	63.7714
2025	5	5	5	35	24	26.26	93.9	7.5432	66.302
2025	5	5	5	45	24	25.86	96.4	7.5432	65.0367
2025	5	5	5	55	24	27	94.9	7.5432	68.0734
2025	5	5	6	5	24	25.94	96	7.5432	65.2898
2025	5	5	6	15	24	26.35	93.7	7.5432	66.5551
2025	5	5	6	25	24	26.55	96.1	7.5432	66.8081
2025	5	5	6	35	24	26.5	95	7.5432	66.8081
2025	5	5	6	45	24	27.08	96.6	7.5432	68.0734
2025	5	5	6	55	24	27.72	97.3	7.5432	69.5918
2025	5	5	7	5	24	26.73	95.6	7.5432	67.3142
2025	5	5	7	15	24	25.13	95.9	7.5432	63.2653
2025	5	5	7	25	24	26.3	95	7.5432	66.302
2025	5	5	7	35	24	26.74	95.8	7.5432	67.3142
2025	5	5	7	45	24	25.52	92	7.5371	64.4761
2025	5	5	7	55	24	25.36	96.3	7.5371	63.7175

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	5	8	5	24	25.5	95	7.5432	64.2775
2025	5	5	8	15	24	26.22	95.5	7.5432	66.0489
2025	5	5	8	25	24	27.49	96.7	7.5432	69.0856
2025	5	5	8	35	24	27.65	96	7.5432	69.5917
2025	5	5	8	45	24	26.35	93.7	7.5432	66.555
2025	5	5	8	55	24	25.84	93.1	7.5432	65.2896
2025	5	5	9	5	24	27.39	94.6	7.5432	69.0855
2025	5	5	9	15	24	26.83	99	7.5371	67.0044
2025	5	5	9	25	24	26.18	94.4	7.5371	65.993
2025	5	5	9	35	24	25.83	95.8	7.5371	64.9816
2025	5	5	9	45	24	25.96	93.8	7.5432	65.5426
2025	5	5	9	55	24	25.89	96.9	7.5371	64.9815
2025	5	5	10	5	24	25.09	94.8	7.5371	63.2116
2025	5	5	10	15	24	26.75	96	7.5371	67.2572
2025	5	5	10	25	24	25.94	93.3	7.5371	65.4872
2025	5	5	10	35	24	25.69	96.9	7.5432	64.5302
2025	5	5	10	45	24	25.16	93.9	7.5371	63.4643
2025	5	5	10	55	24	25.6	95.2	7.5371	64.4756
2025	5	5	11	5	24	24.71	95.3	7.5371	62.2
2025	5	5	11	15	24	25.95	96.2	7.5371	65.2341
2025	5	5	11	25	24	26.86	93.8	7.5371	67.7625
2025	5	5	11	35	24	26.04	96	7.5371	65.4868
2025	5	5	11	45	24	25.18	96.8	7.5371	63.2112
2025	5	5	11	55	24	26.28	96.8	7.5371	65.9924
2025	5	5	12	5	24	25.99	96.9	7.5371	65.2339
2025	5	5	12	15	24	25.51	95.4	7.5371	64.2225
2025	5	5	12	25	24	26.1	95.1	7.5371	65.7395
2025	5	5	12	35	24	26.43	95.6	7.5371	66.498
2025	5	5	12	45	24	25.83	95.8	7.5371	64.9809
2025	5	5	12	55	24	25.97	96.6	7.5371	65.2337
2025	5	5	13	5	24	26.33	95.7	7.531	66.189
2025	5	5	13	15	24	25.71	95.4	7.5371	64.728
2025	5	5	13	25	24	25.06	94.1	7.5371	63.2108
2025	5	5	13	35	24	25.58	94.5	7.5371	64.475
2025	5	5	13	45	24	26.42	95.4	7.531	66.4415
2025	5	5	13	55	24	25.23	95.9	7.531	63.4099
2025	5	5	14	5	24	24.85	96.2	7.531	62.3994
2025	5	5	14	15	24	25.44	93.2	7.531	64.1678
2025	5	5	14	25	24	26.69	94.7	7.531	67.1993
2025	5	5	14	35	24	27.19	94.6	7.531	68.4624
2025	5	5	14	45	24	25.51	95.4	7.531	64.1677
2025	5	5	14	55	24	25.7	97.2	7.531	64.4203
2025	5	5	15	5	24	24.22	95.7	7.5249	60.832
2025	5	5	15	15	24	25.79	94.9	7.531	64.9255
2025	5	5	15	25	24	25.16	96.4	7.5249	63.1036
2025	5	5	15	35	24	25.5	95.2	7.5249	64.1133
2025	5	5	15	45	24	26.25	93.5	7.5249	66.1326
2025	5	5	15	55	24	25.84	96	7.5249	64.8706

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	5	16	5	24	25.26	93.9	7.5249	63.6085
2025	5	5	16	15	24	25.34	93.2	7.5188	63.8068
2025	5	5	16	25	24	25.95	98	7.5188	64.8156
2025	5	5	16	35	24	25.94	96	7.5188	65.0678
2025	5	5	16	45	24	26.14	95.9	7.5127	65.5167
2025	5	5	16	55	24	26.58	96.7	7.5188	66.581
2025	5	5	17	5	24	25.74	96	7.5188	64.5634
2025	5	5	17	15	24	25.33	92.9	7.5127	63.7528
2025	5	5	17	25	24	26.54	93.2	7.5127	66.7766
2025	5	5	17	35	24	27.18	96.5	7.5127	68.0366
2025	5	5	17	45	24	26.74	95.8	7.5127	67.0286
2025	5	5	17	55	24	27.17	96.3	7.5127	68.0366
2025	5	5	18	5	24	25.4	95	7.5127	63.7528
2025	5	5	18	15	24	24.73	93	7.5127	62.2409
2025	5	5	18	25	24	25.29	94.8	7.5127	63.5009
2025	5	5	18	35	24	25.84	96	7.5066	64.7059
2025	5	5	18	45	24	25.9	97.1	7.5066	64.7059
2025	5	5	18	55	24	25.74	96	7.5066	64.4542
2025	5	5	19	5	24	25.66	94	7.5066	64.4542
2025	5	5	19	15	24	25.45	96.3	7.5066	63.6989
2025	5	5	19	25	24	26.36	96.3	7.4944	65.853
2025	5	5	19	35	24	25.28	96.8	7.5005	63.1418
2025	5	5	19	45	24	25.84	96	7.4944	64.5963
2025	5	5	19	55	24	25.94	96	7.4944	64.8477
2025	5	5	20	5	24	26.62	97.3	7.4944	66.3558
2025	5	5	20	15	24	25.96	94	7.4883	65.0437
2025	5	5	20	25	24	25.75	96.2	7.4944	64.3451
2025	5	5	20	35	24	25.89	96.9	7.4883	64.5415
2025	5	5	20	45	24	24.72	95.6	7.4883	61.7791
2025	5	5	20	55	24	26.6	95	7.4883	66.5507
2025	5	5	21	5	24	25.61	95.4	7.4883	64.0394
2025	5	5	21	15	24	24.52	95.6	7.4883	61.2769
2025	5	5	21	25	24	26.88	96.6	7.4883	67.0531
2025	5	5	21	35	24	25.41	91.4	7.4883	63.7883
2025	5	5	21	45	24	26.34	95.9	7.4883	65.7975
2025	5	5	21	55	24	24.81	95.3	7.4822	61.9777
2025	5	5	22	5	24	26.11	95.3	7.4822	65.2397
2025	5	5	22	15	24	25.55	98.1	7.4822	63.4833
2025	5	5	22	25	24	25.77	94.2	7.4822	64.487
2025	5	5	22	35	24	25.64	96	7.4822	63.9852
2025	5	5	22	45	24	25.95	96.2	7.4761	64.6829
2025	5	5	22	55	24	27.26	93.8	7.4761	68.1928
2025	5	5	23	5	24	26.39	94.8	7.4761	65.9365
2025	5	5	23	15	24	25.95	98	7.4761	64.4323
2025	5	5	23	25	24	26.46	96.3	7.4761	65.9366
2025	5	5	23	35	24	26.28	94.4	7.4761	65.6859
2025	5	5	23	45	24	26.5	95	7.4761	66.1873
2025	5	5	23	55	24	25.79	94.7	7.47	64.3775

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	6	0	5	24	25.6	95.2	7.47	63.8765
2025	5	6	0	15	24	25.2	95	7.47	62.8745
2025	5	6	0	25	24	26.83	95.6	7.47	66.8825
2025	5	6	0	35	24	26	95.1	7.47	64.8785
2025	5	6	0	45	24	25.34	93.4	7.47	63.3756
2025	5	6	0	55	24	26.83	95.6	7.47	66.8825
2025	5	6	1	5	24	24.96	96.4	7.47	62.1231
2025	5	6	1	15	24	26.34	95.9	7.4639	65.5741
2025	5	6	1	25	24	25.06	96.4	7.4639	62.3204
2025	5	6	1	35	24	25.7	97.2	7.4639	63.8222
2025	5	6	1	45	24	26.09	98.6	7.4639	64.573
2025	5	6	1	55	24	24.32	95.7	7.4639	60.5685
2025	5	6	2	5	24	25.61	95.4	7.4639	63.8222
2025	5	6	2	15	24	26.87	96.4	7.4639	66.8256
2025	5	6	2	25	24	25.24	96.1	7.4639	62.821
2025	5	6	2	35	24	25.1	95	7.4639	62.5708
2025	5	6	2	45	24	24.38	94.7	7.4639	60.8188
2025	5	6	2	55	24	25.91	97.3	7.4639	64.3227
2025	5	6	3	5	24	27.17	96.3	7.4639	67.5764
2025	5	6	3	15	24	25	95	7.4639	62.3205
2025	5	6	3	25	24	24.76	96.5	7.4639	61.5696
2025	5	6	3	35	24	24.21	95.5	7.4578	60.2667
2025	5	6	3	45	24	24.52	95.6	7.4578	61.0169
2025	5	6	3	55	24	26.02	95.5	7.4578	64.7679
2025	5	6	4	5	24	26.25	97.9	7.4578	65.018
2025	5	6	4	15	24	25.39	94.7	7.4578	63.2675
2025	5	6	4	25	24	25.93	95.8	7.4578	64.5179
2025	5	6	4	35	24	26.03	95.7	7.4578	64.7679
2025	5	6	4	45	24	26.9	97	7.4578	66.7685
2025	5	6	4	55	24	24.71	95.3	7.4578	61.517
2025	5	6	5	5	24	26.33	95.7	7.4578	65.5181
2025	5	6	5	15	24	26.89	94.7	7.4578	67.0185
2025	5	6	5	25	24	25.17	96.6	7.4518	62.4639
2025	5	6	5	35	24	27.1	97	7.4518	67.2111
2025	5	6	5	45	24	25.47	96.5	7.4518	63.2134
2025	5	6	5	55	24	26.16	96.4	7.4518	64.9624
2025	5	6	6	5	24	25.05	96.2	7.4518	62.214
2025	5	6	6	15	24	26.14	95.9	7.4518	64.9624
2025	5	6	6	25	24	25.29	97	7.4518	62.7137
2025	5	6	6	35	24	23.93	96	7.4457	59.4147
2025	5	6	6	45	24	25.79	94.7	7.4457	64.1579
2025	5	6	6	55	24	25.8	98.7	7.4457	63.6586
2025	5	6	7	5	24	24.81	95.3	7.4457	61.6615
2025	5	6	7	15	24	24.67	94.2	7.4457	61.4118
2025	5	6	7	25	24	25.4	95.2	7.4457	63.1593
2025	5	6	7	35	24	24.17	94.3	7.4457	60.1636
2025	5	6	7	45	24	25.64	96	7.4396	63.6041
2025	5	6	7	55	24	25.64	96	7.4396	63.6041

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	6	8	5	24	25.22	95.7	7.4396	62.6063
2025	5	6	8	15	24	25.5	95.2	7.4396	63.3546
2025	5	6	8	25	24	25.33	95.9	7.4335	62.8019
2025	5	6	8	35	24	26.16	93.9	7.4335	65.0448
2025	5	6	8	45	24	25.39	97	7.4274	62.748
2025	5	6	8	55	24	25.09	97.1	7.4213	61.9478
2025	5	6	9	5	24	25.58	96.7	7.4213	63.1917
2025	5	6	9	15	24	25.15	96.2	7.4152	62.1431
2025	5	6	9	25	24	25.68	94.5	7.4152	63.6345
2025	5	6	9	35	24	25.81	95.3	7.4213	63.9379
2025	5	6	9	45	24	26.57	96.5	7.4152	65.623
2025	5	6	9	55	24	25.66	96.5	7.4152	63.3858
2025	5	6	10	5	24	25.93	95.8	7.4152	64.1315
2025	5	6	10	15	24	24.04	96.2	7.4152	59.4086
2025	5	6	10	25	24	26.92	95.3	7.4152	66.6171
2025	5	6	10	35	24	25.7	95.1	7.4091	63.5796
2025	5	6	10	45	24	26.53	99.1	7.4152	65.1256
2025	5	6	10	55	24	25.34	96.1	7.4152	62.6399
2025	5	6	11	5	24	25.02	95.5	7.4091	61.8409
2025	5	6	11	15	24	27.04	97.7	7.4091	66.5597
2025	5	6	11	25	24	25.73	95.8	7.4091	63.5793
2025	5	6	11	35	24	26.08	96.8	7.4091	64.3243
2025	5	6	11	45	24	26.06	94	7.4091	64.5727
2025	5	6	11	55	24	25.97	96.6	7.4091	64.0759
2025	5	6	12	5	24	25.8	95.1	7.4091	63.8275
2025	5	6	12	15	24	24.21	95.5	7.4091	59.8537
2025	5	6	12	25	24	25.29	97	7.4091	62.3373
2025	5	6	12	35	24	24.92	97.6	7.4091	61.3438
2025	5	6	12	45	24	24.92	95.5	7.4091	61.5921
2025	5	6	12	55	24	24.88	96.9	7.4091	61.3437
2025	5	6	13	5	24	25.44	96.1	7.4091	62.8338
2025	5	6	13	15	24	25.54	96.1	7.4091	63.0821
2025	5	6	13	25	24	25.68	96.7	7.403	63.276
2025	5	6	13	35	24	25.1	95	7.4091	62.0886
2025	5	6	13	45	24	26.15	96.1	7.403	64.5166
2025	5	6	13	55	24	25.64	96	7.403	63.2759
2025	5	6	14	5	24	24.59	94.9	7.403	60.7945
2025	5	6	14	15	24	24.24	96.2	7.3969	59.7505
2025	5	6	14	25	24	26.84	95.8	7.3969	66.1966
2025	5	6	14	35	24	25.96	96.4	7.3969	63.9653
2025	5	6	14	45	24	23.89	95	7.3908	58.9558
2025	5	6	14	55	24	23.8	95.3	7.3847	58.6575
2025	5	6	15	5	24	25.55	96.3	7.3908	62.9193
2025	5	6	15	15	24	24.09	97.2	7.3908	59.2036
2025	5	6	15	25	24	25.5	95.2	7.3847	62.865
2025	5	6	15	35	24	24.98	94.6	7.3847	61.6275
2025	5	6	15	45	24	23.61	95.6	7.3786	58.1123
2025	5	6	15	55	24	24.84	93.2	7.3786	61.3271

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	6	16	5	24	26.32	95.5	7.3725	64.7332
2025	5	6	16	15	24	23.86	96.7	7.3725	58.5563
2025	5	6	16	25	24	25.58	94.5	7.3725	63.0036
2025	5	6	16	35	24	25.01	97.4	7.3725	61.2741
2025	5	6	16	45	24	24.81	95.3	7.3664	60.9743
2025	5	6	16	55	24	25.06	93.9	7.3664	61.7149
2025	5	6	17	5	24	25.15	96.2	7.3664	61.7149
2025	5	6	17	15	24	24.87	94.2	7.3603	61.1682
2025	5	6	17	25	24	24.25	93.5	7.3664	59.7401
2025	5	6	17	35	24	25.41	95.4	7.3603	62.4015
2025	5	6	17	45	24	23.8	95.3	7.3603	58.4552
2025	5	6	17	55	24	25.95	98	7.3603	63.3881
2025	5	6	18	5	24	25.79	96.9	7.3603	63.1415
2025	5	6	18	15	24	24.95	96.2	7.3542	61.1154
2025	5	6	18	25	24	25.04	96	7.3603	61.4151
2025	5	6	18	35	24	25.55	98.1	7.3542	62.3477
2025	5	6	18	45	24	25.21	95.5	7.3542	61.8548
2025	5	6	18	55	24	24.3	97.3	7.3542	59.3905
2025	5	6	19	5	24	25.79	96.9	7.3542	63.0871
2025	5	6	19	15	24	25.64	96	7.3542	62.8407
2025	5	6	19	25	24	25.99	94.9	7.3481	63.7712
2025	5	6	19	35	24	24.81	95.3	7.3542	60.8693
2025	5	6	19	45	24	24.71	95.3	7.3481	60.5704
2025	5	6	19	55	24	23.95	96.5	7.3481	58.6007
2025	5	6	20	5	24	26.87	94.3	7.3481	65.9874
2025	5	6	20	15	24	25.57	96.5	7.3481	62.5403
2025	5	6	20	25	24	26.23	97.7	7.3481	64.0177
2025	5	6	20	35	24	24.98	96.9	7.3481	61.0631
2025	5	6	20	45	24	26.67	98.2	7.3481	65.0027
2025	5	6	20	55	24	25.69	96.9	7.342	62.7323
2025	5	6	21	5	24	25.31	95.4	7.342	61.9943
2025	5	6	21	15	24	25.26	98.2	7.342	61.5023
2025	5	6	21	25	24	25.19	97.1	7.342	61.5024
2025	5	6	21	35	24	25.18	94.6	7.342	61.7484
2025	5	6	21	45	24	24.64	96.1	7.3359	60.2201
2025	5	6	21	55	24	25.07	96.6	7.3359	61.2033
2025	5	6	22	5	24	24.71	97.4	7.3359	60.2202
2025	5	6	22	15	24	24.2	97.4	7.3359	58.9912
2025	5	6	22	25	24	26.94	97.7	7.3359	65.6278
2025	5	6	22	35	24	24.68	97	7.3359	60.2203
2025	5	6	22	45	24	23.43	92.7	7.3359	57.5165
2025	5	6	22	55	24	25.63	92.9	7.3359	62.9241
2025	5	6	23	5	24	25.5	95	7.3298	62.3783
2025	5	6	23	15	24	25.29	94.8	7.3298	61.8871
2025	5	6	23	25	24	25.53	95.8	7.3298	62.3783
2025	5	6	23	35	24	24.41	95.4	7.3298	59.6769
2025	5	6	23	45	24	25.03	95.7	7.3298	61.1504
2025	5	6	23	55	24	26.31	95.2	7.3298	64.343

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	7	0	5	24	24.14	98.1	7.3298	58.6946
2025	5	7	0	15	24	26.24	95.9	7.3298	64.0975
2025	5	7	0	25	24	24.99	97.1	7.3237	60.852
2025	5	7	0	35	24	24.82	95.5	7.3237	60.6066
2025	5	7	0	45	24	24.37	96.8	7.3237	59.3797
2025	5	7	0	55	24	25.51	97.4	7.3237	62.0788
2025	5	7	1	5	24	24.76	96.5	7.3237	60.3612
2025	5	7	1	15	24	24.52	97.7	7.3237	59.6251
2025	5	7	1	25	24	24.41	97.5	7.3237	59.3798
2025	5	7	1	35	24	24.75	98.1	7.3237	60.1159
2025	5	7	1	45	24	25.52	95.6	7.3237	62.3242
2025	5	7	1	55	24	26.68	96.7	7.3237	65.0233
2025	5	7	2	5	24	26.3	97	7.3176	63.9861
2025	5	7	2	15	24	25.43	95.9	7.3176	62.0248
2025	5	7	2	25	24	24.28	98.8	7.3176	58.8378
2025	5	7	2	35	24	24.76	96.5	7.3176	60.3088
2025	5	7	2	45	24	25.27	99.8	7.3176	61.0442
2025	5	7	2	55	24	24.48	98.7	7.3176	59.3281
2025	5	7	3	5	24	24.48	100.1	7.3176	59.083
2025	5	7	3	15	24	25.61	97.4	7.3176	62.27
2025	5	7	3	25	24	23.9	95.3	7.3176	58.3475
2025	5	7	3	35	24	24.21	97.6	7.3176	58.8378
2025	5	7	3	45	24	24.35	98.3	7.3176	59.083
2025	5	7	3	55	24	24.02	95.7	7.3176	58.5926
2025	5	7	4	5	24	23.99	95	7.3176	58.5926
2025	5	7	4	15	24	24.4	97.3	7.3176	59.3281
2025	5	7	4	25	24	23.77	98.7	7.3176	57.612
2025	5	7	4	35	24	24.76	96.5	7.3176	60.3087
2025	5	7	4	45	24	23	95.2	7.3176	56.141
2025	5	7	4	55	24	23.63	96.1	7.3176	57.612
2025	5	7	5	5	24	26.18	96.8	7.3115	63.6854
2025	5	7	5	15	24	25.49	97	7.3115	61.9708
2025	5	7	5	25	24	24.93	97.8	7.3115	60.5011
2025	5	7	5	35	24	23.95	96.5	7.3115	58.2966
2025	5	7	5	45	24	25.03	97.8	7.3115	60.746
2025	5	7	5	55	24	24.91	97.4	7.3115	60.5011
2025	5	7	6	5	24	24.71	97.4	7.3115	60.0112
2025	5	7	6	15	24	25.2	97.3	7.3115	61.2359
2025	5	7	6	25	24	24.02	95.7	7.3115	58.5415
2025	5	7	6	35	24	24.73	95.8	7.3115	60.2561
2025	5	7	6	45	24	25.49	97	7.3115	61.9707
2025	5	7	6	55	24	25.01	97.4	7.3115	60.746
2025	5	7	7	5	24	24.55	96.3	7.3115	59.7662
2025	5	7	7	15	24	23.32	95.9	7.3115	56.8269
2025	5	7	7	25	24	24.48	97	7.3115	59.5212
2025	5	7	7	35	24	26.32	95.5	7.3115	64.1751
2025	5	7	7	45	24	23.77	96.8	7.3115	57.8066
2025	5	7	7	55	24	25.3	95.2	7.3115	61.7256

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	7	8	5	24	24.2	97.4	7.3115	58.7863
2025	5	7	8	15	24	24.81	97.4	7.3115	60.2559
2025	5	7	8	25	24	25.09	97.1	7.3115	60.9907
2025	5	7	8	35	24	24.15	96.4	7.3054	58.735
2025	5	7	8	45	24	24.95	96.2	7.3054	60.6928
2025	5	7	8	55	24	25.33	95.9	7.3054	61.6716
2025	5	7	9	5	24	24.25	96.4	7.3115	59.031
2025	5	7	9	15	24	26.55	97.8	7.3054	64.3636
2025	5	7	9	25	24	23.69	95.1	7.3054	57.7559
2025	5	7	9	35	24	24.76	96.5	7.3054	60.2031
2025	5	7	9	45	24	26.36	96.3	7.3054	64.1187
2025	5	7	9	55	24	24.95	96.2	7.3054	60.6925
2025	5	7	10	5	24	24.55	96.3	7.3054	59.7135
2025	5	7	10	15	24	23.65	96.6	7.3054	57.5109
2025	5	7	10	25	24	25.23	95.9	7.3054	61.4265
2025	5	7	10	35	24	23.74	96.3	7.2994	57.7052
2025	5	7	10	45	24	23.88	97	7.2994	57.9496
2025	5	7	10	55	24	24	99.1	7.2933	57.899
2025	5	7	11	5	24	24.11	97.6	7.2933	58.3875
2025	5	7	11	15	24	25.79	94.7	7.2933	62.7849
2025	5	7	11	25	24	23.69	97.3	7.2872	57.3601
2025	5	7	11	35	24	24.11	95.5	7.2872	58.5804
2025	5	7	11	45	24	24.45	96.3	7.2872	59.3126
2025	5	7	11	55	24	23.53	96.1	7.2872	57.1158
2025	5	7	12	5	24	24.45	96.3	7.2872	59.3125
2025	5	7	12	15	24	25.02	97.6	7.2872	60.5329
2025	5	7	12	25	24	24.53	95.9	7.2872	59.5565
2025	5	7	12	35	24	25.23	95.9	7.2872	61.2651
2025	5	7	12	45	24	25.4	95.2	7.2872	61.7532
2025	5	7	12	55	24	25.23	95.9	7.2872	61.265
2025	5	7	13	5	24	25.71	95.4	7.2872	62.4853
2025	5	7	13	15	24	24.92	97.6	7.2811	60.2358
2025	5	7	13	25	24	24.33	95.9	7.2872	59.0681
2025	5	7	13	35	24	25.26	98.2	7.2811	60.9673
2025	5	7	13	45	24	24.06	96.7	7.2811	58.2847
2025	5	7	13	55	24	26.32	95.5	7.2811	63.8937
2025	5	7	14	5	24	24.82	97.6	7.2811	59.9918
2025	5	7	14	15	24	23.39	95.2	7.2811	56.8214
2025	5	7	14	25	24	24.06	96.7	7.2811	58.2846
2025	5	7	14	35	24	23.77	94.3	7.2811	57.7969
2025	5	7	14	45	24	25.43	95.9	7.2811	61.6987
2025	5	7	14	55	24	23.75	93.6	7.2811	57.7968
2025	5	7	15	5	24	25.05	99.7	7.2811	60.2355
2025	5	7	15	15	24	25.64	96	7.2811	62.1864
2025	5	7	15	25	24	24.75	96.3	7.2811	59.9916
2025	5	7	15	35	24	24.89	97.2	7.2811	60.2354
2025	5	7	15	45	24	24.67	96.8	7.2811	59.7477
2025	5	7	15	55	24	23.29	95.2	7.2811	56.5774

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	7	16	5	24	24.08	94.5	7.275	58.4771
2025	5	7	16	15	24	24.78	94.6	7.275	60.1827
2025	5	7	16	25	24	23.71	95.6	7.275	57.5025
2025	5	7	16	35	24	24.11	97.6	7.275	58.2334
2025	5	7	16	45	24	24.62	95.6	7.2811	59.7477
2025	5	7	16	55	24	24.33	95.9	7.275	58.9644
2025	5	7	17	5	24	25.22	95.7	7.275	61.1573
2025	5	7	17	15	24	24.41	97.5	7.2689	58.9128
2025	5	7	17	25	24	24.72	97.7	7.275	59.6954
2025	5	7	17	35	24	24.23	93.1	7.2689	58.9128
2025	5	7	17	45	24	24.64	96.1	7.275	59.6955
2025	5	7	17	55	24	24.46	96.6	7.275	59.2082
2025	5	7	18	5	24	24.65	93.5	7.2689	59.8867
2025	5	7	18	15	24	23.68	94.6	7.275	57.5027
2025	5	7	18	25	24	24.21	95.5	7.2689	58.6695
2025	5	7	18	35	24	24.68	94.6	7.2689	59.8868
2025	5	7	18	45	24	24.19	95	7.2689	58.6696
2025	5	7	18	55	24	24.72	95.6	7.2689	59.8868
2025	5	7	19	5	24	25.7	95.1	7.2689	62.3213
2025	5	7	19	15	24	24.35	96.4	7.2689	58.9132
2025	5	7	19	25	24	24.45	96.3	7.2689	59.1566
2025	5	7	19	35	24	24.72	97.7	7.2689	59.6435
2025	5	7	19	45	24	25.49	94.7	7.2689	61.8346
2025	5	7	19	55	24	24.24	96.2	7.2628	58.6184
2025	5	7	20	5	24	25.08	96.9	7.2628	60.5643
2025	5	7	20	15	24	24.53	95.9	7.2567	59.2961
2025	5	7	20	25	24	25.95	96.2	7.2628	62.7535
2025	5	7	20	35	24	25.34	96.1	7.2506	61.1866
2025	5	7	20	45	24	25.28	94.5	7.2567	61.2404
2025	5	7	20	55	24	23.84	93.4	7.2567	57.8382
2025	5	7	21	5	24	25.04	96	7.2628	60.5646
2025	5	7	21	15	24	23.95	93.8	7.2567	58.0813
2025	5	7	21	25	24	24.04	96.2	7.2567	58.0813
2025	5	7	21	35	24	25.81	98.9	7.2567	61.9696
2025	5	7	21	45	24	24.79	94.9	7.2567	60.0255
2025	5	7	21	55	24	24.98	96.9	7.2567	60.2686
2025	5	7	22	5	24	25.24	96.1	7.2567	60.9977
2025	5	7	22	15	24	24.74	93.2	7.2567	60.0256
2025	5	7	22	25	24	24.6	95.1	7.2567	59.5396
2025	5	7	22	35	24	25.42	95.6	7.2567	61.4838
2025	5	7	22	45	24	24.82	95.5	7.2567	60.0257
2025	5	7	22	55	24	25.34	96.1	7.2567	61.2408
2025	5	7	23	5	24	24.72	95.6	7.2567	59.7828
2025	5	7	23	15	24	24.68	94.6	7.2567	59.7828
2025	5	7	23	25	24	24.78	97	7.2567	59.7828
2025	5	7	23	35	24	24.91	95.3	7.2567	60.2689
2025	5	7	23	45	24	24.61	97.5	7.2567	59.2968
2025	5	7	23	55	24	24.74	96	7.2567	59.7828

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	8	0	5	24	23.69	95.1	7.2567	57.3527
2025	5	8	0	15	24	23.85	96.5	7.2506	57.5451
2025	5	8	0	25	24	24.29	95	7.2506	58.7591
2025	5	8	0	35	24	24.64	93.3	7.2567	59.7829
2025	5	8	0	45	24	24.63	95.8	7.2506	59.4876
2025	5	8	0	55	24	22.85	93.8	7.2506	55.3599
2025	5	8	1	5	24	24.01	95.5	7.2506	58.0307
2025	5	8	1	15	24	23.52	92.4	7.2506	57.0595
2025	5	8	1	25	24	23.41	95.6	7.2506	56.5739
2025	5	8	1	35	24	23.94	93.4	7.2506	58.0307
2025	5	8	1	45	24	24.93	95.8	7.2506	60.216
2025	5	8	1	55	24	24.05	96.4	7.2506	58.0307
2025	5	8	2	5	24	24.9	95.1	7.2506	60.216
2025	5	8	2	15	24	23.91	95.5	7.2506	57.7879
2025	5	8	2	25	24	24.26	96.6	7.2506	58.5163
2025	5	8	2	35	24	24.98	96.9	7.2506	60.216
2025	5	8	2	45	24	25.34	93.4	7.2506	61.43
2025	5	8	2	55	24	24.37	96.8	7.2445	58.7075
2025	5	8	3	5	24	25.05	96.2	7.2445	60.4056
2025	5	8	3	15	24	24.18	94.7	7.2445	58.4648
2025	5	8	3	25	24	25.63	97.6	7.2445	61.6185
2025	5	8	3	35	24	24.82	95.5	7.2445	59.9204
2025	5	8	3	45	24	25.06	93.9	7.2445	60.6482
2025	5	8	3	55	24	25.19	94.8	7.2445	60.8907
2025	5	8	4	5	24	24.16	96.7	7.2445	58.2222
2025	5	8	4	15	24	24.79	98.8	7.2445	59.4351
2025	5	8	4	25	24	23.92	97.7	7.2445	57.4944
2025	5	8	4	35	24	24.41	95.4	7.2445	58.9499
2025	5	8	4	45	24	25.16	96.4	7.2384	60.5947
2025	5	8	4	55	24	24.37	96.8	7.2445	58.7073
2025	5	8	5	5	24	24.79	94.9	7.2384	59.8675
2025	5	8	5	15	24	24.68	98.6	7.2384	59.1404
2025	5	8	5	25	24	25.22	95.7	7.2384	60.837
2025	5	8	5	35	24	25.46	98.1	7.2384	61.0794
2025	5	8	5	45	24	23.78	97	7.2384	57.2013
2025	5	8	5	55	24	24.71	95.3	7.2384	59.6251
2025	5	8	6	5	24	23.84	98.2	7.2384	57.2013
2025	5	8	6	15	24	24.89	97.2	7.2384	59.8674
2025	5	8	6	25	24	25.11	95.3	7.2384	60.5946
2025	5	8	6	35	24	25.53	95.8	7.2384	61.564
2025	5	8	6	45	24	24.37	94.2	7.2323	58.846
2025	5	8	6	55	24	25.29	97	7.2323	60.7833
2025	5	8	7	5	24	25.71	97.4	7.2323	61.7519
2025	5	8	7	15	24	25.74	93.1	7.2201	62.1265
2025	5	8	7	25	24	25.01	95.3	7.2262	60.2458
2025	5	8	7	35	24	25.9	97.1	7.2262	62.1813
2025	5	8	7	45	24	24.05	96.4	7.2201	57.7752
2025	5	8	7	55	24	23.68	94.6	7.2201	57.05

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	8	8	5	24	24.58	94.7	7.2201	59.2256
2025	5	8	8	15	24	24.94	96	7.2201	59.9507
2025	5	8	8	25	24	24.49	94.9	7.214	58.9317
2025	5	8	8	35	24	24.25	98.3	7.214	57.9655
2025	5	8	8	45	24	24.93	95.8	7.2201	59.9506
2025	5	8	8	55	24	26.37	96.5	7.214	63.2789
2025	5	8	9	5	24	25.78	94.4	7.214	62.0713
2025	5	8	9	15	24	25.86	94	7.214	62.3128
2025	5	8	9	25	24	23.1	95.2	7.214	55.5501
2025	5	8	9	35	24	24.17	96.9	7.214	57.9653
2025	5	8	9	45	24	24.14	93.3	7.2201	58.2582
2025	5	8	9	55	24	23.91	95.5	7.2201	57.5329
2025	5	8	10	5	24	24.5	95.2	7.2201	58.9833
2025	5	8	10	15	24	24.78	97	7.2201	59.4667
2025	5	8	10	25	24	24.28	94.7	7.214	58.4481
2025	5	8	10	35	24	25.12	97.5	7.2201	60.1918
2025	5	8	10	45	24	25.05	96.2	7.214	60.1386
2025	5	8	10	55	24	24.35	93.8	7.2201	58.7413
2025	5	8	11	5	24	24.2	95.2	7.2201	58.2578
2025	5	8	11	15	24	24.94	96	7.2201	59.9499
2025	5	8	11	25	24	24.83	95.8	7.214	59.6553
2025	5	8	11	35	24	24.25	96.4	7.214	58.2062
2025	5	8	11	45	24	25.54	96.1	7.214	61.3459
2025	5	8	11	55	24	24.36	96.6	7.214	58.4476
2025	5	8	12	5	24	25.68	98.5	7.214	61.3458
2025	5	8	12	15	24	25.2	97.3	7.214	60.3796
2025	5	8	12	25	24	24.78	97	7.214	59.4135
2025	5	8	12	35	24	24.38	94.7	7.214	58.6889
2025	5	8	12	45	24	24.21	95.5	7.214	58.2058
2025	5	8	12	55	24	24.76	96.5	7.214	59.4134
2025	5	8	13	5	24	24.56	96.5	7.214	58.9303
2025	5	8	13	15	24	24.27	94.3	7.214	58.4472
2025	5	8	13	25	24	24.56	96.5	7.214	58.9302
2025	5	8	13	35	24	23.93	96	7.214	57.4811
2025	5	8	13	45	24	23.31	95.7	7.214	56.0319
2025	5	8	13	55	24	24.51	95.4	7.214	58.9301
2025	5	8	14	5	24	25.01	97.4	7.214	59.8961
2025	5	8	14	15	24	24.45	96.3	7.214	58.6885
2025	5	8	14	25	24	24.11	95.5	7.214	57.9639
2025	5	8	14	35	24	25.42	95.6	7.214	61.1036
2025	5	8	14	45	24	24.37	96.8	7.214	58.4469
2025	5	8	14	55	24	25.02	95.5	7.214	60.1375
2025	5	8	15	5	24	25.07	96.6	7.214	60.1375
2025	5	8	15	15	24	23.88	94.8	7.2079	57.43
2025	5	8	15	25	24	24.87	96.7	7.214	59.6544
2025	5	8	15	35	24	23.72	97.8	7.2018	56.6559
2025	5	8	15	45	24	24.62	95.6	7.2079	59.119
2025	5	8	15	55	24	24.26	96.6	7.2018	58.1024

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	8	16	5	24	25.46	94.1	7.2079	61.2907
2025	5	8	16	15	24	24.96	96.4	7.2079	59.8429
2025	5	8	16	25	24	24.2	95.2	7.2018	58.1024
2025	5	8	16	35	24	25.07	96.6	7.2018	60.0311
2025	5	8	16	45	24	25.63	95.8	7.1957	61.4232
2025	5	8	16	55	24	24.79	94.9	7.1896	59.4435
2025	5	8	17	5	24	24.88	94.6	7.1957	59.7371
2025	5	8	17	15	24	24.42	97.8	7.2018	58.3435
2025	5	8	17	25	24	25.33	95.9	7.1896	60.6468
2025	5	8	17	35	24	25.02	95.5	7.1896	59.9249
2025	5	8	17	45	24	23.37	96.9	7.1896	55.8336
2025	5	8	17	55	24	24.37	96.8	7.1896	58.2403
2025	5	8	18	5	24	24.29	95	7.1896	58.2403
2025	5	8	18	15	24	24.58	94.7	7.1835	58.91
2025	5	8	18	25	24	24.14	96.2	7.1957	57.8103
2025	5	8	18	35	24	25.55	96.3	7.1896	61.1284
2025	5	8	18	45	24	25.11	95.3	7.1896	60.1657
2025	5	8	18	55	24	25.79	94.7	7.1835	61.7956
2025	5	8	19	5	24	24.31	97.6	7.1896	57.9999
2025	5	8	19	15	24	23.81	95.5	7.1896	57.0372
2025	5	8	19	25	24	24.81	97.4	7.1957	59.2557
2025	5	8	19	35	24	24.29	97.1	7.1957	58.0514
2025	5	8	19	45	24	26.39	97	7.1957	63.1099
2025	5	8	19	55	24	24.86	96.5	7.1957	59.4967
2025	5	8	20	5	24	25.57	94.3	7.1896	61.3694
2025	5	8	20	15	24	23.88	94.8	7.1896	57.2781
2025	5	8	20	25	24	24.73	95.8	7.1896	59.2035
2025	5	8	20	35	24	25.07	94.3	7.1896	60.1662
2025	5	8	20	45	24	25.45	96.3	7.1896	60.8882
2025	5	8	20	55	24	24.97	96.7	7.1957	59.7379
2025	5	8	21	5	24	24.05	96.4	7.1957	57.57
2025	5	8	21	15	24	24.79	94.9	7.1957	59.4971
2025	5	8	21	25	24	25.26	96.4	7.1896	60.4071
2025	5	8	21	35	24	24.03	97.9	7.1957	57.3293
2025	5	8	21	45	24	24.92	97.6	7.1896	59.4445
2025	5	8	21	55	24	23.96	98.4	7.1896	57.0379
2025	5	8	22	5	24	24.82	95.5	7.1896	59.4446
2025	5	8	22	15	24	25.26	96.4	7.1896	60.4073
2025	5	8	22	25	24	25.47	96.5	7.1896	60.8886
2025	5	8	22	35	24	24.86	96.5	7.1896	59.4447
2025	5	8	22	45	24	24.58	97	7.1896	58.7227
2025	5	8	22	55	24	25.23	95.9	7.1896	60.4074
2025	5	8	23	5	24	25.28	96.8	7.1896	60.4074
2025	5	8	23	15	24	25.03	97.8	7.1896	59.6854
2025	5	8	23	25	24	24.66	96.5	7.1896	58.9635
2025	5	8	23	35	24	25.09	94.8	7.1896	60.1668
2025	5	8	23	45	24	23.7	95.3	7.1896	56.7975
2025	5	8	23	55	24	23.25	93.7	7.1896	55.8348

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	9	0	5	24	23.39	95.2	7.1896	56.0755
2025	5	9	0	15	24	25.08	94.6	7.1896	60.1669
2025	5	9	0	25	24	24.35	96.4	7.1896	58.2416
2025	5	9	0	35	24	25.91	95.3	7.1896	62.0923
2025	5	9	0	45	24	24.08	94.8	7.1896	57.7603
2025	5	9	0	55	24	24.75	96.3	7.1896	59.2043
2025	5	9	1	5	24	24.16	96.7	7.1896	57.7603
2025	5	9	1	15	24	26.1	97	7.1896	62.333
2025	5	9	1	25	24	24.75	96.3	7.1896	59.2043
2025	5	9	1	35	24	23.67	96.8	7.1896	56.557
2025	5	9	1	45	24	24.22	95.7	7.1896	58.001
2025	5	9	1	55	24	25.55	96.3	7.1896	61.1297
2025	5	9	2	5	24	24.08	94.5	7.1896	57.7603
2025	5	9	2	15	24	23.39	97.4	7.1835	55.7855
2025	5	9	2	25	24	23.83	98	7.1835	56.7473
2025	5	9	2	35	24	24.3	95.2	7.1835	58.19
2025	5	9	2	45	24	22.95	93.7	7.1835	55.0641
2025	5	9	2	55	24	24.31	95.4	7.1835	58.19
2025	5	9	3	5	24	24.5	97.3	7.1835	58.4305
2025	5	9	3	15	24	24.58	94.7	7.1835	58.9114
2025	5	9	3	25	24	26.24	95.9	7.1835	62.7587
2025	5	9	3	35	24	24.06	96.7	7.1835	57.4686
2025	5	9	3	45	24	24.42	95.6	7.1835	58.4305
2025	5	9	3	55	24	24.05	93.6	7.1835	57.7091
2025	5	9	4	5	24	24.83	95.8	7.1774	59.3396
2025	5	9	4	15	24	22.81	91.5	7.1835	54.8236
2025	5	9	4	25	24	23.32	95.9	7.1774	55.7359
2025	5	9	4	35	24	24.23	92.8	7.1774	58.1383
2025	5	9	4	45	24	24	95.3	7.1774	57.4176
2025	5	9	4	55	24	25.56	94	7.1774	61.2614
2025	5	9	5	5	24	23.84	93.4	7.1774	57.1773
2025	5	9	5	15	24	24.41	95.4	7.1774	58.3785
2025	5	9	5	25	24	24.83	95.8	7.1774	59.3395
2025	5	9	5	35	24	25.5	95.2	7.1774	61.0211
2025	5	9	5	45	24	24.07	94.3	7.1713	57.6065
2025	5	9	5	55	24	24.28	94.7	7.1713	58.0866
2025	5	9	6	5	24	22.66	94.3	7.1713	54.2461
2025	5	9	6	15	24	24.7	97.2	7.1713	58.8066
2025	5	9	6	25	24	23.1	95.2	7.1713	55.2062
2025	5	9	6	35	24	24.09	95	7.1652	57.5553
2025	5	9	6	45	24	25.69	96.9	7.1713	61.2069
2025	5	9	6	55	24	24.12	95.7	7.1652	57.5553
2025	5	9	7	5	24	25	95	7.1652	59.7136
2025	5	9	7	15	24	24.47	96.8	7.1652	58.2747
2025	5	9	7	25	24	25.06	94.1	7.1591	59.9
2025	5	9	7	35	24	24.21	95.5	7.1591	57.7436
2025	5	9	7	45	24	24.69	94.9	7.1591	58.9415
2025	5	9	7	55	24	24.88	96.9	7.1591	59.1811

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	9	8	5	24	24.96	99.7	7.1591	58.9415
2025	5	9	8	15	24	23.82	97.7	7.1591	56.5454
2025	5	9	8	25	24	25.26	93.9	7.1591	60.379
2025	5	9	8	35	24	24.61	95.4	7.1591	58.7018
2025	5	9	8	45	24	23.98	96.9	7.1591	57.0245
2025	5	9	8	55	24	23.9	95.3	7.1591	57.0245
2025	5	9	9	5	24	25.2	95	7.1591	60.1392
2025	5	9	9	15	24	25.05	96.2	7.1591	59.66
2025	5	9	9	25	24	24.52	97.7	7.1591	58.2223
2025	5	9	9	35	24	24.07	94.3	7.1591	57.5035
2025	5	9	9	45	24	24.09	97.2	7.1591	57.2638
2025	5	9	9	55	24	25.5	97.2	7.1591	60.6182
2025	5	9	10	5	24	23.98	94.8	7.1591	57.2637
2025	5	9	10	15	24	25.44	93.4	7.1591	60.8576
2025	5	9	10	25	24	25.21	95.2	7.1591	60.1388
2025	5	9	10	35	24	23.93	96	7.1591	57.024
2025	5	9	10	45	24	26.51	97.2	7.1591	63.0139
2025	5	9	10	55	24	24.75	93.7	7.1591	59.1803
2025	5	9	11	5	24	24.53	95.9	7.1591	58.4614
2025	5	9	11	15	24	24.64	96.1	7.1591	58.701
2025	5	9	11	25	24	23.75	96.5	7.1591	56.5445
2025	5	9	11	35	24	25.11	95.3	7.1591	59.8988
2025	5	9	11	45	24	24.08	96.9	7.1591	57.2632
2025	5	9	11	55	24	24.08	96.9	7.1591	57.2632
2025	5	9	12	5	24	25.21	95.5	7.1591	60.1383
2025	5	9	12	15	24	23.76	94.1	7.1591	56.7839
2025	5	9	12	25	24	24.76	96.5	7.1591	58.9402
2025	5	9	12	35	24	23.3	95.4	7.153	55.5363
2025	5	9	12	45	24	22.98	97.2	7.1591	54.6274
2025	5	9	12	55	24	24.77	94.2	7.1591	59.1796
2025	5	9	13	5	24	23.4	95.4	7.153	55.7756
2025	5	9	13	15	24	24.92	92.5	7.153	59.6056
2025	5	9	13	25	24	24.44	96.1	7.153	58.1693
2025	5	9	13	35	24	24.44	96.1	7.147	58.1174
2025	5	9	13	45	24	23.71	95.6	7.147	56.4432
2025	5	9	13	55	24	23.58	97.1	7.147	55.9648
2025	5	9	14	5	24	24.36	96.6	7.147	57.8781
2025	5	9	14	15	24	23.92	95.8	7.147	56.9214
2025	5	9	14	25	24	24.51	97.5	7.147	58.1172
2025	5	9	14	35	24	24.08	94.8	7.1409	57.3485
2025	5	9	14	45	24	23.92	95.8	7.147	56.9213
2025	5	9	14	55	24	24.13	95.9	7.1348	57.2972
2025	5	9	15	5	24	23.5	95.4	7.1348	55.8648
2025	5	9	15	15	24	23.58	94.6	7.1348	56.1035
2025	5	9	15	25	24	25.05	96.2	7.1348	59.4458
2025	5	9	15	35	24	24.19	95	7.1348	57.5359
2025	5	9	15	45	24	24.74	96	7.1348	58.7296
2025	5	9	15	55	24	24.32	95.7	7.1348	57.7746

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	9	16	5	24	24.05	93.6	7.1226	57.1947
2025	5	9	16	15	24	23.56	94.1	7.1226	56.0032
2025	5	9	16	25	24	24.36	96.6	7.1226	57.6713
2025	5	9	16	35	24	23.2	95.2	7.1287	55.0992
2025	5	9	16	45	24	24.5	95.2	7.1226	58.148
2025	5	9	16	55	24	23.48	97.1	7.1165	55.4768
2025	5	9	17	5	24	24.85	96.2	7.1165	58.8102
2025	5	9	17	15	24	23.71	95.6	7.1165	56.1912
2025	5	9	17	25	24	24.5	95.2	7.1165	58.096
2025	5	9	17	35	24	23.91	95.5	7.1165	56.6674
2025	5	9	17	45	24	23.91	95.5	7.1104	56.6166
2025	5	9	17	55	24	23.98	94.5	7.1165	56.9056
2025	5	9	18	5	24	23.71	95.6	7.1104	56.1409
2025	5	9	18	15	24	23.23	93	7.1165	55.2389
2025	5	9	18	25	24	24.13	95.9	7.1043	57.0413
2025	5	9	18	35	24	24.47	94.5	7.1043	57.9921
2025	5	9	18	45	24	23	97.5	7.1043	54.1893
2025	5	9	18	55	24	24.78	94.6	7.1104	58.7578
2025	5	9	19	5	24	25.12	97.5	7.1104	59.2336
2025	5	9	19	15	24	23.85	96.5	7.1104	56.3791
2025	5	9	19	25	24	24.57	94.2	7.1104	58.2822
2025	5	9	19	35	24	25.58	94.5	7.1104	60.6611
2025	5	9	19	45	24	24.24	96.2	7.1104	57.3307
2025	5	9	19	55	24	24.21	91.7	7.1043	57.517
2025	5	9	20	5	24	25.36	94.1	7.1104	60.1854
2025	5	9	20	15	24	23.21	95.7	7.1043	54.9027
2025	5	9	20	25	24	23.09	95	7.1043	54.665
2025	5	9	20	35	24	23.87	94.3	7.1043	56.5665
2025	5	9	20	45	24	24.63	92.8	7.1043	58.4679
2025	5	9	20	55	24	25.19	97.1	7.1043	59.4187
2025	5	9	21	5	24	24.24	93.3	7.1043	57.5173
2025	5	9	21	15	24	23.05	93.7	7.1043	54.6653
2025	5	9	21	25	24	23.71	95.6	7.1043	56.0914
2025	5	9	21	35	24	24.47	94.2	7.1043	57.9928
2025	5	9	21	45	24	24.1	97.4	7.1043	56.8045
2025	5	9	21	55	24	23.42	95.9	7.1043	55.3785
2025	5	9	22	5	24	25.48	96.8	7.1043	60.132
2025	5	9	22	15	24	22.5	95.4	7.1043	53.2395
2025	5	9	22	25	24	23.94	93.1	7.1043	56.8046
2025	5	9	22	35	24	24.9	95.1	7.1104	58.9967
2025	5	9	22	45	24	24	97.4	7.1104	56.6178
2025	5	9	22	55	24	24.47	94.2	7.1104	58.0452
2025	5	9	23	5	24	25.96	94	7.1104	61.6136
2025	5	9	23	15	24	25.5	97.2	7.1043	60.1323
2025	5	9	23	25	24	24.91	95.3	7.1165	59.0498
2025	5	9	23	35	24	24.02	92.1	7.1104	57.0937
2025	5	9	23	45	24	23.44	96.4	7.1104	55.4285
2025	5	9	23	55	24	24.21	95.5	7.1104	57.3317

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	10	0	5	24	23.73	96	7.1104	56.1423
2025	5	10	0	15	24	24.86	93.9	7.1165	59.0499
2025	5	10	0	25	24	25.38	96.8	7.1165	60.0023
2025	5	10	0	35	24	25.28	94.5	7.1165	60.0023
2025	5	10	0	45	24	24.04	93.3	7.1165	57.1451
2025	5	10	0	55	24	23.86	96.7	7.1165	56.4308
2025	5	10	1	5	24	24.94	96	7.1165	59.05
2025	5	10	1	15	24	24.87	94.4	7.1165	59.05
2025	5	10	1	25	24	24.68	94.6	7.1165	58.5738
2025	5	10	1	35	24	24.3	95.2	7.1165	57.6214
2025	5	10	1	45	24	25.06	96.4	7.1165	59.2881
2025	5	10	1	55	24	23.68	97	7.1165	55.9547
2025	5	10	2	5	24	23.7	95.3	7.1165	56.1928
2025	5	10	2	15	24	24.57	94.4	7.1165	58.3357
2025	5	10	2	25	24	24.16	94	7.1165	57.3833
2025	5	10	2	35	24	25.76	96.5	7.1165	60.9549
2025	5	10	2	45	24	23.39	97.4	7.1165	55.2404
2025	5	10	2	55	24	23.59	95.1	7.1226	56.0048
2025	5	10	3	5	24	25.66	93.8	7.1165	60.9549
2025	5	10	3	15	24	24.41	95.4	7.1165	57.8595
2025	5	10	3	25	24	24.09	97.2	7.1226	56.9581
2025	5	10	3	35	24	23.73	96	7.1226	56.2431
2025	5	10	3	45	24	23.26	96.7	7.1165	55.0023
2025	5	10	3	55	24	24.89	94.8	7.1165	59.05
2025	5	10	4	5	24	23.82	95.8	7.1226	56.4815
2025	5	10	4	15	24	24.47	94.2	7.1226	58.1497
2025	5	10	4	25	24	24.05	93.8	7.1226	57.1964
2025	5	10	4	35	24	25.43	95.9	7.1226	60.2945
2025	5	10	4	45	24	24.97	96.7	7.1226	59.1029
2025	5	10	4	55	24	24.55	96.3	7.1165	58.0976
2025	5	10	5	5	24	23.81	95.5	7.1226	56.4814
2025	5	10	5	15	24	24.42	97.8	7.1226	57.673
2025	5	10	5	25	24	24.55	93.7	7.1165	58.3356
2025	5	10	5	35	24	24.53	95.9	7.1165	58.0975
2025	5	10	5	45	24	22.82	95.8	7.1165	54.0497
2025	5	10	5	55	24	23.87	94.3	7.1226	56.7197
2025	5	10	6	5	24	22.23	96.2	7.1165	52.6211
2025	5	10	6	15	24	23.87	94.3	7.1226	56.7196
2025	5	10	6	25	24	25.16	96.4	7.1165	59.5261
2025	5	10	6	35	24	26	95.1	7.1165	61.669
2025	5	10	6	45	24	24.97	96.7	7.1165	59.0499
2025	5	10	6	55	24	24.89	97.2	7.1165	58.8118
2025	5	10	7	5	24	24.23	95.9	7.1165	57.3831
2025	5	10	7	15	24	25.05	96.2	7.1165	59.2879
2025	5	10	7	25	24	23.64	96.3	7.1165	55.9545
2025	5	10	7	35	24	24.92	95.5	7.1165	59.0498
2025	5	10	7	45	24	24.45	93.5	7.1165	58.0973
2025	5	10	7	55	24	25.66	94	7.1165	60.9545

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	10	8	5	24	23.51	95.6	7.1104	55.6663
2025	5	10	8	15	24	24.37	94.2	7.1104	57.8073
2025	5	10	8	25	24	24.82	95.5	7.1104	58.7588
2025	5	10	8	35	24	23.97	94.3	7.1104	56.8557
2025	5	10	8	45	24	23.51	95.6	7.1104	55.6662
2025	5	10	8	55	24	24.73	95.8	7.1104	58.5208
2025	5	10	9	5	24	23.52	95.9	7.1043	55.6162
2025	5	10	9	15	24	24.17	98.6	7.1043	56.8045
2025	5	10	9	25	24	24.34	96.1	7.1043	57.5175
2025	5	10	9	35	24	23.73	96	7.1043	56.0914
2025	5	10	9	45	24	24.82	97.6	7.1043	58.4681
2025	5	10	9	55	24	25.18	96.8	7.1043	59.4187
2025	5	10	10	5	24	25.3	95.2	7.1043	59.894
2025	5	10	10	15	24	24.2	95.2	7.1043	57.2796
2025	5	10	10	25	24	24.17	94.3	7.1043	57.2795
2025	5	10	10	35	24	25.26	96.4	7.1043	59.6562
2025	5	10	10	45	24	24.42	95.6	7.1043	57.7548
2025	5	10	10	55	24	25.44	96.1	7.1043	60.1314
2025	5	10	11	5	24	25.44	96.1	7.1043	60.1314
2025	5	10	11	15	24	23.35	93.9	7.1043	55.3779
2025	5	10	11	25	24	24.33	95.9	7.1043	57.5169
2025	5	10	11	35	24	23.98	94.5	7.1043	56.8038
2025	5	10	11	45	24	24.76	96.5	7.0982	58.415
2025	5	10	11	55	24	24.07	98.6	7.1043	56.566
2025	5	10	12	5	24	23.88	94.6	7.1043	56.566
2025	5	10	12	15	24	24.56	94	7.0982	58.1774
2025	5	10	12	25	24	23.62	95.8	7.0982	55.8028
2025	5	10	12	35	24	24.47	96.8	7.0982	57.7024
2025	5	10	12	45	24	24.27	96.9	7.0982	57.2274
2025	5	10	12	55	24	23.91	95.5	7.1043	56.5658
2025	5	10	13	5	24	23.62	95.8	7.1043	55.8527
2025	5	10	13	15	24	23.96	96.7	7.0921	56.4642
2025	5	10	13	25	24	24.86	98.3	7.0921	58.3621
2025	5	10	13	35	24	23.33	96.2	7.0982	55.0901
2025	5	10	13	45	24	24.09	95	7.086	56.8873
2025	5	10	13	55	24	23.43	96.1	7.0982	55.3275
2025	5	10	14	5	24	23.78	94.6	7.0921	56.2267
2025	5	10	14	15	24	23.38	94.7	7.0982	55.3274
2025	5	10	14	25	24	23.92	95.8	7.0921	56.4639
2025	5	10	14	35	24	23.96	96.7	7.0982	56.5147
2025	5	10	14	45	24	24.58	94.7	7.0921	58.1246
2025	5	10	14	55	24	24.08	94.5	7.086	56.8871
2025	5	10	15	5	24	24.2	95.2	7.086	57.1241
2025	5	10	15	15	24	24.24	96.2	7.0799	57.0727
2025	5	10	15	25	24	22.59	97.4	7.086	53.0946
2025	5	10	15	35	24	24.55	93.7	7.086	58.0722
2025	5	10	15	45	24	23.94	93.4	7.0799	56.5991
2025	5	10	15	55	24	24.39	94.9	7.0738	57.4945

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	10	16	5	24	23.67	96.8	7.086	55.7019
2025	5	10	16	15	24	23.63	96.1	7.086	55.7019
2025	5	10	16	25	24	24.23	95.9	7.0799	57.0727
2025	5	10	16	35	24	24.14	93.3	7.0738	57.0213
2025	5	10	16	45	24	23.72	95.8	7.0738	55.8383
2025	5	10	16	55	24	24.76	93.9	7.0738	58.441
2025	5	10	17	5	24	24.26	96.6	7.0677	56.97
2025	5	10	17	15	24	24.27	96.9	7.0738	57.0214
2025	5	10	17	25	24	22.66	94	7.0677	53.4242
2025	5	10	17	35	24	24.09	95	7.0677	56.7337
2025	5	10	17	45	24	24.05	93.6	7.0738	56.7849
2025	5	10	17	55	24	24.61	99.1	7.0738	57.4947
2025	5	10	18	5	24	24.08	96.9	7.0677	56.4973
2025	5	10	18	15	24	23.39	95.2	7.0677	55.079
2025	5	10	18	25	24	23.89	95	7.0616	56.2102
2025	5	10	18	35	24	23.1	95.5	7.0616	54.3208
2025	5	10	18	45	24	23.53	96.1	7.0616	55.2656
2025	5	10	18	55	24	24.32	95.7	7.0616	57.155
2025	5	10	19	5	24	24.66	96.5	7.0677	57.9159
2025	5	10	19	15	24	23.85	93.8	7.0677	56.2612
2025	5	10	19	25	24	25.32	97.5	7.0677	59.3343
2025	5	10	19	35	24	25.18	96.8	7.0738	59.1513
2025	5	10	19	45	24	24.44	96.1	7.0677	57.4432
2025	5	10	19	55	24	24.51	99.2	7.0677	57.2069
2025	5	10	20	5	24	24.71	97.4	7.0677	57.9161
2025	5	10	20	15	24	23.21	95.7	7.0677	54.6066
2025	5	10	20	25	24	23.78	94.8	7.0738	56.0756
2025	5	10	20	35	24	23.82	95.8	7.0677	56.0251
2025	5	10	20	45	24	24.75	98.1	7.0677	57.9162
2025	5	10	20	55	24	24.86	96.5	7.0677	58.3891
2025	5	10	21	5	24	24.36	94	7.0677	57.4435
2025	5	10	21	15	24	24.79	97.2	7.0677	58.1528
2025	5	10	21	25	24	23.37	94.4	7.0677	55.0797
2025	5	10	21	35	24	24.51	99.2	7.0677	57.2073
2025	5	10	21	45	24	24.35	96.4	7.0677	57.2073
2025	5	10	21	55	24	25.12	95.7	7.0738	59.1518
2025	5	10	22	5	24	25.14	93.4	7.0677	59.3349
2025	5	10	22	15	24	25.18	94.6	7.0738	59.3885
2025	5	10	22	25	24	24.02	95.7	7.0677	56.4983
2025	5	10	22	35	24	24.36	94	7.0677	57.4439
2025	5	10	22	45	24	24.43	95.9	7.0677	57.4439
2025	5	10	22	55	24	24.47	94.5	7.0677	57.6803
2025	5	10	23	5	24	23.76	98.5	7.0677	55.5528
2025	5	10	23	15	24	24.76	96.5	7.0677	58.1532
2025	5	10	23	25	24	25.02	97.6	7.0677	58.626
2025	5	10	23	35	24	24.4	95.2	7.0677	57.444
2025	5	10	23	45	24	25.22	95.7	7.0677	59.3352
2025	5	10	23	55	24	24.16	96.7	7.0677	56.7349

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	11	0	5	24	24.43	95.9	7.0677	57.4441
2025	5	11	0	15	24	24.64	96.1	7.0677	57.9169
2025	5	11	0	25	24	24.09	97.2	7.0677	56.4985
2025	5	11	0	35	24	22.46	94.1	7.0677	52.9526
2025	5	11	0	45	24	23.58	94.6	7.0677	55.553
2025	5	11	0	55	24	25.12	97.5	7.0677	58.8625
2025	5	11	1	5	24	25.02	97.6	7.0616	58.5732
2025	5	11	1	15	24	24.51	95.4	7.0616	57.6285
2025	5	11	1	25	24	23.35	96.4	7.0616	54.7943
2025	5	11	1	35	24	24.18	94.7	7.0616	56.92
2025	5	11	1	45	24	25.12	97.5	7.0616	58.8094
2025	5	11	1	55	24	23.77	94.3	7.0616	55.9753
2025	5	11	2	5	24	23.95	93.8	7.0677	56.4986
2025	5	11	2	15	24	24.29	95	7.0677	57.2078
2025	5	11	2	25	24	23.98	96.9	7.0677	56.2622
2025	5	11	2	35	24	24.87	96.7	7.0677	58.3897
2025	5	11	2	45	24	25.4	97.2	7.0677	59.5717
2025	5	11	2	55	24	23.93	96	7.0677	56.2622
2025	5	11	3	5	24	25.86	96.4	7.0738	60.8085
2025	5	11	3	15	24	24.41	95.4	7.0738	57.496
2025	5	11	3	25	24	24.78	97	7.0738	58.2058
2025	5	11	3	35	24	25.21	95.2	7.0738	59.3888
2025	5	11	3	45	24	24.32	95.7	7.0738	57.2593
2025	5	11	3	55	24	26.19	98.6	7.0738	61.2817
2025	5	11	4	5	24	23.93	96	7.0738	56.3129
2025	5	11	4	15	24	25.5	95.2	7.0738	60.0986
2025	5	11	4	25	24	23.37	96.9	7.0738	54.8932
2025	5	11	4	35	24	25.22	95.7	7.0738	59.3887
2025	5	11	4	45	24	23.69	95.1	7.0738	55.8396
2025	5	11	4	55	24	24.67	94.2	7.0738	58.2057
2025	5	11	5	5	24	25.53	92.9	7.0799	60.3895
2025	5	11	5	15	24	24.71	95.3	7.0799	58.2581
2025	5	11	5	25	24	24.68	94.6	7.0799	58.2581
2025	5	11	5	35	24	24.13	92.6	7.0799	57.074
2025	5	11	5	45	24	23.98	96.9	7.0799	56.3635
2025	5	11	5	55	24	22.82	92.3	7.0799	53.9953
2025	5	11	6	5	24	23.75	96.5	7.0799	55.8899
2025	5	11	6	15	24	23.64	96.3	7.0799	55.653
2025	5	11	6	25	24	25.66	96.5	7.0799	60.3894
2025	5	11	6	35	24	23.36	98.6	7.0799	54.7057
2025	5	11	6	45	24	23.61	91.5	7.0799	55.8898
2025	5	11	6	55	24	24.15	96.4	7.0799	56.8371
2025	5	11	7	5	24	23.95	96.5	7.0738	56.3127
2025	5	11	7	15	24	24.25	96.4	7.0799	57.0739
2025	5	11	7	25	24	26	97.1	7.0799	61.0998
2025	5	11	7	35	24	25.21	95.5	7.0799	59.442
2025	5	11	7	45	24	25.04	96	7.0799	58.9684
2025	5	11	7	55	24	22.88	97.3	7.0799	53.7583

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	11	8	5	24	24.82	95.5	7.0799	58.4947
2025	5	11	8	15	24	24.79	94.9	7.0799	58.4947
2025	5	11	8	25	24	24.31	95.4	7.0799	57.3105
2025	5	11	8	35	24	24.97	94.4	7.0799	58.9682
2025	5	11	8	45	24	24.16	96.7	7.0799	56.8368
2025	5	11	8	55	24	23.72	95.8	7.0799	55.8895
2025	5	11	9	5	24	24.17	94.3	7.0738	57.0222
2025	5	11	9	15	24	24.11	91.9	7.0799	57.0735
2025	5	11	9	25	24	24.19	97.1	7.0799	56.8367
2025	5	11	9	35	24	23.85	93.6	7.0799	56.363
2025	5	11	9	45	24	24.43	95.9	7.0799	57.5471
2025	5	11	9	55	24	24.46	96.6	7.0799	57.547
2025	5	11	10	5	24	24.15	96.4	7.0799	56.8365
2025	5	11	10	15	24	25.01	97.4	7.0799	58.7311
2025	5	11	10	25	24	25.31	95.4	7.0799	59.6783
2025	5	11	10	35	24	23.03	96	7.0799	54.2314
2025	5	11	10	45	24	24.34	98	7.0799	57.0732
2025	5	11	10	55	24	23.8	97.5	7.0799	55.8891
2025	5	11	11	5	24	25.04	96	7.0677	58.8614
2025	5	11	11	15	24	23.43	92.9	7.0677	55.3155
2025	5	11	11	25	24	25.36	96.3	7.0616	59.5167
2025	5	11	11	35	24	23.64	96.3	7.0616	55.5017
2025	5	11	11	45	24	23.15	98.4	7.0677	54.1334
2025	5	11	11	55	24	23.74	93.4	7.0616	55.974
2025	5	11	12	5	24	22.74	93.5	7.0616	53.6122
2025	5	11	12	15	24	24.08	94.5	7.0616	56.6824
2025	5	11	12	25	24	24.32	95.7	7.0616	57.1547
2025	5	11	12	35	24	24.22	95.7	7.0555	56.8671
2025	5	11	12	45	24	24.17	96.9	7.0555	56.6311
2025	5	11	12	55	24	24.7	97.2	7.0555	57.8109
2025	5	11	13	5	24	24.08	94.5	7.0555	56.6311
2025	5	11	13	15	24	23.98	94.5	7.0494	56.3441
2025	5	11	13	25	24	24.19	95	7.0494	56.8155
2025	5	11	13	35	24	24.47	96.8	7.0494	57.287
2025	5	11	13	45	24	24.47	96.8	7.0494	57.287
2025	5	11	13	55	24	24.42	95.6	7.0494	57.287
2025	5	11	14	5	24	23.75	96.5	7.0494	55.6367
2025	5	11	14	15	24	24.91	95.3	7.0494	58.4656
2025	5	11	14	25	24	24.53	95.9	7.0494	57.5226
2025	5	11	14	35	24	24.23	95.9	7.0494	56.8154
2025	5	11	14	45	24	25.17	96.6	7.0433	58.8838
2025	5	11	14	55	24	25.33	95.9	7.0433	59.3548
2025	5	11	15	5	24	25.27	96.6	7.0433	59.1193
2025	5	11	15	15	24	24.17	94.5	7.0433	56.7639
2025	5	11	15	25	24	24.89	94.8	7.0433	58.4127
2025	5	11	15	35	24	24.27	94.5	7.0433	56.9994
2025	5	11	15	45	24	25	95	7.0433	58.6482
2025	5	11	15	55	24	24.68	94.6	7.0433	57.9416

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	11	16	5	24	23.98	96.9	7.0433	56.0573
2025	5	11	16	15	24	23.7	95.3	7.0433	55.5862
2025	5	11	16	25	24	23.85	93.6	7.0433	56.0573
2025	5	11	16	35	24	25.24	93.2	7.0433	59.3548
2025	5	11	16	45	24	24.77	94.4	7.0372	58.1244
2025	5	11	16	55	24	24.57	94.2	7.0372	57.6538
2025	5	11	17	5	24	23.98	94.5	7.0372	56.2419
2025	5	11	17	15	24	23.26	96.7	7.0372	54.3593
2025	5	11	17	25	24	24.66	94	7.0372	57.8892
2025	5	11	17	35	24	24.27	94.5	7.0372	56.9479
2025	5	11	17	45	24	22.42	92.6	7.0372	52.7122
2025	5	11	17	55	24	25.64	97.8	7.0372	59.7718
2025	5	11	18	5	24	23.95	93.6	7.0372	56.242
2025	5	11	18	15	24	23.89	95	7.0372	56.0068
2025	5	11	18	25	24	23.65	93.6	7.0372	55.5361
2025	5	11	18	35	24	24.65	93.5	7.0372	57.8894
2025	5	11	18	45	24	24.64	96.1	7.0372	57.6541
2025	5	11	18	55	24	23.78	94.8	7.0311	55.721
2025	5	11	19	5	24	24.22	95.7	7.0311	56.6615
2025	5	11	19	15	24	23.94	96.2	7.0311	55.9562
2025	5	11	19	25	24	24.55	96.3	7.0311	57.3669
2025	5	11	19	35	24	23.92	95.8	7.025	55.9055
2025	5	11	19	45	24	24.8	95.1	7.0311	58.0723
2025	5	11	19	55	24	24.47	94.5	7.0311	57.367
2025	5	11	20	5	24	24.57	96.8	7.0311	57.3671
2025	5	11	20	15	24	23.85	93.6	7.0311	55.9565
2025	5	11	20	25	24	23.93	92.9	7.0311	56.1916
2025	5	11	20	35	24	23.65	93.9	7.0311	55.4863
2025	5	11	20	45	24	25.31	95.4	7.0311	59.2481
2025	5	11	20	55	24	23.92	95.8	7.0311	55.9566
2025	5	11	21	5	24	24.1	95.2	7.0311	56.4269
2025	5	11	21	15	24	24.71	95.3	7.0311	57.8376
2025	5	11	21	25	24	24.72	95.6	7.025	57.7851
2025	5	11	21	35	24	24.1	97.4	7.0311	56.1919
2025	5	11	21	45	24	24.47	94.2	7.0311	57.3675
2025	5	11	21	55	24	24.82	95.5	7.0311	58.0728
2025	5	11	22	5	24	24.85	96.2	7.0311	58.0729
2025	5	11	22	15	24	25.81	95.3	7.0311	60.424
2025	5	11	22	25	24	24.17	94.3	7.0311	56.6623
2025	5	11	22	35	24	24.28	94.7	7.0311	56.8974
2025	5	11	22	45	24	25.75	96.2	7.0311	60.189
2025	5	11	22	55	24	25.04	96	7.0311	58.5433
2025	5	11	23	5	24	24.86	96.5	7.0311	58.0731
2025	5	11	23	15	24	24.76	93.9	7.0311	58.0731
2025	5	11	23	25	24	23.52	97.8	7.0311	54.7815
2025	5	11	23	35	24	25.3	95.2	7.0311	59.2487
2025	5	11	23	45	24	25.75	96.2	7.0311	60.1892
2025	5	11	23	55	24	25.36	96.3	7.0372	59.3025

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	12	0	5	24	23.69	97.3	7.0372	55.302
2025	5	12	0	15	24	24.47	94.5	7.0372	57.4199
2025	5	12	0	25	24	25.18	94.6	7.0372	59.0672
2025	5	12	0	35	24	23.22	95.9	7.0372	54.3607
2025	5	12	0	45	24	23.49	95.1	7.0372	55.0667
2025	5	12	0	55	24	24.17	94.5	7.0372	56.714
2025	5	12	1	5	24	24.4	99	7.0372	56.714
2025	5	12	1	15	24	24.37	96.8	7.0372	56.9494
2025	5	12	1	25	24	22.44	93.3	7.0372	52.7135
2025	5	12	1	35	24	23.57	96.8	7.0372	55.0668
2025	5	12	1	45	24	24.52	95.6	7.0311	57.368
2025	5	12	1	55	24	25.07	96.6	7.0372	58.5967
2025	5	12	2	5	24	24.2	95.2	7.0372	56.7141
2025	5	12	2	15	24	24.57	96.8	7.0372	57.4201
2025	5	12	2	25	24	24.78	97	7.0372	57.8908
2025	5	12	2	35	24	24.38	94.7	7.0311	57.133
2025	5	12	2	45	24	22.85	96.5	7.0372	53.4195
2025	5	12	2	55	24	22.83	93	7.0372	53.6549
2025	5	12	3	5	24	24.48	97	7.0372	57.1848
2025	5	12	3	15	24	23.86	96.7	7.0372	55.7728
2025	5	12	3	25	24	24.06	96.7	7.0372	56.2435
2025	5	12	3	35	24	23.82	95.8	7.0372	55.7728
2025	5	12	3	45	24	23.59	99	7.0372	54.8315
2025	5	12	3	55	24	23.64	96.3	7.0372	55.3022
2025	5	12	4	5	24	24.38	94.7	7.0372	57.1848
2025	5	12	4	15	24	24.36	96.6	7.0311	56.8979
2025	5	12	4	25	24	24.31	95.4	7.0311	56.8979
2025	5	12	4	35	24	24.29	95	7.0372	56.9495
2025	5	12	4	45	24	23.64	96.3	7.0372	55.3022
2025	5	12	4	55	24	23.22	95.9	7.0372	54.3609
2025	5	12	5	5	24	24.56	96.5	7.0372	57.4201
2025	5	12	5	15	24	23.24	93.5	7.0372	54.5962
2025	5	12	5	25	24	24.45	93.8	7.0372	57.4201
2025	5	12	5	35	24	24.56	96.5	7.0372	57.4201
2025	5	12	5	45	24	24.47	94.2	7.0311	57.3681
2025	5	12	5	55	24	24.45	96.3	7.0311	57.133
2025	5	12	6	5	24	24.21	95.5	7.0311	56.6628
2025	5	12	6	15	24	24.68	94.6	7.0311	57.8383
2025	5	12	6	25	24	23.82	95.8	7.0311	55.7223
2025	5	12	6	35	24	24.1	97.4	7.0311	56.1925
2025	5	12	6	45	24	25.16	96.4	7.0311	58.7788
2025	5	12	6	55	24	24.45	93.8	7.0311	57.3681
2025	5	12	7	5	24	24.76	98.4	7.0311	57.6032
2025	5	12	7	15	24	23.68	94.6	7.0311	55.4872
2025	5	12	7	25	24	23.79	95.1	7.0311	55.7223
2025	5	12	7	35	24	26.09	94.8	7.0311	61.1299
2025	5	12	7	45	24	24.29	97.1	7.0311	56.6627
2025	5	12	7	55	24	23.88	97	7.0311	55.7222

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	12	8	5	24	24.84	96	7.0311	58.0734
2025	5	12	8	15	24	24.15	93.8	7.0311	56.6626
2025	5	12	8	25	24	23.2	95.4	7.0311	54.3115
2025	5	12	8	35	24	24.51	95.4	7.0311	57.3679
2025	5	12	8	45	24	24.37	94.2	7.0311	57.1328
2025	5	12	8	55	24	23.81	95.5	7.0311	55.7221
2025	5	12	9	5	24	24.15	96.4	7.0311	56.4274
2025	5	12	9	15	24	23.1	95.5	7.0311	54.0762
2025	5	12	9	25	24	24.65	96.3	7.0311	57.6029
2025	5	12	9	35	24	23.27	96.9	7.0311	54.3113
2025	5	12	9	45	24	24.32	97.8	7.025	56.611
2025	5	12	9	55	24	23.12	96	7.0311	54.0761
2025	5	12	10	5	24	23.51	95.6	7.025	54.9666
2025	5	12	10	15	24	23.42	95.9	7.025	54.7317
2025	5	12	10	25	24	23.34	93.4	7.0189	54.682
2025	5	12	10	35	24	24.56	94	7.025	57.5504
2025	5	12	10	45	24	23.44	93.2	7.025	54.9665
2025	5	12	10	55	24	23.69	95.1	7.025	55.4362
2025	5	12	11	5	24	23.54	96.3	7.025	54.9664
2025	5	12	11	15	24	24.47	94.2	7.0311	57.3674
2025	5	12	11	25	24	24.69	94.9	7.0311	57.8376
2025	5	12	11	35	24	22.31	92.1	7.025	52.3824
2025	5	12	11	45	24	25.54	96.1	7.0311	59.7184
2025	5	12	11	55	24	24.55	96.3	7.0311	57.3672
2025	5	12	12	5	24	25.59	97	7.0311	59.7183
2025	5	12	12	15	24	25.16	96.4	7.0311	58.7778
2025	5	12	12	25	24	24.41	95.4	7.0311	57.132
2025	5	12	12	35	24	24.14	96.2	7.025	56.3754
2025	5	12	12	45	24	25.1	95	7.025	58.7243
2025	5	12	12	55	24	24.55	93.5	7.025	57.5498
2025	5	12	13	5	24	24.89	94.8	7.025	58.2544
2025	5	12	13	15	24	23.48	94.6	7.025	54.9659
2025	5	12	13	25	24	24.57	94.4	7.0189	57.4974
2025	5	12	13	35	24	24.35	93.8	7.0189	57.028
2025	5	12	13	45	24	24.42	92.3	7.025	57.3147
2025	5	12	13	55	24	25.05	93.7	7.025	58.7241
2025	5	12	14	5	24	24.91	97.4	7.0189	57.9667
2025	5	12	14	15	24	24.61	97.5	7.0128	57.2106
2025	5	12	14	25	24	24	95.3	7.0128	56.0382
2025	5	12	14	35	24	23.84	93.1	7.0189	55.8545
2025	5	12	14	45	24	24.52	95.6	7.0067	57.1585
2025	5	12	14	55	24	24.68	94.6	7.0128	57.6794
2025	5	12	15	5	24	23.96	98.4	7.0006	55.4681
2025	5	12	15	15	24	25.3	97.3	7.0067	58.7982
2025	5	12	15	25	24	24.44	93.3	7.0067	57.1584
2025	5	12	15	35	24	22.84	93.3	6.9945	53.313
2025	5	12	15	45	24	24.25	96.4	6.9945	56.3528
2025	5	12	15	55	24	24.74	93.2	7.0006	57.8084

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	12	16	5	24	23.52	95.9	6.9885	54.6661
2025	5	12	16	15	24	23.01	95.5	6.9945	53.5468
2025	5	12	16	25	24	23.68	94.6	6.9885	55.1333
2025	5	12	16	35	24	22.6	97.6	6.9885	52.3299
2025	5	12	16	45	24	24.11	95.5	6.9885	56.0678
2025	5	12	16	55	24	22.76	94.3	6.9885	53.0308
2025	5	12	17	5	24	23.72	95.8	6.9885	55.1333
2025	5	12	17	15	24	23.32	95.9	6.9824	54.1494
2025	5	12	17	25	24	22.24	96.5	6.9824	51.582
2025	5	12	17	35	24	23.49	94.9	6.9885	54.6662
2025	5	12	17	45	24	23.43	99.6	6.9763	53.8668
2025	5	12	17	55	24	23.52	95.9	6.9763	54.5664
2025	5	12	18	5	24	24.25	96.4	6.9763	56.1988
2025	5	12	18	15	24	23.14	96.2	6.9763	53.6337
2025	5	12	18	25	24	23.44	96.4	6.9763	54.3333
2025	5	12	18	35	24	23.06	94	6.9702	53.5848
2025	5	12	18	45	24	24.2	97.4	6.9824	56.0169
2025	5	12	18	55	24	23.78	97	6.9763	55.033
2025	5	12	19	5	24	23.24	93.5	6.9702	54.0509
2025	5	12	19	15	24	23.09	95	6.9702	53.585
2025	5	12	19	25	24	23.56	94.1	6.9702	54.7499
2025	5	12	19	35	24	24.93	97.8	6.9702	57.5457
2025	5	12	19	45	24	23.98	96.9	6.9702	55.4489
2025	5	12	19	55	24	24.04	96.2	6.9702	55.6819
2025	5	12	20	5	24	24.71	99.1	6.9702	56.8469
2025	5	12	20	15	24	23.52	95.9	6.9702	54.5171
2025	5	12	20	25	24	24.78	98.6	6.9702	57.0799
2025	5	12	20	35	24	23.63	98	6.9702	54.5172
2025	5	12	20	45	24	23.98	96.9	6.9702	55.4492
2025	5	12	20	55	24	23.71	95.6	6.9702	54.9833
2025	5	12	21	5	24	24.45	96.3	6.9702	56.6142
2025	5	12	21	15	24	24.92	95.5	6.9702	57.7791
2025	5	12	21	25	24	22.45	93.8	6.9641	52.1399
2025	5	12	21	35	24	24.68	97	6.9702	57.0803
2025	5	12	21	45	24	23.71	99.2	6.9641	54.4676
2025	5	12	21	55	24	23.41	97.6	6.9641	54.0021
2025	5	12	22	5	24	23.19	97.4	6.9641	53.5366
2025	5	12	22	15	24	24.83	95.8	6.9641	57.4937
2025	5	12	22	25	24	24.29	95	6.9641	56.3299
2025	5	12	22	35	24	24.26	96.6	6.9641	56.0972
2025	5	12	22	45	24	24.93	95.8	6.9641	57.7266
2025	5	12	22	55	24	24.62	95.6	6.9641	57.0284
2025	5	12	23	5	24	24.01	95.5	6.9641	55.6318
2025	5	12	23	15	24	24.29	97.1	6.9641	56.0974
2025	5	12	23	25	24	25.06	94.1	6.9641	58.1923
2025	5	12	23	35	24	24.82	95.5	6.9641	57.4941
2025	5	12	23	45	24	25.06	94.1	6.9641	58.1924
2025	5	12	23	55	24	23.78	94.6	6.9641	55.1664

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	13	0	5	24	24.95	93.7	6.9641	57.9597
2025	5	13	0	15	24	22.93	96	6.9641	53.0716
2025	5	13	0	25	24	24.48	94.7	6.9641	56.7959
2025	5	13	0	35	24	25.3	97.3	6.9641	58.4253
2025	5	13	0	45	24	24.31	95.4	6.9641	56.3304
2025	5	13	0	55	24	23.61	95.6	6.958	54.651
2025	5	13	1	5	24	23.36	94.2	6.958	54.1859
2025	5	13	1	15	24	23.96	94.1	6.9641	55.6322
2025	5	13	1	25	24	25.05	96.2	6.958	57.9068
2025	5	13	1	35	24	23.7	97.5	6.958	54.651
2025	5	13	1	45	24	23.68	94.6	6.958	54.8836
2025	5	13	1	55	24	25.17	96.6	6.958	58.1394
2025	5	13	2	5	24	24.82	95.5	6.9641	57.4944
2025	5	13	2	15	24	23.95	96.5	6.9641	55.3995
2025	5	13	2	25	24	22.59	97.4	6.9641	52.1407
2025	5	13	2	35	24	23.95	96.5	6.9641	55.3995
2025	5	13	2	45	24	23.03	96	6.9641	53.3046
2025	5	13	2	55	24	24.93	97.8	6.9702	57.5471
2025	5	13	3	5	24	23.02	95.7	6.9702	53.3534
2025	5	13	3	15	24	23.61	95.6	6.9702	54.7513
2025	5	13	3	25	24	24.04	96.2	6.9641	55.6323
2025	5	13	3	35	24	23.42	95.9	6.9641	54.2357
2025	5	13	3	45	24	24.5	97.3	6.9763	56.667
2025	5	13	3	55	24	23.84	96.3	6.9702	55.2173
2025	5	13	4	5	24	23.94	99.6	6.9702	54.9843
2025	5	13	4	15	24	23.58	97.1	6.9763	54.5683
2025	5	13	4	25	24	23.23	96.2	6.9641	53.7701
2025	5	13	4	35	24	24.45	96.3	6.9641	56.5634
2025	5	13	4	45	24	23.62	95.8	6.9641	54.7012
2025	5	13	4	55	24	24.14	96.2	6.9641	55.8651
2025	5	13	5	5	24	24.02	95.7	6.9641	55.6323
2025	5	13	5	15	24	23.68	94.6	6.958	54.8837
2025	5	13	5	25	24	24.57	94.2	6.9641	57.0289
2025	5	13	5	35	24	23.81	95.5	6.9641	55.1668
2025	5	13	5	45	24	23.79	95.1	6.9702	55.2173
2025	5	13	5	55	24	23.52	95.9	6.958	54.4185
2025	5	13	6	5	24	23.04	93.5	6.958	53.4883
2025	5	13	6	15	24	22.97	94.5	6.958	53.2557
2025	5	13	6	25	24	23.16	94.2	6.9641	53.7701
2025	5	13	6	35	24	24.16	96.7	6.9641	55.865
2025	5	13	6	45	24	23.84	96.3	6.9641	55.1667
2025	5	13	6	55	24	22.82	95.8	6.9641	52.839
2025	5	13	7	5	24	23.03	96	6.9641	53.3045
2025	5	13	7	15	24	23.04	96.2	6.958	53.2557
2025	5	13	7	25	24	24.43	95.9	6.9641	56.5633
2025	5	13	7	35	24	22.57	94.6	6.958	52.3255
2025	5	13	7	45	24	23.4	95.4	6.9702	54.2853
2025	5	13	7	55	24	23.2	95.4	6.958	53.7208

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	13	8	5	24	22.74	96.3	6.958	52.558
2025	5	13	8	15	24	23.57	94.4	6.9641	54.7011
2025	5	13	8	25	24	24.25	96.4	6.958	56.0463
2025	5	13	8	35	24	23.91	95.5	6.958	55.3486
2025	5	13	8	45	24	24.27	94.5	6.958	56.2788
2025	5	13	8	55	24	24.21	95.5	6.9519	55.9948
2025	5	13	9	5	24	24.14	93.3	6.958	56.0462
2025	5	13	9	15	24	23.73	96	6.958	54.8834
2025	5	13	9	25	24	23.27	94.4	6.958	53.9531
2025	5	13	9	35	24	23.68	94.6	6.958	54.8833
2025	5	13	9	45	24	24.52	95.6	6.958	56.7437
2025	5	13	9	55	24	24.16	94	6.9519	55.9946
2025	5	13	10	5	24	23.81	95.5	6.958	55.1158
2025	5	13	10	15	24	23.58	94.6	6.958	54.6506
2025	5	13	10	25	24	23.61	95.6	6.958	54.6506
2025	5	13	10	35	24	24.87	96.7	6.958	57.4412
2025	5	13	10	45	24	23.51	95.6	6.958	54.418
2025	5	13	10	55	24	24.45	96.3	6.958	56.511
2025	5	13	11	5	24	22.79	95	6.958	52.79
2025	5	13	11	15	24	24.77	94.2	6.9519	57.3884
2025	5	13	11	25	24	24.13	95.9	6.958	55.8132
2025	5	13	11	35	24	23.47	94.4	6.958	54.4178
2025	5	13	11	45	24	23.82	95.8	6.958	55.1154
2025	5	13	11	55	24	24.24	96.2	6.958	56.0456
2025	5	13	12	5	24	25.26	94.1	6.958	58.6037
2025	5	13	12	15	24	23.34	93.4	6.9519	54.1354
2025	5	13	12	25	24	23.31	95.7	6.9519	53.9031
2025	5	13	12	35	24	22.25	93.9	6.9519	51.5796
2025	5	13	12	45	24	24.42	97.8	6.9519	56.2264
2025	5	13	12	55	24	23.48	94.6	6.9519	54.3677
2025	5	13	13	5	24	22.86	96.8	6.9519	52.7413
2025	5	13	13	15	24	24.12	95.7	6.9519	55.7617
2025	5	13	13	25	24	23.8	97.5	6.9519	54.8323
2025	5	13	13	35	24	24.9	95.1	6.9519	57.6203
2025	5	13	13	45	24	22.46	94.1	6.9519	52.0442
2025	5	13	13	55	24	23.55	93.7	6.9519	54.5999
2025	5	13	14	5	24	23.21	95.7	6.9519	53.6705
2025	5	13	14	15	24	24.92	95.5	6.9519	57.6203
2025	5	13	14	25	24	23.93	92.6	6.9458	55.4782
2025	5	13	14	35	24	22.15	93.9	6.9458	51.2999
2025	5	13	14	45	24	24.39	94.9	6.9458	56.4067
2025	5	13	14	55	24	24.87	94.2	6.9458	57.5673
2025	5	13	15	5	24	23.56	94.1	6.9458	54.5497
2025	5	13	15	15	24	22.76	94.3	6.9458	52.6927
2025	5	13	15	25	24	23.48	97.1	6.9458	54.0854
2025	5	13	15	35	24	24.56	96.5	6.9397	56.5868
2025	5	13	15	45	24	23	95.2	6.9458	53.1569
2025	5	13	15	55	24	25.23	95.9	6.9458	58.2637

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	13	16	5	24	22.55	93.8	6.9458	52.2284
2025	5	13	16	15	24	23.32	95.9	6.9397	53.8038
2025	5	13	16	25	24	23.85	93.6	6.9397	55.1953
2025	5	13	16	35	24	25.37	94.3	6.9397	58.674
2025	5	13	16	45	24	24.44	96.1	6.9336	56.3031
2025	5	13	16	55	24	23.26	94.2	6.9275	53.705
2025	5	13	17	5	24	23.26	94.2	6.9336	53.7545
2025	5	13	17	15	24	23.69	95.1	6.9275	54.631
2025	5	13	17	25	24	24.35	93.8	6.9275	56.2514
2025	5	13	17	35	24	23.28	94.7	6.9275	53.7051
2025	5	13	17	45	24	24.96	96.4	6.9214	57.3561
2025	5	13	17	55	24	23.22	95.9	6.9336	53.523
2025	5	13	18	5	24	24.33	93.1	6.9275	56.2516
2025	5	13	18	15	24	25.53	95.8	6.9275	58.7981
2025	5	13	18	25	24	24.9	95.1	6.9275	57.4092
2025	5	13	18	35	24	24.16	94	6.9214	55.7374
2025	5	13	18	45	24	23.85	93.6	6.9214	55.0437
2025	5	13	18	55	24	23.98	94.5	6.9214	55.275
2025	5	13	19	5	24	23.32	95.9	6.9214	53.6561
2025	5	13	19	15	24	23.35	93.7	6.9275	53.9372
2025	5	13	19	25	24	23.9	95.3	6.9214	55.0439
2025	5	13	19	35	24	23.85	93.6	6.9275	55.0947
2025	5	13	19	45	24	22.76	96.8	6.9275	52.3169
2025	5	13	19	55	24	23.58	94.9	6.9275	54.4003
2025	5	13	20	5	24	23.04	93.5	6.9275	53.2429
2025	5	13	20	15	24	22.01	91.3	6.9275	50.9281
2025	5	13	20	25	24	23.88	94.8	6.9336	55.1457
2025	5	13	20	35	24	22.59	97.4	6.9336	51.9019
2025	5	13	20	45	24	23.14	98.2	6.9336	53.0605
2025	5	13	20	55	24	23.91	95.5	6.9336	55.1459
2025	5	13	21	5	24	23.94	93.4	6.9275	55.3267
2025	5	13	21	15	24	23.67	96.8	6.9275	54.4007
2025	5	13	21	25	24	23.43	98.1	6.9336	53.7558
2025	5	13	21	35	24	23.62	95.8	6.9275	54.4008
2025	5	13	21	45	24	22.06	94.2	6.9336	50.9754
2025	5	13	21	55	24	24.46	96.6	6.9275	56.2529
2025	5	13	22	5	24	23.36	94.2	6.9275	53.938
2025	5	13	22	15	24	22.54	96.4	6.9275	51.8546
2025	5	13	22	25	24	24	95.3	6.9275	55.3271
2025	5	13	22	35	24	23.27	96.9	6.9275	53.4752
2025	5	13	22	45	24	22.83	92.8	6.9275	52.7807
2025	5	13	22	55	24	24.18	94.7	6.9275	55.7902
2025	5	13	23	5	24	23.07	94.5	6.9275	53.2438
2025	5	13	23	15	24	23.57	94.4	6.9275	54.4013
2025	5	13	23	25	24	22.36	94.1	6.9275	51.6234
2025	5	13	23	35	24	22.31	95.7	6.9275	51.392
2025	5	13	23	45	24	22.37	94.6	6.9275	51.6235
2025	5	13	23	55	24	23.01	95.5	6.9275	53.0125

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	14	0	5	24	24.39	94.9	6.9275	56.2535
2025	5	14	0	15	24	23.61	95.6	6.9275	54.4015
2025	5	14	0	25	24	23.57	96.8	6.9214	54.1202
2025	5	14	0	35	24	23.22	97.9	6.9275	53.2441
2025	5	14	0	45	24	23.41	95.6	6.9275	53.9386
2025	5	14	0	55	24	22.68	94.8	6.9275	52.3182
2025	5	14	1	5	24	23.78	97	6.9275	54.6332
2025	5	14	1	15	24	24.52	97.7	6.9275	56.2536
2025	5	14	1	25	24	24.28	94.7	6.9275	56.0222
2025	5	14	1	35	24	22.44	93.6	6.9275	51.8552
2025	5	14	1	45	24	23.61	95.6	6.9275	54.4017
2025	5	14	1	55	24	22.87	97	6.9275	52.5497
2025	5	14	2	5	24	24.07	94.3	6.9275	55.5592
2025	5	14	2	15	24	23.07	97	6.9275	53.0127
2025	5	14	2	25	24	24.75	96.3	6.9275	56.9482
2025	5	14	2	35	24	24.22	95.7	6.9275	55.7907
2025	5	14	2	45	24	23.96	94.1	6.9275	55.3277
2025	5	14	2	55	24	23.5	95.4	6.9275	54.1703
2025	5	14	3	5	24	22.81	97.8	6.9275	52.3183
2025	5	14	3	15	24	25.02	95.5	6.9275	57.6427
2025	5	14	3	25	24	24.39	94.9	6.9275	56.2537
2025	5	14	3	35	24	23.51	95.6	6.9275	54.1703
2025	5	14	3	45	24	23.6	95.3	6.9275	54.4018
2025	5	14	3	55	24	23.39	97.4	6.9275	53.7073
2025	5	14	4	5	24	23.63	96.1	6.9275	54.4018
2025	5	14	4	15	24	24.99	94.8	6.9275	57.6427
2025	5	14	4	25	24	23.5	95.4	6.9275	54.1702
2025	5	14	4	35	24	24.27	94.3	6.9275	56.0222
2025	5	14	4	45	24	23.48	97.1	6.9336	53.9884
2025	5	14	4	55	24	23.12	98	6.9336	53.0616
2025	5	14	5	5	24	24.09	98.8	6.9275	55.0962
2025	5	14	5	15	24	23.3	95.4	6.9336	53.7567
2025	5	14	5	25	24	22.94	93.5	6.9336	53.0615
2025	5	14	5	35	24	24.47	94.5	6.9336	56.5372
2025	5	14	5	45	24	22.56	94.3	6.9336	52.1347
2025	5	14	5	55	24	24.01	97.7	6.9336	55.1469
2025	5	14	6	5	24	23	95.2	6.9275	53.0127
2025	5	14	6	15	24	23.56	94.1	6.9336	54.4518
2025	5	14	6	25	24	24.01	95.5	6.9336	55.3786
2025	5	14	6	35	24	24.01	95.5	6.9336	55.3786
2025	5	14	6	45	24	23.86	96.7	6.9336	54.9152
2025	5	14	6	55	24	24.31	95.4	6.9336	56.0737
2025	5	14	7	5	24	24.47	96.8	6.9336	56.3054
2025	5	14	7	15	24	24.94	96	6.9336	57.464
2025	5	14	7	25	24	23.27	96.9	6.9336	53.5249
2025	5	14	7	35	24	24.22	95.7	6.9336	55.842
2025	5	14	7	45	24	22.34	93.6	6.9336	51.6712
2025	5	14	7	55	24	24.51	95.4	6.9336	56.5371

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	14	8	5	24	24.1	97.4	6.9336	55.3785
2025	5	14	8	15	24	24.74	96	6.9336	57.0005
2025	5	14	8	25	24	24.35	96.4	6.9336	56.0736
2025	5	14	8	35	24	23.61	95.6	6.9336	54.4516
2025	5	14	8	45	24	23.15	96.4	6.9336	53.2931
2025	5	14	8	55	24	24	95.3	6.9336	55.3784
2025	5	14	9	5	24	23.77	94.3	6.9336	54.915
2025	5	14	9	15	24	24.53	95.9	6.9336	56.5369
2025	5	14	9	25	24	23.15	96.4	6.9336	53.293
2025	5	14	9	35	24	22.04	96.5	6.9336	50.7442
2025	5	14	9	45	24	23.5	95.4	6.9336	54.2198
2025	5	14	9	55	24	22.38	97.2	6.9336	51.4392
2025	5	14	10	5	24	23.33	98.1	6.9336	53.5246
2025	5	14	10	15	24	24.19	97.1	6.9336	55.6099
2025	5	14	10	25	24	23.2	95.4	6.9397	53.5738
2025	5	14	10	35	24	22.71	95.6	6.9336	52.3659
2025	5	14	10	45	24	25.54	96.1	6.9397	58.9079
2025	5	14	10	55	24	23.98	96.9	6.9336	55.1464
2025	5	14	11	5	24	23.87	94.3	6.9397	55.1971
2025	5	14	11	15	24	23.79	97.2	6.9397	54.7332
2025	5	14	11	25	24	24.62	95.6	6.9336	56.7682
2025	5	14	11	35	24	23.21	97.7	6.9397	53.3416
2025	5	14	11	45	24	23.92	95.8	6.9397	55.1969
2025	5	14	11	55	24	24.12	95.7	6.9397	55.6607
2025	5	14	12	5	24	23.86	94.1	6.9397	55.1968
2025	5	14	12	15	24	24.81	95.3	6.9397	57.2841
2025	5	14	12	25	24	24.03	92.6	6.9397	55.6606
2025	5	14	12	35	24	24.25	96.4	6.9397	55.8925
2025	5	14	12	45	24	23.31	95.7	6.9397	53.8052
2025	5	14	12	55	24	23.42	95.9	6.9397	54.0371
2025	5	14	13	5	24	23.17	96.9	6.9397	53.3413
2025	5	14	13	15	24	24.06	96.7	6.9397	55.4285
2025	5	14	13	25	24	23.68	98.7	6.9397	54.2689
2025	5	14	13	35	24	23.68	94.8	6.9397	54.7327
2025	5	14	13	45	24	24.32	97.8	6.9458	55.9436
2025	5	14	13	55	24	23.52	97.8	6.9397	54.0369
2025	5	14	14	5	24	23.82	95.8	6.9458	55.015
2025	5	14	14	15	24	23.38	94.7	6.9397	54.0368
2025	5	14	14	25	24	24.41	95.4	6.9458	56.4078
2025	5	14	14	35	24	23.18	94.7	6.9458	53.6222
2025	5	14	14	45	24	24.14	96.2	6.9397	55.6601
2025	5	14	14	55	24	23.12	96	6.9397	53.341
2025	5	14	15	5	24	25.19	97.1	6.9397	57.9793
2025	5	14	15	15	24	24.18	94.7	6.9397	55.892
2025	5	14	15	25	24	23.63	96.1	6.9397	54.5005
2025	5	14	15	35	24	24.11	95.5	6.9397	55.6601
2025	5	14	15	45	24	23.93	96	6.9397	55.1962
2025	5	14	15	55	24	23.21	97.7	6.9397	53.3409

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	14	16	5	24	23.93	96	6.9397	55.1962
2025	5	14	16	15	24	23.11	95.7	6.9397	53.3409
2025	5	14	16	25	24	22.95	98.5	6.9397	52.6451
2025	5	14	16	35	24	23.17	94.5	6.9458	53.622
2025	5	14	16	45	24	23.4	95.4	6.9397	54.0366
2025	5	14	16	55	24	23.56	94.1	6.9397	54.5005
2025	5	14	17	5	24	24.02	95.7	6.9397	55.4281
2025	5	14	17	15	24	24.1	95.2	6.9397	55.6601
2025	5	14	17	25	24	23.51	95.6	6.9397	54.2686
2025	5	14	17	35	24	25.01	95.3	6.9397	57.7473
2025	5	14	17	45	24	23.81	95.5	6.9397	54.9644
2025	5	14	17	55	24	23.78	97	6.9397	54.7325
2025	5	14	18	5	24	24.41	95.4	6.9397	56.3559
2025	5	14	18	15	24	23.73	96	6.9397	54.7325
2025	5	14	18	25	24	23.93	96	6.9397	55.1964
2025	5	14	18	35	24	23.35	96.4	6.9397	53.8049
2025	5	14	18	45	24	23.94	93.1	6.9397	55.4284
2025	5	14	18	55	24	24.75	93.7	6.9397	57.2837
2025	5	14	19	5	24	23.91	95.5	6.9397	55.1965
2025	5	14	19	15	24	25.16	93.9	6.9397	58.2115
2025	5	14	19	25	24	23.95	96.5	6.9397	55.1966
2025	5	14	19	35	24	23.95	93.6	6.9397	55.4285
2025	5	14	19	45	24	22.1	95.5	6.9397	51.0221
2025	5	14	19	55	24	23.83	98	6.9397	54.7328
2025	5	14	20	5	24	24.38	98.7	6.9397	55.8925
2025	5	14	20	15	24	24.03	96	6.9458	55.4796
2025	5	14	20	25	24	24.86	96.5	6.9458	57.3367
2025	5	14	20	35	24	24.2	95.2	6.9458	55.944
2025	5	14	20	45	24	23.37	96.9	6.9458	53.8548
2025	5	14	20	55	24	24.47	96.8	6.9458	56.4083
2025	5	14	21	5	24	24.56	96.5	6.9458	56.6405
2025	5	14	21	15	24	22.49	95.1	6.9458	51.9979
2025	5	14	21	25	24	23.75	96.5	6.9458	54.7835
2025	5	14	21	35	24	23.89	97.2	6.9458	55.0157
2025	5	14	21	45	24	23.82	97.7	6.9397	54.7333
2025	5	14	21	55	24	23.64	96.3	6.9397	54.5014
2025	5	14	22	5	24	23.83	98	6.9458	54.7837
2025	5	14	22	15	24	23.89	97.2	6.9458	55.0159
2025	5	14	22	25	24	24.32	97.8	6.9397	55.8931
2025	5	14	22	35	24	23.68	94.6	6.9519	54.8342
2025	5	14	22	45	24	24.41	95.4	6.958	56.5125
2025	5	14	22	55	24	22.76	96.8	6.9519	52.5107
2025	5	14	23	5	24	24.61	95.4	6.958	56.9776
2025	5	14	23	15	24	23.12	96	6.958	53.4892
2025	5	14	23	25	24	23.98	96.9	6.958	55.3498
2025	5	14	23	35	24	23.54	96.3	6.958	54.4195
2025	5	14	23	45	24	23.32	95.9	6.958	53.9544
2025	5	14	23	55	24	23.65	98.3	6.958	54.4196

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	15	0	5	24	23.65	93.9	6.958	54.8847
2025	5	15	0	15	24	23.28	97.2	6.9641	53.7712
2025	5	15	0	25	24	24.6	97.2	6.9641	56.7973
2025	5	15	0	35	24	24.87	94.2	6.9641	57.7284
2025	5	15	0	45	24	23.5	95.4	6.9641	54.4696
2025	5	15	0	55	24	23.54	96.3	6.9641	54.4696
2025	5	15	1	5	24	24.88	94.6	6.9641	57.7284
2025	5	15	1	15	24	23.02	95.7	6.9641	53.3057
2025	5	15	1	25	24	24.86	96.5	6.9641	57.4957
2025	5	15	1	35	24	22.34	93.6	6.9641	51.9091
2025	5	15	1	45	24	24.23	97.8	6.9702	55.9175
2025	5	15	1	55	24	23.91	95.5	6.9702	55.4515
2025	5	15	2	5	24	24.17	94.3	6.9702	56.1505
2025	5	15	2	15	24	23.25	96.4	6.9702	53.8206
2025	5	15	2	25	24	25.04	96	6.9702	58.0144
2025	5	15	2	35	24	23.62	97.8	6.9702	54.5196
2025	5	15	2	45	24	23.51	95.6	6.9702	54.5196
2025	5	15	2	55	24	24.95	96.2	6.9702	57.7814
2025	5	15	3	5	24	25.3	95.2	6.9702	58.7134
2025	5	15	3	15	24	23.54	96.3	6.9702	54.5196
2025	5	15	3	25	24	25.6	97.2	6.9702	59.1794
2025	5	15	3	35	24	24.41	95.4	6.9702	56.6165
2025	5	15	3	45	24	23.09	95	6.9702	53.5876
2025	5	15	3	55	24	24.33	95.9	6.9763	56.4351
2025	5	15	4	5	24	23.94	93.4	6.9702	55.6845
2025	5	15	4	15	24	24.13	95.9	6.9763	55.9686
2025	5	15	4	25	24	23.49	94.9	6.9763	54.5694
2025	5	15	4	35	24	24.91	97.4	6.9763	57.601
2025	5	15	4	45	24	24.11	95.5	6.9763	55.9686
2025	5	15	4	55	24	23.56	94.1	6.9763	54.8026
2025	5	15	5	5	24	23.45	93.7	6.9763	54.5694
2025	5	15	5	15	24	23.38	94.7	6.9763	54.3362
2025	5	15	5	25	24	23.49	99.1	6.9763	54.1029
2025	5	15	5	35	24	23.57	94.4	6.9763	54.8025
2025	5	15	5	45	24	24.71	95.3	6.9763	57.3678
2025	5	15	5	55	24	24.24	96.2	6.9824	56.2531
2025	5	15	6	5	24	23.46	94.2	6.9824	54.6192
2025	5	15	6	15	24	24.95	96.2	6.9824	57.887
2025	5	15	6	25	24	24.03	92.9	6.9824	56.0197
2025	5	15	6	35	24	23.51	95.6	6.9824	54.6192
2025	5	15	6	45	24	24.96	94.1	6.9824	58.1204
2025	5	15	6	55	24	24.1	95.2	6.9824	56.0196
2025	5	15	7	5	24	23.58	94.9	6.9824	54.8526
2025	5	15	7	15	24	23.42	95.9	6.9824	54.3857
2025	5	15	7	25	24	24.98	94.6	6.9824	58.1203
2025	5	15	7	35	24	24.95	96.2	6.9824	57.8869
2025	5	15	7	45	24	23.04	93.2	6.9824	53.6854
2025	5	15	7	55	24	24.95	93.4	6.9824	58.1203

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	15	8	5	24	24.15	93.8	6.9885	56.3043
2025	5	15	8	15	24	23.37	96.9	6.9824	54.1522
2025	5	15	8	25	24	24.27	96.9	6.9824	56.2529
2025	5	15	8	35	24	22.37	94.6	6.9885	52.0989
2025	5	15	8	45	24	23.67	96.8	6.9885	54.9024
2025	5	15	8	55	24	23.1	95.2	6.9885	53.7343
2025	5	15	9	5	24	23.65	96.6	6.9885	54.9024
2025	5	15	9	15	24	23.3	95.4	6.9885	54.2015
2025	5	15	9	25	24	23.96	94.1	6.9885	55.8368
2025	5	15	9	35	24	23.16	94.2	6.9885	53.9678
2025	5	15	9	45	24	22.87	94.5	6.9945	53.3155
2025	5	15	9	55	24	24.89	94.8	6.9945	57.9922
2025	5	15	10	5	24	24.27	96.9	6.9945	56.3553
2025	5	15	10	15	24	23.53	96.1	6.9885	54.6685
2025	5	15	10	25	24	23.4	95.4	6.9945	54.4845
2025	5	15	10	35	24	23.98	96.9	6.9885	55.6029
2025	5	15	10	45	24	24.05	93.8	6.9945	56.1213
2025	5	15	10	55	24	22.18	94.9	6.9945	51.6783
2025	5	15	11	5	24	24.04	93.3	6.9945	56.1212
2025	5	15	11	15	24	22.45	93.8	6.9945	52.3797
2025	5	15	11	25	24	23.12	96	6.9945	53.7827
2025	5	15	11	35	24	23.14	98.2	6.9945	53.5488
2025	5	15	11	45	24	24.57	94.4	6.9945	57.2902
2025	5	15	11	55	24	23.95	96.5	6.9945	55.6533
2025	5	15	12	5	24	23.1	95.2	6.9945	53.7825
2025	5	15	12	15	24	23.67	96.8	6.9945	54.9516
2025	5	15	12	25	24	23.95	93.8	6.9945	55.8869
2025	5	15	12	35	24	25.01	97.4	6.9945	57.9914
2025	5	15	12	45	24	22.88	97.3	6.9945	53.0808
2025	5	15	12	55	24	24.71	95.3	6.9945	57.5237
2025	5	15	13	5	24	23.03	96	6.9945	53.5484
2025	5	15	13	15	24	24.48	97	6.9945	56.8221
2025	5	15	13	25	24	24.48	97	6.9945	56.822
2025	5	15	13	35	24	23.81	95.5	6.9945	55.419
2025	5	15	13	45	24	24.26	96.6	6.9945	56.3543
2025	5	15	13	55	24	22.96	96.8	6.9885	53.2657
2025	5	15	14	5	24	23.29	95.2	6.9824	54.1507
2025	5	15	14	15	24	24.23	95.9	6.9885	56.3028
2025	5	15	14	25	24	23.28	94.7	6.9824	54.1507
2025	5	15	14	35	24	23.77	96.8	6.9824	55.0843
2025	5	15	14	45	24	23.86	96.7	6.9824	55.3176
2025	5	15	14	55	24	23.43	96.1	6.9763	54.3343
2025	5	15	15	5	24	23.3	99.1	6.9824	53.6837
2025	5	15	15	15	24	23.71	95.6	6.9763	55.0338
2025	5	15	15	25	24	23.48	97.1	6.9763	54.3342
2025	5	15	15	35	24	22.61	95.6	6.9763	52.4687
2025	5	15	15	45	24	22.59	97.4	6.9763	52.2355
2025	5	15	15	55	24	23.65	96.6	6.9763	54.8006

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	15	16	5	24	23.31	97.6	6.9763	53.8678
2025	5	15	16	15	24	23.52	97.8	6.9763	54.3342
2025	5	15	16	25	24	23.78	94.8	6.9763	55.267
2025	5	15	16	35	24	23.43	96.1	6.9763	54.3342
2025	5	15	16	45	24	23.6	97.5	6.9763	54.5674
2025	5	15	16	55	24	21.81	95.8	6.9763	50.6031
2025	5	15	17	5	24	22.84	98.3	6.9702	52.6536
2025	5	15	17	15	24	24.35	98.3	6.9763	56.1998
2025	5	15	17	25	24	22.81	97.8	6.9763	52.7019
2025	5	15	17	35	24	24.1	97.4	6.9824	55.7844
2025	5	15	17	45	24	23.28	97.2	6.9763	53.8679
2025	5	15	17	55	24	22.84	98.3	6.9763	52.7019
2025	5	15	18	5	24	23.05	96.5	6.9763	53.4015
2025	5	15	18	15	24	22.74	98.3	6.9763	52.4688
2025	5	15	18	25	24	23.43	96.1	6.9763	54.3344
2025	5	15	18	35	24	24.71	97.4	6.9824	57.185
2025	5	15	18	45	24	23.98	96.9	6.9763	55.5004
2025	5	15	18	55	24	24.75	96.3	6.9824	57.4184
2025	5	15	19	5	24	24.08	96.9	6.9885	55.8356
2025	5	15	19	15	24	23.17	94.5	6.9945	54.0159
2025	5	15	19	25	24	24.58	94.7	6.9945	57.2896
2025	5	15	19	35	24	23.53	98.1	6.9945	54.4836
2025	5	15	19	45	24	23.09	95	6.9945	53.7822
2025	5	15	19	55	24	23.56	94.1	6.9945	54.9514
2025	5	15	20	5	24	23.03	96	6.9945	53.5484
2025	5	15	20	15	24	23.21	97.7	6.9945	53.7823
2025	5	15	20	25	24	22.69	95.1	6.9945	52.847
2025	5	15	20	35	24	25.18	94.6	7.0006	58.7465
2025	5	15	20	45	24	24.23	93.1	7.0006	56.6401
2025	5	15	20	55	24	23.06	94	7.0006	53.8315
2025	5	15	21	5	24	22.23	96.2	7.0006	51.7251
2025	5	15	21	15	24	22.95	98.5	7.0006	53.1294
2025	5	15	21	25	24	22.2	90.8	7.0006	51.9592
2025	5	15	21	35	24	22.86	94.3	6.9945	53.315
2025	5	15	21	45	24	22.88	94.8	6.9945	53.315
2025	5	15	21	55	24	21.97	94.4	7.0006	51.2572
2025	5	15	22	5	24	22.65	93.8	7.0006	52.8956
2025	5	15	22	15	24	22.41	91.3	6.9945	52.3798
2025	5	15	22	25	24	22.64	93.5	7.0006	52.8957
2025	5	15	22	35	24	22.42	92.6	6.9945	52.3799
2025	5	15	22	45	24	22.81	91.3	6.9945	53.3153
2025	5	15	22	55	24	23.01	95.5	6.9945	53.5491
2025	5	15	23	5	24	24.16	94	6.9945	56.3552
2025	5	15	23	15	24	22.83	93	6.9945	53.3154
2025	5	15	23	25	24	22.06	94.2	6.9945	51.4447
2025	5	15	23	35	24	21.92	96	7.0006	51.0235
2025	5	15	23	45	24	23.2	95.4	7.0006	54.0662
2025	5	15	23	55	24	23.68	94.8	7.0006	55.2365

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	16	0	5	24	23.06	94	7.0006	53.8322
2025	5	16	0	15	24	24	97.4	7.0006	55.7047
2025	5	16	0	25	24	22.49	95.1	6.9945	52.3802
2025	5	16	0	35	24	23.77	94.3	7.0006	55.4707
2025	5	16	0	45	24	22.37	94.6	7.0006	52.194
2025	5	16	0	55	24	23.69	95.1	7.0006	55.2367
2025	5	16	1	5	24	23.71	91.2	6.9945	55.4202
2025	5	16	1	15	24	22.66	94.3	6.9945	52.848
2025	5	16	1	25	24	23.24	93.2	7.0006	54.3005
2025	5	16	1	35	24	22.31	91.5	7.0006	52.194
2025	5	16	1	45	24	22.87	94.5	7.0006	53.3643
2025	5	16	1	55	24	23.34	93.4	7.0006	54.5346
2025	5	16	2	5	24	24.05	96.4	7.0006	55.9389
2025	5	16	2	15	24	24.13	92.9	7.0006	56.4071
2025	5	16	2	25	24	23.58	94.6	7.0006	55.0027
2025	5	16	2	35	24	23.03	96	7.0006	53.5984
2025	5	16	2	45	24	23.41	91.7	7.0006	54.7687
2025	5	16	2	55	24	23.01	92	7.0006	53.8325
2025	5	16	3	5	24	23.42	95.9	7.0006	54.5347
2025	5	16	3	15	24	22.01	91.6	7.0006	51.4919
2025	5	16	3	25	24	21.81	91.3	7.0006	51.0238
2025	5	16	3	35	24	22.61	91.8	7.0006	52.8963
2025	5	16	3	45	24	22.72	92.3	7.0006	53.1303
2025	5	16	3	55	24	22.8	90.3	7.0006	53.3644
2025	5	16	4	5	24	23.8	90.7	7.0006	55.7049
2025	5	16	4	15	24	21.92	92.4	7.0006	51.2579
2025	5	16	4	25	24	23.61	91.9	7.0006	55.2368
2025	5	16	4	35	24	22.23	93.1	7.0006	51.9601
2025	5	16	4	45	24	22.44	93.6	7.0006	52.4282
2025	5	16	4	55	24	22.01	95.7	7.0006	51.2579
2025	5	16	5	5	24	22.86	94	7.0006	53.3644
2025	5	16	5	15	24	23.12	92.2	7.0006	54.0665
2025	5	16	5	25	24	23.41	91.7	7.0006	54.7687
2025	5	16	5	35	24	23.11	91.2	7.0006	54.0665
2025	5	16	5	45	24	21.86	94.2	7.0067	51.0703
2025	5	16	5	55	24	24.45	93.5	7.0067	57.1612
2025	5	16	6	5	24	24.05	93.6	7.0006	56.173
2025	5	16	6	15	24	23.68	94.6	7.0067	55.2871
2025	5	16	6	25	24	23.72	92.4	7.0067	55.5213
2025	5	16	6	35	24	23.16	94.2	7.0067	54.1157
2025	5	16	6	45	24	24.53	93	7.0067	57.3955
2025	5	16	6	55	24	25.05	96.2	7.0067	58.3325
2025	5	16	7	5	24	22.12	96	7.0067	51.5387
2025	5	16	7	15	24	24.71	95.3	7.0067	57.6297
2025	5	16	7	25	24	22.94	93.5	7.0067	53.6471
2025	5	16	7	35	24	23.85	93.8	7.0067	55.7555
2025	5	16	7	45	24	23.27	94.4	7.0067	54.3499
2025	5	16	7	55	24	22.87	94.5	7.0067	53.4128

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	16	8	5	24	23.02	92.2	7.0006	53.8323
2025	5	16	8	15	24	23.16	94.2	7.0006	54.0663
2025	5	16	8	25	24	23.49	94.9	7.0006	54.7684
2025	5	16	8	35	24	22.95	96.5	7.0006	53.3641
2025	5	16	8	45	24	23.55	93.9	7.0006	55.0024
2025	5	16	8	55	24	21.22	92.2	7.0006	49.6192
2025	5	16	9	5	24	23.91	91.7	7.0006	55.9386
2025	5	16	9	15	24	22.43	93.1	7.0006	52.4278
2025	5	16	9	25	24	22.94	93.5	7.0006	53.598
2025	5	16	9	35	24	23.2	89.8	7.0006	54.3001
2025	5	16	9	45	24	22.24	93.6	7.0006	51.9596
2025	5	16	9	55	24	23.33	92.9	7.0006	54.5341
2025	5	16	10	5	24	23.21	92	7.0006	54.3
2025	5	16	10	15	24	24.33	92.8	7.0006	56.8745
2025	5	16	10	25	24	21.91	92.1	7.0006	51.2572
2025	5	16	10	35	24	23.45	93.9	7.0006	54.7679
2025	5	16	10	45	24	22.94	93.2	7.0006	53.5976
2025	5	16	10	55	24	25.11	95.5	7.0006	58.5127
2025	5	16	11	5	24	23.43	92.9	7.0006	54.7678
2025	5	16	11	15	24	23.03	93	7.0006	53.8316
2025	5	16	11	25	24	23.97	94.3	7.0006	55.938
2025	5	16	11	35	24	23.6	95.3	7.0006	55.0017
2025	5	16	11	45	24	23.64	93.4	7.0006	55.2357
2025	5	16	11	55	24	23.15	93.7	7.0006	54.0654
2025	5	16	12	5	24	23.03	93	7.0006	53.8313
2025	5	16	12	15	24	24.36	94	6.9945	56.8221
2025	5	16	12	25	24	24.2	97.4	6.9945	56.1205
2025	5	16	12	35	24	23.16	94.2	7.0006	54.0652
2025	5	16	12	45	24	24.17	98.6	6.9885	55.8356
2025	5	16	12	55	24	22.86	94.3	7.0006	53.363
2025	5	16	13	5	24	24.66	94	6.9885	57.4709
2025	5	16	13	15	24	24.27	94.3	6.9945	56.588
2025	5	16	13	25	24	23.78	94.6	6.9945	55.4188
2025	5	16	13	35	24	23.43	96.1	6.9824	54.3841
2025	5	16	13	45	24	22.82	95.8	6.9763	52.9352
2025	5	16	13	55	24	23.12	96	6.9763	53.6347
2025	5	16	14	5	24	23.71	95.6	6.9824	55.0842
2025	5	16	14	15	24	22.98	97.2	6.9824	53.2169
2025	5	16	14	25	24	23.58	94.9	6.9763	54.8006
2025	5	16	14	35	24	23.4	95.4	6.9702	54.2845
2025	5	16	14	45	24	23.85	96.5	6.9702	55.2164
2025	5	16	14	55	24	23.75	93.6	6.9763	55.2669
2025	5	16	15	5	24	23	95.2	6.9702	53.3525
2025	5	16	15	15	24	23.27	96.9	6.9702	53.8184
2025	5	16	15	25	24	23.07	97	6.9702	53.3525
2025	5	16	15	35	24	22.73	98.1	6.9702	52.4205
2025	5	16	15	45	24	24.86	96.5	6.9702	57.5461
2025	5	16	15	55	24	23.48	97.1	6.9702	54.2844

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	16	16	5	24	22.96	94.2	6.9641	53.3036
2025	5	16	16	15	24	23.78	94.6	6.9641	55.1657
2025	5	16	16	25	24	22.48	94.8	6.9641	52.1398
2025	5	16	16	35	24	22.97	94.5	6.9641	53.3036
2025	5	16	16	45	24	23.76	94.1	6.9641	55.1658
2025	5	16	16	55	24	23.54	96.3	6.9641	54.4675
2025	5	16	17	5	24	23.63	98	6.9641	54.4675
2025	5	16	17	15	24	23.2	95.2	6.9641	53.7692
2025	5	16	17	25	24	22.42	99.8	6.9641	51.4415
2025	5	16	17	35	24	22.94	96.3	6.9641	53.0709
2025	5	16	17	45	24	23.42	95.9	6.9641	54.2347
2025	5	16	17	55	24	23.35	93.9	6.9641	54.2348
2025	5	16	18	5	24	23.2	95.2	6.958	53.72
2025	5	16	18	15	24	23.92	97.7	6.958	55.1153
2025	5	16	18	25	24	23.03	96	6.9641	53.3038
2025	5	16	18	35	24	22.91	95.5	6.958	53.0224
2025	5	16	18	45	24	24.79	97.2	6.9641	57.2609
2025	5	16	18	55	24	24.13	95.9	6.958	55.8131
2025	5	16	19	5	24	23.65	96.6	6.958	54.6504
2025	5	16	19	15	24	23.57	96.8	6.958	54.4179
2025	5	16	19	25	24	23.38	97.1	6.9641	54.0023
2025	5	16	19	35	24	23.88	97	6.9641	55.1661
2025	5	16	19	45	24	24.08	96.9	6.958	55.5808
2025	5	16	19	55	24	23.56	94.1	6.958	54.6506
2025	5	16	20	5	24	24.69	94.9	6.958	57.2087
2025	5	16	20	15	24	24.51	95.4	6.958	56.7437
2025	5	16	20	25	24	23.63	98	6.958	54.4182
2025	5	16	20	35	24	24.2	97.4	6.958	55.8136
2025	5	16	20	45	24	23.07	97	6.958	53.2555
2025	5	16	20	55	24	23.46	96.6	6.958	54.1858
2025	5	16	21	5	24	23.95	96.5	6.958	55.3486
2025	5	16	21	15	24	24.47	94.5	6.958	56.744
2025	5	16	21	25	24	23.95	96.5	6.958	55.3487
2025	5	16	21	35	24	24.36	96.6	6.958	56.2789
2025	5	16	21	45	24	24.39	94.9	6.958	56.5115
2025	5	16	21	55	24	23.93	92.9	6.958	55.5814
2025	5	16	22	5	24	24.87	96.7	6.958	57.4419
2025	5	16	22	15	24	23.5	95.4	6.9519	54.3687
2025	5	16	22	25	24	24.03	96	6.958	55.5815
2025	5	16	22	35	24	23.48	94.6	6.958	54.4187
2025	5	16	22	45	24	22.83	98.1	6.958	52.5583
2025	5	16	22	55	24	24.96	96.4	6.9641	57.7275
2025	5	16	23	5	24	23.94	96.2	6.9519	55.2983
2025	5	16	23	15	24	23.48	94.6	6.958	54.4188
2025	5	16	23	25	24	23.93	96	6.958	55.3491
2025	5	16	23	35	24	23.1	97.5	6.9519	53.2072
2025	5	16	23	45	24	24.39	97.1	6.958	56.2794
2025	5	16	23	55	24	23.7	95.3	6.9519	54.8337

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	17	0	5	24	24.17	96.9	6.9519	55.7631
2025	5	17	0	15	24	22.67	97.1	6.958	52.3259
2025	5	17	0	25	24	24.03	97.9	6.9519	55.2984
2025	5	17	0	35	24	24.05	96.4	6.9519	55.5308
2025	5	17	0	45	24	24.03	96	6.9519	55.5308
2025	5	17	0	55	24	24.52	97.7	6.958	56.512
2025	5	17	1	5	24	23.87	94.3	6.9519	55.2985
2025	5	17	1	15	24	22.63	96.1	6.9519	52.278
2025	5	17	1	25	24	23.39	97.4	6.958	53.9539
2025	5	17	1	35	24	24.5	97.3	6.958	56.512
2025	5	17	1	45	24	22.99	95	6.958	53.2562
2025	5	17	1	55	24	24.33	95.9	6.958	56.2795
2025	5	17	2	5	24	23.83	92.9	6.958	55.3492
2025	5	17	2	15	24	23.85	93.8	6.9641	55.4
2025	5	17	2	25	24	24.98	94.6	6.958	57.9074
2025	5	17	2	35	24	24.14	93.3	6.9641	56.0983
2025	5	17	2	45	24	23.41	95.6	6.9702	54.2858
2025	5	17	2	55	24	22.65	93.8	6.958	52.5585
2025	5	17	3	5	24	23.82	95.8	6.9641	55.1672
2025	5	17	3	15	24	23.68	97	6.9641	54.7017
2025	5	17	3	25	24	23.53	96.1	6.9702	54.5188
2025	5	17	3	35	24	24.72	97.7	6.9702	57.0816
2025	5	17	3	45	24	24.34	96.1	6.9763	56.4343
2025	5	17	3	55	24	23.42	95.9	6.9702	54.2858
2025	5	17	4	5	24	24.7	95.1	6.9702	57.3146
2025	5	17	4	15	24	24.21	95.5	6.9702	56.1497
2025	5	17	4	25	24	21.58	94.8	6.9702	50.092
2025	5	17	4	35	24	22.74	96.3	6.9702	52.6548
2025	5	17	4	45	24	23.22	95.9	6.9763	53.869
2025	5	17	4	55	24	22.26	97	6.9763	51.537
2025	5	17	5	5	24	23.41	95.6	6.9702	54.2857
2025	5	17	5	15	24	23.9	95.3	6.9702	55.4506
2025	5	17	5	25	24	23.27	96.9	6.9641	53.7704
2025	5	17	5	35	24	23.39	97.4	6.9702	54.0527
2025	5	17	5	45	24	24.59	94.9	6.9702	57.0815
2025	5	17	5	55	24	21.92	96	6.9763	50.8373
2025	5	17	6	5	24	22.6	95.3	6.9763	52.4697
2025	5	17	6	15	24	23.81	95.5	6.9763	55.2681
2025	5	17	6	25	24	23.88	94.6	6.9763	55.5013
2025	5	17	6	35	24	23.07	94.5	6.9763	53.6357
2025	5	17	6	45	24	22.98	94.7	6.9763	53.4025
2025	5	17	6	55	24	24.11	91.2	6.9763	56.2008
2025	5	17	7	5	24	22.93	96	6.9763	53.1692
2025	5	17	7	15	24	24.89	97.2	6.9763	57.6
2025	5	17	7	25	24	23.42	92.4	6.9763	54.5684
2025	5	17	7	35	24	23.48	94.6	6.9763	54.5684
2025	5	17	7	45	24	23.57	94.4	6.9702	54.7514
2025	5	17	7	55	24	24.58	97	6.9763	56.9003

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	17	8	5	24	23.64	96.3	6.9763	54.8015
2025	5	17	8	15	24	23.27	96.9	6.9763	53.8687
2025	5	17	8	25	24	23.02	92.5	6.9763	53.6355
2025	5	17	8	35	24	25.13	95.9	6.9763	58.2994
2025	5	17	8	45	24	22.46	94.1	6.9763	52.2362
2025	5	17	8	55	24	22.14	93.6	6.9763	51.5366
2025	5	17	9	5	24	23.36	94.2	6.9763	54.335
2025	5	17	9	15	24	23.32	92.2	6.9824	54.3846
2025	5	17	9	25	24	24.46	94	6.9763	56.9001
2025	5	17	9	35	24	24.52	95.6	6.9763	56.9
2025	5	17	9	45	24	23.73	96	6.9702	54.9841
2025	5	17	9	55	24	24.34	96.1	6.9641	56.3303
2025	5	17	10	5	24	23.15	96.4	6.9641	53.5371
2025	5	17	10	15	24	23.68	97	6.9641	54.7009
2025	5	17	10	25	24	23.67	96.8	6.9641	54.7008
2025	5	17	10	35	24	22.26	94.1	6.9641	51.6748
2025	5	17	10	45	24	22.72	95.8	6.9641	52.6058
2025	5	17	10	55	24	23.25	96.4	6.9641	53.7696
2025	5	17	11	5	24	23.78	97	6.9641	54.9334
2025	5	17	11	15	24	23.82	97.7	6.9641	54.9334
2025	5	17	11	25	24	24.22	95.7	6.9641	56.0972
2025	5	17	11	35	24	23.78	94.6	6.9641	55.1661
2025	5	17	11	45	24	22.94	96.3	6.9641	53.0711
2025	5	17	11	55	24	22.82	92.5	6.9641	53.0711
2025	5	17	12	5	24	25.21	95.5	6.9641	58.4247
2025	5	17	12	15	24	23.76	94.1	6.9702	55.2164
2025	5	17	12	25	24	23.49	95.1	6.9641	54.4675
2025	5	17	12	35	24	23.87	94.3	6.9641	55.3985
2025	5	17	12	45	24	25.06	93.9	6.9641	58.1917
2025	5	17	12	55	24	23.52	92.2	6.9641	54.7001
2025	5	17	13	5	24	23.16	94	6.958	53.7198
2025	5	17	13	15	24	22.93	93	6.958	53.2546
2025	5	17	13	25	24	24.67	94.2	6.958	57.208
2025	5	17	13	35	24	24.47	96.8	6.958	56.5104
2025	5	17	13	45	24	23.42	95.9	6.958	54.1848
2025	5	17	13	55	24	22.78	94.8	6.958	52.7895
2025	5	17	14	5	24	22.54	93.6	6.958	52.3243
2025	5	17	14	15	24	23.85	93.8	6.958	55.3475
2025	5	17	14	25	24	23.37	94.4	6.958	54.1847
2025	5	17	14	35	24	25.02	95.5	6.958	57.9055
2025	5	17	14	45	24	23.37	94.4	6.9519	54.135
2025	5	17	14	55	24	22.75	93.8	6.958	52.7893
2025	5	17	15	5	24	24.25	93.5	6.9519	56.226
2025	5	17	15	15	24	22.8	90.8	6.9519	52.9732
2025	5	17	15	25	24	22.92	92.3	6.958	53.2544
2025	5	17	15	35	24	23.52	92.4	6.9458	54.5495
2025	5	17	15	45	24	24.47	94.5	6.9519	56.6907
2025	5	17	15	55	24	23.25	93.7	6.9519	53.9026

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	17	16	5	24	23.3	95.4	6.9519	53.9026
2025	5	17	16	15	24	24.43	92.8	6.9458	56.6386
2025	5	17	16	25	24	24.35	93.8	6.9458	56.4065
2025	5	17	16	35	24	23.06	94	6.9519	53.4379
2025	5	17	16	45	24	23.78	94.6	6.9519	55.0643
2025	5	17	16	55	24	23.48	94.6	6.9519	54.3673
2025	5	17	17	5	24	23.78	94.8	6.9519	55.0644
2025	5	17	17	15	24	24.04	93.1	6.9519	55.7614
2025	5	17	17	25	24	24.33	95.9	6.9458	56.1745
2025	5	17	17	35	24	22.48	94.8	6.9397	51.9485
2025	5	17	17	45	24	23.11	97.7	6.9458	53.1569
2025	5	17	17	55	24	23.84	93.1	6.9397	55.1953
2025	5	17	18	5	24	22.92	95.8	6.9397	52.8762
2025	5	17	18	15	24	23.62	95.8	6.9397	54.4997
2025	5	17	18	25	24	24.92	95.5	6.9397	57.5146
2025	5	17	18	35	24	23.52	95.9	6.9397	54.2678
2025	5	17	18	45	24	23.41	92	6.9397	54.2679
2025	5	17	18	55	24	22.53	96.1	6.9397	51.9488
2025	5	17	19	5	24	23.35	93.7	6.9397	54.036
2025	5	17	19	15	24	25.11	95.5	6.9397	57.9786
2025	5	17	19	25	24	24.08	94.8	6.9397	55.6595
2025	5	17	19	35	24	23.72	95.8	6.9458	54.7822
2025	5	17	19	45	24	22.94	93.5	6.9397	53.1086
2025	5	17	19	55	24	23.48	94.6	6.9397	54.2682
2025	5	17	20	5	24	24.08	94.8	6.9397	55.6597
2025	5	17	20	15	24	22.93	92.8	6.9397	53.1087
2025	5	17	20	25	24	23.24	93.5	6.9397	53.8045
2025	5	17	20	35	24	24.04	93.3	6.9397	55.6599
2025	5	17	20	45	24	22.73	92.8	6.9397	52.645
2025	5	17	20	55	24	24.81	95.3	6.9397	57.2834
2025	5	17	21	5	24	23.73	96	6.9397	54.7324
2025	5	17	21	15	24	24.02	95.7	6.9397	55.4282
2025	5	17	21	25	24	22.44	93.3	6.9458	51.9972
2025	5	17	21	35	24	21.89	95.2	6.9458	50.6045
2025	5	17	21	45	24	23.95	93.8	6.9397	55.4283
2025	5	17	21	55	24	24.21	95.5	6.9336	55.8408
2025	5	17	22	5	24	23.14	93.5	6.9336	53.5238
2025	5	17	22	15	24	23.05	93.7	6.9336	53.2921
2025	5	17	22	25	24	23.73	96	6.9336	54.6824
2025	5	17	22	35	24	22.27	94.6	6.9336	51.4385
2025	5	17	22	45	24	24.57	94.4	6.9336	56.7678
2025	5	17	22	55	24	22.41	95.6	6.9336	51.6703
2025	5	17	23	5	24	22.96	94.2	6.9336	53.0606
2025	5	17	23	15	24	23.84	93.4	6.9336	55.146
2025	5	17	23	25	24	22.44	93.3	6.9336	51.9021
2025	5	17	23	35	24	23.24	93.2	6.9336	53.7558
2025	5	17	23	45	24	23.31	95.7	6.9336	53.7559
2025	5	17	23	55	24	23.85	93.8	6.9397	55.1969

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	18	0	5	24	23.88	94.6	6.9397	55.1969
2025	5	18	0	15	24	24.66	96.5	6.9397	56.8204
2025	5	18	0	25	24	22.4	90	6.9397	51.9501
2025	5	18	0	35	24	23.35	96.4	6.9397	53.8055
2025	5	18	0	45	24	22.26	97	6.9397	51.2543
2025	5	18	0	55	24	22.64	93.5	6.9397	52.414
2025	5	18	1	5	24	22.99	95	6.9397	53.1097
2025	5	18	1	15	24	23.98	94.8	6.9397	55.429
2025	5	18	1	25	24	23.8	95.3	6.9397	54.9651
2025	5	18	1	35	24	24.43	99.4	6.9397	55.8928
2025	5	18	1	45	24	24.46	96.6	6.9336	56.3048
2025	5	18	1	55	24	23.92	97.7	6.9336	54.9146
2025	5	18	2	5	24	24.27	94.3	6.9336	56.0732
2025	5	18	2	15	24	22.9	95.3	6.9336	52.8293
2025	5	18	2	25	24	24.27	96.9	6.9336	55.8415
2025	5	18	2	35	24	23.73	98	6.9336	54.4512
2025	5	18	2	45	24	23.12	96	6.9336	53.2927
2025	5	18	2	55	24	23.41	97.6	6.9397	53.8056
2025	5	18	3	5	24	22.97	97	6.9336	52.8293
2025	5	18	3	15	24	24.61	95.4	6.9336	56.7683
2025	5	18	3	25	24	22.84	93.5	6.9336	52.8293
2025	5	18	3	35	24	24.16	96.7	6.9336	55.6098
2025	5	18	3	45	24	23.87	94.3	6.9336	55.1463
2025	5	18	3	55	24	24.21	95.5	6.9336	55.8415
2025	5	18	4	5	24	23.89	98.9	6.9336	54.6829
2025	5	18	4	15	24	22.95	96.5	6.9397	52.8779
2025	5	18	4	25	24	23.38	94.7	6.9397	54.0375
2025	5	18	4	35	24	24	95.3	6.9397	55.429
2025	5	18	4	45	24	24.78	97	6.9336	57
2025	5	18	4	55	24	23.17	98.7	6.9336	53.061
2025	5	18	5	5	24	23.68	94.8	6.9336	54.6829
2025	5	18	5	15	24	23.47	96.9	6.9336	53.9878
2025	5	18	5	25	24	23.39	95.2	6.9336	53.9878
2025	5	18	5	35	24	23.61	95.6	6.9336	54.4512
2025	5	18	5	45	24	23.93	97.9	6.9336	54.9146
2025	5	18	5	55	24	23.98	96.9	6.9336	55.1463
2025	5	18	6	5	24	22.87	98.8	6.9336	52.3658
2025	5	18	6	15	24	23.88	94.6	6.9397	55.1971
2025	5	18	6	25	24	23.48	97.1	6.9336	53.9878
2025	5	18	6	35	24	22.92	98	6.9336	52.5975
2025	5	18	6	45	24	22.01	95.7	6.9336	50.7439
2025	5	18	6	55	24	23.2	95.4	6.9397	53.5736
2025	5	18	7	5	24	23.75	93.9	6.9336	54.9146
2025	5	18	7	15	24	23.1	95.2	6.9397	53.3417
2025	5	18	7	25	24	23.98	96.9	6.9397	55.197
2025	5	18	7	35	24	23.71	95.6	6.9336	54.6828
2025	5	18	7	45	24	22.99	95	6.9336	53.0609
2025	5	18	7	55	24	23.42	95.9	6.9336	53.9877

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	18	8	5	24	22.36	94.1	6.9336	51.6706
2025	5	18	8	15	24	24.61	95.4	6.9336	56.7682
2025	5	18	8	25	24	25.3	97.3	6.9336	58.1584
2025	5	18	8	35	24	22.87	94.5	6.9336	52.8291
2025	5	18	8	45	24	23.38	94.7	6.9336	53.9877
2025	5	18	8	55	24	22.53	92.8	6.9336	52.134
2025	5	18	9	5	24	23.91	95.5	6.9336	55.1462
2025	5	18	9	15	24	24.17	94.3	6.9336	55.8413
2025	5	18	9	25	24	23.19	94.9	6.9336	53.5242
2025	5	18	9	35	24	23.88	97	6.9336	54.9144
2025	5	18	9	45	24	24.31	95.4	6.9336	56.0729
2025	5	18	9	55	24	22.95	93.7	6.9336	53.0607
2025	5	18	10	5	24	24.98	94.6	6.9336	57.6948
2025	5	18	10	15	24	22.67	97.1	6.9275	52.0858
2025	5	18	10	25	24	23.01	95.5	6.9336	53.0606
2025	5	18	10	35	24	22.84	93.5	6.9336	52.8289
2025	5	18	10	45	24	24	95.3	6.9336	55.3776
2025	5	18	10	55	24	23.01	95.5	6.9336	53.0605
2025	5	18	11	5	24	21.91	92.1	6.9397	50.7901
2025	5	18	11	15	24	23.46	96.6	6.9397	54.037
2025	5	18	11	25	24	22.98	97.2	6.9336	52.8287
2025	5	18	11	35	24	22.44	98.5	6.9397	51.4858
2025	5	18	11	45	24	23.01	95.5	6.9275	53.0115
2025	5	18	11	55	24	24.35	98.3	6.9336	55.8408
2025	5	18	12	5	24	23.68	94.6	6.9336	54.6822
2025	5	18	12	15	24	23.44	93.4	6.9336	54.2188
2025	5	18	12	25	24	22.55	96.6	6.9336	51.9017
2025	5	18	12	35	24	22.52	92.5	6.9336	52.1334
2025	5	18	12	45	24	24.3	99	6.9336	55.6089
2025	5	18	12	55	24	23.68	94.6	6.9397	54.7324
2025	5	18	13	5	24	23.82	97.7	6.9336	54.682
2025	5	18	13	15	24	23.9	95.3	6.9336	55.1454
2025	5	18	13	25	24	23.93	96	6.9336	55.1454
2025	5	18	13	35	24	22.7	95.3	6.9336	52.3649
2025	5	18	13	45	24	23.71	95.6	6.9336	54.6819
2025	5	18	13	55	24	22.72	95.8	6.9336	52.3649
2025	5	18	14	5	24	24.19	97.1	6.9336	55.6087
2025	5	18	14	15	24	23.71	95.6	6.9336	54.6818
2025	5	18	14	25	24	24.27	96.9	6.9336	55.8403
2025	5	18	14	35	24	23.71	95.6	6.9336	54.6818
2025	5	18	14	45	24	24.72	95.6	6.9336	56.9988
2025	5	18	14	55	24	24.15	96.4	6.9336	55.6086
2025	5	18	15	5	24	23.08	97.2	6.9336	53.0598
2025	5	18	15	15	24	22.88	97.3	6.9336	52.5964
2025	5	18	15	25	24	22.94	98.3	6.9214	52.4996
2025	5	18	15	35	24	23.83	96	6.9214	54.8124
2025	5	18	15	45	24	24.65	96.3	6.9214	56.6626
2025	5	18	15	55	24	22.03	96.3	6.9214	50.6494

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	18	16	5	24	24.25	98.3	6.9214	55.5062
2025	5	18	16	15	24	23.38	97.1	6.9214	53.656
2025	5	18	16	25	24	23.16	96.7	6.9153	53.1444
2025	5	18	16	35	24	24.08	96.9	6.9153	55.224
2025	5	18	16	45	24	23.79	97.2	6.9092	54.4805
2025	5	18	16	55	24	24.9	95.1	6.9092	57.2507
2025	5	18	17	5	24	24.04	96.2	6.9153	55.224
2025	5	18	17	15	24	23.58	94.9	6.9092	54.2496
2025	5	18	17	25	24	23.03	96	6.9092	52.8646
2025	5	18	17	35	24	23.12	96	6.9092	53.0954
2025	5	18	17	45	24	24.55	98.2	6.897	55.9929
2025	5	18	17	55	24	24.23	97.8	6.9031	55.3528
2025	5	18	18	5	24	22.75	93.8	6.9031	52.3545
2025	5	18	18	15	24	23.58	94.6	6.9031	54.1997
2025	5	18	18	25	24	22.84	93.5	6.897	52.5366
2025	5	18	18	35	24	22.32	95.9	6.897	51.1541
2025	5	18	18	45	24	22.98	99	6.897	52.3063
2025	5	18	18	55	24	23.53	92.9	6.9031	54.1998
2025	5	18	19	5	24	23.02	98	6.897	52.5368
2025	5	18	19	15	24	22.42	97.9	6.9031	51.2016
2025	5	18	19	25	24	23.62	95.8	6.9031	54.1999
2025	5	18	19	35	24	23.49	95.1	6.897	53.9194
2025	5	18	19	45	24	23.48	97.1	6.9031	53.7387
2025	5	18	19	55	24	22.94	96.3	6.9031	52.5856
2025	5	18	20	5	24	23.73	96	6.9031	54.4307
2025	5	18	20	15	24	24.13	97.9	6.9031	55.1227
2025	5	18	20	25	24	23.42	92.4	6.9031	53.9695
2025	5	18	20	35	24	23.05	96.5	6.9031	52.8164
2025	5	18	20	45	24	23.02	95.7	6.9092	52.8652
2025	5	18	20	55	24	23.27	94.4	6.9092	53.5578
2025	5	18	21	5	24	24.07	94.3	6.9092	55.4047
2025	5	18	21	15	24	23.91	95.5	6.9092	54.943
2025	5	18	21	25	24	23.9	95.3	6.9153	54.9938
2025	5	18	21	35	24	23.04	93.5	6.9092	53.0963
2025	5	18	21	45	24	23.7	95.3	6.9092	54.4814
2025	5	18	21	55	24	23.01	95.5	6.9092	52.8655
2025	5	18	22	5	24	23.33	96.2	6.9092	53.5581
2025	5	18	22	15	24	23.75	93.9	6.9092	54.7124
2025	5	18	22	25	24	23.83	96	6.9092	54.7124
2025	5	18	22	35	24	24.11	97.6	6.9092	55.1742
2025	5	18	22	45	24	23.24	93.5	6.9092	53.5583
2025	5	18	22	55	24	24.13	92.9	6.9092	55.636
2025	5	18	23	5	24	20.31	91.4	6.9153	46.9068
2025	5	18	23	15	24	24.21	95.5	6.9092	55.6361
2025	5	18	23	25	24	24.01	95.5	6.9092	55.1744
2025	5	18	23	35	24	23.74	93.4	6.9092	54.7127
2025	5	18	23	45	24	24.61	97.5	6.9092	56.3287
2025	5	18	23	55	24	24.16	96.7	6.9092	55.4053

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	19	0	5	24	23.44	96.4	6.9092	53.7894
2025	5	19	0	15	24	23.06	96.7	6.9092	52.866
2025	5	19	0	25	24	23.82	97.7	6.9092	54.482
2025	5	19	0	35	24	24.39	94.9	6.9031	56.0462
2025	5	19	0	45	24	23.39	95.2	6.9031	53.7398
2025	5	19	0	55	24	25.36	96.3	6.9092	58.1758
2025	5	19	1	5	24	24.48	94.7	6.9092	56.3289
2025	5	19	1	15	24	23.6	95.3	6.9092	54.2512
2025	5	19	1	25	24	24.01	95.5	6.9092	55.1746
2025	5	19	1	35	24	23.94	93.4	6.9092	55.1746
2025	5	19	1	45	24	23.97	94.3	6.9092	55.1746
2025	5	19	1	55	24	23.06	96.7	6.9031	52.8173
2025	5	19	2	5	24	23.33	96.2	6.9031	53.5092
2025	5	19	2	15	24	23.54	93.4	6.9031	54.2011
2025	5	19	2	25	24	23.16	96.7	6.9031	53.0479
2025	5	19	2	35	24	23.58	94.9	6.9092	54.2512
2025	5	19	2	45	24	24.27	96.9	6.9092	55.6364
2025	5	19	2	55	24	22.28	94.9	6.9092	51.2501
2025	5	19	3	5	24	23.56	96.6	6.9092	54.0204
2025	5	19	3	15	24	22.21	95.7	6.9092	51.0192
2025	5	19	3	25	24	23.71	95.6	6.9092	54.482
2025	5	19	3	35	24	22.98	94.7	6.9092	52.866
2025	5	19	3	45	24	25.06	96.4	6.9092	57.4831
2025	5	19	3	55	24	24.87	94.4	6.9092	57.2523
2025	5	19	4	5	24	24.81	95.3	6.9092	57.0214
2025	5	19	4	15	24	24.15	96.4	6.9092	55.4054
2025	5	19	4	25	24	23.69	95.1	6.9092	54.482
2025	5	19	4	35	24	23.26	94.2	6.9092	53.5585
2025	5	19	4	45	24	24.65	96.3	6.9092	56.5596
2025	5	19	4	55	24	24.62	92.1	6.9153	56.8429
2025	5	19	5	5	24	24.03	96	6.9092	55.1745
2025	5	19	5	15	24	23.28	97.2	6.9153	53.3769
2025	5	19	5	25	24	24.07	98.6	6.9153	54.9943
2025	5	19	5	35	24	23.19	94.9	6.9153	53.3768
2025	5	19	5	45	24	23.97	94.3	6.9153	55.2254
2025	5	19	5	55	24	22.9	95.3	6.9153	52.6836
2025	5	19	6	5	24	22.97	97	6.9153	52.6836
2025	5	19	6	15	24	23.29	94.9	6.9153	53.6079
2025	5	19	6	25	24	23.8	95.3	6.9153	54.7632
2025	5	19	6	35	24	23.21	95.7	6.9153	53.3768
2025	5	19	6	45	24	23.37	96.9	6.9153	53.6078
2025	5	19	6	55	24	22.66	94.3	6.9153	52.2214
2025	5	19	7	5	24	24.27	94.3	6.9153	55.9185
2025	5	19	7	15	24	24.55	96.3	6.9153	56.3806
2025	5	19	7	25	24	22.63	93	6.9153	52.2214
2025	5	19	7	35	24	23.82	95.8	6.9153	54.7631
2025	5	19	7	45	24	23.78	94.8	6.9153	54.7631
2025	5	19	7	55	24	23.96	96.7	6.9153	54.9941

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	19	8	5	24	24.67	94.4	6.9153	56.8426
2025	5	19	8	15	24	23.84	96.3	6.9153	54.763
2025	5	19	8	25	24	23.23	96.2	6.9153	53.3766
2025	5	19	8	35	24	24.03	96	6.9153	55.2251
2025	5	19	8	45	24	23.91	95.5	6.9153	54.994
2025	5	19	8	55	24	23.01	95.5	6.9153	52.9143
2025	5	19	9	5	24	23.32	95.9	6.9153	53.6075
2025	5	19	9	15	24	23.49	94.9	6.9092	54.0197
2025	5	19	9	25	24	23.22	95.9	6.9153	53.3764
2025	5	19	9	35	24	23.84	96.3	6.9153	54.7627
2025	5	19	9	45	24	23.98	96.9	6.9153	54.9938
2025	5	19	9	55	24	23.79	95.1	6.9153	54.7627
2025	5	19	10	5	24	23.86	98.4	6.9153	54.5316
2025	5	19	10	15	24	23.37	96.9	6.9092	53.5578
2025	5	19	10	25	24	23.54	93.2	6.9092	54.2503
2025	5	19	10	35	24	23.02	92.2	6.9092	53.096
2025	5	19	10	45	24	23.93	96	6.9092	54.9428
2025	5	19	10	55	24	24.67	94.2	6.9031	56.7371
2025	5	19	11	5	24	23.31	95.7	6.9092	53.5576
2025	5	19	11	15	24	23.58	97.1	6.9031	53.9694
2025	5	19	11	25	24	24.08	96.9	6.897	55.0716
2025	5	19	11	35	24	24.81	95.3	6.897	56.9149
2025	5	19	11	45	24	23.91	95.5	6.8909	54.7903
2025	5	19	11	55	24	23.21	97.7	6.8909	52.9486
2025	5	19	12	5	24	24.36	96.6	6.8848	55.6595
2025	5	19	12	15	24	24.4	95.2	6.8909	55.9413
2025	5	19	12	25	24	23.32	97.9	6.8909	53.1787
2025	5	19	12	35	24	22.93	92.8	6.8848	52.6694
2025	5	19	12	45	24	22.8	95.3	6.8848	52.2094
2025	5	19	12	55	24	22.07	94.4	6.8848	50.5994
2025	5	19	13	5	24	22.7	95.3	6.8848	51.9793
2025	5	19	13	15	24	24.86	96.5	6.8848	56.8092
2025	5	19	13	25	24	24.2	95.2	6.8787	55.3778
2025	5	19	13	35	24	23.69	95.1	6.8848	54.2791
2025	5	19	13	45	24	24.33	95.9	6.8787	55.6075
2025	5	19	13	55	24	23.48	94.6	6.8848	53.8191
2025	5	19	14	5	24	24.08	94.8	6.8787	55.1479
2025	5	19	14	15	24	23.91	95.5	6.8787	54.6883
2025	5	19	14	25	24	22.91	95.5	6.8787	52.3904
2025	5	19	14	35	24	23.95	96.5	6.8787	54.6882
2025	5	19	14	45	24	23.63	96.1	6.8787	53.9988
2025	5	19	14	55	24	23.48	97.1	6.8787	53.5393
2025	5	19	15	5	24	23.76	94.1	6.8787	54.4584
2025	5	19	15	15	24	23.72	95.8	6.8787	54.2286
2025	5	19	15	25	24	24.49	94.9	6.8787	56.0668
2025	5	19	15	35	24	24.71	95.3	6.8787	56.5264
2025	5	19	15	45	24	23.42	95.9	6.8726	53.4895
2025	5	19	15	55	24	23.33	96.2	6.8726	53.26

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	19	16	5	24	22.75	93.8	6.8726	52.1121
2025	5	19	16	15	24	24.39	97.1	6.8726	55.5556
2025	5	19	16	25	24	22.95	93.7	6.8726	52.5713
2025	5	19	16	35	24	23.42	95.9	6.8726	53.4895
2025	5	19	16	45	24	23.46	96.6	6.8726	53.4895
2025	5	19	16	55	24	23.48	94.6	6.8726	53.7191
2025	5	19	17	5	24	24.07	94.3	6.8726	55.0965
2025	5	19	17	15	24	23.94	96.2	6.8726	54.6374
2025	5	19	17	25	24	23.69	95.1	6.8726	54.1783
2025	5	19	17	35	24	23.65	96.6	6.8726	53.9487
2025	5	19	17	45	24	23.39	97.4	6.8726	53.2601
2025	5	19	17	55	24	24.3	97.3	6.8665	55.2748
2025	5	19	18	5	24	24.24	96.2	6.8665	55.2748
2025	5	19	18	15	24	23.67	94.4	6.8665	54.1281
2025	5	19	18	25	24	24.45	96.3	6.8665	55.7336
2025	5	19	18	35	24	22.93	96	6.8665	52.2933
2025	5	19	18	45	24	23.69	95.1	6.8665	54.1282
2025	5	19	18	55	24	24.12	95.7	6.8665	55.0456
2025	5	19	19	5	24	23.78	94.8	6.8665	54.3576
2025	5	19	19	15	24	22.8	95.3	6.8665	52.0641
2025	5	19	19	25	24	21.55	94	6.8665	49.3118
2025	5	19	19	35	24	23.52	95.9	6.8665	53.6696
2025	5	19	19	45	24	24.01	95.5	6.8665	54.8164
2025	5	19	19	55	24	23.02	95.7	6.8665	52.5229
2025	5	19	20	5	24	23.52	95.9	6.8665	53.6697
2025	5	19	20	15	24	23.82	95.8	6.8665	54.3579
2025	5	19	20	25	24	22.38	94.9	6.8665	51.1469
2025	5	19	20	35	24	23.33	98.1	6.8665	52.9818
2025	5	19	20	45	24	24.4	97.3	6.8665	55.5048
2025	5	19	20	55	24	24.01	97.7	6.8665	54.5874
2025	5	19	21	5	24	24.02	95.7	6.8665	54.8168
2025	5	19	21	15	24	24.01	97.7	6.8665	54.5875
2025	5	19	21	25	24	23.68	97	6.8604	53.8493
2025	5	19	21	35	24	22.93	96	6.8665	52.294
2025	5	19	21	45	24	23.27	96.9	6.8665	52.9821
2025	5	19	21	55	24	25.02	95.5	6.8665	57.1106
2025	5	19	22	5	24	23.64	96.3	6.8604	53.8495
2025	5	19	22	15	24	24.91	95.3	6.8604	56.8284
2025	5	19	22	25	24	23.71	95.6	6.8604	54.0787
2025	5	19	22	35	24	24.66	96.5	6.8604	56.1411
2025	5	19	22	45	24	23.73	96	6.8604	54.0788
2025	5	19	22	55	24	24.61	95.4	6.8604	56.1411
2025	5	19	23	5	24	22.91	97.8	6.8604	52.0165
2025	5	19	23	15	24	24.09	95	6.8604	54.9954
2025	5	19	23	25	24	24.61	97.5	6.8604	55.9121
2025	5	19	23	35	24	24.27	94.5	6.8604	55.4538
2025	5	19	23	45	24	23.77	96.8	6.8604	54.0789
2025	5	19	23	55	24	23.53	96.1	6.8604	53.6207

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	20	0	5	24	23.1	95.2	6.8604	52.7041
2025	5	20	0	15	24	24.11	95.5	6.8604	54.9956
2025	5	20	0	25	24	23.88	94.6	6.8604	54.5373
2025	5	20	0	35	24	24.56	96.5	6.8604	55.9122
2025	5	20	0	45	24	24.05	96.4	6.8604	54.7665
2025	5	20	0	55	24	23.78	97	6.8604	54.0791
2025	5	20	1	5	24	22.66	94.3	6.8604	51.7876
2025	5	20	1	15	24	23.86	94.1	6.8604	54.5374
2025	5	20	1	25	24	24.82	92.5	6.8604	56.8289
2025	5	20	1	35	24	22.79	97.3	6.8604	51.7876
2025	5	20	1	45	24	23.61	95.6	6.8604	53.85
2025	5	20	1	55	24	23.27	96.9	6.8604	52.9334
2025	5	20	2	5	24	22.81	95.5	6.8604	52.0168
2025	5	20	2	15	24	24.53	95.9	6.8604	55.9124
2025	5	20	2	25	24	24.48	94.7	6.8604	55.9124
2025	5	20	2	35	24	24.21	95.5	6.8604	55.2249
2025	5	20	2	45	24	23.82	95.8	6.8665	54.3589
2025	5	20	2	55	24	23.83	96	6.8665	54.3589
2025	5	20	3	5	24	24.44	96.1	6.8665	55.735
2025	5	20	3	15	24	24.11	97.6	6.8665	54.8176
2025	5	20	3	25	24	23.54	93.4	6.8665	53.9001
2025	5	20	3	35	24	22.74	93.3	6.8665	52.0652
2025	5	20	3	45	24	23.73	98	6.8665	53.9001
2025	5	20	3	55	24	24	95.3	6.8665	54.8176
2025	5	20	4	5	24	23.53	96.1	6.8665	53.6707
2025	5	20	4	15	24	22.83	93	6.8665	52.2946
2025	5	20	4	25	24	23.64	96.3	6.8665	53.9001
2025	5	20	4	35	24	24.31	95.4	6.8665	55.5056
2025	5	20	4	45	24	24.25	96.4	6.8665	55.2763
2025	5	20	4	55	24	22.99	95	6.8665	52.5239
2025	5	20	5	5	24	23.81	95.5	6.8665	54.3588
2025	5	20	5	15	24	24.53	95.9	6.8665	55.9643
2025	5	20	5	25	24	23.29	94.9	6.8665	53.212
2025	5	20	5	35	24	25.17	98.5	6.8726	57.1642
2025	5	20	5	45	24	24.58	97	6.8726	56.0163
2025	5	20	5	55	24	23.62	95.8	6.8726	53.9501
2025	5	20	6	5	24	24	95.3	6.8726	54.8684
2025	5	20	6	15	24	25.24	96.1	6.8726	57.6233
2025	5	20	6	25	24	25.44	93.4	6.8726	58.312
2025	5	20	6	35	24	24.87	94.2	6.8726	56.9346
2025	5	20	6	45	24	23.34	93.4	6.8726	53.4909
2025	5	20	6	55	24	24.03	96	6.8726	54.8684
2025	5	20	7	5	24	23.92	97.7	6.8726	54.4092
2025	5	20	7	15	24	24.09	95	6.8726	55.0979
2025	5	20	7	25	24	22.89	95	6.8726	52.343
2025	5	20	7	35	24	24.77	94.2	6.8726	56.7049
2025	5	20	7	45	24	24.32	95.7	6.8726	55.557
2025	5	20	7	55	24	24.82	97.6	6.8726	56.4752

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	20	8	5	24	24.41	95.4	6.8787	55.8383
2025	5	20	8	15	24	23.95	93.8	6.8726	54.8682
2025	5	20	8	25	24	24.44	96.1	6.8726	55.7864
2025	5	20	8	35	24	23.49	94.9	6.8787	53.7701
2025	5	20	8	45	24	24.18	94.7	6.8787	55.3786
2025	5	20	8	55	24	23.77	94.3	6.8787	54.4594
2025	5	20	9	5	24	23.87	94.3	6.8787	54.6891
2025	5	20	9	15	24	23.32	97.9	6.8787	53.0806
2025	5	20	9	25	24	23.6	97.5	6.8787	53.7699
2025	5	20	9	35	24	23.37	96.9	6.8787	53.3103
2025	5	20	9	45	24	23.54	93.4	6.8787	53.9996
2025	5	20	9	55	24	22.44	96.4	6.8787	51.2421
2025	5	20	10	5	24	23.2	95.4	6.8787	53.0804
2025	5	20	10	15	24	25.37	96.6	6.8787	57.9058
2025	5	20	10	25	24	24.51	95.4	6.8787	56.0675
2025	5	20	10	35	24	22.93	96	6.8787	52.3909
2025	5	20	10	45	24	24.45	96.3	6.8787	55.8376
2025	5	20	10	55	24	24.48	97	6.8787	55.8375
2025	5	20	11	5	24	24.47	98.5	6.8787	55.6077
2025	5	20	11	15	24	24.92	97.6	6.8787	56.7566
2025	5	20	11	25	24	23.85	93.6	6.8787	54.6885
2025	5	20	11	35	24	24.42	95.6	6.8787	55.8373
2025	5	20	11	45	24	24.77	96.7	6.8787	56.5266
2025	5	20	11	55	24	23.95	93.8	6.8787	54.9181
2025	5	20	12	5	24	23.78	97	6.8787	54.2287
2025	5	20	12	15	24	23.87	94.3	6.8787	54.6882
2025	5	20	12	25	24	23.9	97.5	6.8787	54.4584
2025	5	20	12	35	24	23.1	95.5	6.8787	52.8498
2025	5	20	12	45	24	24.19	97.1	6.8787	55.1476
2025	5	20	12	55	24	23.42	95.9	6.8787	53.5391
2025	5	20	13	5	24	23.27	96.9	6.8787	53.0795
2025	5	20	13	15	24	22.5	95.4	6.8726	51.4232
2025	5	20	13	25	24	22.76	94.3	6.8787	52.1603
2025	5	20	13	35	24	25.44	93.2	6.8726	58.3102
2025	5	20	13	45	24	23.14	96.2	6.8787	52.8495
2025	5	20	13	55	24	23.72	95.8	6.8787	54.2282
2025	5	20	14	5	24	22.42	95.9	6.8787	51.241
2025	5	20	14	15	24	23.72	95.8	6.8726	54.1778
2025	5	20	14	25	24	23.43	96.1	6.8726	53.4891
2025	5	20	14	35	24	23.59	97.3	6.8726	53.7186
2025	5	20	14	45	24	24.77	96.7	6.8787	56.5258
2025	5	20	14	55	24	23.07	97	6.8726	52.5707
2025	5	20	15	5	24	23.43	96.1	6.8726	53.489
2025	5	20	15	15	24	22.99	95	6.8726	52.5707
2025	5	20	15	25	24	24.14	93.3	6.8726	55.3255
2025	5	20	15	35	24	23.35	93.9	6.8726	53.4889
2025	5	20	15	45	24	22.74	93.5	6.8665	52.0631
2025	5	20	15	55	24	23.46	94.2	6.8665	53.6686

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	20	16	5	24	25.19	97.1	6.8726	57.3915
2025	5	20	16	15	24	23.39	97.4	6.8665	53.2099
2025	5	20	16	25	24	24.25	96.4	6.8665	55.2741
2025	5	20	16	35	24	23.47	96.9	6.8604	53.3896
2025	5	20	16	45	24	23.21	95.7	6.8604	52.9313
2025	5	20	16	55	24	23.68	94.6	6.8604	54.077
2025	5	20	17	5	24	23.46	94.2	6.8604	53.6187
2025	5	20	17	15	24	23.1	95.2	6.8604	52.7022
2025	5	20	17	25	24	23.28	94.7	6.8604	53.1605
2025	5	20	17	35	24	24.66	96.5	6.8543	56.0871
2025	5	20	17	45	24	24.08	94.5	6.8604	54.9936
2025	5	20	17	55	24	23.29	94.9	6.8604	53.1605
2025	5	20	18	5	24	23.71	95.6	6.8604	54.0771
2025	5	20	18	15	24	23.44	96.4	6.8543	53.3401
2025	5	20	18	25	24	23.1	95.5	6.8604	52.7023
2025	5	20	18	35	24	24.11	95.5	6.8665	55.0449
2025	5	20	18	45	24	23.65	93.9	6.8604	54.0772
2025	5	20	18	55	24	24.44	96.1	6.8665	55.7331
2025	5	20	19	5	24	24.07	98.6	6.8665	54.5863
2025	5	20	19	15	24	23.56	96.6	6.8665	53.6689
2025	5	20	19	25	24	23.03	96	6.8665	52.5222
2025	5	20	19	35	24	23.46	94.2	6.8665	53.669
2025	5	20	19	45	24	23.47	96.9	6.8665	53.4397
2025	5	20	19	55	24	23.14	96.2	6.8665	52.7517
2025	5	20	20	5	24	24.1	97.4	6.8665	54.8159
2025	5	20	20	15	24	23.62	95.8	6.8665	53.8985
2025	5	20	20	25	24	23.29	94.9	6.8665	53.2105
2025	5	20	20	35	24	23.03	96	6.8665	52.5225
2025	5	20	20	45	24	22.86	94	6.8665	52.2932
2025	5	20	20	55	24	23.68	94.6	6.8665	54.1281
2025	5	20	21	5	24	23.36	96.6	6.8665	53.2107
2025	5	20	21	15	24	24.33	95.9	6.8665	55.5043
2025	5	20	21	25	24	24.26	96.6	6.8665	55.275
2025	5	20	21	35	24	23.32	95.9	6.8665	53.2108
2025	5	20	21	45	24	23.63	96.1	6.8665	53.8989
2025	5	20	21	55	24	23.8	95.3	6.8665	54.3577
2025	5	20	22	5	24	25.11	95.5	6.8665	57.3394
2025	5	20	22	15	24	23.32	95.9	6.8665	53.211
2025	5	20	22	25	24	23.94	93.4	6.8665	54.8165
2025	5	20	22	35	24	23.95	96.5	6.8665	54.5872
2025	5	20	22	45	24	24.4	97.3	6.8665	55.5047
2025	5	20	22	55	24	24.65	96.3	6.8665	56.1928
2025	5	20	23	5	24	23.58	94.9	6.8665	53.8992
2025	5	20	23	15	24	23.82	95.8	6.8665	54.358
2025	5	20	23	25	24	23.11	95.7	6.8665	52.7525
2025	5	20	23	35	24	23.71	95.6	6.8665	54.1287
2025	5	20	23	45	24	23.12	96	6.8604	52.7035
2025	5	20	23	55	24	22.73	96.1	6.8665	51.8351

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	21	0	5	24	23.37	96.9	6.8665	53.2113
2025	5	21	0	15	24	23.96	94.1	6.8604	54.7659
2025	5	21	0	25	24	24.32	95.7	6.8604	55.4534
2025	5	21	0	35	24	24.4	99	6.8665	55.2756
2025	5	21	0	45	24	23.22	95.9	6.8665	52.982
2025	5	21	0	55	24	23.07	97	6.8604	52.4745
2025	5	21	1	5	24	24.96	96.4	6.8665	56.8812
2025	5	21	1	15	24	23.58	94.9	6.8665	53.8995
2025	5	21	1	25	24	22.85	96.5	6.8665	52.0646
2025	5	21	1	35	24	23.82	95.8	6.8665	54.3582
2025	5	21	1	45	24	24.21	95.5	6.8665	55.2757
2025	5	21	1	55	24	23.36	94.2	6.8665	53.4408
2025	5	21	2	5	24	23.11	95.7	6.8665	52.7528
2025	5	21	2	15	24	23.51	95.6	6.8665	53.6702
2025	5	21	2	25	24	23.86	96.7	6.8665	54.3583
2025	5	21	2	35	24	23	95.2	6.8665	52.5234
2025	5	21	2	45	24	24.66	96.5	6.8665	56.1932
2025	5	21	2	55	24	23.81	95.5	6.8665	54.3583
2025	5	21	3	5	24	22.65	96.6	6.8665	51.606
2025	5	21	3	15	24	23.64	96.3	6.8665	53.8996
2025	5	21	3	25	24	23.54	96.3	6.8665	53.6702
2025	5	21	3	35	24	22.58	94.8	6.8665	51.606
2025	5	21	3	45	24	23.56	96.6	6.8665	53.6702
2025	5	21	3	55	24	23.03	96	6.8665	52.5234
2025	5	21	4	5	24	23.61	95.6	6.8665	53.8996
2025	5	21	4	15	24	22.91	95.5	6.8665	52.294
2025	5	21	4	25	24	23.17	96.9	6.8665	52.7527
2025	5	21	4	35	24	24.11	95.5	6.8665	55.0463
2025	5	21	4	45	24	24.34	96.1	6.8665	55.505
2025	5	21	4	55	24	23.58	94.6	6.8665	53.8995
2025	5	21	5	5	24	24.6	97.2	6.8726	56.0158
2025	5	21	5	15	24	24.08	94.5	6.8665	55.0463
2025	5	21	5	25	24	23.02	95.7	6.8726	52.5722
2025	5	21	5	35	24	23.53	96.1	6.8726	53.72
2025	5	21	5	45	24	22.58	94.8	6.8726	51.6538
2025	5	21	5	55	24	24.09	97.2	6.8726	54.8679
2025	5	21	6	5	24	22.91	95.5	6.8726	52.3426
2025	5	21	6	15	24	23.56	96.6	6.8726	53.72
2025	5	21	6	25	24	22.65	96.6	6.8726	51.6538
2025	5	21	6	35	24	23.82	95.8	6.8726	54.4087
2025	5	21	6	45	24	22.46	96.9	6.8726	51.1947
2025	5	21	6	55	24	25.05	93.7	6.8726	57.3931
2025	5	21	7	5	24	23.96	94.1	6.8726	54.8678
2025	5	21	7	15	24	23.68	94.8	6.8726	54.179
2025	5	21	7	25	24	23.66	94.1	6.8726	54.179
2025	5	21	7	35	24	23.63	96.1	6.8726	53.9494
2025	5	21	7	45	24	24.18	94.7	6.8726	55.3268
2025	5	21	7	55	24	23.86	96.7	6.8726	54.4085

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	21	8	5	24	24.64	96.1	6.8726	56.2451
2025	5	21	8	15	24	24.23	95.9	6.8726	55.3267
2025	5	21	8	25	24	23.2	95.4	6.8726	53.031
2025	5	21	8	35	24	23.54	96.3	6.8726	53.7197
2025	5	21	8	45	24	24.3	99	6.8726	55.0971
2025	5	21	8	55	24	25.31	95.4	6.8787	57.9056
2025	5	21	9	5	24	24.29	95	6.8787	55.6077
2025	5	21	9	15	24	23.28	97.2	6.8787	53.0801
2025	5	21	9	25	24	23.6	95.3	6.8787	53.9991
2025	5	21	9	35	24	23.63	92.7	6.8787	54.2289
2025	5	21	9	45	24	23.95	96.5	6.8787	54.6884
2025	5	21	9	55	24	23.87	94.3	6.8787	54.6884
2025	5	21	10	5	24	24.83	95.8	6.8787	56.7564
2025	5	21	10	15	24	23.97	94.3	6.8787	54.9181
2025	5	21	10	25	24	24.17	94.5	6.8787	55.3776
2025	5	21	10	35	24	24.9	95.1	6.8787	56.986
2025	5	21	10	45	24	23.55	93.7	6.8787	53.9988
2025	5	21	10	55	24	24.12	95.7	6.8787	55.1476
2025	5	21	11	5	24	23.22	92.5	6.8787	53.3093
2025	5	21	11	15	24	22.98	94.7	6.8787	52.6199
2025	5	21	11	25	24	23.43	96.1	6.8787	53.539
2025	5	21	11	35	24	23.12	96	6.8787	52.8496
2025	5	21	11	45	24	23.39	95.2	6.8787	53.5389
2025	5	21	11	55	24	24.92	95.5	6.8787	56.9856
2025	5	21	12	5	24	24.56	96.5	6.8787	56.0664
2025	5	21	12	15	24	24.77	96.7	6.8726	56.4735
2025	5	21	12	25	24	22.65	93.8	6.8787	51.9303
2025	5	21	12	35	24	24.32	92.1	6.8726	55.7847
2025	5	21	12	45	24	23.64	93.4	6.8665	54.1274
2025	5	21	12	55	24	22.86	96.8	6.8604	52.0147
2025	5	21	13	5	24	23.3	95.4	6.8604	53.1604
2025	5	21	13	15	24	22.69	95.1	6.8604	51.7855
2025	5	21	13	25	24	23.22	97.9	6.8604	52.702
2025	5	21	13	35	24	23.86	98.4	6.8543	54.0265
2025	5	21	13	45	24	23.18	97.2	6.8543	52.6529
2025	5	21	13	55	24	24.39	94.9	6.8543	55.6289
2025	5	21	14	5	24	23.98	94.8	6.8482	54.6623
2025	5	21	14	15	24	23.8	95.3	6.8543	54.2553
2025	5	21	14	25	24	22.6	97.6	6.8482	51.2315
2025	5	21	14	35	24	23.41	95.6	6.8421	53.2402
2025	5	21	14	45	24	23.59	95.1	6.8482	53.7473
2025	5	21	14	55	24	24.03	92.6	6.8482	54.8908
2025	5	21	15	5	24	23.57	94.4	6.8421	53.6972
2025	5	21	15	15	24	22.43	98.2	6.8421	50.7267
2025	5	21	15	25	24	23.33	96.2	6.8421	53.0117
2025	5	21	15	35	24	24	95.3	6.8421	54.6111
2025	5	21	15	45	24	22.25	93.9	6.8361	50.6793
2025	5	21	15	55	24	23.19	94.9	6.8361	52.7339

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	21	16	5	24	23.35	96.4	6.8361	52.9622
2025	5	21	16	15	24	23.27	94.4	6.8421	53.0116
2025	5	21	16	25	24	22.85	96.5	6.8361	51.8207
2025	5	21	16	35	24	24.34	96.1	6.8361	55.245
2025	5	21	16	45	24	23.33	92.9	6.8361	53.1905
2025	5	21	16	55	24	22.01	95.7	6.83	49.9478
2025	5	21	17	5	24	23.33	96.2	6.8361	52.9622
2025	5	21	17	15	24	22.82	95.8	6.83	51.7724
2025	5	21	17	25	24	22.89	95	6.83	52.0005
2025	5	21	17	35	24	23.47	96.9	6.83	53.1409
2025	5	21	17	45	24	23.82	92.2	6.83	54.2813
2025	5	21	17	55	24	23.92	95.8	6.83	54.2813
2025	5	21	18	5	24	23.44	96.4	6.83	53.141
2025	5	21	18	15	24	22.9	97.5	6.83	51.7726
2025	5	21	18	25	24	23.77	94.3	6.8239	54.0028
2025	5	21	18	35	24	23.75	93.9	6.83	54.0533
2025	5	21	18	45	24	23.7	95.3	6.83	53.8253
2025	5	21	18	55	24	23.66	94.1	6.8239	53.775
2025	5	21	19	5	24	24.48	94.7	6.8239	55.598
2025	5	21	19	15	24	22.59	95.1	6.83	51.3166
2025	5	21	19	25	24	23.23	96.2	6.83	52.6851
2025	5	21	19	35	24	23.14	96.2	6.8239	52.408
2025	5	21	19	45	24	23.04	96.2	6.8239	52.1802
2025	5	21	19	55	24	23.44	96.4	6.8239	53.0917
2025	5	21	20	5	24	22.7	95.3	6.8239	51.4967
2025	5	21	20	15	24	24.35	96.4	6.8239	55.1425
2025	5	21	20	25	24	22.97	97	6.8239	51.9525
2025	5	21	20	35	24	23.85	93.6	6.8239	54.2312
2025	5	21	20	45	24	25.05	96.2	6.8239	56.7377
2025	5	21	20	55	24	23.56	94.1	6.8239	53.5477
2025	5	21	21	5	24	24.98	94.6	6.8239	56.7378
2025	5	21	21	15	24	24.73	92.8	6.8239	56.2821
2025	5	21	21	25	24	24.1	97.4	6.8239	54.4593
2025	5	21	21	35	24	24.26	94	6.8239	55.1429
2025	5	21	21	45	24	24.87	94.4	6.8239	56.5101
2025	5	21	21	55	24	24.38	94.7	6.8239	55.3708
2025	5	21	22	5	24	23.47	96.9	6.8239	53.0923
2025	5	21	22	15	24	24.57	94.2	6.8239	55.8267
2025	5	21	22	25	24	22.73	96.1	6.8239	51.4973
2025	5	21	22	35	24	25.51	95.4	6.8239	57.8775
2025	5	21	22	45	24	23.9	99.1	6.8239	53.776
2025	5	21	22	55	24	22.96	96.8	6.8178	51.9045
2025	5	21	23	5	24	24.15	93.8	6.8178	54.864
2025	5	21	23	15	24	24.22	92.1	6.8239	55.1433
2025	5	21	23	25	24	23.47	94.4	6.8178	53.2705
2025	5	21	23	35	24	24.46	96.6	6.8178	55.3194
2025	5	21	23	45	24	24.57	96.8	6.8239	55.5991
2025	5	21	23	55	24	23.27	94.4	6.8239	52.8647

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	22	0	5	24	23.81	95.5	6.8239	54.0041
2025	5	22	0	15	24	23.16	96.7	6.8239	52.4091
2025	5	22	0	25	24	23.87	94.3	6.8178	54.1813
2025	5	22	0	35	24	23.57	96.8	6.8239	53.3206
2025	5	22	0	45	24	24.95	96.2	6.8239	56.5107
2025	5	22	0	55	24	23.7	97.5	6.8239	53.5485
2025	5	22	1	5	24	23.02	95.7	6.8239	52.1813
2025	5	22	1	15	24	23.61	95.6	6.8239	53.5485
2025	5	22	1	25	24	22.64	98.4	6.8239	51.042
2025	5	22	1	35	24	24.74	96	6.8239	56.055
2025	5	22	1	45	24	23.47	94.4	6.8239	53.3207
2025	5	22	1	55	24	22.73	92.8	6.8239	51.7256
2025	5	22	2	5	24	23.17	94.5	6.8239	52.6371
2025	5	22	2	15	24	23	95.2	6.8239	52.1814
2025	5	22	2	25	24	23.46	96.6	6.8239	53.0928
2025	5	22	2	35	24	23.52	95.9	6.8239	53.3207
2025	5	22	2	45	24	22.29	97.5	6.8239	50.3585
2025	5	22	2	55	24	23.37	96.9	6.8239	52.865
2025	5	22	3	5	24	22.67	94.6	6.8239	51.4978
2025	5	22	3	15	24	23.4	95.4	6.83	53.1425
2025	5	22	3	25	24	24.08	96.9	6.8239	54.4601
2025	5	22	3	35	24	22.33	93.1	6.83	50.8617
2025	5	22	3	45	24	23.45	93.9	6.8239	53.3207
2025	5	22	3	55	24	23.27	94.4	6.83	52.9144
2025	5	22	4	5	24	21.93	92.9	6.83	49.9494
2025	5	22	4	15	24	24.06	94.1	6.83	54.7391
2025	5	22	4	25	24	23.77	98.7	6.83	53.5987
2025	5	22	4	35	24	22.83	96	6.8361	51.8224
2025	5	22	4	45	24	23.65	93.6	6.83	53.8267
2025	5	22	4	55	24	23.73	96	6.83	53.8267
2025	5	22	5	5	24	23.47	94.4	6.8361	53.4204
2025	5	22	5	15	24	23.4	95.4	6.8361	53.1922
2025	5	22	5	25	24	24.71	95.3	6.83	56.1075
2025	5	22	5	35	24	23.18	94.7	6.83	52.6863
2025	5	22	5	45	24	24.31	99.2	6.83	54.739
2025	5	22	5	55	24	22.74	93.3	6.83	51.774
2025	5	22	6	5	24	23.26	96.7	6.8239	52.6371
2025	5	22	6	15	24	23.64	96.3	6.83	53.5986
2025	5	22	6	25	24	24.4	95.2	6.83	55.4232
2025	5	22	6	35	24	24.43	95.9	6.83	55.4232
2025	5	22	6	45	24	23.02	95.7	6.83	52.2301
2025	5	22	6	55	24	22.83	96	6.83	51.7739
2025	5	22	7	5	24	23.46	96.6	6.83	53.1424
2025	5	22	7	15	24	24.67	94.4	6.83	56.1074
2025	5	22	7	25	24	24.01	97.7	6.83	54.2827
2025	5	22	7	35	24	24.31	95.4	6.8239	55.1434
2025	5	22	7	45	24	23.12	96	6.8239	52.409
2025	5	22	7	55	24	23.4	95.4	6.8239	53.0926

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	22	8	5	24	23.21	95.7	6.8239	52.6368
2025	5	22	8	15	24	23.84	96.3	6.8239	54.004
2025	5	22	8	25	24	24.65	96.3	6.8239	55.8269
2025	5	22	8	35	24	24.25	93.8	6.8239	55.1432
2025	5	22	8	45	24	24.03	92.9	6.8239	54.6875
2025	5	22	8	55	24	24.32	95.7	6.8239	55.1432
2025	5	22	9	5	24	23.6	97.5	6.8239	53.3202
2025	5	22	9	15	24	23.03	96	6.8239	52.1808
2025	5	22	9	25	24	25.21	95.5	6.8239	57.1938
2025	5	22	9	35	24	23.77	96.8	6.8239	53.7758
2025	5	22	9	45	24	23.56	94.1	6.8239	53.5479
2025	5	22	9	55	24	23.93	96	6.8239	54.2314
2025	5	22	10	5	24	24.47	94.5	6.8239	55.5986
2025	5	22	10	15	24	24.42	95.6	6.8239	55.3707
2025	5	22	10	25	24	22.34	100.1	6.8239	50.1298
2025	5	22	10	35	24	24.02	95.7	6.8239	54.4591
2025	5	22	10	45	24	24.92	95.5	6.8239	56.5098
2025	5	22	10	55	24	23.18	94.7	6.8178	52.5869
2025	5	22	11	5	24	24.08	94.5	6.8239	54.6868
2025	5	22	11	15	24	24.12	95.7	6.8239	54.6868
2025	5	22	11	25	24	24.08	94.5	6.8239	54.6867
2025	5	22	11	35	24	24.16	96.7	6.8239	54.6867
2025	5	22	11	45	24	24.14	96.2	6.8239	54.6866
2025	5	22	11	55	24	23.65	93.6	6.8239	53.7751
2025	5	22	12	5	24	22.94	96.3	6.8239	51.9522
2025	5	22	12	15	24	24.58	97	6.8239	55.5979
2025	5	22	12	25	24	22.59	95.1	6.8239	51.2685
2025	5	22	12	35	24	24.58	97	6.8239	55.5978
2025	5	22	12	45	24	21.76	94.2	6.8239	49.4456
2025	5	22	12	55	24	23.2	95.4	6.8239	52.6356
2025	5	22	13	5	24	24.37	94.5	6.8239	55.3699
2025	5	22	13	15	24	23.87	94.3	6.8239	54.2305
2025	5	22	13	25	24	22.91	91.8	6.8239	52.1797
2025	5	22	13	35	24	23.29	95.2	6.8239	52.8633
2025	5	22	13	45	24	24.45	93.5	6.8239	55.5975
2025	5	22	13	55	24	23.72	92.2	6.8239	54.0025
2025	5	22	14	5	24	23.04	96.2	6.8178	52.1308
2025	5	22	14	15	24	23.48	94.6	6.8178	53.269
2025	5	22	14	25	24	24.04	96.2	6.8178	54.4072
2025	5	22	14	35	24	24.02	95.7	6.8178	54.4071
2025	5	22	14	45	24	23.95	93.6	6.8178	54.4071
2025	5	22	14	55	24	24.84	96	6.8178	56.2282
2025	5	22	15	5	24	23.77	94.3	6.8178	53.9518
2025	5	22	15	15	24	24.93	95.8	6.8117	56.403
2025	5	22	15	25	24	23.08	97.2	6.8117	52.0818
2025	5	22	15	35	24	23.98	94.8	6.8056	54.3052
2025	5	22	15	45	24	24.85	98.1	6.8056	55.8957
2025	5	22	15	55	24	24.01	95.5	6.8056	54.3052

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	22	16	5	24	24.27	96.9	6.7995	54.7082
2025	5	22	16	15	24	23.33	96.2	6.8056	52.7146
2025	5	22	16	25	24	23.88	94.6	6.7995	54.0272
2025	5	22	16	35	24	24.04	96.2	6.8056	54.3052
2025	5	22	16	45	24	23.36	94.2	6.8056	52.9419
2025	5	22	16	55	24	23.31	95.7	6.8056	52.7147
2025	5	22	17	5	24	22.38	94.9	6.8117	50.7172
2025	5	22	17	15	24	23.1	97.5	6.8056	52.033
2025	5	22	17	25	24	23.19	94.9	6.7995	52.4383
2025	5	22	17	35	24	23.96	96.7	6.7934	53.9766
2025	5	22	17	45	24	24.53	95.9	6.7934	55.3374
2025	5	22	17	55	24	23.39	94.9	6.7934	52.8427
2025	5	22	18	5	24	23.41	95.6	6.7934	52.8428
2025	5	22	18	15	24	23.96	98.4	6.7934	53.75
2025	5	22	18	25	24	24.53	95.9	6.7873	55.2855
2025	5	22	18	35	24	22.74	96.3	6.7934	51.2553
2025	5	22	18	45	24	23.98	94.8	6.7995	54.2546
2025	5	22	18	55	24	24.25	93.5	6.7934	54.8841
2025	5	22	19	5	24	23.3	95.4	6.7873	52.5667
2025	5	22	19	15	24	25.03	95.7	6.7934	56.4717
2025	5	22	19	25	24	23.41	97.6	6.7995	52.6657
2025	5	22	19	35	24	21.65	94	6.7995	49.0336
2025	5	22	19	45	24	23.09	95	6.7995	52.2117
2025	5	22	19	55	24	22.35	93.8	6.7995	50.6227
2025	5	22	20	5	24	24.59	94.9	6.7995	55.6169
2025	5	22	20	15	24	22.84	93.3	6.7995	51.7579
2025	5	22	20	25	24	23.65	96.6	6.7995	53.347
2025	5	22	20	35	24	23.43	96.1	6.7995	52.893
2025	5	22	20	45	24	23.25	98.4	6.7995	52.212
2025	5	22	20	55	24	22.54	96.4	6.7995	50.85
2025	5	22	21	5	24	24.85	96.2	6.7995	56.0713
2025	5	22	21	15	24	23.84	93.1	6.7995	54.0282
2025	5	22	21	25	24	23.65	96.6	6.7995	53.3472
2025	5	22	21	35	24	23.57	94.4	6.7995	53.3473
2025	5	22	21	45	24	25.23	95.9	6.7995	56.9795
2025	5	22	21	55	24	23.53	96.1	6.7995	53.1204
2025	5	22	22	5	24	22.55	93.8	6.7995	51.0773
2025	5	22	22	15	24	23.04	96.2	6.7995	51.9854
2025	5	22	22	25	24	23.17	94.5	6.7995	52.4395
2025	5	22	22	35	24	24.83	95.8	6.7995	56.0717
2025	5	22	22	45	24	23.08	97.2	6.7995	51.9855
2025	5	22	22	55	24	22.91	92	6.7995	51.9855
2025	5	22	23	5	24	24.64	93.3	6.7995	55.8448
2025	5	22	23	15	24	22.47	94.6	6.7995	50.8505
2025	5	22	23	25	24	23.12	96	6.7995	52.2126
2025	5	22	23	35	24	23.55	93.7	6.7995	53.3477
2025	5	22	23	45	24	23.85	93.6	6.7995	54.0288
2025	5	22	23	55	24	21.42	92.7	6.7995	48.5805

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	23	0	5	24	23.52	95.9	6.7995	53.1208
2025	5	23	0	15	24	22.84	98.3	6.7995	51.3047
2025	5	23	0	25	24	24.71	95.3	6.7995	55.845
2025	5	23	0	35	24	24.29	95	6.7995	54.9369
2025	5	23	0	45	24	23.28	94.7	6.7995	52.6668
2025	5	23	0	55	24	23.31	95.7	6.7995	52.6668
2025	5	23	1	5	24	23.87	94.3	6.7995	54.0289
2025	5	23	1	15	24	22.88	94.8	6.7995	51.7588
2025	5	23	1	25	24	23.42	95.9	6.7995	52.8939
2025	5	23	1	35	24	22.2	95.4	6.7995	50.1697
2025	5	23	1	45	24	23.88	94.8	6.7995	54.029
2025	5	23	1	55	24	24.02	95.7	6.7995	54.256
2025	5	23	2	5	24	24.1	95.2	6.7995	54.483
2025	5	23	2	15	24	23.82	95.8	6.7995	53.802
2025	5	23	2	25	24	24.16	94	6.7995	54.71
2025	5	23	2	35	24	23.46	98.6	6.7995	52.6669
2025	5	23	2	45	24	21.7	95.6	6.7995	49.0347
2025	5	23	2	55	24	22.63	96.1	6.7995	51.0779
2025	5	23	3	5	24	23.24	93.5	6.7995	52.667
2025	5	23	3	15	24	23.09	95	6.7995	52.2129
2025	5	23	3	25	24	22	95.5	6.7995	49.7158
2025	5	23	3	35	24	23.35	96.4	6.7995	52.667
2025	5	23	3	45	24	22.53	93.1	6.7995	51.0779
2025	5	23	3	55	24	23.75	96.5	6.7995	53.575
2025	5	23	4	5	24	22.38	94.9	6.8056	50.6714
2025	5	23	4	15	24	23.84	96.3	6.7995	53.802
2025	5	23	4	25	24	23.18	97.2	6.8056	52.2619
2025	5	23	4	35	24	22.91	97.8	6.8056	51.5803
2025	5	23	4	45	24	22.61	91.3	6.8056	51.353
2025	5	23	4	55	24	23.48	94.6	6.8056	53.1708
2025	5	23	5	5	24	24.65	96.3	6.8056	55.6703
2025	5	23	5	15	24	24.66	96.5	6.8056	55.6703
2025	5	23	5	25	24	23.13	92.7	6.8056	52.4891
2025	5	23	5	35	24	23.08	94.7	6.8056	52.2619
2025	5	23	5	45	24	23.78	94.6	6.8056	53.8525
2025	5	23	5	55	24	22.83	93	6.8056	51.8074
2025	5	23	6	5	24	24.26	96.6	6.8056	54.7614
2025	5	23	6	15	24	24.22	95.7	6.8056	54.7614
2025	5	23	6	25	24	24.62	97.7	6.8056	55.443
2025	5	23	6	35	24	22	95.5	6.8056	49.7624
2025	5	23	6	45	24	23.35	93.7	6.8056	52.9435
2025	5	23	6	55	24	23.62	95.8	6.8056	53.398
2025	5	23	7	5	24	23.73	98	6.8056	53.3979
2025	5	23	7	15	24	23.2	95.2	6.8056	52.489
2025	5	23	7	25	24	24.13	95.9	6.8056	54.534
2025	5	23	7	35	24	22.86	94.3	6.8056	51.8073
2025	5	23	7	45	24	23.84	96.3	6.8056	53.8523
2025	5	23	7	55	24	23.4	95.4	6.8056	52.9434

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	23	8	5	24	23.35	98.4	6.8056	52.4889
2025	5	23	8	15	24	23.22	95.9	6.8056	52.4889
2025	5	23	8	25	24	23.51	95.6	6.8056	53.1705
2025	5	23	8	35	24	23.78	94.8	6.8056	53.8522
2025	5	23	8	45	24	22.52	95.9	6.8056	50.8982
2025	5	23	8	55	24	23.87	98.7	6.8056	53.6249
2025	5	23	9	5	24	23.68	94.6	6.8056	53.6249
2025	5	23	9	15	24	24.26	94	6.8056	54.9882
2025	5	23	9	25	24	23.42	97.9	6.8117	52.7653
2025	5	23	9	35	24	23.07	94.5	6.8117	52.3104
2025	5	23	9	45	24	24.13	95.9	6.8117	54.5847
2025	5	23	9	55	24	24.36	96.6	6.8117	55.0396
2025	5	23	10	5	24	23.77	96.8	6.8117	53.6749
2025	5	23	10	15	24	23.17	94.5	6.8117	52.5377
2025	5	23	10	25	24	23.47	96.9	6.8117	52.9925
2025	5	23	10	35	24	23.61	95.6	6.8117	53.4473
2025	5	23	10	45	24	23.74	96.3	6.8117	53.6747
2025	5	23	10	55	24	23.71	95.6	6.8117	53.6747
2025	5	23	11	5	24	23.06	96.7	6.8117	52.0826
2025	5	23	11	15	24	22.87	94.5	6.8117	51.8551
2025	5	23	11	25	24	25.26	98.2	6.8117	56.8586
2025	5	23	11	35	24	22.59	95.1	6.8117	51.1727
2025	5	23	11	45	24	23.44	96.4	6.8117	52.9922
2025	5	23	11	55	24	22.92	95.8	6.8056	51.8064
2025	5	23	12	5	24	23.78	97	6.8117	53.6744
2025	5	23	12	15	24	22.84	96.3	6.7995	51.5307
2025	5	23	12	25	24	23.94	96.2	6.8056	54.0784
2025	5	23	12	35	24	24.65	93.5	6.7995	55.8437
2025	5	23	12	45	24	23.31	95.7	6.8056	52.715
2025	5	23	12	55	24	25.02	95.5	6.7995	56.5246
2025	5	23	13	5	24	23.01	95.5	6.7934	51.9357
2025	5	23	13	15	24	23.26	93.9	6.7934	52.616
2025	5	23	13	25	24	23.14	93.5	6.7873	52.34
2025	5	23	13	35	24	22.98	99	6.7873	51.4336
2025	5	23	13	45	24	23.93	96	6.7934	53.9767
2025	5	23	13	55	24	24.01	97.7	6.7873	53.9259
2025	5	23	14	5	24	23.73	96	6.7873	53.4727
2025	5	23	14	15	24	23.82	97.7	6.7873	53.4727
2025	5	23	14	25	24	22.19	95.2	6.7812	50.0269
2025	5	23	14	35	24	22.91	95.5	6.7812	51.6114
2025	5	23	14	45	24	22.88	94.8	6.7873	51.66
2025	5	23	14	55	24	23.5	95.4	6.7751	52.9197
2025	5	23	15	5	24	23.05	93.7	6.7812	52.0641
2025	5	23	15	15	24	23.47	94.4	6.7751	52.9197
2025	5	23	15	25	24	23.94	99.6	6.7751	53.372
2025	5	23	15	35	24	23.97	94.3	6.7751	54.0504
2025	5	23	15	45	24	23.92	95.8	6.7751	53.8243
2025	5	23	15	55	24	23.78	94.8	6.769	53.5476

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	23	16	5	24	24.2	95.2	6.769	54.4514
2025	5	23	16	15	24	23.2	90.7	6.769	52.4179
2025	5	23	16	25	24	23.66	94.1	6.7751	53.372
2025	5	23	16	35	24	22.52	95.9	6.7751	50.6582
2025	5	23	16	45	24	23.86	96.7	6.769	53.5477
2025	5	23	16	55	24	22.88	94.8	6.769	51.5142
2025	5	23	17	5	24	22.72	92.5	6.769	51.2883
2025	5	23	17	15	24	22.69	95.1	6.769	51.0624
2025	5	23	17	25	24	22.53	96.1	6.7629	50.5628
2025	5	23	17	35	24	24.22	95.7	6.7629	54.4002
2025	5	23	17	45	24	23.07	97	6.7629	51.6915
2025	5	23	17	55	24	22.91	97.8	6.7629	51.24
2025	5	23	18	5	24	25	95	6.7629	56.2061
2025	5	23	18	15	24	24.2	95.2	6.7629	54.4003
2025	5	23	18	25	24	23.46	94.2	6.7629	52.8202
2025	5	23	18	35	24	24.16	94	6.7629	54.4003
2025	5	23	18	45	24	23.4	95.4	6.7629	52.5945
2025	5	23	18	55	24	22.65	96.6	6.7629	50.7887
2025	5	23	19	5	24	22.84	96.3	6.7629	51.2402
2025	5	23	19	15	24	25.4	95.2	6.7629	57.1092
2025	5	23	19	25	24	22.67	97.1	6.7629	50.7888
2025	5	23	19	35	24	23.53	96.1	6.7629	52.8204
2025	5	23	19	45	24	22.93	93	6.7629	51.6918
2025	5	23	19	55	24	23.17	96.9	6.7629	51.9176
2025	5	23	20	5	24	23.82	95.8	6.7629	53.4977
2025	5	23	20	15	24	23.28	94.7	6.7629	52.3691
2025	5	23	20	25	24	24.14	98.1	6.7629	53.9493
2025	5	23	20	35	24	22.57	94.6	6.7629	50.7891
2025	5	23	20	45	24	24	95.3	6.7629	53.9494
2025	5	23	20	55	24	23.49	94.9	6.7629	52.8208
2025	5	23	21	5	24	23.01	95.5	6.7629	51.6922
2025	5	23	21	15	24	22.35	93.8	6.7629	50.3378
2025	5	23	21	25	24	23.44	93.4	6.7629	52.8209
2025	5	23	21	35	24	23.58	98.8	6.7629	52.5952
2025	5	23	21	45	24	24.12	95.7	6.7568	54.1242
2025	5	23	21	55	24	24.12	95.7	6.7629	54.1754
2025	5	23	22	5	24	23.12	96	6.7568	51.8691
2025	5	23	22	15	24	23.61	95.6	6.7568	52.9967
2025	5	23	22	25	24	23.08	97.2	6.7629	51.6924
2025	5	23	22	35	24	23.11	92	6.7568	52.0947
2025	5	23	22	45	24	23.44	93.4	6.7629	52.8212
2025	5	23	22	55	24	24.15	96.4	6.7629	54.1756
2025	5	23	23	5	24	23.04	96.2	6.7629	51.6926
2025	5	23	23	15	24	23.25	93.7	6.7629	52.3698
2025	5	23	23	25	24	22.49	95.1	6.7629	50.564
2025	5	23	23	35	24	24.87	94.2	6.7629	55.9815
2025	5	23	23	45	24	24.75	98.1	6.7629	55.3044
2025	5	23	23	55	24	23.45	93.7	6.769	52.8712

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	24	0	5	24	23.87	94.3	6.769	53.775
2025	5	24	0	15	24	21.58	95.1	6.769	48.5783
2025	5	24	0	25	24	23.48	97.1	6.7629	52.5956
2025	5	24	0	35	24	23.42	95.9	6.7629	52.5957
2025	5	24	0	45	24	23.22	95.9	6.769	52.1934
2025	5	24	0	55	24	23.48	94.6	6.7751	52.9211
2025	5	24	1	5	24	23.18	94.7	6.7751	52.2427
2025	5	24	1	15	24	22.86	94	6.7751	51.5642
2025	5	24	1	25	24	23.37	94.4	6.769	52.6454
2025	5	24	1	35	24	22.64	96.3	6.7812	50.9337
2025	5	24	1	45	24	24.33	95.9	6.7751	54.7304
2025	5	24	1	55	24	23.03	96	6.7812	51.8392
2025	5	24	2	5	24	22.4	97.7	6.7812	50.2546
2025	5	24	2	15	24	23.82	95.8	6.7812	53.6502
2025	5	24	2	25	24	23.33	92.7	6.7812	52.7447
2025	5	24	2	35	24	23.33	92.7	6.7751	52.695
2025	5	24	2	45	24	23.29	94.9	6.7812	52.5183
2025	5	24	2	55	24	23.21	95.7	6.7812	52.2919
2025	5	24	3	5	24	23.91	95.5	6.7873	53.9272
2025	5	24	3	15	24	24.06	94.1	6.7812	54.3292
2025	5	24	3	25	24	23.09	95	6.7812	52.0655
2025	5	24	3	35	24	23.88	94.8	6.7812	53.8765
2025	5	24	3	45	24	23.87	94.3	6.7812	53.8765
2025	5	24	3	55	24	22.96	94.2	6.7873	51.8879
2025	5	24	4	5	24	23.6	95.3	6.7873	53.2474
2025	5	24	4	15	24	22.97	94.5	6.7873	51.8879
2025	5	24	4	25	24	23.51	95.6	6.7873	53.0208
2025	5	24	4	35	24	24.52	97.7	6.7873	55.0601
2025	5	24	4	45	24	24.47	94.5	6.7873	55.2866
2025	5	24	4	55	24	23.42	95.9	6.7873	52.7942
2025	5	24	5	5	24	22.97	97	6.7812	51.6127
2025	5	24	5	15	24	23.54	93.4	6.7873	53.2473
2025	5	24	5	25	24	23.99	95	6.7873	54.1537
2025	5	24	5	35	24	23.34	93.2	6.7873	52.7942
2025	5	24	5	45	24	23.77	96.8	6.7812	53.4236
2025	5	24	5	55	24	23.41	95.6	6.7873	52.7941
2025	5	24	6	5	24	23.02	95.7	6.7873	51.8878
2025	5	24	6	15	24	23.18	94.7	6.7873	52.3409
2025	5	24	6	25	24	23.38	94.7	6.7873	52.7941
2025	5	24	6	35	24	23.52	95.9	6.7934	53.0705
2025	5	24	6	45	24	22.58	94.8	6.7934	51.0293
2025	5	24	6	55	24	24.21	97.6	6.7934	54.4313
2025	5	24	7	5	24	22.56	96.9	6.7934	50.8025
2025	5	24	7	15	24	22.36	94.1	6.7873	50.5281
2025	5	24	7	25	24	23.5	95.4	6.7934	53.0704
2025	5	24	7	35	24	22.98	94.7	6.7873	51.8876
2025	5	24	7	45	24	22.56	94.1	6.7873	50.9813
2025	5	24	7	55	24	24.58	94.7	6.7934	55.5651

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	24	8	5	24	22.14	96.5	6.7812	49.8014
2025	5	24	8	15	24	23.54	93.2	6.7873	53.247
2025	5	24	8	25	24	24.62	95.6	6.7812	55.4606
2025	5	24	8	35	24	23.55	93.7	6.7751	53.1468
2025	5	24	8	45	24	22.08	94.9	6.7751	49.7544
2025	5	24	8	55	24	24.61	95.4	6.7812	55.4605
2025	5	24	9	5	24	23.22	92.5	6.7751	52.4682
2025	5	24	9	15	24	23.68	94.6	6.7751	53.3728
2025	5	24	9	25	24	23.75	93.6	6.7751	53.599
2025	5	24	9	35	24	23.73	96	6.7751	53.3728
2025	5	24	9	45	24	23.25	98.4	6.7751	52.0158
2025	5	24	9	55	24	23.07	94.5	6.7751	52.0158
2025	5	24	10	5	24	24.7	97.2	6.769	55.3559
2025	5	24	10	15	24	22.33	96.2	6.769	50.1592
2025	5	24	10	25	24	23.75	93.6	6.769	53.5483
2025	5	24	10	35	24	23.67	96.8	6.769	53.0963
2025	5	24	10	45	24	23.5	95.4	6.769	52.8704
2025	5	24	10	55	24	22.91	97.8	6.769	51.2887
2025	5	24	11	5	24	23.8	95.3	6.7629	53.4976
2025	5	24	11	15	24	23.19	94.9	6.7629	52.1432
2025	5	24	11	25	24	23.98	94.8	6.7629	53.949
2025	5	24	11	35	24	24.77	94.2	6.7629	55.7548
2025	5	24	11	45	24	23.88	94.6	6.7629	53.7232
2025	5	24	11	55	24	21.45	93.7	6.7629	48.3058
2025	5	24	12	5	24	22.39	95.1	6.7629	50.3373
2025	5	24	12	15	24	22.69	95.1	6.7629	51.0144
2025	5	24	12	25	24	23.42	95.9	6.7629	52.5945
2025	5	24	12	35	24	22.77	94.5	6.7568	51.1918
2025	5	24	12	45	24	22.51	95.6	6.7568	50.5152
2025	5	24	12	55	24	23.49	95.1	6.7568	52.7703
2025	5	24	13	5	24	23.49	95.1	6.7568	52.7703
2025	5	24	13	15	24	23.96	94.1	6.7568	53.8978
2025	5	24	13	25	24	24.08	94.5	6.7568	54.1233
2025	5	24	13	35	24	22.47	94.6	6.7568	50.515
2025	5	24	13	45	24	23.45	93.7	6.7568	52.7701
2025	5	24	13	55	24	23.53	96.1	6.7568	52.7701
2025	5	24	14	5	24	22.91	95.5	6.7568	51.417
2025	5	24	14	15	24	23.03	96	6.7568	51.6425
2025	5	24	14	25	24	22.27	94.6	6.7568	50.0639
2025	5	24	14	35	24	24.15	96.4	6.7568	54.1231
2025	5	24	14	45	24	22.69	95.1	6.7568	50.9659
2025	5	24	14	55	24	22.56	94.1	6.7568	50.7404
2025	5	24	15	5	24	24.06	94.1	6.7568	54.1231
2025	5	24	15	15	24	23.29	95.2	6.7507	52.2695
2025	5	24	15	25	24	22.86	94.3	6.7507	51.3683
2025	5	24	15	35	24	23.32	97.9	6.7507	52.0442
2025	5	24	15	45	24	22.23	96.2	6.7507	49.7912
2025	5	24	15	55	24	23.59	97.3	6.7507	52.7201

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	24	16	5	24	22.96	94	6.7507	51.5936
2025	5	24	16	15	24	22.88	94.8	6.7507	51.3684
2025	5	24	16	25	24	22.23	96.2	6.7507	49.7913
2025	5	24	16	35	24	24.64	96.1	6.7446	55.1463
2025	5	24	16	45	24	22.22	98	6.7446	49.5191
2025	5	24	16	55	24	23.31	95.7	6.7446	52.2202
2025	5	24	17	5	24	24.42	95.6	6.7446	54.6962
2025	5	24	17	15	24	23.37	96.9	6.7446	52.2203
2025	5	24	17	25	24	24.42	95.6	6.7446	54.6962
2025	5	24	17	35	24	23.61	95.6	6.7446	52.8955
2025	5	24	17	45	24	23.82	95.8	6.7385	53.2952
2025	5	24	17	55	24	23.63	96.1	6.7446	52.8956
2025	5	24	18	5	24	24.06	94.1	6.7446	54.021
2025	5	24	18	15	24	24.43	95.9	6.7446	54.6963
2025	5	24	18	25	24	23.44	96.4	6.7446	52.4455
2025	5	24	18	35	24	23.89	97.2	6.7446	53.3459
2025	5	24	18	45	24	23.49	94.9	6.7446	52.6706
2025	5	24	18	55	24	23.68	94.6	6.7385	53.0705
2025	5	24	19	5	24	22.95	93.7	6.7385	51.4965
2025	5	24	19	15	24	24.08	94.5	6.7446	54.0213
2025	5	24	19	25	24	24.25	93.5	6.7446	54.4715
2025	5	24	19	35	24	23.07	94.5	6.7446	51.7704
2025	5	24	19	45	24	23.95	93.6	6.7446	53.7963
2025	5	24	19	55	24	24.08	96.9	6.7446	53.7963
2025	5	24	20	5	24	23.26	96.7	6.7446	51.9956
2025	5	24	20	15	24	21.89	95.2	6.7446	49.0695
2025	5	24	20	25	24	22.4	95.4	6.7446	50.195
2025	5	24	20	35	24	22.98	97.2	6.7446	51.3204
2025	5	24	20	45	24	22.56	94.1	6.7446	50.6452
2025	5	24	20	55	24	23.82	97.7	6.7446	53.1212
2025	5	24	21	5	24	24.08	94.5	6.7446	54.0216
2025	5	24	21	15	24	22.15	93.9	6.7446	49.745
2025	5	24	21	25	24	22.16	94.1	6.7446	49.745
2025	5	24	21	35	24	25.32	97.5	6.7446	56.4977
2025	5	24	21	45	24	23.46	94.2	6.7446	52.6712
2025	5	24	21	55	24	23.63	96.1	6.7446	52.8964
2025	5	24	22	5	24	22.85	98.6	6.7446	50.8706
2025	5	24	22	15	24	23.03	92.7	6.7446	51.771
2025	5	24	22	25	24	23.95	93.6	6.7446	53.7968
2025	5	24	22	35	24	22.19	97.5	6.7446	49.5201
2025	5	24	22	45	24	23.58	94.6	6.7446	52.8966
2025	5	24	22	55	24	22.09	95.2	6.7446	49.5202
2025	5	24	23	5	24	22.92	95.8	6.7446	51.321
2025	5	24	23	15	24	24.28	94.7	6.7446	54.4723
2025	5	24	23	25	24	23.62	92.2	6.7446	53.1218
2025	5	24	23	35	24	23.42	95.9	6.7446	52.4465
2025	5	24	23	45	24	22.63	96.1	6.7446	50.6458
2025	5	24	23	55	24	22.81	97.8	6.7446	50.8709

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	25	0	5	24	22.53	96.1	6.7446	50.4208
2025	5	25	0	15	24	23.2	95.2	6.7446	51.9965
2025	5	25	0	25	24	23.14	96.2	6.7446	51.7714
2025	5	25	0	35	24	22	95.5	6.7446	49.2954
2025	5	25	0	45	24	23.99	95	6.7446	53.7973
2025	5	25	0	55	24	23.48	94.6	6.7446	52.6718
2025	5	25	1	5	24	23.95	93.6	6.7446	53.7973
2025	5	25	1	15	24	23.57	96.8	6.7446	52.6719
2025	5	25	1	25	24	23.72	95.8	6.7446	53.1221
2025	5	25	1	35	24	23.47	94.4	6.7446	52.6719
2025	5	25	1	45	24	23.68	98.7	6.7446	52.6719
2025	5	25	1	55	24	22.59	95.1	6.7446	50.6461
2025	5	25	2	5	24	23.18	97.2	6.7446	51.7716
2025	5	25	2	15	24	23.35	93.7	6.7446	52.4469
2025	5	25	2	25	24	22.94	93.5	6.7446	51.5465
2025	5	25	2	35	24	23.04	93.5	6.7446	51.7716
2025	5	25	2	45	24	24.33	95.9	6.7446	54.4728
2025	5	25	2	55	24	22.95	96.5	6.7446	51.3215
2025	5	25	3	5	24	21.48	94.8	6.7507	48.2158
2025	5	25	3	15	24	22.19	95.2	6.7507	49.7929
2025	5	25	3	25	24	22.55	96.6	6.7629	50.5643
2025	5	25	3	35	24	22.95	98.5	6.7568	51.1931
2025	5	25	3	45	24	22.84	93.5	6.7507	51.3701
2025	5	25	3	55	24	23.89	97.2	6.7507	53.3979
2025	5	25	4	5	24	24.88	96.9	6.7507	55.6509
2025	5	25	4	15	24	21.01	91.4	6.7568	47.3593
2025	5	25	4	25	24	23.35	93.9	6.7568	52.5463
2025	5	25	4	35	24	22.75	93.8	6.7568	51.1931
2025	5	25	4	45	24	23.88	94.8	6.7507	53.6232
2025	5	25	4	55	24	23.39	94.9	6.7568	52.5463
2025	5	25	5	5	24	25.3	95	6.7568	56.8312
2025	5	25	5	15	24	23.12	96	6.7568	51.8697
2025	5	25	5	25	24	22.56	94.3	6.769	50.838
2025	5	25	5	35	24	22.46	98.7	6.7629	50.1128
2025	5	25	5	45	24	21.5	91.1	6.7629	48.5327
2025	5	25	5	55	24	23.33	96.2	6.7629	52.3702
2025	5	25	6	5	24	23.64	93.2	6.769	53.3234
2025	5	25	6	15	24	21.34	93.5	6.7751	48.172
2025	5	25	6	25	24	24.23	97.8	6.7751	54.2783
2025	5	25	6	35	24	22.02	96	6.7751	49.529
2025	5	25	6	45	24	24.04	96.2	6.769	54.0012
2025	5	25	6	55	24	23.36	94.2	6.7751	52.6952
2025	5	25	7	5	24	24.12	95.7	6.7751	54.2783
2025	5	25	7	15	24	23.27	96.9	6.7812	52.292
2025	5	25	7	25	24	23.03	93	6.7812	52.0657
2025	5	25	7	35	24	23.37	96.9	6.7812	52.5184
2025	5	25	7	45	24	21.88	95	6.7812	49.3492
2025	5	25	7	55	24	24.22	95.7	6.7812	54.5557

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	25	8	5	24	22.13	96.2	6.7812	49.8019
2025	5	25	8	15	24	24.62	95.6	6.7812	55.4611
2025	5	25	8	25	24	23.38	97.1	6.7812	52.5183
2025	5	25	8	35	24	23.48	94.6	6.7812	52.971
2025	5	25	8	45	24	22	95.5	6.7812	49.5754
2025	5	25	8	55	24	23.57	96.8	6.7812	52.9709
2025	5	25	9	5	24	23.46	94.2	6.7812	52.9709
2025	5	25	9	15	24	23.14	96.2	6.7812	52.0654
2025	5	25	9	25	24	23.46	96.6	6.7812	52.7445
2025	5	25	9	35	24	23.56	96.6	6.7812	52.9708
2025	5	25	9	45	24	23.07	94.5	6.7751	52.0163
2025	5	25	9	55	24	22.88	97.3	6.7751	51.3378
2025	5	25	10	5	24	23.57	96.8	6.7751	52.9208
2025	5	25	10	15	24	23.74	96.3	6.769	53.3228
2025	5	25	10	25	24	23.17	94.5	6.769	52.193
2025	5	25	10	35	24	23.44	96.4	6.769	52.6449
2025	5	25	10	45	24	23.38	98.9	6.769	52.1929
2025	5	25	10	55	24	23.5	95.4	6.7629	52.8209
2025	5	25	11	5	24	23.42	97.9	6.769	52.4188
2025	5	25	11	15	24	24.28	94.7	6.769	54.6782
2025	5	25	11	25	24	24.33	95.9	6.7629	54.6266
2025	5	25	11	35	24	22.78	94.8	6.7629	51.2406
2025	5	25	11	45	24	24.28	94.7	6.7629	54.6265
2025	5	25	11	55	24	24.09	95	6.7629	54.175
2025	5	25	12	5	24	22.66	94.3	6.7629	51.0147
2025	5	25	12	15	24	23.57	94.4	6.7629	53.0462
2025	5	25	12	25	24	24.34	93.3	6.7629	54.852
2025	5	25	12	35	24	23.7	95.3	6.7629	53.2718
2025	5	25	12	45	24	24.07	94.3	6.7629	54.1747
2025	5	25	12	55	24	24.87	96.7	6.7629	55.7548
2025	5	25	13	5	24	22.27	94.6	6.7629	50.1115
2025	5	25	13	15	24	24.15	93.6	6.7629	54.4003
2025	5	25	13	25	24	23.45	93.7	6.7629	52.8202
2025	5	25	13	35	24	23.99	97.2	6.7629	53.723
2025	5	25	13	45	24	23.4	95.4	6.7629	52.5944
2025	5	25	13	55	24	23.57	96.8	6.7629	52.8201
2025	5	25	14	5	24	22.54	93.3	6.7629	50.7885
2025	5	25	14	15	24	22.86	94.3	6.7629	51.4656
2025	5	25	14	25	24	22.7	97.6	6.7629	50.7884
2025	5	25	14	35	24	23.49	94.9	6.7629	52.82
2025	5	25	14	45	24	23.93	96	6.7629	53.7228
2025	5	25	14	55	24	24.23	95.9	6.7629	54.4
2025	5	25	15	5	24	23.56	96.6	6.7629	52.8199
2025	5	25	15	15	24	23.18	94.7	6.7629	52.1427
2025	5	25	15	25	24	22.96	96.8	6.7629	51.4655
2025	5	25	15	35	24	24.44	93.3	6.7629	55.0771
2025	5	25	15	45	24	23.97	94.3	6.7629	53.9485
2025	5	25	15	55	24	23.62	95.8	6.7629	53.0456

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	25	16	5	24	24.54	96.1	6.7568	55.0251
2025	5	25	16	15	24	22.05	96.8	6.7568	49.3873
2025	5	25	16	25	24	23.1	97.5	6.7568	51.6424
2025	5	25	16	35	24	24.32	95.7	6.7568	54.5741
2025	5	25	16	45	24	22.8	95.3	6.7507	51.1431
2025	5	25	16	55	24	24.08	94.8	6.7568	54.1231
2025	5	25	17	5	24	23.05	93.7	6.7507	51.819
2025	5	25	17	15	24	23.09	95	6.7507	51.819
2025	5	25	17	25	24	22.59	95.1	6.7446	50.6446
2025	5	25	17	35	24	23.29	95.2	6.7507	52.2696
2025	5	25	17	45	24	23.58	94.9	6.7507	52.9456
2025	5	25	17	55	24	23.04	96.2	6.7446	51.545
2025	5	25	18	5	24	22.83	98.1	6.7507	50.9179
2025	5	25	18	15	24	23.79	97.2	6.7507	53.1709
2025	5	25	18	25	24	24.66	94	6.7507	55.424
2025	5	25	18	35	24	22.79	95	6.7507	51.1433
2025	5	25	18	45	24	23.61	95.6	6.7507	52.9457
2025	5	25	18	55	24	23.98	94.8	6.7507	53.847
2025	5	25	19	5	24	23.03	96	6.7507	51.594
2025	5	25	19	15	24	24.64	96.1	6.7507	55.1988
2025	5	25	19	25	24	22.93	96	6.7507	51.3687
2025	5	25	19	35	24	23.78	97	6.7507	53.1712
2025	5	25	19	45	24	24.14	96.2	6.7507	54.0724
2025	5	25	19	55	24	23.94	96.2	6.7507	53.6219
2025	5	25	20	5	24	24.59	94.9	6.7507	55.199
2025	5	25	20	15	24	23.45	93.7	6.7507	52.7207
2025	5	25	20	25	24	23.14	96.2	6.7507	51.8196
2025	5	25	20	35	24	22.29	95.1	6.7507	50.0172
2025	5	25	20	45	24	23.16	94.2	6.7507	52.045
2025	5	25	20	55	24	24.37	94.5	6.7507	54.7486
2025	5	25	21	5	24	24.28	94.7	6.7507	54.5234
2025	5	25	21	15	24	24	95.3	6.7507	53.8475
2025	5	25	21	25	24	23.87	94.3	6.7507	53.6223
2025	5	25	21	35	24	23.57	94.4	6.7507	52.9464
2025	5	25	21	45	24	25.05	96.2	6.7507	56.1007
2025	5	25	21	55	24	23.47	96.9	6.7507	52.4959
2025	5	25	22	5	24	22.96	94.2	6.7507	51.5947
2025	5	25	22	15	24	23.85	96.5	6.7446	53.3467
2025	5	25	22	25	24	23.22	97.9	6.7507	51.82
2025	5	25	22	35	24	23.54	96.3	6.7446	52.6715
2025	5	25	22	45	24	24.05	96.4	6.7446	53.7969
2025	5	25	22	55	24	23.82	95.8	6.7446	53.3468
2025	5	25	23	5	24	21.89	95.2	6.7446	49.0701
2025	5	25	23	15	24	24.62	97.7	6.7507	54.9745
2025	5	25	23	25	24	23.65	98.3	6.7507	52.7214
2025	5	25	23	35	24	23.36	96.6	6.7507	52.2708
2025	5	25	23	45	24	23.71	95.6	6.7446	53.1218
2025	5	25	23	55	24	23.82	95.8	6.7446	53.3469

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	26	0	5	24	23.78	94.6	6.7446	53.3469
2025	5	26	0	15	24	23.27	96.9	6.7507	52.0456
2025	5	26	0	25	24	23.71	95.6	6.7446	53.1219
2025	5	26	0	35	24	23.62	97.8	6.7446	52.6717
2025	5	26	0	45	24	24.1	95.2	6.7446	54.0223
2025	5	26	0	55	24	23.49	95.1	6.7507	52.7216
2025	5	26	1	5	24	23.38	97.1	6.7507	52.271
2025	5	26	1	15	24	24.15	93.8	6.7507	54.2987
2025	5	26	1	25	24	24.99	94.8	6.7507	56.1012
2025	5	26	1	35	24	24.93	97.8	6.7568	55.7032
2025	5	26	1	45	24	24.42	92.6	6.7568	55.0266
2025	5	26	1	55	24	24	95.3	6.7568	53.899
2025	5	26	2	5	24	23.16	94	6.7568	52.0949
2025	5	26	2	15	24	23.78	94.6	6.7568	53.448
2025	5	26	2	25	24	24.1	97.4	6.7568	53.899
2025	5	26	2	35	24	23.57	96.8	6.7568	52.7715
2025	5	26	2	45	24	22.69	95.1	6.7568	50.9673
2025	5	26	2	55	24	25.09	97.1	6.7629	56.2073
2025	5	26	3	5	24	22.78	94.8	6.7568	51.1928
2025	5	26	3	15	24	23.42	95.9	6.7568	52.5459
2025	5	26	3	25	24	24.03	96	6.7629	53.95
2025	5	26	3	35	24	23.45	93.7	6.769	52.8712
2025	5	26	3	45	24	23.98	96.9	6.7751	53.8257
2025	5	26	3	55	24	22.63	96.1	6.769	50.8376
2025	5	26	4	5	24	24.02	95.7	6.7751	54.0518
2025	5	26	4	15	24	23.96	94.1	6.7751	54.0518
2025	5	26	4	25	24	23.36	96.6	6.7812	52.5181
2025	5	26	4	35	24	24.03	96	6.7812	54.1027
2025	5	26	4	45	24	25.3	95	6.7812	57.0455
2025	5	26	4	55	24	22.92	95.8	6.7812	51.6126
2025	5	26	5	5	24	24.15	96.4	6.7873	54.3802
2025	5	26	5	15	24	24.1	97.4	6.7873	54.1536
2025	5	26	5	25	24	22.15	93.9	6.7873	50.0751
2025	5	26	5	35	24	22.35	93.8	6.7873	50.5282
2025	5	26	5	45	24	24.68	97	6.7873	55.5131
2025	5	26	5	55	24	23.58	94.9	6.7873	53.2472
2025	5	26	6	5	24	22.64	96.3	6.7873	50.9814
2025	5	26	6	15	24	24.52	97.7	6.7873	55.0599
2025	5	26	6	25	24	23.99	95	6.7873	54.1535
2025	5	26	6	35	24	22.99	95	6.7873	51.8877
2025	5	26	6	45	24	23.85	96.5	6.7873	53.7003
2025	5	26	6	55	24	24.24	96.2	6.7934	54.658
2025	5	26	7	5	24	23.16	96.7	6.7873	52.1142
2025	5	26	7	15	24	24.24	96.2	6.7934	54.658
2025	5	26	7	25	24	23.98	94.8	6.7934	54.2044
2025	5	26	7	35	24	22.6	95.3	6.7934	51.0292
2025	5	26	7	45	24	22.64	96.3	6.7934	51.0292
2025	5	26	7	55	24	23.14	96.2	6.7934	52.1631

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	26	8	5	24	23.69	95.1	6.7934	53.5239
2025	5	26	8	15	24	24.35	96.4	6.7934	54.8846
2025	5	26	8	25	24	23.07	94.5	6.7934	52.1631
2025	5	26	8	35	24	21.89	95.2	6.7934	49.4415
2025	5	26	8	45	24	23.15	96.4	6.7934	52.163
2025	5	26	8	55	24	22.48	94.8	6.7934	50.8022
2025	5	26	9	5	24	23.37	94.4	6.7934	52.8433
2025	5	26	9	15	24	23.55	93.7	6.7934	53.2969
2025	5	26	9	25	24	22.95	96.5	6.7873	51.6607
2025	5	26	9	35	24	23.88	97	6.7873	53.6999
2025	5	26	9	45	24	23.55	93.9	6.7873	53.2467
2025	5	26	9	55	24	23.28	94.7	6.7873	52.5669
2025	5	26	10	5	24	24.73	93	6.7812	55.913
2025	5	26	10	15	24	24.07	94.3	6.7751	54.2772
2025	5	26	10	25	24	23.3	95.4	6.7751	52.4679
2025	5	26	10	35	24	24.25	93.5	6.7751	54.7294
2025	5	26	10	45	24	24.55	93.7	6.7751	55.4078
2025	5	26	10	55	24	24.23	95.9	6.7751	54.5032
2025	5	26	11	5	24	22.73	96.1	6.7751	51.1108
2025	5	26	11	15	24	24.97	94.4	6.769	56.2592
2025	5	26	11	25	24	24.08	94.5	6.7751	54.2769
2025	5	26	11	35	24	23.44	96.4	6.769	52.6441
2025	5	26	11	45	24	22.84	96.3	6.769	51.2884
2025	5	26	11	55	24	24.92	99.2	6.769	55.5813
2025	5	26	12	5	24	23.18	94.7	6.7751	52.2413
2025	5	26	12	15	24	23.73	96	6.769	53.3218
2025	5	26	12	25	24	23.56	94.1	6.769	53.0958
2025	5	26	12	35	24	23.52	95.9	6.769	52.8698
2025	5	26	12	45	24	23.09	95	6.7751	52.015
2025	5	26	12	55	24	23.75	96.5	6.7751	53.3719
2025	5	26	13	5	24	23.79	95.1	6.7751	53.5981
2025	5	26	13	15	24	22.39	95.1	6.7751	50.4319
2025	5	26	13	25	24	23.95	93.8	6.769	53.9994
2025	5	26	13	35	24	22.61	95.6	6.769	50.8363
2025	5	26	13	45	24	22.93	96	6.769	51.5141
2025	5	26	13	55	24	23.05	96.5	6.7751	51.7888
2025	5	26	14	5	24	23.08	97.2	6.769	51.74
2025	5	26	14	15	24	22.8	95.3	6.769	51.2882
2025	5	26	14	25	24	22.39	95.1	6.769	50.3843
2025	5	26	14	35	24	22.32	95.9	6.769	50.1584
2025	5	26	14	45	24	23.14	96.2	6.769	51.9659
2025	5	26	14	55	24	23.42	95.9	6.769	52.6437
2025	5	26	15	5	24	24.45	96.3	6.769	54.9031
2025	5	26	15	15	24	23.2	95.4	6.769	52.1918
2025	5	26	15	25	24	23.68	94.6	6.7629	53.2712
2025	5	26	15	35	24	23.82	92.4	6.7629	53.7227
2025	5	26	15	45	24	22.76	94	6.7629	51.2397
2025	5	26	15	55	24	22.54	96.4	6.7629	50.5625

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	26	16	5	24	23.31	95.7	6.7629	52.3684
2025	5	26	16	15	24	22.73	92.8	6.7629	51.2397
2025	5	26	16	25	24	23.6	97.5	6.7629	52.8198
2025	5	26	16	35	24	22.96	94	6.7629	51.6912
2025	5	26	16	45	24	23.63	96.1	6.7629	53.0455
2025	5	26	16	55	24	23.03	93	6.7568	51.8679
2025	5	26	17	5	24	23.01	91.2	6.7629	51.917
2025	5	26	17	15	24	23.49	95.1	6.7568	52.77
2025	5	26	17	25	24	24.11	95.5	6.7568	54.1231
2025	5	26	17	35	24	23.07	97	6.7629	51.6913
2025	5	26	17	45	24	23.9	97.5	6.7568	53.4467
2025	5	26	17	55	24	23.03	96	6.7568	51.6426
2025	5	26	18	5	24	23.78	94.8	6.7629	53.4972
2025	5	26	18	15	24	23.49	94.9	6.7568	52.7702
2025	5	26	18	25	24	23.29	95.2	6.7568	52.3192
2025	5	26	18	35	24	24.73	93	6.7629	55.7546
2025	5	26	18	45	24	23.52	95.9	6.7629	52.8202
2025	5	26	18	55	24	22.85	98.6	6.7568	50.9662
2025	5	26	19	5	24	23.35	93.7	6.7629	52.5945
2025	5	26	19	15	24	23.93	92.9	6.7629	53.9489
2025	5	26	19	25	24	23.45	98.3	6.7629	52.3689
2025	5	26	19	35	24	22.84	96.3	6.7568	51.1919
2025	5	26	19	45	24	23.78	97	6.7568	53.2216
2025	5	26	19	55	24	23.37	94.4	6.7568	52.5451
2025	5	26	20	5	24	22.03	96.3	6.7629	49.4346
2025	5	26	20	15	24	22.37	94.6	6.7568	50.29
2025	5	26	20	25	24	22.8	97.6	6.7568	50.9666
2025	5	26	20	35	24	23.68	97	6.7568	52.9963
2025	5	26	20	45	24	24.33	95.9	6.7629	54.6266
2025	5	26	20	55	24	23.38	97.1	6.7629	52.3693
2025	5	26	21	5	24	23.41	95.6	6.769	52.6447
2025	5	26	21	15	24	24.27	96.9	6.7568	54.3496
2025	5	26	21	25	24	23.27	96.9	6.7629	52.1437
2025	5	26	21	35	24	23.61	95.6	6.7629	53.0466
2025	5	26	21	45	24	24.13	97.9	6.7629	53.9496
2025	5	26	21	55	24	23.91	95.5	6.7629	53.7239
2025	5	26	22	5	24	23.6	95.3	6.7629	53.0468
2025	5	26	22	15	24	22.25	93.9	6.7629	50.1123
2025	5	26	22	25	24	23.48	97.1	6.7629	52.5954
2025	5	26	22	35	24	23.41	95.6	6.7629	52.5954
2025	5	26	22	45	24	24	95.3	6.7751	54.0516
2025	5	26	22	55	24	23.54	96.3	6.7751	52.9209
2025	5	26	23	5	24	23.72	95.8	6.769	53.3229
2025	5	26	23	15	24	24.02	99.3	6.7812	53.6499
2025	5	26	23	25	24	24.13	97.9	6.7812	54.1027
2025	5	26	23	35	24	24.66	96.5	6.7812	55.4609
2025	5	26	23	45	24	23.22	95.9	6.7751	52.2425
2025	5	26	23	55	24	24.63	95.8	6.7873	55.5132

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	27	0	5	24	23.74	96.3	6.7873	53.4739
2025	5	27	0	15	24	23.39	95.2	6.7934	52.8438
2025	5	27	0	25	24	24	97.4	6.7934	53.9778
2025	5	27	0	35	24	23.39	95.2	6.7873	52.7942
2025	5	27	0	45	24	24.96	96.4	6.7934	56.2458
2025	5	27	0	55	24	24.17	94.5	6.7934	54.6583
2025	5	27	1	5	24	24.66	96.5	6.7934	55.5655
2025	5	27	1	15	24	24.36	96.6	6.7934	54.8851
2025	5	27	1	25	24	24.21	97.6	6.7934	54.4315
2025	5	27	1	35	24	24.16	96.7	6.7995	54.4827
2025	5	27	1	45	24	23.46	94.2	6.7995	53.1206
2025	5	27	1	55	24	22.84	96.3	6.7995	51.5316
2025	5	27	2	5	24	22.66	96.8	6.7995	51.0775
2025	5	27	2	15	24	24.04	96.2	6.7995	54.2557
2025	5	27	2	25	24	23.8	95.3	6.7995	53.8017
2025	5	27	2	35	24	23.56	94.1	6.8056	53.3978
2025	5	27	2	45	24	23.44	96.4	6.8056	52.9433
2025	5	27	2	55	24	23.42	95.9	6.8056	52.9434
2025	5	27	3	5	24	22.45	96.7	6.8056	50.6711
2025	5	27	3	15	24	24.29	95	6.8056	54.9884
2025	5	27	3	25	24	22.95	93.7	6.8117	52.0833
2025	5	27	3	35	24	23.72	95.8	6.8117	53.6754
2025	5	27	3	45	24	22.81	95.5	6.8117	51.6284
2025	5	27	3	55	24	23.1	95.5	6.8117	52.3108
2025	5	27	4	5	24	24.65	96.3	6.8178	55.7746
2025	5	27	4	15	24	22.79	95	6.8178	51.6768
2025	5	27	4	25	24	22.43	96.1	6.8178	50.7662
2025	5	27	4	35	24	23.65	96.6	6.8239	53.5482
2025	5	27	4	45	24	23.88	97	6.8239	54.0039
2025	5	27	4	55	24	23.83	96	6.8361	54.1049
2025	5	27	5	5	24	23.53	92.9	6.8421	53.6984
2025	5	27	5	15	24	23.38	94.7	6.8482	53.2911
2025	5	27	5	25	24	26.03	95.7	6.8543	59.293
2025	5	27	5	35	24	24.82	95.5	6.8543	56.5458
2025	5	27	5	45	24	23.92	95.8	6.8543	54.4855
2025	5	27	5	55	24	25.21	95.2	6.8604	57.515
2025	5	27	6	5	24	23.97	94.3	6.8604	54.7653
2025	5	27	6	15	24	24.31	95.4	6.8665	55.5044
2025	5	27	6	25	24	24.23	93.1	6.8665	55.5044
2025	5	27	6	35	24	23.29	94.9	6.8665	53.2108
2025	5	27	6	45	24	24.56	94	6.8665	56.1925
2025	5	27	6	55	24	24.03	97.9	6.8665	54.587
2025	5	27	7	5	24	23.32	95.9	6.8726	53.2603
2025	5	27	7	15	24	24.31	97.6	6.8726	55.3264
2025	5	27	7	25	24	24.66	96.5	6.8726	56.2447
2025	5	27	7	35	24	24.75	93.5	6.8726	56.7038
2025	5	27	7	45	24	25.12	95.7	6.8726	57.3925
2025	5	27	7	55	24	24.42	95.6	6.8787	55.8373

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	27	8	5	24	23.86	94.1	6.8787	54.6884
2025	5	27	8	15	24	23.35	93.9	6.8787	53.5394
2025	5	27	8	25	24	24.24	96.2	6.8787	55.3777
2025	5	27	8	35	24	23.03	96	6.8787	52.6202
2025	5	27	8	45	24	24.87	96.7	6.8787	56.7563
2025	5	27	8	55	24	24.31	95.4	6.8848	55.659
2025	5	27	9	5	24	23.92	95.8	6.8848	54.739
2025	5	27	9	15	24	24.02	92.1	6.8848	55.1989
2025	5	27	9	25	24	24.05	93.6	6.8848	55.1989
2025	5	27	9	35	24	23.94	93.1	6.8848	54.9689
2025	5	27	9	45	24	25.62	95.6	6.8848	58.6487
2025	5	27	9	55	24	24.16	96.7	6.8848	55.1988
2025	5	27	10	5	24	26.32	95.5	6.8909	60.3145
2025	5	27	10	15	24	25.53	95.8	6.8909	58.4728
2025	5	27	10	25	24	23.92	95.8	6.8909	54.7894
2025	5	27	10	35	24	24.62	97.7	6.8909	56.1706
2025	5	27	10	45	24	24.36	96.6	6.8909	55.7102
2025	5	27	10	55	24	25.24	93.4	6.8909	58.0122
2025	5	27	11	5	24	24.13	97.9	6.897	55.0704
2025	5	27	11	15	24	24.27	96.9	6.897	55.5312
2025	5	27	11	25	24	26.2	97	6.897	59.9091
2025	5	27	11	35	24	24.48	94.7	6.897	56.2224
2025	5	27	11	45	24	24.82	95.5	6.897	56.9136
2025	5	27	11	55	24	25.53	97.7	6.897	58.296
2025	5	27	12	5	24	23.89	97.2	6.897	54.6093
2025	5	27	12	15	24	25.12	95.7	6.897	57.6047
2025	5	27	12	25	24	24.65	96.3	6.897	56.4525
2025	5	27	12	35	24	24.62	95.6	6.897	56.4525
2025	5	27	12	45	24	24.22	95.7	6.897	55.5308
2025	5	27	12	55	24	24.42	95.6	6.897	55.9916
2025	5	27	13	5	24	24.32	95.7	6.897	55.7611
2025	5	27	13	15	24	25.52	95.6	6.897	58.5261
2025	5	27	13	25	24	24.23	95.9	6.897	55.5306
2025	5	27	13	35	24	24.87	96.7	6.897	56.9131
2025	5	27	13	45	24	25.37	96.6	6.897	58.0652
2025	5	27	13	55	24	24.41	95.4	6.897	55.9914
2025	5	27	14	5	24	24.36	96.6	6.897	55.7609
2025	5	27	14	15	24	24.23	95.9	6.897	55.5305
2025	5	27	14	25	24	23.8	95.3	6.897	54.6089
2025	5	27	14	35	24	24.3	97.3	6.897	55.5305
2025	5	27	14	45	24	25.14	98	6.897	57.3738
2025	5	27	14	55	24	24.34	93.3	6.897	55.9913
2025	5	27	15	5	24	24.57	96.8	6.897	56.2217
2025	5	27	15	15	24	24.09	95	6.897	55.3
2025	5	27	15	25	24	25.09	94.8	6.897	57.6042
2025	5	27	15	35	24	24	97.4	6.897	54.8392
2025	5	27	15	45	24	24.44	96.1	6.897	55.9912
2025	5	27	15	55	24	26.01	97.3	6.897	59.4475

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	27	16	5	24	24.67	94.4	6.897	56.6825
2025	5	27	16	15	24	24.18	94.7	6.897	55.5304
2025	5	27	16	25	24	25.45	96.3	6.897	58.2954
2025	5	27	16	35	24	25.31	95.4	6.897	58.065
2025	5	27	16	45	24	24.29	95	6.897	55.7608
2025	5	27	16	55	24	23.59	95.1	6.897	54.1479
2025	5	27	17	5	24	24.7	95.1	6.897	56.6825
2025	5	27	17	15	24	24.39	94.9	6.8909	55.9395
2025	5	27	17	25	24	23.67	96.8	6.8909	54.0979
2025	5	27	17	35	24	23.84	96.3	6.8909	54.5583
2025	5	27	17	45	24	25.24	96.1	6.8909	57.7812
2025	5	27	17	55	24	23.75	96.5	6.8909	54.3281
2025	5	27	18	5	24	24.12	95.7	6.8909	55.249
2025	5	27	18	15	24	24.96	96.4	6.897	57.1435
2025	5	27	18	25	24	24.27	94.5	6.8909	55.7095
2025	5	27	18	35	24	25.27	94.3	6.8909	58.0115
2025	5	27	18	45	24	24.26	94	6.897	55.7611
2025	5	27	18	55	24	25.96	96.4	6.897	59.4478
2025	5	27	19	5	24	24.53	95.9	6.8909	56.17
2025	5	27	19	15	24	25.95	96.2	6.897	59.4479
2025	5	27	19	25	24	23.95	93.6	6.8909	55.0191
2025	5	27	19	35	24	24.25	96.4	6.897	55.5309
2025	5	27	19	45	24	25.57	94.3	6.8909	58.7024
2025	5	27	19	55	24	24.59	94.9	6.897	56.4526
2025	5	27	20	5	24	25.26	96.4	6.897	57.8352
2025	5	27	20	15	24	24.62	95.6	6.897	56.4527
2025	5	27	20	25	24	25.69	96.9	6.8909	58.7026
2025	5	27	20	35	24	24.91	95.3	6.897	57.144
2025	5	27	20	45	24	23.21	95.7	6.8909	53.1777
2025	5	27	20	55	24	23.25	96.4	6.897	53.227
2025	5	27	21	5	24	24.43	92.8	6.897	56.2225
2025	5	27	21	15	24	24.19	97.1	6.8909	55.2497
2025	5	27	21	25	24	23.08	97.2	6.8909	52.7174
2025	5	27	21	35	24	25.05	96.2	6.8909	57.3216
2025	5	27	21	45	24	25.04	96	6.897	57.3747
2025	5	27	21	55	24	23.98	94.5	6.897	55.0705
2025	5	27	22	5	24	25.53	95.8	6.897	58.5269
2025	5	27	22	15	24	23.69	95.1	6.897	54.3793
2025	5	27	22	25	24	24.02	95.7	6.897	55.0706
2025	5	27	22	35	24	24.16	96.7	6.897	55.3011
2025	5	27	22	45	24	24.96	96.4	6.897	57.1445
2025	5	27	22	55	24	25.06	96.4	6.897	57.3749
2025	5	27	23	5	24	24.19	97.1	6.897	55.3012
2025	5	27	23	15	24	24.42	95.6	6.897	55.9924
2025	5	27	23	25	24	24.45	96.3	6.8909	55.9407
2025	5	27	23	35	24	25.3	95	6.8909	58.0126
2025	5	27	23	45	24	25.07	96.6	6.8909	57.3219
2025	5	27	23	55	24	26.28	94.4	6.8909	60.3147

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	28	0	5	24	25.16	96.4	6.8909	57.5522
2025	5	28	0	15	24	25.04	96	6.8909	57.322
2025	5	28	0	25	24	24.42	97.8	6.8909	55.7106
2025	5	28	0	35	24	23.39	95.2	6.8909	53.6387
2025	5	28	0	45	24	25.3	97.3	6.8909	57.7825
2025	5	28	0	55	24	24.17	94.3	6.8909	55.4804
2025	5	28	1	5	24	23.57	96.8	6.8909	53.8689
2025	5	28	1	15	24	25.06	94.1	6.8848	57.499
2025	5	28	1	25	24	24.51	95.4	6.8848	56.119
2025	5	28	1	35	24	24.82	95.5	6.8848	56.809
2025	5	28	1	45	24	24.34	96.1	6.8848	55.659
2025	5	28	1	55	24	23.74	96.3	6.8848	54.2791
2025	5	28	2	5	24	24.47	94.2	6.8848	56.1191
2025	5	28	2	15	24	24.89	97.2	6.8848	56.8091
2025	5	28	2	25	24	25.1	95	6.8848	57.499
2025	5	28	2	35	24	24.24	96.2	6.8848	55.4291
2025	5	28	2	45	24	23.14	93.2	6.8848	53.1291
2025	5	28	2	55	24	24.48	97	6.8787	55.8373
2025	5	28	3	5	24	23.63	98	6.8787	53.7692
2025	5	28	3	15	24	23.77	96.8	6.8787	54.2288
2025	5	28	3	25	24	24.38	94.7	6.8787	55.8373
2025	5	28	3	35	24	23.62	95.8	6.8787	53.999
2025	5	28	3	45	24	24.01	95.5	6.8787	54.9181
2025	5	28	3	55	24	24.1	95.2	6.8787	55.1479
2025	5	28	4	5	24	24.56	96.5	6.8787	56.067
2025	5	28	4	15	24	25.19	94.8	6.8787	57.6755
2025	5	28	4	25	24	22.98	97.2	6.8787	52.3905
2025	5	28	4	35	24	23.65	93.9	6.8787	54.2288
2025	5	28	4	45	24	23.48	94.6	6.8787	53.7692
2025	5	28	4	55	24	24.95	93.7	6.8787	57.2159
2025	5	28	5	5	24	24.39	97.1	6.8726	55.5559
2025	5	28	5	15	24	24.29	95	6.8726	55.5558
2025	5	28	5	25	24	24.51	95.4	6.8726	56.015
2025	5	28	5	35	24	24.14	93.1	6.8726	55.3263
2025	5	28	5	45	24	24.1	95.2	6.8726	55.0967
2025	5	28	5	55	24	24.89	98.8	6.8726	56.4741
2025	5	28	6	5	24	24.51	95.4	6.8726	56.0149
2025	5	28	6	15	24	24.42	97.8	6.8726	55.5558
2025	5	28	6	25	24	24.43	95.9	6.8726	55.7853
2025	5	28	6	35	24	24.38	94.7	6.8726	55.7853
2025	5	28	6	45	24	23.32	95.9	6.8726	53.2601
2025	5	28	6	55	24	24.19	95	6.8726	55.3262
2025	5	28	7	5	24	24.83	95.8	6.8726	56.7036
2025	5	28	7	15	24	23.85	93.6	6.8726	54.6374
2025	5	28	7	25	24	24.72	95.6	6.8726	56.474
2025	5	28	7	35	24	24.1	97.4	6.8665	54.816
2025	5	28	7	45	24	25.01	95.3	6.8665	57.1095
2025	5	28	7	55	24	24.67	94.2	6.8665	56.4214

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	28	8	5	24	25.61	95.4	6.8665	58.4856
2025	5	28	8	15	24	22.61	95.6	6.8665	51.6049
2025	5	28	8	25	24	22.98	97.2	6.8665	52.293
2025	5	28	8	35	24	24.13	97.9	6.8665	54.8158
2025	5	28	8	45	24	25.57	94.3	6.8665	58.4855
2025	5	28	8	55	24	23.25	93.7	6.8604	53.1608
2025	5	28	9	5	24	24.94	93.2	6.8604	57.0562
2025	5	28	9	15	24	24.32	95.7	6.8604	55.4522
2025	5	28	9	25	24	22.22	95.9	6.8604	50.6402
2025	5	28	9	35	24	22.84	96.3	6.8604	52.015
2025	5	28	9	45	24	23.43	96.1	6.8482	53.2904
2025	5	28	9	55	24	24.91	97.4	6.8421	56.4397
2025	5	28	10	5	24	23.38	98.9	6.8421	52.7837
2025	5	28	10	15	24	23.59	95.1	6.8421	53.6976
2025	5	28	10	25	24	24.62	95.6	6.8361	55.9304
2025	5	28	10	35	24	23.15	93.7	6.8361	52.7343
2025	5	28	10	45	24	25.17	94.3	6.8361	57.3
2025	5	28	10	55	24	23.18	97.2	6.8361	52.5059
2025	5	28	11	5	24	23.85	93.6	6.8361	54.3322
2025	5	28	11	15	24	24.82	95.5	6.8361	56.3867
2025	5	28	11	25	24	24.37	94.5	6.8361	55.4735
2025	5	28	11	35	24	23.64	96.3	6.83	53.5971
2025	5	28	11	45	24	24.46	96.6	6.83	55.4216
2025	5	28	11	55	24	23.94	98.2	6.83	54.0532
2025	5	28	12	5	24	25.22	95.7	6.83	57.2461
2025	5	28	12	15	24	24.32	95.7	6.83	55.1934
2025	5	28	12	25	24	24.14	93.3	6.83	54.9653
2025	5	28	12	35	24	22.91	95.5	6.83	52.0003
2025	5	28	12	45	24	23.55	93.9	6.83	53.5968
2025	5	28	12	55	24	23.49	97.3	6.8239	53.091
2025	5	28	13	5	24	25.12	92.1	6.83	57.2458
2025	5	28	13	15	24	24.42	95.6	6.83	55.4212
2025	5	28	13	25	24	24.11	95.5	6.8239	54.6858
2025	5	28	13	35	24	24.29	95	6.83	55.1931
2025	5	28	13	45	24	24.13	99.5	6.8178	54.1793
2025	5	28	13	55	24	24.02	95.7	6.8178	54.4069
2025	5	28	14	5	24	23.72	95.8	6.8178	53.724
2025	5	28	14	15	24	24.05	93.6	6.8117	54.5834
2025	5	28	14	25	24	24.37	96.8	6.8178	55.0898
2025	5	28	14	35	24	24.37	96.8	6.8117	55.0382
2025	5	28	14	45	24	23.26	96.7	6.8117	52.5365
2025	5	28	14	55	24	23.29	94.9	6.8056	52.7145
2025	5	28	15	5	24	25.05	98	6.8056	56.3499
2025	5	28	15	15	24	23.15	96.4	6.8056	52.26
2025	5	28	15	25	24	24.52	95.6	6.7995	55.389
2025	5	28	15	35	24	22.64	96.3	6.7995	51.0759
2025	5	28	15	45	24	23.35	98.4	6.7934	52.3887
2025	5	28	15	55	24	24.14	96.2	6.7995	54.481

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	28	16	5	24	23.63	96.1	6.7934	53.2959
2025	5	28	16	15	24	23.82	95.8	6.7995	53.8
2025	5	28	16	25	24	22.43	96.1	6.7934	50.5744
2025	5	28	16	35	24	23.66	94.1	6.7873	53.4724
2025	5	28	16	45	24	24.02	95.7	6.7873	54.1522
2025	5	28	16	55	24	23.67	96.8	6.7812	53.1958
2025	5	28	17	5	24	23.82	95.8	6.7873	53.6991
2025	5	28	17	15	24	23	95.2	6.7812	51.8377
2025	5	28	17	25	24	24.48	97	6.7812	55.0068
2025	5	28	17	35	24	24.62	95.6	6.7812	55.4596
2025	5	28	17	45	24	24.04	96.2	6.7812	54.1014
2025	5	28	17	55	24	23.79	95.1	6.7751	53.5982
2025	5	28	18	5	24	22.98	94.7	6.7873	51.8866
2025	5	28	18	15	24	23.5	95.4	6.7751	52.9198
2025	5	28	18	25	24	23.64	96.3	6.7751	53.146
2025	5	28	18	35	24	23.89	97.2	6.7751	53.5983
2025	5	28	18	45	24	24.42	95.6	6.7751	54.9553
2025	5	28	18	55	24	24.78	97	6.7751	55.6338
2025	5	28	19	5	24	22.94	96.3	6.7751	51.563
2025	5	28	19	15	24	23.64	96.3	6.7751	53.1462
2025	5	28	19	25	24	24	97.4	6.7751	53.8247
2025	5	28	19	35	24	23.9	95.3	6.7751	53.8247
2025	5	28	19	45	24	24.59	94.9	6.7751	55.4078
2025	5	28	19	55	24	24.3	95.2	6.7751	54.7294
2025	5	28	20	5	24	24.37	96.8	6.7751	54.7294
2025	5	28	20	15	24	23.79	97.2	6.7812	53.4228
2025	5	28	20	25	24	24.68	94.6	6.7873	55.739
2025	5	28	20	35	24	23.98	96.9	6.7812	53.8757
2025	5	28	20	45	24	23.44	96.4	6.7873	52.7935
2025	5	28	20	55	24	24.09	95	6.7873	54.3796
2025	5	28	21	5	24	24	97.4	6.7934	53.9772
2025	5	28	21	15	24	23.85	96.5	6.7934	53.7505
2025	5	28	21	25	24	23.71	95.6	6.7934	53.5237
2025	5	28	21	35	24	23.56	96.6	6.7934	53.0702
2025	5	28	21	45	24	25.57	94.3	6.7934	57.8329
2025	5	28	21	55	24	24.1	95.2	6.7934	54.431
2025	5	28	22	5	24	24.25	93.5	6.7934	54.8847
2025	5	28	22	15	24	24.39	94.9	6.7934	55.1115
2025	5	28	22	25	24	23.04	96.2	6.7934	51.9364
2025	5	28	22	35	24	23.6	95.3	6.7934	53.2972
2025	5	28	22	45	24	24.47	94.5	6.7934	55.3384
2025	5	28	22	55	24	23.8	95.3	6.7934	53.7508
2025	5	28	23	5	24	24.42	95.6	6.7934	55.1117
2025	5	28	23	15	24	23.68	94.6	6.7934	53.5241
2025	5	28	23	25	24	24.1	95.2	6.7934	54.4313
2025	5	28	23	35	24	24.19	95	6.7934	54.6581
2025	5	28	23	45	24	24.01	95.5	6.7934	54.2045
2025	5	28	23	55	24	24.96	93.9	6.7934	56.4725

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	29	0	5	24	23.94	96.2	6.7934	53.9778
2025	5	29	0	15	24	25.9	95.1	6.7934	58.5138
2025	5	29	0	25	24	24.19	95	6.7934	54.6582
2025	5	29	0	35	24	24.26	96.6	6.7934	54.6582
2025	5	29	0	45	24	25.16	96.4	6.7934	56.6994
2025	5	29	0	55	24	23.69	95.1	6.7995	53.5746
2025	5	29	1	5	24	23.89	97.2	6.7934	53.7511
2025	5	29	1	15	24	24.19	95	6.7934	54.6583
2025	5	29	1	25	24	23.18	94.7	6.7995	52.4396
2025	5	29	1	35	24	23.88	94.8	6.7995	54.0286
2025	5	29	1	45	24	23.71	95.6	6.7934	53.5243
2025	5	29	1	55	24	24.37	94.5	6.7934	55.1119
2025	5	29	2	5	24	24.65	96.3	6.7995	55.6177
2025	5	29	2	15	24	24.15	93.8	6.7995	54.7097
2025	5	29	2	25	24	24.82	92.1	6.7995	56.2988
2025	5	29	2	35	24	24.34	93.3	6.7995	55.1637
2025	5	29	2	45	24	23.56	94.1	6.7995	53.3476
2025	5	29	2	55	24	24.85	96.2	6.7995	56.0718
2025	5	29	3	5	24	23.92	95.8	6.7995	54.0287
2025	5	29	3	15	24	24.04	96.2	6.7995	54.2557
2025	5	29	3	25	24	23.94	96.2	6.7995	54.0287
2025	5	29	3	35	24	22.94	93.2	6.7995	51.9856
2025	5	29	3	45	24	22.92	98	6.7995	51.5315
2025	5	29	3	55	24	24.43	95.9	6.7995	55.1637
2025	5	29	4	5	24	23.49	94.9	6.7995	53.1206
2025	5	29	4	15	24	23.53	92.9	6.7995	53.3476
2025	5	29	4	25	24	23.91	95.5	6.7995	54.0286
2025	5	29	4	35	24	24.52	95.6	6.7995	55.3907
2025	5	29	4	45	24	23.48	97.1	6.7995	52.8936
2025	5	29	4	55	24	24.37	94.5	6.7995	55.1637
2025	5	29	5	5	24	23.95	96.5	6.7995	54.0286
2025	5	29	5	15	24	23.48	97.1	6.7995	52.8936
2025	5	29	5	25	24	24.15	96.4	6.7995	54.4826
2025	5	29	5	35	24	24.15	93.8	6.7995	54.7096
2025	5	29	5	45	24	24.68	97	6.7995	55.6176
2025	5	29	5	55	24	23.77	96.8	6.7995	53.5745
2025	5	29	6	5	24	23.99	95	6.7995	54.2556
2025	5	29	6	15	24	23.82	95.8	6.7934	53.751
2025	5	29	6	25	24	24.03	97.9	6.7934	53.9778
2025	5	29	6	35	24	24.72	95.6	6.7995	55.8446
2025	5	29	6	45	24	22.83	96	6.7995	51.5314
2025	5	29	6	55	24	24.27	94.5	6.7995	54.9365
2025	5	29	7	5	24	25.41	95.4	6.7995	57.4336
2025	5	29	7	15	24	23.35	93.9	6.7995	52.8934
2025	5	29	7	25	24	24.47	96.8	6.7995	55.1635
2025	5	29	7	35	24	23.44	96.4	6.7995	52.8934
2025	5	29	7	45	24	23.55	93.7	6.7995	53.3473
2025	5	29	7	55	24	22.66	96.8	6.7995	51.0772

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	29	8	5	24	25.27	94.3	6.7995	57.2065
2025	5	29	8	15	24	23.58	94.6	6.7995	53.3472
2025	5	29	8	25	24	24.3	95.2	6.7995	54.9363
2025	5	29	8	35	24	23.92	95.8	6.7995	54.0282
2025	5	29	8	45	24	23.6	95.3	6.7995	53.3471
2025	5	29	8	55	24	24.5	97.3	6.7995	55.1632
2025	5	29	9	5	24	24.89	94.8	6.7995	56.2982
2025	5	29	9	15	24	22.45	93.8	6.7934	50.8022
2025	5	29	9	25	24	22.72	92.3	6.7934	51.4825
2025	5	29	9	35	24	23.72	95.8	6.7934	53.5237
2025	5	29	9	45	24	23.05	93.7	6.7934	52.1629
2025	5	29	9	55	24	24.47	94.5	6.7873	55.2859
2025	5	29	10	5	24	22.79	95	6.7873	51.434
2025	5	29	10	15	24	24.11	95.5	6.7812	54.3284
2025	5	29	10	25	24	23.03	96	6.7751	51.7895
2025	5	29	10	35	24	23.92	97.7	6.7751	53.5987
2025	5	29	10	45	24	23.44	96.4	6.7751	52.694
2025	5	29	10	55	24	24.44	96.1	6.7751	54.9555
2025	5	29	11	5	24	23.62	92.4	6.769	53.3221
2025	5	29	11	15	24	24.73	95.8	6.769	55.5814
2025	5	29	11	25	24	22.89	95	6.769	51.5145
2025	5	29	11	35	24	23.79	95.1	6.769	53.5479
2025	5	29	11	45	24	24.14	96.2	6.769	54.2256
2025	5	29	11	55	24	25.11	95.5	6.769	56.485
2025	5	29	12	5	24	24.02	95.7	6.769	53.9996
2025	5	29	12	15	24	24.45	93.8	6.769	55.1293
2025	5	29	12	25	24	23.61	95.6	6.769	53.0957
2025	5	29	12	35	24	22.98	94.7	6.769	51.7401
2025	5	29	12	45	24	22.93	92.8	6.769	51.74
2025	5	29	12	55	24	22.44	93.3	6.7629	50.5626
2025	5	29	13	5	24	23.44	93.2	6.7629	52.8198
2025	5	29	13	15	24	23.28	97.2	6.7629	52.1426
2025	5	29	13	25	24	24.88	94.6	6.7629	55.9799
2025	5	29	13	35	24	25.02	95.5	6.7629	56.2056
2025	5	29	13	45	24	23.12	96	6.7629	51.9168
2025	5	29	13	55	24	24.17	94.5	6.7629	54.3997
2025	5	29	14	5	24	24.99	94.8	6.7629	56.2055
2025	5	29	14	15	24	24.01	97.7	6.7629	53.7225
2025	5	29	14	25	24	22.99	95	6.7568	51.6421
2025	5	29	14	35	24	23.73	96	6.7629	53.271
2025	5	29	14	45	24	23.69	97.3	6.7568	52.9952
2025	5	29	14	55	24	24.63	95.8	6.7568	55.2503
2025	5	29	15	5	24	22.85	96.5	6.7568	51.1911
2025	5	29	15	15	24	23.79	95.1	6.7507	53.3957
2025	5	29	15	25	24	23.31	95.7	6.7507	52.2692
2025	5	29	15	35	24	24.71	95.3	6.7507	55.4233
2025	5	29	15	45	24	23.25	93.7	6.7507	52.2692
2025	5	29	15	55	24	23.02	92.5	6.7385	51.7206

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	29	16	5	24	24.29	95	6.7446	54.4706
2025	5	29	16	15	24	25.1	95	6.7385	56.218
2025	5	29	16	25	24	24.12	95.7	6.7385	53.9693
2025	5	29	16	35	24	24.93	93	6.7324	55.9401
2025	5	29	16	45	24	23.75	93.9	6.7324	53.2442
2025	5	29	16	55	24	22.75	93.8	6.7263	50.9493
2025	5	29	17	5	24	23.17	96.9	6.7263	51.6226
2025	5	29	17	15	24	24.64	93.3	6.7263	55.2138
2025	5	29	17	25	24	24.68	97	6.7263	54.9894
2025	5	29	17	35	24	24.23	95.9	6.7141	53.9889
2025	5	29	17	45	24	23.68	97	6.7202	52.6949
2025	5	29	17	55	24	24.17	94.5	6.7202	54.0403
2025	5	29	18	5	24	24.34	96.1	6.7202	54.2646
2025	5	29	18	15	24	23.02	95.7	6.7202	51.3496
2025	5	29	18	25	24	23.61	95.6	6.7202	52.695
2025	5	29	18	35	24	23.56	94.1	6.7202	52.695
2025	5	29	18	45	24	25.17	94.3	6.7263	56.3363
2025	5	29	18	55	24	25.11	95.5	6.7263	56.1119
2025	5	29	19	5	24	22.13	93.1	6.7324	49.65
2025	5	29	19	15	24	24.47	96.8	6.7263	54.5408
2025	5	29	19	25	24	24.13	97.9	6.7324	53.694
2025	5	29	19	35	24	23.36	94.2	6.7324	52.3461
2025	5	29	19	45	24	24.09	95	6.7324	53.9187
2025	5	29	19	55	24	24.73	95.8	6.7324	55.2667
2025	5	29	20	5	24	23.75	96.5	6.7385	53.0704
2025	5	29	20	15	24	24	95.3	6.7385	53.7451
2025	5	29	20	25	24	24.83	92.8	6.7385	55.769
2025	5	29	20	35	24	24.57	94.2	6.7324	55.0423
2025	5	29	20	45	24	22.71	95.6	6.7324	50.7737
2025	5	29	20	55	24	23.45	93.7	6.7385	52.6209
2025	5	29	21	5	24	23.59	95.1	6.7385	52.8458
2025	5	29	21	15	24	23.79	97.2	6.7385	53.0708
2025	5	29	21	25	24	24.47	94.5	6.7385	54.8698
2025	5	29	21	35	24	24.46	96.6	6.7385	54.645
2025	5	29	21	45	24	24.78	94.6	6.7385	55.5445
2025	5	29	21	55	24	23.78	94.6	6.7385	53.2958
2025	5	29	22	5	24	23.75	93.6	6.7385	53.2958
2025	5	29	22	15	24	24	95.3	6.7385	53.7456
2025	5	29	22	25	24	23.58	94.6	6.7385	52.8461
2025	5	29	22	35	24	23.73	96	6.7385	53.071
2025	5	29	22	45	24	23.88	97	6.7385	53.2959
2025	5	29	22	55	24	24.03	96	6.7385	53.7457
2025	5	29	23	5	24	23.28	97.2	6.7385	51.9467
2025	5	29	23	15	24	23.68	97	6.7385	52.8463
2025	5	29	23	25	24	23.89	97.2	6.7385	53.296
2025	5	29	23	35	24	24.17	96.9	6.7385	53.9707
2025	5	29	23	45	24	24.05	93.6	6.7385	53.9707
2025	5	29	23	55	24	23.3	95.4	6.7385	52.1717

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	30	0	5	24	24.08	96.9	6.7385	53.7459
2025	5	30	0	15	24	22.37	94.6	6.7385	50.1479
2025	5	30	0	25	24	24.48	94.7	6.7385	54.8703
2025	5	30	0	35	24	25.15	96.2	6.7385	56.2196
2025	5	30	0	45	24	24.71	97.4	6.7385	55.0952
2025	5	30	0	55	24	23.59	95.1	6.7385	52.8465
2025	5	30	1	5	24	24.21	95.5	6.7385	54.1958
2025	5	30	1	15	24	23.51	91.9	6.7385	52.8465
2025	5	30	1	25	24	24.91	97.4	6.7385	55.545
2025	5	30	1	35	24	24.27	94.5	6.7385	54.4207
2025	5	30	1	45	24	22.61	95.6	6.7385	50.5977
2025	5	30	1	55	24	23.43	96.1	6.7385	52.3968
2025	5	30	2	5	24	23.67	94.4	6.7385	53.0714
2025	5	30	2	15	24	23.8	95.3	6.7385	53.2963
2025	5	30	2	25	24	23.78	97	6.7385	53.0714
2025	5	30	2	35	24	24.54	96.1	6.7385	54.8705
2025	5	30	2	45	24	23.88	94.6	6.7385	53.5212
2025	5	30	2	55	24	24.13	95.9	6.7385	53.9709
2025	5	30	3	5	24	22.62	95.8	6.7385	50.5978
2025	5	30	3	15	24	23.32	95.9	6.7385	52.1719
2025	5	30	3	25	24	25.4	95.2	6.7385	56.8944
2025	5	30	3	35	24	22.12	96	6.7385	49.4734
2025	5	30	3	45	24	22.7	95.3	6.7385	50.8226
2025	5	30	3	55	24	23.52	92.2	6.7385	52.8465
2025	5	30	4	5	24	23.88	94.6	6.7385	53.5212
2025	5	30	4	15	24	23.04	98.2	6.7385	51.2724
2025	5	30	4	25	24	22.9	95.3	6.7385	51.2724
2025	5	30	4	35	24	23.45	93.7	6.7385	52.6216
2025	5	30	4	45	24	23.82	95.8	6.7385	53.2963
2025	5	30	4	55	24	24.1	95.2	6.7385	53.9709
2025	5	30	5	5	24	24.08	94.5	6.7385	53.9709
2025	5	30	5	15	24	22.6	95.3	6.7385	50.5977
2025	5	30	5	25	24	23.96	94.1	6.7385	53.746
2025	5	30	5	35	24	23.12	96	6.7385	51.7221
2025	5	30	5	45	24	24.52	95.6	6.7385	54.8704
2025	5	30	5	55	24	24.19	95	6.7446	54.2471
2025	5	30	6	5	24	23.72	95.8	6.7385	53.0713
2025	5	30	6	15	24	24.78	94.6	6.7385	55.545
2025	5	30	6	25	24	24.02	95.7	6.7446	53.7968
2025	5	30	6	35	24	24.15	96.4	6.7446	54.0219
2025	5	30	6	45	24	23.44	96.4	6.7385	52.3966
2025	5	30	6	55	24	23.38	94.7	6.7446	52.4463
2025	5	30	7	5	24	23.76	94.1	6.7446	53.3466
2025	5	30	7	15	24	22.36	96.9	6.7446	49.9702
2025	5	30	7	25	24	23.74	96.3	6.7446	53.1215
2025	5	30	7	35	24	23.2	95.2	6.7446	51.996
2025	5	30	7	45	24	23.06	94	6.7446	51.7709
2025	5	30	7	55	24	23.68	97	6.7446	52.8963

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	30	8	5	24	24.74	96	6.7446	55.3723
2025	5	30	8	15	24	22.53	92.8	6.7446	50.6453
2025	5	30	8	25	24	23.47	96.9	6.7446	52.446
2025	5	30	8	35	24	23.75	96.5	6.7446	53.1213
2025	5	30	8	45	24	22.76	96.8	6.7446	50.8703
2025	5	30	8	55	24	22.89	95	6.7446	51.3205
2025	5	30	9	5	24	23.98	94.5	6.7446	53.7964
2025	5	30	9	15	24	25.71	97.4	6.7446	57.3978
2025	5	30	9	25	24	24.64	96.1	6.7446	55.1469
2025	5	30	9	35	24	23.68	97	6.7446	52.8959
2025	5	30	9	45	24	24.16	94	6.7446	54.2464
2025	5	30	9	55	24	23.88	97	6.7385	53.2955
2025	5	30	10	5	24	25.07	96.6	6.7385	55.994
2025	5	30	10	15	24	23.16	94.2	6.7385	51.9462
2025	5	30	10	25	24	24.29	97.1	6.7385	54.1949
2025	5	30	10	35	24	23.01	95.5	6.7385	51.4964
2025	5	30	10	45	24	22.91	95.5	6.7385	51.2714
2025	5	30	10	55	24	23.05	96.5	6.7324	51.4475
2025	5	30	11	5	24	23.22	95.9	6.7324	51.8968
2025	5	30	11	15	24	23.43	92.9	6.7263	52.5209
2025	5	30	11	25	24	24.44	98	6.7263	54.3164
2025	5	30	11	35	24	24.12	95.7	6.7202	53.8163
2025	5	30	11	45	24	22.82	95.8	6.7202	50.9012
2025	5	30	11	55	24	23.57	94.4	6.7202	52.695
2025	5	30	12	5	24	23.35	96.4	6.7141	51.9729
2025	5	30	12	15	24	23.51	95.6	6.7141	52.4209
2025	5	30	12	25	24	23.63	92.9	6.7141	52.8689
2025	5	30	12	35	24	24.02	95.7	6.7141	53.5409
2025	5	30	12	45	24	23.49	94.9	6.7141	52.4207
2025	5	30	12	55	24	23.58	94.6	6.7141	52.6447
2025	5	30	13	5	24	23.21	95.7	6.7141	51.7486
2025	5	30	13	15	24	22.53	93.1	6.708	50.3565
2025	5	30	13	25	24	24.03	96	6.708	53.4897
2025	5	30	13	35	24	23.8	95.3	6.708	53.0421
2025	5	30	13	45	24	23.78	94.8	6.708	53.0421
2025	5	30	13	55	24	23.54	93.4	6.708	52.5944
2025	5	30	14	5	24	22.34	93.6	6.708	49.9087
2025	5	30	14	15	24	23.46	98.6	6.708	51.923
2025	5	30	14	25	24	23.93	96	6.708	53.2658
2025	5	30	14	35	24	23.71	95.6	6.708	52.8181
2025	5	30	14	45	24	23.72	97.8	6.708	52.5943
2025	5	30	14	55	24	24.33	95.9	6.7019	54.1094
2025	5	30	15	5	24	24.32	95.7	6.708	54.1609
2025	5	30	15	15	24	25.37	94.3	6.708	56.6228
2025	5	30	15	25	24	23.3	95.4	6.7019	51.8734
2025	5	30	15	35	24	23.43	96.1	6.7019	52.097
2025	5	30	15	45	24	21.85	93.9	6.7019	48.7431
2025	5	30	15	55	24	24.97	94.4	6.7019	55.6745

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	30	16	5	24	24.33	95.9	6.7019	54.1093
2025	5	30	16	15	24	22.08	97.3	6.7019	48.9667
2025	5	30	16	25	24	23.83	98	6.7019	52.7678
2025	5	30	16	35	24	22.88	94.8	6.7019	50.979
2025	5	30	16	45	24	24.54	96.1	6.7019	54.5565
2025	5	30	16	55	24	23.86	96.7	6.6958	52.9409
2025	5	30	17	5	24	23.89	95	6.6958	53.1643
2025	5	30	17	15	24	23.26	94.2	6.6958	51.824
2025	5	30	17	25	24	22.34	93.6	6.6958	49.8136
2025	5	30	17	35	24	22.7	95.3	6.6898	50.4356
2025	5	30	17	45	24	22.8	97.6	6.6898	50.4357
2025	5	30	17	55	24	23.39	94.9	6.6776	51.8986
2025	5	30	18	5	24	26.04	93.3	6.6837	57.968
2025	5	30	18	15	24	23.16	96.7	6.6898	51.3284
2025	5	30	18	25	24	22.67	94.6	6.6898	50.4358
2025	5	30	18	35	24	23.48	97.1	6.6776	51.8987
2025	5	30	18	45	24	23.84	96.3	6.6898	52.8907
2025	5	30	18	55	24	23.73	96	6.6898	52.6675
2025	5	30	19	5	24	23.78	94.6	6.6898	52.8907
2025	5	30	19	15	24	24.25	93.5	6.6898	54.0066
2025	5	30	19	25	24	23.9	95.3	6.6837	53.0633
2025	5	30	19	35	24	23.49	97.3	6.6898	51.9982
2025	5	30	19	45	24	22.42	97.9	6.6898	49.5434
2025	5	30	19	55	24	23.33	96.2	6.6898	51.7751
2025	5	30	20	5	24	23.14	93.2	6.6898	51.552
2025	5	30	20	15	24	23.29	97.4	6.6898	51.552
2025	5	30	20	25	24	23.04	96.2	6.6837	51.0569
2025	5	30	20	35	24	23.46	96.6	6.6898	51.9984
2025	5	30	20	45	24	23.73	98	6.6898	52.4448
2025	5	30	20	55	24	24.31	97.6	6.6898	53.7839
2025	5	30	21	5	24	24.02	95.7	6.6898	53.3376
2025	5	30	21	15	24	23.4	95.4	6.6898	51.9986
2025	5	30	21	25	24	24.02	95.7	6.6898	53.3376
2025	5	30	21	35	24	23.57	94.4	6.6898	52.445
2025	5	30	21	45	24	24.29	95	6.6898	54.0072
2025	5	30	21	55	24	24.77	96.7	6.6898	54.8999
2025	5	30	22	5	24	23.49	94.9	6.6898	52.2219
2025	5	30	22	15	24	23.43	96.1	6.6898	51.9988
2025	5	30	22	25	24	23.73	96	6.6898	52.6683
2025	5	30	22	35	24	23.39	94.9	6.6898	51.9988
2025	5	30	22	45	24	23.29	94.9	6.6898	51.7757
2025	5	30	22	55	24	23.38	94.7	6.6898	51.9989
2025	5	30	23	5	24	24.72	95.6	6.6898	54.9001
2025	5	30	23	15	24	23.82	95.8	6.6898	52.8916
2025	5	30	23	25	24	23.57	94.4	6.6898	52.4453
2025	5	30	23	35	24	23.39	95.2	6.6898	51.999
2025	5	30	23	45	24	22.39	95.1	6.6898	49.7673
2025	5	30	23	55	24	24.11	95.5	6.6898	53.5612

Reinhackle (0365)

Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	31	0	5	24	23.64	93.4	6.6898	52.6686
2025	5	31	0	15	24	21.95	93.9	6.6898	48.8747
2025	5	31	0	25	24	23.2	95.4	6.6898	51.5527
2025	5	31	0	35	24	23.44	93.4	6.6898	52.2223
2025	5	31	0	45	24	22.56	96.9	6.6898	49.9906
2025	5	31	0	55	24	22.36	94.1	6.6898	49.7674
2025	5	31	1	5	24	23.78	94.8	6.6898	52.8918
2025	5	31	1	15	24	24.53	95.9	6.6898	54.454
2025	5	31	1	25	24	23.51	91.9	6.6898	52.4455
2025	5	31	1	35	24	24.37	94.5	6.6898	54.2309
2025	5	31	1	45	24	23.11	95.7	6.6898	51.3296
2025	5	31	1	55	24	23.14	96.2	6.6898	51.3297
2025	5	31	2	5	24	22.76	98.6	6.6898	50.2138
2025	5	31	2	15	24	24.78	94.6	6.6898	55.1236
2025	5	31	2	25	24	23.26	96.7	6.6898	51.5528
2025	5	31	2	35	24	23.59	97.3	6.6898	52.2224
2025	5	31	2	45	24	23.88	94.6	6.6898	53.115
2025	5	31	2	55	24	22.95	96.5	6.6898	50.8833
2025	5	31	3	5	24	24.05	93.6	6.6898	53.5614
2025	5	31	3	15	24	23.8	97.5	6.6898	52.6687
2025	5	31	3	25	24	23.3	95.4	6.6898	51.776
2025	5	31	3	35	24	23.8	97.5	6.6898	52.6687
2025	5	31	3	45	24	24.03	96	6.6898	53.3382
2025	5	31	3	55	24	23.56	96.6	6.6898	52.2223
2025	5	31	4	5	24	23.36	96.6	6.6898	51.776
2025	5	31	4	15	24	22.84	96.3	6.6958	50.7085
2025	5	31	4	25	24	24.2	97.4	6.6898	53.5613
2025	5	31	4	35	24	22.83	96	6.6898	50.6601
2025	5	31	4	45	24	22.49	95.1	6.6958	50.0383
2025	5	31	4	55	24	23.25	93.7	6.6958	51.8254
2025	5	31	5	5	24	23.38	97.1	6.6958	51.8254
2025	5	31	5	15	24	23.37	96.9	6.6958	51.8253
2025	5	31	5	25	24	22.01	92.1	6.6958	49.1447
2025	5	31	5	35	24	22.71	97.8	6.6958	50.2616
2025	5	31	5	45	24	22.39	95.1	6.6958	49.8149
2025	5	31	5	55	24	22.74	93.3	6.6958	50.7084
2025	5	31	6	5	24	24.16	96.7	6.6958	53.6124
2025	5	31	6	15	24	23.75	96.5	6.6958	52.7188
2025	5	31	6	25	24	23.39	95.2	6.6958	52.0487
2025	5	31	6	35	24	22.29	95.1	6.6958	49.5914
2025	5	31	6	45	24	23.68	94.6	6.6958	52.7188
2025	5	31	6	55	24	22.44	98.5	6.6958	49.5914
2025	5	31	7	5	24	23.74	98.2	6.6958	52.4954
2025	5	31	7	15	24	23.14	96.2	6.6958	51.3784
2025	5	31	7	25	24	24.22	95.7	6.7019	53.887
2025	5	31	7	35	24	22.46	94.3	6.7019	50.0858
2025	5	31	7	45	24	22.6	97.6	6.7019	50.0858
2025	5	31	7	55	24	23.47	94.4	6.7019	52.3217

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	31	8	5	24	23.63	96.1	6.7019	52.5453
2025	5	31	8	15	24	22.95	93.7	6.7019	51.2037
2025	5	31	8	25	24	22.14	96.5	6.7019	49.1913
2025	5	31	8	35	24	24.19	97.1	6.7019	53.6632
2025	5	31	8	45	24	22.79	95	6.7019	50.7564
2025	5	31	8	55	24	23.49	94.9	6.7019	52.3215
2025	5	31	9	5	24	23.57	94.4	6.7019	52.5451
2025	5	31	9	15	24	22.45	93.8	6.7019	50.0855
2025	5	31	9	25	24	23.16	94.2	6.7019	51.6506
2025	5	31	9	35	24	24.25	96.4	6.7019	53.8865
2025	5	31	9	45	24	23.73	96	6.7019	52.7685
2025	5	31	9	55	24	25.56	93.8	6.7019	57.0168
2025	5	31	10	5	24	23.86	94.1	6.7019	53.2156
2025	5	31	10	15	24	23.23	96.2	6.7019	51.6504
2025	5	31	10	25	24	23.84	96.3	6.7019	52.9919
2025	5	31	10	35	24	23.32	97.9	6.7019	51.6503
2025	5	31	10	45	24	22.34	96.4	6.7019	49.6379
2025	5	31	10	55	24	23.73	96	6.7019	52.7682
2025	5	31	11	5	24	24.47	96.8	6.7019	54.3333
2025	5	31	11	15	24	23.31	95.7	6.7019	51.8737
2025	5	31	11	25	24	23.89	97.2	6.7019	52.9916
2025	5	31	11	35	24	23.98	94.5	6.7019	53.4388
2025	5	31	11	45	24	22.8	95.3	6.7019	50.7556
2025	5	31	11	55	24	23.55	93.7	6.7019	52.5443
2025	5	31	12	5	24	23.57	96.8	6.7019	52.3207
2025	5	31	12	15	24	23.29	95.2	6.7019	51.8735
2025	5	31	12	25	24	24.07	98.6	6.7019	53.215
2025	5	31	12	35	24	24.29	97.1	6.7019	53.8857
2025	5	31	12	45	24	24.51	95.4	6.7019	54.5564
2025	5	31	12	55	24	23.19	94.9	6.7019	51.6497
2025	5	31	13	5	24	23.93	96	6.7019	53.2148
2025	5	31	13	15	24	23.82	95.8	6.6958	52.9407
2025	5	31	13	25	24	22.56	94.3	6.7019	50.308
2025	5	31	13	35	24	23.78	94.8	6.7019	52.9911
2025	5	31	13	45	24	23.52	95.9	6.6958	52.2704
2025	5	31	13	55	24	24.46	96.6	6.6898	54.229
2025	5	31	14	5	24	22.61	95.6	6.6958	50.26
2025	5	31	14	15	24	23.38	97.1	6.7019	51.873
2025	5	31	14	25	24	23.78	94.6	6.6898	52.89
2025	5	31	14	35	24	22.83	96	6.6837	50.61
2025	5	31	14	45	24	23.16	94.2	6.6837	51.5017
2025	5	31	14	55	24	23.03	96	6.6898	51.1046
2025	5	31	15	5	24	24.33	95.9	6.6898	54.0057
2025	5	31	15	15	24	23.98	94.5	6.6898	53.3362
2025	5	31	15	25	24	23.39	94.9	6.6898	51.9972
2025	5	31	15	35	24	23.57	94.4	6.6837	52.3935
2025	5	31	15	45	24	23.07	94.5	6.6898	51.3277
2025	5	31	15	55	24	22.73	93	6.6776	50.5616

Reinhackle (0365)									
Year	Month	Day	Hour	Minute	Second	Speed	Direction	Area	Flow
2025	5	31	16	5	24	24.97	94.4	6.6837	55.5149
2025	5	31	16	15	24	24.48	94.7	6.6837	54.4001
2025	5	31	16	25	24	23.71	91.7	6.6715	52.7385
2025	5	31	16	35	24	23.58	97.1	6.6715	52.0709
2025	5	31	16	45	24	24.09	95	6.6715	53.4061
2025	5	31	16	55	24	22.74	96.3	6.6715	50.2907
2025	5	31	17	5	24	23.83	92.6	6.6715	52.961
2025	5	31	17	15	24	23.07	94.5	6.6654	51.1319
2025	5	31	17	25	24	23.06	94.2	6.6715	51.1809
2025	5	31	17	35	24	22.74	96.3	6.6593	50.1945
2025	5	31	17	45	24	23.15	93.7	6.6654	51.3542
2025	5	31	17	55	24	23.01	95.5	6.6593	50.8609
2025	5	31	18	5	24	23.54	93.4	6.6593	52.1935
2025	5	31	18	15	24	24.32	95.7	6.6654	53.7998
2025	5	31	18	25	24	22.34	96.4	6.6593	49.3063
2025	5	31	18	35	24	21.76	94.2	6.6593	48.1958
2025	5	31	18	45	24	23.51	95.6	6.6654	52.0214
2025	5	31	18	55	24	24.24	93.3	6.6715	53.8514
2025	5	31	19	5	24	23.3	95.4	6.6715	51.6262
2025	5	31	19	15	24	22.69	95.1	6.6715	50.2911
2025	5	31	19	25	24	22.92	95.8	6.6776	50.7847
2025	5	31	19	35	24	23.92	95.8	6.6776	53.0122
2025	5	31	19	45	24	23.35	93.9	6.6715	51.8489
2025	5	31	19	55	24	22.58	94.8	6.6837	50.1645
2025	5	31	20	5	24	24.03	96	6.6837	53.2859
2025	5	31	20	15	24	23.86	94.1	6.6837	53.063
2025	5	31	20	25	24	24.12	95.7	6.6837	53.509
2025	5	31	20	35	24	23.82	92.4	6.6837	53.0631
2025	5	31	20	45	24	23.27	96.9	6.6837	51.5024
2025	5	31	20	55	24	23.6	95.3	6.6837	52.3943
2025	5	31	21	5	24	23.72	92.4	6.6837	52.8402
2025	5	31	21	15	24	22.75	93.8	6.6837	50.6107
2025	5	31	21	25	24	23.67	94.4	6.6837	52.6174
2025	5	31	21	35	24	24.64	93.3	6.6837	54.847
2025	5	31	21	45	24	25.18	94.6	6.6837	55.9618
2025	5	31	21	55	24	24.06	96.7	6.6837	53.2863
2025	5	31	22	5	24	23.12	96	6.6837	51.2798
2025	5	31	22	15	24	23.55	93.7	6.6837	52.3946
2025	5	31	22	25	24	23.12	96	6.6837	51.2798
2025	5	31	22	35	24	22.91	92	6.6837	51.0569
2025	5	31	22	45	24	24.22	95.7	6.6898	53.7837
2025	5	31	22	55	24	23.64	96.3	6.6898	52.4447
2025	5	31	23	5	24	23.08	94.7	6.6898	51.3289
2025	5	31	23	15	24	23.43	96.1	6.6898	51.9984
2025	5	31	23	25	24	23.43	96.1	6.6837	51.9488
2025	5	31	23	35	24	24.12	95.7	6.6837	53.5095
2025	5	31	23	45	24	22.18	94.9	6.6898	49.3204
2025	5	31	23	55	24	24.23	95.9	6.6837	53.7325

Alabama Gates Release

Station 0087

Date	Flow (cfs)
5/1/2025	0.00
5/2/2025	0.00
5/3/2025	0.00
5/4/2025	0.00
5/5/2025	0.00
5/6/2025	0.00
5/7/2025	0.00
5/8/2025	0.00
5/9/2025	0.00
5/10/2025	0.00
5/11/2025	0.00
5/12/2025	0.00
5/13/2025	0.00
5/14/2025	0.00
5/15/2025	0.00
5/16/2025	0.00
5/17/2025	0.00
5/18/2025	0.00
5/19/2025	0.00
5/20/2025	0.00
5/21/2025	0.00
5/22/2025	0.00
5/23/2025	0.00
5/24/2025	0.00
5/25/2025	0.00
5/26/2025	0.00
5/27/2025	0.00
5/28/2025	0.00
5/29/2025	0.00
5/30/2025	0.00
5/31/2025	0.00

Langemann Gate to Delta Weir to Delta Pumpback Station Discharge

DATE	FLOW (CFS)	FLOW (CFS)	FLOW (CFS)
5/1/2025	13	0	45
5/2/2025	13	0	46
5/3/2025	13	0	47
5/4/2025	13	0	46
5/5/2025	13	0	44
5/6/2025	13	0	48
5/7/2025	13	0	48
5/8/2025	13	0	45
5/9/2025	13	0	44
5/10/2025	13	0	43
5/11/2025	13	0	41
5/12/2025	13	0	38
5/13/2025	13	0	37
5/14/2025	13	0	35
5/15/2025	13	0	35
5/16/2025	7	0	38
5/17/2025	3	0	44
5/18/2025	3	0	44
5/19/2025	3	0	44
5/20/2025	3	0	43
5/21/2025	3	0	42
5/22/2025	3	0	42
5/23/2025	3	0	42
5/24/2025	3	0	41
5/25/2025	3	0	40
5/26/2025	3	0	40
5/27/2025	3	0	39
5/28/2025	3	0	39
5/29/2025	3	0	38
5/30/2025	3	0	39
5/31/2025	3	0	38

Pumpback Station Discharge (0364)

5/1/25 0:00 == 47.9	5/1/25 4:30 == 48.1	5/1/25 9:00 == 33.9	5/1/25 13:30 == 47.6
5/1/25 0:05 == 47.9	5/1/25 4:35 == 48	5/1/25 9:05 == 34.1	5/1/25 13:35 == 47.9
5/1/25 0:10 == 48.1	5/1/25 4:40 == 48	5/1/25 9:10 == 33.9	5/1/25 13:40 == 48
5/1/25 0:15 == 48	5/1/25 4:45 == 48	5/1/25 9:15 == 33.9	5/1/25 13:45 == 48
5/1/25 0:20 == 48.1	5/1/25 4:50 == 48	5/1/25 9:20 == 34	5/1/25 13:50 == 47.9
5/1/25 0:25 == 47.6	5/1/25 4:55 == 48.1	5/1/25 9:25 == 33.9	5/1/25 13:55 == 47.6
5/1/25 0:30 == 47.7	5/1/25 5:00 == 48	5/1/25 9:30 == 34.2	5/1/25 14:00 == 47.8
5/1/25 0:35 == 48	5/1/25 5:05 == 40.9	5/1/25 9:35 == 36.2	5/1/25 14:05 == 48.1
5/1/25 0:40 == 48	5/1/25 5:10 == 35.1	5/1/25 9:40 == 47.5	5/1/25 14:10 == 47.9
5/1/25 0:45 == 47.7	5/1/25 5:15 == 33.9	5/1/25 9:45 == 47.8	5/1/25 14:15 == 48.1
5/1/25 0:50 == 47.5	5/1/25 5:20 == 34	5/1/25 9:50 == 47.9	5/1/25 14:20 == 48
5/1/25 0:55 == 47.8	5/1/25 5:25 == 34	5/1/25 9:55 == 48	5/1/25 14:25 == 47.9
5/1/25 1:00 == 47.8	5/1/25 5:30 == 34	5/1/25 10:00 == 48.2	5/1/25 14:30 == 48
5/1/25 1:05 == 47.9	5/1/25 5:35 == 33.9	5/1/25 10:05 == 48	5/1/25 14:35 == 47.4
5/1/25 1:10 == 48	5/1/25 5:40 == 34.2	5/1/25 10:10 == 48	5/1/25 14:40 == 47.7
5/1/25 1:15 == 47.3	5/1/25 5:45 == 34.3	5/1/25 10:15 == 48.1	5/1/25 14:45 == 47.7
5/1/25 1:20 == 42.3	5/1/25 5:50 == 39.2	5/1/25 10:20 == 47.9	5/1/25 14:50 == 47.9
5/1/25 1:25 == 33.7	5/1/25 5:55 == 45.7	5/1/25 10:25 == 47.5	5/1/25 14:55 == 48
5/1/25 1:30 == 33.9	5/1/25 6:00 == 47.8	5/1/25 10:30 == 47.8	5/1/25 15:00 == 48
5/1/25 1:35 == 33.9	5/1/25 6:05 == 48	5/1/25 10:35 == 48.1	5/1/25 15:05 == 48.1
5/1/25 1:40 == 34.1	5/1/25 6:10 == 48.1	5/1/25 10:40 == 47.6	5/1/25 15:10 == 47.5
5/1/25 1:45 == 34.1	5/1/25 6:15 == 48	5/1/25 10:45 == 47.7	5/1/25 15:15 == 47.8
5/1/25 1:50 == 34	5/1/25 6:20 == 48.1	5/1/25 10:50 == 48	5/1/25 15:20 == 47.9
5/1/25 1:55 == 34.3	5/1/25 6:25 == 47.9	5/1/25 10:55 == 48	5/1/25 15:25 == 47.9
5/1/25 2:00 == 34.3	5/1/25 6:30 == 47.6	5/1/25 11:00 == 48	5/1/25 15:30 == 48.1
5/1/25 2:05 == 38	5/1/25 6:35 == 47.8	5/1/25 11:05 == 47.9	5/1/25 15:35 == 48.1
5/1/25 2:10 == 47.4	5/1/25 6:40 == 47.6	5/1/25 11:10 == 47.8	5/1/25 15:40 == 48.1
5/1/25 2:15 == 48	5/1/25 6:45 == 47.6	5/1/25 11:15 == 47.6	5/1/25 15:45 == 48.1
5/1/25 2:20 == 48	5/1/25 6:50 == 48	5/1/25 11:20 == 47.8	5/1/25 15:50 == 48
5/1/25 2:25 == 48	5/1/25 6:55 == 48	5/1/25 11:25 == 47.9	5/1/25 15:55 == 48
5/1/25 2:30 == 48.2	5/1/25 7:00 == 48	5/1/25 11:30 == 47.9	5/1/25 16:00 == 48.1
5/1/25 2:35 == 48.1	5/1/25 7:05 == 47.8	5/1/25 11:35 == 47.8	5/1/25 16:05 == 48
5/1/25 2:40 == 48	5/1/25 7:10 == 47.5	5/1/25 11:40 == 47.7	5/1/25 16:10 == 47.7
5/1/25 2:45 == 47.8	5/1/25 7:15 == 47.8	5/1/25 11:45 == 47.6	5/1/25 16:15 == 47.7
5/1/25 2:50 == 47.9	5/1/25 7:20 == 48	5/1/25 11:50 == 48	5/1/25 16:20 == 43.1
5/1/25 2:55 == 47.7	5/1/25 7:25 == 48	5/1/25 11:55 == 47.8	5/1/25 16:25 == 36.2
5/1/25 3:00 == 47.8	5/1/25 7:30 == 48.1	5/1/25 12:00 == 47.5	5/1/25 16:30 == 34.6
5/1/25 3:05 == 48.1	5/1/25 7:35 == 47.9	5/1/25 12:05 == 43.7	5/1/25 16:35 == 34.6
5/1/25 3:10 == 48	5/1/25 7:40 == 48	5/1/25 12:10 == 34.2	5/1/25 16:40 == 34.6
5/1/25 3:15 == 47.9	5/1/25 7:45 == 48.1	5/1/25 12:15 == 34.3	5/1/25 16:45 == 34.4
5/1/25 3:20 == 48	5/1/25 7:50 == 47.9	5/1/25 12:20 == 34.2	5/1/25 16:50 == 34.4
5/1/25 3:25 == 48	5/1/25 7:55 == 48	5/1/25 12:25 == 34.2	5/1/25 16:55 == 34.5
5/1/25 3:30 == 48	5/1/25 8:00 == 48.1	5/1/25 12:30 == 34.4	5/1/25 17:00 == 34.7
5/1/25 3:35 == 47.9	5/1/25 8:05 == 48	5/1/25 12:35 == 34.2	5/1/25 17:05 == 36.7
5/1/25 3:40 == 47.6	5/1/25 8:10 == 48	5/1/25 12:40 == 34.2	5/1/25 17:10 == 46.7
5/1/25 3:45 == 47.6	5/1/25 8:15 == 48.1	5/1/25 12:45 == 34.1	5/1/25 17:15 == 47.7
5/1/25 3:50 == 48	5/1/25 8:20 == 48	5/1/25 12:50 == 38.3	5/1/25 17:20 == 47.9
5/1/25 3:55 == 48	5/1/25 8:25 == 47.9	5/1/25 12:55 == 45.8	5/1/25 17:25 == 48
5/1/25 4:00 == 47.8	5/1/25 8:30 == 48	5/1/25 13:00 == 47.9	5/1/25 17:30 == 48
5/1/25 4:05 == 47.9	5/1/25 8:35 == 48.1	5/1/25 13:05 == 48.1	5/1/25 17:35 == 48.1
5/1/25 4:10 == 47.8	5/1/25 8:40 == 48	5/1/25 13:10 == 48.1	5/1/25 17:40 == 48
5/1/25 4:15 == 47.8	5/1/25 8:45 == 47.8	5/1/25 13:15 == 48.1	5/1/25 17:45 == 48
5/1/25 4:20 == 47.9	5/1/25 8:50 == 42.7	5/1/25 13:20 == 48.1	5/1/25 17:50 == 47.9
5/1/25 4:25 == 48	5/1/25 8:55 == 34.1	5/1/25 13:25 == 47.7	5/1/25 17:55 == 48.1

Pumpback Station Discharge (0364)

5/1/25 18:00 == 47.9	5/1/25 22:30 == 47.9	5/2/25 3:00 == 47.6	5/2/25 7:30 == 48.1
5/1/25 18:05 == 48.1	5/1/25 22:35 == 48.1	5/2/25 3:05 == 48	5/2/25 7:35 == 44
5/1/25 18:10 == 48	5/1/25 22:40 == 48	5/2/25 3:10 == 47.9	5/2/25 7:40 == 38
5/1/25 18:15 == 48	5/1/25 22:45 == 48.1	5/2/25 3:15 == 48	5/2/25 7:45 == 35.3
5/1/25 18:20 == 48	5/1/25 22:50 == 47.9	5/2/25 3:20 == 48.1	5/2/25 7:50 == 35.3
5/1/25 18:25 == 47.9	5/1/25 22:55 == 47.9	5/2/25 3:25 == 47.8	5/2/25 7:55 == 35.3
5/1/25 18:30 == 48	5/1/25 23:00 == 48.1	5/2/25 3:30 == 48	5/2/25 8:00 == 35.3
5/1/25 18:35 == 48	5/1/25 23:05 == 48.1	5/2/25 3:35 == 48	5/2/25 8:05 == 35.3
5/1/25 18:40 == 47.9	5/1/25 23:10 == 47.9	5/2/25 3:40 == 47.5	5/2/25 8:10 == 35.1
5/1/25 18:45 == 48	5/1/25 23:15 == 47.9	5/2/25 3:45 == 48	5/2/25 8:15 == 34.8
5/1/25 18:50 == 48	5/1/25 23:20 == 48.1	5/2/25 3:50 == 48.1	5/2/25 8:20 == 34.7
5/1/25 18:55 == 48	5/1/25 23:25 == 48	5/2/25 3:55 == 48	5/2/25 8:25 == 34.6
5/1/25 19:00 == 48.1	5/1/25 23:30 == 48.1	5/2/25 4:00 == 48	5/2/25 8:30 == 34.4
5/1/25 19:05 == 48	5/1/25 23:35 == 48.1	5/2/25 4:05 == 48	5/2/25 8:35 == 35.8
5/1/25 19:10 == 47.7	5/1/25 23:40 == 48	5/2/25 4:10 == 47.7	5/2/25 8:40 == 44.6
5/1/25 19:15 == 47.5	5/1/25 23:45 == 48	5/2/25 4:15 == 47.7	5/2/25 8:45 == 48
5/1/25 19:20 == 48	5/1/25 23:50 == 48.1	5/2/25 4:20 == 47.9	5/2/25 8:50 == 48.2
5/1/25 19:25 == 48	5/1/25 23:55 == 48.1	5/2/25 4:25 == 47.6	5/2/25 8:55 == 47.9
5/1/25 19:30 == 48	5/2/25 0:00 == 48	5/2/25 4:30 == 47.8	5/2/25 9:00 == 48.1
5/1/25 19:35 == 48	5/2/25 0:05 == 48	5/2/25 4:35 == 48	5/2/25 9:05 == 48
5/1/25 19:40 == 47.9	5/2/25 0:10 == 47.7	5/2/25 4:40 == 48	5/2/25 9:10 == 48
5/1/25 19:45 == 48.1	5/2/25 0:15 == 47.5	5/2/25 4:45 == 47.8	5/2/25 9:15 == 48.1
5/1/25 19:50 == 47.9	5/2/25 0:20 == 48	5/2/25 4:50 == 43.8	5/2/25 9:20 == 48.1
5/1/25 19:55 == 47.9	5/2/25 0:25 == 47.7	5/2/25 4:55 == 37.1	5/2/25 9:25 == 48.1
5/1/25 20:00 == 48	5/2/25 0:30 == 47.7	5/2/25 5:00 == 34.2	5/2/25 9:30 == 48
5/1/25 20:05 == 47.9	5/2/25 0:35 == 44.7	5/2/25 5:05 == 34.2	5/2/25 9:35 == 48
5/1/25 20:10 == 47.5	5/2/25 0:40 == 35	5/2/25 5:10 == 34.2	5/2/25 9:40 == 47.8
5/1/25 20:15 == 48	5/2/25 0:45 == 34.3	5/2/25 5:15 == 34.1	5/2/25 9:45 == 48
5/1/25 20:20 == 48	5/2/25 0:50 == 34.2	5/2/25 5:20 == 34.3	5/2/25 9:50 == 48.1
5/1/25 20:25 == 47.9	5/2/25 0:55 == 34.2	5/2/25 5:25 == 34.4	5/2/25 9:55 == 48.1
5/1/25 20:30 == 48.1	5/2/25 1:00 == 34.2	5/2/25 5:30 == 34.2	5/2/25 10:00 == 48
5/1/25 20:35 == 48	5/2/25 1:05 == 34.7	5/2/25 5:35 == 36.9	5/2/25 10:05 == 48
5/1/25 20:40 == 47.9	5/2/25 1:10 == 46.6	5/2/25 5:40 == 44	5/2/25 10:10 == 47.9
5/1/25 20:45 == 48.1	5/2/25 1:15 == 47.8	5/2/25 5:45 == 47.5	5/2/25 10:15 == 48
5/1/25 20:50 == 43	5/2/25 1:20 == 48	5/2/25 5:50 == 48	5/2/25 10:20 == 48.1
5/1/25 20:55 == 36.5	5/2/25 1:25 == 47.8	5/2/25 5:55 == 48	5/2/25 10:25 == 47.9
5/1/25 21:00 == 34.5	5/2/25 1:30 == 47.9	5/2/25 6:00 == 48.1	5/2/25 10:30 == 47.9
5/1/25 21:05 == 34.4	5/2/25 1:35 == 48.1	5/2/25 6:05 == 48.1	5/2/25 10:35 == 48
5/1/25 21:10 == 34.4	5/2/25 1:40 == 47.5	5/2/25 6:10 == 47.9	5/2/25 10:40 == 47.7
5/1/25 21:15 == 34.5	5/2/25 1:45 == 47.8	5/2/25 6:15 == 48.1	5/2/25 10:45 == 47.3
5/1/25 21:20 == 34.4	5/2/25 1:50 == 48.1	5/2/25 6:20 == 47.9	5/2/25 10:50 == 48
5/1/25 21:25 == 34.4	5/2/25 1:55 == 47.5	5/2/25 6:25 == 47.7	5/2/25 10:55 == 48
5/1/25 21:30 == 34.3	5/2/25 2:00 == 47.8	5/2/25 6:30 == 47.9	5/2/25 11:00 == 47.9
5/1/25 21:35 == 37.6	5/2/25 2:05 == 48	5/2/25 6:35 == 48	5/2/25 11:05 == 47.8
5/1/25 21:40 == 44.3	5/2/25 2:10 == 47.7	5/2/25 6:40 == 47.6	5/2/25 11:10 == 47.7
5/1/25 21:45 == 47.5	5/2/25 2:15 == 47.7	5/2/25 6:45 == 47.7	5/2/25 11:15 == 47.6
5/1/25 21:50 == 47.7	5/2/25 2:20 == 47.9	5/2/25 6:50 == 47.9	5/2/25 11:20 == 48.1
5/1/25 21:55 == 48	5/2/25 2:25 == 48	5/2/25 6:55 == 48	5/2/25 11:25 == 48.1
5/1/25 22:00 == 48	5/2/25 2:30 == 48	5/2/25 7:00 == 48	5/2/25 11:30 == 48.1
5/1/25 22:05 == 48	5/2/25 2:35 == 48	5/2/25 7:05 == 48.1	5/2/25 11:35 == 47.9
5/1/25 22:10 == 48	5/2/25 2:40 == 47.9	5/2/25 7:10 == 47.5	5/2/25 11:40 == 47.4
5/1/25 22:15 == 47.6	5/2/25 2:45 == 47.9	5/2/25 7:15 == 47.8	5/2/25 11:45 == 47.9
5/1/25 22:20 == 47.9	5/2/25 2:50 == 48	5/2/25 7:20 == 48	5/2/25 11:50 == 48
5/1/25 22:25 == 48	5/2/25 2:55 == 47.7	5/2/25 7:25 == 48.1	5/2/25 11:55 == 47.8

Pumpback Station Discharge (0364)

5/2/25 12:00 == 48	5/2/25 16:30 == 34.3	5/2/25 21:00 == 48	5/3/25 1:30 == 48
5/2/25 12:05 == 48	5/2/25 16:35 == 34.4	5/2/25 21:05 == 47.8	5/3/25 1:35 == 48
5/2/25 12:10 == 48	5/2/25 16:40 == 34.3	5/2/25 21:10 == 47.6	5/3/25 1:40 == 47.6
5/2/25 12:15 == 48.1	5/2/25 16:45 == 34.2	5/2/25 21:15 == 47.5	5/3/25 1:45 == 47.6
5/2/25 12:20 == 48.1	5/2/25 16:50 == 34.2	5/2/25 21:20 == 47.9	5/3/25 1:50 == 48
5/2/25 12:25 == 47.7	5/2/25 16:55 == 44.3	5/2/25 21:25 == 48	5/3/25 1:55 == 47.7
5/2/25 12:30 == 47.9	5/2/25 17:00 == 47.2	5/2/25 21:30 == 47.8	5/3/25 2:00 == 47.6
5/2/25 12:35 == 48.1	5/2/25 17:05 == 47.9	5/2/25 21:35 == 48.2	5/3/25 2:05 == 47.9
5/2/25 12:40 == 48	5/2/25 17:10 == 47.4	5/2/25 21:40 == 47.9	5/3/25 2:10 == 48
5/2/25 12:45 == 48	5/2/25 17:15 == 47.7	5/2/25 21:45 == 48.1	5/3/25 2:15 == 48
5/2/25 12:50 == 48.1	5/2/25 17:20 == 47.9	5/2/25 21:50 == 48	5/3/25 2:20 == 48
5/2/25 12:55 == 48	5/2/25 17:25 == 48	5/2/25 21:55 == 47.8	5/3/25 2:25 == 48.1
5/2/25 13:00 == 48	5/2/25 17:30 == 47.9	5/2/25 22:00 == 47.9	5/3/25 2:30 == 48
5/2/25 13:05 == 48	5/2/25 17:35 == 47.9	5/2/25 22:05 == 47.8	5/3/25 2:35 == 48
5/2/25 13:10 == 48	5/2/25 17:40 == 48	5/2/25 22:10 == 47.7	5/3/25 2:40 == 47.9
5/2/25 13:15 == 48	5/2/25 17:45 == 47.9	5/2/25 22:15 == 48	5/3/25 2:45 == 47.8
5/2/25 13:20 == 48.1	5/2/25 17:50 == 47.9	5/2/25 22:20 == 48	5/3/25 2:50 == 47.7
5/2/25 13:25 == 47.9	5/2/25 17:55 == 48	5/2/25 22:25 == 48	5/3/25 2:55 == 47.1
5/2/25 13:30 == 47.3	5/2/25 18:00 == 48.1	5/2/25 22:30 == 48	5/3/25 3:00 == 48
5/2/25 13:35 == 47.8	5/2/25 18:05 == 48.1	5/2/25 22:35 == 46.2	5/3/25 3:05 == 47.8
5/2/25 13:40 == 48	5/2/25 18:10 == 47.8	5/2/25 22:40 == 37.8	5/3/25 3:10 == 48.2
5/2/25 13:45 == 48	5/2/25 18:15 == 47.7	5/2/25 22:45 == 34.3	5/3/25 3:15 == 47.8
5/2/25 13:50 == 47.6	5/2/25 18:20 == 48.1	5/2/25 22:50 == 34.2	5/3/25 3:20 == 47.9
5/2/25 13:55 == 47.9	5/2/25 18:25 == 48	5/2/25 22:55 == 34.3	5/3/25 3:25 == 48
5/2/25 14:00 == 47.6	5/2/25 18:30 == 48	5/2/25 23:00 == 34.2	5/3/25 3:30 == 48.1
5/2/25 14:05 == 47.9	5/2/25 18:35 == 48.2	5/2/25 23:05 == 35.6	5/3/25 3:35 == 48.2
5/2/25 14:10 == 47.9	5/2/25 18:40 == 48.1	5/2/25 23:10 == 42.2	5/3/25 3:40 == 47.5
5/2/25 14:15 == 48	5/2/25 18:45 == 47.8	5/2/25 23:15 == 47.9	5/3/25 3:45 == 47.8
5/2/25 14:20 == 48	5/2/25 18:50 == 48	5/2/25 23:20 == 48.1	5/3/25 3:50 == 47.8
5/2/25 14:25 == 47.8	5/2/25 18:55 == 48	5/2/25 23:25 == 48	5/3/25 3:55 == 47.9
5/2/25 14:30 == 47.5	5/2/25 19:00 == 48.1	5/2/25 23:30 == 47.9	5/3/25 4:00 == 48
5/2/25 14:35 == 47.8	5/2/25 19:05 == 48.1	5/2/25 23:35 == 48	5/3/25 4:05 == 46
5/2/25 14:40 == 47.5	5/2/25 19:10 == 48.2	5/2/25 23:40 == 48	5/3/25 4:10 == 38.9
5/2/25 14:45 == 47.5	5/2/25 19:15 == 48	5/2/25 23:45 == 48.1	5/3/25 4:15 == 34.3
5/2/25 14:50 == 47.7	5/2/25 19:20 == 48	5/2/25 23:50 == 48.1	5/3/25 4:20 == 34.2
5/2/25 14:55 == 47.9	5/2/25 19:25 == 47.9	5/2/25 23:55 == 48.1	5/3/25 4:25 == 34.3
5/2/25 15:00 == 48	5/2/25 19:30 == 48	5/3/25 0:00 == 48	5/3/25 4:30 == 34.2
5/2/25 15:05 == 48	5/2/25 19:35 == 48	5/3/25 0:05 == 47.9	5/3/25 4:35 == 35.6
5/2/25 15:10 == 47.7	5/2/25 19:40 == 47.5	5/3/25 0:10 == 48	5/3/25 4:40 == 41.3
5/2/25 15:15 == 47.7	5/2/25 19:45 == 47.9	5/3/25 0:15 == 47.5	5/3/25 4:45 == 47.7
5/2/25 15:20 == 47.9	5/2/25 19:50 == 48	5/3/25 0:20 == 47.9	5/3/25 4:50 == 48
5/2/25 15:25 == 48	5/2/25 19:55 == 48.1	5/3/25 0:25 == 47.5	5/3/25 4:55 == 48
5/2/25 15:30 == 48.1	5/2/25 20:00 == 48.1	5/3/25 0:30 == 47.7	5/3/25 5:00 == 48
5/2/25 15:35 == 48.1	5/2/25 20:05 == 48.1	5/3/25 0:35 == 47.8	5/3/25 5:05 == 48.1
5/2/25 15:40 == 48	5/2/25 20:10 == 47.8	5/3/25 0:40 == 47.9	5/3/25 5:10 == 48.1
5/2/25 15:45 == 48	5/2/25 20:15 == 47.8	5/3/25 0:45 == 48	5/3/25 5:15 == 48.1
5/2/25 15:50 == 48	5/2/25 20:20 == 47.9	5/3/25 0:50 == 48.1	5/3/25 5:20 == 48
5/2/25 15:55 == 47.9	5/2/25 20:25 == 47.9	5/3/25 0:55 == 48	5/3/25 5:25 == 48.2
5/2/25 16:00 == 48	5/2/25 20:30 == 47.9	5/3/25 1:00 == 47.9	5/3/25 5:30 == 48
5/2/25 16:05 == 48	5/2/25 20:35 == 48	5/3/25 1:05 == 48	5/3/25 5:35 == 47.9
5/2/25 16:10 == 47.7	5/2/25 20:40 == 48	5/3/25 1:10 == 48	5/3/25 5:40 == 47.4
5/2/25 16:15 == 47.6	5/2/25 20:45 == 48	5/3/25 1:15 == 48	5/3/25 5:45 == 47.7
5/2/25 16:20 == 46.3	5/2/25 20:50 == 48	5/3/25 1:20 == 48	5/3/25 5:50 == 48.1
5/2/25 16:25 == 36.2	5/2/25 20:55 == 48	5/3/25 1:25 == 48.1	5/3/25 5:55 == 47.9

Pumpback Station Discharge (0364)

5/3/25 6:00 == 48	5/3/25 10:30 == 47.9	5/3/25 15:00 == 47.8	5/3/25 19:30 == 48.1
5/3/25 6:05 == 48.1	5/3/25 10:35 == 48.2	5/3/25 15:05 == 47.9	5/3/25 19:35 == 48
5/3/25 6:10 == 48.2	5/3/25 10:40 == 47.3	5/3/25 15:10 == 48	5/3/25 19:40 == 47.9
5/3/25 6:15 == 48	5/3/25 10:45 == 47.8	5/3/25 15:15 == 47.9	5/3/25 19:45 == 48
5/3/25 6:20 == 47.9	5/3/25 10:50 == 47.8	5/3/25 15:20 == 47.9	5/3/25 19:50 == 48
5/3/25 6:25 == 48.1	5/3/25 10:55 == 47.9	5/3/25 15:25 == 48	5/3/25 19:55 == 48.1
5/3/25 6:30 == 48	5/3/25 11:00 == 48	5/3/25 15:30 == 48.1	5/3/25 20:00 == 48.1
5/3/25 6:35 == 48	5/3/25 11:05 == 47.9	5/3/25 15:35 == 48.1	5/3/25 20:05 == 48.1
5/3/25 6:40 == 47.8	5/3/25 11:10 == 47.4	5/3/25 15:40 == 47.5	5/3/25 20:10 == 47.7
5/3/25 6:45 == 47.8	5/3/25 11:15 == 47.9	5/3/25 15:45 == 47.9	5/3/25 20:15 == 47.3
5/3/25 6:50 == 48	5/3/25 11:20 == 48	5/3/25 15:50 == 48	5/3/25 20:20 == 48.1
5/3/25 6:55 == 48	5/3/25 11:25 == 48.2	5/3/25 15:55 == 47.9	5/3/25 20:25 == 48.1
5/3/25 7:00 == 48	5/3/25 11:30 == 48.1	5/3/25 16:00 == 48.1	5/3/25 20:30 == 48
5/3/25 7:05 == 47.9	5/3/25 11:35 == 47.9	5/3/25 16:05 == 48.1	5/3/25 20:35 == 48
5/3/25 7:10 == 47.4	5/3/25 11:40 == 47.6	5/3/25 16:10 == 47.5	5/3/25 20:40 == 48.1
5/3/25 7:15 == 47.1	5/3/25 11:45 == 47.7	5/3/25 16:15 == 47.9	5/3/25 20:45 == 48.1
5/3/25 7:20 == 47.9	5/3/25 11:50 == 47.9	5/3/25 16:20 == 48	5/3/25 20:50 == 48
5/3/25 7:25 == 48	5/3/25 11:55 == 47.9	5/3/25 16:25 == 47.9	5/3/25 20:55 == 48.1
5/3/25 7:30 == 48	5/3/25 12:00 == 48	5/3/25 16:30 == 47.9	5/3/25 21:00 == 48.2
5/3/25 7:35 == 48	5/3/25 12:05 == 48.1	5/3/25 16:35 == 48	5/3/25 21:05 == 48
5/3/25 7:40 == 48.2	5/3/25 12:10 == 47.8	5/3/25 16:40 == 47.9	5/3/25 21:10 == 47.6
5/3/25 7:45 == 47.9	5/3/25 12:15 == 47.5	5/3/25 16:45 == 47.9	5/3/25 21:15 == 47.9
5/3/25 7:50 == 47.9	5/3/25 12:20 == 47.7	5/3/25 16:50 == 48	5/3/25 21:20 == 47.7
5/3/25 7:55 == 47.6	5/3/25 12:25 == 47.8	5/3/25 16:55 == 47.5	5/3/25 21:25 == 48
5/3/25 8:00 == 47.9	5/3/25 12:30 == 47.6	5/3/25 17:00 == 47.7	5/3/25 21:30 == 48.2
5/3/25 8:05 == 48.1	5/3/25 12:35 == 48	5/3/25 17:05 == 48.1	5/3/25 21:35 == 48.1
5/3/25 8:10 == 47.9	5/3/25 12:40 == 48	5/3/25 17:10 == 47.7	5/3/25 21:40 == 48.1
5/3/25 8:15 == 48	5/3/25 12:45 == 48.1	5/3/25 17:15 == 47.5	5/3/25 21:45 == 47.7
5/3/25 8:20 == 48.1	5/3/25 12:50 == 47.9	5/3/25 17:20 == 46.8	5/3/25 21:50 == 47.8
5/3/25 8:25 == 48	5/3/25 12:55 == 47.7	5/3/25 17:25 == 40.9	5/3/25 21:55 == 47.9
5/3/25 8:30 == 47.9	5/3/25 13:00 == 48	5/3/25 17:30 == 34.3	5/3/25 22:00 == 48
5/3/25 8:35 == 47.9	5/3/25 13:05 == 48.1	5/3/25 17:35 == 34.4	5/3/25 22:05 == 48.1
5/3/25 8:40 == 47.5	5/3/25 13:10 == 48.1	5/3/25 17:40 == 34.5	5/3/25 22:10 == 48
5/3/25 8:45 == 47.8	5/3/25 13:15 == 48.2	5/3/25 17:45 == 34.4	5/3/25 22:15 == 47.7
5/3/25 8:50 == 48	5/3/25 13:20 == 48.1	5/3/25 17:50 == 34.3	5/3/25 22:20 == 47.9
5/3/25 8:55 == 48.1	5/3/25 13:25 == 47.5	5/3/25 17:55 == 34.4	5/3/25 22:25 == 48
5/3/25 9:00 == 48.1	5/3/25 13:30 == 47.9	5/3/25 18:00 == 34.4	5/3/25 22:30 == 48
5/3/25 9:05 == 46.6	5/3/25 13:35 == 48	5/3/25 18:05 == 34.9	5/3/25 22:35 == 48
5/3/25 9:10 == 38.3	5/3/25 13:40 == 48.1	5/3/25 18:10 == 39.1	5/3/25 22:40 == 47.6
5/3/25 9:15 == 33.8	5/3/25 13:45 == 47.5	5/3/25 18:15 == 47.8	5/3/25 22:45 == 47.3
5/3/25 9:20 == 33.8	5/3/25 13:50 == 47.8	5/3/25 18:20 == 47.8	5/3/25 22:50 == 48
5/3/25 9:25 == 33.9	5/3/25 13:55 == 48	5/3/25 18:25 == 47.8	5/3/25 22:55 == 48.1
5/3/25 9:30 == 34	5/3/25 14:00 == 47.6	5/3/25 18:30 == 48.2	5/3/25 23:00 == 47.9
5/3/25 9:35 == 33.9	5/3/25 14:05 == 47.8	5/3/25 18:35 == 48.2	5/3/25 23:05 == 48
5/3/25 9:40 == 33.9	5/3/25 14:10 == 47.9	5/3/25 18:40 == 47.4	5/3/25 23:10 == 48
5/3/25 9:45 == 34	5/3/25 14:15 == 48	5/3/25 18:45 == 48.1	5/3/25 23:15 == 47.8
5/3/25 9:50 == 34.9	5/3/25 14:20 == 47.9	5/3/25 18:50 == 48.1	5/3/25 23:20 == 48
5/3/25 9:55 == 40.3	5/3/25 14:25 == 47.6	5/3/25 18:55 == 48.1	5/3/25 23:25 == 48.1
5/3/25 10:00 == 47.8	5/3/25 14:30 == 47.7	5/3/25 19:00 == 47.9	5/3/25 23:30 == 48
5/3/25 10:05 == 48.1	5/3/25 14:35 == 48	5/3/25 19:05 == 47.9	5/3/25 23:35 == 48.3
5/3/25 10:10 == 48.1	5/3/25 14:40 == 47.5	5/3/25 19:10 == 48	5/3/25 23:40 == 47.8
5/3/25 10:15 == 48	5/3/25 14:45 == 47.3	5/3/25 19:15 == 47.6	5/3/25 23:45 == 48.1
5/3/25 10:20 == 48.1	5/3/25 14:50 == 47.8	5/3/25 19:20 == 47.8	5/3/25 23:50 == 48
5/3/25 10:25 == 48.1	5/3/25 14:55 == 47.8	5/3/25 19:25 == 48	5/3/25 23:55 == 47.8

Pumpback Station Discharge (0364)

5/4/25 0:00 == 48	5/4/25 4:30 == 47.6	5/4/25 9:00 == 48	5/4/25 13:30 == 47.7
5/4/25 0:05 == 48	5/4/25 4:35 == 48.1	5/4/25 9:05 == 48	5/4/25 13:35 == 48
5/4/25 0:10 == 48.1	5/4/25 4:40 == 48.1	5/4/25 9:10 == 48.1	5/4/25 13:40 == 48
5/4/25 0:15 == 48	5/4/25 4:45 == 48.2	5/4/25 9:15 == 48.1	5/4/25 13:45 == 48
5/4/25 0:20 == 48.1	5/4/25 4:50 == 47.9	5/4/25 9:20 == 47.9	5/4/25 13:50 == 48.1
5/4/25 0:25 == 47.7	5/4/25 4:55 == 48.1	5/4/25 9:25 == 47.9	5/4/25 13:55 == 48.1
5/4/25 0:30 == 47.8	5/4/25 5:00 == 47.8	5/4/25 9:30 == 48.2	5/4/25 14:00 == 48
5/4/25 0:35 == 48	5/4/25 5:05 == 47.9	5/4/25 9:35 == 47.9	5/4/25 14:05 == 48
5/4/25 0:40 == 40.2	5/4/25 5:10 == 47.7	5/4/25 9:40 == 47.9	5/4/25 14:10 == 48
5/4/25 0:45 == 34.6	5/4/25 5:15 == 48.1	5/4/25 9:45 == 48	5/4/25 14:15 == 48.1
5/4/25 0:50 == 34.1	5/4/25 5:20 == 48	5/4/25 9:50 == 48	5/4/25 14:20 == 48
5/4/25 0:55 == 34	5/4/25 5:25 == 40.5	5/4/25 9:55 == 47.9	5/4/25 14:25 == 47.6
5/4/25 1:00 == 34	5/4/25 5:30 == 35	5/4/25 10:00 == 48.2	5/4/25 14:30 == 47.4
5/4/25 1:05 == 34	5/4/25 5:35 == 33.9	5/4/25 10:05 == 47.8	5/4/25 14:35 == 47.2
5/4/25 1:10 == 38.7	5/4/25 5:40 == 34.1	5/4/25 10:10 == 47.8	5/4/25 14:40 == 47.7
5/4/25 1:15 == 46.3	5/4/25 5:45 == 34	5/4/25 10:15 == 48.1	5/4/25 14:45 == 47.6
5/4/25 1:20 == 47.8	5/4/25 5:50 == 34	5/4/25 10:20 == 47.9	5/4/25 14:50 == 47.9
5/4/25 1:25 == 47.9	5/4/25 5:55 == 34	5/4/25 10:25 == 47.5	5/4/25 14:55 == 48
5/4/25 1:30 == 47.9	5/4/25 6:00 == 34	5/4/25 10:30 == 47.8	5/4/25 15:00 == 48
5/4/25 1:35 == 48.1	5/4/25 6:05 == 34	5/4/25 10:35 == 48	5/4/25 15:05 == 48
5/4/25 1:40 == 47.7	5/4/25 6:10 == 39	5/4/25 10:40 == 47.5	5/4/25 15:10 == 47.4
5/4/25 1:45 == 47.5	5/4/25 6:15 == 46.1	5/4/25 10:45 == 47.8	5/4/25 15:15 == 47.5
5/4/25 1:50 == 47.7	5/4/25 6:20 == 48	5/4/25 10:50 == 47.9	5/4/25 15:20 == 47.7
5/4/25 1:55 == 47.7	5/4/25 6:25 == 47.8	5/4/25 10:55 == 48	5/4/25 15:25 == 47.9
5/4/25 2:00 == 47.6	5/4/25 6:30 == 47.5	5/4/25 11:00 == 48	5/4/25 15:30 == 48
5/4/25 2:05 == 47.9	5/4/25 6:35 == 48.1	5/4/25 11:05 == 47.9	5/4/25 15:35 == 47.8
5/4/25 2:10 == 47.6	5/4/25 6:40 == 47.8	5/4/25 11:10 == 41.7	5/4/25 15:40 == 47.9
5/4/25 2:15 == 47.7	5/4/25 6:45 == 47.3	5/4/25 11:15 == 35.4	5/4/25 15:45 == 48
5/4/25 2:20 == 48.1	5/4/25 6:50 == 48	5/4/25 11:20 == 34.4	5/4/25 15:50 == 48.1
5/4/25 2:25 == 48	5/4/25 6:55 == 47.9	5/4/25 11:25 == 34.4	5/4/25 15:55 == 48.1
5/4/25 2:30 == 47.9	5/4/25 7:00 == 48	5/4/25 11:30 == 34.6	5/4/25 16:00 == 48
5/4/25 2:35 == 48	5/4/25 7:05 == 47.9	5/4/25 11:35 == 34.7	5/4/25 16:05 == 48
5/4/25 2:40 == 47.9	5/4/25 7:10 == 47.7	5/4/25 11:40 == 34.8	5/4/25 16:10 == 47.7
5/4/25 2:45 == 47.8	5/4/25 7:15 == 47.8	5/4/25 11:45 == 34.7	5/4/25 16:15 == 47.7
5/4/25 2:50 == 48	5/4/25 7:20 == 48	5/4/25 11:50 == 34.7	5/4/25 16:20 == 48
5/4/25 2:55 == 47.5	5/4/25 7:25 == 47.8	5/4/25 11:55 == 37.5	5/4/25 16:25 == 42.4
5/4/25 3:00 == 47.7	5/4/25 7:30 == 47.9	5/4/25 12:00 == 46.9	5/4/25 16:30 == 35.3
5/4/25 3:05 == 48.1	5/4/25 7:35 == 48	5/4/25 12:05 == 48.1	5/4/25 16:35 == 33.9
5/4/25 3:10 == 48.1	5/4/25 7:40 == 47.9	5/4/25 12:10 == 47.9	5/4/25 16:40 == 34
5/4/25 3:15 == 48	5/4/25 7:45 == 48	5/4/25 12:15 == 48.1	5/4/25 16:45 == 33.9
5/4/25 3:20 == 48	5/4/25 7:50 == 47.8	5/4/25 12:20 == 48.1	5/4/25 16:50 == 33.9
5/4/25 3:25 == 48	5/4/25 7:55 == 47.8	5/4/25 12:25 == 47.7	5/4/25 16:55 == 34
5/4/25 3:30 == 48	5/4/25 8:00 == 47.9	5/4/25 12:30 == 47.8	5/4/25 17:00 == 34
5/4/25 3:35 == 48	5/4/25 8:05 == 48	5/4/25 12:35 == 48	5/4/25 17:05 == 34.2
5/4/25 3:40 == 47.7	5/4/25 8:10 == 48	5/4/25 12:40 == 48	5/4/25 17:10 == 36.8
5/4/25 3:45 == 47.5	5/4/25 8:15 == 48.1	5/4/25 12:45 == 48	5/4/25 17:15 == 46.6
5/4/25 3:50 == 48	5/4/25 8:20 == 48	5/4/25 12:50 == 48.1	5/4/25 17:20 == 48
5/4/25 3:55 == 48	5/4/25 8:25 == 47.9	5/4/25 12:55 == 47.9	5/4/25 17:25 == 48
5/4/25 4:00 == 48	5/4/25 8:30 == 48	5/4/25 13:00 == 48.1	5/4/25 17:30 == 48.3
5/4/25 4:05 == 48	5/4/25 8:35 == 48	5/4/25 13:05 == 48	5/4/25 17:35 == 48.2
5/4/25 4:10 == 48.1	5/4/25 8:40 == 47.7	5/4/25 13:10 == 48.1	5/4/25 17:40 == 48
5/4/25 4:15 == 47.9	5/4/25 8:45 == 47.7	5/4/25 13:15 == 48	5/4/25 17:45 == 33.6
5/4/25 4:20 == 48	5/4/25 8:50 == 48	5/4/25 13:20 == 48	5/4/25 17:50 == 15.4
5/4/25 4:25 == 47.6	5/4/25 8:55 == 48	5/4/25 13:25 == 47.5	5/4/25 17:55 == 0

Pumpback Station Discharge (0364)

5/4/25 18:00 == 0	5/4/25 22:30 == 48	5/5/25 3:00 == 47.9	5/5/25 7:30 == 48
5/4/25 18:05 == 0	5/4/25 22:35 == 48.1	5/5/25 3:05 == 48	5/5/25 7:35 == 47.9
5/4/25 18:10 == 0	5/4/25 22:40 == 48	5/5/25 3:10 == 48	5/5/25 7:40 == 47.9
5/4/25 18:15 == 0	5/4/25 22:45 == 47.9	5/5/25 3:15 == 48	5/5/25 7:45 == 48
5/4/25 18:20 == 0	5/4/25 22:50 == 48.1	5/5/25 3:20 == 47.7	5/5/25 7:50 == 48
5/4/25 18:25 == 0	5/4/25 22:55 == 48.2	5/5/25 3:25 == 47.8	5/5/25 7:55 == 47.6
5/4/25 18:30 == 4.2	5/4/25 23:00 == 48.2	5/5/25 3:30 == 48	5/5/25 8:00 == 47.8
5/4/25 18:35 == 16.9	5/4/25 23:05 == 48.1	5/5/25 3:35 == 48	5/5/25 8:05 == 48
5/4/25 18:40 == 14.8	5/4/25 23:10 == 48.1	5/5/25 3:40 == 48	5/5/25 8:10 == 48
5/4/25 18:45 == 2.9	5/4/25 23:15 == 48	5/5/25 3:45 == 48	5/5/25 8:15 == 48
5/4/25 18:50 == 0	5/4/25 23:20 == 48.1	5/5/25 3:50 == 48.1	5/5/25 8:20 == 48
5/4/25 18:55 == 0	5/4/25 23:25 == 47.9	5/5/25 3:55 == 48	5/5/25 8:25 == 48
5/4/25 19:00 == 0.3	5/4/25 23:30 == 48.1	5/5/25 4:00 == 48	5/5/25 8:30 == 47.9
5/4/25 19:05 == 8.4	5/4/25 23:35 == 48.1	5/5/25 4:05 == 47.9	5/5/25 8:35 == 48
5/4/25 19:10 == 41.2	5/4/25 23:40 == 48	5/5/25 4:10 == 48.1	5/5/25 8:40 == 47.5
5/4/25 19:15 == 47.5	5/4/25 23:45 == 48	5/5/25 4:15 == 47.9	5/5/25 8:45 == 47.9
5/4/25 19:20 == 48.1	5/4/25 23:50 == 48.1	5/5/25 4:20 == 48	5/5/25 8:50 == 48
5/4/25 19:25 == 48	5/4/25 23:55 == 48.1	5/5/25 4:25 == 48	5/5/25 8:55 == 47.9
5/4/25 19:30 == 47.9	5/5/25 0:00 == 48	5/5/25 4:30 == 47.9	5/5/25 9:00 == 48
5/4/25 19:35 == 48	5/5/25 0:05 == 48.1	5/5/25 4:35 == 48	5/5/25 9:05 == 48
5/4/25 19:40 == 47.6	5/5/25 0:10 == 47.9	5/5/25 4:40 == 48.2	5/5/25 9:10 == 47.9
5/4/25 19:45 == 48.1	5/5/25 0:15 == 48	5/5/25 4:45 == 47.9	5/5/25 9:15 == 47.9
5/4/25 19:50 == 48	5/5/25 0:20 == 48.1	5/5/25 4:50 == 48.2	5/5/25 9:20 == 47.7
5/4/25 19:55 == 47.9	5/5/25 0:25 == 47.8	5/5/25 4:55 == 48	5/5/25 9:25 == 47.9
5/4/25 20:00 == 47.9	5/5/25 0:30 == 47.8	5/5/25 5:00 == 48	5/5/25 9:30 == 48.1
5/4/25 20:05 == 48	5/5/25 0:35 == 47.6	5/5/25 5:05 == 48.1	5/5/25 9:35 == 47.7
5/4/25 20:10 == 48	5/5/25 0:40 == 47.8	5/5/25 5:10 == 47.9	5/5/25 9:40 == 47.7
5/4/25 20:15 == 48	5/5/25 0:45 == 48	5/5/25 5:15 == 48.1	5/5/25 9:45 == 48
5/4/25 20:20 == 47.9	5/5/25 0:50 == 48	5/5/25 5:20 == 48	5/5/25 9:50 == 48
5/4/25 20:25 == 48	5/5/25 0:55 == 48.1	5/5/25 5:25 == 47.9	5/5/25 9:55 == 48
5/4/25 20:30 == 48.1	5/5/25 1:00 == 48.1	5/5/25 5:30 == 0	5/5/25 10:00 == 48
5/4/25 20:35 == 48	5/5/25 1:05 == 48	5/5/25 5:35 == 0	5/5/25 10:05 == 47.8
5/4/25 20:40 == 47.9	5/5/25 1:10 == 47.9	5/5/25 5:40 == 0	5/5/25 10:10 == 47.7
5/4/25 20:45 == 47.9	5/5/25 1:15 == 48	5/5/25 5:45 == 0	5/5/25 10:15 == 48
5/4/25 20:50 == 48.1	5/5/25 1:20 == 48	5/5/25 5:50 == 0	5/5/25 10:20 == 48
5/4/25 20:55 == 48	5/5/25 1:25 == 48	5/5/25 5:55 == 0	5/5/25 10:25 == 48
5/4/25 21:00 == 47.8	5/5/25 1:30 == 47.9	5/5/25 6:00 == 33.6	5/5/25 10:30 == 48
5/4/25 21:05 == 47.9	5/5/25 1:35 == 47.9	5/5/25 6:05 == 3.5	5/5/25 10:35 == 47.9
5/4/25 21:10 == 47.5	5/5/25 1:40 == 47.8	5/5/25 6:10 == 0	5/5/25 10:40 == 47.4
5/4/25 21:15 == 47.9	5/5/25 1:45 == 47.6	5/5/25 6:15 == 0	5/5/25 10:45 == 47.6
5/4/25 21:20 == 48.1	5/5/25 1:50 == 48	5/5/25 6:20 == 0	5/5/25 10:50 == 48.1
5/4/25 21:25 == 47.7	5/5/25 1:55 == 48.1	5/5/25 6:25 == 0	5/5/25 10:55 == 47.9
5/4/25 21:30 == 47.9	5/5/25 2:00 == 47.9	5/5/25 6:30 == 0	5/5/25 11:00 == 48
5/4/25 21:35 == 48.2	5/5/25 2:05 == 48	5/5/25 6:35 == 0	5/5/25 11:05 == 47.8
5/4/25 21:40 == 48	5/5/25 2:10 == 48	5/5/25 6:40 == 0	5/5/25 11:10 == 47.4
5/4/25 21:45 == 48	5/5/25 2:15 == 47.9	5/5/25 6:45 == 0	5/5/25 11:15 == 48
5/4/25 21:50 == 48	5/5/25 2:20 == 47.9	5/5/25 6:50 == 0	5/5/25 11:20 == 47.9
5/4/25 21:55 == 47.9	5/5/25 2:25 == 47.8	5/5/25 6:55 == 0	5/5/25 11:25 == 48.1
5/4/25 22:00 == 48	5/5/25 2:30 == 48	5/5/25 7:00 == 0	5/5/25 11:30 == 48
5/4/25 22:05 == 48	5/5/25 2:35 == 47.9	5/5/25 7:05 == 9.2	5/5/25 11:35 == 48
5/4/25 22:10 == 48	5/5/25 2:40 == 48.1	5/5/25 7:10 == 31.1	5/5/25 11:40 == 47.6
5/4/25 22:15 == 48	5/5/25 2:45 == 48	5/5/25 7:15 == 46.5	5/5/25 11:45 == 47.8
5/4/25 22:20 == 47.9	5/5/25 2:50 == 47.9	5/5/25 7:20 == 47.9	5/5/25 11:50 == 48
5/4/25 22:25 == 48.1	5/5/25 2:55 == 47.8	5/5/25 7:25 == 48	5/5/25 11:55 == 47.8

Pumpback Station Discharge (0364)

5/5/25 12:00 == 47.8	5/5/25 16:30 == 47.9	5/5/25 21:00 == 48.1	5/6/25 1:30 == 48
5/5/25 12:05 == 47.9	5/5/25 16:35 == 47.8	5/5/25 21:05 == 48	5/6/25 1:35 == 48
5/5/25 12:10 == 48	5/5/25 16:40 == 47.9	5/5/25 21:10 == 47.6	5/6/25 1:40 == 47.8
5/5/25 12:15 == 48	5/5/25 16:45 == 48	5/5/25 21:15 == 47.9	5/6/25 1:45 == 47.6
5/5/25 12:20 == 47.9	5/5/25 16:50 == 47.9	5/5/25 21:20 == 48.1	5/6/25 1:50 == 48.1
5/5/25 12:25 == 47.8	5/5/25 16:55 == 47.8	5/5/25 21:25 == 48.1	5/6/25 1:55 == 48
5/5/25 12:30 == 47.9	5/5/25 17:00 == 47.9	5/5/25 21:30 == 47.7	5/6/25 2:00 == 48
5/5/25 12:35 == 47.9	5/5/25 17:05 == 47.7	5/5/25 21:35 == 47.9	5/6/25 2:05 == 48
5/5/25 12:40 == 48	5/5/25 17:10 == 47.7	5/5/25 21:40 == 47.9	5/6/25 2:10 == 48
5/5/25 12:45 == 48	5/5/25 17:15 == 47.9	5/5/25 21:45 == 48.1	5/6/25 2:15 == 47.9
5/5/25 12:50 == 48	5/5/25 17:20 == 47.9	5/5/25 21:50 == 48.2	5/6/25 2:20 == 47.9
5/5/25 12:55 == 47.7	5/5/25 17:25 == 48	5/5/25 21:55 == 48	5/6/25 2:25 == 48
5/5/25 13:00 == 47.4	5/5/25 17:30 == 48	5/5/25 22:00 == 47.9	5/6/25 2:30 == 48
5/5/25 13:05 == 48	5/5/25 17:35 == 48.1	5/5/25 22:05 == 48	5/6/25 2:35 == 48.1
5/5/25 13:10 == 47.9	5/5/25 17:40 == 48	5/5/25 22:10 == 48	5/6/25 2:40 == 47.9
5/5/25 13:15 == 48.2	5/5/25 17:45 == 48	5/5/25 22:15 == 48.1	5/6/25 2:45 == 48.1
5/5/25 13:20 == 48	5/5/25 17:50 == 48	5/5/25 22:20 == 48.1	5/6/25 2:50 == 48
5/5/25 13:25 == 47.9	5/5/25 17:55 == 48.1	5/5/25 22:25 == 47.9	5/6/25 2:55 == 47.3
5/5/25 13:30 == 47.3	5/5/25 18:00 == 48	5/5/25 22:30 == 47.9	5/6/25 3:00 == 47.8
5/5/25 13:35 == 48.1	5/5/25 18:05 == 47.9	5/5/25 22:35 == 48	5/6/25 3:05 == 48
5/5/25 13:40 == 48	5/5/25 18:10 == 47.6	5/5/25 22:40 == 48	5/6/25 3:10 == 48.1
5/5/25 13:45 == 47.6	5/5/25 18:15 == 47.8	5/5/25 22:45 == 47.9	5/6/25 3:15 == 47.9
5/5/25 13:50 == 47.9	5/5/25 18:20 == 48.1	5/5/25 22:50 == 48	5/6/25 3:20 == 47.6
5/5/25 13:55 == 48	5/5/25 18:25 == 48	5/5/25 22:55 == 47.9	5/6/25 3:25 == 47.7
5/5/25 14:00 == 47.5	5/5/25 18:30 == 47.8	5/5/25 23:00 == 47.9	5/6/25 3:30 == 47.9
5/5/25 14:05 == 47.9	5/5/25 18:35 == 47.7	5/5/25 23:05 == 48.1	5/6/25 3:35 == 47.9
5/5/25 14:10 == 48.1	5/5/25 18:40 == 47.4	5/5/25 23:10 == 48	5/6/25 3:40 == 47.7
5/5/25 14:15 == 47.6	5/5/25 18:45 == 47.9	5/5/25 23:15 == 48	5/6/25 3:45 == 47.8
5/5/25 14:20 == 47.8	5/5/25 18:50 == 48.1	5/5/25 23:20 == 48	5/6/25 3:50 == 48
5/5/25 14:25 == 47.6	5/5/25 18:55 == 48.1	5/5/25 23:25 == 47.9	5/6/25 3:55 == 48
5/5/25 14:30 == 47.4	5/5/25 19:00 == 48	5/5/25 23:30 == 48	5/6/25 4:00 == 47.9
5/5/25 14:35 == 47.8	5/5/25 19:05 == 47.9	5/5/25 23:35 == 48	5/6/25 4:05 == 47.9
5/5/25 14:40 == 48	5/5/25 19:10 == 48.1	5/5/25 23:40 == 48.1	5/6/25 4:10 == 48
5/5/25 14:45 == 48	5/5/25 19:15 == 48.1	5/5/25 23:45 == 48	5/6/25 4:15 == 48
5/5/25 14:50 == 47.9	5/5/25 19:20 == 48.1	5/5/25 23:50 == 47.9	5/6/25 4:20 == 47.9
5/5/25 14:55 == 47.7	5/5/25 19:25 == 48.1	5/5/25 23:55 == 47.9	5/6/25 4:25 == 47.9
5/5/25 15:00 == 47.7	5/5/25 19:30 == 48	5/6/25 0:00 == 47.8	5/6/25 4:30 == 47.6
5/5/25 15:05 == 48	5/5/25 19:35 == 48	5/6/25 0:05 == 48	5/6/25 4:35 == 48.1
5/5/25 15:10 == 47.8	5/5/25 19:40 == 47.8	5/6/25 0:10 == 48	5/6/25 4:40 == 48
5/5/25 15:15 == 47.7	5/5/25 19:45 == 47.9	5/6/25 0:15 == 48.1	5/6/25 4:45 == 48.1
5/5/25 15:20 == 48	5/5/25 19:50 == 48	5/6/25 0:20 == 47.4	5/6/25 4:50 == 47.9
5/5/25 15:25 == 47.8	5/5/25 19:55 == 47.9	5/6/25 0:25 == 47.4	5/6/25 4:55 == 48.1
5/5/25 15:30 == 47.5	5/5/25 20:00 == 48	5/6/25 0:30 == 47.7	5/6/25 5:00 == 47.8
5/5/25 15:35 == 48.1	5/5/25 20:05 == 47.9	5/6/25 0:35 == 48	5/6/25 5:05 == 48.1
5/5/25 15:40 == 47.9	5/5/25 20:10 == 47.6	5/6/25 0:40 == 47.9	5/6/25 5:10 == 48.1
5/5/25 15:45 == 48.2	5/5/25 20:15 == 47.7	5/6/25 0:45 == 48	5/6/25 5:15 == 47.9
5/5/25 15:50 == 48.1	5/5/25 20:20 == 48	5/6/25 0:50 == 47.9	5/6/25 5:20 == 48.1
5/5/25 15:55 == 48	5/5/25 20:25 == 48	5/6/25 0:55 == 47.9	5/6/25 5:25 == 48
5/5/25 16:00 == 48.1	5/5/25 20:30 == 47.9	5/6/25 1:00 == 48	5/6/25 5:30 == 48.1
5/5/25 16:05 == 47.9	5/5/25 20:35 == 47.9	5/6/25 1:05 == 48	5/6/25 5:35 == 47.9
5/5/25 16:10 == 47.4	5/5/25 20:40 == 47.9	5/6/25 1:10 == 48.1	5/6/25 5:40 == 47.5
5/5/25 16:15 == 48.1	5/5/25 20:45 == 47.9	5/6/25 1:15 == 48.1	5/6/25 5:45 == 47.7
5/5/25 16:20 == 48	5/5/25 20:50 == 48.1	5/6/25 1:20 == 47.9	5/6/25 5:50 == 47.9
5/5/25 16:25 == 47.9	5/5/25 20:55 == 48.1	5/6/25 1:25 == 47.9	5/6/25 5:55 == 47.7

Pumpback Station Discharge (0364)

5/6/25 6:00 == 47.7	5/6/25 10:30 == 47.9	5/6/25 15:00 == 47.5	5/6/25 19:30 == 48.1
5/6/25 6:05 == 47.8	5/6/25 10:35 == 47.9	5/6/25 15:05 == 48	5/6/25 19:35 == 48
5/6/25 6:10 == 47.9	5/6/25 10:40 == 47.4	5/6/25 15:10 == 47.6	5/6/25 19:40 == 47.7
5/6/25 6:15 == 47.7	5/6/25 10:45 == 47.6	5/6/25 15:15 == 47.8	5/6/25 19:45 == 47.7
5/6/25 6:20 == 47.8	5/6/25 10:50 == 48	5/6/25 15:20 == 47.9	5/6/25 19:50 == 48
5/6/25 6:25 == 47.8	5/6/25 10:55 == 48.1	5/6/25 15:25 == 48	5/6/25 19:55 == 48
5/6/25 6:30 == 47.6	5/6/25 11:00 == 48.1	5/6/25 15:30 == 47.9	5/6/25 20:00 == 48
5/6/25 6:35 == 48	5/6/25 11:05 == 48	5/6/25 15:35 == 48	5/6/25 20:05 == 48
5/6/25 6:40 == 47.9	5/6/25 11:10 == 47.5	5/6/25 15:40 == 48	5/6/25 20:10 == 48
5/6/25 6:45 == 47.9	5/6/25 11:15 == 47.6	5/6/25 15:45 == 48.1	5/6/25 20:15 == 47.8
5/6/25 6:50 == 47.9	5/6/25 11:20 == 47.9	5/6/25 15:50 == 48	5/6/25 20:20 == 47.9
5/6/25 6:55 == 48	5/6/25 11:25 == 47.9	5/6/25 15:55 == 48	5/6/25 20:25 == 47.9
5/6/25 7:00 == 47.9	5/6/25 11:30 == 47.9	5/6/25 16:00 == 48.1	5/6/25 20:30 == 48.1
5/6/25 7:05 == 47.8	5/6/25 11:35 == 47.9	5/6/25 16:05 == 48	5/6/25 20:35 == 48.1
5/6/25 7:10 == 47.5	5/6/25 11:40 == 47.6	5/6/25 16:10 == 47.5	5/6/25 20:40 == 48
5/6/25 7:15 == 47.1	5/6/25 11:45 == 47.6	5/6/25 16:15 == 47.7	5/6/25 20:45 == 47.9
5/6/25 7:20 == 47.8	5/6/25 11:50 == 48	5/6/25 16:20 == 48	5/6/25 20:50 == 48.1
5/6/25 7:25 == 48	5/6/25 11:55 == 47.8	5/6/25 16:25 == 48.1	5/6/25 20:55 == 48.1
5/6/25 7:30 == 47.9	5/6/25 12:00 == 47.6	5/6/25 16:30 == 48.1	5/6/25 21:00 == 48.1
5/6/25 7:35 == 47.8	5/6/25 12:05 == 47.9	5/6/25 16:35 == 48.2	5/6/25 21:05 == 48
5/6/25 7:40 == 48.1	5/6/25 12:10 == 47.5	5/6/25 16:40 == 48.1	5/6/25 21:10 == 47.5
5/6/25 7:45 == 48.1	5/6/25 12:15 == 47.2	5/6/25 16:45 == 48	5/6/25 21:15 == 47.8
5/6/25 7:50 == 48	5/6/25 12:20 == 48	5/6/25 16:50 == 48	5/6/25 21:20 == 48
5/6/25 7:55 == 47.4	5/6/25 12:25 == 47.8	5/6/25 16:55 == 48	5/6/25 21:25 == 47.5
5/6/25 8:00 == 47.9	5/6/25 12:30 == 47.6	5/6/25 17:00 == 48.1	5/6/25 21:30 == 47.7
5/6/25 8:05 == 48	5/6/25 12:35 == 47.9	5/6/25 17:05 == 48.1	5/6/25 21:35 == 48
5/6/25 8:10 == 48.1	5/6/25 12:40 == 48.1	5/6/25 17:10 == 48	5/6/25 21:40 == 48.1
5/6/25 8:15 == 48	5/6/25 12:45 == 47.9	5/6/25 17:15 == 47.5	5/6/25 21:45 == 48.1
5/6/25 8:20 == 48	5/6/25 12:50 == 47.9	5/6/25 17:20 == 47.9	5/6/25 21:50 == 48
5/6/25 8:25 == 48	5/6/25 12:55 == 48.1	5/6/25 17:25 == 47.9	5/6/25 21:55 == 48
5/6/25 8:30 == 47.8	5/6/25 13:00 == 47.9	5/6/25 17:30 == 48	5/6/25 22:00 == 48
5/6/25 8:35 == 48	5/6/25 13:05 == 48	5/6/25 17:35 == 48	5/6/25 22:05 == 48.1
5/6/25 8:40 == 48	5/6/25 13:10 == 48	5/6/25 17:40 == 47.9	5/6/25 22:10 == 48.1
5/6/25 8:45 == 48	5/6/25 13:15 == 48.2	5/6/25 17:45 == 48.1	5/6/25 22:15 == 48
5/6/25 8:50 == 48	5/6/25 13:20 == 47.9	5/6/25 17:50 == 47.9	5/6/25 22:20 == 47.9
5/6/25 8:55 == 47.9	5/6/25 13:25 == 47.4	5/6/25 17:55 == 48.1	5/6/25 22:25 == 48
5/6/25 9:00 == 47.6	5/6/25 13:30 == 47.6	5/6/25 18:00 == 47.8	5/6/25 22:30 == 48
5/6/25 9:05 == 47.7	5/6/25 13:35 == 47.9	5/6/25 18:05 == 47.9	5/6/25 22:35 == 47.9
5/6/25 9:10 == 48	5/6/25 13:40 == 47.6	5/6/25 18:10 == 47.9	5/6/25 22:40 == 47.6
5/6/25 9:15 == 48	5/6/25 13:45 == 47.8	5/6/25 18:15 == 48.2	5/6/25 22:45 == 47.2
5/6/25 9:20 == 47.9	5/6/25 13:50 == 48	5/6/25 18:20 == 47.9	5/6/25 22:50 == 48
5/6/25 9:25 == 48	5/6/25 13:55 == 47.9	5/6/25 18:25 == 47.9	5/6/25 22:55 == 48
5/6/25 9:30 == 48	5/6/25 14:00 == 48	5/6/25 18:30 == 47.9	5/6/25 23:00 == 48
5/6/25 9:35 == 48.1	5/6/25 14:05 == 48.2	5/6/25 18:35 == 47.9	5/6/25 23:05 == 48
5/6/25 9:40 == 48.1	5/6/25 14:10 == 48	5/6/25 18:40 == 47.6	5/6/25 23:10 == 48
5/6/25 9:45 == 47.9	5/6/25 14:15 == 48	5/6/25 18:45 == 47.8	5/6/25 23:15 == 47.9
5/6/25 9:50 == 47.9	5/6/25 14:20 == 48	5/6/25 18:50 == 48	5/6/25 23:20 == 48.1
5/6/25 9:55 == 47.9	5/6/25 14:25 == 47.8	5/6/25 18:55 == 47.8	5/6/25 23:25 == 48.1
5/6/25 10:00 == 48.1	5/6/25 14:30 == 47.6	5/6/25 19:00 == 47.8	5/6/25 23:30 == 47.8
5/6/25 10:05 == 48	5/6/25 14:35 == 48.1	5/6/25 19:05 == 47.9	5/6/25 23:35 == 48
5/6/25 10:10 == 48.1	5/6/25 14:40 == 47.7	5/6/25 19:10 == 48	5/6/25 23:40 == 48.1
5/6/25 10:15 == 48	5/6/25 14:45 == 47.6	5/6/25 19:15 == 48.1	5/6/25 23:45 == 48.1
5/6/25 10:20 == 48	5/6/25 14:50 == 47.9	5/6/25 19:20 == 48.1	5/6/25 23:50 == 47.9
5/6/25 10:25 == 47.5	5/6/25 14:55 == 47.7	5/6/25 19:25 == 48	5/6/25 23:55 == 48

Pumpback Station Discharge (0364)

5/7/25 0:00 == 48	5/7/25 4:30 == 47.9	5/7/25 9:00 == 48	5/7/25 13:30 == 47.7
5/7/25 0:05 == 48.1	5/7/25 4:35 == 48	5/7/25 9:05 == 47.9	5/7/25 13:35 == 48.1
5/7/25 0:10 == 47.8	5/7/25 4:40 == 48	5/7/25 9:10 == 48	5/7/25 13:40 == 48.1
5/7/25 0:15 == 47.6	5/7/25 4:45 == 48	5/7/25 9:15 == 47.6	5/7/25 13:45 == 48
5/7/25 0:20 == 47.9	5/7/25 4:50 == 47.9	5/7/25 9:20 == 47.8	5/7/25 13:50 == 47.8
5/7/25 0:25 == 47.7	5/7/25 4:55 == 47.9	5/7/25 9:25 == 48	5/7/25 13:55 == 47.6
5/7/25 0:30 == 47.7	5/7/25 5:00 == 48	5/7/25 9:30 == 48	5/7/25 14:00 == 47.8
5/7/25 0:35 == 48.2	5/7/25 5:05 == 48	5/7/25 9:35 == 47.8	5/7/25 14:05 == 47.6
5/7/25 0:40 == 48.2	5/7/25 5:10 == 48	5/7/25 9:40 == 47.3	5/7/25 14:10 == 48.1
5/7/25 0:45 == 48	5/7/25 5:15 == 48.1	5/7/25 9:45 == 47.9	5/7/25 14:15 == 47.9
5/7/25 0:50 == 47.9	5/7/25 5:20 == 48.2	5/7/25 9:50 == 48	5/7/25 14:20 == 47.9
5/7/25 0:55 == 48	5/7/25 5:25 == 48	5/7/25 9:55 == 48.1	5/7/25 14:25 == 47.4
5/7/25 1:00 == 48	5/7/25 5:30 == 47.7	5/7/25 10:00 == 48	5/7/25 14:30 == 47.6
5/7/25 1:05 == 47.9	5/7/25 5:35 == 47.7	5/7/25 10:05 == 48	5/7/25 14:35 == 47.3
5/7/25 1:10 == 47.9	5/7/25 5:40 == 47.7	5/7/25 10:10 == 48	5/7/25 14:40 == 47.5
5/7/25 1:15 == 47.3	5/7/25 5:45 == 47.8	5/7/25 10:15 == 48	5/7/25 14:45 == 47.5
5/7/25 1:20 == 47.9	5/7/25 5:50 == 48.2	5/7/25 10:20 == 48	5/7/25 14:50 == 47.9
5/7/25 1:25 == 48	5/7/25 5:55 == 47.8	5/7/25 10:25 == 48	5/7/25 14:55 == 47.4
5/7/25 1:30 == 48.1	5/7/25 6:00 == 47.6	5/7/25 10:30 == 48	5/7/25 15:00 == 47.8
5/7/25 1:35 == 48	5/7/25 6:05 == 48	5/7/25 10:35 == 48	5/7/25 15:05 == 48.1
5/7/25 1:40 == 47.7	5/7/25 6:10 == 48.1	5/7/25 10:40 == 47.5	5/7/25 15:10 == 47.9
5/7/25 1:45 == 48	5/7/25 6:15 == 48	5/7/25 10:45 == 47.5	5/7/25 15:15 == 48
5/7/25 1:50 == 47.9	5/7/25 6:20 == 47.9	5/7/25 10:50 == 48	5/7/25 15:20 == 48
5/7/25 1:55 == 48.1	5/7/25 6:25 == 48	5/7/25 10:55 == 48	5/7/25 15:25 == 48.2
5/7/25 2:00 == 47.9	5/7/25 6:30 == 48.1	5/7/25 11:00 == 47.9	5/7/25 15:30 == 48
5/7/25 2:05 == 47.9	5/7/25 6:35 == 48	5/7/25 11:05 == 47.9	5/7/25 15:35 == 47.9
5/7/25 2:10 == 48	5/7/25 6:40 == 47.6	5/7/25 11:10 == 47.7	5/7/25 15:40 == 48
5/7/25 2:15 == 48	5/7/25 6:45 == 48	5/7/25 11:15 == 47.4	5/7/25 15:45 == 48
5/7/25 2:20 == 48	5/7/25 6:50 == 47.8	5/7/25 11:20 == 48	5/7/25 15:50 == 47.9
5/7/25 2:25 == 48	5/7/25 6:55 == 47.9	5/7/25 11:25 == 48	5/7/25 15:55 == 48
5/7/25 2:30 == 48	5/7/25 7:00 == 48	5/7/25 11:30 == 47.9	5/7/25 16:00 == 48.1
5/7/25 2:35 == 47.9	5/7/25 7:05 == 48.2	5/7/25 11:35 == 47.9	5/7/25 16:05 == 48.1
5/7/25 2:40 == 48	5/7/25 7:10 == 47.7	5/7/25 11:40 == 47.8	5/7/25 16:10 == 47.8
5/7/25 2:45 == 48	5/7/25 7:15 == 48.1	5/7/25 11:45 == 47.8	5/7/25 16:15 == 47.5
5/7/25 2:50 == 48	5/7/25 7:20 == 47.9	5/7/25 11:50 == 48	5/7/25 16:20 == 48
5/7/25 2:55 == 47.9	5/7/25 7:25 == 47.5	5/7/25 11:55 == 47	5/7/25 16:25 == 48
5/7/25 3:00 == 47.7	5/7/25 7:30 == 47.8	5/7/25 12:00 == 47.5	5/7/25 16:30 == 48.1
5/7/25 3:05 == 47.7	5/7/25 7:35 == 47.9	5/7/25 12:05 == 48.1	5/7/25 16:35 == 48.2
5/7/25 3:10 == 48	5/7/25 7:40 == 47.7	5/7/25 12:10 == 47.1	5/7/25 16:40 == 48.1
5/7/25 3:15 == 48	5/7/25 7:45 == 47.8	5/7/25 12:15 == 47.3	5/7/25 16:45 == 47.9
5/7/25 3:20 == 47.8	5/7/25 7:50 == 48	5/7/25 12:20 == 48	5/7/25 16:50 == 47.9
5/7/25 3:25 == 47.6	5/7/25 7:55 == 47.6	5/7/25 12:25 == 47.7	5/7/25 16:55 == 48
5/7/25 3:30 == 48.1	5/7/25 8:00 == 47.7	5/7/25 12:30 == 47.9	5/7/25 17:00 == 48.2
5/7/25 3:35 == 48.1	5/7/25 8:05 == 48.1	5/7/25 12:35 == 48.2	5/7/25 17:05 == 47.8
5/7/25 3:40 == 47.9	5/7/25 8:10 == 47.7	5/7/25 12:40 == 48	5/7/25 17:10 == 47.4
5/7/25 3:45 == 47.5	5/7/25 8:15 == 47.5	5/7/25 12:45 == 48	5/7/25 17:15 == 47.9
5/7/25 3:50 == 47.9	5/7/25 8:20 == 47.9	5/7/25 12:50 == 47.9	5/7/25 17:20 == 48
5/7/25 3:55 == 48.1	5/7/25 8:25 == 48	5/7/25 12:55 == 47.8	5/7/25 17:25 == 48.1
5/7/25 4:00 == 48.1	5/7/25 8:30 == 47.8	5/7/25 13:00 == 47.9	5/7/25 17:30 == 48.1
5/7/25 4:05 == 47.9	5/7/25 8:35 == 47.9	5/7/25 13:05 == 48	5/7/25 17:35 == 48
5/7/25 4:10 == 48	5/7/25 8:40 == 47.9	5/7/25 13:10 == 47.8	5/7/25 17:40 == 48.1
5/7/25 4:15 == 48	5/7/25 8:45 == 47.9	5/7/25 13:15 == 47.7	5/7/25 17:45 == 48
5/7/25 4:20 == 48.1	5/7/25 8:50 == 47.8	5/7/25 13:20 == 48	5/7/25 17:50 == 48
5/7/25 4:25 == 47.8	5/7/25 8:55 == 47.8	5/7/25 13:25 == 47.8	5/7/25 17:55 == 48

Pumpback Station Discharge (0364)

5/7/25 18:00 == 47.9	5/7/25 22:30 == 48	5/8/25 3:00 == 47.5	5/8/25 7:30 == 48.1
5/7/25 18:05 == 48	5/7/25 22:35 == 47.9	5/8/25 3:05 == 47.5	5/8/25 7:35 == 43.3
5/7/25 18:10 == 47.7	5/7/25 22:40 == 47.9	5/8/25 3:10 == 47.9	5/8/25 7:40 == 35.9
5/7/25 18:15 == 47.7	5/7/25 22:45 == 47.6	5/8/25 3:15 == 47.5	5/8/25 7:45 == 34.1
5/7/25 18:20 == 47.9	5/7/25 22:50 == 47.8	5/8/25 3:20 == 47.8	5/8/25 7:50 == 34.2
5/7/25 18:25 == 47.5	5/7/25 22:55 == 47.9	5/8/25 3:25 == 47.6	5/8/25 7:55 == 34.3
5/7/25 18:30 == 47.5	5/7/25 23:00 == 47.9	5/8/25 3:30 == 48.1	5/8/25 8:00 == 34.2
5/7/25 18:35 == 48	5/7/25 23:05 == 47.9	5/8/25 3:35 == 47.9	5/8/25 8:05 == 34.2
5/7/25 18:40 == 47.8	5/7/25 23:10 == 48	5/8/25 3:40 == 47.4	5/8/25 8:10 == 34.1
5/7/25 18:45 == 47.6	5/7/25 23:15 == 48	5/8/25 3:45 == 48	5/8/25 8:15 == 33.9
5/7/25 18:50 == 48	5/7/25 23:20 == 48	5/8/25 3:50 == 48	5/8/25 8:20 == 35.5
5/7/25 18:55 == 48	5/7/25 23:25 == 47.9	5/8/25 3:55 == 48.1	5/8/25 8:25 == 46.2
5/7/25 19:00 == 47.9	5/7/25 23:30 == 47.9	5/8/25 4:00 == 48.1	5/8/25 8:30 == 48.1
5/7/25 19:05 == 48	5/7/25 23:35 == 48	5/8/25 4:05 == 42.4	5/8/25 8:35 == 47.9
5/7/25 19:10 == 48.1	5/7/25 23:40 == 47.8	5/8/25 4:10 == 35.4	5/8/25 8:40 == 48
5/7/25 19:15 == 48.1	5/7/25 23:45 == 47.7	5/8/25 4:15 == 33.8	5/8/25 8:45 == 48
5/7/25 19:20 == 48	5/7/25 23:50 == 47.8	5/8/25 4:20 == 33.7	5/8/25 8:50 == 47.9
5/7/25 19:25 == 48	5/7/25 23:55 == 47.9	5/8/25 4:25 == 33.7	5/8/25 8:55 == 47.8
5/7/25 19:30 == 47.9	5/8/25 0:00 == 47.9	5/8/25 4:30 == 33.7	5/8/25 9:00 == 48.1
5/7/25 19:35 == 47.9	5/8/25 0:05 == 48	5/8/25 4:35 == 33.6	5/8/25 9:05 == 48.1
5/7/25 19:40 == 47.5	5/8/25 0:10 == 47.9	5/8/25 4:40 == 33.7	5/8/25 9:10 == 47.7
5/7/25 19:45 == 47.4	5/8/25 0:15 == 47.8	5/8/25 4:45 == 33.7	5/8/25 9:15 == 46.7
5/7/25 19:50 == 47.9	5/8/25 0:20 == 47.8	5/8/25 4:50 == 37.6	5/8/25 9:20 == 47.3
5/7/25 19:55 == 48.1	5/8/25 0:25 == 47.8	5/8/25 4:55 == 44.4	5/8/25 9:25 == 47.7
5/7/25 20:00 == 48	5/8/25 0:30 == 47.2	5/8/25 5:00 == 47.7	5/8/25 9:30 == 48
5/7/25 20:05 == 47.9	5/8/25 0:35 == 44.1	5/8/25 5:05 == 48.1	5/8/25 9:35 == 47.7
5/7/25 20:10 == 47.2	5/8/25 0:40 == 33.7	5/8/25 5:10 == 48	5/8/25 9:40 == 47.4
5/7/25 20:15 == 47.8	5/8/25 0:45 == 33.7	5/8/25 5:15 == 48.1	5/8/25 9:45 == 47.7
5/7/25 20:20 == 48	5/8/25 0:50 == 33.6	5/8/25 5:20 == 48.1	5/8/25 9:50 == 47.3
5/7/25 20:25 == 48	5/8/25 0:55 == 33.7	5/8/25 5:25 == 47.9	5/8/25 9:55 == 47.2
5/7/25 20:30 == 48	5/8/25 1:00 == 33.7	5/8/25 5:30 == 47.7	5/8/25 10:00 == 47.8
5/7/25 20:35 == 41.3	5/8/25 1:05 == 35.8	5/8/25 5:35 == 47.9	5/8/25 10:05 == 48
5/7/25 20:40 == 35.3	5/8/25 1:10 == 46.7	5/8/25 5:40 == 47.5	5/8/25 10:10 == 48
5/7/25 20:45 == 33.8	5/8/25 1:15 == 47.8	5/8/25 5:45 == 47.7	5/8/25 10:15 == 48.2
5/7/25 20:50 == 33.8	5/8/25 1:20 == 48	5/8/25 5:50 == 48	5/8/25 10:20 == 48.2
5/7/25 20:55 == 33.8	5/8/25 1:25 == 48.1	5/8/25 5:55 == 47.9	5/8/25 10:25 == 48
5/7/25 21:00 == 33.8	5/8/25 1:30 == 48.1	5/8/25 6:00 == 48.1	5/8/25 10:30 == 47.9
5/7/25 21:05 == 38.6	5/8/25 1:35 == 48	5/8/25 6:05 == 48.1	5/8/25 10:35 == 45
5/7/25 21:10 == 45.3	5/8/25 1:40 == 47.5	5/8/25 6:10 == 48	5/8/25 10:40 == 35.6
5/7/25 21:15 == 47.8	5/8/25 1:45 == 47.8	5/8/25 6:15 == 48.1	5/8/25 10:45 == 33.9
5/7/25 21:20 == 48	5/8/25 1:50 == 47.9	5/8/25 6:20 == 48.1	5/8/25 10:50 == 33.9
5/7/25 21:25 == 47.8	5/8/25 1:55 == 47.5	5/8/25 6:25 == 48	5/8/25 10:55 == 34
5/7/25 21:30 == 47.7	5/8/25 2:00 == 47.7	5/8/25 6:30 == 47.9	5/8/25 11:00 == 34.2
5/7/25 21:35 == 48	5/8/25 2:05 == 48	5/8/25 6:35 == 48	5/8/25 11:05 == 34.1
5/7/25 21:40 == 48	5/8/25 2:10 == 48.1	5/8/25 6:40 == 47.1	5/8/25 11:10 == 34.4
5/7/25 21:45 == 47.9	5/8/25 2:15 == 48.2	5/8/25 6:45 == 47.7	5/8/25 11:15 == 34.5
5/7/25 21:50 == 48.1	5/8/25 2:20 == 48.1	5/8/25 6:50 == 47.9	5/8/25 11:20 == 34.4
5/7/25 21:55 == 48.1	5/8/25 2:25 == 48.1	5/8/25 6:55 == 47.9	5/8/25 11:25 == 47
5/7/25 22:00 == 47.9	5/8/25 2:30 == 48	5/8/25 7:00 == 47.8	5/8/25 11:30 == 47.9
5/7/25 22:05 == 48	5/8/25 2:35 == 48	5/8/25 7:05 == 48	5/8/25 11:35 == 47.1
5/7/25 22:10 == 47.9	5/8/25 2:40 == 48	5/8/25 7:10 == 47.7	5/8/25 11:40 == 46.9
5/7/25 22:15 == 48.2	5/8/25 2:45 == 48	5/8/25 7:15 == 47.8	5/8/25 11:45 == 47.7
5/7/25 22:20 == 48	5/8/25 2:50 == 47.9	5/8/25 7:20 == 48.1	5/8/25 11:50 == 47.5
5/7/25 22:25 == 48	5/8/25 2:55 == 47.6	5/8/25 7:25 == 48.2	5/8/25 11:55 == 47.5

Pumpback Station Discharge (0364)

5/8/25 12:00 == 47.5	5/8/25 16:30 == 48	5/8/25 21:00 == 47.9	5/9/25 1:30 == 47.6
5/8/25 12:05 == 47.8	5/8/25 16:35 == 47.8	5/8/25 21:05 == 48	5/9/25 1:35 == 48
5/8/25 12:10 == 47.3	5/8/25 16:40 == 48	5/8/25 21:10 == 47.7	5/9/25 1:40 == 47.8
5/8/25 12:15 == 47.3	5/8/25 16:45 == 48.1	5/8/25 21:15 == 47.9	5/9/25 1:45 == 47.5
5/8/25 12:20 == 47.9	5/8/25 16:50 == 48.1	5/8/25 21:20 == 48	5/9/25 1:50 == 48
5/8/25 12:25 == 47.8	5/8/25 16:55 == 48	5/8/25 21:25 == 47.9	5/9/25 1:55 == 47.8
5/8/25 12:30 == 47.7	5/8/25 17:00 == 48	5/8/25 21:30 == 48	5/9/25 2:00 == 47.6
5/8/25 12:35 == 47.9	5/8/25 17:05 == 47.7	5/8/25 21:35 == 48	5/9/25 2:05 == 48
5/8/25 12:40 == 48.1	5/8/25 17:10 == 47.3	5/8/25 21:40 == 34.1	5/9/25 2:10 == 48
5/8/25 12:45 == 48.1	5/8/25 17:15 == 47.6	5/8/25 21:45 == 33.8	5/9/25 2:15 == 47.6
5/8/25 12:50 == 48	5/8/25 17:20 == 48	5/8/25 21:50 == 33.8	5/9/25 2:20 == 47.9
5/8/25 12:55 == 48.1	5/8/25 17:25 == 48	5/8/25 21:55 == 33.8	5/9/25 2:25 == 48
5/8/25 13:00 == 47.9	5/8/25 17:30 == 47.8	5/8/25 22:00 == 33.8	5/9/25 2:30 == 48.1
5/8/25 13:05 == 48	5/8/25 17:35 == 47.9	5/8/25 22:05 == 33.8	5/9/25 2:35 == 47.9
5/8/25 13:10 == 48.1	5/8/25 17:40 == 48	5/8/25 22:10 == 33.7	5/9/25 2:40 == 48
5/8/25 13:15 == 48	5/8/25 17:45 == 48	5/8/25 22:15 == 33.8	5/9/25 2:45 == 47.8
5/8/25 13:20 == 47.9	5/8/25 17:50 == 47.9	5/8/25 22:20 == 34	5/9/25 2:50 == 48
5/8/25 13:25 == 47.5	5/8/25 17:55 == 47.9	5/8/25 22:25 == 43.3	5/9/25 2:55 == 47.2
5/8/25 13:30 == 47.2	5/8/25 18:00 == 48	5/8/25 22:30 == 47.9	5/9/25 3:00 == 47.8
5/8/25 13:35 == 47.6	5/8/25 18:05 == 44.7	5/8/25 22:35 == 48.1	5/9/25 3:05 == 48.1
5/8/25 13:40 == 48	5/8/25 18:10 == 37	5/8/25 22:40 == 48	5/9/25 3:10 == 47.9
5/8/25 13:45 == 47.9	5/8/25 18:15 == 33.9	5/8/25 22:45 == 47.9	5/9/25 3:15 == 48
5/8/25 13:50 == 48.2	5/8/25 18:20 == 33.9	5/8/25 22:50 == 47.9	5/9/25 3:20 == 47.5
5/8/25 13:55 == 48.1	5/8/25 18:25 == 33.8	5/8/25 22:55 == 47.9	5/9/25 3:25 == 47.7
5/8/25 14:00 == 47.5	5/8/25 18:30 == 33.6	5/8/25 23:00 == 48	5/9/25 3:30 == 48.1
5/8/25 14:05 == 47.8	5/8/25 18:35 == 33.9	5/8/25 23:05 == 48	5/9/25 3:35 == 48
5/8/25 14:10 == 48.1	5/8/25 18:40 == 33.8	5/8/25 23:10 == 47.8	5/9/25 3:40 == 47.5
5/8/25 14:15 == 48	5/8/25 18:45 == 33.7	5/8/25 23:15 == 47.8	5/9/25 3:45 == 47.8
5/8/25 14:20 == 48.1	5/8/25 18:50 == 34.2	5/8/25 23:20 == 47.6	5/9/25 3:50 == 45
5/8/25 14:25 == 47.4	5/8/25 18:55 == 44.5	5/8/25 23:25 == 48	5/9/25 3:55 == 37.8
5/8/25 14:30 == 47.2	5/8/25 19:00 == 48.1	5/8/25 23:30 == 48.1	5/9/25 4:00 == 33.6
5/8/25 14:35 == 47.7	5/8/25 19:05 == 48.1	5/8/25 23:35 == 48.1	5/9/25 4:05 == 33.6
5/8/25 14:40 == 47.5	5/8/25 19:10 == 48	5/8/25 23:40 == 48	5/9/25 4:10 == 33.7
5/8/25 14:45 == 47.7	5/8/25 19:15 == 48.1	5/8/25 23:45 == 48.1	5/9/25 4:15 == 33.7
5/8/25 14:50 == 48	5/8/25 19:20 == 48.2	5/8/25 23:50 == 47.8	5/9/25 4:20 == 33.7
5/8/25 14:55 == 48	5/8/25 19:25 == 48	5/8/25 23:55 == 48	5/9/25 4:25 == 33.7
5/8/25 15:00 == 47.9	5/8/25 19:30 == 48	5/9/25 0:00 == 48.1	5/9/25 4:30 == 33.7
5/8/25 15:05 == 43.6	5/8/25 19:35 == 48.1	5/9/25 0:05 == 48	5/9/25 4:35 == 35.5
5/8/25 15:10 == 36.8	5/8/25 19:40 == 47.9	5/9/25 0:10 == 47.5	5/9/25 4:40 == 41.8
5/8/25 15:15 == 33.9	5/8/25 19:45 == 47.9	5/9/25 0:15 == 47.9	5/9/25 4:45 == 47.7
5/8/25 15:20 == 33.9	5/8/25 19:50 == 47.9	5/9/25 0:20 == 48	5/9/25 4:50 == 48.1
5/8/25 15:25 == 33.9	5/8/25 19:55 == 47.9	5/9/25 0:25 == 48	5/9/25 4:55 == 48
5/8/25 15:30 == 33.9	5/8/25 20:00 == 48	5/9/25 0:30 == 48.1	5/9/25 5:00 == 48.1
5/8/25 15:35 == 34	5/8/25 20:05 == 47.9	5/9/25 0:35 == 46.5	5/9/25 5:05 == 48.1
5/8/25 15:40 == 34	5/8/25 20:10 == 47.7	5/9/25 0:40 == 36.1	5/9/25 5:10 == 48
5/8/25 15:45 == 33.9	5/8/25 20:15 == 47.7	5/9/25 0:45 == 33.8	5/9/25 5:15 == 48.1
5/8/25 15:50 == 35.9	5/8/25 20:20 == 48	5/9/25 0:50 == 33.8	5/9/25 5:20 == 48.1
5/8/25 15:55 == 44	5/8/25 20:25 == 48	5/9/25 0:55 == 33.8	5/9/25 5:25 == 47.9
5/8/25 16:00 == 47.7	5/8/25 20:30 == 48	5/9/25 1:00 == 33.8	5/9/25 5:30 == 48
5/8/25 16:05 == 47.9	5/8/25 20:35 == 48	5/9/25 1:05 == 33.9	5/9/25 5:35 == 47.9
5/8/25 16:10 == 47.6	5/8/25 20:40 == 47.9	5/9/25 1:10 == 33.9	5/9/25 5:40 == 48
5/8/25 16:15 == 47.6	5/8/25 20:45 == 47.8	5/9/25 1:15 == 33.9	5/9/25 5:45 == 47.7
5/8/25 16:20 == 48	5/8/25 20:50 == 47.9	5/9/25 1:20 == 35.5	5/9/25 5:50 == 47.9
5/8/25 16:25 == 47.9	5/8/25 20:55 == 48	5/9/25 1:25 == 42.3	5/9/25 5:55 == 47.9

Pumpback Station Discharge (0364)

5/9/25 6:00 == 48.2	5/9/25 10:30 == 47.8	5/9/25 15:00 == 48	5/9/25 19:30 == 48
5/9/25 6:05 == 47.9	5/9/25 10:35 == 48	5/9/25 15:05 == 47.9	5/9/25 19:35 == 48.1
5/9/25 6:10 == 48.1	5/9/25 10:40 == 47	5/9/25 15:10 == 47.6	5/9/25 19:40 == 47.9
5/9/25 6:15 == 47.7	5/9/25 10:45 == 47.9	5/9/25 15:15 == 47.7	5/9/25 19:45 == 47.7
5/9/25 6:20 == 47.8	5/9/25 10:50 == 48	5/9/25 15:20 == 46.5	5/9/25 19:50 == 48
5/9/25 6:25 == 48.1	5/9/25 10:55 == 48.1	5/9/25 15:25 == 38.3	5/9/25 19:55 == 48.1
5/9/25 6:30 == 48	5/9/25 11:00 == 47.9	5/9/25 15:30 == 34	5/9/25 20:00 == 48
5/9/25 6:35 == 48	5/9/25 11:05 == 47.9	5/9/25 15:35 == 34.1	5/9/25 20:05 == 46.4
5/9/25 6:40 == 47.6	5/9/25 11:10 == 47.3	5/9/25 15:40 == 34.2	5/9/25 20:10 == 40.3
5/9/25 6:45 == 47.6	5/9/25 11:15 == 47.6	5/9/25 15:45 == 34	5/9/25 20:15 == 34.2
5/9/25 6:50 == 45.2	5/9/25 11:20 == 47.7	5/9/25 15:50 == 33.9	5/9/25 20:20 == 34.1
5/9/25 6:55 == 38.5	5/9/25 11:25 == 47.8	5/9/25 15:55 == 34.1	5/9/25 20:25 == 34.1
5/9/25 7:00 == 34	5/9/25 11:30 == 47.9	5/9/25 16:00 == 34.1	5/9/25 20:30 == 34.1
5/9/25 7:05 == 34.2	5/9/25 11:35 == 48	5/9/25 16:05 == 34.1	5/9/25 20:35 == 34.1
5/9/25 7:10 == 34.3	5/9/25 11:40 == 47.5	5/9/25 16:10 == 42.8	5/9/25 20:40 == 34.1
5/9/25 7:15 == 34.1	5/9/25 11:45 == 47.6	5/9/25 16:15 == 47.4	5/9/25 20:45 == 34.1
5/9/25 7:20 == 34.2	5/9/25 11:50 == 48	5/9/25 16:20 == 48	5/9/25 20:50 == 34.2
5/9/25 7:25 == 34.1	5/9/25 11:55 == 47.9	5/9/25 16:25 == 47.9	5/9/25 20:55 == 41.1
5/9/25 7:30 == 34.3	5/9/25 12:00 == 48.1	5/9/25 16:30 == 47.9	5/9/25 21:00 == 47.2
5/9/25 7:35 == 34.3	5/9/25 12:05 == 48	5/9/25 16:35 == 48	5/9/25 21:05 == 48.1
5/9/25 7:40 == 34.5	5/9/25 12:10 == 47.4	5/9/25 16:40 == 47.9	5/9/25 21:10 == 47.3
5/9/25 7:45 == 34.3	5/9/25 12:15 == 47.2	5/9/25 16:45 == 48	5/9/25 21:15 == 47.9
5/9/25 7:50 == 34.5	5/9/25 12:20 == 48	5/9/25 16:50 == 48	5/9/25 21:20 == 48.1
5/9/25 7:55 == 43.7	5/9/25 12:25 == 47.8	5/9/25 16:55 == 47.6	5/9/25 21:25 == 48
5/9/25 8:00 == 47.9	5/9/25 12:30 == 47.5	5/9/25 17:00 == 47.6	5/9/25 21:30 == 47.9
5/9/25 8:05 == 48	5/9/25 12:35 == 46.3	5/9/25 17:05 == 47.9	5/9/25 21:35 == 47.8
5/9/25 8:10 == 47.8	5/9/25 12:40 == 38.2	5/9/25 17:10 == 47.7	5/9/25 21:40 == 47.5
5/9/25 8:15 == 48	5/9/25 12:45 == 33.6	5/9/25 17:15 == 47.3	5/9/25 21:45 == 47.7
5/9/25 8:20 == 48.1	5/9/25 12:50 == 33.7	5/9/25 17:20 == 47.9	5/9/25 21:50 == 48
5/9/25 8:25 == 47.8	5/9/25 12:55 == 33.5	5/9/25 17:25 == 47.9	5/9/25 21:55 == 48.1
5/9/25 8:30 == 48.1	5/9/25 13:00 == 33.8	5/9/25 17:30 == 47.9	5/9/25 22:00 == 48
5/9/25 8:35 == 48.1	5/9/25 13:05 == 33.8	5/9/25 17:35 == 46.4	5/9/25 22:05 == 48.1
5/9/25 8:40 == 48	5/9/25 13:10 == 33.6	5/9/25 17:40 == 39.9	5/9/25 22:10 == 48.2
5/9/25 8:45 == 48	5/9/25 13:15 == 33.6	5/9/25 17:45 == 34	5/9/25 22:15 == 48.2
5/9/25 8:50 == 48	5/9/25 13:20 == 33.5	5/9/25 17:50 == 34.2	5/9/25 22:20 == 46.5
5/9/25 8:55 == 48	5/9/25 13:25 == 42.1	5/9/25 17:55 == 34.1	5/9/25 22:25 == 40.2
5/9/25 9:00 == 47.9	5/9/25 13:30 == 47.3	5/9/25 18:00 == 34.1	5/9/25 22:30 == 33.9
5/9/25 9:05 == 48	5/9/25 13:35 == 48	5/9/25 18:05 == 34.2	5/9/25 22:35 == 34
5/9/25 9:10 == 48.2	5/9/25 13:40 == 48	5/9/25 18:10 == 34.3	5/9/25 22:40 == 34.1
5/9/25 9:15 == 48.1	5/9/25 13:45 == 48	5/9/25 18:15 == 34	5/9/25 22:45 == 33.9
5/9/25 9:20 == 45.4	5/9/25 13:50 == 47.6	5/9/25 18:20 == 34.1	5/9/25 22:50 == 34
5/9/25 9:25 == 38.6	5/9/25 13:55 == 47.6	5/9/25 18:25 == 33.9	5/9/25 22:55 == 34.1
5/9/25 9:30 == 33.5	5/9/25 14:00 == 47.4	5/9/25 18:30 == 33.7	5/9/25 23:00 == 33.9
5/9/25 9:35 == 33.7	5/9/25 14:05 == 47.8	5/9/25 18:35 == 33.8	5/9/25 23:05 == 34.7
5/9/25 9:40 == 33.8	5/9/25 14:10 == 48	5/9/25 18:40 == 42.5	5/9/25 23:10 == 40.2
5/9/25 9:45 == 33.7	5/9/25 14:15 == 48	5/9/25 18:45 == 47.2	5/9/25 23:15 == 47.5
5/9/25 9:50 == 33.7	5/9/25 14:20 == 47.9	5/9/25 18:50 == 47.9	5/9/25 23:20 == 48.2
5/9/25 9:55 == 33.6	5/9/25 14:25 == 47.2	5/9/25 18:55 == 48	5/9/25 23:25 == 48
5/9/25 10:00 == 33.6	5/9/25 14:30 == 47.2	5/9/25 19:00 == 48.1	5/9/25 23:30 == 48
5/9/25 10:05 == 33.6	5/9/25 14:35 == 48	5/9/25 19:05 == 48.1	5/9/25 23:35 == 47.9
5/9/25 10:10 == 33.7	5/9/25 14:40 == 47.8	5/9/25 19:10 == 48	5/9/25 23:40 == 47.9
5/9/25 10:15 == 33.7	5/9/25 14:45 == 47.6	5/9/25 19:15 == 48	5/9/25 23:45 == 47.9
5/9/25 10:20 == 34.1	5/9/25 14:50 == 48.1	5/9/25 19:20 == 48	5/9/25 23:50 == 47.5
5/9/25 10:25 == 41.6	5/9/25 14:55 == 48	5/9/25 19:25 == 48	5/9/25 23:55 == 47.9

Pumpback Station Discharge (0364)

5/10/25 0:00 == 48	5/10/25 4:30 == 47.7	5/10/25 9:00 == 33.6	5/10/25 13:30 == 47.6
5/10/25 0:05 == 48.1	5/10/25 4:35 == 47.9	5/10/25 9:05 == 33.7	5/10/25 13:35 == 47.9
5/10/25 0:10 == 48	5/10/25 4:40 == 39.6	5/10/25 9:10 == 33.6	5/10/25 13:40 == 41.2
5/10/25 0:15 == 47.9	5/10/25 4:45 == 34	5/10/25 9:15 == 33.6	5/10/25 13:45 == 34.1
5/10/25 0:20 == 47.9	5/10/25 4:50 == 33.7	5/10/25 9:20 == 33.7	5/10/25 13:50 == 34.2
5/10/25 0:25 == 39.5	5/10/25 4:55 == 33.8	5/10/25 9:25 == 33.7	5/10/25 13:55 == 34.2
5/10/25 0:30 == 34	5/10/25 5:00 == 33.9	5/10/25 9:30 == 33.8	5/10/25 14:00 == 34
5/10/25 0:35 == 33.8	5/10/25 5:05 == 33.8	5/10/25 9:35 == 33.6	5/10/25 14:05 == 34
5/10/25 0:40 == 33.9	5/10/25 5:10 == 33.7	5/10/25 9:40 == 33.7	5/10/25 14:10 == 34.1
5/10/25 0:45 == 34	5/10/25 5:15 == 33.6	5/10/25 9:45 == 33.8	5/10/25 14:15 == 34
5/10/25 0:50 == 34.1	5/10/25 5:20 == 33.8	5/10/25 9:50 == 33.7	5/10/25 14:20 == 34.1
5/10/25 0:55 == 34	5/10/25 5:25 == 40.4	5/10/25 9:55 == 33.7	5/10/25 14:25 == 34
5/10/25 1:00 == 34	5/10/25 5:30 == 46.3	5/10/25 10:00 == 33.7	5/10/25 14:30 == 33.7
5/10/25 1:05 == 34.6	5/10/25 5:35 == 47.9	5/10/25 10:05 == 33.8	5/10/25 14:35 == 34.1
5/10/25 1:10 == 39.3	5/10/25 5:40 == 47.6	5/10/25 10:10 == 39.8	5/10/25 14:40 == 37.8
5/10/25 1:15 == 47.7	5/10/25 5:45 == 47.8	5/10/25 10:15 == 46.2	5/10/25 14:45 == 47.8
5/10/25 1:20 == 47.9	5/10/25 5:50 == 48.1	5/10/25 10:20 == 47.9	5/10/25 14:50 == 48
5/10/25 1:25 == 48	5/10/25 5:55 == 47.7	5/10/25 10:25 == 47.6	5/10/25 14:55 == 47.8
5/10/25 1:30 == 48	5/10/25 6:00 == 47.5	5/10/25 10:30 == 47.9	5/10/25 15:00 == 47.5
5/10/25 1:35 == 48	5/10/25 6:05 == 47.9	5/10/25 10:35 == 48	5/10/25 15:05 == 47.9
5/10/25 1:40 == 47.5	5/10/25 6:10 == 47.9	5/10/25 10:40 == 47.5	5/10/25 15:10 == 47.5
5/10/25 1:45 == 47.5	5/10/25 6:15 == 48	5/10/25 10:45 == 47.6	5/10/25 15:15 == 47.8
5/10/25 1:50 == 47.5	5/10/25 6:20 == 48	5/10/25 10:50 == 47.9	5/10/25 15:20 == 48.1
5/10/25 1:55 == 48	5/10/25 6:25 == 47.9	5/10/25 10:55 == 48.1	5/10/25 15:25 == 47.5
5/10/25 2:00 == 48	5/10/25 6:30 == 47.6	5/10/25 11:00 == 48.2	5/10/25 15:30 == 47.9
5/10/25 2:05 == 47.9	5/10/25 6:35 == 46.9	5/10/25 11:05 == 48.1	5/10/25 15:35 == 48
5/10/25 2:10 == 48	5/10/25 6:40 == 41.6	5/10/25 11:10 == 47.7	5/10/25 15:40 == 48
5/10/25 2:15 == 47.8	5/10/25 6:45 == 34.1	5/10/25 11:15 == 47.5	5/10/25 15:45 == 48
5/10/25 2:20 == 48	5/10/25 6:50 == 34.3	5/10/25 11:20 == 47.8	5/10/25 15:50 == 48.1
5/10/25 2:25 == 47.9	5/10/25 6:55 == 34.2	5/10/25 11:25 == 47.9	5/10/25 15:55 == 41.1
5/10/25 2:30 == 47.9	5/10/25 7:00 == 34.1	5/10/25 11:30 == 48	5/10/25 16:00 == 35
5/10/25 2:35 == 47.8	5/10/25 7:05 == 34.2	5/10/25 11:35 == 48.1	5/10/25 16:05 == 33.9
5/10/25 2:40 == 38.8	5/10/25 7:10 == 34.4	5/10/25 11:40 == 47.8	5/10/25 16:10 == 34
5/10/25 2:45 == 34.6	5/10/25 7:15 == 34.1	5/10/25 11:45 == 47.4	5/10/25 16:15 == 33.9
5/10/25 2:50 == 34.1	5/10/25 7:20 == 34.2	5/10/25 11:50 == 47.1	5/10/25 16:20 == 33.8
5/10/25 2:55 == 34.1	5/10/25 7:25 == 34.3	5/10/25 11:55 == 42.6	5/10/25 16:25 == 33.8
5/10/25 3:00 == 34	5/10/25 7:30 == 34.3	5/10/25 12:00 == 33.9	5/10/25 16:30 == 33.8
5/10/25 3:05 == 34	5/10/25 7:35 == 34.3	5/10/25 12:05 == 34.2	5/10/25 16:35 == 33.8
5/10/25 3:10 == 33.9	5/10/25 7:40 == 40.4	5/10/25 12:10 == 34	5/10/25 16:40 == 33.7
5/10/25 3:15 == 33.8	5/10/25 7:45 == 46.4	5/10/25 12:15 == 33.8	5/10/25 16:45 == 33.6
5/10/25 3:20 == 33.9	5/10/25 7:50 == 47.9	5/10/25 12:20 == 33.7	5/10/25 16:50 == 33.6
5/10/25 3:25 == 40.3	5/10/25 7:55 == 47.9	5/10/25 12:25 == 34.1	5/10/25 16:55 == 36.5
5/10/25 3:30 == 47.9	5/10/25 8:00 == 48	5/10/25 12:30 == 34	5/10/25 17:00 == 47
5/10/25 3:35 == 48	5/10/25 8:05 == 48	5/10/25 12:35 == 33.9	5/10/25 17:05 == 47.8
5/10/25 3:40 == 47.8	5/10/25 8:10 == 47.8	5/10/25 12:40 == 38.7	5/10/25 17:10 == 47.7
5/10/25 3:45 == 47.5	5/10/25 8:15 == 47.7	5/10/25 12:45 == 46.1	5/10/25 17:15 == 47.4
5/10/25 3:50 == 48	5/10/25 8:20 == 47.8	5/10/25 12:50 == 47.7	5/10/25 17:20 == 47.9
5/10/25 3:55 == 48	5/10/25 8:25 == 47.7	5/10/25 12:55 == 47.7	5/10/25 17:25 == 48.1
5/10/25 4:00 == 48	5/10/25 8:30 == 47.6	5/10/25 13:00 == 47.7	5/10/25 17:30 == 47.8
5/10/25 4:05 == 48.1	5/10/25 8:35 == 47.9	5/10/25 13:05 == 48	5/10/25 17:35 == 47.9
5/10/25 4:10 == 47.7	5/10/25 8:40 == 47.8	5/10/25 13:10 == 48	5/10/25 17:40 == 48.1
5/10/25 4:15 == 47.7	5/10/25 8:45 == 47.5	5/10/25 13:15 == 47.9	5/10/25 17:45 == 48
5/10/25 4:20 == 47.8	5/10/25 8:50 == 47	5/10/25 13:20 == 48.1	5/10/25 17:50 == 48
5/10/25 4:25 == 47.6	5/10/25 8:55 == 41.7	5/10/25 13:25 == 47.6	5/10/25 17:55 == 48

Pumpback Station Discharge (0364)

5/10/25 18:00 == 48	5/10/25 22:30 == 48	5/11/25 3:00 == 33.7	5/11/25 7:30 == 47.9
5/10/25 18:05 == 47.8	5/10/25 22:35 == 47.9	5/11/25 3:05 == 33.8	5/11/25 7:35 == 47.8
5/10/25 18:10 == 40.9	5/10/25 22:40 == 42.8	5/11/25 3:10 == 33.8	5/11/25 7:40 == 47.9
5/10/25 18:15 == 35.3	5/10/25 22:45 == 33.8	5/11/25 3:15 == 33.8	5/11/25 7:45 == 47.9
5/10/25 18:20 == 34	5/10/25 22:50 == 33.7	5/11/25 3:20 == 33.9	5/11/25 7:50 == 47.9
5/10/25 18:25 == 33.7	5/10/25 22:55 == 33.9	5/11/25 3:25 == 33.8	5/11/25 7:55 == 47.8
5/10/25 18:30 == 33.4	5/10/25 23:00 == 33.8	5/11/25 3:30 == 33.7	5/11/25 8:00 == 47.5
5/10/25 18:35 == 33.6	5/10/25 23:05 == 33.8	5/11/25 3:35 == 33.8	5/11/25 8:05 == 47.9
5/10/25 18:40 == 33.7	5/10/25 23:10 == 33.8	5/11/25 3:40 == 34.8	5/11/25 8:10 == 48
5/10/25 18:45 == 33.7	5/10/25 23:15 == 33.7	5/11/25 3:45 == 47	5/11/25 8:15 == 48
5/10/25 18:50 == 33.6	5/10/25 23:20 == 33.8	5/11/25 3:50 == 47.7	5/11/25 8:20 == 48
5/10/25 18:55 == 33.7	5/10/25 23:25 == 33.8	5/11/25 3:55 == 47.9	5/11/25 8:25 == 48
5/10/25 19:00 == 33.8	5/10/25 23:30 == 33.8	5/11/25 4:00 == 48.2	5/11/25 8:30 == 48.1
5/10/25 19:05 == 33.8	5/10/25 23:35 == 33.8	5/11/25 4:05 == 48	5/11/25 8:35 == 48.1
5/10/25 19:10 == 37.7	5/10/25 23:40 == 38.2	5/11/25 4:10 == 47.6	5/11/25 8:40 == 47.9
5/10/25 19:15 == 46.1	5/10/25 23:45 == 44.7	5/11/25 4:15 == 47.9	5/11/25 8:45 == 48
5/10/25 19:20 == 48.1	5/10/25 23:50 == 47.8	5/11/25 4:20 == 48.1	5/11/25 8:50 == 48.1
5/10/25 19:25 == 48	5/10/25 23:55 == 48	5/11/25 4:25 == 47.5	5/11/25 8:55 == 48
5/10/25 19:30 == 48.1	5/11/25 0:00 == 48	5/11/25 4:30 == 47.9	5/11/25 9:00 == 48
5/10/25 19:35 == 48	5/11/25 0:05 == 48	5/11/25 4:35 == 47.9	5/11/25 9:05 == 48
5/10/25 19:40 == 47.8	5/11/25 0:10 == 48	5/11/25 4:40 == 47.9	5/11/25 9:10 == 47.9
5/10/25 19:45 == 47.9	5/11/25 0:15 == 47.9	5/11/25 4:45 == 47.9	5/11/25 9:15 == 48
5/10/25 19:50 == 48	5/11/25 0:20 == 48	5/11/25 4:50 == 48	5/11/25 9:20 == 48
5/10/25 19:55 == 48.1	5/11/25 0:25 == 47.8	5/11/25 4:55 == 42.2	5/11/25 9:25 == 48
5/10/25 20:00 == 47.3	5/11/25 0:30 == 47.5	5/11/25 5:00 == 35.7	5/11/25 9:30 == 47.9
5/10/25 20:05 == 47.8	5/11/25 0:35 == 47.6	5/11/25 5:05 == 33.7	5/11/25 9:35 == 46.2
5/10/25 20:10 == 47.5	5/11/25 0:40 == 44	5/11/25 5:10 == 33.7	5/11/25 9:40 == 39.8
5/10/25 20:15 == 47.9	5/11/25 0:45 == 33.9	5/11/25 5:15 == 33.7	5/11/25 9:45 == 33.9
5/10/25 20:20 == 48	5/11/25 0:50 == 33.8	5/11/25 5:20 == 33.7	5/11/25 9:50 == 33.9
5/10/25 20:25 == 42.1	5/11/25 0:55 == 33.7	5/11/25 5:25 == 33.6	5/11/25 9:55 == 34
5/10/25 20:30 == 35.1	5/11/25 1:00 == 33.8	5/11/25 5:30 == 33.6	5/11/25 10:00 == 34
5/10/25 20:35 == 33.8	5/11/25 1:05 == 33.9	5/11/25 5:35 == 33.8	5/11/25 10:05 == 34.1
5/10/25 20:40 == 33.9	5/11/25 1:10 == 34	5/11/25 5:40 == 34	5/11/25 10:10 == 34.1
5/10/25 20:45 == 33.8	5/11/25 1:15 == 33.9	5/11/25 5:45 == 32.8	5/11/25 10:15 == 34.1
5/10/25 20:50 == 33.9	5/11/25 1:20 == 33.9	5/11/25 5:50 == 24.9	5/11/25 10:20 == 34.1
5/10/25 20:55 == 34	5/11/25 1:25 == 33.9	5/11/25 5:55 == 4.1	5/11/25 10:25 == 34.1
5/10/25 21:00 == 34	5/11/25 1:30 == 34.1	5/11/25 6:00 == 0	5/11/25 10:30 == 34.2
5/10/25 21:05 == 34	5/11/25 1:35 == 33.9	5/11/25 6:05 == 0	5/11/25 10:35 == 34.7
5/10/25 21:10 == 33.9	5/11/25 1:40 == 37.6	5/11/25 6:10 == 0	5/11/25 10:40 == 41.2
5/10/25 21:15 == 33.8	5/11/25 1:45 == 45.7	5/11/25 6:15 == 10.5	5/11/25 10:45 == 47.4
5/10/25 21:20 == 33.7	5/11/25 1:50 == 47.9	5/11/25 6:20 == 34.5	5/11/25 10:50 == 48
5/10/25 21:25 == 38.3	5/11/25 1:55 == 48.1	5/11/25 6:25 == 45.6	5/11/25 10:55 == 47.9
5/10/25 21:30 == 45.3	5/11/25 2:00 == 48	5/11/25 6:30 == 47.7	5/11/25 11:00 == 48.1
5/10/25 21:35 == 47.9	5/11/25 2:05 == 48.1	5/11/25 6:35 == 47.9	5/11/25 11:05 == 48
5/10/25 21:40 == 47.9	5/11/25 2:10 == 48	5/11/25 6:40 == 47.6	5/11/25 11:10 == 47.6
5/10/25 21:45 == 47.6	5/11/25 2:15 == 48	5/11/25 6:45 == 47.7	5/11/25 11:15 == 47.9
5/10/25 21:50 == 48.1	5/11/25 2:20 == 47.9	5/11/25 6:50 == 48	5/11/25 11:20 == 47.9
5/10/25 21:55 == 47.8	5/11/25 2:25 == 48	5/11/25 6:55 == 48.1	5/11/25 11:25 == 48
5/10/25 22:00 == 47.5	5/11/25 2:30 == 47.9	5/11/25 7:00 == 47.9	5/11/25 11:30 == 48
5/10/25 22:05 == 47.9	5/11/25 2:35 == 47.8	5/11/25 7:05 == 47.9	5/11/25 11:35 == 47.9
5/10/25 22:10 == 48	5/11/25 2:40 == 42.7	5/11/25 7:10 == 48.1	5/11/25 11:40 == 47.6
5/10/25 22:15 == 48	5/11/25 2:45 == 35.5	5/11/25 7:15 == 48	5/11/25 11:45 == 47.8
5/10/25 22:20 == 47.9	5/11/25 2:50 == 34.2	5/11/25 7:20 == 48	5/11/25 11:50 == 46.7
5/10/25 22:25 == 47.9	5/11/25 2:55 == 34	5/11/25 7:25 == 48.1	5/11/25 11:55 == 39.5

Pumpback Station Discharge (0364)

5/11/25 12:00 == 34.4	5/11/25 16:30 == 48	5/11/25 21:00 == 48.1	5/12/25 1:30 == 47.9
5/11/25 12:05 == 34.3	5/11/25 16:35 == 48.1	5/11/25 21:05 == 47.8	5/12/25 1:35 == 47.1
5/11/25 12:10 == 34.3	5/11/25 16:40 == 48.1	5/11/25 21:10 == 40.3	5/12/25 1:40 == 42
5/11/25 12:15 == 34.2	5/11/25 16:45 == 48.1	5/11/25 21:15 == 34.3	5/12/25 1:45 == 34.5
5/11/25 12:20 == 34.2	5/11/25 16:50 == 48	5/11/25 21:20 == 33.9	5/12/25 1:50 == 34.4
5/11/25 12:25 == 34.2	5/11/25 16:55 == 39.5	5/11/25 21:25 == 34.2	5/12/25 1:55 == 34.3
5/11/25 12:30 == 34.3	5/11/25 17:00 == 34.2	5/11/25 21:30 == 34.1	5/12/25 2:00 == 34.2
5/11/25 12:35 == 34.3	5/11/25 17:05 == 34.1	5/11/25 21:35 == 34.1	5/12/25 2:05 == 34.4
5/11/25 12:40 == 34.2	5/11/25 17:10 == 34.3	5/11/25 21:40 == 34.1	5/12/25 2:10 == 34.4
5/11/25 12:45 == 34.3	5/11/25 17:15 == 34.4	5/11/25 21:45 == 34.1	5/12/25 2:15 == 34.2
5/11/25 12:50 == 34.3	5/11/25 17:20 == 34.2	5/11/25 21:50 == 34.1	5/12/25 2:20 == 34.2
5/11/25 12:55 == 34.2	5/11/25 17:25 == 34.1	5/11/25 21:55 == 34.2	5/12/25 2:25 == 34.3
5/11/25 13:00 == 33.9	5/11/25 17:30 == 34.1	5/11/25 22:00 == 34.2	5/12/25 2:30 == 34.3
5/11/25 13:05 == 34.4	5/11/25 17:35 == 34.2	5/11/25 22:05 == 34.1	5/12/25 2:35 == 34.3
5/11/25 13:10 == 39.9	5/11/25 17:40 == 34.2	5/11/25 22:10 == 34.1	5/12/25 2:40 == 34.3
5/11/25 13:15 == 47.4	5/11/25 17:45 == 34.2	5/11/25 22:15 == 34.2	5/12/25 2:45 == 34.1
5/11/25 13:20 == 48.2	5/11/25 17:50 == 34.1	5/11/25 22:20 == 34.2	5/12/25 2:50 == 34.2
5/11/25 13:25 == 47.7	5/11/25 17:55 == 34.1	5/11/25 22:25 == 34.2	5/12/25 2:55 == 34.4
5/11/25 13:30 == 47.6	5/11/25 18:00 == 34.1	5/11/25 22:30 == 34.1	5/12/25 3:00 == 34.2
5/11/25 13:35 == 47.8	5/11/25 18:05 == 34.1	5/11/25 22:35 == 34.1	5/12/25 3:05 == 34.1
5/11/25 13:40 == 47.9	5/11/25 18:10 == 34.3	5/11/25 22:40 == 39.3	5/12/25 3:10 == 34.1
5/11/25 13:45 == 47.9	5/11/25 18:15 == 34.1	5/11/25 22:45 == 47.6	5/12/25 3:15 == 33.9
5/11/25 13:50 == 47.5	5/11/25 18:20 == 34.4	5/11/25 22:50 == 47.8	5/12/25 3:20 == 33.9
5/11/25 13:55 == 48	5/11/25 18:25 == 39.8	5/11/25 22:55 == 48	5/12/25 3:25 == 39.5
5/11/25 14:00 == 48.1	5/11/25 18:30 == 47.5	5/11/25 23:00 == 48	5/12/25 3:30 == 46
5/11/25 14:05 == 48	5/11/25 18:35 == 47.8	5/11/25 23:05 == 48.1	5/12/25 3:35 == 48
5/11/25 14:10 == 48	5/11/25 18:40 == 47.8	5/11/25 23:10 == 48.2	5/12/25 3:40 == 47.7
5/11/25 14:15 == 47.9	5/11/25 18:45 == 47.8	5/11/25 23:15 == 47.8	5/12/25 3:45 == 47.3
5/11/25 14:20 == 47.2	5/11/25 18:50 == 47.9	5/11/25 23:20 == 48.1	5/12/25 3:50 == 47.6
5/11/25 14:25 == 39.4	5/11/25 18:55 == 48.1	5/11/25 23:25 == 48.1	5/12/25 3:55 == 48
5/11/25 14:30 == 34.1	5/11/25 19:00 == 48.1	5/11/25 23:30 == 48.2	5/12/25 4:00 == 48.1
5/11/25 14:35 == 34	5/11/25 19:05 == 48.1	5/11/25 23:35 == 47.9	5/12/25 4:05 == 48.1
5/11/25 14:40 == 34.1	5/11/25 19:10 == 39	5/11/25 23:40 == 41	5/12/25 4:10 == 48.1
5/11/25 14:45 == 34.3	5/11/25 19:15 == 34.4	5/11/25 23:45 == 34	5/12/25 4:15 == 47.9
5/11/25 14:50 == 34.3	5/11/25 19:20 == 33.8	5/11/25 23:50 == 33.7	5/12/25 4:20 == 47.3
5/11/25 14:55 == 34.4	5/11/25 19:25 == 33.8	5/11/25 23:55 == 33.8	5/12/25 4:25 == 42.6
5/11/25 15:00 == 34.3	5/11/25 19:30 == 33.9	5/12/25 0:00 == 33.9	5/12/25 4:30 == 33.8
5/11/25 15:05 == 34.3	5/11/25 19:35 == 34	5/12/25 0:05 == 34	5/12/25 4:35 == 33.9
5/11/25 15:10 == 34.3	5/11/25 19:40 == 34.1	5/12/25 0:10 == 33.9	5/12/25 4:40 == 34
5/11/25 15:15 == 34.2	5/11/25 19:45 == 34.1	5/12/25 0:15 == 33.9	5/12/25 4:45 == 34
5/11/25 15:20 == 34.1	5/11/25 19:50 == 34	5/12/25 0:20 == 33.9	5/12/25 4:50 == 34
5/11/25 15:25 == 34.2	5/11/25 19:55 == 34.1	5/12/25 0:25 == 34	5/12/25 4:55 == 34
5/11/25 15:30 == 34.3	5/11/25 20:00 == 34.1	5/12/25 0:30 == 34	5/12/25 5:00 == 34
5/11/25 15:35 == 34.2	5/11/25 20:05 == 34.2	5/12/25 0:35 == 34	5/12/25 5:05 == 34
5/11/25 15:40 == 34.4	5/11/25 20:10 == 39.1	5/12/25 0:40 == 34	5/12/25 5:10 == 33.9
5/11/25 15:45 == 34.2	5/11/25 20:15 == 47.6	5/12/25 0:45 == 34.1	5/12/25 5:15 == 33.9
5/11/25 15:50 == 34.5	5/11/25 20:20 == 48	5/12/25 0:50 == 34.1	5/12/25 5:20 == 33.8
5/11/25 15:55 == 40.3	5/11/25 20:25 == 48	5/12/25 0:55 == 39.7	5/12/25 5:25 == 33.9
5/11/25 16:00 == 47.5	5/11/25 20:30 == 48	5/12/25 1:00 == 46.4	5/12/25 5:30 == 34
5/11/25 16:05 == 48	5/11/25 20:35 == 48	5/12/25 1:05 == 47.9	5/12/25 5:35 == 34
5/11/25 16:10 == 48.1	5/11/25 20:40 == 48.1	5/12/25 1:10 == 47.9	5/12/25 5:40 == 34.1
5/11/25 16:15 == 48	5/11/25 20:45 == 47.9	5/12/25 1:15 == 48	5/12/25 5:45 == 34.1
5/11/25 16:20 == 47.8	5/11/25 20:50 == 47.9	5/12/25 1:20 == 47.9	5/12/25 5:50 == 34
5/11/25 16:25 == 48	5/11/25 20:55 == 48.2	5/12/25 1:25 == 47.9	5/12/25 5:55 == 38.7

Pumpback Station Discharge (0364)

5/12/25 6:00 == 45.1	5/12/25 10:30 == 48.1	5/12/25 15:00 == 34.1	5/12/25 19:30 == 34.1
5/12/25 6:05 == 47.7	5/12/25 10:35 == 48.1	5/12/25 15:05 == 34	5/12/25 19:35 == 34.2
5/12/25 6:10 == 47.9	5/12/25 10:40 == 42.3	5/12/25 15:10 == 34.1	5/12/25 19:40 == 36.9
5/12/25 6:15 == 48.1	5/12/25 10:45 == 36.8	5/12/25 15:15 == 34.1	5/12/25 19:45 == 45.6
5/12/25 6:20 == 48.1	5/12/25 10:50 == 35.3	5/12/25 15:20 == 34.1	5/12/25 19:50 == 47.8
5/12/25 6:25 == 48	5/12/25 10:55 == 35.2	5/12/25 15:25 == 34.2	5/12/25 19:55 == 48
5/12/25 6:30 == 47.9	5/12/25 11:00 == 35.4	5/12/25 15:30 == 34.2	5/12/25 20:00 == 47.9
5/12/25 6:35 == 47.9	5/12/25 11:05 == 35.5	5/12/25 15:35 == 34.1	5/12/25 20:05 == 47.9
5/12/25 6:40 == 47.6	5/12/25 11:10 == 35.7	5/12/25 15:40 == 34.2	5/12/25 20:10 == 47.4
5/12/25 6:45 == 47.6	5/12/25 11:15 == 35.7	5/12/25 15:45 == 34.3	5/12/25 20:15 == 46.9
5/12/25 6:50 == 47.1	5/12/25 11:20 == 35.5	5/12/25 15:50 == 34.3	5/12/25 20:20 == 48
5/12/25 6:55 == 42.8	5/12/25 11:25 == 35.4	5/12/25 15:55 == 38.1	5/12/25 20:25 == 48.1
5/12/25 7:00 == 34.3	5/12/25 11:30 == 35.4	5/12/25 16:00 == 45.1	5/12/25 20:30 == 48
5/12/25 7:05 == 34.3	5/12/25 11:35 == 35.4	5/12/25 16:05 == 47.8	5/12/25 20:35 == 48.2
5/12/25 7:10 == 34.5	5/12/25 11:40 == 35.5	5/12/25 16:10 == 47.9	5/12/25 20:40 == 43.2
5/12/25 7:15 == 34.5	5/12/25 11:45 == 35.6	5/12/25 16:15 == 48	5/12/25 20:45 == 35.4
5/12/25 7:20 == 34.4	5/12/25 11:50 == 35.5	5/12/25 16:20 == 48.2	5/12/25 20:50 == 34.2
5/12/25 7:25 == 34.5	5/12/25 11:55 == 35.4	5/12/25 16:25 == 48	5/12/25 20:55 == 34.2
5/12/25 7:30 == 34.6	5/12/25 12:00 == 34.7	5/12/25 16:30 == 47.6	5/12/25 21:00 == 34.1
5/12/25 7:35 == 34.6	5/12/25 12:05 == 34.6	5/12/25 16:35 == 47.6	5/12/25 21:05 == 34.1
5/12/25 7:40 == 35	5/12/25 12:10 == 34.8	5/12/25 16:40 == 42.8	5/12/25 21:10 == 34.1
5/12/25 7:45 == 35.1	5/12/25 12:15 == 34.4	5/12/25 16:45 == 35.1	5/12/25 21:15 == 34
5/12/25 7:50 == 35.2	5/12/25 12:20 == 34.3	5/12/25 16:50 == 34	5/12/25 21:20 == 34
5/12/25 7:55 == 35.1	5/12/25 12:25 == 36.1	5/12/25 16:55 == 34.2	5/12/25 21:25 == 33.9
5/12/25 8:00 == 35	5/12/25 12:30 == 47.4	5/12/25 17:00 == 34.1	5/12/25 21:30 == 33.9
5/12/25 8:05 == 35	5/12/25 12:35 == 47.9	5/12/25 17:05 == 34.1	5/12/25 21:35 == 33.8
5/12/25 8:10 == 34.7	5/12/25 12:40 == 48	5/12/25 17:10 == 34.3	5/12/25 21:40 == 33.9
5/12/25 8:15 == 34.5	5/12/25 12:45 == 48.1	5/12/25 17:15 == 34.5	5/12/25 21:45 == 34.1
5/12/25 8:20 == 34.4	5/12/25 12:50 == 48.1	5/12/25 17:20 == 34.3	5/12/25 21:50 == 34.1
5/12/25 8:25 == 34.3	5/12/25 12:55 == 48	5/12/25 17:25 == 34.4	5/12/25 21:55 == 34
5/12/25 8:30 == 34.3	5/12/25 13:00 == 48.1	5/12/25 17:30 == 34.2	5/12/25 22:00 == 34.1
5/12/25 8:35 == 34.3	5/12/25 13:05 == 48.1	5/12/25 17:35 == 34.1	5/12/25 22:05 == 34.1
5/12/25 8:40 == 34.3	5/12/25 13:10 == 48	5/12/25 17:40 == 34.3	5/12/25 22:10 == 34.1
5/12/25 8:45 == 34.3	5/12/25 13:15 == 47.9	5/12/25 17:45 == 34.1	5/12/25 22:15 == 34.1
5/12/25 8:50 == 34.3	5/12/25 13:20 == 47.7	5/12/25 17:50 == 34.2	5/12/25 22:20 == 34.1
5/12/25 8:55 == 34.2	5/12/25 13:25 == 41.3	5/12/25 17:55 == 34.3	5/12/25 22:25 == 34.1
5/12/25 9:00 == 34.1	5/12/25 13:30 == 35.6	5/12/25 18:00 == 34.2	5/12/25 22:30 == 34.1
5/12/25 9:05 == 34	5/12/25 13:35 == 34	5/12/25 18:05 == 34.1	5/12/25 22:35 == 34.1
5/12/25 9:10 == 34	5/12/25 13:40 == 34.1	5/12/25 18:10 == 34.2	5/12/25 22:40 == 34.3
5/12/25 9:15 == 34	5/12/25 13:45 == 34.2	5/12/25 18:15 == 34.1	5/12/25 22:45 == 34
5/12/25 9:20 == 34.1	5/12/25 13:50 == 34.2	5/12/25 18:20 == 34.1	5/12/25 22:50 == 34
5/12/25 9:25 == 34.1	5/12/25 13:55 == 34.1	5/12/25 18:25 == 34.1	5/12/25 22:55 == 34
5/12/25 9:30 == 34.1	5/12/25 14:00 == 34.1	5/12/25 18:30 == 34.1	5/12/25 23:00 == 34.1
5/12/25 9:35 == 34.2	5/12/25 14:05 == 34.2	5/12/25 18:35 == 34	5/12/25 23:05 == 34.1
5/12/25 9:40 == 34.4	5/12/25 14:10 == 34	5/12/25 18:40 == 34.1	5/12/25 23:10 == 35.7
5/12/25 9:45 == 34.3	5/12/25 14:15 == 34	5/12/25 18:45 == 34	5/12/25 23:15 == 46
5/12/25 9:50 == 34.4	5/12/25 14:20 == 34	5/12/25 18:50 == 33.9	5/12/25 23:20 == 47.8
5/12/25 9:55 == 37.2	5/12/25 14:25 == 33.9	5/12/25 18:55 == 34	5/12/25 23:25 == 48
5/12/25 10:00 == 47.3	5/12/25 14:30 == 33.8	5/12/25 19:00 == 34	5/12/25 23:30 == 48
5/12/25 10:05 == 47.3	5/12/25 14:35 == 33.8	5/12/25 19:05 == 34	5/12/25 23:35 == 48
5/12/25 10:10 == 48	5/12/25 14:40 == 33.9	5/12/25 19:10 == 34.1	5/12/25 23:40 == 47.9
5/12/25 10:15 == 48.1	5/12/25 14:45 == 33.9	5/12/25 19:15 == 34.1	5/12/25 23:45 == 47.9
5/12/25 10:20 == 48.1	5/12/25 14:50 == 34	5/12/25 19:20 == 34	5/12/25 23:50 == 47.9
5/12/25 10:25 == 47.9	5/12/25 14:55 == 34	5/12/25 19:25 == 34	5/12/25 23:55 == 42.8

Pumpback Station Discharge (0364)

5/13/25 0:00 == 36.2	5/13/25 4:30 == 33.7	5/13/25 9:00 == 34.1	5/13/25 13:30 == 34.7
5/13/25 0:05 == 33.7	5/13/25 4:35 == 33.5	5/13/25 9:05 == 34.1	5/13/25 13:35 == 34.5
5/13/25 0:10 == 33.7	5/13/25 4:40 == 33.7	5/13/25 9:10 == 34.1	5/13/25 13:40 == 34.5
5/13/25 0:15 == 33.7	5/13/25 4:45 == 33.7	5/13/25 9:15 == 34.1	5/13/25 13:45 == 34.5
5/13/25 0:20 == 33.7	5/13/25 4:50 == 33.7	5/13/25 9:20 == 34	5/13/25 13:50 == 34.4
5/13/25 0:25 == 33.9	5/13/25 4:55 == 33.7	5/13/25 9:25 == 34	5/13/25 13:55 == 34.4
5/13/25 0:30 == 34.2	5/13/25 5:00 == 33.7	5/13/25 9:30 == 33.9	5/13/25 14:00 == 34.2
5/13/25 0:35 == 34.1	5/13/25 5:05 == 33.7	5/13/25 9:35 == 34.2	5/13/25 14:05 == 34.4
5/13/25 0:40 == 34	5/13/25 5:10 == 33.7	5/13/25 9:40 == 34	5/13/25 14:10 == 34.4
5/13/25 0:45 == 34.1	5/13/25 5:15 == 33.7	5/13/25 9:45 == 34	5/13/25 14:15 == 34.3
5/13/25 0:50 == 33.9	5/13/25 5:20 == 33.8	5/13/25 9:50 == 34	5/13/25 14:20 == 34.3
5/13/25 0:55 == 34	5/13/25 5:25 == 33.8	5/13/25 9:55 == 33.9	5/13/25 14:25 == 34.5
5/13/25 1:00 == 34.1	5/13/25 5:30 == 33.7	5/13/25 10:00 == 34.1	5/13/25 14:30 == 34
5/13/25 1:05 == 34.1	5/13/25 5:35 == 33.6	5/13/25 10:05 == 34.2	5/13/25 14:35 == 34.2
5/13/25 1:10 == 34.4	5/13/25 5:40 == 36.8	5/13/25 10:10 == 34.1	5/13/25 14:40 == 34.4
5/13/25 1:15 == 34.3	5/13/25 5:45 == 43.8	5/13/25 10:15 == 34.1	5/13/25 14:45 == 34.4
5/13/25 1:20 == 34.4	5/13/25 5:50 == 47.5	5/13/25 10:20 == 34.1	5/13/25 14:50 == 34.3
5/13/25 1:25 == 34.3	5/13/25 5:55 == 47.8	5/13/25 10:25 == 34.2	5/13/25 14:55 == 34.7
5/13/25 1:30 == 34.3	5/13/25 6:00 == 47.9	5/13/25 10:30 == 34.3	5/13/25 15:00 == 45.1
5/13/25 1:35 == 34.2	5/13/25 6:05 == 48	5/13/25 10:35 == 34.4	5/13/25 15:05 == 48
5/13/25 1:40 == 34.5	5/13/25 6:10 == 47.8	5/13/25 10:40 == 37.2	5/13/25 15:10 == 48
5/13/25 1:45 == 34.3	5/13/25 6:15 == 47.6	5/13/25 10:45 == 43.4	5/13/25 15:15 == 48
5/13/25 1:50 == 34.2	5/13/25 6:20 == 47.9	5/13/25 10:50 == 47.6	5/13/25 15:20 == 48
5/13/25 1:55 == 37	5/13/25 6:25 == 46.4	5/13/25 10:55 == 48	5/13/25 15:25 == 48
5/13/25 2:00 == 45.7	5/13/25 6:30 == 34.5	5/13/25 11:00 == 47.9	5/13/25 15:30 == 47.7
5/13/25 2:05 == 48	5/13/25 6:35 == 34.3	5/13/25 11:05 == 47.6	5/13/25 15:35 == 47.7
5/13/25 2:10 == 47.8	5/13/25 6:40 == 34.6	5/13/25 11:10 == 47.7	5/13/25 15:40 == 44.4
5/13/25 2:15 == 48	5/13/25 6:45 == 34.6	5/13/25 11:15 == 47.3	5/13/25 15:45 == 37.9
5/13/25 2:20 == 48	5/13/25 6:50 == 34.6	5/13/25 11:20 == 48	5/13/25 15:50 == 34.2
5/13/25 2:25 == 47.9	5/13/25 6:55 == 34.4	5/13/25 11:25 == 46.4	5/13/25 15:55 == 34.3
5/13/25 2:30 == 48	5/13/25 7:00 == 34.1	5/13/25 11:30 == 36.2	5/13/25 16:00 == 34.4
5/13/25 2:35 == 48.2	5/13/25 7:05 == 34.2	5/13/25 11:35 == 34.7	5/13/25 16:05 == 34.3
5/13/25 2:40 == 43.7	5/13/25 7:10 == 34.7	5/13/25 11:40 == 34.8	5/13/25 16:10 == 34.3
5/13/25 2:45 == 37	5/13/25 7:15 == 34.5	5/13/25 11:45 == 34.8	5/13/25 16:15 == 34.3
5/13/25 2:50 == 34.3	5/13/25 7:20 == 34.4	5/13/25 11:50 == 34.9	5/13/25 16:20 == 34.2
5/13/25 2:55 == 34.1	5/13/25 7:25 == 34.5	5/13/25 11:55 == 34.9	5/13/25 16:25 == 34.3
5/13/25 3:00 == 33.9	5/13/25 7:30 == 34.7	5/13/25 12:00 == 34.3	5/13/25 16:30 == 34.1
5/13/25 3:05 == 33.9	5/13/25 7:35 == 34.6	5/13/25 12:05 == 34.3	5/13/25 16:35 == 34.2
5/13/25 3:10 == 33.9	5/13/25 7:40 == 34.6	5/13/25 12:10 == 34.2	5/13/25 16:40 == 34.3
5/13/25 3:15 == 33.9	5/13/25 7:45 == 34.7	5/13/25 12:15 == 34.1	5/13/25 16:45 == 33.9
5/13/25 3:20 == 33.8	5/13/25 7:50 == 34.7	5/13/25 12:20 == 34	5/13/25 16:50 == 34
5/13/25 3:25 == 33.8	5/13/25 7:55 == 34.8	5/13/25 12:25 == 34.2	5/13/25 16:55 == 34
5/13/25 3:30 == 33.8	5/13/25 8:00 == 34.8	5/13/25 12:30 == 34.2	5/13/25 17:00 == 34.1
5/13/25 3:35 == 33.7	5/13/25 8:05 == 34.7	5/13/25 12:35 == 34.2	5/13/25 17:05 == 33.9
5/13/25 3:40 == 33.7	5/13/25 8:10 == 34.7	5/13/25 12:40 == 34.1	5/13/25 17:10 == 34.2
5/13/25 3:45 == 33.6	5/13/25 8:15 == 34.4	5/13/25 12:45 == 34	5/13/25 17:15 == 33.9
5/13/25 3:50 == 33.7	5/13/25 8:20 == 34.2	5/13/25 12:50 == 34.1	5/13/25 17:20 == 33.9
5/13/25 3:55 == 33.6	5/13/25 8:25 == 34.1	5/13/25 12:55 == 34.1	5/13/25 17:25 == 34.3
5/13/25 4:00 == 33.6	5/13/25 8:30 == 34.1	5/13/25 13:00 == 34	5/13/25 17:30 == 34.2
5/13/25 4:05 == 33.6	5/13/25 8:35 == 33.9	5/13/25 13:05 == 34.2	5/13/25 17:35 == 34.3
5/13/25 4:10 == 33.8	5/13/25 8:40 == 33.9	5/13/25 13:10 == 34.3	5/13/25 17:40 == 34.1
5/13/25 4:15 == 33.5	5/13/25 8:45 == 34.3	5/13/25 13:15 == 34.2	5/13/25 17:45 == 34.1
5/13/25 4:20 == 33.8	5/13/25 8:50 == 34.2	5/13/25 13:20 == 34.3	5/13/25 17:50 == 34.1
5/13/25 4:25 == 33.7	5/13/25 8:55 == 34.1	5/13/25 13:25 == 34.6	5/13/25 17:55 == 34.2

Pumpback Station Discharge (0364)

5/13/25 18:00 == 34.2	5/13/25 22:30 == 34	5/14/25 3:00 == 33.8	5/14/25 7:30 == 34.3
5/13/25 18:05 == 34.2	5/13/25 22:35 == 34.1	5/14/25 3:05 == 33.9	5/14/25 7:35 == 34.4
5/13/25 18:10 == 34.1	5/13/25 22:40 == 34.1	5/14/25 3:10 == 33.8	5/14/25 7:40 == 34.3
5/13/25 18:15 == 34.1	5/13/25 22:45 == 34	5/14/25 3:15 == 33.9	5/14/25 7:45 == 34.6
5/13/25 18:20 == 34	5/13/25 22:50 == 34	5/14/25 3:20 == 33.8	5/14/25 7:50 == 34.6
5/13/25 18:25 == 33.9	5/13/25 22:55 == 34	5/14/25 3:25 == 33.9	5/14/25 7:55 == 34.6
5/13/25 18:30 == 33.9	5/13/25 23:00 == 33.9	5/14/25 3:30 == 33.8	5/14/25 8:00 == 34.7
5/13/25 18:35 == 33.8	5/13/25 23:05 == 33.8	5/14/25 3:35 == 33.9	5/14/25 8:05 == 34.6
5/13/25 18:40 == 33.9	5/13/25 23:10 == 34.1	5/14/25 3:40 == 33.8	5/14/25 8:10 == 34.6
5/13/25 18:45 == 34	5/13/25 23:15 == 34.1	5/14/25 3:45 == 33.7	5/14/25 8:15 == 34.4
5/13/25 18:50 == 33.9	5/13/25 23:20 == 34.1	5/14/25 3:50 == 33.8	5/14/25 8:20 == 34.4
5/13/25 18:55 == 33.9	5/13/25 23:25 == 34.1	5/14/25 3:55 == 33.7	5/14/25 8:25 == 34.4
5/13/25 19:00 == 34	5/13/25 23:30 == 34	5/14/25 4:00 == 33.7	5/14/25 8:30 == 33.9
5/13/25 19:05 == 34	5/13/25 23:35 == 33.9	5/14/25 4:05 == 33.8	5/14/25 8:35 == 33.9
5/13/25 19:10 == 33.9	5/13/25 23:40 == 33.9	5/14/25 4:10 == 33.9	5/14/25 8:40 == 33.9
5/13/25 19:15 == 33.9	5/13/25 23:45 == 33.8	5/14/25 4:15 == 33.8	5/14/25 8:45 == 33.9
5/13/25 19:20 == 33.9	5/13/25 23:50 == 33.7	5/14/25 4:20 == 33.7	5/14/25 8:50 == 34
5/13/25 19:25 == 33.9	5/13/25 23:55 == 33.7	5/14/25 4:25 == 33.9	5/14/25 8:55 == 33.9
5/13/25 19:30 == 33.7	5/14/25 0:00 == 33.8	5/14/25 4:30 == 33.9	5/14/25 9:00 == 33.9
5/13/25 19:35 == 33.9	5/14/25 0:05 == 33.9	5/14/25 4:35 == 33.8	5/14/25 9:05 == 33.8
5/13/25 19:40 == 34.1	5/14/25 0:10 == 33.8	5/14/25 4:40 == 33.8	5/14/25 9:10 == 33.9
5/13/25 19:45 == 43.9	5/14/25 0:15 == 33.8	5/14/25 4:45 == 33.8	5/14/25 9:15 == 33.8
5/13/25 19:50 == 47.6	5/14/25 0:20 == 33.8	5/14/25 4:50 == 33.9	5/14/25 9:20 == 33.7
5/13/25 19:55 == 48.1	5/14/25 0:25 == 34.6	5/14/25 4:55 == 33.9	5/14/25 9:25 == 33.9
5/13/25 20:00 == 48	5/14/25 0:30 == 42.4	5/14/25 5:00 == 33.9	5/14/25 9:30 == 33.9
5/13/25 20:05 == 48	5/14/25 0:35 == 47.1	5/14/25 5:05 == 33.9	5/14/25 9:35 == 33.9
5/13/25 20:10 == 47.3	5/14/25 0:40 == 47.8	5/14/25 5:10 == 33.9	5/14/25 9:40 == 34
5/13/25 20:15 == 47.7	5/14/25 0:45 == 47.2	5/14/25 5:15 == 33.8	5/14/25 9:45 == 34
5/13/25 20:20 == 47.9	5/14/25 0:50 == 48	5/14/25 5:20 == 33.9	5/14/25 9:50 == 34
5/13/25 20:25 == 45.3	5/14/25 0:55 == 48.2	5/14/25 5:25 == 33.9	5/14/25 9:55 == 34.1
5/13/25 20:30 == 37.6	5/14/25 1:00 == 47.9	5/14/25 5:30 == 33.9	5/14/25 10:00 == 34.1
5/13/25 20:35 == 34.2	5/14/25 1:05 == 48.1	5/14/25 5:35 == 34	5/14/25 10:05 == 34
5/13/25 20:40 == 34.2	5/14/25 1:10 == 47.1	5/14/25 5:40 == 34.2	5/14/25 10:10 == 34
5/13/25 20:45 == 34.1	5/14/25 1:15 == 36.8	5/14/25 5:45 == 33.9	5/14/25 10:15 == 34
5/13/25 20:50 == 34.1	5/14/25 1:20 == 34.3	5/14/25 5:50 == 34.1	5/14/25 10:20 == 34
5/13/25 20:55 == 34.1	5/14/25 1:25 == 34.3	5/14/25 5:55 == 34	5/14/25 10:25 == 35.1
5/13/25 21:00 == 34	5/14/25 1:30 == 34.4	5/14/25 6:00 == 33.9	5/14/25 10:30 == 40.2
5/13/25 21:05 == 34	5/14/25 1:35 == 34.4	5/14/25 6:05 == 34	5/14/25 10:35 == 47.7
5/13/25 21:10 == 34	5/14/25 1:40 == 34.4	5/14/25 6:10 == 34.1	5/14/25 10:40 == 48
5/13/25 21:15 == 33.9	5/14/25 1:45 == 34.3	5/14/25 6:15 == 34.2	5/14/25 10:45 == 47
5/13/25 21:20 == 33.8	5/14/25 1:50 == 34.3	5/14/25 6:20 == 34.2	5/14/25 10:50 == 48.1
5/13/25 21:25 == 34	5/14/25 1:55 == 34.2	5/14/25 6:25 == 34.2	5/14/25 10:55 == 47.8
5/13/25 21:30 == 34.2	5/14/25 2:00 == 34	5/14/25 6:30 == 34.2	5/14/25 11:00 == 47.6
5/13/25 21:35 == 34	5/14/25 2:05 == 33.8	5/14/25 6:35 == 34.2	5/14/25 11:05 == 48
5/13/25 21:40 == 34	5/14/25 2:10 == 34.2	5/14/25 6:40 == 34.4	5/14/25 11:10 == 47.9
5/13/25 21:45 == 34.2	5/14/25 2:15 == 34.7	5/14/25 6:45 == 34.3	5/14/25 11:15 == 38
5/13/25 21:50 == 34.2	5/14/25 2:20 == 34.4	5/14/25 6:50 == 34.3	5/14/25 11:20 == 35.1
5/13/25 21:55 == 34.2	5/14/25 2:25 == 34.3	5/14/25 6:55 == 34.2	5/14/25 11:25 == 35.2
5/13/25 22:00 == 34.2	5/14/25 2:30 == 34.3	5/14/25 7:00 == 34	5/14/25 11:30 == 35.2
5/13/25 22:05 == 34.1	5/14/25 2:35 == 34.2	5/14/25 7:05 == 34.1	5/14/25 11:35 == 35.2
5/13/25 22:10 == 34	5/14/25 2:40 == 34.2	5/14/25 7:10 == 34.3	5/14/25 11:40 == 35.2
5/13/25 22:15 == 34	5/14/25 2:45 == 34.2	5/14/25 7:15 == 34.4	5/14/25 11:45 == 35.1
5/13/25 22:20 == 34	5/14/25 2:50 == 34	5/14/25 7:20 == 34.3	5/14/25 11:50 == 35.2
5/13/25 22:25 == 34.1	5/14/25 2:55 == 33.9	5/14/25 7:25 == 34.3	5/14/25 11:55 == 34.9

Pumpback Station Discharge (0364)

5/14/25 12:00 == 34.6	5/14/25 16:30 == 34.6	5/14/25 21:00 == 34.4	5/15/25 1:30 == 34.8
5/14/25 12:05 == 34.5	5/14/25 16:35 == 34.5	5/14/25 21:05 == 34.3	5/15/25 1:35 == 34.8
5/14/25 12:10 == 34.4	5/14/25 16:40 == 34.4	5/14/25 21:10 == 34.3	5/15/25 1:40 == 34.8
5/14/25 12:15 == 34.2	5/14/25 16:45 == 34.3	5/14/25 21:15 == 34.1	5/15/25 1:45 == 34.7
5/14/25 12:20 == 34.2	5/14/25 16:50 == 34.4	5/14/25 21:20 == 34.2	5/15/25 1:50 == 34.8
5/14/25 12:25 == 34.3	5/14/25 16:55 == 34.3	5/14/25 21:25 == 34.4	5/15/25 1:55 == 34.8
5/14/25 12:30 == 34.2	5/14/25 17:00 == 34.3	5/14/25 21:30 == 40.5	5/15/25 2:00 == 34.5
5/14/25 12:35 == 34.2	5/14/25 17:05 == 34.3	5/14/25 21:35 == 47.6	5/15/25 2:05 == 34.4
5/14/25 12:40 == 34.3	5/14/25 17:10 == 34.3	5/14/25 21:40 == 48	5/15/25 2:10 == 34.6
5/14/25 12:45 == 34.2	5/14/25 17:15 == 34.4	5/14/25 21:45 == 47.8	5/15/25 2:15 == 35.1
5/14/25 12:50 == 34.3	5/14/25 17:20 == 34.4	5/14/25 21:50 == 47.9	5/15/25 2:20 == 34.8
5/14/25 12:55 == 34.5	5/14/25 17:25 == 34.6	5/14/25 21:55 == 48	5/15/25 2:25 == 34.8
5/14/25 13:00 == 34.4	5/14/25 17:30 == 34.7	5/14/25 22:00 == 39.7	5/15/25 2:30 == 34.5
5/14/25 13:05 == 34.3	5/14/25 17:35 == 34.5	5/14/25 22:05 == 35.1	5/15/25 2:35 == 34.5
5/14/25 13:10 == 34.3	5/14/25 17:40 == 34.4	5/14/25 22:10 == 34.4	5/15/25 2:40 == 34.5
5/14/25 13:15 == 34.2	5/14/25 17:45 == 34.4	5/14/25 22:15 == 34.3	5/15/25 2:45 == 34.6
5/14/25 13:20 == 34.2	5/14/25 17:50 == 34.4	5/14/25 22:20 == 34.3	5/15/25 2:50 == 34.5
5/14/25 13:25 == 34.5	5/14/25 17:55 == 34.3	5/14/25 22:25 == 34.4	5/15/25 2:55 == 34.4
5/14/25 13:30 == 34.3	5/14/25 18:00 == 34.4	5/14/25 22:30 == 34.3	5/15/25 3:00 == 34.4
5/14/25 13:35 == 34.4	5/14/25 18:05 == 34.3	5/14/25 22:35 == 34.3	5/15/25 3:05 == 34.2
5/14/25 13:40 == 34.3	5/14/25 18:10 == 34.4	5/14/25 22:40 == 34.3	5/15/25 3:10 == 34.1
5/14/25 13:45 == 34.3	5/14/25 18:15 == 34.4	5/14/25 22:45 == 34.3	5/15/25 3:15 == 34.1
5/14/25 13:50 == 34.2	5/14/25 18:20 == 34.3	5/14/25 22:50 == 34.3	5/15/25 3:20 == 34.1
5/14/25 13:55 == 34.4	5/14/25 18:25 == 34.3	5/14/25 22:55 == 34.4	5/15/25 3:25 == 34.2
5/14/25 14:00 == 34.3	5/14/25 18:30 == 34.2	5/14/25 23:00 == 34.3	5/15/25 3:30 == 34.1
5/14/25 14:05 == 34.3	5/14/25 18:35 == 34.3	5/14/25 23:05 == 34.2	5/15/25 3:35 == 34.1
5/14/25 14:10 == 34.2	5/14/25 18:40 == 34.1	5/14/25 23:10 == 34.4	5/15/25 3:40 == 34.1
5/14/25 14:15 == 34.2	5/14/25 18:45 == 34.3	5/14/25 23:15 == 34.5	5/15/25 3:45 == 33.9
5/14/25 14:20 == 34.1	5/14/25 18:50 == 34.2	5/14/25 23:20 == 34.5	5/15/25 3:50 == 33.9
5/14/25 14:25 == 34.2	5/14/25 18:55 == 34.2	5/14/25 23:25 == 34.4	5/15/25 3:55 == 34
5/14/25 14:30 == 34	5/14/25 19:00 == 34.3	5/14/25 23:30 == 34.3	5/15/25 4:00 == 34
5/14/25 14:35 == 33.9	5/14/25 19:05 == 34.3	5/14/25 23:35 == 34.3	5/15/25 4:05 == 34
5/14/25 14:40 == 34.1	5/14/25 19:10 == 34.3	5/14/25 23:40 == 34.3	5/15/25 4:10 == 34.1
5/14/25 14:45 == 34.1	5/14/25 19:15 == 34.3	5/14/25 23:45 == 34.1	5/15/25 4:15 == 34.1
5/14/25 14:50 == 34.1	5/14/25 19:20 == 34.2	5/14/25 23:50 == 34.1	5/15/25 4:20 == 34.1
5/14/25 14:55 == 34.3	5/14/25 19:25 == 34.1	5/14/25 23:55 == 34	5/15/25 4:25 == 34.2
5/14/25 15:00 == 34.5	5/14/25 19:30 == 34	5/15/25 0:00 == 34	5/15/25 4:30 == 34.2
5/14/25 15:05 == 34.6	5/14/25 19:35 == 34.1	5/15/25 0:05 == 33.8	5/15/25 4:35 == 34.2
5/14/25 15:10 == 34.5	5/14/25 19:40 == 34.3	5/15/25 0:10 == 34	5/15/25 4:40 == 34.3
5/14/25 15:15 == 34.5	5/14/25 19:45 == 34.3	5/15/25 0:15 == 34.1	5/15/25 4:45 == 34.3
5/14/25 15:20 == 34.6	5/14/25 19:50 == 34.3	5/15/25 0:20 == 34	5/15/25 4:50 == 34.2
5/14/25 15:25 == 34.6	5/14/25 19:55 == 34.4	5/15/25 0:25 == 34	5/15/25 4:55 == 34.2
5/14/25 15:30 == 34.6	5/14/25 20:00 == 34.4	5/15/25 0:30 == 34	5/15/25 5:00 == 34.4
5/14/25 15:35 == 34.5	5/14/25 20:05 == 34.3	5/15/25 0:35 == 34.1	5/15/25 5:05 == 34.3
5/14/25 15:40 == 34.6	5/14/25 20:10 == 34.5	5/15/25 0:40 == 34.3	5/15/25 5:10 == 34.3
5/14/25 15:45 == 34.6	5/14/25 20:15 == 34.7	5/15/25 0:45 == 34.5	5/15/25 5:15 == 34.2
5/14/25 15:50 == 34.7	5/14/25 20:20 == 34.6	5/15/25 0:50 == 34.5	5/15/25 5:20 == 34.3
5/14/25 15:55 == 34.8	5/14/25 20:25 == 34.6	5/15/25 0:55 == 34.6	5/15/25 5:25 == 34.2
5/14/25 16:00 == 34.8	5/14/25 20:30 == 34.5	5/15/25 1:00 == 34.7	5/15/25 5:30 == 34.4
5/14/25 16:05 == 34.8	5/14/25 20:35 == 34.6	5/15/25 1:05 == 34.7	5/15/25 5:35 == 34.4
5/14/25 16:10 == 34.9	5/14/25 20:40 == 34.5	5/15/25 1:10 == 34.8	5/15/25 5:40 == 34.4
5/14/25 16:15 == 34.5	5/14/25 20:45 == 34.5	5/15/25 1:15 == 34.8	5/15/25 5:45 == 34.5
5/14/25 16:20 == 34.5	5/14/25 20:50 == 34.5	5/15/25 1:20 == 34.8	5/15/25 5:50 == 34.4
5/14/25 16:25 == 34.6	5/14/25 20:55 == 34.5	5/15/25 1:25 == 34.8	5/15/25 5:55 == 34.4

Pumpback Station Discharge (0364)

5/15/25 6:00 == 34.3	5/15/25 10:30 == 33.8	5/15/25 15:00 == 34.1	5/15/25 19:30 == 33.8
5/15/25 6:05 == 34.3	5/15/25 10:35 == 33.8	5/15/25 15:05 == 34.2	5/15/25 19:35 == 33.6
5/15/25 6:10 == 34.5	5/15/25 10:40 == 34.3	5/15/25 15:10 == 34.2	5/15/25 19:40 == 33.8
5/15/25 6:15 == 34.5	5/15/25 10:45 == 34.2	5/15/25 15:15 == 34.2	5/15/25 19:45 == 33.9
5/15/25 6:20 == 34.5	5/15/25 10:50 == 34.1	5/15/25 15:20 == 34.1	5/15/25 19:50 == 33.8
5/15/25 6:25 == 34.6	5/15/25 10:55 == 34.3	5/15/25 15:25 == 34.1	5/15/25 19:55 == 33.9
5/15/25 6:30 == 34.7	5/15/25 11:00 == 34.5	5/15/25 15:30 == 34.1	5/15/25 20:00 == 33.9
5/15/25 6:35 == 34.7	5/15/25 11:05 == 34.6	5/15/25 15:35 == 34.2	5/15/25 20:05 == 34
5/15/25 6:40 == 34.8	5/15/25 11:10 == 34.8	5/15/25 15:40 == 34.3	5/15/25 20:10 == 34.1
5/15/25 6:45 == 34.9	5/15/25 11:15 == 34.8	5/15/25 15:45 == 34.2	5/15/25 20:15 == 34.2
5/15/25 6:50 == 34.7	5/15/25 11:20 == 34.7	5/15/25 15:50 == 34.1	5/15/25 20:20 == 34
5/15/25 6:55 == 34.5	5/15/25 11:25 == 34.7	5/15/25 15:55 == 34.1	5/15/25 20:25 == 34
5/15/25 7:00 == 34.3	5/15/25 11:30 == 34.8	5/15/25 16:00 == 34.3	5/15/25 20:30 == 34
5/15/25 7:05 == 34.4	5/15/25 11:35 == 34.9	5/15/25 16:05 == 34.1	5/15/25 20:35 == 34.1
5/15/25 7:10 == 34.5	5/15/25 11:40 == 35	5/15/25 16:10 == 34.1	5/15/25 20:40 == 34.2
5/15/25 7:15 == 34.8	5/15/25 11:45 == 34.9	5/15/25 16:15 == 34.1	5/15/25 20:45 == 33.9
5/15/25 7:20 == 34.6	5/15/25 11:50 == 34.9	5/15/25 16:20 == 34	5/15/25 20:50 == 34.1
5/15/25 7:25 == 34.8	5/15/25 11:55 == 34.7	5/15/25 16:25 == 34	5/15/25 20:55 == 34.1
5/15/25 7:30 == 35	5/15/25 12:00 == 34.2	5/15/25 16:30 == 34	5/15/25 21:00 == 34.1
5/15/25 7:35 == 34.9	5/15/25 12:05 == 34.1	5/15/25 16:35 == 34	5/15/25 21:05 == 34
5/15/25 7:40 == 35.1	5/15/25 12:10 == 34	5/15/25 16:40 == 33.9	5/15/25 21:10 == 33.8
5/15/25 7:45 == 35.2	5/15/25 12:15 == 33.8	5/15/25 16:45 == 33.9	5/15/25 21:15 == 33.9
5/15/25 7:50 == 35	5/15/25 12:20 == 33.8	5/15/25 16:50 == 33.9	5/15/25 21:20 == 33.8
5/15/25 7:55 == 35.2	5/15/25 12:25 == 33.7	5/15/25 16:55 == 33.9	5/15/25 21:25 == 34
5/15/25 8:00 == 35.1	5/15/25 12:30 == 34	5/15/25 17:00 == 33.8	5/15/25 21:30 == 34
5/15/25 8:05 == 35.2	5/15/25 12:35 == 33.7	5/15/25 17:05 == 33.9	5/15/25 21:35 == 33.9
5/15/25 8:10 == 34.9	5/15/25 12:40 == 33.7	5/15/25 17:10 == 33.9	5/15/25 21:40 == 34.1
5/15/25 8:15 == 34.8	5/15/25 12:45 == 33.9	5/15/25 17:15 == 33.9	5/15/25 21:45 == 34.2
5/15/25 8:20 == 34.7	5/15/25 12:50 == 33.9	5/15/25 17:20 == 33.8	5/15/25 21:50 == 34.2
5/15/25 8:25 == 34.5	5/15/25 12:55 == 33.8	5/15/25 17:25 == 33.9	5/15/25 21:55 == 34.3
5/15/25 8:30 == 34.2	5/15/25 13:00 == 33.8	5/15/25 17:30 == 34.2	5/15/25 22:00 == 34.2
5/15/25 8:35 == 34.2	5/15/25 13:05 == 33.8	5/15/25 17:35 == 34.2	5/15/25 22:05 == 34.1
5/15/25 8:40 == 34.2	5/15/25 13:10 == 33.8	5/15/25 17:40 == 34.1	5/15/25 22:10 == 34.2
5/15/25 8:45 == 34.2	5/15/25 13:15 == 37.8	5/15/25 17:45 == 34	5/15/25 22:15 == 34.1
5/15/25 8:50 == 34	5/15/25 13:20 == 45.8	5/15/25 17:50 == 34.1	5/15/25 22:20 == 34
5/15/25 8:55 == 34	5/15/25 13:25 == 47.1	5/15/25 17:55 == 34	5/15/25 22:25 == 34.1
5/15/25 9:00 == 34	5/15/25 13:30 == 47.8	5/15/25 18:00 == 34.1	5/15/25 22:30 == 34.1
5/15/25 9:05 == 33.9	5/15/25 13:35 == 48	5/15/25 18:05 == 34	5/15/25 22:35 == 34
5/15/25 9:10 == 33.9	5/15/25 13:40 == 48	5/15/25 18:10 == 34.1	5/15/25 22:40 == 34.1
5/15/25 9:15 == 33.9	5/15/25 13:45 == 48	5/15/25 18:15 == 33.8	5/15/25 22:45 == 33.8
5/15/25 9:20 == 33.9	5/15/25 13:50 == 47.6	5/15/25 18:20 == 33.9	5/15/25 22:50 == 33.8
5/15/25 9:25 == 33.7	5/15/25 13:55 == 47.3	5/15/25 18:25 == 33.9	5/15/25 22:55 == 34
5/15/25 9:30 == 33.5	5/15/25 14:00 == 41.1	5/15/25 18:30 == 33.9	5/15/25 23:00 == 33.9
5/15/25 9:35 == 33.7	5/15/25 14:05 == 34.9	5/15/25 18:35 == 33.9	5/15/25 23:05 == 33.8
5/15/25 9:40 == 33.8	5/15/25 14:10 == 33.7	5/15/25 18:40 == 33.9	5/15/25 23:10 == 34.1
5/15/25 9:45 == 33.8	5/15/25 14:15 == 33.8	5/15/25 18:45 == 33.8	5/15/25 23:15 == 34
5/15/25 9:50 == 33.6	5/15/25 14:20 == 33.8	5/15/25 18:50 == 33.8	5/15/25 23:20 == 33.8
5/15/25 9:55 == 33.7	5/15/25 14:25 == 33.7	5/15/25 18:55 == 33.8	5/15/25 23:25 == 33.9
5/15/25 10:00 == 33.7	5/15/25 14:30 == 33.6	5/15/25 19:00 == 33.8	5/15/25 23:30 == 35.9
5/15/25 10:05 == 33.8	5/15/25 14:35 == 33.7	5/15/25 19:05 == 33.8	5/15/25 23:35 == 45.9
5/15/25 10:10 == 33.8	5/15/25 14:40 == 33.8	5/15/25 19:10 == 33.8	5/15/25 23:40 == 47.4
5/15/25 10:15 == 33.7	5/15/25 14:45 == 34	5/15/25 19:15 == 33.9	5/15/25 23:45 == 47.8
5/15/25 10:20 == 33.7	5/15/25 14:50 == 33.9	5/15/25 19:20 == 33.9	5/15/25 23:50 == 48
5/15/25 10:25 == 34	5/15/25 14:55 == 33.9	5/15/25 19:25 == 33.8	5/15/25 23:55 == 47.9

Pumpback Station Discharge (0364)

5/16/25 0:00 == 42.2	5/16/25 4:30 == 33.7	5/16/25 9:00 == 35.5	5/16/25 13:30 == 47.6
5/16/25 0:05 == 35.7	5/16/25 4:35 == 34	5/16/25 9:05 == 44.2	5/16/25 13:35 == 48
5/16/25 0:10 == 33.8	5/16/25 4:40 == 33.9	5/16/25 9:10 == 47.6	5/16/25 13:40 == 48
5/16/25 0:15 == 33.7	5/16/25 4:45 == 34	5/16/25 9:15 == 47.9	5/16/25 13:45 == 48.1
5/16/25 0:20 == 33.6	5/16/25 4:50 == 34	5/16/25 9:20 == 47.9	5/16/25 13:50 == 48
5/16/25 0:25 == 33.6	5/16/25 4:55 == 34	5/16/25 9:25 == 48.1	5/16/25 13:55 == 47.8
5/16/25 0:30 == 33.7	5/16/25 5:00 == 33.9	5/16/25 9:30 == 48	5/16/25 14:00 == 47.9
5/16/25 0:35 == 33.7	5/16/25 5:05 == 34	5/16/25 9:35 == 48	5/16/25 14:05 == 48.1
5/16/25 0:40 == 33.8	5/16/25 5:10 == 34	5/16/25 9:40 == 47.3	5/16/25 14:10 == 48
5/16/25 0:45 == 33.9	5/16/25 5:15 == 33.9	5/16/25 9:45 == 47.9	5/16/25 14:15 == 48.2
5/16/25 0:50 == 33.7	5/16/25 5:20 == 33.8	5/16/25 9:50 == 47.9	5/16/25 14:20 == 47.9
5/16/25 0:55 == 33.8	5/16/25 5:25 == 33.9	5/16/25 9:55 == 48.1	5/16/25 14:25 == 48
5/16/25 1:00 == 33.9	5/16/25 5:30 == 33.9	5/16/25 10:00 == 48	5/16/25 14:30 == 48.1
5/16/25 1:05 == 33.8	5/16/25 5:35 == 33.9	5/16/25 10:05 == 48	5/16/25 14:35 == 47.9
5/16/25 1:10 == 33.8	5/16/25 5:40 == 34.1	5/16/25 10:10 == 47.4	5/16/25 14:40 == 47.4
5/16/25 1:15 == 34	5/16/25 5:45 == 34.2	5/16/25 10:15 == 47.7	5/16/25 14:45 == 46.5
5/16/25 1:20 == 33.8	5/16/25 5:50 == 34.1	5/16/25 10:20 == 48	5/16/25 14:50 == 34.4
5/16/25 1:25 == 33.9	5/16/25 5:55 == 34.1	5/16/25 10:25 == 47.7	5/16/25 14:55 == 34.1
5/16/25 1:30 == 33.8	5/16/25 6:00 == 34.2	5/16/25 10:30 == 47.7	5/16/25 15:00 == 34.2
5/16/25 1:35 == 33.8	5/16/25 6:05 == 34.1	5/16/25 10:35 == 48	5/16/25 15:05 == 34.2
5/16/25 1:40 == 34	5/16/25 6:10 == 34.1	5/16/25 10:40 == 47.5	5/16/25 15:10 == 34.4
5/16/25 1:45 == 33.8	5/16/25 6:15 == 34.2	5/16/25 10:45 == 47.6	5/16/25 15:15 == 34.6
5/16/25 1:50 == 33.8	5/16/25 6:20 == 34.1	5/16/25 10:50 == 48.1	5/16/25 15:20 == 34.5
5/16/25 1:55 == 33.7	5/16/25 6:25 == 34.3	5/16/25 10:55 == 48.1	5/16/25 15:25 == 34.5
5/16/25 2:00 == 33.7	5/16/25 6:30 == 34.3	5/16/25 11:00 == 44.1	5/16/25 15:30 == 36
5/16/25 2:05 == 33.7	5/16/25 6:35 == 34.4	5/16/25 11:05 == 37.5	5/16/25 15:35 == 44
5/16/25 2:10 == 34.1	5/16/25 6:40 == 34.4	5/16/25 11:10 == 35.3	5/16/25 15:40 == 47.8
5/16/25 2:15 == 33.9	5/16/25 6:45 == 34.5	5/16/25 11:15 == 35.4	5/16/25 15:45 == 48
5/16/25 2:20 == 34	5/16/25 6:50 == 34.4	5/16/25 11:20 == 35.1	5/16/25 15:50 == 48
5/16/25 2:25 == 33.9	5/16/25 6:55 == 34.3	5/16/25 11:25 == 35.1	5/16/25 15:55 == 47.7
5/16/25 2:30 == 33.9	5/16/25 7:00 == 34	5/16/25 11:30 == 35.1	5/16/25 16:00 == 47.6
5/16/25 2:35 == 33.9	5/16/25 7:05 == 34.3	5/16/25 11:35 == 35.2	5/16/25 16:05 == 47.9
5/16/25 2:40 == 33.8	5/16/25 7:10 == 34.7	5/16/25 11:40 == 35.5	5/16/25 16:10 == 47.7
5/16/25 2:45 == 33.8	5/16/25 7:15 == 34.5	5/16/25 11:45 == 35.3	5/16/25 16:15 == 47.6
5/16/25 2:50 == 33.8	5/16/25 7:20 == 34.3	5/16/25 11:50 == 35.3	5/16/25 16:20 == 48.1
5/16/25 2:55 == 33.7	5/16/25 7:25 == 34.3	5/16/25 11:55 == 35	5/16/25 16:25 == 48
5/16/25 3:00 == 33.6	5/16/25 7:30 == 34.2	5/16/25 12:00 == 35.1	5/16/25 16:30 == 47.9
5/16/25 3:05 == 33.6	5/16/25 7:35 == 34.3	5/16/25 12:05 == 45.8	5/16/25 16:35 == 47.9
5/16/25 3:10 == 33.8	5/16/25 7:40 == 34.2	5/16/25 12:10 == 47.8	5/16/25 16:40 == 47.8
5/16/25 3:15 == 33.9	5/16/25 7:45 == 34.2	5/16/25 12:15 == 48.1	5/16/25 16:45 == 47.8
5/16/25 3:20 == 33.8	5/16/25 7:50 == 34.3	5/16/25 12:20 == 47.4	5/16/25 16:50 == 47.9
5/16/25 3:25 == 33.8	5/16/25 7:55 == 34.3	5/16/25 12:25 == 47.9	5/16/25 16:55 == 47.8
5/16/25 3:30 == 33.8	5/16/25 8:00 == 34.4	5/16/25 12:30 == 48.1	5/16/25 17:00 == 47.4
5/16/25 3:35 == 33.8	5/16/25 8:05 == 34.5	5/16/25 12:35 == 48	5/16/25 17:05 == 47.9
5/16/25 3:40 == 33.7	5/16/25 8:10 == 34.3	5/16/25 12:40 == 48	5/16/25 17:10 == 47.4
5/16/25 3:45 == 33.7	5/16/25 8:15 == 34	5/16/25 12:45 == 48.1	5/16/25 17:15 == 47.8
5/16/25 3:50 == 33.8	5/16/25 8:20 == 34	5/16/25 12:50 == 48.1	5/16/25 17:20 == 48.1
5/16/25 3:55 == 33.9	5/16/25 8:25 == 34	5/16/25 12:55 == 48.1	5/16/25 17:25 == 47.3
5/16/25 4:00 == 33.7	5/16/25 8:30 == 33.9	5/16/25 13:00 == 48	5/16/25 17:30 == 47.8
5/16/25 4:05 == 33.7	5/16/25 8:35 == 33.8	5/16/25 13:05 == 48	5/16/25 17:35 == 48
5/16/25 4:10 == 33.9	5/16/25 8:40 == 33.7	5/16/25 13:10 == 47.9	5/16/25 17:40 == 47.7
5/16/25 4:15 == 33.8	5/16/25 8:45 == 33.5	5/16/25 13:15 == 47.9	5/16/25 17:45 == 45.8
5/16/25 4:20 == 33.8	5/16/25 8:50 == 33.6	5/16/25 13:20 == 47.9	5/16/25 17:50 == 36.3
5/16/25 4:25 == 34.3	5/16/25 8:55 == 33.6	5/16/25 13:25 == 47.6	5/16/25 17:55 == 34.1

Pumpback Station Discharge (0364)

5/16/25 18:00 == 34.2	5/16/25 22:30 == 48.1	5/17/25 3:00 == 47.5	5/17/25 7:30 == 48
5/16/25 18:05 == 34.2	5/16/25 22:35 == 48	5/17/25 3:05 == 48	5/17/25 7:35 == 48
5/16/25 18:10 == 34.2	5/16/25 22:40 == 47.3	5/17/25 3:10 == 47.7	5/17/25 7:40 == 47.5
5/16/25 18:15 == 34.2	5/16/25 22:45 == 47.9	5/17/25 3:15 == 45.8	5/17/25 7:45 == 47.4
5/16/25 18:20 == 34.2	5/16/25 22:50 == 47.9	5/17/25 3:20 == 36.9	5/17/25 7:50 == 48
5/16/25 18:25 == 34.4	5/16/25 22:55 == 47.3	5/17/25 3:25 == 33.9	5/17/25 7:55 == 48
5/16/25 18:30 == 36.5	5/16/25 23:00 == 47.8	5/17/25 3:30 == 33.8	5/17/25 8:00 == 47.9
5/16/25 18:35 == 43.1	5/16/25 23:05 == 47.9	5/17/25 3:35 == 33.8	5/17/25 8:05 == 48
5/16/25 18:40 == 47.8	5/16/25 23:10 == 48	5/17/25 3:40 == 33.7	5/17/25 8:10 == 47.9
5/16/25 18:45 == 48	5/16/25 23:15 == 48	5/17/25 3:45 == 33.7	5/17/25 8:15 == 47.5
5/16/25 18:50 == 48	5/16/25 23:20 == 47.9	5/17/25 3:50 == 33.8	5/17/25 8:20 == 48
5/16/25 18:55 == 48	5/16/25 23:25 == 48	5/17/25 3:55 == 33.8	5/17/25 8:25 == 48
5/16/25 19:00 == 48	5/16/25 23:30 == 48	5/17/25 4:00 == 33.9	5/17/25 8:30 == 47.3
5/16/25 19:05 == 48	5/16/25 23:35 == 48	5/17/25 4:05 == 43.3	5/17/25 8:35 == 48
5/16/25 19:10 == 47.9	5/16/25 23:40 == 48.1	5/17/25 4:10 == 46.7	5/17/25 8:40 == 48
5/16/25 19:15 == 48	5/16/25 23:45 == 48.2	5/17/25 4:15 == 47.2	5/17/25 8:45 == 47.9
5/16/25 19:20 == 48.1	5/16/25 23:50 == 48.1	5/17/25 4:20 == 47.9	5/17/25 8:50 == 48
5/16/25 19:25 == 48	5/16/25 23:55 == 48	5/17/25 4:25 == 47.4	5/17/25 8:55 == 47.5
5/16/25 19:30 == 47.9	5/17/25 0:00 == 48	5/17/25 4:30 == 47.7	5/17/25 9:00 == 47.8
5/16/25 19:35 == 48	5/17/25 0:05 == 48.1	5/17/25 4:35 == 48.1	5/17/25 9:05 == 48
5/16/25 19:40 == 47.5	5/17/25 0:10 == 47.9	5/17/25 4:40 == 48	5/17/25 9:10 == 47.8
5/16/25 19:45 == 47.6	5/17/25 0:15 == 47.4	5/17/25 4:45 == 47.9	5/17/25 9:15 == 48.2
5/16/25 19:50 == 47.9	5/17/25 0:20 == 47.9	5/17/25 4:50 == 48.1	5/17/25 9:20 == 36.7
5/16/25 19:55 == 48.1	5/17/25 0:25 == 47.8	5/17/25 4:55 == 48.2	5/17/25 9:25 == 33.9
5/16/25 20:00 == 48	5/17/25 0:30 == 45.5	5/17/25 5:00 == 48.1	5/17/25 9:30 == 33.7
5/16/25 20:05 == 48	5/17/25 0:35 == 37.4	5/17/25 5:05 == 48	5/17/25 9:35 == 33.8
5/16/25 20:10 == 47.6	5/17/25 0:40 == 34.2	5/17/25 5:10 == 47.8	5/17/25 9:40 == 33.8
5/16/25 20:15 == 47.8	5/17/25 0:45 == 34	5/17/25 5:15 == 47.7	5/17/25 9:45 == 33.7
5/16/25 20:20 == 47.9	5/17/25 0:50 == 34.1	5/17/25 5:20 == 48	5/17/25 9:50 == 33.8
5/16/25 20:25 == 48	5/17/25 0:55 == 34.2	5/17/25 5:25 == 48	5/17/25 9:55 == 33.8
5/16/25 20:30 == 48	5/17/25 1:00 == 34.1	5/17/25 5:30 == 47.9	5/17/25 10:00 == 34.6
5/16/25 20:35 == 48.2	5/17/25 1:05 == 34.1	5/17/25 5:35 == 47.9	5/17/25 10:05 == 41.3
5/16/25 20:40 == 48.1	5/17/25 1:10 == 34	5/17/25 5:40 == 47.7	5/17/25 10:10 == 47.3
5/16/25 20:45 == 47.9	5/17/25 1:15 == 34	5/17/25 5:45 == 47.7	5/17/25 10:15 == 47.6
5/16/25 20:50 == 47.9	5/17/25 1:20 == 43.6	5/17/25 5:50 == 47.9	5/17/25 10:20 == 47.9
5/16/25 20:55 == 48	5/17/25 1:25 == 46.8	5/17/25 5:55 == 48	5/17/25 10:25 == 47.7
5/16/25 21:00 == 45	5/17/25 1:30 == 47.8	5/17/25 6:00 == 48.1	5/17/25 10:30 == 47.6
5/16/25 21:05 == 38.3	5/17/25 1:35 == 48	5/17/25 6:05 == 47.9	5/17/25 10:35 == 48
5/16/25 21:10 == 34.3	5/17/25 1:40 == 48	5/17/25 6:10 == 47.7	5/17/25 10:40 == 47.4
5/16/25 21:15 == 34.1	5/17/25 1:45 == 48	5/17/25 6:15 == 47.9	5/17/25 10:45 == 47
5/16/25 21:20 == 34.2	5/17/25 1:50 == 48.1	5/17/25 6:20 == 36.4	5/17/25 10:50 == 48
5/16/25 21:25 == 34.3	5/17/25 1:55 == 47.6	5/17/25 6:25 == 34.6	5/17/25 10:55 == 48.1
5/16/25 21:30 == 34.2	5/17/25 2:00 == 47.6	5/17/25 6:30 == 34.4	5/17/25 11:00 == 47.9
5/16/25 21:35 == 34.3	5/17/25 2:05 == 48	5/17/25 6:35 == 34.6	5/17/25 11:05 == 48
5/16/25 21:40 == 34.6	5/17/25 2:10 == 47.8	5/17/25 6:40 == 34.8	5/17/25 11:10 == 47.7
5/16/25 21:45 == 36.4	5/17/25 2:15 == 47.7	5/17/25 6:45 == 34.5	5/17/25 11:15 == 47.5
5/16/25 21:50 == 42.8	5/17/25 2:20 == 47.8	5/17/25 6:50 == 34.7	5/17/25 11:20 == 47.9
5/16/25 21:55 == 48.3	5/17/25 2:25 == 47.9	5/17/25 6:55 == 34.5	5/17/25 11:25 == 47.7
5/16/25 22:00 == 48.1	5/17/25 2:30 == 47.9	5/17/25 7:00 == 34.4	5/17/25 11:30 == 47.9
5/16/25 22:05 == 47.9	5/17/25 2:35 == 47.9	5/17/25 7:05 == 43.1	5/17/25 11:35 == 47.9
5/16/25 22:10 == 48	5/17/25 2:40 == 48	5/17/25 7:10 == 47.3	5/17/25 11:40 == 47.5
5/16/25 22:15 == 47.9	5/17/25 2:45 == 48	5/17/25 7:15 == 47.6	5/17/25 11:45 == 47.9
5/16/25 22:20 == 48.1	5/17/25 2:50 == 48	5/17/25 7:20 == 47.9	5/17/25 11:50 == 38.3
5/16/25 22:25 == 48	5/17/25 2:55 == 47.9	5/17/25 7:25 == 48	5/17/25 11:55 == 35

Pumpback Station Discharge (0364)

5/17/25 12:00 == 34.5	5/17/25 16:30 == 48.1	5/17/25 21:00 == 33.9	5/18/25 1:30 == 48
5/17/25 12:05 == 34.6	5/17/25 16:35 == 48.1	5/17/25 21:05 == 33.9	5/18/25 1:35 == 48.1
5/17/25 12:10 == 34.5	5/17/25 16:40 == 48	5/17/25 21:10 == 33.9	5/18/25 1:40 == 48.1
5/17/25 12:15 == 34.3	5/17/25 16:45 == 47.9	5/17/25 21:15 == 34.1	5/18/25 1:45 == 47.9
5/17/25 12:20 == 34.3	5/17/25 16:50 == 48	5/17/25 21:20 == 39.2	5/18/25 1:50 == 47.9
5/17/25 12:25 == 34.4	5/17/25 16:55 == 47.4	5/17/25 21:25 == 47.1	5/18/25 1:55 == 47.7
5/17/25 12:30 == 34.3	5/17/25 17:00 == 47.9	5/17/25 21:30 == 47.6	5/18/25 2:00 == 46.4
5/17/25 12:35 == 41.6	5/17/25 17:05 == 38	5/17/25 21:35 == 47.6	5/18/25 2:05 == 41.2
5/17/25 12:40 == 48	5/17/25 17:10 == 34.3	5/17/25 21:40 == 47.4	5/18/25 2:10 == 33.9
5/17/25 12:45 == 48	5/17/25 17:15 == 33.8	5/17/25 21:45 == 47.5	5/18/25 2:15 == 33.9
5/17/25 12:50 == 48	5/17/25 17:20 == 33.9	5/17/25 21:50 == 48.1	5/18/25 2:20 == 33.9
5/17/25 12:55 == 48	5/17/25 17:25 == 34.1	5/17/25 21:55 == 48	5/18/25 2:25 == 34
5/17/25 13:00 == 48.1	5/17/25 17:30 == 34	5/17/25 22:00 == 48	5/18/25 2:30 == 33.8
5/17/25 13:05 == 48.1	5/17/25 17:35 == 34	5/17/25 22:05 == 47.9	5/18/25 2:35 == 33.9
5/17/25 13:10 == 48	5/17/25 17:40 == 34	5/17/25 22:10 == 48	5/18/25 2:40 == 34
5/17/25 13:15 == 47.9	5/17/25 17:45 == 34.1	5/17/25 22:15 == 47.9	5/18/25 2:45 == 34
5/17/25 13:20 == 48	5/17/25 17:50 == 34	5/17/25 22:20 == 48	5/18/25 2:50 == 38.5
5/17/25 13:25 == 47.9	5/17/25 17:55 == 34	5/17/25 22:25 == 47.6	5/18/25 2:55 == 47.4
5/17/25 13:30 == 47.1	5/17/25 18:00 == 34.6	5/17/25 22:30 == 47.8	5/18/25 3:00 == 47.3
5/17/25 13:35 == 47.6	5/17/25 18:05 == 40.3	5/17/25 22:35 == 48	5/18/25 3:05 == 48.1
5/17/25 13:40 == 48.1	5/17/25 18:10 == 47.4	5/17/25 22:40 == 47.7	5/18/25 3:10 == 48.1
5/17/25 13:45 == 47.9	5/17/25 18:15 == 47.6	5/17/25 22:45 == 47.9	5/18/25 3:15 == 47.6
5/17/25 13:50 == 47.9	5/17/25 18:20 == 48.2	5/17/25 22:50 == 48	5/18/25 3:20 == 47.9
5/17/25 13:55 == 48.1	5/17/25 18:25 == 47.7	5/17/25 22:55 == 47.6	5/18/25 3:25 == 47.6
5/17/25 14:00 == 47.5	5/17/25 18:30 == 47	5/17/25 23:00 == 47.6	5/18/25 3:30 == 47.9
5/17/25 14:05 == 48.1	5/17/25 18:35 == 47.5	5/17/25 23:05 == 48	5/18/25 3:35 == 48
5/17/25 14:10 == 47.8	5/17/25 18:40 == 47.9	5/17/25 23:10 == 47.7	5/18/25 3:40 == 47.7
5/17/25 14:15 == 47.6	5/17/25 18:45 == 47.5	5/17/25 23:15 == 46.4	5/18/25 3:45 == 47.8
5/17/25 14:20 == 48	5/17/25 18:50 == 47.9	5/17/25 23:20 == 40.8	5/18/25 3:50 == 47.9
5/17/25 14:25 == 47.5	5/17/25 18:55 == 47.9	5/17/25 23:25 == 33.2	5/18/25 3:55 == 47.9
5/17/25 14:30 == 47.8	5/17/25 19:00 == 47.9	5/17/25 23:30 == 33.1	5/18/25 4:00 == 48
5/17/25 14:35 == 37.4	5/17/25 19:05 == 48.2	5/17/25 23:35 == 33.3	5/18/25 4:05 == 48
5/17/25 14:40 == 34.2	5/17/25 19:10 == 47.9	5/17/25 23:40 == 33.2	5/18/25 4:10 == 47.5
5/17/25 14:45 == 34	5/17/25 19:15 == 48	5/17/25 23:45 == 33.2	5/18/25 4:15 == 47.3
5/17/25 14:50 == 34	5/17/25 19:20 == 47.5	5/17/25 23:50 == 33.2	5/18/25 4:20 == 47.7
5/17/25 14:55 == 34.1	5/17/25 19:25 == 47.8	5/17/25 23:55 == 33.2	5/18/25 4:25 == 47.7
5/17/25 15:00 == 34.1	5/17/25 19:30 == 48.1	5/18/25 0:00 == 33.5	5/18/25 4:30 == 47.4
5/17/25 15:05 == 34.1	5/17/25 19:35 == 48.1	5/18/25 0:05 == 38	5/18/25 4:35 == 47.9
5/17/25 15:10 == 34.2	5/17/25 19:40 == 47.2	5/18/25 0:10 == 46.8	5/18/25 4:40 == 48
5/17/25 15:15 == 34.8	5/17/25 19:45 == 47.8	5/18/25 0:15 == 47.2	5/18/25 4:45 == 48
5/17/25 15:20 == 41.2	5/17/25 19:50 == 48.2	5/18/25 0:20 == 48	5/18/25 4:50 == 48.1
5/17/25 15:25 == 47.9	5/17/25 19:55 == 47.9	5/18/25 0:25 == 47.6	5/18/25 4:55 == 48.1
5/17/25 15:30 == 48	5/17/25 20:00 == 47.9	5/18/25 0:30 == 47.6	5/18/25 5:00 == 47.1
5/17/25 15:35 == 47.9	5/17/25 20:05 == 48	5/18/25 0:35 == 48	5/18/25 5:05 == 41.4
5/17/25 15:40 == 48	5/17/25 20:10 == 47.6	5/18/25 0:40 == 47.2	5/18/25 5:10 == 33.9
5/17/25 15:45 == 48	5/17/25 20:15 == 47.7	5/18/25 0:45 == 47.8	5/18/25 5:15 == 33.7
5/17/25 15:50 == 48.2	5/17/25 20:20 == 48	5/18/25 0:50 == 48	5/18/25 5:20 == 33.9
5/17/25 15:55 == 48	5/17/25 20:25 == 47.9	5/18/25 0:55 == 48	5/18/25 5:25 == 33.7
5/17/25 16:00 == 47.5	5/17/25 20:30 == 46.7	5/18/25 1:00 == 48.1	5/18/25 5:30 == 33.8
5/17/25 16:05 == 47.7	5/17/25 20:35 == 40.4	5/18/25 1:05 == 48	5/18/25 5:35 == 33.9
5/17/25 16:10 == 47.9	5/17/25 20:40 == 33.9	5/18/25 1:10 == 48	5/18/25 5:40 == 34.1
5/17/25 16:15 == 47.6	5/17/25 20:45 == 34	5/18/25 1:15 == 48.1	5/18/25 5:45 == 34.1
5/17/25 16:20 == 48.1	5/17/25 20:50 == 34.1	5/18/25 1:20 == 48	5/18/25 5:50 == 39.9
5/17/25 16:25 == 48	5/17/25 20:55 == 34.1	5/18/25 1:25 == 48	5/18/25 5:55 == 46.4

Pumpback Station Discharge (0364)

5/18/25 6:00 == 47.9	5/18/25 10:30 == 33.6	5/18/25 15:00 == 48.1	5/18/25 19:30 == 33.8
5/18/25 6:05 == 48.1	5/18/25 10:35 == 33.8	5/18/25 15:05 == 48.1	5/18/25 19:35 == 33.8
5/18/25 6:10 == 47.6	5/18/25 10:40 == 34.2	5/18/25 15:10 == 47.8	5/18/25 19:40 == 33.8
5/18/25 6:15 == 47.8	5/18/25 10:45 == 34.1	5/18/25 15:15 == 47.7	5/18/25 19:45 == 33.9
5/18/25 6:20 == 48	5/18/25 10:50 == 34.2	5/18/25 15:20 == 48	5/18/25 19:50 == 33.8
5/18/25 6:25 == 48	5/18/25 10:55 == 34.4	5/18/25 15:25 == 48	5/18/25 19:55 == 33.8
5/18/25 6:30 == 48	5/18/25 11:00 == 34.5	5/18/25 15:30 == 48	5/18/25 20:00 == 33.9
5/18/25 6:35 == 47.9	5/18/25 11:05 == 39.3	5/18/25 15:35 == 47.9	5/18/25 20:05 == 37.5
5/18/25 6:40 == 47.6	5/18/25 11:10 == 45.6	5/18/25 15:40 == 48.1	5/18/25 20:10 == 45.6
5/18/25 6:45 == 47.6	5/18/25 11:15 == 47.9	5/18/25 15:45 == 47.8	5/18/25 20:15 == 47.8
5/18/25 6:50 == 47.9	5/18/25 11:20 == 48.1	5/18/25 15:50 == 48	5/18/25 20:20 == 47.9
5/18/25 6:55 == 47.9	5/18/25 11:25 == 48	5/18/25 15:55 == 47.6	5/18/25 20:25 == 48.1
5/18/25 7:00 == 48	5/18/25 11:30 == 48.1	5/18/25 16:00 == 47.6	5/18/25 20:30 == 48
5/18/25 7:05 == 48.1	5/18/25 11:35 == 48	5/18/25 16:05 == 47.8	5/18/25 20:35 == 47.9
5/18/25 7:10 == 47.9	5/18/25 11:40 == 47.9	5/18/25 16:10 == 47.5	5/18/25 20:40 == 48
5/18/25 7:15 == 46.7	5/18/25 11:45 == 47.9	5/18/25 16:15 == 48	5/18/25 20:45 == 47.9
5/18/25 7:20 == 42.4	5/18/25 11:50 == 47.9	5/18/25 16:20 == 41.3	5/18/25 20:50 == 48.2
5/18/25 7:25 == 34.2	5/18/25 11:55 == 48	5/18/25 16:25 == 35.3	5/18/25 20:55 == 48
5/18/25 7:30 == 34.1	5/18/25 12:00 == 48	5/18/25 16:30 == 34	5/18/25 21:00 == 47.3
5/18/25 7:35 == 34.2	5/18/25 12:05 == 47.8	5/18/25 16:35 == 34	5/18/25 21:05 == 48
5/18/25 7:40 == 34.2	5/18/25 12:10 == 47.5	5/18/25 16:40 == 33.9	5/18/25 21:10 == 47.4
5/18/25 7:45 == 34.1	5/18/25 12:15 == 47.9	5/18/25 16:45 == 33.7	5/18/25 21:15 == 47.5
5/18/25 7:50 == 34.3	5/18/25 12:20 == 48.1	5/18/25 16:50 == 33.7	5/18/25 21:20 == 47.9
5/18/25 7:55 == 34.3	5/18/25 12:25 == 47.9	5/18/25 16:55 == 33.9	5/18/25 21:25 == 47.3
5/18/25 8:00 == 34.1	5/18/25 12:30 == 47.9	5/18/25 17:00 == 33.9	5/18/25 21:30 == 48
5/18/25 8:05 == 34.3	5/18/25 12:35 == 48.1	5/18/25 17:05 == 34	5/18/25 21:35 == 48.1
5/18/25 8:10 == 34.3	5/18/25 12:40 == 47.9	5/18/25 17:10 == 34	5/18/25 21:40 == 47.8
5/18/25 8:15 == 34.2	5/18/25 12:45 == 47.9	5/18/25 17:15 == 34	5/18/25 21:45 == 47.7
5/18/25 8:20 == 39	5/18/25 12:50 == 48.1	5/18/25 17:20 == 38.3	5/18/25 21:50 == 47.9
5/18/25 8:25 == 46.3	5/18/25 12:55 == 47.9	5/18/25 17:25 == 45.7	5/18/25 21:55 == 48.1
5/18/25 8:30 == 47.8	5/18/25 13:00 == 47.9	5/18/25 17:30 == 47.6	5/18/25 22:00 == 48.1
5/18/25 8:35 == 48	5/18/25 13:05 == 48	5/18/25 17:35 == 48	5/18/25 22:05 == 48.1
5/18/25 8:40 == 48.1	5/18/25 13:10 == 48	5/18/25 17:40 == 47.9	5/18/25 22:10 == 47.7
5/18/25 8:45 == 48.1	5/18/25 13:15 == 47.8	5/18/25 17:45 == 47.9	5/18/25 22:15 == 47.8
5/18/25 8:50 == 47.9	5/18/25 13:20 == 41.6	5/18/25 17:50 == 48.2	5/18/25 22:20 == 48.1
5/18/25 8:55 == 48	5/18/25 13:25 == 34.3	5/18/25 17:55 == 48.1	5/18/25 22:25 == 47.8
5/18/25 9:00 == 48.1	5/18/25 13:30 == 33.8	5/18/25 18:00 == 48.1	5/18/25 22:30 == 47.7
5/18/25 9:05 == 48	5/18/25 13:35 == 33.8	5/18/25 18:05 == 47.8	5/18/25 22:35 == 43.3
5/18/25 9:10 == 47.9	5/18/25 13:40 == 33.7	5/18/25 18:10 == 47.7	5/18/25 22:40 == 34.8
5/18/25 9:15 == 47.7	5/18/25 13:45 == 33.7	5/18/25 18:15 == 47.8	5/18/25 22:45 == 33.9
5/18/25 9:20 == 47.7	5/18/25 13:50 == 33.8	5/18/25 18:20 == 47.7	5/18/25 22:50 == 34.1
5/18/25 9:25 == 47.9	5/18/25 13:55 == 33.7	5/18/25 18:25 == 48	5/18/25 22:55 == 34
5/18/25 9:30 == 48	5/18/25 14:00 == 33.7	5/18/25 18:30 == 47.5	5/18/25 23:00 == 33.9
5/18/25 9:35 == 48	5/18/25 14:05 == 39.1	5/18/25 18:35 == 47.9	5/18/25 23:05 == 34
5/18/25 9:40 == 47.7	5/18/25 14:10 == 45.4	5/18/25 18:40 == 47.6	5/18/25 23:10 == 34.2
5/18/25 9:45 == 47.6	5/18/25 14:15 == 47.4	5/18/25 18:45 == 47.9	5/18/25 23:15 == 33.9
5/18/25 9:50 == 48	5/18/25 14:20 == 47.6	5/18/25 18:50 == 47.9	5/18/25 23:20 == 35
5/18/25 9:55 == 47.8	5/18/25 14:25 == 47.5	5/18/25 18:55 == 48.1	5/18/25 23:25 == 47
5/18/25 10:00 == 47.7	5/18/25 14:30 == 47.5	5/18/25 19:00 == 48	5/18/25 23:30 == 47.5
5/18/25 10:05 == 48	5/18/25 14:35 == 48	5/18/25 19:05 == 48	5/18/25 23:35 == 48
5/18/25 10:10 == 48	5/18/25 14:40 == 47.7	5/18/25 19:10 == 48	5/18/25 23:40 == 47.8
5/18/25 10:15 == 47.2	5/18/25 14:45 == 47.5	5/18/25 19:15 == 48	5/18/25 23:45 == 48.1
5/18/25 10:20 == 42.3	5/18/25 14:50 == 48.1	5/18/25 19:20 == 41.9	5/18/25 23:50 == 48
5/18/25 10:25 == 33.7	5/18/25 14:55 == 48.1	5/18/25 19:25 == 35.6	5/18/25 23:55 == 47.9

Pumpback Station Discharge (0364)

5/19/25 0:00 == 47.9	5/19/25 4:30 == 33.7	5/19/25 9:00 == 48	5/19/25 13:30 == 47.7
5/19/25 0:05 == 47.9	5/19/25 4:35 == 34	5/19/25 9:05 == 48	5/19/25 13:35 == 47.9
5/19/25 0:10 == 47.4	5/19/25 4:40 == 33.9	5/19/25 9:10 == 48	5/19/25 13:40 == 47.9
5/19/25 0:15 == 47.7	5/19/25 4:45 == 33.9	5/19/25 9:15 == 48	5/19/25 13:45 == 48
5/19/25 0:20 == 48	5/19/25 4:50 == 35.3	5/19/25 9:20 == 45.2	5/19/25 13:50 == 48
5/19/25 0:25 == 48	5/19/25 4:55 == 46.8	5/19/25 9:25 == 34.2	5/19/25 13:55 == 48
5/19/25 0:30 == 48	5/19/25 5:00 == 47.9	5/19/25 9:30 == 33.5	5/19/25 14:00 == 48
5/19/25 0:35 == 48	5/19/25 5:05 == 47.9	5/19/25 9:35 == 33.5	5/19/25 14:05 == 47.8
5/19/25 0:40 == 47.6	5/19/25 5:10 == 48	5/19/25 9:40 == 33.6	5/19/25 14:10 == 47.4
5/19/25 0:45 == 47.4	5/19/25 5:15 == 48.2	5/19/25 9:45 == 33.5	5/19/25 14:15 == 47.2
5/19/25 0:50 == 47.8	5/19/25 5:20 == 48.2	5/19/25 9:50 == 33.7	5/19/25 14:20 == 48
5/19/25 0:55 == 47.9	5/19/25 5:25 == 48	5/19/25 9:55 == 33.6	5/19/25 14:25 == 47.9
5/19/25 1:00 == 47.9	5/19/25 5:30 == 47.5	5/19/25 10:00 == 33.7	5/19/25 14:30 == 47.5
5/19/25 1:05 == 47.9	5/19/25 5:35 == 47.8	5/19/25 10:05 == 34.3	5/19/25 14:35 == 46.1
5/19/25 1:10 == 47.9	5/19/25 5:40 == 47.6	5/19/25 10:10 == 45.7	5/19/25 14:40 == 35.5
5/19/25 1:15 == 48	5/19/25 5:45 == 47.7	5/19/25 10:15 == 47.8	5/19/25 14:45 == 33.7
5/19/25 1:20 == 48	5/19/25 5:50 == 48	5/19/25 10:20 == 48	5/19/25 14:50 == 34
5/19/25 1:25 == 47.7	5/19/25 5:55 == 47.6	5/19/25 10:25 == 47.7	5/19/25 14:55 == 34.4
5/19/25 1:30 == 47.2	5/19/25 6:00 == 47.6	5/19/25 10:30 == 48	5/19/25 15:00 == 34.1
5/19/25 1:35 == 44.1	5/19/25 6:05 == 48	5/19/25 10:35 == 48.2	5/19/25 15:05 == 34.1
5/19/25 1:40 == 33.9	5/19/25 6:10 == 48.1	5/19/25 10:40 == 47.2	5/19/25 15:10 == 34.4
5/19/25 1:45 == 33.7	5/19/25 6:15 == 48	5/19/25 10:45 == 47.2	5/19/25 15:15 == 34.4
5/19/25 1:50 == 33.7	5/19/25 6:20 == 48	5/19/25 10:50 == 47.8	5/19/25 15:20 == 34.3
5/19/25 1:55 == 33.7	5/19/25 6:25 == 48.1	5/19/25 10:55 == 47.8	5/19/25 15:25 == 34.2
5/19/25 2:00 == 33.7	5/19/25 6:30 == 48.2	5/19/25 11:00 == 47.7	5/19/25 15:30 == 34.4
5/19/25 2:05 == 33.7	5/19/25 6:35 == 44.8	5/19/25 11:05 == 47.9	5/19/25 15:35 == 35.4
5/19/25 2:10 == 34.4	5/19/25 6:40 == 35.1	5/19/25 11:10 == 47.8	5/19/25 15:40 == 44.8
5/19/25 2:15 == 33.9	5/19/25 6:45 == 34.2	5/19/25 11:15 == 47.8	5/19/25 15:45 == 47.8
5/19/25 2:20 == 36.1	5/19/25 6:50 == 34.3	5/19/25 11:20 == 47.9	5/19/25 15:50 == 47.9
5/19/25 2:25 == 46.3	5/19/25 6:55 == 34.2	5/19/25 11:25 == 47.7	5/19/25 15:55 == 47.7
5/19/25 2:30 == 47.8	5/19/25 7:00 == 34	5/19/25 11:30 == 47.7	5/19/25 16:00 == 47.9
5/19/25 2:35 == 47.8	5/19/25 7:05 == 33.9	5/19/25 11:35 == 48.1	5/19/25 16:05 == 48
5/19/25 2:40 == 47.7	5/19/25 7:10 == 34.2	5/19/25 11:40 == 47.8	5/19/25 16:10 == 47.6
5/19/25 2:45 == 47.9	5/19/25 7:15 == 34	5/19/25 11:45 == 47.5	5/19/25 16:15 == 47.8
5/19/25 2:50 == 48	5/19/25 7:20 == 34.1	5/19/25 11:50 == 48.1	5/19/25 16:20 == 48
5/19/25 2:55 == 47.8	5/19/25 7:25 == 34.1	5/19/25 11:55 == 47.9	5/19/25 16:25 == 47.9
5/19/25 3:00 == 47.6	5/19/25 7:30 == 34.2	5/19/25 12:00 == 47.8	5/19/25 16:30 == 48
5/19/25 3:05 == 47.9	5/19/25 7:35 == 35.2	5/19/25 12:05 == 45.8	5/19/25 16:35 == 48
5/19/25 3:10 == 47.7	5/19/25 7:40 == 46	5/19/25 12:10 == 34.5	5/19/25 16:40 == 48
5/19/25 3:15 == 47.4	5/19/25 7:45 == 48	5/19/25 12:15 == 34	5/19/25 16:45 == 48
5/19/25 3:20 == 47.8	5/19/25 7:50 == 48.1	5/19/25 12:20 == 34	5/19/25 16:50 == 48
5/19/25 3:25 == 48	5/19/25 7:55 == 47.8	5/19/25 12:25 == 34.1	5/19/25 16:55 == 48
5/19/25 3:30 == 48	5/19/25 8:00 == 47.9	5/19/25 12:30 == 34	5/19/25 17:00 == 48
5/19/25 3:35 == 48.1	5/19/25 8:05 == 48	5/19/25 12:35 == 34.2	5/19/25 17:05 == 48.1
5/19/25 3:40 == 47.9	5/19/25 8:10 == 48	5/19/25 12:40 == 34.1	5/19/25 17:10 == 48.1
5/19/25 3:45 == 47.6	5/19/25 8:15 == 48.1	5/19/25 12:45 == 34.1	5/19/25 17:15 == 47.9
5/19/25 3:50 == 47.9	5/19/25 8:20 == 48.2	5/19/25 12:50 == 35.3	5/19/25 17:20 == 46.5
5/19/25 3:55 == 47.9	5/19/25 8:25 == 48	5/19/25 12:55 == 45.6	5/19/25 17:25 == 34.9
5/19/25 4:00 == 47.9	5/19/25 8:30 == 48	5/19/25 13:00 == 48	5/19/25 17:30 == 34.1
5/19/25 4:05 == 44.7	5/19/25 8:35 == 48	5/19/25 13:05 == 48	5/19/25 17:35 == 34.2
5/19/25 4:10 == 34.1	5/19/25 8:40 == 48	5/19/25 13:10 == 48	5/19/25 17:40 == 34.3
5/19/25 4:15 == 33.7	5/19/25 8:45 == 47.9	5/19/25 13:15 == 47.9	5/19/25 17:45 == 34.1
5/19/25 4:20 == 33.9	5/19/25 8:50 == 47.9	5/19/25 13:20 == 47.9	5/19/25 17:50 == 34.1
5/19/25 4:25 == 34.1	5/19/25 8:55 == 48.1	5/19/25 13:25 == 47.5	5/19/25 17:55 == 34.1

Pumpback Station Discharge (0364)

5/19/25 18:00 == 34.3	5/19/25 22:30 == 34.4	5/20/25 3:00 == 33.7	5/20/25 7:30 == 48
5/19/25 18:05 == 34.8	5/19/25 22:35 == 34.8	5/20/25 3:05 == 35.7	5/20/25 7:35 == 45.7
5/19/25 18:10 == 44.6	5/19/25 22:40 == 43.6	5/20/25 3:10 == 41.7	5/20/25 7:40 == 38.6
5/19/25 18:15 == 47.8	5/19/25 22:45 == 47.1	5/20/25 3:15 == 47.5	5/20/25 7:45 == 34.4
5/19/25 18:20 == 48	5/19/25 22:50 == 47.9	5/20/25 3:20 == 48	5/20/25 7:50 == 34.3
5/19/25 18:25 == 47.5	5/19/25 22:55 == 47.8	5/20/25 3:25 == 48	5/20/25 7:55 == 34.3
5/19/25 18:30 == 47.4	5/19/25 23:00 == 48	5/20/25 3:30 == 47.9	5/20/25 8:00 == 34.6
5/19/25 18:35 == 47.8	5/19/25 23:05 == 47.9	5/20/25 3:35 == 47.6	5/20/25 8:05 == 34.7
5/19/25 18:40 == 47.6	5/19/25 23:10 == 47.6	5/20/25 3:40 == 48.1	5/20/25 8:10 == 34.6
5/19/25 18:45 == 47.7	5/19/25 23:15 == 47.7	5/20/25 3:45 == 47.5	5/20/25 8:15 == 34.5
5/19/25 18:50 == 48	5/19/25 23:20 == 47.9	5/20/25 3:50 == 48.1	5/20/25 8:20 == 34.5
5/19/25 18:55 == 47.7	5/19/25 23:25 == 48	5/20/25 3:55 == 48.1	5/20/25 8:25 == 34.2
5/19/25 19:00 == 47.7	5/19/25 23:30 == 48	5/20/25 4:00 == 48.1	5/20/25 8:30 == 34
5/19/25 19:05 == 47.9	5/19/25 23:35 == 48.1	5/20/25 4:05 == 47.8	5/20/25 8:35 == 33.9
5/19/25 19:10 == 48	5/19/25 23:40 == 48.1	5/20/25 4:10 == 47.4	5/20/25 8:40 == 34.1
5/19/25 19:15 == 48	5/19/25 23:45 == 48	5/20/25 4:15 == 47.7	5/20/25 8:45 == 34
5/19/25 19:20 == 44.8	5/19/25 23:50 == 47.9	5/20/25 4:20 == 47.9	5/20/25 8:50 == 34.8
5/19/25 19:25 == 37.1	5/19/25 23:55 == 48	5/20/25 4:25 == 47.3	5/20/25 8:55 == 42.1
5/19/25 19:30 == 33.9	5/20/25 0:00 == 48.1	5/20/25 4:30 == 47.6	5/20/25 9:00 == 47.8
5/19/25 19:35 == 33.9	5/20/25 0:05 == 48.1	5/20/25 4:35 == 47.8	5/20/25 9:05 == 48.2
5/19/25 19:40 == 34	5/20/25 0:10 == 48.1	5/20/25 4:40 == 47.9	5/20/25 9:10 == 47.9
5/19/25 19:45 == 33.8	5/20/25 0:15 == 47.9	5/20/25 4:45 == 48	5/20/25 9:15 == 48.1
5/19/25 19:50 == 33.9	5/20/25 0:20 == 44.6	5/20/25 4:50 == 48.1	5/20/25 9:20 == 48
5/19/25 19:55 == 33.9	5/20/25 0:25 == 37.6	5/20/25 4:55 == 47.9	5/20/25 9:25 == 47.9
5/19/25 20:00 == 34	5/20/25 0:30 == 33.7	5/20/25 5:00 == 47.9	5/20/25 9:30 == 47.6
5/19/25 20:05 == 34.3	5/20/25 0:35 == 33.8	5/20/25 5:05 == 45.6	5/20/25 9:35 == 48
5/19/25 20:10 == 44.9	5/20/25 0:40 == 33.9	5/20/25 5:10 == 38.5	5/20/25 9:40 == 47.3
5/19/25 20:15 == 47.7	5/20/25 0:45 == 33.7	5/20/25 5:15 == 33.9	5/20/25 9:45 == 47.4
5/19/25 20:20 == 48.1	5/20/25 0:50 == 33.9	5/20/25 5:20 == 34	5/20/25 9:50 == 47.9
5/19/25 20:25 == 48.2	5/20/25 0:55 == 34.1	5/20/25 5:25 == 34.1	5/20/25 9:55 == 48
5/19/25 20:30 == 48	5/20/25 1:00 == 34	5/20/25 5:30 == 34.1	5/20/25 10:00 == 47.9
5/19/25 20:35 == 48.1	5/20/25 1:05 == 35	5/20/25 5:35 == 34.1	5/20/25 10:05 == 48
5/19/25 20:40 == 48	5/20/25 1:10 == 43.5	5/20/25 5:40 == 34.2	5/20/25 10:10 == 48.2
5/19/25 20:45 == 47.6	5/20/25 1:15 == 47.8	5/20/25 5:45 == 34.2	5/20/25 10:15 == 48
5/19/25 20:50 == 47.8	5/20/25 1:20 == 47.5	5/20/25 5:50 == 34.1	5/20/25 10:20 == 48
5/19/25 20:55 == 47.9	5/20/25 1:25 == 47.8	5/20/25 5:55 == 34.2	5/20/25 10:25 == 47.7
5/19/25 21:00 == 47.9	5/20/25 1:30 == 48	5/20/25 6:00 == 34.4	5/20/25 10:30 == 47.3
5/19/25 21:05 == 48.1	5/20/25 1:35 == 48	5/20/25 6:05 == 35.5	5/20/25 10:35 == 45.4
5/19/25 21:10 == 47.6	5/20/25 1:40 == 47.9	5/20/25 6:10 == 41.8	5/20/25 10:40 == 39.5
5/19/25 21:15 == 47.2	5/20/25 1:45 == 48.1	5/20/25 6:15 == 47.7	5/20/25 10:45 == 34.6
5/19/25 21:20 == 47.8	5/20/25 1:50 == 48.3	5/20/25 6:20 == 48	5/20/25 10:50 == 34.6
5/19/25 21:25 == 47.7	5/20/25 1:55 == 47.6	5/20/25 6:25 == 48	5/20/25 10:55 == 34.6
5/19/25 21:30 == 47.6	5/20/25 2:00 == 47.8	5/20/25 6:30 == 48	5/20/25 11:00 == 34.5
5/19/25 21:35 == 47.9	5/20/25 2:05 == 48	5/20/25 6:35 == 47.9	5/20/25 11:05 == 34.5
5/19/25 21:40 == 47.8	5/20/25 2:10 == 47.6	5/20/25 6:40 == 47.8	5/20/25 11:10 == 34.9
5/19/25 21:45 == 47.8	5/20/25 2:15 == 47.8	5/20/25 6:45 == 47.8	5/20/25 11:15 == 34.8
5/19/25 21:50 == 44.8	5/20/25 2:20 == 45.5	5/20/25 6:50 == 48.2	5/20/25 11:20 == 34.7
5/19/25 21:55 == 37.7	5/20/25 2:25 == 37.9	5/20/25 6:55 == 47.9	5/20/25 11:25 == 34.7
5/19/25 22:00 == 34.5	5/20/25 2:30 == 33.9	5/20/25 7:00 == 48	5/20/25 11:30 == 34.7
5/19/25 22:05 == 34.4	5/20/25 2:35 == 33.9	5/20/25 7:05 == 48	5/20/25 11:35 == 35
5/19/25 22:10 == 34.4	5/20/25 2:40 == 34	5/20/25 7:10 == 48	5/20/25 11:40 == 42.6
5/19/25 22:15 == 34.3	5/20/25 2:45 == 34	5/20/25 7:15 == 48	5/20/25 11:45 == 47.5
5/19/25 22:20 == 34.2	5/20/25 2:50 == 33.9	5/20/25 7:20 == 48.1	5/20/25 11:50 == 48.1
5/19/25 22:25 == 34.5	5/20/25 2:55 == 33.8	5/20/25 7:25 == 48	5/20/25 11:55 == 47.8

Pumpback Station Discharge (0364)

5/20/25 12:00 == 48.1	5/20/25 16:30 == 48	5/20/25 21:00 == 47.7	5/21/25 1:30 == 46.7
5/20/25 12:05 == 48.1	5/20/25 16:35 == 47.2	5/20/25 21:05 == 47.5	5/21/25 1:35 == 47.9
5/20/25 12:10 == 47.1	5/20/25 16:40 == 38.8	5/20/25 21:10 == 47.6	5/21/25 1:40 == 48
5/20/25 12:15 == 47.7	5/20/25 16:45 == 33.7	5/20/25 21:15 == 47.4	5/21/25 1:45 == 48
5/20/25 12:20 == 47.9	5/20/25 16:50 == 33.8	5/20/25 21:20 == 48.1	5/21/25 1:50 == 47.8
5/20/25 12:25 == 47.5	5/20/25 16:55 == 33.9	5/20/25 21:25 == 48	5/21/25 1:55 == 47.7
5/20/25 12:30 == 47.8	5/20/25 17:00 == 33.8	5/20/25 21:30 == 47.9	5/21/25 2:00 == 47.5
5/20/25 12:35 == 47.9	5/20/25 17:05 == 33.8	5/20/25 21:35 == 48	5/21/25 2:05 == 47.7
5/20/25 12:40 == 47.9	5/20/25 17:10 == 34	5/20/25 21:40 == 48	5/21/25 2:10 == 47.7
5/20/25 12:45 == 48	5/20/25 17:15 == 33.9	5/20/25 21:45 == 47.8	5/21/25 2:15 == 47.4
5/20/25 12:50 == 48	5/20/25 17:20 == 34	5/20/25 21:50 == 47.1	5/21/25 2:20 == 48
5/20/25 12:55 == 47.9	5/20/25 17:25 == 41.5	5/20/25 21:55 == 39.7	5/21/25 2:25 == 48
5/20/25 13:00 == 48	5/20/25 17:30 == 46.9	5/20/25 22:00 == 34.1	5/21/25 2:30 == 48
5/20/25 13:05 == 48.1	5/20/25 17:35 == 47.8	5/20/25 22:05 == 34	5/21/25 2:35 == 47.9
5/20/25 13:10 == 47.8	5/20/25 17:40 == 48	5/20/25 22:10 == 34.1	5/21/25 2:40 == 47.8
5/20/25 13:15 == 47.7	5/20/25 17:45 == 48.1	5/20/25 22:15 == 34.1	5/21/25 2:45 == 47.3
5/20/25 13:20 == 48	5/20/25 17:50 == 48.1	5/20/25 22:20 == 34.1	5/21/25 2:50 == 47.9
5/20/25 13:25 == 47.7	5/20/25 17:55 == 48	5/20/25 22:25 == 34.1	5/21/25 2:55 == 47.9
5/20/25 13:30 == 47.2	5/20/25 18:00 == 48	5/20/25 22:30 == 34.1	5/21/25 3:00 == 47.4
5/20/25 13:35 == 47.5	5/20/25 18:05 == 48	5/20/25 22:35 == 34.2	5/21/25 3:05 == 47.8
5/20/25 13:40 == 48	5/20/25 18:10 == 47.7	5/20/25 22:40 == 41.1	5/21/25 3:10 == 39.8
5/20/25 13:45 == 48	5/20/25 18:15 == 47.6	5/20/25 22:45 == 46.7	5/21/25 3:15 == 33.8
5/20/25 13:50 == 48	5/20/25 18:20 == 47.9	5/20/25 22:50 == 47.9	5/21/25 3:20 == 33.5
5/20/25 13:55 == 48	5/20/25 18:25 == 47.8	5/20/25 22:55 == 48	5/21/25 3:25 == 33.8
5/20/25 14:00 == 48.1	5/20/25 18:30 == 47.6	5/20/25 23:00 == 48	5/21/25 3:30 == 33.6
5/20/25 14:05 == 47.3	5/20/25 18:35 == 47.9	5/20/25 23:05 == 48.1	5/21/25 3:35 == 33.7
5/20/25 14:10 == 37.9	5/20/25 18:40 == 47.8	5/20/25 23:10 == 47.8	5/21/25 3:40 == 33.7
5/20/25 14:15 == 34	5/20/25 18:45 == 47.5	5/20/25 23:15 == 47.8	5/21/25 3:45 == 33.6
5/20/25 14:20 == 33.9	5/20/25 18:50 == 46.6	5/20/25 23:20 == 48.1	5/21/25 3:50 == 33.6
5/20/25 14:25 == 33.9	5/20/25 18:55 == 39.8	5/20/25 23:25 == 48.1	5/21/25 3:55 == 40.7
5/20/25 14:30 == 34	5/20/25 19:00 == 34	5/20/25 23:30 == 47.9	5/21/25 4:00 == 46.4
5/20/25 14:35 == 33.9	5/20/25 19:05 == 33.9	5/20/25 23:35 == 47.8	5/21/25 4:05 == 47.9
5/20/25 14:40 == 34.1	5/20/25 19:10 == 33.9	5/20/25 23:40 == 47.7	5/21/25 4:10 == 47.5
5/20/25 14:45 == 34.1	5/20/25 19:15 == 34	5/20/25 23:45 == 47.6	5/21/25 4:15 == 47.7
5/20/25 14:50 == 34	5/20/25 19:20 == 33.8	5/20/25 23:50 == 47.9	5/21/25 4:20 == 48
5/20/25 14:55 == 33.9	5/20/25 19:25 == 33.8	5/20/25 23:55 == 47.9	5/21/25 4:25 == 47.6
5/20/25 15:00 == 34	5/20/25 19:30 == 33.7	5/21/25 0:00 == 48	5/21/25 4:30 == 47.5
5/20/25 15:05 == 34.1	5/20/25 19:35 == 33.8	5/21/25 0:05 == 48	5/21/25 4:35 == 47.8
5/20/25 15:10 == 41.2	5/20/25 19:40 == 33.8	5/21/25 0:10 == 47.9	5/21/25 4:40 == 48
5/20/25 15:15 == 46.8	5/20/25 19:45 == 33.8	5/21/25 0:15 == 46.9	5/21/25 4:45 == 48
5/20/25 15:20 == 48	5/20/25 19:50 == 33.8	5/21/25 0:20 == 47.2	5/21/25 4:50 == 48
5/20/25 15:25 == 47.9	5/20/25 19:55 == 41.8	5/21/25 0:25 == 39.9	5/21/25 4:55 == 48.1
5/20/25 15:30 == 48	5/20/25 20:00 == 46.7	5/21/25 0:30 == 33.6	5/21/25 5:00 == 48.1
5/20/25 15:35 == 48.1	5/20/25 20:05 == 48	5/21/25 0:35 == 33.6	5/21/25 5:05 == 48.1
5/20/25 15:40 == 48	5/20/25 20:10 == 47.7	5/21/25 0:40 == 33.8	5/21/25 5:10 == 47.9
5/20/25 15:45 == 47.8	5/20/25 20:15 == 47.8	5/21/25 0:45 == 33.7	5/21/25 5:15 == 47.9
5/20/25 15:50 == 47.9	5/20/25 20:20 == 47.9	5/21/25 0:50 == 33.8	5/21/25 5:20 == 47.2
5/20/25 15:55 == 47.8	5/20/25 20:25 == 48	5/21/25 0:55 == 33.8	5/21/25 5:25 == 41.5
5/20/25 16:00 == 47.6	5/20/25 20:30 == 48	5/21/25 1:00 == 33.9	5/21/25 5:30 == 33.9
5/20/25 16:05 == 48.1	5/20/25 20:35 == 48	5/21/25 1:05 == 33.9	5/21/25 5:35 == 33.8
5/20/25 16:10 == 47.9	5/20/25 20:40 == 48	5/21/25 1:10 == 33.8	5/21/25 5:40 == 33.9
5/20/25 16:15 == 47.5	5/20/25 20:45 == 48	5/21/25 1:15 == 33.8	5/21/25 5:45 == 34
5/20/25 16:20 == 48	5/20/25 20:50 == 48	5/21/25 1:20 == 33.7	5/21/25 5:50 == 34.1
5/20/25 16:25 == 47.9	5/20/25 20:55 == 48	5/21/25 1:25 == 40.9	5/21/25 5:55 == 34.2

Pumpback Station Discharge (0364)

5/21/25 6:00 == 34.2	5/21/25 10:30 == 33.9	5/21/25 15:00 == 47.6	5/21/25 19:30 == 48
5/21/25 6:05 == 34.1	5/21/25 10:35 == 34.4	5/21/25 15:05 == 47.6	5/21/25 19:35 == 48.1
5/21/25 6:10 == 40.1	5/21/25 10:40 == 38.2	5/21/25 15:10 == 42.2	5/21/25 19:40 == 41.6
5/21/25 6:15 == 46.9	5/21/25 10:45 == 47.1	5/21/25 15:15 == 34.1	5/21/25 19:45 == 35.6
5/21/25 6:20 == 47.9	5/21/25 10:50 == 48	5/21/25 15:20 == 34	5/21/25 19:50 == 34
5/21/25 6:25 == 47.4	5/21/25 10:55 == 47.9	5/21/25 15:25 == 34.2	5/21/25 19:55 == 34
5/21/25 6:30 == 47.7	5/21/25 11:00 == 48	5/21/25 15:30 == 34.1	5/21/25 20:00 == 33.9
5/21/25 6:35 == 48	5/21/25 11:05 == 48.1	5/21/25 15:35 == 34	5/21/25 20:05 == 34
5/21/25 6:40 == 47.6	5/21/25 11:10 == 47.6	5/21/25 15:40 == 33.9	5/21/25 20:10 == 34.2
5/21/25 6:45 == 47.9	5/21/25 11:15 == 47.7	5/21/25 15:45 == 34.2	5/21/25 20:15 == 34.2
5/21/25 6:50 == 48.1	5/21/25 11:20 == 48	5/21/25 15:50 == 34.3	5/21/25 20:20 == 34.1
5/21/25 6:55 == 48	5/21/25 11:25 == 48	5/21/25 15:55 == 37.3	5/21/25 20:25 == 37.9
5/21/25 7:00 == 48	5/21/25 11:30 == 48	5/21/25 16:00 == 47.1	5/21/25 20:30 == 46.1
5/21/25 7:05 == 48	5/21/25 11:35 == 48	5/21/25 16:05 == 47.9	5/21/25 20:35 == 48
5/21/25 7:10 == 47.6	5/21/25 11:40 == 47.7	5/21/25 16:10 == 47.6	5/21/25 20:40 == 48.1
5/21/25 7:15 == 47.5	5/21/25 11:45 == 47.7	5/21/25 16:15 == 47.8	5/21/25 20:45 == 48.1
5/21/25 7:20 == 47	5/21/25 11:50 == 47.9	5/21/25 16:20 == 48	5/21/25 20:50 == 47.9
5/21/25 7:25 == 41.6	5/21/25 11:55 == 47.8	5/21/25 16:25 == 47.9	5/21/25 20:55 == 47.8
5/21/25 7:30 == 34.5	5/21/25 12:00 == 48	5/21/25 16:30 == 48.1	5/21/25 21:00 == 47.5
5/21/25 7:35 == 34.4	5/21/25 12:05 == 48.1	5/21/25 16:35 == 48	5/21/25 21:05 == 47.9
5/21/25 7:40 == 34.5	5/21/25 12:10 == 47.7	5/21/25 16:40 == 48.1	5/21/25 21:10 == 48
5/21/25 7:45 == 34.4	5/21/25 12:15 == 47.7	5/21/25 16:45 == 48.2	5/21/25 21:15 == 47.6
5/21/25 7:50 == 34.4	5/21/25 12:20 == 48	5/21/25 16:50 == 48.1	5/21/25 21:20 == 48
5/21/25 7:55 == 34.8	5/21/25 12:25 == 47.7	5/21/25 16:55 == 48	5/21/25 21:25 == 47.5
5/21/25 8:00 == 34.7	5/21/25 12:30 == 47.6	5/21/25 17:00 == 48	5/21/25 21:30 == 48
5/21/25 8:05 == 34.6	5/21/25 12:35 == 47.4	5/21/25 17:05 == 48	5/21/25 21:35 == 48
5/21/25 8:10 == 34.6	5/21/25 12:40 == 42.3	5/21/25 17:10 == 41.5	5/21/25 21:40 == 48
5/21/25 8:15 == 34.1	5/21/25 12:45 == 34.1	5/21/25 17:15 == 35.3	5/21/25 21:45 == 48.1
5/21/25 8:20 == 34.1	5/21/25 12:50 == 34.1	5/21/25 17:20 == 33.9	5/21/25 21:50 == 48.1
5/21/25 8:25 == 39.2	5/21/25 12:55 == 34.1	5/21/25 17:25 == 34.2	5/21/25 21:55 == 41.8
5/21/25 8:30 == 47.9	5/21/25 13:00 == 34.1	5/21/25 17:30 == 34.4	5/21/25 22:00 == 35.8
5/21/25 8:35 == 48.1	5/21/25 13:05 == 33.9	5/21/25 17:35 == 34.1	5/21/25 22:05 == 34.2
5/21/25 8:40 == 48	5/21/25 13:10 == 34	5/21/25 17:40 == 34	5/21/25 22:10 == 34.3
5/21/25 8:45 == 48.1	5/21/25 13:15 == 33.8	5/21/25 17:45 == 34	5/21/25 22:15 == 34.2
5/21/25 8:50 == 47.9	5/21/25 13:20 == 33.9	5/21/25 17:50 == 34	5/21/25 22:20 == 34.2
5/21/25 8:55 == 48	5/21/25 13:25 == 33.9	5/21/25 17:55 == 34	5/21/25 22:25 == 34.2
5/21/25 9:00 == 47.7	5/21/25 13:30 == 33.8	5/21/25 18:00 == 33.9	5/21/25 22:30 == 34.2
5/21/25 9:05 == 47.8	5/21/25 13:35 == 33.9	5/21/25 18:05 == 33.9	5/21/25 22:35 == 34.2
5/21/25 9:10 == 48	5/21/25 13:40 == 37.7	5/21/25 18:10 == 34.1	5/21/25 22:40 == 38.3
5/21/25 9:15 == 48	5/21/25 13:45 == 46.9	5/21/25 18:15 == 33.7	5/21/25 22:45 == 45.1
5/21/25 9:20 == 48	5/21/25 13:50 == 48.1	5/21/25 18:20 == 34	5/21/25 22:50 == 47.8
5/21/25 9:25 == 48	5/21/25 13:55 == 48.1	5/21/25 18:25 == 36.6	5/21/25 22:55 == 47.8
5/21/25 9:30 == 48	5/21/25 14:00 == 48.1	5/21/25 18:30 == 47.3	5/21/25 23:00 == 47.7
5/21/25 9:35 == 47.6	5/21/25 14:05 == 47.9	5/21/25 18:35 == 47.8	5/21/25 23:05 == 48.1
5/21/25 9:40 == 40.7	5/21/25 14:10 == 47.8	5/21/25 18:40 == 48.1	5/21/25 23:10 == 48
5/21/25 9:45 == 34.1	5/21/25 14:15 == 47.6	5/21/25 18:45 == 47.8	5/21/25 23:15 == 48
5/21/25 9:50 == 33.9	5/21/25 14:20 == 47.8	5/21/25 18:50 == 47.6	5/21/25 23:20 == 48.1
5/21/25 9:55 == 33.9	5/21/25 14:25 == 47.6	5/21/25 18:55 == 48	5/21/25 23:25 == 48.1
5/21/25 10:00 == 33.9	5/21/25 14:30 == 47.8	5/21/25 19:00 == 48	5/21/25 23:30 == 47.9
5/21/25 10:05 == 33.8	5/21/25 14:35 == 47.9	5/21/25 19:05 == 48	5/21/25 23:35 == 47.9
5/21/25 10:10 == 33.9	5/21/25 14:40 == 47.6	5/21/25 19:10 == 47.9	5/21/25 23:40 == 48
5/21/25 10:15 == 33.8	5/21/25 14:45 == 47.7	5/21/25 19:15 == 48	5/21/25 23:45 == 48
5/21/25 10:20 == 33.9	5/21/25 14:50 == 48	5/21/25 19:20 == 47.9	5/21/25 23:50 == 47.9
5/21/25 10:25 == 33.9	5/21/25 14:55 == 47.7	5/21/25 19:25 == 48	5/21/25 23:55 == 48

Pumpback Station Discharge (0364)

5/22/25 0:00 == 48.1	5/22/25 4:30 == 47.6	5/22/25 9:00 == 48.1	5/22/25 13:30 == 47.7
5/22/25 0:05 == 48	5/22/25 4:35 == 48	5/22/25 9:05 == 48	5/22/25 13:35 == 47.9
5/22/25 0:10 == 42.3	5/22/25 4:40 == 47.9	5/22/25 9:10 == 48.1	5/22/25 13:40 == 48
5/22/25 0:15 == 34.9	5/22/25 4:45 == 48	5/22/25 9:15 == 48.1	5/22/25 13:45 == 48.1
5/22/25 0:20 == 33.9	5/22/25 4:50 == 47.9	5/22/25 9:20 == 47.9	5/22/25 13:50 == 48
5/22/25 0:25 == 33.9	5/22/25 4:55 == 45.3	5/22/25 9:25 == 47.6	5/22/25 13:55 == 48
5/22/25 0:30 == 33.8	5/22/25 5:00 == 34.1	5/22/25 9:30 == 47.8	5/22/25 14:00 == 48
5/22/25 0:35 == 33.8	5/22/25 5:05 == 34	5/22/25 9:35 == 48.1	5/22/25 14:05 == 48
5/22/25 0:40 == 34.4	5/22/25 5:10 == 33.9	5/22/25 9:40 == 48	5/22/25 14:10 == 48.1
5/22/25 0:45 == 34.5	5/22/25 5:15 == 34	5/22/25 9:45 == 47.9	5/22/25 14:15 == 48.1
5/22/25 0:50 == 34.5	5/22/25 5:20 == 34	5/22/25 9:50 == 47.8	5/22/25 14:20 == 48
5/22/25 0:55 == 34.6	5/22/25 5:25 == 34	5/22/25 9:55 == 45.6	5/22/25 14:25 == 44.2
5/22/25 1:00 == 34.6	5/22/25 5:30 == 34	5/22/25 10:00 == 34	5/22/25 14:30 == 36
5/22/25 1:05 == 34.6	5/22/25 5:35 == 34	5/22/25 10:05 == 33.9	5/22/25 14:35 == 34.1
5/22/25 1:10 == 38.4	5/22/25 5:40 == 33.9	5/22/25 10:10 == 33.8	5/22/25 14:40 == 34.4
5/22/25 1:15 == 44.8	5/22/25 5:45 == 34.1	5/22/25 10:15 == 33.8	5/22/25 14:45 == 34.2
5/22/25 1:20 == 47.8	5/22/25 5:50 == 34.1	5/22/25 10:20 == 33.6	5/22/25 14:50 == 34.4
5/22/25 1:25 == 47.9	5/22/25 5:55 == 37.8	5/22/25 10:25 == 33.9	5/22/25 14:55 == 34.4
5/22/25 1:30 == 47.9	5/22/25 6:00 == 44.5	5/22/25 10:30 == 33.8	5/22/25 15:00 == 34.4
5/22/25 1:35 == 47.9	5/22/25 6:05 == 47.7	5/22/25 10:35 == 33.7	5/22/25 15:05 == 34.6
5/22/25 1:40 == 47.9	5/22/25 6:10 == 47.7	5/22/25 10:40 == 36.5	5/22/25 15:10 == 34.6
5/22/25 1:45 == 47.8	5/22/25 6:15 == 47.7	5/22/25 10:45 == 45.5	5/22/25 15:15 == 34.4
5/22/25 1:50 == 47.7	5/22/25 6:20 == 47.9	5/22/25 10:50 == 47.9	5/22/25 15:20 == 34.5
5/22/25 1:55 == 47.4	5/22/25 6:25 == 47.7	5/22/25 10:55 == 47.4	5/22/25 15:25 == 34.3
5/22/25 2:00 == 47.5	5/22/25 6:30 == 47.6	5/22/25 11:00 == 47.4	5/22/25 15:30 == 45.7
5/22/25 2:05 == 48	5/22/25 6:35 == 48.1	5/22/25 11:05 == 47.9	5/22/25 15:35 == 47.8
5/22/25 2:10 == 47.8	5/22/25 6:40 == 48	5/22/25 11:10 == 47.6	5/22/25 15:40 == 48.1
5/22/25 2:15 == 47.4	5/22/25 6:45 == 47.8	5/22/25 11:15 == 47.7	5/22/25 15:45 == 48.1
5/22/25 2:20 == 48.2	5/22/25 6:50 == 48	5/22/25 11:20 == 48	5/22/25 15:50 == 48
5/22/25 2:25 == 47.9	5/22/25 6:55 == 44.4	5/22/25 11:25 == 48.1	5/22/25 15:55 == 47.9
5/22/25 2:30 == 48.1	5/22/25 7:00 == 34.2	5/22/25 11:30 == 48.1	5/22/25 16:00 == 47.9
5/22/25 2:35 == 48.1	5/22/25 7:05 == 33.9	5/22/25 11:35 == 48	5/22/25 16:05 == 48
5/22/25 2:40 == 43.1	5/22/25 7:10 == 34.1	5/22/25 11:40 == 47.7	5/22/25 16:10 == 48
5/22/25 2:45 == 34.7	5/22/25 7:15 == 34.1	5/22/25 11:45 == 47.6	5/22/25 16:15 == 48
5/22/25 2:50 == 33.9	5/22/25 7:20 == 34.3	5/22/25 11:50 == 48	5/22/25 16:20 == 48.1
5/22/25 2:55 == 33.7	5/22/25 7:25 == 34.3	5/22/25 11:55 == 47.9	5/22/25 16:25 == 48
5/22/25 3:00 == 33.8	5/22/25 7:30 == 34.2	5/22/25 12:00 == 47.6	5/22/25 16:30 == 48
5/22/25 3:05 == 33.7	5/22/25 7:35 == 34.1	5/22/25 12:05 == 47.8	5/22/25 16:35 == 48
5/22/25 3:10 == 33.7	5/22/25 7:40 == 34.5	5/22/25 12:10 == 45.2	5/22/25 16:40 == 44.1
5/22/25 3:15 == 33.7	5/22/25 7:45 == 34.3	5/22/25 12:15 == 35.1	5/22/25 16:45 == 37.3
5/22/25 3:20 == 33.7	5/22/25 7:50 == 34.4	5/22/25 12:20 == 34.4	5/22/25 16:50 == 34.3
5/22/25 3:25 == 38	5/22/25 7:55 == 34.5	5/22/25 12:25 == 34.6	5/22/25 16:55 == 34.3
5/22/25 3:30 == 44.5	5/22/25 8:00 == 34.5	5/22/25 12:30 == 34.5	5/22/25 17:00 == 34.3
5/22/25 3:35 == 47.7	5/22/25 8:05 == 34.4	5/22/25 12:35 == 34.6	5/22/25 17:05 == 34.3
5/22/25 3:40 == 48	5/22/25 8:10 == 34.3	5/22/25 12:40 == 34.5	5/22/25 17:10 == 34.3
5/22/25 3:45 == 48	5/22/25 8:15 == 34.1	5/22/25 12:45 == 34.4	5/22/25 17:15 == 34.2
5/22/25 3:50 == 48	5/22/25 8:20 == 34.1	5/22/25 12:50 == 34.3	5/22/25 17:20 == 34.3
5/22/25 3:55 == 47.8	5/22/25 8:25 == 37.1	5/22/25 12:55 == 34.6	5/22/25 17:25 == 34.5
5/22/25 4:00 == 47.6	5/22/25 8:30 == 44.4	5/22/25 13:00 == 45.8	5/22/25 17:30 == 34.5
5/22/25 4:05 == 47.8	5/22/25 8:35 == 47.7	5/22/25 13:05 == 48	5/22/25 17:35 == 34.5
5/22/25 4:10 == 47.6	5/22/25 8:40 == 47.9	5/22/25 13:10 == 47.9	5/22/25 17:40 == 34.5
5/22/25 4:15 == 47.2	5/22/25 8:45 == 48	5/22/25 13:15 == 48.1	5/22/25 17:45 == 34.4
5/22/25 4:20 == 47.9	5/22/25 8:50 == 48	5/22/25 13:20 == 48.1	5/22/25 17:50 == 34.4
5/22/25 4:25 == 47.9	5/22/25 8:55 == 48.1	5/22/25 13:25 == 47.6	5/22/25 17:55 == 34.5

Pumpback Station Discharge (0364)

5/22/25 18:00 == 46	5/22/25 22:30 == 34.3	5/23/25 3:00 == 42.7	5/23/25 7:30 == 34.7
5/22/25 18:05 == 47.9	5/22/25 22:35 == 34.5	5/23/25 3:05 == 48	5/23/25 7:35 == 34.5
5/22/25 18:10 == 47.6	5/22/25 22:40 == 36	5/23/25 3:10 == 47.9	5/23/25 7:40 == 34.7
5/22/25 18:15 == 47.9	5/22/25 22:45 == 44.1	5/23/25 3:15 == 48	5/23/25 7:45 == 34.8
5/22/25 18:20 == 48.1	5/22/25 22:50 == 48	5/23/25 3:20 == 48.1	5/23/25 7:50 == 34.6
5/22/25 18:25 == 47.4	5/22/25 22:55 == 48.1	5/23/25 3:25 == 48	5/23/25 7:55 == 35.4
5/22/25 18:30 == 48	5/22/25 23:00 == 47.9	5/23/25 3:30 == 47.9	5/23/25 8:00 == 42.3
5/22/25 18:35 == 48	5/22/25 23:05 == 48	5/23/25 3:35 == 47.8	5/23/25 8:05 == 47.7
5/22/25 18:40 == 47.7	5/22/25 23:10 == 48.2	5/23/25 3:40 == 48	5/23/25 8:10 == 47.9
5/22/25 18:45 == 47.8	5/22/25 23:15 == 48	5/23/25 3:45 == 48	5/23/25 8:15 == 47.9
5/22/25 18:50 == 48	5/22/25 23:20 == 47.9	5/23/25 3:50 == 48.1	5/23/25 8:20 == 48
5/22/25 18:55 == 48	5/22/25 23:25 == 48.1	5/23/25 3:55 == 47.8	5/23/25 8:25 == 47.9
5/22/25 19:00 == 48	5/22/25 23:30 == 48.2	5/23/25 4:00 == 47.3	5/23/25 8:30 == 47.9
5/22/25 19:05 == 48	5/22/25 23:35 == 48	5/23/25 4:05 == 47.4	5/23/25 8:35 == 47.9
5/22/25 19:10 == 48	5/22/25 23:40 == 48	5/23/25 4:10 == 47.4	5/23/25 8:40 == 48
5/22/25 19:15 == 48	5/22/25 23:45 == 47.8	5/23/25 4:15 == 35.4	5/23/25 8:45 == 48.1
5/22/25 19:20 == 47.9	5/22/25 23:50 == 48	5/23/25 4:20 == 34	5/23/25 8:50 == 48
5/22/25 19:25 == 44.3	5/22/25 23:55 == 48.1	5/23/25 4:25 == 34.2	5/23/25 8:55 == 48
5/22/25 19:30 == 37.2	5/23/25 0:00 == 47.9	5/23/25 4:30 == 34.1	5/23/25 9:00 == 48
5/22/25 19:35 == 34.1	5/23/25 0:05 == 47.9	5/23/25 4:35 == 34.2	5/23/25 9:05 == 48.1
5/22/25 19:40 == 34.4	5/23/25 0:10 == 44.4	5/23/25 4:40 == 34.1	5/23/25 9:10 == 47.1
5/22/25 19:45 == 34.5	5/23/25 0:15 == 37.5	5/23/25 4:45 == 34.1	5/23/25 9:15 == 36.9
5/22/25 19:50 == 34.5	5/23/25 0:20 == 34	5/23/25 4:50 == 34.2	5/23/25 9:20 == 34.1
5/22/25 19:55 == 34.6	5/23/25 0:25 == 34.1	5/23/25 4:55 == 34.3	5/23/25 9:25 == 34
5/22/25 20:00 == 34.4	5/23/25 0:30 == 34.1	5/23/25 5:00 == 34.4	5/23/25 9:30 == 33.9
5/22/25 20:05 == 34.5	5/23/25 0:35 == 34	5/23/25 5:05 == 34.2	5/23/25 9:35 == 33.9
5/22/25 20:10 == 34.8	5/23/25 0:40 == 34.2	5/23/25 5:10 == 35	5/23/25 9:40 == 33.9
5/22/25 20:15 == 34.6	5/23/25 0:45 == 34.7	5/23/25 5:15 == 42.8	5/23/25 9:45 == 33.9
5/22/25 20:20 == 34.6	5/23/25 0:50 == 34.5	5/23/25 5:20 == 47.7	5/23/25 9:50 == 34
5/22/25 20:25 == 34.9	5/23/25 0:55 == 36.4	5/23/25 5:25 == 48	5/23/25 9:55 == 33.9
5/22/25 20:30 == 45	5/23/25 1:00 == 42.7	5/23/25 5:30 == 48.1	5/23/25 10:00 == 34
5/22/25 20:35 == 47.9	5/23/25 1:05 == 47.4	5/23/25 5:35 == 48	5/23/25 10:05 == 34
5/22/25 20:40 == 48	5/23/25 1:10 == 48	5/23/25 5:40 == 47.7	5/23/25 10:10 == 34
5/22/25 20:45 == 48.2	5/23/25 1:15 == 48.1	5/23/25 5:45 == 47.7	5/23/25 10:15 == 34
5/22/25 20:50 == 47.7	5/23/25 1:20 == 48	5/23/25 5:50 == 48.1	5/23/25 10:20 == 33.9
5/22/25 20:55 == 47.1	5/23/25 1:25 == 47.8	5/23/25 5:55 == 48	5/23/25 10:25 == 34.6
5/22/25 21:00 == 47.8	5/23/25 1:30 == 47.4	5/23/25 6:00 == 48	5/23/25 10:30 == 42.2
5/22/25 21:05 == 47.9	5/23/25 1:35 == 48.1	5/23/25 6:05 == 48	5/23/25 10:35 == 47.7
5/22/25 21:10 == 47.5	5/23/25 1:40 == 48	5/23/25 6:10 == 48.1	5/23/25 10:40 == 47.5
5/22/25 21:15 == 47.7	5/23/25 1:45 == 47.9	5/23/25 6:15 == 47.9	5/23/25 10:45 == 47.5
5/22/25 21:20 == 47.9	5/23/25 1:50 == 47.9	5/23/25 6:20 == 47.9	5/23/25 10:50 == 48
5/22/25 21:25 == 47.7	5/23/25 1:55 == 46.2	5/23/25 6:25 == 46.1	5/23/25 10:55 == 48.1
5/22/25 21:30 == 47.8	5/23/25 2:00 == 35.7	5/23/25 6:30 == 36.7	5/23/25 11:00 == 48.1
5/22/25 21:35 == 47.9	5/23/25 2:05 == 34.1	5/23/25 6:35 == 34.3	5/23/25 11:05 == 48.1
5/22/25 21:40 == 44.2	5/23/25 2:10 == 34.6	5/23/25 6:40 == 34.5	5/23/25 11:10 == 47.8
5/22/25 21:45 == 37.8	5/23/25 2:15 == 34.7	5/23/25 6:45 == 34.2	5/23/25 11:15 == 47.5
5/22/25 21:50 == 34.6	5/23/25 2:20 == 34.7	5/23/25 6:50 == 34.3	5/23/25 11:20 == 48
5/22/25 21:55 == 34.5	5/23/25 2:25 == 34.6	5/23/25 6:55 == 34.2	5/23/25 11:25 == 48
5/22/25 22:00 == 34.5	5/23/25 2:30 == 34.5	5/23/25 7:00 == 34.2	5/23/25 11:30 == 48.1
5/22/25 22:05 == 34.6	5/23/25 2:35 == 34.4	5/23/25 7:05 == 34.2	5/23/25 11:35 == 47.9
5/22/25 22:10 == 34.7	5/23/25 2:40 == 34.5	5/23/25 7:10 == 34.7	5/23/25 11:40 == 47.8
5/22/25 22:15 == 34.6	5/23/25 2:45 == 34.4	5/23/25 7:15 == 34.5	5/23/25 11:45 == 47.5
5/22/25 22:20 == 34.3	5/23/25 2:50 == 34.3	5/23/25 7:20 == 34.7	5/23/25 11:50 == 48
5/22/25 22:25 == 34.5	5/23/25 2:55 == 36.1	5/23/25 7:25 == 34.7	5/23/25 11:55 == 47.6

Pumpback Station Discharge (0364)

5/23/25 12:00 == 37.3	5/23/25 16:30 == 34.2	5/23/25 21:00 == 39.8	5/24/25 1:30 == 34.4
5/23/25 12:05 == 34.3	5/23/25 16:35 == 34.2	5/23/25 21:05 == 34.2	5/24/25 1:35 == 34.4
5/23/25 12:10 == 34.2	5/23/25 16:40 == 34.3	5/23/25 21:10 == 34.2	5/24/25 1:40 == 34.4
5/23/25 12:15 == 34.1	5/23/25 16:45 == 34.1	5/23/25 21:15 == 34.3	5/24/25 1:45 == 34.4
5/23/25 12:20 == 34	5/23/25 16:50 == 34.2	5/23/25 21:20 == 34.2	5/24/25 1:50 == 34.5
5/23/25 12:25 == 34.2	5/23/25 16:55 == 34.3	5/23/25 21:25 == 34.3	5/24/25 1:55 == 34.2
5/23/25 12:30 == 34.2	5/23/25 17:00 == 34.3	5/23/25 21:30 == 34.4	5/24/25 2:00 == 34
5/23/25 12:35 == 34.1	5/23/25 17:05 == 34.1	5/23/25 21:35 == 34.2	5/24/25 2:05 == 34
5/23/25 12:40 == 34.2	5/23/25 17:10 == 34.2	5/23/25 21:40 == 34.3	5/24/25 2:10 == 34.4
5/23/25 12:45 == 42.6	5/23/25 17:15 == 42.1	5/23/25 21:45 == 34.4	5/24/25 2:15 == 40.9
5/23/25 12:50 == 47.2	5/23/25 17:20 == 47.4	5/23/25 21:50 == 34.5	5/24/25 2:20 == 47.8
5/23/25 12:55 == 47.9	5/23/25 17:25 == 47.4	5/23/25 21:55 == 35.1	5/24/25 2:25 == 48
5/23/25 13:00 == 48	5/23/25 17:30 == 47.6	5/23/25 22:00 == 40.4	5/24/25 2:30 == 47.9
5/23/25 13:05 == 48.1	5/23/25 17:35 == 47.9	5/23/25 22:05 == 47.7	5/24/25 2:35 == 47.9
5/23/25 13:10 == 48	5/23/25 17:40 == 47.8	5/23/25 22:10 == 48.2	5/24/25 2:40 == 48
5/23/25 13:15 == 47.9	5/23/25 17:45 == 48	5/23/25 22:15 == 48.1	5/24/25 2:45 == 48
5/23/25 13:20 == 47.9	5/23/25 17:50 == 48.2	5/23/25 22:20 == 47.9	5/24/25 2:50 == 47.9
5/23/25 13:25 == 47.8	5/23/25 17:55 == 47.9	5/23/25 22:25 == 47.3	5/24/25 2:55 == 48
5/23/25 13:30 == 47.7	5/23/25 18:00 == 47.6	5/23/25 22:30 == 47.9	5/24/25 3:00 == 48
5/23/25 13:35 == 48	5/23/25 18:05 == 47.8	5/23/25 22:35 == 48	5/24/25 3:05 == 48.1
5/23/25 13:40 == 48	5/23/25 18:10 == 47.9	5/23/25 22:40 == 47.4	5/24/25 3:10 == 47.2
5/23/25 13:45 == 48	5/23/25 18:15 == 47.8	5/23/25 22:45 == 47.9	5/24/25 3:15 == 40.3
5/23/25 13:50 == 48.1	5/23/25 18:20 == 47.9	5/23/25 22:50 == 48	5/24/25 3:20 == 34
5/23/25 13:55 == 45.9	5/23/25 18:25 == 46.2	5/23/25 22:55 == 48	5/24/25 3:25 == 33.9
5/23/25 14:00 == 38.6	5/23/25 18:30 == 39.5	5/23/25 23:00 == 48	5/24/25 3:30 == 34
5/23/25 14:05 == 34.2	5/23/25 18:35 == 34	5/23/25 23:05 == 48	5/24/25 3:35 == 34
5/23/25 14:10 == 34.3	5/23/25 18:40 == 34.2	5/23/25 23:10 == 47.9	5/24/25 3:40 == 33.9
5/23/25 14:15 == 34.1	5/23/25 18:45 == 34.2	5/23/25 23:15 == 39.2	5/24/25 3:45 == 33.8
5/23/25 14:20 == 34.1	5/23/25 18:50 == 34.1	5/23/25 23:20 == 34.3	5/24/25 3:50 == 33.6
5/23/25 14:25 == 34.2	5/23/25 18:55 == 34.2	5/23/25 23:25 == 34.1	5/24/25 3:55 == 33.9
5/23/25 14:30 == 33.9	5/23/25 19:00 == 34.1	5/23/25 23:30 == 34	5/24/25 4:00 == 33.9
5/23/25 14:35 == 34.1	5/23/25 19:05 == 34.2	5/23/25 23:35 == 34	5/24/25 4:05 == 33.9
5/23/25 14:40 == 34.2	5/23/25 19:10 == 34.1	5/23/25 23:40 == 33.9	5/24/25 4:10 == 34.2
5/23/25 14:45 == 34.1	5/23/25 19:15 == 34.1	5/23/25 23:45 == 33.7	5/24/25 4:15 == 40.9
5/23/25 14:50 == 34	5/23/25 19:20 == 34.1	5/23/25 23:50 == 33.8	5/24/25 4:20 == 46.4
5/23/25 14:55 == 34.1	5/23/25 19:25 == 34.1	5/23/25 23:55 == 33.9	5/24/25 4:25 == 48.1
5/23/25 15:00 == 42.9	5/23/25 19:30 == 33.9	5/24/25 0:00 == 33.8	5/24/25 4:30 == 47.6
5/23/25 15:05 == 47.2	5/23/25 19:35 == 34.1	5/24/25 0:05 == 33.8	5/24/25 4:35 == 47.6
5/23/25 15:10 == 47.6	5/23/25 19:40 == 34.5	5/24/25 0:10 == 34.5	5/24/25 4:40 == 48
5/23/25 15:15 == 47.8	5/23/25 19:45 == 41.2	5/24/25 0:15 == 39.1	5/24/25 4:45 == 48
5/23/25 15:20 == 48	5/23/25 19:50 == 47.5	5/24/25 0:20 == 47.4	5/24/25 4:50 == 48
5/23/25 15:25 == 47.9	5/23/25 19:55 == 47.8	5/24/25 0:25 == 47.7	5/24/25 4:55 == 48
5/23/25 15:30 == 47.8	5/23/25 20:00 == 47.9	5/24/25 0:30 == 48.1	5/24/25 5:00 == 48
5/23/25 15:35 == 47.9	5/23/25 20:05 == 48	5/24/25 0:35 == 48.1	5/24/25 5:05 == 48
5/23/25 15:40 == 47.9	5/23/25 20:10 == 47.5	5/24/25 0:40 == 48	5/24/25 5:10 == 47.9
5/23/25 15:45 == 47.9	5/23/25 20:15 == 47.7	5/24/25 0:45 == 47.3	5/24/25 5:15 == 48
5/23/25 15:50 == 48	5/23/25 20:20 == 48	5/24/25 0:50 == 47.9	5/24/25 5:20 == 47.8
5/23/25 15:55 == 46.2	5/23/25 20:25 == 47.9	5/24/25 0:55 == 48	5/24/25 5:25 == 46.5
5/23/25 16:00 == 39.8	5/23/25 20:30 == 48.1	5/24/25 1:00 == 48	5/24/25 5:30 == 41
5/23/25 16:05 == 34.3	5/23/25 20:35 == 48	5/24/25 1:05 == 48.1	5/24/25 5:35 == 34
5/23/25 16:10 == 34.4	5/23/25 20:40 == 47.9	5/24/25 1:10 == 48	5/24/25 5:40 == 34.2
5/23/25 16:15 == 34.4	5/23/25 20:45 == 48	5/24/25 1:15 == 38.6	5/24/25 5:45 == 34
5/23/25 16:20 == 34.2	5/23/25 20:50 == 48	5/24/25 1:20 == 34.8	5/24/25 5:50 == 34.3
5/23/25 16:25 == 34.1	5/23/25 20:55 == 46.6	5/24/25 1:25 == 34.5	5/24/25 5:55 == 34.3

Pumpback Station Discharge (0364)

5/24/25 6:00 == 34.2	5/24/25 10:30 == 42.1	5/24/25 15:00 == 41	5/24/25 19:30 == 41.2
5/24/25 6:05 == 34.1	5/24/25 10:35 == 34.3	5/24/25 15:05 == 34.9	5/24/25 19:35 == 35.1
5/24/25 6:10 == 34.3	5/24/25 10:40 == 34.8	5/24/25 15:10 == 34.3	5/24/25 19:40 == 34.1
5/24/25 6:15 == 34.3	5/24/25 10:45 == 35	5/24/25 15:15 == 34.3	5/24/25 19:45 == 34.3
5/24/25 6:20 == 34.2	5/24/25 10:50 == 34.8	5/24/25 15:20 == 34.4	5/24/25 19:50 == 34.2
5/24/25 6:25 == 34.4	5/24/25 10:55 == 34.9	5/24/25 15:25 == 34.3	5/24/25 19:55 == 34.3
5/24/25 6:30 == 34.3	5/24/25 11:00 == 34.8	5/24/25 15:30 == 34.2	5/24/25 20:00 == 34.2
5/24/25 6:35 == 34.4	5/24/25 11:05 == 34.9	5/24/25 15:35 == 34.2	5/24/25 20:05 == 34.2
5/24/25 6:40 == 34.3	5/24/25 11:10 == 35.3	5/24/25 15:40 == 34.2	5/24/25 20:10 == 34.4
5/24/25 6:45 == 40.7	5/24/25 11:15 == 35.1	5/24/25 15:45 == 34.1	5/24/25 20:15 == 34.6
5/24/25 6:50 == 46.3	5/24/25 11:20 == 35.1	5/24/25 15:50 == 34.2	5/24/25 20:20 == 34.5
5/24/25 6:55 == 47.8	5/24/25 11:25 == 35.2	5/24/25 15:55 == 34.2	5/24/25 20:25 == 34.5
5/24/25 7:00 == 47.9	5/24/25 11:30 == 35	5/24/25 16:00 == 34.3	5/24/25 20:30 == 38.8
5/24/25 7:05 == 48.1	5/24/25 11:35 == 35	5/24/25 16:05 == 34.3	5/24/25 20:35 == 46.2
5/24/25 7:10 == 47.7	5/24/25 11:40 == 35.2	5/24/25 16:10 == 34.6	5/24/25 20:40 == 48.1
5/24/25 7:15 == 47.7	5/24/25 11:45 == 40.3	5/24/25 16:15 == 37	5/24/25 20:45 == 48.1
5/24/25 7:20 == 48	5/24/25 11:50 == 46.3	5/24/25 16:20 == 47.6	5/24/25 20:50 == 48.1
5/24/25 7:25 == 48.1	5/24/25 11:55 == 47.8	5/24/25 16:25 == 47.9	5/24/25 20:55 == 48.2
5/24/25 7:30 == 48.1	5/24/25 12:00 == 47.9	5/24/25 16:30 == 48.1	5/24/25 21:00 == 48
5/24/25 7:35 == 47.9	5/24/25 12:05 == 48.1	5/24/25 16:35 == 47.9	5/24/25 21:05 == 48.1
5/24/25 7:40 == 47.6	5/24/25 12:10 == 48.1	5/24/25 16:40 == 47.9	5/24/25 21:10 == 48.1
5/24/25 7:45 == 47.6	5/24/25 12:15 == 48	5/24/25 16:45 == 48	5/24/25 21:15 == 47.6
5/24/25 7:50 == 48	5/24/25 12:20 == 48	5/24/25 16:50 == 48	5/24/25 21:20 == 48
5/24/25 7:55 == 47	5/24/25 12:25 == 48.1	5/24/25 16:55 == 47.9	5/24/25 21:25 == 47.5
5/24/25 8:00 == 41.9	5/24/25 12:30 == 48	5/24/25 17:00 == 48.1	5/24/25 21:30 == 43
5/24/25 8:05 == 34.6	5/24/25 12:35 == 47.9	5/24/25 17:05 == 47.9	5/24/25 21:35 == 33.9
5/24/25 8:10 == 34.6	5/24/25 12:40 == 47.4	5/24/25 17:10 == 48.1	5/24/25 21:40 == 34.2
5/24/25 8:15 == 34.2	5/24/25 12:45 == 41.6	5/24/25 17:15 == 48	5/24/25 21:45 == 34.3
5/24/25 8:20 == 34.2	5/24/25 12:50 == 34.3	5/24/25 17:20 == 48	5/24/25 21:50 == 34.2
5/24/25 8:25 == 34.2	5/24/25 12:55 == 34.2	5/24/25 17:25 == 47.7	5/24/25 21:55 == 34.3
5/24/25 8:30 == 33.9	5/24/25 13:00 == 34.2	5/24/25 17:30 == 40.8	5/24/25 22:00 == 34.2
5/24/25 8:35 == 33.9	5/24/25 13:05 == 34.3	5/24/25 17:35 == 35	5/24/25 22:05 == 34.2
5/24/25 8:40 == 34.2	5/24/25 13:10 == 34.3	5/24/25 17:40 == 34.2	5/24/25 22:10 == 34.4
5/24/25 8:45 == 34.1	5/24/25 13:15 == 34.2	5/24/25 17:45 == 34.1	5/24/25 22:15 == 34.1
5/24/25 8:50 == 34	5/24/25 13:20 == 34.3	5/24/25 17:50 == 34.1	5/24/25 22:20 == 34.2
5/24/25 8:55 == 34	5/24/25 13:25 == 34.5	5/24/25 17:55 == 34.2	5/24/25 22:25 == 34
5/24/25 9:00 == 34	5/24/25 13:30 == 34.3	5/24/25 18:00 == 34.2	5/24/25 22:30 == 38.6
5/24/25 9:05 == 33.9	5/24/25 13:35 == 34.4	5/24/25 18:05 == 34.3	5/24/25 22:35 == 45
5/24/25 9:10 == 34	5/24/25 13:40 == 34.4	5/24/25 18:10 == 34.2	5/24/25 22:40 == 47.3
5/24/25 9:15 == 34.1	5/24/25 13:45 == 34.3	5/24/25 18:15 == 34.2	5/24/25 22:45 == 47.5
5/24/25 9:20 == 34.2	5/24/25 13:50 == 34.4	5/24/25 18:20 == 34.1	5/24/25 22:50 == 47.9
5/24/25 9:25 == 34.1	5/24/25 13:55 == 34.3	5/24/25 18:25 == 34.2	5/24/25 22:55 == 48
5/24/25 9:30 == 40.2	5/24/25 14:00 == 38.8	5/24/25 18:30 == 33.9	5/24/25 23:00 == 48.1
5/24/25 9:35 == 46.1	5/24/25 14:05 == 46.5	5/24/25 18:35 == 34.1	5/24/25 23:05 == 48.1
5/24/25 9:40 == 47.5	5/24/25 14:10 == 48	5/24/25 18:40 == 34.2	5/24/25 23:10 == 48.1
5/24/25 9:45 == 47.7	5/24/25 14:15 == 48.1	5/24/25 18:45 == 36.2	5/24/25 23:15 == 48
5/24/25 9:50 == 48.1	5/24/25 14:20 == 48.2	5/24/25 18:50 == 47.2	5/24/25 23:20 == 47.8
5/24/25 9:55 == 48.1	5/24/25 14:25 == 48	5/24/25 18:55 == 47.9	5/24/25 23:25 == 47.6
5/24/25 10:00 == 47.8	5/24/25 14:30 == 48	5/24/25 19:00 == 47.5	5/24/25 23:30 == 43.6
5/24/25 10:05 == 47.8	5/24/25 14:35 == 47.9	5/24/25 19:05 == 47.9	5/24/25 23:35 == 34
5/24/25 10:10 == 48.1	5/24/25 14:40 == 47.6	5/24/25 19:10 == 48	5/24/25 23:40 == 34
5/24/25 10:15 == 48.1	5/24/25 14:45 == 47.9	5/24/25 19:15 == 48	5/24/25 23:45 == 33.6
5/24/25 10:20 == 48.1	5/24/25 14:50 == 47.9	5/24/25 19:20 == 48.1	5/24/25 23:50 == 33.7
5/24/25 10:25 == 47.2	5/24/25 14:55 == 47.6	5/24/25 19:25 == 47.9	5/24/25 23:55 == 33.8

Pumpback Station Discharge (0364)

5/25/25 0:00 == 33.7	5/25/25 4:30 == 34	5/25/25 9:00 == 48.1	5/25/25 13:30 == 47.9
5/25/25 0:05 == 33.7	5/25/25 4:35 == 33.8	5/25/25 9:05 == 47.7	5/25/25 13:35 == 47.9
5/25/25 0:10 == 34	5/25/25 4:40 == 33.8	5/25/25 9:10 == 47.6	5/25/25 13:40 == 48
5/25/25 0:15 == 33.8	5/25/25 4:45 == 36.3	5/25/25 9:15 == 47.9	5/25/25 13:45 == 48.1
5/25/25 0:20 == 33.6	5/25/25 4:50 == 46.5	5/25/25 9:20 == 47.9	5/25/25 13:50 == 48.1
5/25/25 0:25 == 33.8	5/25/25 4:55 == 48.1	5/25/25 9:25 == 47.8	5/25/25 13:55 == 47.9
5/25/25 0:30 == 37.2	5/25/25 5:00 == 47.9	5/25/25 9:30 == 47.9	5/25/25 14:00 == 48
5/25/25 0:35 == 46.1	5/25/25 5:05 == 48	5/25/25 9:35 == 48.1	5/25/25 14:05 == 48
5/25/25 0:40 == 47.3	5/25/25 5:10 == 47.9	5/25/25 9:40 == 48.1	5/25/25 14:10 == 48.1
5/25/25 0:45 == 47.8	5/25/25 5:15 == 47.9	5/25/25 9:45 == 44.6	5/25/25 14:15 == 43.6
5/25/25 0:50 == 48	5/25/25 5:20 == 48.2	5/25/25 9:50 == 35.1	5/25/25 14:20 == 36.9
5/25/25 0:55 == 47.9	5/25/25 5:25 == 48	5/25/25 9:55 == 34	5/25/25 14:25 == 34.1
5/25/25 1:00 == 48	5/25/25 5:30 == 43.7	5/25/25 10:00 == 33.9	5/25/25 14:30 == 34
5/25/25 1:05 == 48	5/25/25 5:35 == 34.7	5/25/25 10:05 == 34	5/25/25 14:35 == 33.9
5/25/25 1:10 == 47.8	5/25/25 5:40 == 34	5/25/25 10:10 == 34.1	5/25/25 14:40 == 34
5/25/25 1:15 == 47.8	5/25/25 5:45 == 34	5/25/25 10:15 == 34	5/25/25 14:45 == 34.3
5/25/25 1:20 == 48	5/25/25 5:50 == 34	5/25/25 10:20 == 34	5/25/25 14:50 == 34.1
5/25/25 1:25 == 47.8	5/25/25 5:55 == 34	5/25/25 10:25 == 34.3	5/25/25 14:55 == 34.2
5/25/25 1:30 == 42.2	5/25/25 6:00 == 34.1	5/25/25 10:30 == 34.1	5/25/25 15:00 == 34.3
5/25/25 1:35 == 35.3	5/25/25 6:05 == 34.1	5/25/25 10:35 == 34.1	5/25/25 15:05 == 34.3
5/25/25 1:40 == 34.1	5/25/25 6:10 == 34.1	5/25/25 10:40 == 35.1	5/25/25 15:10 == 34.4
5/25/25 1:45 == 34.3	5/25/25 6:15 == 34	5/25/25 10:45 == 34.7	5/25/25 15:15 == 34.5
5/25/25 1:50 == 34.3	5/25/25 6:20 == 34.1	5/25/25 10:50 == 34.7	5/25/25 15:20 == 34.4
5/25/25 1:55 == 34.2	5/25/25 6:25 == 34.2	5/25/25 10:55 == 34.8	5/25/25 15:25 == 34.4
5/25/25 2:00 == 33.8	5/25/25 6:30 == 34.2	5/25/25 11:00 == 36.7	5/25/25 15:30 == 34
5/25/25 2:05 == 33.9	5/25/25 6:35 == 34.2	5/25/25 11:05 == 45.3	5/25/25 15:35 == 34.3
5/25/25 2:10 == 34.2	5/25/25 6:40 == 34.2	5/25/25 11:10 == 47.6	5/25/25 15:40 == 34.2
5/25/25 2:15 == 34.5	5/25/25 6:45 == 37.8	5/25/25 11:15 == 47.9	5/25/25 15:45 == 34.2
5/25/25 2:20 == 34.4	5/25/25 6:50 == 44.6	5/25/25 11:20 == 48	5/25/25 15:50 == 46.6
5/25/25 2:25 == 34.3	5/25/25 6:55 == 47.9	5/25/25 11:25 == 48	5/25/25 15:55 == 47.9
5/25/25 2:30 == 34	5/25/25 7:00 == 48	5/25/25 11:30 == 47.9	5/25/25 16:00 == 48.1
5/25/25 2:35 == 34.2	5/25/25 7:05 == 48.1	5/25/25 11:35 == 48	5/25/25 16:05 == 48.1
5/25/25 2:40 == 34.3	5/25/25 7:10 == 47.9	5/25/25 11:40 == 47.7	5/25/25 16:10 == 47.6
5/25/25 2:45 == 35.4	5/25/25 7:15 == 47.4	5/25/25 11:45 == 47.8	5/25/25 16:15 == 48
5/25/25 2:50 == 47.4	5/25/25 7:20 == 47.9	5/25/25 11:50 == 48	5/25/25 16:20 == 48
5/25/25 2:55 == 47.9	5/25/25 7:25 == 47.9	5/25/25 11:55 == 47.8	5/25/25 16:25 == 47.9
5/25/25 3:00 == 48.1	5/25/25 7:30 == 45.1	5/25/25 12:00 == 43.3	5/25/25 16:30 == 48.1
5/25/25 3:05 == 48	5/25/25 7:35 == 34.6	5/25/25 12:05 == 35.9	5/25/25 16:35 == 48
5/25/25 3:10 == 48	5/25/25 7:40 == 34.8	5/25/25 12:10 == 34.2	5/25/25 16:40 == 47.9
5/25/25 3:15 == 48	5/25/25 7:45 == 34.6	5/25/25 12:15 == 34.1	5/25/25 16:45 == 43.5
5/25/25 3:20 == 47.9	5/25/25 7:50 == 34.7	5/25/25 12:20 == 34.1	5/25/25 16:50 == 36.9
5/25/25 3:25 == 48	5/25/25 7:55 == 34.7	5/25/25 12:25 == 34.1	5/25/25 16:55 == 34.1
5/25/25 3:30 == 48	5/25/25 8:00 == 34.6	5/25/25 12:30 == 34.1	5/25/25 17:00 == 34.1
5/25/25 3:35 == 48	5/25/25 8:05 == 34.6	5/25/25 12:35 == 34.1	5/25/25 17:05 == 34.1
5/25/25 3:40 == 48	5/25/25 8:10 == 34.6	5/25/25 12:40 == 34.1	5/25/25 17:10 == 34.1
5/25/25 3:45 == 42	5/25/25 8:15 == 34.2	5/25/25 12:45 == 34.2	5/25/25 17:15 == 34
5/25/25 3:50 == 35.5	5/25/25 8:20 == 34.3	5/25/25 12:50 == 34.2	5/25/25 17:20 == 34
5/25/25 3:55 == 33.7	5/25/25 8:25 == 34.1	5/25/25 12:55 == 34.2	5/25/25 17:25 == 34.2
5/25/25 4:00 == 33.7	5/25/25 8:30 == 34	5/25/25 13:00 == 34.2	5/25/25 17:30 == 34.4
5/25/25 4:05 == 33.7	5/25/25 8:35 == 33.9	5/25/25 13:05 == 34.2	5/25/25 17:35 == 34.2
5/25/25 4:10 == 33.8	5/25/25 8:40 == 34	5/25/25 13:10 == 34	5/25/25 17:40 == 34.4
5/25/25 4:15 == 33.9	5/25/25 8:45 == 37.5	5/25/25 13:15 == 35.1	5/25/25 17:45 == 34.4
5/25/25 4:20 == 33.9	5/25/25 8:50 == 44.5	5/25/25 13:20 == 46.2	5/25/25 17:50 == 34.3
5/25/25 4:25 == 33.9	5/25/25 8:55 == 47.8	5/25/25 13:25 == 47.4	5/25/25 17:55 == 34.3

Pumpback Station Discharge (0364)

5/25/25 18:00 == 34.2	5/25/25 22:30 == 34.3	5/26/25 3:00 == 34	5/26/25 7:30 == 34.8
5/25/25 18:05 == 34.3	5/25/25 22:35 == 34.3	5/26/25 3:05 == 33.9	5/26/25 7:35 == 34.7
5/25/25 18:10 == 34.2	5/25/25 22:40 == 34.3	5/26/25 3:10 == 34	5/26/25 7:40 == 34.7
5/25/25 18:15 == 34.4	5/25/25 22:45 == 34.1	5/26/25 3:15 == 34	5/26/25 7:45 == 34.6
5/25/25 18:20 == 46	5/25/25 22:50 == 34.1	5/26/25 3:20 == 33.9	5/26/25 7:50 == 34.5
5/25/25 18:25 == 47.7	5/25/25 22:55 == 34.3	5/26/25 3:25 == 34	5/26/25 7:55 == 34.6
5/25/25 18:30 == 47.6	5/25/25 23:00 == 35.4	5/26/25 3:30 == 34.1	5/26/25 8:00 == 34.6
5/25/25 18:35 == 47.9	5/25/25 23:05 == 43.9	5/26/25 3:35 == 34	5/26/25 8:05 == 34.6
5/25/25 18:40 == 47.6	5/25/25 23:10 == 47.7	5/26/25 3:40 == 33.8	5/26/25 8:10 == 34.6
5/25/25 18:45 == 47.8	5/25/25 23:15 == 48	5/26/25 3:45 == 35.8	5/26/25 8:15 == 34.3
5/25/25 18:50 == 48	5/25/25 23:20 == 48.1	5/26/25 3:50 == 42.7	5/26/25 8:20 == 34.2
5/25/25 18:55 == 48	5/25/25 23:25 == 48	5/26/25 3:55 == 47.4	5/26/25 8:25 == 34.1
5/25/25 19:00 == 48	5/25/25 23:30 == 47.5	5/26/25 4:00 == 47.4	5/26/25 8:30 == 34
5/25/25 19:05 == 48	5/25/25 23:35 == 48.1	5/26/25 4:05 == 48.1	5/26/25 8:35 == 33.9
5/25/25 19:10 == 48	5/25/25 23:40 == 47.9	5/26/25 4:10 == 47.9	5/26/25 8:40 == 33.9
5/25/25 19:15 == 43.9	5/25/25 23:45 == 48.1	5/26/25 4:15 == 47.5	5/26/25 8:45 == 33.8
5/25/25 19:20 == 37.2	5/25/25 23:50 == 47.9	5/26/25 4:20 == 47.9	5/26/25 8:50 == 33.8
5/25/25 19:25 == 34.1	5/25/25 23:55 == 48	5/26/25 4:25 == 47.8	5/26/25 8:55 == 33.9
5/25/25 19:30 == 34	5/26/25 0:00 == 44.9	5/26/25 4:30 == 47.7	5/26/25 9:00 == 33.8
5/25/25 19:35 == 34.1	5/26/25 0:05 == 36.4	5/26/25 4:35 == 48.2	5/26/25 9:05 == 33.8
5/25/25 19:40 == 34.3	5/26/25 0:10 == 33.8	5/26/25 4:40 == 47.9	5/26/25 9:10 == 33.7
5/25/25 19:45 == 34.4	5/26/25 0:15 == 33.7	5/26/25 4:45 == 47.3	5/26/25 9:15 == 33.8
5/25/25 19:50 == 34.2	5/26/25 0:20 == 33.8	5/26/25 4:50 == 35.6	5/26/25 9:20 == 33.8
5/25/25 19:55 == 34.3	5/26/25 0:25 == 33.9	5/26/25 4:55 == 34.2	5/26/25 9:25 == 34
5/25/25 20:00 == 34.3	5/26/25 0:30 == 33.9	5/26/25 5:00 == 34.2	5/26/25 9:30 == 34.5
5/25/25 20:05 == 34.2	5/26/25 0:35 == 33.9	5/26/25 5:05 == 34.2	5/26/25 9:35 == 42.4
5/25/25 20:10 == 34.5	5/26/25 0:40 == 34.3	5/26/25 5:10 == 34.2	5/26/25 9:40 == 47.7
5/25/25 20:15 == 34.6	5/26/25 0:45 == 34.5	5/26/25 5:15 == 34.1	5/26/25 9:45 == 48
5/25/25 20:20 == 34.6	5/26/25 0:50 == 34.3	5/26/25 5:20 == 34.1	5/26/25 9:50 == 47.8
5/25/25 20:25 == 34.5	5/26/25 0:55 == 34.4	5/26/25 5:25 == 34.1	5/26/25 9:55 == 48
5/25/25 20:30 == 34.4	5/26/25 1:00 == 34.4	5/26/25 5:30 == 34	5/26/25 10:00 == 48.2
5/25/25 20:35 == 34.5	5/26/25 1:05 == 34.3	5/26/25 5:35 == 34	5/26/25 10:05 == 48
5/25/25 20:40 == 34.6	5/26/25 1:10 == 34.4	5/26/25 5:40 == 34.1	5/26/25 10:10 == 48.1
5/25/25 20:45 == 34.4	5/26/25 1:15 == 34.3	5/26/25 5:45 == 34.1	5/26/25 10:15 == 48.1
5/25/25 20:50 == 45.9	5/26/25 1:20 == 34.3	5/26/25 5:50 == 34	5/26/25 10:20 == 48.1
5/25/25 20:55 == 47.7	5/26/25 1:25 == 34.5	5/26/25 5:55 == 34.2	5/26/25 10:25 == 47.7
5/25/25 21:00 == 47.9	5/26/25 1:30 == 36	5/26/25 6:00 == 36.1	5/26/25 10:30 == 45.9
5/25/25 21:05 == 48.1	5/26/25 1:35 == 43.5	5/26/25 6:05 == 42	5/26/25 10:35 == 37.8
5/25/25 21:10 == 47.9	5/26/25 1:40 == 47.7	5/26/25 6:10 == 47.6	5/26/25 10:40 == 34.7
5/25/25 21:15 == 47.5	5/26/25 1:45 == 48	5/26/25 6:15 == 48	5/26/25 10:45 == 34.9
5/25/25 21:20 == 47.9	5/26/25 1:50 == 48.1	5/26/25 6:20 == 48.1	5/26/25 10:50 == 34.7
5/25/25 21:25 == 47.5	5/26/25 1:55 == 48	5/26/25 6:25 == 48.1	5/26/25 10:55 == 34.7
5/25/25 21:30 == 47.7	5/26/25 2:00 == 48.2	5/26/25 6:30 == 48.1	5/26/25 11:00 == 34.8
5/25/25 21:35 == 47.9	5/26/25 2:05 == 47.4	5/26/25 6:35 == 48	5/26/25 11:05 == 34.8
5/25/25 21:40 == 47.6	5/26/25 2:10 == 47.4	5/26/25 6:40 == 48	5/26/25 11:10 == 35
5/25/25 21:45 == 44.4	5/26/25 2:15 == 47.7	5/26/25 6:45 == 47.4	5/26/25 11:15 == 35.1
5/25/25 21:50 == 37.6	5/26/25 2:20 == 47.8	5/26/25 6:50 == 48	5/26/25 11:20 == 34.9
5/25/25 21:55 == 34.4	5/26/25 2:25 == 48	5/26/25 6:55 == 47.9	5/26/25 11:25 == 34.9
5/25/25 22:00 == 34.4	5/26/25 2:30 == 46.1	5/26/25 7:00 == 47.4	5/26/25 11:30 == 35
5/25/25 22:05 == 34.4	5/26/25 2:35 == 36.9	5/26/25 7:05 == 35.7	5/26/25 11:35 == 35
5/25/25 22:10 == 34.4	5/26/25 2:40 == 34.4	5/26/25 7:10 == 34.7	5/26/25 11:40 == 35.2
5/25/25 22:15 == 34.3	5/26/25 2:45 == 34.3	5/26/25 7:15 == 34.6	5/26/25 11:45 == 35.2
5/25/25 22:20 == 34.3	5/26/25 2:50 == 34.3	5/26/25 7:20 == 34.7	5/26/25 11:50 == 35
5/25/25 22:25 == 34.4	5/26/25 2:55 == 34.1	5/26/25 7:25 == 34.7	5/26/25 11:55 == 34.8

Pumpback Station Discharge (0364)

5/26/25 12:00 == 34.9	5/26/25 16:30 == 34.4	5/26/25 21:00 == 34.5	5/27/25 1:30 == 47.7
5/26/25 12:05 == 42.5	5/26/25 16:35 == 34.4	5/26/25 21:05 == 34.6	5/27/25 1:35 == 48
5/26/25 12:10 == 47.3	5/26/25 16:40 == 34.3	5/26/25 21:10 == 34.6	5/27/25 1:40 == 47.9
5/26/25 12:15 == 47.9	5/26/25 16:45 == 34.3	5/26/25 21:15 == 34.5	5/27/25 1:45 == 48
5/26/25 12:20 == 48	5/26/25 16:50 == 34.3	5/26/25 21:20 == 34.4	5/27/25 1:50 == 48.2
5/26/25 12:25 == 48	5/26/25 16:55 == 34.3	5/26/25 21:25 == 34.6	5/27/25 1:55 == 47.6
5/26/25 12:30 == 48	5/26/25 17:00 == 34.2	5/26/25 21:30 == 34.7	5/27/25 2:00 == 47.7
5/26/25 12:35 == 47.8	5/26/25 17:05 == 34.3	5/26/25 21:35 == 34.6	5/27/25 2:05 == 47.9
5/26/25 12:40 == 47.9	5/26/25 17:10 == 34.2	5/26/25 21:40 == 34.7	5/27/25 2:10 == 47.6
5/26/25 12:45 == 48.2	5/26/25 17:15 == 34.7	5/26/25 21:45 == 34.7	5/27/25 2:15 == 46.9
5/26/25 12:50 == 47.9	5/26/25 17:20 == 41.5	5/26/25 21:50 == 34.6	5/27/25 2:20 == 39.7
5/26/25 12:55 == 48.1	5/26/25 17:25 == 47.2	5/26/25 21:55 == 34.6	5/27/25 2:25 == 34.4
5/26/25 13:00 == 48.1	5/26/25 17:30 == 47.5	5/26/25 22:00 == 34.6	5/27/25 2:30 == 34.2
5/26/25 13:05 == 47.9	5/26/25 17:35 == 48.1	5/26/25 22:05 == 34.7	5/27/25 2:35 == 34.2
5/26/25 13:10 == 48	5/26/25 17:40 == 48.2	5/26/25 22:10 == 34.7	5/27/25 2:40 == 34.3
5/26/25 13:15 == 46.4	5/26/25 17:45 == 48	5/26/25 22:15 == 34.5	5/27/25 2:45 == 34.3
5/26/25 13:20 == 38.4	5/26/25 17:50 == 48.2	5/26/25 22:20 == 34.4	5/27/25 2:50 == 34.2
5/26/25 13:25 == 34.1	5/26/25 17:55 == 48.1	5/26/25 22:25 == 34.8	5/27/25 2:55 == 34.1
5/26/25 13:30 == 34.3	5/26/25 18:00 == 48	5/26/25 22:30 == 34.8	5/27/25 3:00 == 33.9
5/26/25 13:35 == 34.1	5/26/25 18:05 == 48	5/26/25 22:35 == 41.1	5/27/25 3:05 == 34
5/26/25 13:40 == 34	5/26/25 18:10 == 48	5/26/25 22:40 == 47.5	5/27/25 3:10 == 34
5/26/25 13:45 == 34.1	5/26/25 18:15 == 47.1	5/26/25 22:45 == 47.9	5/27/25 3:15 == 34
5/26/25 13:50 == 34.1	5/26/25 18:20 == 38.3	5/26/25 22:50 == 47.9	5/27/25 3:20 == 34
5/26/25 13:55 == 34.1	5/26/25 18:25 == 34.3	5/26/25 22:55 == 48.2	5/27/25 3:25 == 33.9
5/26/25 14:00 == 34	5/26/25 18:30 == 34.2	5/26/25 23:00 == 48	5/27/25 3:30 == 33.9
5/26/25 14:05 == 34	5/26/25 18:35 == 34.2	5/26/25 23:05 == 48.1	5/27/25 3:35 == 33.8
5/26/25 14:10 == 34.1	5/26/25 18:40 == 34.3	5/26/25 23:10 == 48.2	5/27/25 3:40 == 33.8
5/26/25 14:15 == 34.1	5/26/25 18:45 == 34.4	5/26/25 23:15 == 47.9	5/27/25 3:45 == 33.6
5/26/25 14:20 == 34	5/26/25 18:50 == 34.3	5/26/25 23:20 == 47.9	5/27/25 3:50 == 39.9
5/26/25 14:25 == 34	5/26/25 18:55 == 34.3	5/26/25 23:25 == 47.9	5/27/25 3:55 == 46.9
5/26/25 14:30 == 33.7	5/26/25 19:00 == 34.4	5/26/25 23:30 == 47.2	5/27/25 4:00 == 47.8
5/26/25 14:35 == 34	5/26/25 19:05 == 34.4	5/26/25 23:35 == 38.8	5/27/25 4:05 == 47.7
5/26/25 14:40 == 34.2	5/26/25 19:10 == 34.4	5/26/25 23:40 == 34.1	5/27/25 4:10 == 47.4
5/26/25 14:45 == 33.9	5/26/25 19:15 == 34.4	5/26/25 23:45 == 33.8	5/27/25 4:15 == 47.8
5/26/25 14:50 == 34.1	5/26/25 19:20 == 34.3	5/26/25 23:50 == 33.7	5/27/25 4:20 == 47.9
5/26/25 14:55 == 34.1	5/26/25 19:25 == 34.1	5/26/25 23:55 == 33.7	5/27/25 4:25 == 47.6
5/26/25 15:00 == 34.3	5/26/25 19:30 == 34.3	5/27/25 0:00 == 33.7	5/27/25 4:30 == 47.8
5/26/25 15:05 == 42.8	5/26/25 19:35 == 34.1	5/27/25 0:05 == 33.7	5/27/25 4:35 == 48
5/26/25 15:10 == 47	5/26/25 19:40 == 34.5	5/27/25 0:10 == 33.7	5/27/25 4:40 == 48
5/26/25 15:15 == 47.8	5/26/25 19:45 == 34.5	5/27/25 0:15 == 33.9	5/27/25 4:45 == 47.9
5/26/25 15:20 == 47.9	5/26/25 19:50 == 34.4	5/27/25 0:20 == 34.1	5/27/25 4:50 == 39.7
5/26/25 15:25 == 48	5/26/25 19:55 == 34.4	5/27/25 0:25 == 34.1	5/27/25 4:55 == 34.4
5/26/25 15:30 == 47.9	5/26/25 20:00 == 34.5	5/27/25 0:30 == 34.1	5/27/25 5:00 == 34.4
5/26/25 15:35 == 48	5/26/25 20:05 == 42.2	5/27/25 0:35 == 34.2	5/27/25 5:05 == 34.3
5/26/25 15:40 == 48	5/26/25 20:10 == 47.1	5/27/25 0:40 == 34.5	5/27/25 5:10 == 34.2
5/26/25 15:45 == 46.3	5/26/25 20:15 == 47.7	5/27/25 0:45 == 34.8	5/27/25 5:15 == 34.2
5/26/25 15:50 == 38.5	5/26/25 20:20 == 48	5/27/25 0:50 == 34.8	5/27/25 5:20 == 34.3
5/26/25 15:55 == 34.6	5/26/25 20:25 == 48.1	5/27/25 0:55 == 34.8	5/27/25 5:25 == 34.3
5/26/25 16:00 == 34.7	5/26/25 20:30 == 47.9	5/27/25 1:00 == 34.9	5/27/25 5:30 == 34.2
5/26/25 16:05 == 34.7	5/26/25 20:35 == 48	5/27/25 1:05 == 34.8	5/27/25 5:35 == 34.3
5/26/25 16:10 == 34.8	5/26/25 20:40 == 48	5/27/25 1:10 == 34.9	5/27/25 5:40 == 34.2
5/26/25 16:15 == 34.7	5/26/25 20:45 == 48.1	5/27/25 1:15 == 34.7	5/27/25 5:45 == 34.2
5/26/25 16:20 == 34.5	5/26/25 20:50 == 38.6	5/27/25 1:20 == 41.1	5/27/25 5:50 == 34.3
5/26/25 16:25 == 34.5	5/26/25 20:55 == 34.4	5/27/25 1:25 == 47.3	5/27/25 5:55 == 34.3

Pumpback Station Discharge (0364)

5/27/25 6:00 == 34.3	5/27/25 10:30 == 34.2	5/27/25 15:00 == 34.2	5/27/25 19:30 == 47.9
5/27/25 6:05 == 34.4	5/27/25 10:35 == 34.2	5/27/25 15:05 == 34.2	5/27/25 19:35 == 47.9
5/27/25 6:10 == 34.4	5/27/25 10:40 == 34.5	5/27/25 15:10 == 34.3	5/27/25 19:40 == 47.9
5/27/25 6:15 == 34.3	5/27/25 10:45 == 34.9	5/27/25 15:15 == 34.3	5/27/25 19:45 == 47.8
5/27/25 6:20 == 34.4	5/27/25 10:50 == 34.9	5/27/25 15:20 == 34.2	5/27/25 19:50 == 48.1
5/27/25 6:25 == 34.3	5/27/25 10:55 == 34.9	5/27/25 15:25 == 34.2	5/27/25 19:55 == 48
5/27/25 6:30 == 34.3	5/27/25 11:00 == 35	5/27/25 15:30 == 34.2	5/27/25 20:00 == 48
5/27/25 6:35 == 40.8	5/27/25 11:05 == 35.1	5/27/25 15:35 == 34.2	5/27/25 20:05 == 41.2
5/27/25 6:40 == 46.3	5/27/25 11:10 == 35.2	5/27/25 15:40 == 34.2	5/27/25 20:10 == 35.9
5/27/25 6:45 == 47.7	5/27/25 11:15 == 35.4	5/27/25 15:45 == 34.1	5/27/25 20:15 == 34.6
5/27/25 6:50 == 47.8	5/27/25 11:20 == 35.3	5/27/25 15:50 == 34.1	5/27/25 20:20 == 34.5
5/27/25 6:55 == 48	5/27/25 11:25 == 35.4	5/27/25 15:55 == 34.2	5/27/25 20:25 == 34.4
5/27/25 7:00 == 48.1	5/27/25 11:30 == 35.4	5/27/25 16:00 == 34.3	5/27/25 20:30 == 34.3
5/27/25 7:05 == 48.1	5/27/25 11:35 == 39.8	5/27/25 16:05 == 34.4	5/27/25 20:35 == 34.3
5/27/25 7:10 == 47.6	5/27/25 11:40 == 47.5	5/27/25 16:10 == 34.4	5/27/25 20:40 == 34.3
5/27/25 7:15 == 47.7	5/27/25 11:45 == 47.8	5/27/25 16:15 == 34.5	5/27/25 20:45 == 34.3
5/27/25 7:20 == 39.4	5/27/25 11:50 == 48	5/27/25 16:20 == 34.5	5/27/25 20:50 == 34.4
5/27/25 7:25 == 34.4	5/27/25 11:55 == 48	5/27/25 16:25 == 34.4	5/27/25 20:55 == 34.4
5/27/25 7:30 == 34.4	5/27/25 12:00 == 48.1	5/27/25 16:30 == 34.4	5/27/25 21:00 == 34.3
5/27/25 7:35 == 34.3	5/27/25 12:05 == 48.1	5/27/25 16:35 == 34.4	5/27/25 21:05 == 34.4
5/27/25 7:40 == 34.5	5/27/25 12:10 == 47.4	5/27/25 16:40 == 34.6	5/27/25 21:10 == 34.3
5/27/25 7:45 == 34.4	5/27/25 12:15 == 47.3	5/27/25 16:45 == 34.4	5/27/25 21:15 == 34.2
5/27/25 7:50 == 34.2	5/27/25 12:20 == 47.8	5/27/25 16:50 == 38.1	5/27/25 21:20 == 37
5/27/25 7:55 == 34.5	5/27/25 12:25 == 48.1	5/27/25 16:55 == 46.7	5/27/25 21:25 == 48.2
5/27/25 8:00 == 34.6	5/27/25 12:30 == 47.7	5/27/25 17:00 == 47.9	5/27/25 21:30 == 47.9
5/27/25 8:05 == 34.5	5/27/25 12:35 == 40.6	5/27/25 17:05 == 47.8	5/27/25 21:35 == 48
5/27/25 8:10 == 34.5	5/27/25 12:40 == 35.2	5/27/25 17:10 == 47	5/27/25 21:40 == 47.9
5/27/25 8:15 == 34.2	5/27/25 12:45 == 34.4	5/27/25 17:15 == 47.5	5/27/25 21:45 == 47.9
5/27/25 8:20 == 34.3	5/27/25 12:50 == 34.3	5/27/25 17:20 == 48	5/27/25 21:50 == 48
5/27/25 8:25 == 34.2	5/27/25 12:55 == 34.3	5/27/25 17:25 == 47.8	5/27/25 21:55 == 47.7
5/27/25 8:30 == 33.7	5/27/25 13:00 == 34.3	5/27/25 17:30 == 47.8	5/27/25 22:00 == 48.2
5/27/25 8:35 == 33.8	5/27/25 13:05 == 34.3	5/27/25 17:35 == 40.8	5/27/25 22:05 == 41.7
5/27/25 8:40 == 33.9	5/27/25 13:10 == 34.4	5/27/25 17:40 == 35.4	5/27/25 22:10 == 34.9
5/27/25 8:45 == 34	5/27/25 13:15 == 34.3	5/27/25 17:45 == 34.2	5/27/25 22:15 == 34
5/27/25 8:50 == 33.8	5/27/25 13:20 == 34.4	5/27/25 17:50 == 34.2	5/27/25 22:20 == 33.9
5/27/25 8:55 == 33.9	5/27/25 13:25 == 34.3	5/27/25 17:55 == 34.3	5/27/25 22:25 == 33.9
5/27/25 9:00 == 33.8	5/27/25 13:30 == 34	5/27/25 18:00 == 34.1	5/27/25 22:30 == 33.9
5/27/25 9:05 == 39.4	5/27/25 13:35 == 33.9	5/27/25 18:05 == 34.1	5/27/25 22:35 == 34.1
5/27/25 9:10 == 46.9	5/27/25 13:40 == 34.1	5/27/25 18:10 == 34.1	5/27/25 22:40 == 34
5/27/25 9:15 == 48.1	5/27/25 13:45 == 34.2	5/27/25 18:15 == 34	5/27/25 22:45 == 34
5/27/25 9:20 == 48	5/27/25 13:50 == 34.2	5/27/25 18:20 == 34	5/27/25 22:50 == 34
5/27/25 9:25 == 48.1	5/27/25 13:55 == 34.1	5/27/25 18:25 == 34.3	5/27/25 22:55 == 34.2
5/27/25 9:30 == 47.8	5/27/25 14:00 == 34.2	5/27/25 18:30 == 34.6	5/27/25 23:00 == 34.2
5/27/25 9:35 == 48	5/27/25 14:05 == 38	5/27/25 18:35 == 34.4	5/27/25 23:05 == 38.4
5/27/25 9:40 == 47.6	5/27/25 14:10 == 48.2	5/27/25 18:40 == 34.4	5/27/25 23:10 == 44.8
5/27/25 9:45 == 47.9	5/27/25 14:15 == 47.9	5/27/25 18:45 == 34.3	5/27/25 23:15 == 47.7
5/27/25 9:50 == 39.6	5/27/25 14:20 == 47.8	5/27/25 18:50 == 34.3	5/27/25 23:20 == 47.9
5/27/25 9:55 == 34.4	5/27/25 14:25 == 47.8	5/27/25 18:55 == 34.4	5/27/25 23:25 == 47.9
5/27/25 10:00 == 33.9	5/27/25 14:30 == 47.9	5/27/25 19:00 == 34.2	5/27/25 23:30 == 47.7
5/27/25 10:05 == 33.8	5/27/25 14:35 == 48	5/27/25 19:05 == 34.2	5/27/25 23:35 == 42.8
5/27/25 10:10 == 34	5/27/25 14:40 == 48	5/27/25 19:10 == 34.4	5/27/25 23:40 == 34.1
5/27/25 10:15 == 34.1	5/27/25 14:45 == 48.1	5/27/25 19:15 == 34.2	5/27/25 23:45 == 33.7
5/27/25 10:20 == 34.1	5/27/25 14:50 == 40	5/27/25 19:20 == 38.1	5/27/25 23:50 == 33.7
5/27/25 10:25 == 34.2	5/27/25 14:55 == 34.8	5/27/25 19:25 == 47.3	5/27/25 23:55 == 33.7

Pumpback Station Discharge (0364)

5/28/25 0:00 == 33.7	5/28/25 4:30 == 34.3	5/28/25 9:00 == 33.7	5/28/25 13:30 == 33.9
5/28/25 0:05 == 33.9	5/28/25 4:35 == 34.1	5/28/25 9:05 == 33.7	5/28/25 13:35 == 33.7
5/28/25 0:10 == 33.9	5/28/25 4:40 == 34.3	5/28/25 9:10 == 33.8	5/28/25 13:40 == 34.2
5/28/25 0:15 == 33.6	5/28/25 4:45 == 34.4	5/28/25 9:15 == 33.9	5/28/25 13:45 == 34
5/28/25 0:20 == 34	5/28/25 4:50 == 34.2	5/28/25 9:20 == 37.7	5/28/25 13:50 == 34.2
5/28/25 0:25 == 34.1	5/28/25 4:55 == 34.1	5/28/25 9:25 == 44	5/28/25 13:55 == 34.1
5/28/25 0:30 == 33.8	5/28/25 5:00 == 34.1	5/28/25 9:30 == 47.4	5/28/25 14:00 == 34.1
5/28/25 0:35 == 33.8	5/28/25 5:05 == 34.1	5/28/25 9:35 == 48	5/28/25 14:05 == 34
5/28/25 0:40 == 34	5/28/25 5:10 == 34.1	5/28/25 9:40 == 48	5/28/25 14:10 == 34
5/28/25 0:45 == 34	5/28/25 5:15 == 34	5/28/25 9:45 == 48	5/28/25 14:15 == 33.9
5/28/25 0:50 == 37.5	5/28/25 5:20 == 34	5/28/25 9:50 == 48	5/28/25 14:20 == 33.8
5/28/25 0:55 == 45.5	5/28/25 5:25 == 34.2	5/28/25 9:55 == 47.8	5/28/25 14:25 == 33.8
5/28/25 1:00 == 47.5	5/28/25 5:30 == 34.1	5/28/25 10:00 == 47.6	5/28/25 14:30 == 33.7
5/28/25 1:05 == 48	5/28/25 5:35 == 34.2	5/28/25 10:05 == 44.3	5/28/25 14:35 == 33.7
5/28/25 1:10 == 48	5/28/25 5:40 == 34.1	5/28/25 10:10 == 34.3	5/28/25 14:40 == 33.7
5/28/25 1:15 == 48.1	5/28/25 5:45 == 34.1	5/28/25 10:15 == 34.1	5/28/25 14:45 == 33.7
5/28/25 1:20 == 48	5/28/25 5:50 == 36.5	5/28/25 10:20 == 34.1	5/28/25 14:50 == 33.8
5/28/25 1:25 == 48.1	5/28/25 5:55 == 46.6	5/28/25 10:25 == 34.3	5/28/25 14:55 == 33.9
5/28/25 1:30 == 48.1	5/28/25 6:00 == 47.8	5/28/25 10:30 == 34.3	5/28/25 15:00 == 34.1
5/28/25 1:35 == 41.9	5/28/25 6:05 == 47.9	5/28/25 10:35 == 34.4	5/28/25 15:05 == 36.9
5/28/25 1:40 == 35.6	5/28/25 6:10 == 48.1	5/28/25 10:40 == 34.7	5/28/25 15:10 == 44.1
5/28/25 1:45 == 34.3	5/28/25 6:15 == 48.1	5/28/25 10:45 == 34.7	5/28/25 15:15 == 47.6
5/28/25 1:50 == 34.5	5/28/25 6:20 == 48	5/28/25 10:50 == 34.8	5/28/25 15:20 == 47.9
5/28/25 1:55 == 34.4	5/28/25 6:25 == 47.5	5/28/25 10:55 == 35.1	5/28/25 15:25 == 48
5/28/25 2:00 == 34	5/28/25 6:30 == 47.7	5/28/25 11:00 == 35.1	5/28/25 15:30 == 48.1
5/28/25 2:05 == 33.8	5/28/25 6:35 == 48	5/28/25 11:05 == 35.1	5/28/25 15:35 == 48
5/28/25 2:10 == 34	5/28/25 6:40 == 48	5/28/25 11:10 == 35.4	5/28/25 15:40 == 48.1
5/28/25 2:15 == 34	5/28/25 6:45 == 48	5/28/25 11:15 == 35.1	5/28/25 15:45 == 47.9
5/28/25 2:20 == 33.9	5/28/25 6:50 == 42.2	5/28/25 11:20 == 35.3	5/28/25 15:50 == 46.4
5/28/25 2:25 == 34.1	5/28/25 6:55 == 35.8	5/28/25 11:25 == 35.2	5/28/25 15:55 == 34.1
5/28/25 2:30 == 34.3	5/28/25 7:00 == 34.2	5/28/25 11:30 == 35.3	5/28/25 16:00 == 33.9
5/28/25 2:35 == 34.1	5/28/25 7:05 == 34.1	5/28/25 11:35 == 35.2	5/28/25 16:05 == 33.8
5/28/25 2:40 == 34.2	5/28/25 7:10 == 34.3	5/28/25 11:40 == 35.6	5/28/25 16:10 == 33.8
5/28/25 2:45 == 34	5/28/25 7:15 == 34.7	5/28/25 11:45 == 35.5	5/28/25 16:15 == 33.8
5/28/25 2:50 == 33.9	5/28/25 7:20 == 34.6	5/28/25 11:50 == 35.4	5/28/25 16:20 == 33.7
5/28/25 2:55 == 34.1	5/28/25 7:25 == 34.7	5/28/25 11:55 == 35.2	5/28/25 16:25 == 33.7
5/28/25 3:00 == 33.7	5/28/25 7:30 == 34.8	5/28/25 12:00 == 34.9	5/28/25 16:30 == 33.6
5/28/25 3:05 == 36.4	5/28/25 7:35 == 34.8	5/28/25 12:05 == 34.7	5/28/25 16:35 == 33.8
5/28/25 3:10 == 47.1	5/28/25 7:40 == 34.8	5/28/25 12:10 == 34.7	5/28/25 16:40 == 33.8
5/28/25 3:15 == 47.8	5/28/25 7:45 == 34.7	5/28/25 12:15 == 34.6	5/28/25 16:45 == 33.8
5/28/25 3:20 == 48	5/28/25 7:50 == 34.6	5/28/25 12:20 == 37.8	5/28/25 16:50 == 33.8
5/28/25 3:25 == 47.8	5/28/25 7:55 == 34.7	5/28/25 12:25 == 44.6	5/28/25 16:55 == 33.6
5/28/25 3:30 == 47.9	5/28/25 8:00 == 34.8	5/28/25 12:30 == 47.8	5/28/25 17:00 == 33.5
5/28/25 3:35 == 48.1	5/28/25 8:05 == 34.8	5/28/25 12:35 == 48	5/28/25 17:05 == 33.5
5/28/25 3:40 == 48.1	5/28/25 8:10 == 34.9	5/28/25 12:40 == 47.9	5/28/25 17:10 == 33.5
5/28/25 3:45 == 48.1	5/28/25 8:15 == 34.3	5/28/25 12:45 == 47.9	5/28/25 17:15 == 33.6
5/28/25 3:50 == 48	5/28/25 8:20 == 34.1	5/28/25 12:50 == 47.8	5/28/25 17:20 == 33.5
5/28/25 3:55 == 47.4	5/28/25 8:25 == 34.2	5/28/25 12:55 == 48.1	5/28/25 17:25 == 33.6
5/28/25 4:00 == 47.7	5/28/25 8:30 == 33.7	5/28/25 13:00 == 48.1	5/28/25 17:30 == 33.8
5/28/25 4:05 == 42	5/28/25 8:35 == 33.8	5/28/25 13:05 == 47.9	5/28/25 17:35 == 33.6
5/28/25 4:10 == 35.7	5/28/25 8:40 == 33.9	5/28/25 13:10 == 47.9	5/28/25 17:40 == 33.6
5/28/25 4:15 == 34	5/28/25 8:45 == 33.7	5/28/25 13:15 == 47.8	5/28/25 17:45 == 33.7
5/28/25 4:20 == 33.9	5/28/25 8:50 == 33.7	5/28/25 13:20 == 45.5	5/28/25 17:50 == 36.2
5/28/25 4:25 == 34.1	5/28/25 8:55 == 33.7	5/28/25 13:25 == 34.3	5/28/25 17:55 == 44.4

Pumpback Station Discharge (0364)

5/28/25 18:00 == 47.9	5/28/25 22:30 == 33.5	5/29/25 3:00 == 33.5	5/29/25 7:30 == 33.9
5/28/25 18:05 == 47.9	5/28/25 22:35 == 33.5	5/29/25 3:05 == 33.4	5/29/25 7:35 == 33.9
5/28/25 18:10 == 48.1	5/28/25 22:40 == 33.5	5/29/25 3:10 == 33.4	5/29/25 7:40 == 33.8
5/28/25 18:15 == 47.4	5/28/25 22:45 == 33.4	5/29/25 3:15 == 33.4	5/29/25 7:45 == 34
5/28/25 18:20 == 48	5/28/25 22:50 == 33.4	5/29/25 3:20 == 33.5	5/29/25 7:50 == 34
5/28/25 18:25 == 48	5/28/25 22:55 == 33.5	5/29/25 3:25 == 33.4	5/29/25 7:55 == 33.9
5/28/25 18:30 == 47.5	5/28/25 23:00 == 33.5	5/29/25 3:30 == 33.2	5/29/25 8:00 == 33.8
5/28/25 18:35 == 48	5/28/25 23:05 == 33.6	5/29/25 3:35 == 35.4	5/29/25 8:05 == 34
5/28/25 18:40 == 48	5/28/25 23:10 == 33.6	5/29/25 3:40 == 42	5/29/25 8:10 == 33.8
5/28/25 18:45 == 47.4	5/28/25 23:15 == 33.4	5/29/25 3:45 == 47.6	5/29/25 8:15 == 33.8
5/28/25 18:50 == 45	5/28/25 23:20 == 33.6	5/29/25 3:50 == 48	5/29/25 8:20 == 33.8
5/28/25 18:55 == 35.2	5/28/25 23:25 == 33.4	5/29/25 3:55 == 47.7	5/29/25 8:25 == 33.7
5/28/25 19:00 == 33.7	5/28/25 23:30 == 33.5	5/29/25 4:00 == 47.4	5/29/25 8:30 == 33.4
5/28/25 19:05 == 33.6	5/28/25 23:35 == 33.9	5/29/25 4:05 == 47.8	5/29/25 8:35 == 34.8
5/28/25 19:10 == 33.7	5/28/25 23:40 == 44.7	5/29/25 4:10 == 47.7	5/29/25 8:40 == 42.2
5/28/25 19:15 == 33.6	5/28/25 23:45 == 48.2	5/29/25 4:15 == 47.4	5/29/25 8:45 == 47.8
5/28/25 19:20 == 33.5	5/28/25 23:50 == 47.9	5/29/25 4:20 == 45.7	5/29/25 8:50 == 48
5/28/25 19:25 == 33.6	5/28/25 23:55 == 48	5/29/25 4:25 == 36.2	5/29/25 8:55 == 48
5/28/25 19:30 == 33.6	5/29/25 0:00 == 48	5/29/25 4:30 == 33.5	5/29/25 9:00 == 47.9
5/28/25 19:35 == 33.6	5/29/25 0:05 == 48	5/29/25 4:35 == 33.6	5/29/25 9:05 == 47.9
5/28/25 19:40 == 33.6	5/29/25 0:10 == 47.5	5/29/25 4:40 == 33.6	5/29/25 9:10 == 48
5/28/25 19:45 == 33.6	5/29/25 0:15 == 47.8	5/29/25 4:45 == 33.7	5/29/25 9:15 == 48.1
5/28/25 19:50 == 33.6	5/29/25 0:20 == 44.8	5/29/25 4:50 == 33.8	5/29/25 9:20 == 47.8
5/28/25 19:55 == 33.6	5/29/25 0:25 == 36.2	5/29/25 4:55 == 33.7	5/29/25 9:25 == 47
5/28/25 20:00 == 33.5	5/29/25 0:30 == 33.5	5/29/25 5:00 == 33.6	5/29/25 9:30 == 47.1
5/28/25 20:05 == 33.6	5/29/25 0:35 == 33.5	5/29/25 5:05 == 33.8	5/29/25 9:35 == 46.2
5/28/25 20:10 == 33.8	5/29/25 0:40 == 33.5	5/29/25 5:10 == 33.5	5/29/25 9:40 == 36.2
5/28/25 20:15 == 34	5/29/25 0:45 == 33.5	5/29/25 5:15 == 33.5	5/29/25 9:45 == 33.3
5/28/25 20:20 == 33.8	5/29/25 0:50 == 33.5	5/29/25 5:20 == 33.4	5/29/25 9:50 == 33.5
5/28/25 20:25 == 33.8	5/29/25 0:55 == 33.9	5/29/25 5:25 == 33.5	5/29/25 9:55 == 33.3
5/28/25 20:30 == 33.8	5/29/25 1:00 == 34.1	5/29/25 5:30 == 33.4	5/29/25 10:00 == 33.4
5/28/25 20:35 == 33.7	5/29/25 1:05 == 34	5/29/25 5:35 == 34.4	5/29/25 10:05 == 33.6
5/28/25 20:40 == 33.7	5/29/25 1:10 == 33.9	5/29/25 5:40 == 43.4	5/29/25 10:10 == 33.5
5/28/25 20:45 == 33.6	5/29/25 1:15 == 33.7	5/29/25 5:45 == 47.7	5/29/25 10:15 == 33.5
5/28/25 20:50 == 34.7	5/29/25 1:20 == 33.7	5/29/25 5:50 == 48	5/29/25 10:20 == 33.4
5/28/25 20:55 == 44.9	5/29/25 1:25 == 33.9	5/29/25 5:55 == 48	5/29/25 10:25 == 33.6
5/28/25 21:00 == 47.3	5/29/25 1:30 == 33.7	5/29/25 6:00 == 48	5/29/25 10:30 == 33.5
5/28/25 21:05 == 47.8	5/29/25 1:35 == 33.8	5/29/25 6:05 == 48.1	5/29/25 10:35 == 33.6
5/28/25 21:10 == 48	5/29/25 1:40 == 33.9	5/29/25 6:10 == 48	5/29/25 10:40 == 33.8
5/28/25 21:15 == 48	5/29/25 1:45 == 33.7	5/29/25 6:15 == 48	5/29/25 10:45 == 34.1
5/28/25 21:20 == 47.8	5/29/25 1:50 == 35.2	5/29/25 6:20 == 44.6	5/29/25 10:50 == 34.1
5/28/25 21:25 == 47.5	5/29/25 1:55 == 43.7	5/29/25 6:25 == 37.5	5/29/25 10:55 == 34.2
5/28/25 21:30 == 47.8	5/29/25 2:00 == 47	5/29/25 6:30 == 33.5	5/29/25 11:00 == 34.4
5/28/25 21:35 == 48.1	5/29/25 2:05 == 48.1	5/29/25 6:35 == 33.4	5/29/25 11:05 == 34.4
5/28/25 21:40 == 47.9	5/29/25 2:10 == 47.9	5/29/25 6:40 == 33.5	5/29/25 11:10 == 34.6
5/28/25 21:45 == 48	5/29/25 2:15 == 47.6	5/29/25 6:45 == 33.4	5/29/25 11:15 == 34.6
5/28/25 21:50 == 48	5/29/25 2:20 == 47.9	5/29/25 6:50 == 33.5	5/29/25 11:20 == 35.7
5/28/25 21:55 == 48.2	5/29/25 2:25 == 47.7	5/29/25 6:55 == 33.6	5/29/25 11:25 == 41.8
5/28/25 22:00 == 48	5/29/25 2:30 == 47.4	5/29/25 7:00 == 33.6	5/29/25 11:30 == 47.6
5/28/25 22:05 == 43.6	5/29/25 2:35 == 46.5	5/29/25 7:05 == 33.5	5/29/25 11:35 == 48.1
5/28/25 22:10 == 36.4	5/29/25 2:40 == 35.1	5/29/25 7:10 == 33.8	5/29/25 11:40 == 47.8
5/28/25 22:15 == 33.3	5/29/25 2:45 == 33.5	5/29/25 7:15 == 33.8	5/29/25 11:45 == 47.7
5/28/25 22:20 == 33.4	5/29/25 2:50 == 33.5	5/29/25 7:20 == 33.8	5/29/25 11:50 == 48
5/28/25 22:25 == 33.4	5/29/25 2:55 == 33.3	5/29/25 7:25 == 34	5/29/25 11:55 == 47.9

Pumpback Station Discharge (0364)

5/29/25 12:00 == 47.6	5/29/25 16:30 == 33.7	5/29/25 21:00 == 46.7	5/30/25 1:30 == 47.3
5/29/25 12:05 == 47.3	5/29/25 16:35 == 33.7	5/29/25 21:05 == 47.8	5/30/25 1:35 == 48.1
5/29/25 12:10 == 47.4	5/29/25 16:40 == 33.7	5/29/25 21:10 == 48	5/30/25 1:40 == 48
5/29/25 12:15 == 47.5	5/29/25 16:45 == 33.6	5/29/25 21:15 == 47.9	5/30/25 1:45 == 48.2
5/29/25 12:20 == 47	5/29/25 16:50 == 33.6	5/29/25 21:20 == 48	5/30/25 1:50 == 48
5/29/25 12:25 == 36.8	5/29/25 16:55 == 33.5	5/29/25 21:25 == 47.6	5/30/25 1:55 == 47.9
5/29/25 12:30 == 33.8	5/29/25 17:00 == 33.4	5/29/25 21:30 == 47.7	5/30/25 2:00 == 47.4
5/29/25 12:35 == 33.7	5/29/25 17:05 == 35.1	5/29/25 21:35 == 47.9	5/30/25 2:05 == 47.9
5/29/25 12:40 == 33.7	5/29/25 17:10 == 41.1	5/29/25 21:40 == 47.9	5/30/25 2:10 == 38
5/29/25 12:45 == 33.6	5/29/25 17:15 == 47.5	5/29/25 21:45 == 48	5/30/25 2:15 == 33.8
5/29/25 12:50 == 33.7	5/29/25 17:20 == 47.8	5/29/25 21:50 == 46.2	5/30/25 2:20 == 33.6
5/29/25 12:55 == 33.7	5/29/25 17:25 == 48.1	5/29/25 21:55 == 39.7	5/30/25 2:25 == 33.8
5/29/25 13:00 == 33.6	5/29/25 17:30 == 47.6	5/29/25 22:00 == 33.5	5/30/25 2:30 == 33.7
5/29/25 13:05 == 33.7	5/29/25 17:35 == 47.4	5/29/25 22:05 == 33.6	5/30/25 2:35 == 33.6
5/29/25 13:10 == 33.7	5/29/25 17:40 == 37.3	5/29/25 22:10 == 33.5	5/30/25 2:40 == 33.6
5/29/25 13:15 == 33.6	5/29/25 17:45 == 33.5	5/29/25 22:15 == 33.2	5/30/25 2:45 == 33.5
5/29/25 13:20 == 33.7	5/29/25 17:50 == 33.6	5/29/25 22:20 == 33.3	5/30/25 2:50 == 33.4
5/29/25 13:25 == 33.4	5/29/25 17:55 == 33.7	5/29/25 22:25 == 33.3	5/30/25 2:55 == 33.4
5/29/25 13:30 == 33.3	5/29/25 18:00 == 33.7	5/29/25 22:30 == 33.3	5/30/25 3:00 == 33.4
5/29/25 13:35 == 33.2	5/29/25 18:05 == 33.9	5/29/25 22:35 == 33.3	5/30/25 3:05 == 33.4
5/29/25 13:40 == 33.5	5/29/25 18:10 == 33.5	5/29/25 22:40 == 33.4	5/30/25 3:10 == 33.4
5/29/25 13:45 == 33.6	5/29/25 18:15 == 33.5	5/29/25 22:45 == 33.3	5/30/25 3:15 == 33.4
5/29/25 13:50 == 33.5	5/29/25 18:20 == 33.5	5/29/25 22:50 == 33.3	5/30/25 3:20 == 34.1
5/29/25 13:55 == 33.3	5/29/25 18:25 == 33.8	5/29/25 22:55 == 33.4	5/30/25 3:25 == 39.2
5/29/25 14:00 == 33.4	5/29/25 18:30 == 33.8	5/29/25 23:00 == 33.3	5/30/25 3:30 == 48.1
5/29/25 14:05 == 35.1	5/29/25 18:35 == 33.7	5/29/25 23:05 == 33.3	5/30/25 3:35 == 48
5/29/25 14:10 == 41.4	5/29/25 18:40 == 33.7	5/29/25 23:10 == 33.4	5/30/25 3:40 == 48
5/29/25 14:15 == 47.7	5/29/25 18:45 == 33.6	5/29/25 23:15 == 33.4	5/30/25 3:45 == 47.8
5/29/25 14:20 == 48	5/29/25 18:50 == 33.8	5/29/25 23:20 == 33.5	5/30/25 3:50 == 47.9
5/29/25 14:25 == 47.9	5/29/25 18:55 == 41.6	5/29/25 23:25 == 41.5	5/30/25 3:55 == 47.6
5/29/25 14:30 == 47.6	5/29/25 19:00 == 47.7	5/29/25 23:30 == 46.8	5/30/25 4:00 == 47.5
5/29/25 14:35 == 48	5/29/25 19:05 == 47.7	5/29/25 23:35 == 48	5/30/25 4:05 == 48
5/29/25 14:40 == 48	5/29/25 19:10 == 47.6	5/29/25 23:40 == 47.9	5/30/25 4:10 == 47.5
5/29/25 14:45 == 47.9	5/29/25 19:15 == 48	5/29/25 23:45 == 47.6	5/30/25 4:15 == 47.9
5/29/25 14:50 == 48.1	5/29/25 19:20 == 48.1	5/29/25 23:50 == 47.9	5/30/25 4:20 == 48.1
5/29/25 14:55 == 48	5/29/25 19:25 == 48	5/29/25 23:55 == 48	5/30/25 4:25 == 37.9
5/29/25 15:00 == 47.6	5/29/25 19:30 == 48	5/30/25 0:00 == 47.9	5/30/25 4:30 == 34
5/29/25 15:05 == 47.7	5/29/25 19:35 == 46	5/30/25 0:05 == 46.4	5/30/25 4:35 == 33.5
5/29/25 15:10 == 37	5/29/25 19:40 == 39.1	5/30/25 0:10 == 38.9	5/30/25 4:40 == 33.5
5/29/25 15:15 == 33.4	5/29/25 19:45 == 33.5	5/30/25 0:15 == 33.4	5/30/25 4:45 == 33.6
5/29/25 15:20 == 33.8	5/29/25 19:50 == 33.6	5/30/25 0:20 == 33.5	5/30/25 4:50 == 33.5
5/29/25 15:25 == 33.9	5/29/25 19:55 == 33.5	5/30/25 0:25 == 33.4	5/30/25 4:55 == 33.5
5/29/25 15:30 == 33.7	5/29/25 20:00 == 33.4	5/30/25 0:30 == 33.3	5/30/25 5:00 == 33.5
5/29/25 15:35 == 33.7	5/29/25 20:05 == 33.5	5/30/25 0:35 == 33.2	5/30/25 5:05 == 33.6
5/29/25 15:40 == 33.7	5/29/25 20:10 == 33.8	5/30/25 0:40 == 33.3	5/30/25 5:10 == 33.5
5/29/25 15:45 == 33.7	5/29/25 20:15 == 33.7	5/30/25 0:45 == 33.4	5/30/25 5:15 == 33.4
5/29/25 15:50 == 33.6	5/29/25 20:20 == 33.7	5/30/25 0:50 == 33.5	5/30/25 5:20 == 33.3
5/29/25 15:55 == 33.7	5/29/25 20:25 == 33.7	5/30/25 0:55 == 33.9	5/30/25 5:25 == 33.4
5/29/25 16:00 == 33.7	5/29/25 20:30 == 33.5	5/30/25 1:00 == 34	5/30/25 5:30 == 33.4
5/29/25 16:05 == 33.7	5/29/25 20:35 == 33.6	5/30/25 1:05 == 33.9	5/30/25 5:35 == 33.4
5/29/25 16:10 == 33.8	5/29/25 20:40 == 33.7	5/30/25 1:10 == 33.9	5/30/25 5:40 == 33.5
5/29/25 16:15 == 33.8	5/29/25 20:45 == 33.6	5/30/25 1:15 == 33.7	5/30/25 5:45 == 33.6
5/29/25 16:20 == 33.7	5/29/25 20:50 == 33.6	5/30/25 1:20 == 34.2	5/30/25 5:50 == 34.2
5/29/25 16:25 == 33.6	5/29/25 20:55 == 42.1	5/30/25 1:25 == 40.9	5/30/25 5:55 == 39.2

Pumpback Station Discharge (0364)

5/30/25 6:00 == 47.8	5/30/25 10:30 == 33.6	5/30/25 15:00 == 33.7	5/30/25 19:30 == 33.7
5/30/25 6:05 == 48.1	5/30/25 10:35 == 33.6	5/30/25 15:05 == 33.5	5/30/25 19:35 == 33.6
5/30/25 6:10 == 48.1	5/30/25 10:40 == 33.8	5/30/25 15:10 == 33.7	5/30/25 19:40 == 33.5
5/30/25 6:15 == 48.1	5/30/25 10:45 == 33.9	5/30/25 15:15 == 33.6	5/30/25 19:45 == 33.5
5/30/25 6:20 == 48	5/30/25 10:50 == 33.8	5/30/25 15:20 == 33.6	5/30/25 19:50 == 33.5
5/30/25 6:25 == 48.2	5/30/25 10:55 == 38.9	5/30/25 15:25 == 33.8	5/30/25 19:55 == 33.6
5/30/25 6:30 == 47.7	5/30/25 11:00 == 47.6	5/30/25 15:30 == 33.8	5/30/25 20:00 == 33.7
5/30/25 6:35 == 48	5/30/25 11:05 == 47.8	5/30/25 15:35 == 33.9	5/30/25 20:05 == 33.9
5/30/25 6:40 == 48.2	5/30/25 11:10 == 47.6	5/30/25 15:40 == 33.8	5/30/25 20:10 == 33.8
5/30/25 6:45 == 48.2	5/30/25 11:15 == 47.7	5/30/25 15:45 == 33.8	5/30/25 20:15 == 33.7
5/30/25 6:50 == 48	5/30/25 11:20 == 48	5/30/25 15:50 == 33.9	5/30/25 20:20 == 33.9
5/30/25 6:55 == 39	5/30/25 11:25 == 48	5/30/25 15:55 == 43.6	5/30/25 20:25 == 33.6
5/30/25 7:00 == 34	5/30/25 11:30 == 48	5/30/25 16:00 == 47.5	5/30/25 20:30 == 33.6
5/30/25 7:05 == 33.3	5/30/25 11:35 == 47.9	5/30/25 16:05 == 48.1	5/30/25 20:35 == 33.7
5/30/25 7:10 == 33.9	5/30/25 11:40 == 47.6	5/30/25 16:10 == 47.5	5/30/25 20:40 == 33.7
5/30/25 7:15 == 33.9	5/30/25 11:45 == 47.6	5/30/25 16:15 == 47.7	5/30/25 20:45 == 33.6
5/30/25 7:20 == 33.8	5/30/25 11:50 == 44.8	5/30/25 16:20 == 48	5/30/25 20:50 == 33.6
5/30/25 7:25 == 33.9	5/30/25 11:55 == 37.5	5/30/25 16:25 == 48	5/30/25 20:55 == 43
5/30/25 7:30 == 34	5/30/25 12:00 == 33.6	5/30/25 16:30 == 48.1	5/30/25 21:00 == 47.4
5/30/25 7:35 == 34	5/30/25 12:05 == 33.5	5/30/25 16:35 == 45.1	5/30/25 21:05 == 48
5/30/25 7:40 == 34	5/30/25 12:10 == 33.5	5/30/25 16:40 == 37.9	5/30/25 21:10 == 48
5/30/25 7:45 == 33.9	5/30/25 12:15 == 33.6	5/30/25 16:45 == 33.6	5/30/25 21:15 == 47.9
5/30/25 7:50 == 33.8	5/30/25 12:20 == 33.5	5/30/25 16:50 == 33.7	5/30/25 21:20 == 48
5/30/25 7:55 == 33.8	5/30/25 12:25 == 33.7	5/30/25 16:55 == 33.6	5/30/25 21:25 == 48
5/30/25 8:00 == 33.8	5/30/25 12:30 == 33.7	5/30/25 17:00 == 33.5	5/30/25 21:30 == 48.1
5/30/25 8:05 == 33.8	5/30/25 12:35 == 33.7	5/30/25 17:05 == 33.6	5/30/25 21:35 == 46.4
5/30/25 8:10 == 33.8	5/30/25 12:40 == 33.7	5/30/25 17:10 == 33.6	5/30/25 21:40 == 38.3
5/30/25 8:15 == 33.5	5/30/25 12:45 == 33.6	5/30/25 17:15 == 33.4	5/30/25 21:45 == 33.5
5/30/25 8:20 == 33.5	5/30/25 12:50 == 33.5	5/30/25 17:20 == 33.6	5/30/25 21:50 == 33.6
5/30/25 8:25 == 33.3	5/30/25 12:55 == 33.5	5/30/25 17:25 == 33.8	5/30/25 21:55 == 33.5
5/30/25 8:30 == 33.1	5/30/25 13:00 == 33.5	5/30/25 17:30 == 33.7	5/30/25 22:00 == 33.5
5/30/25 8:35 == 33.2	5/30/25 13:05 == 33.5	5/30/25 17:35 == 33.8	5/30/25 22:05 == 33.5
5/30/25 8:40 == 33.2	5/30/25 13:10 == 33.6	5/30/25 17:40 == 33.5	5/30/25 22:10 == 33.6
5/30/25 8:45 == 33.3	5/30/25 13:15 == 33.5	5/30/25 17:45 == 33.7	5/30/25 22:15 == 33.6
5/30/25 8:50 == 33.8	5/30/25 13:20 == 33.5	5/30/25 17:50 == 33.7	5/30/25 22:20 == 33.6
5/30/25 8:55 == 38.6	5/30/25 13:25 == 43.9	5/30/25 17:55 == 33.9	5/30/25 22:25 == 33.6
5/30/25 9:00 == 47.7	5/30/25 13:30 == 47.7	5/30/25 18:00 == 33.9	5/30/25 22:30 == 33.7
5/30/25 9:05 == 48	5/30/25 13:35 == 48	5/30/25 18:05 == 33.7	5/30/25 22:35 == 33.6
5/30/25 9:10 == 48	5/30/25 13:40 == 47.9	5/30/25 18:10 == 34	5/30/25 22:40 == 33.7
5/30/25 9:15 == 47.9	5/30/25 13:45 == 47.9	5/30/25 18:15 == 33.8	5/30/25 22:45 == 33.7
5/30/25 9:20 == 48	5/30/25 13:50 == 48	5/30/25 18:20 == 33.8	5/30/25 22:50 == 33.8
5/30/25 9:25 == 47.6	5/30/25 13:55 == 48	5/30/25 18:25 == 43.3	5/30/25 22:55 == 34
5/30/25 9:30 == 47.9	5/30/25 14:00 == 48	5/30/25 18:30 == 47.4	5/30/25 23:00 == 34
5/30/25 9:35 == 48.1	5/30/25 14:05 == 45.2	5/30/25 18:35 == 47.8	5/30/25 23:05 == 34
5/30/25 9:40 == 38.7	5/30/25 14:10 == 38	5/30/25 18:40 == 47.7	5/30/25 23:10 == 42
5/30/25 9:45 == 33.9	5/30/25 14:15 == 33.2	5/30/25 18:45 == 47.8	5/30/25 23:15 == 47.7
5/30/25 9:50 == 33.2	5/30/25 14:20 == 33.2	5/30/25 18:50 == 48	5/30/25 23:20 == 47.9
5/30/25 9:55 == 33.2	5/30/25 14:25 == 33.4	5/30/25 18:55 == 47.4	5/30/25 23:25 == 48
5/30/25 10:00 == 33.2	5/30/25 14:30 == 33.5	5/30/25 19:00 == 47.7	5/30/25 23:30 == 48
5/30/25 10:05 == 33.3	5/30/25 14:35 == 33.4	5/30/25 19:05 == 47.9	5/30/25 23:35 == 48
5/30/25 10:10 == 33.5	5/30/25 14:40 == 33.4	5/30/25 19:10 == 47.9	5/30/25 23:40 == 48.1
5/30/25 10:15 == 33.6	5/30/25 14:45 == 33.3	5/30/25 19:15 == 47.9	5/30/25 23:45 == 48
5/30/25 10:20 == 33.5	5/30/25 14:50 == 33.4	5/30/25 19:20 == 45.3	5/30/25 23:50 == 48.1
5/30/25 10:25 == 33.5	5/30/25 14:55 == 33.6	5/30/25 19:25 == 38.5	5/30/25 23:55 == 48

Pumpback Station Discharge (0364)

5/31/25 0:00 == 48	5/31/25 4:30 == 33.8	5/31/25 9:00 == 33.4	5/31/25 13:30 == 48
5/31/25 0:05 == 46.4	5/31/25 4:35 == 33.5	5/31/25 9:05 == 33.3	5/31/25 13:35 == 48
5/31/25 0:10 == 38.1	5/31/25 4:40 == 34	5/31/25 9:10 == 33.5	5/31/25 13:40 == 48.1
5/31/25 0:15 == 33.6	5/31/25 4:45 == 33.8	5/31/25 9:15 == 33.5	5/31/25 13:45 == 48.2
5/31/25 0:20 == 33.6	5/31/25 4:50 == 33.7	5/31/25 9:20 == 33.4	5/31/25 13:50 == 46.8
5/31/25 0:25 == 33.6	5/31/25 4:55 == 33.8	5/31/25 9:25 == 33.5	5/31/25 13:55 == 40.9
5/31/25 0:30 == 33.6	5/31/25 5:00 == 33.8	5/31/25 9:30 == 33.4	5/31/25 14:00 == 33.6
5/31/25 0:35 == 33.6	5/31/25 5:05 == 33.8	5/31/25 9:35 == 33.4	5/31/25 14:05 == 33.5
5/31/25 0:40 == 33.6	5/31/25 5:10 == 33.6	5/31/25 9:40 == 33.3	5/31/25 14:10 == 33.5
5/31/25 0:45 == 33.6	5/31/25 5:15 == 33.6	5/31/25 9:45 == 33.4	5/31/25 14:15 == 33.5
5/31/25 0:50 == 33.7	5/31/25 5:20 == 33.7	5/31/25 9:50 == 33.4	5/31/25 14:20 == 33.5
5/31/25 0:55 == 33.9	5/31/25 5:25 == 33.7	5/31/25 9:55 == 33.5	5/31/25 14:25 == 33.5
5/31/25 1:00 == 33.9	5/31/25 5:30 == 33.8	5/31/25 10:00 == 33.4	5/31/25 14:30 == 33.6
5/31/25 1:05 == 33.8	5/31/25 5:35 == 33.9	5/31/25 10:05 == 33.4	5/31/25 14:35 == 33.5
5/31/25 1:10 == 33.6	5/31/25 5:40 == 40.5	5/31/25 10:10 == 33.4	5/31/25 14:40 == 33.6
5/31/25 1:15 == 33.7	5/31/25 5:45 == 47.7	5/31/25 10:15 == 33.5	5/31/25 14:45 == 33.7
5/31/25 1:20 == 33.7	5/31/25 5:50 == 47.9	5/31/25 10:20 == 33.5	5/31/25 14:50 == 33.5
5/31/25 1:25 == 33.7	5/31/25 5:55 == 47.7	5/31/25 10:25 == 33.3	5/31/25 14:55 == 33.5
5/31/25 1:30 == 33.6	5/31/25 6:00 == 47.8	5/31/25 10:30 == 33.4	5/31/25 15:00 == 33.6
5/31/25 1:35 == 34.1	5/31/25 6:05 == 47.8	5/31/25 10:35 == 33.5	5/31/25 15:05 == 33.6
5/31/25 1:40 == 41.2	5/31/25 6:10 == 47.6	5/31/25 10:40 == 40.6	5/31/25 15:10 == 33.8
5/31/25 1:45 == 47.4	5/31/25 6:15 == 47.9	5/31/25 10:45 == 46.9	5/31/25 15:15 == 33.7
5/31/25 1:50 == 47.9	5/31/25 6:20 == 46.7	5/31/25 10:50 == 48	5/31/25 15:20 == 33.8
5/31/25 1:55 == 47.2	5/31/25 6:25 == 39.7	5/31/25 10:55 == 47.7	5/31/25 15:25 == 33.9
5/31/25 2:00 == 47.9	5/31/25 6:30 == 33.4	5/31/25 11:00 == 47.7	5/31/25 15:30 == 33.8
5/31/25 2:05 == 48	5/31/25 6:35 == 33.3	5/31/25 11:05 == 48.1	5/31/25 15:35 == 33.8
5/31/25 2:10 == 47.9	5/31/25 6:40 == 33.4	5/31/25 11:10 == 48	5/31/25 15:40 == 33.8
5/31/25 2:15 == 48	5/31/25 6:45 == 33.3	5/31/25 11:15 == 48	5/31/25 15:45 == 33.7
5/31/25 2:20 == 47.7	5/31/25 6:50 == 33.5	5/31/25 11:20 == 48	5/31/25 15:50 == 33.7
5/31/25 2:25 == 37.1	5/31/25 6:55 == 33.6	5/31/25 11:25 == 47.9	5/31/25 15:55 == 40.2
5/31/25 2:30 == 33.4	5/31/25 7:00 == 33.5	5/31/25 11:30 == 48	5/31/25 16:00 == 46.9
5/31/25 2:35 == 33.3	5/31/25 7:05 == 33.6	5/31/25 11:35 == 46.6	5/31/25 16:05 == 47.9
5/31/25 2:40 == 33.5	5/31/25 7:10 == 33.9	5/31/25 11:40 == 40.2	5/31/25 16:10 == 48
5/31/25 2:45 == 33.6	5/31/25 7:15 == 34	5/31/25 11:45 == 34.1	5/31/25 16:15 == 48
5/31/25 2:50 == 33.8	5/31/25 7:20 == 33.8	5/31/25 11:50 == 34.1	5/31/25 16:20 == 48.1
5/31/25 2:55 == 33.6	5/31/25 7:25 == 33.9	5/31/25 11:55 == 34	5/31/25 16:25 == 48
5/31/25 3:00 == 33.5	5/31/25 7:30 == 33.8	5/31/25 12:00 == 33.8	5/31/25 16:30 == 48.2
5/31/25 3:05 == 33.5	5/31/25 7:35 == 34	5/31/25 12:05 == 33.8	5/31/25 16:35 == 46.9
5/31/25 3:10 == 33.5	5/31/25 7:40 == 41.5	5/31/25 12:10 == 33.8	5/31/25 16:40 == 41.2
5/31/25 3:15 == 33.5	5/31/25 7:45 == 46.9	5/31/25 12:15 == 33.7	5/31/25 16:45 == 33.6
5/31/25 3:20 == 33.4	5/31/25 7:50 == 48	5/31/25 12:20 == 33.7	5/31/25 16:50 == 33.6
5/31/25 3:25 == 33.4	5/31/25 7:55 == 47.9	5/31/25 12:25 == 33.8	5/31/25 16:55 == 33.6
5/31/25 3:30 == 33.4	5/31/25 8:00 == 47.7	5/31/25 12:30 == 33.8	5/31/25 17:00 == 33.5
5/31/25 3:35 == 34.6	5/31/25 8:05 == 47.9	5/31/25 12:35 == 33.9	5/31/25 17:05 == 33.5
5/31/25 3:40 == 40	5/31/25 8:10 == 47.9	5/31/25 12:40 == 33.9	5/31/25 17:10 == 33.5
5/31/25 3:45 == 47.6	5/31/25 8:15 == 48	5/31/25 12:45 == 34	5/31/25 17:15 == 33.4
5/31/25 3:50 == 48.1	5/31/25 8:20 == 46.7	5/31/25 12:50 == 33.9	5/31/25 17:20 == 33.2
5/31/25 3:55 == 48	5/31/25 8:25 == 40.1	5/31/25 12:55 == 33.9	5/31/25 17:25 == 33.6
5/31/25 4:00 == 47.9	5/31/25 8:30 == 33.3	5/31/25 13:00 == 33.9	5/31/25 17:30 == 33.5
5/31/25 4:05 == 48	5/31/25 8:35 == 33.3	5/31/25 13:05 == 33.8	5/31/25 17:35 == 33.5
5/31/25 4:10 == 47.5	5/31/25 8:40 == 33.4	5/31/25 13:10 == 41.3	5/31/25 17:40 == 33.6
5/31/25 4:15 == 47.4	5/31/25 8:45 == 33.3	5/31/25 13:15 == 47	5/31/25 17:45 == 33.5
5/31/25 4:20 == 48	5/31/25 8:50 == 33.4	5/31/25 13:20 == 47.9	5/31/25 17:50 == 33.5
5/31/25 4:25 == 37.2	5/31/25 8:55 == 33.4	5/31/25 13:25 == 47.9	5/31/25 17:55 == 33.7

Pumpback Station Discharge (0364)

5/31/25 18:00 == 33.8	5/31/25 22:30 == 33.6
5/31/25 18:05 == 33.8	5/31/25 22:35 == 33.6
5/31/25 18:10 == 40.1	5/31/25 22:40 == 33.9
5/31/25 18:15 == 46.2	5/31/25 22:45 == 33.8
5/31/25 18:20 == 48	5/31/25 22:50 == 33.8
5/31/25 18:25 == 47.9	5/31/25 22:55 == 33.8
5/31/25 18:30 == 48	5/31/25 23:00 == 33.9
5/31/25 18:35 == 47.9	5/31/25 23:05 == 33.8
5/31/25 18:40 == 47.7	5/31/25 23:10 == 39.8
5/31/25 18:45 == 47.8	5/31/25 23:15 == 45.9
5/31/25 18:50 == 46.9	5/31/25 23:20 == 47.8
5/31/25 18:55 == 41	5/31/25 23:25 == 48
5/31/25 19:00 == 33.6	5/31/25 23:30 == 48
5/31/25 19:05 == 33.7	5/31/25 23:35 == 47.8
5/31/25 19:10 == 33.7	5/31/25 23:40 == 48
5/31/25 19:15 == 33.7	5/31/25 23:45 == 48.1
5/31/25 19:20 == 33.8	5/31/25 23:50 == 47.4
5/31/25 19:25 == 33.5	5/31/25 23:55 == 41.3
5/31/25 19:30 == 33.6	
5/31/25 19:35 == 33.6	
5/31/25 19:40 == 33.5	
5/31/25 19:45 == 33.5	
5/31/25 19:50 == 33.6	
5/31/25 19:55 == 33.6	
5/31/25 20:00 == 33.6	
5/31/25 20:05 == 33.6	
5/31/25 20:10 == 34	
5/31/25 20:15 == 33.8	
5/31/25 20:20 == 33.9	
5/31/25 20:25 == 33.9	
5/31/25 20:30 == 33.9	
5/31/25 20:35 == 33.8	
5/31/25 20:40 == 40.2	
5/31/25 20:45 == 46.3	
5/31/25 20:50 == 48	
5/31/25 20:55 == 47.6	
5/31/25 21:00 == 47.7	
5/31/25 21:05 == 47.9	
5/31/25 21:10 == 48	
5/31/25 21:15 == 48	
5/31/25 21:20 == 47.9	
5/31/25 21:25 == 47.9	
5/31/25 21:30 == 48	
5/31/25 21:35 == 47	
5/31/25 21:40 == 41.9	
5/31/25 21:45 == 33.6	
5/31/25 21:50 == 33.6	
5/31/25 21:55 == 33.6	
5/31/25 22:00 == 33.5	
5/31/25 22:05 == 33.5	
5/31/25 22:10 == 33.6	
5/31/25 22:15 == 33.6	
5/31/25 22:20 == 33.6	
5/31/25 22:25 == 33.5	