

|                           |                           |   |  |                         |                               |                              |          |
|---------------------------|---------------------------|---|--|-------------------------|-------------------------------|------------------------------|----------|
| <b>MONO BASIN</b>         | Rush Cr @ Dam:            | 11  | Lee Vining Creek: Above 12 (Spill: 12, Conduit: 0    |                         |                               |                              |          |
|                           | West Portal :             | 49  | Mono Lake Elev: 6381.30; (USGS Datum) (Read on: 3/16 |                         |                               |                              |          |
|                           | C Ranch Hi/Lo:            | 46/25   | Precip(Day/Month): 0.00/0.45                         |                         |                               |                              |          |
|                           | Parker Cr Abv:            | 3   | Below: 3   | Walker Cr Abv: 3        | Below: 3                      |                              |          |
|                           |                           |   | Grant Lake Spill: 0                                  |                         |                               |                              |          |
|                           | <b>(*) Grant Lake El:</b> | 7105.0  | Outflow: 77  | 24hr AF Total: 154      |                               |                              |          |
| (7130.0 HW)AF:            | 22868                     | Diff AF: -75  | Grant Lake Toe Drain: 0.20                           |                         |                               |                              |          |
| <b>LONG VALLEY</b>        | East Portal :             | 62  | Below East Portal: 112                               |                         |                               |                              |          |
|                           | <b>(*) L V Resv Elev:</b> | 6771.5  | Outflow: 0   | 24hr AF Total: 0        |                               |                              |          |
|                           | (6781.5 HW)AF:            | 135421  | Diff AF: 88  |                         |                               |                              |          |
|                           | L Vally Hi/Lo:            | 44/24   | Precip(Day/Month):0.01/0.14                          |                         |                               |                              |          |
|                           | ORG Main Weir:            | 3.30  | Tunnel Drain: 0.24                                   | Toe Drain: 0.49         |                               |                              |          |
|                           | Rock Crk Div :            | 0   |  |                         |                               |                              |          |
| <b>NORTH OWENS</b>        | RC@OR Cur/Ave:            | 37/37   | Gorge: UG Cur/Avg: 14/14                             | MG Cur/Avg: 0/0         |                               |                              |          |
|                           | <b>(*) P V Resv Elev:</b> | 4380.7  | Outflow: 75  | 24hr AF Total: 149      |                               |                              |          |
|                           | (4390.0 HW)AF:            | 2114  | Diff AF: -35   |                         |                               |                              |          |
|                           | Bishop Hi/Lo:             | 63/39   | Precip(Day/Month): 0.00/0.00                         |                         |                               |                              |          |
|                           | B C @ Plant 6:            | 41(avg)   | O R Below BP Cr: 152                                 | Fish Sprg @ RR Brdg: 25 |                               |                              |          |
|                           | BP Pwr House :            | 60/39   | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 9/9     |                         |                               |                              |          |
| <b>WELLS</b>              |                           | <u>North Wells</u>  |  | <u>South Wells</u>      |                               | <u>* Total *</u>             |          |
|                           | Aqueduct                  | (5)   | 26.3   | (6)                     | 40.6                          | (11)                         | 66.9 On: |
|                           | Domestic                  | (3)   | 4.6  | (3)                     | 1.9                           | (6)                          | 6.5      |
|                           | Enhc./Mitig.              | (0)   | 0.0  | (2)                     | 3.5                           | (2)                          | 3.5 Off: |
|                           | * Total *                 | (8)   | 30.9   | (11)                    | 46.0                          | (19)                         | 76.9     |
| <b>SOUTH OWENS</b>        | <b>(*) Tin Resv Elev:</b> | 3862.5  | Outflow: 197   | 24hr AF Total: 383      |                               |                              |          |
|                           | (3866.0 HW)AF:            | 3055  | Diff AF: -105  |                         |                               |                              |          |
|                           | Tin Res Hi/Lo:            | 68/36   | Precip(Day/Month): 0.00/0.01                         |                         |                               |                              |          |
|                           | LAA Intake                |   | Precip(Day/Month): 0.00/0.05                         |                         |                               |                              |          |
|                           | Indep Hi/Lo:              | 65/43   | Precip(Day/Month): 0.00/0.03                         |                         |                               |                              |          |
|                           | Alab Gt Hi/Lo:            | 68/45   | Precip(Day/Month): 0.00/0.01                         |                         |                               |                              |          |
|                           | Cotw Gt Hi/Lo:            | 65/47   | Precip(Day/Month): 0.00/0.05                         |                         |                               |                              |          |
|                           | Blckrck Spill:            | 0.0   | Thibaut Spillgates: 0.0                              | Lone Pine Creek: 2      |                               |                              |          |
|                           | Alab Gates GA:            | 5.81  | Flow: 220  |                         |                               |                              |          |
|                           | Cottw Gt Gage:            | 7.37  | Flow: 241  | Creek: 0                | Power Plant: 5                |                              |          |
|                           | <b>LORP(inflows):</b>     | Intake 43, Blackrock 1.0, Goose 0.0, Billy 1.2, Locust 0.0, |  |                         | Georges 0.2, Alabama Gates 0  | <b>Total Inflow(cfs): 47</b> |          |
|                           | (outflows):               | PumpSta 41, Delta(L.G.) 10, Delta(weir) 0                   |  |                         | <b>Total Outflow(cfs): 51</b> |                              |          |
|                           | Lubkin Splgt:             | Flow(in/out): 0/0 AF Total(in/out): 0/29                    |  |                         | net AF: 29                    |                              |          |
|                           | Cartago Splgt:            | Flow(in/out): 0/36 AF Total(in/out): 0/85                   |  |                         | net AF: 85                    |                              |          |
|                           | Owens Lk Use :            | (net avg cfs) PumpSta 41.3, Lubkin 15, Cartago 43           |  |                         | <b>Total: 99</b>              |                              |          |
|                           | <b>(*) N Haiwee Elev:</b> | 3756.7  |  |                         |                               |                              |          |
| (3757.5 HW)AF:            | 9601                      | Diff AF: 69   |  |                         |                               |                              |          |
| <b>(*) S Haiwee Elev:</b> | 3731.6                    |   |  |                         |                               |                              |          |
| (3742.0 HW)AF:            | 18881                     | Diff AF: 115  |  |                         |                               |                              |          |
| S Haiwe Hi/Lo:            | 71/43                     | Precip(Day/Month): 0.00/0.04                                |  |                         |                               |                              |          |
| Hai Pwr Plant:            | 0                         | 24hr AF Total: 0  |  |                         |                               |                              |          |
| LAA #2 S Haiw:            | 50                        | 24hr AF Total: 99   |  |                         |                               |                              |          |