

MONO BASIN	Rush Cr @ Dam: 62	Lee Vining Creek: Above 48 (Spill: 33, Conduit: 15.4
	West Portal : 0	Mono Lake Elev: 6379.86; (USGS Datum) (Read on: 4/13
	C Ranch Hi/Lo: 82/34	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 6	Below: 6 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7090.3 Outflow: 61 24hr AF Total: 116	
	(7130.0 HW)AF: 12162 Diff AF: 40 Grant Lake Toe Drain: 0.00	
	East Portal : 11	Below East Portal: 48
	(*) L V Resv Elev: 6768.7 Outflow: 43 24hr AF Total: 302	
	(6781.5 HW)AF: 123244 Diff AF: -124	
NORTH OWENS	L Vally Hi/Lo: 85/32 Precip(Day/Month):0.00/0.00	
	ORG Main Weir: 3.20	Tunnel Drain: 0.14 Toe Drain: 0.47
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 31/27	Gorge: UG Cur/Avg: 50/50 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4380.9 Outflow: 175 24hr AF Total: 344	
WELLS	(4390.0 HW)AF: 2128 Diff AF: 14	
	Bishop Hi/Lo: 89/37	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 51(avg)	O R Below BP Cr: 172 Fish Sprg @ RR Brdg: 43
	BP Pwr House : 95/50	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 21/21
SOUTH OWENS		
SOUTHERN DISTRICT		