

MONO BASIN

Rush Cr @ Dam: 11 Lee Vining Creek: Above 34 (Spill: 27, Conduit: 7)
 West Portal : 0 Mono Lake Elev: 6378.96; (USGS Datum) (Read on: 9/8)
 C Ranch Hi/Lo: 87/43 Precip(Day/Month): 0.00/0.51
 Parker Cr Abv: 6 Below: 6 Walker Cr Abv: 2 Below: 2
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7103.6 Outflow: 31 24hr AF Total: 62
 (7130.0 HW)AF: 21680 Diff AF: -41 Grant Lake Toe Drain: 0.00

LONG VALLEY

East Portal : 11 Below East Portal: 48
 (*) **L V Resv Elev:** 6763.4 Outflow: 22 24hr AF Total: 178
 (6781.5 HW)AF: 102372 Diff AF: 0
 L Vally Hi/Lo: 84/35 Precip(Day/Month):0.00/0.68
 ORG Main Weir: 3.00 Tunnel Drain: 0.14 Toe Drain: 0.45
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 29/28 Gorge: UG Cur/Avg: 35/34 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4386.8 Outflow: 147 24hr AF Total: 293
 (4390.0 HW)AF: 2667 Diff AF: 10
 Bishop Hi/Lo: 96/55 Precip(Day/Month): 0.00/0.67
 B C @ Plant 6: 70(avg) O R Below BP Cr: 175 Fish Sprg @ RR Brdg: 24
 BP Pwr House : 93/62 Precip(Day/Month): 0.00/0.50 BP Cr Cur/Peak: 15/16

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(17)	82.4	(9)	46.6	(26)	129.0 On:
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(0)	0.0	(5)	13.3	(5)	13.3 Off:
* Total *	(21)	87.3	(17)	61.8	(38)	149.1

SOUTH OWENS

(*) **Tin Resv Elev:** 3863.9 Outflow: 195 24hr AF Total: 388
 (3866.0 HW)AF: 4251 Diff AF: -80
 Tin Res Hi/Lo: 94/57 Precip(Day/Month): 0.00/0.19

LAA Intake Precip(Day/Month): 0.00/0.33
 Indep Hi/Lo: 92/66 Precip(Day/Month): 0.00/0.37
 Alab Gt Hi/Lo: 95/65 Precip(Day/Month): 0.00/0.35
 Cotw Gt Hi/Lo: 92/66 Precip(Day/Month): 0.00/1.12
 Blckrck Spill: 11.9 Thibaut Spillgates: 8.3 Lone Pine Creek: 5
 Alab Gates GA: 5.20 Flow: 152
 Cottw Gt Gage: 4.07 Flow: 93 Creek: 3 Power Plant: 0
LORP(inflows): Intake 56, Blackrock 1.2, Goose 0.0, Billy 1.3, Locust 0.0,
 Georges 10.0, Alabama Gates 0 **Total Inflow(cfs): 70**
 (outflows): PumpSta 36, Delta(L.G.) 11, Delta(weir) 0 **Total Outflow(cfs): 47**
 Lubkin Splgt: Flow(in/out): 0/55 AF Total(in/out): 0/118 net AF: 118
 Cartago Splgt: Flow(in/out): 0/84 AF Total(in/out): 0/182 net AF: 182
 Owens Lk Use : (net avg cfs) PumpSta 35.6, Lubkin 59, Cartago 92 **Total: 187**

(*) **N Haiwee Elev:** 3755.9
 (3757.5 HW)AF: 9113 Diff AF: -22
 (*) **S Haiwee Elev:** 3732.3
 (3742.0 HW)AF: 19439 Diff AF: -393
 S Haiwe Hi/Lo: 95/63 Precip(Day/Month): 0.00/0.70
 Hai Pwr Plant: 130 24hr AF Total: 257
 LAA #2 S Haiw: 85 24hr AF Total: 169

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.5 CFS PREV DAY: 1.5 CFS