

MONO BASIN	Rush Cr @ Dam: 382	Lee Vining Creek: Above 335 (Spill: 336, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.09; (USGS Datum) (Read on: 5/9)
	C Ranch Hi/Lo: 77/35	Precip(Day/Month): 0.00/0.04
	Parker Cr Abv: 57	Below: 57 Walker Cr Abv: 47 Below: 47
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7118.4	Outflow: 86 24hr AF Total: 167
	(7130.0 HW)AF: 35111	Diff AF: 708 Grant Lake Toe Drain: 0.11
	East Portal : 10	Below East Portal: 115
	(*) L V Resv Elev: 6759.4	Outflow: 715 24hr AF Total: 1395
	(6781.5 HW)AF: 88269	Diff AF: -136
NORTH OWENS	L Vally Hi/Lo: 78/36	Precip(Day/Month):0.00/0.06
	ORG Main Weir: 3.20	Tunnel Drain: 0.13 Toe Drain: 0.41
	Rock Crk Div : 115	
	RC@OR Cur/Ave: 225/218	Gorge: UG Cur/Avg: 90/89 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4399.0	Outflow: 757 24hr AF Total: 1473
WELLS	(4390.0 HW)AF: 3984	Diff AF: 9
	Bishop Hi/Lo: 91/51	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 455 (avg)	O R Below BP Cr: 1366 Fish Sprg @ RR Brdg: 78
	BP Pwr House : 91/58	Precip(Day/Month): 0.00/0.14 BP Cr Cur/Peak: 168/177
SOUTH OWENS		
SOUTHERN DISTRICT		