

<b>MONO BASIN</b>	Rush Cr @ Dam: 498	Lee Vining Creek: Above 315 (Spill: 315, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.69; (USGS Datum) (Read on: 6/9 )
	C Ranch Hi/Lo: 66/39	Precip(Day/Month): 0.37/1.23
	Parker Cr Abv: 42	Below: 42 Walker Cr Abv: 37 Below: 37
	Grant Lake Spill: 410	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7131.9	Outflow: 83 24hr AF Total: 162
	(7130.0 HW)AF: 49248	Diff AF: 221 Grant Lake Toe Drain: 0.12
	East Portal : 12	Below East Portal: 127
	(*) <b>L V Resv Elev:</b> 6760.4	Outflow: 522 24hr AF Total: 1013
	(6781.5 HW)AF: 91842	Diff AF: 590
<b>NORTH OWENS</b>	L Vally Hi/Lo: 62/38	Precip(Day/Month):0.19/0.60
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
	Rock Crk Div : 72	
	RC@OR Cur/Ave: 213/221	Gorge: UG Cur/Avg: 360/362 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4398.3	Outflow: 748 24hr AF Total: 1460
<b>WELLS</b>	(4390.0 HW)AF: 3893	Diff AF: 1
	Bishop Hi/Lo: 78/50	Precip(Day/Month): 0.03/0.30
	B C @ Plant 6: 416(avg)	O R Below BP Cr: 1296 Fish Sprg @ RR Brdg: 41
	BP Pwr House : 77/52	Precip(Day/Month): 0.07/0.11 BP Cr Cur/Peak: 145/168
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		