

<b>MONO BASIN</b>	Rush Cr @ Dam: 479	Lee Vining Creek: Above 284 (Spill: 283, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.69; (USGS Datum) (Read on: 6/9 )
	C Ranch Hi/Lo: 66/39	Precip(Day/Month): 0.18/1.41
	Parker Cr Abv: 41	Below: 41 Walker Cr Abv: 36 Below: 36
	Grant Lake Spill: 445	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7132.0	Outflow: 83 24hr AF Total: 162
	(7130.0 HW)AF: 49336	Diff AF: 88 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 127
	(*) <b>L V Resv Elev:</b> 6760.7	Outflow: 519 24hr AF Total: 1013
	(6781.5 HW)AF: 92714	Diff AF: 872
<b>NORTH OWENS</b>	L Vally Hi/Lo: 62/38	Precip(Day/Month):0.19/0.79
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.45
	Rock Crk Div : 74	
	RC@OR Cur/Ave: 213/202	Gorge: UG Cur/Avg: 345/351 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4398.2	Outflow: 747 24hr AF Total: 1461
<b>WELLS</b>	(4390.0 HW)AF: 3891	Diff AF: -2
	Bishop Hi/Lo: 83/49	Precip(Day/Month): 0.01/0.31
	B C @ Plant 6: 387(avg)	O R Below BP Cr: 1281 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 82/51	Precip(Day/Month): 0.22/0.33 BP Cr Cur/Peak: 152/156
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		