

MONO BASIN	Rush Cr @ Dam: 538	Lee Vining Creek: Above 453 (Spill: 453, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 80/34	Precip(Day/Month): 0.00/1.41
	Parker Cr Abv: 66	Below: 66 Walker Cr Abv: 50 Below: 50
	Grant Lake Spill: 483	
LONG VALLEY	(*) Grant Lake El: 7132.1	Outflow: 120 24hr AF Total: 224
	(7130.0 HW)AF: 49524	Diff AF: 33 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 152
	(*) L V Resv Elev: 6761.4	Outflow: 511 24hr AF Total: 1000
	(6781.5 HW)AF: 95394	Diff AF: 851
NORTH OWENS	L Vally Hi/Lo: 81/42	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
	Rock Crk Div : 156	
	RC@OR Cur/Ave: 408/367	Gorge: UG Cur/Avg: 296/305 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4398.8	Outflow: 745 24hr AF Total: 1455
WELLS	(4390.0 HW)AF: 3957	Diff AF: 8
	Bishop Hi/Lo: 92/51	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 457(avg)	O R Below BP Cr: 1189 Fish Sprg @ RR Brdg: 41
	BP Pwr House : 91/61	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 228/229
SOUTH OWENS		
SOUTHERN DISTRICT		