

MONO BASIN	Rush Cr @ Dam: 568	Lee Vining Creek: Above 517 (Spill: 517, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 84/53	Precip(Day/Month): 0.00/1.41
	Parker Cr Abv: 82	Below: 82 Walker Cr Abv: 55 Below: 55
	Grant Lake Spill: 483	
LONG VALLEY	(*) Grant Lake El: 7132.1	Outflow: 139 24hr AF Total: 265
	(7130.0 HW)AF: 49524	Diff AF: 11 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 170
	(*) L V Resv Elev: 6762.0	Outflow: 514 24hr AF Total: 998
	(6781.5 HW)AF: 97471	Diff AF: 1077
NORTH OWENS	L Vally Hi/Lo: 76/50	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
	Rock Crk Div : 168	
	RC@OR Cur/Ave: 401/343	Gorge: UG Cur/Avg: 260/266 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4398.7	Outflow: 745 24hr AF Total: 1454
WELLS	(4390.0 HW)AF: 3944	Diff AF: -3
	Bishop Hi/Lo: 91/52	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 469(avg)	O R Below BP Cr: 1349 Fish Sprg @ RR Brdg: 41
	BP Pwr House : 91/58	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 267/282
SOUTH OWENS		
SOUTHERN DISTRICT		