

MONO BASIN	Rush Cr @ Dam: 517	Lee Vining Creek: Above 351 (Spill: 351, Conduit: 0)
	West Portal : 0	Mono Lake Elev: 6380.94; (USGS Datum) (Read on: 6/14)
	C Ranch Hi/Lo: 73/29	Precip(Day/Month): 0.00/1.41
	Parker Cr Abv: 48	Below: 48 Walker Cr Abv: 38 Below: 38
	Grant Lake Spill: 445	
LONG VALLEY	(*) Grant Lake El: 7132.0	Outflow: 207 24hr AF Total: 370
	(7130.0 HW)AF: 49369	Diff AF: -122 Grant Lake Toe Drain: 0.12
	East Portal : 13	Below East Portal: 144
	(*) L V Resv Elev: 6763.0	Outflow: 303 24hr AF Total: 577
	(6781.5 HW)AF: 101115	Diff AF: 1248
NORTH OWENS	L Vally Hi/Lo: 77/34	Precip(Day/Month):0.00/0.82
	ORG Main Weir: 3.00	Tunnel Drain: 0.13 Toe Drain: 0.44
	Rock Crk Div : 89	
	RC@OR Cur/Ave: 230/221	Gorge: UG Cur/Avg: 212/220 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4394.3	Outflow: 728 24hr AF Total: 1434
WELLS	(4390.0 HW)AF: 3444	Diff AF: -325
	Bishop Hi/Lo: 87/43	Precip(Day/Month): 0.00/0.31
	B C @ Plant 6: 400(avg)	O R Below BP Cr: 1360 Fish Sprg @ RR Brdg: 42
	BP Pwr House : 87/49	Precip(Day/Month): 0.00/0.34 BP Cr Cur/Peak: 174/192
SOUTH OWENS		
SOUTHERN DISTRICT		