

MONO BASIN	Rush Cr @ Dam: 36	Lee Vining Creek: Above 61 (Spill: 61, Conduit: 0.4)
	West Portal : 0	Mono Lake Elev: 6383.23; (USGS Datum) (Read on: 9/13)
	C Ranch Hi/Lo: 76/40	Precip(Day/Month): 0.00/0.24
	Parker Cr Abv: 17	Below: 17 Walker Cr Abv: 10 Below: 10
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7124.7	Outflow: 75 24hr AF Total: 150
	(7130.0 HW)AF: 41481	Diff AF: -73 Grant Lake Toe Drain: 0.13
	East Portal : 13	Below East Portal: 75
	(*) L V Resv Elev: 6779.2	Outflow: 325 24hr AF Total: 381
	(6781.5 HW)AF: 171448	Diff AF: 152
NORTH OWENS	L Vally Hi/Lo: 78/35	Precip(Day/Month):0.00/0.30
	ORG Main Weir: 3.50	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 5	
	RC@OR Cur/Ave: 64/66	Gorge: UG Cur/Avg: 105/88 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4397.3	Outflow: 393 24hr AF Total: 821
WELLS	(4390.0 HW)AF: 3787	Diff AF: -210
	Bishop Hi/Lo: 90/47	Precip(Day/Month): 0.00/0.02
	B C @ Plant 6: 173(avg)	O R Below BP Cr: 358 Fish Sprg @ RR Brdg: 25
	BP Pwr House : 88/52	Precip(Day/Month): 0.00/0.05 BP Cr Cur/Peak: 47/54
SOUTH OWENS		
SOUTHERN DISTRICT		