

<b>MONO BASIN</b>	Rush Cr @ Dam: 29	Lee Vining Creek: Above 54 (Spill: 25, Conduit: 18.7)
	West Portal : 0	Mono Lake Elev: 6383.24; (USGS Datum) (Read on: 9/25 )
	C Ranch Hi/Lo: 78/35	Precip(Day/Month): 0.00/0.70
	Parker Cr Abv: 12	Below: 12 Walker Cr Abv: 7 Below: 7
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7124.9	Outflow: 27 24hr AF Total: 53
	(7130.0 HW)AF: 41691	Diff AF: 115 Grant Lake Toe Drain: 0.13
	East Portal : 14	Below East Portal: 75
	(*) <b>L V Resv Elev:</b> 6778.9	Outflow: 41 24hr AF Total: 440
	(6781.5 HW)AF: 169791	Diff AF: -50
<b>NORTH OWENS</b>	L Vally Hi/Lo: 77/30	Precip(Day/Month):0.00/0.36
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 2	
	RC@OR Cur/Ave: 62/62	Gorge: UG Cur/Avg: 56/55 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4386.2	Outflow: 350 24hr AF Total: 728
<b>WELLS</b>	(4390.0 HW)AF: 2609	Diff AF: -53
	Bishop Hi/Lo: 91/45	Precip(Day/Month): 0.00/0.58
	B C @ Plant 6: 93(avg)	O R Below BP Cr: 357 Fish Sprg @ RR Brdg: 28
	BP Pwr House : 89/51	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 28/28
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		