

MONO BASIN	Rush Cr @ Dam: 25	Lee Vining Creek: Above 56 (Spill: 56, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.24; (USGS Datum) (Read on: 9/25)
	C Ranch Hi/Lo: 74/32	Precip(Day/Month): 0.00/0.70
	Parker Cr Abv: 10	Below: 10 Walker Cr Abv: 7 Below: 7
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7125.1	Outflow: 26 24hr AF Total: 52
	(7130.0 HW)AF: 41943	Diff AF: 179 Grant Lake Toe Drain: 0.14
	East Portal : 14	Below East Portal: 76
	(*) L V Resv Elev: 6778.8	Outflow: 41 24hr AF Total: 437
	(6781.5 HW)AF: 169490	Diff AF: -150
NORTH OWENS	L Vally Hi/Lo: 73/33	Precip(Day/Month):0.00/0.36
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.53
	Rock Crk Div : 1	
	RC@OR Cur/Ave: 58/58	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4387.0	Outflow: 322 24hr AF Total: 631
WELLS	(4390.0 HW)AF: 2687	Diff AF: 36
	Bishop Hi/Lo: 87/39	Precip(Day/Month): 0.00/0.58
	B C @ Plant 6: 87(avg)	O R Below BP Cr: 308 Fish Sprg @ RR Brdg: 28
	BP Pwr House : 83/50	Precip(Day/Month): 0.00/0.49 BP Cr Cur/Peak: 25/27
SOUTH OWENS		
SOUTHERN DISTRICT		