

MONO BASIN	Rush Cr @ Dam: 65	Lee Vining Creek: Above 42 (Spill: 42, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.15; (USGS Datum) (Read on: 1/2)
	C Ranch Hi/Lo: 47/10	Precip(Day/Month): 0.00/0.07
	Parker Cr Abv: 5	Below: 5 Walker Cr Abv: 5 Below: 5
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7124.2	Outflow: 27 24hr AF Total: 55
	(7130.0 HW)AF: 41012	Diff AF: 74 Grant Lake Toe Drain: 0.17
	East Portal : 13	Below East Portal: 76
	(*) L V Resv Elev: 6775.4	Outflow: 44 24hr AF Total: 85
	(6781.5 HW)AF: 152826	Diff AF: 469
NORTH OWENS	L Vally Hi/Lo: 50/14	Precip(Day/Month):0.00/0.15
	ORG Main Weir: 3.30	Tunnel Drain: 0.16 Toe Drain: 0.49
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 51/47	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4382.8	Outflow: 230 24hr AF Total: 439
WELLS	(4390.0 HW)AF: 2296	Diff AF: -194
	Bishop Hi/Lo: 56/18	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 68(avg)	O R Below BP Cr: 278 Fish Sprg @ RR Brdg: 50
	BP Pwr House : 58/23	Precip(Day/Month): 0.00/0.04 BP Cr Cur/Peak: 16/17
SOUTH OWENS		
SOUTHERN DISTRICT		