

MONO BASIN	Rush Cr @ Dam: 67	Lee Vining Creek: Above 29 (Spill: 29, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.17; (USGS Datum) (Read on: 1/16)
	C Ranch Hi/Lo: 59/24	Precip(Day/Month): 0.00/0.54
	Parker Cr Abv: 5	Below: 5 Walker Cr Abv: 3 Below: 3
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7126.5	Outflow: 27 24hr AF Total: 55
	(7130.0 HW)AF: 43401	Diff AF: 149 Grant Lake Toe Drain: 0.17
	East Portal : 13	Below East Portal: 77
	(*) L V Resv Elev: 6776.4	Outflow: 42 24hr AF Total: 83
	(6781.5 HW)AF: 157849	Diff AF: 239
NORTH OWENS	L Vally Hi/Lo: 58/19	Precip(Day/Month):0.00/0.33
	ORG Main Weir: 3.30	Tunnel Drain: 0.16 Toe Drain: 0.49
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 51/51	Gorge: UG Cur/Avg: 55/55 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4383.7	Outflow: 147 24hr AF Total: 289
WELLS	(4390.0 HW)AF: 2376	Diff AF: -51
	Bishop Hi/Lo: 72/30	Precip(Day/Month): 0.00/0.06
	B C @ Plant 6: 70(avg)	O R Below BP Cr: 292 Fish Sprg @ RR Brdg: 45
	BP Pwr House : 68/39	Precip(Day/Month): 0.00/0.11 BP Cr Cur/Peak: 14/14
SOUTH OWENS		
SOUTHERN DISTRICT		