

<b>MONO BASIN</b>	Rush Cr @ Dam: 43	Lee Vining Creek: Above 21 (Spill: 21, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.65; (USGS Datum) (Read on: 2/21 )
	C Ranch Hi/Lo: 54/27	Precip(Day/Month): 0.00/0.06
	Parker Cr Abv: 6	Below: 6 Walker Cr Abv: 3 Below: 3
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7128.4	Outflow: 29 24hr AF Total: 56
	(7130.0 HW)AF: 45467	Diff AF: 64 Grant Lake Toe Drain: 0.19
	East Portal : 14	Below East Portal: 71
	(*) <b>L V Resv Elev:</b> 6779.1	Outflow: 42 24hr AF Total: 83
	(6781.5 HW)AF: 170693	Diff AF: 150
<b>NORTH OWENS</b>	L Vally Hi/Lo: 47/25	Precip(Day/Month):0.00/0.21
	ORG Main Weir: 3.40	Tunnel Drain: 0.16 Toe Drain: 0.48
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 56/50	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4386.8	Outflow: 124 24hr AF Total: 245
<b>WELLS</b>	(4390.0 HW)AF: 2668	Diff AF: -8
	Bishop Hi/Lo: 68/28	Precip(Day/Month): 0.00/0.20
	B C @ Plant 6: 73(avg)	O R Below BP Cr: 231 Fish Sprg @ RR Brdg: 30
	BP Pwr House : 65/30	Precip(Day/Month): 0.00/0.79 BP Cr Cur/Peak: 15/15
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		