

MONO BASIN	Rush Cr @ Dam: 28	Lee Vining Creek: Above 30 (Spill: 30, Conduit: 0.0)
	West Portal : 0	Mono Lake Elev: 6383.68; (USGS Datum) (Read on: 3/18)
	C Ranch Hi/Lo: 46/29	Precip(Day/Month): 0.10/0.17
	Parker Cr Abv: 7	Below: 7 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7128.6	Outflow: 28 24hr AF Total: 55
	(7130.0 HW)AF: 45608	Diff AF: 11 Grant Lake Toe Drain: 0.21
	East Portal : 13	Below East Portal: 73
	(*) L V Resv Elev: 6780.1	Outflow: 42 24hr AF Total: 83
	(6781.5 HW)AF: 175919	Diff AF: 154
NORTH OWENS	L Vally Hi/Lo: 45/25	Precip(Day/Month):0.01/0.22
	ORG Main Weir: 3.40	Tunnel Drain: 0.16 Toe Drain: 0.49
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 42/42	Gorge: UG Cur/Avg: 55/54 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4384.0	Outflow: 123 24hr AF Total: 241
WELLS	(4390.0 HW)AF: 2411	Diff AF: -19
	Bishop Hi/Lo: 64/41	Precip(Day/Month): 0.00/0.20
	B C @ Plant 6: 111(avg)	O R Below BP Cr: 180 Fish Sprg @ RR Brdg: 34
	BP Pwr House : 62/39	Precip(Day/Month): 0.02/0.81 BP Cr Cur/Peak: 15/15
SOUTH OWENS		
SOUTHERN DISTRICT		