

| | | |
|--------------------------|----------------------------------|--|
| MONO BASIN | Rush Cr @ Dam: 22 | Lee Vining Creek: Above 49 (Spill: 49, Conduit: 0.6) |
| | West Portal : 0 | Mono Lake Elev: 6384.10; (USGS Datum) (Read on: 7/31) |
| | C Ranch Hi/Lo: 89/54 | Precip(Day/Month): 0.00/0.06 |
| | Parker Cr Abv: 21 | Below: 21 Walker Cr Abv: 7 Below: 7 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7129.8 | Outflow: 69 24hr AF Total: 135 |
| | (7130.0 HW)AF: 46953 | Diff AF: -76 Grant Lake Toe Drain: 0.22 |
| | East Portal : 13 | Below East Portal: 76 |
| | (*) L V Resv Elev: 6775.8 | Outflow: 47 24hr AF Total: 458 |
| | (6781.5 HW)AF: 154852 | Diff AF: -95 |
| NORTH OWENS | L Vally Hi/Lo: 86/52 | Precip(Day/Month):0.00/0.01 |
| | ORG Main Weir: 3.50 | Tunnel Drain: 0.19 Toe Drain: 0.51 |
| | Rock Crk Div : 2 | |
| | RC@OR Cur/Ave: 41/41 | Gorge: UG Cur/Avg: 56/55 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4388.7 | Outflow: 302 24hr AF Total: 596 |
| WELLS | (4390.0 HW)AF: 2860 | Diff AF: 43 |
| | Bishop Hi/Lo: 101/61 | Precip(Day/Month): 0.00/0.00 |
| | B C @ Plant 6: 108(avg) | O R Below BP Cr: 275 Fish Sprg @ RR Brdg: 38 |
| | BP Pwr House : 101/67 | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 76/77 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |