

MONO BASIN	Rush Cr @ Dam:	7	Lee Vining Creek: Above 28 (Spill: 28, Conduit: 25.5)
	West Portal :	0	Mono Lake Elev: 6383.96; (USGS Datum) (Read on: 8/14)
	C Ranch Hi/Lo:	74/30	Precip(Day/Month): 0.00/0.12
	Parker Cr Abv:	10	Below: 10 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7128.6	Outflow: 30
(7130.0 HW)AF:	45640	Diff AF: -54	Grant Lake Toe Drain: 0.23

LONG VALLEY	East Portal :	13	Below East Portal: 74	
	(* L V Resv Elev:	6773.1	Outflow: 688	24hr AF Total: 1004
	(6781.5 HW)AF:	142479	Diff AF: -767	
	L Vally Hi/Lo:	74/39	Precip(Day/Month):0.00/0.01	
	ORG Main Weir:	3.50	Tunnel Drain: 0.18	Toe Drain: 0.48
	Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	24/22	Gorge: UG Cur/Avg: 56/56	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4384.3	Outflow: 598	24hr AF Total: 1159
	(4390.0 HW)AF:	2431	Diff AF: 3	
	Bishop Hi/Lo:	87/49	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	104(avg)	O R Below BP Cr: 558	Fish Sprg @ RR Brdg: 36
	BP Pwr House :	86/50	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 24/26

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(6)	44.7	(5)	38.5	(11)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(0)	0.0	(4)	7.1	(4)	7.1 Off:
* Total *	(10)	49.6	(12)	47.5	(22)	97.1

SOUTH OWENS	(* Tin Resv Elev:	3861.4	Outflow: 450	24hr AF Total: 886
	(3866.0 HW)AF:	2338	Diff AF: 142	
	Tin Res Hi/Lo:	87/52	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	85/54	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	86/57	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	83/53	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 9
	Alab Gates GA:	7.64	Flow: 411	
	Cottw Gt Gage:	8.42	Flow: 407	Creek: 1 Power Plant: 7
	LORP(inflows):	Intake 84, Blackrock 1.1, Goose 0.0, Billy 1.3, Locust 0.0,		Total Inflow(cfs): 88
		Georges 0.6, Alabama Gates 0		
	(outflows):	PumpSta 34, Delta(L.G.) 3, Delta(weir) 0		Total Outflow(cfs): 37
	Lubkin Splgt:	Flow(in/out): 5/0 AF Total(in/out): 7/5		net AF: -2
	Cartago Splgt:	Flow(in/out): 6/0 AF Total(in/out): 19/2		net AF: -17
Owens Lk Use :	(net avg cfs) PumpSta 33.8, Lubkin -1, Cartago -9		Total: 24	
(* N Haiwee Elev:	3757.1			
(3757.5 HW)AF:	9825	Diff AF: -24		
(* S Haiwee Elev:	3723.2			
(3742.0 HW)AF:	12918	Diff AF: 20		
S Haiwe Hi/Lo:	86/55	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	433	24hr AF Total: 795		
LAA #2 S Haiw:	39	24hr AF Total: 77		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------