

<b>MONO BASIN</b>	Rush Cr @ Dam: 7	Lee Vining Creek: Above 28 (Spill: 28, Conduit: 0.8)
	West Portal : 0	Mono Lake Elev: 6383.96; (USGS Datum) (Read on: 8/14 )
	C Ranch Hi/Lo: 87/36	Precip(Day/Month): 0.00/0.12
	Parker Cr Abv: 9	Below: 9 Walker Cr Abv: 3 Below: 3
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7128.5	Outflow: 31 24hr AF Total: 56
	(7130.0 HW)AF: 45543	Diff AF: -32 Grant Lake Toe Drain: 0.23
	East Portal : 13	Below East Portal: 74
	(*) <b>L V Resv Elev:</b> 6772.7	Outflow: 117 24hr AF Total: 1190
	(6781.5 HW)AF: 140683	Diff AF: -672
<b>NORTH OWENS</b>	L Vally Hi/Lo: 87/35	Precip(Day/Month):0.00/0.01
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.48
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 23/23	Gorge: UG Cur/Avg: 56/55 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4388.7	Outflow: 588 24hr AF Total: 1177
<b>WELLS</b>	(4390.0 HW)AF: 2856	Diff AF: 138
	Bishop Hi/Lo: 98/47	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 103(avg)	O R Below BP Cr: 561 Fish Sprg @ RR Brdg: 38
	BP Pwr House : 98/55	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 24/24
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		