

MONO BASIN

Rush Cr @ Dam: 8 Lee Vining Creek: Above 26 (Spill: 19, Conduit: 7.3)
 West Portal : 42 Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
 C Ranch Hi/Lo: 45/14 Precip(Day/Month): 0.10/0.54
 Parker Cr Abv: 5 Below: 5 Walker Cr Abv: 2 Below: 2
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7121.9 Outflow: 72 24hr AF Total: 142
 (7130.0 HW)AF: 38641 Diff AF: 0 Grant Lake Toe Drain: 0.21

LONG VALLEY

East Portal : 54 Below East Portal: 114
 (*) **L V Resv Elev:** 6764.1 Outflow: 43 24hr AF Total: 85
 (6781.5 HW)AF: 105100 Diff AF: 902
 L Vally Hi/Lo: 34/14 Precip(Day/Month):0.83/1.12
 ORG Main Weir: 3.00 Tunnel Drain: 0.14 Toe Drain: 0.42
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 79/45 Gorge: UG Cur/Avg: 56/55 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4382.4 Outflow: 125 24hr AF Total: 243
 (4390.0 HW)AF: 2262 Diff AF: -20
 Bishop Hi/Lo: 36/24 Precip(Day/Month): 0.44/0.48
 B C @ Plant 6: 64(avg) O R Below BP Cr: 267 Fish Sprg @ RR Brdg: 25
 BP Pwr House : 41/32 Precip(Day/Month): 0.96/1.17 BP Cr Cur/Peak: 22/22

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5 On:
Domestic	(4)	4.9	(2)	1.2	(6)	6.1
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6 Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2

SOUTH OWENS

(*) **Tin Resv Elev:** 3861.7 Outflow: 255 24hr AF Total: 497
 (3866.0 HW)AF: 2498 Diff AF: 52
 Tin Res Hi/Lo: 39/27 Precip(Day/Month): 0.05/0.09

LAA Intake Precip(Day/Month): 0.20/0.38
 Indep Hi/Lo: 41/33 Precip(Day/Month): 0.55/0.60
 Alab Gt Hi/Lo: 45/33 Precip(Day/Month): 0.22/0.22
 Cotw Gt Hi/Lo: 44/35 Precip(Day/Month): 0.65/0.69
 Blckrck Spill: 0.0 Thibaut Spillgates: 0.0 Lone Pine Creek: 7
 Alab Gates GA: 6.18 Flow: 284
 Cottw Gt Gage: 6.32 Flow: 244 Creek: 4 Power Plant: 2
LORP (inflows): Intake 46, Blackrock 1.2, Goose 0.0, Billy 1.2, Locust 0.0,
 Georges 0.4, Alabama Gates 0 **Total Inflow(cfs): 50**
 (outflows): PumpSta 0, Delta(L.G.) 8, Delta(weir) 7 **Total Outflow(cfs): 15**
 Lubkin Splgt: Flow(in/out): 0/27 AF Total(in/out): 12/18 net AF: 6
 Cartago Splgt: Flow(in/out): 0/0 AF Total(in/out): 0/21 net AF: 21
 Owens Lk Use : (net avg cfs) PumpSta 0.0, Lubkin 3, Cartago 11 **Total: 14**

(*) **N Haiwee Elev:** 3757.1
 (3757.5 HW)AF: 9802 Diff AF: 35
 (*) **S Haiwee Elev:** 3725.1
 (3742.0 HW)AF: 14174 Diff AF: -296
 S Haiwe Hi/Lo: 50/33 Precip(Day/Month): 0.28/0.30
 Hai Pwr Plant: 200 24hr AF Total: 490
 LAA #2 S Haiw: 204 24hr AF Total: 396

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.0 CFS PREV DAY: 1.0 CFS

