

MONO BASIN	Rush Cr @ Dam:	11	Lee Vining Creek: Above 25 (Spill: 18, Conduit: 3.0)
	West Portal :	41	Mono Lake Elev: 6383.37; (USGS Datum) (Read on: 10/8)
	C Ranch Hi/Lo:	42/15	Precip(Day/Month): 0.41/0.95
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7121.9	Outflow: 70
(7130.0 HW)AF:	38569	Diff AF: -72	Grant Lake Toe Drain: 0.21

LONG VALLEY	East Portal :	54	Below East Portal: 112
	(* L V Resv Elev:	6764.2	Outflow: 43 24hr AF Total: 85
	(6781.5 HW)AF:	105515	Diff AF: 415
	L Vally Hi/Lo:	39/24	Precip(Day/Month):0.56/1.68
	ORG Main Weir:	3.00	Tunnel Drain: 0.14 Toe Drain: 0.42
Rock Crk Div :	4		

NORTH OWENS	RC@OR Cur/Ave:	58/75	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4383.0	Outflow: 125	24hr AF Total: 244
	(4390.0 HW)AF:	2312	Diff AF: 50	
	Bishop Hi/Lo:	48/36	Precip(Day/Month): 0.42/0.90	
	B C @ Plant 6:	71(avg)	O R Below BP Cr: 283	Fish Sprg @ RR Brdg: 26
	BP Pwr House :	45/34	Precip(Day/Month): 0.47/1.64	BP Cr Cur/Peak: 21/22

WELLS		<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(5)	40.5	(5)	27.0	(10)	67.5
Domestic	(4)	4.9	(2)	1.2	(6)	6.1	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
* Total *	(10)	49.7	(8)	28.5	(18)	78.2	

SOUTH OWENS	(* Tin Resv Elev:	3861.8	Outflow: 253	24hr AF Total: 495
	(3866.0 HW)AF:	2584	Diff AF: 86	
	Tin Res Hi/Lo:	45/35	Precip(Day/Month): 0.04/0.13	
	LAA Intake		Precip(Day/Month): 0.45/0.83	
	Indep Hi/Lo:	47/36	Precip(Day/Month): 0.70/1.30	
	Alab Gt Hi/Lo:	50/38	Precip(Day/Month): 0.13/0.35	
	Cotw Gt Hi/Lo:	48/38	Precip(Day/Month): 0.52/1.21	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 6
	Alab Gates GA:	6.38	Flow: 307	
	Cottw Gt Gage:	7.07	Flow: 309	Creek: 4 Power Plant: 2
	LORP(inflows):	Intake 45, Blackrock 1.3, Goose 0.0, Billy 1.4, Locust 0.0, Georges 0.4, Alabama Gates 0 Total Inflow(cfs): 50		
	(outflows):	PumpSta 38, Delta(L.G.) 8, Delta(weir) 0 Total Outflow(cfs): 46		
	Lubkin Splgt:	Flow(in/out): 12/0 AF Total(in/out): 26/24 net AF: -2		
	Cartago Splgt:	Flow(in/out): 0/0 AF Total(in/out): 0/4 net AF: 4		
	Owens Lk Use :	(net avg cfs) PumpSta 37.9, Lubkin -1, Cartago 2 Total: 39		
(* N Haiwee Elev:	3757.1			
(3757.5 HW)AF:	9779	Diff AF: -23		
(* S Haiwee Elev:	3725.1			
(3742.0 HW)AF:	14181	Diff AF: 7		
S Haiwe Hi/Lo:	60/37	Precip(Day/Month): 0.14/0.44		
Hai Pwr Plant:	92	24hr AF Total: 201		
LAA #2 S Haiw:	109	24hr AF Total: 291		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------