

MONO BASIN	Rush Cr @ Dam:	41	Lee Vining Creek: Above 25 (Spill: 18, Conduit: 6)
	West Portal :	42	Mono Lake Elev: 6382.89; (USGS Datum) (Read on: 12/4)
	C Ranch Hi/Lo:	45/11	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv:	3	Below: 3 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7120.9	Outflow: 70
(7130.0 HW)AF:	37596	Diff AF: 0	Grant Lake Toe Drain: 0.20

LONG VALLEY	East Portal :	56	Below East Portal: 113
	(* L V Resv Elev:	6765.3	Outflow: 43 24hr AF Total: 85
	(6781.5 HW)AF:	109872	Diff AF: 347
	L Vally Hi/Lo:	42/12	Precip(Day/Month):0.00/0.00
	ORG Main Weir:	3.00	Tunnel Drain: 0.13
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	44/44	Gorge: UG Cur/Avg: 56/55	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4379.7	Outflow: 124	24hr AF Total: 243
	(4390.0 HW)AF:	2026	Diff AF: -29	
	Bishop Hi/Lo:	57/24	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	59(avg)	O R Below BP Cr: 247	Fish Sprg @ RR Brdg: 31
	BP Pwr House :	54/28	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 15/15

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>		
	Aqueduct	(7)	47.8	(6)	43.8	(13)	91.6
Domestic	(4)	4.9	(3)	1.9	(7)	6.8	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off: W236,
* Total *	(12)	57.0	(10)	46.0	(22)	103.0	

SOUTH OWENS	(* Tin Resv Elev:	3863.1	Outflow: 207	24hr AF Total: 402
	(3866.0 HW)AF:	3572	Diff AF: 111	
	Tin Res Hi/Lo:	58/28	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	55/36	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	56/31	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	58/33	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 5
	Alab Gates GA:	5.44	Flow: 220	
	Cottw Gt Gage:	6.17	Flow: 226	Creek: 0 Power Plant: 6
	LORP(inflows):	Intake 46, Blackrock 1.2, Goose 0.0, Billy 1.2, Locust 0.0,		Total Inflow(cfs): 50
		Georges 0.4, Alabama Gates 0		
	(outflows):	PumpSta 40, Delta(L.G.) 7, Delta(weir) 0		Total Outflow(cfs): 47
	Lubkin Splgt:	Flow(in/out): 10/0	AF Total(in/out): 25/0	net AF: -25
	Cartago Splgt:	Flow(in/out): 0/0	AF Total(in/out): 0/3	net AF: 3
Owens Lk Use :	(net avg cfs) PumpSta 40.1, Lubkin -13, Cartago 2		Total: 29	
(* N Haiwee Elev:	3757.1			
(3757.5 HW)AF:	9814	Diff AF: -23		
(* S Haiwee Elev:	3733.2			
(3742.0 HW)AF:	20117	Diff AF: 404		
S Haiwe Hi/Lo:	56/30	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------