

MONO BASIN	Rush Cr @ Dam:	34	Lee Vining Creek: Above 19 (Spill: 18, Conduit: 1.0)
	West Portal :	37	Mono Lake Elev: 6382.89; (USGS Datum) (Read on: 12/4)
	C Ranch Hi/Lo:	45/30	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7120.8	Outflow: 63
(7130.0 HW)AF:	37535	Diff AF: -202	Grant Lake Toe Drain: 0.20

LONG VALLEY	East Portal :	50	Below East Portal: 107
	(* L V Resv Elev:	6765.6	Outflow: 0 24hr AF Total: 0
	(6781.5 HW)AF:	110764	Diff AF: 156
	L Vally Hi/Lo:	42/22	Precip(Day/Month):0.00/0.00
	ORG Main Weir:	3.00	Tunnel Drain: 0.13 Toe Drain: 0.39
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	44/44	Gorge: UG Cur/Avg: 13/13	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4379.7	Outflow: 77	24hr AF Total: 171
	(4390.0 HW)AF:	2026	Diff AF: -41	
	Bishop Hi/Lo:	54/19	Precip(Day/Month): 0.00/0.00	
	B C @ Plant 6:	59(avg)	O R Below BP Cr: 217	Fish Sprg @ RR Brdg: 32
	BP Pwr House :	48/26	Precip(Day/Month): 0.00/0.00	BP Cr Cur/Peak: 15/15

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(7)	47.8	(6)	43.8	(13)
Domestic	(4)	4.9	(3)	1.9	(7)	6.8
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6 Off: W236,
* Total *	(12)	57.0	(10)	46.0	(22)	103.0

SOUTH OWENS	(* Tin Resv Elev:	3863.5	Outflow: 204	24hr AF Total: 397
	(3866.0 HW)AF:	3894	Diff AF: 108	
	Tin Res Hi/Lo:	51/20	Precip(Day/Month): 0.00/0.00	
	LAA Intake		Precip(Day/Month): 0.00/0.00	
	Indep Hi/Lo:	54/24	Precip(Day/Month): 0.00/0.00	
	Alab Gt Hi/Lo:	58/25	Precip(Day/Month): 0.00/0.00	
	Cotw Gt Hi/Lo:	60/28	Precip(Day/Month): 0.00/0.00	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 5
	Alab Gates GA:	5.57	Flow: 242	
	Cottw Gt Gage:	6.04	Flow: 231	Creek: 4 Power Plant: 0
	LORP(inflows):	Intake 46, Blackrock 1.2, Goose 0.0, Billy 1.2, Locust 0.0, Georges 0.4, Alabama Gates 0		Total Inflow(cfs): 50
	(outflows):	PumpSta 40, Delta(L.G.) 6, Delta(weir) 0		Total Outflow(cfs): 46
	Lubkin Splgt:	Flow(in/out): 0/1 AF Total(in/out): 13/6		net AF: -7
	Cartago Splgt:	Flow(in/out): 0/20 AF Total(in/out): 0/37		net AF: 37
	Owens Lk Use :	(net avg cfs) PumpSta 39.5, Lubkin -4, Cartago 19		Total: 55
(* N Haiwee Elev:	3757.0			
(3757.5 HW)AF:	9744	Diff AF: -29		
(* S Haiwee Elev:	3734.7			
(3742.0 HW)AF:	21330	Diff AF: 376		
S Haiwe Hi/Lo:	56/31	Precip(Day/Month): 0.00/0.00		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	0	24hr AF Total: 0		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------