

MONO BASIN	Rush Cr @ Dam:	38	Lee Vining Creek: Above 19 (Spill: 18, Conduit: 1)
	West Portal :	19	Mono Lake Elev: 6383.03; (USGS Datum) (Read on: 2/11)
	C Ranch Hi/Lo:	46/4	Precip(Day/Month): 0.99/2.24
	Parker Cr Abv:	4	Below: 4 Walker Cr Abv: 2 Below: 2
			Grant Lake Spill: 0
	(* Grant Lake El:	7118.0	Outflow: 48
(7130.0 HW)AF:	34687	Diff AF: 264	Grant Lake Toe Drain: 0.18

LONG VALLEY	East Portal :	33	Below East Portal: 90	
	(* L V Resv Elev:	6769.8	Outflow: 93	24hr AF Total: 182
	(6781.5 HW)AF:	127848	Diff AF: 760	
	L Vally Hi/Lo:	36/24	Precip(Day/Month):1.96/2.78	
	ORG Main Weir:	3.10	Tunnel Drain: 0.13	Toe Drain: 0.43
Rock Crk Div :	0			

NORTH OWENS	RC@OR Cur/Ave:	75/53	Gorge: UG Cur/Avg: 103/104	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4383.8	Outflow: 193	24hr AF Total: 378
	(4390.0 HW)AF:	2386	Diff AF: -44	
	Bishop Hi/Lo:	45/33	Precip(Day/Month): 1.38/1.60	
	B C @ Plant 6:	61(avg)	O R Below BP Cr: 455	Fish Sprg @ RR Brdg: 51
	BP Pwr House :	41/32	Precip(Day/Month): 4.24/5.41	BP Cr Cur/Peak: 11/19

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>		
	Aqueduct	(7)	47.8	(6)	43.8	(13)	91.6
Domestic	(4)	4.9	(3)	1.9	(7)	6.8	
Enhc./Mitig.	(1)	4.3	(1)	0.3	(2)	4.6	Off:
* Total *	(12)	57.0	(10)	46.0	(22)	103.0	

SOUTH OWENS	(* Tin Resv Elev:	3863.2	Outflow: 279	24hr AF Total: 541
	(3866.0 HW)AF:	3629	Diff AF: 0	
	Tin Res Hi/Lo:	53/25	Precip(Day/Month): 0.72/0.76	
	LAA Intake		Precip(Day/Month): 0.60/0.96	
	Indep Hi/Lo:	45/38	Precip(Day/Month): 1.63/1.91	
	Alab Gt Hi/Lo:	48/41	Precip(Day/Month): 0.49/0.49	
	Cotw Gt Hi/Lo:	47/41	Precip(Day/Month): 1.99/2.63	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 9
	Alab Gates GA:	7.33	Flow: 363	
	Cottw Gt Gage:	8.49	Flow: 426	Creek: 2 Power Plant: 6
	LORP(inflows):	Intake 43, Blackrock 0.9, Goose 0.0, Billy 1.4, Locust 0.0, Georges 0.5, Alabama Gates 0		
			Total Inflow(cfs): 47	
	(outflows):	PumpSta 44, Delta(L.G.) 6, Delta(weir) 0		
			Total Outflow(cfs): 50	
	Lubkin Splgt:	Flow(in/out): 34/0	AF Total(in/out): 59/0	net AF: -59
Cartago Splgt:	Flow(in/out): 11/0	AF Total(in/out): 22/0	net AF: -22	
Owens Lk Use :	(net avg cfs)	PumpSta 44.1, Lubkin -30, Cartago -11	Total: 3	
(* N Haiwee Elev:	3756.9			
(3757.5 HW)AF:	9670	Diff AF: 183		
(* S Haiwee Elev:	3736.3			
(3742.0 HW)AF:	22727	Diff AF: 68		
S Haiwe Hi/Lo:	48/41	Precip(Day/Month): 1.02/1.35		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	285	24hr AF Total: 545		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------