

<b>MONO BASIN</b>	Rush Cr @ Dam: 16	Lee Vining Creek: Above 23 (Spill: 19, Conduit: 3.8)
	West Portal : 20	Mono Lake Elev: 6383.25; (USGS Datum) (Read on: 3/10 )
	C Ranch Hi/Lo: 66/43	Precip(Day/Month): 0.09/0.94
	Parker Cr Abv: 5	Below: 5 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7118.7	Outflow: 47 24hr AF Total: 94
	(7130.0 HW)AF: 35368	Diff AF: 49 Grant Lake Toe Drain: 0.20
	East Portal : 33	Below East Portal: 91
	(*) <b>L V Resv Elev:</b> 6772.5	Outflow: 50 24hr AF Total: 98
	(6781.5 HW)AF: 139479	Diff AF: 133
<b>NORTH OWENS</b>	L Vally Hi/Lo: 59/39	Precip(Day/Month):0.01/0.52
	ORG Main Weir: 3.20	Tunnel Drain: 0.14 Toe Drain: 0.43
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 44/43	Gorge: UG Cur/Avg: 67/65 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4377.3	Outflow: 102 24hr AF Total: 201
<b>WELLS</b>	(4390.0 HW)AF: 1832	Diff AF: 9
	Bishop Hi/Lo: 75/39	Precip(Day/Month): 0.00/0.03
	B C @ Plant 6: 62(avg)	O R Below BP Cr: 234 Fish Sprg @ RR Brdg: 37
	BP Pwr House : 73/45	Precip(Day/Month): 0.00/0.46 BP Cr Cur/Peak: 12/12
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		