

MONO BASIN	Rush Cr @ Dam:	20	Lee Vining Creek: Above 38 (Spill: 19, Conduit: 18.9)
	West Portal :	20	Mono Lake Elev: 6383.25; (USGS Datum) (Read on: 3/10)
	C Ranch Hi/Lo:	66/48	Precip(Day/Month): 0.00/0.94
	Parker Cr Abv:	5	Below: 5 Walker Cr Abv: 3 Below: 3
			Grant Lake Spill: 0
	(* Grant Lake El:	7118.5	Outflow: 48
(7130.0 HW)AF:	35230	Diff AF: 10	Grant Lake Toe Drain: 0.19

LONG VALLEY	East Portal :	33	Below East Portal: 91
	(* L V Resv Elev:	6773.7	Outflow: 46 24hr AF Total: 98
	(6781.5 HW)AF:	140639	Diff AF: 224
	L Vally Hi/Lo:	65/35	Precip(Day/Month):0.00/0.52
	ORG Main Weir:	3.20	Tunnel Drain: 0.13 Toe Drain: 0.44
Rock Crk Div :	0		

NORTH OWENS	RC@OR Cur/Ave:	49/47	Gorge: UG Cur/Avg: 67/65	MG Cur/Avg: 0/0
	(* P V Resv Elev:	4377.4	Outflow: 125	24hr AF Total: 245
	(4390.0 HW)AF:	1836	Diff AF: -12	
	Bishop Hi/Lo:	80/43	Precip(Day/Month): 0.00/0.03	
	B C @ Plant 6:	92(avg)	O R Below BP Cr: 248	Fish Sprg @ RR Brdg: 38
	BP Pwr House :	79/50	Precip(Day/Month): 0.00/0.46	BP Cr Cur/Peak: 15/25

WELLS	<u>North Wells</u>		<u>South Wells</u>		<u>* Total *</u>	
	Aqueduct	(6)	45.2	(2)	13.6	(8)
Domestic	(4)	4.9	(2)	1.1	(6)	6.0
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1)	0.3 Off:
* Total *	(10)	50.1	(5)	15.0	(15)	65.1

SOUTH OWENS	(* Tin Resv Elev:	3861.9	Outflow: 299	24hr AF Total: 584
	(3866.0 HW)AF:	2638	Diff AF: -102	
	Tin Res Hi/Lo:	82/48	Precip(Day/Month): 0.00/0.28	
	LAA Intake		Precip(Day/Month): 0.00/0.13	
	Indep Hi/Lo:	78/50	Precip(Day/Month): 0.00/0.20	
	Alab Gt Hi/Lo:	84/53	Precip(Day/Month): 0.00/0.01	
	Cotw Gt Hi/Lo:	82/52	Precip(Day/Month): 0.00/0.08	
	Blckrck Spill:	0.0	Thibaut Spillgates: 0.0	Lone Pine Creek: 7
	Alab Gates GA:	6.67	Flow: 288	
	Cottw Gt Gage:	7.09	Flow: 294	Creek: 2 Power Plant: 12
	LORP(inflows):	Intake 43, Blackrock 1.4, Goose 0.0, Billy 1.4, Locust 0.0, Georges 0.4, Alabama Gates 0		Total Inflow(cfs): 47
	(outflows):	PumpSta 37, Delta(L.G.) 11, Delta(weir) 0		Total Outflow(cfs): 48
	Lubkin Splgt:	Flow(in/out): 0/39 AF Total(in/out): 0/46		net AF: 46
	Cartago Splgt:	Flow(in/out): 0/41 AF Total(in/out): 0/72		net AF: 72
	Owens Lk Use :	(net avg cfs) PumpSta 37.3, Lubkin 23, Cartago 36		Total: 97
(* N Haiwee Elev:	3755.8			
(3757.5 HW)AF:	9062	Diff AF: -28		
(* S Haiwee Elev:	3739.1			
(3742.0 HW)AF:	25105	Diff AF: -27		
S Haiwe Hi/Lo:	81/54	Precip(Day/Month): 0.00/0.61		
Hai Pwr Plant:	0	24hr AF Total: 0		
LAA #2 S Haiw:	225	24hr AF Total: 434		

SOUTHERN DISTRICT	BOUQUET RELEASE	INST: 1.0 CFS	PREV DAY: 1.0 CFS
--------------------------	------------------------	----------------------	--------------------------