

|                                  |                                                                                                                 |                                                       |                   |                                                                                                           |
|----------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|-------------------|-----------------------------------------------------------------------------------------------------------|
| <b>MONO BASIN</b>                | Rush Cr @ Dam: 22                                                                                               | Lee Vining Creek: Above 29 (Spill: 28, Conduit: 1)    |                   |                                                                                                           |
|                                  | West Portal : 0                                                                                                 | Mono Lake Elev: 6383.26; (USGS Datum) (Read on: 4/9 ) |                   |                                                                                                           |
|                                  | C Ranch Hi/Lo: 72/44                                                                                            | Precip(Day/Month): 0.00/0.14                          |                   |                                                                                                           |
|                                  | Parker Cr Abv: 7                                                                                                | Below: 7 Walker Cr Abv: 4 Below: 4                    |                   |                                                                                                           |
|                                  | Grant Lake Spill: 0                                                                                             |                                                       |                   |                                                                                                           |
| <b>LONG VALLEY</b>               | (*) <b>Grant Lake El:</b> 7118.2                                                                                | Outflow: 42 24hr AF Total: 83                         |                   |                                                                                                           |
|                                  | (7130.0 HW)AF: 34884                                                                                            | Diff AF: -40 Grant Lake Toe Drain: 0.17               |                   |                                                                                                           |
|                                  | East Portal : 12                                                                                                | Below East Portal: 70                                 |                   |                                                                                                           |
|                                  | (*) <b>L V Resv Elev:</b> 6773.3                                                                                | Outflow: 37 24hr AF Total: 73                         |                   |                                                                                                           |
|                                  | (6781.5 HW)AF: 143201                                                                                           | Diff AF: 226                                          |                   |                                                                                                           |
| <b>NORTH OWENS</b>               | L Vally Hi/Lo: 72/32                                                                                            | Precip(Day/Month):0.00/0.00                           |                   |                                                                                                           |
|                                  | ORG Main Weir: 3.20                                                                                             | Tunnel Drain: 0.15 Toe Drain: 0.44                    |                   |                                                                                                           |
|                                  | Rock Crk Div : 0                                                                                                |                                                       |                   |                                                                                                           |
|                                  | RC@OR Cur/Ave: 35/36                                                                                            | Gorge: UG Cur/Avg: 51/51 MG Cur/Avg: 0/0              |                   |                                                                                                           |
|                                  | (*) <b>P V Resv Elev:</b> 4375.5                                                                                | Outflow: 69 24hr AF Total: 148                        |                   |                                                                                                           |
| <b>WELLS</b>                     | (4390.0 HW)AF: 1689                                                                                             | Diff AF: -7                                           |                   |                                                                                                           |
|                                  | Bishop Hi/Lo: 85/42                                                                                             | Precip(Day/Month): 0.00/0.01                          |                   |                                                                                                           |
|                                  | B C @ Plant 6: 132(avg)                                                                                         | O R Below BP Cr: 209 Fish Sprg @ RR Brdg: 39          |                   |                                                                                                           |
|                                  | BP Pwr House : 85/47                                                                                            | Precip(Day/Month): 0.00/0.03 BP Cr Cur/Peak: 21/21    |                   |                                                                                                           |
|                                  |                                                                                                                 |                                                       |                   |                                                                                                           |
| <b>SOUTH OWENS</b>               | <u>North Wells</u>                                                                                              | <u>South Wells</u>                                    | <u>* Total *</u>  |                                                                                                           |
|                                  | Aqueduct (13) 66.8                                                                                              | (6) 41.9                                              | (19) 108.7        | On: W343, W140, W407, W408, W411, W059, W060, W383, W384, W244, W245, W387, W388, W422, W346, W425, W351, |
|                                  | Domestic (4) 4.9                                                                                                | (3) 1.9                                               | (7) 6.8           | Off: W239,                                                                                                |
|                                  | Enhc./Mitig. (2) 10.8                                                                                           | (4) 7.1                                               | (6) 17.9          |                                                                                                           |
|                                  | * Total * (19) 82.5                                                                                             | (13) 50.9                                             | (32) <b>133.4</b> |                                                                                                           |
| <b>SOUTHERN DISTRICT</b>         | (*) <b>Tin Resv Elev:</b> 3864.8                                                                                | Outflow: 126 24hr AF Total: 251                       |                   |                                                                                                           |
|                                  | (3866.0 HW)AF: 5024                                                                                             | Diff AF: 184                                          |                   |                                                                                                           |
|                                  | Tin Res Hi/Lo: 86/47                                                                                            | Precip(Day/Month): 0.00/0.00                          |                   |                                                                                                           |
|                                  | LAA Intake                                                                                                      | Precip(Day/Month): 0.00/0.00                          |                   |                                                                                                           |
|                                  | Indep Hi/Lo: 84/48                                                                                              | Precip(Day/Month): 0.00/0.00                          |                   |                                                                                                           |
|                                  | Alab Gt Hi/Lo: 90/51                                                                                            | Precip(Day/Month): 0.00/0.00                          |                   |                                                                                                           |
|                                  | Cotw Gt Hi/Lo: 87/51                                                                                            | Precip(Day/Month): 0.00/0.03                          |                   |                                                                                                           |
|                                  | Blckrck Spill: 0.0                                                                                              | Thibaut Spillgates: 0.0 Lone Pine Creek: 10           |                   |                                                                                                           |
|                                  | Alab Gates GA: 3.91                                                                                             | Flow: 99                                              |                   |                                                                                                           |
|                                  | Cottw Gt Gage: 4.30                                                                                             | Flow: 119 Creek: 18 Power Plant: 11                   |                   |                                                                                                           |
|                                  | <b>LORP</b> (inflows): Intake 58, Blackrock 1.2, Goose 0.0, Billy 1.6, Locust 0.0, Georges 0.3, Alabama Gates 0 | <b>Total Inflow(cfs): 62</b>                          |                   |                                                                                                           |
|                                  | (outflows): PumpSta 36, Delta(L.G.) 14, Delta(weir) 0                                                           | <b>Total Outflow(cfs): 50</b>                         |                   |                                                                                                           |
|                                  | Lubkin Splgt: Flow(in/out): 0/55 AF Total(in/out): 0/86 net AF: 86                                              |                                                       |                   |                                                                                                           |
|                                  | Cartago Splgt: Flow(in/out): 0/69 AF Total(in/out): 0/142 net AF: 142                                           |                                                       |                   |                                                                                                           |
|                                  | Owens Lk Use : (net avg cfs) PumpSta 36.2, Lubkin 43, Cartago 72                                                | <b>Total: 151</b>                                     |                   |                                                                                                           |
| (*) <b>N Haiwee Elev:</b> 3757.0 |                                                                                                                 |                                                       |                   |                                                                                                           |
| (3757.5 HW)AF: 9733              | Diff AF: 0                                                                                                      |                                                       |                   |                                                                                                           |
| (*) <b>S Haiwee Elev:</b> 3739.1 |                                                                                                                 |                                                       |                   |                                                                                                           |
| (3742.0 HW)AF: 25159             | Diff AF: 18                                                                                                     |                                                       |                   |                                                                                                           |
| S Haiwe Hi/Lo: 86/59             | Precip(Day/Month): 0.00/0.13                                                                                    |                                                       |                   |                                                                                                           |
| Hai Pwr Plant: 0                 | 24hr AF Total: 0                                                                                                |                                                       |                   |                                                                                                           |
| LAA #2 S Haiw: 0                 | 24hr AF Total: 0                                                                                                |                                                       |                   |                                                                                                           |
| <b>BOUQUET RELEASE</b>           | <b>INST: 1.0 CFS</b>                                                                                            | <b>PREV DAY: 1.0 CFS</b>                              |                   |                                                                                                           |