

<b>MONO BASIN</b>	Rush Cr @ Dam: 23	Lee Vining Creek: Above 27 (Spill: 26, Conduit: 1)
	West Portal : 0	Mono Lake Elev: 6383.26; (USGS Datum) (Read on: 4/9 )
	C Ranch Hi/Lo: 67/33	Precip(Day/Month): 0.00/0.14
	Parker Cr Abv: 8	Below: 8 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7118.2	Outflow: 42 24hr AF Total: 83
	(7130.0 HW)AF: 34865	Diff AF: -19 Grant Lake Toe Drain: 0.17
	East Portal : 12	Below East Portal: 70
	(*) <b>L V Resv Elev:</b> 6773.3	Outflow: 37 24hr AF Total: 73
	(6781.5 HW)AF: 143427	Diff AF: 226
<b>NORTH OWENS</b>	L Vally Hi/Lo: 70/39	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.20	Tunnel Drain: 0.15 Toe Drain: 0.44
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 36/35	Gorge: UG Cur/Avg: 50/51 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4375.3	Outflow: 68 24hr AF Total: 146
<b>WELLS</b>	(4390.0 HW)AF: 1671	Diff AF: -18
	Bishop Hi/Lo: 80/46	Precip(Day/Month): 0.00/0.01
	B C @ Plant 6: 128(avg)	O R Below BP Cr: 211 Fish Sprg @ RR Brdg: 39
	BP Pwr House : 78/49	Precip(Day/Month): 0.00/0.03 BP Cr Cur/Peak: 21/21
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		