

| | | |
|--------------------------|----------------------------------|---|
| MONO BASIN | Rush Cr @ Dam: 109 | Lee Vining Creek: Above 77 (Spill: 61, Conduit: 26.0) |
| | West Portal : 0 | Mono Lake Elev: 6383.26; (USGS Datum) (Read on: 4/9) |
| | C Ranch Hi/Lo: 71/29 | Precip(Day/Month): 0.00/0.14 |
| | Parker Cr Abv: 8 | Below: 8 Walker Cr Abv: 5 Below: 5 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7119.2 | Outflow: 42 24hr AF Total: 83 |
| | (7130.0 HW)AF: 35863 | Diff AF: 238 Grant Lake Toe Drain: 0.17 |
| | East Portal : 12 | Below East Portal: 71 |
| | (*) L V Resv Elev: 6773.6 | Outflow: 51 24hr AF Total: 676 |
| | (6781.5 HW)AF: 144605 | Diff AF: -409 |
| NORTH OWENS | L Vally Hi/Lo: 68/22 | Precip(Day/Month):0.00/0.00 |
| | ORG Main Weir: 3.30 | Tunnel Drain: 0.17 Toe Drain: 0.43 |
| | Rock Crk Div : 5 | |
| | RC@OR Cur/Ave: 36/36 | Gorge: UG Cur/Avg: 52/52 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4383.9 | Outflow: 68 24hr AF Total: 141 |
| WELLS | (4390.0 HW)AF: 2394 | Diff AF: 626 |
| | Bishop Hi/Lo: 82/36 | Precip(Day/Month): 0.00/0.01 |
| | B C @ Plant 6: 130(avg) | O R Below BP Cr: 185 Fish Sprg @ RR Brdg: 36 |
| | BP Pwr House : 81/47 | Precip(Day/Month): 0.00/0.03 BP Cr Cur/Peak: 23/24 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |