

MONO BASIN	Rush Cr @ Dam: 16	Lee Vining Creek: Above 55 (Spill: 39, Conduit: 2.5)
	West Portal : 35	Mono Lake Elev: 6383.00; (USGS Datum) (Read on: 7/21)
	C Ranch Hi/Lo: 86/46	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 13	Below: 13 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7128.6	Outflow: 73 24hr AF Total: 149
	(7130.0 HW)AF: 45640	Diff AF: -87 Grant Lake Toe Drain: 0.17
	East Portal : 42	Below East Portal: 93
	(*) L V Resv Elev: 6771.1	Outflow: 33 24hr AF Total: 779
	(6781.5 HW)AF: 133331	Diff AF: -564
NORTH OWENS	L Vally Hi/Lo: 88/43	Precip(Day/Month):0.00/0.01
	ORG Main Weir: 3.30	Tunnel Drain: 0.17 Toe Drain: 0.45
	Rock Crk Div : 1	
	RC@OR Cur/Ave: 30/32	Gorge: UG Cur/Avg: 46/45 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4382.6	Outflow: 466 24hr AF Total: 885
WELLS	(4390.0 HW)AF: 2276	Diff AF: 37
	Bishop Hi/Lo: 96/53	Precip(Day/Month): 0.00/0.19
	B C @ Plant 6: 125(avg)	O R Below BP Cr: 455 Fish Sprg @ RR Brdg: 32
	BP Pwr House : 97/60	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 52/56
SOUTH OWENS		
SOUTHERN DISTRICT		