

MONO BASIN	Rush Cr @ Dam: 17	Lee Vining Creek: Above 34 (Spill: 30, Conduit: 0.5)
	West Portal : 0	Mono Lake Elev: 6383.00; (USGS Datum) (Read on: 7/21)
	C Ranch Hi/Lo: 87/51	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 9	Below: 9 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7128.2	Outflow: 33 24hr AF Total: 66
	(7130.0 HW)AF: 45208	Diff AF: -33 Grant Lake Toe Drain: 0.17
	East Portal : 13	Below East Portal: 64
	(*) L V Resv Elev: 6769.7	Outflow: 33 24hr AF Total: 771
	(6781.5 HW)AF: 127468	Diff AF: -592
NORTH OWENS	L Vally Hi/Lo: 88/43	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.40	Tunnel Drain: 0.17 Toe Drain: 0.45
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 25/24	Gorge: UG Cur/Avg: 41/43 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4385.8	Outflow: 456 24hr AF Total: 877
WELLS	(4390.0 HW)AF: 2577	Diff AF: 25
	Bishop Hi/Lo: 102/53	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 122(avg)	O R Below BP Cr: 459 Fish Sprg @ RR Brdg: 25
	BP Pwr House : 101/63	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 39/40
SOUTH OWENS		
SOUTHERN DISTRICT		