

MONO BASIN

Rush Cr @ Dam: 9 Lee Vining Creek: Above 20 (Spill: 16, Conduit: 3.5)
 West Portal : 41 Mono Lake Elev: 6382.23; (USGS Datum) (Read on: 10/16)
 C Ranch Hi/Lo: 68/30 Precip(Day/Month): 0.00/0.98
 Parker Cr Abv: 7 Below: 7 Walker Cr Abv: 3 Below: 3
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7124.3 Outflow: 69 24hr AF Total: 135
 (7130.0 HW)AF: 41064 Diff AF: -73 Grant Lake Toe Drain: 0.19

LONG VALLEY

East Portal : 53 Below East Portal: 101
 (*) **L V Resv Elev:** 6766.1 Outflow: 35 24hr AF Total: 70
 (6781.5 HW)AF: 112914 Diff AF: 354
 L Vally Hi/Lo: 70/34 Precip(Day/Month):0.00/1.24
 ORG Main Weir: 3.30 Tunnel Drain: 0.14 Toe Drain: 0.40
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 40/40 Gorge: UG Cur/Avg: 39/37 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4385.4 Outflow: 91 24hr AF Total: 184
 (4390.0 HW)AF: 2541 Diff AF: -173
 Bishop Hi/Lo: 81/42 Precip(Day/Month): 0.00/0.58
 B C @ Plant 6: 61(avg) O R Below BP Cr: 159 Fish Sprg @ RR Brdg: 27
 BP Pwr House : 78/52 Precip(Day/Month): 0.00/1.57 BP Cr Cur/Peak: 20/21

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(6)	47.4	(4)	32.4	(10)	79.8 On:
Domestic	(3)	4.6	(3)	1.9	(6)	6.5
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1)	0.3 Off:
* Total *	(9)	52.0	(8)	34.6	(17)	86.6

(*) **Tin Resv Elev:** 3863.6 Outflow: 174 24hr AF Total: 340
 (3866.0 HW)AF: 3963 Diff AF: 0
 Tin Res Hi/Lo: 82/48 Precip(Day/Month): 0.00/1.12

SOUTH OWENS

LAA Intake Precip(Day/Month): 0.00/0.80
 Indep Hi/Lo: 77/49 Precip(Day/Month): 0.00/0.25
 Alab Gt Hi/Lo: 77/54 Precip(Day/Month): 0.00/0.54
 Cotw Gt Hi/Lo: 78/59 Precip(Day/Month): 0.00/1.24
 Blckrck Spill: 16.8 Thibaut Spillgates: 6.8 Lone Pine Creek: 5
 Alab Gates GA: 4.78 Flow: 133
 Cottw Gt Gage: 5.69 Flow: 157 Creek: 6 Power Plant: 0
LORP (inflows): Intake 55, Blackrock 1.3, Goose 0.0, Billy 1.1, Locust 0.0, Georges 0.4, Alabama Gates 0 **Total Inflow(cfs): 59**
 (outflows): PumpSta 48, Delta(L.G.) 7, Delta(weir) 2 **Total Outflow(cfs): 57**
 Lubkin Splgt: Flow(in/out): 9/0 AF Total(in/out): 9/3 net AF: -6
 Cartago Splgt: Flow(in/out): 0/37 AF Total(in/out): 0/73 net AF: 73
 Owens Lk Use : (net avg cfs) PumpSta 47.8, Lubkin -3, Cartago 37 **Total: 81**

(*) **N Haiwee Elev:** 3751.2
 (3757.5 HW)AF: 6632 Diff AF: 0
 (*) **S Haiwee Elev:** 3725.2
 (3742.0 HW)AF: 14263 Diff AF: 198
 S Haiwe Hi/Lo: 80/50 Precip(Day/Month): 0.00/1.38
 Hai Pwr Plant: 0 24hr AF Total: 0
 LAA #2 S Haiw: 0 24hr AF Total: 0

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.0 CFS PREV DAY: 1.0 CFS

