

MONO BASIN

Rush Cr @ Dam: 26 Lee Vining Creek: Above 30 (Spill: 16, Conduit: 22.3)
 West Portal : 42 Mono Lake Elev: 6382.12; (USGS Datum) (Read on: 11/10)
 C Ranch Hi/Lo: 56/41 Precip(Day/Month): 0.59/0.67
 Parker Cr Abv: 8 Below: 8 Walker Cr Abv: 7 Below: 7
 Grant Lake Spill: 0
 (*) **Grant Lake El:** 7122.7 Outflow: 73 24hr AF Total: 140
 (7130.0 HW)AF: 39470 Diff AF: 62 Grant Lake Toe Drain: 0.19

LONG VALLEY

East Portal : 52 Below East Portal: 104
 (*) **L V Resv Elev:** 6767.7 Outflow: 36 24hr AF Total: 71
 (6781.5 HW)AF: 119104 Diff AF: 283
 L Vally Hi/Lo: 65/34 Precip(Day/Month):0.00/0.00
 ORG Main Weir: 3.90 Tunnel Drain: 0.19 Toe Drain: 0.42
 Rock Crk Div : 0

NORTH OWENS

RC@OR Cur/Ave: 38/36 Gorge: UG Cur/Avg: 37/36 MG Cur/Avg: 0/0
 (*) **P V Resv Elev:** 4383.8 Outflow: 90 24hr AF Total: 175
 (4390.0 HW)AF: 2388 Diff AF: -7
 Bishop Hi/Lo: 76/45 Precip(Day/Month): 0.01/0.01
 B C @ Plant 6: 60(avg) O R Below BP Cr: 160 Fish Sprg @ RR Brdg: 26
 BP Pwr House : 70/48 Precip(Day/Month): 0.05/0.05 BP Cr Cur/Peak: 16/16

WELLS

	North Wells		South Wells		* Total *	
Aqueduct	(5)	42.2	(4)	32.4	(9)	74.6 On:
Domestic	(3)	4.6	(2)	1.1	(5)	5.7
Enhc./Mitig.	(0)	0.0	(1)	0.3	(1)	0.3 Off:
* Total *	(8)	46.8	(7)	33.8	(15)	80.6

SOUTH OWENS

(*) **Tin Resv Elev:** 3862.8 Outflow: 180 24hr AF Total: 348
 (3866.0 HW)AF: 3273 Diff AF: -23
 Tin Res Hi/Lo: 74/47 Precip(Day/Month): 0.02/0.03

LAA Intake Precip(Day/Month): 0.00/0.00
 Indep Hi/Lo: 72/46 Precip(Day/Month): 0.00/0.00
 Alab Gt Hi/Lo: 69/56 Precip(Day/Month): 0.00/0.00
 Cotw Gt Hi/Lo: 72/56 Precip(Day/Month): 0.00/0.00
 Blckrck Spill: 10.7 Thibaut Spillgates: 0.0 Lone Pine Creek: 4
 Alab Gates GA: 5.24 Flow: 174
 Cottw Gt Gage: 6.35 Flow: 190 Creek: 6 Power Plant: 0
LORP (inflows): Intake 46, Blackrock 0.9, Goose 0.0, Billy 1.2, Locust 0.0,
 Georges 0.3, Alabama Gates 0 **Total Inflow(cfs): 49**
 (outflows): PumpSta 47, Delta(L.G.) 7, Delta(weir) 0 **Total Outflow(cfs): 54**
 Lubkin Splgt: Flow(in/out): 10/0 AF Total(in/out): 26/2 net AF: -24
 Cartago Splgt: Flow(in/out): 0/31 AF Total(in/out): 0/61 net AF: 61
 Owens Lk Use : (net avg cfs) PumpSta 46.9, Lubkin -12, Cartago 31 **Total: 65**

(*) **N Haiwee Elev:** 3754.2
 (3757.5 HW)AF: 8201 Diff AF: 237
 (*) **S Haiwee Elev:** 3729.5
 (3742.0 HW)AF: 17275 Diff AF: 15
 S Haiwe Hi/Lo: 72/50 Precip(Day/Month): 0.00/0.00
 Hai Pwr Plant: 0 24hr AF Total: 0
 LAA #2 S Haiw: 0 24hr AF Total: 0

SOUTHERN DISTRICT

BOUQUET RELEASE INST: 1.0 CFS PREV DAY: 1.0 CFS