

MONO BASIN	Rush Cr @ Dam: 14	Lee Vining Creek: Above 37 (Spill: 16, Conduit: 28.1)
	West Portal : 41	Mono Lake Elev: 6382.12; (USGS Datum) (Read on: 11/10)
	C Ranch Hi/Lo: 61/17	Precip(Day/Month): 0.00/3.65
	Parker Cr Abv: 7	Below: 7 Walker Cr Abv: 5 Below: 5
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7122.7	Outflow: 71 24hr AF Total: 138
	(7130.0 HW)AF: 39408	Diff AF: -21 Grant Lake Toe Drain: 0.20
	East Portal : 52	Below East Portal: 101
	(*) L V Resv Elev: 6768.9	Outflow: 36 24hr AF Total: 71
	(6781.5 HW)AF: 124074	Diff AF: 290
NORTH OWENS	L Vally Hi/Lo: 58/20	Precip(Day/Month):0.00/1.07
	ORG Main Weir: 3.50	Tunnel Drain: 0.18 Toe Drain: 0.41
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 41/41	Gorge: UG Cur/Avg: 38/36 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4385.7	Outflow: 90 24hr AF Total: 176
WELLS	(4390.0 HW)AF: 2561	Diff AF: 2
	Bishop Hi/Lo: 70/28	Precip(Day/Month): 0.00/2.12
	B C @ Plant 6: 63(avg)	O R Below BP Cr: 182 Fish Sprg @ RR Brdg: 23
	BP Pwr House : 70/35	Precip(Day/Month): 0.00/2.81 BP Cr Cur/Peak: 19/19
SOUTH OWENS		
SOUTHERN DISTRICT		