

MONO BASIN	Rush Cr @ Dam: 48	Lee Vining Creek: Above 34 (Spill: 16, Conduit: 18.0)
	West Portal : 40	Mono Lake Elev: 6382.12; (USGS Datum) (Read on: 11/10)
	C Ranch Hi/Lo: 45/17	Precip(Day/Month): 0.00/0.00
	Parker Cr Abv: 6	Below: 6 Walker Cr Abv: 4 Below: 4
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7122.5	Outflow: 70 24hr AF Total: 138
	(7130.0 HW)AF: 39265	Diff AF: 51 Grant Lake Toe Drain: 0.19
	East Portal : 52	Below East Portal: 100
	(*) L V Resv Elev: 6769.5	Outflow: 36 24hr AF Total: 71
	(6781.5 HW)AF: 126583	Diff AF: 168
NORTH OWENS	L Vally Hi/Lo: 45/18	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.60	Tunnel Drain: 0.18 Toe Drain: 0.41
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 40/39	Gorge: UG Cur/Avg: 38/36 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4385.7	Outflow: 91 24hr AF Total: 177
WELLS	(4390.0 HW)AF: 2568	Diff AF: -2
	Bishop Hi/Lo: 57/26	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 63(avg)	O R Below BP Cr: 184 Fish Sprg @ RR Brdg: 22
	BP Pwr House : 52/32	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 15/15
SOUTH OWENS		
SOUTHERN DISTRICT		