

|                          |                           |  |  |                  |           |
|--------------------------|---------------------------|--|--|------------------|-----------|
| <b>MONO BASIN</b>        | Rush Cr @ Dam:            | 88   | Lee Vining Creek: Above 29 (Spill: 16, Conduit: 13.2)  |                  |           |
|                          | West Portal :             | 40   | Mono Lake Elev: 6382.24; (USGS Datum) (Read on: 12/8 ) |                  |           |
|                          | C Ranch Hi/Lo:            | 38/5   | Precip(Day/Month): 0.00/1.10                           |                  |           |
|                          | Parker Cr Abv:            | 6  | Below: 6 Walker Cr Abv: 4 Below: 4                     |                  |           |
|                          |                           |  | Grant Lake Spill: 0                                    |                  |           |
|                          | <b>(*) Grant Lake El:</b> | 7122.8   | Outflow: 68 24hr AF Total: 136                         |                  |           |
|                          | (7130.0 HW)AF:            | 39563 Diff AF: 83 Grant Lake Toe Drain: 0.19                           |  |                  |           |
| <b>LONG VALLEY</b>       | East Portal :             | 52   | Below East Portal: 106                                 |                  |           |
|                          | <b>(*) L V Resv Elev:</b> | 6773.0   | Outflow: 38 24hr AF Total: 75                          |                  |           |
|                          |                           | (6781.5 HW)AF:   | 141894 Diff AF: 404                                    |                  |           |
|                          | L Vally Hi/Lo:            | 47/8   | Precip(Day/Month):0.00/1.12                            |                  |           |
|                          | ORG Main Weir:            | 3.80   | Tunnel Drain: 0.19 Toe Drain: 0.44                     |                  |           |
|                          | Rock Crk Div :            | 0  |  |                  |           |
| <b>NORTH OWENS</b>       | RC@OR Cur/Ave:            | 44/43  | Gorge: UG Cur/Avg: 41/40 MG Cur/Avg: 0/0               |                  |           |
|                          | <b>(*) P V Resv Elev:</b> | 4386.9   | Outflow: 113 24hr AF Total: 221                        |                  |           |
|                          |                           | (4390.0 HW)AF:   | 2681 Diff AF: -18                                      |                  |           |
|                          | Bishop Hi/Lo:             | 75/32  | Precip(Day/Month): 0.00/0.95                           |                  |           |
|                          | B C @ Plant 6:            | 56(avg)  | O R Below BP Cr: 215 Fish Sprg @ RR Brdg: 22           |                  |           |
|                          | BP Pwr House :            | 72/37  | Precip(Day/Month): 0.00/1.68 BP Cr Cur/Peak: 12/12     |                  |           |
| <b>WELLS</b>             |                           | <u>North Wells</u>   | <u>South Wells</u>                                     | <u>* Total *</u> |           |
|                          | Aqueduct                  | (5) 42.2   | (4) 32.4   | (9) 74.6         | On: W384, |
|                          | Domestic                  | (3) 4.6  | (3) 1.9  | (6) 6.5          |           |
|                          | Enhc./Mitig.              | (0) 0.0  | (2) 2.3  | (2) 2.3          | off:      |
|                          | * Total *                 | (8) 46.8   | (9) 36.6   | (17) 83.4        |           |
| <b>SOUTH OWENS</b>       | <b>(*) Tin Resv Elev:</b> | 3863.3   | Outflow: 347 24hr AF Total: 679                        |                  |           |
|                          |                           | (3866.0 HW)AF:   | 3687 Diff AF: -259                                     |                  |           |
|                          | Tin Res Hi/Lo:            | 74/35  | Precip(Day/Month): 0.00/1.72                           |                  |           |
|                          | LAA Intake                |  | Precip(Day/Month): 0.00/1.32                           |                  |           |
|                          | Indep Hi/Lo:              | 73/44  | Precip(Day/Month): 0.00/1.23                           |                  |           |
|                          | Alab Gt Hi/Lo:            | 70/43  | Precip(Day/Month): 0.00/0.92                           |                  |           |
|                          | Cotw Gt Hi/Lo:            | 76/39  | Precip(Day/Month): 0.00/1.03                           |                  |           |
|                          | Blckrck Spill:            | 9.2  | Thibaut Spillgates: 0.0 Lone Pine Creek: 6             |                  |           |
|                          | Alab Gates GA:            | 7.51   | Flow: 350  |                  |           |
|                          | Cottw Gt Gage:            | 8.45   | Flow: 409 Creek: 1 Power Plant: 13                     |                  |           |
|                          | <b>LORP(inflows):</b>     | Intake 46, Blackrock 1.2, Goose 0.0, Billy 1.3, Locust 0.0,            |  |                  |           |
|                          |                           | Georges 0.3, Alabama Gates 0 <b>Total Inflow(cfs): 50</b>              |  |                  |           |
|                          | (outflows):               | PumpSta 47, Delta(L.G.) 5, Delta(weir) 0 <b>Total Outflow(cfs): 52</b> |  |                  |           |
|                          | Lubkin Splgt:             | Flow(in/out): 18/0 AF Total(in/out): 43/0 net AF: -43                  |  |                  |           |
|                          | Cartago Splgt:            | Flow(in/out): 0/5 AF Total(in/out): 0/10 net AF: 10                    |  |                  |           |
|                          | Owens Lk Use :            | (net avg cfs) PumpSta 46.6, Lubkin -22, Cartago 5 <b>Total: 30</b>     |  |                  |           |
|                          | <b>(*) N Haiwee Elev:</b> | 3756.9   |  |                  |           |
|                          |                           | (3757.5 HW)AF:   | 9716 Diff AF: -6                                       |                  |           |
|                          | <b>(*) S Haiwee Elev:</b> | 3736.8   |  |                  |           |
|                          |                           | (3742.0 HW)AF:   | 23146 Diff AF: 240                                     |                  |           |
| S Haiwe Hi/Lo:           | 71/46                     | Precip(Day/Month): 0.00/1.08   |  |                  |           |
| Hai Pwr Plant:           | 0                         | 24hr AF Total: 0   |  |                  |           |
| LAA #2 S Haiw:           | 275                       | 24hr AF Total: 545   |  |                  |           |
| <b>SOUTHERN DISTRICT</b> | <b>BOUQUET RELEASE</b>    | <b>INST: 1.0 CFS</b>   | <b>PREV DAY: 1.0 CFS</b>                               |                  |           |