

|                   |                    |  |  |                  |                        |
|-------------------|--------------------|--|--|------------------|------------------------|
| MONO BASIN        | Rush Cr @ Dam:     | 92   | Lee Vining Creek: Above 36 (Spill: 16, Conduit: 12.4)  |                  |                        |
|                   | West Portal :      | 40   | Mono Lake Elev: 6382.57; (USGS Datum) (Read on: 1/15 ) |                  |                        |
|                   | C Ranch Hi/Lo:     | 37/2   | Precip(Day/Month): 0.00/1.10                           |                  |                        |
|                   | Parker Cr Abv:     | 5  | Below: 5 Walker Cr Abv: 4 Below: 4                     |                  |                        |
|                   |                    |  | Grant Lake Spill: 0                                    |                  |                        |
|                   | (*) Grant Lake El: | 7123.1   | Outflow: 68 24hr AF Total: 137                         |                  |                        |
|                   | (7130.0 HW)AF:     | 39872 Diff AF: 125 Grant Lake Toe Drain: 0.19                          |  |                  |                        |
| LONG VALLEY       | East Portal :      | 53   | Below East Portal: 107                                 |                  |                        |
|                   | (*) L V Resv Elev: | 6773.2   | Outflow: 38 24hr AF Total: 75                          |                  |                        |
|                   |                    | (6781.5 HW)AF:   | 142659 Diff AF: 225                                    |                  |                        |
|                   | L Vally Hi/Lo:     | 50/4   | Precip(Day/Month):0.00/1.12                            |                  |                        |
|                   | ORG Main Weir:     | 3.70   | Tunnel Drain: 0.19 Toe Drain: 0.44                     |                  |                        |
|                   | Rock Crk Div :     | 0  |  |                  |                        |
| NORTH OWENS       | RC@OR Cur/Ave:     | 41/42  | Gorge: UG Cur/Avg: 36/41 MG Cur/Avg: 0/0               |                  |                        |
|                   | (*) P V Resv Elev: | 4386.3   | Outflow: 113 24hr AF Total: 220                        |                  |                        |
|                   |                    | (4390.0 HW)AF:   | 2627 Diff AF: -21                                      |                  |                        |
|                   | Bishop Hi/Lo:      | 75/28  | Precip(Day/Month): 0.00/0.95                           |                  |                        |
|                   | B C @ Plant 6:     | 56(avg)  | O R Below BP Cr: 212 Fish Sprg @ RR Brdg: 22           |                  |                        |
|                   | BP Pwr House :     | 76/35  | Precip(Day/Month): 0.00/1.68 BP Cr Cur/Peak: 12/12     |                  |                        |
| WELLS             |                    | <u>North Wells</u>   | <u>South Wells</u>                                     | <u>* Total *</u> |                        |
|                   | Aqueduct           | (3) 36.7   | (3) 30.4   | (6) 67.1         | On: W384, W355,        |
|                   | Domestic           | (3) 4.6  | (3) 1.9  | (6) 6.5          |                        |
|                   | Enhc./Mitig.       | (0) 0.0  | (2) 2.3  | (2) 2.3          | Off: W343, W371, W410, |
|                   | * Total *          | (6) 41.3   | (8) 34.6   | (14) 75.9        |                        |
| SOUTH OWENS       | (*) Tin Resv Elev: | 3862.2   | Outflow: 347 24hr AF Total: 678                        |                  |                        |
|                   |                    | (3866.0 HW)AF:   | 2888 Diff AF: -264                                     |                  |                        |
|                   | Tin Res Hi/Lo:     | 75/33  | Precip(Day/Month): 0.00/1.72                           |                  |                        |
|                   | LAA Intake         |  | Precip(Day/Month): 0.00/1.32                           |                  |                        |
|                   | Indep Hi/Lo:       | 67/36  | Precip(Day/Month): 0.00/1.23                           |                  |                        |
|                   | Alab Gt Hi/Lo:     | 67/36  | Precip(Day/Month): 0.00/0.92                           |                  |                        |
|                   | Cotw Gt Hi/Lo:     | 69/39  | Precip(Day/Month): 0.00/1.03                           |                  |                        |
|                   | Blckrck Spill:     | 9.2  | Thibaut Spillgates: 0.0 Lone Pine Creek: 6             |                  |                        |
|                   | Alab Gates GA:     | 7.50   | Flow: 349  |                  |                        |
|                   | Cottw Gt Gage:     | 8.42   | Flow: 406 Creek: 1 Power Plant: 13                     |                  |                        |
|                   | LORP(inflows):     | Intake 45, Blackrock 1.2, Goose 0.0, Billy 1.3, Locust 0.0,            |  |                  |                        |
|                   |                    | Georges 0.3, Alabama Gates 0 <b>Total Inflow(cfs): 49</b>              |  |                  |                        |
|                   | (outflows):        | PumpSta 47, Delta(L.G.) 6, Delta(weir) 0 <b>Total Outflow(cfs): 53</b> |  |                  |                        |
|                   | Lubkin Splgt:      | Flow(in/out): 13/0 AF Total(in/out): 39/0 net AF: -39                  |  |                  |                        |
|                   | Cartago Splgt:     | Flow(in/out): 0/7 AF Total(in/out): 0/15 net AF: 15                    |  |                  |                        |
|                   | Owens Lk Use :     | (net avg cfs) PumpSta 46.5, Lubkin -20, Cartago 8 <b>Total: 34</b>     |  |                  |                        |
|                   | (*) N Haiwee Elev: | 3756.8   |  |                  |                        |
|                   |                    | (3757.5 HW)AF:   | 9629 Diff AF: -18                                      |                  |                        |
|                   | (*) S Haiwee Elev: | 3737.6   |  |                  |                        |
|                   |                    | (3742.0 HW)AF:   | 23828 Diff AF: 234                                     |                  |                        |
| S Haiwe Hi/Lo:    | 65/35              | Precip(Day/Month): 0.00/1.08   |  |                  |                        |
| Hai Pwr Plant:    | 0                  | 24hr AF Total: 0   |  |                  |                        |
| LAA #2 S Haiw:    | 275                | 24hr AF Total: 545   |  |                  |                        |
| SOUTHERN DISTRICT | BOUQUET RELEASE    | INST: 1.0 CFS  | PREV DAY: 1.0 CFS                                      |                  |                        |