

MONO BASIN	Rush Cr @ Dam: 25	Lee Vining Creek: Above 40 (Spill: 16, Conduit: 20.1)
	West Portal : 40	Mono Lake Elev: 6382.76; (USGS Datum) (Read on: 2/27)
	C Ranch Hi/Lo: 66/19	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv: 8	Below: 8 Walker Cr Abv: 6 Below: 6
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7124.1	Outflow: 68 24hr AF Total: 132
	(7130.0 HW)AF: 40886	Diff AF: 10 Grant Lake Toe Drain: 0.23
	East Portal : 54	Below East Portal: 109
	(*) L V Resv Elev: 6777.6	Outflow: 13 24hr AF Total: 26
	(6781.5 HW)AF: 163409	Diff AF: 536
NORTH OWENS	L Vally Hi/Lo: 69/22	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.80	Tunnel Drain: 0.22 Toe Drain: 0.46
	Rock Crk Div : 0	
	RC@OR Cur/Ave: 46/45	Gorge: UG Cur/Avg: 14/13 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4388.5	Outflow: 100 24hr AF Total: 196
WELLS	(4390.0 HW)AF: 2839	Diff AF: -32
	Bishop Hi/Lo: 78/30	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 65(avg)	O R Below BP Cr: 222 Fish Sprg @ RR Brdg: 29
	BP Pwr House : 78/36	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 16/16
SOUTH OWENS		
SOUTHERN DISTRICT		