

<b>MONO BASIN</b>	Rush Cr @ Dam: 61	Lee Vining Creek: Above 93 (Spill: 16, Conduit: 79.8)
	West Portal : 10	Mono Lake Elev: 6382.79; (USGS Datum) (Read on: 3/16 )
	C Ranch Hi/Lo: 76/28	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv: 15	Below: 15 Walker Cr Abv: 10 Below: 10
	Grant Lake Spill: 0	
<b>LONG VALLEY</b>	(*) <b>Grant Lake El:</b> 7125.4	Outflow: 37 24hr AF Total: 71
	(7130.0 HW)AF: 42248	Diff AF: 242 Grant Lake Toe Drain: 0.21
	East Portal : 21	Below East Portal: 83
	(*) <b>L V Resv Elev:</b> 6778.5	Outflow: 46 24hr AF Total: 92
	(6781.5 HW)AF: 167946	Diff AF: 0
<b>NORTH OWENS</b>	L Vally Hi/Lo: 78/36	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 4.10	Tunnel Drain: 0.23 Toe Drain: 0.46
	Rock Crk Div : 4	
	RC@OR Cur/Ave: 77/75	Gorge: UG Cur/Avg: 46/45 MG Cur/Avg: 0/0
	(*) <b>P V Resv Elev:</b> 4382.4	Outflow: 181 24hr AF Total: 356
<b>WELLS</b>	(4390.0 HW)AF: 2260	Diff AF: -98
	Bishop Hi/Lo: 91/42	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 92(avg)	O R Below BP Cr: 321 Fish Sprg @ RR Brdg: 33
	BP Pwr House : 89/52	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 33/34
<b>SOUTH OWENS</b>		
<b>SOUTHERN DISTRICT</b>		