

MONO BASIN	Rush Cr @ Dam: 169	Lee Vining Creek: Above 99 (Spill: 16, Conduit: 79.3)
	West Portal : 10	Mono Lake Elev: 6382.79; (USGS Datum) (Read on: 3/16)
	C Ranch Hi/Lo: 73/27	Precip(Day/Month): 0.00/0.01
	Parker Cr Abv: 18	Below: 18 Walker Cr Abv: 12 Below: 12
	Grant Lake Spill: 0	
LONG VALLEY	(*) Grant Lake El: 7127.4	Outflow: 37 24hr AF Total: 72
	(7130.0 HW)AF: 44328	Diff AF: 459 Grant Lake Toe Drain: 0.20
	East Portal : 22	Below East Portal: 90
	(*) L V Resv Elev: 6778.6	Outflow: 46 24hr AF Total: 92
	(6781.5 HW)AF: 168492	Diff AF: 398
NORTH OWENS	L Vally Hi/Lo: 78/32	Precip(Day/Month):0.00/0.00
	ORG Main Weir: 3.80	Tunnel Drain: 0.23 Toe Drain: 0.47
	Rock Crk Div : 14	
	RC@OR Cur/Ave: 85/87	Gorge: UG Cur/Avg: 46/45 MG Cur/Avg: 0/0
	(*) P V Resv Elev: 4380.3	Outflow: 279 24hr AF Total: 551
WELLS	(4390.0 HW)AF: 2078	Diff AF: -288
	Bishop Hi/Lo: 83/40	Precip(Day/Month): 0.00/0.00
	B C @ Plant 6: 127(avg)	O R Below BP Cr: 462 Fish Sprg @ RR Brdg: 35
	BP Pwr House : 84/45	Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 37/38
SOUTH OWENS		
SOUTHERN DISTRICT		