

| | | |
|--------------------------|----------------------------------|--|
| MONO BASIN | Rush Cr @ Dam: 167 | Lee Vining Creek: Above 101 (Spill: 16, Conduit: 79.9) |
| | West Portal : 10 | Mono Lake Elev: 6382.79; (USGS Datum) (Read on: 3/16) |
| | C Ranch Hi/Lo: 72/29 | Precip(Day/Month): 0.00/0.01 |
| | Parker Cr Abv: 18 | Below: 18 Walker Cr Abv: 11 Below: 11 |
| | Grant Lake Spill: 0 | |
| LONG VALLEY | (*) Grant Lake El: 7128.3 | Outflow: 37 24hr AF Total: 73 |
| | (7130.0 HW)AF: 45284 | Diff AF: 473 Grant Lake Toe Drain: 0.20 |
| | East Portal : 22 | Below East Portal: 93 |
| | (*) L V Resv Elev: 6778.6 | Outflow: 254 24hr AF Total: 471 |
| | (6781.5 HW)AF: 168492 | Diff AF: -50 |
| NORTH OWENS | L Vally Hi/Lo: 76/31 | Precip(Day/Month):0.00/0.00 |
| | ORG Main Weir: 3.90 | Tunnel Drain: 0.23 Toe Drain: 0.47 |
| | Rock Crk Div : 8 | |
| | RC@OR Cur/Ave: 86/83 | Gorge: UG Cur/Avg: 48/45 MG Cur/Avg: 0/0 |
| | (*) P V Resv Elev: 4380.9 | Outflow: 280 24hr AF Total: 560 |
| WELLS | (4390.0 HW)AF: 2133 | Diff AF: 105 |
| | Bishop Hi/Lo: 87/42 | Precip(Day/Month): 0.00/0.00 |
| | B C @ Plant 6: 142(avg) | O R Below BP Cr: 460 Fish Sprg @ RR Brdg: 36 |
| | BP Pwr House : 87/51 | Precip(Day/Month): 0.00/0.00 BP Cr Cur/Peak: 37/38 |
| | | |
| SOUTH OWENS | | |
| | | |
| | | |
| | | |
| | | |
| SOUTHERN DISTRICT | | |
| | | |
| | | |
| | | |
| | | |